Digitized by the Internet Archive
in 2013

http://archive.org/details/climatologicalda5457unit

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

CLIMATOLOGICAL DATA

IDAHO

JANUARY 1951

Volume LIV No. 1

SAN FRANCISCO: 1951

IDAHO - JANUARY 1951

E. H. Jones, Section Director, Boise

WEATHER SUMMARY

This was a rather typical January in Idaho, in contrast to last year when the weather was unusually cold in the north, and to January 1949 when there were record-breaking statewide low temperatures.

This year, average temperatures were very close to the January means in all divisions of the State, although for individual stations the departures ranged from -4.9° to +4.7°. Precipitation averages showed moderate positive departures from the mean in the northern and southwestern divisions and moderate deficiency in the southeast; at individual stations departures ranged from -1.01 inches at American Falls to +2.51 inches at Pierce Ranger Station. Snowfall averaged above the January mean for the State, but was only 62% of the record-breaking average of January 1950. Percent of possible sunshine, based on reports from the few stations that record such data, was below the January mean and wind movement was greater than usual.

Weather conditions were mostly favorable for stock and the agricultural outlook, although some grain land remained bare with alternate periods of thawing and freezing. Mountain snow depths were generally above normal in all sections at the close of the month. The cold wave during the closing days was believed to have had little effect on fruit trees, but probably did some damage to fall-sown grains. No losses of livestock were reported. There was heavy feeding, but hay was plentiful and livestock remained in good condition in all sections.

Day to day weather was rather uneventful during most of the month with mild conditions prevailing most of the time. A particularly warm spell occurred in mid-month, accompanied by widespread and rather generous amounts of precipitation. High winds were reported on a number of days in all sections of the State, but the windstorm of the 15th in northern Idaho was the only one classed as destructive. At Coeur d'Alene this windstorm resulted in one fatality when a man was struck by a falling tree. Reported damage from this storm included the breaking of telephone and power lines and the uprooting of trees, with some blocking of roads, in Shoshone County. Earlier in the month, on the 3d, Shoshone County also sustained considerable damage to power lines when freezing precipitation overloaded the wires.

One of the outstanding events of the month was the cold wave that moved southward across the State, entering northern counties on the evening of the 26th and covering all sections by early morning of the 28th. Subzero temperature readings were reported from nearly all parts of the State during the last four days of the month, with only the warmer, low-elevation localities remaining a few degrees above the zero mark.

DJS

ACKNOWLEDGMENTS

In addition to the climatological data from some 6,000 Weather Bureau and cooperative weather stations, this bulletin series contains records from Hydroclimatic Network Stations which were formerly reproduced in the Hydrologic Bulletin Series. The Hydroclimatic Network is a nationwide net of rain gages--mostly of the recording type which produce continuous records of precipitation. It was established in 1939 at the request of the Corps of Engineers, Department of the Army, to supplement existing precipitation stations in order to provide records of rainfall intensity which were essential to the planning of flood control and related works by the Corps of Engineers. This Network, now numbering about 2,000 recording, and 1,000 non-recording rain gages, has been maintained by the Weather Bureau through working funds transferred annually to the Weather Bureau by the Corps of Engineers. These transfers averaged about $250,000 per year between 1940 and 1944, and nearly $375,000 since that date. For the years 1940-42, the Department of Agriculture transferred about $100,000 per year to provide data required in its work, and since 1947 the Bureau of Reclamation has transferred about $25,000 per year to meet the increasing needs of their program in the Western States.

Previous to the introduction of this bulletin series, data from Hydroclimatic Network stations were presented in bulletins (Hydrologic Bulletins) which were issued monthly for each of 8 drainage areas embracing the entire United States, but since the Network was established to meet the internal requirements of the Federal agencies referred to above, no provision was made for public dissemination of the data, distribution being limited to cooperating agencies and to certain public repositories. A list of locations where reference copies of the Hydrologic Bulletin Series are available for inspection may be obtained upon application to Chief,U.S. Weather Bureau,Washington 25, D.C.

Many other records published in this bulletin have been made available through the cooperation of various public offices, private agencies, and individuals as listed in the Station Index.

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	ESE	25	12.5	34	SW	17	80	72	73	79	9	6	5	1	0	0	21	39	7.6	SEE TABLE 2.
LEWISTON WB AIRPORT	E	15	7.6	–	–	–	77	69	69	74	10	8	1	0	0	0	19	–	7.8	
POCATELLO WB AIRPORT	SW	22	10.9	43	SW	17	82	72	71	79	10	10	1	0	0	0	21	34	7.4	

Table 1

COMPARATIVE DATA

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1894	25.2	62	-26	3.80	–	–
1895	22.9	55	-34	2.82	–	10
1896	27.6	62	-25	2.97	–	10
1897	24.1	58	-30	1.03	–	5
1898	18.4	60	-40	1.38	–	8
1899	28.0	60	-19	2.78	20.9	11
1900	31.1	63	-18	1.76	2.9	6
1901	26.7	75	-23	1.96	14.1	8
1902	23.9	61	-34	.86	6.3	6
1903	26.4	60	-19	3.00	17.0	10
1904	25.2	60	-24	1.52	14.0	8
1905	27.7	61	-18	1.15	6.2	8
1906	25.3	55	-30	2.65	19.7	10
1907	22.0	61	-32	2.74	26.7	12
1908	26.1	63	-36	1.20	9.8	7
1909	27.2	63	-28	4.09	21.4	14
1910	20.6	56	-36	2.10	18.7	10
1911	26.4	59	-39	3.00	17.1	11
1912	24.9	62	-39	2.81	19.4	11
1913	20.9	57	-42	2.68	29.4	11
1914	29.7	62	-27	2.97	18.7	13
1915	22.7	56	-33	1.23	12.8	8
1916	17.3	63	-38	3.10	34.8	15
1917	17.4	56	-44	1.90	19.6	10
1918	28.5	68	-31	2.75	17.1	13
1919	26.1	62	-28	1.65	5.7	6
1920	25.1	63	-31	1.41	2.9	4
1921	27.2	60	-33	2.23	17.5	13
1922	16.0	51	-50	1.52	17.5	8
1923	28.3	61	-30	2.63	20.3	11
1924	20.1	57	-33	1.16	9.8	7
1925	26.5	60	-18	2.96	21.3	15
1926	23.9	54	-24	1.43	10.3	7
1927	25.7	63	-44	2.11	14.2	11
1928	26.0	57	-29	1.87	11.3	9
1929	15.7	54	-36	2.07	30.6	11
1930	12.9	66	-46	1.48	19.3	10
1931	24.7	58	-22	1.48	10.2	8
1932	19.8	58	-35	1.91	19.9	12
1933	24.3	58	-25	2.63	31.4	13
1934	32.3	65	-16	2.33	4.8	10
1935	25.2	62	-41	1.98	18.7	8
1936	24.1	56	-35	3.76	26.3	14
1937	8.8	56	-48	1.83	29.4	12
1938	27.7	62	-19	1.80	9.8	9
1939	27.7	61	-27	1.69	14.7	11
1940	26.2	57	-29	2.47	15.3	13
1941	27.4	57	-30	1.62	10.6	10
1942	19.9	58	-45	1.38	11.9	9
1943	22.8	64	-60	2.68	20.6	10
1944	21.5	59	-34	.93	8.7	6
1945	27.4	65	-21	1.59	5.7	9
1946	24.2	60	-23	2.04	17.2	10
1947	20.2	56	-42	1.60	13.8	10
1948	25.5	66	-37	1.88	8.1	7
1949	6.9	45	-42	1.00	15.5	8
1950	18.9	61	-40	3.25	36.9	15
1951	23.4	62	-42	2.13	22.9	12
PERIOD	23.6			2.12	16.6	

Table 2

CLIMATOLOGICAL DATA

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max. 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
NORTHERN DIVISION																			
AVERY RS	27.5	0.2	45	26	-10	29	1156	0	30	3.92	.14	.61	3	40.0	14	20+	20	1	0
BAYVIEW MODEL BASIN	29.2		51	15+	-12	29	1103	0	28	2.53		.48	2	11.0	5	4	14	0	0
BONNERS FERRY	26.1	2.7	47	15	- 8	30	1199	0	31	4.58	1.89	.67	21	34.8	18	21+	19	3	0
BURKE 2 NNE	21.7	- 0.5	39	15+	-16	29	1341	0	30	8.10	1.84	1.67	3	82.9	60	21	23	5	2
CLARK FORK 1 ENE	27.2	1.2	49	25	- 8	29+	1164	0	29	4.60	1.23						17		0
COEUR D ALENE CAA AP	27.1		46	15	- 5	29	1167	0	30	1.76		.38	25	36.5	11	22+	18	0	0
COEUR D ALENE RS	29.6	2.8	49	15	- 2	29	1090	0	28	4.38	1.07	.85	2	19.7	11	22	20	3	0
COTTONWOOD	25.1	1.5	46	15	-15	29	1234	0	30	1.44	- .66	.37	14	11.5	8	23	13	0	0
ELK CITY	20.1		48	21	-40	29	1386	0	31	4.13		.76	14	38.0	20	23+	19	3	0
FENN RS	29.7M	0.2	48	26	- 5	29	1085	0		3.84	.24	.78	14	11.2	3	12	18	2	0
FORNEY BLACKBIRD MINE	16.9		44	25	-25	28+	1483	0	31	2.90		.36	17	43.9	32	18+	18	0	0
GRANGEVILLE	27.0	- 1.6	54	25	-15	29	1172	0	30	.82	- .91	.29	14	6.6	2	14+	10	0	0
KELLOGG	28.5	1.6	50	16+	- 5	29		0	29	3.43	- .02	.65	3	25.1	8	4	22	2	0
KOOSKIA	32.4	3.2	57	21	- 3	29+	1001	0	25	1.44	- .67	.25	15	T	T	4+	14	0	0
LEWISTON WATER PLANT	35.4	2.2	55	15	4	30	912	0	18	.94	- .47	.30	17	.2	T	27	10	0	0
LEWISTON WB AP	33.2		55	15	1	30	975	0	23	.51		.26	17	.8	1	27	9	0	0
MOSCOW U OF I	28.8	0.6	48	15	- 2	29+	1118	0	30	2.18	- .60	.57	2	14.9			14	1	0
MULLAN PASS CAA	15.8	- 3.9	36	25	-20	28	1523	0	31	5.40	1.42	.84	2	47.1	71	27+	25	2	0
NEZPERCE	25.9	- 0.6	46	25	-10	29	1205	0	30	E 1.00	- .56	.24	22	14.4	4	17+	6	0	0
OROFINO	32.8	3.1	52	15+	0	30	993	0	27	3.33	.47	.75	17		1	8	16	2	0
PIERCE RS	23.7	- 0.5	38	15+	-22	29+	1276	0	31	7.05	2.51	1.03	2+	62.0	41	21+	21	5	2
PORTHILL	25.0	1.3	46	15	-10	28	1229	0	31	2.58	.23	.50	15	33.5	14	24	12	1	0
POTLATCH	30.1	2.0	50	15	- 5	31	1074	0	27	2.87	.08	.50	2	19.3	5	21	16	1	0
PRIEST RIVER EXP STA	24.9	1.3	45	15	-16	29+	1223	0	31	5.42	1.66	.86	2	40.1	25	21+	20	3	0
RIGGINS RS	34.2	- 0.1	56	15+	3	29+	949	0	22	.57	- .46	.19	17				9	0	0
SAINT MARIES	29.2	0.7	50	15	- 8	31	1105	0	28	4.55	1.29	.72	2	29.8	9	23	21	3	0
SALMON	15.6	- 1.8	52	26	-26	30	1524	0	31	.55	- .14	.36	14		8	15	6	0	0
SANDPOINT EXP STA	27.1	1.6	46	25	-10	29+	1168	0	30	5.15	1.48			32.5	20	21	17		0
WALLACE	25.9	- 0.9	47	25	- 9	29	1204	0	30	5.85	1.08	.80	3+	39.0	20	22+	20	4	0
WALLACE WOODLAND PARK	24.8	- 1.2	48	16	-13	29		0	30	5.15	1.25			40.2	23	21	20		
WINCHESTER 1 SE	23.9	- 2.3	46	24+	-22	29	1270	0	31	2.11	.75	.40	17				14		
DIVISION	26.6	0.1								3.33	.34			29.3					

See reference notes following Station Index.

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max. 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	18.1	- 0.3	49	25	-33	31	1453	0	31	3.23	- .01	.73	3	45.2	24	23	14	2	0
ANDERSON DAM 1 SW	25.3		49	24	-12	30	1225	0	31	3.60		.74	2	39.5	18	21	13	3	0
ARROWROCK DAM	24.0	- 0.9	51	16	- 8	31		0	31	4.26	1.62	1.18	3	39.6	18	17+	15	3	1
ATLANTA 1 E	21.7	0.6	48	25	-18	29	1338	0	31	4.62	1.22	.87	14	62.5	57	23	15	2	0
BLISS	25.8	- 1.3	48	17+	-10	30+	1208	0	30	1.60	.36	.63	2	19.0	6	21	11	1	0
BOISE WB AP //	29.1	1.2	56	17	1	30	1107	0	29	1.66	- .07	.50	23	10.3	3	4	12	1	0
BUHL	28.8	1.5	60	15	- 3	31	1121	0	30	1.11	.09	.48	18				6	0	0
CALDWELL	30.5	2.2	60	15	2	29+	1062	0	29	1.45	.19	.38	2+	3.2			11	0	0
CAMBRIDGE	27.2	5.1	44	17	-19	30		0	29	3.08	.10	1.00	2	28.0			7	2	1
CASCADE 1 NW	20.0		44	26	-22	29	1390	0	31	1.94		.37	17	36.0	17	19+	20	0	0
CHALLIS	18.0	- 0.7	47	15+	-27	29+	1452	0	31	.78	.30	.30	18	7.5	5	23+	6	0	0
COUNCIL 2 NNE	25.3	1.6	42	15+	-12	30	1224	0	31	3.64	.07	1.02	2				12		1
DEADWOOD DAM	16.9	1.2	38	26	-35	31	1491	0	31	5.11	.30	1.19	17	56.5	49	19	20	2	1
DEER FLAT DAM	31.6	4.9	60	15+	0	30	1028	0	27	1.22	.22	.38	23	2.0	2	23	8	0	0
EDEN HUNT PROJECT	24.0		49	15	-12	30+	1289	0	31	2.31		.90	22		12	21	11	2	0
EMMETT 2 E	30.5M	1.4	58	15	1	30	1075	0	30	1.33	- .05	.30	23	3.0	2	23	10	0	0
FAIRFIELD RS	14.0M		41	24	-34	30+	1584	0	31	3.03		.72	17	35.5	31	23	9	2	0
GARDEN VALLEY RS	25.7	1.9	53	15	-16	31	1211	0	31	3.73	.50	.83	2	33.0	12	21+	14	3	0
GLENNS FERRY	29.6	0.4	54	26	- 4	30	1091	0	29	1.58	.44	.42	2	8.5	3	4	8	0	0
GOODING CAA AP	23.1	- 0.6	48	15	-14	30	1295	0	31	1.51	.27	.47	2	25.7	12	21	14	0	0
GRAND VIEW	30.2	1.2	62	15	1	29	1074	0	29	.82	.10	.28	17				5	0	0
HAILEY	18.5	- 1.0	46	26	-25	31	1436	0	31	2.57	.34	1.02	17	34.0	25	19	10	1	1
HAZELTON	25.9	- 0.3	52	15	-10	29	1205	0	31	1.39	.15	.35	18	17.5	8	19+	12	0	0
HILL CITY	14.3	- 1.0	40	15+	-36	31	1567	0	31	2.60	.52	.47	2	40.0	36	23	9	0	0
HOLLISTER	27.3M	0.8	55	25	- 5	30	1162	0		1.50	.63	.69	18				9	1	0
IDAHO CITY	21.7	- 2.6	51	25	-27	30	1340	0	31	3.61	.47	1.05	17	44.2			16	1	1
JEROME	24.9	- 1.6	56	15	-11	29+	1235	0	31	1.06	- .01	.35	2	12.9			12	0	0
KUNA 2 NNE	29.8	1.5	56	15	- 2	30	1085	0	28	E 1.57	.37			5.6	2	4	10	0	0
LOWMAN	22.5	0.2	45	25	-22	30+	1308	0	31	4.30	1.10	.69	17	40.8	29	24	15	2	0
MC CALL	20.2	2.1	40	15+	-23	29	1390	0	31	3.61	.12	.79	2		36	17	10	3	0
MERIDIAN 1 SSW	28.4	- 0.2	57	17	- 2	30+	1126	0	30	.91	- .51	.23	24				5	0	0
MESA	25.6		46	17	-11	30	1216	0	31	3.35		.97	2	25.5	13	24+	12	1	0
MOUNTAIN HOME 1 W	27.6	- 0.2	54	15+	- 4	30+	1153	0	30	E 1.59	.41	.37	2+	17.0	7	19	8	0	0
NAMPA	31.3M	1.9	56	15	3	31	1035	0	30	1.32	.26	.42	23				7	0	0
NAMPA 2 NW	31.1		58	16	1	30		0	27	1.19		.53	24	4.5	1	4+	8	1	0
NEW MEADOWS RS	20.3	1.0	43	15+	-33	30	1384	0	31	3.32	.34	.71	2	31.0	19	21+	20	2	0
OBSIDIAN 4 NNE	12.2	- 2.2	43	24	-42	29	1630	0	31	1.78	- .21	.44	17	24.0	35	17+	17	0	0
OLA	24.2		48	15+	-17	30+	1258	0	31	E 3.64	1.00	.89	2	32.5	13	24	12	3	0
PARMA EXP STA	29.2M	1.4	57	15	0	30		0	31	.90	- .23	.38	24		2	24	13	0	0
PAYETTE	29.9	2.7	57	17	1	30+	1080	0	30	1.22	- .33	.38	2	8.6	2	23+	11	0	0
RICHFIELD	18.8	- 1.4	42	14+	-26	29	1426	0	31	2.02	.73	.54	17	25.1	14	21	10	1	0
SHOSHONE	22.1	- 1.2	48	15	-18	29	1324	0	31	1.95	.52	.46	2	27.3	10	21+	13	0	0
STIBNITE	17.7		45	25	-28	28		0	31	6.37		1.42	3	75.3	43	18	21	5	1
SUN VALLEY	12.4	- 2.9	43	26	-35	30+	1625	0	31	2.40	.29	.78	17	41.0	38	22+	13	1	0
SWAN FALLS PH	33.1	1.7	60	15	5	30	982	0	27	1.21	.24	.38	18	2.5	3	4	6	0	0
TWIN FALLS 2 NNE	26.7	0.0	54	15	- 4	31	1182	0	30	1.60	.50	.55	18	17.1	7	18	12	1	0
TWIN FALLS 3 SE	24.9	- 1.9	54	16	- 6	29+		0	31	1.57	.68	.55	18	16.1	7	18+	12	1	0
WEISER	28.8	2.5	52	17	- 2	29+	1116	0	31	E 2.19	.40	.65	21	17.3	6	23	10	1	0
DIVISION	24.4	- 0.2								2.34	.25			26.0					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STA	21.9	1.7	43	18	-12	29	1328	0	31	.62	- .06	.12	4+	9.1	4	21	13	0	0
ALBION	25.3	- 2.8	57	26	- 7	20		0	30	1.42	- .05	.47	18	14.5	7	18	11	0	0
AMERICAN FALLS 1 NW	24.6	0.8	45	17	- 8	29		0	30	.39	- 1.01	.10	21	6.9	3	19	9	0	0
ASHTON 1 S	15.2	- 3.0	43	25	-22	29+	1539	0	31	1.23	- .65	.30	2	15.0	18	19	7	0	0
BLACKFOOT	24.2	3.0	44	15+	- 9	29	1260	0	31	.59	- .42	.18	23	12.5	3	11+	5	0	0
BURLEY	27.4	1.4	56	26	- 4	29+		0	29	1.33	.39	.43	18	13.0	4	11+	13	0	0
BURLEY FACTORY 1 NW	25.0	1.0	50	26	- 6	30		0	31	.61	- .31	.22	18	12.0			10	0	0
BURLEY CAA AP	25.4	0.0	51	25	- 6	30	1218	0	30	.84	.19	.28	18	12.4	6	21	12	0	0
CHILLY BARTON FLAT	9.8	- 4.9	39	18	-32	30	1704	0	31	.15	- .09	.10	18	3.0			2	0	0
CONDA	19.4		49	26	-27	31		0	31	1.57	.01	.30	2	35.0			11	0	0
DRIGGS	16.1	- 0.4	48	26	-33	29		0	31	.89	- .78	.31	2				9	0	0
DUBOIS EXP STA	16.1M	- 1.5	39	22	-19	29	1509	0	31	.42	- .53	.18	2+				4	0	0
DUBOIS CAA AP	15.1	- 2.7	41	25	-18	31	1541	0	31	.49	- .37	.15	2	5.7	7	11+	8	0	0
FORT HALL INDIAN AGENCY	24.0M	2.3	46	15	-12	29	1264	0	30	.53	- .23	.92	40				9		0
GRACE PH	19.6	- 0.1	42	25	-15	31	1400	0	31	1.01	- .19	.18	17	16.0	15	23	16	0	0
GRAY	17.6	- 0.1	47	25	-29	29	1469	0	31	1.63	.03	.35	17	19.5	22	23+	10	0	0
GROUSE	10.8		42	26	-42	29	1675	0	31	.52	- .45	.20	19	9.5	10	21	7	0	0
HAMER 4 NW	17.3	4.7	42	22	-18	29	1483	0	30	.38	- .25	.20	2	6.5	6	9+	4	0	0
IDAHO FALLS CAA AP	18.9	- 0.4	42	15	-16	29	1423	0	31	.79	- .52	.19	23	11.4	6	21	14	0	0
IRWIN 2 S	21.5	2.2	46	25	-20	29	1340	0	31	.80	- .62	.28	18	8.5	6	4+	6	0	0
ISLAND PARK DAM	12.6	- 0.2	36	15	-33	29+	1619	0	31	3.39	.31	.65	17	50.0	36	3+	16	2	0
LIFTON PUMPING STA	18.9	1.1	44	26	-12	31	1421	0	31	.62	.02	.09	19+	9.8	8	23+	11	0	0
MACKAY RS	16.7	- 0.4	46	16	-17	29	1493	0	31	.42	- .41	.11	18	4.6	6	19+	9	0	0
MALAD	22.7M	1.0	47	25	- 9	30	1302	0	31	2.00	.58	.39	22	18.7	16	23	14	0	0
MALAD CAA AP	19.0		43	17	-22	30	1421	0	31	1.29		.42	21	19.5	15	22	13	0	0
MAY RS	15.5	- 1.9	49	15	-30	29	1528	0	31	.20	- .24	.09	23	3.3	5	1+	6	0	0
MC CAMMON	23.1		49	25	-14	30	1293	0	31	2.43		.59	3	20.0	10	22	9	1	0
MINIDOKA DAM	25.5		46	15	- 6	30	1219	0	31	.57		.12	18+	12.0	4	18+	9	0	0
MONTPELIER RS	18.6	1.0	48	27	-17	31		0	31	1.33	.33	.28	19	26.0	13	22+	14	0	0
OAKLEY	27.4	- 0.6	53	26	- 6	30	1158	0	29	1.05	.29	.45	18	16.0	7	18+	9	0	0
PALISADES DAM	18.5M		45	15+	-28	29	1444	0	31	1.50		.25	16				15	0	0
PAUL 1 E	25.1	- 0.9	48	16	- 5	29+		0	31	1.03	.03	.30	22	11.0	5	19+	8	0	0
POCATELLO WB AP //	23.8	1.5	45	15	- 9	29	1271	0	30	.44	- .90	.10	18	7.9	4	11+	11	0	0
PRESTON SUG FACT 2 SE	22.7	2.2	48	25	-14	31	1305	0	31	1.40	.00	.43	22	19.7	11	22+	13	0	0
RIRIE	21.3		43	15	-17	29		0	31	E 2.02							11		0
RUPERT	24.5	- 0.1	49	16	- 7	29+		0	31	1.08	.02	.25	18+	8.0	3	18+	11	0	0
SAINT ANTHONY	16.8		44	25	-25	30	1488	0	31	1.41		.50	2	16.2	9	11+	17	1	0
SPENCER RS	11.9	- 2.6	38	15	-29	29	1642	0	31	1.19	- .29	.30	11	21.0	18	19+	11	0	0
SPRINGFIELD	21.2	0.9	44	18	-17	29	1352	0	31	1.22	.21	.22	2	16.4			11	0	0
SUGAR	17.4M	0.8	47	25	-25	30	1469	0	31	.88	- .32	.45	2	11.0	8	18+	6	0	0
TETONIA EXP STA	15.8	0.0	45	15	-37	29	1519	0	31	.63	- .47						9	0	0
DIVISION	19.9	0.0								1.03	- .18			14.3					
STATE	23.4	- 0.1								2.13	.12			22.9					

See reference notes following Station Index.

Table 3

DAILY PRECIPITATION

IDAHO
JANUARY 1951

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
ABERDEEN EXP STA		T	05	02	.12					.01		.01					.01	05	.06	.06		.12	06	.02	.03								.62
ALBION				05	.04	16				.03		02					.11		.47	.08			14	.05	.27								1 42
ALPHA 1 NE			42	73	25					T	.17			.05	.19	14		.54	.10	.16		.17	.11	.17			.03						3 23
AMERICAN FALLS 1 NW			.01	06	T	04				.05		T					.01	T	04	05		.10			.03								39
ANDERSON DAM 1 SW			74	.15	14				T	T	T	22		T	09		02	.73	15	.33		.60	T	.21	.20		.02			T			3 60
ARROWROCK DAM			.13	1.18	.08	.06				05		.31			12		.12	.85	16	.25	.07	.23	02		.63	T	T						4.26
ASHTON 1 S		T	.30	.26	T		T		T	.01				.22			T	T	14	.10		T		20	T			T					1.23
ATLANTA 1 E			31	34	22							.05		T	87	•	30	74	39	.17	T	.33	27	32	.20		.11						4.62
ATLANTA 1 E	R	.01	63	35	25							.05		.34	.52	28	.21	1.06	.13	.22		.40	22	40	.11		.20						5 38
AVERY RS		.16	22	61	48	.08			T			04	.06	.09	.17	.22	T	48	07	.02	18	.27	.20	.05	.18	T	.31	.03					3.92
BANCROFT	R	.02	.13	.05	.04				03	-	-		-		-			.32	.05	.09		.06	.04	-				-	-	-	-	-	-
BAYVIEW MODEL BASIN			48	.23	.11	T			T	T	T	.08	09	.15	T	T	04	.35	.10	.06		38	.06		15	T	.25						2 53
BENTON DAM	R		89		02						04	.14	.09	.35	.03	.32	.44	.02	.12	.10	06	.81	.05		28	.74	03						4.53
BLACKFOOT			T	T	.12							.10						T	08	T			.11	.18									59
BLISS			63	.02	.05				T			.09				.01	10	.30	.11			.12	T	14	.03								1 60
BOISE LUCKY PEAK DAM		-	-	-	-		-	-	-								05	.14	20	.15		.06	.02	.16	26		.01	T					-
BOISE LUCKY PEAK DAM	R	-	-	-	-		-	-	-	-					-							.10	02	.36	09		.01						-
BOISE WB AP	R	T	45		.13	T			T	T	.02	T	T	T		.02	08	.18	T	.11		.04	.01	.50	11		.01	T					1 66
BONNERS FERRY			62	.10	04		T	T	T	T	02	.07	.04	.39	T	.57	.49	.11	.17	.16	.02	67	02	.02	.48	47	12						4 58
BONNERS FERRY	R		.52	.15	.03						02	.04	.02	.33	.01	.56	•	66	.11	.10	.04	58	.02	.02	.45	.50	.09						4.25
BRIDGE	R	-	-				-	-	-	-		-	-					.29	.03		.04	-		-	-	-				-	-	-	-
BUHL			08		24												.04		48				04		.23								1 11
BURKE 2 NNE		.13	52	1.67	42	.11			05	T		.03	.11	.27	.37	.24	20	1.13	.26	.10	.32	.72	.15	.03	.21	.06	.91	.09					8 10
BURLEY			.01	.19	.08	09				.05		.04					.09	T	.43	.06	.01		.04	.03	.21				T			T	1 33
BURLEY FACTORY 1 NW				.09	.02	.05				.07	T	.03					.03		.22	.02			.01	T	.07		T						61
BURLEY CAA AP			.07		.10				01	T	T	.01		T			05	.01	.28	.02		.07	.04	.12	.06		T		T				84
BURLEY CAA AP	//R		06		.10				02	.02	02	.02				01	03	.01	.20	.05		.04	.03	.17	.03								81
CALDWELL			38		.10	.01				.01		02					.02			.16	•	.15	T	.38	.22	T							1.45
CAMBRIDGE		06	1.00	T	T							.10		.35			.48					61	T	.48									3 08
CASCADE 1 NW		.01	23	.09	04	T			.01	T	T	.10	.01	.02	.18	.01	.04	37	.05	.19	.01	28	.08	.15	.05		02						1 94
CASCADE RS	R		1 04	09	.03			•	•	•	•	•	•	•	•	•	.99	.56	.10	.27		.47	.11	.16	10		.07						3 99
CENTERVILLE ARBAUGH		.01	1 09	.12	25						T	.21	.02	.12	.17	.15	.16	1.22	.17	.31		44	.14	24	.20	T	06						5 08
CHALLIS				07														.10	.30	T			.18	.10					.03				78
CHILLY BARTON FLAT			T																.10	.05				T									15
CLARK FORK 1 ENE		T	45	.32	.49	.10			T				.17	.41	.04	.35	.10	.36	16	.08	T	.48	.16		.21	•	.72						4 60
CLARK FORK 1 ENE	R	.04	59	.26	45	.01							.17	.26	.05	.30	29	.11	.11	.05	.01	.36	.15		.20	•	84						4 25
CLARKIA RS	R	•	1.03	•	.72				.02		.07	.04	.16	.61	.25	.05	•	.97	02	.18	05	.39	16	.09	43	34	03						5 61
CLEMENTSVILLE 4 S	R				-			-		-		-	-	-	-	-		-					15	.14	.05	.03	.03						-
COEUR D ALENE CAA AP		T	31	.03	.14	01		T	T		.04	.01	.11	.05	.02	T	09	.01	.01	.05	.02	.23	.08	T	.17	.38		T					1 76
COEUR D ALENE CAA AP	R		64	•	.24	.01					.07	.04	.18	.24	.07	.04	.14	.01	.02	.05	.02	.23	.08		29	.46							2 83
COEUR D ALENE RS			85	19	.20	.03			.01		.01	.03	.18	.53	.01	.16	04	.45	.08	.09	.02	.79	.19		27		.25	T					4 38
CONDA			.30	.02	.15				05		03	T	T	T		26	.08	28	.18			.12	.10										1 57
COTTONWOOD		T	.33	.05	.13	T			.01				T	.02	.37	.01	T	.21		T	T	.11	.03	.13	.02		T	.02	T				1 44
COTTONWOOD 2 SW	R		•	•	•	•	•	•	.17			•	•		•	•	•	•	•	.40		•	•	29			•	•	.20				1.06
COUNCIL 2 NNE			1 02	40	.03						•	.55		.05	.26	.12		.42	18	.10		.51											3 64
CRAIGMONT	R	.02	.12	.09	.06	.01		.04						.03	.10		08	.15				.04	.08	.03	.03		04	.01					93
CROUCH 2 NNW			1.13		.42	T								.13	.37	.13		93	.13	.23		.40		.33	.18								4 38
DEADWOOD DAM		.01	75	.34	.17	.05			T			21	.01	.07	.39	.19	.08	1 19	.27	.18	.03	45	.14	.24	.18		16		T				5 11
DEADWOOD DAM	R	.01	1 15	.15	.19						13	.14	.02	.17	.40	.21	.39	1.13	.02	.19	.01	.48	.11	.35	13		.14						5 52
DEER FLAT DAM		.24	24		.10						04	T					T					.04	02	.38	.16								1.22
DRIGGS			.31	T	T	.16			T					.05	.01	.03	T	.18	.10						T	.01	04						.89
DUBOIS EXP STA			18	.03			T				.03			T					.18	T		T				T							42
DUBOIS CAA AP		T	.15			T	.01	T		T	.05	.11	T	.01	T				.10	.02	T	.04			T	T		T					.49
DUBOIS CAA AP	R		16				.01	.02			.06	.12		.01					.07	.02		04											.51
EDEN HUNT PROJECT			.11	•	.28					T		.10					.04	.09	.55	T		04	.90	.05	.15								2 31
ELK CITY		.05	.73	.07	.16	.12			T	05	T	.02	.03		.76	.10	.17	.56	.14	.25	04	.05	.37	34	.12								4 13
EMMETT 2 E		.10		.05								.12	T				T	.18	.10	.09		.08	T	.30	.25		.06						1.33
FAIRFIELD RS			50	.31	25				T			.15		T	.10		T	.72		.22		.47	T	.31					T				3.03
FENN RS		•	•	36	.35	.16						T	.24	.13	.78	20		.42	.02	.02	.10	.55	.05	.24	.10			.12					3.84
FORNEY BLACKBIRD MINE		T	.24	.21	.26	.02				T			T	.02	.33	20	.20	.36	.20	.06	T	.23	22	.14	.04		.10	.06	.01				2.90
FORT HALL IND AGENCY		T	03		.07					.04		.06						T	.08	.05			.07	.04	.09								.53
GARDEN VALLEY RS			.83	.22	.15				T			.11	T	.10	.12	.14	.04	.67	.13	.17		.50		.30	.25								3 73
GLENNS FERRY			.42	T	14				T		09						T	.12	.40			.06		.20	.15								1.58
GOODING CAA AP			47	T	.07				.01	.01	02	.03		T		.05	.18	15	16	.03		.18		.10	.05				T				1.51
GOODING CAA AP	R		28	.07					.01	.01	.02	.03				.01	19	.17	.20	.03		.07		.05	.05								1.19
GRACE PH		02	.03	.07	.02					05		.03		.03			.07	.18	.15	.15	.02	.10	.03	.04	.02								1 01
GRAND VIEW		.07			25													.28	.05			T		.17	T								82
GRANGEVILLE	6	T	.13	T					T				04	T	.29	T	T	.12		T		.13	.01	.01	02		.02	05					82
GRAY		.05	.21	10	.05	T				T		T			20		T	.35	.10	.05		T		20	.32								1 63
GROUSE			.03		03					T		.04							.07	.20		.14	.01										52
HAILEY			.36	29	.04							.10			T			1.02	08	.21		.30	.15	.02									2.57
HAMER 4 NW			20					T	T	T		.11	T	T					.04	.03		T						T					.38
HAZELTON		T	.13	.01	27					.03		.06					.04	.02	.35	.05		.10	T	.23	.10				T				1.39
HILL CITY			.47	.33	.11							.18			T			44	.18	.20		.45		.24	T								2 60
HOLLISTER		•	16	.04	.23												.09	.04	.69					.02	.23								1 50
HOWE				T							T	T		T					T	.32			T						T				.32
IDAHO CITY		.03	42	.12	14							.12			.25		.18	1.05	.26	.25		.18		.27	26	01	.02	05					3.61
IDAHO CITY 13 SW			1 42	.15	15				T	T	.12	.50	.03	.20		.03	.10	1.37	15	.37		.53	08	41	.26		.06	T		T			5.93
IDAHO FALLS CAA AP		T	18		.04	T	T	T	.04	.02	01	.09	T	T	.01	T	.01	.04	.06	.03	T	.03		.19	.04			T	T				79
IDAHO FALLS CAA AP	R		18		07		02		04	.05	01	.05			.01		01	.04	.06	.03		.03		.17	04								81
IRWIN 2 S		T	04	.11	.23														.28			.05		.09	T								80
ISLAND PARK DAM		.06	.38	.52	.07						26	.05	05	.07	.25			.65	.17	.20	05	.08	40		.13								3 39
JEROME			.35	.01	.22							.12					04	.02	.10	.01		02	.05	.07	.05		T						1.06
KAMIAH 1 NE		.02	.17	.13	.01	11			T			.04		•	•	.25		.16	07		.04	05			.07	.11	T	T					1.23
KELLOGG		.03	.03	65	.39	.10			.01			.01	.07	.14	.11	.08	.09	24	02	.03	.14	.11	.36		.13	.03	62	.04					3 43
KOOSKIA		.02	22	03	22	.05			T			T	.07		T	.25		.20		T		11	03	.09	.09		.03	.03	T				1.44
KUNA 2 NNE		•	45		.09							T	T			T		.02	.23	.05	E .05	07		.35	.26	T							E 1.57
LEADORE	R		•	•	•	•	•	.13								.03	02	.20		.06		.03	.05					.04	.01				.57
LEWISTON WATER PLANT			24	T	.07	.01					T		T		.03	.05	T	.30		T		11	.04	T	.07			.02					94
LEWISTON WB AP	6	T	.07	02	T				T		T	T	T	T	.04	.03	T	.26		T		.01	.01	T	.04			.03					.51
LIFTON PUMPING STA			.03	08	.04	04				T	T			T	T		.08	T	.07	.09		T	.09	.05	.04				T	.01			62
LOWMAN			.57	.25	.17							.14		.14	.45	.17	06	.69	.30	.16		.35	T	.41	.29		.15						4 30
MACKAY RS			.06	.01							T							.02	.11	.09		.02	.03	04					.04				42
MACKAY RS	■		.07															.09	.01	.09		.04	02	.04					04				40
MALAD		T	14	.14	.14					.03	•	.18					.01	.21	09	.05		.28	39	.16	18								2 00
MALAD	R		16	.10	.12					05	05	13					.02	21	.08	.06		56	11	.23	10								1 98
MALAD CAA AP	6	T	04	.04	.07	T				.03	.03	.10		T	T		T	08	.09	.05		.42	.13	.17	.04					T			1.29
MAY RS			T		T	T						T					02	.02		.05		T	.01	.09	.01				T				20
MC CALL			.79	34							.15				47			.78	08	.10		.50		.37			.03						3.61
MC CAMMON			32	.59								.10	T	T	T	.11	T	.32	.19	T		.09	.31	T	40								2.43
MERIDIAN 1 SSW			21		.11							T							.14	T				.22	.23								91
MESA			97		.11	T			T		.19	.15	.13		.26		T	.17		.12		.42	T	.38	.40		05						3.35
MINIDOKA DAM			T	T	.11							.04					.03	T	.12	.02		.02	.08	.12	.03								57
MONTPELIER RS										.02	T			.02	.02		.10	.08	06	.28	03		.20	.01	.14				.03	T			1.33
MOSCOW U OF I			.57		.11	09					T	.02	T	08	.03	.07	.07	.43		T		.42	.07	.03	.13		06						2 18
MOUNTAIN HOME 1 W			.37	T	.17				T	E 05	T	T					T	.06	.37	.30		T		.17	.10								E 1 59
MOUNTAIN HOME 1 W	R		.35		.15				02	.02							.06	•	.39	.27		.01		.26	.10								1 63
MULLAN PASS CAA		.12	84	36	.11	.05		T	.05	.02	08	.05	.07	.41	16	.18	.42	.37	.23	.20	.09	.63	13	.01	.20	.24	.30	.08					5.40
MULLAN PASS CAA	R	.12	84	.36	11	05			.05	.02	.08	.05	.07	41	.16	.18	42	.37	.23	.20	09	.63	.13	.01	.20	.24	30	08					5 40
NAMPA			10		16								T	T		T	.21	T	.10			•	.33	42									1.32
NAMPA 2 NW			T	.30	.09					T		03	T					.02	.12	.05		.05	T		.53								1 19
NEW MEADOWS RS		.02	71	.10	09	.03						20		.06	.31	.13	19	59	.01	.07	.01	.31	.09	.18	.11			.08	03				3.32
NEZPERCE		T	16	T	T				.17			T	T	T	.12			.21		T		E .10	.24	T				T					E 1 00
OAKLEY		T	06	.07	.03												T	.08	.45	.10		.04	.15	T	.07								1 05
OBSIDIAN 4 NNE			.06	.25	.01	02			.10					T	.08	.06	.10	.44	.10	.05		.14	15	.09	.08		.04		.01				1 78
OLA			.89		16							E .30	E .30	E .50	03			.03	06	.21		.45		.21	E .50								E 3.64
OROFINO		T	50	.25	29	.30	02	T	10			T	10	.12	25	.16	T	75		T	T 4		18	09	15			03					3 33
PALISADES DAM		T	.05	.07	.11		05					.05	.08			.07	25	09	10	.03		.10	.10	12	23								1 50
PARMA EXP STA			02	.25	06					.02		.02	.02		.02			T	.01	01		.02		T	38	.03	04	T					.90
PAUL 1 E			14		.19					03		.04					05		.22	.06			.30										1 03
PAYETTE			38		02				T	T	03	.06		04			02	01		06		.17		28	15	T	T						1 22
PIERCE RS		10	1.03	83	53	.40			10			.10	18	.30	48	.23	09	1.03		18	.11	.50	.30	.17	19		13	.07					7 05
PIERCE RS	R	-		-	-	-			-			.03	18	•	85	.03	23	57		•	.24	•	70	.12	20	15	01	03					
PINE 2 SSW			81	35	15	T						19		02	.26	T	.07	1.24	.17	.40	T	72	08	39	.18				T				5 03
PLUMMER 3 WSW	R		72	08	.11						18	.05	11	.19	.17	.03	29	.03		07	05	•	52		.24	46							3 30
POCATELLO WB AP	R	T	05		.05	T	T			04	.02	04	T		T	T	.01	02	10	.02		04	T	05	T		T		T				44
PORTHILL			39	.10	02							.03		32		.50	T	10		15		46		T	.20	15	.16						2 58
POTLATCH			50	.10	.32	05					T	07	03	.18	06		25	43		.03		40	05		22	.01	.17	T					2.87
PRESTON SUG FACT 2 SE		T	.01	08	08	.02				.01		02		T			01	20	.11	07		.13	43	T	23								1 40
PRIEST RIVER EXP STA			86	.26	07	02					01	22	06	.60		.24	30	33	43	.11	02	85	08	01	29	.20	46	T					5 42
RICHFIELD			29	10	14					T		14			T		04	.54	18	T		41	05	13									2 02
RIGGINS RS		.03	02	05	07	.07									08	T	04	.19					02					T					57
RIRIE		.25	•	•	.64								T	T		.25			E .40	E .05		T		•	•	43							E 2 02
RUPERT			T	08	.10	06				.04		04			T		08	T	25	.07		T	08	.03	25								1 08
SAINT ANTHONY		T	50	01	05		02		04	05	04	.16	02	.02	.10			T	.12	.04	T	05		11	.05	03		T					1 41
SAINT MARIES		.01	.72	.41	.20	T			08			.11	.14	.31	13	13	.07	.61	.02	.09	04	.45	18	05	22		54	.04					4 55
SALMON	6		.01	02	.07										36	T		.05		T		T		.04				T					55
SANDPOINT EXP STA		T	83	15	04	T					T	•	19	•	95	17	.27	38	18	12		•	83		33	08	63						5 15
SANDPOINT EXP STA	R		95	11	08						.05	8	.10	.52	.05	.14	64		19	10	14	.70	.05	•	26	70	05						4 91
SHOSHONE			46	04	17		T			03		.21			T		06	36	23	.04		15	.01	18	01				T				1 95
SPENCER RS		T	.25	16	T	T	T				12	30	.02	01	T		02		13	12		04				.02							1 19

See reference notes following Station Index

Table 3—Continued

DAILY PRECIPITATION

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
SPRINGFIELD	T	.22	.08	.12					.04		.15						.10	.11	.07		.06	10	17		T							1.22
STIBNITE	.50	.10	1.42	.15	12	.04			T	T	.05		08	.03	43	.43	74	.74	.07	.01	.22	51	.05	.28		.38		.02				6.37
SUGAR	T	.45		.10	T	T		T	.03	T	.05	T	T	T			T	20	T		T		T	05	T			T				.88
SUN VALLEY		12	40	05							07			05	.07	02	.78	10	15		.28	29	02			T						2.40
SUN VALLEY //R		58	.02	05						.04	.05		.01	09	05	17	*	*	.94	.01	.50		.02			.02						2.55
SWAN FALLS PH	.34			14														38	.04				.15	.16								1.21
TETONIA EXP STA	.02	.05	10	.08	.02				04		03				*	.29								T	T							.63
TWIN FALLS 2 NNE		.26	T	28					.01		.04					.03	.03	.55	.04		.11	02	.20	.03				T				1.60
TWIN FALLS 3 SE		.01	.30	.18	.10				T		.01					.07	.01	.55	.04		.06	T	.01	23								1.57
WALLACE	.07	.70	.80	.29	.08						.10	.06	.49	.08	.24	.30	.63	24	.19	.14	80	.10	T	.32	.03	19	T					5.85
WALLACE WOODLAND PARK	.08	*	1.42	.36	.18						.03		.12	22	.04	.12	.67	14	.13	.40	.10	49		.01	.10	.44	.10					5.15
WALLACE WOODLAND PARK R	.07	*	1.50	.29	.10					.02	.01	08	.27	.07	.20	.40	.43	12	.18	26	.63	04		.17	43	.35						5.62
WEISER		45		T				T		.18	.02		E .08			.12	.03		.18		.65		.18	.30								E 2.19
WINCHESTER 1 SE		.32	.01	.19	.09			10					.05	.05			.40				.28	.19	04	.01	14	24						2.11

Table 4

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
—1st—																										
ATLANTA 1 E																									.01	.01
BANCROFT																				.01	.01					.02
CLARK FORK 1 ENE				.01	.01				.02																	.04
CLARKIA RANGER STATION																	*	*	*	*	*	*	*	*	*	*
CRAIGMONT											.01	.01														.02
DEADWOOD DAM												.01														.01
LEWISTON WB AP	6																								*	-
MULLAN PASS CAA		*	*	*	*	.07	*	*	*	*	*	.03	*	*	*	.02										.12
WALLACE WOODLAND PARK			.02	.01	.02	.02																				.07
—2d—																										
ATLANTA 1 E		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.58	.02	.03	.63
BANCROFT				.01						.01	.01					.01	.01						.01	.01	.06	.13
BENTON DAM					.01	.02	.03	.14	.03	.05	.03	.09	.08	.11	.11	.08	.05	.01				.02	.03			.89
BOISE WB AIRPORT									.03	.02	.03	.03	.05	.04	.10	.07	.06	.02								.45
BONNERS FERRY								.03	.04	.03	.05	.02	.05	.05	.05	.06	.06	.02		.01	.01	.02	.01		.01	.52
BURLEY CAA AIRPORT																		.01		.01	.01		.01	.01	.01	.06
CASCADE RANGER STATION			.01	.01	.01	.03	.01			.04	.04	.05	.07	.16	.16	.07	.03	.07	.08	.11	.04		.01	.02	.02	1.04
CLARK FORK 1 ENE							.01	.01	.04			.01	.02	.02	.06	.06	.05	.05	.04	.01	.03	.05	.07	.03	.03	.59
CLARKIA RANGER STATION		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.72	.02	.03	.04	.01	.05	.05	.05	.06	1.03
CLEMENTSVILLE 4 SE												-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COEUR D ALENE CAA AP				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.53		.01	.01	.08		.01	.64
COTTONWOOD 2 SW				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
CRAIGMONT										.01	.01	.03		.02	.01	.01		.02	.01							.12
DEADWOOD DAM		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.95	.10	.03	.03	.02	.01	.01	1.15
DUBOIS CAA AIRPORT											.03	.03	.03	.02	.01	.01	.01	.01	.01							.16
GOODING CAA AIRPORT												.02	.09	.06	.05	.01	.01	.01	.01	.01	.01					.28
GRANGEVILLE	6												*	*	*	*	*	.02	*	*	*	*	*	.11		-
IDAHO FALLS CAA AIRPORT										.03	.04	.02	.03	.01	.01	.01				.01			.01		.01	.18
LEADORE														*	*	*	*	*	*	*	*	*	*	*	*	*
LEWISTON WB AP	6	*	*	*	*	.02	*	*	*	*	*	01	*	*	*	*	*	.04								-
MACKAY RS																.01	.01	.01	.01	.01		.01	.01			.07
MALAD														.01	.01	.01	.01		.01	.01	.04	.02	.01	.02	.01	.16
MALAD CAA AIRPORT	6							*	*	*	*	*	.01	*	*	*	*	*	.01	*	*	*	*	*	.02	-
MOUNTAIN HOME 1 W											*	*	*	*	*	*	*	*		.35						.35
MULLAN PASS CAA					*	.06	*	*	*	*	*	.17	*	*	*	*	*	.29	*	*	*	*	*	.24	.08	.84
PLUMMER 3 WSW				*	*	*	*	*	*	*	*	*	*	*	*	.66					.01	.02	.01		.02	.72
POCATELLO WB AIRPORT								.02													.02			.01		.05
SANDPOINT EXP STATION					.01	.02	.05	.05	.10	.08	.08	.08	.06	.10	.10	.05	.04	.01	.01	.02	.02	.03	.03	.01		.95
SUN VALLEY												.04	.01	.01	.04	.01	.04	.05	.10	.08	.10	.05	.04		.01	.58
WALLACE WOODLAND PARK							.01	.01	.02	.04	.02	.04	.02	.04	.06	.07	.02	.04	*	*	*	*	*	*	*	*
—3d—																										
ATLANTA 1 E		.05	.06	.09	.02	.04	.04												.01	.01	.01	.01		.01		.35
BANCROFT	//	.03	.01	.01																						.05
BONNERS FERRY			.01		.01	.01	.02	.08	.01	.01																.15
CASCADE RANGER STATION		.02	.01																			.01	.01	.02	.02	.09
CLARK FORK 1 ENE		.01	.01		.02	.03	.01			.03	.02	.01		.01								.06	.04		.01	.26
CLARKIA RANGER STATION		.09	.02	.03								.01	.04	.01	.05	.03	.01			*	*	*	*	*	*	*
COEUR D ALENE CAA AP			.01																				*	*	*	*
CRAIGMONT																		.01	.02	.02	.01	.01	.01		.01	.09
DEADWOOD DAM		03	.01	.01	.01	.01	.02														.01	.02	.01	.01	.01	.15
GOODING CAA AIRPORT					.01	.03	.03																			.07
LEWISTON WB AP	6																		*	*	*	*	*	.01	*	-
MALAD		.09	.01																							.10
MALAD CAA AIRPORT	6	*	*	*	*	*	.04																			-
MULLAN PASS CAA		*	*	*	*	.14	*	*	*	*	*	.05	*	*	*	*	*	.07	*	*	*	*	*	.08	.02	.36
PLUMMER 3 WSW		.01	.01	.01									.01											.02	.02	.08
SANDPOINT EXP STATION				.03	.01					.04														.02	.01	.11
SUN VALLEY		.01	.01																							.02
WALLACE WOODLAND PARK		*	*	*	*	*	*	*	*	*	*	.89	.04	.03		.01			.01	.03	.01	.01	.02	.03	.03	1.50
—4th—																										
ATLANTA 1 E				.01		.03	.01	.05		.04	.01					.04	.05	.01								.25
BANCROFT												.01	.01	.01	.01											.04
BENTON DAM								.01																.01		.02
BOISE WB AIRPORT							.02	.03	.04	.03	.01															.13
BONNERS FERRY				.02	.01																					.03
BURLEY CAA AIRPORT								.02	.03			.01		.01	.03											.10
CASCADE RANGER STATION			.01				.01				.01															.03
CLARK FORK 1 ENE		.01	.02	.02	.03	.07	.08	.08	.03	.02				.01										.03	.05	.45
CLARKIA RANGER STATION		*	*	*	*	*	*	*	*	*	*	.40		.01		.01		.01								.72
COEUR D ALENE CAA AP		*	*	*	*	*	*	*	*	*	.20														.03	.24
CRAIGMONT		.01																	.02	.03						.06
DEADWOOD DAM		.02	.02			.01	.04	.03	.02	.02									.03							.19
IDAHO FALLS CAA AIRPORT											.02	.03	.02													.07
LEWISTON WB AP	6	*	*	*	*	.01																				-
MALAD										.05	.03	.02	.01			.01										.12
MALAD CAA AIRPORT	6							*	*	*	*	*	.07													-
MOUNTAIN HOME 1 W									.03	.05	.03	.03	.01													.15
MULLAN PASS CAA		*	*	*	*	.05	*	*	*	*	*	.06														.11
PLUMMER 3 WSW			.01	.02	.01	.01	.01		.01	.01	.02	.01														.11
POCATELLO WB AIRPORT											.01		.02				.02									.05
SANDPOINT EXP STATION						.01	.02																.02	.03		.08
SUN VALLEY									.03	.02																.05
WALLACE WOODLAND PARK		.02	.02		.01	.02	.03			*	*	*	*	*	*	.15	.03	.01								.29

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
−5th−																										
CLARK FORK 1 ENE		.01																								.01
COEUR D ALENE CAA AP		.01																								.01
CRAIGMONT	//	.01																								.01
MULLAN PASS CAA	//	*	*	*	*	.05																				.05
WALLACE WOODLAND PARK			.01	.01	.06	.01	.01																			.10
−6th−																										
DUBOIS CAA AIRPORT	//																		.01							.01
IDAHO FALLS CAA AIRPORT	//												.01	.01												.02
LEADORE		*	*	*	*	*	*	*	*	*	*	*	*	.08	*	*	*	*	*	*	*	*	*	*	*	*
−7th−																										
CASCADE RANGER STATION	//																								*	*
CRAIGMONT					.02	.01				01																.04
DUBOIS CAA AIRPORT	//										.02															.02
LEADORE		*	*	*	*	*	*	*	*	*	*	*	.05													.13
−8th−																										
BANCROFT																			.01		.01		.01			.03
BURLEY CAA AIRPORT																								01	.01	.02
CLARKIA RANGER STATION	//			.02																						.02
COTTONWOOD 2 SW		*	*	*	*	*	*	*	.17																	.17
GOODING CAA AIRPORT																							.01			.01
IDAHO FALLS CAA AIRPORT	//																								.04	.04
MOUNTAIN HOME 1 W																						.01		01		.02
MULLAN PASS CAA	//		.01						.01				*	*	*	*	*	.03								.05
−9th−																										
BANCROFT	//										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BURLEY CAA AIRPORT			01			.01																				.02
GOODING CAA AIRPORT													.01													.01
IDAHO FALLS CAA AIRPORT	//	.01	.01	.01								01										.01				.05
MALAD								01		.01	.01		.01	.01												.05
MALAD CAA AIRPORT	6	*	*	*	*	*	.01	*	*	*	*	*	.01	*	*	*	*	*	.01							-
MOUNTAIN HOME 1 W						.01		.01																		.02
MULLAN PASS CAA	//												*	*	*	*	*	.02								.02
POCATELLO WB AIRPORT					.01	.01	.01						.01													.04
−10th−																										
BENTON DAM																						01	.01	.01	.01	.04
BOISE WB AIRPORT	//																		.01	.01						.02
BONNERS FERRY																						.01	.01			.02
BURLEY CAA AIRPORT	//																		.01				.01			.02
CLARKIA RANGER STATION	//																	.02	.01			.01	.01	.01	.01	.07
COEUR D ALENE CAA AP																				.01	.02	.01	.01	.01	.01	.07
DEADWOOD DAM	//																			.01	.02	.02	.03	.02	.03	.13
DUBOIS CAA AIRPORT	//			.01	.01							.01												.01	.02	.06
GOODING CAA AIRPORT	//																			*	*	*	*	*	.02	.02
IDAHO FALLS CAA AIRPORT	//																							.01		.01
MALAD																					.04		.01			.05
MALAD CAA AIRPORT	6																			*	*	*	*	*	.03	-
MULLAN PASS CAA	//																	.01	*	*	*	*	*	.07		.08
PIERCE RANGER STATION	//	-	-	-	-	-	-	-	-	-	-	-	-	-	-									.02	.01	-
PLUMMER 3 WSW																		.03	.02	.02	.03	.03	.04	.01		.18
POCATELLO WB AIRPORT	//																						.01	.01		.02
SANDPOINT EXP STATION																						.02	.01	.01	.01	.05
SUN VALLEY	//																			.01	.01			.01	.01	.04
WALLACE WOODLAND PARK																						.01		.01		.02
−11th−																										
ATLANTA 1 E	//		.01	.02	.02																					.05
BENTON DAM		.02	.02	.01					.01			.04	.03	.01												.14
BONNERS FERRY									.01	.01	.01						.01									.04
BURLEY CAA AIRPORT	//		.01	.01																						.02
CLARKIA RANGER STATION	//		.01	.01	.02																					.04
COEUR D ALENE CAA AP		01		.01	.01			.01																		.04
COTTONWOOD 2 SW					*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
DEADWOOD DAM	//	.04	.06	.02			.01				.01															.14
DUBOIS CAA AIRPORT	//	.02	.01	.01	.03		.02	.01									.01					01				.12
GOODING CAA AIRPORT	//	*	*	.03																						.03
IDAHO FALLS CAA AIRPORT	//		.01			.01	.02	.01																		.05
MALAD			.01	.02	.04	03	.01		.01	.01																.13
MALAD CAA AIRPORT	6	*	*	*	*	*	.09	*	*	*	*	*	.01													-
MULLAN PASS CAA	//	*	*	*	*	.02	*	*	*	*	.03															.05
PIERCE RANGER STATION	//			.03																						.03
PLUMMER 3 WSW			.01	.01		.01				.01	.01															.05
POCATELLO WB AIRPORT			.01	.01	.02																					.04
SANDPOINT EXP STATION		.04	.01					01		.01		.01														.08
SUN VALLEY	//	01	.02	.02																						.05
WALLACE WOODLAND PARK		.01																								01
−12th−																										
BENTON DAM							.01	.01	.01												.01	.02	.02	.01		.09
BONNERS FERRY																				.01	.01					.02
BRIDGE		-	-	-	-	-	-	-	-																	-
CLARK FORK 1 ENE						.02	.01	.01			.01	.02	.01	.01							.01	.02	.03	.02		.17
CLARKIA RANGER STATION	//							.03	.02				.01				.01		.01		.01	.02	.03	.02		.16
COEUR D ALENE CAA AP					.01		.02	.03	.01		.01		.01							.01	.04	.02	.01		.01	.18
DEADWOOD DAM	//											.01	.01													.02
GRANGEVILLE	6						*	*	*	*	*	.04														-
MULLAN PASS CAA	//						*	*	*	*	*	.04						.01	*	*	*	*	*	.02		.07
PIERCE RANGER STATION	//							.01	.02	.02		.03	.02	.02	.01		.01	.01	.01					.01	.01	.18
PLUMMER 3 WSW								01	.01	.01	.02										.03	.02		.01		.11
SANDPOINT EXP STATION					.01	.01	01													.01	.02	.02	.02			.10
WALLACE WOODLAND PARK										.02	.01		01	.01				01					.01		.01	.08
−13th−																										
ATLANTA 1 E	//															.01	02	.03	.03	.01	.02	.02	.05	.06	.09	.31
BENTON DAM									.03	.02	.04	.07	.04	.02	.03	.02	.02	04	.02							.35
BONNERS FERRY								.01	.02	.02	.02	.02	03	.05	.03	.03	.04	.02	.03			.01				.33
CLARK FORK 1 ENE										.01	.01	.01	.02	.02	.02	.02	.01	.04	.03	.03	.01	.01		.02		.26
CLARKIA RANGER STATION	//									.02	.03	01	.04	.04	.05	04	.05	08	.05	05	.05	.02	.03	.02	.03	.61
COEUR D ALENE CAA AP		.01								.01	.03	.04	.02	.02	.01	01	.05	.03	.01							.24
CRAIGMONT													.01					01		.01						.03
DEADWOOD DAM	//															.02	.02	03		.01		.02	.02	.03	.02	.17
DUBOIS CAA AIRPORT	//										.01															.01
MULLAN PASS CAA	//					.01			*	*	*	.08	*	*	*	*	*	16	*	*	*	*	*	.15	.01	.41

See reference notes following Station Index

Table 4-Continued

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
PIERCE RANGER STATION		.01											.01	.02	.07	.04	.05	.03	*	*	*	*	*	*	*	*
PLUMMER 3 WSW			.02	.01						01	.01	.01	.02	.01	.02	.03		.03				.01		.01		.19
SANDPOINT EXP STATION			.01							.02	.02	.03	.05	.17	.05	.03	.03	.02	.03	.02	.02	.01	.01			.52
SUN VALLEY																						.01				.01
WALLACE WOODLAND PARK		.01	.01									.01			.03	.01	.04	.01	.02	.02	.01	.03	.02	.02	.03	.27
–14th–																										
ATLANTA 1 E	//	.03	.05	.03	.03	.02	.05	.02	.03	.03	.01	.01	.02	.02	.03	.03	.04		.01	.01	.02	.01	.01	.01		.52
BANCROFT	//	-	-	-	-	-	-	-	-	-																-
BENTON DAM															.01	.02										.03
BONNERS FERRY			.01																							.01
CLARK FORK 1 ENE					.01	.04																				.05
CLARKIA RANGER STATION	//		.04	.01											.03	.02	.03	.02		.01		.03	.03	.03		.25
COEUR D ALENE CAA AP				.01																			.01	.03	.02	.07
CRAIGMONT																	.01	.01	.02	.01	.03	.01			.01	.10
DEADWOOD DAM	//	.04	.03	.03	.01			.02	.02	.01	.02	.01	.01	.03	.03	.01	.03	.03	.02		.01		.01	.02	.01	.40
GRANGEVILLE	6												*	*	*	*	*	.17	*	*	*	*	*	.12		-
IDAHO FALLS CAA AIRPORT	//					.01																				.01
LEWISTON WB AP	6												*	*	*	*	*	.01	*	*	*	*	*	.03		-
MULLAN PASS CAA	//	*	*	.08								.01						.01	*	*	*	*	*	.03	.03	.16
PIERCE RANGER STATION	//	*	*	*	*	*	*	*	*	*	*	.44	.01		.01	.01			.03	*	*	*	.10	.02		.85
PLUMMER 3 WSW																		.01	.01	.01	.01	.01	.02	.07	.03	.17
SANDPOINT EXP STATION																									.05	.05
SUN VALLEY	//	.01	.01	.02		.01				.01	.01													.01	.01	.09
WALLACE WOODLAND PARK		.02	.01	.01																					.03	.07
–15th–																										
ATLANTA 1 E	/																		.04	.06	.01	.07	.06	.02	.02	.28
BENTON DAM		.03	.05	.09	.01	.01			.03	.03	.01	.03	.01	.01	.01											.32
BOISE WB AIRPORT	//																				.02					.02
BONNERS FERRY			*	*	*	*	*	*	*	*	.52	.03	.01													.56
BURLEY CAA AIRPORT	//																								.01	.01
CLARK FORK 1 ENE		.01	.02	.02			.01	.01		.04	.03		.02	.01	.03	.06		.04								.30
CLARKIA RANGER STATION	//		.01	.01		.01		.01	.01																	.05
COEUR D ALENE CAA AP		.01	.01	.01					.01																	.04
DEADWOOD DAM	//	.01												.05			.04	.05	.02				.01	.02	.01	.21
GOODING CAA AIRPORT	//																								.01	.01
LEADORE																								.01	.01	.02
LEWISTON WB AP	6												*	*	*	*	*	.03								-
MULLAN PASS CAA	//	*	*	*	*	.10				*	*	.05		*	.03											.18
PIERCE RANGER STATION	//					.01								.01	.01											.03
PLUMMER 3 WSW		.03																								.03
SANDPOINT EXP STATION		.02	.05	.02					.02	.03																.14
SUN VALLEY	//	.02	.01	.01											.01											.05
WALLACE WOODLAND PARK		.03	.03	.05	.01	.01					.01	.03		.01	.02											.20
–16th–																										
ATLANTA 1 E	//	.03																			.02	.03	.04	.04	.05	.21
BENTON DAM															.01	.02	.02	.03	.04	.10	.08	.06	.03	.03	.02	.44
BOISE WB AIRPORT	//																			.03		.01	.02	.02		.08
BONNERS FERRY																	.04	*	*	*	*	*	.48	*	*	*
BURLEY CAA AIRPORT	//	.01	.01			.01																				.03
CASCADE RANGER STATION	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.76		.01	.03	.05	.04	.03	.02	.02	.03	.99
CLARK FORK 1 ENE																	.01	01	.01	.04	.01	.04	.06	.09	.02	.29
CLARKIA RANGER STATION	//		.01	.01													*	*	*	*	*	*	*	*	*	*
COEUR D ALENE CAA AP														*	*	*	*	.06	.02	.01	.03	.02				.14
CRAIGMONT	/		.01															.01	.02	.01			.01		.02	.08
DEADWOOD DAM	//	.01									.01							.01	.03	.03	.05	.06	.09	.06	.04	.39
GOODING CAA AIRPORT	//	.02	.02	*	*	*	.04															.02	.03	.04	.02	.19
IDAHO FALLS CAA AIRPORT	//			.01																						.01
LEADORE					.02																					.02
LEWISTON WB AP	6																								*	-
MALAD					.01				.01																	.02
MOUNTAIN HOME 1 W																					.04	.02				.06
MULLAN PASS CAA	//	*	*	*	*	.23	*	*	*	.03			*	*	*	*	*	.04	*	*	*	*	*	.09	.03	.42
PIERCE RANGER STATION	//				.02	.02				.01	.01						.01	.03	.05	.03	.01	.01		.03		.23
PLUMMER 3 WSW																	.03	.02	.02	.03	.08	.05	.04	.01	.01	.29
POCATELLO WB AIRPORT	//			.01																						.01
SANDPOINT EXP STATION														.02	.03	.05	.05	.07	.08	.06	.09	.10	.09			.64
SUN VALLEY	//			.01	.02														.01	.01	.02	.02	.02	.02	.04	.17
WALLACE WOODLAND PARK			.01	.02	.02		.01								.02	.01	.01	.01	.02	.03	.04	.05	.05	.03	.07	.40
–17th–																										
ATLANTA 1 E	//	.04	.03	.04	.03	.08	.07	.07	.03	.04	.02	.02	.03	.02	.06	.07	.06	.03	.04	.03	.02	.01	.09	.05	.08	1.06
BANCROFT	//		.01	.02		.03	.01	.02	.01	.01	.03	.03	.04	.02		.01	.02	.01	.02	.02	.01					.32
BENTON DAM															.01	.01										.02
BOISE WB AIRPORT	//																				.04	.05	.03	.02	.04	.18
BONNERS FERRY		*	*	*	*	*	*	*	*	.14																.66
BRIDGE	//					.01		.04	.05	.11	.04	.02			.02											.29
BURLEY CAA AIRPORT	//						.01																			.01
CASCADE RANGER STATION	//	02	.01	.03	.03	04	.10	05	.03	.02	.01	.01	.03	.02			.01	.08	.03	.04						.56
CLARK FORK 1 ENE		.04	.01	.02	.04																					.11
CLARKIA RANGER STATION	//	*	*	*	*	*	*	*	*	*	*	.90		.04	.01											.97
COEUR D ALENE CAA AP					.01																					.01
CRAIGMONT	//						.07	.03			.01	.03	.01													.15
DEADWOOD DAM	//	.03	.04	.07	.06	.05	.06	.07	.05	.10	.11	.03	.05	.05	.03	.01	.03	.03	.08	.04	.04	.09	.01			1.13
GOODING CAA AIRPORT	//	.03	.04	.02		.03	.02	.01																	.02	.17
GRANGEVILLE	6						*	*	*	*	*	.07	*	*	*	*	*	.05								-
IDAHO FALLS CAA AIRPORT	//	*	*	*	*	*	.04																			.04
LEADORE																				.01		.08	.11			.20
LEWISTON W/ AP	6	-	-	-	-	.17	*	*	*	*	*	.09														-
MACKAY RS																	.01	.01						.04	.03	.09
MALAD				.03	.02	.01	.01	.02	.04	.04	.01	.01	.01										.01			.21
MALAD CAA AIRPORT	6	*	*	*	*	*	.03	*	*	*	*	*	.05													-
MOUNTAIN HOME 1 W													.01	.01									*	*	*	*
MULLAN PASS CAA	//	*	*	*	*	.17	*	*	*	*	*	.06	*	*	*	*	*	.09	*	*	*	.05				.37
PIERCE RANGER STATION	//	.02	.03	.09	.13	10	.08	.07	.05																	.57
PLUMMER 3 WSW		.03																								.03
POCATELLO WB AIRPORT	//					.01						.01														.02
SUN VALLEY	//	.03	.05	.05	.05	.04	.05	.05	.07	.08	.07	.07	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WALLACE WOODLAND PARK		.06	.09	.10	05	.04	.01			.01	.01				.02	.01			.01	.02						.43
–18th–																										
ATLANTA 1 E	//	.04	.03								.06															.13
BANCROFT	//									.03	.02															.05
BENTON DAM							.02	.04	.01	.03	.02															.12
BONNERS FERRY										.01	.02	.04	.01		.01	.01			.01							.11
BRIDGE	//					.01	.01	.01																		.03
BURLEY CAA AIRPORT	//			.02	.02		.03	.03	.08		.02															.20
CASCADE RANGER STATION	//				.05	.05																				.10
CLARK FORK 1 ENE							.01	.02	.02	.03	.01												.01		.01	.11
CLARKIA RANGER STATION	//													.01	.01											.02
CLEMENTSVILLE 4 SE	//	-	-	-	-	-	-	-	-	-	-	-	-													-

See reference notes following Station Index.

Table 4-Continued

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
COEUR D ALENE CAA AP							.01	.01																		.02
DEADWOOD DAM	//													.02												.02
DUBOIS CAA AIRPORT	//	.02			.01					.04																.07
GOODING CAA AIRPORT	//	.01	*	*	*	*	*	*	*	*	*	*	.18		.01											.20
IDAHO FALLS CAA AIRPORT	//			*	*	*	.04	*	*	.02																.06
MACKAY RS		.01																								.01
MALAD				.01						.01	.02		.02	.01	.01											.08
MALAD CAA AIRPORT	6							*	*	*	*	*	.07	*	*	*	*	*	.02							-
MOUNTAIN HOME 1 W		*	*	*	*	*	*	*	*	*	*	*	*	.37												.39
MULLAN PASS CAA	//					.02	*	*	*	*	*	.15	*	*	*	*	*	.05	.01							.23
POCATELLO WB AIRPORT	//				.01	.02	.02	.02	.02	.01																.10
SANDPOINT EXP STATION						.01	.04	.08	.02	.03	.01															.19
WALLACE WOODLAND PARK			.01				.01							.01		.04	.01	.04								.12
–19th–																										
ATLANTA 1 E	//			.02	.02	.07	.05	.01							.01		.02		.01				.01			.22
BANCROFT	//				.02	.03	.02	.02																		.09
BENTON DAM									.01	.03	.05												.01			.10
BOISE LUCKY PEAK DAM		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								-
BOISE WB AIRPORT	//	.02	.06	.01											.02											.11
BONNERS FERRY											.03	.02	.03	.01	.01											.10
BURLEY CAA AIRPORT	//	.01	.01	.02	.01																					.05
CASCADE RANGER STATION	//			.07	.07	.07	.01							.01				.03				.01				.27
CLARK FORK 1 ENE													.02	.02	.01											.05
CLARKIA RANGER STATION	//									.01	.01	.01		.01		.01	.03	.01	.04	.01				.03	.01	.18
COEUR D ALENE CAA AP							*	*	*	*	*	.03							*	*	*	*	*	.02		.05
COTTONWOOD 2 SW		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.40								.40
DEADWOOD DAM	//			.01	.07	.04	.03		.01									.01				01	.01			.19
DUBOIS CAA AIRPORT	//											.01	.01													.02
GOODING CAA AIRPORT	//		.01		.01		.01																			.03
IDAHO FALLS CAA AIRPORT	//					*	.03																			.03
LEADORE								.02	.04																	.06
MACKAY RS				.01	.02	.02	.03	.01																		.09
MALAD			.01	.02	.01	.01	.01																			.06
MALAD CAA AIRPORT	6	*	*	*	*	*	.05																			-
MOUNTAIN HOME 1 W		.05	.16	.04									.01		.01											.27
MULLAN PASS CAA	//				*	.03	*	*	*	*	*	.03	*	*	*	*	*	.03	*	*	*	*	*	.05	.01	.20
PIERCE RANGER STATION	//					.02	.02	.03					.01				.01	.03	.01		.01	*	*	*	*	*
PLUMMER 3 WSW						.01	.01	.03		.01		.01														.07
POCATELLO WB AIRPORT	//				.01	.01																				.02
SANDPOINT EXP STATION										.03	.04	.01	.01	.01												.10
SUN VALLEY	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.33								.94
WALLACE WOODLAND PARK															.01		.01		.01	.02	.01	.02	.02	.01	.07	.18
–20th–																										
BENTON DAM																								.05	.01	.06
BONNERS FERRY																							.01	.02	.01	.04
BRIDGE	//									.01													.01		.02	.04
CLARK FORK 1 ENE																									.01	.01
CLARKIA RANGER STATION	//										.01		.01												.03	.05
COEUR D ALENE CAA AP																								.01	.01	02
DEADWOOD DAM	//	.01																								.01
LEWISTON WB AP	6																								*	-
MULLAN PASS CAA	//	*	*	*	*	.06																		.01	.02	.09
PIERCE RANGER STATION	//	*	*	*	*	*	*	*	*	*	*	*	*	*	.09	.01										.24
PLUMMER 3 WSW																									.05	.05
SANDPOINT EXP STATION																						01	.08	.02	.03	.14
SUN VALLEY	//																							.01		.01
WALLACE WOODLAND PARK		.10	.05	.07											.01									.01	.02	.26
–21st–																										
ATLANTA 1 E	//			.02	.03	.05	.06	.05	.08									.01	.01				.03	.04	.02	.40
BANCROFT	//															.01	.01			.01	.01	.01			.01	.06
BENTON DAM		.03	.04	.02	.05	.04	.06	.07	.07	.12	.05	.10	.08	.08												.81
BOISE LUCKY PEAK DAM				.04	.02	.01	.01	.01	.01																	.10
BOISE WB AIRPORT	//		.01	.02		.01																				.04
BONNERS FERRY		*	*	*	*	*	*	*	*	*	*	.38	.07	.07	.03	.01	.02									.58
BRIDGE	//	.03	.02	.02	.04	.04	.01					.01	.02	.02	-	-	-	-	-	-	-	-	-	-	-	-
BURLEY CAA AIRPORT	//													.01	.01				.01				.01			04
CASCADE RANGER STATION	//	.02	.04	.05	.05	.07	.06	.01	.01	.02	.05	.01	.01		.01	.05								.01		.47
CLARK FORK 1 ENE				.01		.01	.02			.01	.03	.02	.05	.06	.04	.06	.02	.02	.01							.36
CLARKIA RANGER STATION	//	.03	.03	.02		.01						.02	.07	.09	.07	.04	.01									.39
COEUR D ALENE CAA AP		*	*	*	*	.15	*	*	*	*	*	.04	*	*	*	.04										.23
COTTONWOOD 2 SW											*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
CRAIGMONT	//														*	*	*	*	*	*	*	*	.04			.04
DEADWOOD DAM	//		.02	.04	.05	.05	.06	.05	.02	.04	.06	.02		.02	.01				.01		.01	01	.01			48
DUBOIS CAA AIRPORT	//													.01		.01			.01	01						.04
GOODING CAA AIRPORT	//						.01	.02	.02			.01	.01													.07
GRANGEVILLE	6												*	*	*	*	*	.13								-
IDAHO FALLS CAA AIRPORT	//													*	*	*	*	.03								.03
LEADORE									.01												.01				.01	.03
LEWISTON WB AP	6	*	*	*	*	.01																				-
MACKAY RS															.01			.01		.01				.01		.04
MALAD													.01	.04	.08	.04	.05	.01	.02		.03	.07	.08	.05	.08	.56
MALAD CAA AIRPORT	6													*	*	*	*	*	.21	*	*	*	*	*	.19	-
MOUNTAIN HOME 1 W													.01													.01
MULLAN PASS CAA	//	*	*	*	*	.14	*	*	*	*	*	.19	*	*	*	*	*	.24	*	*	*	*	.06			63
PIERCE RANGER STATION	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
PLUMMER 3 WSW		.03	.04	.01		.01	.01	.01	.01	.01		.04	.02	.02	.03	.03	*	*	*	*	*	*	*	*	*	*
POCATELLO WB AIRPORT																							01	.02	.01	.04
SANDPOINT EXP STATION		.01	.03	.02	.03	.02	.05	.05	.07	.07	.09	.09	.12	.01	.02	.02										.70
SUN VALLEY	//	.01			.01		.01	.01	.11	.02	.03	.03	.02	.03	.03	.01	.02	.01	.03	.03	04	.01		.01	.03	50
WALLACE WOODLAND PARK		.03	.03	.03	.02	.01	.01		.01	.02	.04	.08	.05	.05	.08	.08	.05	.02						.01	.01	.63
–22d–																										
ATLANTA 1 E	//	.02	.01	.02	.03	.05	.01						.03	.02	.02	.01										22
BANCROFT	/	.02	.02																							04
BENTON DAM						.02	.03																			05
BOISE LUCKY PEAK DAM																.01	.01									02
BOISE WB AIRPORT	//						.01																			.01
BONNERS FERRY												.01	.01													02
BURLEY CAA AIRPORT	//	.01						*	*	*	*	*	.02													03
CASCADE RANGER STATION	//	.06	.03	.01		.01																				.11
CLARK FORK 1 ENE							.03	.01	.01	05	.04		.01													15
CLARKIA RANGER STATION	//			.02	.03	.07	.03	.01																		16
CLEMENTSVILLE 4 SE								15																		.15
COEUR D ALENE CAA AP				*	*	.03	*	*	.05																	08
CRAIGMONT													.01	.03	.04											08
DEADWOOD DAM	//	01	05	.01	.01							.01		.01		.01										.11
GRANGEVILLE	6												*	*	*	*	*	.01								-
LEADORE				.01	.03		.01																			05
LEWISTON WB AP	6						*	*	*	*	*	.01														-
MACKAY RS		01	01																							02

See reference notes following Station Index

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
MALAD		.04	.03	.01	.01					.01					.01											.11
MALAD CAA AIRPORT	6	*	*	*	*	*	.15																			-
MULLAN PASS CAA	//			*	*	.03	*	*	*	*	*	.09	.01													.13
PIERCE RANGER STATION	//	*	*	*	*	*	*	*	*	*	*	*	*	*	.69	.01										.70
PLUMMER 3 WSW		*	*	*	*	*	*	*	*	*	*	.25														.52
SANDPOINT EXP STATION					.01	01	.03																			.05
WALLACE WOODLAND PARK							.01	.01	.01				.01													.04
-23d-																										
ATLANTA 1 E							.01	.01		.02	.02	.01	.04	.06	.08	.03	.02	.01		.02	.03	.02		.01	.01	.40
BANCROFT	//	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOISE LUCKY PEAK DAM											.01	.02	.02	.03	.03	.02	.04	.01		.03	.04	.02	.02	.02	.05	.36
BOISE WB AIRPORT	//										.02	.02	.05	.05	.06	.04	.05		.04	.03	.04	.03	.02	.02	.03	.50
BONNERS FERRY													.01	.01												.02
BURLEY CAA AIRPORT													.02	.02	.02	.05	.04	.01							.01	.17
CASCADE RANGER STATION	//											.01	.03	.01	.05	.03	.01	.01		.01						.16
CLARKIA RANGER STATION	//											.02	.01	.02	.01		.02	.01								.09
CLEMENTSVILLE 4 SE														.02	.03	.05	.02	.01	.01							.14
COTTONWOOD 2 SW		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.29									.29
CRAIGMONT	//									.01	.01	.01														.03
DEADWOOD DAM	//									.01	.03	.03	.04	.06	.04	.03	.02		.02	.01	.01	.01		.02	.02	.35
GOODING CAA AIRPORT															.01	.01	.01		.02							.05
GRANGEVILLE	6																		*	*	*	*	*	.01		-
IDAHO FALLS CAA AIRPORT	//													.02	.03	.02	.05	.02		.01		.01	.01			.17
LEWISTON WB AP	6																								*	-
MACKAY RS																.03	.01									.04
MALAD															.01	.02	.02	.02	.03	.02	.02	.03	.02	.02	.02	.23
MALAD CAA AIRPORT	6													*	*	*	*	*	.07	*	*	*	*	*	.10	-
MOUNTAIN HOME 1 W													.01	.02	.03	.03	.02	.01	.01	.01	.01	.01	.04	.04	.02	.26
MULLAN PASS CAA	//													.01												.01
PIERCE RANGER STATION							.01						.02	.03	.01	.02	.01	.01					.01			.12
POCATELLO WB AIRPORT	//																	.02			.01	.02				.05
SANDPOINT EXP STATION																						*	*	*	*	*
SUN VALLEY	//																	.02								.02
-24th-																										
ATLANTA 1 E	//	.01		.02	.01	.03	.03	.01																		.11
BENTON DAM						.01	.05	.04	02	.02	.02	.02	.03	.02	.05											.28
BOISE LUCKY PEAK DAM		.02	.02	.01	.02												.02									.09
BOISE WB AIRPORT	//	.02	.02	.04	.02	.01																				.11
BONNERS FERRY							*	*	*	*	*	*	*	*	*	*	.38	.01	.01	.01	.02	.02				.45
BURLEY CAA AIRPORT	//	.02	.01																							.03
CASCADE RANGER STATION	//	.01	.01	.01	.01		.02	.02	.01	.01																.10
CLARK FORK 1 ENE									.01	.01	.01		.01		.02	.10	.02	.01	.01							.20
CLARKIA RANGER STATION	//				.03	.03	.03	.02	.02	.03	.03	.04	.05	.05	.01	.02	.02	.01	.04							.43
CLEMENTSVILLE 4 SE	//									.03	.01		.01													.05
COEUR D ALENE CAA AP						.05	.03	.02	.02	.01	.01	.03	.05	.06	.01											.29
CRAIGMONT							.01	.01	.01																	.03
DEADWOOD DAM	//	.02	.02	.01	.01	.01	.01	.01	.01							.01		.02								.13
GOODING CAA AIRPORT	//	.01					.02	.02																		.05
GRANGEVILLE	6						*	*	*	*	*	.02														-
IDAHO FALLS CAA AIRPORT	//								.04																	.04
LEWISTON WB AP	6	*	*	*	*	.02	*	*	*	*	*	.02														-
MALAD		.02	.01	.04	.01	.02																				.10
MALAD CAA AIRPORT	6	*	*	*	*	*	.02	*	*	*	*	*	.02													-
MOUNTAIN HOME 1 W		.01	.02		.03	.01					.01	.01	.01													.10
MULLAN PASS CAA	//						*	*	*	*	*	.12	*	*	*	*	*	06			*	*	*	.02		.20
PIERCE RANGER STATION	//	.01	.01	.02	.02	.03	.01	.02	.03				.01	.01				03								.20
PLUMMER 3 WSW			01	.02	.04	.03	.04	.01		.05					.01	.01						.01		.01		.24
SANDPOINT EXP STATION		*	*	*	*	*	*	*	*	.16		.01	.02	.02	.04	.01										.26
WALLACE WOODLAND PARK								.01	.04					.01	.01	.03	.0[illegible]	03							.02	.17
-25th-																										
BENTON DAM														.02	.04	.04	.08	.07	.11	.04	.12	.08	.07	.06	.01	.74
BONNERS FERRY																.02	.05	.05	09	.06	.06	.05	.05	.04	.03	.50
CLARK FORK 1 ENE																*	*	*	*	*	*	*	*	*	*	*
CLARKIA RANGER STATION	//															.01					.01	04	.14	.10	.04	.34
CLEMENTSVILLE 4 SE																							.01	.02		.03
COEUR D ALENE CAA AP																		.01	03	.09	.16	.10	.04	.01	.02	.46
MULLAN PASS CAA	//																			*	*	*	*	.21	.03	.24
PIERCE RANGER STATION	//																						.01	.02	.02	.05
PLUMMER 3 WSW						.01													.05	.13	12	5	.05	.05		.46
SANDPOINT EXP STATION																.03	.03	.03	.08	.07	.11	[illegible]	.10	.11	.04	.70
WALLACE WOODLAND PARK																					.05	10	.12	.11	.05	.43
-26th-																										
ATLANTA 1 E	//				.01	.13	.05	.01																		.20
BENTON DAM		.03																								.03
BOISE LUCKY PEAK DAM															.01											.01
BOISE WB AIRPORT	//					01																				.01
BONNERS FERRY		.01	.04		.02	.01							.01													.09
CASCADE RANGER STATION	//			03	.01	.02	.01																			.07
CLARK FORK 1 ENE		*	*	*	*	84																				.84
CLARKIA RANGER STATION	//		01													01									1	.03
CLEMENTSVILLE 4 SE	//																	.01	.01	.01						.03
COTTONWOOD 2 SW				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			*
CRAIGMONT	//																								04	.04
DEADWOOD DAM	//			.01	.10	.03																				.14
MULLAN PASS CAA	//	*	*	*	*	.05	*	*	*	*	*	.21	*	*	*	*	*	.03			.01					.30
PIERCE RANGER STATION	//							.01																		.01
SANDPOINT EXP STATION		.05																								.05
SUN VALLEY	//																		02							.02
WALLACE WOODLAND PARK		05	07	03	.01	.02	.02	02	.05	.05	.01	.01						.01								35
-27th-																										
CRAIGMONT	//					.01																				.01
GRANGEVILLE	6	*	*	*	*	.02	*	*	*	*	*	.03	*	*	*	*	*	.02								-
LEADORE																		.01	.01	01			.01			.04
LEWISTON WB AP	6												*	*	*	*	*	.03								-
MULLAN PASS CAA	//	*	*	*	*	.04	*	.04																		08
PIERCE RANGER STATION	//							.01	.01	.01																03
-28th-																										
COTTONWOOD 2 SW		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.20								.20
LEADORE			.01																							.01
MACKAY RS								.01	.02	.01																.04

See reference notes following Station Index

DAILY TEMPERATURES

Station		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	31	30	37	33	30	23	20	24	25	29	33	29	31	42	32	33	41	43	27	23	33	39	39	40	38	42	39	30	11	11	10	30.6
	MIN	10	24	26	17	16	7	-3	-1	14	10	14	2	19	25	22	20	24	26	18	1	12	30	19	24	17	15	30	-2	-12	-8	-8	13.2
ALBION	MAX	28	33	42	37	41	30	34	37	35	32	35	39	29	41	47	52	39	45	30	28	31	47	34	42	48	57	47	35	13	12	15	36.0
	MIN	18	23	28	17	17	0	-2	0	12	7	16	5	7	28	34	24	23	26	19	-7	7	30	17	27	23	25	30	12	-4	-6	-5	14.5
ALPHA 1 NE	MAX	23	34	34	30	26	14	10	20	28	36	34	34	31	36	44	33	38	32	26	29	40	39	30	43	49	42	34	17	11	9	14	29.7
	MIN	2	19	24	10	9	-14	-20	-10	-2	10	23	7	11	26	32	17	24	10	9	2	14	13	0	23	16	26	17	-7	-31	-30	-33	6.4
AMERICAN FALLS 1 NW	MAX	31	30	39	36	31	27	23	25	27	33	35	31	33	40	43	42	45	30	30	25	34	41	35	41	43	44	41	29	11	14	12	32.3
	MIN	11	25	26	24	19	13	4	8	15	9	24	10	24	29	33	23	29	25	21	4	15	30	25	26	20	20	28	-1	-8	-5	-4	16.8
ANDERSON DAM 1 SW	MAX	32	33	40	36	33	25	26	29	34	36	33	34	30	42	43	41	45	45	28	27	29	42	35	49	39	48	44	22	13	12	12	33.5
	MIN	12	27	32	26	11	8	7	15	18	21	24	14	13	28	32	17	26	24	21	15	8	28	17	28	26	27	15	12	-6	-12	-7	17.0
ARROWROCK DAM	MAX	35	30	42	38	32	28	16	17	25	34	40	36	33	32	41	51	34	33	36	28	30	42	40	34	41	36	41	32	22	7	6	32.0
	MIN	18	22	27	27	16	8	2	2	3	15	26	19	17	18	31	22	23	29	24	2	4	30	20	23	23	27	22	12	-2	-7	-8	16.0
ASHTON 1 S	MAX	17	27	30	28	27	15	20	25	28	28	29	28	21	32	38	27	37	35	22	22	24	36	25	33	43	36	31	1	7	10	7	25.5
	MIN	-7	9	19	13	10	-4	-9	-6	4	8	12	0	12	11	20	17	20	14	12	-2	-2	16	4	21	14	20	-2	-15	-22	-22	-15	4.8
ATLANTA 1 E	MAX	28	28	33	27	25	31	39	28	35	38	33	35	28	30	43	35	40	34	21	31	37	37	26	39	48	41	37	34	24	16	16	32.2
	MIN	2	14	21	18	13	2	9	15	15	15	12	8	12	22	27	15	12	15	12	0	15	23	7	24	19	25	13	14	-18	-17	-17	11.2
AVERY RS	MAX	34	33	38	36	33	33	32	30	38	34	40	35	35	38	44	40	37	34	30	37	38	35	34	35	40	45	38	12	19	21	26	34.0
	MIN	29	28	32	30	26	11	13	17	26	19	27	25	30	32	32	30	29	23	17	24	27	27	20	29	31	34	5	-2	-10	-6	-8	20.9
BAYVIEW MODEL BAS	MAX	36	40	40	40	34	33	30	30	35	36	36	35	37	46	51	41	40	36	35	36	38	42	36	43	51	45	37	27	14	17	17	35.9
	MIN	26	26	30	29	23	19	12	21	24	25	28	28	30	36	32	28	30	24	28	25	30	28	22	27	40	35	9	-5	-12	-1	0	22.5
BLACKFOOT	MAX	31	30	34	35	32	23	19	23	29	37	38	31	30	41	44	44	43	44	29	27	32	38	31	40	42	44	39	31	12	15	18	32.5
	MIN	12	21	26	20	16	13	-1	1	15	15	27	7	20	27	31	24	27	26	22	8	15	30	22	23	24	18	28	-3	-9	-7	-6	15.9
BLISS	MAX	36	34	42	37	33	28	32	34	30	36	35	32	32	40	46	41	48	45	37	30	35	45	37	42	42	48	44	38	12	14	13	35.4
	MIN	19	30	32	22	15	9	8	10	20	21	14	7	13	20	33	13	25	24	19	2	20	31	18	29	23	23	18	10	-8	-10	-10	16.1
BOISE LUCKY PEAK DAM	MAX													36		57	46	55	52	38	36	44		40	43	47	52	53	38	22	21	22	-
	MIN													24		32	25	32	28	19	16	29		27	30	33	31	27	14	3	-2	-1	-
BOISE WB AP	MAX	35	41	40	40	34	28	25	25	29	39	38	35	37	45	56	38	56	39	32	33	43	43	35	43	38	50	35	25	17	19	21	35.9
	MIN	21	30	31	19	18	14	10	12	21	20	30	30	23	35	34	26	32	30	16	17	29	28	28	32	30	29	24	10	5	1	2	22.2
BONNERS FERRY	MAX	40	35	39	34	26	26	28	30	31	32	32	39	37	42	47	35	42	33	31	37	38	41	41	32	45	45	21	14	15	15	17	32.9
	MIN	28	26	29	21	19	22	14	19	25	18	26	28	30	28	27	28	25	21	20	19	25	27	25	24	31	19	2	-6	-7	-8	-6	19.3
BUHL	MAX	33	36	44	36	36	30	28	30	32	34	38	36	34	44	60	50	52	48	36	26	42	44	42	50	48	50	48	36	12	20	20	37.9
	MIN	22	30	34	28	17	12	8	12	12	12	24	12	20	28	30	22	30	30	18	10	18	28	26	30	30	30	26	12	0	0	-3	19.6
BURKE 2 NNE	MAX	28	31	31	28	26	29	23	27	30	33	34	32	31	33	39	34	31	27	25	27	34	30	30	34	39	38	28	1	9	9	11	27.8
	MIN	24	15	25	24	18	7	11	15	24	15	27	16	25	29	27	21	24	16	9	21	20	22	17	23	33	28	-3	-11	-16	-13	-13	15.5
BURLEY	MAX	33	33	42	39	36	34	30	24	29	30	34	39	31	38	47	50	41	47	36	32	31	47	39	41	49	56	50	37	33	17	21	37.0
	MIN	22	25	29	24	11	13	8	11	15	11	18	9	9	23	33	25	25	29	22	12	10	29	28	30	25	26	33	7	-4	-4	-1	17.8
BURLEY FACTORY 1 NW	MAX	32	32	42	43	33	34	29	33	31	33	33	36	31	37	44	49	37	45	30	28	28	42	36	38	47	50	40	37	11	9	17	34.4
	MIN	19	20	26	19	13	8	5	10	10	10	17	5	8	12	31	25	22	28	20	10	9	26	26	27	25	25	30	8	-5	-6	-4	15.5
BURLEY CAA AP	MAX	30	41	36	33	30	27	26	30	32	34	36	29	36	44	47	36	46	34	29	31	44	44	40	48	51	46	36	28	14	18	15	34.5
	MIN	21	28	21	20	7	10	7	8	5	8	15	3	20	32	34	22	29	20	17	7	16	31	27	32	25	25	27	0	-5	-6	0	16.3
CALDWELL	MAX	36	38	45	40	37	32	28	29	31	37	37	42	40	47	60	44	58	44	40	34	48	46	42	38	36	36	39	34	25	23	24	38.4
	MIN	23	29	29	29	19	13	12	14	20	20	27	31	25	31	36	25	30	29	26	12	27	33	27	30	30	28	25	14	2	2	2	22.6
CAMBRIDGE	MAX	39	38	39	36	37	36	35	36	33	34	35	40	39	37	43	41	44	41	39	36	34	40	39	40	42	41	39	30	27	11	11	35.9
	MIN	28	27	27	19	6	10	12	14	19	23	32	21	29	23	30	33	35	29	27	11	20	22	20	29	30	16	12	9	-9	-19	-16	18.4
CASCADE 1 NW	MAX	24	32	32	32	30	24	5	18	24	33	31	30	30	37	42	31	38	29	26	26	39	38	27	40	43	44	35	18	9	8	7	28.5
	MIN	6	18	25	24	14	-6	-11	-5	5	14	24	11	15	26	30	19	22	21	13	10	20	24	8	23	23	32	18	-4	-22	-20	-20	11.5
CHALLIS	MAX	33	32	35	35	30	27	21	20	25	23	25	25	27	45	47	37	34	33	23	27	42	42	36	36	35	47	39	25	0	1	3	29.4
	MIN	11	13	22	17	18	1	-5	2	3	-1	6	7	8	21	31	15	15	17	4	-4	7	22	12	17	11	13	14	-12	-27	-27	-25	6.6
CHILLY BARTON FLAT	MAX	24	22	28	24	24	19	19	22	28	23	23	23	26	26	38	35	33	39	20	12	20	30	23	34	30	38	32	20	0	8	2	24.0
	MIN	-4	8	15	4	-4	-14	-20	-8	-5	-10	-7	-15	-5	7	15	2	15	11	-8	-20	5	15	0	12	-9	-5	-11	-13	-29	-32	-26	-4.4
CLARK FORK 1 ENE	MAX	40	36	37	40	34	30	32	27	38	36	39	34	35	42	45	35	44	35	30	37	39	43	35	35	49	45	35	15	15	19	19	34.7
	MIN	29	23	31	28	24	12	10	19	25	17	24	24	29	31	32	29	29	21	16	24	28	26	24	19	33	33	-5	-3	-8	-4	-8	19.7
COEUR D ALENE CAA AP	MAX	34	39	36	35	29	27	26	32	33	32	34	34	37	40	46	39	40	35	31	34	38	34	34	45	45	42	28	10	12	13	15	32.5
	MIN	28	32	30	26	22	17	16	23	26	22	28	28	31	31	28	26	26	22	21	26	25	25	26	28	37	27	3	-3	-5	-1	0	21.6
COEUR D ALENE RS	MAX	42	39	40	35	35	33	30	34	38	32	38	35	35	39	49	39	41	38	35	38	38	37	45	42	47	42	36	28	16	18	20	35.9
	MIN	30	31	33	30	27	16	19	22	29	19	19	30	32	24	32	29	30	28	20	28	30	29	22	30	36	34	9	2	-2	0	1	23.2
CONDA	MAX	21	24	28	29	32	28	22	21	25	26	30	24	27	35	36	40	33	36	35	28	29	33	35	36	39	49	43	15	15	15	15	29.2
	MIN	6	20	23	14	0	-9	-7	3	7	17	8	10	19	25	20	17	24	18	11	9	21	12	23	28	29	28	11	-20	-21	-22	-27	9.6
COTTONWOOD	MAX	32	35	36	35	36	34	33	30	34	35	36	33	35	35	46	36	35	34	30	32	42	35	32	40	45	42	32	8	8	11	13	32.3
	MIN	22	28	29	18	20	16	12	20	22	15	17	26	27	30	32	27	28	13	12	8	28	22	18	30	34	30	8	-4	-15	-12	-9	17.8
COUNCIL 2 NNE	MAX	30	33	36	39	36	28	22	25	30	31	40	35	37	39	42	39	42	40	31	32	38	40	35	37	35	37	31	24	13	13	15	32.4
	MIN	23	26	32	30	22	8	-3	5	12	15	26	21	19	26	31	24	28	30	21	10	20	32	18	22	28	30	19	5	-6	-12	0	18.1
DEADWOOD DAM	MAX	21	29	32	30	28	19	22	23	28	30	32	29	28	34	37	30	35	34	24	26	37	36	26	34	37	38	33	20	15	15	17	28.4
	MIN	-7	13	19	21	7	-21	-22	-6	4	6	20	5	8	24	24	14	20	17	0	8	16	25	-2	19	25	25	11	-8	-30	-34	-35	5.4
DEER FLAT DAM	MAX	51	38	43	42	42	39	34	28	33	41	38	43	43	51	60	43	60	45	39	35	47	47	36	40	37	40	36	22	22	20	25	39.4
	MIN	31	26	31	32	23	17	16	15	16	20	27	31	25	34	39	26	33	30	27	16	31	34	27	31	30	30	20	15	1	0	3	23.8
DRIGGS	MAX	31	20	28	29	31	20	14	22	29	20	27	32	20	31	37	40	41	35	27	26	25	25	29	35	39	48	41	35	-3	6	7	27.3
	MIN	-15	0	20	21	4	-8	-13	-7	8	-1	11	6	9	13	29	18	18	23	5	0	-4	-5	9	22	29	31	30	-12	-33	-31	-29	4.8
DUBOIS EXP STA	MAX	20	23	29	27	19	18	29	27	22	27	27	30	19	29	37	32	35	33	24	19	21	39	27	29	36	35		30	3	7	7	25.3
	MIN	0	4	3	10	1	3	1	6	12	12	19	8	13	15	18	9	15	18	9	5	6	17	7	14	18	22		-17	-19	-10	-12	6.9
DUBOIS CAA AP	MAX	18	31	34	26	19	18	27	28	28	34	27	30	22	28	39	30	37	35	25	19	32	39	24	29	41	32	27	-7	9	11	4	25.7
	MIN	-5	1	7	-3	1	-3	-7	-1	2	10	19	7	14	14	19	8	22	8	6	2	3	12	6	16	24	23	-8	-15	-15	-13	-18	4.4
EDEN HUNT PROJECT	MAX	32	34	40	32	30	28	28	29	32	34	35	33	33	43	49	40	44	43	30	30	33	40	32	47	42	42	37	37	24	14	12	34.2
	MIN	16	26	29	19	14	1	6	8	18	9	10	4	17	23	30	19	21	21	15	-4	14	30	15	29	19	28	22	5	-11	-12	-12	13.8
ELK CITY	MAX	32	34	35	32	32	25	20	28	31	31	29	33	37	37	43	43	46	38	32	30	48	34	34	39	35	45	36	35	12	15	18	32.9
	MIN	21	15	15	21	18	-7	-17	3	15	-5	4	19	15	30	25	32	26	15	13	-6	-6	21	17	14	24	28	-10	-10	-40	-36	-29	7.3
EMMETT 2 E	MAX	38	41	45	40	38	36	29	27	29	36	41	39	38	47	58	42	56	47	37	35	49	49	36	40	36	38	37	31	17	20	22	37.9
	MIN	24	31	32	32	26	18	12	16	18	27	31	32	28	32	26	28		24	22	16	9	34	28	32	32	30	27	15	4	1	2	23.0
FAIRFIELD RS	MAX	28	27	31	28	27	17	17	22	22	30	27	23	24	37	40	33	37	36	23	22	27	32	30	41	37	40	35	21	1	5	6	26.6
	MIN	-4	15	22	14	-2	-7	-21	-4	0	-3	15	-9	1	19	24	3	16	17	9	-15		23	1		7	5	14	-2	-32	-34	-34	1.3
FENN RS	MAX			41	38	36	37	34	32	40	35	39	34	37	38	45	39	44	38	42	36	46	42	35	36	42	48	35	20	18	19	22	36.1
	MIN			33	30	30	27	23	21	20	21	24	24	30	31	31	28	31	29	26	23	33	30	28	30	30	33	20	3	-5	-4	-4	23.3
FORNEY BLACKBIRD MINE	MAX	24	26	27	26	26	25	27	25	32	32	34	37	31	32	38	31	29	30	24	22	33	33	26	40	44	39	31	22	26	11	10	28.8
	MIN	7	8	18	12	9	-3	1	8	7	3	6	9	12	19	24	12	11	7	-2	-5	6	14	4	20	21	24	1	-25	-25	-23	-24	5.0
FORT HALL IND AGENCY	MAX	29	30	35	33	31		25	28	27	38		36	32	41	46	43	43	44	29	28	35	40	35	40	42	45	40	29	12	16	11	33.2
	MIN	9	25	27	21	19		-4	-2	14	10		-2	17	26	34	23	25	25	20	3	12	32	23	25	23	19	28	-3	-12	-2	-8	14.7
GARDEN VALLEY RS	MAX	29	33	42	39	31	28	18	24	33	34	40	35	35	36	53	37	49	41	33	32	44	47	32	38	41	44	38	29	19	19	23	34.7
	MIN	14	19	30	28	18	9	-5	5	19	19	27	20	18	18	30	23	29	27	20	12	25	32	12	26	32	27	20	4	-13	-15	-16	16.6
GLENNS FERRY	MAX	37	40	43	39	35	31	36	32	43	41	39	35	35	40	53	40	53	40	41	33	39	45	38	45	51	54	41	33	20	23	21	38.6
	MIN	25	30	33	29	16	14	8	13	18	23	18	21	19	28	34	23	29	30	21	10	25	30	26	32	26	29	25	12	-2	-4	-3	20.6
GOODING CAA AP	MAX	32	40	37	31	29	22	28	31	26	34	32	27	29	44	48	35	43	33	32	23	38	42	31	42	39	46	33	23	7	14	9	31.6
	MIN	19	28	22	21	11	6	11	13	18	20	15	12	15	18	31	16	27	21	12	0	21	25	15	29	24	21	17	-3	-12	-14	-10	14.5
GRACE PH	MAX	18	23	30	32	29	23	22	27	25	32	28	28	26	32	40	34	38	38	30	21	30	35	29	37	42	41	40	26	13	11	4	28.5
	MIN	-4	15	21	23	12	-3	-5	-4	8	9	17	2	13	21	28	14	17	18	14	4	8	23	16	27	29	28	24	-1	-13	-14	-15	10.7
GRAND VIEW	MAX	39	51	48	39	33	29	38	28	33	37	37	40	40	48	62	50	58	49	37	33	51	50	37	42	47	54	40	34	20	25	22	40.4
	MIN	23	31	30	25	12	7	5	12	13	19	21	24	18	26	36	24	33	24	20	14	22	28	27	29	28	26	26	12	1	3	2	20.0
GRANGEVILLE	MAX	36	39	37	34	37	33	32	30	35	35	36	35	40	40	50	35	38	37	35	37	44	36	31	47	54	48	31	6	10	16	14	34.5
	MIN	27	29	28	27	26	15	12	21	21	19	22	28	27	29	30	27	29	22	23	19	30	23	23	29	33	29	3	-10	-15	-10	-10	19.5
GRAY	MAX	19	23	25	31	31	20	24	36	27	29	31	24	25	29	38	37	30	32	19	26	28	31	28	35	47	39	36	22	8	4	1	26.9
	MIN	-14	14	16	20	13	-7	-11	6	10	13	19	5	10	12	26	15	14	16	13	10	6	22	14	23	26	25	19	-6	-29	23	-24	8.2
GROUSE	MAX	34	26	33	30	33	28	26	26	37	29	30	33	28	37	38	36	32	32	29	18	33	32	25	39	36	42	32	21	9	15	10	29.3
	MIN	-12	-8	11	-1	-14	-18	18	-9	-4	-9	-6	-16	-11	-8	16	5	19	10	1	-26	-6	16	-6	1	-5	-1	-11	-11	-42	-38	-37	-7.7
HAILEY	MAX	36	29	35	31	30	27	31	26	27	35	32	31	27	40	38	39	34	35	29	22	24	33	38	42	38	46	38	37	8	8	9	30.8
	MIN	4	4	17	13	2	1	-9	6	0	0	12	6	0	17	27	10	19	22	7	7	10	24	10	10	6	17	6	2	-14	-21	-25	6.1
HAMER 4 NW	MAX	22	26	40	26	19	18	22	25	29	31	33	29	29	30	38	36	40	37	30	22	25	42	31	34	40	37	12	6	11	12	8	27.1
	MIN	12	10	11	1	2	5	-15	-5	14	14	19	16	9	18	6	12	21	25	8	-11	1	20	6	11	25	21	36	-11	-18	-16	-13	7.5
HAZELTON	MAX	29	36	42	32	31	25	28	31	31	34	35	34	34	42	52	45	44	42	29	23	36	40	41	42	46	45	43	29	11	16	15	34.3
	MIN	19	27	31	24	13	8	5	10	13	16	17	11	18	27	32	25	25	28	18	-1	18	32	28	32	28	26	27	7	-10	-7	-3	17.5

See reference notes following Station Index

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HILL CITY	MAX	21	27	32	28	24	12	14	24	25	27	24	27	26	37	40	30	38	26	22	20	25	36	27	40	38	38	36	21	0	- 1	- 3	25.2
	MIN	4	16	25	14	- 1	-15	-22	- 7	4	4	15	- 7	8	22	22	10	17	20	4	-15	[illegible]	20	1	22	10	5	11	0	-27	-28	-36	3.4
HOLLISTER	MAX		36	38	40	32	25	26				36		32	42	50	43	49	44	29	26	43	40	46	48	55	52	38	27	12	19	15	36.3
	MIN		23	26	28	14	1	9				18		19	30	37	17	32	24	16	10	15	20	21	30	26	36	27	11	- 4	- 5	- 4	18.3
IDAHO CITY	MAX	29	32	38	35	37	31	31	28	37	42	38	35	32	35	43	36	43	41	34	31	35	42	30	42	51	49	46	30	20	15	16	35.0
	MIN	3	24	22	22	0	-11	15	0	13	14	20	9	7	28	24	12	26	23	10	0	20	20	1	28	13	20	8	- 9	-23	-27	-26	8.3
IDAHO FALLS CAA AP	MAX	25	35	33	30	24	18	20	23	26	27	34	25	28	36	42	33	40	39	25	18	36	37	28	35	32	40	36	3	12	12	7	27.7
	MIN	- 3	13	22	18	10	3	- 5	- 1	11	17	6	6	18	27	23	21	25	20	16	7	7	20	17	18	24	20	3	-12	-16	-12	-13	10.0
IRWIN 2 S	MAX	24	24	33	30	30	21	21	22	21	32	30	25	32	38	45	43	45	39	30	21	30	39	30	36	46	44	41	28	6	8	5	29.6
	MIN	- 5	13	23	25	18	0	- 4	3	5	13	20	15	16	18	31	30	22	28	20	10	11	30	17	26	32	24	28	1	-20	-16	-18	13.4
ISLAND PARK DAM	MAX	18	20	25	22	21	21	17	24	26	31	25	28	21	24	36	35	32	32	21	18	18	33	27	30	35	35	29	- 5	8	9	3	23.2
	MIN	-23	- 1	19	17	0	5	-22	-19	8	[illegible]	6	12	12	14	21	16	16	20	16	- 1	- 7	15	- 4	17	24	14	-10	-23	-33	-25	-33	1.9
JEROME	MAX	36	35	40	35	33	28	26	31	30	31	34	30	31	44	56	51	48	48	33	30	31	40	35	46	43	47	45	31	10	14	17	35.1
	MIN	19	22	30	20	10	2	9	9	16	16	12	8	13	23	28	21	25	25	16	- 1	14	27	18	28	20	24	24	7	-11	- 8	-11	14.7
KELLOGG	MAX	35	35	41	43	37	35	29	28	30	36	37	45	34	41	47	50	41	40	34	32	40	43	38	35	50	48	43	12	12	19	18	35.7
	MIN	30	28	32	30	26	12	6	11	19	17	22	22	27	32	33	30	30	27	22	27	30	28	20	27	31	38	9	1	- 5	- 3	- 3	21.2
KOOSKIA	MAX	40	39	46	44	40	40	35	34	44	37	33	35	36	41	54	48	46	44	45	42	57	41	39	45	40	51	44	21	19	22	23	39.5
	MIN	31	32	36	34	32	25	17	23	28	20	25	30	31	34	31	30	35	29	26	23	31	31	27	32	34	34	20	10	- 3	- 3	0	25.3
KUNA 2 NNE	MAX	37	37	44	39	35	34	27	27	31	37	37	39	38	45	56	39	54	51	34	32	42	45	44	38	38	50	36	32	20	20	23	37.5
	MIN	21	30	32	30	14	10	9	11	15	21	27	29	24	34	37	26	32	30	23	12	27	34	27	32	28	29	25	15	1	- 2	0	22.0
LEWISTON WATER PLANT	MAX	42	41	48	43	45	42	40	38	44	40	48	41	46	48	55	44	45	47	41	43	46	45	39	50	51	52	44	25	19	22	25	41.9
	MIN	33	36	38	34	30	27	26	31	31	28	32	35	31	38	35	30	38	27	29	26	33	34	32	35	37	40	22	11	5	4	5	28.8
LEWISTON WB AP	MAX	42	46	47	41	41	38	38	35	42	38	44	38	44	46	55	43	43	44	39	39	46	43	37	54	53	51	36	16	18	21	20	39.9
	MIN	33	34	34	31	30	27	22	30	29	29	31	33	30	37	32	31	30	27	26	26	32	32	32	34	34	34	11	3	1	1	3	26.4
LIFTON PUMPING STA	MAX	22	28	29	35	25	20	17	25	25	25	28	26	28	37	41	43	37	39	26	20	21	36	32	42	41	44	41	34	13	11	7	29.0
	MIN	2	17	22	17	8	- 5	- 8	- 3	3	1	5	5	6	12	22	14	9	22	17	0	0	21	15	25	19	11	20	12	- 5	1	-12	9.8
LOWMAN	MAX	30	35	38	36	34	30	24	26	34	39	36	36	36	34	41	33	40	36	30	33	34	41	31	37	45	42	34	24	15	16	15	32.7
	MIN	10	19	29	25	13	- 6	-10	3	15	14	25	8	11	27	30	17	26	21	11	6	20	30	6	24	30	26	17	0	-21	-22	-22	12.3
MACKAY RS	MAX	28	27	29	28	28	24	24	23	29	26	28	29	27	32	41	46	44	43	25	22	22	37	27	38	35	42	38	27	12	12	6	29.0
	MIN	7	8	19	8	5	- 1	- 8	3	5	0	8	2	3	4	18	10	15	20	0	- 3	1	21	10	8	8	9	5	- 5	-17	-16	-15	4.3
MALAD	MAX	26	26	37	38	30	26	24	26	24	27	37	35	34	43	36	37	35	33	37	26	32	41	31	41	47	37	32	18	12	16		31.5
	MIN	7	17	25	16	10	6	- 1	1	13	14	22	10	17	25	22	26	20	28	23	4	15	16	17	28	18	15	9	6	- 4	- 9		13.9
MALAD CAA AP	MAX	27	31	35	40	29	28	24	24	29	29	34	29	33	40	39	35	43	40	34	22	29	38	32	40	38	38	35	27	13	16	14	31.1
	MIN	4	21	10	10	5	- 1	-10	- 6	9	13	9	1	14	19	17	15	20	23	19	- 6	1	18	13	23	12	10	1	3	-13	-22	-19	6.9
MAY RS	MAX	25	30	35	34	30	26	16	19	22	15	25	24	28	45	49	39	39	34	25	20	37	42	28	35	36	48	32	17	- 4	- 1	0	27.4
	MIN	7	4	19	15	8	- 6	-11	- 3	- 3	- 7	5	0	7	22	29	16	20	15	3	- 7	8	21	10	18	3	9	6	-11	-30	-29	-28	3.5
MC CALL	MAX	24	32	30	30	30	24	18	24	24	34	34	32	26	34	40	34	34	30	24	26	36	36	28	36	40	40	28	18	4	8	10	28.0
	MIN	14	22	22	24	20	- 6	2	6	10	16	26	12	16	26	32	16	18	8	12	4	20	28	12	26	22	28	18	- 6	-23	-20	-18	12.4
MC CAMMON	MAX	30	34	34	35	32	31	26	19	23	31	36	30	36	35	43	38	39	45	41	36	40	38	39	40	49	46	39	29	18	12	9	33.3
	MIN	- 1	19	23	18	18	8	- 8	- 2	1	11	22	1	14	27	30	25	18	27	21	10	8	20	20	24	30	19	27	4	-12	-14	-11	12.8
MERIDIAN 1 SSW	MAX	35	37	43	42	38	31	25	27	31	37	38	38	37	43	56	38	57	50	33	33	42	44	35	38	36	50	38	29	19	20	23	36.9
	MIN	20	29	29	27	11	7	8	10	16	20	25	25	23	32	35	23	28	26	19	13	25	30	25	29	27	26	21	12	- 1	- 2	- 2	19.9
MESA	MAX	32	36	38	36	38	26	20	25	29	33	36	40	33	39	44	36	46	38	34	30	41	42	32	39	34	35	37	21	15	14	18	32.8
	MIN	20	27	31	25	16	9	4	5	10	20	26	22	19	29	32	25	30	27	22	10	22	28	20	28	28	27	16	7	- 5	-11	- 1	18.3
MINIDOKA DAM	MAX	30	35	41	34	31	27	24	27	29	36	38	28	31	42	46	34	45	30	28	27	40	43	35	44	43	44	35	17	13	17	12	32.5
	MIN	20	27	29	26	19	22	12	8	16	16	20	8	20	26	29	24	22	27	22	7	19	32	23	29	28	25	28	1	- 5	- 6	- 3	18.4
MONTPELIER RS	MAX	24	21	30	32	39	27	20	20	21	30	29	30	27	29	39	40	33	38	28	29	33	35	33	34	40	42	48	40	18	12	15	30.2
	MIN	- 7	- 4	18	19	10	- 8	-10	- 5	1	- 5	8	3	6	16	26	20	10	25	18	1	6	11	16	22	18	11	15	12	-12	-11	-17	6.9
MOSCOW U OF I	MAX	37	40	39	34	33	33	31	32	35	34	39	36	37	41	48	36	40	36	34	34	39	36	33	46	46	47	33	13	16	14	18	34.5
	MIN	28	31	31	30	27	21	17	24	26	24	30	28	30	32	32	26	28	24	21	21	28	28	23	31	30	33	13	1	- 2	- 2	- 1	24.0
MOUNTAIN HOME 1 W	MAX	34	35	41	38	36	31	30	27	32	40	39	38	39	42	54	42	54	44	37	33	40	43	37	52	48	50	41	31	19	20	21	37.7
	MIN	20	28	30	24	9	3	1	7	13	20	24	24	10	30	34	20	28	24	5	- 1	25	32	20	31	26	28	25	13	- 1	- 4	- 4	17.5
MULLAN PASS CAA	MAX	21	25	23	20	18	24	22	23	25	23	26	22	28	28	29	22	26	19	17	19	26	19	22	34	36	31	12	- 9	5	- 3	3	20.5
	MIN	16	19	17	16	12	11	13	17	18	15	19	18	20	21	15	12	14	12	10	14	10	14	13	21	28	11	-19	-20	-10	-12	-11	11.0
NAMPA	MAX	28	35	46	42	38	35	35	28	33	36	37	40	39	50	56	49	42	45	39	42		55	43	38	36	42	39	35	35	38	32	39.6
	MIN	21	22	24	25	19	15	11	14	19	23	29	29	28	27	39	32	28	27	29	17		27	28	31	30	29	30	21	4	8	3	23.0
NAMPA 2 NW	MAX	41	35	45	42	42	39	32	28	27	32	36	38	41	39	47	58	45	56	43	36	35	49	44	36	37	36	41	38	23	19	22	38.1
	MIN	24	30	33	31	19	14	13	13	19	24	29	29	26	35	35	27	32	32	27	17	28	34	29	32	31	31	27	15	3	1	3	24.0
NEW MEADOWS R S	MAX	31	33	36	40	39	20	16	27	28	35	39	38	34	40	43	39	41	37	33	33	37	43	31	39	40	43	38	16	8	7	7	32.0
	MIN	9	20	20	24	17	- 7	-19	- 5	- 1	12	25	0	21	26	29	10	25	25	9	- 3	21	19	5	24	24	23	12	- 3	-32	-33	-32	8.5
NEZPERCE	MAX	35	35	37	34	35	30	32	30	33	31	35	34	35	37	45	36	35	37	32	33	40	32	34	40	46	43	31	11	14	12	13	32.5
	MIN	23	26	29	23	22	16	15	16	24	19	24	26	28	31	31	29	28	15	18	14	[illegible]	15	18	30	34	30	8	- 1	-10	- 8	- 4	19.3
OAKLEY	MAX	31	34	40	30	35	36	36	35	37	42	37	33	39	45	49	46	48	43	30	28	35	41	39	46	51	53	41	30	15	18	15	36.7
	MIN	11	27	27	27	10	8	6	19	15	16	25	11	19	20	36	18	29	23	16	3	17	32	27	34	32	32	26	8	- 2	- 6	- 4	18.1
OBSIDIAN 4 NNE	MAX	22	25	28	26	23	16	15	17	24	29	25	22	28	31	35	28	28	28	22	19	34	34	29	43	38	40	28	16	2	4	6	24.7
	MIN	- 7	7	15	14	2	-18	-19	- 6	5	- 4	9	- 9	0	24	26	10	15	5	- 2	-14	13	18	- 5	19	2	16	3	- 8	-42	-40	-38	- .3
OLA	MAX	38	35	44	40	35	27	22	28	33	32	38	39	35	40	48	40	48	44	35	33	45	46	35	44	38	45	46	32	16	18	16	36.0
	MIN	11	24	25	22	10	5	12	10	10	14	14	13	6	22	20	22	27	25	17	- 6	16	25	12	28	17	14	12	3	-12	-17	-17	12.4
OROFINO	MAX	41	40	47	46	40	42	38	35	44	37	40	39	39	45	52	52	43	39	39	40	51	43	39	43	40	50	47	22	22	21	25	39.9
	MIN	31	32	35	32	31	30	20	25	29	21	28	30	32	34	32	29	31	26	26	24	31	31	28	33	30	33	19	9	1	0	1	25.6
PALISADES DAM	MAX	23	25	32	30	30	21	18	18	23	28	30	28	27		45	45	38	38	29	25	26	39	32	35	44	45	40	29	7	6	2	28.6
	MIN	- 9	7	21	22	16	- 3	-10	-10	0	6	16	12	11	20	20	18	18	24	14	7	[illegible]	22	14	23	28	19	29	- 5	-28	-23	-24	8.4
PARMA EXP STA	MAX		43	40	43	40	30	28	24	28	33	35	37	40	44	57	49	56	45	38	31	49	43	35	34	33	32	37	26	17	20	22	36.3
	MIN		29	32	32	25	16	15	11	19	24	22	30	26	29	32	29	29	29	20	13	19	28	28	31	29	28	19	12	3	0	2	22.0
PAUL 1 E	MAX	32	32	42	37	34	32	27	27	31	32	34	38	28	36	45	48	38	45	29	28	29	44	37	34	45	45	45	37	30	12	17	34.5
	MIN	18	22	28	21	13	12	7	10	13	11	15	7	8	20	32	24	20	29	20	6	5	28	26	24	23	22	28	7	- 5	- 5	- 5	15.6
PAYETTE	MAX	36	38	43	42	37	32	28	29	31	35	34	44	36	43	53	43	57	44	38	34	45	46	37	37	36	36	41	30	17	19	23	36.9
	MIN	26	30	30	31	25	20	14	15	21	23	19	31	25	24	33	29	32	29	23	9	28	30	27	31	31	31	26	14	2	1	1	22.9
PIERCE RS	MAX	33	33	34	32	31	29	25	30	34	29	32	33	34	35	38	35	34	34	33	33	34	37	32	34	35	38	34	19	19	17	20	31.3
	MIN	24	29	29	29	26	8	- 1	11	23	8	28	27	27	31	31	21	28	14	8	11	20	24	13	30	26	32	7	- 5	-22	-22	-20	16.0
POCATELLO WB AP	MAX	28	36	34	38	27	30	27	30	26	36	36	26	32	40	45	35	45	43	29	26	39	40	35	42	43	45	39	14	16	13	15	32.6
	MIN	10	26	24	22	20	6	0	1	17	10	17	2	23	30	33	22	28	21	19	10	15	26	22	27	23	22	13	- 5	- 9	- 5	- 5	15.0
PORTHILL	MAX	40	35	40	33	26	26	29	28	31	31	33	37	35	42	46	42	42	35	33	30	38	38	38	35	44	42	30	13	10	15	11	32.5
	MIN	25	23	25	18	9	19	12	13	22	24	25	25	32	31	26	29	29	15	14	10	22	19	25	19	29	30	6	-10	- 9	- 9	- 4	17.5
POTLATCH	MAX	47	40	40	35	33	35	35	34	38	38	43	35	36	40	50	35	40	35	35	34	40	40	36	46	47	46	35	12	20	20	20	36.1
	MIN	30	32	30	31	28	20	20	26	23	29	32	30	32	35	33	28	30	25	26	24	30	31	21	32	35	33	10	2	- 4	- 4	- 5	24.0
PRESTON SUG FACT 2 SE	MAX	29	29	36	39	33	29	28	25	29	27	38	33	38	40	40	44	39	39	33	26	25	37	35	40	48	42	41	40	15	20	16	33.3
	MIN	9	16	25	21	7	6	- 3	- 3	4	11	13	6	9	24	23	24	18	27	22	4	4	23	20	28	17	11	13	12	- 2	- 9	-14	12.0
PRIEST RIVER EXP STA	MAX	34	36	37	34	27	28	27	28	33	30	35	32	34	38	45	38	39	35	29	36	35	35	33	31	44	42	30	15	14	15	19	31.9
	MIN	23	22	29	24	20	20	8	17	25	15	27	27	30	28	27	25	28	16	18	24	26	23	20	19	30	29	5	- 6	-16	-16	-14	17.8
RICHFIELD	MAX	30	32	35	31	29	22	20	28	26	29	28	26	24	42	39	37	39	37	27	22	27	37	33	39	36	42	33	24	3	8	6	28.7
	MIN	10	23	24	13	- 1	- 3	5	10	13	9	11	3	11	18	26	13	15	23	14	- 6	12	25	4	23	16	13	22	1	-26	-25	-22	8.8
RIGGINS RS	MAX	37	43	44	41	42	37	35	33	37	41	42	39	42	43	56	50	48	45	40	41	48	48	44	43	49	56	50	27	23	21	26	41.0
	MIN	30	32	37	32	31	21	20	28	24	33	32	31	30	35	38	30	35	28	29	27	33	33	30	27	37	36	25	10	3	3	5	27.0
RIRIE	MAX	24	26	33	31	28	20	20	27	21	31	33	35	27	39	43	31	41	39	28	24	38	37	29	33	40	40	35	20	10	12	8	29.1
	MIN	4	17	24	22	3	8	2	11	13	14	21	18	19	26	30	22	24	26	18	10	14	29	22	22	17	17	16	- 9	-17	-12	-14	13.5
RUPERT	MAX	32	32	41	37	34	32	25	25	29	32	33	[illegible]	29	40	44	49	37	46	30	29	31	44	37	36	45	46	46	34	8	12	16	33.9
	MIN	18	22	27	20	12	13	7	8	12	11	19	7	8	20	30	22	21	27	20	4	4	29	25	25	23	23	29	4	- 7	- 7	- 7	15.1
SAINT ANTHONY	MAX	20	26	33	30	21	23	24	27	29	38	34	32	23	34	40	37	41	37	30	23	26	38	26	33	44	41	34	6	23	12	4	28.7
	MIN	-10	- 6	19	9	3	- 5	- 9	- 9	10	11	14	4	16	13	19	19	20	25	9	1	- 2	17	5	19	27	12	1	-12	-22	-25	-21	4.9
SAINT MARIES	MAX	37	38	42	38	34	38	33	32	38	35	41	35	35	44	50	38	41	36	34	38	39	39	34	36	42	46	39	15	21	19	24	35.8
	MIN	30	31	34	31	24	18	12	16	26	21	30	27	31	33	32	29	30	28	22	26	31	28	22	31	34	32	9	2	- 7	- 7	- 8	22.5
SALMON	MAX	30	32	37	38	35	23	14	14	25	10	25	29	29	38	50	35	40	37	27	24	45	39	26	35	22	52	29	3	- 1	- 1	2	27.2
	MIN	14	10	10	19	5	- 7	-13	- 5	- 3	-10	3	3	12	25	17	19	29	9	6	1	10	20	15	13	10	11	- 2	-19	-25	-26	-24	4.0
SANDPOINT EXP STA	MAX	42	38	39	36	31	27	27	31	32	32	34	34	34	40	40	38	39	35	30	37	37	36	39	37	46	43	32	24	15	13	14	33.3
	MIN	29	27	31	22	22	23	11	17	26	25	27	27	32	30	28	26	29	20	24	27	27	25	26	20	35	32	4	0	-10	- 4	-10	20.9
SHOSHONE	MAX	34	33	37	32	30	23	25	29	28	32	30	30	27	43	48	35	40	39	30	20	31	39	31	46	41	41	35	25	8	11	8	31.0
	MIN	17	25	27	17	19	5	8	13	12	14	16	5	10	16	29	14	21	28	15	- 2	19	30	10	26	20	16	20	5	-18	-17	-15	13.1

See reference notes following Station Index

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SPENCER RS	MAX	20	21	33	22	22	19	27	27	25	26	27	27	19	24	38	29	28	32	24	18	20	34	24	31	35	34	30	-9	2	5	1	23.1
	MIN	[illegible]	-9	8	8	-7	-15	-12	-3	3	8	14	-2	11	12	18	4	12	13	0	-13	[illegible]	8	1	10	22	24	-10	-24	-29	-14	-19	-
SPRINGFIELD	MAX	31	29	35	38	30	21	19	23	27	30	37	26	30	35	41	38	42	44	29	24	30	38	32	30	38	41	36	26	11	16	10	30.2
	MIN	9	19	26	17	10	7	-3	-2	12	10	20	1	18	25	27	19	22	25	18	1	10	28	19	23	19	13	26	-4	-17	-11	-11	12.1
STIBNITE	MAX	27	29	23	27	24	32	37	28	[illegible]	37	32	31	32	36	37	28	31	24	24	27	34	30	27	39	45	34	23	0	15	35	13	28.7
	MIN	10	19	18	13	-6	-4	3	12	9	14	15	14	17	15	15	15	17	1	6	8	18	8	15	17	18	19	-11	-28	-23	-20	19	6.6
SUGAR	MAX	22	27	32	30	28	22	21	26	30	[illegible]	34	37			41	39	40	37	23	23	25	40	30	33	47	38	36	18	12	13	8	29.0
	MIN	-11	1	21	15	7	2	-17	-11	10	10	10	-1			23	20	21	23	11	8	1	23	13	20	28	13	6	-10	-21	-25	21	5.8
SUN VALLEY	MAX	28	27	31	27	29	27	28	29	30	32	28	30	27	35	37	37	34	34	25	18	24	28	26	40	40	43	35	28	12	10	7	28.6
	MIN	-10	1	8	-1	-11	-17	-18	-2	-6	-9	2	-10	-6	10	20	-4	15	19	2	-21	2	20	-4	9	-4	14	-8	-12	-26	-35	-35	-3.8
SWAN FALLS PH	MAX	38	40	45	52	40	34	30	29	33	34	38	40	39	49	60	42	59	54	38	38	51	53	41	40	47	55	42	35	22	24	24	40.8
	MIN	26	32	32	31	23	15	12	18	21	23	28	32	26	34	32	30	35	32	29	16	28	37	32	33	31	32	30	17	6	5	7	25.3
TETONIA EXP STA	MAX	16	23	29	29	28	17	19	27	25	33	30	23	29	35	45	40	35	33	35	22	32	32	27	39	44	40	36	37	2	-4	5	27.8
	MIN	-16	-2	20	21	5	-4	-18	-11	9	-1	12	6	10	19	29	18	19	10	5	-5	0	18	15	20	20	15	22	16	-37	-32	-32	3.8
TWIN FALLS 2 NNE	MAX	33	37	39	34	33	27	27	29	29	33	36	32	34	42	54	50	50	47	35	25	42	44	36	47	43	47	44	34	13	18	17	35.8
	MIN	20	29	33	27	9	1	4	8	17	12	21	10	25	27	32	24	28	27	16	-1	10	30	[illegible]	31	23	24	29	10	-3	-3	-4	17.5
TWIN FALLS 3 SE	MAX	33	35	43	40	35	34	30	29	30	32	36	38	34	40	45	54	41	50	32	32	29	45	40	42	53	47	47	44	20	13	19	36.8
	MIN	15	19	25	23	11	2	-2	-2	4	8	16	6	7	20	30	23	19	19	16	6	3	18	23	26	24	22	29	10	-6	-6	-4	13.0
WALLACE	MAX	32	37	34	32	31	[illegible]	[illegible]	32	35	35	35	31	38	40	45	35	38	34	32	34	38	36	34	38	47	45	30	8	12	13	14	32.2
	MIN	26	30	30	29	24	11	12	21	27	19	25	20	29	34	32	28	28	17	15	22	31	24	20	22	28	29	0	-5	-9	-5	-6	19.6
WALLACE WOODLAND PARK	MAX	33	32	37	32	32	30	30	31	30	34	33	38	32	39	43	48	37	36	33	30	40	38	33	35	46	45	40	9	7	13	15	32.6
	MIN	26	17	30	28	21	5	10	11	25	19	20	14	23	30	31	27	27	19	8	23	22	24	17	22	31	35	5	-9	-13	-12	-11	16.9
WEISER	MAX	38	38	43	45	40	32	28	28	33	37	36	45	35	38	48	40	52	46	38	35	45	47	36	38	38	37	40	27	20	22	20	36.9
	MIN	28	29	27	31	22	18	12	15	22	24	22	30	24	20	27	22	32	27	18	4	25	20	23	30	32	30	20	12	-2	-2	2	20.6
WINCHESTER 1 SE	MAX	34	32	34	35	33	34	33	35	35	36	37	40	32	37	45	35	34	32	29	29	39	32	35	46	46	45	30	24	12	10	12	33.0
	MIN	22	26	25	23	21	8	5	20	20	16	24	25	26	29	28	21	24	11	11	-4	20	24	15	21	28	26	10	-10	-22	-18	-16	14.7

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STATION	SNOWFALL	T	0.4	0.1	1.5					0.1		0.2					0.1	0.5	1.0	1.4		2.8		1.0	T							
	SN ON GND	T	T	T	2	2	2	2	2	2	2	1	1	1	1	T	T		1	2	2	4	1	1	1	1	T	T	T			
ANDERSON DAM 1 SW	SNOWFALL		7.5	0.2	2.5				T	T	T	3.0		T	0.8		0.4	7.0	2.0	6.0		5.5		2.8	1.5		0.3					
	SN ON GND	T	7	5	7	7	7	7	7	6	5	8	8	8	8	7	7	10	10	14	14	18	14	16	15	14	13	11	11	11	11	11
ARROWROCK DAM	SNOWFALL		2.2	5.8	2.2					0.5		6.0			0.5		0.7	8.5	T	4.0	1.2	5.0			3.0	T	T					
	SN ON GND	1	3	9	11	11	10	10	10	11	10	16	15	13	13	10	11	18	14	18	17	18	15	14	17	16	15	14	14	14	14	-
ASHTON 1 S	SNOWFALL	T	3.0	3.0	T		T		T	1.0				2.0				T	3.0	1.0		T		2.0	T			T				
	SN ON GND	[illegible]	11	13	13	13	13	13	13	14	14	14	14	16	15	14	14	14	17	18	17	16	15	17	17	16	15	15	15	15	15	15
ATLANTA 1 E	SNOWFALL		5.0	6.0	3.0	T								T	9.5		4.0	12.0	6.0	3.0		4.5	3.5	4.0			2.0					
	SN ON GND	14	18	22	24	24	24	24	24	24	23	23	23	23	30	30	33	43	47	49	48	52	54	57	56	54	54	53	53	53	52	52
AVERY RS	SNOWFALL	2.0	1.5	1.0	10.0	1.0			T			0.5	1.0	2.0	1.0	1.0	T	5.0	3.0	0.5	5.0		3.0	1.0	1.0			0.5				
	SN ON GND	2	3	4	12	12	12	12	11	8	8	7	8	6	6	5	5	8	9	9	14	10	13	14	13	12	10	10	10	10	10	10
BLACKFOOT	SNOWFALL		0.5	1.0	2.0							2.0						1.0	2.0	1.0			1.0	2.0								
	SN ON GND		1	1	1	1	1	1	1	1	1	3	3	3	2				2	2	1	1	1	3	2	1	1					
BOISE WB AP	SNOWFALL	T	2.3		3.2	T			T	T	T	T	T	T			1.7	T	T	2.2		0.5	T	0.4	T			T				
	SN ON GND	T	1	T	2	2	2	1	1	1	T	T	T	T	T					2	2	T	T	T	T	T						
BONNERS FERRY	SNOWFALL		5.2	T	0.8		T	T	T	T		0.8	0.1	1.8	T	5.0	8.0	T	2.6	2.0	T	6.0	T	T	2.5							
	SN ON GND		5	4	5	5	[illegible]	4	4	[illegible]	4	5	5	6	6	7	15	11	13	15	13	18	17	16	18	13	9	9	9	9	9	9
BURLEY CAA AP	SNOWFALL		1.4		1.7				0.4	0.3	T	0.3		T			1.0	0.1	5.1	0.5		1.0	0.2	0.4			T		T			
	SN ON GND	T	1	1	3	3	3	3	3	3	3	3	3	3	2	1	1		5	5	5	6	2	2	T	T	T	T	T	T	T	T
CALDWELL	SNOWFALL		T		0.5					T		T					1.2				*	1.5		T	T	T						
	SN ON GND		T		T					T	T	T									-	T		T	T	T						
CASCADE 1 NW	SNOWFALL	T	6.0	2.0	1.0	T			T	T	T	3.0	T	1.0	2.0	0.5	2.0	7.0	1.0	5.0	T	3.0	0.5	2.0	T		T					
	SN ON GND	4	10	10	10	10	9	9	8	8	7	9	9	10	9	9	11	16	16	17	17	16	16	17	15	14	13	12	12	12	12	12
CENTERVILLE ARBAUGH RCH	SNOWFALL	0.2	9.0	0.5	2.5						T	2.5	0.3	1.2	1.7	1.5	1.5	9.3	2.0	5.0		5.0	1.0	3.5	2.0	T	0.5					
	SN ON GND	12	20	19	20	20	19	19	19	19	19	21	20	21	21	22	23	30	30	34	32	33	33	35	34	33	31	30	29	29	29	28
COEUR D ALENE CAA AP	SNOWFALL	T	5.0	1.4	2.2	0.3		T	0.2		1.3	0.5	2.6	3.7	0.9	T	6.7		1.0	1.4	0.5	3.6	3.4	T	1.8			T				
	SN ON GND	T	4	2	5	6	5	5	5	4	4	5	5	8	7	3	5	6	7	8	8	8	11	11	10	3	1	1	1	1	1	1
COEUR D ALENE RS	SNOWFALL		0.8		2.5	0.3			0.1			1.0	1.5	0.5		0.5	0.8	1.5	0.5	0.5	0.2	3.0	5.0		1.0			T				
	SN ON GND		T	T	3	3	2	2				1	3	2	2	1	2	3	2	3	3	6	11	10	9	4	7	1	1	1	1	1
COTTONWOOD	SNOWFALL	T	3.0	0.7	1.4				T				T	T	2.3			1.3		T	T	T	T	2.5				0.3	T			
	SN ON GND	T	4	4	5	4	4	4	5	[illegible]	[illegible]	[illegible]	4	4	7	5	5	6	6	6	6	5	5	8	6	6	4	4	4	4	4	4
DEADWOOD DAM	SNOWFALL	T	7.0	3.0	3.0	1.0			T			4.0	T	1.0	2.0	2.5	1.0	14.0	3.0	3.0	0.5	4.0	1.0	4.0	1.5		1.0		T			
	SN ON GND	25	32	34	33	32	32	31	30	30	30	32	31	31	32	34	34	47	48	49	47	48	46	48	45	43	43	43	43	42	41	41
DUBOIS CAA AP	SNOWFALL	T	2.1			T	0.2	T		T	0.8	1.7	T	T					0.9	T	T	T			T	T		T				
	SN ON GND	3	5	5	5	5	5	5	4	4	5	7	7	7	7	7	6	6	7	7	7	7	7	6	6	4	4	4	4	4	4	4
EMMETT 2 E	SNOWFALL			1.0													T							2.0								
	SN ON GND																T							2								
FENN RS	SNOWFALL				T	0.2						T	3.0					0.5		1.0	1.5			2.0	1.0			2.0				
	SN ON GND												3	1	1			1	T	1	1		T	2	1	T		2	2	1	1	1
FORNEY BLACKBIRD MINE	SNOWFALL	T	3.0	3.0	4.0	0.3				T			T	0.3	9.5	1.5	3.5	5.0	3.0	0.8	T	1.5	4.3	2.3	0.3		0.8	0.3	0.5			
	SN ON GND	17	20	23	24	24	22	20	20	20	20	20	20	20	30	29	29	31	32	32	30	30	32	32	29	30	30	31	30	30	29	29
GARDEN VALLEY RS	SNOWFALL		9.0		1.0				T			1.0	T	1.0	1.0			5.0		3.0		6.0		3.0	3.0							
	SN ON GND	1	9	7	8	8	7	7	7	7	7	8	7	8	8	6	6	9	8	11	10	12	12	12	12	11	10	10	10	10	10	10
GLENNS FERRY	SNOWFALL		2.5		2.0				T										T			2.0		2.0								
	SN ON GND		2	1	3	2	1	1	1	T	T	T	T	T	T							2	1	2	T	T						
GOODING CAA AP	SNOWFALL		4.9	T	2.0				1.0		2.0	T		T		1.0	3.2	3.3	4.0	1.0		2.3		1.0					T			
	SN ON GND		5	4	6	5	4	4	4	4	4	6	6	6	4	3	5	5	9	10	10	12	8	8	4	4	4	4	4	3	3	3
GRANGEVILLE	SNOWFALL	T	1.0	T					T				1.0		2.0	T	T	T		T		T	T	0.6				2.0				
	SN ON GND	1	1	1					T				1		2		T			T				1				2	2	2	2	2
GRAY	SNOWFALL	1.0	4.5	2.0	1.0	T				T		T			1.0		T	5.0	2.0	1.0		T		2.0								
	SN ON GND	10	14	12	12	12	12	12	12	12	12	12	12	12	13	13	13	18	20	20	20	20	20	22	22	22	22	22	22	22	22	22
HAILEY	SNOWFALL		4.0	4.0	0.5							1.5			0.5			12.0	1.0	6.0		2.5	2.0	T								
	SN ON GND	7	11	12	12	11	10	10	10	10	10	10	10	10	10	10	10	22	21	25	24	24	24	23	22	22	21	20	20	20	20	20
HAMER 4 NW	SNOWFALL		3.0					T	T	0.5		3.0	T	T								T						T				
	SN ON GND	2	5	5	5	5	5	5	5	6	-	6	5	4	4	4	4	4	4	4	4	4	-	-	-	-	-	-	-	-	-	-
HILL CITY	SNOWFALL		6.0	3.0	2.0							3.0			T			6.0	3.0	4.0		9.0		4.0	T							
	SN ON GND	8	6	14	16	16	15	14	14	13	13	16	-	-	-	-	-	20	23	27	-	35	-	36	29	-	-	-	-	-	-	26
IDAHO CITY	SNOWFALL		7.0	1.0	2.0							2.0			2.0		3.0	12.0	1.0	6.0		4.0		3.2	1.0							
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
IDAHO CITY 13 SW	SNOWFALL		11.8	0.7	2.6				T	T	2.0	7.5	0.7	0.7		T	2.0	9.5	2.0	6.0		4.0	1.3	4.0	1.0		T	T		T		
	SN ON GND	7	17	17	19	19	18	18	17	17	19	26	26	27	25	23	21	28	30	36	36	36	34	36	36	35	35	34	33	32	31	30
IDAHO FALLS CAA AP	SNOWFALL	0.4	2.3		1.2	T	0.1	T	0.5	0.5	0.4	0.7	T	T	0.2	T	0.2	0.5	1.0	0.5	T	0.5		1.9	0.5			T	T			
	SN ON GND	1	3	3	4	4	4	4	4	5	5	5	5	5	4	3	3	2	4	5	5	6	3	4	5	5	3	2	2	2	2	2
IRWIN 2 S	SNOWFALL	T	0.5	1.5	4.0														1.5					1.0								
	SN ON GND	3	-	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5	5	5	5	6	6	-	5	5	5	5	5	5
ISLAND PARK DAM	SNOWFALL	0.5	8.5	9.0	0.5						4.0	1.0	2.5	3.0	2.0			4.0	1.0	6.0	2.0	2.0	3.0		1.0							
	SN ON GND	24	30	36	34	-	-	-	-	-	30	31	31	32	33	-	-	32	31	36	35	34	34	-	34	-	-	-	-	-	-	33
LEWISTON WATER PLANT	SNOWFALL																											0.2				
	SN ON GND																											T				
LEWISTON WB AP	SNOWFALL	T			T				T		T	T	T				T			T		0.1		T				0.7				
	SN ON GND								T																			1	T	T	T	T
LOWMAN	SNOWFALL		4.5	1.5	2.3							2.4		1.7	1.8	T	0.5	11.0	T	2.2		4.0	T	5.2	2.5		1.2					
	SN ON GND	7	11	12	14	14	13	-	12	-	-	13	-	13	13	13	13	23	23	25	-	25	24	28	29	27	26	25	25	25	24	24
MACKAY RS	SNOWFALL		0.6	0.1							T							0.3	1.2	1.0		0.3	0.3	0.3					0.5			
	SN ON GND	-	5	5	-	-	-	-	4	4	4	-	-	-	-	-	-	4	5	6	-	6	6	6	-	-	-	-	5	-	-	-
MALAD CAA AP	SNOWFALL	T	0.5	2.0	1.2	T				0.7	0.5	1.6		T	T		T	1.2	2.0	1.0		4.8	1.9	1.9	0.2					T		
	SN ON GND	1	1	4	5	5	5	5	5	5	5	7	7	7	5	5	5	5	7	8	8	10	15	12	11	11	11	11	11	11	11	11

See reference notes following Station Index

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
MAY RS	SNOWFALL		T		0.1	T						0.1					0.4	0.4		0.6		T	0.5	1.0	0.2				T			
	SN ON GND	5	5	4	4	4	4	4	4	3	3	3	3	3	2	1	1	2	2	3	3	2	2	3	3	3	2	2	2	2	2	2
MC CALL	SNOWFALL		-	-							2.0				6.0			8.0	3.0	2.0		4.0		3.0								
	SN ON GND	24	25	29	29	28	27	27	27	26	25	25	24	24	29	30	-	36	34	35	35	34	34	35	34	34	33	33	33	32	32	32
MESA	SNOWFALL		7.0		1.0	T			T		1.0	1.0	1.0		1.5					2.0		4.5		3.0	3.0		0.5					
	SN ON GND		7	6	7	7	6	6	6	6	7	7	[illegible]	[illegible]	9	[illegible]	7	6	5	7	7	10	9	12	13	13	13	12	11	11	11	11
MULLAN PASS CAA	SNOWFALL	1.2	8.3	2.8	0.6	0.4		T	0.5	0.2	0.8	0.4	0.7	3.9	1.3	1.6	3.6	3.1	2.1	1.7	0.9	5.2	1.3	0.1	1.3	1.7	2.8	0.6				
	SN ON GND	40	45	48	48	48	48	48	48	48	48	49	49	52	54	56	58	63	64	65	66	69	69	69	70	65	70	71	71	71	71	71
NEZPERCE	SNOWFALL	T	2.0	T	0.5				1.5			0.5	0.7	T	1.5			2.5		T		1.0	2.5	0.7				1.0				
	SN ON GND	2	1	1	1	1	T	T	2	1	1	2	2	2	3	2	2	4	3	3	2	2	4	4	4	3	2	3	3	3	3	3
OAKLEY	SNOWFALL		1.0	1.0													T	1.5	8.0	1.5		1.0	2.0									
	SN ON GND		1	1	1	1	1	1	1	1	T	T	T	T	T		T		7	7	6	6	4	2	T	T	T	T	T	T	T	T
OBSIDIAN 4 NNE	SNOWFALL		0.5	1.5	T	T			1.0					T	3.5	T	1.5	10.5	T	T		2.0	T	2.0	T		1.5		T			
	SN ON GND	17	18	20	20	20	20	20	21	20	20	20	20	20	23	23	24	35	34	34	33	35	33	35	33	33	34	34	34	33	33	33
OLA	SNOWFALL		4.0		1.5							3.0	3.0	5.0	T					4.0		5.0		2.0	5.0							
	SN ON GND	1	5	5	5	5	5	5	5	5	5	8	11	11	11	9	8	8	7	11	9	12	10	12	13	11	10	10	10	10	10	10
PAYETTE	SNOWFALL		1.0		T				T	T	0.5	0.5		0.5			0.3			1.0		2.0		2.8								
	SN ON GND		T	T	T	T	T	T	T	T	1	1	T	1	T	T	T			1	1	T	T	2	2	T	T	T	T	T	T	T
PIERCE RS	SNOWFALL	1.0	10.0	6.5	6.0	10.0			0.5			1.0	2.0	2.5	1.0	T	1.0	12.0		2.0	1.5	2.0	1.0	1.0	0.5		T	0.5				
	SN ON GND	10	18	22	26	32	30	29	29	28	28	28	29	30	30	30	30	40	38	40	40	41	41	40	39	38	37	36	36	36	35	35
PINE 2 SSW	SNOWFALL		7.0	3.0	2.5	T						2.0		0.4	2.0	T	1.0	14.0	1.5	5.8	T	7.5	0.4	5.0	0.6				T			
	SN ON GND	14	21	21	23	22	21	21	21	20	20	21	21	20	22	21	22	33	32	36	34	39	36	39	37	37	37	36	34	33	32	32
POCATELLO WB AP	SNOWFALL	T	0.5		1.2	T	T			0.9	0.4	0.8	T		T	T	0.2	0.2	3.0	0.4		T	T	0.3	T				T			
	SN ON GND	T	T	1	1	1	1	1	1	2	2	4	4	4	1	T	T	T	3	3	3	3	T	T	T	T	T	T	T	T	T	T
PORTHILL	SNOWFALL		6.0	1.0	1.0							0.5		1.0		8.0	T	3.0		2.0		7.0		T	4.0							
	SN ON GND	T	6	4	5	5	5	5	5	4	4	4	4	[illegible]	3	7	7	9	[illegible]	10	10	12	12	12	14	10	6	6	6	6	6	6
POTLATCH	SNOWFALL		2.0	T	3.0	1.5					T	T	T	T			2.3	6.0		0.5		3.0	1.0					T				
	SN ON GND	1	3	T	3	3	3	3	1	1	1	T	T	T			2	3	2	3	3	5	2	2	1			T				
PRIEST RIVER EXP STATION	SNOWFALL	T	6.6	0.4	0.8	0.4					T	3.5	0.6	6.0		1.0	2.6	2.3	3.1	2.0	T	8.3	T	T	2.5			T				
	SN ON GND	2	9	8	9	9	8	[illegible]	8	[illegible]	8	11	12	13	13	14	15	16	18	19	18	25	23	23	25	21	19	18	18	18	18	18
RIGGINS RS	SNOWFALL	-	-		-	-											-											-				
	SN ON GND	T	-		-	-											-											T				
SALMON	SNOWFALL		-	-	-										-	-		-		-		-		-				-				
	SN ON GND	6	6	6	6	7	7	7	7	7	7	7	7	7	7	8	5	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3
SANDPOINT EXP STATION	SNOWFALL	T	5.0	T	1.0	T					T	2.5	T	5.5	T		3.0	4.0	3.0	1.0		6.5			1.0							
	SN ON GND		5	4	[illegible]	[illegible]	5	5	5	5	5	7	7	12	8	[illegible]	11	11	14	14	14	20	19	18	19	12	9	9	9	9	9	9
SPENCER RS	SNOWFALL	T	4.0	3.0	T	T	T				2.0	4.0	1.0		T		T		3.0	2.0		1.0				1.0						
	SN ON GND	[illegible]	10	12	12	11	11	11	11	11	13	14	14	14	14	14	14	14	17	18	18	[illegible]	17	17	17	17	17	16	16	16	16	16
STIBNITE	SNOWFALL	1.0	3.0	13.5	4.5	2.0	1.0			0.3		1.0		1.5	0.8	8.4	6.5	11.5	7.5	1.0	0.1	3.0	1.8	0.5	2.7		3.2		0.5			
	SN ON GND	24	26	33	34	34	32	29	29	29	28	29	28	27	27	30	34	42	43	40	38	39	40	39	41	38	40	39	39	38	38	38
SUN VALLEY	SNOWFALL		3.0	6.0	2.0							1.0			1.0	1.0	T	14.0	2.0	4.0		3.0	4.0	T			T					
	SN ON GND	10	13	19	20	19	19	19	19	19	16	17	17	17	18	19	19	33	35	36	36	36	38	38	34	33	32	32	30	28	27	27
SWAN FALLS PH	SNOWFALL				2.5															T												
	SN ON GND				3															T												
TWIN FALLS 2 NNE	SNOWFALL		0.9	T	3.2					0.6		0.5					1.9		8.0	1.0		1.0	T	T					T			
	SN ON GND		1		3	3	3	3	3	3	3	3	3	3	2	T	1		7	5	5	3	2	1	T	T						
WALLACE	SNOWFALL	1.0	6.0	4.0	5.0	1.5						1.0	1.0	0.5	T	T	4.0	4.0	3.0	3.0	2.0	2.0	1.0	T				T				
	SN ON GND	[illegible]	7	11	14	15	14	14	14	14	13	14	14	12	11	7	11	13	15	16	18	19	20	20	15	12	11	11	11	11	11	11

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 23	113 35	4750	8A	8A	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	8A	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM 1 SW	0282	ELMORE	2	43 20	115 30	3867	5P	5P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5320	6P	6P	JAMES W MARTIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3216	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 4 5 7
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	3 4
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	3 4
BIG CREEK	0835	VALLEY	11	45 08	115 20	5737	5P	5P	MARY A WEYMOUTH	2 3 4 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 4 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	3 4
BOISE WB AP	1022	ADA	2	43 34	116 13	2844	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 4 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	3 4
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	3 4
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 4 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	3 4
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	TETONIA EXP STATION	3 4
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	3 4
COUNCIL 2 NNE	2187	ADAMS	12	44 45	116 25	3150	7P	7P	JOHN W HOOVER	2 3 4 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	3 4
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 4 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		MID	U S FOREST SERVICE	3 4
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORNEY BLACKBIRD MINE	3289	LEMHI	11	45 07	114 21	6825	6P	6P	CALERA MINING CO	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	[illegible]	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 4 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	7P	8A	CARROLL DAMMEN	2 3 5 [illegible]
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
ILA VADA	4475	OWYHEE	2	42 03	115 09	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JEROME	4670	JEROME	12	42 43	114 32	3774	5P	5P	NORTH SIDE CANAL CO	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190	7A	7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY B TOBIAS	3 4
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 8
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 4 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 4 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	3 4
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 W	6174	ELMORE	12	43 08	115 43	3150	6P	6P	DURHAM NICHOLS	2 3 4 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
NAMPA	6295	CANYON	2	43 35	116 34	2482	5P	5P	C W NELSON	2 3 5
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	[illegible]	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	5P	[illegible]	WAYNE S SHAEFFER	2 3 5 7
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	[illegible]	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	2 3 4 5 7
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	[illegible]	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	8A	8A	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	5P	5P	U S FOREST SERVICE	2 3 4 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	3 4
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON 2 SE SUG FAC	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB AIRWAY OBS	2 3 4 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	[illegible]	5P	STATE EXP STATION	2 3 4 5 7
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	[illegible]	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8628	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	7A	7A	BRADLEY MINING CO	2 3 5 7
STREVELL CAA AP	8786	CASSIA	12	42 01	113 13	5275	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 4 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	[illegible]	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	[illegible]	4P	4P	T CENSKY	2 3 5
WOLF LODGE SUMMIT	9862	KOOTENAY	4	47 43	116 30	4650		MID	U S FOREST SERVICE	CLOSED 7/10
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		MID	U S SOIL CON SER	3 4
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	3 4
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	3 4
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 4 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index,but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches,and wind movement in miles. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January, 1949.

Amounts in Table 4 are from recording gages. Traces are not shown.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 4, 6, 7 and the Station Index. No record in Tables 2 and 5,is indicated by no entry. When hourly precipitation is missing or accumulated for several days, only the first and last days are shown in Table 4.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
6	Station not equipped with a recording gage.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gages.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks, postal notes and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-101843 1000 3-26-51


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage. ○ Non-recording;
● Recording; ◑ Both types
Double circle combinations Complete Meteorological.
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Bonners Fy WB Awy
Benton Dam
Priest Riv Exp Sta
Sandpoint Exp Sta
Clark Fork 1ENE
Bayview Model Basin
Coeur d'Alene CAA AP
Deception Cr
Wolf Lodge Summit
Coeur d'Alene RS
Kellogg
Burke 2NNE
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace
Saint Maries
Plummer 3WSW
Roland W Portal
Avery RS
Clarkia RS
Potlatch
Moscow U of Ida
Bungalow RS
Lolo Pass
Orofino
Lewiston Wtr Pl
Pierce RS
Lewiston WB AP
Winchester 1SE
Craigmont
Kamiah 1NE
Nezperce
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Cottonwood 2SW
Grangeville WB Awy
Nez Perce Pass
Riggins RS
Salmon WB Awy
Big Creek
Forney Blackbird M
New Meadows RS
Yellow Pine
Stibnite
McCall USFS
Pungo Creek
Council 2NNE
Landmark RS
Leadore
Mesa
May RS
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Cascade RS
Island Park Dam
Spencer RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Dubois Exp Sta
Weiser
Ola
Ashton 1S
Crouch 2NNW
Dubois CAA AP
Payette
Lowman
Jackson Peak
Obsidian 4NNE
Hamer 4NW
St Anthony
Garden Valley RS
Chilly Barton Flat
Centerville 4NE
Arbaugh
Moore Cr Summit
Clementsville 4SE
Emmett 2E
Mackay RS
Sugar
Parma Exp Sta
Idaho City
Atlanta 1E
Vienna
Howe
Tetonia Exp Sta
Bogus Basin
Nampa 2NW
Troutdale GS
Sun Valley
Grouse
Driggs
Caldwell
Idaho Cy 13SW
Arco
Ririe
Meridian 1SSW
Arrowrock Dam
Shake Cr RS
Trinity Lake GS
Idaho Falls CAA AP
Deer Flat Dam
Nampa
Prairie
Pine 2SSW
Soldier Cr RS
Hailey
Irwin 2S
Boise WB AP
Kuna
Anderson Dam 1SW
Fairfield RS
Palisades Dam
Blackfoot
Swan Falls PH
Hill City
Mountain Home 1W
Springfield
Gray
Putnam Mt
Richfield
Fort Hall Ind Agcy
Grand View
Glenns Ferry
Aberdeen Exp Sta
Blackfoot Dam
Bliss
Shoshone
Pocatello WB AP
Gooding CAA AP
Bancroft
Conda
Jerome
Eden Hunt
Minidoka Dam
American Falls 1NW
Paul 1E
Burley 1NW
Rupert
McCammon
Buhl
Grace PH
Hazelton
Twin Falls 2NNE
Burley
Burley CAA AP
Twin Falls 3SE
Albion
Montpelier RS
Hollister
Oakley
Malad
Bridge
Lifton Pump Sta
Malad CAA AP
Three Creek
Preston 2SE
Ida Vada
Strevell
N.O.C 2/50

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

FEBRUARY 1951
Volume LIV No. 2

SAN FRANCISCO: 1951

IDAHO - FEBRUARY 1951

E. H. Jones, Section Director - Boise

WEATHER SUMMARY

This month was characterized by average temperatures above the February mean in all divisions of the State and by above-normal precipitation, ranging from 124% of normal in the Northern Division to 136% in the Southeast. Temperature departures at individual stations were positive with few exceptions, nearly all in the Northern Division. A somewhat larger number of stations showed negative departures of monthly precipitation, most of them in the Clearwater Basin and in an area extending from the vicinity of Hailey northeastward to the vicinity of Dubois and Spencer. Snowfall, averaged on a statewide basis, was about 97% of the 53-year mean, being above the average of last February but far below the record-breaking snowfall of February 1949. Sunshine was somewhat deficient in western and northern sections but just about normal in the southeast.

The cold spell of late January carried over into February with all but a few Idaho stations recording lowest temperatures of the month on the first; a large majority reported subzero readings on this date. Much of the precipitation of the month fell during the first week, when the principal storm track lay across Idaho. After the first two days of the month temperatures were above normal for a prolonged period, reaching unseasonably high levels throughout the State from the 8th to the 11th. During this 4-day period air was imported from the south and southwest as a deep low pressure center moved inland at higher latitudes and the "Great Basin High" reached its greatest development on the 9th. The early part of the month was also a period of much cloudiness with sunshine noticeably deficient during the first 10 days. During that period the sun shone but a few hours in the Northern Division, and in southern divisions the total sunshine was only about 25% of possible. After the 11th, the remainder of the month brought more typical February weather with frequent, though generally small, temperature changes, occasional strong gusty winds, and frequent occurrences of light precipitation.

The weather of the month apparently had little adverse effect on the economy of the State. Some damage to winter wheat was reported as the result of alternate periods of freezing and thawing early in the month, but a light snow cover provided protection from low temperatures late in the month. Fruit buds were believed to have survived with little or no damage from the cold wave of late January and early February, as well as from the later change to colder, following the midwinter mild spell. Early lambing began during the month with weather conditions generally favorable. Livestock was being returned to lower pastures and ranges by the third week, and a plentiful carryover of hay was reported. The heavier rains of the 4th to 7th sent a few small streams in the Southern Division over their banks, but little or no damage was reported. The month was particularly free from damage due to windstorms; on the basis of records from Boise, Pocatello and Spokane it appears that extreme winds were generally under 35 miles per hour. Mountain snow depths gave promise of abundant water supplies for nearly all irrigation projects.

DJS

ACKNOWLEDGMENTS

In addition to the climatological data from some 6,000 Weather Bureau and cooperative weather stations, this bulletin series contains records from Hydroclimatic Network Stations which were formerly reproduced in the Hydrologic Bulletin Series. The Hydroclimatic Network is a nationwide net of rain gages--mostly of the recording type which produce continuous records of precipitation. It was established in 1939 at the request of the Corps of Engineers, Department of the Army, to supplement existing precipitation stations in order to provide records of rainfall intensity which were essential to the planning of flood control and related works by the Corps of Engineers. This Network, now numbering about 2,000 recording, and 1,000 non-recording rain gages, has been maintained by the Weather Bureau through working funds transferred annually to the Weather Bureau by the Corps of Engineers. These transfers averaged about $250,000 per year between 1940 and 1944, and nearly $375,000 since that date. For the years 1940-42, the Department of Agriculture transferred about $100,000 per year to provide data required in its work, and since 1947 the Bureau of Reclamation has transferred about $25,000 per year to meet the increasing needs of their program in the Western States.

Previous to the introduction of this bulletin series, data from Hydroclimatic Network stations were presented in bulletins (Hydrologic Bulletins) which were issued monthly for each of 8 drainage areas embracing the entire United States, but since the Network was established to meet the internal requirements of the Federal agencies referred to above, no provision was made for public dissemination of the data, distribution being limited to cooperating agencies and to certain public repositories. A list of locations where reference copies of the Hydrologic Bulletin Series are available for inspection may be obtained upon application to Chief,U.S. Weather Bureau,Washington 25, D.C.

Many other records published in this bulletin have been made available through the cooperation of various public offices, private agencies, and individuals as listed in the Station Index.

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation									
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11 30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
BOISE WB AIRPORT	SE	25	11.5	32	NW	25	82	69	61	81	10	6	5	1	0	0	22	45	7.9	SEE TABLE 2
LEWISTON WB AIRPORT	NE	11	4.7	-	-	-	79	68	62	77	6	11	0	0	0	0	17	-	7.7	
POCATELLO WB AIRPORT	SW	18	9.0	31	SW	5	84	69	63	80	5	7	4	0	0	0	16	49	7.6	

Table 1

COMPARATIVE DATA

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1894	20.8	58	-31	1.86	-	7
1895	26.6	64	-34	.68	-	4
1896	31.1	76	-17	.99	-	6
1897	28.8	67	-22	2.40	-	9
1898	31.1	69	-18	1.57	-	8
1899	23.2	58	-41	1.82	15.6	8
1900	29.2	76	-29	1.52	10.4	7
1901	28.3	69	-28	1.97	6.8	9
1902	33.3	63	-35	2.57	10.5	11
1903	19.0	58	-37	.52	5.0	3
1904	30.2	73	-31	3.13	19.2	12
1905	26.7	70	-48	.68	4.8	4
1906	29.6	60	-22	1.96	9.8	9
1907	35.7	65	- 9	2.07	8.7	8
1908	29.5	69	-42	1.13	8.8	7
1909	31.8	60	-19	2.34	14.4	11
1910	22.8	60	-30	2.60	21.4	11
1911	23.0	56	-31	1.07	11.7	7
1912	30.8	61	-29	2.03	8.6	9
1913	22.4	61	-33	.68	5.2	4
1914	28.1	64	-43	1.61	9.8	9
1915	33.5	67	-19	1.65	5.9	10
1916	29.6	63	-29	2.68	23.9	10
1917	24.5	60	-34	2.07	19.8	9
1918	30.1	69	-28	1.74	13.8	9
1919	28.5	56	-28	2.95	27.6	13
1920	30.7	66	-25	.46	3.8	3
1921	29.0	66	-33	1.77	13.5	9
1922	22.8	56	-34	1.73	19.4	10
1923	22.2	63	-28	.71	9.5	4
1924	35.9	67	- 9	1.67	3.1	8
1925	34.4	64	-23	2.24	6.0	10
1926	34.1	71	-21	2.30	9.2	11
1927	30.5	63	-33	3.37	13.8	12
1928	27.4	57	-33	.46	3.8	5
1929	19.1	57	-44	.96	8.6	6
1930	34.8	70	-15	2.32	10.0	11
1931	28.5	74	-18	1.08	4.9	6
1932	23.2	66	-34	1.83	14.8	9
1933	15.9	58	-57	1.76	21.2	8
1934	38.0	69	-11	.95	2.0	7
1935	28.8	61	-27	.72	5.6	5
1936	20.7	61	-37	2.84	27.4	13
1937	23.4	66	-34	2.49	24.8	10
1938	31.3	69	-29	1.82	15.5	9
1939	22.6	60	-31	2.01	19.7	10
1940	32.8	71	-27	3.56	13.1	15
1941	32.8	67	-18	1.20	4.0	8
1942	23.8	59	-47	1.60	11.9	11
1943	29.3	65	-25	1.48	11.5	6
1944	28.3	60	-34	1.47	13.5	10
1945	32.0	65	-21	2.28	8.5	12
1946	27.5	64	-24	1.78	14.0	10
1947	32.4	67	-30	1.04	3.8	5
1948	28.0	69	-37	2.10	11.4	9
1949	23.6	60	-45	2.91	29.8	11
1950	29.0	74	-46	1.67	9.1	9
1951	30.1	69	-46	2.19	11.7	10
PERIOD	28.1			1.78	12.1	

Table 2

CLIMATOLOGICAL DATA

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max depth on ground at obsn	Date	.01 or more	.50 or more	1.00 or more
NORTHERN DIVISION																			
AVERY RS	32.2	0.7	50	23	1	1	910	0	24	4.46	1.52	1.22	11	12.0	16	2	13	4	1
BAYVIEW MODEL BASIN	32.5		60	11	10	1	903	0	22	1.69		.40	9	8.0	7	2	10	0	0
BONNERS FERRY	29.9M	1.5	51	10	- 3	1	977	0	28	2.96	1.31	.59	7		17	8	15	3	0
BURKE 2 NNE	26.3	- 0.1	42	15	- 9	1	1079	0	25	6.89	1.73	1.81	9	27.6	59	4+	15	5	2
CLARK FORK 1 ENE	31.1	0.6	50	10	0	1	942	0	25	4.53	1.79	1.27	9		8	2	12	4	1
COEUR D ALENE CAA AP	31.2		50	10	5	1	941	0	25	1.27		.37	7	10.2	6	2	11	0	0
COEUR D ALENE RS	32.5	2.4	48	9+	5	1	907	0	23	2.07	- .32	.73	2	8.0	7	2	13	1	0
COTTONWOOD	30.6	0.4	50	15	- 6	1	955	0	23	1.18	- .54	.25	11	6.9	7	2+	13	0	0
FENN RS	34.4M	0.0	49	22+	2	1	851	0	26	3.88	.50	.90	9				11	2	0
FORNEY BLACKBIRD MINE	23.6		52	10	-12	1	1155	0	28	3.34		.78	7	33.8	39	8	16	2	0
GRANGEVILLE	31.3	- 0.2	60	10	- 2	1	939	0	24	1.36	- .24	.30	11	14.5	6	16+	10	0	0
KELLOGG	32.8	1.6	54	10	1	1		0	23	4.23	.44	1.10	8	8.9	5	2	14	3	1
KOOSKIA	36.5	1.6	61	11	5	1	794	0	22	1.39	- .42	.29	25	1.0	T	6	12	0	0
LEWISTON WATER PLAN	38.9	1.6	55	11	12	1	723	0	17	.62	- .60	.14	7				11	0	0
LEWISTON WB AP	37.2		56	9	14	1	774	0	21	.39		.09	7	.6	T	1+	11	0	0
MOSCOW U OF I	33.2	1.5	51	8+	8	1	886	0	23	1.65	- .46	.58	9				9	1	0
MULLAN PASS CAA	20.9	- 0.3	42	10	- 5	1	1228	0	28	3.98	- .18	.86	9	31.2	93	25+	21	3	0
NEZPERCE	30.6	0.3	56	10	1	1	958	0	24	1.29	- .02	.48	25	12.8	5	4+	7	0	0
OROFINO	37.2	2.1	53	10+	9	1	772	0	21	1.80	- .86	.35	2+	5.0	5	2	10	0	0
PIERCE RS	26.1	- 2.5	48	15	- 7	26	1083	0	28	5.72	1.74	1.43	2	33.2	43	3	14	5	1
PORTHILL	28.6	1.2	51	10	- 5	1	1014	0	25	2.23	.65	.45	7	18.0	12	7	11	0	0
POTLATCH	33.4	1.8	52	8+	6	1	878	0	21	2.54	.31	.71	9	8.5	4	2	11	2	0
PRIEST RIVER EXP STA	27.6	0.3	50	10	- 6	1	1042	0	26	3.51	.72	.96	9	12.8	25	2+	15	3	0
RIGGINS RS	38.8M	- 1.7	62	10+	12	1	728	0	16	1.18	- .12	.29	25	T	T	3+	12	0	0
ROLAND W PORTAL	28.0	1.3	46	11	- 2	1	1030	0	25	9.76	3.92	1.97	9	47.6	80	4	11	7	4
SAINT MARIES	33.9	1.6	53	9	4	1	864	0	23	3.35	.96	1.06	11	9.4	7	2	11	4	1
SALMON	27.8M	3.7	55	10	-19	1	1036	0	27	1.32	.90	.46	7		10	5	9	0	0
SANDPOINT EXP STA	30.4	1.4	49	10	- 2	1	961	0	25	3.90	1.08	1.51	9	8.5	16	2	11		1
WALLACE	30.9	- 0.1	50	10	- 1	1	949	0	25	6.29	2.55	1.95	9	9.0	14	2	11	5	2
WALLACE WOODLAND PARK	28.8	- 1.1	51	10	-11	1		0	25	3.32	- .16	.81	9	10.3	13	4+	13	3	0
WINCHESTER 1 SE	28.8	- 1.8	55	10	- 8	1	1009	0	25	1.53	- .14	.56	25				12	1	0
DIVISION	31.2	0.5								3.02	.59			14.1					

See reference notes following Station Index

CLIMATOLOGICAL DATA

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	24.9	2.0	52	10	-18	1	1115	0	25	4.20	1.32	.73	7	31.0	28	3	13	3	0
ANDERSON DAM 1 SW	30.8		53	8	- 3	1	950	0	26	3.76		1.10	5	17.6	17	4	12	3	1
ARROWROCK DAM	31.6	1.1	47	11+	- 7	1		0	24	4.24	1.85	1.51	5	13.1	19	4	11	3	1
ATLANTA 1 E	27.7	3.6	53	10	-12	1	1039	0	27	4.98	1.65	1.20	3	43.5	76	5	11	4	2
BLISS	35.2	2.7	58	11	- 3	1	829	0	23	1.21	.25	.60	4	1.0	2	2	7	1	0
BOISE LUCKY PEAK DAM	37.5M		58	16	3	3	764	0	19	2.02		.73	5	1.8	1	2	9	2	0
BOISE WB AP //	36.9	3.3	64	10	10	1	783	0	20	2.16	.72	.92	4	3.6	1	1+	12	1	0
BUHL	36.5	3.8	64	10+	0	1	798	0	20	.96	.05	.41	4	6.0	2	27	5	0	0
CALDWELL	37.1	2.4	58	8+	11	1	776	0	22	2.13	.99	.70	4	.5	T	2	[illegible]	2	0
CAMBRIDGE	28.6	1.3	46	12	- 4	1		0	25	2.34	.00	.71	6	11.0			6	1	0
CASCADE 1 NW	25.5		51	10	-10	1	1099	0	23	1.85		.58	7	20.0	16	3+	14	1	0
CHALLIS	28.0	2.8	57	10	-20	1	1031	0	28	.70	.22	.35	7	1.6	6	3+	8	0	0
COUNCIL 2 NNE	31.3	2.0	50	8	- 3	1	937	0	24	3.57	.35	1.00	5				10		1
DEADWOOD DAM	24.0	2.7	48	15	-22	1	1141	0	28	4.25	- .21	.97	7	27.5	52	4	15	2	0
DEER FLAT DAM	38.3	5.4	61	10	11	1	744	0	18	2.03	1.22	.68	4	.0	0		8	2	0
EDEN HUNT PROJECT	33.6		65	10	2	1	874	0	26	1.41		.40	7	5.8	4	2+	6	0	0
EMMETT 2 E	37.0	1.5	60	8	9	1	778	0	20	2.30	1.10			1.0	1	2	9		0
FAIRFIELD RS	20.4M		49	10	-30	1	1243	0							33	4			
GARDEN VALLEY RS	32.4	3.4	52	8+	- 5	1	905	0	25	3.96	1.43	1.02	7	15.5	16	4	14	3	1
GLENNS FERRY	37.6	2.2	65	10	1	1	761	0	22	1.49	.52	.53	4	1.0	1	2	5	1	0
GOODING CAA AP	32.4	2.9	53	11	- 6	1	908	0	26	1.59	.57	.78	4	7.2	4	4	11	1	0
GRAND VIEW	38.1	2.8	64	10	7	1	746	0	24	.81	.09	.33	6	T			3	0	0
HAILEY	25.8	2.2	52	9	-18	1	1094	0	27	1.53	- .45	.54	7	16.2	28	3+	10	1	0
HAZELTON	34.7	3.4	66	10	- 4	1	844	0	21	1.74	.50	.47	7	5.0	2	2+	10	0	0
HILL CITY	21.8	2.2	45	11	-31	1	1203	0	28	2.62	.75	.78	7				7	3	0
HOLLISTER	33.7M	2.6	66	11	1	1	887	0	20	1.09	.24	.25	4	1.5	0		9	0	0
IDAHO CITY	29.4	0.6	54	8	-16	1	991	0	28	3.95	.93	.93	5	24.5			15	3	0
JEROME	32.9	1.3	55	11	- 7	1	893	0	25	1.65	.64	.50	4				10	1	0
KUNA 2 NNE	37.0	3.2	65	10	10	1	780	0	20	1.90	.90	.57	4	1.1	T	25	8	1	0
LOWMAN	30.0	1.7	58	14	-13	1	974	0	28	4.32	1.73	1.10	7	22.3	33	4	13	2	1
MC CALL	22.8	0.7	44	10	-10	1+	1182	0	27	3.62	.50	.84	7	24.0	40	4+	12	2	0
MERIDIAN 1 SSW	35.9	1.3	66	10	7	1	806	0	22	1.95	.70	.61	4	T			6	3	0
MESA	30.8		50	8	- 2	1	949	0	23	3.51		.98	4	20.5	15	2	11	2	0
MOUNTAIN HOME 1 W	36.4	3.0	64	10	0	1	796	0	23	1.16	.05	.49	5	.5	T	20+	4	0	0
NAMPA	38.4M	2.4	69	10	12	1	736	0	20	2.32	1.47						9		
NAMPA 2 NW	37.4		62	11	4	1		0	18	2.13		.71	5	1.5	1	21	9	2	0
NEW MEADOWS RS	26.0M	1.1	48	10	-15	1	1083	0	28	3.34	.84	.74	7	26.1	26	4	12	3	0
OBSIDIAN 4 NNE	20.6	2.3	48	10	-16	26	1236	0	28	1.87	.22	.82	7	11.5	44	5	11	1	0
OLA	31.9		54	11	- 3	1	920	0	28	3.13	.57	.79	7	12.5	14	2+	13	3	0
PARMA EXP STA	34.0	- 0.7	57	8	2	1		0	25	E 1.41	.52	.54	7	.2	T	2+	4	1	0
PAYETTE	34.7	1.7	55	11	9	3	841	0	23	1.75	.53	.50	7	5.1	2	2+	10	1	0
RICHFIELD	26.6	2.3	47	11	-18	1	1069	0	28	2.51	1.50	.54	7	16.6	15	3+	9	1	0
SHOSHONE	30.5	2.8	51	8	-11	1	960	0	25	2.16	.98	.48	7	12.9	10	2	11	0	0
STIBNITE	23.1		51	10+	- 7	25		0	28	4.10		.91	3	36.8	50	5+	14	2	0
SUN VALLEY	20.5	0.9	49	9	-33	1	1238	0	28	2.20	- .55	.60	7	28.0	38	3+	12	1	0
SWAN FALLS PH	39.9	1.9	65	11	14	1	699	0	16	1.04	.24	.35	7	T	0		7	0	0
TWIN FALLS 2 NNE	35.7	3.5	69	10	- 2	1	815	0	21	1.54	.66	.34	7	7.2	1	2	12	0	0
TWIN FALLS 3 SE	31.5	- 1.0	60	8	- 5	1		0	26	1.14	.30	.29	5+	5.2			12	0	0
WEISER	34.7M	0.7	53	15	7	3	820	0	25	1.67	.17	.54	7	4.0	3	1	6	2	0
DIVISION	31.5	1.8								2.36	.50			11.2					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STA	31.9	6.0	57	11	-12	1	920	0	24	1.14	.46	.34	4	8.6	3	2	11	0	0
ALBION	31.9	1.4	65	11	- 7	1		0	21	1.84	.53	.50	5	5.0	3	19	13	1	0
AMERICAN FALLS 1 NW	32.2	4.8	57	10+	- 8	1		0	22	1.47	.34	.51	5	12.1	4	27	10	1	0
ASHTON 1 S	22.3	0.6	45	10	-28	1	1193	0	28	2.04	.52	.56	7	5.1	24	7	9	1	0
BLACKFOOT	32.3	6.6	56	10	- 7	1	911	0	24	1.05	.22	.30	7	10.0	3	3	6	0	0
BURLEY	35.1	4.0	65	10+	- 2	1		0	21	1.65	.70	.40	5	7.3	2	24+	10	0	0
BURLEY FACTORY 1 NW	33.0	3.2	63	11	- 3	1		0	22	1.24	.20	.32	5	12.8			9	0	0
BURLEY CAA AP	34.3	3.1	63	10	- 3	1	856	0	24	1.62	.80	.63	4	4.0	1	27	11	1	0
CHILLY BARTON FLAT	16.6	- 1.9	44	10+	-34	1	1350	0	28	.72	.51	.32	7	4.0			6	0	0
CONDA	25.7	4.7	51	11	- 7	28		0	25	2.21	.77	.45	7	25.4			13	0	0
DRIGGS	23.8	4.3	56	10	-30	1		0	26	1.71	.44	.60	23				11	1	0
DUBOIS EXP STA	23.0	1.2	44	10+	-20	1	1172	0	28	.46	- .31	.29	24		7	1+	5	0	0
DUBOIS CAA AP	24.0	2.5	48	10	-23	1	1141	0	28	.43	- .31	.12	24	9.8	7	3+	9	0	0
FORT HALL IND AGENCY	32.1M	4.7	59	10	-11	1	912	0	4	1.29	.57	.42	7				10	0	0
GRACE PH	27.1	3.5	49	10	-21	1	1056	0	27	1.71	.61	.48	5	11.0	8	3	11	0	0
GRAY	24.5M	2.2	54	10	-27	1	1128	0	26	1.27	- .31	.56	7	10.0	30	5+	5	1	0
GROUSE	18.5		48	8	-35	1	1299	0	28	.47	- .53	.17	7	5.5			6	0	0
HAMER 4 NW	24.8	6.5	48	10	-25	1	1121	0	27	E .40	- .02	E .10	23	6.0	4	7	[illegible]	0	0
IDAHO FALLS CAA AP	28.0	4.5	48	10	-18	1	1032	0	27	.89	- .08	.29	7	10.2	4	3	11	0	0
IRWIN 2 S	28.9	6.4	59	10	-21	1	1008	0	24	1.45	.30	.47	7	7.5	8	4	6	0	0
ISLAND PARK DAM	18.7	1.9	51	10	-46	1	1289	0	28	3.48	.24	.58	7	48.5	55	28	14	2	0
LIFTON PUMPING STA	25.1	4.6	54	11	-22	1	1110	0	26	.69	.00	.22	7	7.5	6	2+	11	0	0
MACKAY RS	23.1	1.9	49	10	-20	1	1169	0	28	.61	- .16	.26	7	4.2	5	1+	12	0	0
MALAD	29.5	2.3	51	11	- 7	1	987	0	24	2.34	1.02	.55	7		17	4	12	2	0
MALAD CAA AP	26.3		47	8	-26	1	1079	0	26	1.91		.45	7	13.2	15	4	9	0	0
MAY RS	27.3	3.8	61	10	-25	1	1051	0	28	.55	.23	.30	7	6.2	5	3	8	0	0
MC CAMMON	31.0		52	11	-19	1	946	0	24	1.73		.81	4	1.9	7	2	8	2	0
MINIDOKA DAM	33.8		60	10	- 4	1	868	0	21	1.44		.50	7	8.3	2	24	10	1	0
MONTPELIER RS	24.4M	2.7	51	11	-26	1		0	28	1.36	.04	.26	5+	9.5	11	3+	11	0	0
OAKLEY	34.7	3.1	66	10	- 3	1	840	0	23	1.02	.26	.25	5	6.5	2	27	11	0	0
PALISADES DAM	26.4		56	10	-28	1	1074	0	26	1.96		.61	5				[illegible]	2	0
PAUL 1 E	34.1	2.7	66	11	- 3	1		0	22	1.80	.71						11		0
POCATELLO WB AP //	32.7	5.8	59	10	- 7	1	899	0	22	1.46	.26	.46	7	8.7	4	27+	11	0	0
PRESTON SUG FACT 2 SE	31.3	5.1	52	10+	-19	1	934	0	23	1.21	- .21	.27	5	11.9	10	4	12	0	0
RIRIE	28.5M				-14	1	1016	0	23	E .70		.20	3	5.3			6	0	0
RUPERT	33.0	3.2	64	11	- 4	1		0	24	1.72	.77	.44	7	3.9	2	24	11	0	0
SAINT ANTHONY	24.1		49	10	-27	1	1139	0	28	1.72	.48	.35	7	24.0	13	2	11	0	0
SPENCER RS	20.8	2.6	47	10	-35	1	1231	0	28	1.23	- .33	.44	24	21.0	24	28	11	0	0
SPRINGFIELD	30.5	5.0	54	10	-15	1	961	0	24	3.08	2.26	1.14	7	17.7	9	3	10	2	1
SUGAR	24.4M	4.0	46	22	-27	1	1134	0	28	1.13	.21			9.5	8	2	8	0	0
TETONIA EXP STA	23.7	4.4	52	11	-35	1	1151	0	26	1.12	.14	.32	7				6	0	0
DIVISION	27.6	3.7								1.40	.37			10.7					
STATE	30.1	2.1								2.19	.47			11.7					

See reference notes following Station Index

Table 3

DAILY PRECIPITATION

IDAHO
FEBRUARY 1951

Station		Day of month																															Total
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA		10	08	.10	34		32	05											01	T		T		.01	.04		03	06					1 14
ALBION			02	09	38	50	03	33	12			T	03						08	01	T				07		13	05					1 84
ALPHA 1 NE			35	29	60	62	.11	.73		45	.03	26				.20				03		32				21							4 20
AMERICAN FALLS 1 NW			T	03	15	51		22	13									06	T			T		.02	12		13	10					1 47
ANDERSON DAM 1 SW			22	16	84	1 10	.01	74	.31				T						21		02	.08		02	T	05		T	T				3.76
ARROWROCK DAM			.14	14	59	1 51	.05	86	T				11					.47			23					04	10						4.24
ASHTON 1 S			.23	.04	.24	42		.56											10					T	19			15	.11				2 04
ATLANTA 1 E			54	1 20	49	70	T	1.12	16		T	20	15						25			T		.13	T	04	T	T					4 98
ATLANTA 1 E	R	02	64	*	*	*	1.99	98	02	02		.21	.01					19	09		.04	01		.10	05	.05	02	.01					4 45
AVERY RS			52	.16	08	09		64	29	85	11	1 22	T				.10		.08	02	T					30	T						4 46
BANCROFT	R	-	-	-	-	*	29	-	-	-	-	-							13							04	.14	02					-
BAYVIEW MODEL BASIN			.30		09			.21	20	.40	.02	34				.06	.05		T	T					T	.02							1 69
BENTON DAM	R	*	.69	02	.05		.05	.36	58	61	65	15				12		.01	.08	.11	11				.09	01							3 69
BLACKFOOT			T	.11		.24		.30											T	T				.05	.17		T	.18					1.05
BLISS			.05		60	38		03																.04	07	.04		T					1 21
BOISE LUCKY PEAK DAM			.05	T	43	.73	T	51	T				05						03	T	T	12		.01		09							2 02
BOISE LUCKY PEAK DAM	R	02	.04		.87	.28	.36	.16				05						.19	.13		.13	.02		.01		10							2.36
BOISE WB AP	R	04	.01	T	92	20	.36	.16	T	T		.02				T	T	.13	.05		19	01	T	T	T	.07		T	T				2.16
BONNERS FERRY		06	51		04			.59	.18	.50	.36	19				.12	*	*	*	.13	.20	T			T	.08							2 96
BONNERS FERRY	R	.05	*	*	44			.48	24	.54	43	.17				.08			.05	.03	20					07							2.78
BRIDGE	R	-	-	-	-	-		.09											.04					10			.05						-
BUHL					.41	14		.26																	05	T		.10					.96
BURKE 2 NNE		T	.84	43	21	.10		53	70	1.81	19	1.58	01				.12		05	T	05	.05			T	.22	T		T				6 89
BURLEY			.01	13	.30	.40		.36	.10										.06	T		T			.15		.01	13					1.65
BURLEY FACTORY 1 NW			.01	.07	.26	.32		.10											11	T					.21		.05	11					1 24
BURLEY CAA AP			.07	.01	63	.02	.05	.46	T										09	T		T		.17	T	03	.08	01					1.62
BURLEY CAA AP	R		09	.01	67	.03	.05	.45											.09					.12		01	12	01					1.65
CALDWELL			T		70	.366	.03	.62				.02						.07			.05	17	T	T		11	T						2.13
CAMBRIDGE			40	T	40	49	.71		.06									T				.28											2.34
CASCADE 1 NW			.15	.06	16	.28	.01	.58		15		02	01				.01	T	10		.03	.20		T	T	09			T				1.85
CASCADE RS	R	08	.43	07	.53	.32	.19	.45		20	.06	.04	01			.01		.07	.04		26	.07			06	13							3 02
CENTERVILLE ARBAUGH			.44	28	.45	.72	.25	84		.06	01	02							.29		.11	.19		.02		.23		T	T				3 91
CHALLIS			15	.12	.01	.01		.35				T							.03		T	02		.01		T		T	T				70
CHILLY BARTON FLAT			.05					.32	.10															.10	10	.05							72
CLARK FORK 1 ENE			62		T	.15		.64	.45	1.27	19	62				T	.11		10	.09	05				T	.24							4.53
CLARK FORK 1 ENE	R	.10	47		12	.02		.64	.70	.99	40	14				.08	.02		04	.08	03				06	18							4.07
CLARKIA RS	R	17	83	.10	.15	.05		.72	.17	1 25	13	1.23				.10	.05	.03	.07						05	.30							5.40
COEUR D ALENE CAA AP		04	06	T	.06	T	T	.37	.21	.25	01	18				.03	T	T	04	T	T	T			02	T			T				1.27
COEUR D ALENE CAA AP	R	03	.07		06			.49	.30	30	.02	.20				.04	.01	.01	08						.02								1.63
COEUR D ALENE RS		01	.73		09	04		.32	.14	.35		25				.03	.02		.06	.01	T	T				02							2 07
CONDA		05	25	.13	40	.08	32	.45					08					.15	03					.02		12	13	T					2 21
COTTONWOOD		01	.22	.05	16	.01	.08	09	03	02		25	T				.10		01						T	.15							1.18
COTTONWOOD 2 SW	R	*	*	*	*	*	*	.77	*	*	*	13				.08			.01						*	.12							1 11
COUNCIL 2 NNE			.77			1.00		.76		10		.03					.01		12			26			*	.52							3.57
COUNCIL 2 NNE	R	-	-	-	-	-	-	.55		29		.03				.06		.15			20	.05			*	.55							-
CRAIGMONT	R	.04	.06	.10	.05		.08	.07	.10	21		.24					.01								*	.27							1.23
CROUCH 2 NNW			.45	.32	.92	1.10	*	1.39		16	T	*	.12						.15			27				28							5.16
DEADWOOD DAM		T	.60	.26	43	.46	.03	.97		32	T	.27	17				T		18	T	08	26	T	.04	T	.17	T	T	.01				4.25
DEADWOOD DAM	R	*	.77	.14	*	86	*	1.02		32	.13	.25	04					.13	11		31	.07	.02	.04	.05	.16			.01				4.43
DEER FLAT DAM					68	.32	.03	.60				06	.06					14								.14							2 03
DRIGGS			*	.30	T	.31	.10	.16	.04										.03	.05				60	.11				.01				1.71
DUBOIS EXP STA			T	T	03			.08									T		T		T				29	.05	T	01	T				46
DUBOIS CAA AP			.03	.04	01	T	T	.07		T	T						T		T		.05	07		T	.12	T	T	.02	.02				.43
DUBOIS CAA AP	R		.07	.06	.02			.10													05	.08		.01	23	01	.07	03	.03				.76
EDEN HUNT PROJECT			.03	T	.38	.30		.40											T			T			20	T	T	.10					1.41
EMMETT 2 E			.04	*	62	.39	.04	.60		T											.28	.23			10								2.30
FAIRFIELD RS			.45	.18	85	.60	.32	-	-	-									T		*	.07			10	T		T					-
FENN RS				.25		.45		63	35	90		.45	.39				13		.06	.05						22							3.88
FORNEY BLACKBIRD MINE			.37	.24	.09	.16	.03	78	46	59		15	08				.03		.05			.14	.03		T	.06	T	.08	T				3.34
FORT HALL IND AGENCY			.02	.01	.14	.30		.42	T											.13				.04	.08		.07	.08	T				1.29
GARDEN VALLEY RS			.39	.14	65	90	.23	1.02		.05		06	.03						.16		.05	.21		.02		.05							3.96
GLENNS FERRY			04		.53	.39		.45				T						T			T			.08		T							1.49
GOODING CAA AP			.13	.02	78	.07	.04	.34	.03			T						T	T		T			.12	02	T	.01	03					1.59
GOODING CAA AP	R		.05	.08	80	.07	.16	.25	03															.05	04		.01	04					1.58
GRACE PH			07	12	.13	48	T	.45	07										.20					.03	.06	.03	.07						1.71
GRAND VIEW						.30	.33														18	T		T			T						.81
GRANGEVILLE	6		T	T	.06	.01	.15	26			T	.30	01			.28	.02	T	.03							24							1 36
GRAY			.11	.20	30	.10		.56										T							T		T						1.27
GROUSE			08	.04	T			.17														.09		.02	T			07					.47
HAILEY			.44	T	21	.10		.54											10		.01	.07		.01	01	T		04					1 53
HAMER 4 NW			.04		T	.03		.07													T	04		E .10	.09			.02	.01				E .40
HAZELTON			.15	T	37	.38	T	47	.04										04			T		.02	.09		09	09	T				1.74
HILL CITY			48	.10	52	.50		.78	.16										T		.08	T											2.62
HOLLISTER			.16		25	.18	.15	.07					T						11				.03	.05				.09					1.09
HOWE			T	T	T				08										T			T		T	T				T				.08
IDAHO CITY			20	.23	69	.93	.07	88	.02	02		02	03						30		.02	32		.02		20							3.95
IDAHO CITY 13 SW		T	.31	.27	1 33	1.00	.11	1.00	T	T		06	01						.29		.21	.26		.01		27		T	T				5 13
IDAHO FALLS CAA AP		T	.11	.01	13	.02	T	.29					T				T		.03	T	T	T		.07	.06	.08	04	05	T				.89
IDAHO FALLS CAA AP	R	02	.23	.05	23	.01		.40											.07	.01				.10	.07	.07	.01	09					1.36
IRWIN 2 S			.11		.19	.44		.47	T										.04						20	T							1.45
ISLAND PARK DAM			.29	.06	.25	T	.41	.58		.08							T		.25	.03		.06			45	.54	.16	24	.08				3.48
JEROME			.02	T	50	.27	T	.35	.03				T						T			.01		.19	18	.04	T	.06					1.65
KAMIAH 1 NE			.14	.06	.09	*	*	.25	.12	21	.06		.14				.14		T							.30							1.51
KELLOGG			34	06	07	.04		.15	1.10	85	.32	.54	.40				.11		.06		01					18	T						4 23
KOOSKIA			08	.06	13	.09	.04	.22	.07	07		.10	03				.21		T							29							1.39
KUNA 2 NNE			T	T	57	.47	T	.42	T			T	.09						14		.05	12	T	T		.04							1 90
LEADORE	R		.02	.03	*	*	*	35											13						.02			.07					62
LEWISTON WATER PLANT		09	.04	T	.04	04	.02	.14	04	.07		.03	T			T	T		02				T		T	.09							.62
LEWISTON WB AP	6	T	.04	.01	08	.02	.05	.09	.01	T	T	.02				T		T	T			.01			01	.05							.39
LIFTON PUMPING STA			.09	.04	.10	.06		.22	.02			01	T	T					.03						.03		.07	02					69
LOWMAN			43	.25	44	90	.06	1.10	T	15		15							.42		.06	.04		.22	T	10		T	T				4.32
MACKAY RS			.03	.01		.01		.26	.05										07		.01	.03		09	.02		.01	.02					61
MACKAY RS	R		.05	.03		.03		.33										[illegible]	.03		.03			.10	.02		.01	02					.69
MALAD			.07	.27	.27	.50		.55	.05					.04					13	T	.04			.09			.06	.27					2.34
MALAD	R		.23	.12	63	.15		.57	.03				04						.11		.03			.06			.27						2.24
MALAD CAA AP	6		.21	.10	44	.21	.01	.45	T			T	T						13					.09	T	T	.27						1.91
MAY RS			.08	.07	02	.01		.30	T			T							.03		T	T		T	.03		T	T	.01				.55
MC CALL			.49	.20	50	.35		.84	.14	18		15					14		19			.18				.26							3.62
MC CAMMON			.07	T	81	.09		.50	12										.05	.03				T	.06		T		T				1.73
MERIDIAN 1 SSW			T		61	.50	T	.50				T							.11		.10	.13	T	T		T							1.95
MESA		T	41	T	98	.08	.12	.88		.21		.06					.05		.07		T	.19			T	.46							3.51
MINIDOKA DAM			01	03	24	38		.50	.06										04	.03		T			.11		04						1 44
MONTPELIER RS			03	12	05	26	.09	26	19			T		05					10	T					09		12						1.36
MOSCOW U OF I			.25	T	04	.09	T	.38	T	58		24				.02			03	T						.02							1.65
MOUNTAIN HOME 1 W			T		.15	.49	T	.42											.10		T			T	T	T							1 16
MOUNTAIN HOME 1 W	R				25	-	-											.02	.08		.01			.02									-
MULLAN PASS CAA		.09	.70	.17	16	.01	.02	.45	.30	.86	06	.53				.03	.05	.02	.09	.09	.04	.02			05	23			.01				3.98
MULLAN PASS CAA	R	.09	70	17	16	01	02	45	.21	1.04	23	.58				.03	.05	*	*	*	*	15			05	18			.10				4.13
[illegible]				*	.70	.50	T	.50				T	20					.10	T	T	.20	*	.12			T							2 32
NAMPA 2 NW			T		.37	.71	.01	.56					09						09	01		20	T	T		T	.09						2 13
NEW MEADOWS RS			71	07	53	15	08	74	05	.15							.09		25			17					35						3 34
NEZPERCE		T	T	11	07		T	26		12		15					.10	T							T	48							1 29
OAKLEY			.03	11	15	25	.02	03	06										03					.12			11	11					1 02
OBSIDIAN 4 NNE			.15	35	09	36		.82	02	04		01							01						01	.01	T	T	T				1.87
OLA			.28	.52	70		.09	79		07		07	07				.02		02		04	23				23							3.13
OLA	R		-	-	-	-	-	-	-	-	-	-	-				-		*	*	*	.37			01	27							-
OROFINO			35	.02	T		.10	.35	15	35	T	21	T					T	07						04	.16							1 80
PALISADES DAM			.13	T	40	.61	T	55	.07										T	07					.10		03		T				1 96
PARMA EXP STA			T	T	22	.45	T	.54														E 20					T						E 1 41
PAUL 1 E			*	*	*	89		*	53									T	07			.01		.18		02	.10						1 80
PAYETTE		T	.12		43	.20	05	.50		.01	T	T	T						06		.08	.19				11							1.75
PIERCE RS			1 43	.62	28	.30	.04	.71	16	75	15	17	04				11		45							51							5.72
PINE 2 SSW			.68	45	1 16	1.12	02	1.24	.10		T	T	03						29		04	.09		.11	T	08		T					5 41
PLUMMER 3 WSW	R	22	.38					.62	.06	.29	.12	.39				.04		07	07	02					04	03							2 35
POCATELLO WB AP	R		02	.03	39	08	T	.46					T						14	T		T		12	04	09	01	08	T				1 46
PORTHILL			38		T			45	.06	39	28	.30				.06	04		05	T	.21					01							2 23
POTLATCH			.47		.06	.06	06	35	.07	.71		.57				.03	T		02						T	.14							2 54
PRESTON SUG FACT 2 SE			04	.10	.25	.27	.02	.18						T					16	04				.01	03		09	02					1.21
PRIEST RIVER EXP STA		03	.61	.03	.05			33	.27	.96	03	79				07	01		07	04	.12					10							3.51
RICHFIELD			39	.30	34	49		.54											T			.07		T	.26	.07		05					2 51
RIGGINS RS				.07	T	.01		.11	.17	.08		.09	.08				05		03	.01		.19				29							1 18
RIRIE				20	.16			.14											E 05						E 10			E 05	T				E 70
ROLAND W PORTAL		T	02	.98	1 15			1.09	26	1.97	1.96	T							T	T	.97	98	T		15	.23	T						
RUPERT			.03	.06	27	38		.44	09										09	.03		T			.21		.02	.10					1.72
SAINT ANTHONY			19	.03	.20	.25		.35			.05								12						.31	02		.17	.03				1.72
SAINT MARIES		.01	.63		03	.03		54	.11	76	T	1.06				T	.04		.05	T	T					09	T						3 35
SALMON	6		.28	T	19	.03	T	.46	.06	.21									T		.03	.04			.02	T							1 32
SANDPOINT EXP STA		T	*	*	*	.72		.44	.30	1.51	T	53				T			T	.11	.19					.10							3.90
SANDPOINT EXP STA	R		.62	10	10			*	*	2.10	.53									.11	.16				02	08							3.82
SHOSHONE			.21	07	44	.44		.48	03		T								05			.03		T	.22	09	T	.10					2.16
SPENCER RS			03	.01	T	T		.09	T								T		.07	T	.03	.15	.04		.44	.11		.17	.09				1.23
SPRINGFIELD			.17	.35	.14	85		1.14										.03	T			T		.03	.13		.05	.19					3.08

See reference notes following Station Index

DAILY PRECIPITATION

Table 3–Continued

Station		Day of month																														Total
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
STIBNITE			24	91	13	35		.67	42	.21		35	13				.11		16	T		.22	T		T	.10	.10	T					4.10
SUGAR			10	T	15	24		*	46										02		T	T		T	.06	T		.10	T				1.13
SUN VALLEY			.47	.42	.15	.16		.60	T			.04							.10		.01	.10		.10	T	.01		04	T				2.20
SUN VALLEY	R		.65	.27	.26	.05		.65			.01	.03						.11	.02		.09	.04		.15		.03		.03					2.39
SWAN FALLS PH					.26	.20		35				T							.12		.08		.01	T		02							1.04
TETONIA EXP STA			.10	28	.16		.18	.32																T	08								1.12
THREE CREEK		-	-		-	-			-	-		-	-	-	-	-	-		.08			T	.02	.25			T	.08					-
TWIN FALLS 2 NNE			.07	.05	.29	27	T	.34	.01										06			T		.11	.21	.05	.01	.07					1.54
TWIN FALLS 3 SE			.02	.05	.05	.29	.06	29	.07										T			T		.17	.06	.01	.01	.06	T				1.14
WALLACE		.02	.62	T	.12	T		.63	.30	1.95	.51	1.72				T	.09	T		.05		T				.28			T				6.29
WALLACE WOODLAND PARK			.19	.17	.09	.04			.40	.81	.50	.72	.07				.10			.04						.11	.08						3.32
WALLACE WOODLAND PARK	R	04	.62	.10	.10			.48	.33	1.88	36	-				.09			04						.06	.14							-
WEISER		.21			.50	.10	04	.54											T		.28												1.67
WINCHESTER 1 SE				.08		.02	.06	09	.10	.05	.02	.20	.30				.01		.04							.56							1.53

HOURLY PRECIPITATION

Table 4

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
—1st—																										
ATLANTA 1 E																								.01	.01	.02
BENTON DAM																*	*	*	*	*	*	*	*	*	*	*
BOISE LUCKY PEAK DAM																									.02	.02
BOISE WB AIRPORT																									.04	.04
BONNERS FERRY																						.01	.01	.01	.02	.05
CASCADE RANGER STATION	//																			.01			.01	.03	.03	.08
CLARK FORK 1 ENE																					.01	.01	.02	.03	.03	.10
CLARKIA RANGER STATION	//													.01	.01		.02				.01	.01	.01	.03	.07	.17
COEUR D ALENE CAA AP																			*	*	*	*	*	.03	*	.03
COTTONWOOD 2 SW															.01	.05	.01	.02	*	*	*	*	*	*	*	*
CRAIGMONT																					.01	.01		.01	.01	.04
DEADWOOD DAM	//																		*	*	*	*	*	*	*	*
IDAHO FALLS CAA AIRPORT	//																							.01	.01	.02
MULLAN PASS CAA	//												*	*	*	*	*	.02	*	*	*	*	*	.05	.02	.09
PLUMMER 3 WSW																			.04	.01	.02	.03	.04	.04	.04	.22
WALLACE WOODLAND PARK																						.01	.01	.01	.01	.04
—2d—																										
ATLANTA 1 E	//	.01	.03	.05	.04	.06	.04	.02	.01	.01	*	*	*	*	.15	.03	.04	.02	.04	.04	.01	.02	.01	.01		.64
BENTON DAM		*	*	*	*	*	*	*	*	.54	.02	.04	.02	.01	.02			.01			.01	.01	.01			.69
BOISE LUCKY PEAK DAM		.03	.01																							.04
BOISE WB AIRPORT	//	.01																								.01
BONNERS FERRY		.02	.03	.04	.03	.02	.03	.01			.01	.01	.02	*	*	*	*	*	*	*	*	*	*	*	*	*
BURLEY CAA AIRPORT	//												.01			.01			.01	.01	.01			.04		.09
CASCADE RANGER STATION	//	.05	.06	.05	.05	.05	.04							.03							.03	.02	.01	.02	.02	.43
CLARK FORK 1 ENE		.01	.03	.03	.04	.02	.03	.02	.02	.06	.04	.05	.06	.02	.02	.01	.01									.47
CLARKIA RANGER STATION	//	.08	.08	.07	.07	.03	.02	.04	.04	.10	.08	.07	.05	.05	.03	.01	.01									.83
COEUR D ALENE CAA AP		*	*	*	*	.03	*	*	*	*	*	.04														.07
CRAIGMONT	/		.01		.03													.01	.01							.06
DEADWOOD DAM		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.62	.01	.01	.03	.01	.02	.03	.04	.77
DUBOIS CAA AIRPORT	//			.01	.01	.01	.01				.01	.01	.01													.07
GOODING CAA AIRPORT	/			.01	.01	.01				.01	.01															.05
IDAHO FALLS CAA AIRPORT	//	.01								.01	.01	.01	.01	.01	.01	.01	.02	.02	.01	.01	.01	.03	.01	.03	.01	.23
LEADORE							.01	.01																		.02
LEWISTON WB AP	6												*	*	*	*	*	.04								-
MACKAY RS			.01	.01								.01	.01					.01								.05
MALAD													.01	.02		.01	.01			.01	.02	.01	.02	.05	.07	.23
MALAD CAA AIRPORT	6							*	*	*	*	*	.06	*	*	*	*	*	.04	*	*	*	*	*	.10	-
MULLAN PASS CAA	//	*	*	*	*	.18	*	*	*	*	*	.16	*	*	*	*	*	.22	*	*	*	*	*	.12	.02	.70
PLUMMER 3 WSW		.05	.03	.05	.04		.01	.01	.03	.08	.02	.01				.04	.01									.38
POCATELLO WB AIRPORT	//										.01									.01						.02
SANDPOINT EXP STATION					.01	.01	.01	.02			.02	.05	.03	.04	.04	.05	.05		.04	.06	.04	.05	.03	.06	.01	.62
SUN VALLEY	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.47	.05	.05	.04	.01	.01	.02		.65
WALLACE WOODLAND PARK		.01	.03	.03	.03	.02	.04	.01	.04	.01	.03	.05	.02	.04	.02	.04	.05	.04	.02	.03	.01	.01	.03	.01		.62
—3d—																										
ATLANTA 1 E	//	.05	.01							.02	.07	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
BENTON DAM									.01	.01																.02
BURLEY CAA AIRPORT	//	.01																								.01
CASCADE RANGER STATION	//			.01	.02	.01															.01	.01		.01		.07
CLARKIA RANGER STATION	//		.01		.01							.03		.01		.03	.01									.10
CRAIGMONT	//		.01	.01					.05		.03															.10
DEADWOOD DAM	//	.04	.02			.01		.02	.01												.02	.01			.01	.14
DUBOIS CAA AIRPORT	//			.03		.01				.01	.01															.06
GOODING CAA AIRPORT	//		.01	.02	.02	.01	.01																		.01	.08
IDAHO FALLS CAA AIRPORT	//	.03	.02																							.05
LEADORE																	.01		.01		.01					.03
LEWISTON WB AP	6						*	*	*	*	*	.01														-
MACKAY RS		.01	.01	.01																						.03
MALAD		.04	.01	.01	.04				.01				.01													.12
MALAD CAA AIRPORT	6	*	*	*	*	*	.09	*	*	*	*	*	.02													-
MULLAN PASS CAA	//	*	*	*	*	.03	*	*	*	*	*	.03	.06						*	*	*	*	*	.03	.02	.17
POCATELLO WB AIRPORT	//		.01				.01	.01																		.03
SANDPOINT EXP STATION			.01	.01	.02	.01											.01			.01	.01	.02				.10
SUN VALLEY	//	.01	.01	.02	.01				.01		.02	.08	.06	.03	.01			.01								.27
WALLACE WOODLAND PARK		.01	.02	.01								.01	.01	.01	.01	.01						.01				.10
—4th—																										
BANCROFT	//	-	-	-	-	-	-	-	-	-											.02	.02	.02	.03	.05	-
BENTON DAM			.02	.01		.01															.01					.05
BOISE LUCKY PEAK DAM			.01	.01	.03	.08	.05	.05	.04	.01	.01			.03	.02	.04	.02	.05	.03	.04	.06	.07	.10	.08	.04	.87
BOISE WB AIRPORT	//			.02	.05	.09	.09	.05	.05					.05	.03	.04	.03	.04	.03	.04	.06	.09	.08	.07	.01	.92
BONNERS FERRY		*	*	*	*	*	*	*	*	.22																.44
BURLEY CAA AIRPORT	//					.04	.07	.13	.02	.01	.01	.01					.04	.06	.02	.03	.04	.05	.07	.07		.67
CASCADE RANGER STATION	//		.03	.02	.03	.03	.02							.01	.01	.02	.06	.03	.03	.03	.02	.10	.05	.02	.02	.53
CLARK FORK 1 ENE						.01	.01	.01											.01			.05	.03			.12
CLARKIA RANGER STATION	//			.10									.01		.02		.01	.01								.15
COEUR D ALENE CAA AP		*	*	*	*	.04													*		*	*		.02		.06
CRAIGMONT										.01	.01								.01		.01		.01			.05
DEADWOOD DAM			.04	.05	.02	.04	.05	.05	.01		.01	.01		.01	.01	.03	.04	.05	*	*	*	*	*	*	*	*
DUBOIS CAA AIRPORT	//																						.01	.01		.02
GOODING CAA AIRPORT	//		.01	.01	.01	.02	.08	.06	.04	.04	.04		.01				.05	.02	.04	.07	.08	.09	.09	.01	.03	.80
IDAHO FALLS CAA AIRPORT	//								.01	.02	.01									.05	.04	.02	.04	.03	.01	.23
LEADORE		.01		.01						*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
LEWISTON WB AP	6					.05													*	*	*	*	*	.02	*	-
MALAD			.01		.01	.02	.01	.06	.08	.06				.01	.01	.01					.03	.03	.05	.10	.14	.63
MALAD CAA AIRPORT	6	*	*	*	*	*	.02	*	*	*	*	*	.23	*	*	*	*	*	.03	*	*	*	*	*	.14	-
MOUNTAIN HOME 1 W		*	*	*	*	*	*	*	*	*	*	*	.25													.25
MULLAN PASS CAA	//	*	*	*	*	.10	*	*	*	*	.01						*	.02	*	*	*	*	*	.03		.16

See reference notes following Station Index

HOURLY PRECIPITATION

Station		A M Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
POCATELLO WB AIRPORT	//							.02	.04	.03	.02								.02	.03	.04	.05	.04	.04	.06	.39
SANDPOINT EXP STATION															.01	.02	.01	.02	.01	.02	.01					.10
SUN VALLEY				.02	.03	.05	.02	.01			.02	.01									.03	.01	.02	.04		.26
WALLACE WOODLAND PARK			*	*	*	*	*	*	*	*	*	*	.10													.10
-5th-																										
ATLANTA 1 E	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1.44	*	*	*	*	*	*	*	*	*
BANCROFT	//	.02	.02	.01	.01	.01	.01		.02	.01	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
BOISE LUCKY PEAK DAM		.05	.03	.02		.01	.04	.06	.04	.01		.01		.01												.28
BOISE WB AIRPORT	//	.05	.03	.01			.04	.06	.01																	.20
BRIDGE	//	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							-
BURLEY CAA AIRPORT	//	.01	.01	.01																						.03
CASCADE RANGER STATION	//	.01	.01	.22		.03			.02	.02	.01															.32
CLARK FORK 1 ENE										.01					.01											.02
CLARKIA RANGER STATION										.02	.01	.01					.01									.05
DEADWOOD DAM	//	*	*	*	*	*	*	*	*	*	*	*	.44													.86
GOODING CAA AIRPORT	//	.01	.01		.01	.01			.02	.01																.07
IDAHO FALLS CAA AIRPORT	//	.01																								.01
LEWISTON WB AP	6	*	*	*	*	.03																				-
MACKAY RS													.01	.01	.01											.03
MALAD		.05	.02	.02		.01			.03	.01					.01											.15
MALAD CAA AIRPORT	6	*	*	*	*	*	.16	*	*	*	*	*	.06	*	*	*	*	*	.01							-
MOUNTAIN HOME 1 W		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MULLAN PASS CAA	//	.01																								.01
POCATELLO WB AIRPORT	//	.03	.02	.03																						.08
SUN VALLEY	//		.02	.03																						.05
-6th-																										
ATLANTA 1 E	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.11	.01		.01	.01	.01	.02	.05	.07	.11	1.99
BANCROFT	//	*	*	*	*	*	*	*	*	*	*	*	.18													.29
BENTON DAM																							.02	.01	.02	.05
BOISE LUCKY PEAK DAM																					.01	.08	.11	.12	.04	.36
BOISE WB AIRPORT	//																				.02	.08	.13	.09	.04	.36
BURLEY CAA AIRPORT	//																								.05	.05
CASCADE RANGER STATION	//														.01							.03	.03	.03	.09	.19
COUNCIL 2 NNE		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			.03	.03	.07	.06	.01	-
CRAIGMONT	//															.01	.01	.01	.02		.01			.02		.08
DEADWOOD DAM	//																.01		.01	*	*	*	*	*	*	*
GOODING CAA AIRPORT	//																							.09	.07	.16
LEWISTON WB AP	6												*	*	*	*	*	.02	*	*	*	*	*	.03		-
MALAD CAA AIRPORT	6																			*	*	*	*	*	.01	-
MULLAN PASS CAA	//																				*	*	*	.02		.02
-7th-																										
ATLANTA 1 E	//	.11	.11	*	.12	.04	.11	.08	*	*	*	.05	.07	.06	.01	.03	.01	.05	.08	.02	.01	.01			.01	.98
BANCROFT	//			.02	.01	.01	.02	.01	.03	.04	.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BENTON DAM		.03		.01	.01	.01			.01	.01	.01	.05	.03	.05	.05									.02	.07	.36
BOISE LUCKY PEAK DAM		.01	.01	.01	.07	.01	.01	.04																		.16
BOISE WB AIRPORT		.01		.03	.03	.02	.03	.04																		.16
BONNERS FERRY							.03	*	*	*	*	*	*	*	*	*	.45									.48
BRIDGE	//			.01	.05	.01						.02														.09
BURLEY CAA AIRPORT	//	.13	.07	.04	.01	.01	.02	.02	.01	.03	.04								.01	.02	.04					.45
CASCADE RANGER STATION	//	.08	.05	.02	.03	.05	.05		.02					.06	.06	.03										.45
CLARK FORK 1 ENE		.01	.01	.01		.05		.01			.02		.06	.07	.09	.10	.08	.03	.04	.01					.05	.64
CLARKIA RANGER STATION	//				.03	.01			.02		.02	.09	.06	.12	.13	.01	.04		.02	.02	.11			.02	.02	.72
COEUR D ALENE CAA AP				.02	.02							.04	.05	.06	.10	.05	.01	.04				.01	.01	.03	.05	.49
COTTONWOOD 2 SW		*	*	*	*	*	*	*	*	.51				.01	.06	.06	.02								.02	.77
COUNCIL 2 NNE		.05	.04	.01	.10	.11	.08	.08							.07	.01										.55
CRAIGMONT	//	.01	.01	.01	.01											.03										.07
DEADWOOD DAM	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1.00							1.02
DUBOIS CAA AIRPORT	//							.01	.01	.01	.02			.02	.02	.01										.10
GOODING CAA AIRPORT	//	.03	.02	.03	.04	.05	.03	.02	.02	.01																.25
IDAHO FALLS CAA AIRPORT	//			.08	.06	.02	.01	.04	.02	.04	.09	.02	.01	.01												.40
LEADORE		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.33	.35
LEWISTON WB AP	6												*	*	*	*	*	.05							*	-
MACKAY RS				.02	.03		.02		.05	.01	.01		.01	.02	.01	.01	.07	.01	.05	.01						.33
MALAD		.02	.07	.09	.12	.05	.01		.02			.06	.09	.01	.01								.01		.01	.57
MALAD CAA AIRPORT	6	*	*	*	*	*	.30	*	*	*	*	*	.09	*	*	*	*	*	.05	*	*	*	*	*	.01	-
MOUNTAIN HOME 1 W		-	-	-	-	-	-	-	-	-	-	-	-													-
MULLAN PASS CAA	//	*	*	*	*	.02	*	*	*	*	*	.09	*	*	*	*	*	.22	*	*	*	*	*	.11	.01	.45
PLUMMER 3 WSW		.01	.02	.04	.08	.01	.02	.03		.02	.02	.14	.06	.04	.04	.01		.01						.02	.05	.62
POCATELLO WB AIRPORT	//	.04	.08	.11	.01		.01	.04		.05	.04	.06											.02			.46
SANDPOINT EXP STATION								*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
SUN VALLEY	//	.03	.02	.05	.04	.07	.08	.05	.04	.08	.04		.03	.02	.01	.01	.01	.02	.05							.65
WALLACE WOODLAND PARK								.01	.02	.04		.02	.01	.07	.06	.05	.05	.02	.04	.04	.05					.48
-8th-																										
ATLANTA 1 E	//			.01	.01																					.02
BENTON DAM										.02	.04	.07	.02				.04	.01			.01	.05	.10	.10	.12	.58
BONNERS FERRY												.01	.03	.01	.01			.01			.02	.02	.02	.04	.07	.24
CLARK FORK 1 ENE		.10	.01		.01			.01	.01		.01	.02	.07	.03	.03	.01		.07	.07	.05		.03	.03	.05	.09	.70
CLARKIA RANGER STATION	//	.03	.04										.01		.01	.01	.01	.02						.01	.03	.17
COEUR D ALENE CAA AP		.02	.01	.01						.02	.04	.01					.03	.05	.01			.01	.01	.03	.05	.30
COTTONWOOD 2 SW		.03	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
CRAIGMONT	//	.09	.01																							.10
GOODING CAA AIRPORT	//				.02	.01																				.03
LEWISTON WB AP	6	*	*	*	*	.05																				-
MALAD			.01	.02																						.03
MULLAN PASS CAA	//	*	*	*	*	.08	*	*	*	*	*	.04	*	*	*	*	*	.04						.02	.03	.21
PLUMMER 3 WSW		.02																						.03	.01	.06
WALLACE WOODLAND PARK		.04	.06	.06	.03		.01		.01	.01	.02		.01	.01				.01		.02	.01				.03	.33
-9th-																										
ATLANTA 1 E												.01	.01													.02
BENTON DAM		.13	.10	.05	.03	.05	.01	.03	.01	.01	.03	.04	.02	.02	.05					.01	.01	.01				.61
BONNERS FERRY		.05	.08	.08	.04	.02	.02	.02			.01		.01			.01				.01	.04	.03	.05	.01	.06	.54
CASCADE RANGER STATION	//					.01	.05	.01	.03		.05			.01	.02	.01	.01									.20
CLARK FORK 1 ENE		.06	.09	.09	.08	.07	.02	.04	.05	.09	.05	.01	.06	.03	.06	.04	.02	.02		.01	.02	.01	.05	.01	.01	.99
CLARKIA RANGER STATION	//			.32	.12	.10	.12	.12	.08	.14	.04	.05	.01	.02	.07	.02	.01	.01	.01	.01						1.25
COEUR D ALENE CAA AP		.05	.15	.05					.01			.01			.01		.01							.01		.30
COUNCIL 2 NNE					.02	.04	.05	.09	.01	.02	.03	.02	.01													.29
CRAIGMONT	//			.01	.04	.02	.04	.04	.02		.02	.01	.01													.21
DEADWOOD DAM	//							.05	.02	.03	.03	.07	.03	.04	.01	.01	.03									.32
MULLAN PASS CAA	//	.04	.02	.03	.02	.03	.02	.19	.09	.05	.06	.05	.05	.05	.05	.06	.05	.01	.03	.04	.04	.06				1.04
OLA		-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-							-
PLUMMER 3 WSW		.06	.10	.05	.02							.02		.02	.02											.29
SANDPOINT EXP STATION		*	*	*	*	*	*	*	*	1.65	.04	.10	.11	.06	.04	.05	.02	.01			.02					2.10
WALLACE WOODLAND PARK		.09	.08	.11	.10	.10	.15	.15	.14	.11	.12	.06	.07	.05	.06	.08	.06	.05	.01	.07	.06	.07	.05	.02	.02	1.88
-10th-																										
BENTON DAM																	.01	.05	.08	.13	.18	.17	.03			.65
BONNERS FERRY		.01	.01								.03							.01	.04	.07	.08	.06	.04	.05	.03	.43

See reference notes following Station Index

HOURLY PRECIPITATION

Station		A M Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
CASCADE RANGER STATION	//																		.06							.06
CLARK FORK 1 ENE																	.01			.02	.09	.14	.10	.03	.01	.40
CLARKIA RANGER STATION													.01			.01	.01				.07	.01		.01	.01	.13
COEUR D ALENE CAA AP																						.01	.01			.02
DEADWOOD DAM																				.01	.12					.13
MULLAN PASS CAA	//																				.05	.03	.05	.07	.03	.23
PLUMMER 3 WSW																				.03	.04	.01	.04			.12
SANDPOINT EXP STATION																			.10	.13	.12	.13	.05			.53
SUN VALLEY																						.01				.01
WALLACE WOODLAND PARK		.01																				.05	.10	.09	.11	.36
-11th-																										
ATLANTA 1 E				.01			.02	.02	.01									.01	.03	.02	.02	.01	.01	.02	.03	.21
BANCROFT		-	-	-	-	-	-	-	-	-																-
BENTON DAM											.08	.06	.01													.15
BOISE LUCKY PEAK DAM																					.04	.01				.05
BOISE WB AIRPORT																						.02				.02
BONNERS FERRY		.02	.01	.01	.01					.02	.09	.01														.17
CASCADE RANGER STATION	//																.01	.01		.01			.01			.04
CLARK FORK 1 ENE		.03	.01	.02	.01								.02	.04	.01											.14
CLARKIA RANGER STATION	//			.03	.07	.08	.07	.05	.05	.12	.04	.22	.13	.05	.07	.10	.13				.01	.01				1.23
COEUR D ALENE CAA AP												.06	.05	.05	.04											.20
COTTONWOOD 2 SW		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.10		.13
COUNCIL 2 NNE																	.02	.01								.03
CRAIGMONT	//													.01	.02	.03	.05	.03	.05	.02	.03					.24
DEADWOOD DAM	//		.02	.01		.05	.02		.01	.01				.02					.01				.08	.01	.01	.25
LEWISTON WB AP	6												*	*	*	*	*	.02								-
MULLAN PASS CAA	//	.03	.05	.08	.05	.03	.02	.06	.05	.04	.04	.02	.01	.01	.02	.05	.01		.01							.58
OLA														-	-	-	-	-	-	-	-	-	-	-	-	-
PLUMMER 3 WSW			.01	.03	.01			.01	.09	.05			.01	.03	.08	.05	.02									.39
SUN VALLEY	//					.01						.01		.01												.03
WALLACE WOODLAND PARK		-	-	-	-	-	-	-	-	-	-	-				.03	.10	.09	.03							-
-12th-																										
ATLANTA 1 E	//	.01																								.01
CASCADE RANGER STATION	//					.01																				.01
DEADWOOD DAM	//	.01	.01	.01	.01																					.04
MALAD																					.01	.02	.01			.04
OLA		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							-
-15th-																										
BENTON DAM		-	-	-	-	-	-	-	-	-	-	-	-			.06	.02	.01	.01					.01	.01	.12
BONNERS FERRY																	.02	.03	.01	.01	.01					.08
CASCADE RANGER STATION	//																							.01		.01
CLARK FORK 1 ENE																		.01	.01	.01	.05					.08
CLARKIA RANGER STATION	//											.01	.04	.03	.01										.01	.10
COEUR D ALENE CAA AP																	.01		.01	.01	.01					.04
COTTONWOOD 2 SW																				.01	.04	.03				.08
COUNCIL 2 NNE																							.04	.02		.06
MULLAN PASS CAA	//																	*	*	*	*	.03				.03
PLUMMER 3 WSW																		.04								.04
WALLACE WOODLAND PARK																				.02	.04	.02			.01	.09
-16th-																										
CLARK FORK 1 ENE			.01	.01																						.02
CLARKIA RANGER STATION	//													.01	.01		.03									.05
COEUR D ALENE CAA AP			.01																							.01
CRAIGMONT	//																				.01					.01
MULLAN PASS CAA	//	*	*	*	*	.05																				.05
OLA													-	-	-	-	-	-								-
-17th-																										
ATLANTA 1 E																					.01	.01	.05	.06	.06	.19
BENTON DAM																							.01			.01
BOISE LUCKY PEAK DAM																				.04	.03	.01	.03	.03	.05	.19
BOISE WB AIRPORT	//																			.04		.01	.04	.01	.03	.13
CASCADE RANGER STATION	//																				.01	.03	.01	.01	.01	.07
CLARKIA RANGER STATION	//																								.03	.03
COEUR D ALENE CAA AP																									.01	.01
COUNCIL 2 NNE																				.01	.03	.04	.03	.04		.15
DEADWOOD DAM	//																				.03	.05	.02	.02	.01	.13
MACKAY RS																						*	*	*	.04	.04
MOUNTAIN HOME 1 W																							.02			.02
MULLAN PASS CAA	//																								*	*
PLUMMER 3 WSW																							.05		.02	.07
SUN VALLEY	//																					.05	.01	.03	.02	.11
-18th-																										
ATLANTA 1 E	//			.03	.03										.03											.09
BANCROFT					.02	.08	.01	.01	.01																	.13
BENTON DAM				.03	.01	.01		.01		.01						.01										.08
BOISE LUCKY PEAK DAM		.05	.02	.02	.01						.01	.02														.13
BOISE WB AIRPORT	//	.02														.01	.02									.05
BONNERS FERRY			.01	.01			.01		.01			.01														.05
BRIDGE						.04																				.04
BURLEY CAA AIRPORT	//	.05	.03	.01																						.09
CASCADE RANGER STATION	//	.02										.02														.04
CLARK FORK 1 ENE													.01	.01			.01	.01								.04
CLARKIA RANGER STATION	//		.01		.01							.02			.02		.01									.07
COEUR D ALENE CAA AP		.01	.01	.01				.02	.01	.01	.01															.08
COTTONWOOD 2 SW														.01												.01
DEADWOOD DAM	//		.02		.01	.01							.01	.01	.01		.01		.03							.11
IDAHO FALLS CAA AIRPORT	//				.01	.02														.01	.02			.01		.07
LEADORE							.03	.07	.03																	.13
MACKAY RS				.01								.01	.01													.03
MALAD					.01	.06	.01		.03																	.11
MALAD CAA AIRPORT	6	*	*	*	*	*	.06	*	*	*	*	*	.05	*	*	*	*	*	.02							-
MOUNTAIN HOME 1 W		.01	.02	.01		.01	.01	.01	.01																	.08
OLA								*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
PLUMMER 3 WSW		.03	.01	.01				.01	.01																	.07
POCATELLO WB AIRPORT	//			.04	.01																	.01	.05	.03		.14
SUN VALLEY	//	.02																								.02
WALLACE WOODLAND PARK																	.02	.01	.01							.04
-19th-																										
BENTON DAM													.03	.04	.01						.01		.01		.01	.11
BONNERS FERRY																								.01	.02	.03
CLARK FORK 1 ENE												.01			.01	.01	.02		.02						.01	.08

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
IDAHO FALLS CAA AIRPORT	//	.01																								.01
PLUMMER 3 WSW				.01				.01																		.02
SANDPOINT EXP STATION			.01	.01	.02						.01	.02	.01						.01						.02	.11
-20th-																										
ATLANTA 1 E																			.01			.01		.01	.01	.04
BENTON DAM		.01	.02	.01		.01	.04		.01	.01																.11
BOISE LUCKY PEAK DAM																.01	.01	.01	.01	.01	.01	.02	.02	.02	.01	.13
BOISE WB AIRPORT															.01		.01	.02	.02	.02	.02	.03	.02	.02	.02	.19
BONNERS FERRY		*	*	*	*	*	*	*	*	*	.20															.20
CASCADE RANGER STATION																.01			.02	.07	.03	.03	.03	.03	.04	.26
CLARK FORK 1 ENE		.01				.01		.01																		.03
COUNCIL 2 NNE																				.01	.03	.05	.05	.02	.04	.20
DEADWOOD DAM	//																.04	.02	.04	.02	.04	.03	.03	.04	.05	.31
DUBOIS CAA AIRPORT	//																	.02	.02	.01						.05
MACKAY RS																		.01	.01	.01						.03
MALAD				.01	.02																					.03
MOUNTAIN HOME 1 W																		.01								.01
SANDPOINT EXP STATION		.01	.05	.01	.01	.01	.02		.05																	.16
SUN VALLEY	//																.01	.01	.02	.03	.01			.01		.09
-21st-																										
ATLANTA 1 E	//		.01																							.01
BOISE LUCKY PEAK DAM																		.02								.02
BOISE WB AIRPORT	//	.01																								.01
CASCADE RANGER STATION	//	.04	.02	.01																						.07
COUNCIL 2 NNE		.03	.01	.01																						.05
DEADWOOD DAM		.01	.02	.01								.01		.01	.01											.07
DUBOIS CAA AIRPORT	//			.03	.01	.01	.01			.01				.01												.08
LEWISTON WB AP	6																		*	*	*	*	*	.01		-
MULLAN PASS CAA	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.15	.15
OLA		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.37							.37
SUN VALLEY		.01	.02	.01																						.04
-22d-																										
DEADWOOD DAM											.01	.01														.02
-23d-																										
ATLANTA 1 E				.01	.04	.04	.01																			.10
BOISE LUCKY PEAK DAM				.01																						.01
BRIDGE																		.07	.01			.02				.10
BURLEY CAA AIRPORT																				.01	.01	.03	.03	.03	.01	.12
DEADWOOD DAM																		.03	.01							.04
DUBOIS CAA AIRPORT	//												.01													.01
GOODING CAA AIRPORT	//		.03	.01	.01																					.05
IDAHO FALLS CAA AIRPORT	//						.04	.04	.01																.01	.10
MACKAY RS							.05	.04			.01															.10
MALAD			.01	.01		.01					.01	.01	.01													.06
MALAD CAA AIRPORT	6	*	*	*	*	*	.05													*	*	*	*	*	.04	-
MOUNTAIN HOME 1 W				.01	.01																					.02
POCATELLO WB AIRPORT					.01	.01																.02	.03	.03	.02	.12
SUN VALLEY	//			.02	.01	.02	.05	.01			.01	.02		.01												.15
-24th-																										
ATLANTA 1 E	//				.02	.02	.01																			.05
BENTON DAM																	.01	.01	.01	.02	.03	.01				.09
CASCADE RANGER STATION	//																						.03	.02	.01	.06
CLARK FORK 1 ENE																				.02	.01		.01	.02		.06
CLARKIA RANGER STATION	//																						.05			.05
COEUR D ALENE CAA AP																					*	*	*	.02		.02
COTTONWOOD 2 SW																		*	*	*	*	*	*	*	*	*
COUNCIL 2 NNE																	*	*	*	*	*	*	*	*	*	*
CRAIGMONT	//																	*	*	*	*	*	*	*	*	*
DEADWOOD DAM	//																					.01	.01	.02	.01	.05
DUBOIS CAA AIRPORT	//			.01	.02	.03	.04	.03		.01	.01		.01	.04	.01	.02										.23
GOODING CAA AIRPORT	//		.01		.01	.02																				.04
IDAHO FALLS CAA AIRPORT	//	.02	.02	.01		.01		.01																		.07
LEADORE												.01	.01													.02
LEWISTON WB AP	6																		*	*	*	*	*	.01		-
MACKAY RS										.01		.01														.02
MULLAN PASS CAA	//																.01			.02		.01		.01		.05
OLA																									.01	.01
PLUMMER 3 WSW																						.02	.01	.01		.04
POCATELLO WB AIRPORT	//	.02	.01	.01																						.04
SANDPOINT EXP STATION																					.02					.02
WALLACE WOODLAND PARK																						.04		.01	.01	.06
-25th-																										
ATLANTA 1 E	//				.01	.01	.01										.02									.05
BANCROFT	//															.02			.01	.01						.04
BENTON DAM							.01																			.01
BOISE LUCKY PEAK DAM														.08	.01	.01										.10
BOISE WB AIRPORT	//												.01	.04	.02											.07
BONNERS FERRY				.02	.02	.01	.01		.01																	.07
BURLEY CAA AIRPORT	//																								.01	.01
CASCADE RANGER STATION	//	.01	.02	.01	.01	.03			.01	.01	.01	.01	.01													.13
CLARK FORK 1 ENE			.01		.01		.01	.02	.10		.01	.01	.01													.18
CLARKIA RANGER STATION	//			.02	.05				.03	.02	.03		.02	.03	.06	.01	.01	.02								.30
COTTONWOOD 2 SW		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.12							.12
COUNCIL 2 NNE		*	*	*	*	*	*	*	*	*	.35	.06	.07	.01	.02	.01	.01	.01	.01							.55
CRAIGMONT	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.27								.27
DEADWOOD DAM	//	.01		.01		.01				.03	.02		.02	.01	.02	.02	.01									.16
DUBOIS CAA AIRPORT	//												.01													.01
IDAHO FALLS CAA AIRPORT	//																				*	*	*	*	.07	.07
LEWISTON WB AP	6						*	*	*	*	*	.05														-
MULLAN PASS CAA	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.18	.18
OLA		.02	.01		.01	.01	.07	.02	.05		.01	.02	.02	.03												.27
PLUMMER 3 WSW		.01	.01		.01																					.03
POCATELLO WB AIRPORT																						.08	.01			.09
SANDPOINT EXP STATION			.01	.02	.01	.01											.03									.08
SUN VALLEY	//								.01					.01			.01									.03
WALLACE WOODLAND PARK		.01	.01	.01			.01				.04	.01	.01	.01	.01	.01	.01									.14
-26th-																										
ATLANTA 1 E	//				.01	.01																				.02
BANCROFT	//										.02	.01	.01	.02								.04	.01	.03		.14
BRIDGE	//															.02	.01						.02			.05
BURLEY CAA AIRPORT	//															.03	.01	.01	.03	.01		.01	.01	.01		.12
DUBOIS CAA AIRPORT	//																			.02	.01	.02	.01	.01		.07
GOODING CAA AIRPORT	//																						.01			.01
IDAHO FALLS CAA AIRPORT	//																							.01		.01

See reference notes following Station Index

Table 4-Continued

HOURLY PRECIPITATION

Station		A. M. Hour ending 1	2	3	4	5	6	7	8	9	10	11	12	P. M. Hour ending 1	2	3	4	5	6	7	8	9	10	11	12	Total
MACKAY RS																		.01								.01
MALAD															.01	.03				.10	.01	.09	.03			.27
MALAD CAA AIRPORT	6													*	*	*	*	*	.03	*	*	*	*	*	.24	-
POCATELLO WB AIRPORT																						.01				.01
−27th−																										
ATLANTA 1 E							.01																			.01
BANCROFT		.01	.01																							.02
BURLEY CAA AIRPORT	//	.01																								.01
DUBOIS CAA AIRPORT	//	.01		.01	.01																					.03
GOODING CAA AIRPORT	//		.02	.01	.01																					.04
IDAHO FALLS CAA AIRPORT	//	.02	.05	.01	.01																					.09
LEADORE							.01	.01									.01		.01	.01	.02					.07
MACKAY RS			.01	.01																						.02
POCATELLO WB AIRPORT	//	.02	.05	.01																						.08
SUN VALLEY					.01		.01			.01																.03
−28th−																										
DEADWOOD DAM																		.01								.01
DUBOIS CAA AIRPORT	//			.02						.01																.03
MULLAN PASS CAA	//																	.01								.01

DAILY TEMPERATURES

Table 5

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	13	23	37	39	40	40	51	47	55	55	57	46	38	39	48	46	43	41	35	38	39	49	48	44	39	38	31	31				41.1
	MIN	-12	6	21	22	34	32	34	34	31	31	33	30	20	18	22	25	17	28	20	21	26	25	25	23	24	9	21	15				22.7
ALBION	MAX	13	30	40	41	45	42	49	55	57	61	65	52	42	40	47	51	37	49	31	35	39	41	48	39	40	38	29	27				42.3
	MIN	- 7	0	28	31	38	35	36	37	29	34	39	33	20	16	20	24	15	21	21	12	20	22	25	13	17	2	11	8				21.4
ALPHA 1 NE	MAX	17	32	38	36	41	38	48	49	42	52	44	36	36	36	49	34	40	36	35	36	35	35	38	35	33	22	28	32				36.9
	MIN	-18	1	25	28	32	24	33	32	28	34	33	26	4	3	6	5	- 3	-11	20	23	17	0	5	11	18	-15	0	0				12.9
AMERICAN FALLS 1 NW	MAX	13	28	40	41	41	43	52	48	55	57	57	45	40	39	42	42	44	42	34	38	38	44	45	40	38	35	30	31				40.8
	MIN	- 8	8	23	29	35	34	36	36	35	32	33	28	21	18	20	28	17	27	21	24	25	26	28	25	25	2	21	9				23.5
ANDERSON DAM 1 SW	MAX	15	21	41	36	41	40	41	53	48	44	48	44	42	38	41	38	37	39	39	35	37	44	46	42	36	32	32	37				38.8
	MIN	- 3	10	20	31	32	27	34	30	32	37	32	29	21	16	22	21	16	25	9	24	23	19	29	32	26	8	19	14				22.7
ARROWROCK DAM	MAX	7	26	36	40	39	41	40	44	46	45	47	47	44	42	40	46	45	40	37	40	39	40	47	42	43	40	38	40				40.0
	MIN	- 7	5	24	30	32	29	30	33	33	35	35	32	22	17	17	23	21	16	15	30	24	23	26	31	30	12	13	19				23.2
ASHTON 1 S	MAX	6	16	32	35	34	33	38	44	40	45	40	35	30	34	36	31	35	30	29	33	38	41	43	33	34	33	32	33				33.7
	MIN	-28	- 6	10	20	21	23	25	30	21	27	26	18	1	- 3	3	5	- 1	13	1	12	12	11	23	17	18	3	2	- 3				10.8
ATLANTA 1 E	MAX	16	29	34	31	41	36	45	45	46	53	47	40	42	52	47	44	40	37	34	35	40	45	45	43	35	33	27	35				39.2
	MIN	-12	8	23	21	29	20	30	28	25	31	33	24	7	14	22	10	8	18	0	15	13	12	22	23	15	8	6	- 2				16.1
AVERY RS	MAX	21	33	41	40	41	36	36	39	38	38	45	40	43	47	48	43	45	39	44	44	43	45	50	44	34	42	42	35				40.6
	MIN	1	19	32	31	32	21	31	33	33	33	33	25	16	20	28	27	20	30	27	31	25	20	18	20	29	12	8	12				23.8
BAYVIEW MODEL BASIN	MAX	20	36	39	43	43	36	35	46	51	58	60	40	39	40	37	40	36	37	40	41	40	40	41	38	41	38	36	40				40.4
	MIN	10	15	34	32	33	20	28	33	33	45	33	19	12	20	23	30	21	32	18	31	28	29	20	15	29	14	12	19				24.6
BLACKFOOT	MAX	11	19	39	39	38	39	48	49	53	56	54	44	39	43	48	43	45	47	34	36	41	50	47	40	40	37	35	34				41.0
	MIN	- 7	6	17	26	33	30	36	36	31	32	38	28	19	18	20	25	26	17	15	23	27	25	29	26	24	17	23	20				23.6
BLISS	MAX	16	26	43	40	47	43	43	53	50	55	58	51	45	45	50	44	45	41	46	50	47	47	46	47	40	40	35	41				44.1
	MIN	- 3	9	25	33	34	28	35	32	30	37	31	35	25	26	31	26	22	30	20	28	29	26	30	30	28	18	25	15				26.3
BOISE LUCKY PEAK DAM	MAX	22	36	42	45	50	49	47	55	54	56	54	50	47	49	54	58	55	45	49	44	37	52	46	49		50	40	42				47.3
	MIN	6	18	3	34	35	34	39	36	39	43	39	30	25	24	26	24	24	27	21	35	30	29	30	29		18	25	23				27.6
BOISE WB AP	MAX	23	38	45	41	50	46	55	57	59	64	53	46	44	47	54	41	50	40	40	41	38	45	44	45	38	35	36	38				44.8
	MIN	10	20	30	35	33	33	39	34	41	42	39	30	24	26	28	25	27	27	21	31	29	30	30	31	23	19	27	24				28.9
BONNERS FERRY	MAX	13	26	41	37	44	32	28	42	48	51	45	35	35	37	35	40					42	43	40	39	41	43	39	40				38.2
	MIN	- 3	10	25	26	29	18	22	27	36	43	30	20	13	14	21	29					28	19	15	15	30	22	13	16				21.6
BUHL	MAX	20	30	46	46	46	50	50	54	60	64	64	50	44	48	52	50	50	46	44	44	44	46	44	46	40	54	30	39				46.5
	MIN	0	12	26	30	38	34	36	36	34	38	48	34	24	24	28	26	22	28	22	24	22	24	26	[illegible]	30	22	18	14				26.5
BURKE 2 NNE	MAX	16	32	32	36	33	31	34	37	37	37	38	33	35	39	42	36	37	32	33	35	35	34	39	32	32	35	30	27				33.9
	MIN	- 9	13	28	27	27	14	26	32	33	34	33	15	10	14	22	24	13	24	22	24	12	18	13	12	24	7	3	5				18.6
BURLEY	MAX	16	27	39	47	46	46	46	56	56	65	65	56	46	41	49	54	43	54	37	41	42	44	50	43	43	46	31	32				45.0
	MIN	- 2	3	21	32	36	34	35	36	31	33	39	36	23	22	23	27	20	20	24	24	30	28	28	25	26	19	19	13				25.2
BURLEY FACTORY 1 NW	MAX	5	25	38	43	44	44	45	56	54	62	63	54	44	39	43	50	40	49	31	33	40	42	50	40	41	42	29	30				42.0
	MIN	- 3	- 1	21	32	35	33	35	34	28	32	36	34	20	21	22	26	18	21	24	24	29	27	27	24	25	18	18	9				23.9
BURLEY CAA AP	MAX	21	37	43	44	44	45	55	52	60	63	53	44	40	47	51	39	50	36	38	40	43	49	41	40	42	30	30	34				43.3
	MIN	- 3	18	32	32	35	34	38	31	30	31	34	30	22	22	25	21	18	27	24	23	29	27	27	25	25	18	18	12				25.2
CALDWELL	MAX	25	34	46	42	56	48	57	58	58	58	55	50	46	48	50	47	50	45	46	41	40	48	45	52	43	40	43	45				47.0
	MIN	11	17	22	34	34	29	36	32	39	35	33	32	22	26	27	23	23	28	20	32	30	24	31	24	29	19	26	22				27.1
CAMBRIDGE	MAX	12	20	27	34	40	41	40	39	38	39	44	46	42	39	37	33	38	37	36	39	37	38	39	40	36	32	28	29				35.7
	MIN	- 4	11	12	15	32	33	35	33	30	30	29	28	18	13	12	17	19	22	23	24	26	25	29	31	29	3	10	15				21.4
CASCADE 1 NW	MAX	13	34	36	36	41	38	47	47	44	51	42	35	35	31	43	38	37	33	30	34	33	35	37	37	33	25	24	26				35.5
	MIN	-10	11	21	27	31	26	33	34	34	36	34	26	8	9	12	12	1	20	- 8	19	22	2	7	11	23	- 9	1	0				15.5
CHALLIS	MAX	7	20	40	38	43	35	42	47	48	57	54	46	33	36	42	47	40	40	36	36	35	36	36	42	42	33	32	31				38.4
	MIN	-20	- 5	17	21	21	11	23	29	27	32	32	29	12	12	19	24	11	29	15	23	17	12	12	22	24	12	18	11				17.5
CHILLY BARTON FLAT	MAX	5	13	34	37	40	35	38	40	32	44	44	35	30	29	35	28	27	26	22	27	30	28	38	35	25	26	30	25				30.6
	MIN	-34	-13	- 8	10	9	6	20	20	10	12	18	20	- 2	-10	2	0	- 8	11	- 4	3	9	0	3	1	10	-14	8	- 8				2.5
CLARK FORK 1 ENE	MAX	19	32	44	40	43	35	33	38	40	50	48	36	39	43	41	36	43	37	38	43	41	42	41	35	38	42	39	41				39.2
	MIN	0	16	31	30	29	23	27	31	34	37	34	21	15	15	23	30	20	30	27	30	23	19	16	16	29	15	[illegible]	15				23.0
COEUR D ALENE CAA AP	MAX	18	36	38	36	36	32	34	44	49	50	45	33	35	38	41	36	38	39	37	44	37	38	40	40	35	38	37	37				37.9
	MIN	5	11	31	32	22	18	26	33	38	44	26	22	18	17	27	26	24	30	29	29	27	25	22	22	24	17	17	21				24.4
COEUR D ALENE RS	MAX	23	37	38	41	37	36	34	40	48	48	46	37	37	42	43	40	43	37	40	47	42	44	43	40	40	42	40	39				40.1
	MIN	5	17	34	32	32	20	28	33	36	38	36	23	17	18	25	30	21	31	29	31	26	20	18	20	30	15	14	17				24.9
CONDA	MAX	15	27	31	33	37	36	38	43	49	45	51	46	33	29	28	38	48	42	36	34	34	35	42	40	33	39	29	30				36.5
	MIN	0	12	25	30	26	32	33	29	38	35	26	6	- 4	0	8	3	12	11	- 3	12	6	18	22	18	11	10	9	- 7				14.9
COTTONWOOD	MAX	22	34	36	37	44	36	45	47	46	47	49	38	38	43	50	38	42	37	36	40	40	38	42	43	33	30	32	35				39.2
	MIN	- 6	18	29	28	23	18	31	35	35	40	37	25	15	25	33	12	16	26	22	24	27	21	20	23	22	1	9	8				22.0
COUNCIL 2 NNE	MAX	17	33	38	39	45	39	43	50	49	48	47	42	40	38	41	37	40	43	41	41	43	44	44	43	39	36	31	36				40.3
	MIN	- 3	12	20	28	32	26	33	32	34	33	34	32	16	12	18	17	15	22	13	25	28	27	26	24	28	9	18	11				22.2
DEADWOOD DAM	MAX	12	28	35	34	39	37	43	45	41	47	43	38	40	43	48	37	38	34	28	29	38	45	43	35	31	30	29	27				36.3
	MIN	-22	7	25	24	30	21	30	29	25	30	31	18	2	- 2	3	8	- 6	18	-17	14	20	2	12	21	21	-20	- 2	6				11.7
DEER FLAT DAM	MAX	33	32	45	42	52	55	57	54	58	61	52	44	48	48	50	44	50	40	46	40	41	48	45	50	47	41	40	47				46.8
	MIN	11	22	26	32	32	34	35	34	41	38	34	33	34	42	29	26	26	31	20	32	32	34	31	26	30	20	26	20				29.7
DRIGGS	MAX	1	4	12	40	42	37	43	45	45	56	45	47	34	39	40	35	39	36	31	36	37	44	41	30	35	31	27	27				35.0
	MIN	-30	-21	- 5	9	18	18	29	32	32	37	35	3	5	3	10	14	5	17	10	1	18	16	24	22	21	12	13	5				12.6
DUBOIS EXP STA	MAX	3	13	27	29	29	31	34	34	36	44	40	40	32	36	38	34	33	30	30	29	28	35	30	44	29	28	26	23				30.9
	MIN	20	- 6	9	15	24	9	23	29	26	29	25	24	10	10	16	14	12	10	14	21	18	23	19	19	19	9	7	12				15.0
DUBOIS CAA AP	MAX	5	15	30	31	35	32	37	36	38	48	44	41	32	38	41	34	33	30	32	32	37	35	45	29	32	31	29	24				33.1
	MIN	-23	0	6	10	22	14	25	28	25	23	23	24	11	8	11	15	11	21	12	19	23	23	23	23	14	4	18	5				14.9
EDEN HUNT PROJECT	MAX	17	32	47	43	42	43	48	50	58	65	55	48	39	45	52	38	49	39	39	42	42	49	45	42	39	39	34	36				43.5
	MIN	2	10	25	30	34	30	30	29	30	31	31	33	22	22	24	25	17	28	22	23	26	26	29	22	24	15	17	3				23.6
EMMETT 2 E	MAX	23	30	37	44	52	49	55	60	59	58	56	49	47	44	49	47	50	47	42	43	42	49	48	42	45	40	39	43				46.0
	MIN	9	19	12	32	36	32	36	35	41	37	36	33	24	25	27	24	24	29	21	33	32	28	30	30	29	21	25	22				27.9

See reference notes following Station Index.

DAILY TEMPERATURES

Station		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
FAIRFIELD RS	MAX	11	20	33	38						49	44		41	35	40	30	32	32	30	31	34	37	40	34	31	21	29	29				32.8
	MIN	-30	3	16	24						29	29		2	- 4	7	10	- 6	15	- 3	11	18	4	11	24	15	-10	12	- 4				7.9
FENN RS	MAX	22		41	42	42	35	37	45	43	46	45	43	42	46	48	43	44	42	45	48	47	48	49	45	38	42	39	41				42.6
	MIN	[illegible]		[illegible]	30	31	29	30	31	32	36	33	31	23	23	27	30	24	30	27	28	29	22	21	24	31	18	18	10				26.1
FORNEY BLACKBIRD MINE	MAX	14	26	29	37	39	36	41	41	37	52	44	35	36	41	47	45	37	37	34	33	34	36	42	43	35	34	25	26				36.3
	MIN	-12	1	17	15	22	19	18	20	21	20	29	14	- 4	5	17	12	2	15	2	16	8	2	10	15	12	8	2	- 5				10.8
FORT HALL IND AGENCY	MAX	14	28	38	40	39	41	54	50	54	59	55	44	41	43	51	46		46	33	37	40	54	51	42	38	35	32	32				42.1
	MIN	-11	6	18	25	34	32	37	37	32	31	35	28	18	14	16	24		15	10	20	25	25	27	26	27	5	22	20				22.1
GARDEN VALLEY RS	MAX	18	24	43	38	45	45	42	52	40	41	50	47	44	38	48	43	39	40	36	42	46	52	45	44	42	39	37	39				41.4
	MIN	- 5	14	23	32	32	32	33	32	30	32	33	33	15	12	17	19	12	26	27	24	29	19	28	29	28	11	18	20				23.4
GLENNS FERRY	MAX	22	31	46	42	50	49	51	61	60	65	60	52	45	49	54	46	50	44	48	43	47	48	53	53	48	46	38	45				48.1
	MIN	1	11	27	33	33	30	37	32	32	38	31	36	24	21	33	27	21	31	20	31	28	29	31	32	30	16	26	15				27.0
GOODING CAA AP	MAX	14	30	43	42	41	41	46	50	45	50	53	46	37	42	47	40	42	38	40	36	43	48	42	42	41	35	31	37				40.8
	MIN	- 6	13	27	30	32	29	34	32	28	36	32	29	21	23	29	24	19	25	21	25	27	21	30	26	23	13	18	9				23.9
GRACE PH	MAX	7	22	36	36	38	37	43	45	40	49	46	38	36	39	40	40	38	34	33	36	46	47	46	34	34	37	34	28				37.1
	MIN	-21	4	20	23	30	29	30	31	28	35	32	25	14	10	12	18	12	18	10	- 2	13	14	21	20	20	15	10	9				17.1
GRAND VIEW	MAX	25	45	48	44	50	51	59	60	60	64	57	52	48	50	55	47	50	45	46	38	40	47	49	50	45	47	40	44				48.4
	MIN	7	15	24	30	30	29	36	31	31	39	43	36	26	27	28	25	29	30	25	31	27	27	26	30	29	25	23	19				27.8
GRANGEVILLE	MAX	18	39	39	37	38	33	50	50	55	60	52	37	39	46	53	42	40	38	37	41	41	40	42	42	32	30	33	36				40.7
	MIN	- 2	15	31	29	25	23	30	38	41	45	34	23	18	21	28	14	14	22	15	27	26	19	20	24	12	4	10	8				21.9
GRAY	MAX	9	21	28	35	33	35	43	41	43	54		47	33	35	39	35	43	40	32	35	45	41	42	38	38	32	29	29				36.1
	MIN	-27	1	18	22	29	21	30	31	27	34		25	4	- 1	5	12	4	5	13	2	8	7	18	18	15	10	10	7				12.9
GROUSE	MAX	10	15	33	40	45	43	45	48	45	47	40	43	35	40	42	34	35	34	35	32	37	39	44	40	38	26	35	32				36.9
	MIN	-35	-19	4	4	3	- 7	13	14	11	12	6	6	- 8	-10	2	2	- 8	14	- 2	9	1	- 5	5	5	5	-11	1	-13				00.0
HAILEY	MAX	15	23	40	40	44	39	45	47	52	46	50	48	38	37	43	36	35	35	30	36	31	43	43	37	34	32	31	30				37.9
	MIN	-18	- 5	18	18	28	10	29	26	21	31	40	18	5	10	10	9	7	6	8	9	9	14	28	21	18	2	11	- 3				13.6
HAMER 4 NW	MAX	6	16	34	33	36	28	38	36	37	48	46	44	37	36	39	35	35	36	38	34	37	41	43	41	39	32	30	31				35.2
	MIN	-25	- 6	- 4	7	25	10	25	23	18	16	26	21	9	4	6	10	6	19	7	27	27	33	31	24	20	6	21	13				14.3
HAZELTON	MAX	17	35	37	44	44	44	55	51	60	66	60	46	40	44	55	50	50	48	39	41	42	43	48	40	40	32	32	36				44.4
	MIN	- 4	15	31	31	35	35	36	35	29	33	35	36	22	22	25	25	20	27	23	23	28	24	22	23	26	18	15	6				24.9
HILL CITY	MAX	9	21	32	37	37	40	40	42	43	43	45	38	30	31	32	29	27	28	28	30	30	34	38	35	33	29	25	28				32.6
	MIN	-31	3	16	24	32	22	32	30	19	28	28	22	1	- 6	6	10	- 6	17	- 5	10	15	2	[illegible]	23	15	-16	13	- 5				11.0
HOLLISTER	MAX	22	34	45	45	48	49	57	56	65		66		39	50	52	49	50	41	39	41	40	46	40	43	39	37	29	36				44.5
	MIN	1	9	26	34	32	36	40	33	37			33	21	18	31	19	23	25	15	23	24	22	22	22	18	12	8	8				22.8
IDAHO CITY	MAX	20	27	41	37	46	40	40	54	47	47	47	45	43	46	47	49	47	42	38	35	45	48	45	41	38	39	38	38				41.8
	MIN	-16	13	21	29	31	25	32	29	25	31	31	28	7	3	12	9	3	19	- 3	21	27	9	16	27	26	- 6	16	12				17.0
IDAHO FALLS CAA AP	MAX	8	22	38	35	36	37	44	42	45	48	46	41	34	36	43	34	40	31	28	39	39	46	43	34	36	33	29	[illegible]				36.3
	MIN	-18	2	17	27	29	20	30	32	27	28	33	25	16	12	15	22	12	25	7	15	22	23	27	26	25	18	21	14				19.7
IRWIN 2 S	MAX	5	18	36	36	42	38	42	46	43	50	54	45	40	37	38	40	40	35	32	33	40	48	46	34	36	33	34	31				37.9
	MIN	-21	-18	18	28	32	25	33	36	32	36	38	31	13	14	12	13	8	23	16	7	18	16	28	26	23	26	26	14				19.8
ISLAND PARK DAM	MAX	2	12	30	31	32	29	32	37	35	51	47	36	30	35	43	35	35	31	31	33	34	37	47	37	28	32	30	22				32.6
	MIN	-46	- 7	- 1	15	25	15	22	29	27	17	20	13	-14	-21	-12	-10	-13	12	-10	10	12	18	3	9	20	3	3	- 5				4.8
JEROME	MAX	13	37	44	44	45	48	47	52	54	51	55	51	42	43	47	43	43	40	40	40	43	50	48	42	41	33	31	35				42.9
	MIN	- 7	8	23	29	33	32	34	34	28	32	32	32	22	20	25	23	16	19	19	23	24	18	28	24	22	14	19	11				22.8
KELLOGG	MAX	21	28	41	41	39	40	34	40	47	54	51	42	39	43	47	47	40	45	37	44	46	43	45	47	35	35	41	40				41.1
	MIN	1	8	27	32	34	23	25	33	36	40	40	28	19	21	24	29	22	26	29	32	25	25	21	21	24	12	12	15				24.4
KOOSKIA	MAX	24	45	50	46	46	45	37	53	52	49	51	45	49	43	53	52	42	45	46	49	49	53	50	50	48	41	40	43				46.3
	MIN	5	20	28	32	34	26	32	33	36	35	39	33	19	20	27	28	20	30	25	30	31	23	20	25	32	18	19	15				26.3
KUNA 2 NNE	MAX	24	37	44	42	52	47	55	57	60	65	60	47	45	47	54	47	50	42	42	40	38	46	44	47	43	38	38	40				46.1
	MIN	10	18	24	34	36	32	39	33	37	43	34	32	23	25	28	23	23	28	20	33	30	25	30	25	29	19	25	21				27.8
LEWISTON WATER PLANT	MAX	29	50	54	48	51	45	44	53	51	50	55	47	49	49	51	49	49	50	47	52	51	52	49	47	45	45	44	45				48.3
	MIN	12	21	33	33	35	25	32	32	41	43	43	35	21	34	36	26	32	32	26	37	26	22	22	24	35	24	21	22				29.5
LEWISTON WB AP	MAX	30	48	51	45	49	35	44	55	56	55	54	44	46	49	50	46	46	48	44	48	48	48	46	45	40	41	42	42				46.3
	MIN	14	24	35	33	28	25	35	32	44	42	39	26	23	31	32	24	30	31	28	33	26	24	22	23	25	21	18	19				28.1
LIFTON PUMPING STA	MAX	8	24	32	40	39	40	43	46	46	53	54	40	31	31	32	36	38	34	29	30	36	43	40	34	35	32	31	25				35.8
	MIN	-22	3	21	19	32	31	33	34	21	26	32	25	9	5	7	9	10	19	15	4	6	11	14	17	12	14	0	- 3				14.4
LOWMAN	MAX	20	25	41	37	43	38	41	51	41	41	49	46	49	58	47	41	39	38	40	38	41	49	47	40	37	40	39	34				41.1
	MIN	-13	12	23	28	31	30	31	30	26	31	31	31	9	6	11	14	5	25	10	21	25	12	17	27	26	0	13	17				18.9
MACKAY RS	MAX	9	16	35	38	41	41	41	45	43	49	45	39	36	36	39	32	32	28	31	31	35	32	42	35	32	22	31	28				34.4
	MIN	-20	-11	3	10	17	16	25	28	20	20	25	25	10	6	14	12	5	22	9	10	11	14	16	14	10	- 1	14	4				11.7
MALAD	MAX	10	22	38	40	43	37	43	48	47	42	51	47	39	36	33	44	42	39	38	37	45	42	36	38	40	33	34	34				38.5
	MIN	- 7	4	19	27	35	33	32	33	26	30	35	27	17	11	13	17	15	26	15	9	23	27	28	23	18	21	11	6				20.5
MALAD CAA AP	MAX	9	21	37	40	42	41	42	47	45	41	46	43	36	36	37	44	41	36	36	37	42	46	41	38	40	34	33	35				38.1
	MIN	-26	3	20	24	33	34	32	23	20	23	26	21	12	6	7	8	10	13	7	- 1	19	22	23	20	11	21	- 1	- 3				14.5
MAY RS	MAX	4	22	41	38	42	32	46	47	44	61	50	41	34	38	47	37	38	35	34	37	37	37	40	41	40	35	34	31				38.0
	MIN	-25	- 3	13	18	23	7	26	30	27	29	32	27	12	11	20	11	10	24	7	23	18	16	14	20	26	15	17	14				16.5
MC CALL	MAX	14	20	30	30	38	35	40	40	38	44	42	36	34	36	40	34	32	34	34	32	32	34	36	30	26	28	22	24				32.7
	MIN	-10	18	16	22	22	20	30	28	28	30	34	28	6	3	8	6	- 4	12	- 7	16	16	4	10	14	22	-10	0	- 5				12.8
MC CAMMON	MAX	12	23	40	39	45	48	44	46	43	48	52	43	39	40	42	45	44	37	34	34	41	48	48	43	40	37	32	37				40.1
	MIN	-19	3	20	26	34	32	34	36	31	29	39	27	18	16	20	20	14	28	14	14	23	21	30	24	24	18	19	18				21.9
MERIDIAN 1 SSW	MAX	24	37	45	41	52	47	57	57	58	66	53	48	44	47	50	48	50	43	42	40	39	47	45	43	40	39	38	42				45.8
	MIN	7	15	21	33	33	30	37	32	37	37	35	29	21	24	25	20	23	26	17	30	28	26	27	24	27	18	23	21				25.9
MESA	MAX	18	25	42	38	45	39	42	50	43	48	45	42	43	36	43	40	39	43	36	38	42	42	42	40	33	37	34	38				39.4
	MIN	- 2	8	11	22	32	27	33	33	34	33	37	31	20	17	20	17	20	22	15	17	27	26	30	26	26	9	16	13				22.1
MINIDOKA DAM	MAX	19	36	40	44	42	42	54	51	58	60	51	43	37	39	44	43	42	35	36	37	41	43	42	42	42	32	28	32				41.3
	MIN	- 4	14	32	31	35	34	35	36	32	37	35	33	25	23	26	28	21	29	24	27	27	30	30	22	25	17	20	13				26.3
MONTPELIER RS	MAX	6	9	29	32	44	39	41	46	45	45	51	50	38	33	31	37	39	40	32	29	31	37	43	40	38	31						36.0
	MIN	-26	-24	6	21	25	27	31	32	21	27	32	23	6	0	2	7	7	20	14	2	4	12	14	19	13	16						12.7
MOSCOW U OF I	MAX	20	41	40	40	38	36	44	51	51	50	50	39	39	46	45	39	40	39	38	43	44	45	39	42	35	36	36	38				40.9
	MIN	8	17	33	31	30	25	31	33	38	36	38	25	21	30	30	15	22	28	22	31	23	25	20	23	26	19	13	17				25.4
MOUNTAIN HOME 1 W	MAX	22	33	46	42	48	51	53	60	63	64	58	50	43	46	54	48	48	43	44	42	40	41	50	49	43	40	36	41				46.4
	MIN	0	18	28	33	35	29	37	31	32	33	31	35	22	28	29	24	22	27	18	31	25	28	29	29	29	16	22	15				26.3
MULLAN PASS CAA	MAX	13	27	25	27	23	24	33	33	39	42	32	21	25	35	35	20	30	23	22	26	23	24	32	24	23	18	22	18				26.4
	MIN	- 5	11	20	21	15	15	20	28	29	31	19	11	10	20	19	13	13	17	17	18	13	10	14	16	10	7	10	10				15.4
NAMPA	MAX	27	30		46	55	50	56	61	62	69	60	51	45	50	54	50	45	43	40	52		40	49	50	46	40	38	37				47.9
	MIN	12	13		35	37	32	40	34	41	40	37	33	20	25	31	25	32	29	30	21		30	26	26	29	22	26	25				28.9
NAMPA 2 NW	MAX	23	25	37	47	42	52	47	57	59	60	62	53	48	45	50	51	45	51	42	44	41	39	49	45	50	39	40	39				45.8
	MIN	4	18	23	34	36	32	40	35	41	42	36	33	24	26	30	24	25	32	22	34	31	26	32	26	34	20	25	23				28.9
NEW MEADOWS RS	MAX	24	30	40	38	45	39	44	44	40	48	45	45	40	39	44	40	35	39	35	37	44	42	41			35	32	35				39.2
	MIN	-15	12	19	24	32	21	32	29	30	30	31	27	3	2	5	1	- 4	14	4	20	22	1	4			4	- 5	- 9				12.8
NEZPERCE	MAX	20	36	39	37	37	31	43	47	45	56	52	56	37	40	48	36	36	39	36	39	31	40	40	45	33	33	34	33				38.5
	MIN	1	18	25	30	28	20	30	34	37	40	35	20	19	24	30	10	20	25	22	26	29	30	23	22	22	6	2	5				22.6
OAKLEY	MAX	22	32	47	45	45	46	54	55	59	66	57	46	40	50	49	43	51	46	39	45	42	48	40	41	43	35	31	35				44.7
	MIN	- 3	16	30	29	36	34	39	32	35	41	31	29	19	23	31	24	21	26	19	29	27	25	22	28	20	14	10	5				24.7
OBSIDIAN 4 NNE	MAX	12	30	29	34	37	35	42	44	42	48	44	33	34	37	39	36	32	29	26	28	41	39	43	32	28	24	30	32				34.3
	MIN	-12	- 5	18	15	22	6	30	23	19	32	28	15	- 8	-10	3	2	-10	8	-11	17	6	- 1	3	13	9	-16	1	5				6.9
OLA	MAX	22	29	41	47	46	40	43	48	45	44	54	45	43	40	48	44	45	41	39	41	42	48	44	42	42	39	38	37				42.0
	MIN	- 3	12	22	30	30	26	31	29	[illegible]	30	31	27	18	15	18	18	17	24	14	26	24	22	26	24	27	8	18	17				21.8
OROFINO	MAX	25	51	48	44	44	43	44	49	49	53	49	46	49	48	53	48	45	49	47	49	51	53	52	48	44	44	44	50				47.1
	MIN	9	20	27	32	32	28	33	37	36	35	36	33	20	22	27	31	25	32	26	32	27	22	21	23	33	20	22	20				27.2
PALISADES DAM	MAX	- 1	22	36	36	40	37	40	46	50	56	55	43	36	32	35	40	36	35	31	32	37	46	47	40	35	38	32	30				37.2
	MIN	-28	- 4	18	24	29	20	30	32	29	33	35	28	5	4	6	7	3	18	13	1	13	12	23	23	19	16	19	10				15.6
PARMA EXP STA	MAX	23	27	36	37	50	38	44	57	45	53	52	46	45	44	50	45	46	42	42	41	37	46	41	46	39	38	41	42				42.6
	MIN	2	14	16	16	31	30	31	32	35	35	36	32	23	28	27	27	22	28	21	21	28	26	30	26	25	21	21	23				25.3
PAUL 1 E	MAX	15	27	39	45	45	45	45	57	53	64	66	65	45	40	43	53	40	49	36	38	40	43	50	40	45	43	31	29				44.0
	MIN	- 3	0	22	32	35	33	33	35	29	32	36	35	23	23	23	27	19	22	24	23	26	27	28	25	26	15	17	11				24.2
PAYETTE	MAX	23	30	31	37	42	38	46	50	46	52	55	50	46	43	48	46	41	47	43	43	42	47	44	47	44	40	41	42				43.0
	MIN	10	12	9	27	33	30	35	29	35	33	38	31	24	26	28	25	24	29	22	30	30	24	29	24	30	20	25	25				26.3

See reference notes following Station Index.

Table 5-Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
PIERCE RS	MAX	24	38	40	37	40	34	34	39	35	37	39	37	43	37	48	39	36	40	39	41	41	44	43	38	33	37	36	37				38.1
	MIN	6	20	12	20	31	16	31	31	30	31	32	28	9	9	17	16	-1	18	6	15	8	1	-2	3	17	-7	-3	-3				14.0
POCATELLO WB AP	MAX	16	34	39	42	41	43	54	49	56	59	51	39	39	47	52	38	45	37	33	39	41	54	46	40	40	34	28	31				41.7
	MIN	-7	9	29	29	35	33	37	37	35	33	31	29	20	17	20	23	16	25	17	21	27	25	27	26	23	10	22	15				23.7
PORTHILL	MAX	14	20	40	39	44	35	28	37	48	51	45	36	32	35	34	39	37	38	37	38	43	39	36	35	37	40	35	35				36.7
	MIN	-5	10	17	23	26	16	19	23	34	36	35	21	14	11	18	26	16	27	30	30	26	15	14	13	29	19	14	15				20.4
POTLATCH	MAX	21	40	40	44	37	37	44	52	52	45	52	37	40	48	40	40	45	42	39	45	45	45	46	40	35	40	35	38				41.6
	MIN	6	19	34	34	30	24	32	35	40	35	35	16	20	29	31	18	20	27	25	33	22	22	25	20	25	13	10	14				25.1
PRESTON SUG FACT 2 SE	MAX	15	22	40	44	40	42	45	46	46	52	51	48	41	41	43	45	46	46	40	38	45	49	52	39	40	40	36	34				41.6
	MIN	-19	5	19	27	34	35	34	35	25	28	34	27	20	14	15	20	19	27	20	6	16	[illegible]	30	21	22	20	17	15				21.0
PRIEST RIVER EXP STA	MAX	17	22	36	37	39	32	33	41	42	50	47	36	39	44	34	33	39	35	34	39	39	45	42	36	36	40	38	37				37.2
	MIN	-6	7	21	21	27	21	25	31	33	36	30	12	7	8	19	23	13	28	21	28	16	18	7	7	28	14	2	7				18.0
RICHFIELD	MAX	8	20	38	39	37	38	39	44	41	42	47	42	38	34	37	36	34	36	30	31	35	39	40	38	37	31	28	30				35.3
	MIN	-18	2	18	24	32	28	32	31	21	29	29	23	9	12	21	20	7	26	7	14	26	17	29	25	17	-2	21	-3				17.8
RIGGINS RS	MAX	26	38	36	44	52	50	49	54	52	62	62	54	47	46	59	54	52	50	47		45	45	49	49	44	37	37	41				47.4
	MIN	12	22	25	33	34	34	32	38	41	44	44	39	25	35	33	29	29	32	26		36	27	25	32	31	17	19	18				30.1
RIRIE	MAX	10	29	35	35	36	38	45	45	44					40	46	37	41	35	29	37	38	49	48	34	36	35	35	29				36.8
	MIN	-14	-2	25	29	32	26	33	35	33					14	18	14	12	25	7	16	22	19	29	26	25	19	20	15				20.2
ROLAND W PORTAL	MAX	14	31	32	33	34	31	37	37	42	44	46	33	37	39	45	37	39	33	32	37	34	34	42	43	32	29	33	31				35.4
	MIN	-2	13	28	27	28	20	27	33	33	35	32	17	9	17	24	24	14	25	23	26	21	18	20	14	25	8	10	7				20.6
RUPERT	MAX	13	25	38	43	44	45	44	56	53	60	64	54	44	38	44	53	40	49	36	38	41	41	49	42	41	42	31	30				42.8
	MIN	-4	11	23	30	34	32	32	34	22	32	35	33	19	20	21	25	17	21	22	21	25	25	26	23	24	15	16	12				23.1
SAINT ANTHONY	MAX	8	17	37	39	36	33	40	43	42	49	47	42	31	35	40	34	35	32	32	35	39	47	43	34	36	33	34	28				35.8
	MIN	-27	6	12	22	27	20	25	29	21	24	22	19	-1	-2	2	5	0	13	1	5	14	17	23	22	23	2	18	14				12.3
SAINT MARIES	MAX	24	43	43	41	40	37	46	46	53	44	50	38	42	50	44	39	45	43	42	46	43	46	44	43	37	40	39	39				42.4
	MIN	4	20	36	32	29	23	31	35	36	35	37	26	18	22	28	27	23	31	27	31	26	24	19	21	27	17	11	15				25.4
SALMON	MAX	[illegible]	20	35	40	41	29	41	47	39	55	50	47	35	35	43	40	37	36	40	39	43	41	40	42	44			39				38.5
	MIN	-19	3	10	15	7	-3	23	25	26	29	36	23	12	10	20	19	11	20	29	25	25	18	12	22	27			18				17.0
SANDPOINT EXP STA	MAX	15	32	38	38	43	32	34	41	43	49	47	39	35	36	35	34	38	42	35	38	38	38	40	35	38	43	37	38				37.5
	MIN	-2	12	31	34	31	21	25	32	31	41	36	18	14	16	21	30	19	30	27	31	24	26	23	13	27	18	10	14				23.3
SHOSHONE	MAX	12	22	42	42	43	42	40	51	44	47	50	43	38	38	44	38	38	37	36	34	40	46	42	40	38	33	32	36				38.9
	MIN	-11	8	21	27	34	25	34	32	25	33	30	32	19	18	25	22	14	28	19	21	28	20	31	27	21	8	22	2				22.0
SPENCER RS	MAX	[illegible]	13	28	33	35	29	36	38	37	47	42	36	30	30	38	31	30	31	31	32	37	32	46	33	31	28	30	26				31.8
	MIN	-35	-11	3	13	20	-2	23	25	27	21	21	18	6	-5	5	4	4	15	12	15	10	15	12	13	19	3	13	8				9.7
SPRINGFIELD	MAX	11	23	38	37	38	38	47	48	52	54	52	41	39	40	49	39	46	37	34	40	40	49	47	38	39	34	31	30				39.7
	MIN	-15	4	20	22	33	30	34	33	28	30	33	28	18	16	19	21	14	27	14	19	25	25	26	24	23	10	21	13				21.3
STIBNITE	MAX	23	29	28	35	40	36	41	40	40	51	43	39	42	51	47	32	38	30	34	32	34	38	35	30	32	30	25	25				35.7
	MIN	-3	21	19	23	12	20	29	28	26	28	22	1	2	10	15	1	10	-2	-2	13	4	5	14	18	-7	-6	-6	-2				10.5
SUGAR	MAX	7	15			38	35	40	42	42	44	43	41	34	30	33	33	34			32	37	46	41	34	35	33	33	27				34.5
	MIN	-27	-7			28	18	27	32	22	24	32	22	6	0	3	1	3			12	14	15	21	24	25	12	19	15				14.2
SUN VALLEY	MAX	11	23	35	40	39	38	43	45	49	46	46	43	38	41	41	37	40	36	30	34	36	45	44	35	31	29	27	24				36.6
	MIN	-33	-13	12	17	24	1	24	18	14	21	28	7	-6	-9	1	2	-11	13	-9	5	-1	0	14	8	10	-11	7	-12				4.3
SWAN FALLS PH	MAX	25	34	47	43	54	52	59	61	56	64	65	54	48	48	54	51	52	49	47	43	41	49	49	51	48	40	40	45				48.9
	MIN	14	19	27	35	38	36	40	37	40	40	41	33	28	27	33	28	25	31	26	34	31	31	33	31	30	22	27	24				30.8
TETONIA EXP STA	MAX	2	16	45	37	43	35	35	37	41	50	52	39	30	34	40	34	38	34	30	34	32	43	38	32	31	27	27	25				34.3
	MIN	-35	-5	5	10	29	8	25	20	30	34	35	25	5	1	4	12	3	25	5	7	16	14	22	21	15	11	15	[illegible]				13.1
THREE CREEK	MAX																		40	36	40	36	40	38	37	35	26	25	32				-
	MIN																		22	-1	10	19	14	15	5	20	5	-3	3				-
TWIN FALLS 2 NNE	MAX	19	31	44	47	46	48	57	53	59	69	61	53	41	46	52	47	50	45	40	44	43	48	46	40	42	32	30	37				45.4
	MIN	-2	13	28	32	35	35	37	35	30	33	37	35	23	22	24	25	20	29	22	22	28	21	31	27	29	20	20	18				26.0
TWIN FALLS 3 SE	MAX	16	21	40	45	48	48	50	60	55	40	41	55	47	40	45	54	42	50	38	41	45	40	50	39	42	41	29	31				42.6
	MIN	-5	-3	13	28	32	31	33	32	26	32	33	31	20	18	18	21	15	16	17	16	21	21	15	23	22	15	15	13				20.3
WALLACE	MAX	22	38	40	42	35	35	36	39	47	50	44	34	37	45	47	35	42	38	38	42	40	40	43	38	33	37	35	34				38.8
	MIN	-1	22	31	31	29	19	31	33	36	37	32	20	16	19	26	24	19	30	28	29	23	21	18	18	20	10	7	12				22.9
WALLACE WOODLAND PARK	MAX	16	28	37	37	41	35	35	37	43	51	49	37	34	39	46	49	34	45	38	38	41	40	40	45	38	30	37	36				38.4
	MIN	-11	2	27	30	32	13	15	32	33	37	34	24	13	13	18	25	16	21	27	28	21	18	17	16	18	6	4	6				19.1
WEISER	MAX	22	32	32	40	42	38	43	50	45	49	52		48	48	53	49	44	48	44	42	50	52	50	48	38	45	45	45				44.2
	MIN	9	16	7	26	32	29	34	28	30	32		33	22	22	25	22	23	26	21	28	31	23	28	23	30	22	25	30				25.1
WINCHESTER 1 SE	MAX	22	40	37	42	39	36	45	47	51	55	52	34	40	46	49	37	42	40	34	38	38	37	38	40	34	33	31	34				39.7
	MIN	-8	15	17	25	27	9	28	29	34	42	34	24	11	15	29	15	12	23	14	22	21	13	12	11	21	1	0	1				17.8

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STATION	SNOWFALL	1.6	1.2	0.6															0.4	0.2		T		0.5	1.3		1.0	1.8				
	SN ON GND	2	3	1	T																				1		T	2	2			
ANDERSON DAM 1 SW	SNOWFALL		4.0	1.0	4.5	0.5	T												4.0		0.2	2.0		0.2		1.2		T	T			
	SN ON GND	11	15	15	17	16	16	15	13	12	11	10	9	8	7	7	7	7	9	7	7	8	7	6	6	7	7	7	6			
ARROWROCK DAM	SNOWFALL		1.8	1.3	3.8													2.3			3.0					0.9						
	SN ON GND	14	15	16	19	17	15	13	12	11	10	9	8	8	7	7	6	8	8	8	11	10	9	8	8	9	9	8	8			
ASHTON 1 S	SNOWFALL		3.5	2.0	2.1	2.0		3.5											1.0						6.0			3.0	2.0			
	SN ON GND	15	18	20	22	23	21	24	21	20	20	19	19	19	19	18	18	18	19	19	19	18	18	17	23	21	19	22	23			
ATLANTA 1 E	SNOWFALL		10.0	12.0	6.0	10.0	T					T							3.0					2.0		0.5						
	SN ON GND	51	60	70	73	76	64	53	51	50	48	47	45	44	42	41	40	39	40	39	39	38	38	38	37	37	37	36	36			
AVERY RS	SNOWFALL		6.0		0.5							0.5					0.5		1.0	0.5						3.0						
	SN ON GND	10	16	12	12	12	12	10	9	9	9	9	9	9	9	[illegible]	[illegible]	9	9	8	8	8	7	6	6	8	6	6	6			
BLACKFOOT	SNOWFALL		1.0	2.0															T	1.0				1.0	2.0		T	3.0				
	SN ON GND		1	3	2																				1			2				
BOISE WB AP	SNOWFALL	1.0	T	T														0.2	T		1.5	0.1	T	T	T	0.8		T	T			
	SN ON GND		T	T															T		T					T	T	T				
BONNERS FERRY	SNOWFALL	–	–		–			–	–	–	–	–				–	–	–	–	–	–	–			–	–						
	SN ON GND	9	14	14	13	12	12	13	17	14	10	6	4	3	2	2	3	–	–	–	3	4	3	3	3	3	3	3	–			
BURLEY CAA AP	SNOWFALL		T	T															1.0	T		T		1.5	T	0.3	0.9	0.3				
	SN ON GND	T	T	T	T	T	T												T						T	T	T	1	T			
CALDWELL	SNOWFALL		T																		T	0.5	T	T		T						
	SN ON GND		T																													
CASCADE 1 NW	SNOWFALL		5.0	1.0	2.0	1.0	T	T				T	T				T	T	3.0		T	5.0		T	T	3.0			T			
	SN ON GND	11	15	16	15	16	14	12	11	10	9	9	8	8	8	7	7	6	9	8	8	12	11	10	10	12	12	12	11			
CENTERVILLE ARBAUGH RANCH	SNOWFALL		7.0	2.3	4.5	2.0	T												4.0		1.0	1.5		1.0		3.5		T	T			
	SN ON GND	28	35	37	39	37	36	33	30	30	28	27	27	26	26	26	26	26	30	29	30	30	29	29	28	31	31	30	30			
COEUR D ALENE CAA AP	SNOWFALL	3.3	3.8	T	0.8	T	T	T				T				0.3	T	T	1.4	T	0.2	T			0.4	T			T			
	SN ON GND	1	6	5	4	4	4	4	3	T						T			1	1	T				–	T			T			
COEUR D ALENE RS	SNOWFALL	0.5	7.5													T	T		T		T	T				T						
	SN ON GND	1	7	6	3	2	2	2	2	1	1	T	T	T	T	T	T	T	T		T	T				T						
COTTONWOOD	SNOWFALL	0.1	3.0				0.7										0.8								0.2	2.1						
	SN ON GND	4	7	7	5	5	7	3	2	T	T						1								T	2	2	1	1			
DEADWOOD DAM	SNOWFALL	T	8.0	2.5	4.0	3.0	T	2.0				T	T				T		2.0	T	1.0	2.0	T	T	T	3.0	T	T	T			
	SN ON GND	41	48	49	52	51	50	49	47	45	44	42	42	42	42	42	42	42	44	44	44	45	45	44	44	47	47	46	46			
DUBOIS CAA AP	SNOWFALL		2.0	1.2	0.6	T		1.0									T		T		0.8	0.6		T	2.9	T	T	0.7	T			
	SN ON GND	4	6	7	7	6	6	5	5	4	4	4	4	4	3	3	3	2	3	3	2	3	2	2	6	5	5	6	6			
EMMETT 2 E	SNOWFALL		1.0																		T											
	SN ON GND		1																													
FENN RS	SNOWFALL			5.0		–		–	–	–		–	–				–		–	–						–						
	SN ON GND	1	–	5	3	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
FORNEY BLACKBIRD MINE	SNOWFALL		7.0	4.0	1.5	2.0	0.5	1.5	4.5	7.5		0.5	1.0				T		1.0			1.3	T			T	T	1.5	T			
	SN ON GND	28	36	37	37	37	37	37	39	37	32	32	32	31	31	30	30	30	31	31	31	32	32	31	31	31	31	31	31			
GARDEN VALLEY RS	SNOWFALL		5.0	2.0	3.0														1.0		1.0	3.0				0.5						
	SN ON GND	10	15	15	16	14	13	12	12	12	12	11	10	9	9	8	8	8	9	9	9	12	11	11	10	10	9	9	9			
GLENNS FERRY	SNOWFALL		1.0																													
	SN ON GND		1																													
GOODING CAA AP	SNOWFALL		0.3	T	1.0													T	T		T			2.8	1.2	T	0.3	1.6				
	SN ON GND	3	3	3	4	2	2	2	1	1	T	T													1	T		T	T			
GRANGEVILLE	SNOWFALL		T	T	1.0		2.0									5.0	0.5	T	T							6.0						
	SN ON GND	1	T	T			2									5	6	[illegible]	2	1						6	5	5	4			
GRAY	SNOWFALL		2.0	2.0	3.0	3.0												T							T		T					
	SN ON GND	22	24	24	28	30	30	29	28	28	28	28	28	28	28	28	28	28	28	28	28	28	27	26	26	26	26	26	26			
HAILEY	SNOWFALL		7.0	0.1	2.0	1.0		1.0											1.0		1.0	1.0		0.5	0.5	0.1		1.0				
	SN ON GND	20	27	28	28	27	26	25	25	23	20	19	19	19	19	18	18	18	19	19	19	20	19	19	19	19	19	20	20			
HAMER 4 NW	SNOWFALL		2.0		T			0.5													T			1.0	1.5			1.0	T			
	SN ON GND	–	3	3	3	3	3	4	–	–	2	1	–								1	–			2	–	–	2	–			
HILL CITY	SNOWFALL		8.0	2.0	4.0														–		–	–										
	SN ON GND	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
IDAHO CITY	SNOWFALL		3.0	3.0	5.5	4.0													2.5			4.0				2.5						
	SN ON GND	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
IDAHO CITY 13 SW	SNOWFALL	T	3.5	3.0	10.0	T			T	T											2.2	3.0		T		4.0		T	T			
	SN ON GND	31	34	37	40	36	35	33	32	31	30	30	30	30	30	30	30	28	26	26	28	31	30	29	28	33	33	32	31			
IDAHO FALLS CAA AP	SNOWFALL	T	2.1	0.4	0.3	0.1							T				T		1.1	T	T	T		1.4	1.2	1.4	0.4	1.8	T			
	SN ON GND	2	3	4	3	2	2	1	T	T									T	1	T	T	T	T	1	T	T	2	2			
IRWIN 2 S	SNOWFALL		1.5		2.0														1.0						3.0	T						
	SN ON GND	–	–	–	8	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–			
ISLAND PARK DAM	SNOWFALL		8.0	2.0	2.0	T	4.5	6.0		T							T		2.0	0.5		0.5			6.5	8.5	3.0	3.0	2.0			
	SN ON GND	33	41	40	42	–	45	47	–	44	–	–	–	–	–	–	40	–	42	41	41	41	–	–	46	52	54	54	55			
LEWISTON WB AP	SNOWFALL	0.1	0.1				0.4												T							T						
	SN ON GND	T					T																									
LOWMAN	SNOWFALL		6.3	3.4	2.8	1.3													4.5		1.6	0.8		T	T	1.6		T	T			
	SN ON GND	24	30	31	33	31	30	28	26	25	24	23	22	22	22	22	22	22	26	25	26	26	25	24	24	25	25	24	24			
MACKAY RS	SNOWFALL		0.4	0.1		0.1		T											0.9		0.2	0.4		1.3	0.3		0.2	0.3				
	SN ON GND	5	5	5	5	5	4	4	3	3	2	2	2	2	1	1	1	1	2	1	1	1	1	2	2	1	1	1	1			
MALAD CAA AP	SNOWFALL		2.3	1.6	2.6								T						1.9					0.8	T	T	4.0					
	SN ON GND	11	11	13	15	13	9	6	5	5	5	5	5	5	5	5	5	5	7	7	7	6	5	5	5	5	5	9	9			
MAY RS	SNOWFALL		1.1	1.8	0.4	0.2		1.2											0.5		T	T		T	0.8		T	T	0.2			
	SN ON GND	2	3	5	4	3	3	3	2	1	T								T		T											

See reference notes following Station Index

Table 7-Continued

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
MC CALL	SNOWFALL		7.0	4.0	2.0												2.0		4.0			3.0				2.0						
	SN ON GND	-	36	38	40	40	-	-	38	36	32	30	30	30	-	-	31	-	34	-	-	36	-	-	-	37	-	-	-			
MESA	SNOWFALL	T	5.5	T	6.0												0.5		1.0		T	3.0				4.5						
	SN ON GND	11	15	13	14	12	10	8	6	6	5	5	4	4	4	3	3	3	4	4	4	5	4	4	3	5	3	3	2			
MULLAN PASS CAA	SNOWFALL	0.9	7.0	1.6	1.6	0.1	0.2	3.6	2.6	2.2	0.6	4.6				0.2	0.5	0.2	0.9	0.9	0.4	0.2			0.5	2.3			0.1			
	SN ON GND	71	78	80	81	82	82	83	85	85	84	88	88	88	87	87	88	88	89	90	91	91	91	91	91	93	93	93	91			
NEZPERCE	SNOWFALL	T		2.0	1.5		2.0	T									1.5								0.8	5.0						
	SN ON GND	3	2	4	5	3	2	T	T	T							1	T							-	5	5	4	4			
OAKLEY	SNOWFALL		0.5	1.0															0.5					1.0			1.5	2.0				
	SN ON GND		T																					T			1	2	1			
OBSIDIAN 4 NNE	SNOWFALL		2.0	4.0	T	4.0			T	T		T							0.5						1.0	T	T	T	T			
	SN ON GND	34	36	40	40	44	42	38	37	36	35	35	35	35	35	34	34	34	34	34	34	34	34	34	35	35	35	35	35			
OLA	SNOWFALL		5.0	3.0															0.5			2.0				2.0						
	SN ON GND	10	14	14	10	10	10	8	8	7	7	6	5	4	3	3	3	2	2	2	2	3	2	2	2	3	1	1	T			
PAYETTE	SNOWFALL	T	2.3			T													T		T	2.0				0.8						
	SN ON GND	T	2	2	T	T	T														T	T	T									
PIERCE RS	SNOWFALL		12.0	5.0	1.0	0.5	0.2										0.5		4.0							10.0						
	SN ON GND	34	42	43	40	40	40	39	37	36	34	32	30	30	30	29	30	30	32	32	31	31	30	30	30	39	35	34	34			
PINE 2 SSW	SNOWFALL		8.0	4.0	8.0	3.0													4.0		0.5	1.0		1.0	T			T				
	SN ON GND	32	39	41	47	44	42	41	35	34	33	33	32	31	31	31	31	31	33	33	33	33	33	32	31	31	31	31	31			
POCATELLO WB AP	SNOWFALL		0.3	0.5	T														2.2	T		T		1.7	0.3	1.8	0.3	1.6	T			
	SN ON GND	T	T	T															1	2	1	T	T	T	1	T	2	4	3			
PORTHILL	SNOWFALL		5.0		T			7.0								1.0	1.0		1.0	T	2.0					1.0						
	SN ON GND	5	8	5	5	5	5	12	9	6	4	1				1	1	1	1		1	1	1	1	1	1	1	1				
POTLATCH	SNOWFALL	T	6.0													1.0	T		T						T	1.5						
	SN ON GND	T	4	1												1	T									1	T	T				
PRIEST RIVER EXP STATION	SNOWFALL	0.8	6.2	0.2				2.3								1.2			0.1	0.6	0.8				0.1	0.5						
	SN ON GND	19	25	25	23	23	23	24	24	21	18	14	14	14	14	15	15	15	15	16	17	17	17	17	17	17	17	17	17			
RIGGINS RS	SNOWFALL			T																						T						
	SN ON GND			T																						T						
ROLAND WEST PORTAL	SNOWFALL	T	2.3	11.8	12.5							T						T	T	5.4	5.9	T		4.6	5.1	T						
	SN ON GND	59	61	72	80	77	76	69	67	61	56	56	56	55	54	52	52	53	53	58	64	64	64	68	73	74	74	74	73			
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	SN ON GND	3	4	7	7	10	8	8	4	3	2	2	1									1			T							
SANDPOINT EXP STATION	SNOWFALL	0.5	*	*	*	6.5		0.5								T			T		1.0					T						
	SN ON GND	11	16	12	12	11	10	10	10	-	9	3	3	3	3	3	3	3	3	3	4	3	3	2	2	2	2	2	2			
SPENCER RS	SNOWFALL		1.0	T	T	T											T		1.0	T	1.0	3.0	2.0		5.0	2.0		4.0	2.0			
	SN ON GND	-	16	16	16	16	-	-	-	-	-	-	14	14	14	14	14	14	15	-	-	-	-	-	20	21	21	23	24			
STIBNITE	SNOWFALL		6.0	9.2	1.7	3.6		5.0	0.5	0.3			2.0				2.0		1.8	T		2.7	T		T	1.3	0.7	T				
	SN ON GND	37	42	48	47	50	45	50	42	42	40	38	39	38	37	36	38	37	39	39	38	41	40	39	39	40	41	40	40			
SUN VALLEY	SNOWFALL		7.0	7.0	2.0	1.0		5.0	T			T							1.0			3.0		2.0	T	T		T	T			
	SN ON GND	27	34	38	38	36	35	34	33	31	30	28	28	28	28	28	28	28	29	29	29	29	28	29	29	29	29	29	28			
THREE CREEK	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		3.0		1.0		1.0	5.0								
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	3	2	2	2	2	1			
TWIN FALLS 2 NNE	SNOWFALL		1.2	T															T			T		T	3.0	0.5	0.5	2.0				
	SN ON GND		1	T																					T		T	1	T			
WALLACE	SNOWFALL	0.5	5.0	T	T	T						T				T	0.5	T		T		T				3.0			T			
	SN ON GND	11	14	12	11	11	10	10	9	8	7	4	4	4	3	3	3	3	3	2	2	2	2	[illegible]	2	5	3	2	2			

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	8A	8A	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	8A	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM 1 SW	0282	ELMORE	2	43 20	115 30	3867	5P	5P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5320	6P	6P	JAMES W MARTIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3216	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	[illegible] STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 4 5 7
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	3 4
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	3 4
BIG CREEK	0835	VALLEY	11	45 08	115 20	5737	5P	5P	MARY A WEYMOUTH	2 3 4 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6260	5P	5P	FORT HALL IR PROJ	2 3 4 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	3 4
BOISE WB AP	1022	ADA	2	43 34	116 13	2844	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 4 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	3 4
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	409[illegible]	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 33	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	[illegible]	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	3 4
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	[illegible]	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY I RALPH	2 3 4 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	3 4
CLEMENTSVILLE 4 SE	1881	TETON	12	[illegible]	111 1[illegible]	[illegible]		MID	TETONIA EXP STATION	3 4
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	[illegible] KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	[illegible]	116 [illegible]	3600		MID	ABE FREI	3 4
COUNCIL 2 NNE	2187	ADAMS	12	44 4[illegible]	[illegible]	3150	7P	7P	JOHN W HOOVER	2 3 4 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	3 4
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 1[illegible]	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 4 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 3[illegible]	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2432	KOOTENAY	4	47 44	116 [illegible]	3000		MID	U S FOREST SERVICE	3 4
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DRIGGS	2676	TETON	12	43 44	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	51[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 [illegible]	2500	6P	6P	WAYNE E HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	[illegible]	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 [illegible]	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORNEY BLACKBIRD MINE	3289	LEMHI	11	45 07	114 21	[illegible]	6P	6P	CALERA MINING CO	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	[illegible]	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 5[illegible]	3147	4P	4P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 51	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	[illegible]	ELMORE	12	42 57	115 19	2569	7P	7P	E E STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 5[illegible]	114 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
GRACE POWER HOUSE	[illegible]	CARIBOU	12	42 35	111 44	5400	SS	[illegible]	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 4 5 7
GRAY	[illegible]	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDDETT	2 3 5 7
GROUSE	[illegible]	CUSTER	[illegible]	43 42	113 [illegible]	[illegible]	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	[illegible]	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	[illegible]	JEFFERSON	6	43 [illegible]	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	[illegible]	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	7P	8A	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 [illegible]	[illegible]	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 [illegible]	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
IDA VADA	[illegible]	OWYHEE	12	42 0[illegible]	115 09	6000		VAR	[illegible]	
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	[illegible]	7P	7P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JEROME	4670	JEROME	12	42 43	114 31	[illegible]	5P	5P	NORTH SIDE CANAL CO	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190	7A	7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING D LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T [illegible]	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	[illegible]	5P	5P	HARRY L GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 [illegible]	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 [illegible]	6100		MID	RODNEY H TOBIAS	3 4
LEWISTON	[illegible]	NEZ PERCE	12	46 25	117 02			7A	JACK MCKAY	3
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 [illegible]	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 37	[illegible]	5P	5P	U S FOREST SERVICE	2 3 4 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 4 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	[illegible]	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	44 54	116 07	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	[illegible]	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	[illegible]	8A	8A	U S FOREST SERVICE	2 3 5
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	3 4
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 W	6174	ELMORE	12	43 08	115 43	3150	6P	6P	[illegible]	2 3 4 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
NAMPA	6295	CANYON	2	43 35	116 34	[illegible]	5P	5P	C W NELSON	2 3 5
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	5P	5P	WAYNE S SHAEFFER	2 3 5 7
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	[illegible]		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT I HARDY	2 3 5 7
OBSIDIAN 4 NNE	[illegible]	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	6586	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	2 3 4 5 7
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	[illegible]	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6841	CANYON	2	43 47	116 57	[illegible]	8A	8A	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	5P	5P	U S FOREST SERVICE	2 3 4 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	[illegible]		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	3 4
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON 2 SE SUG FAC	[illegible]	FRANKLIN	1	42 05	111 52	[illegible]	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
PUTNAM MOUNTAIN	[illegible]	BINGHAM	12	[illegible]	112 03	[illegible]		VAR	[illegible]	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	[illegible]	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	[illegible]	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	F M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 [illegible]	[illegible]	MID	MID	U S WB AIRWAY OBS	2 3 4 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 4 5 7
SHOSHONE	8380	LINCOLN	12	42 56	114 24	[illegible]	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	[illegible]	CAMAS	12	43 30	114 [illegible]	[illegible]		VAR	U S FOREST SERVICE	
SPENCER RANGER STATION	[illegible]	CLARK	6	44 [illegible]	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	[illegible]	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 [illegible]	6550	7A	7A	BRADLEY MINING CO	2 3 5
STREVELL CAA AP	8786	CASSIA	12	42 01	113 13	5275	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
SUGAR	8818	MADISON	12	43 52	111 45	[illegible]	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	[illegible]	5P	5P	EDWARD F SEAGLE	2 3 4 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 2[illegible]	[illegible]	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 16	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TWIN FALLS 2 NNE	[illegible]	TWIN FALLS	12	42 [illegible]	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 [illegible]	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 [illegible]	[illegible]	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	[illegible]	WASHINGTON	12	44 15	116 [illegible]	[illegible]	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	[illegible]	2 3 5
WOLF LODGE SUMMIT	9862	KOOTENAY	4	47 43	116 30	[illegible]		MID	U S FOREST SERVICE	CLOSED 7 1[illegible]
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		MID	U S SOIL CON SER	3 4
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	3 4
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	[illegible]		VAR	U S FOREST SERVICE	S
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
[illegible] GUARD STATION	9233	ELMORE	2	43 13	115 38	3475		VAR	U S SOIL CON SER	S
VIENNA	9422	BLAINE	11	43 [illegible]	114 [illegible]	8800		VAR	U S SOIL CON SER	S
PUNGO CREEK	[illegible]	VALLEY	11	44 45	115 04	[illegible]		VAR	W EDWARD [illegible]	S
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	3 4
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 4 5
ELK CITY	2875	IDAHO	3	45 49	115 26	[illegible]	4P	4P	MRS LORA B VILAS	

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index,but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches,and wind movement in miles. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January, 1949.

Amounts in Table 4 are from recording gages. Traces are not shown.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 4, 6, 7 and the Station Index. No record in Tables 2 and 5,is indicated by no entry. When hourly precipitation is missing or accumulated for several days, only the first and last days are shown in Table 4.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
6	Station not equipped with a recording gage.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gages.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks, postal notes and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-102070 1000 4-17-51

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

CLIMATOLOGICAL DATA

IDAHO

MARCH 1951
Volume LIV No. 3

SAN FRANCISCO: 1951

IDAHO - MARCH 1951

E. H. Jones, Section Director, Boise

WEATHER SUMMARY

For the State as a whole this was the coolest March in nearly 30 years. At every station the average temperature was below the March mean, with departures of more than 5° at many points in the Northern and Southwestern Divisions. Precipitation was much lighter than a year previous yet averaged nearly 83% of the weighted mean, with a fair percentage of stations reporting precipitation totals in excess of the March mean. Snowfall, averaged for the State, was nearly double the 53-year mean and exceeded all records for March since 1917.

From the 2d to the 9th precipitation occurred daily over much of the State, and in the Panhandle Area daily precipitation continued through the 15th or 16th. Near blizzard conditions were common in the southeast portion during the first few days. The 15th was a day of widespread rains throughout the State and one of few days in the first half of the month with temperatures above normal. After the 16th, for a period of nearly two weeks, precipitation was infrequent. But near the close of the month a storm front of the cold type moved across the State, accompanied by general precipitation.

Temperatures were subnormal for much of the first three weeks. In the first week this could be accounted for by marked deficiencies in sunshine and a circulation pattern which brought air from higher latitudes of the North Pacific. During this period the principal storm track lay along, or to the north of, the 50th parallel of latitude while the Pacific Anticyclone was unusually extensive and far to the northwest of its normal position for the season. In the second week an outbreak of continental polar air, out of Canada by way of northern Idaho and western Montana, brought a marked depression of temperatures to all sections of the State. A majority of Idaho stations, particularly south of the Salmon River, recorded the month's lowest readings on the 10th or 11th. At the more elevated stations, where the snow cover was still of some depth, the readings were well below zero, and even at lower-elevation stations most temperatures were between 10° and 20°. Mild spells were infrequent and short-lived, but decidedly in contrast to the deficiencies of 10° to 20° during the colder spells of the first half of the month.

Agriculture was adversely affected by the weather during March. Cold, wet weather delayed plowing, slowed the growth of fall sown grains (which also suffered some damage from alternate freezing and thawing) and delayed shearing of sheep. Lambing, and the general condition of livestock, suffered little; but pastures and ranges were slow in starting spring growth. In general, the agricultural season was several days late and by the close of the month reports from orchard areas indicated only swelling buds with no opened blossoms. At the month's end mountain snow depths and water content were somewhat above those at the close of February, particularly in the central portion of the State. On nearly all projects prospects for irrigation water supplies were very good.

Storm damage was rather light, being confined to the effects of blowing and drifting snow throughout the State on the 4th and 5th, some property damage and bodily injuries due to high winds in Nezperce and Clearwater Counties on the 15th, and the disruption of telephone and electric services due to high winds and wet snow in southwestern counties on the 29th. At Boise a new extreme wind for March of 55 mph was recorded.

Although temperatures were fairly low, rivers and streams ran rather high for the time of year.

DJS

ACKNOWLEDGMENTS

In addition to the climatological data from some 6,000 Weather Bureau and cooperative weather stations, this bulletin series contains records from Hydroclimatic Network Stations which were formerly reproduced in the Hydrologic Bulletin Series. The Hydroclimatic Network is a nationwide net of rain gages--mostly of the recording type which produce continuous records of precipitation. It was established in 1939 at the request of the Corps of Engineers, Department of the Army, to supplement existing precipitation stations in order to provide records of rainfall intensity which were essential to the planning of flood control and related works by the Corps of Engineers. This Network, now numbering about 2,000 recording, and 1,000 non-recording rain gages, has been maintained by the Weather Bureau through working funds transferred annually to the Weather Bureau by the Corps of Engineers. These transfers averaged about $250,000 per year between 1940 and 1944, and nearly $375,000 since that date. For the years 1940-42, the Department of Agriculture transferred about $100,000 per year to provide data required in its work, and since 1947 the Bureau of Reclamation has transferred about $25,000 per year to meet the increasing needs of their program in the Western States.

Previous to the introduction of this bulletin series, data from Hydroclimatic Network stations were presented in bulletins (Hydrologic Bulletins) which were issued monthly for each of 8 drainage areas embracing the entire United States, but since the Network was established to meet the internal requirements of the Federal agencies referred to above, no provision was made for public dissemination of the data, distribution being limited to cooperating agencies and to certain public repositories. A list of locations where reference copies of the Hydrologic Bulletin Series are available for inspection may be obtained upon application to Chief,U.S. Weather Bureau,Washington 25, D.C.

Many other records published in this bulletin have been made available through the cooperation of various public offices, private agencies, and individuals as listed in the Station Index.

SUPPLEMENTAL DATA

Station	Wind direction: Prevailing	Wind direction: Percent of time from prevailing	Wind speed m p h: Average	Wind speed m p h: Fastest mile	Wind speed m p h: Direction of fastest mile	Wind speed m p h: Date of fastest mile	Relative humidity averages percent: 5:30A MST	Relative humidity averages percent: 11:30A MST	Relative humidity averages percent: 5:30P MST	Relative humidity averages percent: 11:30P MST	Number of days with precipitation: Trace	Number of days with precipitation: .01–.09	Number of days with precipitation: .10–.49	Number of days with precipitation: .50–.99	Number of days with precipitation: 1.00–1.99	Number of days with precipitation: 2.00 and over	Number of days with precipitation: Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
BOISE WB AIRPORT	SE	21	13.2	50	W	29	75	57	49	72	7	5	6	0	0	0	18	59	7.4	SEE TABLE 2.
LEWISTON WB AIRPORT	W	16	6.4	-	-	-	71	58	51	67	10	6	1	0	0	0	17	-	8.1	
POCATELLO WB AIRPORT	SW	18	9.8	52	SW	15	79	56	52	71	6	7	1	0	0	0	14	55	6.9	

Table 1

COMPARATIVE DATA

Year	Temperature: Average	Temperature: Highest	Temperature: Lowest	Precipitation: Average	Precipitation: Average snowfall	Precipitation: No of days .01 or more
1894	34.2	78	-22	2.85	-	17
1895	33.5	78	-20	1.15	-	7
1896	34.0	80	-33	1.75	-	11
1897	29.3	67	-30	3.11	-	12
1898	31.8	74	-26	1.10	-	7
1899	34.4	68	-14	1.54	11.1	9
1900	42.5	86	- 2	1.34	3.4	5
1901	36.6	72	-16	1.37	8.0	7
1902	33.8	72	-14	1.43	9.9	8
1903	34.8	79	-27	1.78	9.4	9
1904	34.5	63	-14	4.34	21.0	17
1905	41.0	76	- 1	2.20	7.3	11
1906	31.2	71	-35	2.26	13.9	10
1907	37.7	75	- 2	3.38	15.1	15
1908	35.2	78	-12	1.60	7.6	8
1909	37.4	74	-22	1.02	4.0	6
1910	43.0	81	- 2	1.18	2.2	5
1911	37.9	82	-21	.86	2.1	5
1912	33.4	78	-24	1.48	9.7	8
1913	32.8	78	-27	2.08	7.8	10
1914	39.0	75	-12	.75	3.3	5
1915	40.6	78	-13	1.09	1.1	6
1916	39.5	80	-20	2.73	11.0	10
1917	25.5	74	-34	2.03	21.4	11
1918	38.7	76	-20	1.79	4.6	8
1919	35.9	90	-18	1.92	10.0	7
1920	34.9	78	-18	2.20	8.2	10
1921	39.0	89	-10	1.71	3.3	8
1922	30.7	69	-35	1.86	11.1	10
1923	32.4	85	-22	1.00	6.6	6
1924	33.8	66	-20	.90	6.9	7
1925	38.3	78	-11	1.40	3.6	8
1926	39.4	80	-11	.58	2.0	4
1927	35.6	79	-19	1.28	4.1	8
1928	38.1	81	-27	2.76	4.0	11
1929	35.8	75	-12	1.50	4.0	8
1930	37.8	79	-28	1.38	3.0	6
1931	35.9	77	-20	2.34	6.5	11
1932	33.2	78	-27	3.14	10.5	12
1933	33.5	72	-14	1.22	4.0	7
1934	44.3	82	- 2	1.97	0.6	7
1935	34.1	78	-17	1.74	12.2	9
1936	33.0	74	-24	1.45	10.4	9
1937	35.5	74	-15	1.35	4.8	8
1938	35.5	67	-28	3.40	12.4	16
1939	36.8	82	-24	1.29	9.2	7
1940	40.0	79	-22	2.36	1.9	11
1941	39.8	81	-13	.74	1.5	5
1942	32.8	79	-24	.82	3.3	6
1943	32.0	81	-35	1.94	6.2	8
1944	32.1	73	-35	1.03	7.6	7
1945	34.6	69	-25	2.31	9.3	12
1946	38.0	77	-11	2.22	6.1	12
1947	39.9	78	-30	1.72	5.3	9
1948	32.1	72	-28	1.70	11.3	10
1949	36.8	74	-20	1.03	4.1	8
1950	34.0	80	-25	2.83	11.7	14
1951	31.5	70	-34	1.39	14.3	9
PERIOD	35.7			1.77	7.4	

Table 2

CLIMATOLOGICAL DATA

Station	Temperature: Average	Temperature: Departure from normal	Temperature: Highest	Temperature: Date	Temperature: Lowest	Temperature: Date	Temperature: Degree days	No. of days: Max 90° or above	No. of days: Min. 32° or below	Precipitation: Total	Precipitation: Departure from normal	Precipitation: Greatest day	Precipitation: Date	Snow, Sleet, Hail: Total	Snow, Sleet, Hail: Max depth on ground at obsn	Snow, Sleet, Hail: Date	No. of days: .01 or more	No. of days: .50 or more	No. of days: 1.00 or more
NORTHERN DIVISION																			
AVERY RS	35.6M	- 2.3	62	25	[illegible]	8	908	0	29	2.10	- 1.49	.43	15	17.5	10	6	15	0	0
BAYVIEW MODEL BASIN	M				4	11		0	30	1.99		.42	5	14.0	14	9	12	0	0
BONNERS FERRY	31.9	- 5.5	58	25	1	8	1020	0	27	2.65	.97	.86	[illegible]		16	9+	12	1	0
BURKE 2 NNE	27.4	- 4.4	48	25+	1	8	1158	0	31	4.11	- .72	.71	15	44.0	71	10	14	2	0
CLARK FORK 1 ENE	32.9	- 4.6	57	31	3	11	987	0	30	2.60	- .63	.63	15	21.5	10	5+	11	2	0
COEUR D ALENE CAA AP	32.2		59	25	8	5	1011	0	29	.96		.29	12	20.1	13	10	14	0	0
COEUR D ALENE RS	33.5	- 4.8	58	24+	4	7	969	0	29	2.86	.57	.57	5	21.5	15	10	16	1	0
COTTONWOOD	31.5	- 4.8	57	20	7	8+	1033	0	27	1.60	- .33	.66	4	14.4	11	4	11	1	0
FENN RS	36.3	- 6.3	60	24	15	8	882	0	27	3.71	- .31	.56	5	24.5	14	6+	13	2	0
FORNEY BLACKBIRD MINE	23.4M		49	21+	-10	10	1283	0	31	2.10		.36	7	21.5	41	9	15	0	0
GRANGEVILLE	31.9	- 5.5	54	24	11	8	1020	0	30	1.95	- .40	.69	4		9	10	14	1	0
KELLOGG	34.5	- 4.2	60	26	12	11		0	27	2.30	- .69	.68	16	13.0	7	10+	13	[illegible]	0
KOOSKIA	39.3	- 3.5	65	20	14	10	789	0	24	2.07	- .31	.69	4	11.0	8	6	10	1	0
LEWISTON WATER PLANT	42.3	- 3.2	68	24	22	3	695	0	17	.78	- .44	.45	4	T	0		8	0	0
LEWISTON WB AP	39.7		64	25	20	5	776	0	18	.66		.35	4	3.9	3	4+	7	0	0
MOSCOW U OF I	35.0	- 3.4	58	20+	14	10	923	0	25	1.21	- .95	.38	15	10.4			9	0	0
MULLAN PASS CAA	20.9	- 5.5	43	20	- 3	6	1362	0	31	3.84	.27	.59	4	36.3	120	16+	21	2	0
NEZPERCE	32.0	- 5.1	55	20	7	10	1016	0	26	1.83	.10	.92	5	20.0	16	9	6	1	0
OROFINO	42.1M	- 0.9	68	21	19	8+	705	0	25	1.38	- 1.37	.25	15	10.0	8	4	9	0	0
PIERCE RS	29.2	- 5.3	55	20	- 2	8	1104	0	31	4.49	- .27	1.15	4	42.7	55	4	18	3	1
PORTHILL	31.0	- 4.8	55	26	- 5	6	1047	0	28	1.43	.02	.61	4	23.5	15	9	6	1	0
POTLATCH	35.0M	- 3.4	60	20+	10	7	923	0											
PRIEST RIVER EXP STA	30.2	- 4.6	56	25	- 1	11	1073	0	31	3.28	.73	.58	15	35.2	40	8	14	1	0
RIGGINS RS	40.9	- 5.4	67	25	20	10+	742	0	19	1.56	.11	.47	5	4.5	1	5+	12	0	0
ROLAND W PORTAL	28.0	- 4.1	52	25	5	5+	1138	0	30	6.16	.73	1.13	10	78.3	108	10	13	5	1
SAINT MARIES	35.4M	- 4.1	66	31	10	8	911	0	31	2.62	.10	.68	15	21.8	9	6	13	1	0
SALMON	31.8	- 3.7	61	21	0	10	1023	0	30	.56	.05	.25	15		3	10	6	0	0
SANDPOINT EXP STA	31.4	- 5.8	58	31	- 2	11	1036	0	27	2.56	- .08	.65	15	23.0	23	12	11	1	0
WALLACE	32.0	- 5.6	58	25	6	8	1017	0	31	3.16	- .79	.80	15	17.0	16	10	13	1	0
WALLACE WOODLAND PARK	30.3	- 6.1	57	26	[illegible]	8		0	30	2.36	- 1.32	.70	16	25.3	18	10	17	1	0
WINCHESTER 1 SE	30.1	- 4.9	56	20	3	8+	1072	0	31	2.48	.58	.75	4				12	1	0
DIVISION	32.9	- 4.8								2.38	- .15			22.1					

See reference notes following Station Index

Station	Temperature									Precipitation									
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	No. of days		Total	Departure from normal	Greatest day	Date	Snow, Sleet, Hail			No. of days		
								Max 90° or above	Min. 32° or below					Total	Max depth on ground at obsn	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	25.0	- 5.0	57	20	-21	11	1235	0	31	2.73	- .09	.90	15	29.0	36	9+	10	2	0
ANDERSON DAM 1 SW	32.8		60	20	4	10	991	0	30	1.01		.39	[illegible]	9.9	12	4	10	0	0
ARROWROCK DAM	33.7	- 5.3	60	25	6	10+		0	30	1.76	- .17	.59	4	11.2	17	[illegible]	8	1	0
ATLANTA 1 E	26.2	- 4.6	54	20	- 6	11	1200	0	31	3.58	1.20	.61	5	56.0	59	8+	14	2	0
BLISS	36.4M	- 3.5	66	21	7	10	889	0	28	.47	- .37	.26	4	8.0	3	4	5	0	0
BOISE LUCKY PEAK DAM	39.9M		70	21+	12	11	753	0	22	1.24		.51	30		1	9	9	1	0
BOISE WB AP //	37.1	- 4.3	63	20	16	10	860	0	28	1.05	- .30	.21	4	11.9	3	30	11	0	0
BUHL	37.1	- 3.2	62	21+	14	3+	867	0	28	.56	- .12	.25	2	8.5	1	30+	4	0	0
CALDWELL	39.5	- 3.3	66	20	16	11	783	0	27	1.32	.28	.65	4	8.0	T	4+	6	1	0
CAMBRIDGE	34.7	- 3.3	60	26	4	10		0	28	1.27	- .55	.40	4	12.0			7	0	0
CASCADE 1 NW	25.5		50	21	-13	11	1218	0	31	2.15		.42	6	36.0	33	9	10	0	0
CHALLIS	30.3	- 4.4	59	21	- 4	10	1070	0	29	.34	- .05	.19	7	6.3	3	7+	4	0	0
COUNCIL 2 NNE	33.4	- 3.7	58	24	3	10	974	0	29	1.95	- .69						12		0
DEADWOOD DAM	23.8	- 3.4	57	20	-24	11	1269	0	31	4.18	.56	.74	15	48.0	72	8	15	3	0
DEER FLAT DAM	39.0	- 2.8	65	20	17	10+	800	0	26	.98	.04	.32	30	5.0	3	7	5	0	0
EDEN HUNT PROJECT	33.6M		63	21	[illegible]	10	964	0	30	.56		.28	4	1.2	3	5	5	0	0
EMMETT 2 E	39.2M	- 4.9	66	20	17	11	809	0		.98	- .22	.53	30				5	1	0
FAIRFIELD RS	22.6M		46	20+	-16	1	1308	0		E 1.26		.34	6	13.0	28	6+	4	0	0
GARDEN VALLEY RS	33.6	- 2.9	59	20+	- 3	11	966	0	30	2.54	.11	.57	4	25.0	20	4+	[illegible]	2	0
GLENNS FERRY	38.4	- 5.5	67	21	12	10	815	0	27	.43	- .26	.15	4	7.0	2	4	6	0	0
GOODING CAA AP	33.8	- 4.5	61	21	5	10	963	0	28	.92	.17	.29	30	7.6	4	4+	8	0	0
GRAND VIEW	41.0	- 2.4	68	15+	15	11	735	0	24	.60	- .12	.35	30				2	0	0
HAILEY	26.8	- 4.4	49	25	- 3	10	1177	0	31	.86	- .43	.20	4	15.5	32	7	9	0	0
HAZELTON	35.3	- 4.1	64	21	10	1	915	0	29	.41	- .59	.14	6	9.0	3	5	6	0	0
HILL CITY	23.3	- 3.8	47	20+	-16	1	1286	0	31	1.60	.35	.35	5	22.0			8	0	0
HOLLISTER	32.8M	- 4.7	63	21+	8	9+	1004	0	30	.61	- .09	.19	5	8.0			5	0	0
IDAHO CITY	29.2	- 6.0	60	24	-16	10	1103	0	31	2.41	.14	.56	4	20.0			13	1	0
JEROME	34.2	- 4.8	63	21	10	1+	946	0	31	.32	- .48	.09	6	4.9			5	0	0
KUNA 2 NNE	38.0	- 3.9	67	20	16	3+	827	0	28	.54	- .56	.16	30	7.0	T	2+	7	0	0
LOWMAN	30.9	- 3.7	60	20	-12	11	1050	0	29	2.93	.75	.54	7	31.0	40	8+	12	1	0
MC CALL	22.3	- 6.4	46	20	-16	11	1323	0	31	5.56	3.02	1.53	6		60	9	11	5	1
MERIDIAN 1 SSW	37.3	- 5.4	66	20	14	3	850	0	27	.64	- .57	.32	30	T	2	3	4	0	0
MESA	34.3		58	24	4	10	945	0	27	1.20		.41	15	7.5	3	7+	10	0	0
MOUNTAIN HOME 1 W	37.2	- 3.4	66	20	11	10	854	0	29	.46	- .55			3.0	1	5+	5	0	0
NAMPA	41.1M	- 0.8	69	23	18	10+	734	0	23	.65	- .19	.25	4	.3			4	0	0
NAMPA 2 NW	37.9		65	25	16	28		0	28	.88		.28	4	8.0	3	4	6	0	0
NEW MEADOWS RS	25.4M	- 6.7	53	26	-15	11+	1221	0	31	2.74	.67	.58	15	34.1	33	9	13	2	0
OBSIDIAN 4 NNE	20.3M	- 4.3	50	21	-23	11	1383	0	31	2.03	.63	.53	7	13.0	43	8	12	1	0
OLA	35.1		64	20+	- 1	10	920	0	31	1.67	- .66	.57	4	7.5	6	4+	11	1	0
PARMA EXP STA	36.7	- 6.2	64	21	15	11		0	30	.53	- .21	.19	4				6	0	0
PAYETTE	39.5M	- 3.0	63	20	17	10	778	0	25	.87	- .21	.30	30	5.8	T	4+	8	0	0
RICHFIELD	28.4	- 5.8	53	21	- 5	11	1124	0	31	.67	- .05	.28	4	5.4	11	6	5	0	0
SHOSHONE	32.5	- 4.5	60	21	2	10	999	0	31	.85	.07	.26	4	11.5	3	4+	10	0	0
STIBNITE	21.9		50	20+	- 8	10		0	31	3.35		.74	6	32.0	53	8	16	2	0
SUN VALLEY	21.2	- 4.4	49	25	-24	10	1351	0	31	.98	- .74	.27	5	17.0	40	6	7	0	0
SWAN FALLS PH	42.1	- 2.6	68	20+	20	10	706	0	24	.78	- .21	.45	30		T	2+	4	0	0
THREE CREEK	30.3		60	25	-11	10	1069	0	31	1.38	.18	.28	6+		11	5	8	0	0
TWIN FALLS 2 NNE	36.4	- 3.5	64	21+	14	1	880	0	29	.38	- .47	.15	6	4.0	T	5+	5	0	0
TWIN FALLS 3 SE	31.9	- 8.4	65	22+	10	1		0	31	.42	- .43	.21	6	6.0	3	6	8	0	0
WEISER	39.1	- 4.3	66	20	16	3+	797	0	28	.76	- .26	.23	31	3.5	T	5+	4	0	0
DIVISION	32.8	- 4.5								1.37	- .26			13.8					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STA	33.2	- 2.0	63	21	8	1	981	0	30	.39	- .28	.17	5	8.3	4	3+	6	0	0
ALBION	31.6	- 6.3	61	26	3	1+		0	30	.36	- .74	.16	5	11.5	10	5	5	0	0
AMERICAN FALLS 1 NW	33.3	- 2.4	59	21	6	1		0	29	.23	- 1.05	.06	31				7	0	0
ASHTON 1 S	22.8	- 5.7	49	21	-11	2+	1301	0	31	1.30	.09	.40	4	16.5	35	5	6	0	0
BLACKFOOT	34.7	- 0.2	64	21	11	1	933	0	30	.36	- .55	.24	5	5.0	3	5	3	0	0
BURLEY	35.7	- 3.3	70	22	13	1		0	28	.44	- .28	.20	5	7.0	4	6	4	0	0
BURLEY FACTORY 1 NW	33.7M	- 4.5	67	22	11	1		0	31	.22	- .60			4.5			5	0	0
BURLEY CAA AP	34.1	- 3.7	67	21	12	1+	950	0	30	.15	- .67	.08	5	3.2	2	6	5	0	0
CHILLY BARTON FLAT	20.3	- 8.4	46	20+	-23	11	1381	0	31	.64	.20	.34	5	9.0			4	0	0
CONDA	23.3	- 3.6	52	22	-12	11		0	31	1.09	- .17	.22	6	20.4			11	0	0
DRIGGS	25.1	- 1.5	53	21	-12	11		0	31	1.58	.48	.41	30				10	0	0
DUBOIS EXP STA	24.0	- 5.1	48	31	- 2	10	1261	0	31	.22	- .42	.12	7	1.5			2	0	0
DUBOIS CAA AP	26.5	- 3.4	52	31	0	1	1184	0	31	.16	- .58	.08	30	3.3	7	6+	5	0	0
FORT HALL IND AGENCY	33.1M	- 3.1	62	21	8	11	995	0	30	.24	- .57	.17	5				4	0	0
GRACE PH	26.9	- 4.2	54	21	- 8	11	1173	0	31	.69	- .43	.20	4	8.0	4	5+	11	0	0
GRAY	23.5M	- 3.9	50	21	-15	11	1283	0	31										
GROUSE	21.4		49	21	-26	10	1345	0	31	.38	- .51	.12	30	3.5			8	0	0
HAMER 4 NW	28.3	- 1.2	60	21	- 6	1	1129	0	31	.14	- .26	.08	31	3.5	4	6	[illegible]	0	0
IDAHO FALLS CAA AP	30.2	- 3.4	59	21	4	11	1075	0	30	.59	- .49	.21	4	8.6	8	5	9	0	0
IRWIN 2 S	28.3	- 2.3	58	21	- 6	11	1131	0	30	1.52	.38	.50	5	21.0	14	5	8	1	0
ISLAND PARK DAM	18.9	- 4.9	50	21+	-34	11	1423	0	31	3.45	.97	1.10	4	44.5	63	6+	10	2	1
LIFTON PUMPING STA	24.1	- 3.3	47	21	-12	11	1263	0	31	1.16	.33	.47	6	13.5	10	6+	8	0	0
MACKAY RS	26.2	- 4.7	52	21	- 7	10+	1197	0	31	.38	- .13	.12	5	5.9	4	8	7	0	0
MALAD	31.1	- 4.3	60	21	5	1+	1044	0	30	.42	- .84	.14	6	4.4	2	2+	6	0	0
MALAD CAA AP	30.1		57	21	- 3	1	1076	0	30	.37		.14	6	5.8	11	6	8	0	0
MAY RS	30.1	3.4	61	21	- 6	11	1074	0	30	.20	- .17	.10	7	4.3	2	7	6	0	0
MC CAMMON	32.2		61	21	5	10	1009	0	30	.67		.26	5	5.0	3	6+	8	0	0
MINIDOKA DAM	34.0		63	21	13	10	951	0	28	.17		.07	5	9.0	1	5	6	0	0
MONTPELIER RS	25.1M	- 3.5	53	10+	- 9	11		0	31	1.23	.00	.31	6	22.1	14	7	10	0	0
OAKLEY	35.4	- 3.4	67	21	9	1	908	0	27	.40	- .41	.19	5	4.5	2	5	5	0	0
PALISADES DAM	26.0M		55	21	-12	11	1205	0	31	1.84		.82	5				15	1	0
PAUL 1 E	34.0	- 4.3	66	22	11	1		0	31	.34	- .53	.11	4	2.5	2	6	5	0	0
POCATELLO WB AP //	33.1	- 2.8	63	21	10	1	980	0	28	.38	- .90	.14	2	5.2	5	2+	8	0	0
PRESTON SUG FACT 2 SE	33.3	- 1.0	61	21	0	12	977	0	29	1.09	- .45	.39	6	18.4	10	6	9	0	0
RIRIE	30.1		59	21	4	12	1258	0	28	E 1.54				9.0			9		
RUPERT	33.4M	- 4.9	66	22	12	1+		0	30	.41	- .37	.14	5	4.0	3	6	5	0	0
SAINT ANTHONY	24.8		51	31	-15	3	1237	0	31	1.23	.39	.47	5		14	5	11	0	0
SPENCER RS	21.6	- 3.3	47	21	-12	10	1338	0	31	1.10	- .30	.25	5	17.0			13	0	0
SPRINGFIELD	32.7	- 2.6	67	28	5	1	996	0	30	.60	- .04	.28	5	5.8			7	0	0
SUGAR	27.2M	- 2.8	52	31	- 9	3	1168	0	31	.64	- .04	.32	4	7.0	13	5	4	0	0
TETONIA EXP STA	23.3	- 3.7	51	21	-13	11	1284	0	31	1.02	.20	.53	8				8	1	0
DIVISION	28.7	- 3.5								.73	- .43			9.5					
STATE	31.5	- 4.2								1.39	- .29			14.3					

See reference notes following Station Index

Table 3

DAILY PRECIPITATION

Station		Day of month																															Total
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA				.08	.01	.17	.01									.02														.10			.39
ALBION			T			.16	.10	T			.05				.02																	.03	.36
ALPHA 1 NE				.07	.70		.35	.04	.11	.06						.90							.01					T		.01	.48		2.73
AMERICAN FALLS 1 NW				.03	.02	.03	T			T				.02		.05						T									.02	.06	.23
ANDERSON DAM 1 SW			.07		.39	.17	.02	T	T	T				.04		.13	.04					.03								T	.11	.01	1.01
ARROWROCK DAM			T		.59	.33	T	.16	.03	.03	T			.06			.19	T													.37	T	1.76
ASHTON 1 S				.21	.40	.32			.07	.05				T		.25							T								T	T	1.30
ATLANTA 1 E			.10	.09	.31	1.61	.09	2.60	.37	.23				.09		.40	.12	T				T	.04								.44	.09	6.58
AVERY RS				.04	.10	.15	.13	.03		.32	•	.12		.37	T	.43	.15					.07	.10							.01	.08		2.10
BANCROFT	R		.02	.03	.09	.02	.10	.02								.08							.07							.13	.01		.57
BAYVIEW MODEL BASIN				.05	.12	.42	.20	.12	.02	.21	.13		.01	.21	T	.38							.10							.02	T		1.99
BENTON DAM	R			.21	.36	.30	.24	.23	.58	.07	.04	.01	.45			.66						.10	.14					.13	.06				3.58
BLACKFOOT				T		.24										T															•	.12	.36
BLISS			.04		.26	.02	.05									T	T													T	.10	T	.47
BOISE LUCKY PEAK DAM			.04		•	.42		.10		.09						.03	.02														.51	.03	1.24
BOISE LUCKY PEAK DAM	R	.02	.04	.05	.41		.10	.02	.01	.08						.09														•	.47		1.29
BOISE WB AP	R	.03	.02	.04	.21	.13	.08	.01	T	.16				T		.10	T	T				T	T			T				.16	.11		1.08
BONNERS FERRY				.01	.86	.12	.13	.12	.45	.04	.03		.35	.04		.45						T	.05				T						2.65
BONNERS FERRY	R			•	.73	.06	.12	.11	.43		.01		.30			.39						.04					.01						2.20
BRIDGE	R		.04		.07	.05										.03														.19	.08		.46
BUHL			.25			.06	.07	T		T						T	T														.18	T	.56
BURKE 2 NNE		T		.07	.53	.30	.22	.22	T	.46	.42	.05	T	.39	T	.71	.24	T				.09	.19	T			T	T			.22	T	4.11
BURLEY					.06	.20	.11																									.07	.44
BURLEY FACTORY 1 NW					•	.10	.08							T	.03																	.01	.22
BURLEY CAA AP			.01	T	T	.08	.02	T		T				.02		T							T							T	.02	T	.15
BURLEY CAA AP	R		.01		.05	.08	.03							.02																	.01		.20
CALDWELL			T		.65		.10	.24	T	.05						.01														T	.27		1.32
CAMBRIDGE					.40	.04	.19	.04	.05			.30				.25													T				1.27
CASCADE 1 NW				.02	.31	.27	.42	.11	.09	.18				.07		.38	T	T					T							T	.30	T	2.15
CENTERVILLE ARBAUGH				T	.79	.21	.35	.47	.24	.15			T	.06		.51	.13	T					.06				T	T		.01	.56	.03	3.57
CHALLIS			T			.09		.19	.04	.02						T							T					T			T		.34
CHILLY BARTON FLAT						.34		.10	.10	.10																							.64
CLARK FORK 1 ENE				.08	.17	.50	.10	.11	.02	.26	.17		T	.26	T	.63							.30							T			2.60
CLARK FORK 1 ENE	R			.10	.40	.24	.16	.07	.19	.13	.11		.12	.11		.64						.06	.15										2.48
CLARKIA RS	R		.02	.21	.51	.06	.11	.12	•	.29	.19	.05	.25	.11	.03	.89	.04					.07	.21							.17	.06		3.39
COEUR D ALENE CAA AP				.11	.01	.02	.09	.01	.06	.01	.01	T	.29	.01	T	.18						.01	.02							.13	T		.98
COEUR D ALENE CAA AP	R			.19	.02	.10	.06	.03	.13	.01	.01		•	.30		.18						.01	.02							.13			1.19
COEUR D ALENE RS				.04	.31	.57	.22	.26	.13	.21	.19	.02	.06	.20		.47	.02						.03	T						.08	.05		2.86
CONDA			.05	.10	.11	.11	.22	.12		.13							.05					.15	.02			T	.03				T		1.09
COTTONWOOD				.08	.66	.11	.02	T		.08				.13		.15	.04						.04					T			.28	.01	1.60
COUNCIL 2 NNE				.01	.40	.04	.29	.09	.16	.12				•	•	.54														.06	.24		1.95
COUNCIL 2 NNE	R			.13	.30	.03	.20	.08	.15	.11			.03	.12		.45														.30	.15		2.05
CRAIGMONT	R		.02	.03	.78	.02	.04	.03	.09	.01	.01		.03	.04		.11						.03						.02			.05		1.31
CROUCH 2 NNW					1.16	.19	.16	.37	.25	.12						.64															.25		3.14
DEADWOOD DAM			T	.04	.70	.29	.67	.47	.30	.33	T		T	.18		.74	.07	.03					.07				.03	T		T	.25	.01	4.18
DEADWOOD DAM	R			.10	.74	-	-	.28	.31	.31	.02		.03	.12		.87	.03	.03				.04	.05			.03	.01			.05	.25	.02	-
DEER FLAT DAM					.20	T	.10	.30		.06																					.32		.98
DRIGGS				T	.28	.31	.12	.06	.01	.07				.05			.26						.01								.41		1.58
DUBOIS EXP STA				T				.12						T																	.10		.22
DUBOIS CAA AP			T	T	T	.02	.02	T	T	T				.02	T	T	T						T				T				.08	.02	.16
DUBOIS CAA AP	R					.05	.05							.05								.02									.13	.05	.35
EDEN HUNT PROJECT			T		.28	.05	.06	T								T														T	.10	.07	.56
EMMETT 2 E					.06		.20	T	.07							.12	T													T	.53		.98
FAIRFIELD RS			T		.28	.15	.34	T	T							.27	T														.22		1.26
FENN RS					.48	.56	.17	.15		.38				.50		.27	.15					.11	.42				.06	.22			.24		3.71
FORNEY BLACKBIRD MINE			.03	.06	.16	.32	[illegible]	.36	.05	.32	T			.01	T	.10	.25			T			.05				T	.04			.06	.07	2.10
FORT HALL IND AGENCY					T	.17										.02												T			.02	.03	.24
GARDEN VALLEY RS					.57	.09	.14	.45	.23	.03				.12		.41							T								.50		2.54
GLENNS FERRY			.08		.15	T	.03									T	.06													.01	.10		.43
GOODING CAA AP			.02	.09	.22	.07	.09			T				T		.09						T	T							T	.29	.05	.92
GOODING CAA AP	R		.05	.06	.17	.13	.07									.10														.02	.19	.07	.86
GRACE PH				.01	.20	.15	.14	.04		.02							.01	.01					.05			.01					.05		.69
GRAND VIEW			.25			T	T			T																					.35		.60
GRANGEVILLE	6		.04	T	.69	.02	.07	.06		.14			T	.08		.13	.01					.01	.07			T		.02		.20	.41	T	1.95
GRAY					.36	.19	T	T		-						.13							T				T				T	T	-
GROUSE			.05		.05			.07	T	.01							.02						.02								.12	.04	.38
HAILEY			.02		.20	.03	.16	.09	.08							.09							.04								.15		.86
HAMER 4 NW			T		T	.03	.02							.01																	T	.08	.14
HAZELTON			.02		.10	.10	.14	T		T							T														.04	.01	.41
HILL CITY			.25		.18	.35	.14	.12	T							.23	.05														.28	T	1.60
HOLLISTER						.19	.15	T						.09																T	.13	.05	.61
HOWE						.19	T	T	T														T								T	.28	.47
IDAHO CITY					.56	.16	.02	.26	.19	.17				.07		.25	.06	.02					.20					.02			.43		2.41
IDAHO CITY 13 SW		T	T	T	1.24	.28	.14	.09	.22				T	.06		.44	.03	T	T			T	.01				T	T		.05	.19	T	2.75
IDAHO FALLS CAA AP			.02	.07	.21	.08	T	.01	.04	T				T	T	.05	T	T				T	T				.04	T			.07	T	.59
IDAHO FALLS CAA AP	R		.03	.05	.26	.17		.01	.05							.09							.01				.04				.11	.04	.86
IRWIN 2 S			T	T	.38	.50		.11	T	T	.06					.12	.13						.07				.15				T		1.52
ISLAND PARK DAM					1.10	.87	.08		.30					.04	T	.32	.33			T			.30				T				.03	.08	3.45
JEROME			T		.08		.09	T		T				T		.01														T	.06	.08	.32
KAMIAH 1 NE					T	.73		.09		.32	T		T	.16		.07	.16	T					.10				.04				.06		1.73
KELLOGG					.15	.08	.19	.12		.19	.32	.08		.26	T	.03	.68						.06	.05							.09		2.30
KOOSKIA			T		.69	T	.20	T		.39	T		T	.21		.17	T					.03	.17					.04		T	.14	.03	2.07
KUNA 2 NNE			.04		.12	.04	.06	.04		.08						T	T					T									.16		.54
LEADORE	R				.02	.13	.04	.21	.04	.07		-	-	-	-	-	-	-	-				.09					.03			.15	.03	-
LEWISTON WATER PLANT				.02	.45	.02	.02	T		.04			.09	.06		.08														T			.78
LEWISTON WB AP	6		T	T	.35	T	.04	T	.05	T	.02		.08	T		.07	T					T						T		.05	T		.86
LIFTON PUMPING STA			T		.10	.21	.47	.13			T						.07	T					.14	.01							T	.03	1.16
LOWMAN					.32	.24	.23	.54	.23	.29				.17		.26	.13	.03									.08				.41		2.93
MACKAY RS					.03	.12	.03	.04	.11	.02				.03									T								T	T	.38
MACKAY RS	R			.02	.05	.21			.14	.05				.05																			.52
MALAD			T		.04	.07	.14			.12																		.04			.01	T	.42
MALAD	R		.05	•	.14	.08	.16		.07																			.04			.01		.55
MALAD CAA AP	6	T	.06	T	.07	.03	.14	T		.02						.01	T						.02					T			.02	T	.37
MAY RS						.05		.10	.01	.01						.02	T											T			.01		.20
MC CALL				.25	.90	.69	1.53	.07		.70				.22		.60	.15										.03				.42		5.56
MC CAMMON			.03	.04		.26	.11	.02		T	T					T		.11	T				T				T	.03			.07	T	.67
MERIDIAN 1 SSW			T		T		.15	.09		.08						T															.32		.64
MESA				.06	.14		.12	.07	.12	.06				.08		.41	T													.05	.09		1.20
MINIDOKA DAM			T	.01	.02	.07	T							.03		T															.02	.02	.17
MONTPELIER RS			•	•	.18	.27	.31	.30	T								T	.03	.02				.08	.04							T		1.23
MOSCOW U OF I			T	.23	.18	.03	T			T		.06	.05	.16		.38							.04							.08	T		1.21
MOUNTAIN HOME 1 W				•	.24	.05	T	T		T				T		T	T					T								T	.15	.02	.46
MOUNTAIN HOME 1 W	R		.06	.02	.16	.05																								.06	.09	.02	.46
MULLAN PASS CAA			.03	.23	.59	.55	.43	.23	.29	.24	.26	.03	.09	.09	.01	.27	.22	T			T	.10	.09	T			.01	T		.03	.04	.01	3.84
MULLAN PASS CAA	R		.03	.23	.59	.55	.43	.23	.27	.24	.31		.08	.10	.01	.25	.24					.10	.10							.03	.04	.01	3.84
NAMPA			.10	T	.25	T	T	.10								T															.20		.65
NAMPA 2 NW			.03		.28	.06		.23		.10						T	T														.18		.88
NEW MEADOWS RS				.18	.55	.17	.41		.09	.33			.01	.09		.58							.03				.03			.06	.21		2.74
NEZPERCE			T	T	T	.92			T	.39		T	.08			.18	T						.08					T		T	.18		1.83
OAKLEY			.04			.19	.05			T				.06			T														.06		.40
OBSIDIAN 4 NNE			T		.10	.25	.10	.53	.13	.01				.10		.30	.07						.10								.33	.01	2.03
OLA				.01	.57	.09	.24	.04	.04	.05				.12		.15	.01													T	.35		1.67
OLA	R		-	-		-		-	-	-	-	-		-	-															.35	.24		-
OROFINO				T	.24	T	.20	.05		.15	T			.13	T	.25	T	T					.15	T				T		.07	.14	T	1.38
PALISADES DAM		.05			.18	.82	.03	.08	.03		.03			.02		.12	.22	T					.06	T			.09	.06			.01	.04	1.84
PARMA EXP STA					.19	T		.10	.08	.04						T	.04														.08		.53
PAUL 1 E					.11	.09	.09							T	.02																.03		.34
PAYETTE					.15	.02	T	.11	.18	.02				.05		.04														T	.30		.87
PIERCE RS			.01	.20	1.15	.35	.15	.17	T	.36	.07	.04	.09	.54		.51	.20					T	.35	.05				.08		.03	.14		4.49
PINE 2 SSW		T	T		.53	.39	.18	.19	.16	.10				T		.38	.05					.05	T								.15	.02	2.20
PLUMMER 3 WSW	R			.24	.18	.05	.22	[illegible]	.01	•	.12	.08	.31			.60						.04	.03							.10			2.07
POCATELLO WB AP	R		.14	.04	.01	.06	T	T		T				.01		.04	T					T						T			.06	.02	.38
PORTHILL					.61	.03	T	T	T	.35			.08	.13		.23							T										1.43
POTLATCH				.20	.27	.04	.03	.14			.03		.05	.21		-						.02	T							.12			-
PRESTON SUG FACT 2 SE			.01		.37	.06	.39	.19			.03						T	T	.01				T				.01	.02					1.09
PRIEST RIVER EXP STA				.10	.34	[illegible]	.13	25	.20	.31	T	T	.35	.21	.01	.58							.21							.01	.14		3.28
RICHFIELD			T		.28		.11									T	.07														.13	.08	.67
RIGGINS RS			.02	T	.02	.47	.06	.20	T	.28				.07		.20	T						.03				T	.03			.11	.07	1.56
RIRIE			E .05	•	•	1.14E	.05E	.10	T	E .05				E .10			T					T									E .05		E 1.54
ROLAND W PORTAL				.03	.76	.16	.29	.34	.83	.47	1.13		T	.26	T	.85	.24	T				T	.50	.30			T						6.16
RUPERT					.08	.14	.10								.02																	.07	.41
SAINT ANTHONY				.09	.30	.47	.03	T	.10	T				.05	T	.05	.02										.03				.03	.06	1.23
SAINT MARIES				.19	.41	.10	.25	.08		.17	.18	.02	.06	.36	T	.68	T					T	.07	T						.05			2.62
SALMON	6					.05	.04	.12	.04	.06						.25							T				T						.56
SANDPOINT EXP STA				.09	.37		.12	.23	.26	.21	T		.15	.18		.65							.23							T	.07		2.56
SANDPOINT EXP STA	R			.24	.59		.09	06	.15				.46	.03		.65						.06	.09							.07	.03		2.52
SHOSHONE			.01		.26	.03	.12			T				T		.01	.05													.02	.25	.10	.85
SPENCER RS				.07	.06	.25	.15	.12	.01	.04	.08			T	.03	.05	.05						T								.11	.08	1.10
SPRINGFIELD				.03	.05	.28	T	T	.02	T						.06															.12	.04	.60
STIBNITE			T	.06	.46	.18	.74	.05	.45	.04	T		.13	T	.18	.56	.07	T				.10	.02			.14	.04	T		.13	T		3.35

See reference notes following Station Index

DAILY PRECIPITATION

Table 3–Continued

Station	Day of month																															Total
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SUGAR		T		.32	.22	T		T	T					T	T						T					T				.05	.05	.64
SUN VALLEY		T	T	11	27	.11	.10	.15	T						T	.15					T	T								.09		.98
SUN VALLEY //R				.24	.14	.21	.02	.12							*	.15						.07								.07		1.02
SWAN FALLS PH		.08		.11	T	.14			T																				T	.45		.78
TETONIA EXP STA			.08	.12	T		T	.53					.08		.06	.05						.06					T			.04		1.02
THREE CREEK	T	.10	T	*	.25	.28	T		.16				.06				T												T	.25	.28	1.38
TWIN FALLS 2 NNE		.01			.04	.15	T		T				T		T	T										T				.12	.06	.38
TWIN FALLS 3 SE		.04	.01	.01	.03	.21	T			T			.01																	.04	.07	.42
WALLACE			.08	.37	.20	.12	.09	.25	.31	.21		T	.29	T	.80	T					.04	.30				T			T	.10		3.16
WALLACE WOODLAND PARK			.01	.19	.15	.16	.09	.01	.17	.15	.25		.11	.10	.02	.70				T		.10	.08							.05	.02	2.36
WALLACE WOODLAND PARK R			.07	.29	.11	.10	.09	.15	.18	.20	.05	.12	.11		.86	.04					.08	.09							.04	.09		2.67
WEISER			.23		T	T	T	.22							.08														T	.23		.76
WINCHESTER 1 SE		.02	.29	.75	.43	.10			.35				.07		.13	.05						.11					.09			.09		2.48

HOURLY PRECIPITATION

Table 4

Station	A. M. Hour ending												P. M. Hour ending												Total
	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
—1st—																									
BOISE LUCKY PEAK DAM																					.02				.02
BOISE WB AIRPORT																						.02	.01		.03
—2d—																									
BANCROFT					.01	.01																			.02
BOISE LUCKY PEAK DAM	.01	.01										.01	.01												.04
BOISE WB AIRPORT										.01	.01														.02
BRIDGE						.01	.01				.01	.01													.04
BURLEY CAA AIRPORT										.01															.01
CLARKIA RANGER STATION																							.01	.01	.02
CRAIGMONT									.01	.01															.02
GOODING CAA AIRPORT				.01	.02	.01	.01																		.05
IDAHO FALLS CAA AIRPORT							.01	.01	.01																.03
MALAD	.02	.02	.01																						.05
MALAD CAA AIRPORT 6	*	*	*	*	*	.05	*	*	*	*	*	.01													-
MOUNTAIN HOME 1 W			.01	.02		.02						.01													.06
MULLAN PASS CAA																		*	*	*	*	*	.02	.01	.03
OLA																		-	-	-	-	-	-	-	-
POCATELLO WB AIRPORT																		.02	.02	.01		.04	.03	.02	.14
—3d—																									
BANCROFT																						.01	.01	.01	.03
BENTON DAM											.02	.01	.01	.01	.01	.01	.01	.02	.03	.03	.02	.01	.01	.01	.21
BOISE LUCKY PEAK DAM																							.03	.02	.05
BOISE WB AIRPORT																							.02	.02	.04
BONNERS FERRY															*	*	*	*	*	*	*	*	*	*	*
CLARK FORK 1 ENE																.01	.03	.02	01	.01	.01	.01			.10
CLARKIA RANGER STATION											.01	.01	.01	.02	.01	.01	02	.02	.01	.03	.02		.02	.02	.21
COEUR D ALENE CAA AP											.02	.02	.01	.04	.01	.01	.01	.01	.01	.01	.01	.01	.01	.01	.19
COUNCIL 2 NNE																.01	.01	.01	.01	.01	.01	.01	.01	.05	.13
CRAIGMONT																	.01		.01	.01					.03
DEADWOOD DAM																.01	.01	.01		.01	.01	.01	.02	.02	.10
GOODING CAA AIRPORT																					.01	.02	.02	.01	.06
IDAHO FALLS CAA AIRPORT												.01									.01	.01	.02		.05
MACKAY RANGER STATION																					.01		.01		.02
MALAD																					*	*	*	*	*
MOUNTAIN HOME 1 W																							.01	.01	.02
MULLAN PASS CAA /	*	*	*	*	.02	*	*	*	*	*	.03	*	*	*	*	*	.07	*	*	*	*	*	.08	.03	.23
PLUMMER 3 WSW												.01	.02	.01	.01	.02	.04	.02	.03	.01	.02	.03		.02	.24
POCATELLO WB AIRPORT					.01	.01		.01	.01																.04
SANDPOINT EXP STATION											.02					.01		.03	.03	.03	.03	.04	.04	.01	.24
WALLACE WOODLAND PARK								.01				.01		.01		.01						.01	.01	.01	.07
—4th—																									
BANCROFT	.01		.01	.01	.01	.01		.01								.01			.01	.01					.09
BENTON DAM	.01	.01	.01	.02	.02	.04	.03	.01	.01	.01	.01	.02	.01							.01	.04	.07	.02	.01	.36
BOISE LUCKY PEAK DAM	04	.06	.31																						.41
BOISE WB AIRPORT	.02	.02	.04	.04	.02	.01	.02	.02														.02			.21
BONNERS FERRY		*	*	*	*	*	*	*	*	.51	.03	.01	.01	.04	.06	.02	.02	.01						.02	.73
BRIDGE			.01			.01	.01														.02		.01	.01	.07
BURLEY CAA AIRPORT		.01	.01	.01	.01	.01																			.05
CLARK FORK 1 ENE	.01	.01	.02	.01	.01	.01	01	.01			.01	.02	.01					.01	.01	.03	.04	.03	.05	.10	.40
CLARKIA RANGER STATION	.01	.04	.04	.03	.02	.02	.02			.02	.01	.02	.02	.02	.06	.08	.04	.01	.04	.01					.51
COEUR D ALENE CAA AP	.01	.01																							.02
COUNCIL 2 NNE	.04	.01	.04	.01	.02	.02	.01	.02	.03	.01	.01	.02	.01										.05		.30
CRAIGMONT	.01							.01	.08	.09	.07	.09	.03	.08	.09	.04	.11	.01	.05	.01		.01			.78
DEADWOOD DAM	.02	.04	.02	.01	.01	.01	.02	.02	.05	.03	.03	.04	.05	.06	.07	.05	.03	.05	.04	.03	.02	.01	.02	.01	.74
GOODING CAA AIRPORT //		.03	.04	.04	.03		.02		.01																.17
IDAHO FALLS CAA AIRPORT	.01	.01									.01	.01	.01	.01			.08	.06	.03	.01	.01	.01			.26
LEADORE																					.01			.01	.02
LEWISTON WB AP 6						*	*	*	*	*	.06	*	*	*	*	*	.22	*	*	*	*	*	.07		-
MACKAY RANGER STATION			.01											.01		.01			.01				.01		.05
MALAD	*	*	*	*	*	*	*	*	.14																.14
MALAD CAA AIRPORT 6	*	*	*	*	*	.05	*	*	*	*	*	.02													-
MOUNTAIN HOME 1 W	.01	.01	.02	.04	.02	.01		.02							.03										.16
MULLAN PASS CAA	*	*	*	*	.04	*	*	*	*	*	.27	*	*	*	*	*	.13	*	*	*	*	*	.13	.02	.59
PLUMMER 3 WSW	.01	.02	.04	.03	.08																				.18
POCATELLO WB AIRPORT					.01																				.01
SANDPOINT EXP STATION	.03	.04	.08	.05	03	.13	.07	.05	.01	.02		.03	.01		.01	.03									.59
SUN VALLEY										.03	.02	.02	.03	.01	.01	.01		.01		.04		.01	.01	.04	.24
WALLACE WOODLAND PARK	.01	.01			.01	.01		.01	.08	.01	.01	.04	.01	.01	.01		.01	.01	.01	.01			.02	.01	.29
—5th—																									
BENTON DAM				.02	.05	.03	.02		.01	.01	.01	.04	.01	.01	.01	.01	.01	.01	.01	.01	.01	.01	.01		.30
BOISE WB AIRPORT	.08	.03	.02																						.13
BONNERS FERRY	.02								.01	.02	.01														.06
BRIDGE		.01	.01		.01					.01			.01												.05
BURLEY CAA AIRPORT				.01	.01					.01	.01									.01		.01	.01	.01	.08
CLARK FORK 1 ENE	.09	.01	.03	.01	.01	.02	.01					.01	.01	.01	.01	.01	.01								.24
CLARKIA RANGER STATION										.01		.01	.02	.01		.01									.06
COEUR D ALENE CAA AP					.01			.01					.01	.02	.01	.02	.01			.01					.10
COUNCIL 2 NNE																			.01	.01			.01		.03
BANCROFT						.01	.01																		.02

See reference notes following Station Index

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
CRAIGMONT		.02																								.02
DEADWOOD DAM		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DUBOIS CAA AIRPORT				.04	.01																					.05
GOODING CAA AIRPORT					.01	.06	.03																.01	.01	.01	.13
IDAHO FALLS CAA AIRPORT		.02	.01	.11	.01	.02																				.17
LEADORE		.07	.02			.03	.01																			.13
MACKAY RANGER STATION		.03	.05	.02		.02	.01						.01	.01		.01	.01	.01		.01	.01	.01				.21
MALAD			.01		.01			.05																	.01	.08
MALAD CAA AIRPORT	6							*	*	*	*	*	.02							*	*	*	*	*	.01	-
MOUNTAIN HOME 1 W			.01	.01	.01	.01	.01																			.05
MULLAN PASS CAA		*	*	*	*	.03	*	*	*	*	*	.11	*	*	*	*	*	.36	*	*	*	*	*	.04	.01	.55
PLUMMER 3 WSW																		.05								.05
POCATELLO WB AIRPORT					.01	.01	.02	.02																		.06
SALMON	6	*	*	*	*	*	.03	*	*	*	*	*	.02													-
SUN VALLEY		.09	.05																							.14
WALLACE WOODLAND PARK		.01	.01							.01	.01	.01	.01	.01	.01	.02	.01									.11
—6th—																										
BANCROFT			.01			.01	.01			.02			.02	.01				.01	.01							.10
BENTON DAM								.02	.02	.01	.02	.02	.01	.01	.01	.01		.01	.04	.03	.02	.01				.24
BOISE LUCKY PEAK DAM																		.04		.05					.01	.10
BOISE WB AIRPORT																		.01	.06	.01						.08
BONNERS FERRY									*	*	*	*	*	*	*	*	.12									.12
BURLEY CAA AIRPORT		.02		.01																						.03
CLARK FORK 1 ENE		.01		.01		.01	.01	.01						.01	.03				.01	.04	.01				.01	.16
CLARKIA RANGER STATION						.01	.01	.02				.02	.03		.01	.01										.11
COEUR D ALENE CAA AP		.01		.01			.01			.01									.02							.06
COUNCIL 2 NNE		.01	.01	.01								.01		.02	.08	.02	.01	.01	.01						.01	.20
CRAIGMONT												.02				.01				.01						.04
DEADWOOD DAM		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		.01	.05	.07	.07		-
DUBOIS CAA AIRPORT					.01	.02					.01			.01												.05
GOODING CAA AIRPORT			.02	.01	.02				.01	.01																.07
LEADORE																							.03	.01		.04
LEWISTON WB AP	6						*	*	*	*	*	.01	*	*	*	*	*	.03								-
MALAD		.02	.02		.03			.03	.02	.02	.01	.01														.16
MALAD CAA AIRPORT	6	*	*	*	*	*	.06	*	*	*	*	*	.08													-
MULLAN PASS CAA		*	*	*	*	.05	*	*	*	*	*	.06	*	*	*	*	*	.30	*	*	*	*	*	.02		.43
PLUMMER 3 WSW		.01	.03	.01		.01		.04					.02					.02	.07	.01						.22
SALMON	6																			*	*	*	*	*	.04	-
SANDPOINT EXP STATION																			.01	.07			.01			.09
SUN VALLEY	//			.02	.03							.02	.03			.01	.01	.02	.01	.04	.01				.01	.21
WALLACE WOODLAND PARK		.01	.01	.01					.01	.01			.01	.01	.01	.01	.01									.10
—7th—																										
BANCROFT	//							.01	.01																	.02
BENTON DAM								.06	.05	.04	.01	.02	.02	.01		.01					.01					.23
BOISE LUCKY PEAK DAM		.01		.01																						.02
BOISE WB AIRPORT	//		.01																							.01
BONNERS FERRY										.01	.04	*	.06													.11
CLARK FORK 1 ENE					.01	.01	.01	.01		.01	.01	.01														.07
CLARKIA RANGER STATION				.01	.02	.01	.02			.01	.03	.02														.12
COEUR D ALENE CAA AP						.01	.01	.01																		.03
COUNCIL 2 NNE		.01	.01		.01	.04	.01																			.08
CRAIGMONT				.01	.02																					.03
DEADWOOD DAM		.04	.09	.02	.05		.03	.02	.02																.01	.28
IDAHO FALLS CAA AIRPORT		.01																								.01
LEADORE					.01	.07	.08			.01	.03	.01														.21
MULLAN PASS CAA		*	*	*	*	.03	*	*	*	*	*	.18	*	*	*	*	*	.02								.23
PLUMMER 3 WSW			.02	.03		.04																				.09
SALMON	6	*	*	*	*	*	.02	*	*	*	*	*	.10													-
SANDPOINT EXP STATION											.02	.02	.02													.06
SUN VALLEY			.01	.01																						.02
WALLACE WOODLAND PARK		.01	.01	.01		.01	.01		.01	.01	.01			.01												.09
—8th—																										
BENTON DAM								.01	.01	.01	.01	.01			.02	.04	.03	.07	.05	.02	.14	.06	.03	.03	.04	.58
BOISE LUCKY PEAK DAM																	.01									.01
BONNERS FERRY															*	*	*	*	*	*	*	*	.42		.01	.43
CLARK FORK 1 ENE																	.01	.01	.01	.02	.03	.05	.01	.01	.04	.19
CLARKIA RANGER STATION												.01	.01			.01				.01	.04	.06	*	*	*	*
COEUR D ALENE CAA AP																	.01	.01	.01	.01	.06	.01	.01	.01		.13
COUNCIL 2 NNE									.03	.01	.01	.02	.02	.01	.02	.02	.01									.15
CRAIGMONT																				.01	.01	.04	.02	.01		.09
DEADWOOD DAM			.01	.01		.01	.01	.01	.03	.01	.02	.03	.01	.03	.02	.04	.01	.02						.03	.01	.31
IDAHO FALLS CAA AIRPORT				.01	.01	.01	.01	.01																		.05
LEADORE				.01					.01								.01					.01				.04
LEWISTON WB AP	6																		*	*	*	*	*	.05		-
MACKAY RANGER STATION					.01	.02	.02	.02		.01	.01		.01		.01	.01	.01			.01						.14
MALAD																								.01	.06	.07
MULLAN PASS CAA							*	*	*	*	*	.04	*	*	*	*	*	.02	*	*	*	*	*	.21	.02	.27
PLUMMER 3 WSW									.01																	.01
SALMON	6							*	*	*	*	*	.04													
SANDPOINT EXP STATION																.01	.01	.01	.01	.02	.05	.02	.01	.01		.15
SUN VALLEY					.01	.01		.01		.01	.02	.02	.01	.01	.01	.01										.12
WALLACE WOODLAND PARK																				.01	.01	.02	.03	.06	.02	.15
—9th—																										
BENTON DAM					.01	.01	.01	.02	.01									.01								.07
BOISE LUCKY PEAK DAM							.01	.01		.01	.04		.01													.08
BOISE WB AIRPORT						.02	.02	.03	.04	.05																.16
CLARK FORK 1 ENE		.01		.01	.01	.02	.01								.01	.01				.02	.02	.01				.13
CLARKIA RANGER STATION		*	*	*	*	*	*	*	*	*	*	.12	.02	.01												.29
COEUR D ALENE CAA AP																			.01							.01
COUNCIL 2 NNE				.07	.04																					.11
CRAIGMONT				.01																						.01
DEADWOOD DAM		.02	.02	.09	.05	.03	.03	.02	.03	.02																.31
LEADORE											.02	.01	.01	.03												.07
MACKAY RANGER STATION												.01	.01	.01	.02											.05
MALAD CAA AIRPORT	6																			*	*	*	*	*	.02	-
MULLAN PASS CAA		*	*	*	*	.04	*	*	*	*	*	.08	*	*	*	*	*	.03	*	*	*	*	*	.07	.02	.24
PLUMMER 3 WSW										.01		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
SALMON	6							*	*	*	*	*	.06													
WALLACE WOODLAND PARK		.03				.01							.01			.01		.01		.02		.06	.01	.01	.01	.18
—10th—																										
BENTON DAM				.01								.01	.01					.01								.04
BONNERS FERRY				.01																						.01
CLARK FORK 1 ENE								.01	.01	.02	.01	.02	.01	.01	.01		.01									.11
CLARKIA RANGER STATION				.03			.01			.01		.02	.01	.07	.03	.01										.19

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
COEUR D ALENE CAA AP								.01																		.01
CRAIGMONT	//												.01													.01
DEADWOOD DAM	//								.01	.01																.02
LEWISTON WB AP	6												*	*	*	*	*	.02								-
MULLAN PASS CAA	//	*	*	*	*	.10	*	*	*	*	*	.10	*	*	*	*	*	.03	*	*	*	*	*	.03	.03	.31
PLUMMER 3 WSW		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.11						.12
WALLACE WOODLAND PARK			.01		.04	.01				.02	.02		.01	.01			.02	.02	.01	.02	.01					.20
—11th—																										
BENTON DAM																									.01	.01
CLARKIA RANGER STATION										.01	.02		.01	.01												.05
LEADORE												-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLUMMER 3 WSW		.01	.05									.01				.01										.08
WALLACE WOODLAND PARK		.01				.01				.01		.01	.01													.05
—12th—																										
BENTON DAM		.01	.01	.01	.01	.01						.01	.01	.01	.03	.03	.04	.10	.01	.04	.02	.07	.03			.45
BONNERS FERRY						.01			.01							.01	.02	.04	.05	*	*	*	*	*	.16	.30
CLARK FORK 1 ENE																			.01		.01	.01	.03	.03	.03	.12
CLARKIA RANGER STATION	//										.01	.01						.02	.05	.01	.01	.01	.05	.07	.01	.25
COEUR D ALENE CAA AP				*	*	.01							*	*	*	*	*	.04	*	*	*	*	*	.21	*	*
COUNCIL 2 NNE																			.01			.01	.01			.03
CRAIGMONT	//																				.01	.02				.03
DEADWOOD DAM	//																						.01		.02	.03
LEWISTON WB AP	6																		*	*	*	*	*	.08		-
MULLAN PASS CAA	//	*	*	*	*	.02	*						*	*	*	*	*	.02	*	*	*	*	*	.04	.01	.08
PLUMMER 3 WSW				.01														.02	.03	.01	.04	.07	.08	.01	.04	.31
SANDPOINT EXP STATION					.01	.02	.02		.02						.03	.02	.04	.06	.04	.04	.02	.05	.05	.02	.02	.46
WALLACE WOODLAND PARK																				.01	.03	.01		.01	.06	.12
—13th—																										
BURLEY CAA AIRPORT	//									.01		.01														.02
CLARK FORK 1 ENE		.01	.03	.01	.02	.01										.01			.02							.11
CLARKIA RANGER STATION	//	.02		.01	.04	.01					.02	.01														.11
COEUR D ALENE CAA AP		*	*	*	*	.04																				.30
COUNCIL 2 NNE			.02	.02	.02	.06																				.12
CRAIGMONT	//	.02	.01	.01																						.04
DEADWOOD DAM	//		.01	.04	.04	.01		.01		.01																.12
DUBOIS CAA AIRPORT	//			.02	.02	.01																				.05
MACKAY RANGER STATION		.01	.01		.01		.01	.01																		.05
MULLAN PASS CAA	//	*	*	*	*	.06	*	*	*	*	*	.03														.10
POCATELLO WB AIRPORT	//										.01															.01
SANDPOINT EXP STATION		.03																								.03
WALLACE WOODLAND PARK		.03	.01							.04	.01	.01	.01													.11
—14th—																										
CLARKIA RANGER STATION	//												.02			.01										.03
LEWISTON WB AP	6																								*	-
MULLAN PASS CAA	//												*	*	*	*	*	.01								.01
—15th—																										
BANCROFT																	.01	.01					.06			.08
BENTON DAM							.01	.02	.05	.13	.15	.10	.15	.05												.66
BOISE LUCKY PEAK DAM														.03	.01		.02	.02	.01							.09
BOISE WB AIRPORT														.01				.05	.04							.10
BONNERS FERRY								.01	.02	.03	.08	.08	.05	.06	.02	.03	.01									.39
BRIDGE	//																						.01	.02		.03
CLARK FORK 1 ENE							.01	.01	.01	.04	.11	.11	.15	.06	.11	.01							.01		.01	.64
CLARKIA RANGER STATION	//							.01	.03	.06	.09	.14	.11	.15	.08	.01	.02	.03	.04			.02	.02	.03	.05	.89
COEUR D ALENE CAA AP						*	*	*	*	*	*	.14	*	*	.04											.18
COUNCIL 2 NNE				.02	.03	.02	.07	.02	.01		.05	.06	.06	.01		.02	.02	.03	.03							.45
CRAIGMONT	//							.01	.01		.01	.01	.02		.05											.11
DEADWOOD DAM	//		.01	.02	.02	.02	.02	.02	.04	.02	.04	.04	.09	.10	.09	.05	.12	.06	.05	.05	.01					.87
GOODING CAA AIRPORT	//																.01				.01	.08				.10
IDAHO FALLS CAA AIRPORT	//															.02	.03	.01		.01		.01	.01			.09
LEWISTON WB AP	6	*	*	*	*	.01							*	*	*	*	*	.05	*	*	*	*	*	.01		-
MULLAN PASS CAA	//	*	*	*	*	.01	*	*	*	*	*	.11	*	*	*	*	*	.08	*	*	*	*	*	.05	.02	.25
PLUMMER 3 WSW						.05	.01	.04	.06	.14	.14	.03	.07	.06												.60
POCATELLO WB AIRPORT	//															.01	.01	.01		.01						.04
SALMON	6							*	*	*	*	*	.08	*	*	*	*	*	.01	*	*	*	*	*	.16	-
SANDPOINT EXP STATION							.04	.02	.04	.14	.14	.12	.09	.06												.65
SUN VALLEY	//																		*	*	*	*	*	*	*	*
WALLACE WOODLAND PARK									.02	.03	.02	.05	.15	.15	.10	.19	.13	.01							.01	.86
—16th—																										
CLARKIA RANGER STATION	//	.01	.02	.01																						.04
DEADWOOD DAM	//													.01	.01		.01									.03
MALAD CAA AIRPORT	6	*	*	*	*	*	.01																			-
MULLAN PASS CAA	//	*	*	*	*	.21	*	*	*	*	*	.01														.24
OLA		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUN VALLEY	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.15									.15
WALLACE WOODLAND PARK		.02	.01	.01																						.04
—17th—																										
DEADWOOD DAM	//			.02	.01																					.03
—18th—																										
LEADORE		-	-	-	-	-	-	-	-	-																-
—21st—																										
BENTON DAM																						.05	.05			.10
BONNERS FERRY																					.01			.01	.02	.04
CLARK FORK 1 ENE																					.01			.03	.02	.06
CLARKIA RANGER STATION	//										.01	.02		.03											.01	.07
COEUR D ALENE CAA AP																								.01		.01
CRAIGMONT	//																.01							.02		.03
DEADWOOD DAM	/																				.01	.03				.04
DUBOIS CAA AIRPORT	//																		.01					.01		.02
MULLAN PASS CAA	//						*	*	*	*	*	.03	*	*	*	*	*	.02	*	*	*	*	*	.05		.10
PLUMMER 3 WSW																								.02	.02	.04
SANDPOINT EXP STATION																							.05	.01		.06
WALLACE WOODLAND PARK											.01	.04		.02	.01											.08

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
-22d-																										
BANCROFT	//				.01	.02	.02		.02																	.07
BENTON DAM				.04	.03	.02	.01	.03							.01											.14
CLARK FORK 1 ENE		.04		.01						.05	.02	.01		.01		.01										.15
CLARKIA RANGER STATION	//	.01					.02	.02	.05	.02	.01	.01	.02	.01		.01	.01				.02					.21
COEUR D ALENE CAA AP							*	*	*	*	*	.02														.02
DEADWOOD DAM	//		.01	.02									.01	.01												.05
IDAHO FALLS CAA AIRPORT	//														.01											.01
LEADORE		.03	.01					.03									.01	.01								.09
MALAD CAA AIRPORT	6	*	*	*	*	*	.02																			-
MULLAN PASS CAA	//	*	*	*	*	.03	*	*	*	*	*	.03			.02			.01	.01							.10
PLUMMER 3 WSW				.01			.01		.01																	.03
SANDPOINT EXP STATION		.01	.02	.01	.01	.01										.02	.01									.09
SUN VALLEY	//									.03			.02	.01			.01									.07
WALLACE WOODLAND PARK			.05	.02			.01						.01													.09
-25th-																										
DEADWOOD DAM	//																					.01	.01		.01	.03
-26th-																										
BONNERS FERRY																					.01					.01
DEADWOOD DAM	//		.01																							.01
IDAHO FALLS CAA AIRPORT	//														.02		.02									.04
-27th-																										
BENTON DAM																	.02	.01	.05	.01	.01		.01	.01	.01	.13
CRAIGMONT	//		.02																							.02
LEADORE						.01	.01	.01																		.03
MALAD					.04																					.04
-28th-																										
BENTON DAM		.01	.02	.01	.01	.01																				.06
-29th-																										
BANCROFT	//								.04	.01	.03			.01	.01								.02	.01		.13
BOISE LUCKY PEAK DAM																				*	*	*	*	*	*	*
BOISE WB AIRPORT	//																					.08	.01	.01	.06	.16
BRIDGE							.01	.03	.05	.02	.02	.01	.02	.01		.01	.01									.19
CLARKIA RANGER STATION	//														.01	.01	.04	.04	.02	.02	.01				.02	.17
COEUR D ALENE CAA AP													*	*	*	*	*	.07	*	*	*	*	*	.06		.13
COUNCIL 2 NNE															.03	.02	.01			.01	.01	.07	.06	.07	.02	.30
DEADWOOD DAM																									.05	.05
GOODING CAA AIRPORT	//																								.02	.02
LEWISTON WB AP	6												*	*	*	*	*	.05								-
MOUNTAIN HOME 1 W																						.01	.02	.03		.06
MULLAN PASS CAA	//																		*	*	*	*	*	.03		.03
OLA																							.15	.10	.10	.35
PLUMMER 3 WSW															.02	.02	.03	.02	.01							.10
SANDPOINT EXP STATION																				.05	.01			.01		.07
WALLACE WOODLAND PARK													.01		.01								.01	.01		.04
-30th-																										
BANCROFT		.01																								.01
BOISE LUCKY PEAK DAM		*	*	*	*	.41						.01	.02							.01	.01		.01			.47
BOISE WB AIRPORT		.02	.02	.02	.01	.02	.01	.01																		.11
BRIDGE			.01					.01	.01		.04	.01														.08
BURLEY CAA AIRPORT	//												.01													.01
CLARKIA RANGER STATION		.01		.01	.01										.01		.01		.01							.06
COUNCIL 2 NNE			.01			.01			.03	.07	.01				.01					.01						.15
CRAIGMONT						.01	.02			.01	.01															.05
DEADWOOD DAM		.05	.03	.07	.03	.01			.01	.04			.01													.25
DUBOIS CAA AIRPORT					.01	.01	.01	.01		.01	.01	.01		.01	.01									.01	.03	.13
GOODING CAA AIRPORT				.02	.05	.02	.02	.01					.01	.01	.01	.01	.01	.01							.01	.19
IDAHO FALLS CAA AIRPORT																		.01	.02	.01	.03	.02	.01		.01	.11
LEADORE															.03	.01	.01	.02	.01	.01	.01	.02	.01	.01	.01	.15
MALAD									.01																	.01
MALAD CAA AIRPORT								*	*	*	*	*	.01	*	*	*	*	*	.01							-
MOUNTAIN HOME 1 W		.01				.01				.02	.02											.02	.01			.09
MULLAN PASS CAA						*	*	*	*	*	.02								*	*	*	*	*	.02		.04
OLA		.06	.04						.07					.03	.02	.02										.24
POCATELLO WB AIRPORT									.02	.01	.01	.01	.01													.06
SANDPOINT EXP STATION		.02	.01																							.03
SUN VALLEY					.01	.01	.02			.03																.07
WALLACE WOODLAND PARK		.01	.01	.02					.03	.02																.09
-31st-																										
DEADWOOD DAM	//	.01	.01																							.02
DUBOIS CAA AIRPORT	//	.01	.02			.01	.01																			.05
GOODING CAA AIRPORT	//	.01	.01		.01				.02							.01	.01									.07
IDAHO FALLS CAA AIRPORT	//		.01						.02	.01																.04
LEADORE			.01	.01			.01																			.03
MOUNTAIN HOME 1 W							.01			.01																.02
MULLAN PASS CAA	//	*	*	*	*	.01																				.01
POCATELLO WB AIRPORT	//				.01				.01																	.02

See reference notes following Station Index

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	32	34	32	39	38	40	38	38	45	31	32	37	37	47	50	49	34	40	48	56	63	52	48	55	58	55	50	46	54	47	41	44.1
	MIN	8	18	15	22	20	13	31	22	27	11	9	16	26	29	31	23	19	16	23	24	28	31	20	21	24	35	28	17	20	31	30	22.2
ALBION	MAX	32	34	31	32	42	27	42	38	49	45	30	36	45	38	51	54	31	33	45	56	58	51	36	50	55	61	49	43	47	56	32	42.9
	MIN	3	13	17	18	18	17	26	21	26	3	6	14	26	22	28	21	19	14	23	22	25	27	18	21	22	34	32	13	21	28	28	20.2
ALPHA 1 NE	MAX	28	30	23	33	31	33	30	33	37	30	35	37	45	46	42	38	30	37	45	57	50	42	48	52	52	45	34	46	47	36	46	39.3
	MIN	-12	4	- 9	11	10	18	14	11	17	-11	-21	8	27	10	28	18	0	- 6	3	13	24	19	6	10	17	27	18	6	24	26	23	10.7
AMERICAN FALLS 1 NW	MAX	31	34	30	41	41	39	40	39	46	31	31	38	37	46	49	51	36	39	48	54	59	52	47	54	55	52	48	46	51	48	37	43.5
	MIN	6	16	16	20	20	19	28	22	25	14	11	16	26	31	31	23	19	15	20	26	30	33	19	24	27	37	31	19	27	29	29	23.1
ANDERSON DAM 1 SW	MAX	33	34	31	31	40	36	41	34	34	34	31	38	47	46	45	47	45	43	53	50	53	43	50	58	49	50	46	49	47	44	50	43.3
	MIN	9	22	13	20	21	20	25	23	23	4	5	17	27	24	35	24	19	22	14	26	32	28	19	22	24	28	30	22	31	31	31	22.3
ARROWROCK DAM	MAX	39	39	37	34	43	34	42	35	46	32	34	39	44	51	48	57	34	37	44	54	58	50	40	52	60	58	51	45	55	54	40	44.7
	MIN	13	15	16	15	23	23	28	23	24	6	6	[illegible]	16	25	27	26	23	20	22	25	31	29	23	25	29	33	31	25	29	31	32	22.7
ASHTON 1 S	MAX	29	27	28	30	31	32	32	35	41	27	26	31	40	36	39	39	32	26	36	43	49	43	35	42	46	42	38	36	41	39	43	35.9
	MIN	- 5	-11	- 1	5	9	10	14	9	15	- 5	-11	- 3	17	22	24	9	- 3	- 8	12	19	22	24	3	10	12	25	19	3	10	29	27	9.7
ATLANTA 1 E	MAX	35	34	26	27	34	29	30	33	33	27	34	40	48	48	44	40	32	48	49	54	47	41	43	51	52	45	43	44	43	42	34	39.7
	MIN	- 2	9	2	8	8	7	15	13	12	- 3	- 6	8	27	18	28	12	4	1	6	20	21	15	7	15	20	29	21	9	23	26	18	12.6
AVERY RS	MAX	41	40	35	36	32	28	33	40	37		43	44	52	47	43	38	44	48	55	58	59	51	56	60	62	56	50	57	56	45	54	46.7
	MIN	18	16	19	25	19	16	17	9	25		17	29	32	31	31	28	20	15	22	26	25	25	26	25	30	35	35	22	30	32	32	24.4
BAYVIEW MODEL BASIN	MAX																																-
	MIN	16	26	20	16	12	14	14	11	25	14	4	22	32	25	28	29	15	13	20	23	29	29	30	25	30	37	30	21	28	30	29	22.7
BLACKFOOT	MAX	38	35	31	39	40	42	39	41	48	34	35	39	43	45	49	48	44	39	49	56	64	52	48	56	61	54	49	47	55	48	45	45.6
	MIN	11	18	16	20	21	17	29	22	28	14	19	16	25	31	31	22	27	16	23	22	30	30	21	25	29	38	30	21	23	32	30	23.8
BLISS	MAX	38	35	35	40	45	39	41	39	40	36	35	40	44	50	51	50	43	50	58	65	66		54	54	63	62	53	55	56	48	48	47.8
	MIN	17	27	20	24	24	22	30	23	30	7	10	22	31	29	30	26	22	19	19	28		31	31	19	26	36	33	18	31	31	32	24.9
BOISE LUCKY PEAK DAM	MAX	41	38	38		44	45	47	43	48	33		46	48	53	55	55	41		56	67	70	70	55	70		55	53	57	57	50		51.3
	MIN	29	26	16		24	26	30	27	27	13	12		33	30	40	25	25		29	34	39	23	26	33		32	32	36	42	32		28.5
BOISE WB AP	MAX	38	36	33	44	33	43	36	46	44	36	39	46	49	52	56	38	41	46	55	63	58	45	53	62	63	54	49	54	57	42	53	47.2
	MIN	24	24	19	26	22	26	27	29	18	16	19	28	31	31	32	26	27	21	25	33	37	27	27	30	37	32	27	24	32	31	29	27.0
BONNERS FERRY	MAX	38	36	32	31	17	22	22	24	36	34	33	37	47	45	46	43	45	42	47	48	50	42	45	53	58	52	51	56	52	46	57	41.5
	MIN	21	24	18	12	5	5	6	1	20	15	10	23	30	29	31	27	15	16	18	23	27	32	29	33	29	39	29	23	29	35	33	22.2
BUHL	MAX	36	34	34	46	44	42	42	42	42	36	40	44	46	50	60	60	58	44	54	60	62	56	54	62	60	58	50	50	58	52	44	48.4
	MIN	16	24	14	30	22	22	26	24	26	14	16	20	32	20	36	24	22	20	26	32	36	28	26	30	34	30	32	22	32	30	30	25.7
BURKE 2 NNE	MAX	33	30	26	29	26	24	24	30	29	22	36	35	40	37	38	30	34	37	42	46	38	35	36	46	48	46	37	41	48	41	48	35.9
	MIN	8	10	14	18	7	8	10	1	19	13	14	22	31	28	29	21	11	9	15	21	27	22	25	17	27	32	28	15	26	27	27	18.8
BURLEY	MAX	37	34	37	39	46	38	48	42	52	44	38	40	50	41	56	55	36	39	44	55	62	70	41	54	62	64	54	47	55	58	35	47.5
	MIN	13	17	18	19	20	20	27	25	27	14	14	20	24	27	33	24	20	18	25	27	29	30	22	25	27	36	33	19	27	30	29	23.8
BURLEY FACTORY 1 NW	MAX	34	33	35		32	31	46	40	48	39	33	38	46	39	54	54	34	38	42	51	60	67	40	52	58	64	53	47	49	57	35	45.0
	MIN	11	16	16		18	20	26	25	27	12	12	18	22	26	30	23	20	15	22	24	28	30	18	22	26	32	32	16	27	29	29	22.4
BURLEY CAA AP	MAX	35	33	31	45	41	45	40	48	42	33	37	46	40	51	54	37	36	41	51	59	67	46	51	57	63	52	45	50	59	42	40	45.7
	MIN	12	22	17	23	20	21	25	25	19	12	13	20	27	25	32	23	20	15	22	24	27	25	19	22	25	37	25	15	26	30	29	22.5
CALDWELL	MAX	42	39	38	50	45	50	38	47	45	42	44	46	52	57	63	59	47	53	60	66	63	60	58	65	62	59	55	58	55	52	59	52.5
	MIN	22	28	17	25	24	25	27	27	25	17	16	29	31	25	36	27	28	18	22	26	36	29	20	22	32	35	31	19	37	32	31	26.4
CAMBRIDGE	MAX	32	38	40	38	37	40	39	38	35	33	33	37	40	42	47	38	39	40	49	52	58	59	58	59	57	60	59	53	54	52	53	45.5
	MIN	15	14	15	12	14	11	29	24	23	4	5	29	31	33	37	30	20	15	23	24	25	31	30	29	31	35	29	32	31	30	28	23.8
CASCADE 1 NW	MAX	27	38	25	30	30	32	30	31	34	27	32	36	41	42	43	43	29	37	39	47	50	42	42	48	49	45	40	42	44	38	45	38.0
	MIN	- 7	- 2	- 6	16	13	17	18	13	15	0	-13	14	27	10	31	16	0	- 1	7	17	25	20	10	14	21	25	16	11	27	28	22	13.0
CHALLIS	MAX	31	33	28	35	30	37	37	30	39	28	27	39	49	47	48	46	35	37	50	50	59	50	47	55	53	55	55	47	49	47	50	42.7
	MIN	7	11	8	14	14	3	25	14	13	- 4	- 3	9	25	21	32	19	10	10	23	23	28	25	16	21	27	34	25	17	25	31	33	17.9
CHILLY BARTON FLAT	MAX	17	23	21	31	29	25	30	28	33	22	21	30	36	36	37	37	33	32	41	46	44	38	37	44	44	44	43	39	41	40	46	34.5
	MIN	-20	- 3	-14	- 2	- 9	-16	18	6	17	-22	-23	-14	15	0	16	10	0	- 5	16	15	12	20	8	10	19	28	21	14	18	26	26	6.0
CLARK FORK 1 ENE	MAX	38	38	38	40	27	23	35	31	40	39	40	42	50	45	46	40	42	45	50	52	52	42	47	54	56	52	52	53	54	46	57	44.1
	MIN	18	14	19	25	10	11	6	4	25	10	3	27	31	26	28	31	16	16	19	23	28	30	24	27	28	34	32	22	28	28	28	21.6
COEUR D ALENE CAA AP	MAX	35	34	29	39	14	19	29	33	32	31	33	37	46	42	46	36	39	43	50	55	46	45	45	54	59	51	48	51	49	44	57	41.0
	MIN	21	24	21	14	8	10	11	12	17	15	9	26	29	26	28	25	20	23	26	27	32	28	29	28	31	35	28	26	34	32	31	23.4
COEUR D ALENE RS	MAX	39	37	35	40	35	26	34	35	35	35	40	41	40	41	45	40	43	45	52	57	47	44	45	58	58	57	53	55	50	44	58	44.0
	MIN	20	19	20	26	10	10	4	8	16	15	10	27	32	20	30	28	20	19	24	25	30	29	30	25	29	38	30	23	29	34	31	22.9
CONDA	MAX	32	46	36	38	32	32	35	37	42	45	20	26	30	38	42	41	22	23	27	42	47	52	28	40	42	47	42	30	35	43	42	36.6
	MIN	- 7	7	- 2	7	6	14	17	27	17	- 4	-12	- 7	- 1	20	25	15	5	- 8	- 1	15	20	24	6	10	15	19	22	5	11	18	25	9.9
COTTONWOOD	MAX	35	29	24	32	27	33	32	39	36	32	36	42	50	45	45	34	32	40	50	57	50	37	48	56	55	47	42	53	53	37	42	41.0
	MIN	15	22	14	22	14	9	10	7	15	12	7	24	31	24	33	23	19	13	22	28	33	24	22	27	36	33	28	23	31	29	30	21.9
COUNCIL 2 NNE	MAX	41	37	32	39	38	37	36	35	37	33	37	40	42	41	43	38	37	44	51	52	51	48	51	58	56	56	51	53	51	47	54	44.1
	MIN	15	22	8	24	21	28	25	17	28	3	7	21	28	22	29	20	18	14	19	26	30	25	19	22	31	32	29	21	34	30	34	22.6
DEADWOOD DAM	MAX	32	34	32	28	30	29	28	29	31	28	35	35	45	44	40	38	29	40	47	57	46	40	43	51	52	44	37	45	44	37	50	38.7
	MIN	6	- 1	-10	13	10	14	17	10	12	-20	-24	5	25	10	29	15	4	-11	2	10	20	14	- 1	6	14	28	17	3	21	21	18	8.9
DEER FLAT DAM	MAX	41	39	36	51	40	39	44	48	41	46	44	44	53	57	63	45	46	50	59	65	55	51	55	63	61	53	58	56	47	58	58	50.5
	MIN	28	27	21	27	24	26	29	29	29	17	17	30	32	26	36	28	28	18	21	28	34	[illegible]	22	25	37	29	28	24	32	34	34	27.4
DRIGGS	MAX	29	27	23	26	30	30	35	47	45	39	26	35	35	41	40	40	25	25	38	42	53	35	37	50	52	39	35	32	45	42	43	36.8
	MIN	3	8	- 5	10	9	10	18	20	26	3	-12	- 7	17	13	20	9	2	- 8	14	22	28	27	9	15	20	28	26	9	12	29	29	13.3
DUBOIS EXP STA	MAX	23	22	19	18	22	31	29	31	36	37	28	28	37	32	34	27	23	28	36	38	45	42	44	40	42	44	41	38	37	39	48	33.5
	MIN	5	13	5	14	10	8	10	13	16	- 2	- 1	6	19	21	22	14	4	7	15	15	24	20	9	16	24	31	22	17	18	27	29	14.5
DUBOIS CAA AP	MAX	27	27	19	32	30	33	34	32	41	33	27	31	36	31	39	34	32	30	38	45	51	38	40	47	51	49	29	43	46	40	52	36.7
	MIN	0	9	5	15	12	15	9	10	18	1	2	7	19	26	27	19	[illegible]	9	19	21	28	20	15	20	24	27	22	17	19	31	31	16.3
EDEN HUNT PROJECT	MAX	36	36	30	44	40	44	40	41	39	32	36	44	43	50	56	51	38	41	50	60	63	48	50	59	62		52	50	58	46	42	46.0
	MIN	11	10	16	15	20	20	23	26	25	9	10	18	18	26	33	23	19	18	21	25	29	28	16	18	27		28	18	28	29	29	21.2
EMMETT 2 E	MAX	43	40	36	45	44	45	40	47	47	39	40	42	52	56	60	54	44	49	58	66	62	62	55	63	58	58	51	56	58	55	59	51.1
	MIN	21	27	19	21	21	28	30	27	30	19	17	20	32	29	42							30	25	26	33	33	27	21	37	33	32	27.2
FAIRFIELD RS	MAX	29	30	31	33	31	30	29	32	28	27	29	34	40	32	39	33	29	33	40	46	41	41	40	45	46	39						34.9
	MIN	-16	16	0	15	13	10	18	15	16	-14	-13	- 3	19	22	22	15	2	- 2	8	21	18	20	6	16	15	27						10.2
FENN RS	MAX	44	55	33	32	38	32	39	42	42	40	46	44	44	46	44	41	39	46	56	58	44	39	49	60	53	52	49	58	53	48	53	45.8
	MIN	20	20	23	27	23	21	23	15	29	18	20	28	31	30	32	29	29	25	27	26	28	30	29	29	28	35	33	27	28	33	34	26.8
FORNEY BLACKBIRD MINE	MAX	29	29	21	25	24	29	28	30	28	22	33	43	40	39	42	37			48	47	49	43	38	49	49	46	39	41	46	40	41	37.1
	MIN	- 5	- 2	- 5	9	5		14	3	11	-10	- 9	5	26	11	26	11			- 5	14	24	11	3	10	20	25	18	5	17	24	22	9.6
FORT HALL IND AGENCY	MAX	37	35	29	38	39	41	48	43	50	33	34	40	40	47	50	51	34	38	48	51	62		47	54	59	52	47	45	53	48	38	44.4
	MIN	16	18	15	20	19	19	30	22	26	14	8	13	25	31	30	22	19	11	26	23		25	18	19	22	37	30	14	19	30	30	21.7
GARDEN VALLEY RS	MAX	40	40	37	38	42	40	35	33	38	37	43	41	54	47	45	50	40	49	55	59	56	50	53	59	52	55	49	56	50	45	59	46.7
	MIN	7	20	11	23	22	21	27	21	21	- 1	- 3	17	31	21	33	27	19	10	16	23	28	27	16	20	24	20	26	18	30	32	28	20.5
GLENNS FERRY	MAX	43	39	40	46	43	42	40	44	38	40	42	40	55	57	59	55	45	51	61	66	67	50	57	65	65	59	53	57	58	50	55	51.0
	MIN	16	28	20	26	26	25	27	28	28	12	15	25	32	22	39	28	24	16	21	24	31	31	15	30	31	36	31	16	30	33	34	25.8
GOODING CAA AP	MAX	33	32	31	41	40	39	37	37	37	34	32	37	39	49	60	36	39	43	54	60	61	41	50	59	57	52	47	50	52	41	44	44.0
	MIN	14	22	17	21	21	21	21	21	15	5	8	18	30	29	33	25	21	20	23	28	35	27	23	27	32	33	29	20	30	29	30	23.5
GRACE PH	MAX	34	30	25	31	32	33	37	39	44	26	27	31	41	37	41	38	27	30	37	46	54	43	40	47	51	45	37	40	45	40	48	37.9
	MIN	2	8	11	16	12	11	22	15	17	- 6	- 8	- 2	22	16	31	15	9	3	20	25	32	20	16	20	22	30	25	16	19	29	24	15.9
GRAND VIEW	MAX	42	39	39	53	46	53	39	48	40	41	44	50	57	58	68	46	47	53	63	68	54	51	59	67	65	62	54	60	59	48	58	52.6
	MIN	19	23	24	30	23	25	26	26	25	21	15	28	31	25	32	30	30	30	27	31	39	31	24	28	42	44	42	33	40	32	35	29.4
GRANGEVILLE	MAX	36	31	27	35	30	34	30	41	31	33	38	39	46	45	50	32	35	40	49	53	42	38	48	54	51	48	44	51	52	42	42	40.9
	MIN	12	20	15	25	17	15	15	11	18	14	12	24	[illegible]	24	28	24	23	18	26	30	32	23	24	26	31	35	27	23	30	28	29	22.9
GRAY	MAX	32	33	21	27	28	33	32	40		47	26	35	36	42	41	38	39	30	41	48	50	40	34	46	48	45	35	35	44	44	43	37.8
	MIN	- 9	- 7	-11	10	10	9	20	15		- 9	-15	- 7	20	10	25	5	4	-10	15	20	18	16	4	11	15	29	20	2	9	30	23	9.1
GROUSE	MAX	31	32	25	27	30	30	30	34	34	32	35	37	44	42	42	39	32	39	42	47	49	43	40	46	46	47	38	45	40	38	48	38.2
	MIN	-21	- 3	- 8	- 2	13	- 5	22	11	18	-26	-25	-13	7	- 1	10	9	2	-11	- 3	7	14	19	- 2	4	12	22	10	11	15	29	28	4.6
HAILEY	MAX	33	33	27	31	33	31	35	40	46	31	30	35	36	36	37	36	31	32	40	45	48	41	39	45	49	47	48	40	41	39	45	38.1
	MIN	1	16	4	10	17	9	26	18	21	- 3	- 2	8	12	12	26	11	4	5	8	23	28	26	11	19	25	30	20	15	24	30	26	15.5
HAMER 4 NW	MAX	29	27	25	35	33	36	41	36	46	32	29	32	42	39	44	42	31	35	42	48	60	52	43	53	55	51	43	46	48	45	55	41.1
	MIN	- 6	13	- 1	15	19	7	23	13	11	5	0	12	19	23	29	19	8	6	20	17	25	28	13	16	21	23	19	14	11	29	31	15.5
HAZELTON	MAX	35	33	28	42	42	42	41	42	41	34	36	44	42	52	57	54	37	41	51	60	64	55	50	58	63	57	59	49	59	51	40	47.1
	MIN	10	22	16	24	19	20	27	22	24	11	13	20	29	25	33	23	21	19	23	26	30	28	18	21	28	35	32	20	28	29	29	23.4
HILL CITY	MAX	25	27	27	33	33	27	32	30	30	25	24	33	37	34	40	31	26	31	40	47	47	35	36	42	39	41	37	37	38	35	41	34.2
	MIN	-16	18	7	12	13	12	22	15	17	-13	-14	- 2	8	19	20	17	10	- 2	12	28	18	18	8	15	15	27	23	8	18	28	21	12.3

See reference notes following Station Index

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
		Day of month																															
HOLLISTER	MAX	33	29	33	44	38	42	41		38	46	45	46	44	52	57	49	33	41	54		63			57	63		47	50	55	44	38	45.5
	MIN	17	10	14	22	18	20	21		8	9	8	11	28	27	34	24	20	16	26				22	27	22		23	16	29	27	20	20.0
IDAHO CITY	MAX	38	37	35	35	33	38	37	37	39	34	34	43	51	49	43	42	37	43	55	56	55	49	49	60	59	50	49	52	51	41	52	44.6
	MIN	- 4	- 3	- 1	9	18	10	23	18	24	-16	-14	5	29	11	32	23	10	2	11	18	24	22	10	15	20	25	18	12	25	30	20	13.7
IDAHO FALLS CAA AP	MAX	33	30	23	35	32	38	35	40	44	28	32	35	38	40	44	37	36	35	42	51	59	38	43	50	56	47	41	47	53	40	46	40.3
	MIN	8	14	9	17	16	14	19	21	16	8	4	10	23	28	30	19	19	11	25	25	28	24	22	25	25	33	26	19	23	29	29	20.0
IRWIN 2 S	MAX	35	31	26	31	33	36	37	40	50	32	28	35	34	42	37	35	33	31	39	49	58	48	41	47	51	41	41	40	47	40	50	39.3
	MIN	5	17	2	16	19	16	26	26	26	5	- 6	0	23	31	29	16	5	- 1	19	21	29	22	10	17	21	32	23	11	14	33	30	17.3
ISLAND PARK DAM	MAX	29	27	27	25	27	29	30	28	41	25	23	29	40	30	32	34	25	25	35	43	50	43	34	40	48	44	42	32	38	39	50	34.3
	MIN	2	-10	-20	10	13	7	20	12	10	-14	-34	-24	16	10	24	8	-21	-27	4	10	15	20	- 9	- 1	4	20	15	5	10	18	30	3.4
JEROME	MAX	33	34	31	45	45	45	43	37	40	32	35	40	45	53	57	55	40	42	53	60	63	50	53	60	62	55	50	51	57	49	45	47.1
	MIN	10	23	15	21	21	19	25	21	21	10	10	16	26	24	32	18	16	15	20	25	30	19	18	21	25	23	26	26	29	26	28	21.3
KELLOGG	MAX	34	40	40	31	39	25	28	35	37	35	36	43	43	43	47	46	37	43	47	54	58	46	38	49	59	60	49	51	57	55	46	43.6
	MIN	20	20	23	24	18	15	17	14	23	17	12	22	32	30	31	28	22	19	25	26	31	30	29	27	31	39	35	24	32	34	33	25.3
KOOSKIA	MAX	49	46	48	36	40	36	44	45	41	45	46	49	58	51	57	45	45	52	62	65	55	43	57	63	59	57	59	63	53	47	55	50.7
	MIN	21	25	27	27	32	24	18	17	27	14	17	29	35	31	35	33	31	21	26	26	31	32	29	28	30	40	33	24	31	36	36	27.9
KUNA 2 NNE	MAX	39	38	36	46	44	47	37	47	44	37	41	47	50	53	57	59	44	48	57	67	60	49	55	64	64	57	55	57	56	52	55	50.4
	MIN	20	28	16	27	23	26	27	29	27	16	17	28	32	26	36	23	25	16	19	26	41	28	20	21	32	30	24	16	36	31	30	25.6
LEWISTON WATER PLANT	MAX	50	43	39	40	38	39	44	46	46	46	48	45	56	57	60	45	47	55	61	64	60	54	57	68	64	59	58	63	60	55	62	52.5
	MIN	23	34	22	32	25	27	27	27	28	23	30	36	39	33	40	37	32	26	25	31	36	35	29	26	41	40	41	29	43	38	38	32.0
LEWISTON WB AP	MAX	46	36	35	39	36	39	42	41	41	41	45	46	57	53	58	43	46	50	59	60	55	52	52	64	64	59	54	59	53	50	57	49.4
	MIN	22	26	26	28	20	24	22	24	26	22	28	33	35	33	34	33	27	25	27	34	37	32	30	29	40	40	33	28	40	35	36	30.0
LIFTON PUMPING STA	MAX	25	29	25	33	34	25	36	39	44	40	24	27	36	34	43	36	23	25	35	42	47	45	34	42	44	41	41	34	42	43	44	35.9
	MIN	- 5	7	7	17	14	13	23	13	10	- 9	12	- 9	21	14	18	14	0	- 3	16	15	19	22	8	12	16	24	25	16	18	30	27	12.3
LOWMAN	MAX	40	40	35	34	37	37	34	35	34	34	36	42	50	49	45	45	40	46	55	60	51	47	49	58	56	57	47	51	51	41	55	44.9
	MIN	0	12	2	19	25	16	25	17	24	- 7	-12	9	29	20	31	22	14	2	10	17	24	25	9	14	20	34	22	10	24	30	35	16.8
MACKAY RS	MAX	30	27	24	34	32	28	33	30	39	25	25	31	41	42	39	37	35	41	46	49	52	41	42	50	49	46	46	42	44	41	50	38.4
	MIN	- 5	10	0	- 1	13	2	21	10	18	- 7	- 7	- 6	19	13	19	16	5	12	14	23	26	23	14	20	25	31	24	17	21	31	31	13.9
MALAD	MAX	35	36	35	38	36	38	40	43	44	40	30	37	44	42	34	33	35	37	45	49	60	35	45	53	55	53	39	46	49	43	48	41.8
	MIN	5	15	16	22	18	18	25	25	22	5	6	8	26	20	32	20	10	13	18	21	28	31	16	20	24	35	26	21	22	30	31	20.3
MALAD CAA AP	MAX	37	39	32	39	38	34	41	41	49	29	33	36	43	44	47	41	32	37	44	51	57	41	45	52	56	52	43	45	50	44	50	42.6
	MIN	- 3	13	16	23	19	19	22	23	14	0	- 1	2	22	14	30	11	5	12	13	17	23	23	16	20	23	32	26	23	20	34	32	17.5
MAY RS	MAX	32	33	27	41	36	40	37	33	39	29	27	36	47	45	55	47	32	37	50	51	61	47	46	55	55	51	43	47	51	46	53	42.9
	MIN	5	17	8	16	14	6	23	14	17	- 5	- 6	6	26	19	29	19	13	10	21	21	26	24	15	18	25	34	24	15	21	31	31	17.3
MC CALL	MAX	30	28	24	24	24	26	22	28	26	20	25	30	38	38	40	32	28	36	42	46	42	36	36	44	44	38	36	38	40	32	38	33.3
	MIN	- 2	6	-10	12	10	14	10	6	18	-10	-16	12	22	10	30	26	9	- 3	8	14	30	16	4	8	16	18	18	8	22	22	22	11.3
MC CAMMON	MAX	37	34	32	31	37	37	39	45	50	35	35	34	35	40	46	40	39	39	44	54	61	56	45	51	55	51	49	42	50	43	40	42.8
	MIN	18	17	17	21	19	17	27	24	25	5	8	22	23	31	32	21	16	13	26	23	28	30	16	19	24	34	22	22	20	20	29	21.6
MERIDIAN 1 SSW	MAX	40	38	37	44	42	45	35	46	44	37	41	45	51	54	59	55	45	48	57	66	61	59	55	64	63	56	50	57	57	48	57	50.2
	MIN	20	24	14	23	20	24	24	27	25	15	15	26	30	25	35	25	25	15	20	25	38	25	20	23	35	28	23	16	35	30	27	24.4
MESA	MAX	40	36	31	40	39	39	36	35	38	36	37	38	43	45	45	42	37	43	51	56	54	50	50	58	55	55	51	53	50	41	54	44.5
	MIN	17	23	11	23	20	25	23	19	26	4	10	24	26	24	33	21	21	18	20	30	31	28	22	27	32	34	30	24	33	31	33	24.0
MINIDOKA DAM	MAX	33	35	28	42	26	43	40	40	46	33	32	40	37	50	50	34	37	40	48	57	63	38	48	56	57	53	46	48	53	34	38	42.7
	MIN	16	22	18	23	20	20	28	25	23	13	24	23	28	29	34	23	19	20	25	30	35	30	23	24	32	34	31	22	32	30	29	25.3
MONTPELIER RS	MAX				34	37	30	35	38	45	53	23	26	31	37	37	46	26	25	28	40	45	53	33	35	40	45	41	35	36	43	42	37.1
	MIN				11	26	12	12	18	19	- 3	- 9	- 5	4	17	19	15	4	- 2	10	16	22	27	7	12	17	24	21	12	14	23	25	13.1
MOSCOW U OF I	MAX	40	35	29	35	31	36	33	37	37	32	38	36	41	45	46	38	39	46	54	58	56	43	47	57	58	52	48	54	50	44	54	43.5
	MIN	23	25	19	25	18	19	15	18	19	14	21	29	33	32	34	25	23	23	27	33	32	26	25	31	39	36	30	26	37	31	32	26.5
MOUNTAIN HOME 1 W	MAX	45	38	36	45	43	44	43	45	43	40	40	46	48	55	55	51	41	47	57	66	63	54	55	65	65	65	63	56	59	47	54	50.8
	MIN	15	25	12	25	23	22	22	27	27	11	17	24	20	23	36	25	22	15	20	25	33	28	18	20	32	28	28	18	31	30	31	23.6
MULLAN PASS CAA	MAX	24	16	15	21	16	16	14	24	19	15	26	28	30	30	32	17	23	27	34	43	37	25	28	39	42	31	27	36	40	25	38	27.0
	MIN	10	10	7	11	- 2	- 3	4	3	9	7	10	17	26	24	15	11	9	13	20	29	23	14	17	21	29	23	19	20	23	19	21	14.8
NAMPA	MAX	38	35	45	50	50	39	48	51	56	39	45	47	54	57	61	59	47	58	64	68	67	60	69	68	67	59		59	59	58	60	54.6
	MIN	25	25	20	20	25	25	26	29	28	18	18	30	32	28	39	33	21	23	20	29	33	29	21	25	34	35		35	39	32	31	27.6
NAMPA 2 NW	MAX	44	40	39	37	47	36	46	38	48	39	41	43	46	53	56	61	40	46	50	59	62	63	49	57	65	62	59	53	58	56	45	49.6
	MIN	22	28	19	22	24	26	27	28	28	18	18	24	32	27	32	27	30	17	20	26	30	29	19	23	33	35	29	16	39	32	31	26.2
NEW MEADOWS RS	MAX	32	31	26	34	32	35	34	36	39	35	35	43	46	46			32	44	50	52	49	43	43	51	49	53	48		45	37	42	40.8
	MIN	- 4	- 4	-11	20	15	19	18	3	22	-14	-15	8	25	11			10	-15	3	12	12	20	7	9	17	28	18		6	29	30	10.0
NEZPERCE	MAX	41	30	25	32	30	31	34	35	37	31	35	38	48	46	46	32	35	42	51	55	44	36	46	52	54	47	42	51	50	38	45	40.6
	MIN	13	22	15	23	13	15	15	10	15	7	13	26	33	24	31	24	20	19	27	30	34	26	25	28	34	36	28	26	33	30	31	23.4
OAKLEY	MAX	34	38	31	43	38	45	43	53	45	33	39	40	43	54	57	56	34	50	54	61	67	51	51	59	57	59	46	53	53	50	48	47.9
	MIN	9	14	12	20	17	19	26	22	22	10	11	23	27	25	34	22	20	22	23	30	36	24	20	26	34	33	28	15	29	30	28	22.9
OBSIDIAN 4 NNE	MAX	25	31	25	23	25	25	26	28	28	23	31	37	46	44	40	32	25	36	47	45	50	43	44	49	43	41	32	40	39	37	49	35.8
	MIN	-18	- 2	-10	8	5	7	12	9	12	-18	-23	1	22	3		8	- 5	-12	5	8	23	13	- 7	- 1	10	23	11	- 3	15	26	19	4.7
OLA	MAX	42	40	38	41	41	43	37	37	43	37	37	41	50	49	54	54	41	46	57	64	64	58	54	62	63	59	57	58	55	50	62	49.5
	MIN	11	22	11	21	19	18	25	18	25	- 1	1	19	28	18	32	20	26	16	19	24	27	23	19	22	24	26	24	19	30	29	25	20.6
OROFINO	MAX	50	57	37	37	40	41	45									63	44	53	62	66	68	52	55	66	65	65	66	62	63	51	60	55.1
	MIN	22	27	24	29	25	24	25	19	29	19	26	32	38	31	36	36	30	22	26	27	32	32	29	30	31	31	38	24	30	36	38	29.0
PALISADES DAM	MAX	34	32	27	30	34	35	37	40	50	35	27	33	37	43	38	40	30	29	38	44	55	54		46	49	48	38	36	44	44	43	39.0
	MIN	0	15	- 5	13	16	12	25	20	25	0	-12	- 5	23	19	26	13	1	- 7	15	18	25		5	13	16	28	20	6	9	30	27	13.0
PARMA EXP STA	MAX	43	40	40	35	48	36	50	33	44	37	38	43	43	53	56	65	44	44	50	60	64	62	49	36	63	57	59	52	56	56	46	48.5
	MIN	23	26	17	17	22	22	26	26	26	17	15	20	31	26	28	31	26	17	20	28	31	25	18	23	30	30	30	21	31	32	33	24.8
PAUL 1 E	MAX	35	33	36	37	46	27	47	39	45	40	35	36	45	39	53	54	47	45	41	50	60	66	40	51	58	63	54	46	50	58	35	45.5
	MIN	11	15	18	19	21	20	24	25	27	12	13	17	23	27	32	23	19	19	24	25	28	30	20	22	26	26	31	17	26	30	29	22.5
PAYETTE	MAX	42	42	36	48		46	38	39	42	40	43	43	52	55	62	55	45	49	57	63	62	58	56	61	58	60	55	57	55	53	59	51.0
	MIN	25	30	20	26	25	28	27	26	30	17	18	32	32	27	39	30	28	20	23	30	33	28	21	24	32	38	32	20	36	35	36	28.0
PIERCE RS	MAX	40	35	29	32	30	31	32	37	36	32	43	39	40	38	42	37	37	44	51	55	39	36	46	53	52	43	43	51	48	38	50	40.6
	MIN	7	9	11	12	19	16	12	- 2	21	5	11	24	32	24	30	14	15	5	7	17	24	25	14	17	22	31	30	14	23	30	30	17.7
POCATELLO WB AP	MAX	37	35	25	40	36	41	39	45	48	31	37	39	36	48	52	37	33	39	49	56	63	45	48	55	58	52	44	45	53	42	38	43.4
	MIN	10	20	15	20	20	18	24	23	21	14	11	17	27	33	33	22	20	16	26	29	29	24	20	23	27	36	26	19	25	30	30	22.8
PORTHILL	MAX	34	35	32	30	20	20	25	27	39	31	32	35	44	44	41	42	43	40	45	45	52	45	46	49	52	55	53	54	51	49	53	40.7
	MIN	14	22	17	19	7	- 5	0	5	20	21	7	21	29	24	30	33	15	17	15	21	25	32	26	31	29	33	29	22	28	37	32	21.2
POTLATCH	MAX	40	37	30	37	35	34	30	40	40	30	42	40	41	45					58	60	50	43	48	60	59	50	49	50	50	43	56	44.3
	MIN	20	23	23	25	20	19	10	14	22	19	21	31	34	30					20	30	31	27	27	28	24	36	30	26	37	31	32	25.6
PRESTON SUG FACT 2 SE	MAX	38	37	33	38	39	34	46	45	52	34	34	33	44	45	46	48	39	40	44	53	61	59	45	59	58	58	47	45	52	50	53	45.5
	MIN	12	20	17	21	19	17	26	23	25	1	7	0	25	17	32	23	16	11	22	24	29	33	18	22	24	32	28	21	21	34	30	21.0
PRIEST RIVER EXP STA	MAX	38	36	32	35	31	21	30	26	33	32	37	35	45	40	44	37	42	44	51	55	46	43	44	52	56	52	50	52	48	42	55	41.4
	MIN	8	16	11	25	9	5	6	3	21	10	- 1	25	30	31	26	26	9	11	11	20	26	28	23	24	27	31	25	16	25	32	27	18.9
RICHFIELD	MAX	27	34	28	36	32	33	34	32	34	28	28	31	34	39	40	36	35	34	40	45	53	41	46	48	50	52	48	46	48	45	38	38.5
	MIN	- 2	15	14	17	19	16	25	17	23	- 4	- 5	6	21	29	28	20	13	9	12	20	22	28	16	21	27	30	26	20	27	28	29	18.3
RIGGINS RS	MAX	44	42	34	44	42	40	40	44	42	42	47	50	58	58	55	45	45	52	62	64	62	50	61	66	67	60	55	62	59	52	48	51.4
	MIN	22	31	21	30	26	28	27	28	29	20	20	33	35	32	39	33	31	24	28	33	36	31	27	29	37	36	33	28	42	37	36	30.4
RIRIE	MAX	33	32	23	34	30	38	36	39	46	29	32	34	40	36	45	31	30	35	43	51	59	42	42	50	55	43	40	42	48	41	48	39.6
	MIN	11	20	5	11	12	14	27	21	22	8	10	1	25	28	21	21	7	21	27	33	33	23	16	24	28	35	30	17	21	32	29	20.5
ROLAND W PORTAL	MAX	32	30	27	28	26	21	22	29	23	22	33	35	39	38	38	29	34	38	44	51	40	32	38	49	52	46	39	45	48	41	47	36.0
	MIN	12	17	12	19	5	5	5	9	16	16	18	24	32	29	29	21	12	10	17	23	30	22	25	20	30	34	28	18	29	27	27	20.0
RUPERT	MAX	34	34	36	33	44	26	45	40	46	42		35	45	38	51	54	34		40	50	60	66	39	51	58	63	52	45	50	58	34	44.9
	MIN	12	16	16	17	19	19	23	23	26	12		12	22	24	32	21	17		16	24	28	28	19	20	27	35	30	17	25	28	28	21.9
SAINT ANTHONY	MAX	34	33	23	32	32	38	37	37	47	28	28	33	41	36	41	41	28	33	39	42	47	44	40	43	44	46	37	40	43	38	51	37.9
	MIN	6	4	-15	15	14	10	22	14	20	- 8	- 9	- 4	20	20	21	14	- 1	- 5	14	15	12	23	5	12	17	27	21	8	12	28	29	11.6
SAINT MARIES	MAX	40	39	35	39	34	35	35	38	40	34	44	42	44	46	49	41			55	60	59	43	50			61	52	58	57	45	66	46.0
	MIN	20	19	22	25	22	18	18	10	21	19	17	30	32	29	33	28			18	22	29	28	26			30	30	23	32	31	32	24.7
SALMON	MAX	35	37	30	38	36	44	36	34	35	34	32	39	48	44	48	36	35	35	49	49	61	41	50	58	59	58	48	53	55	50	53	43.9
	MIN	10	18	13	24	17	10	18	16	11	0	2	10	27	21	29	24	20	13	21	21	25	26	21	23	26	30	27	21	21	33	30	19.6
SANDPOINT EXP STA	MAX	36	34	32	38	26	28	25	23	32	33	35	37	44	41	44	40	41	44	46	50	46	40	39	51	55	51	52	51	48	44	58	40.6
	MIN	18	25	16	20	6	9	12	2	21	13	- 2	25	31	33	27	30	16	15	19	22	28	29	26	26	29	37	34	23	30	34	31	22.1
SHOSHONE	MAX	31	30	30	40	39	40	40	36	33	32	31	35	38	45	49	42	37	40	49	54	60	46	50	59	55	53	46	52	53	45	41	43.1
	MIN	7	22	15	20	21	18	26	21	23	2	3	12	25	30	32	24	19	15	20	25	30	29	20	24	31	30	29	18	30	29	30	21.9

See reference notes following Station Index

Table 5-Continued

DAILY TEMPERATURES

IDAHO
MARCH 1951

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SPENCER RS	MAX	32	21	19	27	29	27	31	30	38	23	27	28	37	29	34	36	28	26	37	41	47	40	36	40	44	46	36	41	38	41	42	33.9
	MIN	8	4	2	12	14	9	15	5	18	-12	-10	-10	12	16	18	5	- 6	- 6	8	8	19	19	0	6	13	26	14	12	7	28	31	9.2
SPRINGFIELD	MAX	32	34	29	38	38	40	39	39	35	31	33	40	40	47	49	48	35	39	48	56	63	47	48	55	59	55	47	67	54	44	44	44.3
	MIN	5	14	15	20	20	15	27	32	15	10	[illegible]	13	25	[illegible]	[illegible]	22	18	13	22	21	26	30	18	21	24	35	29	15	21	30	30	21.0
STIBNITE	MAX	27	27	19	25	19	28	24	31	24	25	33	38	40	43	38	24	29	39	46	50	46	26	41	47	50	42	29	40	43	32	42	34.4
	MIN	- 1	- 3	1	8	6	15	6	13	- 5	- 8	[illegible]	18	12	15	11	[illegible]	- 5	2	14	21	15	1	[illegible]	9	26	18	3	11	23	20	19	9.4
SUGAR	MAX	30	34	24	32	33	31	36	38	45			36	39	37	41	42	31	32	42	42	47	46	39	46	45	45	39	39	41	39	52	38.7
	MIN	- 2	7	- 9	12	11	11	25	18	19			- 2	22	25	21	12	7	0	9	17	23	25	12	20	21	29	27	14	16	32	30	15.6
SUN VALLEY	MAX	32	30	23	[illegible]	39	27	32	35	35	31	28	38	41	45	41	35	28	31	45	48	48	40	36	44	49	48	43	37	41	37	43	37.1
	MIN	-19	5	-12		13	1	23	11	16	-24	-22	- 8	10	2	16	15	-10	- 9	2	9	15	6	- 1	6	13	22	12	5	14	30	20	5.2
SWAN FALLS PH	MAX	45	39	38	49	48	55	49	50	49	42	43	47	54	60	67	60	45	54	62	68	68	59	60	67	63	60	58	61	57	56	58	54.5
	MIN	21	26	21	28	28	27	31	30	29	20	21	29	31	31	39	26	31	24	28	34	41	31	26	29	35	39	30	27	41	33	31	29.6
TETONIA EXP STA	MAX	34	24	25	35	30	30	35	40	42	25	25	27	33	36	36	40	22	24	30	40	51	38	35	41	48	39	38	31	42	40	43	34.8
	MIN	3	8	- 1	8	14	10	10	18	23	4	-13	- 8	20	15	25	10	4	- 8	5	13	24	18	9	14	19	25	23	6	10	29	28	11.8
THREE CREEK	MAX	33	29	26	42	36	44	38	48	39	31	38	49	42	51	51	48	28	39	49	57	57	45	47	59	60	50	49	48	49	42	37	43.9
	MIN	5	18	- 3	16	14	16	22	14	10	-11	- 5	5	26	14	38	17	16	13	22	25	31	25	16	21	24	32	22	16	24	23	23	16.7
TWIN FALLS 2 NNE	MAX	36	33	33	47	43	48	43	43	40	35	38	45	47	55	60	57	41	44	53	61	54	54	53	60	64	60	51	51	59	51	44	48.8
	MIN	14	23	17	25	21	22	28	25	25	15	15	21	29	27	34	24	22	17	21	28	29	29	21	21	24	26	32	15	36	29	30	24.0
TWIN FALLS 3 SE	MAX	37	35	26	32	47	29	47	39	43	33	35	38	45	46	57	59	37	25	43	53	63	65	42	40	51	65	54	47	51	60	44	44.8
	MIN	10	13	12	13	17	17	24	21	23	12	12	12	19	22	25	19	12	12	17	25	23	25	18	19	22	25	26	19	23	25	25	18.9
WALLACE	MAX	38	35	28	36	32	26	29	39	32	30	39	41	42	46	42	36	39	45	47	54	48	36	44	53	58	44	45	53	55	44	55	41.6
	MIN	15	15	18	24	10	12	11	6	24	15	16	29		30	29	18	20	15	21	24	30	28	29	24	30	27	27	22	30	31	30	22.3
WALLACE WOODLAND PARK	MAX	33	38	36	29	40	19	27	27	34	25	28	38	40	44	45	42	35	39	43	49	56	43	35	43	53	57	41	45	51	54	40	39.7
	MIN	11	14	16	22	16	12	12	1	18	18	[illegible]	13	30	28	30	27	17	13	19	19	24	28	25	23	28	36	31	21	21	32	31	20.9
WEISER	MAX	47	42	36	48	45	48	45	40	40	42	46	44	56	52	63	46	48	54	60	66	64	50	58	65	58	60	55	59	54	50	62	51.7
	MIN	26	32	16	26	22	30	27	25	28	16	17	30	31	26	32	28	27	18	22	30	32	24	18	24	30	33	29	20	38	35	30	26.5
WINCHESTER 1 SE	MAX	35	35	23	32	30	32	31	40	36	31	39	40	48	50	47	32	33	40	50	56	54	50	45	54	52	47	42	51	50	37	45	41.5
	MIN	9	20	7	13	11	11	12	3	3	9	[illegible]	24	29	23	28	21	20	11	18	26	29	21	17	22	31	31	24	21	27	25	26	18.7

See reference notes following Station Index.

Table 7

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	SNOWFALL			3.8	0.4	3.1	0.3																							0.7		
	SN ON GND	2	1	4	2	4	3	2	1	T	T																					
ANDERSON DAM 1 SW	SNOWFALL		1.0		6.5	0.5	0.3	T	T	T				1.0			T														0.6	T
	SN ON GND	6	6	[illegible]	12	10	10	9	9	9	9	9	9	9	9	8	8	8	6	3	T	T	T	T	T	T	T					
ARROWROCK DAM	SNOWFALL		T		8.7		T	T	1.0	T	T			T				T													1.5	
	SN ON GND	8	[illegible]	[illegible]	17	14	14	12	13	13	13	12	12	12	11	10	10	9	8	8	6	4	2	T							2	
ASHTON 1 S	SNOWFALL			3.0	5.0	4.0			2.5	1.0				0.5		0.5																
	SN ON GND	23	23	26	31	35	32	30	32	31	30	30	30	29	28	25	27	27	27	26	23	20	20	19	17	16	15	14	13	12	11	10
ATLANTA 1 E	SNOWFALL		2.0	2.0	6.0	12.0	2.0	10.0	4.0	3.0				2.0		2.0	2.0						1.0								6.0	2.0
	SN ON GND	36	37	38	41	52	53	57	59	59	57	56	54	52	50	49	48	48	46	46	45	44	43	42	40	39	39	38	37	36	38	38
AVERY RS	SNOWFALL			0.5	1.0	1.5	3.0	0.5		4.0	•	2.0		1.0	T		2.0						2.0							T		
	SN ON GND	6	6	6	7	8	10	9	6	9	-	8	7	6	6	5	6	5	5	3	3	2	4	2	1	1	1	1				
BLACKFOOT	SNOWFALL			T		4.0																									•	1.0
	SN ON GND					3	2	2																							-	
BOISE WB AP	SNOWFALL	1.0	0.2	1.0	2.2	2.0	T	0.3	T	2.6				T			T	T					T							1.4	1.2	
	SN ON GND	T	T	T	1	1	T	T		T	T	T																				
BONNERS FERRY	SNOWFALL				-	-		-	-	-				-																		
	SN ON GND	2	2	T	3	12	10	11	12	16	14	13	13	16	12	11	10	-	9	9	8	[illegible]	3	T	T	T		T				
BURLEY CAA AP	SNOWFALL		T	T	T	2.0	1.0	T		T				0.2																	T	T
	SN ON GND	T	T	T	T	1	2	1	1	T	T	T	T	T																		
CALDWELL	SNOWFALL		T		7.0	T	T	1.0	T	T																					T	
	SN ON GND				T	T	T	T	T																							
CASCADE 1 NW	SNOWFALL			1.0	7.0	5.0	8.0	3.0	2.0	4.0				2.0			T	T					T								4.0	T
	SN ON GND	11	10	11	17	21	27	29	30	33	31	30	28	28	27	25	25	24	23	21	20	18	18	17	17	16	16	15	14	12	14	12
CENTERVILLE ARBAUGH RCH	SNOWFALL			T	12.0	2.0	5.0	5.8	3.0	2.0			T	0.6		T	0.2	T					0.3					0.1			4.5	0.3
	SN ON GND	30	30	30	42	42	46	50	50	50	50	46	44	41	40	38	37	37	36	34	33	31	31	31	30	28	28	27	26	25	28	25
COEUR D ALENE CAA AP	SNOWFALL			3.2	0.8	3.4	4.2	0.3	4.5	0.6	1.0	T	0.4									T	1.7									
	SN ON GND			1	2	5	9	9	10	12	13	12	10	5	4	2	2	2	2	1	T	T	T									
COEUR D ALENE RS	SNOWFALL			1.0	4.0	7.0	2.0	3.0	1.5	1.0	1.0	1.0	T																			
	SN ON GND			-	5	12	14	14	13	14	15	14	10	8	7	6	5	4	3	2	T											
COTTONWOOD	SNOWFALL			0.6	9.6	1.5	0.5	T		1.2							0.2														0.8	
	SN ON GND	1	1	1	11	10	8	9	8	9	9	9	7	5	4	4	4	3	3	2											1	
DEADWOOD DAM	SNOWFALL		T	0.5	11.0	4.0	12.0	6.0	6.0	4.0	T		T	T		1.0	0.5	0.5					0.5					T		T	2.0	T
	SN ON GND	46	46	47	57	57	65	67	72	71	69	68	66	63	62	63	62	61	64	58	56	55	54	53	53	52	51	51	50	49	51	49
DUBOIS CAA AP	SNOWFALL		T	T	T	0.7	2.0	T	T	T				0.6	T	T	T						T				T				T	T
	SN ON GND	[illegible]	5	5	5	[illegible]	7	7	6	[illegible]	4	[illegible]	4	3	2	[illegible]	1	1	1													
FENN RS	SNOWFALL				6.0	6.0	2.0	3.0		3.0							1.5						3.0									
	SN ON GND	-	-	-	6	12	14	14	12	13	12	9	7	6	5	5	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
FORNEY BLACKBIRD MINE	SNOWFALL		T	1.0	2.5	3.0	1.0	4.0	0.5	5.0	T			T	T	T	3.0						0.5								1.0	
	SN ON GND	31	31	32	34	35	36	38	38	41	39	38	36	32	31	31	34	-	-	32	31	30	30	30	29	27	26	24	21	18	20	20
GARDEN VALLEY RS	SNOWFALL				12.0	1.0	1.0	6.0	4.0					1.0									T								T	
	SN ON GND	9	8	8	20	15	15	18	20	19	18	17	17	15	15	12	12	12	10	9	9	7	7	[illegible]	4	4						
GLENNS FERRY	SNOWFALL		1.0		5.0	T	1.0																									
	SN ON GND		-	-	2	T	-																									
GOODING CAA AP	SNOWFALL		0.3	1.3	2.9	0.7	0.4			T				T																	2.0	T
	SN ON GND	T	T	T	4	4	3	2	1	1	1	1	T	T	T																1	T
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	T	-	-	-	T	-	T	-	-	-	-
	SN ON GND	4	3	[illegible]	[illegible]	8	8	8	7	[illegible]	9	8	6	5	[illegible]	3							1					T			4	2
GRAY	SNOWFALL				3.0	2.0	T	T		-						T							T				T				T	T
	SN ON GND	26	26	26	28	28	28	28	28	-	28	28	27	27	26	26	26	26	26	26	26	26	26	26	26	25	25	25	25	25	25	25
HAILEY	SNOWFALL		0.5		8.0	1.0	2.0	2.0	2.0														T								T	
	SN ON GND	19	19	19	27	28	30	32	30	28	28	28	27	26	25	23	23	23	23	22	20	17	16	15	14	12	8	6	4	2	2	
HAMER 4 NW	SNOWFALL		T		T	1.5	1.0							1.0																		
	SN ON GND	-	2	-	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HILL CITY	SNOWFALL		3.0		4.0	6.0	3.0	2.0																							4.0	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	12
IDAHO CITY	SNOWFALL				9.0	1.5		2.5	2.0	2.0				1.0																	[illegible]	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					2
IDAHO CITY 13 SW	SNOWFALL	T	T	T	14.0	1.0	2.0	1.0	3.0				T	1.0			T	T	T			T	T				T	T			1.5	T
	SN ON GND	30	30	29	42	40	41	40	43	43	42	42	41	41	40	38	37	36	36	35	34	34	33	33	32	31	30	29	28	27	26	25
IDAHO FALLS CAA AP	SNOWFALL		0.2	1.3	3.2	2.0	T	0.2	0.9	T				T	T	T	T	T					T					T			0.7	0.1
	SN ON GND	1	1	1	5	8	6	6	6	6	5	5	4	3	2	1	T	T	T	T	T	T									T	
IRWIN 2 S	SNOWFALL				8.0	6.0		3.0			2.0												1.0				1.0					
	SN ON GND				8	14	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ISLAND PARK DAM	SNOWFALL				18.0	8.0	2.5		6.0					0.5	T	3.0	2.0			0.5			2.5				T				0.5	1.0
	SN ON GND	-	-	-	62	62	63	63	63	-	-	-	-	54	54	57	57	-	-	54	-	-	52	-	-	-	48	-	-	-	46	45
LEWISTON WATER PLANT	SNOWFALL			T	T		T																									
	SN ON GND																															
LEWISTON WB AP	SNOWFALL		T	T	3.5	T	0.4	T		T	T		T			T	T															
	SN ON GND			T	2	3	3	1	T	T	T	T																				
LOWMAN	SNOWFALL				4.6	3.0	4.3	8.0	4.5	3.8				2.0			0.8	T														
	SN ON GND	24	24	24	29	30	33	38	40	40	39	37	34	31	29	28	28	28	27	25	24	23	23	21	20	19	17	16	15	14	14	-
MACKAY RS	SNOWFALL				0.4	1.6	0.5	0.6	2.1	0.3				0.4									T									T
	SN ON GND	1	1	1	1	2	2	3	4	3	3	3	2	2	2	1																
MALAD CAA AP	SNOWFALL	0.1	1.4	0.1	1.0	0.6	2.4	T		0.2						T	T											T				T
	SN ON GND	9	10	8	9	9	11	10	10	5	5	5	5	5	5	4	3	3	3	3	2	T										
MAY RS	SNOWFALL					1.0		2.5	0.3	0.5																		T				
	SN ON GND					1		2	1	1	1	1																				

See reference notes following Station Index

SNOWFALL AND SNOW ON GROUND

Station		Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
MC CALL	SNOWFALL			3.0	9.0	4.0	12.0			8.0						-															4.0	
	SN ON GND	34		36	45	48	59	57	55	60	-	-	54	-	49	50	50	49	47	46	43	-	-	-	39	-	37	36	35	-	-	-
MESA	SNOWFALL			0.5	3.0		0.5	0.5	0.5	1.0				1.0			T														0.5	
	SN ON GND			1	2	2	2	3	2	3	2	2	1	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-		
MULLAN PASS CAA	SNOWFALL		0.3	2.3	5.9	4.7	4.3	2.0	2.9	2.2	2.6	0.3	0.9	0.9	0.1	1.9	2.2	T			T	1.0	0.9	T			0.1	T		0.3	0.4	0.1
	SN ON GND	90	90	91	98	103	108	110	111	115	118	118	118	118	118	118	120	120	119	119	118	116	117	116	115	114	114	114	113	111	111	108
NEZPERCE	SNOWFALL		T	T	8.0	3.0				6.0			T			T	T						1.0					T			2.0	
	SN ON GND	2	2	2	10	13	12	10	10	16	15	14	8	5	3	3	3	2	2	1	T	T	1	T	T			T			T	
OAKLEY	SNOWFALL					3.0	0.5							1.0																	T	
	SN ON GND	-	-	-		2	T																									
OBSIDIAN 4 NNE	SNOWFALL		T		1.0	3.0	T	3.0	1.0	T				T		T	T						2.0								3.0	T
	SN ON GND	35	35	35	36	39	39	42	43	42	42	42	41	41	41	40	40	40	40	40	39	38	40	40	39	38	38	38	38	38	41	39
OLA	SNOWFALL				6.0	T			T					1.5																T	T	
	SN ON GND				6	6	5	5	5	5	5	5	4	4	3	1	1	1	T												T	
PAYETTE	SNOWFALL				3.0	T	T	0.8	2.0	T				T																		
	SN ON GND				T	T	T	T	T	T	T	T																				
PIERCE RS	SNOWFALL			3.0	20.0	2.0	2.0	2.0		3.5	0.5	0.2		T			2.0					T	5.0	1.0				1.0			0.5	
	SN ON GND	34	34	37	55	52	51	50	48	51	50	47	45	43	42	40	41	40	39	37	35	35	40	35	33	32	31	31	29	28	28	27
PINE 2 SSW	SNOWFALL	T	T		10.0	4.0	2.5	1.0	1.0	1.0				T			0.5						T								2.0	
	SN ON GND	31	30	30	40	40	41	40	40	39	39	38	37	36	34	32	32	32	31	30	29	28	28	27	25	24	22	21	21	19	20	19
POCATELLO WB AP	SNOWFALL		2.6	0.9	0.3	1.2	T	T		T				T		T	T											T			0.2	T
	SN ON GND	2	2	5	3	4	1	T	T																						T	
PORTHILL	SNOWFALL				10.0	1.0	0.5	0.5	0.5	9.0			1.0	1.0									T									
	SN ON GND				8	8	8	9	9	15	13	12	12	8	6	5	5	4	4	4	2	2	1	1								
POTLATCH	SNOWFALL		T	2.0	3.0	0.4	0.4	1.0			0.5					-	-	-	-			T										
	SN ON GND			2	4	1	1	3	3	3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PRIEST RIVER EXP STA	SNOWFALL			2.4	4.7	6.5	3.4	5.5	3.6	4.3	T	T	4.0	T	T	T							0.8								T	
	SN ON GND	17	17	19	23	30	34	39	40	38	37	35	38	35	33	30	30	29	29	24	22	22	22	22	22	18	18	15	13	13	12	10
RIGGINS RS	SNOWFALL					1.5		2.0	T	1.0																						
	SN ON GND					1	T	1	-	T																						
ROLAND WEST PORTAL	SNOWFALL			2.1	10.3	8.7	2.6	3.5	11.9	5.8	12.7		T	4.3	T	T	5.7	T				T	5.8	4.9			T					
	SN ON GND	72	72	74	80	84	85	87	96	99	108	104	102	97	93	77	81	80	78	71	58	53	58	62	57	46	40	38	37	36	34	33
SALMON	SNOWFALL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND					1		1	2	2	3	2	2	2																		
SANDPOINT EXP STATION	SNOWFALL			1.0	7.0		1.0	5.0	3.5	4.0	T		1.5																			
	SN ON GND	1	1	2	8	8	9	14	18	22	22	21	23	21	9	5	4	3	3	3	2	2	2	2	T	T	T	T	T	T		
SPENCER RS	SNOWFALL			1.0	3.0	5.0	3.0	2.0		T	2.0			T			1.0						T								T	T
	SN ON GND	-	-	-	-	27	-	-	-	-	-	-	25	-	-	-	-	-	-	25	25	-	-	-	-	20	-	-	-	-	-	-
STIBNITE	SNOWFALL		T	0.8	6.0	1.8	7.5	0.4	4.2	0.3	T		1.4		2.0	0.6	0.6	T				1.3	0.4			1.5	0.5	T		2.7	T	
	SN ON GND	39	39	40	45	45	51	49	53	52	51	49	49	46	46	47	47	47	46	44	42	41	41	39	36	36	32	31	29	30	29	27
SUN VALLEY	SNOWFALL		T	T	2.0	6.0	4.0	2.0	3.0	T						T	T					T	T								T	
	SN ON GND	28	28	28	29	36	40	38	39	37	36	35	34	33	31	29	28	28	28	26	25	25	24	24	21	21	19	19	17	16	16	14
SWAN FALLS PH	SNOWFALL				-																											
	SN ON GND		T	T	T																											
THREE CREEK	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	1	3	3	1	11	6	4	2	6	3	3	2	1	1	1	T	T													10	7
TWIN FALLS 2 NNE	SNOWFALL		T			1.0	2.0	T		T				T																	1.0	
	SN ON GND					T	T																								T	
WALLACE	SNOWFALL			1.0	5.0	1.0	1.0	1.0	2.0	2.0	2.0		T	T	T	T	T					T	2.0				T					
	SN ON GND	1	1	2	7	8	9	10	12	14	16	10	8	4	3	3	2	1	1	T	T	T	2	1	T	T	T	T	T	T		

See reference notes following Station Index

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	8A	8A	S IDAHO COL OF EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STEARNS	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	8A	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM 1 SW	0282	ELMORE	2	43 20	115 30	3867	5P	5P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5320	5P	5P	MRS M MARTIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3216	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 04	111 27	5100	5P	5P	ERNST STEINMAN	2 3 5 7
ATLANTA 1 E	0491	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 4 5 7
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0561	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	3 4
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	3 4
BIG CREEK	0835	VALLEY	11	45 08	115 20	5737	5P	5P	MARY A WEYMOUTH	2 3 4 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 4 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KOHN	3 4
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE I NEUMAYER	2 3 4 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	3 4
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 ENE	1272	SHOSHONE	4	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	3 4
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 11	2135	6P	6P	MRS MARY L RALPH	2 3 4 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	3 4
CLEMENTSVILLE 4 E	1881	TETON	12	43 51	111 16	5904		MID	TETONIA EXP STATION	3 4
COEUR D ALENE CAA AP	1951	KOOTENAY	4	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
COEUR D ALENE R S	1956	KOOTENAY	4	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2138	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COTTONWOOD [illegible] W	2159	IDAHO	3	46 02	116 [illegible]	3600		MID	KARL FREI	3 4
COUNCIL 2 NNE	2187	ADAMS	12	44 45	116 [illegible]	3150	7P	7P	JOHN W HOOVER	2 3 4 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS E PHILLIPS	3 4
CROUCH 1 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 4 5 7
DEADWOOD SUMMIT	2390	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	4	47 44	116 29	3000		MID	U S FOREST SERVICE	3 4
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DRIGGS	2676	TETON	12	43 44	111 07	6097	9A	9A	ELLIE STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 11	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5123	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
EDEN HUNT PROJECT	2825	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORNEY BLACKBIRD MINE	3289	LEMHI	11	45 07	114 21	6825	6P	6P	CALERA MINING CO	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY R S	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
[illegible] SUMMIT RANCH	3576	CUSTER	11	44 19	113 [illegible]	6600		VAR	STAN [illegible] WANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	[illegible]	111 41	[illegible]	[illegible]	[illegible]	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 4 5 7
GRAY	3811	BONNEVILLE	12	43 07	111 22	6150	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 4[illegible]	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	48[illegible]0		7A	CHARLES [illegible] ENGHILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 14 NW	4459	BOISE	2	43 42	116 01	5000		6P	C W GARDNER	3 7
IDAHO FALLS CAA AP	44[illegible]7	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
[illegible]	4177	OWYHEE	2	42 03	115 09	6000		VAR	CHRIS CALLEN	S
IRWIN 2 SE	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JEROME	4670	JEROME	12	42 43	114 32	3774	5P	5P	NORTH SIDE CANAL CO	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190	7A	7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2687	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	3 4
LEWISTON	5230	NEZ PERCE	12	46 25	117 02			7A	JACK MCKAY	3
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
LIFTON PUMPING STATION	[illegible]	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	[illegible]	IDAHO	3	46 38	114 33	[illegible]		VAR	U S FOREST SERVICE	S
LOWMAN	5411	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 37	[illegible]	5P	5P	U S FOREST SERVICE	2 3 4 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 4 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5067	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 1[illegible]	47[illegible]	5P	5P	[illegible] SCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOOSE CREEK RANGER STA	6085	IDAHO	3	46 08	114 [illegible]	2400		MID	U S FOREST SERVICE	3 4
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 W	6174	ELMORE	12	43 08	115 43	3150	6P	6P	DURHAM NICHOLS	2 3 4 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
NAMPA	6295	CANYON	2	43 35	116 34	2482	5P	5P	C W NELSON	2 3 5
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3869	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	5P	5P	WAYNE [illegible] SHAEFFER	2 3 5 7
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6573	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	6586	GEM	8	44 10	116 17	3071	5P	5P	DAISY V NEWELL	2 3 4 5 7
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	8A	8A	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 46	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	5P	5P	U S FOREST SERVICE	2 3 4 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	3 4
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1806	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON 2 SE SUG FAC	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 [illegible]	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1680	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	806[illegible]	BENEWAH	10	47 19	116 33	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB AIRWAY OBS	2 3 4 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 4 5 7
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3968	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E J PHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	7A	7A	BRADLEY MINING CO	2 3 5 7
STREVELL CAA AP	8786	CASSIA	12	42 01	113 13	5275	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM [illegible] ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	11	43 41	114 21	5821	5P	5P	EDWARD F SEATTLE	2 3 4 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 [illegible]	2950	8A	8A	ROBERT [illegible] SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 E	9841	LEWIS	3	46 14	116 36	3950	4P	4P	[illegible]	2 3 5
WOLF LODGE SUMMIT	9862	KOOTENAY	4	47 43	116 30	[illegible]		MID	U S FOREST SERVICE	CLOSED 7/10
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	[illegible]		MID	U S SOIL CON SER	3 4
PRAIRIE	7327	ELMORE	2	43 30	115 [illegible]	[illegible]		MID	VICTOR [illegible]	3 4
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 33	115 38	3475		VAR	U S SOIL CON SER	S
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
DOLLARHIDE SUMMIT	2601	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	3 4
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 4 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index,but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches,and wind movement in miles. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January, 1949.

Amounts in Table 4 are from recording gages. Traces are not shown.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 4, 6, 7 and the Station Index. No record in Tables 2 and 5,is indicated by no entry. When hourly precipitation is missing or accumulated for several days, only the first and last days are shown in Table 4.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
6	Station not equipped with a recording gage.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gages.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks, postal notes and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-102343 1000 5-14-51

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

APRIL 1951
Volume LIV No. 4

SAN FRANCISCO: 1951

IDAHO - APRIL 1951

E. H. Jones, Section Director, Boise

WEATHER SUMMARY

The outstanding feature of this month's weather in Idaho was the prolonged dry spell, extending from the closing days of March to the beginning of the final week of April in most of the State. For the Northern Division the average precipitation hit a new low for the month in 58 years of record, but late rains brought Southern Division averages close to the long-period mean. All but two stations north of the 44th parallel of latitude recorded subnormal precipitation, while south of that line positive and negative departures were about evenly divided. The average temperature for the month was more than 3° above that of April 1950, but just 1.1° above the 55-year mean. Departures from station mean temperatures were predominantly positive, but mostly small, with greatest departure of about 3° occurring at scattered stations in the south-central and southeast sections of the State. Sunshine was unusually abundant, apparently running 15 to 20 percent above the April mean, and placing this month among the sunniest Aprils on record. Strong winds occurred on several days but little or no damage was reported.

A day-by-day examination of the weather in Idaho during this month reveals warm, sunny weather prevailing throughout the State during the first week. Sunny conditions continued through the second and third weeks in most sections, but during this period two cold fronts moved almost directly from north to south across the State, the first on the 9th-10th, the second on the 19th-20th. Following passage of each front all sections of the State experienced a hard freeze. The first did relatively little damage, because vegetation had not generally reached a vulnerable stage. The second cold period caught fruits at a more critical stage of development and damage to soft fruits reached 80 to 90% of the crop in some south-central areas; extensive heating, however, saved much of the crop in southwestern orchards. First real indications of a break in the drought came on the 19th when stations in the southeast corner of the State recorded fairly substantial amounts of rain. During the ensuing four days scattered light showers occurred in areas south of the Salmon River and on the 24th that same section of the State experienced widespread showers with totals reaching three tenths of an inch or more at a number of stations. The 25th brought light and scattered showers, and on the 26th southern Idaho again had widespread showers, light to moderate in intensity. Finally on the 27th showers fell throughout the State as the forerunner of a storm front from the Pacific. That formation, moving rather slowly, passed eastward beyond Idaho by the 29th; but accompanying it across the State, and within the air mass that followed the storm inland from the Pacific, precipitation was general, and in many areas moderate to heavy. During this period a number of stations in the southwestern division recorded one-day totals in excess of an inch.

Snowfall was much lighter than usual, averaging 0.8 inch for the State,compared to a 55-year mean of 2.6 inches for April. By the end of the month only a few stations reported snow on the ground, although mountain snow accumulations were sufficient to assure plentiful supplies of water for nearly all irrigation projects.

The persistently warm weather of the first week or ten days resulted in rapid snow melt and higher-than-average stages on several streams in the southern part of the State, where near bankful stages were reached about the 15th. The Big Wood, Malad and Port Neuf Rivers reached bankful stages, or a little above, from the 13th to the 15th, occasioning some alarm but causing little or no material damage. Northern Idaho rivers showed substantial increases in flow during the month but remained well below bankful stages.

The prolonged period of dry, sunny weather permitted steady outdoor activities on farms and ranches, but also resulted in such drying of the topsoil in many areas as to retard early growth of hay, wheat, early row crops, and ranges. The principal damage due to weather elements was to fruits, in the hard freeze at the end of the third week.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	20	8.8	38	NW	20	69	40	30	57	6	1	1	1	0	0	9	84	4.3	SEE TABLE 2.
LEWISTON WB AIRPORT	W	12	4.4	-	-	-	62	41	29	48	1	1	2	0	0	0	4	-	4.1	
POCATELLO WB AIRPORT	SW	18	8.6	48	SW	9	70	41	32	54	3	1	3	0	0	0	7	77	4.4	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation			Year	Temperature			Precipitation			Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more		Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more		Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1894	44.3	97	6	1.71	-	[illegible]	1915	51.0	95	18	1.54	1.5	8	1936	46.8	96	-21	1.00	2.2	7
1895	46.5	95	0	.77	-	3	1916	46.0	90	5	1.10	0.8	7	1937	41.7	87	- 6	2.44	3.4	11
1896	41.8	80	-10	1.55	-	[illegible]	1917	39.0	76	-10	2.23	7.2	10	1938	45.5	86	-11	1.45	0.7	8
1897	45.3	90	6	1.04	-	6	1918	44.0	85	- 6	.88	1.3	4	1939	47.8	98	- 1	.68	0.7	4
1898	48.0	94	4	.91	-	4	1919	46.5	95	4	1.47	1.0	7	1940	46.7	87	8	2.18	0.4	11
1899	42.9	84	3	1.58	3.3	6	1920	40.5	78	-18	2.10	6.7	10	1941	45.8	89	3	1.68	1.6	9
1900	47.6	89	20	1.91	3.2	9	1921	41.9	83	-10	2.19	4.9	10	1942	46.6	89	- 3	1.52	1.7	8
1901	43.2	84	-10	1.12	6.6	6	1922	40.1	79	-14	1.81	6.8	9	1943	48.9	90	14	1.58	0.6	8
1902	44.0	87	6	1.26	1.5	8	1923	44.0	88	0	1.96	0.9	10	1944	44.1	85	1	2.29	3.6	11
1903	42.4	86	- 4	1.30	6.3	7	1924	44.3	84	- 4	.57	1.1	4	1945	41.2	89	-11	1.25	4.4	6
1904	46.3	91	0	1.25	3.0	6	1925	47.3	86	6	1.80	.1.4	[illegible]	1946	47.5	99	2	1.00	1.1	7
1905	47.0	83	8	1.29	1.1	6	1926	50.6	96	-11	1.10	1.3	7	1947	45.3	90	- 2	1.17	1.5	8
1906	46.6	96	0	1.12	2.5	5	1927	43.2	95	-10	1.24	4.0	7	1948	43.3	87	- 9	2.20	4.4	12
1907	45.0	81	10	1.37	4.0	7	1928	42.5	86	-16	1.41	3.6	9	1949	48.5	90	- 2	.54	0.2	4
1908	46.8	92	- 6	.85	0.7	5	1929	41.4	80	-11	1.89	5.5	10	1950	42.9	85	- 3	.96	1.6	7
1909	41.5	80	- 9	.64	1.9	4	1930	50.8	89	10	1.62	0.1	[illegible]	1951	46.3	85	2	1.06	0.8	4
1910	50.5	100	7	1.55	1.3	6	1931	45.8	85	- 1	1.00	1.0	5							
1911	42.9	85	-11	1.15	4.9	7	1932	44.8	86	- 5	1.85	2.5	10							
1912	43.8	84	- 7	2.16	4.2	11	1933	42.6	86	-12	.90	2.3	6							
1913	45.9	87	0	1.08	0.9	6	1934	52.6	96	- 2	.85	0.5	5	PERIOD	45.2			1.42	2.5	
1914	47.0	84	- 2	1.69	0.5	9	1935	43.4	80	- 2	2.30	2.3	10							

DATA FOR THE PERIOD BEGINNING WITH APRIL 1948 TO DATE HAVE BEEN WEIGHTED ON AN AREAL BASIS AND ARE NOT COMPARABLE WITH UNWEIGHTED VALUES PUBLISHED IN THIS TABLE FOR EARLIER YEARS.

CLIMATOLOGICAL DATA

Table 2

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn	Date	.01 or more	.50 or more	1.00 or more
NORTHERN DIVISION																			
AVERY RS	47.1	0.8	78	12	19	21	530	0	27	.86	- 1.59	.32	29+	T	T	30	4	0	0
BAYVIEW MODEL BASIN	44.9		73	13	19	21	595	0	24	.25		.23	28	.0	0		2	0	0
BONNERS FERRY	47.1	0.4	75	12	19	19	529	0	20	.62	- .44	.31	30	.0	0		4	0	0
BURKE 2 NNE	38.7	0.2	62	12	11	21	783	0	28	1.33	- 1.11	.53	29	3.7	51	1	3	2	0
CLARK FORK 1 ENE	44.7	- 2.2	72	12	18	19+	604	0	25	.87	- 1.33	.45	30	.0	0		4	0	0
COEUR D ALENE CAA AP	45.1		73	12	19	19	588	0	22	.41		.20	28	T	0		3	0	0
COEUR D ALENE RS	47.3	0.3	73	17+	18	21	525	0	23	.44	- 1.32	.23	29	.0	0		2	0	0
COTTONWOOD	46.3	2.9	72	12	18	21	556	0	17	.55	- 1.55	.44	29	.0	0		2	0	0
ELK CITY	40.8		71	12	15	4+	722	0	28	1.37		.83	29		14	1	2	2	0
FENN RS	49.9	- 0.6	82	16	24	22	448	0	21	1.13	- 2.31	.85	29	.0	0		2	1	0
FORNEY BLACKBIRD MINE	37.7M		62	12	5	21	816	0							18	1			
GRANGEVILLE	46.4	1.5	73	13	19	21	551	0	12	.92	- 1.69	.65	29				3	1	0
KELLOGG	47.5	1.1	74	26	22	21		0	22	.62	- 1.55	.38	29	.0	0		3	0	0
KOOSKIA	51.7	1.1	82	12	22	21+	392	0	14	1.39	- 1.28	1.32	29	T	0		3	1	1
LEWISTON WATER PLANT	53.2	0.2	80	12	23	21	349	0	6	.33	- .79	.28	28	.0	0		2	0	0
LEWISTON WB AP	51.8		80	13	22	21	386	0	6	.45		.25	28	.0	0		3	0	0
MOSCOW U OF I	46.9	0.7	74	12	17	21	537	0	15	.36	- 1.23	.25	28	.0	0		2	0	0
MULLAN PASS CAA	35.4	- 0.1	54	12	2	19	880	0	18	.59	- 1.63	.15	29+	3.9	106	1	5	0	0
NEZPERCE	45.7	1.3	75	13	18	21	570	0	16	.60	- 1.53	.50	29	T	0		2	1	0
OROFINO	52.2M	0.8	82	12	24	21	378	0	14	.68	1.44	.53	29	.0	0		2	1	0
PIERCE RS	42.0	- 0.3	69	13	18	21	686	0	29	1.45	1.93			.0	25	1	3		
PORTHILL	46.1	0.3	73	12+	15	19	561	0	22	.44	- .50	.24	29	.0	0		2	0	0
POTLATCH	46.3	0.8	75	12	19	21	556	0	23	.55	- 1.44	.33	28	.0	0		2	0	0
PRIEST RIVER EXP STA	43.4	- 0.5	72	12	17	21	644	0	26	.56	1.35	.34	28	.0	8	1	3	0	0
RIGGINS RS	54.7	2.1	85	13	25	21	299	0	2	.30	1.21	.24	29	.0	0		2	0	0
ROLAND W PORTAL	44.9	5.2	70	12	19	19	595	0	14	1.06	2.17	.58	30	4.0	32	1	3	1	0
SAINT MARIES	46.9M	- 0.5	75	12+	20	21	534	0	23	1.01	.69	.55	29	.0	0		3	1	0
SALMON	46.7	0.8	78	13	19	11+	541	0	22	.40	.25	.32	29		0		2	0	0
SANDPOINT EXP STA	45.7M	- 0.3	71	12	22	19	588	0	23	.46	1.43	.21	28	.0	0		3	0	0
WALLACE	44.9	- 0.9	75	12	17	21	598	0	24	.94	1.55	.50	29	T	T	16	3	1	0
WALLACE WOODLAND PARK	43.8M	- 0.4	72	13	16	21		0	26	.75	1.65	.40	29	.0	0		4	0	0
WINCHESTER 1 SE	42.7	- 0.6	70	12	14	21	661	0	23	.67	1.84	.48	29	.0			2	0	0
DIVISION	45.9	- 0.2								.72	- 1.26			.4					

See reference notes following Station Index

CLIMATOLOGICAL DATA

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max. 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	39.8	0.7	67	13	17	21	747	0	26	1.63	- .48	1.21	28	1.0	13	1	3	1	1
ANDERSON DAM	49.2		75	13	29	1	469	0	8	1.65		1.38	28	T	0		5	1	1
ARROWROCK DAM	49.9	1.2	74	14	26	21		0	7	1.66	.07	.88	29	.0	0		4	2	0
ATLANTA 1 E	41.4	1.2	65	13	19	21	699	0	26	2.27	.62	.92	28	14.0	37	1+	6		0
BLISS	50.7	1.9	78	13	23	22	423	0	14	.81	- .04	.60	28	.0	0		4	1	0
BOISE LUCKY PEAK DAM	53.6M		76	13+	24	21	324	0		1.15		.83	28	.0	0		3	1	0
BOISE WB AP //	50.7	1.6	76	13	24	21	422	0	4	.94	- .24	.71	28	T	0		3	1	0
BUHL	51.6M	3.0	74	14	30	1+	399	0	8	.59	- .36	.54	28	T			2	1	0
CALDWELL	52.6	1.7	82	12	25	1	366	0	13	.92	- .02	.82	28	.0	0		2	1	0
CAMBRIDGE	52.3	3.1	82	26	23	20		0	13	1.00	- .50	.53	28	.0	0		2	1	0
CASCADE 1 NW	41.4		65	13	20	21	702	0	26	1.05		.74	28	2.0	10	1	3	1	0
CHALLIS	46.3	2.0	72	13	22	21+	553	0	19	.43	- .15	.30	29	T	T	20+	3	0	0
COUNCIL 2 NNE	50.3	2.7	78	13	23	21	434	0	5	1.39	- .87	1.05	28	.0	0		2	1	1
DEADWOOD DAM	37.8	1.0	65	13	13	11+	812	0	30	1.87	- .09	1.20	28	1.0	46	1	6	1	1
DEER FLAT DAM	52.9	2.3	81	13	24	22	359	0	7	.57	- .25	.57	28	.0	0		1	1	0
EDEN HUNT PROJECT	47.8		72	17	19	21	509	0	18	1.18		.46	29	.0	0		4	0	0
EMMETT 2 E	52.1	0.2	79	13	25	21	382	0	9	1.48	.44	1.29	28	.0	0		2	1	1
FAIRFIELD RS	M							0		1.95		.85	28	.0	8	1	5	2	0
GARDEN VALLEY RS	48.7	2.3	77	13	23	11+	481	0	23	1.28	- .50	1.03	28	.0	0		2	1	1
GLENNS FERRY	52.3	0.7	82	13	23	11	373	0	13	.90	.14	.73	28	.0	0		4	1	0
GOODING CAA AP	49.8	2.4	75	13	26	21+	449	0	7	.97	.03	.68	28	T	0		5	1	0
GRAND VIEW	55.1	2.8	84	12	28	22	289	0	5	.38	- .50	.38	28	.0	0		1	0	0
HAILEY	45.5	2.6	72	13	22	11	578	0	18	2.74	1.59	1.23	28	T	0		5	2	1
HAZELTON	48.7	0.9	73	13	22	11+	480	0	15	1.24	- .03	.45	26+	1.0	0		5	0	0
HILL CITY	42.4	2.2	67	13	11	2	670	0	19	1.97	.91	1.50	28	.0			4	1	1
HOLLISTER	48.1M	2.4	73	13	24	22	498	0	15	.98	- .20	.63	28	.0	0		3	1	0
IDAHO CITY	45.1	0.9	75	7	19	22	586	0	24	1.88	.37	1.20	28	.0			4	1	1
JEROME	49.7	1.1	77	13	21	22	451	0	14	1.05	.07	.40	28	T	0		5	0	0
KUNA 2 NNE	50.1M	0.8	78	13	22	21	441	0	14	.84	- .21	.65	28	T	0		2	1	0
LOWMAN	45.3M	2.2	73	13	20	11	585	0	25	1.42	- .20	.84	28	.0	11	1	4	1	0
MC CALL	35.6	- 2.0	60	13	15	21	882	0	30	.68	- 1.23	.38	29	.0	30	1	2	0	0
MERIDIAN 1 SSW	49.6	- 0.8	78	13	22	11+	455	0	15	1.09	- .02	.85	28	.0	0		2	1	0
MESA	51.3		78	13	24	21	405	0	5	1.17		1.09	28	.0	0		2	1	1
MOUNTAIN HOME 1 W	50.5	1.9	79	13	20	21	430	0	15	.88	- .06	.70	28	.0	0		3	1	0
NAMPA	53.6M	1.6	82	13	28	11+	336	0	9	1.00	.02	.90	28	.0	0		2	1	0
NAMPA 2 NW	52.2		81	14	25	11		0	11	.64				.0	0		4	0	0
NEW MEADOWS RS	42.3	0.1	74	13	15	21	677	0	27	1.02	- .67	.82	28	.0	7	1	2	1	0
OBSIDIAN 4 NNE	33.7	0.0	60	5	9	21	931	0	30	1.07	- .14	.34	24	T	38	1+	5	0	0
OLA	48.4		78	13	11	20+	490	0	21	1.40	- .38	1.20	28	.0	0		2	1	1
PARMA EXP STA	52.5M	0.7	82	14	26	22		0	12	.38	- .45	.24	28	.0	0		3	0	0
PAYETTE	52.9	1.6	82	13	27	21+	356	0	9	.93	.13	.89	28	.0	0		2	1	0
RICHFIELD	47.2	2.2	75	13	20	22	526	0	21	1.37	.47	.60	28	.0	0		4	1	0
SHOSHONE	48.7	1.9	75	13	24	22	482	0	11	1.45	.49	.76	28		0		5	1	0
STIBNITE	37.6		61	12+	12	20		0	29	.86		.40	28	3.9	24	1	6	0	0
SUN VALLEY	39.6	1.8	70	13	13	2	756	0	28	2.35	1.26	1.10	28	4.0	13	1	6	3	1
SWAN FALLS PH	55.7	1.7	82	13+	33	1+	261	0	0	.14	- .71	.14	28	.0	0		1	0	0
THREE CREEK	43.9		72	13	15	1	626	0	23	1.40	.06	.75	29		3	30	4	1	0
TWIN FALLS 2 NNE	50.4	2.3	77	13	23	22	431	0	12	.74	- .37	.33	28	.0	0		4	0	0
TWIN FALLS 3 SE	47.2	- 1.5	74	18	22	22		0	17	1.02	- .05	.37	29	T	0		6	0	0
WEISER	52.6M	0.2	85	13	23	21	366	0	13	1.05	.06	.98	28	.0	0		2	1	0
DIVISION	47.9	1.4								1.18	- .04			.6					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STA	46.8	1.7	74	13	18	11	538	0	21	.62	- .37	.29	29	1.2	0		5	0	0
ALBION	44.8	- 0.4	71	14	15	22		0	21	1.48	.01	.87	30		11	30	3	2	0
AMERICAN FALLS 1 NW	47.4	1.9	72	13	19	11		0	17	.99	- .33	.55	29	2.5	3	30	5	1	0
ASHTON 1 S	40.6	- 0.4	70	17	15	21	726	0	26	1.03	- .13	.58	27	1.5	7	1	4	1	0
BLACKFOOT	48.5	3.1	75	13	21	11	487	0	17	.48	- .48	.32	30	T	0		2	0	0
BURLEY	50.6	3.3	76	14	26	11+		0	12	1.19	.04	.68	29	3.0	3	30	5	1	0
BURLEY FACTORY 1 NW	47.6	0.4	74	14	22	22		0	16	1.34	- .10	.86	29	2.C	2	30	6	1	0
BURLEY CAA AP	47.3	0.1	75	13	23	11+	523	0	17	1.67	.86	.80	28	2.0	0		6	1	0
CHILLY BARTON FLAT	39.5	- 0.5	67	13	14	11+	756	0	25	1.00	.45	.40	28	T	0		3	0	0
DRIGGS	40.6	2.8	65	14	15	11		0	22	1.55	.37	.66	27				9	1	0
DUBOIS EXP STA	43.7	1.0	70	13	16	21	633	0	17	.66	- .27	.20	27+	T	0		6	0	0
DUBOIS CAA AP	44.2	0.3	73	13	18	16	617	0	19	.55	- .35	.24	28	T	T	20	7	0	0
FORT HALL IND AGENCY	46.6M	1.0	75	13	18	11	546	0	19	.89	- .22	.53	30				3	1	0
GRACE PH	42.2	0.1	68	13	17	11	678	0	20	1.31	- .07	.38	29	2.0	2	30	7	0	0
GRAY	37.9M	0.0	61	13	12	11	807	0	24	1.18	- .45	.35	25		24	1+	7	0	0
GROUSE	40.2		78	17	13	22	738	0	26	1.34	.30	.67	28	.0	0		4	1	0
HAMER 4 NW	44.8	2.1	75	13	13	11	599	0	21	.37	- .34	.15	29	T	0		5	0	0
IDAHO FALLS CAA AP	45.3	0.4	73	13	21	11+	585	0	19	.52	- .42	.15	26	T	0		6	0	0
IRWIN 2 S	44.5	4.0	69	13	18	11	609	0	20	1.24	.18	.66	26	2.0	0		4	1	0
ISLAND PARK DAM	35.7	- 0.8	61	18	8	15+	874	0	28	.51		.26	30	4.5			4	0	0
LIFTON PUMPING STA	43.1	3.0	63	13	22	11	653	0	16	1.70	.50	.83	24	.0	0		8	1	0
MACKAY RS	43.9	1.5	78	16	17	11	627	0	21	1.19	.53	.54	28	.0	0		7	1	0
MALAD	48.3	3.0	73	14	22	11	491	0	14	1.31	- .24	.50	29	.7	0		8	1	0
MALAD CAA AP	46.2		73	13	18	11	624	0	19	1.16		.35	29	4.7	T	29	7	0	0
MAY RS	44.6	0.1	73	16	18	21	605	0	21	.48	- .04	.29	29	T	0		5	0	0
MC CAMMON	47.4		73	13	18	22	521	0	20	.65		.36	29	.0	0		4	0	0
MINIDOKA DAM	47.7		71	13	27	11	511	0	6	1.10		.34	28		0		5	0	0
MONTPELIER RS	41.7M	0.8	67	16	17	11		0	23	2.20	.59	.67	24	.5	1	24	10	1	0
OAKLEY	48.5	1.7	73	13	25	15	492	0	15	1.23	.08	.63	29	T	0		5	1	0
PALISADES DAM	42.8M		68	13	15	11	663	0	21	.97		.24	29				6	0	0
PAUL 1 E	47.5	1.2	77	15	19	22		0	17	1.96	.81	1.36	29	2.0	2	30	3	1	1
POCATELLO WB AP //	46.9	2.0	74	13	20	11	535	0	17	1.02	- .45	.42	30	.9	1	30	4	0	0
PRESTON SUG FACT 2	48.2	2.8	70	13+	19	11	495	0	15	2.46	.53	.92	24	5.4	1	30	7	2	0
RIRIE	45.2		72	13	18	20	585	0	16	1.23		.33	21				5	0	0
RUPERT	47.8M	0.8	74	14	20	11		0	18	1.26	.24	.77	29	.0	0		5	1	0
SAINT ANTHONY	42.6		73	13	16	11+	664	0	25	1.19	.13	.28	27	2.0	2	2+	6	0	0
SPENCER RS	39.6	1.8	67	17	10	21	758	0	27	1.16	- .34	.40	27	T			4	0	0
SPRINGFIELD	46.1	1.6	75	13	17	11	559	0	19	.77	- .32	.29	30	2.0	0		4	0	0
SUGAR	45.9M	2.9	74	13	19	11	570	0		1.27	.48	.40	30	2.0			5	0	0
TETONIA EXP STA	39.0	- 0.7	64	13	11	21	776	0	25	1.45	.40	.63	27				5	1	0
DIVISION	44.5	1.7								1.14	.01			1.3					
STATE	46.3	1.1								1.06	- .31			.8					

See reference notes following Station Index

DAILY PRECIPITATION

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
ABERDEEN EXP STA																				T					T		.13	06	03	29	.11		62
ALBION																													.08	52	87		1 48
ALPHA 1 NE																									12	T	T		1 21	30	T		1.63
AMERICAN FALLS 1 NW																				T						.01	01	10	T	.55	.32		99
ANDERSON DAM																									T	T	05	.01	1 38	20	.01		1 65
ARROWROCK DAM																									05				.71	88	02		1 66
ASHTON 1 S																						.10			T	T		58	T	11	24		1.03
ATLANTA 1 E																						.07			45		T	02	92	•	81		2 27
ATLANTA 1 E	R																				.10				50		.02	02	1.41	.35			2.40
AVERY RS																				02									.20	32	32		86
BANCROFT	R																		•	.13					03		09	.13	.07	28	13		86
BAYVIEW MODEL BASIN																			T	T								T	.23	.02	T		.25
[illegible]TON DAM	R																											.12	.22	24	16		74
BLACKFOOT																											T	T	T	16	32		48
BLACKFOOT DAM	R																			.15	.04	.05					.20	19	.13	.21	.16		1 13
BLISS																									02		02		60	.17	T		81
BOISE LUCKY PEAK DAM																									.03				83	29			1.15
BOISE WB AP	R																				T			T	T	T	T	.05	71	.18	T		94
BONNERS FERRY																				T								.03	09	19	31		62
BONNERS FERRY	R																											.01	.08	.18	.31		58
BRIDGE	R																		04	.01				.08	.10		82	.03	.16	46	.21		1 91
BUHL																									T	05			54	T	T		59
BURKE 2 NNE																				T									.30	53	.50		1.33
BURLEY		T																				T			T	.09	07	04		68	31		1.19
BURLEY FACTORY 1 NW		01																							T	.11	09	.04		86	.23		1.34
BURLEY CAA AP																			T	T		T			16	.01	.11	T	.80	.30	29		1.67
BURLEY CAA AP	R																								15	01	.11		.58	.22	04		1 11
CALDWELL																													82	10			.92
CAMBRIDGE																													53	47			1.00
CASCADE 1 NW																						T			06		T		.74	.25			1.05
CENTERVILLE ARBAUGH																					02				.14	01		.03	1 35	33	01		1.89
CHALLIS																					02	T			T	11	T	T	T	.30	T		.43
CHILLY BARTON FLAT																						T			.25		.35	T	40				1 00
CLARK FORK 1 ENE																			.10										.10	22	45		.87
CLARK FORK 1 ENE	R																		.06									05	.05	10	.63		.89
CLARKIA RS	R																											17	32	.78			1.27
COEUR D ALENE CAA AP																			T									.15	20	.06	T		41
COEUR D ALENE CAA AP	R																											14	22	.07			.43
COEUR D ALENE RS																													.21	23			44
COTTONWOOD																												T	.11	44	T		55
COTTONWOOD 2 SW	R																												.14	.36			.50
COUNCIL 2 NNE																													1 05	.34			1 39
COUNCIL 2 NNE	R																												1 25	10			1 35
CRAIGMONT	R																											03	.24	.21			48
CROUCH 2 NNW																													1.23	.13			1.36
DEADWOOD DAM																						.01			.34		08	01	1.20	.23			1.87
DEADWOOD DAM	R																				01				.36		.08	04	1.22	.20			1.91
DEER FLAT DAM																													.57	T			57
DRIGGS		06								02												.30	T	T		.05	.02	.66	.01	.12	31		1 55
DUBOIS EXP STA																				T	T				03	03	T	20	.13	20	.07		.66
DUBOIS CAA AP																					T	.03			07		.06	.01	.24	.13	.01		.55
DUBOIS CAA AP	R																				.12	.01			06	02	.02	.07	.16	.08	.02		.56
EDEN HUNT PROJECT																											.25	T	35	.46	.12		1.18
ELK CITY																				T	T	T								.83	.54		1.37
EMMETT 2 E																													1.29	.19	T		1.48
FAIRFIELD RS																									•	•	28		85	82			1 95
FENN RS																														85	28		1.13
FORNEY BLACKBIRD MINE											05										T	08							-				-
FORT HALL IND AGENCY																													.09	.27	.53		89
GARDEN VALLEY RS																													1.03	.25			1.28
GLENNS FERRY																									.04		06		.73	.07			90
GOODING CAA AP																									.10	T	.14		.68	04	.01		.97
GOODING CAA AP	R																								.10		.14		64	.03	.03		94
GRACE PH																				12				T	.32		.05	.08	.09	.38	.27		1.31
GRAND VIEW																													38				.38
GRANGEVILLE	6																			T	T							.01	.26	.65			92
GRAY																						T		.08		.35	28	27	05	07	08		1 18
GROUSE																									T			.19	.67	47	01		1 34
HAILEY																									.40		.17	.07	1 23	.87			2.74
HAMER 4 NW																						.02				T	.09	.06	.05	15			.37
HAZELTON																						T			T		.45	.01	24	.45	09		1.24
HILL CITY																									18		.11		1.50	.18			1.97
HOLLISTER		T																											.63	.07	.28		98
HOWE																						03						.22	.05	.50	03		83
IDAHO CITY																									.22				1.20	41	05		1 88
IDAHO CITY 13 SW																									05			T	1 81	10	T		1.96
IDAHO FALLS CAA AP																		T			T	05					15	03	.09	.14	06		52
IDAHO FALLS CAA AP	//R																				.02	06					.17	03	06	13	.07		54
IRWIN 2 S																						T					.66	05	T	31	22		1.24
ISLAND PARK DAM																						09						.04		.12	.26		51
JEROME							T																		06		.12		.40	.30	17		1.05
KAMIAH 1 NE																				T	T								01	86	32		1.19
KELLOGG																													.12	.38	12		62
KOOSKIA																				T									.05	1.32	02		1.39
KUNA 2 NNE																												T	.65	19	T		.84
LEADORE	R																					.21			.19						.11		.51
LEWISTON WATER PLANT																												T	.28	05			33
LEWISTON WB AP	6								T																			.03	.25	.17			45
LIFTON PUMPING STA																			T	.32	01	.07		T	83		06	06		.27	08		1.70
LOWMAN																									.16		.10		84	32			1.42
MACKAY RS																						02			03	T	.03	15	.54	.40	02		1.19
MACKAY RS	R																				.02			.01	.04		.19		.76	.14			1.16
MALAD																			.02	.02					.21	T	10	05	.05	50	36		1 31
MALAD	R																		.01	.05				.01	.24		09	.04	.26	•	72		1.42
MALAD CAA AP	6	T																		01	T			04	.22		.10	T	.18	35	26		1 16
MAY RS																					T	T			.01	.08			.01	.29	09		48
MC CALL																													.30	.38	T		68
MC CAMMON																		T		T					T	T	03	T	.04	.36	22		65
MERIDIAN 1 SSW																													85	24			1.09
MESA																													1 09	08			1.17
MINIDOKA DAM																									.08		20	T	.34	.23	25		1.10
MONTPELIER RS		.04																T		.33	.07	16			67	34	.21	.07		.09	22		2.20
MOSCOW U OF I																													.25	.11			36
MOUNTAIN HOME 1 W																									.16			T	.70	02			88
MOUNTAIN HOME 1 W	R																								.16				.73	.07			96
MULLAN PASS CAA									T	T	T								T	12								03	.14	15	15		59
MULLAN PASS CAA	R																		05	07								.02	.16	.19	40		89
NAMPA																											T		.90	10	T		1 00
NAMPA 2 NW																											.02		•	49	13		.64
NEW MEADOWS RS																													.82	.20			1 02
NEZPERCE																												T	.10	.50			60
OAKLEY																									11		.33		06	63	10		1.23
OBSIDIAN 4 NNE																						20			.34				.19	32	.02		1 07
OLA																													1.20	20			1 40
OLA	R																												1.22	.22			1.44
OROFINO									T																				.15	.53			.68
PALISADES DAM										T										T		.17			21	.03		20		.24	12		97
PARMA EXP STA																													.24	.10	04		38
PAUL 1 F																										T	36	T		1.36	24		1.96
PAYETTE																													89	.04			93
PIERCE RS																													•	1.15	.30		1.45
PIERCE RS	/ R	-	-	-																									20				
PINE 2 SSW																						T			38	T	T		1 52	26	T		2.16
PLUMMER 3 WSW	R																											15	35	13			63
POCATELLO WB AP	R																			T		T			T		08		22	.30	42		1 02
PORTHILL																			T										T	24	20		.44
POTLATCH																													33	.22			55
PRESTON SUG FACT 2 SE																			.02	.30					92		09	12		.32	.69		2.46
PRIEST RIVER EXP STA																			T									T	34	.16	06		56
RICHFIELD																									T		32		.60	.35	.10		1.37
RIGGINS RS																											T		06	.24	T		.30
RIRIE				T																		33					.20	.18	T	25	27		1 23
ROLAND W PORTAL																				T						T		T	03	45	58		1 06
RUPERT																									.10	05	01		T	.77	.33		1.26
SAINT ANTHONY																						13					.11	28	20	.26	21		1.19
SAINT MARIES									T																			T	44	55	02		1.01
SALMON	6									T	T										T									32	08		40
SANDPOINT EXP STA																			T									T	.21	16	.09		46
SANDPOINT EXP STA	R																											•	•	•	50		50
SHOSHONE																						T			.15		20		76	.16	.18		1.45
SPENCER RS																						T		T		T	T	40	30	32	14		1 16

See reference notes following Station Index

DAILY PRECIPITATION

Table 3–Continued

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
SPRINGFIELD																										.05		.17	.26	.29		.77
STIBNITE																				T			.05	.05	T	T	.25	.40	.06	.05		.86
SUGAR																					.12					.23	.27	T	.25	.40		1.27
SUN VALLEY																					04			.51		.02	.02	1 10	.66	T		2.35
SUN VALLEY //R																					.03			.47		.04		1 08	.63			2.25
SWAN FALLS PH																								T		T		.14	T			.14
TETONIA EXP STA																					.32				T	.08	.63	.20	T	.22		1.45
THREE CREEK																	T	T			T			T	T	.10		.20	.75	.35		1.40
TWIN FALLS 2 NNE																								T	T	.10	T	.33	.22	.09		.74
TWIN FALLS 3 SE	.05																							.02		T	.13	.15	.37	.30		1.02
WALLACE									T							T												.08	.50	.36		.94
WALLACE WOODLAND PARK																			.02									.20	.40	.13		.75
WALLACE WOODLAND PARK R																			.01									.25	.45	.57		1.28
WEISER																												.98	.07			1.05
WINCHESTER 1 SE																												.19	.48			.67

HOURLY PRECIPITATION

Table 4

Station	A. M. Hour ending												P. M. Hour ending												Total
	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
–1st–																									
PIERCE RANGER STATION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–3d–																									
PIERCE RANGER STATION	–	–	–	–	–	–	–	–	–																–
–18th–																									
BANCROFT	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
BRIDGE																						.03		.01	.04
CLARK FORK 1 ENE																.03		.01		.01		.01			.06
MALAD																			.01						.01
MULLAN PASS CAA //																								.05	.05
–19th–																									
BANCROFT //	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.13	.13
BLACKFOOT DAM /				.07	.07	.01																			.15
BRIDGE	.01																								.01
MALAD		.01	.01	.01									.02												.05
MALAD CAA AIRPORT 6													*	*	*	*	*	.01							–
MULLAN PASS CAA //	.03				.01		.02	.01																	.07
WALLACE WOODLAND PARK								.01																	.01
–20th–																									
ATLANTA 1 E																						.06	.04		.10
BLACKFOOT DAM //																								.04	.04
DEADWOOD DAM //																				.01					.01
DUBOIS CAA AIRPORT /																							.09	.03	.12
IDAHO FALLS CAA AIRPORT //																								.02	.02
MACKAY RANGER STATION																							.02		.02
–21st–																									
BLACKFOOT DAM //	.02		.01	.02																					.05
DUBOIS CAA AIRPORT //						.01																			.01
IDAHO FALLS CAA AIRPORT //	.04	.01	.01																						.06
LEADORE										.08	.13														.21
SUN VALLEY								.01	.01	.01															.03
–23d–																									
BRIDGE																					.01	.04	.03		.08
MACKAY RANGER STATION																							.01		.01
MALAD																								.01	.01
MALAD CAA AIRPORT 6																			*	*	*	*	*	.02	–
–24th–																									
ATLANTA 1 E //		.01		.01	.08	.15	.10	.04	.04	.07															.50
BANCROFT //	.03																								.03
BRIDGE //			.01	.01					.01	.07															.10
BURLEY CAA AIRPORT //							.05	.10																	.15
DEADWOOD DAM /			.02	.08	.06	.05	.02	.02	.03	.03	.01	.01	.02				.01								.36
DUBOIS CAA AIRPORT //																				.02	.03	.01			.06
GOODING CAA AIRPORT //					.01	.02	.03	.03		.01															.10
LEADORE									.04		.01	.02					.05	.02		.01	.02	.02			.19
MACKAY RANGER STATION			.01	.01								.02													.04
MALAD	.14	.07	.02	.01																					.24
MALAD CAA AIRPORT 6	*	*	*	*	*	.24																			–
MOUNTAIN HOME 1 W		.01	.01	.04	.08	.02																			.16
SUN VALLEY //							.01	.01	.01			.09	.13	.22											.47
–25th–																									
BURLEY CAA AIRPORT //																							.01		.01
DUBOIS CAA AIRPORT //			.02																						.02
–26th–																									
ATLANTA 1 E /																.01	.01								.02
BANCROFT												.04	.02	.01	.01	.01									.09
BLACKFOOT DAM //							.12	.01	.01					.01	.01			.02						.02	.20
BRIDGE				.01	.01			.20	.18	.05	.09	.06	.02		.09	.03	.08								.82
BURLEY CAA AIRPORT //					.03	.01			.01		.03	.01	.02												.11
DEADWOOD DAM														.05	.02		.01								.08
DUBOIS CAA AIRPORT //																						.02			.02
GOODING CAA AIRPORT //														.01	.02	.04	.04	.01	.02						.14
IDAHO FALLS CAA AIRPORT //								.01	.05	.02										.06			.01	.02	.17
MACKAY RANGER STATION															.04			.09	.02	.04					.19
MALAD										.03				.04					.01		.01				.09
MALAD CAA AIRPORT 6							*	*	*	*	*	.08	*	*	*	*	*	.02							–
POCATELLO WB AIRPORT //														.01	.02				.04		.01				.08
SUN VALLEY //															.01	.01			.01	.01					.04
–27th–																									
ATLANTA 1 E //																			.02						.02
BANCROFT							*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.13	.13
BENTON DAM																	02	.02	.03	.01	.02	.01	.01		.12

See reference notes following Station Index

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
BLACKFOOT DAM	//	.04	.03	.08	.02				.02																	.19
BOISE WB AIRPORT																								.01	.04	.05
BONNERS FERRY																			.01							.01
BRIDGE	//			.02	.01																					.03
CLARK FORK 1 ENE																				.01	.01	.01	.01	.01		.05
CLARKIA RANGER STATION	//																			.02		.03	.02	.08	.02	.17
COEUR D ALENE CAA AP																			.01	.05	.03	.03	.01	.01		.14
CRAIGMONT																									.03	.03
DEADWOOD DAM																		.01		.01			.01		.01	.04
DUBOIS CAA AIRPORT	//		.02		.01	.02									.02											.07
IDAHO FALLS CAA AIRPORT	//			.01	.01	.01																				.03
LEWISTON WB AP	6																		*	*	*	*	*	.02	*	-
MALAD		.02	.01	.01																						.04
MULLAN PASS CAA	//																						.01		.01	.02
PLUMMER 3 WSW																		.03	.01	.04	.02	.03	.01	.01		.15
SANDPOINT EXP STATION																			*	*	*	*	*	*	*	*
-28th-																										
ATLANTA 1 E	//	.02	.02	.07	.14	.16	.10	.05	.05	.04	.02	.02	.06	.04	.01	.03	.03	.06	.06	.17	.15	.05	.02	.01	.03	1.41
BANCROFT	//															.02	.01					.03	.01			.07
BENTON DAM			.01	.04	.01	.01	.01		.01		.01				.03	.01	.05	.01	.02							.22
BLACKFOOT DAM																					.02	.01	.04	.03	.03	.13
BOISE WB AIRPORT	//	.07	.03	.04	.01	.02	.09	.05	.07	.04	.02	.01			.01	.20	.02	.02	.01							.71
BONNERS FERRY					.02	.04	.02																			.08
BRIDGE																								.06	.10	.16
BURLEY CAA AIRPORT													.05	.04	.10	.01	.01				.12	.15	.05	.02	.03	.58
CLARK FORK 1 ENE				.01	.01	.01	.01	.01																		.05
CLARKIA RANGER STATION	//		.04	.06	.01	.03		.02	.02	.01	.01	.02		.01	.01	.01	.01		.05				.01			.32
COEUR D ALENE CAA AP			.02	.01	.01	.03			.02									.07	.02					.04		.22
COTTONWOOD 2 SW																	.05		.01	.05	.02	.01				.14
COUNCIL 2 NNE		.09	.07	.07	.03	.05	.10	.10	.10	.08	.07	.04	.04	.01	.01	.10	.10	.14	.02	.03						1.25
CRAIGMONT		.01	.02													.02	.09	.02	.02	.04		.01	.01			.24
DEADWOOD DAM			.06	.15	.05	.03	.07	.09	.07	.02	.11	.06	.03	.05	.02	.02	.06	.13	.05	.10	.03	.02				1.22
DUBOIS CAA AIRPORT	//					.01									.05		.01			.02	.01	.02	.03		.01	.16
GOODING CAA AIRPORT						.01	.01	.03	.06	.04	.06	.04	.05	.03	.02	.01	.04	.01	.10	.07	.03	.02		.01		.64
IDAHO FALLS CAA AIRPORT	//																				.03	.01	.02			.06
LEWISTON WB AP	6	*	*	*	*	.03	*	*	*	*	*	.10	*	*	*	*	*	.10	*	*	*	*	*	.02	*	-
MACKAY RANGER STATION							.02	.03	.02	.06	.09	.07	.01	.03	.04	.03	.04	.06	.03	.04	.03	.03	.03	.06	.04	.76
MALAD																					.05	.05	.06	.04	.06	.26
MALAD CAA AIRPORT	6																			*	*	*	*	*	.18	-
MOUNTAIN HOME 1 W		.02	.02	.01	.03	.06	.07	.07	.03	.04	.09	.03	.02	.02	.01	.01	.17	.02	.01							.73
MULLAN PASS CAA	//	.01	.01	.01	.02	.01		.03						.01	.01	.02	.01			.02						.16
OLA		.04	.04	.06	.06	.05	.08	.06	.06	.08	.11	.06	.06	.01	.02	.06	.20	.15				.01			.01	1.22
PIERCE RANGER STATION	//									.02	.02	.01						.01		.03	.03		.02	.01	.05	.20
PLUMMER 3 WSW			.04	.06			.01	.04			.01	.02	.06	.01		.06	.01							.01	.02	.35
POCATELLO WB AIRPORT																	.01	.03	.04	.02				.11	.01	.22
SUN VALLEY	//			.01	.01	.08	.10	.09	.09	.04	.10	.04	.06	.13	.09	.06	.08	.03	.01	.03	.01	.01	.01			1.08
WALLACE WOODLAND PARK		.05	.04	.01	.02	.03	.02				.03		.02		.01	.02										.25
-29th-																										
ATLANTA 1 E	//	.04	.02	.01	.03	.02	.02	.01			.03	.07	.05	.01	.01		.01	.01		.01						.35
BANCROFT	//	.03	.08	.02		.03		.01	.04			.01	.01	.03		.01	.01									.28
BENTON DAM							.01	.01	.01	.03	.02	.04	.06	.06												.24
BLACKFOOT DAM	//	.01	.01	.08	.02		.01	.01		.02		.02	.01									.01	.01			.21
BOISE WB AIRPORT		.01							.01	.01	.01	.01	.04	.03	.02	.01	.01		.01		.01					.18
BONNERS FERRY						.01	.04	.04	.05	.01	.02	.01														.18
BRIDGE		.09	.07	.04	.03	.02				.06	.15															.46
BURLEY CAA AIRPORT	//	.02	.01	.02		.01	.01	.04	.05	.01	.02	.01							.01						.01	.22
CLARK FORK 1 ENE							.01	.01	.03	.01	.01	.01	.02													.10
CLARKIA RANGER STATION	//	.06		.09	.05	.08	.04	.03	.04	.03	.05	.02	.03	.04	.06	.03	.08	.02	.02	.01						.78
COEUR D ALENE CAA AP			.01		.01	.01	.02		.01	.01																.07
COTTONWOOD 2 SW		.03	.03	.02	.04	.03	.02	.02	.01	.01	.01	.01	.03	.03	.04	.02			.01							.36
COONCIL 2 NNE				.01			.01	.03	.05																	.10
CRAIGMONT		.02	.03	.07	.01		.01	.01	.02	.04																.21
DEADWOOD DAM		.02	.01	.02		.02	.02	.01	.02	.03			.01	.01		.01	.01			.01						.20
DUBOIS CAA AIRPORT	//	.03	.01	.01																			.02	.01		.08
GOODING CAA AIRPORT	//			.01	.01	.01																				.03
IDAHO FALLS CAA AIRPORT	//					.01							.02	.02	.01	.02						.02		.01	.02	.13
LEWISTON WB AP	6	*	*	*	*	.04	*	*	*	*	*	.14														-
MACKAY RANGER STATION		.06	.03	.03															.01	.01						.14
MALAD		.05	.01	.01	.02	.04	.01	.01	.04	.05	.04	.01	.01	.02							*	*	*	*	*	*
MALAD CAA AIRPORT	6	*	*	*	*	*	.14	*	*	*	*	*	.13	*	*	*	*	*	.02	*	*	*	*	*	.05	-
MOUNTAIN HOME 1 W			.02	.01	.01	.02	.01																			.07
MULLAN PASS CAA	//					.01	.02	.02	.01		.03	.06	.01	.01					.01	.01						.19
OLA		.02	.01	.01	.01	.02	.03	.02	.01	.02	.02	.01							.04							.22
PIERCE RANGER STATION	//	.05	.04	.08	.05	.03	.07	.06	.05	.05	.05	.03	.02	.04	.01	.03	.04	.02	.05	.02	.01	-	-	-	-	-
PLUMMER 3 WSW		.01	.03	.02	.01					.02	.01				.01	.01	.01									.13
POCATELLO WB AIRPORT	//	.07	.08	.05	.02	.01	.01	.01	.01			.01		.01											.02	.30
SALMON	6	*	*	*	*	*	.22	*	*	*	*	*	.10													-
SUN VALLEY	//	.01	.01	.02	.02	.01				.05	.10	.15	.15	.05	.01	.01	.04									.63
WALLACE WOODLAND PARK		.01	.01	.01	.02	.02	.04	.04	.04	.03	.06	.02	.04	.01	.02	.01	.01	.01		.04	.01					.45
-30th-																										
BANCROFT	//		.02	.01				.01	.03	.01					.01	.01			.02	.01						.13
BENTON DAM																	.01	.04	.04	.02	.02	.02	.01			.16
BLACKFOOT DAM	//	.01			.02				.02							.01	.05	.03	.02							.16
BONNERS FERRY																.02	.06	.07	.07	.04	.01			.01	.03	.31
BRIDGE			.02	.05	.03	.11																				.21
BURLEY CAA AIRPORT	//				.01	.02	.01																			.04
CLARK FORK 1 ENE															.05	.05	.15	.10	.10	.04	.04	.02	.01	.04	.03	.63
DUBOIS CAA AIRPORT	//			.01	.01																					.02
GOODING CAA AIRPORT	//	.01		.01		.01																				.03
IDAHO FALLS CAA AIRPORT	//					.04	.01			.02																.07
LEADORE															.02	.03	.01	.03	.01	.01						.11
MALAD										.40																.72
MALAD CAA AIRPORT	6	*	*	*	*	*	.19	*	*	*	*	*	.07	*	*	*	*	*	.01							-
MULLAN PASS CAA	//					.01						.01		.02	.04	.04	.07	.03	.02	.04	.06	.03	.02		.01	.40
POCATELLO WB AIRPORT	//	.02	.04	.04	.05	.02	.01	.01	.01	.01	.01							.01	.09	.01		.02	.04	.02	.01	.42
SALMON	6													*	*	*	*	*	.05	*	*	*	*	*	.03	-
SANDPOINT EXP STATION		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.50								.50
WALLACE WOODLAND PARK										.02	.01			.02	.03	.05	.06	.07	.09	.05	.05	.05	.05	.01	.01	.57

Table 3

DAILY TEMPERATURES

Station		Day of month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	51	60	64	63	65	65	68	64	67	60	58	68	74	72	58	69	72	68	65	62	58	64	63	59	66	63	67	62	49	45		62.9
	MIN	28	25	25	29	26	27	29	31	42	31	18	22	28	32	23	23	38	40	48	23	30	20	32	36	25	43	36	48	33	31		30.7
ALBION	MAX	58	55	61	53	63	61	62	63	59	60	49	57	67	71	66	61	67	68	64	60	58	49	66	60	55	56	53	63	53	35		58.4
	MIN	26	23	25	25	29	24	29	40	45	28	17	21	28	51	25	20	39	48	48	32	30	15	31	31	23	42	33	43	32	29		31.1
ALPHA 1 NE	MAX	48	50	53	55	55	57	58	57	52	50	58	66	67	59	59	65	65	61	54	49	45	58	50	47	58	60	60	55	37	42		54.9
	MIN	19	21	18	19	37	25	21	24	28	21	19	22	25	26	22	21	27	25	23	21	17	18	23	34	25	35	27	34	32	31		24.7
AMERICAN FALLS 1 NW	MAX	47	57	62	60	61	61	64	63	60	59	57	66	72	70	57	66	70	66	64	60	59	62	62	68	59	60	64	62	48	44		61.0
	MIN	31	25	26	30	31	32	28	36	49	31	19	24	42	39	27	24	37	47	46	30	31	21	36	38	27	43	40	47	42	31		33.7
ANDERSON DAM	MAX	53	60	67	67	69	66	67	67	68	57	64	71	75	74	69	72	71	68	64	62	55	67	64	61	62	60	60	55	38	48		63.4
	MIN	29	31	31	31	36	34	33	34	38	32	30	34	35	38	33	35	39	37	37	34	32	31	36	39	36	44	39	37	37	36		34.9
ARROWROCK DAM	MAX	54	62	65	69	67	69	69	68	65	63	59	65	73	74	69	67	73	71	69	61	59	53	68	66	62	66	68	67	50	42		64.4
	MIN	31	31	32	33	35	35	35	34	36	34	31	34	37	39	33	36	41	38	34	29	26	31	34	41	36	43	43	45	37	37		35.4
ASHTON 1 S	MAX	43	51	48	51	54	53	58	55	55	41	54	60	69	67	63	67	70	68	66	57	49	56	54	57	61	53	59	58	44	44		56.2
	MIN	19	20	23	22	22	22	24	24	33	23	18	23	26	24	22	19	23	27	30	17	15	18	26	33	30	32	36	38	30	29		24.9
ATLANTA 1 E	MAX	49	54	56	58	59	59	59	58	53	50	57	63	65	62	60	62	63	63	58	55	46	55	55	50	54	58	57	55	39	37		55.6
	MIN	26	25	26	27	33	30	28	27	25	21	21	23	31	33	25	27	27	30	29	25	19	25	28	30	27	33	29	33	29	25		27.2
AVERY RS	MAX	66	66	70	73	73	72	63	62	55	62	69	78	71	69	65	74	70	66	56	43	56	63	64	69	75	74	69	62	53	42		65.0
	MIN	29	29	29	29	29	29	29	29	30	25	26	30	31	29	28	29	30	31	23	25	19	24	26	26	27	32	32	43	40	34		29.1
BAYVIEW MODEL BASIN	MAX	59	61	56	61	59	64	66	63	61	61	57	63	73	70	62	61	72	70	40	42	45	46	60	62	64	68	67	56	54	50		59.8
	MIN	30	28	29	28	28	27	26	31	32	24	24	28	46	27	28	26	30	39	23	29	19	24	26	26	27	30	40	41	41	40		29.9
BLACKFOOT	MAX	55	62	65	65	65	66	68	65	68	60	60	68	75	72	58	70	74	69	66	63	58	60	64	60	68	63	67	63	48	41		63.5
	MIN	35	27	29	30	31	32	33	33	43	30	21	27	32	39	27	28	42	43	47	25	28	28	26	39	31	44	42	47	34	32		33.5
BLISS	MAX	60	69	60	67	70	70	72	65	67	63	67	74	78	75	68	73	76	72	68	65	63	67	69	65	68	67	70	66	48	54		67.2
	MIN	29	31	30	32	34	33	32	32	45	31	29	25	32	39	33	29	36	44	43	33	28	23	32	41	34	42	35	42	39	38		34.2
BOISE LUCKY PEAK DAM	MAX		68	69		72	72	68		67	63	63	75	76	76		75	74	72	72	69			69	65	70	70	72	70		50		69.4
	MIN		29	40		39	39	41		32	31	31	40	42	43		37	47	40	35	27	24			43	40	47	45	42		35		37.8
BOISE WB AP	MAX	60	66	67	67	70	68	69	64	63	59	64	73	76	70	66	72	73	71	60	58	53	67	62	64	66	71	70	53	44	51		64.6
	MIN	33	36	38	39	41	36	37	34	37	29	31	38	41	39	35	40	46	38	35	28	24	33	34	40	39	46	43	42	35	34		36.7
BONNERS FERRY	MAX	62	66	69	69	61	66	69	58	59	60	68	75	72	62	67	72	70	52	48	48	55	62	64	70	73	72	65	60	56	47		63.2
	MIN	32	30	30	30	33	30	28	36	34	28	27	30	44	35	28	28	32	26	19	23	22	25	30	27	28	33	41	40	44	37		31.0
BUHL	MAX	58	66	66	68	68	66	68	64			62	70	70	74	72	70	72	70	70	62	60	64	64	62	64	62	70	66	56	48		65.4
	MIN	30	32	39	34	42	38	40	42			30	34	42	46	32	34	44	46	45	36	30	30	39	40	36	44	40	46	36	32		37.8
BURKE 2 NNE	MAX	52	52	55	56	56	56	53	49	43	45	53	62	58	54	51	58	58	56	46	32	40	47	50	55	61	60	56	47	43	38		51.4
	MIN	27	26	27	27	28	26	27	26	29	23	23	27	29	27	25	26	29	30	14	17	11	20	24	24	26	29	30	35	34	31		25.9
BURLEY	MAX	40	60	68	70	70	68	71	69	65	63	57	65	74	76	72	66	74	75	72	67	65	56	69	61	60	65	56	69	53	50		64.9
	MIN	27	29	29	32	36	31	36	39	49	33	26	29	39	45	43	30	41	45	47	37	30	26	38	41	31	45	41	46	33	32		36.2
BURLEY FACTORY 1 NW	MAX	39	57	64	67	68	67	68	69	65	63	53	60	72	74	70	64	72	72	69	54	63	54	66	63	60	65	55	68	51	40		62.4
	MIN	26	25	25	29	31	27	37	38	44	27	24	24	32	40	32	26	36	42	43	35	28	22	33	38	28	44	36	45	33	31		32.7
BURLEY CAA AP	MAX	58	64	66	67	66	67	67	63	62	52	60	70	75	70	63	70	72	70	63	63	54	65	63	59	64	53	67	56	40	46		62.5
	MIN	25	26	25	28	30	27	32	37	43	28	23	23	33	40	32	26	40	43	42	36	27	23	35	34	28	42	38	33	32	32		32.1
CALDWELL	MAX	64	69	71	72	75	73	75	70	68	69	77	82	75	71	78	78	73	78	73	61	58	68	65	70	71	75	76	62	49	57		70.1
	MIN	25	30	29	29	46	37	31	40	33	27	28	32	33	45	30	38	45	37	37	29	27	26	40	41	31	48	42	44	36	36		35.1
CAMBRIDGE	MAX	55	60	60	70	71	71	70	73	69	70	70	71	72	78	74	70	72	75	76	69	65	78	78	76	72	82	75	70	69	56		70.6
	MIN	30	28	31	44	44	40	35	36	35	32	28	29	30	31	33	34	35	34	30	23	28	33	32	29	39	37	36	37	40	48		34.0
CASCADE 1 NW	MAX	47	49	54	55	57	57	57	55	55	48	54	62	65	64	58	62	63	63	60	49	44	57	55	51	58	58	63	60	36	39		55.2
	MIN	21	21	22	22	38	28	25	27	31	27	22	25	27	30	25	25	30	28	28	28	20	22	31	35	26	38	31	34	31	31		27.6
CHALLIS	MAX	57	60	61	63	65	64	66	62	61	53	60	67	72	66	62	68	70	67	64	58	50	61	55	53	59	65	65	59	56	50		61.3
	MIN	26	27	27	27	39	29	31	32	44	25	24	27	32	25	29	27	33	34	31	32	22	22	38	38	36	37	32	45	34	34		31.3
CHILLY BARTON FLAT	MAX	49	53	54	56	56	58	58	57	57	49	55	62	67	61	57	61	63	64	60	55	48	57	56	45	54	51	56	50	46	37		55.1
	MIN	21	19	20	19	34	19	21	28	38	21	14	16	20	34	22	15	24	24	23	28	18	14	25	29	21	34	27	33	29	27		23.9
CLARK FORK 1 ENE	MAX	64	65	66	68	63	65	69	57	60	57	63	72	68	64	63	69	69	65	42	45	51	57	62	67	70	69	65	56	51	47		61.6
	MIN	27	27	28	28	27	26	27	29	30	25	24	27	30	26	25	26	30	35	18	18	19	22	25	24	25	29	34	42	42	35		27.7
COEUR D ALENE CAA AP	MAX	62	63	65	68	66	63	64	57	54	56	63	73	67	56	62	68	69	54	40	43	50	57	60	65	69	68	61	56	52	46		59.9
	MIN	33	30	30	30	29	26	29	33	27	30	28	31	37	31	29	30	37	25	19	21	21	25	29	31	28	31	41	42	41	35		30.3
COEUR D ALENE RS	MAX	65	65	69	71	69	70	69	61	59	60	67	76	72	65	68	71	73	70	47	51	53	59	66	70	73	70	68	57	54	49		64.6
	MIN	35	29	30	29	29	27	28	31	31	24	26	30	39	26	25	29	32	32	21	31	18	25	25	25	28	33	40	43	41	36		29.9
COTTONWOOD	MAX	58	62	65	63	60	61	63	62	52	52	61	72	71	62	62	70	70	63	60	62	47	61	58	61	67	62	67	62	42	44		60.7
	MIN	30	32	32	30	35	33	33	32	34	28	30	30	38	32	31	30	33	39	28	19	18	21	32	30	33	45	37	40	35	34		31.8
COUNCIL 2 NNE	MAX	61	67	70	71	68	71	71	66	60	60	66	71	78	68	71	71	75	70	67	50	55	61	63	59	70	72	65	58	55	54		65.5
	MIN	29	33	34	37	43	41	35	36	39	31	33	34	35	43	36	33	37	34	37	30	23	25	41	42	33	35	38	37	36	34		35.1
DEADWOOD DAM	MAX	53	55	60	57	63	57	57	55	50	49	56	62	65	57	57	58	61	57	51	48	44	56	52	48	55	56	58	46	37	39		54.0
	MIN	21	19	16	16	29	19	18	19	26	17	13	17	19	23	16	17	23	21	21	22	13	14	32	28	24	28	28	30	30	29		21.6
DEER FLAT DAM	MAX	63	68	72	71	74	75	73	70	68	64	66	76	81	77	70	77	76	80	65	60	55	70	63	68	71	75	68	62	46	55		68.6
	MIN	29	31	33	33	44	38	37	44	42	34	30	31	35	51	35	37	44	42	39	30	30	24	42	41	35	42	41	44	37	37		37.1
DRIGGS	MAX	43	44	49	54	58	57	55	56	52	57	41	48	57	65	50	44	60	63	63	58	54	53	52	54	52	60	54	57	60	53		54.1
	MIN	28	22	25	22	23	23	25	23	36	20	15	20	30	29	18	19	35	37	40	19	18	20	30	33	31	34	34	41	32	30		27.1
DUBOIS EXP STA	MAX	48	49	52	59	58	57	61	59	58	50	52	62	70	68	52	62	68	67	66	57	44	59	55	55	59	58	60	58	45	42		57.0
	MIN	23	28	29	30	36	34	32	35	35	25	20	27	30	31	22	26	33	32	36	17	16	23	37	35	37	36	38	41	34	32		30.3
DUBOIS CAA AP	MAX	53	58	61	63	60	62	64	63	61	44	55	64	73	55	55	63	71	69	66	60	45	60	60	58	63	55	63	54	45	45		58.9
	MIN	23	26	26	30	34	33	30	39	31	25	20	21	29	19	25	18	33	31	26	21	21	25	36	32	38	36	38	42	33	34		29.5
EDEN HUNT PROJECT	MAX	59	65	65	68	61	68	68	62	63	58	61	71	70	70	70	70	72	69	63	63	67	64	65	60	66	60	66	62	49	47		64.1
	MIN	28	28	28	30	32	33	29	34	41	26	22	29	30	37	26	25	34	40	42	32	19	28	33	29	31	44	36	35	35	29		31.5
ELK CITY	MAX	56	59	57	58	57	62	59	54	55	51	59	71	67	64	60	69	67	64	59	39	46	58	59	60	67	62	67	62	55	37		58.7
	MIN	27	21	20	15	19	20	19	22	35	21	18	19	23	23	20	19	23	23	27	28	18	15	15	22	19	31	29	33	31	31		22.9
EMMETT 2 E	MAX	63	68	71	71	76	71	72	68	66	62	68	77	79	77	70	76	76	76	62	61	57	69	66	67	72	74	75	70	47	55		68.7
	MIN	32	34	35	36	46	35	33	36	32	29	26	35	35	39	32	36	40	35	36	28	25	29	43	39	32	48	41	45	36	36		35.5
FAIRFIELD RS	MAX	47	45	47				50	52				64	68	67	61	64	67									54	62	56		46		-
	MIN	18	17	20				29	30				28	33	37	26	27	37									38	30	33		32		-
FENN RS	MAX	66	67	73	70	68	70	71	75	61	63	68	78	77	68	75	82	76	73	61	51	54	60	69	72	76	72	76	68	56	42		67.9
	MIN	31	32	32	30	31	32	31	32	39	27	26	28	28	30	29	28	31	33	34	30	25	24	33	28	29	43	36	46	38	38		31.8
FORNEY BLACKBIRD MINE	MAX	42	53	55	58	55	56	52	55	51	42	54	62	61	60	52	59	58	58	57	43	34	48			53	54	52					53.0
	MIN	16	20	22	21	26	24	22	22	33	18	12	12	26	27	20	21	27	27	23	17	5	12	27	24	34	35	31					22.4
FORT HALL IND AGENCY	MAX	53	61	64	65	65	64	65		67	60	57	67	75	71		67	72	68	65	61	59	62	62	60	66	64	66	61	47	39		62.6
	MIN	34	25	27	24	28	28	27		42	28	18	23	30	23		21	35	42	45	21	29	21	33	36	26	42	37	46	33	31		30.5
GARDEN VALLEY RS	MAX	62	67	70	71	75	71	71	68	65	61	68	75	77	75	76	74	75	72	68	62	56	65	64	60	68	70	70	63	44	52		67.2
	MIN	27	27	28	27	38	27	28	28	32	26	23	26	28	31	25	29	31	29	29	27	25	23	41	31	29	36	34	43	39	38		30.2
GLENNS FERRY	MAX	62	70	71	74	74	73	75	70	69	68	68	76	82	76	71	76	80	76	68	68	60	68	72	68	70	73	72	64	49	55		69.9
	MIN	25	30	27	28	38	34	29	41	44	28	23	29	29	43	36	29	36	44	43	36	30	25	33	45	32	43	36	46	40	39		34.7
GOODING CAA AP	MAX	57	63	66	67	67	67	69	65	64	55	61	70	75	70	65	70	73	69	62	62	55	65	65	62	65	58	70	55	44	49		63.5
	MIN	29	35	34	36	40	37	36	38	42	29	28	35	39	44	31	37	42	44	41	32	26	26	37	40	36	41	36	40	35	35		36.0
GRACE PH	MAX	52	56	58	57	57	56	60	55	58	48	50	61	68	61	53	63	65	62	57	58	42	60	60	47	58	53	56	59	41	37		55.6
	MIN	26	24	25	26	25	26	27	30	35	23	17	22	28	33	22	21	33	36	39	27	29	18	36	35	26	34	40	39	32	28		28.7
GRAND VIEW	MAX	64	70	73	72	76	75	77	70	64	71	78	84	76	72	78	80	78	69	69	67	62	71	70	70	72	76	78	61	54	60		71.2
	MIN	35	36	39	39	42	46	50	50	38	29	31	34	45	35	31	42	42	35	36	35	32	28	40	43	33	48	43	51	42	41		39.0
GRANGEVILLE	MAX	59	62	65	65	62	63	65	60	53	55	60	72	73	62	62	72	70	66	39	41	49	59	60	62	68	65	67	60	40	42		59.9
	MIN	28	33	32	33	37	34	33	34	35	26	28	30	46	34	31	32	37	37	26	20	19	23	35	34	32	44	42	39	34	35		32.8
GRAY	MAX	59	50	52	51		52	53	51	47	44	43	50	61	55	49	60	60	58	54	53	49	52	48	56	51	51	54	36	34	35		50.6
	MIN	22	18	18	25		21	23	24	34	18	12	16	18	30	22	22	29	34	34	30	21	21	34	28	35	35	31	26	24	25		25.2
GROUSE	MAX	47	52	56	58	56	60	60	60	59	46	58	63	69	62	58	61	78	63	59	54	46	57	57	49	58	51	58	52	42	44		56.4
	MIN	18	19	20	20	25	22	32	31	38	21	14	17	20	37	15	15	24	29	26	17	23	13	19	29	19	35	25	34	30	30		23.9
HAILEY	MAX	50	55	58	60	58	61	64	62	62	56	58	63	72	69	62	67	69	68	64	58	55	60	59	58	61	56	60	56	45	49		59.8
	MIN	29	28	29	30	34	32	32	29	34	27	22	25	29	36	26	33	40	33	34	28	27	25	34	33	30	40	34	32	32	36		31.1
HAMER 4 NW	MAX	56	61	63	64	62	62	67	62	65	55	57	67	75	70	52	67	73	71	69	61	55	61	61	58	65	59	63	60	47	45		61.8
	MIN	25	24	22	23	23	28	25	34	30	25	13	20	20	36	22	17	27	28	32	21	21	22	32	37	36	38	38	43	35	34		27.7
HAZELTON	MAX	60	65	65	66	65	67	67	67	59	53	61	69	73	71	69	70	71	68	67	60	60	65	68	60	65	65	67	64	50	44		64.0
	MIN	29	30	32	33	36	35	32	37	40	27	22	28	31	28	29	29	39	42	44	34	27	22	38	38	31	43	37	43	35	31		33.4
HILL CITY	MAX	43	47	47	52	54	56	56	54	53	50	57	65	67	64	60	65	65	62	62	56	54	60	58	55	57	57	62	57	42	44		56.0
	MIN	20	11	16	18	22	21	27	22	28	28	30	28	37	38	30	28	37	35	36	32	25	23	33	34	28	38	33	39	33	31		28.7

See reference notes following Station Index

DAILY TEMPERATURES

Station		Day of month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HOLLISTER	MAX		63	65	65	65	66	65	62	62	56	60	69	73	69	69	70	71	68	68	62	53	65	63	60	63	54	67	61	41	44		62.7
	MIN		29	32	30	37	33	34	37	42	25	26	30	37	35	30	29	39	43	42	31	27	24	34	39	31	41	38	36	31	28		33.4
IDAHO CITY	MAX	56	63	66	66	69	67	75	64	60	59	65	71	73	71	67	70	69	69	67	59	57	64	64	60	64	67	65	50	39	49		63.5
	MIN	22	24	23	35	30	26	26	25	29	25	20	23	26	28	22	23	31	27	27	23	20	19	33	37	25	36	24	36	24	33		26.7
IDAHO FALLS CAA AP	MAX	52	59	60	65	61	63	65	62	66	46	57	65	73	56	54	65	70	67	64	60	49	59	62	54	68	53	63	61	44	43		59.5
	MIN	32	28	29	30	29	30	32	36	32	28	21	26	33	33	25	21	34	41	31	23	24	25	35	34	28	41	43	43	33	31		31.0
IRWIN 2 S	MAX	52	55	58	60	61	60	60	60	61	46	53	62	69	66	64	65	67	65	64	59	54	57	59	54	61	54	61	63	45	40		58.5
	MIN	30	25	26	28	28	28	25	28	36	26	18	25	28	28	26	24	30	37	41	28	27	25	37	39	35	39	38	39	36	31		30.4
ISLAND PARK DAM	MAX	50	47	50	50	58	54	52	50	49	42	46	48	59	50	41	50	60	61	60	50	42	49	49	52	55	54	52	52	47	40		50.6
	MIN	10	13	15	18	18	20	19	22	31	17	10	22	23	20	8	12	20	22	22	14	8	[illegible]	38	31	30	25	33	31	32	28		20.7
JEROME	MAX	59	64	66	68	68	68	70	68	65	60	62	71	77	75	69	71	74	71	70	62	63	66	67	63	66	64	71	68	52	50		66.3
	MIN	25	31	33	35	35	33	31	35	34	32	30	29	31	41	32	33	36	41	41	31	25	21	34	32	30	42	34	43	34	29		33.1
KELLOGG	MAX	58	66	67	70	71	70	70	69	58	56	60	68	72	72	65	67	72	72	60	44	47	53	61	65	72	74	70	66	55	47		63.9
	MIN	32	30	30	30	31	30	30	32	33	27	27	31	34	31	29	29	32	38	23	27	22	25	29	27	29	33	37	44	42	39		31.1
KOOSKIA	MAX	69	71	75	75	72	72	74	78	64	66	72	82	79	73	74	81	79	74	64	54	57	67	74	74	79	77	77	74	52	49		70.9
	MIN	31	31	31	30	34	34	30	33	43	27	26	29	34	33	30	29	33	34	35	28	22	22	35	35	30	34	35	46	40	40		32.5
KUNA 2 NNE	MAX	62	69	70	70	72	70	72	67	67	60	65	75	78	74	68	75		75	62	59	55	69	67	60	69	73	72	68	47	53		67.2
	MIN	28	30	30	30	45	34	29	36	34	27	23	32	32	40	26	33		33	36	28	22	26	34	39	31	41	42	42	36	36		32.9
LEWISTON WATER PLANT	MAX	70	73	79	77	70	74	75	70	65	66	72	80	77	75	75	77	75	71	63	58	62	64	71	72	77	75	70	60	56	59		70.3
	MIN	38	36	36	35	40	35	35	39	42	32	31	34	40	36	34	34	37	41	37	26	23	30	33	31	34	38	40	47	44	41		36.0
LEWISTON WB AP	MAX	66	71	73	74	69	70	72	66	63	63	69	79	80	68	72	77	78	67	48	54	57	63	68	70	75	74	69	58	54	56		67.4
	MIN	37	38	37	37	42	37	36	36	43	28	32	36	40	39	34	36	39	40	34	23	22	30	33	32	37	41	40	45	41	40		36.2
LIFTON PUMPING STA	MAX	45	49	53	55	55	54	58	55	57	53	46	51	63	62	56	56	60	58	51	55	52	56	62	48	52	52	55	55	52	40		53.9
	MIN	32	23	23	26	25	35	28	33	38	25	22	28	30	43	32	30	38	38	41	37	34	38	42	23	32	39	40	38	34	30		32.2
LOWMAN	MAX	65	62	64	66	69	65	66	65	62	57	65	71	73	69	71	70	71	66	66	59	63			57	65	64	66	64	48	48		64.2
	MIN	25	23	22	21	29	24	24	24	27	21	20	23	25	21	25	22	26	25	25	24	26			35	29	30	32	39	35	35		26.3
MACKAY RS	MAX	53	56	57	60	61	61	59	59	58	53	58	60	68	68	69	78	66	66	61	58	60	56	54	50	57	56	59	54	46	41		58.7
	MIN	26	26	29	28	37	28	30	36	42	24	17	20	26	30	31	21	35	35	31	21	20	18	35	33	27	37	32	33	32	29		29.0
MALAD	MAX	58	61	63	65	65	65	69	64	66	51	60	68	72	73	63	68	70	64	62	62	58	65	70	62	62	56	63	63	45	40		62.4
	MIN	34	28	28	31	31	32	31	36	41	30	22	27	31	44	35	28	38	37	43	35	36	24	41	40	31	41	42	44	35	31		34.2
MALAD CAA AP	MAX	57	60	64	65	64	65	67	62	65	51	59	67	73	68	62	68	69	65	62	62	53	65	68	55	63	56	64	62	45	40		61.5
	MIN	31	25	26	27	27	28	29	36	36	25	18	24	25	37	30	24	33	32	43	34	29	20	39	34	29	40	40	41	32	30		30.8
MAY RS	MAX	57	60	62	64	63	65	63	61	58	48	59	68	71	68	62	73	68	67	63	57	49	62	55	57	61	60	65	56	47	41		60.3
	MIN	22	26	24	24	39	27	27	33	43	26	19	23	27	39	25	23	29	30	28	25	18	19	37	32	39	35	34	29	33	30		28.8
MC CALL	MAX	46	50	52	50	50	50	50	46	46	50	50	54	60	56	52	56	56	54	52	40	38	46	48	42	52	52	54	44	30	34		48.7
	MIN	18	18	18	20	30	22	20	20	26	20	18	20	20	24	20	19	24	22	19	19	15	16	28	30	22	30	26	32	28	28		22.4
MC CAMMON	MAX	58	61	62	61	61	65	66	63	62	58	65	68	73	70	61	69	69	68	64	64	69	68	65	63	63	59	60	60	59	52		63.5
	MIN	24	26	27	28	29	29	30	32	43	28	21	25	26	33	26	23	34	38	48	30	32	18	32	38	26	39	42	43	34	31		31.2
MERIDIAN 1 SSW	MAX	62	69	69	70	75	69	70	66	65	62	66	76	78	75	70	76	73	74	67	58	55	70	62	64	68	70	73	59	47	52		67.0
	MIN	26	33	29	31	41	30	29	33	34	25	22	28	33	39	25	30	40	30	34	25	22	25	40	37	32	44	39	41	34	34		32.2
MESA	MAX	61	67	69	70	69	70	70	65	60	59	68	72	78	74	70	72	75	70	68	53	56	65	64	59	68	71	68	66	43	51		65.7
	MIN	31	35	36	41	46	41	40	35	40	30	33	38	36	43	35	35	40	36	37	32	24	27	42	40	37	44	40	38	36	35		36.8
MINIDOKA DAM	MAX	47	58	65	65	62	66	66	62	60	50	60	68	71	69	57	69	69	66	61	61	51	67	63	57	61	55	63	53	40	45		60.2
	MIN	30	33	33	34	33	33	34	38	37	32	27	34	33	40	35	34	39	44	46	35	31	28	37	38	35	44	39	37	33	30		35.2
MONTPELIER RS	MAX	45	48	53	55	56	57			60	58	44	43	59	51	59	67	61	65	60	51	57	52	57	62	46	56	54	58	60	51		55.2
	MIN	26	22	23	26	23	26			25	22	17	20	24	21	31	34	29	30	38	32	30	20	35	31	27	35	39	38	34	29		28.1
MOSCOW U OF I	MAX	61	65	68	68	66	68	63	57	55	57	64	74	71	67	65	69	67	65	56	49	50	56	58	65	69	68	64	53	50	50		61.9
	MIN	36	35	34	36	34	30	31	30	35	25	26	37	36	29	28	36	35	43	26	26	17	30	32	25	29	31	35	43	33	34		31.9
MOUNTAIN HOME 1 W	MAX	61	70	71	70	73	74	72	67	65	64	67	78	79	74	70	77	75	74	70	65	58	70	68	70	70	70	73	63	45	51		68.5
	MIN	25	30	32	34	35	36	27	36	40	29	22	30	31	40	26	30	41	35	37	29	20	21	34	32	31	42	38	38	36	35		32.4
MULLAN PASS CAA	MAX	49	46	49	50	51	52	45	37	33	37	45	54	50	41	47	50	49	40	18	21	33	41	42	49	53	50	49	40	33	31		42.8
	MIN	30	36	36	38	38	35	35	30	24	21	29	39	36	24	21	35	40	15	2	6	8	21	27	27	33	38	30	32	28	24		28.0
NAMPA	MAX	66	72	72	74	74	74	68	74	68	65	69	78	82	81	72	77	77	75	78		59	60	68	71	78	75	75	71	50	55		71.0
	MIN	29	34	34	34	47	39	41	34	40	32	28	39	35	45	30	34	46	42		32	28	28	28	29	34	49	44	44	35	34		36.1
NAMPA 2 NW	MAX	59	64	70	71	72	75	72	74	69	68	64	68	76	81	74	70	77	77	77	63	60	58	70	64	67	69	75	72	53	49		68.6
	MIN	29	32	32	32	47	36	31	38	38	28	25	33	35	42	27	34	45	39	40	29	27	27	39	38	34	49	44	46	39	37		35.7
NEW MEADOWS RS	MAX	51	54	56	58	58	63	66	64	60	55	67	69	74	69	64	68	71	65	62	45	49	56	57	58	66	65	65	62	42	47		60.2
	MIN	20	21	18	19	24	25	24	24	31	23	21	22	24	26	21	20	25	23	26	22	15	17	29	30	23	23	27	40	34	33		24.3
NEZPERCE	MAX	59	63	66	64	60	61	66	58	50	53	60	72	75	61	62	71	67	63	53	50	47	59	60	62	68	63	66	56	42	43		60.0
	MIN	30	33	32	33	34	30	33	31	37	27	25	29	37	33	26	30	36	39	26	26	18	23	27	27	29	46	33	42	35	34		31.4
OAKLEY	MAX	58	64	67	65	64	65	65	61	63	57	60	68	73	67	63	70	67	65	65	61	58	66	60	57	58	60	65	56	53	45		62.2
	MIN	28	31	35	31	32	31	35	34	42	29	27	32	37	43	25	32	45	41	45	30	30	26	39	36	36	42	38	45	32	31		34.7
OBSIDIAN 4 NNE	MAX	49	55	53	55	60	54	54	50	45	42	49	55	55	52	49	54	53	40	46	42	38	47	50	42	49	52	49	44	37	35		48.5
	MIN	15	10	13	12	25	11	22	16	32	15	10	14	16	24	12	13	23	20	23	20	9	10	26	29	15	24	24	32	26	24		18.8
OLA	MAX	64	69	71	71	75	72	72	67	66	62	68	75	78	72	69	74	75	74	71	65	62	69	67	62	70	73	74	70	43	52		68.4
	MIN	24	28	27	28	40	35	27	33	31	23	24	26	26	29	24	23	31	25	30	11	11	19	40	36	25	41	31	36	33	33		28.3
OROFINO	MAX	69	73	75	76	76	73	72	70	65	66	72	82		81	74	79	77	75	66	59	60	65	72		78	78	72	66	52	57		70.7
	MIN	30	32	32	31	34	33	32	34	36	28	28	31		33	32	31	34	37	38	27	24	26	33		30	43	38	48	42	44		33.6
PALISADES DAM	MAX	50	55	55	59	62		60	59	60	56	50	60	68	65		62	67	66	63	62	57	52	58	55	59		60	62	55	40		58.4
	MIN	26	21	22	25		24	25	21	33	23	15	21	25		18	22	27	35	38	27	23	22	35	37	33	36		37	32	29		27.1
PARMA EXP STA	MAX	62	62	69	70	72	75	72	75	70	67	62	69	75	82	72	70	72	76	75			58	69	62	66	69	74	73	54	46		68.5
	MIN	28	31	32	33	40	38	35	41	45	32	29	32	35	46	31	37	42	42	38			26	30	39	32	44	41	47	39	38		36.5
PAUL 1 E	MAX	40	58	63	66	66	65	69	69	64	64	53	60	70	75	77	63	70	72	69	64	60	54	66	63	59	64	54	69	66	40		63.1
	MIN	27	27	24	28	31	28	30	35	44	26	20	24	30	39	30	25	35	40	44	34	23	19	33	39	27	44	38	45	35	32		31.9
PAYETTE	MAX	63	68	70	72	75	74	75	70	67	63	70	75	82	75	72	75	80	78	73	59	58	69	65	66	71	75	73	58	52	55		69.3
	MIN	30	32	31	31	40	39	33	38	43	33	28	33	33	45	45	30	38	36	40	33	27	27	48	42	31	47	42	44	39	38		36.5
PIERCE RS	MAX	57	60	61	62	60	60	59	57	51	54	60	68	69	65	62	68	65	62	53	46	48	57	60	63	67	65	66	59	40	35		58.6
	MIN	22	20	23	22	24	23	23	26	29	21	21	24	26	25	24	24	26	28	28	26	18	19	28	25	24	35	28	32	32	32		25.3
POCATELLO WB AP	MAX	52	60	63	65	64	65	66	62	65	50	59	67	74	64	59	68	71	68	64	61	53	63	63	54	66	53	65	60	40	43		60.9
	MIN	33	27	29	27	31	30	32	35	36	27	20	26	42	40	24	27	41	46	48	25	32	26	38	35	28	45	41	33	32	31		32.9
PORTHILL	MAX	64	62	66	66	63	66	68	59	57	58	65	73	72	62	63	71	70	65	45	47	53	58	63	68	73	71	63	60	57	51		62.6
	MIN	33	28	28	28	32	29	27	33	35	28	26	28	40	27	25	26	30	30	15	22	18	22	25	27	29	29	36	44	44	40		29.5
POTLATCH	MAX	62	64	69	69	62	65	63	58	55	58	65	75	70	68	66	70	70	62	49	50	51	60	65	68	70	65	64	51	50	50		62.1
	MIN	37	32	32	31	30	30	31	30	33	24	27	32	34	26	26	30	32	42	29	25	19	25	26	25	28	30	32	44	35	35		30.4
PRESTON SUG FACT 2 SE	MAX	61	61	64	64	64	64	66	65	64	62	57	65	70	70	67	68	68	65	63	60	58	64	70	63	62	61	63	63	61	43		63.2
	MIN	31	26	27	29	28	31	28	33	38	31	19	23	29	36	36	25	39	43	43	35	37	23	43	38	31	41	44	41	38	31		33.2
PRIEST RIVER EXP STA	MAX	60	62	66	68	63	64	65	59	54	56	64	72	69	62	62	69	69	63	42	45	50	57	61	67	69	67	63	55	52	46		60.7
	MIN	26	25	26	26	25	24	25	27	26	22	23	26	28	25	23	25	27	35	18	21	17	21	27	23	24	26	28	41	38	33		26.0
RICHFIELD	MAX	54	60	64	65	64	65	67	64	64	57	61	69	75	72	64	69	72	67	65	62	56	64	62	60	65	60	65	60	47	52		63.0
	MIN	27	29	29	30	32	33	32	29	38	24	25	29	30	34	29	28	37	37	38	28	23	20	31	32	31	40	31	43	40	32		31.4
RIGGINS RS	MAX	71	72	73	73	70	72	76	71	71	64	69	83	85	80	71	82	81	79	60	56	56	70	65	69	78	72	75	71	53	50		70.6
	MIN	36	37	38	39	39	36	39	38	43	33	32	39	43	40	36	39	42	40	41	33	25	33	40	41	39	50	40	48	43	41		38.8
RIRIE	MAX	52	59	61	61	61	61	63	60	64	44	50	64	72	55	51	65	69	66	61	58	52	58	60	53	62	53	[illegible]	54	47	41		58.0
	MIN	33	30	32	32	33	32	34	31	29	26	19	26	35	35	24	29	37	38	50	18	25	28	40	35	35	38	41	45	32	31		32.4
ROLAND W PORTAL	MAX	55	56	58	59	59	56	57	55	51	54	61	70	66	61	60	67	66	56	50	38	48	55	56	63	[illegible]	65	62	54	49	41		57.2
	MIN	34	29	30	30	32	30	29	29	35	31	30	35	40	35	34	34	36	42	19	23	20	28	33	32	37	38	37	41	39	35		32.6
RUPERT	MAX	39	56	64	66	65	65	65	67	64	62	51	61	69	74		70	70	71	68	64	63		66	63	59	70	67	71	52	39		62.9
	MIN	28	28	26	29	29	29	30	35	44	28	20	27	30	38		29	38	42	44	33	28		23	38	31	43	39	45	32	30		32.7
SAINT ANTHONY	MAX	51	55	59	61	55	50	64	65	61	45	55	64	73	67	51	65	70	69	67	59	52	57	59	56	65	60	60	58	46	43		58.7
	MIN	25	21	23	25	25	23	25	28	34	22	16	21	25	30	17	18	26	29	31	16	18	22	32	34	32	33	40	42	32	30		26.5
SAINT MARIES	MAX		65	69	69	67	69	65		56	58	63	75	75		67	71	70	67	51	48	50		65	67	70	69	67	57	52	42		63.2
	MIN		29	31	29	29	30	31		30	26	27	30	34		28	30	32	38	27	27	20		32	[illegible]	29	32	36	40	38	35		30.6
SALMON	MAX	64	66	68	68	72	69	70	66	60	55	66	72	78	62	65	73	75	74	60	47	52	63	61	67	70	69	72	67	52	41		64.8
	MIN	22	25	25	24	35	26	26	30	32	23	19	22	27	31	24	21	30	30	33	28	23	19	37	33	27	36	32	44	40	34		28.6
SANDPOINT EXP STA	MAX	63	65	66	61	62	65	66	61	58	56	61	71	69	60	63	69	70	65	43	45	50	55	62	69	67	69	65	53	52	50		61.0
	MIN	30	29	29	29	29	31	27	32	33	30	26	28							22	26	26	28	29	34	24	28	38	41	42	37		30.3
SHOSHONE	MAX	56	63	67	68	68	68	69	64	65	55	62	71	75	71	65	71	72	68	64	63	55	66	64	60	65	59	68	59	46	50		63.9
	MIN	27	32	33	34	35	34	[illegible]	33	40	27	27	34	31	35	33	32	36	39	40	28	26	24	32	38	35	43	34	42	36	32		33.5

See reference notes following Station Index

DAILY TEMPERATURES

Station		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SPENCER RS	MAX	47	51	55	57	52	54	58	56	52	40	47	60	60	63	47	52	67	65	66	62	41	55	61	58	59	54	58	49	46	45		54.6
	MIN	22	19	21	22	34	26	26	28	28	22	14	20	21	29	19	18	17	27	26	14	10	17	30	33	32	30	31	38	32	31		24.6
SPRINGFIELD	MAX	53	61	65	65	65	66	68	64	67	54	57	66	75	64	59	68	72	69	65	62	55	63	61	56	66	57	67	58	47	44		62.0
	MIN	32	25	24	28	26	28	28	30	37	29	17	22	33	33	21	23	33	39	44	23	28	21	32	36	25	42	37	45	34	32		30.2
STIBNITE	MAX	48	53	52	56	54	56	55	53	46	43	54	61	61	53	53	59	59	57	51	44	46	46	50	41	54	53	55	47	36	34		51.0
	MIN	21	21	22	27	24	22	22	32	20	17	23	25	29	20	22	26	26	23	25	12	18	26	29	26	30	27	33	29	25	24		24.2
SUGAR	MAX		57	59	59							54	65	74	69		66	73	71	69	61	55	61	59	57	64	61	61	59	47	42		61.0
	MIN		25	25	27							19	24	25	33			28	41	43	22	22	24	33	36	35	36	41	43	33	32		30.8
SUN VALLEY	MAX	45	51	49	53	58	56	58	58	58	54	54	62	70	66	63	62	65	64	61	58	53	55	55	55	58	56	57	54	44	45		56.6
	MIN	19	13	15	15	23	18	20	22	30	23	15	19	21	31	18	18	26	22	22	18	23	14	21	31	21	36	26	33	31	32		22.5
SWAN FALLS PH	MAX	63	72	75	73	75	74	73	73	68	67	69	80	82	82	74	80	78	78	75	64	60	70	68	68	70	74	77	72	50	56		71.3
	MIN	33	36	38	38	54	46	42	47	42	39	35	39	41	54	40	40	46	46	44	36	34	33	44	44	39	48	38	45	20	21		40.1
TETONIA EXP STA	MAX	43	50	51	53	55	52	55	51	58	42	47	55	64	49	44	59	63	62	56	58	45	50	54	50	57	54	56	58	43	38		52.4
	MIN	29	22	25	23	18	20	22	22	36	21	16	21	32	27	19	19	35	35	22	17	11	20	30	32	34	32	32	34	31	30		25.6
THREE CREEK	MAX	52	58	61	61	59	61	62	57	61	59	57	67	72	65	65	67	69	63	60	62	58	67	68	59	56	56	70	61	34	41		60.3
	MIN	15	27	25	28	32	33	26	27	35	28	19	21	27	29	20	27	37	28	37	22	25	19	29	34	27	33	26	33	30	26		27.5
TWIN FALLS 2 NNE	MAX	57	65	67	68	69	68	70	68	65	61	62	71	77	74	68	71	72	70	68	63	62	67	66	62	67	64	69	64	52	48		65.8
	MIN	28	28	37	29	39	35	34	39	49	26	25	28	34	45	30	25	37	46	45	34	29	23	34	40	32	42	28	46	37	32		34.9
TWIN FALLS 3 SE	MAX	43	58	65	67	67	68	69	69	63	65	56	62	72	65	65	65	70	74	71	64	63	54	72	64	61	66	59	70	53	41		63.4
	MIN	25	25	25	26	37	33	33	31	34	25	25	24	36	44	28	26	37	44	42	32	25	22	23	36	28	39	38	35	24	27		31.0
WALLACE	MAX	63	63	65	67	66	67	64	57	53	58	64	75	68	61	63	68	68	57	40	42	51	59	63	70	73	67	66	52	48	40		60.6
	MIN	30	30	30	29	29	29	29	29	30	26	26	31	33	28	27	28	31	37	20	21	17	23	26	25	27	31	34	42	39	35		29.1
WALLACE WOODLAND PARK	MAX	55	61	61	64	67	65	65	63	55	52	54	62	72	67	58	61	67	67	55	38		49	57	59	65	69	66	63	52	43		59.7
	MIN	30	29	29	29	29	29	28	29	30	25	25	25	28	27	26	26	28	31	20	20	16		23	24	25	28	32	39	40	37		27.8
WEISER	MAX	65	70	75	76	77	75	72		73	66	72	76	85	75	75	76	82	78	64	60	62	68	68	70	73	75	72	58	50	52		70.3
	MIN	39	32	32	32	34	45	37		47	28	28	30	32	40	36	30	38	34	38	27	23	25	44	40	32	40	40	42	38	30		34.9
WINCHESTER 1 SE	MAX	57	59	63	63	60	61	60	57	64	52	59	70	69	63	61	67	64	61	57	43	45	53	57	60	64	63	62	54	40	40		58.3
	MIN	25	28	28	26	33	24	25	26	34	21	24	26	35	29	20	27	31	37	21	15	14	22	26	27	25	34	33	36	30	30		27.1

Table 6

EVAPORATION AND WIND

Station		Day of month																															Total or ave
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ARROWROCK DAM	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.25	.23	.25	.21	.18	.17	.14	.10	.19	.17	.10	.19	.27	.01	.09		-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49	37	53	41	72	66	61	41	69	45	31	51	56	50	183		-
LIFTON PUMPING STA	EVAP	-	-	.07	.13	.13	.17	.16	.26	.19	.21	.21	.13	.17	.42	.25	.18	.20	.22	.01	.10	.00	.36	.21	.16	.11	.11	.13	.21	.05	.06		B 4.94
	WIND	85	15	16	28	34	76	35	95	93	158	112	41	37	140	117	47	59	92	99	38	148	48	85	70	35	73	68	126	115	140		2325
MINIDOKA DAM	EVAP	-	-	-	-	-	-	.27	.26	.60	.23	.14	.19	.46	.33	.23	.26	.30	.44	.37	.29	.34	.12	.15	.17	.21	.06	.21	.02	.00	.52		B 7.71
	WIND	70	90	70	85	70	45	60	170	315	170	85	75	125	125	145	110	90	220	185	125	280	85	50	125	105	100	90	95	200	310		3870
MOSCOW U OF I	EVAP	.13	.14	.11	.14	.16	.15	.22	.11	.18	.14	.13	.21	.23	.19	.15	.25	.19	.35	.16	.14	.16	.14	.17	.23	.15	.26	.14	.01	.03	.13		4.92
	WIND	50	50	93	90	48	26	81	41	[illegible]	47	13	45	67	32	27	52	70	219	37	45	26	45	30	35	30	70	29	45	145	187		1858

ACKNOWLEDGMENTS

In addition to the climatological data from some 6,000 Weather Bureau and cooperative weather stations, this bulletin series contains records from Hydroclimatic Network Stations which were formerly reproduced in the Hydrologic Bulletin Series. The Hydroclimatic Network is a nationwide net of rain gages--mostly of the recording type which produce continuous records of precipitation. It was established in 1939 at the request of the Corps of Engineers, Department of the Army, to supplement existing precipitation stations in order to provide records of rainfall intensity which were essential to the planning of flood control and related works by the Corps of Engineers. This Network, now numbering about 2,000 recording, and 1,000 non-recording rain gages, has been maintained by the Weather Bureau through working funds transferred annually to the Weather Bureau by the Corps of Engineers. These transfers averaged about $250,000 per year between 1940 and 1944, and nearly $375,000 since that date. For the years 1940-42, the Department of Agriculture transferred about $100,000 per year to provide data required in its work, and since 1947 the Bureau of Reclamation has transferred about $25,000 per year to meet the increasing needs of their program in the Western States.

Previous to the introduction of this bulletin series, data from Hydroclimatic Network stations were presented in bulletins (Hydrologic Bulletins) which were issued monthly for each of 8 drainage areas embracing the entire United States, but since the Network was established to meet the internal requirements of the Federal agencies referred to above, no provision was made for public dissemination of the data, distribution being limited to cooperating agencies and to certain public repositories. A list of locations where reference copies of the Hydrologic Bulletin Series are available for inspection may be obtained upon application to Chief, U.S. Weather Bureau, Washington 25, D.C.

Many other records published in this bulletin have been made available through the cooperation of various public offices, private agencies, and individuals as listed in the Station Index.

Table 7

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	SNOWFALL																														1.2	
	SN ON GND																															
ASHTON 1 S	SNOWFALL																														1.5	
	SN ON GND	7	6	5	4	4	3	2	1																							
ATLANTA 1 E	SNOWFALL																					1.0			5.0					8.0		
	SN ON GND	37	37	36	32	30	26	24	24	23	22	20	18	14	11	8	4															
AVERY RS	SNOWFALL																			T											T	
	SN ON GND																														T	
BLACKFOOT	SNOWFALL																														T	
	SN ON GND																															
BOISE WB AP	SNOWFALL																													T		
	SN ON GND																															
BURLEY CAA AP	SNOWFALL																					T							T	T	2.0	
	SN ON GND																															
CASCADE 1 NW	SNOWFALL																					T								2.0		
	SN ON GND	10	9	7	5	3	T																									
CENTERVILLE ARBAUGH RCH	SNOWFALL																				0.2								T	0.3	T	
	SN ON GND	23	22	20	18	16	15	12	11	9	8	6	4	1																		
COEUR D ALENE CAA AP	SNOWFALL																		T													
	SN ON GND																															
DEADWOOD DAM	SNOWFALL																					T			T				1.0	T		
	SN ON GND	46	45	43	41	39	37	35	33	31	30	29	27	25	23	22	21	19	17	16	15	13	11	10	9	7	5	4	4	4	3	
DUBOIS CAA AP	SNOWFALL																				T	T									T	
	SN ON GND																				T											
FORNEY BLACKBIRD MINE	SNOWFALL																				T										-	
	SN ON GND	18	15	10	9	7	6	4	4	2											T											
GOODING CAA AP	SNOWFALL																													T	T	
	SN ON GND																															
GRANGEVILLE	SNOWFALL				-	-		-	-	-	-	-	-	-								-	-	-	-	-			-		-	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		T											
GRAY	SNOWFALL																												-	-		
	SN ON GND	24	24	24	24		22	21	19	18	18	16	14	12	6	4	3	2												-		
HAILEY	SNOWFALL																								T				T	T		
	SN ON GND																															
IDAHO CITY 13 SW	SNOWFALL																											T	T	T	T	
	SN ON GND	-		-						-	-	-	-	-	-					-	-	-		-								
IDAHO FALLS CAA AP	SNOWFALL																					T								T	T	
	SN ON GND																															
IRWIN 2 S	SNOWFALL																														2.0	
	SN ON GND																															
ISLAND PARK DAM	SNOWFALL																					2.5									2.0	
	SN ON GND	-				-				-	-	-	-	-	-	-		-			-	16						10			6	
LOWMAN	SNOWFALL																															
	SN ON GND	11	10	7	5	3																										
MALAD CAA AP	SNOWFALL																													T	4.7	
	SN ON GND																													T		
MAY RS	SNOWFALL																				T	T										
	SN ON GND																															
MC CALL	SNOWFALL																															
	SN ON GND	30	27	26	25	24	23	19	14	9	6	3																				
MULLAN PASS CAA	SNOWFALL								T	T	T								T	1.2									T	1.2	1.5	
	SN ON GND	106	103	98	95	94	93	93	93	93	93	91	89	86	86	84	84	83	80	81	80	79	77	72	65	56	52	50	48	49	50	
NEZPERCE	SNOWFALL																													T		
	SN ON GND																															
OBSIDIAN 4 NNE	SNOWFALL																					T			T				T	T	T	
	SN ON GND	38	38	37	36	35	34	32	31	30	30	28	26	23	21	20	19	17	15	12	11	10	9	7	7	6	5	3	T	T	T	
PIERCE RS	SNOWFALL																															
	SN ON GND	25	22	18	15	12	10	7	4	2																						
PINE 2 SSW	SNOWFALL																								T							
	SN ON GND	17	16	14	12	11	9	7	6	4	3	2	1	T																		
POCATELLO WB AP	SNOWFALL																												T	T	0.9	
	SN ON GND																															
PRIEST RIVER EXP STA	SNOWFALL																															
	SN ON GND	8	6																													
ROLAND W PORTAL	SNOWFALL																			T										T	4.0	
	SN ON GND	32	31	30	29	28	27	26	24	23	22	20	18	16	15	13	11	9	8	8	7	6	4	3	1		T	T	T	T	4	
SPENCER RS	SNOWFALL																					T		T								
	SN ON GND	-	-	-	-	-		-	-	-	-						-															
STIBNITE	SNOWFALL																				0.1			0.3			T		2.5	0.7	0.3	
	SN ON GND	24	21	18	14	11	9	7	5	3	1										T			T					2	2	T	
SUN VALLEY	SNOWFALL																								2.0					2.0		
	SN ON GND	13	12	11	9	7	5	3	1																							
THREE CREEK	SNOWFALL																														1.0	
	SN ON GND	2		-	-			-														-		-		-		-		2	3	
WALLACE	SNOWFALL																T														T	
	SN ON GND																T															

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 57	112 50	4400	5P	5P	EXPERIMENT STATION	3 5 6 7
ALBION	0140	CASSIA	12	42 25	113 3[illegible]	4750	8A	8A	S IDAHO COL EDUCATION	2 3
ALPHA 1 NE	0189	VALLEY	8	44 21	11[illegible] 59	4780	7P	7P	GLENN STRAWN	3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 47	112 52	4316	8A	8A	U S BUR RECLAMATION	3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	[illegible]	BUTTE	6	43 38	113 19	5320	6P	6P	[illegible] MARTIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3250	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 2[illegible]	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0495	ELMORE	2	43 48	115 07	[illegible]	5P	5P	PHILLIP T PETERSON	2 3 4 5 7
AVERY RANGER STATION	05[illegible]	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	05[illegible]	CARIBOU	12	42 43	111 54	[illegible]		MID	KENNETH E CRUMP	3 4
BAYVIEW MODEL BASIN	[illegible]	KOOTENAY	9	47 59	116 33	[illegible]	4P	4P	U S NAVY	2 3 5
BENTON DAM	0780	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	3 4
BIG CREEK	08[illegible]	VALLEY	11	45 08	115 20	5737	5P	5P	MARY A WEYMOUTH	2 3 4 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 4 5 6
BLISS	1002	GOODING	12	42 57	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1011	BOISE	2	43 46	116 06	6200		MID	F [illegible] KUHN	3 4
BOISE WB AP	10[illegible]	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 4 5 7
BRIDGE	11[illegible]	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	3 4
BUHL	[illegible]	TWIN FALLS	12	42 36	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	[illegible]	CLEARWATER	3	46 38	115 30	[illegible]	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 ENE	12[illegible]	SHOSHONE	4	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 33	113 49	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1300	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	15[illegible]	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	3 4
CENTERVILLE ARBAUGH RCH	16[illegible]	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	16[illegible]	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 4 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	3 4
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 14	5901		MID	TETONIA EXP STATION	3 4
COEUR D ALENE CAA AP	19[illegible]1	KOOTENAY	4	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
COEUR D ALENE RS	19[illegible]6	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
[illegible] SW	21[illegible]4	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M I KLAPPRICH	2 3 5 7
[illegible] 2 [illegible]	21[illegible]9	IDAHO	3	46 02	116 23	3600		MID	ABI FREI	3 4
COUNCIL 2 NNE	2187	ADAMS	12	44 45	116 25	3150	7P	7P	JOHN W HOOVER	2 3 4 5
CRAIGMONT	2216	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	3 4
[illegible] NNE	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 4 5 7
DEADWOOD SUMMIT	[illegible]	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	[illegible]	KOOTENAY	4	47 44	116 29	3000		MID	U S FOREST SERVICE	3 4
DEER FLAT DAM	[illegible]	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
EDEN HUNT PROJECT	[illegible]	JEROME	12	42 41	114 1[illegible]	3958	5P	5P	U S BUR RECLAMATION	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORNEY BLACKBIRD MINE	3289	LEMHI	11	45 07	114 21	6820	6P	6P	CALERA MINING CO	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 41	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	[illegible]	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	[illegible]	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
GRACE POWER HOUSE	37[illegible]	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	[illegible]	OWYHEE	12	42 59	116 06	[illegible]	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 4 5 7
[illegible]	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3862	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	[illegible]	BLAINE	12	43 31	114 19	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER [illegible]	[illegible]	JEFFERSON	6	43 59	112 15	4790	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4110	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	[illegible]	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4381	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY [illegible]	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	44[illegible]7	BONNEVILLE	12	43 31	112 04	47[illegible]0	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
[illegible]	447[illegible]	OWYHEE	2	42 03	115 09	6000		VAR	CHRIS ALLEN	S
IRWIN 2 S	[illegible]	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JEROME	4670	JEROME	12	42 43	114 32	3774	5P	5P	NORTH SIDE CANAL CO	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190	7A	7A	MRS MARY E LUNDERS	3
KELLOGG	48[illegible]1	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	50[illegible]8	ADA	2	43 31	116 24	2685	5P	5P	HARRY L GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 [illegible]	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	3 4
LEWISTON	[illegible]	NEZ PERCE	12	46 25	117 02			7A	JACK MCKAY	3
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	[illegible]	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 4 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 4 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	3 4
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 W	6174	ELMORE	12	43 08	115 43	3150	6P	6P	DURHAM NICHOLS	2 3 4 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
NAMPA	6295	CANYON	2	43 35	116 34	2482	5P	5P	C W NELSON	2 3 5
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	5P	5P	WAYNE S SHAEFFER	2 3 5 7
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	6586	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	2 3 4 5 7
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	8A	8A	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	5P	5P	U S FOREST SERVICE	2 3 4 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	3 4
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON 2 SE SUG FAC	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB AIRWAY OBS	2 3 4 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 4 5 7
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3968	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	7A	7A	BRADLEY MINING CO	2 3 5 7
STREVELL CAA AP	8786	CASSIA	12	42 01	113 13	5275	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 4 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9636	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
WOLF LODGE SUMMIT	9862	KOOTENAY	4	47 43	116 30	4650		MID	U S FOREST SERVICE	CLOSED 7/10
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		MID	U S SOIL CON SER	3 4
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	3 4
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	[illegible]650		MID	U S FOREST SERVICE	3 4
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 4 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index,but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches,and wind movement in miles. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January, 1949.

Amounts in Table 4 are from recording gages. Traces are not shown.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 4, 6, 7 and the Station Index. No record in Tables 2 and 5,is indicated by no entry. When hourly precipitation is missing or accumulated for several days, only the first and last days are shown in Table 4.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
6	Station not equipped with a recording gage.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gages.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-102948 1000 6-6-51



IDAHO

STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage ○ Non-recording;
● Recording; ◑ Both types
Double circle combinations Complete Meteorological.
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Bonners Fy WB Awy
Benton Dam
Priest Riv Exp Sta
Sandpoint Exp Sta
Clark Fork 1ENE
Bayview Model Basin
Coeur d'Alene CAA AP
Deception Cr
Wolf Lodge Summit
Coeur d'Alene RS
Kellogg
Burke 2NNE
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace
Saint Maries
Plummer 3WSW
Roland W Portal
Avery RS
Clarkia RS
Potlatch
Moscow U of Ida
Bungalow RS
Lolo Pass
Orofino
Lewiston Wtr Pl
Pierce RS
Lewiston WB AP
Winchester 1SE
Craigmont
Kamiah 1NE
Nezperce
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Cottonwood 2SW
Grangeville WB Awy
Nez Perce Pass
Riggins RS
Salmon WB Awy
Big Creek
Forney Blackbird M
New Meadows RS
Yellow Pine
Stibnite
McCall USFS
Pungo Creek
Council 2NNE
Landmark RS
Leadore
Mesa
May RS
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Cascade RS
Island Park Dam
Spencer RS
Gilmore Summit Rch
Alpha 1NE
Deadwood Dam
Dubois Exp Sta
Weiser
Ola
Ashton 1S
Crouch 2NNW
Dubois CAA AP
Payette
Lowman
Jackson Peak
Obsidian 4NNE
Hamer 4NW
St Anthony
Garden Valley RS
Chilly Barton Flat
Centerville 4NF
Arbaugh
Moore Cr Summit
Clementsville 4SE
Emmett 2F
Mackay RS
Sugar
Parma Exp Sta
Idaho City
Atlanta 1E
Howe
Tetonia Exp Sta
Bogus Basin
Vienna
Nampa 2NW
Troutdale GS
Sun Valley
Arco
Driggs
Caldwell
Idaho Cy 13SW
Shake Cr RS
Ririe
Meridian 1SSW
Arrowrock Dam
Idaho Falls CAA AP
Trinity Lake GS
Deer Flat Dam
Nampa
Prairie
Pine 2SSW
Soldier Cr RS
Hailey
Irwin 2S
Boise WB AP
Kuna
Anderson Dam 1SW
Fairfield RS
Palisades Dam
Blackfoot
Hill City
Swan Falls PH
Mountain Home 1W
Springfield
Gray
Putnam Mt
Richfield
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Blackfoot Dam
Aberdeen Exp Sta
Bliss
Shoshone
Pocatello WB AP
Gooding CAA AP
Conda
Bancroft
Jerome
Eden Hunt
Minidoka Dam
Paul 1E
American Falls 1NW
Buhl
Burley 1NW
Rupert
McCammon
Grace PH
Twin Falls 2NNE
Hazelton
Burley CAA AP
Twin Falls 3SE
Burley
Montpelier RS
Hollister
Albion
Oakley
Malad
Lifton Pump Sta
Bridge
Malad CAA AP
Three Creek
Preston 2SE
Ida Vada
Strevell
N.O.C. 9/50

DEPARTMENT
CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

MAY 1951
Volume LIV No. 5

SAN FRANCISCO: 1951

IDAHO- MAY 1951

E. H. Jones, Section Director, Boise

WEATHER SUMMARY

Although this month averaged about three and one-half degrees warmer than May 1950, precipitation was again below the 56-year mean. Except in the Clearwater Basin and at a few points in the southeastern division, precipitation deficiencies were moderate and about 30% of the stations reported totals in excess of the mean for May. The greatest excesses in precipitation were recorded at Clark Fork and at several stations in Shoshone County. Sunshine apparently was a little above normal in southern Idaho, but somewhat deficient in Northern districts.

The cool spell of the closing days of April carried over to the opening days of May. A majority of stations in the southwestern division, and about one-third of those in the southeastern division, reported the lowest temperature of the month on one of the first three days, and all but a few readings were freezing or below. During the first two days scattered showers were reported, but precipitation totals were of little consequence, except in the extreme North. From the 3d or 4th through the 11th, temperatures were generally above normal and substantial rains fell in all parts of the State. The principal showery period was from the 6th to 8th, during which a low pressure trough, slowly moving eastward, was followed by moist air from off the Pacific. These showers improved soil moisture and were generally beneficial to ranges. pastures and dry farms. The next period of extensive shower activity began on the 11th, as a slow-moving storm center, and its attendant cold front, passed inland across the State. Pronounced temperature drops were felt in all sections by the 12th, but no frosts were reported as cloudy skies prevailed throughout the State. The showers ended in southern divisions on the 13th, but continued another day in the North. Scattered light frosts occurred on the morning of the 14th, as skies began to clear. A return to generally sunny and moderately warm weather during the following 10 days to 2 weeks brought the best growing weather of the season to date, and farming operations were hampered but little by the scattered light showers. Highest temperatures of the month were recorded at nearly all stations in the State between the 22d and 28th. Southern sections received fairly good rains during the last 4 or 5 days of the month and soil-moisture conditions were improved, particularly in south-central and southeastern areas. A cold air mass, originating over regions far to the North and Northwest, moved in on Idaho at the close of the month and subnormal temperatures were general on the last 2 or 3 days. Clearing, or partial clearing, of skies at night resulted in freezing temperatures on the mornings of the 28th, 29th and 30th at many points in the northern and southwestern divisions. For the most part crops were just nipped by the freeze, but some tender garden vegetables were killed and some fruit crops suffered further damage. Despite some frost damage and some crop injury by hail (principally on the 27th), the effects of weather on the economy of Idaho were about normal for May, but crop development was still about a week late at the close of the month.

Storm damage was principally caused by hail. About a dozen stations in southwestern Idaho reported small hail on the 27th; the largest hail stones apparently fell on the north side of Camas Prairie where the observer at Fairfield reported stones averaging 1/2 inch in diameter with the largest about 2 inches. Reports indicate damage to hay, roof tops, and window glass. Minor hailstorms occurred in Oneida and Lincoln Counties on the night of the 7th and in Canyon County on the 12th.

Rivers and streams of the Snake system made secondary crests on the 17th. Bankful stages were not even approached on the lower Snake and tributaries. On the upper Snake and tributaries, flows were near levels previously considered dangerous but were held in check by recently constructed dikes and by careful distribution of the water in irrigation canals. All the larger reservoirs were at capacity as the month closed.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	23	8.6	42	SE	3	73	50	37	62	7	3	3	0	0	0	13	76	5.7	SEE TABLE 2.
LEWISTON WB AIRPORT	NE	15	4.4	-	-	-	76	50	39	60	5	3	4	0	0	0	12	-	5.8	
POCATELLO WB AIRPORT	SW	20	10.3	45	SW	11	70	43	33	57	4	6	1	0	0	0	11	73	5.7	

Table 1

COMPARATIVE DATA

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	50.1	91	12	1.57	-	7
1894	54.6	95	21	1.29	-	6
1895	52.1	92	14	2.17	-	8
1896	47.2	93	11	3.10	-	13
1897	60.0	100	13	1.00	-	5
1898	52.8	96	20	2.36	-	10
1899	49.0	88	6	1.68	2.0	8
1900	55.3	100	18	1.91	0.2	7
1901	57.2	99	19	1.50	0.0	6
1902	53.2	103	16	1.92	1.6	[illegible]
1903	51.5	102	18	1.61	1.8	7
1904	53.5	90	12	.68	0.1	[illegible]
1905	51.2	94	11	2.37	1.6	11
1906	52.0	93	14	3.14	1.1	11
1907	52.9	95	16	1.03	0.2	5
1908	48.9	92	20	2.38	2.1	12
1909	50.1	96	[illegible]	1.63	1.1	8
1910	55.2	107	19	1.53	0.1	6
1911	51.2	92	12	2.63	0.7	10
1912	52.7	90	12	2.23	0.3	9
1913	54.6	99	11	1.61	T	8
1914	46.0	100	16	1.31	0.2	7
1915	51.2	91	18	4.11	1.9	17
1916	48.1	89	3	1.66	1.6	9
1917	49.7	92	12	2.35	0.8	11
1918	50.5	98	12	1.26	0.3	6
1919	54.3	105	12	.90	0.1	4
1920	50.7	89	12	1.24	0.2	6
1921	53.5	97	15	2.37	0.1	10
1922	51.8	93	10	1.26	0.7	7
1923	52.7	93	10	2.05	0.1	10
1924	57.3	102	10	.30	0.1	2
1925	56.7	95	18	1.52	0.1	7
1926	54.2	95	14	1.42	0.0	7
1927	49.6	102	9	2.38	1.2	11
1928	58.3	104	11	.62	T	4
1929	52.5	99	10	.61	0.2	4
1930	52.0	97	16	2.13	0.8	10
1931	55.3	100	12	.74	0.2	4
1932	53.3	98	18	1.86	0.1	9
1933	48.5	96	11	1.65	0.8	10
1934	59.4	105	14	.66	T	4
1935	51.3	92	15	1.23	0.1	6
1936	57.7	105	17	.94	0.2	5
1937	55.1	95	18	.75	0.2	4
1938	51.8	96	6	1.55	0.7	8
1939	56.1	100	12	.81	0.0	5
1940	57.0	100	12	.55	0 0	4
1941	54.3	97	18	2.98	0.1	13
1942	49.6	95	10	3.14	1.7	15
1943	50.2	94	12	1.43	0.7	9
1944	54.0	95	1	1.21	0.2	8
1945	53.2	91	21	2.65	0.2	14
1946	52.7	91	12	1.58	0.1	7
1947	57.2	99	20	1.40	T	6
1948	52.8	100	9	2.57	0.9	10
1949	56.5	97	17	2.02	0.1	10
1950	50.0	90	8	.90	1.3	6
1951	53.4	96	16	1.29	0.7	7
PERIOD	53.1			1.67	0.6	

DATA FOR THE PERIOD BEGINNING WITH APRIL 1948 TO DATE HAVE BEEN WEIGHTED ON AN AREAL BASIS AND ARE NOT COMPARABLE WITH UNWEIGHTED VALUES PUBLISHED IN THIS TABLE FOR EARLIER YEARS.

Table 2

CLIMATOLOGICAL DATA

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
NORTHERN DIVISION																			
AVERY RS	53.9	- 0.2	91	22	27	30	342	1	3	3.08	.89	.98	13	.0	0		13	2	0
BAYVIEW MODEL BASIN	51.7		85	22+	27	29	408	0	5	1.41		.50	12	.0	0		8	1	0
BONNERS FERRY	54.8	1.3	87	22	30	29	308	0	2	1.46	- .11	.29	14		0		11	0	0
BURKE 2 NNE	45.1	0.2	77	22	25	29	608	0	18	4.90	1.89	1.65	13	13.4	7	1	14	4	1
CLARK FORK 1 ENE	52.2	- 2.0	82	22	27	29	390	0	6	3.74	1.49	1.18	13	.0	0		10	4	1
COEUR D ALENE CAA AP	52.8		84	22	31	29+	373	0	3	1.08		.39	13	T	0		10	0	0
COEUR D ALENE RS	55.1	0.1	88	22	21	30	309	0	5	1.28	- .51	.34	13	.0	0		11	0	0
COTTONWOOD	50.9	0.1	82	22	29	29	430	0	7	1.62	-1.00	.57	7	.0	0		10	1	[illegible]
ELK CITY	49.1		[illegible]	22	23	19	485	0	16	1.65		.42	11	.0			14	0	0
FENN RS	55.7	- 1.5	90	22	28	29	287	1	1	2.07	- .92	.70	13	.0	0		7	1	0
FORNEY BLACKBIRD MINE	44.2M		73	23	18	3	638	0		2.17				T	0		12		0
GRANGEVILLE	51.3	- 0.6	83	22	30	12+	417	0	[illegible]	1.61	-1.54	.57	11		0		8	1	0
KELLOGG	54.1M	0.5	90	23	31	29		1	3	3.61	1.12	1.27	14	.0	0		14	2	1
KOOSKIA	58.7	1.1	96	22	30	29	206	2	2	1.74	-1.03	.48	11	.0	0		10	0	0
LEWISTON WATER PLANT	60.7	0.7	84	22+	33	30	157	2	0	.83	- .66	.43	7	.0	0		6	0	0
LEWISTON WB AP	57.8		90	22	32	30	226	1	1	1.05		.32	7	.0	0		7	0	0
MOSCOW U OF I	55.1	2.1	85	22	28	29+	307	0	3	1.04	- .83	.26	5	.0	0		8	0	0
MULLAN PASS CAA	41.1	- 2.3	71	22	21	1	736	0	14	1.93	- .35	1.00	13	15.5	51	2	12	1	1
OROFINO	59 4M	1.0	95	22	32	30	186	2	1	1.15	-1.09	.34	13	.0	0		14	0	0
PIERCE RS	49.8	- 3.3	83	22	26	3	463	0	11	3.01	.01	1.14	13	.0	0		15	2	1
PORTHILL	54.5	0.9	84	22	29	29		0	3	2.08	.43	.58	1	.0	0		8	1	0
POTLATCH	53.8	1.7	87	22	28	29+	340	0	4	.86	- .84	.23	11	.0	0		7	0	0
PRIEST RIVER EXP STATION	51.9	0.5	83	22	25	29	400	0	7	1.82	- .28	.47	12	T	0		12	0	0
RIGGINS RS	59.4	- 1.9	93	22	36	29	185	2	0	.70	-1.25	.18	11	.0	0		13	0	0
ROLAND W PORTAL	47.1	- 1.5	79	22	27	29	548	0	9	2.73	.40	.86	13	12.7	10	1	6	3	0
SAINT MARIES	55.4M	0.8	89	22	28	30	298	0	2	1.84	- .10	.31	14	.0	0		12	0	0
SALMON	55.0	1.5	89	22	24	3	304	0	5	1.23	.11	.65	7		0		10	1	0
SANDPOINT EXP STATION	53.8	0.7	82	22	28	29	338	0	2	1.67	- .41	.36	12	.0	0		10	0	0
WALLACE	51.0	- 1.9	86	22	28	30	425	0	6	3.41	.77	.96	13	T	0		13	3	0
WALLACE WOODLAND PARK	49.8	- 1.8	84	23	28	29+		0	5	3.41	1.02	.86	14	.0	0		12	4	0
WINCHESTER 1 SE	49.2	- 0.9	81	22	25	30	481	0	10	1.89	-1.42	1.05	7	.0	0		10	1	1
DIVISION	52.7	- 0.7								2.00	- .32			1.5					

See reference notes following Station Index

CLIMATOLOGICAL DATA

Station	Temperature: Average	Temperature: Departure from normal	Temperature: Highest	Temperature: Date	Temperature: Lowest	Temperature: Date	Temperature: Degree days	No. of days: Max. 90° or above	No. of days: Min. 32° or below	Precipitation: Total	Precipitation: Departure from normal	Precipitation: Greatest day	Precipitation: Date	Snow, Sleet, Hail: Total	Snow, Sleet, Hail: Max. depth on ground at obsn.	Snow, Sleet, Hail: Date	No. of days: .01 or more	No. of days: .50 or more	No. of days: 1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	47.8	0.1	77	22+	23	3	526	0	17	1.61	- .32	.47	12	1.0	0		12	0	0
ANDERSON DAM	56.8		86	27	33	14	251	0	0	.76		.23	12	T	0		5	0	0
ARROWROCK DAM	55.9	- 1.2	85	23	33	1		0	0	.95	- .30	.50	12	.0	0		5	1	0
ATLANTA 1 E	47.9	0.6	73	26+	20	1	524	0	13	2.33	.78	1.43	7	T			7	1	1
BLISS	57.4	- 0.1	89	27	29	14	239	0	3	.70	- .21	.23	11	.0	0		6	0	0
BOISE LUCKY PEAK DAM	59.3M		86	22+	31	1	192	0	1	.93		.55	12	.0	0		5	1	0
BOISE WB AP //	56.8	0.7	85	22	33	1	254	0	0	.54	- .49	.43	12	T	0		6	0	0
BUHL	58.3	2.1	86	27+	32	1	222	0	1	.22	- .86	.11	11	.0	0		3	0	0
CALDWELL	58.0	0.1	86	22	34	4	218	0	0	.86	- .12	.40	11	.0	0		4	0	0
CAMBRIDGE	56.2	- 0.5	82	6	32	2		0	1	1.42	.12			.0	0		5		0
CASCADE 1 NW	49.1		77	22	25	3	485	0	10	.98		.27	12	1.0	0		7	0	0
CHALLIS	52.4	0.2	78	26	28	3+	385	0	8	1.25	.23	.39	13	1.0	0		7	0	0
COUNCIL 2 NNE	55.6	- 0.2	83	22+	28	1	287	0	2	1.45	- .31	.63	11	.0	0		6	1	0
DEADWOOD DAM	45.2	- 0.3	76	22	20	3	608	0	26	1.83	- .15	.60	7	T	3	1	10	1	0
DEER FLAT DAM	57.8	- 0.6	83	22	36	2	220	0	0	.96	.19	.50	11	T	T	27	3	1	0
EDEN HUNT PROJECT	55.6M		90	27	29	14	288	1	5	1.07		.80	7	.0	0		4	1	0
EMMETT 2 E	57.9	- 1.2	87	22	30	29	229	0	3	.68	- .34	.37	11	.0	0		3	0	0
FAIRFIELD RS	51.8M		79	27	27	29	398	0	7	.67		.21	11	T	0		5	0	0
GARDEN VALLEY RS	54.9	0.2	87	22	27	29	307	0	5	1.56	.14	.52	7	.0	0		11	1	0
GLENNS FERRY	59.5	0.0	92	27	32	14	181	1	1	.57	- .29	.35	12	.0	0		4	0	0
GOODING CAA AP	56.2	0.8	88	27	31	1	274	0	2	1.29	.53	.52	8	T	0		6	1	0
GRAND VIEW	61.2	1.4	92	27	36	3	139	1	0	.41	- .50	.21	11	.0	0		2	0	0
HAILEY	52.8	0.8	79	27	27	2	375	0	5	1.21	- .12	.47	27	.0	0		7	0	0
HAZELTON	56.3	- 0.8	86	27	32	1+	269	0	2	.77	- .27	.47	7	.0	0		5	0	0
HILL CITY	50.7	0.8	78	27	28	3+	439	0	9	.60	- .49	.40	7	T	0		2	0	0
HOLLISTER	53.6M	- 0.1	85	27	30	1+	353	0	2	.61	- .52	.28	12	.0	0		3	0	0
IDAHO CITY	51.3	- 1.6	81	22	24	1	419	0	10	1.90	.34	.37	11	.0	0		12	0	0
JEROME	55.8	- 1.6	89	27	27	14	288	0	4	.87	.07	.52	7	T	0		5	1	0
KUNA 2 NNE	56.1	- 0.6	86	22	32	1+	272	0	2	1.36	.19	.47	11	.0	0		8	0	0
LOWMAN	51.0M	0.3	82	22	24	3	428	0	15	1.66	- .17	.65	7	.0	0		7	1	0
MC CALL	47.8	0.7	74	22	16	1	531	0	6	1.19	- .75	.38	12	.0	0		8	0	0
MERIDAN 1 SSW	54.9	- 2.8	86	22	29	1+	308	0	2	1.18	.01	.49	11	.0	0		4	0	0
MESA	56.6		83	22+	28	1	258	0	1	2.03		.87	11	T	0		7	2	0
MOUNTAIN HOME 1 W	57.5M	1.5	90	27	30	28	242	1	4	.54	- .36	.35	12	.0	0		2	0	0
NAMPA	59.5M	1.1	92	23	35	1+	185	5	0	.77	- .64	.46	11	.0	0		2	0	0
NAMPA 2 NW	57.9		88	23	34	1+		0	0	.86		.55	12	T	0		5	1	0
NEW MEADOWS RS	49.6M	0.3	84	23	21	3	470	0	16	.88	- .84	.37	11	.0	0		6	0	0
OBSIDIAN 4 NNE	41.9	- 1.0	70	26	16	3	711	0	28	.93	- .46	.30	12	2.0	2	12	8	0	0
OLA	54.1		83	22+	26	1	329	0	5	1.12	- .50	.40	7	.0	0		5	0	0
PARMA EXP STATION	58.8	- 0.7	89	22+	34	29	198	0	0	.95	.26	.42	12	T	0		4	0	0
PAYETTE	59.1	0.3	87	22	33	1	189	0	0	1.10	.10	.52	11	.0	0		6	1	0
RICHFIELD	54.5	1.1	84	27	27	1+	322	0	6	.57	- .37	.34	7	.0	0		5	0	0
SHOSHONE	56.0	1.4	87	27	29	14	279	0	3	1.12	.15	.53	7	T	0		8	1	0
STIBNITE	44.6		72	23	22	1+		0	17	1.68		.45	30		4	30	11	0	0
SUN VALLEY	47.5	2.0	76	17+	18	3	534	0	21	.82	- .61	.35	7	1.0	T	12	6	0	0
SWAN FALL PH	62.0	- 0.1	90	22	39	13	127	1	0	.65	- .30	.32	11	.0	0		4	0	0
THREE CREEK	49.8		84	27	23	14	464	0	10	1.32	- .95	.50	12	3.0	2	1	7	1	0
TWIN FALLS 2 NNE	57.9	2.1	90	27	31	3+	224	1	2	.85	- .18	.54	7	.0	0		4	1	0
TWIN FALLS 3 SE	55.2	- 1.3	88	28	28	1+		0	5	.86	- .08	.51	7	.0	0		6	1	0
WEISER	58.8	- 1.5	90	22	29	1	206	1	4	1.16	.34	.63	12	.0	0		3	1	0
DIVISION	54.5	0.1								1.06	- .26			.2					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STATION	55.5	1.8	87	27	27	14	293	0	6	.32	- .73	.15	29	.0	0		4	0	0
ALBION	51.7	- 0.7	83	28	24	14		0	4	.80	- .82	.31	13	T			6	0	0
AMERICAN FALLS 1 NW	55.5	1.5	83	27+	30	14	294	0	2	.54	- .95	.29	28	.0	0		8	0	0
ASHTON 1 S	50.1	- 0.1	84	27	27	3	452	0	8	1.20	- .51	.34	13	3.0	T	13	5	0	0
BLACKFOOT	57.5	4.0	87	27	31	14	239	0	2	.26	-1.06	.16	28	.0	0		2	0	0
BLACKFOOT DAM	48.2	1.4	80	30	20	14	514	0	16	1.38	- .25	.20	7+	.0	0		13	0	0
BURLEY	57.5	1.4	88	28	32	1+		0	2	.64	- .26	.33	7	.0			3	0	0
BURLEY FACTORY 1 NW	55.0	- 0.2	82	28	29	14		0	3	1.02	.02	.39	7	.0			6	0	0
BURLEY CAA AP	55.0	0.6	85	27	30	14	306	0	3	.80	- .24	.36	7	T	0		5	0	0
CHILLY BARTON FLAT	47.1	- 1.3	79	27	18	3	548	0	19	1.40	.32	.35	7	6.0			7	0	0
DRIGGS	49.0	2.3	78	28	23	14		0	9	2.46	.50	.57	12	.0	0		13	2	0
DUBOIS EXP STATION	52.6	- 0.2	83	27	26	2	381	0	6	1.20	- .12	.38	7	1.0	0		7	0	0
DUBOIS CAA AP	52.8	1.3	85	27	24	2	374	0	5	.97	- .29	.20	31	T	0		10	0	0
FORT HALL IND AGENCY	55.3M	0.8	85	27	28	14	300	0	3	.53	- .60	.31	28	.0	0		5	0	0
GRACE PH	49.7	- 0.9	80	27	26	1	466	0	8	1.72	.11	.33	7	T			13	0	0
GRAY	48.9	0.7	81	29	24	1+	490	0	10	1.57	- .30	.42	31	.0	0		7	0	0
GROUSE	46.3		74	27	18	3+	571	0	20	1.04	.01	.42	7	.0	0		7	0	0
HAMER 4 NW	53.4	0.7	87	27	19	2	355	0	5	.77	- .18	.27	8	T	0		8	0	0
IDAHO FALLS CAA AP	54.4	1.2	86	27	27	14	326	0	5	.93	- .31	.41	8	.3	0		8	0	0
IRWIN 2 S	52.0	2.5	82	27	25	14	398	0	5	1.29	- .38	.51	31	.0	0		5	1	0
ISLAND PARK DAM	46.5	0.1	78	28	19	14	567	0	18	1.91	- .46	.70	13	12.5			8	1	0
LIFTON PUMPING STATION	51.7	0.3	75	27+	29	1	403	0	4	.93	- .02	.63	16	T	0		10	1	0
MACKAY RS	51.2	0.0	80	27	27	2	418	0	4	.95	- .11	.38	7	.2	T	13	7	0	0
MALAD	55.1	1.0	85	27	31	3	306	0	2	1.28	- .02	.63	7	T	0		7	1	0
MALAD CAA AP	53.7		85	27	28	3	342	0	4	1.24		.35	7+	T	0		9	0	0
MAY RS	51.2	- 1.1	79	22	24	3	419	0	8	1.34	.24	.52	13	4.0	0		7	1	0
MC CAMMON	55.2		87	27	27	14	298	0	1	1.11		.30	7	.5	0		8	0	0
MINIDOKA DAM	55.2		81	26	30	1	297	0	2	.38		.21	12	.0	0		5	0	0
MONTPELIER RS	49.6M	- 0.8	84	28	25	13		0	8	.79				1.0	0		12	0	0
OAKLEY	54.4	0.2	87	27	28	14	323	0	4	1.59	.29	.94	7	.0	0		8	1	0
PALISADES DAM	51.4		80	27	20	14	413	0	9	1.80		.50	31	.0	0		12	1	0
PAUL 1 E	55.0	0.0	82	28	29	14		0	3	.72	- .02	.39	7	.0			2	0	0
POCATELLO WB AP //	56.1	3.1	86	27	30	14	279	0	2	.39	-1.34	.23	27	T	T	1+	7	0	0
PRESTON SUG FACT 2 SE	55.2	1.3	85	27	30	3+	296	0	2	1.55	.04	.59	12	T	0		13	1	0
RIRIE	54.4		86	27	30	15	330	0	4	1.06		.37	8	.8	0		6	0	0
RUPERT	54.3M	- 1.0	85	28	29	14		0	3	.32	- .69	.17	12	.0	0		3	0	0
SAINT ANTHONY	52.5		89	26	25	14	382	0	10	1.60	.06	.55	7	1.0	0		6	1	0
SPENCER RS	49.4	1.2	78	27	20	3	476	0	13	1.86	- .39	.57	12	3.0	0		9	1	0
SPRINGFIELD	54.0	0.9	86	27	25	14	335	0	5	.51	- .59	.19	28	.0	0		7	0	0
SUGAR	52.5M	0.6	86	27	27	14	377	0	7	1.45	.20	.35	7	.0	0		6	0	0
TETONIA EXP STATION	48.8	0.4	78	27	23	14	494	0	14	1.57	- .01	.63	12	.0	0		7	1	0
DIVISION	52.6	1.0								1.10	- .32			.8					
STATE	53.4	0.2								1.29	- .30			.7					

See reference notes following Station Index.

Table 3

DAILY PRECIPITATION

Station	Day of month																															Total
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	.03							.08	.06		T																T		.15		T	.32
ALBION	.06							.19	.04			.06	.31															.14	T			.80
ALPHA 1 NE	.01			.13		.02	.25	.17	.02		.12	.47	.20													.01		.04		.17		1.61
AMERICAN FALLS 1 NW	.02						.05	.03	.05			.01	.07															.29			.02	.54
ANDERSON DAM							.19				.19	.23	.08														.07					.76
ARROWROCK DAM							.10	.01				.50	.21															.13				.95
ASHTON 1 S	T						.12	.25	T			.24	.34					T					T				T	.25			T	1.20
ATLANTA 1 E	T	.04				T	1.43	.04			.35	.21	.24										T					.02		T		2.33
ATLANTA 1 E //R	.05	.04				.15	1.32	.04			.41	.40	.07	.02														.15			.05	2.70
AVERY RS	.31	.01		.13	.11			.01			.05	.41	.98	.57			.13						.12	.02	.23							3.08
BANCROFT /R	.04						.17	.04			.01	.19					.14	.02									.11		.07	.03	.08	.90
BAYVIEW MODEL BASIN	.08	T		T	.17	T		T			T	.50	.32	.12			.10						.03	.09								1.41
BENTON DAM R	.28			.40				.02			.50		.34	.19		.01	.06							.01								1.81
BLACKFOOT	T				T	T	T					T	.10															.16				.26
BLACKFOOT DAM	.02	T					.20	.10	T		.12	.13	.01				.12						.20				.05	.11	.05	.10	.17	1.38
BLACKFOOT DAM //R	.03						.10	.10			.12	.12	.01				.10						.20				.08	.08	.09	.11	.13	1.27
BLISS						.06	.15	T			.23	.20	.04								.02											.70
BOISE LUCKY PEAK DAM							.04				.29	.55	T														*	.05				.93
BOISE LUCKY PEAK DAM R						.07					.28	.58															.07					1.00
BOISE WB AP //R	T			T		.02	T	T			.32	.43	.01	T									T			.02	.14			T		.94
BONNERS FERRY	.25			.22	.01						.13	.05	.13	.29			.10						.02	.25				.01				1.46
BONNERS FERRY R	.21			.20							.11	.04	.13	.23			.05						.01	.21				.01				1.20
BRIDGE //R	.03						.09	.02			.11	.07					.11						.06				.04			.18	.15	.86
BUHL							.06		T		.11	.05	T														T					.22
BURKE 2 NNE	.53	T		.01	.28			.03	T		.04	.82	1.65	.51	.01	T	.22						T	.39	.35		.02	.04				4.90
BURLEY	T						.33	T				.18	.13																			.64
BURLEY FACTORY 1 NW	.16						.39	.04				.22	.01	.20																		1.02
BURLEY CAA AP		.01				.05	.36	T			.12	.26											T				T				T	.80
BURLEY CAA AP //R		*	*	*	*	*	.47	.03			.15	.21																				.86
CALDWELL							.07				.40	.33	T														.06	T				.86
CAMBRIDGE							.34	.40			*	*	.68																			1.42
CASCADE 1 NW	T	T		.05		T	.26	.17			.09	.27	.10																	.01		.98
CASCADE RS //R				.02			.24	.03			.17	.23	.04																	.02		.75
CENTERVILLE ARBAUGH				T		.20	.33	.15	.02		.33	.15	.27										T				.33	.07		.03	T	1.88
CHALLIS							.10	.26				.27	.39														.09			.04	.10	1.25
CHILLY BARTON FLAT						.10	.35	.15				.20	.25				T						T				.20	T			.15	1.40
CLARK FORK 1 ENE	.81	.07		.05	.21			.07			T	.60	1.18	.55	*		.05						.15	T								3.74
CLARK FORK 1 ENE R	.73	.06		.23				.05			.54	.10	1.32	.29	.05		.01						.13									3.51
CLARKIA RS //R				.27			.07	.11			.26		*	.82	.05		.07						.02	.05	.05							1.77
COEUR D ALENE CAA AP	T			.26		T	.03	.01			.27	.01	.39	.03	T		.04			T			.01	.03			T	T				1.08
COEUR D ALENE CAA AP R				.29			.04				.28	.02	.44	.03			.04						.01	.02								1.17
COEUR D ALENE RS				.14	.11		.02	.04			.03	.30	.34	.20	.01		.04							.05								1.28
COTTONWOOD				.02		.09	.57	.23			.36	.03											.22	.02	.07					.01		1.62
COTTONWOOD 2 SW R						.24	.61	.25			.38	.01		.04									.18							.02		1.73
COUNCIL 2 NNE				.08			.26				.63	.31	.11																.06			1.45
COUNCIL 2 NNE R				.08		.11	.11				.48	.07	.11															.05				1.01
CRAIGMONT //R						.13	.32	.07			.28		.05	.05									.02	.05	.03		.05					1.05
CROUCH 2 NNW	T	.01				.10	.32	.06			.21	.10															.07			.15		1.02
DEADWOOD DAM	T	T		.01		.02	.60	.12			.26	.19	.06				T			T			T				.34	.07		.16		1.83
DEADWOOD DAM //R				.01		.21	.44				.30	.26	.06														.37			.17		1.82
DEER FLAT DAM											.50	.40		T													.06	T				.96
DRIGGS	.15	.01					.08	.28	.17			.57	.10	.02				.07									.12	.32		.02	.55	2.46
DUBOIS EXP STA						.02	.38	.08	T			.29	.19					T		T							T	.05			.19	1.20
DUBOIS CAA AP						.16	.16	.09	T		.08	.08	.07				T	.05		.02	T						.06				.20	.97
DUBOIS CAA AP //R						.16	.16	.08			.06	.07	.08					.05		.02							.02	.03			.18	.91
EDEN HUNT PROJECT							.80	.05	T		.10	.12																				1.07
ELK CITY			.01	T			.03	.17			.42	.24	.05	.02									.03	.20	.21	.04	.07	.01		.15		1.65
EMMETT 2 E											.37	.27	.04																			.68
FAIRFIELD RS								T	.15		.21	.11															T	.10			.10	.67
FENN RS	.12						.32	.08			.38		.70	.38										.09								2.07
FORNEY BLACKBIRD MINE	.50	T					.30	.43	T			*	.51					T						.04	.02	*	*	.12		.08	.17	2.17
FORT HALL IND AGENCY							.08	.02				.11	.01															.31				.53
GARDEN VALLEY RS						.16	.52	.09	.01		.29	.13	.12														.07	.01		.15	.01	1.56
GLENNS FERRY						.10	.03				.09	.35																				.57
GOODING CAA AP						.17	.15	.52			.10	.33	T								.02											1.29
GOODING CAA AP /R						.15	.18	.51			.06	.29	.03								.01											1.23
GRACE PH	.11						.33	.10			.14	.29				.09	.06	T		.04			.22	T			.04		.04	.12	.14	1.72
GRAND VIEW											.21	.20																				.41
GRANGEVILLE 6				T		.12	.40	.15			.57	.14	T	.03			T						.16		T					.04	T	1.61
GRAY	T	.02						.20	.20				.35														T	.22		.16	.42	1.57
GROUSE							.42	.08	.04			T									.20						.23	.05			.02	1.04
HAILEY							.45			.05	.01	.05									.08						.47				.10	1.21
HAMER 4 NW						.10	.16	.27				.03	.03				T				.06							.06			.06	.77
HAZELTON							.47		.02		.07	.12															T	.09	T		T	.77
HILL CITY							.40	T	T		T	.20	T															T				.60
HOLLISTER							.07				.26	.28																				.61
HOWE							.19	T	.13			T	T					T			.21							.22				.75
IDAHO CITY						.31	.33	.15			.37	.11	.24	.01													.24	.10	.01	.01	.02	1.90
IDAHO CITY 13 SW	T					T	.09				.30	.18															.38				T	.95
IDAHO FALLS CAA AP	T					.14	T	.41			.02	.01	.10							T	T						.21	.03		T	.01	.93
IDAHO FALLS CAA AP //R						.15		.39			.01	.01	.08														.22	.01			.02	.89
IRWIN 2 S		T					.29	.19			.05	.25	T										T							T	.51	1.29
ISLAND PARK DAM	.12						.40	.15				.02	.70											.07				.15			.30	1.91
JEROME	T	T					.52	.03	.03		.17	.12	T								T		T				T					.87
KAMIAH 1 NE		T					.06	.11	.01			.38	.16	.31	.03			T					.02	.13	.04						.17	1.42
KELLOGG	.32	.02	T		.45			.03	.01			.54	.16	1.27	.03		.10	.18			.06		T	.07	.37							3.61
KOOSKIA				T			.29	.15			.48	.02	.22	.19			T						.08	.04				.13		.14	T	1.74
KUNA 2 NNE						.05	.04				.47	.40	.02														.29	.06		.03		1.36
LEADORE R	.19					.02	.03	.17			.01	.21	.48											.05			.09			.08	.24	1.54
LEWISTON WATER PLANT				T	.08		.43	.07			.15	T	.02	.08						T			T			T					T	.83
LEWISTON WB AP 6	T			.15		.19	.32	.08			.22		.01	.08			T						T	T							T	1.05
LIFTON PUMPING STA	T	.02					.09	T			.01	.03	.03		.06	.63	T	.02		T	T									.02	.02	.93
LOWMAN	T	T				.10	.65	.12			.34	.11	.09														.25	T		T		1.66
MACKAY RS						.09	.38	.16				.12	.02				.17											.01				.95
MACKAY RS R						.09	.41	.07				.15	.02				.11										.01					.86
MALAD							.63	.01			T	.31					.07		T	.02								.11		T	.13	1.28
MALAD R							.63	.01				.30				.08				.02							.10	.02			.14	1.30
MALAD CAA AP 6		T				T	.35	T			.03	.35				.08	T		.02	.14							.08	.02	T	T	.17	1.24
MAY RS						T	.20	.19				.20	.52													T	.08			.02	.13	1.34
MC CALL						.20	.20	.08			.18	.38	.08										.03				.04					1.19
MC CAMMON	.06						.30	.09				.11	.10														T	.22	.11	T	.12	1.11
MERIDIAN 1 SSW							T	T			.49	.42															.20	.07	T			1.18
MESA							.50				.87	.41	.07	.05													.03			.10		2.03
MINIDOKA DAM							.06	.02			.05	.21																.04				.38
MONTPELIER RS	.08	.05	T						.05			.08	.06			*	.26				.06			.01				.04		.03	.07	.79
MOSCOW U OF I				.13	.26		.22	.05			.16	.02		.18										.02								1.04
MOUNTAIN HOME 1 W							T				.19	.35	T										T									.54
MOUNTAIN HOME 1 W R						.03					.21	.35	.05																			.64
MULLAN PASS CAA	.08	.03		.04				.01			.16	.11	1.00	.17			.04			T			.22	.05				.02	T	T	T	1.93
MULLAN PASS CAA R	.06	.01		.05				.02			.22	.13	*	1.40			.04						.26	.55	.02			.02				2.78
NAMPA											.46	.31	T																			.77
NAMPA 2 NW							.02				.02	.55	.12															.15				.86
NEW MEADOWS RS							.14	.04			.37	.25	.03										.05									.88
OAKLEY							.94	.02	.02		.17	.26	.03					.04											.11			1.59
OBSIDIAN 4 NNE						.03	.24	.02			T	.30	.08														.21	.02			.03	.93
OLA	T			T		T	.40	.05			.25	.25	.17																	T		1.12
OLA R						.20	.20	.05			.24	.30	.04																			1.03
OROFINO	.01	.06	T	.01			.01	.06	.01		.26	.07	.34	.23	T								.02	.01	.05				.01	T		1.15
PALISADES DAM	.06	.02					.16	.23				.40	.04					.04		.03			T				.08	.14		.10	.50	1.80
PARMA EXP STA												.42	.36	.02													.15					.95
PAUL 1 E							.39					.33																				.72
PAYETTE	.01						.02	.03			.52	.42	.10																			1.10
PIERCE RS	T	.02		.02			.10	.12	T		.26	.17	1.14	.59			.04			.09			.16	.09	.07	T	.12			.02		3.01
PIERCE RS R	-	-	-				.07	.10			.35	.15	1.19	.39			*			*			*	*	.42		.12			.01		-
PINE 2 SSW	T			T		T	.22		T		.16	.18	.04														.35				T	.95
PLUMMER 3 WSW R				.40	.02			.05			.24		.18	.12									.03	.05								1.09
POCATELLO WB AP /R	T					.02	.01	.02			T	.08	T														.23	T		.01	.02	.39
PORTHILL	.58				.34							.21	.16	.30			.38	T							.10	T				.01		2.08
POTLATCH				.20			.13	.07			.23		.04	.16									.03									.86
PRESTON SUG FACT 2 SE		.01					.28	.14	T			.59	.05			.13	.06	.01	.10	.01	.04							.03			.10	1.55
PRIEST RIVER EXP STA	.35	.03		.10	.24			.01			.09	.47	.23	.21	.03		.05						T	.01				T				1.82
RICHFIELD							.34	.06			.03	.05	.09																			.57
RIGGINS RS				.05		.09	.11	.01			.18		.02	.01	.01								.02	.08		.09	.01			T	.02	.70
RIRIE						.12	T	.37				.18	.14					.13										.12		T		1.06
ROLAND W PORTAL	.45	.07		T				.04			T	.64	.86	.67	T		T						T					T	T	T	T	2.73
RUPERT	T	T					.13	T	T			.17	.02																			.32
SAINT ANTHONY							.55	.32				.16	.40														.09	T			.08	1.60
SAINT MARIES	T			.14	.26			.08			.09	.22	.28	.31	.04	.05				T			.03	.25	.09			T				1.84
SALMON 6	.02					.03	.65	.03			.11	.11	.09				T						T				.02			.11	.06	1.23
SANDPOINT EXP STA	.32	T		.17	.19			T			.09	.36	.23	.22	T		.04						.03	.02				T				1.67
SANDPOINT EXP STA R	.30			.30							.39	.07	.25	.22			.03						.05									1.61

See reference notes following Station Index

DAILY PRECIPITATION

Table 3—Continued

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
SHOSHONE	.01						.53	.22	.01		.10	.16	.05								.04						T					1.12
SPENCER RS							.37	.15	.02			.57	.31	T				.04					.05					.03			.35	1.86
SPRINGFIELD						.03	.07				T	.01	.10														.10	.19			.01	.51
STIBNITE	.05					.41	.10	T			.17	.22	.02										.01	T	.02		.21			.45	.02	1.68
SUGAR							.35	.31				.21	.32	T				T										.20	T	T	.06	1.45
SUN VALLEY							.35	T			T	.12	.11														.04	.10			.10	.82
SUN VALLEY //R							.31				.05	.10	.10														.14				.10	.80
SWAN FALLS PH							.05				.32	.22											T				.06					.65
TETONIA EXP STA							.06	.17				.63						.05					T					.21		.04	.41	1.57
THREE CREEK	.30	.05					.25	.07			.07	.50	T					T	.08												T	1.32
TWIN FALLS 2 NNE							.54	T	.05		.19	.07																T				.85
TWIN FALLS 3 SE	.01						.51	.01	.07			.13	.13															T				.86
WALLACE	.19			.27	T	T	.03	T			.52	.18	.96	.17			.20			.03			.18	.56	.10			.02	T			3.41
WALLACE WOODLAND PARK	.62	.02			.29				.01			.58	.20	.86	.04			.13						.08	.55		.03					3.41
WALLACE WOODLAND PARK R	.06			.25				.02			.50	.06	.89	.13			.14						.07	.53	.01		.02					2.68
WEISER							.21				.32	.63																				1.16
WINCHESTER 1 SE				.01			1.05	.14			.26	.03		.12									.01		.14	.09	.04					1.89

ACKNOWLEDGMENTS

In addition to the climatological data from some 6,000 Weather Bureau and cooperative weather stations, this bulletin series contains records from Hydroclimatic Network Stations which were formerly reproduced in the Hydrologic Bulletin Series. The Hydroclimatic Network is a nationwide net of rain gages--mostly of the recording type which produce continuous records of precipitation. It was established in 1939 at the request of the Corps of Engineers, Department of the Army, to supplement existing precipitation stations in order to provide records of rainfall intensity which were essential to the planning of flood control and related works by the Corps of Engineers. This Network, now numbering about 2,000 recording, and 1,000 non-recording rain gages, has been maintained by the Weather Bureau through working funds transferred annually to the Weather Bureau by the Corps of Engineers. These transfers averaged about $250,000 per year between 1940 and 1944, and nearly $375,000 since that date. For the years 1940-42, the Department of Agriculture transferred about $100,000 per year to provide data required in its work, and since 1947 the Bureau of Reclamation has transferred about $25.000 per year to meet the increasing needs of their program in the Western States.

Previous to the introduction of this bulletin series, data from Hydroclimatic Network stations were presented in bulletins (Hydrologic Bulletins) which were issued monthly for each of 8 drainage areas embracing the entire United States, but since the Network was established to meet the internal requirements of the Federal agencies referred to above, no provision was made for public dissemination of the data, distribution being limited to cooperating agencies and to certain public repositories. A list of locations where reference copies of the Hydrologic Bulletin Series are available for inspection may be obtained upon application to Chief, U.S. Weather Bureau, Washington 25, D.C.

Many other records published in this bulletin have been made available through the cooperation of various public offices, private agencies, and individuals as listed in the Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
—1st—																										
ATLANTA 1 E	//												.01	.01	.01									.01	.01	.05
BANCROFT	//	.01	.01				.01	.01																		.04
BENTON DAM		.02	.05	.03	.03	.02	.01	.01	.01								.02	.02	.03	.01	.01		.01			.28
BLACKFOOT DAM	//		.01	.01	.01																					.03
BONNERS FERRY		.02	.05	.04	.04	.03	.01	.01	.01																	.21
BRIDGE	//						.01	.01					.01													.03
CLARK FORK 1 ENE		.06	.09	.08	.09	.05	.04	.06	.05	.04	.01	.01	.08	.01		.01	.01	.01	.01					.01	.01	.73
LEADORE											.02	.17														.19
MULLAN PASS CAA	//				.01	.01	.01					.01						.01						.01		.06
PIERCE RANGER STATION	//	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SALMON	6	*	*	*	*	*	.02																			–
SANDPOINT EXP STATION		.02	.02	.05	.03	.02	.04	.01		.02	.02	.01				.01	.02	.02		.01						.30
WALLACE WOODLAND PARK		.01	.01	.01			.01												.01	.01						.06
—2d—																										
ATLANTA 1 E	//					.01	.01									.01				.01						.04
BURLEY CAA AIRPORT	//					*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
CLARK FORK 1 ENE		.01	.01		.01	.01	.01	.01																		.06
MULLAN PASS CAA	//					.01																				.01
—4th—																										
BENTON DAM																	.03	.10	.08		.04	.15				.40
BONNERS FERRY																				.13	.06			.01		.20
CASCADE RANGER STATION	//															.01	.01									.02
CLARK FORK 1 ENE																		.02	.15	.06						.23
CLARKIA RANGER STATION	//										*	*	*	*	*	*	*	*	*	*	*	.27				.27
COEUR D ALENE CAA AP																.04	.12	.02		.02	.09					.29
COUNCIL 2 NNE															.06	.01	.01									.08
DEADWOOD DAM	//													.01												.01
LEWISTON WB AP	6																		*	*	*	*	*	.15		–
MULLAN PASS CAA	//																	.02	.03							.05
PIERCE RANGER STATION	//	–	–	–	–	–	–	–	–	–	–	–														–
PLUMMER 3 WSW														.01	.04	.13			.12	.10						.40
SANDPOINT EXP STATION																	.01	.05	.12	.01		.09	.02			.30
WALLACE WOODLAND PARK																		.10	.08	.02		.04	.01			.25
—5th—																										
PLUMMER 3 WSW													.01		.01											.02
—6th—																										
ATLANTA 1 E	//										.01	.01					.01				.08		.01		.03	.15
BOISE LUCKY PEAK DAM																						.07				.07
BOISE WB AIRPORT	//																					.02				.02
COTTONWOOD 2 SW																		.10		.01	.06	.04	.03			.24
COUNCIL 2 NNE																							.02	.03	.06	.11
CRAIGMONT	//																	.01	.01	.01	.04	.05	.01			.13
DEADWOOD DAM	//																	.01					.07	.13		.21
DUBOIS CAA AIRPORT	//																			.08				.08		.16
GOODING CAA AIRPORT	//																		.15							.15
IDAHO FALLS CAA AIRPORT	//																.10	.04		.01						.15
LEADORE																			.02							.02
LEWISTON WB AP	6																		*	*	*	*	*	.19	*	–
MACKAY RS																.02	.06							.01		.09
MOUNTAIN HOME 1 W																					.03					.03
OLA																			.02	.06	.12					.20
POCATELLO WB AIRPORT	//																				.02					.02
SALMON	6																			*	*	*	*	*	.03	–
—7th—																										
ATLANTA 1 E	//		.12	.14	.09	.15	.13	.12	.15	.10	.13	.07	.03	.01	.01	.01		.02	.01	.01	.01				.01	1.32
BANCROFT	//											.09	.02											.06		.17
BLACKFOOT DAM	//													.09	.01											.10
BRIDGE	//						.02		.03	.02									.01	.01						.09
BURLEY CAA AIRPORT	//	*	*	*	*	*	*	*	*	*	.47															.47
CASCADE RANGER STATION	//													.05	.09	.02			.02			.01	.03		.02	.24
CLARKIA RANGER STATION	//												.01			.03	.01	.01					.01			.07
COEUR D ALENE CAA AP										.02	.01							.01								.04
COTTONWOOD 2 SW		.02	.04	.01		.19	.06	.06	.03	.01	.08	.01	.02	.01	.02			.02	.02	.01						.61
COUNCIL 2 NNE		.01				.02	.02	.01				.01	.01	.01				.01			.01					.11
CRAIGMONT	//		.09	.01	.01	.01	.01		.02	.05	.02	.03	.01	.01	.01			.01	.02	.01						.32
DEADWOOD DAM	//	.01	.01						.01	.07	.05	.02	.04	.06	.01	.01	.02	.01			.01	.04	.05	.01	.01	.44
DUBOIS CAA AIRPORT	//									.01	.01		.01	.01	.11								.01			.16
GOODING CAA AIRPORT	//	.01	.03	.01	.01	.02	.02		.08																	.18
LEADORE																							.01		.02	.03
LEWISTON WB AP	6	*	*	*	*	.22	*	*	*	*	*	.07	*	*	*	*	*	.02	*	*	*	*	*	.01	*	–
MACKAY RANGER STATION			.09	.18	.02					.01					.01					.02		.04	.01	.01	.02	.41
MALAD										.05	.45	.09	.01									.01	.02			.63
MALAD CAA AIRPORT	6							*	*	*	*	*	.27							*	*	*	*	*	.08	–
OLA			.01		.01		.01	.01					.05	.04	.05	.02										.20
PIERCE RANGER STATION	//								.05																.02	.07
POCATELLO WB AIRPORT	//	.01																								.01
SALMON	6							*	*	*	*	*	.26	*	*	*	*	*	.22	*	*	*	*	*	.17	–
SUN VALLEY	//				.01	.02	.12	.08					.01	.01	.02	.03	.01									.31
—8th—																										
ATLANTA 1 E	//	.01	.01	.01	.01																					.04
BANCROFT	//				.01				.01							.02										.04
BENTON DAM										.01	.01															.02
BLACKFOOT DAM	//									.03	.02	.01	.01	.01	.01	.01										.10
BRIDGE	//								.01	.01																.02
BURLEY CAA AIRPORT	//								.01			.01	.01													.03
CASCADE RANGER STATION	//	.01	.01	.01																						.03
CLARK FORK 1 ENE										.01	.02	.01	.01													.05
CLARKIA RANGER STATION	//	.04		.01		.01	.01	.04																		.11
COTTONWOOD 2 SW		.01	.03	.01	.04	.01	.05	.05		.02	.01			.01	.01											.25
CRAIGMONT	//			.01	.01			.01	.03	.01																.07
DUBOIS CAA AIRPORT	//									.01	.01			.01	.01	.03	.01									.08
GOODING CAA AIRPORT	//																	.01	.48		.01		.01			.51
IDAHO FALLS CAA AIRPORT	//								.02	.01	.03	.05	.06	.08	.05			.05		.03	.01					.39
LEADORE		.02	.02	.03	.01		.01			.01	.02	.01					.01	.03								.17
LEWISTON WB AP	6	*	*	*	*	.05	*	*	*	*	*	.03														–
MACKAY RANGER STATION				.01	.01							.01	.01			.01		.02								.07
MALAD			.01																							.01
MULLAN PASS CAA	//	.01									.01															.02
OLA			.01		.01					.01	.02															.05
PIERCE RANGER STATION	//				.01		.02	.02	.05																	.10
PLUMMER 3 WSW					.02	.02	.01																			.05
POCATELLO WB AIRPORT	//											.01	.01													.02

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
SALMON	o	*	*	*	*	*	.03																			-
WALLACE WOODLAND PARK										.01	.01															.0
—11th—																										
ATLANTA 1 E	//													.06	.11	.08	.06	.05	.01	.01	.01	.01		.01		.41
BANCROFT	//																			.01						.01
BENTON DAM																	.06	.02	.08	.15	.08	.03	.02	.05	.01	.50
BLACKFOOT DAM	//															.01	.01			.10						.12
BOISE LUCKY PEAK DAM											.08	.10	.05	.03	.01	.01										.28
BOISE WB AIRPORT	//								.01	.03	.08	.06	.05	.04	.02	.01	.01					.01				.32
BONNERS FERRY																						.09	.01		.01	.11
BRIDGE	//																	.03	.08							.11
BURLEY CAA AIRPORT	//																.05	.05	.03			.01			.01	.15
CASCADE RANGER STATION	//														.06	.05		.01	.01					.03	.01	.17
CLARK FORK 1 ENE																			.03	.12	.23	.02	.03	.04	.07	.54
CLARKIA RANGER STATION	//													.01	.02	.05	.09	.05	.03	.01						.26
COEUR D ALENE CAA AP																	.03	.03	.05	.09	.03	.02	.01	.01	.01	.28
COTTONWOOD 2 SW												.08	.04	.06	.05	.01	.07	.06	.01							.38
COUNCIL 2 NNE										.03	.10	.05	.02	.02	.02	.04	.02			.04		.03	.03	.06	.02	.48
CRAIGMONT	//										.01		.02	.11	.04	.04	.02	.03	.01							.28
DEADWOOD DAM	//												.09	.01	.08	.03	.04	.02	.01	.02						.30
DUBOIS CAA AIRPORT	//																					.01	.02	.02	.01	.06
GOODING CAA AIRPORT	//														.03	.01	.02									.06
IDAHO FALLS CAA AIRPORT	//																								.01	.01
LEADORE																									.01	.01
LEWISTON WB AP	o												*	*	*	*	*	.22								-
MALAD CAA AIRPORT	o																			*	*	*	*	*	.03	-
MOUNTAIN HOME 1 W				.02	.01	.01	.01				.07	.05	.01	.01		.01		.01								.21
MULLAN PASS CAA	//																	.03	.06	.07	.02	.01	.02	.01		.22
OLA													.05	.07	.02	.04						.03	.02	.01		.24
PIERCE RANGER STATION	//														.07	.13	.05	.03	.04	.01	.02					.35
PLUMMER 3 WSW														.01	.01	.07	.05	.05	.03	.02						.24
SALMON	o													*	*	*	*	*	.11							-
SANDPOINT EXP STATION																	.03	.02	.06	.10	.09	.01	.03	.03	.02	.39
SUN VALLEY	//																	.01	.02	.02						.05
WALLACE WOODLAND PARK																		.02	.06	.20	.16	.01	.02	.01	.02	.50
—12th—																										
ATLANTA 1 E	//						.01		.01		.01			.04	.03	.02	.01	.02	.01	.02	.04	.05	.05	.05	.03	.40
BANCROFT	//			.02		.01		.01	.03	.03	.02					.01	.01	.02				.02	.01			.19
BLACKFOOT DAM	//	.03	.01	.01					.03			.01	.01	.01	.01											.12
BOISE LUCKY PEAK DAM								.03	.07	.11	.07	.07	.05	.08	.01	.03	.02						.01		.03	.58
BOISE WB AIRPORT	//							.02	.05	.05	.05	.04	.09	.07	.01	.04							.01			.43
BONNERS FERRY		.03	.01																							.04
BRIDGE	//								.01	.01			.02	.01	.02											.07
BURLEY CAA AIRPORT	//								.05	.03	.03	.01	.01	.05	.02			.01								.21
CASCADE RANGER STATION	//			.02						.03			.01	.05	.02	.03	.03	.02		.01					.01	.23
CLARK FORK 1 ENE		.01		.03	.02																		.03	.01		.10
COEUR D ALENE CAA AP		.02																								.02
COTTONWOOD 2 SW												.01														.01
COUNCIL 2 NNE				.01	.01	.01	.01			.01		.01	.01													.07
DEADWOOD DAM	//	.01									.01	.01	.03	.06	.04	.01			.02	.03	.01	.01	.01		.01	.26
DUBOIS CAA AIRPORT	//			.01	.01	.01							.02	.02												.07
GOODING CAA AIRPORT	//			.01		.01				.07	.06	.03	.02	.01		.04						.02	.01	.01		.29
IDAHO FALLS CAA AIRPORT	//																		.01							.01
LEADORE		.03	.01											.04	.03	.03	.01	.04	.01	.01						.21
MACKAY RANGER STATION												.02	.07		.01	.05										.15
MALAD		.01		.01		.01	.01	.01	.02	.09	.02	.02	.03	.02	.01	.01	.03									.30
MALAD CAA AIRPORT	6							*	*	*	*	*	.30	*	*	*	*	*	.05							-
MOUNTAIN HOME 1 W					.01		.01	.04	.05	.05	.03	.05	.04	.04							.03					.35
MULLAN PASS CAA	//	.02				.02		.01			.03		.01											.04		.13
OLA			.01			.02	.01	.01	.01			.01			.02		.01	.03	.02	.01			.01	.07	.06	.30
PIERCE RANGER STATION	//						.01	.01			.02	.01					.01	.02	.01					.01	.05	.15
POCATELLO WB AIRPORT	//						.01				.02	.02	.01				.01	.01								.08
SALMON	6													*	*	*	*	*	.05	*	*	*	*	*	.06	-
SANDPOINT EXP STATION		.01	.01		.01	.03	.01																			.07
SUN VALLEY	//															.01	.01	.02	.04	.02						.10
WALLACE WOODLAND PARK				.01		.01				.01	.01	.01		.01												.06
—13th—																										
ATLANTA 1 E	//	.01				.01		.03	.01	.01																.07
BENTON DAM											.01	.02	.06	.13	.05	.01	.01		.01		.02		.01	.01		.34
BLACKFOOT DAM	//								.01																	.01
BOISE WB AIRPORT	//	.01																								.01
BONNERS FERRY										.01			.03	.05										.01	.03	.13
CASCADE RANGER STATION	//		.01		.01				.02																	.04
CLARK FORK 1 ENE			.01			.01	.02	.03	.04	.13	.11	.13	.15	.13	.08	.09	.06	.10	.06	.03	.03	.03	.03	.03	.02	1.32
CLARKIA RANGER STATION	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
COEUR D ALENE CAA AP													.02	.08	.08	.14	.04	.04			.01	.02			.01	.44
COUNCIL 2 NNE		.09		.01	.01																					.11
CRAIGMONT	//								.03	.02																.05
DEADWOOD DAM	//	.01								.04	.01															.06
DUBOIS CAA AIRPORT	//			.02	.03	.02							.01													.08
GOODING CAA AIRPORT	//		.01				.02																			.03
IDAHO FALLS CAA AIRPORT	//					.02	.01	.01	.02	.01	.01															.08
LEADORE									*	*	*	*	*	.48												.48
LEWISTON WB AP	6						*	*	*	*	*	.01													*	-
MACKAY RANGER STATION			.01	.01																						.02
MOUNTAIN HOME 1 W						.02	.01		.02																	.05
MULLAN PASS CAA	//	.01		.01		.05	.04	.08	.07	.08	.08	.10	.10	.11	.11	*	*	*	*	*	*	*	*	*	*	*
OLA		.01		.01	.01					.01																.04
PIERCE RANGER STATION	//	.05	.08	.10	.06	.05	.01	.06	.11	.09	.12	.06	.07	.07	.01		.04	.07	.06	.02		.01	.01	.02	.02	1.19
PLUMMER 3 WSW									.02	.01	.01	.01						.03	.07	.03						.18
SALMON	6	*	*	*	*	*	.06	*	*	*	*	*	.03													-
SANDPOINT EXP STATION												.02	.05	.05	.07	.01					.01	.02		.01	.01	.25
SUN VALLEY	//									.05	.05															.10
WALLACE WOODLAND PARK					.01	.01	.02	.05		.11	.04	.04	.06	.03	.07	.12	.02	.14	.06	.05	.01	.02	.01	.02		.89
—14th—																										
ATLANTA 1 E	//												.01	.01												.02
BENTON DAM		.03	.02	.02	.04	.02	.01	.03															.02			.19
BONNERS FERRY		.05	.05	.06	.03	.02	.01			.01																.23
CLARK FORK 1 ENE		.03	.03	.06	.04	.03	.04	.01						.02	.01		.01		.01							.29
CLARKIA RANGER STATION	//	*	*	*	*	*	*	*	*	.81	.01															.82
COEUR D ALENE CAA AP		.01								.01	.01															.03
COTTONWOOD 2 SW					.02	.01	.01																			.04
CRAIGMONT	//								.03		.02															.05
LEWISTON WB AP	o	*	*	*	*	.01	*	*	*	*	*	.07														-
MULLAN PASS CAA	//	*	*	*	*	*	*	*	*	.55				.01												1.40
PIERCE RANGER STATION	//	.03	.03	.07	.06	.06	.04	.02	.03		.02					.03										.39
PLUMMER 3 WSW		.01	.01	.04	.01	.01		.01	.01	.01	.01															.12
SANDPOINT EXP STATION		.05	.02	.01	.03	.03	.01	.01		.01	.01									.01			.01	.01	.01	.22
WALLACE WOODLAND PARK			.01	.03	.02	.01	.02			.01	.01										.01	.01				.13

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
–15th–																										
CLARK FORK 1 ENE												.01	.03				.01									.05
CLARKIA RANGER STATION	//												.04	.01												.05
–16th–																										
BENTON DAM												.01														.01
BLACKFOOT DAM	//																			.09	.01					.10
MALAD																					.02	.05	.01			.08
MALAD CAA AIRPORT	o																			*	*	*	*	*	.08	-
–17th–																										
BANCROFT	//								.01									.07	.01	.02		.03				.14
BENTON DAM						.04	.02																			.06
BONNERS FERRY		.01			.01		.01	.01	.01																	.05
BRIDGE	//															.11										.11
CLARK FORK 1 ENE												.01														.01
CLARKIA RANGER STATION	//												.05	.02												.07
COEUR D ALENE CAA AP													*	*	*	*	*	.04								.04
MACKAY RANGER STATION																		.10	.01							.11
MULLAN PASS CAA	//									.01	.01		.01	.01												.04
PIERCE RANGER STATION	//											*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
SANDPOINT EXP STATION			.01	.01			.01																			.03
WALLACE WOODLAND PARK														.05	.05	.03	.01									.14
–18th–																										
BANCROFT	//					.01	.01																			.02
DUBOIS CAA AIRPORT	//														.05											.05
–19th–																										
MALAD CAA AIRPORT	o													*	*	*	*	*	.02							
–20th–																										
DUBOIS CAA AIRPORT	/																		.01	.01						.02
MALAD																		.01	.01							.02
MALAD CAA AIRPORT	6													*	*	*	*	*	.14							
–21st–																										
GOODING CAA AIRPORT	//					.01																				.01
–23d–																										
BLACKFOOT DAM	//															.15		.05								.20
BONNERS FERRY																.01										.01
BRIDGE	//														.04			.01				.01				.06
CLARK FORK 1 ENE															.01	.04	.03	.05								.13
CLARKIA RANGER STATION	//					.02																				.02
COEUR D ALENE CAA AP						.01																				.01
COTTONWOOD 2 SW								.01	.01		.01	.01		.01			.01	.10	.02							.18
CRAIGMONT	//																	.02								.02
MULLAN PASS CAA	//											.01						.01				.22			.02	.26
PLUMMER 3 WSW																					.02		.01			.03
SANDPOINT EXP STATION																.01	.02		.01	.01						.05
WALLACE WOODLAND PARK																			.05				.02			.07
–24th–																										
BENTON DAM												.01														.01
BONNERS FERRY													.02	.01							.13	.04	.01			.21
CLARKIA RANGER STATION	//													.01				.01	.01	.01	.01					.05
COEUR D ALENE CAA AP																.01		.01								.02
CRAIGMONT	//																					.01	.01	.01	.02	.05
LEADORE													.03	.02												.05
MULLAN PASS CAA	//											.01		.05	.06	.08	.02	.14	.13	.01	.01	.04				.55
PLUMMER 3 WSW			.01									.01		.01		.01	.01									.05
WALLACE WOODLAND PARK														.01	.08	.04	.10	.01	.06	.05	.02	.01	.04	.10	.01	.53
–25th–																										
CLARKIA RANGER STATION	//													.01		.01			.02	.01						.05
CRAIGMONT	//	.02	.01																							.03
MULLAN PASS CAA	//										.01	.01														.02
PIERCE RANGER STATION	//	*	*	*	*	*	*	*	*	*	*	*	*	*	.42											.42
WALLACE WOODLAND PARK		.01																								.01
–26th–																										
BOISE WB AIRPORT	//																								.02	.02
–27th–																										
BANCROFT	//					.04						.04	.01	.01	.01											.11
BLACKFOOT DAM	//						.02	.01				.01	.01											.01	.02	.08
BOISE LUCKY PEAK DAM																*	*	*	*	*	.07					.07
BOISE WB AIRPORT	//	.02									.02					.03	.04	.01	.02							.14
BRIDGE	//																						.01	.02	.01	.04
CRAIGMONT	//																	.05								.05
DEADWOOD DAM	//									.05	.03		.01	.01			*	*	*	*	.24	.03				.37
DUBOIS CAA AIRPORT	//																							.01	.01	.02
IDAHO FALLS CAA AIRPORT	//								.04										.08		.01	.07		.02		.22
LEADORE													.02	.05	.01	.01										.09
MACKAY RANGER STATION																				.01						.01
MALAD																								.01	.09	.10
MALAD CAA AIRPORT	o																			*	*	*	*	*	.06	-
PIERCE RANGER STATION	//						.05	.02	.01	.01	.01	.01	.01													.12
POCATELLO WB AIRPORT	//																			.11	.08	.01			.03	.23
SALMON	6													*	*	*	*	*	.02							-
SUN VALLEY	//		.02	.02														.06	.01	.03						.14
WALLACE WOODLAND PARK							.01	.01																		.02
–28th–																										
ATLANTA 1 E	//																	.05	.05	.03	.01	.01				.15
BLACKFOOT DAM	//	.05	.02	.01																						.08
BONNERS FERRY								.01																		.01
COUNCIL 2 NNE																						.05				.05
DUBOIS CAA AIRPORT	//	.01	.01	.01																						.03
IDAHO FALLS CAA AIRPORT	//	.01																								.01
MALAD		.01	.01																							.02
MALAD CAA AIRPORT	o	*	*	*	*	*	.04																			-
MULLAN PASS CAA	//													.01	.01											.02

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
-29th-																										
BANCROFT	//																		.04				.03			.07
BLACKFOOT DAM	//								.02										.02	.01				.04		.09
-30th-																										
BANCROFT	//		.01																					.02		.03
BLACKFOOT DAM	//											.05											.03	.02	.01	.11
BRIDGE	//																.01	.03	.04	.01	.09					.18
CASCADE RANGER STATION	//				.01	.01																				.02
COTTONWOOD 2 SW																		.01	.01							.02
DEADWOOD DAM	//												.03	.11	.01			.01	.01							.17
LEADORE													.05		.01								.01		.01	.08
PIERCE RANGER STATION	//																.01									.01
POCATELLO WB AIRPORT	//																								.01	.01
SALMON	o													*	*	*	*	*	.09	*	*	*	*	*	.02	-
-31st-																										
ATLANTA 1 E	//																				.04		.01			.05
BANCROFT	//		.02	.04	.02																					.08
BLACKFOOT DAM	//	.02	.01	.01						.08	.01															.13
BRIDGE	//			.01											.01	.01								.09	.03	.15
DUBOIS CAA AIRPORT	//		.07	.01	.03	.02											.01	.01	.01	.01	.01					.18
IDAHO FALLS CAA AIRPORT	//	.01	.01																							.02
LEADORE		.01	.01								.02	.06	.05	.09												.24
MALAD		.02	.10	.01	.01																					.14
MALAD CAA AIRPORT	o	*	*	*	*	*	.17																			-
POCATELLO WB AIRPORT	//	.02																								.02
SALMON	o	*	*	*	*	*	.06																			-
SUN VALLEY	//															.06	.03	.01								.10

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	49	57	68	77	80	78	69	57	68	73	72	59	59	63	73	79	77	78	76	78	78	80	80	78	72	82	87	82	78	71	69	71.2
	MIN	31	30	28	42	34	47	46	40	36	35	38	31	38	27	31	37	38	48	43	44	44	41	47	47	45	45	54	50	35	42	38	39.8
ALBION	MAX	39	42	54	66	69	78	75	58	56	61	72	62	44	50	56	68	71	70	60	71	67	72	78	75	70	67	78	80	80	68	60	64.6
	MIN	29	34	27	49	40	47	41	41	42	34	44	33	34	24	29	38	37	51	34	39	40	38	43	51	42	38	46	44	34	42	38	38.8
ALPHA 1 NE	MAX	42	53	67	63	74	70	54	59	67	71	67	42	44	54	69	71	67	65	66	68	71	77	71	66	66	73	77	72	58	48	50	60.1
	MIN	26	30	23	34	25	40	42	41	30	32	36	32	30	31	30	33	33	27	29	28	30	32	40	35	35	37	39	37	29	38	31	32.4
AMERICAN FALLS 1 NW	MAX	47	56	66	75	76	76	69	55	66	72	71	47	53	61	70	68	71	70	73	70	70	76	76	78	68	78	83	83	78	71	68	68.4
	MIN	35	38	39	44	35	47	44	43	35	37	45	37	37	30	31	42	45	49	42	44	49	42	58	50	51	47	51	50	40	48	38	42.8
ANDERSON DAM	MAX	47	60	71	72	79	78	61	67	71	78	71	55	55	61	72	76	71	70	75	73	77	88	79	76	80	81	88	66	70	66	61	68.9
	MIN	36	36	35	54	39	49	46	45	44	43	51	37	38	33	39	42	45	43	42	42	46	47	52	52	51	44	54	40	37	43	42	43.7
ARROWROCK DAM	MAX	51	49	63	73	70	76	71	62	68	73	80	58	44	56	62	74	73	73	70	78	79	76	88	74	78	72	82	83	64	71	58	68.8
	MIN	33	37	37	42	39	47	44	45	43	44	50	39	39	38	41	44	44	44	43	42	46	47	52	45	44	45	52	47	37	41	41	43.0
ASHTON 1 S	MAX	43	49	64	75	76	66	52	53	64	69	72	53	42	59	64	72	72	68	72	70	78	73	71	72	72	74	65	73	61	53	48	64.9
	MIN	28	29	27	38	41	35	39	36	31	31	36	35	29	31	33	38	37	42	44	37	40	38	37	35	34	39	41	37	28	35	33	35.3
ATLANTA 1 E	MAX	35	48	60	69	70	69	66	59	64	64	64	36	45	54	67	70	68	64	64	64	68	72	72	63	64	73	71	73	68	62	52	62.4
	MIN	20	27	26	31	32	33	32	39	33	36	32	29	27	23	30	36	38	35	34	33	35	39	44	38	40	40	38	38	27	29	29	33.3
AVERY RS	MAX	40	49	73	73	76	73	72	56	79	85	84	56	47	49	73	78	74	66	73	74	83	91	88	64	68	74	76	72	63	61	64	68.6
	MIN	33	36	33	39	40	45	45	46	39	40	41	39	35	35	39	39	43	37	33	35	36	39	47	45	36	36	44	42	29	27	28	38.1
BAYVIEW MODEL BASIN	MAX	47	50	68	67	64	70	66	54	65	67	69	57	53	49	61	64	70	70	67	67	67	88	85	63	66	72	73	58	60	58	64	64.0
	MIN	36	39	30	43	34	50	49	45	41	38	47	41	43	41	36	35	47	45	31	37	36	37	50	44	38	33	41	42	27	31	30	39.3
BLACKFOOT	MAX	50	55	70	78	81	73	60	59	70	77	76	49	55	65	78	76	77	74	79	74	77	81	80	78	74	82	87	80	78	70	62	71.4
	MIN	32	33	35	48	48	40	46	44	36	40	47	40	33	31	37	40	47	50	45	49	46	49	55	48	52	50	56	51	38	45	38	43.5
BLACKFOOT DAM	MAX	37	49	60	70	73	71	58	53	62	65	74	50	46	58	66	68	69	66	66	68	66	70	68	65	64	72	78	68	78	80	50	[illegible]
	MIN	25	28	23	31	28	35	34	31	29	27	29	31	28	20	34	35	32	38	31	35	40	34	36	35	46	36	44	40	25	41	30	32.6
BLISS	MAX	54	63	75	77	70	75	70	79	74	78	71	50	60	65	73	77	77	75	75	76	77	82	82	77	74	85	88	80	72	68	64	[illegible]
	MIN	32	33	37	54	36	36	38	36	45	46	47	38	38	29	36	47	48	46	38	38	46	46	50	48	46	40	52	50	32	44	40	41.7
BOISE LUCKY PEAK DAM	MAX	51	64	76	73	78		70	66	73	82	80	70		62	71	75	75	74	72		77	86	86	75	75	80	86	73	66	65	68	73.4
	MIN	31	40	42	58	44		50	48	47	49	46	38		40	41	45	50	46	46		45	53	50	44	43	50	58	44	38	38	38	45.1
BOISE WB AP	MAX	52	62	76	73	74	73	63	68	74	83	71	48	56	62	72	74	75	70	72	72	75	88	77	75	72	80	79	61	67	58	61	68.7
	MIN	33	39	45	46	39	53	48	47	43	52	41	39	38	38	39	43	47	44	43	45	42	50	53	45	48	50	55	41	33	42	38	43.8
BONNERS FERRY	MAX	45	57	71	77	73	80	67	65	78	83	73	61	51	53	72	80	70	68	72	76	81	87	68	60	67	73	75	59	65	64	68	68.1
	MIN	37	40	33	38	33	43	42	50	43	41	43	43	45	43	46	41	48	43	35	43	38	40	50	44	41	37	45	38	30	33	31	40.5
BUHL	MAX	50	62	72	74	80	76	62	66	70	78	76	50	56	62	72	76	82	84	72	70	72	80	80	76	72	80	86	86	68	70	58	71.5
	MIN	32	34	40	50	42	54	46	44	46	46	46	36	34	34	38	46	49	48	45	48	48	50	58	50	52	50	58	46	40	44	40	45.0
BURKE 2 NNE	MAX	34	39	58	63	63	64	61	46	65	71	68	46	47	40	57	66	64	52	58	64	69	77	76	49	54	61	65	62	48	51	48	57.6
	MIN	29	32	28	35	30	39	35	37	36	33	35	32	33	32	32	31	36	31	29	31	32	34	31	40	31	30	38	33	25	26	30	32.5
BURLEY	MAX	47	51	61	70	76	80	79	62	60	73	78	62	55	67	64	74	75	77	75	77	73	77	81	81	78	73	83	88	64	74	65	70.9
	MIN	32	36	35	50	38	50	45	42	42	43	48	36	35	32	36	43	48	51	46	48	47	47	60	51	51	49	53	48	40	45	38	44.1
BURLEY FACTORY 1 NW	MAX	48	50	60	70	75	78	78	59	60	70	74	61	47	56	62	71	74	75	72	78	72	78	88	80	78	72	78	82	68	78	71	68.9
	MIN	32	33	32	46	34	46	44	40	40	38	43	35	35	29	33	41	43	48	42	42	45	45	56	50	47	44	50	48	35	40	37	41.1
BURLEY CAA AP	MAX	49	59	70	76	79	78	59	59	70	77	61	46	54	61	70	73	74	71	75	71	78	82	79	73	71	81	85	62	74	68	61	68.1
	MIN	33	35	33	39	33	47	44	40	38	39	40	35	31	30	32	41	44	50	42	44	44	45	56	50	48	45	50	43	37	42	38	40.9
CALDWELL	MAX	65	65	77	72	75	78	67	71	73	83	68	55	63	68	75	79	80	75	74	78	79	86	80	78	74	83	89	75	68	66	66	73.3
	MIN	35	37	38	34	36	50	50	46	42	42	46	39	35	38	41	47	46	45	43	40	43	43	56	47	48	45	54	42	36	44	37	42.7
CAMBRIDGE	MAX	58	58	59	67	70	82	80	81	80	75	72	72	70	69	74	75	80	78	76	77	72	78	78	70	68	71	72	78	71	60	58	71.5
	MIN	34	32	34	33	41	49	47	48	46	40	37	37	39	38	36	44	40	39	40	37	42	52	49	47	48	47	39	37	48	34	36	40.8
CASCADE 1 NW	MAX	42	51	68	68	72	66	54	57	65	71	66	42	47	53	67	68	67	61	68	68	71	77	72	65	63	71	79	64	58	56	48	62.4
	MIN	26	30	25	40	29	41	43	41	32	35	39	34	31	32	35	37	38	34	33	33	39	36	47	48	46	41	42	39	26	28	29	35.8
CHALLIS	MAX	51	58	66	70	76	74	70	59	68	71	70	53	50	58	65	76	72	69	70	67	78	77	74	69	70	78	79	68	66	62	58	67.2
	MIN	30	31	28	41	36	37	44	42	37	40	40	34	31	28	33	32	34	38	39	40	38	39	39	41	46	48	51	46	31	36	32	37.5
CHILLY BARTON FLAT	MAX	44	53	59	67	69	68	54	58	62	64	61	45	46	54	64	72	68	56	68	68	68	69	79	68	64	75	70	68	66	62	58	62.8
	MIN	23	27	18	37	26	30	37	37	32	28	31	30	27	23	26	28	30	31	33	30	34	32	36	43	38	42	41	38	24	24	28	31.3
CLARK FORK 1 ENE	MAX	40	50	71	76	71	75	75	56	72	77	74	56	53	50	69	75	72	67	71	71	78	82	86	68	68	70	72	68	61	50	68	67.1
	MIN	33	36	30	35	33	42	41	46	43	37	39	40	32	40	41	36	44	42	31	36	33	36	46	42	39	33	40	43	27	28	30	37.2
COEUR D ALENE CAA AP	MAX	50	58	69	72	69	74	55	64	73	79	61	55	47	48	69	74	70	67	70	70	76	84	67	62	68	70	78	58	60	58	62	65.5
	MIN	36	35	32	41	34	52	46	44	41	43	43	42	41	43	39	40	48	41	35	40	39	41	47	41	39	39	46	36	31	36	31	40.0
COEUR D ALENE RS	MAX	49	57	74	78	74	78	74	60	75	83	83	57	53	49	72	76	75	69	78	75	80	88	86	62	67	72	74	73	64	68	64	70.2
	MIN	37	40	31	37	38	47	47	48	39	40	44	40	41	43	40	40	49	43	38	39	37	40	56	44	40	37	48	41	30	21	29	39.9
COTTONWOOD	MAX	50	59	68	71	72	75	57	60	69	75	58	48	48	51	64	68	65	58	65	67	72	82	60	67	64	72	69	62	56	54	52	63.4
	MIN	32	35	31	45	34	50	44	45	37	42	39	39	37	39	35	40	45	34	32	32	37	40	50	41	41	39	45	38	29	31	30	38.3
COUNCIL 2 NNE	MAX	54	60	75	66	79	77	66	67	77	79	57	50	57	63	70	78	72	70	73	74	81	83	78	71	72	80	83	64	65	55	58	[illegible]
	MIN	28	31	35	49	36	54	48	46	38	39	46	39	36	37	44	49	50	40	41	44	43	45	53	43	37	40	48	44	37	40	37	41.8
DEADWOOD DAM	MAX	36	51	64	60	72	59	49	58	67	70	62	37	47	53	69	71	67	64	64	64	71	76	66	63	65	73	72	63	61	49	50	61.1
	MIN	22	27	20	31	23	32	36	36	26	31	29	30	28	28	27	27	31	31	26	26	28	28	44	31	31	36	35	30	21	29	26	29.2
DEER FLAT DAM	MAX	55	65	75	73	73	80	68	70	78	80	63	59	65	65	66	75	78	72	73	74	78	83	76	77	72	82	80	63	68	63	64	71.2
	MIN	41	36	39	41	39	44	41	41	44	40	52	39	38	42	44	44	52	47	46	44	47	42	54	52	50	52	54	48	39	45	40	44.4
DRIGGS	MAX	37	39	47	62	72	74	65	51	52	61	68	70	45	48	56	66	67	71	66	64	66	66	73	73	68	65	75	78	65	70	50	62.2
	MIN	27	28	28	33	33	36	33	36	31	30	33	33	30	23	25	33	37	43	43	46	36	34	42	42	43	42	44	47	29	44	44	35.7
DUBOIS EXP STA	MAX	46	51	62	73	74	72	52	53	64	67	70	59	48	57	67	78	71	70	66	66	70	73	76	72	71	76	83	68	70	68	66	65.6
	MIN	31	26	29	43	37	48	42	41	38	37	40	38	30	27	37	38	39	45	39	44	45	43	47	42	41	50	48	48	38	42	32	39.5
DUBOIS CAA AP	MAX	50	55	65	76	76	68	52	55	67	70	73	47	51	59	70	72	72	70	67	69	72	74	70	78	71	79	85	70	72	71	51	67.3
	MIN	28	24	27	42	35	45	43	38	34	36	40	34	32	29	36	36	38	46	39	45	47	40	43	40	38	48	47	40	38	46	34	38.2
EDEN HUNT PROJECT	MAX	51	63	71	76	80	79	66	63	69	76	69	48	55	62	70	79	71	75	78	71	78	82	81	74	72	82	88	75	78		66	71.2
	MIN	31	32	31	47	30	45	44	40	43	40	43	35	36	29	34	41	38	43	40	43	46	40	48	45	47	40	50	48	38		37	40.0
ELK CITY	MAX	44	56	69	70	71	71	65	56	72	76	73	46	45	49	67	68	68	63	68	66	78	82	80	66	64	70	78	70	78	58	51	66.0
	MIN	28	30	30	30	24	34	44	41	40	31	30	35	32	31	33	33	32	35	23	28	28	28	36	36	40	40	37	39	39	32	30	[illegible]
EMMETT 2 E	MAX	54	64	78	76	78	79	67	70	76	83	73	55	62	66	75	77	77	74	74	75	79	87	82	77	74	81	84	68	68	61	65	72.9
	MIN	32	37	38	52	38	55	50	47	40	45	48	40	36	39	38	43	43	41	40	39	45	45	63	42	45	44	55	41	30	48	32	42.8
FAIRFIELD RS	MAX	43	55	64	66	72	68	60	62	63	68					68	68	70	67	64	66	68	74	72	66	68	78	78	61	67			[illegible]
	MIN	29	30	28	30	34	43	41	41	42	38				28	28	35	38	37	34	34	39	39	45	45	43	40	51	49	27			37.2
FENN RS	MAX	51	62	74	78	78	82	60	60	78	83	65	55	56	55	74	78	70	66	76	78	88	90	86	74	70	76	78	67	67	58	58	70.4
	MIN	36	39	35	40	39	44	50	44	42	42	41	42	43	44	40	44	43	42	34	37	37	44	49	44	48	45	46	38	28	37	35	40.9
FORNEY BLACKBIRD MINE	MAX		45	68	60	62	62	58	43	54	60	60			58	56	62	63	57	58	57	64	70	73	62	60			60	61	48	34	57.8
	MIN		24	18	32	28	36	32	33	29	32	35			25	31	32	33	31	28	31	30	33	37	33	36			38	24	28	25	30.5
FORT HALL IND AGENCY	MAX	47	56	68	77	80	77	68	56	69		75	49	53	63	73		78	73	72	72	78	80		70	72	80	85	77	78	72	62	68.6
	MIN	32	31	36	43	36	47	45	42	34		35	38	35	28	35		38	49	45	44	46	43		48	50	46	53	46	38	44	37	[illegible]
GARDEN VALLEY RS	MAX	50	62	75	72	81	77	56	70	75	78	76	48	59	65	78	79	74	73	74	78	79	87	84	73	74	80	78	68	71	68	61	71.7
	MIN	28	32	28	40	31	46	48	47	38	38	41	37	37	33	35	37	40	38	35	35	38	38	45	40	42	42	46	43	27	39	33	38.0
GLENNS FERRY	MAX	56	62	78	77	82	81	67	73	76	82	76	54	62	70	76	82	80	79	79	78	80	86	88	78	76	89	92	73	74	65	68	75.0
	MIN	34	35	38	57	34	52	50	49	45	43	50	40	39	32	37	44	43	50	41	39	46	43	51	58	48	40	58	52	33	46	41	43.0
GOODING CAA AP	MAX	51	61	73	76	79	76	61	66	71	76	62	44	55	63	70	74	74	72	78	72	75	80	79	78	71	82	88	63	70	61	63	68.5
	MIN	31	36	37	48	39	48	46	45	47	47	41	35	36	32	37	45	44	47	39	46	47	46	53	48	49	43	59	48	35	42	38	42.9
GRACE PH	MAX	38	46	62	72	72	70	55	53	50	67	71	42	47	59	67	62	68	67	65	66	68	72	68	68	65	75	80	64	70	68	52	62.8
	MIN	26	29	28	36	34	42	33	35	34	32	35	32	28	28	34	40	33	42	38	41	42	37	46	45	43	45	45	45	33	43	31	36.5
GRAND VIEW	MAX	58	70	78	76	79	81	70	75	81	85	67	55	64	70	77	85	82	78	78	80	82	89	86	81	78	89	92	74	68	74	67	76.4
	MIN	39	39	36	52	37	55	52	49	44	44	51	42	37	37	45	51	48	52	47	43	47	46	55	52	53	46	59	49	37	39	44	46.0
GRANGEVILLE	MAX	48	60	68	75	72	76	49	55	68	77	62	47	48	52	66	71	68	68	66	70	73	88	64	67	67	73	73	58	58	53	52	63.6
	MIN	33	37	32	41	33	48	43	42	37	42	38	30	37	37	39	42	45	39	35	39	38	45	46	45	43	42	47	36	30	33	31	38.7
GRAY	MAX	32	48	68	62	59	62	71	60	45	63	65	70	62	54	72	70	68	64	62	67	66	69	68	67	68	78	77	62	81	62	59	[illegible]
	MIN	24	27	29	29	28	31	35	33	35	35	35	37	30	24	29	38	36	38	36	38	39	38	36	40	38	44	46	47	31	41	38	35.0
GROUSE	MAX	49	51	60	65	69	67	52	53	59	64	56	47	47	57	66	68	68	66	67	62	67	69	71	66	68	72	74	61	62	58	46	61.5
	MIN	27	20	18	32	25	31	40	38	32	29	30	28	30	18	26	27	32	39	27	29	38	32	36	33	35	35	40	38	27	37	32	31.0
HAILEY	MAX	47	55	66	68	75	73	68	58	65	70	69	42	50	62	72	72	74	69	68	72	74	77	77	71	75	75	79	65	68	57	62	67.2
	MIN	30	27	30	34	38	42	42	37	40	40	41	33	32	30	37	40	41	41	36	37	40	43	45	39	47	38	51	44	34	41	36	38.3
HAMER 4 NW	MAX	45	60	67	76	77	71	58	56	68	71	74	48	53	61	72	75	77	75	71	73	74	77	81	76	75	80	87	72	73	74	64	69.7
	MIN	29	19	25	39	33	47	41	39	35	35	38	40	33	24	34	34	36	47	33	41	46	40	43	39	35	41	46	48	29	45	36	37.1
HAZELTON	MAX	50	61	70	75	78	77	67	59	70	77	71	45	54	60	69	73	76	73	73	72	76	82	81	75	71	80	86	80	68	67	62	70.3
	MIN	32	34	32	49	36	48	44	41	43	40	43	36	35	33	36	40	42	47	44	44	45	43	52	47	49	45	52	48	40	42	47	42.2

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HILL CITY	MAX	43	54	68	67	72	73	64	64	64	68	65	42	49	58	70	70	69	65	67	67	70	74	78	65	65	74	78	63	66	58	55	64.5
	MIN	29	30	28	43	32	45	42	40	40	36	43	34	32	27	30	35	38	38	34	38	38	30	44	42	45	38	48	42	28	36	34	36.8
HOLLISTER	MAX	48	57	67	73	78	73	64	63	68	74	65	45	53	57	65	71	73	69	70	69	69	79			77	79	85	81	63	66	56	67.7
	MIN	30	33	36	45	39	36	37	46	42	44	40	33	35	30	35	45	43	41	39	39	40	43			43	46	52	45	38	33	36	39.4
IDAHO CITY	MAX	47	59	69	70	74	74	55	66	71	75	71	46	54	60	74	74	73	69	78	70	75	81	79	70	70	79	77	66	68	66	59	68.1
	MIN	24	29	25	40	28	43	45	43	33	34	41	36	33	30	30	33	36	35	34	30	32	36	42	35	36	38	45	36	25	33	27	34.4
IDAHO FALLS CAA AP	MAX	49	53	70	75	80	76	52	54	67	72	74	47	51	63	72	76	74	72	71	70	75	78	78	73	74	80	86	66	71	69	59	68.6
	MIN	32	30	31	43	37	44	43	40	35	38	40	35	31	27	36	39	38	45	41	47	46	47	46	45	48	48	52	47	35	44	36	40.2
IRWIN 2 S	MAX	47	45	50	66	76	69	56	50	64	70	71	45	50	62	72	57	73	70	69	71	75	78	74	71	72	78	82	68	73	66	59	65.8
	MIN	31	34	34	40	36	34	40	32	34	34	39	36	33	25	27	37	40	45	39	44	39	42	40	40	47	47	48	51	31	47	34	38.1
ISLAND PARK DAM	MAX	37	41	59	71	72	68	55	48	60	67	60	38	36	53	65	69	69	64	63	63	67	70	71	65	60	69	77	78	64	64	61	61.4
	MIN	29	25	26	27	26	43	33	36	31	20	31	27	26	19	22	31	34	38	28	39	38	31	32	34	38	40	37	42	24	35	30	31.5
JEROME	MAX	58	62	74	76	80	80	63	65	71	77	74	48	55	62	70	75	75	71	74	73	75	83	80	74	73	82	89	75	70	70	62	71.3
	MIN	30	35	32	42	33	42	43	41	42	42	43	32	35	27	33	39	44	47	38	41	45	42	42	42	50	42	56	48	37	42	38	40.2
KELLOGG	MAX	45	47	55	74	78	75	76	53	58	77	84	64	58	46		73	77	68	64	73	75	82	90	68	59	66	74	75	57	62	61	67.1
	MIN	36	41	32	40	40	48	49	47	45	42	43	40	41	38		40	47	39	36	39	38	41	52	48	41	39	49	44	31	32	34	41.1
KOOSKIA	MAX	57	67	79	72	83	88	75	64	79	88	80	59	56	57	76	79	79	72	76	79	88	94	93	77	78	80	80	78	68	65	62	74.9
	MIN	36	43	32	43	35	48	52	49	43	43	45	40	40	43	42	42	45	41	35	47	39	43	51	46	45	45	48	50	30	33	48	42.4
KUNA 2 NNE	MAX	53	63	76	74	75	76	64	69	73	82	77	54	57	64	72	75	75	70	72	72	77	86	81	75	70	79	79	65	66	64	61	70.8
	MIN	32	37	35	45	33	49	49	47	38	45	45	39	36	39	40	43	42	42	42	36	40	42	54	46	40	40	54	42	32	43	36	41.4
LEWISTON WATER PLANT	MAX	62	70	83	78	78	81	72	70	79	88	86	60	59	61	79	83	82	73	79	80	88	94	94	75	77	83	80	74	70	69	69	74.6
	MIN	36	37	37	50	37	54	51	49	44	48	51	40	44	47	41	45	53	46	46	42	43	45	58	46	51	49	52	47	37	33	35	44.8
LEWISTON WB AP	MAX	60	68	70	74	78	80	56	65	77	83	61	59	58	59	75	79	75	70	74	78	81	90	76	79	72	79	81	67	67	66	65	71.9
	MIN	35	38	39	41	38	55	49	47	45	50	39	38	46	45	42	48	52	43	37	42	42	50	54	44	50	50	53	43	35	32	34	43.7
LIFTON PUMPING STA	MAX	37	43	57	67	70	67	56	52	59	66	68	55	48	56	57	50	63	65	64	64	59	67	67	64	64	72	75	75	70	71	68	61.8
	MIN	29	31	31	40	43	48	41	40	37	39	39	39	32	35	39	37	40	45	45	45	44	46	46	50	53	47	51	53	42	47	37	41.6
LOWMAN	MAX	47	59	71	70	77	70	60	64	73	76	72	47	53	62	74	77	75	70	71	71	70	82	80	68	70	80	77		77	72	68	69.4
	MIN	25	31	24	35	27	38	39	41	34	33	34	37	34	29	30	30	35	32	30	36	32	30	37	34	35	38	41		27	28	26	32.5
MACKAY RS	MAX	45	54	61	65	72	65	61	59	62	66	66	55	48	57	66	72	70	68	65	66	70	75	75	67	66	74	80	67	68	64	58	64.5
	MIN	29	27	32	34	35	35	41	40	39	36	35	34	30	40	47	37	36	41	39	41	41	40	42	41	41	45	48	43	37	36	36	37.9
MALAD	MAX	47	54	66	75	77	76	59	62	69	71	74	47	55	62	69	69	72	75	70	71	72	76	75	75	75	81	85	71	75	74	58	68.6
	MIN	33	34	31	41	43	49	39	38	40	37	40	37	32	35	41	40	44	47	42	44	42	42	47	48	45	45	50	53	42	49	37	41.5
MALAD CAA AP	MAX	49	56	66	74	77	75	55	61	66	72	75	49	55	62	70	67	75	74	66	69	70	76	76	73	71	82	85	70	76	73	58	68.5
	MIN	32	32	28	37	38	46	40	36	35	35	37	33	32	34	41	44	38	44	42	40	40	40	43	46	40	41	44	46	39	43	37	38.8
MAY RS	MAX	48	56	57	73	77	72	60	58	69	72	70	46	50	58	68	74	75	69	68	68	70	70	75	69	68	78	75	63	64	62	51	64.2
	MIN	28	30	24	36	33	42	44	41	36	37	39	35	31	26	31	34	38	37	36	38	38	36	46	37	45	49	38	42	28	35	31	36.2
MC CALL	MAX	40	50	63	62	66	70	54	58	66	68	66	42	44	54	64	68	64	60	62	62	70	74	62	60	62	68	72	62	56	52	48	60.3
	MIN	16	24	24	36	28	40	40	42	34	36	42	38	34	36	34	36	35	33	33	32	42	36	43	36	42	42	40	38	34	35	31	35.2
MC CAMMON	MAX	42	57	65	74	82	76	68	55	67	72	74	67	62	60	70	70	75	73	71	72	73	77	77	73	72	80	87	82	70	70	58	70.0
	MIN	33	35	36	40	40	47	46	37	33	34	40	34	34	27	41	44	40	47	45	43	42	43	47	51	41	47	45	45	33	45	36	40.4
MERIDIAN 1 SSW	MAX	54	62	76	75	75	73	62	67	74	81	68	91	58	64	70	75	74	70	71	70	78	86	77	74	73	80	77	64	65	60	61	69.8
	MIN	29	35	38	48	34	49	46	45	38	45	44	37	35	35	38	42	42	42	38	36	40	42	54	43	43	40	40	39	29	39	33	39.9
MESA	MAX	51	60	73	67	79	77	71	66	73	79	74	50	56	61	74	77	75	70	78	73	80	83	81	73	72	79	83	69	66	61	58	70.4
	MIN	28	33	36	49	41	48	48	46	45	46	40	38	37	37	43	48	48	41	42	44	45	46	55	53	45	49	50	42	36	43	34	42.8
MINIDOKA DAM	MAX	48	66	63	70	73	72	58	58	69	74	62	45	52	62	73	79	72	70	74	74	72	78	76	70	70	81	80	61	74	56	59	67.3
	MIN	30	35	38	49	41	45	44	41	44	42	41	36	36	32	40	44	47	49	46	47	47	51	60	50	49	46	45	43	39	40	40	43.1
MONTPELIER RS	MAX	37	38	48	62	66	74	70		55	63	67	73	49	55	56			60	68	57	60	65	70	71	76	70		84	70	73	71	64.2
	MIN	27	26	26	37	36	37	37		32	31	35	36	25	30	30			33	38	38	42	35	39	40	42	39		43	34	42	33	34.9
MOSCOW U OF I	MAX	53	61	73	71	73	75	65	63	72	78	79	53	50	54	70	74	72	69	68	79	77	88	83	80	65	72	70	70	61	62	61	68.3
	MIN	35	36	40	49	33	52	44	45	44	48	43	34	39	42	41	42	45	41	45	41	46	47	53	47	40	44	48	38	28	28	31	41.8
MOUNTAIN HOME 1 W	MAX	55	64	78	73	82	80	67	69	79	83	80	56	58	65	73	81	76		77	78	80	86	86	79	72	85	90	73	65	62	68	73.8
	MIN	31	32	35	59	32	47	49	45	39	41	45	36	34	34	34	48	46		40	37	44	49	55	45	46	40	54	30	40	37	34	41.1
MULLAN PASS CAA	MAX	31	33	53	54	53	54	48	30	59	66	61	33	31	36	53	57	40	42	50	58	64	71	58	42	47	60	61	48	48	33	37	46.7
	MIN	21	24	26	35	34	46	36	35	35	45	28	29	27	29	33	38	39	31	36	41	44	47	36	32	29	38	40	24	27	27	25	33.5
NAMPA	MAX	56	65	65	79	79		78	73	79	85	76	58	62	67	76	80	79	74	78	81	80	91	92	90	91	90		71	70	70	65	75.7
	MIN	35	37	35	43	36		51	44	44	46	47	38	37	39	43	48	49	45	45	40	42	46	46	46	50	46		44	36	44	56	43.3
NAMPA 2 NW	MAX	56	57	65	77	70	77	79	65	72	78	82	60	51	60	66	76	79	76	73	76	76	80	86	80	76	74	84	86	65	69	62	71.9
	MIN	34	37	42	51	34	49	52	49	43	44	45	40	39	40	44	44	47	46	43	42	42	43	57	47	47	44	55	43	35	43	37	43.8
NEW MEADOWS RS	MAX	50	50	73	68	74	77	60			75	71	46	50	60	69	74	73	67	67	68	74	75	84	83	69	73	77	72	60	51	54	67.6
	MIN	24	25	21	35	24	34	45			31	36	35	33	35	28	32	31	31	27	27	30	32	41	34	36	37	37	37	25	29	26	31.6
OAKLEY	MAX	46	59	68	75	76	76	70	55	67	74	66	45	54	58	67	71	68	70	73	70	73	80	78	74	70	80	87	79	68	62	58	68.2
	MIN	32	32	35	51	35	47	40	45	42	42	40	34	33	28	32	42	44	44	43	44	37	45	54	43	48	46	42	47	36	41	33	40.3
OBSIDIAN 4 NNE	MAX	35	45	54	64	62	52	46	51	59	61	58	49	40	49	61	66	63	56	57	58	64	61	50	60	62	70	66	64	57	54	46	56.4
	MIN	17	25	16	23	30	32	32	33	25	28	31	26	23	18	23	25	28	28	27	26	26	28	34	32	32	32	32	37	20	29	28	27.4
OLA	MAX	54	62	76	74	79	67	59	69	74	80	75	53	59	64	75	80	79	70	74	75	71	83	83	74	72	80	73	70	67	65	57	70.7
	MIN	26	27	28	45	34	43	44	42	39	38	43	36	34	33	35	38	41	33	38	38	45	36	43	39	45	41	45	36	32	36	31	37.5
OROFINO	MAX	57	67	82	82			82	65	79	89	89		56	57	70	80	79	75	72	76	86	95	91	76	74	82	80	77	68	68	69	75.9
	MIN	38	38	38	44			39	51	42	43	45	40	45	45	43	47	49	40	38	41	40	43	59	43	41	48	49	49	34	32	37	42.
PALISADES DAM	MAX	42	43	63	74	75	76	65	50	65	69	71	62	49	61	71	70	73	74	70	69	72	75	77	71	70	77	80	72	72	73	61	67.
	MIN	27	31	28	37	35	40	38	38	33	31	34	33	30	20	24	35	37	42	37	35	35	35	40	36	43	42	45	48	27	44	31	35.
PARMA EXP STA	MAX	56	65	76	75	76	79	73	73	76	81	80	54	60	64	75	77	77	72	72	74	80	80	80	77	78	79	82	70	72	72	63	73.
	MIN	35	35	39	57	36	51	51	46	43	43	47	40	38	39	41	46	49	43	42	43	43	44	60	49	48	46	44	43	34	46	39	43.
PAUL 1 E	MAX	46	49	59	69	75	80	80	59	59	70	75	65	46	55	61	70	73	74	75	75	70	75	80	77	71	78	75	82	61	78	71	68.
	MIN	32	34	32	48	35	48	45	41	39	38	43	34	35	29	34	39	41	48	42	45	45	42	58	49	47	42	51	47	37	40	38	41.
PAYETTE	MAX	54	65	78	71	77	82	70	73	76	82	76	55	61	69	77	79	77	73	74	79	83	87	84	80	76	83	84	75	70	62	65	74.
	MIN	33	36	44	51	37	37	41	47	43	44	47	41	37	42	42	49	49	47	42	42	47	44	62	47	49	48	52	45	40	46	37	44.
PIERCE RS	MAX	42	52	71	76	74	75	63	53	72	78	75	49	44	46	67	70	63	60	67	68	75	83	81	64	64	70	71	69	57	56	54	64.
	MIN	32	32	26	35	30	42	44	41	36	34	37	36	33	37	36	34	38	35	29	32	32	35	44	41	28	40	41	34	28	27	29	34.
POCATELLO WB AP	MAX	47	56	67	76	79	74	60	56	68	74	71	46	53	64	74	73	76	72	73	72	76	78	80	73	72	82	86	65	74	68	59	69.
	MIN	32	34	41	46	38	49	46	43	36	39	41	36	35	30	34	41	44	51	48	47	47	45	58	49	52	48	56	48	41	41	38	43.
PORTHILL	MAX	51	58	68	74	71	79	73	58	75	78	78	58	54	54	70	75	69	67	69	73	79	84	80	68	70	70	75	67	61	57	68	69.
	MIN	37	37	31	34	35	44	40	47	47	41	43	43	43	44	46	40	41	41	36	36	39	41	48	40	42	36	44	40	29	41	32	39.
POTLATCH	MAX	52	62	75	69	74	79	64	63	74	80	70	53	50	52	70	75	70	35	70	74	80	87	80	85	65	72	70	67	63	62	60	68.
	MIN	35	39	35	45	33	51	45	42	40	45	45	36	40	40	42	40	41	41	30	37	36	42	52	43	38	38	48	39	28	28	32	39.
PRESTON SUG FACT 2 SE	MAX	45	52	65	75	76	76	74	57	67	71	76	60	55	62	70	65	72	72	72	69	70	75	75	73	70	81	85	82	74	75	75	69.
	MIN	34	35	30	40	41	47	40	38	37	37	39	36	30	36	41	42	36	45	43	44	43	42	43	46	47	42	46	53	37	50	37	40.
PRIEST RIVER EXP STA	MAX	44	54	70	71	72	73	70	58	73	78	71	56	53	48	68	73	71	68	66	71	76	83	81	63	63	70	70	68	60	59	65	66.
	MIN	34	36	30	34	36	47	40	47	42	38	41	41	40	43	41	36	46	38	32	36	34	37	47	38	32	30	41	36	25	27	27	37.
RICHFIELD	MAX	40	59	59	75	78	78	75	52	68	74	68	45	54	62	70	73	73	72	72	69	75	80	78	72	70	78	84	82	69	65	61	69.
	MIN	27	29	30	48	35	47	44	40	44	40	42	35	33	27	32	42	41	43	37	38	49	45	50	42	45	40	51	41	31	37	33	39.
RIGGINS RS	MAX	57	71	78	74	78	82	62	63	76	86	80	55	60	62	73	78	77	72	74	75	86	93	91	83	78	80	80	75	66	62	61	73.
	MIN	38	43	41	40	35	51	53	50	41	50	47	44	42	45	40	45	49	41	39	42	42	43	57	50	52	49	51	52	36	41	41	44.
RIRIE	MAX	47	51	66	76	78	71	53	52	66	71	74	46	49	59	73	72	73	71	70	69	75	76	77	71	73	79	86	66	71	69	56	67.
	MIN	31	32	35	44	42	44	43	41	35	39	41	38	33	31	30	40	43	49	40	47	43	44	49	45	49	50	52	59	33	45	36	41.
ROLAND W PORTAL	MAX	38	48	59	62	63	62	61	45	67	71	70	45	44	40	60	68	65	52	58	63	72	79	76	51	56	64	66	64	50	48	48	58.
	MIN	28	32	31	43	33	30	39	36	37	38	41	32	32	32	33	36	38	35	31	39	37	40	47	41	33	33	41	34	27	28	33	35.
RUPERT	MAX	45	49	59	68	76		79	81	59	70	76	63	45	55	62	71	74	74	72	75	70	76	81	78	72	71		85	62	71	62	67.
	MIN	30	34	30	48	34		43	41	39	40	45	34	36	29	35	40	43	48	48	44	44	45	53	48	49	44		47	38	42	38	40.
SAINT ANTHONY	MAX	52	47	66	77	78	73	55	56	67	70	74	51	48	61	72	74	75	72	70	71	78	78	78	76	74	80	89	67	72	71	59	68.
	MIN	32	30	26	37	33	42	39	40	32	32	38	37	30	25	29	33	35	41	35	46	45	39	37	35	32	40	43	47	28	43	35	36.
SAINT MARIES	MAX	50	54	74	78	74	76	76	58	74	82	80	62	61	51	70	74	73	69	78	78	79	89	87	62	67	73	70	69	61	62		70.
	MIN	38	39	34	40	39	40	42	46	41	42	42	44	39	41	39	40	46	39	36	41	42	40	54	43	40	44	42	38	30	28		40.
SALMON	MAX	52	59	73	80	81	77	68	66	73	80	79	54	54	80	73	80	79	74	76	75	77	89	84	76	71	80	86	64	68	59	57	71.
	MIN	32	34	24	38	36	48	45	45	37	37	42	38	37	32	32	36	42	38	34	39	35	37	43	40	52	51	43	42	27	37	33	38.
SANDPOINT EXP STA	MAX	43	51	69	72	72	73	69	59	70	78	72	58	49	48	69	74	72	66	71	72	80	82	77	62	67	73	74	68	53	58	64	66.
	MIN	33	39	32	43	34	54	42	48	45	38	45	42	44	44	39	40	47	45	36	38	35	39	51	44	42	34	43	40	28	40	38	40
SHOSHONE	MAX	50	60	71	76	80	78	60	62	69	75	68	45	55	62	70	76	75	72	73	72	76	83	79	75	73	82	87	72	73	65	64	70.
	MIN	30	31	34	51	36	50	45	42	46	45	43	35	35	29	34	45	44	44	39	42	47	46	52	48	47	42	52	49	35	39	35	41

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SPENCER RS	MAX	46	53	61	72	72	69	55	55	64	66	69	56	47	58	66	60	60	67	57	67	70	72	74	72	68	73	76	60	66	66	56	64.7
	MIN	27	24	20	33	32	40	38	40	37	29	32	34	28	22	33	34	32	40	39	42	40	32	33	34	30	43	41	44	31	30	31	34.0
SPRINGFIELD	MAX	48	57	70	75	78	69	58	58	69	74	72	50	55	64	74	72	76	76	74	71	79	70	88	79	74	82	80	73	76	72	60	68.8
	MIN	30	29	29	41	33	36	45	38	34	34	38	37	35	25	32	36	37	45	40	43	46	40	43	43	41	45	47	49	35	45	38	38.1
STIBNITE	MAX	34	35	47	61	63	67	45	44	49	61	65	60	38	41	48	51	60	66	60	60	62	67	72	64	57	50	60	60	60	54	44	57.8
	MIN	22	22	37	35	34	33	35	30	31	41	27	26	28	28	37	32	30	28	30	30	40	43	42	35	30	37	30	24	27	27	29	32.1
SUGAR	MAX	48	52	67	76	75		46	54	65	71	74	53	48	59	72	75	74	73	71	72	75	76	79	73	76	80	86	66	72	71	68	67.9
	MIN	31	30	28	36	35			41	34	34	37	31	31	27	33	35	30	46	37	44	42			38	40	47	41	40	32	44	37	37.1
SUN VALLEY	MAX	44	53	61	65	70	70	67	61	63	66	65	54	49	57	68	86	76	68	67	67	66	71	72	68	68	70	76	63	68	66	59	64.9
	MIN	26	22	18	33	26	29	40	35	29	29	31	31	26	19	30	27	30	30	26	26	37	30	34	40	35	31	42	36	20	36	30	[illegible].1
SWAN FALLS PH	MAX	56	70	79	74	80	79	70	70	79	67	80	57	61	67	75	81	79	76	76	78	82	90	88	88	80	84	88	77	68	64	64	75.3
	MIN	41	40	44	48	56	55	49	50	49	51	47	40	39	43	50	53	56	51	51	50	52	51	62	54	51	51	50	44	41	46	48	48.6
TETONIA EXP STA	MAX	38	41	59	70	73	66	48	56	61	66	68	41	44	54	64	67	69	67	66	68	67	72	70	66	64	71	70	68	60	66	57	62.3
	MIN	27	29	31	32	34	36	34	39	31	31	33	30	26	23	29	30	32	43	41	44	36	36	40	41	42	46	51	48	27	43	32	35.3
THREE CREEK	MAX	40	54	63	69	71	65	56	58	66	72	69	46	50	55	61	60	70	69	67	66	67	75	76	76	78	80	84	76	66	65	60	68.5
	MIN	25	30	33	43	30	37	40	33	34	33	34	31	28	23	29	36	38	36	34	34	33	44	35	40	42	37	44	38	28	29	27	34.1
TWIN FALLS 2 NNE	MAX	51	63	74	77	82	79	69	65	72	78	75	53	56	62	70	76	77	73	75	73	75	83	82	76	72	83	90	85	69	70	62	72.5
	MIN	34	37	31	48	34	49	45	44	47	41	44	38	36	31	40	41	51	48	44	49	46	45	56	49	51	43	53	48	46	40	38	43.3
TWIN FALLS 3 SE	MAX	49	52	64	73	78	80	70	62	66	71	76	63	48	56	63	71	76	77	74	75	72	75	84	81	74	73	81	88	65	70	63	70.3
	MIN	28	33	28	42	32	44	41	40	43	40	44	36	32	31	37	43	48	47	40	40	42	42	55	45	47	40	43	44	38	38	35	40.1
WALLACE	MAX	42	49	71	70	72	71	62	55	73	81	69	49	46	48	69	79	63	62	67	70	78	66	66	57	66	70	74	54	56	58	57	64.0
	MIN	34	38	30	42	33	45	44	44	42	48	38	38	38	38	36	44	43	38	32	34	34	32	47	46	35	34	46	40	29	28	30	38.0
WALLACE WOODLAND PARK	MAX	38	42	47	68	70	71	70	50	53	73	79	72	50	56	57	67	73	62	59	66	68	76	56	64	58	63	60	70	52	55	51	62.5
	MIN	33	33	30	31	35	37	45	45	43	39	41	38	38	37	37	36	39	40	33	35	34	36	42	47	36	35	44	46	28	28	32	37.0
WEISER	MAX	52	67	78	74	80	82	67	74	78	82	64	59	60	68	80	82	78	75	74	74	78	80	78	82	78	85	88	70	66	62	62	73.9
	MIN	29	30	40	48	46	53	50	46	49	55	47	40	34	40	40	46	46	44	39	43	46	49	56	48	46	48	51	45	32	33	32	45.6
WINCHESTER 1 SE	MAX	47	57	57	70	71	73	62	52	66	74	72	49	48	46	69	66	66	68	64	68	70	61	60	63	62	60	68	66	60	54	52	63.4
	MIN	29	31	26	40	29	44	40	40	33	39	35	29	34	36	33	33	42	32	29	33	33	42	47	37	47	39	41	33	27	25	28	35.0

EVAPORATION AND WIND

Table 6

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ARROWROCK DAM	EVAP	.16	.03	.14	.32	.14	.21	.16	.08	.20	.11	.29	*	*	.14	.09	.19	.32	.12	.25	.19	.31	.26	.30	.24	.21	.23	.22	.17	.25	.24	.19	5.76
	WIND	111	61	39	122	58	38	50	27	67	36	67	44	55	48	55	53	32	59	45	35	69	40	34	63	57	47	41	62	62	64	151	1792
LIFTON PUMPING STATION	EVAP	.07	.02	.13	.22	.24	.31	.19	.15	.19	.19	.23	.15	.09	.14	.10	.18	.12	.22	.20	.20	.14	.17	.15	.24	.36	.27	.23	.27	.19	*	.58	5.94
	WIND	158	43	69	26	34	102	154	75	66	44	41	138	70	87	61	33	44	115	68	84	86	78	70	104	107	58	35	100	48	*	229	2427
MINIDOKA DAM	EVAP	.24	.30	.24	.31	.30	.39	.13	.13	.11	.11	.40	.05	.13	.21	.21	.37	.41	.33	.32	.39	.23	.28	.36	.49	.50	.49	.31	.43	.31	.38	.35	9.21
	WIND	325	235	155	200	80	160	185	190	45	60	205	195	210	70	85	120	130	185	105	115	100	80	180	205	245	140	80	225	90	175	240	4825
MOSCOW U OF I	EVAP	.21	.14	.21	.18	.14	.19	.01	.06	.14	.23	.10	.06	.10	.01	.13	.22	.21	.21	.22	.19	.18	.26	.21	.23	.22	.18	.32	.35	.18	.18	.12	5.39
	WIND	211	117	60	67	22	30	51	36	18	44	69	57	162	57	25	34	64	80	23	21	21	31	118	161	105	19	64	240	35	30	23	2095
PALISADES DAM	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.19	.17	.21	.20	.21	.17	.23	.24	*	.57	.24	.22	.20	.22	.19	.08	-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ANDERSON DAM	SNOWFALL																											T				
	SN ON GND																															
ASHTON 1 S	SNOWFALL	T												3.0																		T
	SN ON GND													T																		
ATLANTA 1 E	SNOWFALL		T									T	T	T																		
	SN ON GND	-	-	-	-	-	-																									
BOISE WB AP	SNOWFALL																											T				
	SN ON GND																															
BURLEY CAA AP	SNOWFALL												T																			
	SN ON GND																															
CASCADE 1 NW	SNOWFALL	T											T	1.0																	T	
	SN ON GND																															
CENTERVILLE ARBAUGH	SNOWFALL						T						T	T														T				T
	SN ON GND																															
COEUR D ALENE CAA AP	SNOWFALL																												T			
	SN ON GND																															
DEADWOOD DAM	SNOWFALL	T	T										T	T														T			T	
	SN ON GND	3	2	1									T	T														T			T	
DUBOIS CAA AP	SNOWFALL												T	T																		T
	SN ON GND																															
FORNEY BLACKBIRD MINE	SNOWFALL	T																													T	T
	SN ON GND																															
GOODING CAA AP	SNOWFALL						T						T																			
	SN ON GND																															
HAMER 4 NW	SNOWFALL								T																							
	SN ON GND																															
HILL CITY	SNOWFALL																												T			
	SN ON GND																															
IDAHO CITY 13 SW	SNOWFALL	T											T																			
	SN ON GND																															
IDAHO FALLS CAA AP	SNOWFALL	T											T	0.3														T				
	SN ON GND																															
ISLAND PARK DAM	SNOWFALL	0.5												10.0																		2.
	SN ON GND	-	-	-	-	-	-							6	-	-																
MACKAY RS	SNOWFALL												T	0.2				T														
	SN ON GND													T																		
MALAD CAA AP	SNOWFALL		T					T																								
	SN ON GND																															
MAY RS	SNOWFALL													2.0																		2.
	SN ON GND																															
MESA	SNOWFALL																											T				
	SN ON GND																															
MULLAN PASS CAA	SNOWFALL	0.8	0.3									1.6	1.1	10.0	1.7									T	T				T	T	T	T
	SN ON GND	50	51	50	47	46	43	40	38	34	28	24	26	36	40	38	32	27	24	21	17	12	8	7	7	5	4	3	3	3	3	
OBSIDIAN 4 NNE	SNOWFALL											T	2.0																			
	SN ON GND												2																			
PINE 2 SSW	SNOWFALL																											T				
	SN ON GND																															
POCATELLO WB AP	SNOWFALL	T											T	T														T				
	SN ON GND																															
PRIEST RIVER EXP STA	SNOWFALL																												T			
	SN ON GND																															
ROLAND W PORTAL	SNOWFALL	5.8	0.9									T	T	4.1	1.9														T	T	T	
	SN ON GND	10	5	T	T							T	T	4	2	T																
SPENCER RS	SNOWFALL													2.0																		1.
	SN ON GND																															
STIBNITE	SNOWFALL	0.3										-	-	-																	5.5	
	SN ON GND												1																		4	
SUN VALLEY	SNOWFALL												T	1.0																		
	SN ON GND												T																			
THREE CREEK	SNOWFALL												3.0																			
	SN ON GND	2																														
WALLACE	SNOWFALL	T																											T			
	SN ON GND																															

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	8A	8A	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5320	6P	6P	JAMES W MARTIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 4 5 7
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	3 4
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 30	2640		MID	U S FOREST SERVICE	3 4
BIG CREEK	0835	VALLEY	11	45 08	115 20	5737	5P	5P	MARY A WEYMOUTH	2 3 4 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 4 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	E H KUHN	3 4
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 4 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN B BOOTH	3 4
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	3 4
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 4 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2830		MID	U S FOREST SERVICE	3 4
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	TETONIA EXP STATION	3 4
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	3 4
COUNCIL 2 NNE	2187	ADAMS	12	44 45	116 25	3150	7P	7P	JOHN W HOOVER	2 3 4 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	3 4
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 4 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		MID	U S FOREST SERVICE	3 4
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5	U S FOREST SERVICE	2 3 5 7
FORNEY BLACKBIRD MINE	3289	LEMHI	11	45 07	114 21	6825	6P	6P	CALERA MINING CO	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN I SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 4 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
IDA VADA	4475	OWYHEE	2	42 03	115 09	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JEROME	4670	JEROME	12	42 43	114 32	3774	5P	5P	NORTH SIDE CANAL CO	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190	7A	7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	3 4
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 8
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 4 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4470	7P	7P	J L CROWTHER	2 3 4 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
MAY RANGER STATION	5685	LEMHI	11	44 38	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5715	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	3 4
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 W	6174	ELMORE	12	43 08	115 43	3150	6P	6P	DURHAM NICHOLS	2 3 4 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
NAMPA	6295	CANYON	2	43 35	116 34	2482	5P	5P	C W NELSON	2 3 5
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	5P	5P	WAYNE S SHAEFFER	2 3 5 7
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	6586	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	2 3 4 5 7
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	5P	5P	U S FOREST SERVICE	2 3 4 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	3 4
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4441	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 03	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J I RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 54	3949	MID	MID	U S WB AIRWAY OBS	2 3 4 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 4 5 7
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3968	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL CAA AP	8786	CASSIA	12	42 01	113 13	5275	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5921	5P	5P	EDWARD F SEAGLE	2 3 4 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
WOLF LODGE SUMMIT	9862	KOOTENAY	4	47 43	116 30	4650		MID	U S FOREST SERVICE	CLOSED 7 10
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	
NEW STATIONS										
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5390		MID	U S SOIL CON SER	3 4
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	3 4
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
TRINITY LAKE GUARD STA	[illegible]	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3175		VAR	U S SOIL CON SER	S
VIENNA	9122	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	3 4
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 4 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 4 are from recording gages. Traces are not shown.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 4, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. When hourly precipitation is missing or accumulated for several days, only the first and last days are shown in Table 4.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
6	Station not equipped with a recording gage.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gages.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-100014 1000 7-1

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

CLIMATOLOGICAL DATA

IDAHO

JUNE 1951

Volume LIV No. 6

SAN FRANCISCO: 1951

IDAHO - JUNE 1951

E. H. Jones, Section Director, Boise

WEATHER SUMMARY

In contrast to June 1950 in which the statewide precipitation was well above normal, this month had only 58% of normal rainfall. Only twice in the past 15 years has Idaho experienced drier weather in June; the statewide average was 0.65 inch in June 1949 and 0.66 in 1940, compared to a 0.92 this month. The average number of days with measurable rain for all stations was five this month, compared to four in 1940 and 1949. Except for a few in the upper portions of the Boise and Payette Basins, and several in the Northern Division, individual station totals were below normal, with departures exceeding 1 inch at several points. All stations in the State reported average temperatures below normal and the statewide average shows this to be the coolest June since 1947, with a departure of -3.2°. Sunshine was normal or a little below in the northern part of the State, but in southern sections the percentage of possible sunshine was well above the mean for June.

In all sections of the State the major portion of the month's rainfall came during the first two weeks. This was particularly true in the southern divisions where scattered showers from the 22nd to the 24th constituted nearly all of the rainfall after the 13th. A study of the weather maps for June shows that during the first two weeks a trough of low pressure lay over, or to the west of Idaho most of the time. Over the Northeast Pacific Ocean a large high pressure system remained nearly stationary, somewhat north of its usual position at this season. To the east of the Columbia Basin pressure was generally high also, with recurrent outbreaks of cool air from Canada sweeping southward through Montana and occasionally spilling westward into Idaho. This type of weather pattern accounts both for the shower activity of the early part of the month, and the subnormal temperatures throughout the State for about the first ten days. After the first two weeks the Pacific high extended inland over western Canada and the states on the Pacific Northwest. This pressure pattern produced generally dry weather with occasional southward thrusts of cool air. A breakdown of the high pressure ridge, beginning on the 21st, allowed a migratory low pressure system, or storm center, to pass southeastward across most of the State, bringing widespread showers to the Northern and Southeastern Divisions, and scattered light showers to the southwest. The high pressure area replacing the low center brought with it the final, brief cool spell of the month. By the 30th the weather map had assumed an appearance typical of the hot, dry weather of midsummer in Idaho.

The cool weather that carried over into June following the frosts of late May, temporarily retarded growth of nearly all crops in the State, including range grasses and pastures. Frosts on the morning of the 7th, striking heavily in the Magic Valley of south-central Idaho, and at scattered points in northern and southeastern districts, caused sufficient damage to beans to necessitate some replanting, definitely retarded growth of potatoes, and caused light damage to dry peas in northern areas. The relatively dry weather of the latter half of the month, coupled with abundant sunshine, particularly in the southern sections, resulted in rapid growth and by the close of the month all crops had recovered sufficiently to be about up to normal for the date, with prospects of good yields. In southwestern Idaho the rainfall deficiency of the latter half of the month necessitated heavy use of irrigation water.

Storm damage during June was very light, according to available reports. The only reported damage occurred on the afternoon of the 6th when light hail fell at scattered points in the Southwestern Division.

The seasonal snow melt proceeded more or less uneventfully. Flow on the upper Snake, and particularly below the confluence of the Snake and Henrys Fork, reached a peak on the 17th to 19th, but new dikes plus careful distribution of water in irrigation systems prevented flooding. By the 20th the river stages indicated that the mountain snow pack was reduced beyond the point where high water would again be a threat this season.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	WNW	19	7.2	30	W	4	67	39	27	53	3	1	3	0	0	0	7	87	3.2	SEE TABLE 2.
LEWISTON WB AIRPORT	NE	10	3.9	-	-	-	77	48	34	61	3	2	4	1	0	0	10	-	4.6	
POCATELLO WB AIRPORT	S	22	8.5	35	SW	18	60	33	26	42	3	1	2	0	0	0	6	85	3.6	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	57.4	97	20	.34	-	2
1894	58.8	96	26	1.19	-	8
1895	58.3	103	19	.57	-	4
1896	62.9	103	25	1.16	-	5
1897	59.9	100	17	1.29	-	7
1898	61.4	102	18	.98	-	6
1899	58.6	103	17	.69	0.6	5
1900	65.8	109	24	.51	0.0	3
1901	56.7	101	17	.89	T	6
1902	60.3	106	21	.66	0.3	4
1903	63.7	99	28	1.31	0.0	7
1904	59.5	102	15	.94	T	5
1905	59.0	96	25	1.77	0.0	10
1906	56.8	[illegible]	16	1.62	T	6
1907	57.0	98	24	2.35	0.4	11
1908	56.0	101	23	2.60	1.2	11
1909	61.8	106	26	.72	0.0	4
1910	62.4	107	20	.25	0.0	2
1911	61.5	101	24	2.54	0.0	11
1912	62.3	103	25	1.43	T	6
1913	61.1	99	24	2.90	0.0	12
1914	58.8	106	14	2.24	0.5	10
1915	56.8	100	21	.96	0.1	6
1916	57.3	106	19	1.40	0.4	6
1917	56.9	105	20	.66	0.8	4
1918	67.0	110	14	.90	0.0	4
1919	62.5	109	15	.06	0.0	0
1920	59.1	102	15	.98	0.0	6
1921	64.0	106	25	.89	0.0	5
1922	64.5	107	26	.88	0.0	4
1923	57.9	104	12	2.66	0.0	12
1924	60.9	110	16	.57	0.2	4
1925	60.9	113	21	1.76	0.0	9
1926	64.2	113	18	.77	0.0	3
1927	61.9	104	25	1.06	0.0	5
1928	58.2	103	20	1.17	0.1	7
1929	59.5	102	18	1.59	0.1	7
1930	59.7	101	20	.85	T	5
1931	63.8	103	23	.58	T	4
1932	61.7	105	24	1.43	0.1	6
1933	63.7	107	26	.89	0.0	4
1934	60.7	102	21	1.45	T	8
1935	61.1	100	21	.40	0.0	3
1936	63.4	110	22	1.99	T	9
1937	59.5	106	17	1.46	T	8
1938	62.2	100	17	1.35	0.0	7
1939	57.9	110	16	1.12	T	[illegible]
1940	64.8	110	19	.66	T	4
1941	59.8	103	16	2.32	0.0	11
1942	57.0	100	18	1.32	T	8
1943	56.8	101	21	1.96	T	10
1944	57.3	104	18	2.14	T	13
1945	56.7	105	19	2.24	0.0	11
1946	60.1	99	21	.98	T	6
1947	57.1	97	21	2.48	T	12
1948	62.6	103	27	2.17	0.0	10
1949	60.3	103	15	.65	T	4
1950	58.8	108	20	1.72	0.1	7
1951	57.1	97	17	.92	T	5
PERIOD	61.1			1.43	0.1	

CLIMATOLOGICAL DATA

Table 2

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max depth on ground at obsn	Date	.01 or more	.50 or more	1.00 or more
NORTHERN DIVISION																			
AVERY RS	58.6	- 1.8	86	15+	28	1	191	0	2	1.75	- .39	.51	24	.0	0		10	1	0
BAYVIEW MODEL BASIN	57.1		83	15	29	1+	231	0	2	1.15		.48	24	.0	0		7	0	0
BUNGALOW RS	58.6M	- 3.8	85	15+	29	1	189	0	[illegible]	1.70	- 1.01	.48	7	.0	[illegible]		7	0	0
BURKE 2 NNE	50.4	- 1.2	74	14+	26	1	433	0	3	2.78	.01	.83	24	.0	0		11	1	0
CLARK FORK 1 ENE	56.1	- 2.7	81	14	28	1	261	0	3	1.28	- 1.03	.42	24	.0	0		10	0	
COEUR D ALENE CAA AP	57.8M				29	1	216	0	1	1.55		.46	7	.0	0		8	0	[illegible]
COEUR D ALENE RS	59.1	- 2.1	85	30	29	1	180	0	1	1.88	.32	.63	7	.0	0		7	1	0
ELK CITY	50.5		79	15	21	2	430	0	17	2.52		.65	4	T	0		10	1	0
FENN RS	60.4M	- 3.2	90	30	32	1+	141	1	2	2.15	- .31	.68	5	.0	0		7	1	0
FORNEY BLACKBIRD MINE	M				25	2		0		.90		.33	13		0		8	0	0
KELLOGG	59.1	- 1.2	84	15	32	1		0	1	1.99	- .07	.80	24	.0	0		10	2	0
KOOSKIA	62.5	- 2.0	93	30	31	1	95	1	2	1.91	- .29	.77	5	.0	[illegible]		7	1	[illegible]
LEWISTON WATER PLANT	65.1	- 2.2	95	30	35	1	60	2	[illegible]	2.01	.55	.91	5	.0	0		8	2	0
LEWISTON WB AP	63.1		92	30	34	1	103	1	0	2.36		.68	5	.0	0		7	1	0
MOSCOW U OF I	57.9	- 1.4	84	30	29	1	206	0	1	2.08	.61	1.18	5	.0	0		[illegible]	1	1
MULLAN PASS CAA	46.7	- 1.9	67	30	27	2	542	0	6	1.22	- 1.67	.33	24	5.0	3	1+	[illegible]	0	[illegible]
NEZPERCE	M									.72	- 1.46			.0	0		[illegible]	0	0
OROFINO	63.4	- 1.8	92	30	33	1	78	1	0	2.00	- .01	.66	5	.0	0		8	2	0
PIERCE RS	54.8M	- 2.9	82	30	26	1	300	0	2	2.68	.18			.0	0		13		
PORTHILL	59.0	- 0.5	86	14	32	1	184	0	1	1.35	- .24	.65	24	.0	0		5	1	0
POTLATCH	[illegible]	- 0.6	85	30	29	1	210	0	1	2.12	.37			.0	[illegible]		[illegible]		
PRIEST RIVER EXP STATION	56.3	- 1.7	82	14	28	1	258	0	2	2.31	.33	.65	18	.0	0		10	1	0
RIGGINS RS	64.2	- 1.4	92	30	37	1+	82	1	0	1.35	- .37	.81	5	.0	0		7	1	0
ROLAND W PORTAL	52.0	- 3.0	76	14	28	1	385	0	[illegible]	2.67	- .13			T	0		12		[illegible]
SAINT MARIES	57.7M	- 3.3	84	30	29	1	213	0	1	1.72	.12	.65	5	.0	0		7	2	0
SANDPOINT EXP STATION	57.7	- 1.6	83	14	30	1	214	[illegible]	1	1.80	- .07	.54	18	T	0		6	1	0
WALLACE	55.1	- 4.2	82	30	27	1+	291	0	3	1.85	- .51	.45	24	T	0		9	0	0
WALLACE WOODLAND PARK	53.6M	- 4.2	80	15	28	1		0	[illegible]	2.04	- .37	.75	24	.0	[illegible]		8	1	0
WINCHESTER 1 SE	53.0	- 3.1	79	30	26	1	352	0	3	2.39	- .48	.98	5	.0	0		10	1	0
DIVISION	57.3	- 2.4								1.87	- .16			.2					

See reference notes following Station Index.

Table 2—Continued

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	49.9	- 4.8	81	15	22	3	446	0	18	1.53	- .25	.75	5	T	0		6	1	0
ANDERSON DAM	61.2		89	15	35	3+	131	0	0	.56		.26	5	T	0		3	0	0
ARROWROCK DAM	61.1	- 3.5	89	16	36	3		0	0	.91	- .05	.42	7	.0	0		4	0	0
ATLANTA 1 E	51.4	- 2.3	80	15+	21	8	403	0	7	1.50	.12	.63	5	T	0		6	1	0
BLISS	62.3	- 2.9	92	15	33	7	107	1	0	.12	- .34	.10	[illegible]	.0	0		2	0	0
BOISE LUCKY PEAK DAM	63.4M		89	16	34	1	96	0	0	.76		.43	6	.0	0		4	0	0
BOISE WB AP //	62.3	- 2.2	89	15	37	1	106	0	0	.70	- .22	.27	4	.0	0		4	0	0
BUHL	62.4	- 1.5	88	15	38	1+	118	0	0	T	- .94	T	5+	.0	0		0	0	0
CALDWELL	63.0	- 2.2	83	15	34	3	97	1	0	.47	- .30	.38	5	.0	0		3	0	0
CAMBRIDGE	56.6	- 8.1	86	30	31	2		0	1	.62	- .50	.35	5	.0	0		3	0	0
CASCADE 1 NW	53.4		80	15	26	3	339	0	3	.97		.42	5	.0	0		6	0	0
CHALLIS	55.1M	- 4.3	86	15	28	3	297	0	4	.73	- .32	.28	5	.0	0		4	0	0
COUNCIL 2 NNE	60.2	- 3.0	89	15	38	1+	154	0	0	1.55	- .05	.87	5	T	0		5	1	0
DEADWOOD DAM	48.4	- 3.7	79	15	21	3	492	0	18	1.92	.08	.70	5	T	T	6+	6	2	0
DEER FLAT DAM	63.4	- 1.5	88	15	36	4	93	0	0	.59	- .09	.47	4	.0	0		3	0	0
EDEN HUNT PROJECT	59.3M		88	15	33	7	177	0	0	.10		.10	5	.0	0		1	0	0
FAIRFIELD RS	55.5M		84	15			279	0		.71		.22	5+	T	0		4	0	0
GARDEN VALLEY RS	58.8	- 2.6	90	15	28	3	183	1	2	1.53	.47	.55	5	.0	0		6	1	0
GLENNS FERRY	63.6	- 4.4	92	15	31	3	83	2	1	.23	- .38	.23	5	.0	0		1	0	0
GOODING CAA AP	61.6	- 1.8	91	15	35	7	132	1	0	.16	- .45	.06	7	.0	0		5	0	0
GRAND VIEW	66.8	- 0.7	97	15	37	3	58	7	0	.20	- .50	.20	7	.0	0		1	0	0
HAILEY	55.7	- 3.3	85	15	29	7	274	0	3	.26	- .78	.15	12	.0	0		3	0	0
HAZELTON	60.5	- 5.1	87	15	35	6+	150	0	0	.16	- .60	.10	12	.0	0		3	0	0
HILL CITY	53.4	- 2.4	82	15	24	3	337	0	6	.74	- .04	.44	5	.0	0		2	0	0
HOLLISTER	58.2	- 3.6	85	15	26	3	204	0	2	.15	- .76	.12	12	.0	0		2	0	0
IDAHO CITY	54.8	- 4.4	87	15	24	3	300	0	6	1.34	.34	.55	5	.0	0		7	1	0
JEROME	62.0	- 2.8	90	15	36	6	125	1	0	.09	.44	.05	6	.0	0		3	0	0
KUNA 2 NNE	60.0	- 4.4	86	15	31	2	153	0	1	.65	- .15	.50	5	.0	0		2	1	0
LOWMAN	54.0M	- 4.3	86	14	23	3	321	0	9	1.75	.35	.79	5	.0	0		6	2	0
MERIDAN 1 SSW	59.6	- 5.4	89	15	32	2	161	0	1	.78	- .09	.60	5	.0	0		2	1	0
MESA	61.2		91	15	35	3+	133	1	0	.86		.62	5	T	0		3	1	0
MOUNTAIN HOME 1 W	M									.37	- .33	.19	6	.0	0		3	0	0
NAMPA 2 NW	62.8		93	16	37	2+		1	0	.73		.34	7	T	0		5	0	0
OBSIDIAN 4 NNE	44.7	- 4.7	76	14	18	3	605	0	25	.91	- .45	.33	5				5	0	0
OLA	58.6		90	15	26	3	195	1	5	1.29	- .54	.65	5	.0	0		5	1	0
PARMA EXP STATION	63.6	- 2.2	96	16	35	4	102	4	0	.36	- .43	.22	6	T	0		3	0	0
PAYETTE	64.1	- 1.6	96	15	35	3	80	2	0	.69	- .09	.39	6	T	0		3	0	0
RICHFIELD	56.9	- 3.7	85	15	29	7	238	0	3	.18	- .58	.18	12	.0	0		1	0	0
SHOSHONE	60.8	- 1.8	90	15	34	7+	136	1	0	.08	- .58	.07	12	.0	0		2	0	0
STIBNITE	46.8		77	16	25	2+		0	12	1.85				T	T	4+	12	0	0
SUN VALLEY	49.3	- 1.3	83	16	17	3	465	0	23	.70	- 1.00	.28	12	T	0		5	0	0
SWAN FALLS PH	68.6	- 0.1	95	15	39	1+	47	6	0	.35	- .94	.30	5	.0	0		2	0	0
THREE CREEK	52.9		83	15+	24	3	357	0	12	.64	- 1.17	.30	6	T	0		4	0	0
TWIN FALLS 2 NNE	62.0	- 1.1	90	15	35	7	121	1	0	.07	- .74	.04	12	.0	0		3	0	0
TWIN FALLS 3 SE	59.7	- 3.9	90	16	32	6		1	1	.07	- .72	.06	13	.0	0		2	0	0
WEISER	63.8	- 4.1	93	30	33	3	88	5	0	.36	- .54	.30	5	.0	0		2	0	0
DIVISION	58.5	- 3.1								.68	- .34			T					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STATION	57.7	- 3.5	89	15	31	8	218	0	3	.17	- .61	.09	23	.0	0		3	0	0
ALBION	55.2	- 3.7	83	16	26	7		0	2	.59	.44	.33	13	.0	0		4	0	0
AMERICAN FALLS 1 NW	57.7	- 3.8	86	15	32	2+	216	0	4	.28	- .74	.20	13	.0	0		4	0	0
ASHTON 1 S	51.1	- 6.3	80	15	24	3	412	0	8	.89	- .77	.29	13	.0	0		6	0	0
BLACKFOOT	59.3	- 2.2	88	15	32	2	178	0	1	.28	- .65	.13	5	.0	0		3	0	0
BLACKFOOT DAM	49.6	- 5.1	80	17	21	2+	456	0	18	.86	- .95	.34	13	.0	0		7	0	0
BURLEY	61.8	- 2.2	89	16	34	7		0	0	.02	.77	.02	13	.0	0		1	0	0
BURLEY FACTORY 1 NW	58.6	- 3.6	86	17	29	7		0	2	.04	- .88	.04	2	.0	0		1	0	0
BURLEY CAA AP	59.6	- 1.7	88	15	30	7	176	0	1	.11	- .83	.06	1	.0	0		2	0	0
CHILLY BARTON FLAT	49.3	- 5.1	80	15	20	3	465	0	13	.56	- .34	.26	12		0		3	0	0
CONDA	51.4	- 2.3	79	16	27	1		0	10	.93	- 1.45	.32	12+	.0	0		7	0	0
DRIGGS	50.7	- 3.6	83	17	27	9		0	11	.95	- 1.08	.44	12	.0	0		7	0	0
DUBOIS EXP STATION	55.2	- 4.7	85	15	30	3+	292	0	4	.36	- 1.25	.13	13	T	0		6	0	0
DUBOIS CAA AP	[illegible]	- 2.4	87	15	29	3+	273	0	2	1.07	- .94	.63	12	T	0		7	1	0
FORT HALL IND AGENCY	58.1M	- 3.8	86	15	28	2	195	0	1	.25	- .67	.13	13	.0	0		3	0	0
GRACE PH	52.5	- 6.3	79	15	25	2	366	0	9	.31	- .98	.16	22	T	0		4	0	0
GRAY	50.9	- 3.7	77	30	25	4	416	0	11	.72	- .94	.17	1+	.0	0		6	0	0
GROUSE	48.7		80	15	20	7	487	0	16	.21	- 1.17	.11	12	.0	0		5	0	0
HAMER 4 NW	56.5	- 3.3	88	15	25	7	258	0	6	.31	- .72	.12	13	.0	0		4	0	0
IDAHO FALLS CAA AP	56.7	- 3.8	84	15	29	2	249	0	1	.46	- .75	.20	5	T	0		6	0	0
IRWIN 2 S	54.1	- 2.8	83	15	30	7	323	0	4	.96	- .57	.34	23	T	0		8	0	0
ISLAND PARK DAM	47.7	- 4.9	78	15	24	2+	512	0	15	2.73	- .83	1.03	13	.0	0		8	2	1
LIFTON PUMPING STATION	55.8	- 3.5	80	15+	32	2	274	0	1	.82	.01	.54	1	T	0		7	1	0
MACKAY RS	55.0	- 3.7	86	15	28	7	298	0	4	.23	- .92	.09	6	T	0		4	0	0
MALAD	58.9	- 3.0	88	15	31	[illegible]	188	0	1	.15	- 1.01	.15	12	.0	0		1	0	0
MALAD CAA AP	57.6		89	15+	28	8	224	0	4	.19		.19	12	.0	0		1	0	0
MAY RS	53.1	- 4.1	85	15	23	3	343	0	8	.97	- .30	.40	5	T	0		5	0	0
MC CAMMON	56.8		88	15	28	7+	238	0	6	.34		.16	12	.0	0		5	0	0
MINIDOKA DAM	59.6		85	16	35	8+	170	0	0	.09		.09	12	.0	0		1	0	0
MONTPELIER RS	52.9M	- 5.6	83	16	26	[illegible]		0	9	.69	- .55	.27	23	T	0		7	0	0
OAKLEY	58.4	- 3.9	85	17	31	3	197	0	1	1.06	- .04	.76	12	.0	0		7	1	0
PALISADES DAM	52.7M		82	16	28	7	366	0	11	1.02		.45	13	.0	0		10	0	0
PAUL 1 E	58.2	- 3.4	85	16	32	6		0	1	.10	- .81	.10	12	.0	0		1	0	0
POCATELLO WB AP //	59.9	- 1.6	88	15	33	2	174	0	0	.31	- .78	.15	12	.0	0		3	0	0
PRESTON SUG FACT 2 SE	58.3	- 3.0	86	15+	29	8	200	0	3	.29	- .99	.14	21	T	0		5	0	0
RIRIE	56.1		85	15	32	2	267	0	1	.57		.26	5	.0	0		4	0	0
RUPERT	58.9M	- 4.2	87	16	33	7		0	0	.06	- .78	.06	13	.0	0		1	0	0
SAINT ANTHONY	53.6	- 5.4	85	15	23	3	336	0	[illegible]	.83	- 1.19	.32	13	.0	0		7	0	0
SPENCER RS	51.0	- 4.2	82	15	23	3	414	0	11	1.49	- .44	.49	12	T	0		7	0	0
SPRINGFIELD	57.2	- 3.9	88	15	29	[illegible]	233	0	5	.42	- .39	.29	22	.0	0		6	0	0
SUGAR	54.6M	- 4.9	84	15	30	9	306	0	3	.78	- .48	.30	5	.0	0		[illegible]	0	0
TETONIA EXP STATION	50.1	- 4.5	77	15+	28	3	441	0	12	.92	- 1.13	.20	2	.0	0		7	0	0
DIVISION	55.2	- 3.8								.58	- .65			T					
STATE	57.1	- 3.2								.92	- .41			T					

See reference notes following Station Index

REPRINTED PAGE

DAILY TEMPERATURES

Table 5-Continued

IDAHO
MAY 1951

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HILL CITY	MAX	43	54	63	67	72	73	66	64	64	68	65	42	49	58	70	70	69	65	67	67	70	74	75	65	65	74	78	63	66	58	55	64.5
	MIN	29	30	28	43	32	45	42	40	40	36	43	34	32	29	30	35	38	38	34	38	38	30	44	42	45	38	48	42	28	36	34	36.8
HOLLISTER	MAX	48	57	67	73	78	73	64	68	68	74	65	45	53	57	65	71	73	69	70	69	69	79			77	79	85	81	63	66	56	67.7
	MIN	30	33	36	45	39	36	37	46	42	44	40	33	35	30	35	45	43	41	39	39	40	43			43	46	52	45	38	33	36	39.4
IDAHO CITY	MAX	47	59	69	70	74	74	55	66	71	75	71	46	54	60	74	74	73	69	70	70	75	81	79	70	70	79	77	66	68	66	59	68.1
	MIN	24	29	25	40	28	43	45	43	33	34	41	36	33	30	30	33	36	35	34	30	32	36	42	35	36	38	45	36	25	33	27	34.4
IDAHO FALLS CAA AP	MAX	49	53	70	75	80	76	52	54	67	72	74	47	51	63	72	76	74	72	71	70	75	78	78	73	74	80	86	66	71	69	59	68.6
	MIN	32	30	31	43	37	44	43	40	35	38	40	35	31	27	36	39	38	45	41	47	46	47	46	45	48	48	52	47	35	44	36	40.2
IRWIN 2 S	MAX	45	45	50	66	76	69	56	50	66	70	71	45	50	62	72	67	73	70	69	71	75	78	74	71	72	78	82	68	73	66	59	65.8
	MIN	31	34	34	40	36	34	40	32	34	34	39	36	33	25	27	37	40	45	39	44	39	42	40	40	47	47	48	51	31	47	34	38.1
ISLAND PARK DAM	MAX	37	41	59	71	72	68	55	48	60	67	60	38	36	53	65	69	69	64	63	63	67	70	71	65	60	69	77	78	64	64	61	61.4
	MIN	25	25	20	27	26	43	33	36	31	28	31	27	26	19	28	31	34	38	28	39	38	31	32	34	38	40	37	42	24	35	30	31.5
JEROME	MAX	52	62	74	76	80	80	63	65	71	77	74	48	55	62	70	75	75	71	74	73	75	83	80	74	73	82	89	75	70	70	62	71.3
	MIN	30	35	32	42	33	42	43	41	42	42	43	32	35	27	33	39	44	47	39	41	45	42	42	42	50	42	56	48	37	42	38	40.2
KELLOGG	MAX	43	47	55	74	78	75	76	53	58	77	84	64	58	46		73	77	68	66	73	75	82	90	68	59	66	74	75	57	62	61	67.1
	MIN	36	41	32	40	40	48	49	47	45	42	43	40	41	38		40	47	39	36	39	38	41	52	48	41	39	49	44	31	32	34	41.1
KOOSKIA	MAX	57	67	79	72	83	88	75	64	79	88	80	59	56	57	76	79	79	72	76	79	85	96	93	77	73	80	80	78	68	65	62	74.9
	MIN	36	43	32	43	35	48	52	49	43	43	45	40	40	43	42	42	45	41	35	47	39	43	51	46	45	45	48	50	30	33	40	42.4
KUNA 2 NNE	MAX	53	63	76	74	75	76	64	69	73	82	77	54	57	64	72	75	75	70	72	72	77	86	81	73	70	79	79	65	66	64	61	70.8
	MIN	32	37	35	45	33	49	49	47	38	45	45	39	36	39	40	43	42	42	42	36	40	42	54	46	40	40	54	42	32	43	36	41.4
LEWISTON WATER PLANT	MAX	62	70	83	78	78	81	72	70	79	88	86	60	59	61	79	83	82	73	79	80	88	94	94	75	77	83	80	74	70	69	69	76.6
	MIN	36	37	37	50	37	54	51	49	44	48	51	40	44	47	41	45	53	46	40	42	43	45	58	46	51	49	52	47	37	33	35	44.8
LEWISTON WB AP	MAX	60	68	78	74	78	80	56	65	77	83	61	59	58	59	75	79	75	70	74	78	81	90	74	79	72	79	81	67	67	68	65	71.9
	MIN	35	38	39	41	38	55	49	47	45	50	39	38	46	45	42	46	52	43	37	43	42	50	54	44	50	50	53	43	35	32	34	43.7
LIFTON PUMPING STA	MAX	37	43	57	67	70	67	56	52	59	66	68	55	48	56	57	50	63	65	64	64	59	67	67	64	64	72	75	75	70	71	68	61.8
	MIN	29	31	31	40	43	48	41	40	37	39	39	39	32	35	39	37	40	45	45	45	44	46	46	50	53	47	51	53	42	47	37	41.6
LOWMAN	MAX	47	59	71	70	77	70	60	64	73	76	72	47	53	62	74	77	75	70	71	71	78	82	80	68	70	80	77		77	72	60	69.4
	MIN	25	31	24	35	27	38	39	41	34	33	34	37	34	29	30	30	35	32	30	30	32	30	37	34	35	38	41		27	28	26	32.5
MACKAY RS	MAX	45	54	61	65	72	65	61	59	62	66	66	55	48	57	66	72	70	68	65	66	70	73	73	67	68	76	80	67	68	64	50	64.5
	MIN	29	27	32	34	35	35	41	40	39	36	35	34	30	40	47	37	36	41	39	41	41	40	42	41	41	45	48	43	47	36	34	37.9
MALAD	MAX	47	54	65	75	77	76	59	62	69	71	74	47	55	62	69	63	72	73	70	71	72	76	75	75	73	81	85	71	75	74	58	68.6
	MIN	33	34	31	41	43	49	39	38	40	37	40	37	32	35	41	40	44	47	42	44	42	42	47	48	45	45	50	53	42	49	37	41.5
MALAD CAA AP	MAX	49	56	66	74	77	75	55	61	66	72	75	49	55	62	70	67	73	74	68	69	70	76	76	73	71	82	85	70	76	73	58	68.5
	MIN	32	32	28	37	38	46	40	36	35	35	37	33	32	34	41	44	38	44	42	40	40	40	43	46	40	41	44	46	39	43	37	38.8
MAY RS	MAX	48	56	67	73	77	72	60	58	69	72	70	46	50	58	68	74	75	69	69	68	70	79	75	69	68	78	75	63	64	62	51	66.2
	MIN	28	30	24	36	33	42	44	41	36	37	39	35	31	26	31	34	38	37	36	38	38	36	46	37	45	49	38	42	28	35	31	36.2
MC CALL	MAX	40	50	63	62	66	70	54	58	66	68	66	42	44	54	64	68	64	60	62	62	70	74	62	60	62	68	72	62	56	52	48	60.3
	MIN	16	24	24	36	28	40	40	42	34	36	42	38	34	36	34	36	35	33	33	32	42	36	43	36	42	42	40	38	34	35	31	35.2
MC CAMMON	MAX	42	57	65	74	82	76	68	55	67	72	74	67	62	60	70	70	75	73	71	72	73	77	77	73	72	80	87	82	70	70	58	70.0
	MIN	33	35	36	40	40	47	46	37	33	34	40	34	34	27	41	44	40	47	45	43	42	43	47	51	41	47	45	45	33	46	36	40.4
MERIDIAN 1 SSW	MAX	54	62	76	75	75	73	62	67	74	81	68	51	58	64	70	75	74	70	71	70	78	86	77	74	73	80	77	64	65	60	61	69.8
	MIN	29	35	38	48	34	49	46	45	38	45	44	37	35	35	38	42	42	42	38	36	40	42	54	43	43	40	40	39	29	39	33	39.9
MESA	MAX	51	60	73	67	79	77	71	66	73	79	74	50	56	61	74	77	75	70	70	73	80	83	81	73	72	79	83	69	66	61	58	70.4
	MIN	28	33	36	49	41	48	48	46	45	46	40	38	37	37	43	48	48	41	42	44	45	46	55	43	45	49	50	42	36	43	34	42.8
MINIDOKA DAM	MAX	48	66	63	70	73	72	58	58	69	74	62	45	52	62	73	73	72	70	74	74	72	79	76	70	70	81	80	61	74	56	59	67.3
	MIN	30	35	38	49	41	45	44	41	44	42	41	36	36	32	40	44	47	49	46	47	47	51	60	50	49	46	45	43	39	40	40	43.1
MONTPELIER RS	MAX	37	38	48	62	66	74	70		55	63	67	73	49	55	56			69	68	67	68	63	70	71	76	70		84	70	73	71	64.2
	MIN	27	26	26	37	36	37	37		32	31	35	36	25	30	30			33	38	38	42	35	39	40	42	39		43	34	42	33	34.9
MOSCOW U OF I	MAX	53	61	73	71	73	75	65	63	72	78	75	53	50	54	70	74	72	69	68	73	77	85	83	68	65	72	70	70	61	62	61	68.3
	MIN	35	36	40	49	33	52	44	45	44	48	43	34	39	42	41	42	45	41	45	47	46	47	53	47	40	44	48	38	28	28	31	41.8
MOUNTAIN HOME 1 W	MAX	55	64	79	73	82	80	67	69	79	83	80	56	58	65	73	81	76		77	76	80	86	86	75	72	85	90	73	65	62	68	73.8
	MIN	31	32	35	59	32	47	49	45	39	41	45	36	34	34	34	48	46		40	37	44	45	55	45	46	40	54	30	40	37	34	41.1
MULLAN PASS CAA	MAX	31	33	53	54	53	54	48	39	59	66	61	33	31	36	53	57	49	42	50	53	64	71	58	42	47	60	61	40	43	33	37	48.7
	MIN	21	24	26	35	34	46	36	35	35	45	28	29	27	29	33	38	39	31	36	41	44	47	36	32	29	38	40	24	27	27	25	33.5
NAMPA	MAX	56	65	65	79	79		78	73	79	85	76	58	62	67	76	80	79	74	73	81	80	91	92	90	91	90		71	70	70	65	75.7
	MIN	35	37	35	43	36		51	44	44	46	47	38	37	39	43	46	49	45	45	40	42	46	46	46	50	46		44	36	44	56	43.3
NAMPA 2 NW	MAX	56	57	65	77	70	77	79	65	72	78	82	60	51	60	66	76	79	79	73	75	76	80	86	80	76	74	84	80	65	69	62	71.9
	MIN	34	37	42	51	34	49	52	49	43	44	45	40	39	40	44	44	47	46	43	42	42	43	57	47	47	44	55	43	35	43	37	43.8
NEW MEADOWS RS	MAX	50	59	73	68	74	77	60			75	71	46	50	60	69	76	73	67	67	68	76	75	84	83	69	75	77	72	60	51	54	67.6
	MIN	24	25	21	35	24	34	45			31	36	35	33	35	28	32	31	31	27	27	30	32	41	34	36	37	37	37	23	29	26	31.6
OAKLEY	MAX	46	59	68	75	79	76	70	55	67	74	66	45	54	58	67	71	68	70	73	70	73	80	78	74	70	80	87	79	63	62	58	68.2
	MIN	32	32	35	51	35	47	40	45	42	42	40	34	33	28	32	42	44	44	43	44	37	45	54	43	48	46	42	47	36	41	33	40.5
OBSIDIAN 4 NNE	MAX	35	45	54	64	62	52	46	51	59	61	58	49	40	49	61	63	63	58	57	58	64	61	55	60	62	70	68	66	57	54	46	56.4
	MIN	17	25	16	23	30	32	32	33	25	28	31	26	23	18	23	25	28	28	27	26	28	28	34	32	32	32	32	37	20	29	28	27.4
OLA	MAX	54	62	76	74	79	67	59	69	74	80	75	53	59	64	75	80	79	70	74	73	71	83	83	74	72	80	73	70	67	65	57	70.7
	MIN	26	27	28	45	34	43	44	42	39	38	43	36	34	33	35	38	41	33	38	38	45	36	43	39	45	41	45	36	32	36	31	37.5
OROFINO	MAX	57	67	82	82			82	65	79	89	89		56	57	70	80	79	75	72	78	86	95	91	76	74	82	80	77	68	68	69	75.9
	MIN	38	38	38	44			39	51	42	43	45	40	45	45	43	47	49	40	38	41	40	43	59	43	41	48	49	49	34	32	37	42.8
PALISADES DAM	MAX	42	43	63	74	75	76	65	50	65	69	71	62	49	61	71	70	73	74	70	69	72	75	77	71	70	77	80	72	72	73	61	67.5
	MIN	27	31	28	37	35	40	38	38	33	31	34	33	30	20	24	33	37	42	37	35	35	39	40	36	43	42	45	48	27	44	31	35.3
PARMA EXP STA	MAX	56	65	76	75	76	79	73	73	76	81	80	54	60	64	75	77	77	72	72	74	80	89	89	77	78	79	82	70	72	72	63	73.7
	MIN	35	35	39	57	36	51	51	46	43	43	47	40	38	39	41	46	49	43	42	43	43	44	60	49	48	46	44	43	34	45	39	43.8
PAUL 1 E	MAX	46	49	59	69	75	80	80	59	59	70	75	65	46	55	61	70	73	74	75	75	70	75	80	77	71	78	75	82	61	78	71	68.8
	MIN	32	34	32	48	35	48	45	41	39	38	43	34	35	29	34	39	41	48	42	45	45	42	58	49	47	42	51	47	37	40	38	41.2
PAYETTE	MAX	54	65	78	71	77	82	70	73	76	82	76	55	61	69	77	79	77	73	74	79	83	87	84	80	76	83	84	75	70	62	65	74.1
	MIN	33	36	44	51	37	37	41	47	43	44	47	41	37	42	42	49	49	47	42	42	47	44	62	47	49	48	52	45	40	46	37	44.1
PIERCE RS	MAX	42	52	71	76	74	75	63	53	72	78	75	49	44	46	67	70	63	60	67	68	75	83	81	64	64	70	71	69	57	56	54	64.8
	MIN	32	32	26	35	30	42	44	41	36	34	37	36	33	37	36	34	38	35	29	32	32	35	44	41	28	40	41	34	28	27	29	34.8
POCATELLO WB AP	MAX	47	56	67	76	79	74	60	56	68	74	71	46	53	64	74	73	76	72	73	72	76	78	80	73	72	82	86	65	74	68	59	69.2
	MIN	32	34	41	46	38	49	46	43	36	39	41	36	35	30	34	41	44	51	48	47	47	45	58	49	52	48	56	48	41	41	38	43.0
PORTHILL	MAX	51	55	68	74	71	79	73	68	75	78	78	58	54	54	70	75	69	67	69	73	79	84	[illegible]	68	70	70	75	67	61	57	68	69.0
	MIN	37	37	31	34	35	44	40	47	47	41	43	43	43	44	46	40	41	41	36	36	39	41	48	40	42	36	44	40	29	41	32	39.9
POTLATCH	MAX	52	62	75	69	74	79	64	63	74	80	70	53	50	52	70	75	70	65	70	74	80	87	80	65	65	72	70	67	63	62	60	68.1
	MIN	35	39	35	45	33	51	45	42	40	45	45	36	40	40	42	40	41	41	30	37	36	42	52	43	38	38	48	39	28	28	32	39.5
PRESTON SUG FACT 2 SE	MAX	45	52	65	75	76	76	74	57	67	71	76	60	55	62	70	65	72	72	72	69	70	75	75	73	70	81	85	82	74	75	75	69.9
	MIN	34	35	30	40	41	47	40	38	37	37	39	36	30	36	41	42	36	45	43	44	43	42	43	46	47	42	46	53	37	50	37	40.5
PRIEST RIVER EXP STA	MAX	44	54	70	71	72	73	70	58	73	78	71	56	53	48	68	73	71	68	66	71	76	83	81	63	63	70	70	68	60	59	65	66.6
	MIN	34	36	30	34	36	47	40	47	42	36	41	41	40	43	41	36	46	38	32	36	34	37	47	38	32	30	41	36	25	27	27	37.1
RICHFIELD	MAX	49	59	69	75	78	78	75	62	68	74	68	45	54	62	70	73	73	72	72	69	75	80	78	72	70	78	84	82	69	65	61	69.6
	MIN	27	29	30	48	35	47	44	40	44	40	42	35	33	27	32	42	41	43	37	38	49	45	50	42	45	40	51	41	31	37	33	39.3
RIGGINS RS	MAX	57	71	78	74	78	82	62	63	76	86	80	55	60	62	73	78	77	72	74	75	86	93	91	83	78	[illegible]	80	75	66	62	61	73.8
	MIN	38	43	41	40	38	51	53	50	41	50	47	44	42	45	40	45	49	41	39	42	42	43	57	50	52	49	51	52	36	41	41	44.9
RIRIE	MAX	47	51	66	76	78	71	53	52	66	71	74	46	49	59	73	72	73	71	70	69	75	76	77	71	73	79	86	66	71	69	56	67.3
	MIN	31	32	35	44	42	44	43	41	35	39	41	38	33	31	30	40	43	49	40	47	43	44	49	45	49	50	52	59	33	45	36	41.4
ROLAND W PORTAL	MAX	38	40	59	62	63	62	61	45	67	71	70	45	44	40	60	68	65	52	58	63	72	79	76	51	56	64	66	64	50	48	48	58.3
	MIN	28	32	31	43	33	50	39	36	37	38	41	32	32	32	33	36	38	35	31	39	37	40	47	41	33	33	41	34	27	28	33	35.8
RUPERT	MAX	45	49	59	68	76		79	61	59	70	76	63	45	55	62	71	74	74	72	75	70	76	81	78	72	71		85	62	71	62	67.6
	MIN	30	34	30	48	34		43	41	39	40	45	34	34	29	35	40	43	48	48	44	44	45	53	48	49	44		47	38	42	38	40.9
SAINT ANTHONY	MAX	52	47	66	77	78	73	55	56	67	70	74	51	48	61	72	74	75	72	70	71	78	78	78	76	74	89	85	67	72	71	59	68.9
	MIN	32	30	26	37	33	42	39	40	32	32	38	37	30	25	29	33	35	41	35	46	45	39	37	35	32	40	43	47	28	43	35	36.0
SAINT MARIES	MAX	50	54	74	78	74	76	76	58	74	82	80	62	61	51	70	74	73	69	79	78	79	89	87	62	67	73	70	69	61	62		70.4
	MIN	38	39	34	40	39	40	42	46	41	42	42	44	39	41	39	40	46	39	36	41	42	40	54	43	40	44	42	38	30	28		40.3
SALMON	MAX	52	59	73	80	81	77	68	66	73	80	79	54	54	60	73	80	79	74	76	75	77	89	84	76	71	80	86	64	68	59	57	71.7
	MIN	32	34	24	36	36	48	45	45	37	37	42	38	37	32	32	36	42	38	34	39	35	37	43	40	52	51	43	42	27	37	33	38.2
SANDPOINT EXP STA	MAX	43	51	69	72	72	73	69	59	70	78	72	58	49	48	69	74	72	66	71	72	80	82	77	62	67	73	74	68	63	58	64	66.9
	MIN	33	39	32	43	34	54	42	48	45	38	45	42	44	44	39	40	47	45	36	38	35	39	51	44	42	34	43	40	28	40	38	40.7
SHOSHONE	MAX	50	60	71	76	80	78	60	62	69	75	68	45	55	62	70	76	75	72	73	72	76	83	79	75	73	82	87	72	73	65	64	70.3
	MIN	30	31	34	51	36	50	45	42	46	45	43	35	35	29	34	45	44	44	39	42	47	46	52	46	47	42	52	49	35	39	35	41.6

See reference notes following Station Index.

REPRINTED PAGE

DAILY TEMPERATURES

Table 5

IDAHO
MAY 1951

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	49	57	68	77	[illegible]	78	69	57	68	73	72	55	55	63	75	73	77	75	74	73	75	80	80	73	72	82	87	81	75	71	63	71.2
	MIN	31	30	28	42	34	47	46	40	36	35	38	31	38	27	31	37	38	48	43	44	44	41	47	47	45	45	54	50	35	42	39	39.8
ALBION	MAX	39	42	54	66	69	75	75	55	56	61	72	62	44	50	56	68	71	70	69	71	67	72	78	75	70	67	78	83	59	68	60	64.6
	MIN	29	34	27	49	40	47	41	41	42	34	44	33	34	24	29	35	37	51	36	39	40	38	43	51	42	38	46	44	34	42	38	38.8
ALPHA 1 NE	MAX	42	53	67	63	74	70	54	59	67	71	67	42	44	54	69	71	67	65	66	65	71	77	71	64	64	73	77	72	58	48	50	63.1
	MIN	26	30	23	34	25	40	42	41	30	32	36	32	30	31	30	33	33	27	29	28	30	32	40	35	35	37	39	37	23	33	31	32.4
AMERICAN FALLS 1 NW	MAX	47	56	66	75	76	76	69	55	66	72	71	47	53	61	70	69	71	70	73	70	70	74	76	72	69	78	83	83	72	71	60	68.4
	MIN	35	36	39	44	35	47	44	43	35	37	45	37	37	30	31	42	45	49	42	44	49	42	58	50	51	47	51	50	40	45	38	42.5
ANDERSON DAM	MAX	47	60	71	72	79	75	61	67	71	78	71	55	55	61	72	74	71	70	73	73	77	83	79	74	69	81	86	66	70	66	61	69.9
	MIN	36	36	35	54	39	49	46	45	44	43	51	37	38	33	39	42	45	43	42	42	46	47	52	52	51	44	54	49	37	43	42	43.7
ARROWROCK DAM	MAX	51	49	63	73	70	76	71	62	68	73	80	58	44	56	62	74	75	73	70	75	73	75	85	74	73	72	82	83	64	71	58	68.8
	MIN	33	37	37	42	39	47	44	45	43	44	50	39	39	38	41	44	44	44	43	42	46	47	52	45	44	45	52	47	37	41	41	43.0
ASHTON 1 S	MAX	43	49	64	75	76	66	52	53	64	69	72	53	42	59	64	72	72	69	72	70	75	73	71	72	72	74	84	73	61	53	49	64.9
	MIN	28	29	27	38	41	35	39	36	31	31	36	35	29	31	33	38	37	42	44	37	40	38	37	35	34	39	41	37	28	35	33	35.3
ATLANTA 1 E	MAX	35	48	60	69	70	69	66	59	64	64	64	36	45	54	67	70	68	64	64	64	68	72	72	63	64	73	71	73	63	62	52	62.4
	MIN	20	27	26	31	32	33	32	39	33	36	32	29	27	23	30	36	38	35	34	33	35	39	44	38	40	40	38	38	27	39	29	33.3
AVERY RS	MAX	40	49	73	73	76	73	72	56	79	85	84	56	47	49	73	78	76	66	73	76	83	91	88	64	68	74	76	72	63	61	64	69.6
	MIN	33	36	33	39	40	45	45	46	39	40	41	39	35	35	39	39	43	37	33	35	36	39	47	45	36	36	44	42	29	27	28	38.1
BAYVIEW MODEL BASIN	MAX	47	50	60	67	64	70	66	54	65	67	69	57	53	49	61	64	70	70	67	67	67	85	85	63	65	72	72	59	60	58	61	64.0
	MIN	36	39	30	43	34	50	49	45	41	38	47	41	43	41	36	35	47	45	31	37	36	37	50	44	38	33	41	42	27	31	30	39.3
BLACKFOOT	MAX	50	55	70	78	81	73	60	59	70	77	76	49	55	65	75	76	77	74	75	74	77	81	80	75	74	82	87	80	76	70	62	71.4
	MIN	32	33	35	48	48	40	46	44	36	40	47	40	33	31	37	40	47	50	45	49	46	49	55	48	52	50	56	51	38	45	38	43.5
BLACKFOOT DAM	MAX	37	49	60	70	73	71	58	53	62	65	74	50	46	58	66	68	69	66	66	65	66	70	69	65	64	72	78	60	78	80	50	63.8
	MIN	25	28	23	31	28	35	34	31	29	27	29	31	28	20	34	35	32	38	31	35	40	34	36	35	46	36	44	40	25	41	30	32.6
BLISS	MAX	54	63	75	77	70	75	70	79	74	78	71	50	60	65	73	77	77	75	75	76	77	82	82	77	74	85	89	80	72	68	64	73.0
	MIN	32	33	37	54	36	36	38	36	45	46	47	38	38	29	36	47	48	46	38	38	46	46	50	48	46	40	52	50	32	44	40	41.7
BOISE LUCKY PEAK DAM	MAX	51	64	76	73	78		79	66	73	82	80	70		62	71	75	75	74	72		77	86	86	75	75	80	84	73	66	65	68	73.4
	MIN	31	40	42	58	44		50	48	47	49	46	38		40	41	45	50	46	46		45	53	50	44	43	50	58	44	38	38	38	45.1
BOISE WB AP	MAX	52	62	76	73	74	73	63	68	74	83	71	48	56	62	72	74	75	70	72	72	75	85	77	75	72	80	79	61	67	59	61	69.7
	MIN	33	39	45	46	39	53	48	47	43	52	41	39	38	38	39	43	47	44	43	45	42	50	53	45	48	50	55	41	33	42	38	43.8
BONNERS FERRY	MAX	45	57	71	77	73	80	67	65	78	83	73	61	51	53	72	80	70	68	72	76	81	87	68	60	67	75	75	59	65	64	69	69.1
	MIN	37	40	33	38	33	43	42	50	43	41	43	43	45	43	46	41	48	43	35	43	38	40	50	44	41	37	45	38	30	33	31	40.5
BUHL	MAX	50	62	72	74	80	76	62	66	70	78	76	50	56	62	72	76	82	84	72	70	72	80	80	76	72	80	86	86	68	70	58	71.5
	MIN	32	34	40	50	42	54	46	44	46	46	46	36	34	34	38	46	49	48	45	48	48	50	58	50	52	50	58	46	40	44	40	45.0
BURKE 2 NNE	MAX	34	39	58	63	63	64	61	46	65	71	68	46	47	40	57	66	64	52	58	64	69	77	76	49	54	61	65	62	49	51	48	57.6
	MIN	29	32	28	35	30	39	35	37	36	33	35	32	33	32	32	31	36	31	29	31	32	34	31	40	31	30	38	33	25	26	30	32.5
BURLEY	MAX	47	51	61	70	76	80	79	62	60	73	78	62	55	67	64	74	75	77	75	77	73	77	81	81	75	73	83	88	64	74	65	70.9
	MIN	32	36	35	50	38	50	45	42	42	43	48	36	35	32	36	43	48	51	46	48	47	47	60	51	51	49	53	49	40	45	39	44.1
BURLEY FACTORY 1 NW	MAX	46	50	60	70	75	78	78	59	60	70	74	61	47	56	62	71	74	75	72	75	72	78	80	80	73	72	75	82	63	78	71	68.9
	MIN	32	33	32	46	34	46	44	40	40	38	43	35	35	29	33	41	43	48	42	42	45	45	56	50	47	44	50	48	35	40	37	41.1
BURLEY CAA AP	MAX	49	59	70	76	79	78	59	59	70	77	61	46	54	61	70	73	74	71	75	71	78	82	79	73	71	81	85	62	74	63	61	69.1
	MIN	33	35	33	39	33	47	44	40	38	39	40	35	31	30	32	41	44	50	42	44	44	45	56	50	48	45	50	43	37	42	39	40.9
CALDWELL	MAX	65	65	77	72	75	78	67	71	73	83	68	55	63	68	75	79	80	75	74	75	79	86	80	78	74	83	85	70	69	66	65	73.3
	MIN	35	37	38	34	36	50	50	46	42	42	46	39	35	38	41	47	46	45	43	40	43	43	56	47	48	45	54	42	36	44	37	42.7
CAMBRIDGE	MAX	58	58	59	67	70	82	80	81	80	75	72	72	70	69	74	75	80	78	76	77	72	73	73	70	69	71	72	75	71	60	58	71.5
	MIN	34	32	34	33	41	49	47	48	46	40	37	37	39	38	36	44	40	39	40	37	42	52	49	47	48	47	39	37	43	34	36	40.8
CASCADE 1 NW	MAX	42	51	[illegible]	68	72	66	54	57	65	71	66	42	47	53	67	68	67	61	63	65	71	77	72	65	63	71	75	64	58	56	49	62.4
	MIN	26	30	25	40	29	41	43	41	32	35	39	34	31	32	35	37	38	34	33	33	39	36	47	48	46	41	42	39	26	28	29	35.8
CHALLIS	MAX	51	58	66	70	76	74	70	59	68	71	70	53	50	58	65	76	72	69	70	67	73	77	74	69	70	78	75	68	66	62	58	67.2
	MIN	30	31	28	41	36	37	44	42	37	40	40	34	31	28	33	32	34	38	39	40	38	39	39	41	46	48	51	46	31	36	32	37.5
CHILLY BARTON FLAT	MAX	44	53	59	67	69	68	54	58	62	64	61	45	46	54	64	72	68	66	65	63	68	69	73	68	64	75	79	63	66	62	58	62.8
	MIN	23	27	18	37	26	30	37	37	32	28	31	30	27	23	26	28	30	31	33	30	34	32	36	43	35	42	41	38	24	34	28	31.3
CLARK FORK 1 ENE	MAX	40	50	71	76	71	75	75	56	72	77	74	56	53	50	69	73	72	67	71	71	76	82	81	63	65	70	72	69	61	59	63	67.1
	MIN	33	36	30	35	33	42	41	46	43	37	39	40	32	40	41	36	44	42	31	36	33	36	46	42	39	33	40	43	27	28	30	37.2
COEUR D ALENE CAA AP	MAX	50	58	69	72	69	74	55	64	73	79	61	55	47	48	69	74	70	67	70	70	76	84	67	62	65	70	72	58	60	59	62	65.5
	MIN	36	35	32	41	34	52	46	44	41	43	43	42	41	43	39	40	48	41	35	40	39	41	47	41	39	39	46	36	31	35	31	40.0
COEUR D ALENE RS	MAX	49	57	74	78	74	78	74	60	75	83	83	57	53	49	72	76	75	69	72	75	80	88	86	62	67	72	74	73	64	63	64	70.2
	MIN	37	40	31	37	38	47	47	48	39	40	44	40	41	43	40	40	49	43	30	39	37	40	56	44	40	37	48	41	30	21	29	39.9
COTTONWOOD	MAX	50	59	68	71	72	75	57	60	69	75	58	48	48	51	64	68	65	58	65	67	72	82	69	67	64	72	69	62	55	54	52	63.4
	MIN	32	35	31	45	34	50	44	45	37	42	39	39	37	39	35	40	45	34	32	32	37	40	50	41	41	39	45	38	29	31	30	38.3
COUNCIL 2 NNE	MAX	54	60	75	66	79	77	66	67	77	79	57	50	57	63	70	78	72	70	73	74	81	83	75	71	72	80	83	64	65	55	58	69.4
	MIN	28	31	35	49	36	54	48	46	38	39	46	39	36	37	44	49	50	40	41	44	43	43	53	43	37	40	48	44	37	40	37	41.8
DEADWOOD DAM	MAX	36	51	64	60	72	59	49	58	67	70	62	37	47	53	69	71	67	64	64	64	71	76	66	63	65	73	72	63	61	49	50	61.1
	MIN	22	27	20	31	23	32	36	36	26	31	29	30	28	28	27	27	31	31	26	26	28	28	44	31	31	36	35	30	21	29	26	29.2
DEER FLAT DAM	MAX	55	65	75	73	73	80	68	70	78	80	63	55	65	65	66	73	78	72	73	74	78	83	76	77	72	82	80	63	68	63	64	71.2
	MIN	41	36	39	41	39	44	41	41	44	40	52	39	38	42	44	44	52	47	46	44	47	42	54	52	50	52	54	48	39	45	40	44.4
DRIGGS	MAX	37	39	47	62	72	74	65	51	52	61	68	70	45	48	56	66	67	71	66	64	65	68	73	73	65	65	75	78	65	70	50	62.2
	MIN	27	28	28	33	33	36	33	36	31	30	33	33	30	23	25	33	37	43	43	46	36	34	42	42	43	42	44	47	29	44	44	35.7
DUBOIS EXP STA	MAX	46	51	62	73	74	72	52	53	64	67	70	59	48	57	67	70	71	70	66	65	70	73	76	72	71	76	83	69	70	69	48	65.6
	MIN	31	26	29	43	37	48	42	41	38	37	40	38	30	27	37	38	39	45	39	44	45	43	47	42	41	50	48	48	36	42	32	39.5
DUBOIS CAA AP	MAX	50	55	65	76	76	68	52	55	67	70	73	47	51	59	70	72	72	70	67	69	72	76	79	75	71	79	85	70	72	71	51	67.3
	MIN	28	24	27	42	35	45	43	38	34	36	40	34	32	29	36	36	38	46	39	45	47	40	43	40	38	48	47	40	35	45	34	38.2
EDEN HUNT PROJECT	MAX	51	63	71	76	80	79	66	63	69	76	69	48	55	62	70	75	71	75	79	71	75	82	81	74	72	82	90	75	70		66	71.2
	MIN	31	32	31	47	30	45	44	40	43	40	43	35	36	29	34	41	38	43	40	43	46	40	48	45	47	40	50	48	35		37	40.0
ELK CITY	MAX	44	56	69	70	71	71	65	56	72	76	73	46	45	49	67	69	69	63	65	66	73	82	80	65	64	70	73	70	70	55	51	65.0
	MIN	28	30	30	30	24	34	44	41	40	31	30	35	32	31	33	33	32	35	23	28	28	28	36	36	40	40	37	39	39	32	30	33.2
EMMETT 2 E	MAX	54	64	78	76	78	79	67	70	76	83	73	55	62	66	75	77	77	74	74	75	79	87	82	77	74	81	84	69	69	61	65	72.9
	MIN	32	37	38	52	38	55	50	47	40	45	48	40	36	39	38	43	43	41	40	39	45	45	63	42	45	44	53	41	30	45	32	42.8
FAIRFIELD RS	MAX	43	55	64	66	72	68	60	62	63	68					68	69	70	67	68	66	69	74	72	66	68	75	79	61	67			66.4
	MIN	29	30	28	30	34	43	41	41	42	38				28	28	35	38	37	36	34	39	39	45	45	43	40	51	45	27			37.2
FENN RS	MAX	51	62	74	78	78	82	60	60	78	83	65	55	56	55	74	76	70	66	76	75	83	90	86	74	70	76	79	67	67	58	59	70.4
	MIN	36	39	35	40	39	44	50	44	42	42	41	42	43	44	40	44	43	42	34	37	37	44	49	44	48	45	46	35	28	37	35	40.9
FORNEY BLACKBIRD MINE	MAX		45	60	60	62	62	58	43	54	60	60			58	56	62	63	57	55	57	64	70	73	62	60			69	51	49	34	57.8
	MIN		24	18	32	28	36	32	33	29	32	35			25	31	32	33	31	28	31	30	33	37	33	36			38	24	28	25	30.5
FORT HALL IND AGENCY	MAX	47	56	68	77	80	77	68	56	69		75	49	53	63	73		75	73	72	72	76	80		70	72	80	85	77	73	72	62	69.6
	MIN	32	31	36	43	36	47	45	42	34		35	38	35	28	35		38	49	45	44	46	43		48	50	46	53	46	38	44	37	40.9
GARDEN VALLEY RS	MAX	50	62	75	72	81	77	56	70	75	78	76	48	59	65	78	79	78	73	74	75	79	87	84	73	74	80	78	68	71	68	61	71.7
	MIN	28	32	28	40	31	46	48	47	38	38	41	37	37	33	35	37	40	38	35	35	38	38	45	40	42	42	46	43	27	39	33	38.0
GLENNS FERRY	MAX	56	62	78	77	82	81	67	73	76	82	76	54	62	70	76	82	80	75	73	78	[illegible]	86	85	78	76	89	92	73	74	65	68	75.0
	MIN	34	35	38	57	34	52	50	49	45	43	50	40	39	32	37	44	43	50	41	39	46	43	51	50	48	40	58	52	33	46	41	43.9
GOODING CAA AP	MAX	51	61	73	76	79	76	61	66	71	76	62	44	55	63	70	74	74	72	72	72	75	80	79	73	71	82	88	63	70	61	63	69.5
	MIN	31	36	37	48	39	48	46	45	47	47	41	35	36	32	37	45	44	47	39	46	47	46	53	48	49	43	59	45	35	42	38	42.9
GRACE PH	MAX	38	46	62	72	72	70	55	53	50	67	71	42	47	59	67	62	68	67	65	65	68	72	68	68	65	75	[illegible]	64	70	[illegible]	52	62.8
	MIN	26	29	28	36	34	42	33	35	34	32	35	32	28	28	34	40	33	42	38	41	42	37	46	45	43	45	45	45	33	43	31	36.6
GRAND VIEW	MAX	59	70	78	76	79	81	70	75	81	85	67	55	64	70	77	83	82	78	78	80	82	89	85	81	79	89	92	74	69	74	67	76.4
	MIN	39	39	36	52	37	55	52	49	44	44	51	42	37	37	45	51	48	52	47	43	47	46	55	52	53	46	59	49	37	39	44	46.0
GRANGEVILLE	MAX	48	60	68	75	72	76	49	55	68	77	62	47	49	52	66	71	66	60	66	70	73	83	64	67	67	73	73	58	58	53	52	63.8
	MIN	33	37	32	41	33	48	43	42	37	42	38	30	37	37	35	42	45	39	35	39	38	45	46	45	43	42	47	36	30	33	31	38.7
GRAY	MAX	32	40	60	62	59	62	71	60	45	63	65	70	62	54	72	70	66	64	62	67	66	69	68	67	65	70	77	62	81	62	55	62.8
	MIN	24	27	29	29	28	31	35	33	35	35	35	37	30	24	29	38	36	38	36	38	39	38	36	40	38	44	46	47	31	41	38	35.0
GROUSE	MAX	49	51	60	65	69	67	52	53	59	64	56	47	47	57	66	68	68	66	67	62	67	69	71	66	68	72	74	61	62	58	46	61.5
	MIN	27	20	18	32	25	31	40	38	32	29	30	28	30	18	26	27	32	39	27	29	38	32	36	33	35	35	40	38	27	37	32	31.0
HAILEY	MAX	47	55	66	68	75	73	68	58	65	70	69	42	50	62	72	72	74	69	68	72	74	77	77	71	73	75	79	65	68	67	62	67.2
	MIN	30	27	30	34	38	42	42	37	40	40	41	33	32	30	37	40	41	41	36	37	40	43	45	39	47	38	51	44	34	41	36	38.3
HAMER 4 NW	MAX	45	60	67	76	77	71	58	56	68	71	74	48	53	61	72	75	77	75	71	73	74	77	81	76	75	80	87	72	73	74	64	69.7
	MIN	29	19	25	39	33	47	41	39	35	35	38	40	33	24	34	34	36	47	33	41	46	40	43	39	35	41	46	48	29	45	36	37.1
HAZELTON	MAX	50	61	70	75	78	77	67	59	70	77	71	45	54	60	69	73	76	73	73	72	76	82	81	75	71	80	86	80	68	67	62	70.3
	MIN	32	34	32	49	36	48	44	41	43	40	43	36	35	33	36	40	42	47	44	44	45	43	52	47	49	45	52	48	40	42	47	42.2

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5-Continued

Station		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SPENCER RS	MAX	45	53	61	72	72	65	55	55	64	66	69	56	47	58	66	69	69	67	67	67	70	72	74	72	68	75	78	69	66	66	53	64.7
	MIN	27	24	20	33	32	40	38	40	37	29	32	34	28	22	33	34	32	40	35	42	40	32	33	34	30	45	41	46	31	38	31	34.0
SPRINGFIELD	MAX	48	57	70	75	78	65	58	58	69	74	72	50	55	64	74	72	76	74	74	73	75	79	80	75	74	82	86	73	73	72	60	69.8
	MIN	30	29	29	41	33	36	45	38	34	34	38	37	35	35	32	36	37	45	40	44	46	40	43	43	41	45	43	49	[illegible]	40	38	38.1
STIBNITE	MAX	34	35	47	61	63	67	65	44	49	61	65	60	38	41	48	61	68	64	60	60	62	67	72	64	57	54	68	69	60	54	44	57.0
	MIN	22	22	37	35	34	33	35	30	31	41	27	26	28	28	37	32	30	28	30	30	40	43	42	45	28	37	36	24	27	27	29	32.1
SUGAR	MAX	48	52	67	76	75		46	54	65	71	74	53	48	59	72	73	74	73	71	[illegible]	[illegible]	76	79	73	73	80	86	66	72	71	[illegible]	67.9
	MIN	31	30	28	36	35			41	34	34	37	31	31	27	33	35	38	46	37	46	42			48	40	49	41	49	32	44	37	37.1
SUN VALLEY	MAX	44	53	61	65	70	70	67	61	63	66	65	54	49	57	68	68	76	68	67	67	69	71	72	68	68	76	76	63	65	66	59	64.9
	MIN	26	22	18	33	26	29	40	35	29	29	31	31	26	19	30	27	30	30	26	26	37	40	34	40	35	31	42	36	20	36	30	30.1
SWANS FALLS PH	MAX	56	70	79	74	80	79	70	70	79	87	80	57	61	67	75	81	79	76	76	75	82	90	83	83	80	86	86	77	68	64	64	75.3
	MIN	41	40	44	48	56	55	49	50	49	51	47	40	39	43	50	53	56	51	51	50	52	51	62	54	51	51	50	44	41	46	43	48.6
TETONIA EXP STA	MAX	38	41	59	70	73	66	48	56	61	66	68	41	44	54	66	67	69	67	66	65	67	72	70	66	64	71	78	68	69	65	57	62.[illegible]
	MIN	27	29	31	32	34	36	34	39	31	31	33	30	26	23	25	30	32	43	41	44	36	36	40	41	42	46	51	48	27	43	32	35.[illegible]
THREE CREEK	MAX	40	54	63	65	71	65	56	58	66	72	69	46	50	55	62	69	70	69	67	66	67	75	76	74	71	80	84	78	66	65	60	6[illegible]
	MIN	25	30	33	43	30	37	40	33	34	33	34	31	28	23	29	36	38	36	34	34	33	44	35	40	42	37	44	38	28	29	27	34.1
TWIN FALLS 2 NNE	MAX	51	63	74	77	82	79	69	65	72	78	75	53	56	62	70	76	77	73	75	73	75	83	82	76	72	83	90	85	69	70	62	72.[illegible]
	MIN	34	37	31	48	34	49	45	44	47	41	44	38	36	31	40	41	51	48	44	49	46	45	56	49	51	43	53	48	40	40	39	43.[illegible]
TWIN FALLS 3 SE	MAX	49	52	64	73	78	80	79	62	66	71	78	63	48	56	63	71	76	77	74	75	72	75	84	81	74	73	81	88	63	70	65	70.[illegible]
	MIN	28	33	28	42	32	44	41	40	43	40	44	36	32	31	37	43	48	47	40	40	42	42	55	45	47	40	43	44	48	38	35	40.1
WALLACE	MAX	42	49	71	70	72	71	62	55	73	81	69	49	46	48	69	73	63	62	67	70	78	86	66	57	66	70	74	54	56	58	57	64.0
	MIN	34	38	30	42	33	45	44	44	42	48	38	38	38	38	36	44	43	38	32	34	34	32	47	46	35	34	45	40	29	28	30	38.[illegible]
WALLACE WOODLAND PARK	MAX	38	42	47	68	70	71	70	50	53	73	79	72	59	54	57	67	73	62	59	66	68	76	84	64	55	63	68	70	52	55	51	62.[illegible]
	MIN	33	33	30	31	35	37	45	45	43	39	41	38	38	37	37	36	39	40	33	35	34	36	42	47	36	35	44	40	28	28	32	37.0
WEISER	MAX	52	67	78	74	80	82	67	74	78	82	64	59	60	68	80	82	79	75	74	74	79	90	78	82	78	85	88	70	68	62	62	73.9
	MIN	29	30	40	48	46	53	50	46	49	55	47	40	34	40	40	46	46	44	39	43	46	49	56	48	46	48	51	45	42	33	32	43.6
WINCHESTER 1 SE	MAX	47	57	67	70	71	73	62	52	66	74	72	49	48	46	65	66	66	63	64	65	70	81	80	63	62	68	68	65	60	54	52	63.4
	MIN	29	31	26	40	29	44	40	40	33	39	35	29	34	36	33	33	42	32	29	33	33	42	47	37	47	39	41	33	27	25	28	35.0

EVAPORATION AND WIND

Table 6

Station		Day of month																															Total or ave
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ARROWROCK DAM	EVAP	.16	.03	.14	.32	.14	.21	.16	.08	.20	.11	.29	*	*	.14	.09	.19	.32	.12	.25	.19	.31	.26	.30	.24	.21	.23	.22	.17	.25	.24	.19	5.76
	WIND	111	61	39	122	58	38	50	27	67	36	67	44	55	48	55	53	32	59	45	35	69	40	34	63	57	47	41	62	62	64	151	1792
LIFTON PUMPING STATION	EVAP	.07	.02	.13	.22	.24	.31	.19	.15	.19	.19	.23	.15	.09	.14	.10	.18	.12	.22	.20	.20	.14	.17	.15	.24	.36	.27	.23	.27	.19	*	.58	5.94
	WIND	158	43	69	26	34	102	154	75	66	44	41	138	70	87	61	33	44	115	68	84	86	78	70	104	107	58	35	100	48	*	229	2427
MINIDOKA DAM	EVAP	.24	.30	.24	.31	.30	.39	.13	.13	.11	.11	.40	.05	.13	.21	.21	.37	.41	.33	.32	.39	.23	.28	.36	.49	.50	.49	.31	.43	.31	.38	.35	9.21
	WIND	325	235	155	200	90	160	185	190	45	60	205	195	210	70	85	120	130	185	105	115	100	80	180	205	245	140	80	225	90	175	240	4825
MOSCOW U OF I	EVAP	.21	.14	.21	.18	.14	.19	.01	.06	.14	.23	.10	.06	.10	.01	.13	.22	.21	.21	.22	.19	.18	.26	.21	.23	.22	.18	.32	.35	.18	.18	.12	5.39
	WIND	211	117	60	67	22	30	51	36	18	44	69	57	162	57	25	34	64	80	23	21	21	31	118	161	105	19	64	240	35	30	23	2095
PALISADES DAM	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.19	.17	.21	.20	.21	.17	.23	.24	*	.57	.24	.22	.20	.22	.19	.08	-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DAILY PRECIPITATION

Station	Day of month																														Total
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA				T	.03	T						05	T									T	.09									.17
ALBION		.06				.06	T	.14					.33																			.59
ALPHA 1 NE				.05	.75	.35					.03	28										.07										1.53
AMERICAN FALLS 1 NW					T	.05	.02	.01					.20																			.28
ANDERSON DAM					.26	.16	T					.14																				.56
ARROWROCK DAM					36	.04	.42						09																			.91
ASHTON 1 S			T	T	T	.04	.21	T				13	.29								.10	.12										.89
ATLANTA 1 E					.63	.32	.09	.07				33										.06										1.50
ATLANTA 1 E R				.13	51	.44	.08					.34										.09										1.59
AVERY RS			T	06	33	.18	.30	.01			03	18	05								.10		T	.51								1.75
BANCROFT R	04		.03		02		.07					.12																				-
BAYVIEW MODEL BASIN					05	.10	.07	T				.15	15										.15	.48								1.15
BENTON DAM R				.07	.04	10	.09				.07	.22	02					.18		.21	.11		.20	.29	.18							1.78
BLACKFOOT					13	T					T	05												.10								.28
BLACKFOOT DAM			.03		.02	.06	.09					05	34										.27									.86
BLACKFOOT DAM R			03		02	.06	.09					.10	.29									25	.02									.86
BLISS					.02	.10					T																					.12
BOISE LUCKY PEAK DAM					30	.43	.01					.02																				.76
BOISE LUCKY PEAK DAM R				.23	.10	.46						.02																				.81
BOISE WB AP R		T		.27	.18	.23					T	.02										T										.70
BONNERS FERRY R				.05	.09	.07	.01			.02	.05	.10									.02		.52	.14								1.07
BRIDGE R	03						.04					.35																				.42
BUHL					T	T	T																									T
BUNGALOW RS				11	.47	.13	.48	T			07										T	07	T	.37								1.70
BURKE 2 NNE			T	.14	.37	.21	.47	T	T		.16	.06	.02						.05	T	.42	.05		.83								2.78
BURLEY													.02																			.02
BURLEY FACTORY 1 NW	T	.04			T		T																									.04
BURLEY CAA AP	06			T	T	T	T					.05										T										.11
BURLEY CAA AP R	.06											.05																				.11
CALDWELL					.38	.08	.01					T																				.47
CAMBRIDGE					.35	T	.06					.21											T									.62
CASCADE 1 NW				T	42	.07	.02	.01				.40										.05										.97
CASCADE RS R				.25	.24	.14	.04					.36										.04										1.07
CENTERVILLE ARBAUGH	T			.04	.88	.37	.06				T	.21									T	T										1.56
CHALLIS					.28	.26						.15										.04										.73
CHILLY BARTON FLAT					T	20	.10					.26										T										.56
CLARK FORK 1 ENE				.02	.05	.05	.16	T				.22	.06					.07		.08			.15	.42	T							1.28
CLARK FORK 1 ENE R				•	.06	.03	.16				.06	.10	.07					.11		.06			.35	.20								1.20
CLARKIA RS R				.05	.30	.23	.74					.08										.12	.06	.20								1.78
CLEMENTSVILLE 4 S R		.05			.15	.20		.08			.03		.15	.25																		.91
COEUR D ALENE CAA AP			T	.19	.20	.09	.46			T	T	.13	.03									T	.29	.16						T		1.55
COEUR D ALENE CAA AP R				.19	.20	.10	.73					.13	.03										.23	.15								1.76
COEUR D ALENE RS				.45	.07	.20	.63			T	.10	.17	T										T	.26	T							1.88
CONDA	.18	.01			.03		.05					.32										.32	.02									.93
COTTONWOOD 2 SW R				58	.30	.55	.30				.15	.18										.09	.02	.23								2.40
COUNCIL 2 NNE				.08	.87	.32	.11					.17																				1.55
COUNCIL 2 NNE R				.31	.50	.32	.10	.03				.14																				1.40
CRAIGMONT R			.10	.69	•	.34	.24					.16										.03		.02								1.58
CROUCH 2 NNW					.73	.43	.25	.03				.27																				1.71
DEADWOOD DAM				.09	.70	.60	.08				T	.25										.20		T								1.92
DEADWOOD DAM R				.20	.52	.56	.05					.22										.15										1.70
DEER FLAT DAM				.47	.05	.07																										.59
DRIGGS	T	.17					.21	T			.04	.44	.05	T								.03		.01	T							.95
DUBOIS EXP STA	T				.12	T	.04		T			.02	.13			T					T	.03	.02									.36
DUBOIS CAA AP	T			.02	.08	.08	.05	T				.63								.01		.20										1.07
DUBOIS CAA AP R				.02	.08	.07	.05					.62	.02							.01		.20										1.07
EDEN HUNT PROJECT					.10							T																				.10
ELK CITY				.65	.49	.35	.20	.06			.18	.25	.01										T	.30	.03							2.52
FAIRFIELD RS	.17	.10			.22		T					.22																				.71
FENN RS					.68	.33	.45	.10				.32	.01										.26	T								2.15
FORNEY BLACKBIRD MINE	.04				.18	.09	.05				T	.05	.33	T											.15	.01						.90
FORT HALL IND AGENCY					.11	.01							.13									T										.25
GARDEN VALLEY RS					.55	.43	.01	.15				.36									.03			T								1.53
GLENNS FERRY	T			T	.23																											.23
GOODING CAA AP	.02			T	.04	.02	.06				T	.02										T										.16
GOODING CAA AP R	.02				.04	.02	.06					.02																				.16
GRACE PH	.03						.03					.09										.16										.31
GRAND VIEW			T				.20				T																					.20
GRAY	.17	.15	.13		.05		.17															.05										.72
GROUSE					.01	T	T		.02			.03									.04	.11										.21
HAILEY					.02	.09						.15																				.26
HAMER 4 NW		T			.07	T						.02	.12									.10										.31
HAZELTON	T				T	.04	.02					.10																				.16
HILL CITY		T		T	.44	T	T					.30																				.74
HOLLISTER					.03	T						.12																				.15
HOWE					.05		.03	T				T	.10										.09									.27
IDAHO CITY				.05	.55	.47	.02	.01				.22										.02										1.34
IDAHO CITY 13 SW					.50	.36	T	T					.23																			1.09
IDAHO FALLS CAA AP				T	.20	.06	T	T		T	.03	.12	.02									.03										.46
IDAHO FALLS CAA AP //R					.15	.07					.02	.10	.02									.03										.39
IRWIN 2 S	.07	.06	T	T	.10	.08	.08	.05			T	.18	T									T	.34									.96
ISLAND PARK DAM				T	.40	.07		.80				.16	1.03			.04	T					.09			.14							2.73
JEROME	T				T	.05	.01					.03	T																			.09
KAMIAH 1 NE				.03	.50	.22	.24	.36				.04	.10											T	.11							1.60
KELLOGG					.14	.14	.53	.07				.11	.12						.02		.05			.80	.01							1.99
KOOSKIA				.02	.77	.21	.48	.02			T	.30												.11								1.91
KUNA 2 NNE				T	.50	.15																										.65
LEADORE R					.13	.10	.09	.01				.09	.02									.03										.47
LEWISTON WATER PLANT				.08	.91	.17	.57					.15										.04	T	.05	.04							2.01
LEWISTON WB AP 6			T	.47	.68	.42	.36				T	.31										.04	T	.08								2.36
LIFTON PUMPING STA	.54	T	.01										.09								.08	.03	.04		.03							.82
LOWMAN				.02	.79	.50	.03	.07	T			.34																				1.75
MACKAY RS					04	.09						.08								T		.02										.23
MACKAY RS R					.06	.11						.08										.01										.26
MALAD											T	15																				.15
MALAD CAA AP 6												.19										T										.19
MAY RS				T	.40	.29	T	.02				.23										.03										.97
MC CAMMON			T	T	.07	.03	.06				T	.16	T									.02	T									.34
MERIDIAN 1 SSW				T	.60	.18																										.78
MESA				T	.62	.09	T					.15										T										.86
MINIDOKA DAM	T											.09																				.09
MONTPELIER RS	.12	.15	.02				.02				T		.04										.27		.07							.69
MOOSE CREEK RS R				.28	.37	.03	.20				.05												.02	.07								1.02
MOSCOW U OF I				.12	1.18	.18	.36	T				.21												.03								2.08
MOUNTAIN HOME 1 W				.13		.19						.05																				.37
MOUNTAIN HOME 1 W R				.13		.19						.05																				.37
MULLAN PASS CAA			T	.09	.27	.09	.19				T	.02	.07							.02			.14	.33								1.22
MULLAN PASS CAA R				.13	.50	.13	.30					.06	.02							.07			.25	.48								1.94
NAMPA 2 NW					.28	.08	.34	.02				T	.01																			.73
NEZPERCE			•	•	•	•	•	.48		T														.24								.72
OAKLEY	.05	.01			.03	.02	.16					.76	.03																			1.06
OBSIDIAN 4 NNE				.20	.33							.23	.02									.13										.91
OLA				.01	.65	.35	.08	T				.20																				1.29
OLA R				.43	.25	.32	.03				•	.20																				1.23
OROFINO				.05	.66	.17	.42	.01				.50	.01											.18								2.00
PALISADES DAM	.03	.08	.03		07	T	.07	.14	.02		T	.02	.45									T		.11								1.02
PARMA EXP STA				.05	.09	.22						T																				.36
PAUL 1 E												.10																				.10
PAYETTE				T	.27	.39						.03																				.69
PIERCE RS				.08	.62	•	•	1.03	.04			.25	.02								.06	.08	.13	.32	.05							2.68
PIERCE RS / R				.11	.53	.53	.81	.04				.26	.07								05	.17	.06	.27	.02							2.92
PINE 2 SSW	.04	T		T	.34	.19		T			T	.17										.18										.92
PLUMMER 3 WSW R				.05	.56	.04	.81	.01				.05										•	.10									1.62
POCATELLO WB AP R				T	.10	T					T	.15										.06										.31
PORTHILL					.15	.10				T		.25						T					.20	.65						T		1.35
POTLATCH					.25	•	•	•	•	1.50	.28	.09																				2.12
PRESTON SUG FACT 2 SE	.03										T		.06								.14		.02		.04							.29
PRIEST RIVER EXP STA			T	.07	T	.02	.09					.24	03					.65		.45	.11	T	.23	.42								2.31
RICHFIELD							T					.18																				.18
RIGGINS RS	T			.03	.81	.06	.17	.04			T	.22	T											.02								1.35
RIRIE			T		.26		.10				T	.17	T									.04										.57
ROLAND W PORTAL			T	.02	.62	.34	.57	T			.05	.13	.02	.02				T	T		•	•	•	.90								2.67
RUPERT	T				T								06																			.06
SAINT ANTHONY					.25	.11	.03	.02				.08	.32									.02										.83
SAINT MARIES			T	.04	.65	.33	.50	.08														.02	.10									1.72
SANDPOINT EXP STA				T	.05		.05				T	.41						.54			T		.39	.36								1.80
SANDPOINT EXP STA R					.05	.02	.04				.15	.28						52					.61	.13								1.80
SHOSHONE	T	T			T	T	.01					.07										T										.08
SPENCER RS	01				.33	.12	T	18				.49	32									.04	T									1.49
SPRINGFIELD				.04	.03	.03	01				T	02										.29										.42
STIBNITE	T			.18	.17	.15	.22	.17				.13	.25									.05	.06	•	.45		.02					1.85
SUGAR	T	T		T	.30	.10	.02	T		T	.02		.22									.12										.78

See reference notes following Station Index

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
SUN VALLEY			01		T	.18	.15						.28										.08										.70
SUN VALLEY	R	.01				.15	.15						.25										.07										.63
SWAN FALLS PH						30		.05																									.35
TETONIA EXP STA			.20			.03	.13		.12			.15		.10	.19							T											.92
THREE CREEK					T	.08	.30	.05	T			T	.21																				.64
TWIN FALLS 2 NNE					T	.02	.01	T					.04																				.07
TWIN FALLS 3 SE						.01		T	T					.06																			.07
WALLACE				T	.07	.37	.18	[illegible]				.19	.19	.07					T	T	T	.07			.45								1.85
WALLACE WOODLAND PARK						.21	.26	[illegible]	15				.21	.12								.08			.75								2.04
WALLACE WOODLAND PARK	R				05	30	16	[illegible]				14	.11	.05							.06			.17	.55								1.99
WEISER						30	.06																										.36
WINCHESTER 1 SE		.01			.20	.98	.20	.48	.05				.22										.02		.21	.02							2.39

ACKNOWLEDGMENTS

In addition to the climatological data from some 6,000 Weather Bureau and cooperative weather stations, this bulletin series contains records from Hydroclimatic Network Stations which were formerly reproduced in the Hydrologic Bulletin Series. The Hydroclimatic Network is a nationwide net of rain gages--mostly of the recording type which produce continuous records of precipitation. It was established in 1939 at the request of the Corps of Engineers, Department of the Army, to supplement existing precipitation stations in order to provide records of rainfall intensity which were essential to the planning of flood control and related works by the Corps of Engineers. This Network, now numbering about 2,000 recording, and 1,000 non-recording rain gages, has been maintained by the Weather Bureau through working funds transferred annually to the Weather Bureau by the Corps of Engineers. These transfers averaged about $250,000 per year between 1940 and 1944, and nearly $375,000 since that date. For the years 1940-42, the Department of Agriculture transferred about $100,000 per year to provide data required in its work, and since 1947 the Bureau of Reclamation has transferred about $25,000 per year to meet the increasing needs of their program in the Western States.

Previous to the introduction of this bulletin series, data from Hydroclimatic Network stations were presented in bulletins (Hydrologic Bulletins) which were issued monthly for each of 8 drainage areas embracing the entire United States, but since the Network was established to meet the internal requirements of the Federal agencies referred to above, no provision was made for public dissemination of the data, distribution being limited to cooperating agencies and to certain public repositories. A list of locations where reference copies of the Hydrologic Bulletin Series are available for inspection may be obtained upon application to Chief, U.S. Weather Bureau, Washington 25, D.C.

Many other records published in this bulletin have been made available through the cooperation of various public offices, private agencies, and individuals as listed in the Station Index.

See reference notes following Station Index

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
-1st-																										
BANCROFT	//													.04												.04
[illegible]	//		.01	.01														.01								.03
BURLEY CAA AIRPORT	//																		*	*	*	.06				.06
GOODING CAA AIRPORT																							.01	.01		.02
SUN VALLEY	//																			.01						.01
-2d-																										
CLEMENTSVILLE 4 SE	//								.04	.01																.05
-3d-																										
BANCROFT	//											.01	.02													.03
BLACKFOOT DAM	//												.02		.01											.03
CRAIGMONT	//																		.02	.02	.02	.01	.02		.01	.10
-4th-																										
ATLANTA 1 E	//																				.01	.03	.08	.01		.13
BENTON DAM					.02	.05																				.07
BOISE LUCKY PEAK DAM																							.07	.07	.09	.23
BOISE WB AIRPORT	//																						.07	.12	.08	.27
BONNERS FERRY										.04	.01															.05
CASCADE RANGER STATION	//																		.01	.01	.02	.05	.03	.09	.04	.25
CLARK FORK 1 ENE														*	*	*	*	*	*	*	*	*	*	*	*	*
CLARKIA RANGER STATION	//												.01	.01		.01	.02									.05
COEUR D ALENE CAA AP													.01	.02	.10	.04		.01		.01						.19
COTTONWOOD 2 SW					.05	.03							.01	.02	.01	.01			.02	.03	.02	.10	.13	.03	.12	.58
COUNCIL 2 NNE																					.01	.03	.01	.05	.21	.31
CRAIGMONT	//	.03	.01					.03		.05	.06	.12	.06	.09	.07	.05	.04	.02	.01	.04	.01					.69
DEADWOOD DAM	//												.02	.02	.01					.01	.03			.01	.10	.20
DUBOIS CAA AIRPORT	//																							.01	.01	.02
LEWISTON WB AP	6						*	*	*	*	*	.08	*	*	*	*	*	.06	*	*	*	*	*	.19	*	-
MOOSE CREEK RANGER STA	//										.03	.02				.10	.10	.01	.01						.01	.28
MOUNTAIN HOME 1 W														.10			.01			.01		.01				.13
MULLAN PASS CAA	//													.02		.07	.01	.01	.02							.13
OLA																		.01	.02	.03	.01	.05	.19	.11	.01	.43
PIERCE RANGER STATION	//										.02	.02	.01				.02							.03	.01	.11
PLUMMER 3 WSW													.02	.02		.01										.05
SALMON	6																			*	*	*	*	*	.11	-
WALLACE WOODLAND PARK															.01	.01	.02				.01					.05
-5th-																										
ATLANTA 1 E	//	.02	.15	.04	.01	.01	.07	.06	.02	.02			.01		.05	.03		.01	.01							.51
BANCROFT	//																	.02								.02
BENTON DAM											.01	.01	.01		.01											.04
BLACKFOOT DAM	//							.01	.01																	.02
BOISE LUCKY PEAK DAM			.01	.06	.01						.01					.01										.10
BOISE WB AIRPORT	//	.01		.12	.02									.01	.01		.01									.18
BONNERS FERRY												.01		.01	.04	.01	.02									.09
CASCADE RANGER STATION	//	[illegible]	[illegible]	.02	[illegible]	.05	.02										.01	.04	.04							.24
CLARK FORK 1 ENE		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.05				.01				.06
CLARKIA RANGER STATION	//		[illegible]	.03	.01	[illegible]	[illegible]		.03	.01	.02	.03				.01	.01	.03	.01	.02	.01	.01				.30
CLEMENTSVILLE 4 SE	//											.05	.08	.02												.15
COEUR D ALENE CAA AP			.01			[illegible]	.04	.03	.02	[illegible]								.02		.03	.02				[illegible]	.20
COTTONWOOD 2 SW		[illegible]	[illegible]	[illegible]	.05	[illegible]	[illegible]			.01	.01	.01	.01	.01	.02	.01	.04	.01								.30
COUNCIL 2 NNE		[illegible]	.03	[illegible]	[illegible]	[illegible]	.04	.01		.01	.01	.03	.01		.11	.03	.04									.50
CRAIGMONT	//		[illegible]	.01						.02								.01	.02			.02	*	*	*	*
DEADWOOD DAM	//	.12	.03		.07	.08	.05		.01	.02	.01		.01		.02	.01		.02	.01	.02		.04				.52
DUBOIS CAA AIRPORT	//						.03	.02		.02	.01															[illegible]
GOODING CAA AIRPORT	//								.03	.01																[illegible]
IDAHO FALLS CAA AIRPORT	//										.06	.07	.01	.01												[illegible]
LEADORE			.02	.01				.01	.04		.02	.03														.13
LEWISTON WB AP	6	*	*	*	*	[illegible]	*	*	*	*	*	.15	*	*	*	*	*	.07							*	
MACKAY RANGER STATION					.02	[illegible]			[illegible]	[illegible]		.01														[illegible]
MOOSE CREEK RANGER STA	//	.03	[illegible]	.02	.12	[illegible]					.01		.01	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.01	.01						[illegible]
MULLAN PASS CAA	//			.05	[illegible]	[illegible]	[illegible]		.06	[illegible]	.02		.03				[illegible]	[illegible]		[illegible]	[illegible]	[illegible]		[illegible]		[illegible]
OLA		.02		[illegible]					.04	.01	.02	.01						[illegible]	[illegible]							[illegible]
PIERCE RANGER STATION	//	.05	.06	[illegible]	[illegible]	.03	.05	[illegible]						[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]			[illegible]		[illegible]
PLUMMER 3 WSW			[illegible]	.03	.03	.12	.09	.04		.10	.05	[illegible]		.01	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]
POCATELLO WB AIRPORT	//								[illegible]	[illegible]	.04															[illegible]
SALMON	6	*	*	*	*	*	.27																			-
SANDPOINT EXP STATION																	.02	[illegible]								[illegible]
SUN VALLEY	//		.01	.02	.03		[illegible]		[illegible]	.02				[illegible]												[illegible]
WALLACE WOODLAND PARK			.01			[illegible]	.03		[illegible]	.02	[illegible]			[illegible]		[illegible]	.01		.01			[illegible]	.04	[illegible]	[illegible]	[illegible]
-6th-																										
ATLANTA 1 E	//				.01	[illegible]	.02			.01					.01	.10	[illegible]		[illegible]	[illegible]	[illegible]					[illegible]
BENTON DAM												.01	.01	[illegible]	[illegible]			[illegible]							[illegible]	[illegible]
BLACKFOOT DAM	//																[illegible]		[illegible]							[illegible]
BOISE LUCKY PEAK DAM				[illegible]						.17	.15	.08	[illegible]			[illegible]	[illegible]	[illegible]								[illegible]
BOISE WB AIRPORT	//								[illegible]	.06	.05	.04	.03				[illegible]									[illegible]
BONNERS FERRY				[illegible]						.01	[illegible]														.04	[illegible]
CASCADE RANGER STATION	//			.02	[illegible]	[illegible]									[illegible]	[illegible]	[illegible]		[illegible]							[illegible]
CLARK FORK 1 ENE		.01				.01		[illegible]																		[illegible]
CLARKIA RANGER STATION	//							[illegible]				.01	.01	[illegible]	[illegible]	[illegible]				[illegible]						[illegible]
CLEMENTSVILLE 4 SE	//															[illegible]	.04			[illegible]	[illegible]					[illegible]
COEUR D ALENE CAA AP		.02	.02	.02	.02	[illegible]			[illegible]																	[illegible]
COTTONWOOD 2 SW												.12	.03	[illegible]	[illegible]	[illegible]	[illegible]									[illegible]
COUNCIL 2 NNE			.02								.01		.01		[illegible]	[illegible]	[illegible]									[illegible]
CRAIGMONT	//	*	*	*	*	*	*	*	*	*	.10					[illegible]	[illegible]		[illegible]					[illegible]	[illegible]	[illegible]
DEADWOOD DAM	//			.05	.09	.04	.03	.04	[illegible]	.05	.07				[illegible]		[illegible]	[illegible]	[illegible]		[illegible]					[illegible]
DUBOIS CAA AIRPORT	//												.01	[illegible]		[illegible]			[illegible]							[illegible]
GOODING CAA AIRPORT	//														[illegible]	[illegible]										[illegible]
IDAHO FALLS CAA AIRPORT	//															[illegible]	[illegible]		[illegible]	[illegible]						[illegible]
LEADORE																[illegible]	[illegible]									[illegible]
LEWISTON WB AP	6	*	*	*	*	.01	*	*	*	*	*	.20							*	*	*	*	*	*	*	-
MACKAY RS														[illegible]	[illegible]	[illegible]										.11
MOOSE CREEK RANGER STA	//										.02				[illegible]											[illegible]
MOUNTAIN HOME 1 W		.04	[illegible]		.02		.01	[illegible]												.02	.06	.02				.19
MULLAN PASS CAA	//		.01	[illegible]		[illegible]			.02	.02	[illegible]		[illegible]				[illegible]								[illegible]	[illegible]
OLA		.01	.03	.04	.01	[illegible]	.01								[illegible]	[illegible]		[illegible]								[illegible]
PIERCE RANGER STATION	//		[illegible]	.01		[illegible]	.01	.01	.01	.02					[illegible]	[illegible]			[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	.53
PLUMMER 3 WSW		.01		.01																					.02	.04
SALMON	6																			*	*	*	*	*	.02	-
SANDPOINT EXP STATION																									.02	[illegible]
SUN VALLEY	//									.05	.03	.02	.02	[illegible]												.15
WALLACE WOODLAND PARK				.04	.01	[illegible]			[illegible]	[illegible]	[illegible]			[illegible]		[illegible]	[illegible]	[illegible]							.01	.16
-7th-																										
ATLANTA 1 E	//					[illegible]													.02			[illegible]				.08

See reference notes following Station Index.

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
BANCROFT	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.07	.07
BENTON DAM		.04	.01										.03	.01												.09
BLACKFOOT DAM	//		.01		.01												.05	.02								.09
BONNERS FERRY				.01																						.01
BRIDGE	//										.02							.02								.04
CASCADE RANGER STATION	//																						.02	.01	.01	.04
CLARK FORK 1 ENE			.09	.02	.01		.01	.01			.01		.01													.16
CLARKIA RANGER STATION	//		.01	.02	.04	.05	.05	.04	.01	.12	.03	.01	.01	.15	.13	.05								.01	.01	.74
COEUR D ALENE CAA AP		.01	.01	.08	.28	.14	.02	.01	.01				.15	.02												.73
COTTONWOOD 2 SW		.03	.03	.01		.01		.10	.02	.05		.03	.01	.01												.30
COUNCIL 2 NNE											.01	.01		.03	.01	.01	.03									.10
CRAIGMONT	//	.01	.01	.01			.02	.03	.05	.02	.02	.02	.01				.01		.01	.02						.24
DEADWOOD DAM	//									.01			.01			.01					.02					.05
DUBOIS CAA AIRPORT	//															.02				.03						.05
GOODING CAA AIRPORT	//								.02	.02	.02															.06
LEADORE																			.01	.06	.02					.09
LEWISTON WB AP	6	*	*	*	*	.06	*	*	*	*	*	.22	*	*	*	*	*	.12								-
MOOSE CREEK RANGER STA	//					.02	.05	.02			.01	.07	.01			.02										.20
MULLAN PASS CAA	//	.02	.02	.01		.02	.02	.03	.01	.03	.03		.01	.02	.03	.02		.01	.01			.01				.30
OLA															.01			.02								.03
PIERCE RANGER STATION	//	.09	.01	.02	.03	.06	.05	.10	.06	.13	.02	.02	.07	.05	.04	.01		.01	.01	.01	.02					.81
PLUMMER 3 WSW		.13	.05	.04	.01	.07	.11		.05	.01	.08	.07						.18			.01					.81
SANDPOINT EXP STATION		.04																								.04
WALLACE WOODLAND PARK		.03	.01	.01	.01	.02	.06		.04	.02	.04		.01			.03	.02		.03		.01	.01				.35
-8th-																										
CLEMENTSVILLE 4 SE	//											.01		.01	.05	.01										.08
COUNCIL 2 NNE				.02	.01																					.03
LEADORE			.01																							.01
PIERCE RANGER STATION	//																	.02	.01	.01						.04
PLUMMER 3 WSW				.01																						.01
SALMON	6													*	*	*	*	*	.10	*	*	*	*	*	.10	-
-9th-																										
SALMON	6	*	*	*	*	*	.17																			-
-10th-																										
BONNERS FERRY																						.01	.01			.02
-11th-																										
BENTON DAM																					.02	.04		.01		.07
BONNERS FERRY												.01	.01								.01		.01		.01	.05
CLARK FORK 1 ENE																							.02	.04		.06
CLEMENTSVILLE 4 SE	//									.03																.03
COTTONWOOD 2 SW																	.02	.11	.02							.15
IDAHO FALLS CAA AIRPORT	//																	.01				.01				.02
LEWISTON WB AP	6																								*	-
MALAD																					*	*	*	.15		.15
MOOSE CREEK RANGER STA	//																					.03	.01		.01	.05
OLA														*	*	*	*	*	*	*	*	*	*	*	*	*
SANDPOINT EXP STATION																						.09	.03	.03		.15
WALLACE WOODLAND PARK																.01	.13									.14
-12th-																										
ATLANTA 1 E	//						.01	.01	.03				.02	.04	[illegible]	[illegible]	.02	[illegible]		[illegible]	[illegible]					.34
BANCROFT	//					.02	.01	.07	.02																	.12
BENTON DAM				.02	.02	.01	.02	.07	.02							.01	.01		.01						.03	.22
BLACKFOOT DAM	//																		.02	.03	.03	.02				.10
BOISE LUCKY PEAK DAM											.01	.01														.02
BOISE WB AIRPORT	//										.01	.01														.02
BONNERS FERRY		.01			.01	.01	.02	.01	.01	.01	.01	.01														.10
BRIDGE	//	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.35	.35
BURLEY CAA AIRPORT	//																	.04	.01							.05
CASCADE RANGER STATION	//								.02	.08	.06	.07	.03	.04		[illegible]										.36
CLARK FORK 1 ENE				.01	.03	.01	.03	.02																		.10
CLARKIA RANGER STATION	//				.01	.01	.02	.01		.01		.01	.01													.08
COEUR D ALENE CAA AP		*	.04					*	*	*	.09															.13
COTTONWOOD 2 SW						.04	.01		[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]		[illegible]									.18
COUNCIL 2 NNE									.02	.04	.05	.01	.01	.01												.14
CRAIGMONT	//			.03	.04	.05	.04																			.16
DEADWOOD DAM	//									.04	.03	[illegible]	.04	[illegible]									[illegible]			.22
DUBOIS CAA AIRPORT	//								[illegible]	[illegible]	[illegible]					.20	.11			.02	[illegible]	[illegible]	[illegible]	.01	.01	.62
GOODING CAA AIRPORT	//								.01						.01											.02
IDAHO FALLS CAA AIRPORT	//								[illegible]	.01					[illegible]										.05	.10
LEADORE		.01	[illegible]			[illegible]	[illegible]		[illegible]																	.09
LEWISTON WB AP	6	*	*	*	*	.03	*	*	*	*	*	[illegible]	*													-
MACKAY RANGER STATION						[illegible]	[illegible]	[illegible]	[illegible]	.01		[illegible]														.08
MALAD CAA AIRPORT	//																			*	*	*	*	*	.19	-
MOUNTAIN HOME 1 W										.01	.02		.01				.01									.05
MULLAN PASS CAA	//										.02				.04											.06
OLA		*	*	*	*	*	*	*	*	*	*	.20														.20
PIERCE RANGER STATION	//				[illegible]	[illegible]	.04	.07		[illegible]				[illegible]		.06										.26
PLUMMER 3 WSW						.02	.02	.01																		.05
POCATELLO WB AIRPORT																		.01	.10	.04						.15
SALMON	6																			*	*	*	*	*	.02	-
SANDPOINT EXP STATION			[illegible]	[illegible]	.03	.05	.01	.01	.05									.08		.02						.28
SUN VALLEY	//					[illegible]	.02	.01	[illegible]	.01				.04	[illegible]	.11	.01									.25
WALLACE WOODLAND PARK					.01	.01	.03		.01					.01	.04											.11
-13th-																										
BENTON DAM		.01	.01																							.02
BLACKFOOT DAM	//	[illegible]	[illegible]	[illegible]	.06	[illegible]	[illegible]	[illegible]																		.29
CLARK FORK 1 ENE			.02	.01	.01	.01	.01	.01																		.07
CLEMENTSVILLE 4 SE	//								[illegible]		[illegible]		.01	[illegible]	[illegible]	[illegible]	.02									.15
COEUR D ALENE CAA AP				.03																						.03
DUBOIS CAA AIRPORT							.01		.01																	.02
IDAHO FALLS CAA AIRPORT	//		.02																							.02
LEADORE		.01	.01																							.02
MULLAN PASS CAA	//				.01	.01																				.02
PIERCE RANGER STATION	//	*	*	*	*	*	.07																			.07
SALMON	6	*	*	*	*	*	.02																			-
WALLACE WOODLAND PARK						.02	.02		.01																	.05
-14th-																										
CLEMENTSVILLE 4 SE	//	[illegible]	[illegible]	[illegible]							[illegible]	.02														.25
-18th-																										
BENTON DAM																.18										.18
CLARK FORK 1 ENE																	.02	.09								.11

See reference notes following Station Index

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
ARROWROCK DAM STATION														.14	.22	.14	.02									.52
-20th-																										
BENTON DAM													.10	.08		.03										.21
CLARK FORK 1 ENE																.04	.02									.06
DUBOIS CAA AIRPORT	//																				.01					.01
MULLAN PASS CAA	//																		.01	.06						.07
WALLACE WOODLAND PARK																				.05			.01			.06
-21st-																										
BENTON DAM														.01	.04			.06								.11
BONNERS FERRY																			.01	.01						.02
LEWISTON WB AP	6																								•	-
PIERCE RANGER STATION	//															.05										.05
-22d-																										
ATLANTA 1 E	//													.03		.03	.03									.09
BANCROFT	//	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-		-	-	-	-		-	-	-
BLACKFOOT DAM	//																				.14	.09	.02			.25
CASCADE RANGER STATION	//							•	•	•	•	•	.04													.04
CLARKIA RANGER STATION	//															.10	.01	.01								.12
COTTONWOOD 2 SW				.03	.02		.02				.02															.09
CRAIGMONT	//					.02	.01																			.03
DEADWOOD DAM	//														.13		.01	.01								.15
DUBOIS CAA AIRPORT	//											.01			.08						.04	.07				.20
IDAHO FALLS CAA AIRPORT	//																		.01			.02				.03
LEADORE																							.03			.03
LEWISTON WB AP	6	•	•	•	•	.04																				-
MACKAY RANGER STATION															.01											.01
PIERCE RANGER STATION	/														.07		.01		.07	.02						.17
PLUMMER 3 WSW													•	•	•	•	•	•	•	•	•	•	•	•	•	•
POCATELLO WB AIRPORT	//																			.06						.06
SUN VALLEY	//											.01	.04	.02												.07
-23d-																										
BENTON DAM																	.14	.06								.20
BLACKFOOT DAM	/	.01		.01																						.02
BONNERS FERRY																.09	.11		.19	.02	.01	.01	.02	.05	.02	.52
CLARK FORK 1 ENE																	.02	.04	.12	.02			.01	.05	.09	.35
CLARKIA RANGER STATION	//																			.05	.01					.06
COEUR D ALENE CAA AP													.01						.03				.01		.18	.23
COTTONWOOD 2 SW																						.02				.02
MOOSE CREEK RANGER STA	//																							.01	.01	.02
MULLAN PASS CAA	//																			.01	.12			.10	.02	.25
PIERCE RANGER STATION	//																				.03	.02	.01			.06
PLUMMER 3 WSW		•	•	•	•	•	•	•	•	•	•	•	.10													.10
SANDPOINT EXP STATION																.09	.03	.23	.02				.13		.11	.61
WALLACE WOODLAND PARK																				.08	.01	.05			.03	.17
-24th-																										
BENTON DAM																					.08	.11	.04	.03	.03	.29
BONNERS FERRY		.02	.06	.02	.02	.02																				.14
CLARK FORK 1 ENE		.07	.07	.01	.01		.01													.01	.01		.01			.20
CLARKIA RANGER STATION	//				.02	.02	.05			.06	.03	.02														.20
COEUR D ALENE CAA AP		.08	.05	.02																						.15
COTTONWOOD 2 SW										.02	.04	.07	.01		.02	.01		.03		.03						.23
CRAIGMONT	//												.01					.01								.02
LEWISTON WB AP	6																		•	•	•	•	•	.08		-
MOOSE CREEK RANGER STA	//		.01	.02							.02		.02													.07
MULLAN PASS CAA	//	.03	.01	.02	.02	.10	.14	.08	.03	.01	.02	.01	.01													.48
PIERCE RANGER STATION	//					.01	.01		.01	.04	.01	.01	.01	.02		.10	.02	.02	.01							.27
SANDPOINT EXP STATION		.10	.01	.01	.01																					.13
WALLACE WOODLAND PARK		.03	.02	.02	.02	.17	.08	.07	.12	.02																.55
-25th-																										
BENTON DAM		.10	.03	.03	.01	.01																				.18
PIERCE RANGER STATION	//						.02																			.02

See reference notes following Station Index.

PRECIPITATION MEASURED IN STORAGE GAGES

For period ending June 30

Station	Observation date	Amount since last obs.	Snow on ground
PUNGO CREEK	1950		
	JULY 1	.00	
	11	.06	
	27	.03	
	AUG. 13	.41	
	SEP. 7	.00	
	20	1.00	
	30	.29	
	OCT. 9	.65	
	18	.80	
	30	2.70	
	NOV. 9	.43	
	30	1.48	
	DEC. 31	2.11	
	1951		
	JAN. 5	.54	
	22	2.20	
	31	.39	
	FEB. 8	1.99	
	28	.94	

Station	Observation date	Amount since last obs.	Snow on ground
PUNGO CREEK CONTD	MAR. 11	1.79	
	22	.42	
	MAY 10	1.55	
	31	.76	
	JUNE 13	.79	
	22	.06	
	30	.00	
TOTAL		13.74	
PUTNAM MTN	1950		
	SEP. 1	.00	
	OCT. 6	.80	
	24	.80	
	DEC. 24	5.00	
	1951		
	APR. 1	5.80	
	MAY 4	2.50	
	25	.60	
	JULY 10	1.40	
TOTAL		16.90	

Station	Observation date	Amount since last obs.	Snow on ground
SOLDIER CREEK	1950		
	JUNE 30		
	JULY 31	.30	
	AUG. 31	.80	
	SEP. 29	1.75	
	OCT. 29	3.05	
	DEC. 12	6.00	
	30	.10	14
	1951		
	FEB. 4	7.10	
	MAR. 1	1.95	38
	31	2.80	35
	MAY 2	2.60	
	29	1.95	
	JUNE 29	.95	
TOTAL	. . . .	29.35	

ALL STORAGE GAGE PRECIPITATION REPORTS FOR THIS SECTION WERE NOT RECEIVED IN TIME FOR PUBLICATION IN THIS ISSUE. ADDITIONAL STORAGE GAGE REPORTS, IF RECEIVED, WILL BE PUBLISHED IN THE JULY OR AUGUST ISSUES.

MONTHLY AND SEASONAL SNOWFALL

July 1950 to June 1951

Station	July	August	September	October	November	December	January	February	March	April	May	June	Season
ABERDEEN EXP STATION		T			T	4.1	9.1	8.6	8.3	1.2			31.3
ALBION					1.0	1.0	14.5	5.0	11.5	–	T		–
ALPHA 1 NE					9.0	19.5	45.2	31.0	29.0	1.0	1.0	T	135.7
AMERICAN FALLS 1 NW					T	1.5	6.9	12.1	–	2.5			–
ANDERSON DAM		T		T	1.4	18.5	39.5	17.6	9.9	T	T	T	86.9
ARCO				–	–	–	–	–	–	–	–	–	–
ARROWROCK DAM					T	10.6	39.6	13.1	11.2				74.5
ASHTON 1 S				2.0	2.0	13.0	15.0	5.1	16.5	1.5	3.0		58.1
ATLANTA 1 E		T	2.0	4.6	29.0	45.5	62.5	43.5	56.0	14.0	T	T	257.1
AVERY RS					9.5	16.0	40.0	12.0	17.5	T			95.0
BAYVIEW MODEL BASIN					4.0	8.0	11.0	8.0	14.0				45.0
BLACKFOOT					T	6.0	12.5	10.0	5.0	T			33.5
BLACKFOOT DAM			–	0.3	–	–	–	–	–	–			–
BLISS					T	6.5	19.0	1.0	8.0				34.5
BOISE LUCKY PEAK DAM	–	–	–	–	–	–	–	1.8	–				–
BOISE WB AP				T	T	2.9	10.3	3.6	11.9	T	T		28.7
BUHL				–		3.8	–	6.0	8.5	T			–
BUNGALOW RS	–	–	–	–	–	–	–	–	–	–	–		–
BURKE 2 NNE			0 5	1.9	45.2	33.1	82.9	27.6	44.0	3.7	13.4		252.3
BURLEY					T	3.0	13.0	7.3	7.0	3.0			33.3
BURLEY FACTORY 1 NW						–	12.0	12.8	4.5	2.0			–
BURLEY CAA AP			T		T	3.0	12.4	4.0	3.2	2.0	T		24.6
CALDWELL					T	1.0	3.2	0.5	8.0				12.7
CAMBRIDGE					–	10.0	28.0	11.0	12.0				–
CASCADE 1 NW			T	2.0	6.5	10.5	36.0	20.0	36.0	2.0	1.0		114.0
CENTERVILLE ARBAUGH		T	T	T	5.3	27.5	49.2	26.8	35.8	0.5	T	T	145.1
CHALLIS		T	T		–	2.0	7.5	1.6	6.3	T	1.0		–
CHILLY BARTON FLAT			–	2.0	3.0	8.0	3.0	4.0	9.0	T	6.0	–	–
CLARK FORK 1 ENE			T		–	–	–	–	21.5				–
COEUR D ALENE CAA AP	T				8.1	16.8	36.5	10.2	20.1	T	T		91.7
COEUR D ALENE RS					3.3	9.1	19.7	8.0	21.5				61.6
CONDA			2.5	4.5	7.0	20.5	35.0	25.4	20.4				115.3
COTTONWOOD					–	–	11.5	6.9	14.4			–	–
COUNCIL 2 NNE					–	–	–	–	–			T	–
CROUCH 2 NNW					7.0	20.0	36.0	–	26.0			T	–
DEADWOOD DAM			T	1.0	14.0	36.0	56.5	27.5	48.0	1.0	T	T	184.0
DEER FLAT DAM						0.5	2.0		5.0		T		7.5
DRIGGS						–	–	–	–	–			–
DUBOIS EXP STATION			3.0	T	T	16.5	–	–	1.5	T	1.0	T	–
DUBOIS CAA AP	T		1.0	T	0.3	6.9	5.7	9.8	3.3	T	T	T	27.0
EDEN HUNT PROJECT		T				T	–	5.8	1.2				–
ELK CITY	–	–	–	–	–	21.0	38.0	16.7	–	–		T	–
EMMETT 2 E			–		T	0.5	3.0	1.0	–			–	–
FAIRFIELD RS			T	T	–	25.0	35.5	–	13.0		T	T	–
FENN RS					–	3.5	11.2	–	24.5				–
FORNEY BLACKBIRD MIN			7.0	1.0	45.7	20.9	43.9	33.8	21.5	–	T	–	–
FORT HALL IND AGENCY						–	–	–	–	–			–
GARDEN VALLEY RS					2.0	16.5	33.0	15.5	25.0				92.0
GLENNS FERRY					–	–	8.5	1.0	7.0				–
GOODING CAA AP		T			T	5.5	25.7	7.2	7.6	T	T		46.0
GRACE PH			2.2		9.0	8.5	16.0	11.0	8.0	2.0	T	T	56.7
GRAND VIEW					–	–	–	T	–				–
GRAY			0.5	3.2	14.9	17.3	19.5	10.0	–	–			–
GROUSE			T		7.0	2.5	9.5	5.5	3.5				28.0
HAILEY					11.0	15.5	34.0	16.2	15.5	T			92.2
HAMER 4 NW			1.0		T	7.5	6.5	6.0	3.5	T	T		24.5
HAZELTON		T	T		T	4.8	17.5	5.0	9.0	1.0			37.3
HILL CITY						34.0	40.0	–	22.0		T		–
HOLLISTER			–			–	–	1.5	8.0				–
HOWE					4.0	4.5	–	–	3.0				–
IDAHO CITY			T		2.3	22.6	44.2	24.5	20.0				113.6
IDAHO CITY 13 SW				T	5.8	25.3	55.8	25.7	23.5	T	T		136.1
IDAHO FALLS CAA AP			T		0.5	8.2	11.4	10.2	8.6	T	0.3	T	39.2
IRWIN 2 S	T		T		3.5	18.0	8.5	7.5	21.0	2.0		T	60.5

See reference notes following Station Index.

MONTHLY AND SEASONAL SNOWFALL

Continued

July 1950 to June 1951

Station	July	August	September	October	November	December	January	February	March	April	May	June	Season
ISLAND PARK DAM	T	T	5.0	13.5	17.0	30.0	50.0	48.5	44.5	4.5	12.5		225.5
JEROME						-	12.9	-	4.9	T	T		-
KAMIAH 1 NE		T			T		-	-	8.5				-
KELLOGG					4.5	16.2	25.1	8.9	13.0				67.7
KOOSKIA					1.5	0.5	T	1.0	11.0	T			14.0
KUNA 2 NNE					T	1.0	5.6	1.1	7.0	T			14.7
LEWISTON WATER PLANT							0.2	-	T				-
LEWISTON WB AP					0.3	1.2	0.8	0.6	3.9				6.8
LIFTON PUMPING STA			T	T	T	6.0	9.8	7.5	13.5		T	T	36.8
LOWMAN					3.0	20.1	40.8	22.3	31.0				117.2
MACKAY RS	T	T	2.3	T	5.9	10.5	4.6	4.2	5.9		0.2	T	33.6
MALAD			0.8		2.7	11.3	18.7	-	4.4	0.7	T		-
MALAD CAA AP	T		T		2.3	10.5	19.5	13.2	5.8	4.7	T		56.0
MAY RS		T	0.8		T	7.6	3.3	6.2	4.3	T	4.0	T	26.2
MC CALL						-	-	24.0	-			-	-
MC CAMMON	T	T	T	T	0.5	-	20.0	1.9	5.0		0.5		-
MERIDIAN 1 SSW						0.5	-	T	T				-
MESA			T		3.0	8.5	25.5	20.5	7.5		T	T	65.0
MINIDOKA DAM						2.0	12.0	8.3	9.0	-			-
MONTPELIER RS	T		-	T	-	16.0	26.0	9.5	22.1	0.5	1.0	T	-
MOSCOW U OF I					2.3	-	14.9	-	10.4				-
MOUNTAIN HOME 1 W						1.0	17.0	0.5	3.0				21.5
MULLAN PASS CAA	T		1.8	23.6	36.5	33.8	47.1	31.2	36.3	3.9	15.5	5.0	234.7
NAMPA			-			-	-	-	0.3			-	-
NAMPA 2 NW					T	2.0	4.5	1.5	8.0		T	T	16.0
NEW MEADOWS RS					3.0	15.8	31.0	26.1	34.1			-	-
NEZPERCE	T		T	T	20.2	12.0	14.4	12.8	20.0	T	-		-
OAKLEY	T				T	1.0	16.0	6.5	4.5	T			28.0
OBSIDIAN 4 NNE				0.5	15.0	13.0	24.0	11.5	13.0	T	2.0	-	-
OLA					2.2	-	32.5	12.5	7.5				-
OROFINO					T	T	-	5.0	10.0				-
PALISADES DAM				T	0.5	-	-	-	-	-			-
PARMA EXP STA						-	-	0.2	-		T	T	-
PAUL 1 E					T	2.0	11.0	-	2.5	2.0			-
PAYETTE					T	1.5	8.6	5.1	5.8			T	21.0
PIERCE RS					15.5	16.0	62.0	33.2	42.7				169.4
PINE 2 SSW					7.0	35.0	52.7	29.5	22.0	T	T	T	146.2
POCATELLO WB AP			T	T	T	1.4	7.9	8.7	5.2	0.9	T		24.1
PORTHILL					21.0	10.0	33.5	18.0	23.5				106.0
POTLATCH					6.0	12.0	19.3	8.5	-				-
PRESTON SUG FACT 2 SE	T		1.0	T	1.0	14.4	19.7	11.9	18.4	5.4	T	T	71.8
PRIEST RIVER EXP STA	T				21.5	22.5	40.1	12.8	35.2		T		132.1
RICHFIELD	-	T				5.0	25.1	16.6	5.4				-
RIGGINS RS						T	-	T	4.5				-
RIRIE			T		1.0	5.6	-	5.3	9.0	-	0.8		-
ROLAND W PORTAL			T	1.3	43.9	-	73.4	47.6	78.3	4.0	12.7	T	-
RUPERT						T	8.0	3.9	4.0				15.9
SAINT ANTHONY		T	T		T	15.0	16.2	24.0	-	2.0	1.0		-
SAINT MARIES					0.5	14.5	29.8	9.4	21.8				76.0
SANDPOINT EXP STA					14.2	11.0	32.5	8.5	23.0			T	89.2
SHOSHONE		-		T	1.5	6.5	27.3	12.9	11.5	-	T		-
SPENCER RS			5.0	1.5	5.5	19.5	21.0	21.0	17.0	T	3.0	T	93.5
SPRINGFIELD					T	7.5	16.4	17.7	5.8	2.0			49.4
STIBNITE		T	3.0	-	31.8	55.4	75.3	36.8	32.0	3.9	-	T	-
STREVELL CAA AP			T	T	T	-	-	-	-	-	-	-	-
SUGAR			T		T	14.0	11.0	9.5	7.0	2.0			43.5
SUN VALLEY			1.5	1.0	15.0	16.6	41.0	28.0	17.0	4.0	1.0	T	125.1
SWAN FALLS PH		T				T	2.5	T	-				-
TETONIA EXP STA						-	-	-	-	-			-
THREE CREEK		T	T		-	-	-	-	-	-	3.0	T	-
TWIN FALLS 2 NNE			T			0.6	17.1	7.2	4.0				28.9
TWIN FALLS 3 SE					T	2.3	16.1	5.2	6.0	T			29.6
WALLACE			T	T	9.5	14.5	39.0	9.0	17.0	T	T	T	89.0
WALLACE WOODLAND PARK			T	T	12.3	16.3	40.2	10.3	25.3				104.4
WEISER					1.0	3.0	17.3	4.0	3.5				28.8
WINCHESTER 1 SE					27.0	-	-	-	-				-

See reference notes following Station Index

DAILY TEMPERATURES

Table 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	58	57	63	74	63	63	60	67	72	76	80	64	75	81	89	86	84	80	80	77	76	73	75	75	74	82	81	81	79	83		74.4
	MIN	36	33	42	33	40	34	32	31	35	37	39	54	46	44	[illegible]	48	47	46	41	43	40	41	37	54	44	41	41	42	45	42		41.0
ALBION	MAX	56	55	53	54	57	60	62	55	66	68	70	81	75	70	81	83	81	77	76	77	74	71	72	75	71	70	[illegible]	77	77	73		69.9
	MIN	37	37	47	38	43	34	26	34	38	32	34	45	47	40	45	45	[illegible]	48	41	41	45	43	33	[illegible]	46	36	49	44	37	34		40.4
ALPHA [illegible]	MAX	52	57	60	58	48	48	51	61	67	71	69	59	69	76	81	77	[illegible]	70	73	70	66	65	71	67	68	74	72	71	71	77		66.3
	MIN	25	25	22	38	40	33	30	32	28	30	45	47	41	37	40	[illegible]	[illegible]	32	32	34	41	32	31	38	31	[illegible]	33	32	32	30		33.4
AMERICAN FALLS 1 NW	MAX	55	55	63	76	65	63	59	65	69	77	72	71	72	80	86	82	[illegible]	78	77	76	74	72	75	74	72	[illegible]	80	[illegible]	80	[illegible]		72.9
	MIN	42	32	32	[illegible]	45	35	32	33	32	37	43	54	48	45	48	52	47	[illegible]	43	43	47	44	45	57	48	36	42	41	50	47		42.5
ANDERSON DAM	MAX	66	59	68	70	62	54	60	69	76	80	81	75	77	85	89	85	82	79	80	80	77	75	81	78	76	84	86	82	86	86		76.3
	MIN	40	44	35	49	43	41	35	38	42	45	50	55	46	51	54	51	44	47	46	46	46	46	45	50	46	46	49	48	49	49		46.0
ARROWROCK DAM	MAX	60	65	64	70	69	61	55	62	70	76	82	85	73	79	86	89	84	87	80	82	81	77	75	83	75	77	86	82	82	82		75.8
	MIN	41	42	36	44	44	44	37	40	44	45	52	57	47	52	55	50	50	47	47	49	46	46	47	49	42	46	47	49	49	49		46.4
ASHTON [illegible]	MAX	43	48	51	64	58	61	57	59	61	72	72	62	62	75	80	77	73	72	72	72	69	67	71	72	72	71	72	73	68	75		66.7
	MIN	33	28	24	35	18	30	29	30	29	33	33	41	44	47	43	43	37	38	34	42	37	34	30	33	34	33	32	39	41	38		35.4
ATLANTA [illegible]	MAX	55	52	59	58	55	47	50	60	64	69	70	71	68	78	80	80	75	69	70	70	70	68	66	67	67	71	72	73	73	75		66.7
	MIN	27	27	25	33	32	29	26	21	34	36	42	45	42	40	40	43	41	39	37	38	37	41	40	39	34	38	38	37	39	40		36.0
[illegible]	MAX	71	75	73	62	55	50	56	68	79	82	82	72	78	85	86	83	82	80	75	74	76	80	80	66	77	79	79	81	83	86		75.5
	MIN	28	30	39	39	42	42	43	43	41	41	50	51	46	49	49	39	44	43	42	36	42	44	41	49	37	49	37	37	38	40		41.7
BAYVIEW MODEL BASIN	MAX	70	71	65	62	58	51	58	60	73	78	76	73	74	82	83	82	80	80	73	73	68	70	70	62	75	78	78	77	72	73		71.5
	MIN	29	29	40	49	46	42	43	42	36	40	48	54	51	47	47	38	39	45	40	38	37	49	50	45	37	53	36	36	42	51		42.6
BLACKFOOT	MAX	55	55	63	73	65	69	61	68	74	77	80	69	75	[illegible]	88	86	85	80	80	78	77	72	75	70	75	80	82	83	79	83		74.6
	MIN	39	32	38	42	44	35	35	35	37	40	48	54	[illegible]	47	51	56	52	51	47	47	45	45	39	45	45	49	43	45	44	39		44.0
BLACKFOOT DAM	MAX	44	45	50	63	60	63	54	58	67	76	70	65	66	72	78	77	80	72	75	73	68	70	66	74	64	70	71	72	69	74		66.9
	MIN	32	21	31	25	39	24	21	23	25	26	31	43	46	37	37	40	39	31	34	31	38	30	31	36	42	27	33	32	32	29		32.2
BLISS	MAX	68	61	69	75	68	64	65	71	78	80	84	80	74	87	92	87	85	82	83	83	79	81	80	82	78	80	84	88	86	88		78.7
	MIN	38	39	41	50	48	41	33	36	[illegible]	40	44	48	51	49	53	[illegible]	54	50	47	44	51	50	48	44	49	47	44	42	50	53		45.9
BOISE LUCKY PEAK DAM	MAX	68	73			72	63	62	68	76		83	83	77	85	88	89		84	82	84	79	77	85		85	86	87	83	83	86		79.5
	MIN	34	36			39	44	40	42	47		50	49	49	53	60	49		49	48	50	43	51	49		41	50	50	55	53	52		47.3
BOISE WB AP	MAX	66	62	71	69	62	58	63	69	74	80	83	71	78	84	89	84	81	82	83	79	78	77	82	76	75	86	83	83	84	86		76.6
	MIN	37	40	41	50	47	43	40	40	46	43	53	56	48	50	56	52	52	47	46	48	47	51	52	51	44	54	52	47	48	54		48.0
BUHL	MAX	62	64	66	72	70	64	60	66	72	79	80	70	76	82	88	86	84	84	80	80	76	74	76	76	80	86	86	82	80	84		76.2
	MIN	38	40	38	38	46	44	38	40	44	46	50	57	50	54	58	58	[illegible]	52	50	50	52	50	46	56	48	52	58	54	52	50		48.6
BUNGALOW RS	MAX	64	74	72	58	58	66	54	69	81	80	79		79	82	85	81	80	74	75	78	78	77	78	76		80	80	80	82	85		75.2
	MIN	29	30	34	36	46	43	49	43	38	40	47		50	50	49	41	44	42	43	39	39	44	45	49		43	41	38	40	45		42.0
BURKE 2 NNE	MAX	58	62	59	55	49	48	46	50	67	70	70	60	65	74	74	71	70	68	64	62	62	67	68	60	64	67	67	68	69	[illegible]		63.5
	MIN	26	28	33	37	36	36	36	39	33	36	46	43	46	42	43	35	40	38	37	33	33	35	38	42	31	44	35	35	36	45		37.2
BURLEY	MAX	54	62	63	67	76	67	66	60	70	76	80	81	73	78	84	89	87	83	82	83	78	76	77	81	77	76	86	84	84	80		76.0
	MIN	41	40	43	43	47	37	34	36	41	45	45	55	49	50	55	62	58	49	48	48	52	47	40	55	49	49	58	49	52	47		47.5
BURLEY FACTORY 1 NW	MAX	60	60	60	67	74	65	63	61	70	75	79	80	73	80	84	85	86	80	76	78	73	72	74	76	80	75	85	82	84	79		74.5
	MIN	38	38	40	41	45	33	29	32	36	39	40	52	45	45	50	50	48	42	44	40	50	41	35	46	52	43	52	43	48	42		42.6
BURLEY CAA AP	MAX	61	61	65	75	64	63	60	67	74	77	80	70	75	83	88	85	83	81	81	77	75	74	78	75	75	86	82	83	78	83		75.3
	MIN	40	40	43	40	39	33	30	33	36	42	40	50	47	47	51	54	54	44	46	45	52	42	36	44	47	46	53	43	47	42		43.9
CALDWELL	MAX	69	67	70	73	66	61	67	71	78	83	85	75	80	88	93	87	84	85	85	82	81	80	82	79	78	87	85	85	85	88		79.3
	MIN	37	40	34	48	45	45	39	47	40	42	50	57	48	52	56	54	52	46	47	50	48	44	43	52	44	42	53	50	50	44		46.6
CAMBRIDGE	MAX	51	56	57	64	60	59	62	64	65	69	77	75	73	79	82	81	78	79	78	70	71	73	77	74	69	70	71	80	81	86		71.0
	MIN	35	31	38	44	41	44	34	37	39	40	41	40	47	52	51	42	43	41	40	42	40	42	40	39	43	45	47	47	49	48		42.1
CASCADE 1 NW	MAX	50	57	58	60	55	57	[illegible]	61	67	72	72	64	69	77	80	78	74	72	73	72	68	66	73	78	69	74	73	73	72	77		68.0
	MIN	33	36	26	41	40	35	32	34	32	36	48	48	43	44	46	47	41	38	36	41	43	37	35	41	36	36	39	42	41	37		38.8
CHALLIS	MAX	50	52	62	63	68	52	57	54	70	71	70	66	69	77	86	84		80	79	75	69	67			72	70	74	74	73	79		69.2
	MIN	31	30	28	44	42	34	33	38	34	30	43	49	48	45	49	54		44	43	47	43	41			37	41	45	45	46	42		41.0
CHILLY BARTON FLAT	MAX	44	44	57	69	57	48	52	57	65	68	67	62	65	73	80	79	74	74	73	[illegible]	66	60	65	65	66	69	71	71	73	75		65.3
	MIN	26	26	20	36	40	24	22	29	30	29	31	45	36	37	37	42	43	36	34	36	39	37	29	35	30	30	39	35	31	35		33.3
CLARK FORK [illegible]	MAX	70	70	69	67	58	58	60	[illegible]	74	77	77	70	73	81	80	77	77	72	69	72	71	75	73	63	74	75	73	76	76	76		71.4
	MIN	28	32	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	[illegible]	34	48	52	52	47	47	37	40	44	41	35	35	40	43	48	36	44	35	35	36	48		40.8
COEUR D ALENE CAA AP	MAX	73	75	61	62	[illegible]	55	57	64	76	79	78	66	[illegible]	82	79	79	80	74	71	[illegible]	76	79	75									71.0
	MIN	34	45	41	48	[illegible]	[illegible]	43	41	34	44	52	53	53	52	50	41	47	48	44	42	40	47	50	42	36	51	43	42	48	54		44.5
COEUR D ALENE RS	MAX	71	75	73	64	[illegible]	57	55	64	77	[illegible]	77	78	74	[illegible]	83	82	78	77	75	77	75	79	78	65	74	80	80	81	82	85		74.5
	MIN	29	36	37	44	44	42	44	41	41	44	[illegible]	55	53	50	54	41	45	45	44	37	38	46	50	43	38	49	37	39	40	54		43.6
CONDA	MAX	63	[illegible]	58	53	54	61	65	[illegible]	[illegible]	65	68	[illegible]	67	64	71	70	76	74	72	73	72	66	65	66	70	61	71	72	73	69		66.8
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	35	41	34	[illegible]	40	42	45	36	36	43	42	41	43	45	40	40	38	35	32	38		36.0
COUNCIL 2 NNE	MAX	61	57	67	68	56	59	63	69	76	[illegible]	78	65	74	85	84	85	80	81	82	78	75	72	79	75	77	[illegible]	[illegible]	79	80	85		75.0
	MIN	38	38	38	47	45	42	34	38	40	42	54	53	[illegible]	53	57	48	44	[illegible]	41	44	43	46	42	44	[illegible]	43	46	49	49	43		45.3
DEADWOOD DAM	MAX	52	[illegible]	58	52	48	45	45	[illegible]	[illegible]	[illegible]	69	54	[illegible]	69	79	75	74	70	71	71	64	59	69	65	67	74	[illegible]	72	73	75		64.7
	MIN	[illegible]	29	21	[illegible]	[illegible]	30	[illegible]	33	[illegible]	[illegible]	38	44	41	35	39	38	34	30	30	31	30	30	[illegible]	34	28	29	32	30	31	30		32.0
DEER FLAT DAM	MAX	[illegible]	66	[illegible]	[illegible]	64	62	68	72	78	82	83	74	78	86	88	84	[illegible]	82	78	83	78	78	82	78	82	[illegible]	[illegible]	[illegible]	82	85		[illegible]
	MIN	40	34	40	36	[illegible]	44	44	44	44	46	52	59	53	54	61	54	49	48	46	48	44	46	50	[illegible]	47	46	57	56	56	49		49.0
[illegible]	MAX	54	45	46	53	55	62	58	60	55	55	60	67	65	61	68	75	84	74	78	74	73	73	70	65	70	74	[illegible]	70	73	71		65.4
	MIN	[illegible]	28	[illegible]	29	31	[illegible]	[illegible]	34	27	31	38	46	43	38	41	46	[illegible]	40	35	34	36	35	30	40	42	44	[illegible]	36	[illegible]	31		36.0
DUBOIS EXP STA	MAX	[illegible]	59	[illegible]	63	62	59	58	64	[illegible]	[illegible]	71	65	68	76	85	83	74	78	78	76	70	68	67	76	[illegible]	[illegible]	76	75	74	74		69.2
	MIN	[illegible]	[illegible]	30	34	[illegible]	34	[illegible]	32	34	40	43	44	45	47	46	[illegible]	[illegible]	48	41	46	47	[illegible]	34	46	46	36	[illegible]	[illegible]	[illegible]	[illegible]		41.2
DUBOIS CAA AP	MAX	47	50	[illegible]	66	62	62	60	62	64	74	73	62	70	78	87	84	82	[illegible]	78	[illegible]	72	68	68	76	73	[illegible]	77	78	71	75		70.4
	MIN	35	[illegible]	29	33	39	33	[illegible]	34	34	38	42	[illegible]	47	46	50	[illegible]	50	[illegible]	43	[illegible]	47	43	[illegible]	44	46	39	[illegible]	46	46	40		41.5
EDEN HUNT PROJECT	MAX	62	67	67	75	67	67	61	68	74	81	81	71	77	85	88	86	95	81	81	80	75		73	[illegible]	80	86	87	84	[illegible]	84		77.0
	MIN	38	37	40	42	45	37	33	34	34	35	38	47	44	45	[illegible]	52	46	46	[illegible]	44	38		[illegible]	[illegible]	40	38	47	43	45	44		41.6
ELK CITY	MAX	53	[illegible]	64	59	[illegible]	[illegible]	[illegible]	61	70	73	74	54	[illegible]	76	79	75	74	[illegible]	70	64	72	67	74	70	72	74	71	72	72	78		67.9
	MIN	25	21	24	41	[illegible]	35	34	38	41	29	37	46	48	40	40	[illegible]	45	[illegible]	[illegible]	[illegible]	27	[illegible]	32	35	36	32	32	26	28	28		33.0
FAIRFIELD RS	MAX					63	56	54	64	70			74	72	77	84	81	78	74	76	76	75	72	73	71		79	79	79	78	80		73.5
	MIN					34	31	24	26	32			35	[illegible]	41	46	45	[illegible]	44	45	[illegible]	[illegible]	36	33	40		41	41	37	38	38		37.4
FENN RS	MAX	66	72	68	71	57	62	57	[illegible]	82	82	84	73	82	87	82	85	84	82	79	81	80	84	82	77	83	83		83	84	90		77.5
	MIN	[illegible]	32	34	40	[illegible]	42	[illegible]	[illegible]	42	[illegible]	47	52	52	48	49	44	45	44	41	41	40	45	48	50	45	40		41	42	43		43.3
[illegible]	MAX				52	48	46	42	41			64	54	51	63	71																	–
	MIN	[illegible]	25	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			29	41	40	46	38	38	37	35	32	34	31	32			32	32	34	32	33	33		33.1
FORT HALL IND AGENCY	MAX	57	55		71	66	69	[illegible]	66	71	76	78	71	73	80	86	85	82	79	78	77	75	74	74	75	73	81	80	83		80		74.1
	MIN	36	28		45	44	38	35	34	33	36	[illegible]	53	51	48	47	54	45	49	42	40	43	44	35	60	47	40	40	43		40		42.0
GARDEN VALLEY RS	MAX	68	64	70	67	66	54	61	71	78	82	82	74	74	86	90	86	84	82	80	80	78	75	80	78	78	85	84	83	83	86		77.1
	MIN	41	38	28	44	44	40	34	36	36	37	47	54	48	44	48	48	[illegible]	39	39	41	41	39	39	43	39	38	41	39	39	39		40.5
GLENNS FERRY	MAX	[illegible]	64	72	79	[illegible]	62	68	75	79	85	86	75	82	84	92	87	86	85	84	84	80	82	86	79	79	90	85	85	83	89		80.5
	MIN	[illegible]	[illegible]	41	42	54	[illegible]	[illegible]	39	[illegible]	40	40	58	52	49	51	60	55	53	46	44	52	48	42	51	49	40	46	45	45	51		46.6
GOODING CAA AP	MAX	64	68	67	76	[illegible]	79	67	69	74	[illegible]	[illegible]	67	78	84	91	86	83	81	81	80	76	75	80	75	75	86	82	84	81	85		76.1
	MIN	36	[illegible]	[illegible]	45	44	44	[illegible]	40	43	42	50	54	47	47	56	56	55	50	50	53	47	44	44	53	46	44	55	54	51	53		47.1
GRACE PH	MAX	51	48	[illegible]	[illegible]	61	66	58	59	65	67	71	66	67	72	79	78	76	74	75	74	68	67	68	73	69	75	73	75	69	76		68.0
	MIN	31	35	[illegible]	[illegible]	40	29	30	28	[illegible]	[illegible]	35	40	43	42	42	47	43	36	38	39	46	36	32	45	47	34	42	37	38	35		37.0
GRAND VIEW	MAX	72	68	75	78	71	64	70	75	82	89	85	75	81	[illegible]	97	92	89	89	91	86	84	84	89	83	84	95	89	90	88	94		83.4
	MIN	[illegible]	[illegible]	47	54	[illegible]	45	40	44	41	45	44	[illegible]	58	56	60	63	57	54	51	56	57	45	46	56	50	44	59	52	55	47		50.2
[illegible]	MAX	47	46	[illegible]	64	[illegible]	63	59	54	53	54	66	66	70	75	75	76	74	72	73	69	70	63	64	68	65	71	69	68	70	77		65.0
	MIN	24	28	30	28	34	31	28	28	[illegible]	31	45	46	[illegible]	43	50	50	50	36	37	38	39	38	30	40	38	31	40	40	35	39		36.8
[illegible]	MAX	44	49	56	61	55	56	52	56	63	69	66	61	68	76	80	76	74	72	70	71	66	61	65	66	67	71	72	73	69	71		65.4
	MIN	41	30	37	31	34	25	[illegible]	22	33	27	30	46	32	[illegible]	37	38	34	32	34	35	33	37	29	34	29	28	32	33	32	33		31.9
HAILEY	MAX	67	53	63	65	62	56	56	61	71	70	72	71	72	78	85	83	82	81	77	77	76	74	71	72	73	77	80	80	78	79		71.7
	MIN	33	34	32	42	43	33	29	30	37	40	43	49	41	46	50	46	45	42	40	42	37	42	37	40	36	36	42	41	40	41		39.6
HAMER 4 NW	MAX	52	52	62	66	64	64	64	66	72	76	77	71	73	79	88	87	83	81	80	79	76	71	73	77	77	76	81	81	72	78		73.3
	MIN	37	32	29	[illegible]	45	30	25	31	33	35	41	48	49	42	46	57	45	44	39	49	42	42	33	44	43	38	37	42	45	36		39.6
HAZELTON	MAX	[illegible]	62	65	73	65	63	60	68	74	75	80	75	75	[illegible]	87	85	82	80	80	79	75	74	77	77	74	83	82	81	80	81		75.1
	MIN	43	[illegible]	41	41	46	45	35	40	39	40	40	50	46	49	55	61	55	52	48	50	49	44	40	50	46	42	53	52	50	46		45.9
HILL CITY	MAX	56	50	61	68	56	56	55	64	69	73	73	65	62	77	82	78	75	73	74	74	71	67	74	71	75	77	76	71	75	79		69.2
	MIN	[illegible]	30	24	40	38	35	30	31	30	33	38	50	42	40	45	51	42	45	34	39	38	37	31	42	38	38	41	42	36	35		37.6
HOLLISTER	MAX	[illegible]	58	64	70	63	60	56	66	70	75	78	68	72	[illegible]	85	83	79	78	79	77	78	72	76	75	71	84	80	80	78	81		73.2
	MIN	34	37	26	45	43	36	32	35	36	39	44	51	46	49	49	55	51	49	45	48	45	42	36	53	44	46	49	47	46	40		43.2

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
IDAHO CITY	MAX	64	61	65	62	56	53	60	67	72	78	78	75	75	83	87	85	[illegible]	74	78	78	76	[illegible]	[illegible]	77	75	[illegible]	80	81	79	83		73.4
	MIN	27	31	24	42	41	33	30	29	32	34	41	52	41	40	45	42	[illegible]	[illegible]	34	36	33	33	34	37	43	33	[illegible]	45	34	34		35.7
IDAHO FALLS CAA AP	MAX	48	54	62	70	61	65	58	65	72	78	75	64	71	80	84	[illegible]	83	80	[illegible]	[illegible]	72	68	70	75	72	[illegible]	[illegible]	81	72	[illegible]		71.8
	MIN	36	29	35	33	42	30	35	33	35	37	42	50	49	44	48	[illegible]	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	40	39		41.5
IRWIN 2 S	MAX	50	54	53	68	59	63	58	61	69	73	70	62	67	77	83	[illegible]	79	76	76	75	73	69	68	75	70	73	76	76	70	[illegible]		69.4
	MIN	38	33	32	33	44	35	30	35	31	32	41	49	48	[illegible]	43	48	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]		38.7
ISLAND PARK DAM	MAX	42	44	54	57	47	53	51	50	62	67	65	65	59	69	78	77	72	71	[illegible]	67	64	[illegible]	60	[illegible]	67	62	[illegible]	68	62	69		62.2
	MIN	29	24	27	24	31	29	31	29	27	31	35	40	41	35	37	41	[illegible]	[illegible]	[illegible]	41	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]		33.2
JEROME	MAX	66	63	67	75	70	64	62	69	75	80	82	73	78	85	90	85	85	80	82	81	76	77	80	[illegible]	76	87	87	83	82	85		77.5
	MIN	38	40	41	41	45	30	37	37	38	40	45	55	50	48	52	58	52	47	44	46	50	42	46	52	47	44	59	[illegible]	[illegible]	[illegible]		46.4
KELLOGG	MAX	60	72	74	63	69	52	56	56	63	77	83	80	68	76	84	82	81	79	76	75	77	76	79	75	64	76	79	79	[illegible]	83		73.[illegible]
	MIN	32	35	41	47	44	42	43	43	48	42	54	54	54	50	54	44	49	46	44	42	40	44	47	49	39	52	41	42	44	54		45.0
KOOSKIA	MAX	72	77	75	72	62	61	60	71	82	85	83	[illegible]	82	87	85	87	83	79	80	81	81	83	88	79	80	86	83	87	88	93		79.4
	MIN	31	32	37	50	50	45	47	46	41	43	53	55	55	52	53	45	46	43	45	43	41	48	45	50	51	48	45	42	40	44		45.5
KUNA 2 NNE	MAX	67	65	72	69	62	60	64	68	74	80	81	73	76	83	86	82	79	80	80	80	75	76	80	74	75	84	80	[illegible]	[illegible]	84		75.6
	MIN	37	31	34	51	47	45	37	39	39	40	47	45	45	51	53	51	50	42	41	42	46	42	45	51	44	42	49	46	49	48		44.3
LEWISTON WATER PLANT	MAX	77	80	80	70	56	61	62	76	85	86	84	78	83	89	90	87	84	83	81	81	81	83	87	84	83	85	85	87	88	95		81.0
	MIN	35	41	48	54	44	40	47	41	45	51	57	[illegible]	54	55	57	49	49	49	48	44	46	56	52	54	45	54	50	45	47	[illegible]		49.2
LEWISTON WB AP	MAX	74	76	71	62	56	61	59	71	80	82	79	69	81	85	87	86	83	82	81	81	79	82	85	65	80	87	84	85	85	92		77.7
	MIN	34	38	41	49	47	45	43	46	47	[illegible]	[illegible]	[illegible]	53	54	57	48	50	50	50	43	44	55	52	48	42	54	52	48	49	52		48.5
LIFTON PUMPING STA	MAX	[illegible]	49	52	64	52	61	54	62	63	[illegible]	68	66	68	71	[illegible]	80	77	73	73	71	67	68	67	72	70	71	73	76	75	74		67.5
	MIN	34	32	36	36	45	39	35	35	38	43	41	52	40	46	47	54	54	50	47	45	55	48	39	44	49	42	45	46	50	44		44.0
LOWMAN	MAX	62	62	66	60	54	52	59	67	74	79	74	72	83	86	85	80	78		77	77	75	73	76	75		79	79	79	79	80		72.4
	MIN	[illegible]	26	23	39	41	37	[illegible]	[illegible]	32	33	35	49	39	41	39	36	34		32	33	32	34	40	36		32	32	35	32	33		35.0
MACKAY RS	MAX	49	50	59	62	[illegible]	69	56	63	68	70	58	64	71	78	86	81	78	77	76	76	72	62	72	72	71	75	76	79	73	76		69.6
	MIN	31	32	29	36	43	33	28	35	36	34	41	43	43	45	50	52	50	46	41	46	44	43	37	48	39	38	44	43	44	35		40.4
MALAD	MAX	53	58	63	72	68	72	62	66	71	73	75	75	75	81	88	87	84	82	80	81	76	76	73	82	77	84	82	85	78	81		[illegible]
	MIN	41	36	44	34	48	35	36	31	45	37	34	51	43	47	47	50	52	41	44	44	52	39	38	44	52	45	50	43	49	43		42.5
MALAD CAA AP	MAX	53	58	63	73	66	73	64	66	72	74	78	76	77	82	89	89	85	85	81	82	77	75	76	83	77	83	82	85	79	82		76.2
	MIN	41	36	35	31	42	33	35	28	41	32	35	47	39	43	45	44	47	38	42	40	43	34	35	39	49	35	44	37	47	39		38.9
MAY RS	MAX	47	44	61	64	59	58	54	60	69	71	71	66	70	78	85	80	78	76	77	75	70	62	73	70	70	66	76	75	73	80		68.8
	MIN	31	26	23	30	32	31	[illegible]	36	32	37	41	47	46	44	46	50	44	40	39	40	42	38	32	49	39	36	39	40	38	39		38.0
MC CAMMON	MAX	58	55	60	68	61	69	67	67	70	75	73	72	76	79	88	85	83	80	80	80	76	69	76	78	76	82	[illegible]	81	79	82		74.2
	MIN	39	36	36	31	41	30	28	28	[illegible]	32	36	49	44	48	43	44	45	38	40	38	51	34	33	43	52	33	41	38	49	41		39.4
MERIDIAN 1 SSW	MAX	65	65	73	69	65	62	64	69	76	81	83	72	77	85	89	86	83	76	82	81	76	76	82	75	77	80	83	80	83	86		76.4
	MIN	35	32	33	40	44	42	35	36	38	40	46	54	43	46	48	47	46	43	39	43	43	41	43	44	41	41	47	44	48	41		42.3
MESA	MAX	63	67	67	69	57	58	58	70	76	81	79	66	79	85	91	89	81	81	83	81	76	77	81	76	78	83	82	81	82	87		76.1
	MIN	37	36	35	49	43	41	35	39	44	40	55	53	48	53	56	50	52	48	46	47	45	48	47	48	44	46	50	48	43	49		46.2
MINIDOKA DAM	MAX	58	58	64	72	62	65	56	67	74	75	79	72	72	83	84	85	83	78	78	78	74	73	78	76	73	82	80	82	77	80		73.9
	MIN	41	40	42	48	46	40	36	35	42	42	42	54	47	50	52	56	54	54	49	48	49	47	41	37	36	35	50	51	48	49		45.3
MONTPELIER RS	MAX	56	58	59	69	65	66	67	60	62	67	70		78		76	83	82	74			77	76	68	70	76	71	77	78	79	75		70.7
	MIN	31	32	30	28	37	31	30	26	28	35	34		36		39	45	36	38			36	35	32	38	46	34	42	35	42	35		35.0
MOSCOW U OF I	MAX	70	71	67	62	51	51	52	66	74	76	74	72	73	78	80	77	76	74	73	72	72	75	78	74	74	76	75	79	78	84		71.8
	MIN	29	38	44	48	42	38	42	40	44	43	53	52	50	51	52	42	45	44	45	47	37	50	48	51	35	50	40	47	45	48		44.0
MOUNTAIN HOME 1 W	MAX																				81	77	76	83	81	75	88	84	82	81	88		
	MIN																				48	46	48	40	54	41	39	48	41	46	47		–
MULLAN PASS CAA	MAX	49	56	50	48	34	37	38	46	58	62	62	48	56	65	65	63	60	55	54	56	53	57	56	44	55	58	58	[illegible]	[illegible]	67		54.[illegible]
	MIN	28	27	38	33	29	30	31	32	41	42	45	43	44	49	50	47	46	41	39	35	35	39	34	34	35	41	34	44	43	50		39.0
NAMPA 2 NW	MAX	65	69	66	71	70	64	61	67	71	79	84	85	75	82	88	93	88	86	81	85	83	81	80	82	79	79	89	87	86	85		78.7
	MIN	40	37	37	52	48	46	39	42	40	42	51	53	50	49	56	47	53	49	46	52	49	45	47	52	44	44	52	49	48	47		46.9
NEZPERCE	MAX							64	70	72	70									70	73	71	71	76	60	71	[illegible]	77	74	[illegible]	[illegible]		
	MIN							34	38	36	36									37	37	42		34	34	[illegible]	[illegible]	40	39	37	39		
OAKLEY	MAX	58	58	64	74	65	63	58	64	70	75	79	71	72	79	85	82	79	79	78	76	73	75	78	76	73	84	[illegible]	[illegible]	77	81		73.[illegible]
	MIN	39	39	41	42	[illegible]	[illegible]	42	45	42	41	45	51	44	45	51	53	50	43	45	45	44	45	48	51	43	43	[illegible]	47	49	45		43.[illegible]
OBSIDIAN 4 NNE	MAX	46	43	54	51	46	45	47	53	60	63	62	55	61	76	74	72	70	64	61	66	62	61	62	60	61	[illegible]	56	66	[illegible]	69		60.1
	MIN	28	30	18	37	32	[illegible]	[illegible]	[illegible]	24	27	32	42	36	32	38	32	32	27	29	28	28	28	26	36	25	[illegible]	28	27	28	28		29.2
OLA	MAX	65	[illegible]	70	68	[illegible]	60	60	70	77	85	84	74	78	87	90	85	84	84	81	81	80	78	80	81	78	85	[illegible]	[illegible]	82	[illegible]		77.[illegible]
	MIN	[illegible]	35	36	44	44	35	[illegible]	[illegible]	38	34	[illegible]	52	42	45	51	45	44	37	42	[illegible]	37	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37		39.5
OROFINO	MAX	75	80	78	64	64	63	63	76	[illegible]	85	84	77	93	88	88	86	82	84	81	83	81	81	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87	88	[illegible]		[illegible]
	MIN	33	[illegible]	44	41	50	46	[illegible]	48	42	45	54	57	55	54	55	46	47	[illegible]	45	43	44	[illegible]	48	[illegible]	[illegible]	44	46	[illegible]	44	[illegible]		[illegible]
PALISADES DAM	MAX	[illegible]	[illegible]	50	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]		67	68	76	81	[illegible]	[illegible]	74	76	77	76	[illegible]		75	71	74	74	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	29	41	[illegible]	[illegible]	32	30	[illegible]		40	46	44	39	[illegible]	39	39	[illegible]	[illegible]	40	35	[illegible]			33	32	37	[illegible]			35.[illegible]
PARMA EXP STA	MAX	68	70	69	71	66	58	[illegible]	71	76	85	85	88	82	86	94	96	[illegible]	[illegible]	91	91	82	84	[illegible]	81	79	[illegible]	[illegible]	[illegible]	[illegible]	84		81.[illegible]
	MIN	[illegible]	40	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43	44	53	[illegible]	51	54	57	49	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47		[illegible].1
PAUL 1 E	MAX	59	64	66	64	73	[illegible]	63	60	70	75	76	78	69	73	81	85	[illegible]	77	76	78	[illegible]	72	75	77	71	[illegible]	[illegible]	[illegible]	79	84		73.[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	53	47	44	51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		42		
PAYETTE	MAX	[illegible]	[illegible]	72	72	[illegible]	62	[illegible]	[illegible]	[illegible]	87	[illegible]	[illegible]	[illegible]	89	96	97	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	44	54	[illegible]	48	[illegible]	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		47		47.6
PIERCE RS	MAX	[illegible]	68		68	[illegible]	[illegible]	52	61	[illegible]	74	77	65	[illegible]	78	[illegible]	77	[illegible]	77	72	[illegible]		69	73	[illegible]	70	[illegible]	72	76	77	[illegible]		[illegible]
	MIN	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	39	37	37	[illegible]	35	40	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
POCATELLO WB AP	MAX	[illegible]	[illegible]	64	72	65	[illegible]	58	66	73	76	[illegible]	[illegible]	74	[illegible]	[illegible]	87	[illegible]	80	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	77	[illegible]	[illegible]	[illegible]	[illegible]	77	84		74.[illegible]
	MIN	[illegible]	[illegible]	[illegible]	41	45	36	[illegible]	[illegible]	[illegible]	40	44	[illegible]	51	[illegible]	[illegible]	60	57		44	47	49	43	37	61	48	47	45	47	46	41		[illegible].0
PORTHILL	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	[illegible]	79	78		73.0
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
POTLATCH	MAX	[illegible]	71	[illegible]	62	[illegible]						75	76	[illegible]	[illegible]	79	78	[illegible]	75	73	[illegible]	72	75	75	65	75	[illegible]	75	[illegible]	80			73.[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]						39	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	42		37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45		42.[illegible]
PRESTON SUG FACT 2 SE	MAX	59	67	[illegible]	[illegible]	[illegible]	[illegible]	64	66	72	76	77	75	74	82	86	[illegible]	[illegible]	[illegible]	81	[illegible]	77	73	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		76.1
	MIN	39	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	36	[illegible]	43	46	45	[illegible]	[illegible]	51	[illegible]	40	52	42	[illegible]	[illegible]		[illegible]	46	[illegible]	[illegible]	41		40.5
PRIEST RIVER EXP STA	MAX	[illegible]	70	68	65	58	69	54	[illegible]	74	76	77	76	73	82	81	78	76	[illegible]	[illegible]	66	70	75	74	[illegible]	73	75	[illegible]	75	77	[illegible]		71.[illegible]
	MIN	28	[illegible]	[illegible]	[illegible]	46	[illegible]	41	44	37	[illegible]	48	[illegible]	51	45	48	[illegible]	[illegible]	[illegible]	40	[illegible]	33	41	41	[illegible]	37	[illegible]	34	34	[illegible]	[illegible]		[illegible]
RICHFIELD	MAX	58	58	64	69	66	62	56	67	72	75	78	69	74	81	85	83	81	76	77	77	73	71	74	74	72	[illegible]	80	81	77	81		73.[illegible]
	MIN	37	32	38	[illegible]	43	35	29	41	38	38	44	[illegible]	41	44	49	48	46	39	39	45	41	40	38	42	[illegible]	[illegible]	41	44	41	48		40.[illegible]
RIGGINS RS	MAX	65	74	72	66	63	59	67	72	[illegible]	83	79	70	81	85	89	87	83	82	84	[illegible]	79	79	86	84	78	87	86	83	83	92		78.[illegible]
	MIN	37	37	44	51	44	44	45	[illegible]	41	[illegible]	51	56	59	54	57	53	55	53	51	49	48	54	53	58	50	53	46	[illegible]	[illegible]	53		49.[illegible]
RIRIE	MAX	50	51	60	70	59	63	52	64	70	73	76	65	70	76	85	82	82	77	76	75	74	69	70	75	70	75	77	80	71	76		70.[illegible]
	MIN	37	32	35	36	[illegible]	35	35	36	37	40	46	51	46	48	50	48	48	47	39	39	41	45	37	44	36	44	39	39	45	40		41.4
ROLAND W PORTAL	MAX	58	62	61	53	46	50	47	54	72	73	74	60	69	76	74	74	72	69	64	63	67	68	67	60	66	[illegible]	[illegible]	70	70	73		[illegible]
	MIN	28	32	35	36	35	35	35	39	33	38	45	44	49	44	46	37	41	41	37	37	39	40	[illegible]	[illegible]	33	40	39	38	40	46		[illegible]
RUPERT	MAX	60	57	61	65	73	64	64	59	68	72	77	78	70	75	83	87	84	81	79	[illegible]	75	74	74		79	74		[illegible]	[illegible]	78		73.[illegible]
	MIN	39	37	41	39	45	34	33	34	38	40	41	53	46	46	50	58	55	54	45	46	[illegible]	43	39		47	45		45	51	47		[illegible]
SAINT ANTHONY	MAX	47	53	56	68	60	61	58	62	70	75	75	65	70	78	85	82	83	79	[illegible]	77	72	[illegible]	69	[illegible]	[illegible]	[illegible]	[illegible]	79	71			70.4
	MIN	37	31	23	27	[illegible]	31	30	32	30	34	39	48	48	41	43	48	38	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31		36.7
SAINT MARIES	MAX	70	72	70	68	58	57	57	66			77	75	76	80	81	80	[illegible]	79	72	70		76			72	[illegible]	[illegible]	76	[illegible]	64		73.[illegible]
	MIN	29	34	40	[illegible]	44	42	44	[illegible]			41	[illegible]	51	48	51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]			[illegible]	[illegible]	[illegible]		[illegible]	41		42.[illegible]
SANDPOINT EXP STA	MAX	70	74	65	66	51	59	61	[illegible]	73	[illegible]	78	69	75	83	81	[illegible]	81	70	73	[illegible]		77	74	61	72	78	72	[illegible]	[illegible]	75		71.8
	MIN	30	35	42	45	[illegible]	42	43	[illegible]	38	41	48	48	53	48	52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	51		43.5
SHOSHONE	MAX	65	60	67	75	65	63	61	[illegible]	[illegible]	81	83	69	78	85	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]		77.[illegible]
	MIN	39	37	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	56	44	48	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47		44.[illegible]
SPENCER RS	MAX	44	46	[illegible]	[illegible]	57	59	[illegible]	[illegible]	[illegible]	[illegible]	69	58	67	[illegible]	82	[illegible]	[illegible]	[illegible]	73	76	70	[illegible]	[illegible]	[illegible]	[illegible]	65	[illegible]	74	[illegible]	74		66.[illegible]
	MIN	31	28	[illegible]	[illegible]	40	26	29	[illegible]	[illegible]	[illegible]	[illegible]	42	41	42	40	49	47	45	34	41	42	38	[illegible]	38	40	29	[illegible]	42	37	[illegible]		35.9
SPRINGFIELD	MAX	55	56	64	74	63	67	63	68	74	[illegible]	81	69	74	81	88	86	84	[illegible]	79	77	78	74	76	[illegible]	75	[illegible]	[illegible]	84	84	84		75.[illegible]
	MIN	35	[illegible]	[illegible]		[illegible]	31	[illegible]	[illegible]	33	[illegible]	37	53	46	41	48	[illegible]	45	41	[illegible]	42	39	40	[illegible]		40	[illegible]	37	38	[illegible]	41		39.[illegible]
STIBNITE	MAX	42	40	45	52	[illegible]	55	56	47	54	64	67	65	52	63	71	77	[illegible]	[illegible]	66	68	67	[illegible]	56	[illegible]	59	[illegible]	64	[illegible]	67	66		60.[illegible]
	MIN	28	25	[illegible]	31	[illegible]	30	30	28	34	[illegible]	[illegible]	39	30	38	36	35	34	[illegible]	33	[illegible]	[illegible]	32	37	[illegible]	[illegible]	[illegible]	32	34	33	38		33.1
SUGAR	MAX	59	52	61	[illegible]	51	[illegible]	59	63	[illegible]	[illegible]	75	69	70	77	84	81	80	[illegible]	74	76	72	[illegible]	[illegible]	75	69	73	76	77	74	77		70.4
	MIN	38	[illegible]	[illegible]	[illegible]	42	36	35	34	30	33	41	[illegible]	[illegible]	41	43	45	44	40	[illegible]	[illegible]	42	43	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		38.2
SUN VALLEY	MAX	[illegible]	49	48	61	59	[illegible]	[illegible]	[illegible]	66	69	71	70	67	76	82	[illegible]	[illegible]	76	73	[illegible]	74	[illegible]	68	[illegible]	71	[illegible]	[illegible]	77	76	74		68.6
	MIN	[illegible]	31	17	[illegible]	[illegible]	[illegible]	20	[illegible]	[illegible]	27	32	[illegible]	33	[illegible]	37	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	31	[illegible]	[illegible]	[illegible]	27	31	29		30.[illegible]

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 · Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SWAN FALLS PH	MAX	68	68	77	76	72	77	69	72	80	87	88	79	81	90	95	90	86	86	89	87	80	80	90	88	88	93	88	86	85	93		82.8
	MIN	49	39	42	56	50	54	44	45	46	47	56	59	54	64	65	65	64	60	58	55	57	55	54	61	52	50	63	62	61	55		54.4
TETONIA EXP STA	MAX	46	47	52	60	57	59	55	53	63	68	66	61	61	71	77	76	74	72	71	70	69	64	66	77	68	69	71	71	64	71		65.0
	MIN	31	30	28	[illegible]	[illegible]	29	[illegible]	30	29	31	39	46	42	37	41	47	49	38	33	35	33	36	30	44	36	34	33	34	34	29		35.2
THREE CREEK	MAX	55	54	62	68	62	61	56	62	68	72	72	72	70	78	63	83	79	79	81	80	71	70	76	73	74	83	82	80	75	83		72.1
	MIN	33	30	24	40	40	27	26	25	28	29	33	34	34	40	42	43	42	33	33	34	33	32	30	42	30	32	38	35	38	32		33.7
TWIN FALLS 2 NNE	MAX	65	65	68	77	73	64	62	69	75	80	82	73	78	85	90	88	85	87	82	81	75	77	80	80	76	88	86	84	82	86		77.9
	MIN	37	41	39	40	47	37	35	40	38	40	44	55	50	54	54	58	53	52	48	48	47	45	40	55	48	44	54	46	47	43		46.0
TWIN FALLS 3 SE	MAX	62	65	60	67	75	66	59	63	69	75	80	80	71	79	85	90	86	83	82	87	79	78	78	80	75	76	86	84	84	82		76.0
	MIN	34	38	34	38	42	32	33	38	37	38	42	52	46	51	52	55	54	50	48	48	47	43	38	39	42	49	53	49	44	37		43.4
WALLACE	MAX	68	70	65	62	51	50	53	58	74	76	72	62	71	80	80	76	75	69	71	72	70	77	70	67	73	75	74	76	78	82		69.9
	MIN	27	32	37	39	42	40	41	40	35	36	49	51	50	43	47	37	42	42	40	33	36	45	42	46	27	49	36	36	38	48		40.2
WALLACE WOODLAND PARK	MAX	55	66	67	64	61	48	50	51	63	64	76	75	62	70	80	77		76	70	68	69	69	74	68	60	71	74	74	74	75		67.3
	MIN	28	30	38	40	41	40	41	42	36	35	39	49	50	47	49	39		40	41	36	39	40	42	46	35	38	37	36	39	43		39.9
WEISER	MAX	70	72	74	75	66	62	68	76	82	87	86	73	82	87	92	91	87	86	88	85	84	78	86	78	84	91	88	86	91	93		81.6
	MIN	38	36	33	45	42	44	38	42	40	44	57	54	47	50	48	56	50	45	45	45	43	45	45	54	55	49	47	46	47	48		45.9
WINCHESTER 1 SE	MAX	61	64	63	65	52	47	49	61	68	71	70	70	71	76	76	72	72	68	69	67	68	69	75	75	68	73	72	72	75	79		67.9
	MIN	26	30	36	41	37	36	35	33	34	39	46	40	46	45	45	39	42	39	38	32	37	41	41	39	33	43	38	33	35	39		38.1

MONTHLY AND SEASONAL HEATING DEGREE DAYS

Season of 1950 - 1951

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total	Long-term means July-June
ABERDEEN EXP STATION	25	17	249	423	812	1019	1328	920	981	538	293	218	6823	
ALPHA 1 NE	175	173	421	594	894	1086	1453	1115	1235	747	526	446	8865	
AMERICAN FALLS 1 NW											294	216		
ANDERSON DAM	16	14	173	340	735	952	1225	950	991	469	251	131	6247	
ARCO	24		376			1399								
ASHTON 1 S	127	129	341	562	931	1204	1539	1193	1301	726	452	412	8917	
ATLANTA 1 E	84	74	361	570	886	1044	1338	1039	1200	699	524	403	8222	
AVERY RS	30	14	141	520	915	923	1156	910	908	530	342	191	6580	
BAYVIEW MODEL BASIN	129	62	286	603	833	941	1103	903		595	408	231		
BIG CREEK	223	192												
BLACKFOOT	11	11	208	353	750	1019	1260	911	933	487	239	178	6360	
BLACKFOOT DAM	204	204	409	635							514	456		
BLISS	5	7	192	388	678	839	1208	829	887	423	239	107	5802	
BOISE LUCKY PEAK								764	753	324	192	96		
BOISE WB AP	10	9	142	261	662	884	1107	783	860	422	254	106	5500	5678
BONNERS FERRY	25	14	183	616	924	1007	1199	977	1020	529	308			
BUHL	1	9	148	223	632	859	1121	798	867	399	222	118	5397	
BUNAGLOW RS												189		
BURKE 2 NNE	163	166	399	708	1042	1045	1341	1079	1158	783	608	433	8925	
BURLEY CAA AP	13	20	223	367	733	924	1218	856	950	523	306	176	6309	
CALDWELL	6	9	131	319	693	873	1062	776	783	366	218	97	5333	
CASCADE 1 NW	97	90	382	570	889	1100	1390	1099	1218	702	485	339	8341	
CHALLIS	29	45	309	459	864	1197	1452	1031	1070	553	385	297	7691	
CHILLY BARTON FLAT	203	278	498	684	1087	1446	1704	1350	1381	756	548	465	10400	
CLARK FORK 1 ENE	72	77	302	579	854	968	1164	942	987	604	390	261	7200	
COEUR D ALENE CAA AP	32	18	211	572	873	949	1167	941	1011	588	373	216	6951	
COEUR D ALENE RS	15	5	166	558	822	888	1090	907	969	525	309	180	6434	
COTTONWOOD	118	89	311				1234	955	1033	556	430			
COUNCIL 2 NNE	7	11	174	408	760	937	1224	937	974	434	287	154	6307	
DEADWOOD DAM	208	180	413	660	992	1156	1491	1141	1269	812	608	492	9422	
DEER FLAT DAM	4	7	132	291	621	823	1028	744	800	359	220	93	5112	
DUBOIS EXP STATION	25	33	333	505	927	1155	1509	1172	1261	633	381	292	8226	
DUBOIS CAA AP	29	36	324	533	973	1155	1541	1141	1184	617	374	273	8180	
EDEN HUNT PROJECT	11	15	201		743	911	1289	874	964	509	288	177		
ELK CITY						1018	1386	1053	1117	722	485	430		
EMMETT 2 E	10	6	60	244	663	843	1075	778	809	382	229			
FAIRFIELD RS	53	62	276	533		1290	1584	1243	1308		398	279		
FENN RS	10	3	156	415	810	871	1085	851	882	448	287	141	5959	
FORNEY BLACKBIRD MINE	191	228	478	705	1082	1156	1483	1155	1283	816	638			
FORT HALL INDIAN AGENCY	28	18	228	378	813	1035	1264	912	995	546	300	195	6712	
GARDEN VALLEY RS	10	9	225	446	804	955	1211	905	966	481	307	183	6502	
GLENNS FERRY	0	6	117	272			1091	761	815	373	181	83		
GOODING CAA AP	10	10	173	324	714	912	1295	908	963	449	274	132	6164	
GRACE PH	107	106	353	520	912	1142	1400	1056	1173	678	466	366	8279	
GRAND VIEW	0	2	12		654	870	1074	746	735	289	139	58		
GRANGEVILLE	57	29	243	504	846	862	1172	939	1020	551	417			
GRAY	152	156	402	535	950	1136	1469	1128	1283	807	490	416	8924	
GROUSE	222	234	424	669	1008	1308	1675	1299	1345	738	571	487	9980	
HAILEY	27	35	298	480	876	1073	1436	1094	1177	578	375	274	7703	
HAMER 4 NW			294	498	985	1173	1483	1121	1129	599	355	258		
HAZELTON	19	15	200	341	714	907	1205	844	915	480	269	150	6059	
HILL CITY	79	75	319	564	878	1291	1567	1203	1286	670	439	337	8708	
HOLLISTER	0		10	272	670	837	1162	887	1004	498	353	204		
IDAHO CITY	70	51	265	457	815	1010	1340	991	1130	586	419	300	7397	
IDAHO FALLS CAA AP	45	35	277	463	871	1126	1423	1032	1075	585	326	249	7507	
IRWIN 2 S	69	94	315	419	858	1106	1340	1008	1131	609	398	323	7670	
ISLAND PARK DAM	218	226	475	705	1061	1284	1619	1289	1423	874	567	512	10243	
JEROME	12			313	711	915	1235	893	946	451	288	125		
KOOSKIA	4	1	130	363	731	794	1001	799	789	392	206	95	5305	
KUNA 2 NNE	30		173	335	689	879	1085	780	827	441	272	153		
LEWISTON WATER PLANT	6	0	87	303	613	695	912	723	695	349	157	60	4600	
LEWISTON WB AP	9	13	115	358	661	733	975	774	776	386	226	103	5129	
LIFTON PUMPING STATION	27	60	321	521	873	1083	1421	1110	1263	653	403	274	8009	
LOWMAN	85	59	291	479	918	986	1308	974	1050	585	428	321	7484	
MACKAY RS	60	73	350	565	986	1243	1493	1169	1197	627	418	298	8479	
MALAD	10	9	217	370	805	1061	1302	987	1044	491	306	188	6790	
MALAD CAA AP	23	16	267	434	849	1063	1421	1079	1076	624	342	224	7408	
MAY RS	87	96	375	530	935	1318	1528	1051	1074	605	419	343	8361	
MC CALL	108	125	414	670	964	1106	1390	1182	1323	882	531			
MC CAMMON	30	23	252	398	759	991	1293	946	1009	521	298	238	6748	
MERIDIAN 1 SSW	18	10	200	323	711	914	1126	806	850	455	308	161	5852	
MESA	12	9	129	356	749	953	1216	949	945	405	258	133	6114	
MINIDOKA DAM	20	13	188	316	699	930	1219	868	951	511	297	170	6182	
MOSCOW U OF I	29	27	203	475	786	844	1118	886	923	537	307	206	6341	
MOUNTAIN HOME 1 W	10	7	146	269		868	1153	796	854	430	242			
MULLAN PASS CAA	234	205	449	888	1173	1170	1523	1228	1362	880	736	542	10390	
NAMPA	1	0	108	257	600	851	1035	736	734	336	185			
NEW MEADOWS RS	121		303	567	861	1023	1384	1083	1221	677	470			
NEZPERCE	95	65	301	521	876	872	1205	958	1016	570				
OAKLEY	23	19	242	324	671	862	1158	840	908	492	323	197	6059	
OBSIDIAN 4 NNE	333	330	583	776	1100	1373	1630	1236	1383	931	711	605	10971	
OLA	7	25	200	379	794	975	1258	920	920	490	329	195	6492	
OROFINO	7	3	143	377	699	736	993	772	705	378	186	78	5077	
PALISADES DAM	73	93	334	505	921		1444	1074	1205	663	413	366		
PARMA EXP STATION	5	7	129	295							198	102		
PAYETTE	2	3	133	316	718	871	1080	841	778	356	189	80	5367	
PIERCE RS	74	54	303	536	968	1046	1276	1083	1104	686	463	300	7893	
POCATELLO WB AP	16	16	240	386	763	1004	1271	899	980	535	279	174	6563	6763
PORTHILL	39	24	230	611	919	999	1229	1014	1047	561		184		
POTLATCH	46	34	244	490	781	843	1074	878	923	556	340	210	6419	
PRESTON SUG FACT 2 SE	14	7	208	392	771	992	1305	934	977	495	296	200	6591	
PRIEST RIVER EXP STATION	62	51	281	648	957	1027	1223	1045	1073	644	400	258	7669	
RICHFIELD		27	252	457	819	1050	1426	1069	1124	526	322	238		
RIGGINS RS	5	0	131	285	594	726	949	728	742	299	185	82	4726	
RIRIE	58	21						1016	1258	585	330	267		
ROLAND W PORTAL	149	143	356	669	1017		1321	1030	1138	595	548	385		
SAINT ANTHONY	72	94	341	532	900	1167	1488	1139	1237	664	382	336	8352	
SAINT MARIES	25	26	192	517	795	892	1105	864	911	534	298	213	6372	

See reference notes following Station Index

MONTHLY AND SEASONAL HEATING DEGREE DAYS

Continued

Season of 1950 - 1951

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total	Long-term means July-June
SALMON	29	29	289	453	935	1311	1524	1036	1023	541	304			
SANDPOINT EXP STATION	38	36	243	571	892	959	1168	961	1036	588	338	214	7044	
SHOSHONE	7	15	183	359	739	947	1324	960	999	482	279	136	6430	
SPENCER RS	116	130	425	662	1050	1227	1642	1231	1338	758	476	414	9469	
SPRINGFIELD	36	28	274	437	806	1042	1352	961	996	559	335	233	7039	
STREVELL CAA AP	21	28	313	404	826									
SUGAR	63	96	325	492	864	1144	1469	1134	1168	570	377	306	7998	
SUN VALLEY	154	183	406	621	983	1261	1625	1238	1351	756	534	465	9557	
SWAN FALLS PH	1	2	69	166	581	809	982	699	706	261	127	47	4450	
TETONIA EXP STATION	158	145	454	537	953	1255	1519	1151	1284	776	494	441	9107	
THREE CREEK	112	170	370	458	783				1069	626	464	357		
TWIN FALLS 2 NNE	3	9	179	300	688	887	1182	815	880	431	224	121	5719	
WALLACE	65	48	270	600	884	940	1204	949	1017	598	425	291	7291	
WEISER	4	3	184	273	704	857	1116	820	797	366	206	98	5348	
WINCHESTER 1 SE	105	66	354	567	894	895	1270	1009	1072	661	481	352	7686	

Table 6

EVAPORATION AND WIND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
		Day of month																															
ABERDEEN EXP STA	EVAP	-	-	.03	.39	.13	.27	.16	.11	.13	.21	.19	.12	.16	.19	.26	.24	.39	.31	.42	.26	.27	.19	.07	.43	.26	.29	.37	.38	.29	.25		B 7.25
	WIND	97	128	39	30	65	47	90	37	31	25	16	40	55	20	49	54	93	99	87	57	56	52	70	74	92	83	63	65	86	46		1846
ARROWROCK DAM	EVAP	.23	.30	.15	.23	.08	.12	.07	.17	.23	.26	.29	.17	.12	.27	.31	.33	.37	.35	.40	.33	.35	.40	.21	.29	.36	.28	.33	.36	.38	.36		8.10
	WIND	107	52	37	33	32	40	32	51	46	31	34	22	26	45	35	34	44	50	85	43	60	86	30	29	72	43	48	53	60	54		1414
BLACKFOOT DAM	EVAP	-	-	-	.24	.26	.18	.09	.12	.24	.24	.24	.05	.22	.12	.48	.36	.36	.48	.36	.36	.24	.24	.15	.36	.24	.36	.36	.24	.36	.24		B 7.99
	WIND	-	-	-	18	194	92	82	81	63	38	140	18	74	50	92	76	88	146	99	85	104	75	91	101	115	110	88	91	81	28		B 2577
LIFTON PUMPING STA	EVAP	.12	.10	.11	.19	.25	.21	.23	.14	.22	.21	.23	.26	.16	.22	.24	.35	.34	.36	.29	.24	.27	.22	.17	.25	.27	.36	.34	.31	.37	.26		7.29
	WIND	92	75	96	49	81	52	76	42	31	45	46	73	47	23	18	53	59	66	36	38	88	72	51	52	92	55	55	59	46	52		1720
MINIDOKA DAM	EVAP	.22	.22	.29	.32	.23	.25	.22	.35	.15	.32	.36	.22	.25	.28	.45	.58	.55	.62	.52	.40	.55	.35	.30	.50	.45	.41	.50	.49	.47	.43		11.25
	WIND	140	110	55	200	140	120	165	140	50	80	90	70	125	75	90	170	175	205	170	100	200	140	100	180	200	100	115	135	140	140		3920
MOSCOW U OF I	EVAP	.22	.28	.17	.02	.00	.08	.11	.02	.20	.27	.24	.13	.14	.22	.32	.29	.46	.23	.31	.27	.20	.30	.29	.06	.19	.34	.28	.25	.33	.13		6.35
	WIND	28	43	42	43	25	87	84	26	41	18	40	34	35	36	59	36	68	60	76	30	24	48	81	33	28	62	41	19	29	37		1313
PALISADES DAM	EVAP	.09	.03	.15	.13	.12	*	.22	.06	.15	*	.44	.04	.08	.21	.19	.27	.23	.28	.22	.26	.20	.20	*	.49	.12	.23	.27	.76	.26	.29		5.99
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-

Table 7

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
		Day of month																														
ATLANTA 1 E	SNOWFALL					T	T																									
	SN ON GND																															
DEADWOOD DAM	SNOWFALL						T	T																								
	SN ON GND						T	T																								
DUBOIS CAA AP	SNOWFALL	T						T																								
	SN ON GND																															
MACKAY RS	SNOWFALL						T																									
	SN ON GND																															
MULLAN PASS CAA	SNOWFALL			T		3.0	0.8	1.2																	T							
	SN ON GND	3	3	3	3	3	1	1																								
OBSIDIAN 4 NNE	SNOWFALL				T	-																										
	SN ON GND				-	-																										
ROLAND W PORTAL	SNOWFALL					T																										
	SN ON GND																															
SPENCER RS	SNOWFALL	T																														
	SN ON GND																															
STIBNITE	SNOWFALL				T	T	T	T																								
	SN ON GND				T	T	T	T																								
SUN VALLEY	SNOWFALL						T																									
	SN ON GND																															
WALLACE	SNOWFALL							T																								
	SN ON GND																															

See reference notes following Station Index.

Table 2

CLIMATOLOGICAL DATA

Station	Temperature									Precipitation									
								No of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max depth on ground at obsn	Date	.01 or more	.50 or more	1.00 or more
NORTHERN DIVISION																			
DECEMBER 1950																			
ELK CITY	31.9		48	15	8	5	1018	0	30	4.88		1.22	31	21.0	11	31	17	4	1
JANUARY 1951																			
ROLAND W PORTAL	22.2	- 1.3	42	15+	-13	29	1321	0	30	6.36	- .73	.82	21	73.4	81	23	16	6	0
FEBRUARY 1951																			
ELK CITY	27.2		54	10	-21	28	1053	0	28	4.26		1.30	5	16.7	21	25	17	2	1
MARCH 1951																			
ELK CITY	28.7		59	25	-25	10	1117	0	31	3.43		.73	4				15		0
SOUTHEASTERN DIVISION																			
APRIL 1951																			
CONDA	39.9	- 0.1	65	14	14	10		0	19	1.94	- .01	.60	30	.0	0		11	1	0
MAY 1951																			
CONDA	49.0	0.6	79	29	26	16		0	10	1.90	.00	.35	30	.0	0		12	[illegible]	0

Table 3

DAILY PRECIPITATION

Station		Day of month																															Total
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
AUGUST 1950																																	
DOLLARHIDE SUMMIT		-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
SEPTEMBER 1950																																	
DOLLARHIDE SUMMIT									.72	.57	.36							.14					.28	.03		.03	.23			.21	.19		2.76
MOORE CREEK SUMMIT	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	.36			.02	.08		
OCTOBER 1950																																	
DOLLARHIDE SUMMIT		.14				.12	.12								.23	.05									.19	.74	.76	.84	.88	.51	.25	.03	4.86
MOORE CREEK SUMMIT	R	.08				.32	.10	*	*						.26	.08	*	*	*						*	.42	.62	.56	.36	.24	.12		3.16
MOOSE CREEK RS	R		.04	.12	.05	.30	.14	.12	.19				.02	.04	.16			.16	.09	.22		.19	.03	-	-	-	-		-	-	-		
NOVEMBER 1950																																	
BLACKFOOT DAM	R	.32	.05			.05	.05		.23						.27		.22	-	-	-	-		-		-	-	-						
CLEMENTSVILLE 4 SE	R	.19						.08				.07	.10		.08			.05			-		-	-		-		-	-	-	-		-
DOLLARHIDE SUMMIT		.69	.26					.38	.14				.15	.35	.44	.12	1.01	1.01	.70	.23	.46									.16	[illegible]		6.65
MOORE CREEK SUMMIT	R	1.22	.50					.46	.36					.16	.28	.08	.52	1.46	1.04		.20	.02	*	.06						30	.68		7.34
DECEMBER 1950																																	
DOLLARHIDE SUMMIT		.12	.16	.42	.55		.39	.42							.35	.09	*			*	*					*			*		*		
ELK CITY		.11	.03		.34		.23	.23				.24	.04	T						.15	.16	.01	.01	.55	.02	.24			.22	65	.66	1.22	[illegible]
MOORE CREEK SUMMIT	R	.88	.13	1.33	1.37		.81	.74	.10	.06					.10	.27	.07			.05	.12		.08		*	*	*	*	*	.80	.80	[illegible]	7.76
OLA	R	1.53	-			-	-	-							-													*	*	*	1.30		V -
JANUARY 1951																																	
BOGUS BASIN	R	.07	-												-	.44	.49	.88	.05	.56	.02	.38					-				.80	.09	-
COUNCIL 2 NNE	R	.03	1.28	*	.16						.34	.06		.20	.23	.02	.15	.28	.17	.13		.47			-	-	-						
DOLLARHIDE SUMMIT		*	*	2.56	.16						.05	.08	.03	.15	.42	.20	.17	.21	.18	.23		.78	.33	.31									V 9.36
MOORE CREEK SUMMIT	R		1.37	.17	.43						.16	.23		.26	1.01	.47	.70	2.13	.23	.52	.10	.58	.17	.46	.44	*	.24	.11					9.78
ROLAND W PORTAL		T	.56	.80	.40				T		T		.35	.51	.42	.23	T	[illegible]	.24	T	.03	.82	.28	.16	.42	.60	.02						6.36
FEBRUARY 1951																																	
CLEMENTSVILLE 4 SE	R		.20	.12	.11	.03		.59																.02	.09								1.16
DOLLARHIDE SUMMIT		.07	1.13	.26	.73	.10	.38	.94										.17			.12												3.90
ELK CITY			.04	.15	.07	1.30	.05	.15	.35	.68	.08	.03	.34				.02	.10	.07	.10		.31				.42							4.26
PIERCE RS	R	*	1.00	.24	.22	.23	.04	.63	.15	.70	.03	.41				.07	.02	*	.35						*	.47							4.56
MARCH 1951																																	
CASCADE RS	R			.19	*	.97	.68	.09	.18	.20						.51		.03					.05								.13		3.03
DOLLARHIDE SUMMIT					1.20	.20	.85	.25	.30							.40	.20						.02					.02					[illegible]
ELK CITY				.07	.73	.60	.09	.15	.12	.06			.04	.52	T		*	*				.72						.14		.18	.01		3.43
APRIL 1951																																	
BOISE LUCKY PEAK DAM	R																								.03			.02	.88	.26			1.19
CONDA																		.02	.13	T	.02			.13	.10	.13	.16	.35	.05	.25	.60		1.94
MAY 1951																																	
CONDA		.10						.19	.15			.25	.16	.10			.04	.11										.11		.31	.35	.03	1.90

See reference notes following Station Index

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
BLACKFOOT DAM	//																									
NOVEMBER 1950	1ST		.01		.01										.03	.02	.05	.03	.04	.02	.02	.04	.02	.03		.32
	2ND		.02	.03																						.05
	5TH																		*	*	*	*	*	*	.05	.05
	6TH									.01	.02	.02														.05
	8TH		.01	.03	.11	.07	.01																			.23
	14TH										.01		.01	.05	.06	.03	.05	.01		.04	.01					.27
	16TH															.01	.01			.01			.02	.06	.11	.22
	17TH	.01						.03	.02	.02	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BOGUS BASIN																										
JANUARY 1951	1ST																					.01	.02	.03	.01	.07
	2ND	.03	.01		.03	.04	.02	.01	.07	.08	.07	.12	.16	.10		.05	–	–	–	–	–	–	–	–	–	–
	14TH	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15TH																.05	.06	.02	.10	.14	.05	.01		.01	.44
	16TH			.01															.01	.06	.07	.07	.09	.09	.09	.49
	17TH	.08	.03	.02	.08	.12	.19	.11													.09	.11	.04		.01	.88
	18TH	.04		.01																						.05
	19TH	.04	.06	.13	.12	.04	.03				.03	.01	.01	.07	.02											.56
	20TH																								.02	.02
	21ST	.04	.05	.07	.08	.09	.05																			.38
	22ND		.01	.02	.02	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	29TH	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	.01	.01	.02	.01						–
	30TH											.04	.13	.27	.24	.08	.03								.01	.80
	31ST		.01		.01	.02	.01	.01	.02	.01																.09
BOISE LUCKY PEAK DAM																										
APRIL 1951	24TH			.03																						.03
	27TH																								.02	.02
	28TH	.12	.04	.01	.01	.05	.10	.03	.08	.04	.03	.02	.01	.01		.14	.14	.01			.01				.03	.88
	29TH	.01		.01				.01	.02	.05	.02	.03	.03	.03	.04	.01										.26
CASCADE	//																									
MARCH 1951	3RD															.02	.02	.01		.01	.02	.02	.03	.02	.04	.19
	4TH	.03	.03	.01	.01	.03	.01	.01	.02	.02	.02	.03	.02	.03	.04	.01	*	*	*	*	*	*	*	*	*	*
	5TH	*	*	*	*	*	*	*	*	*	*	*	.60										.02	.02	.01	.97
	6TH	.01	.02	.01		.01		.05	.04	.01		.02	.05	.06	.05	.11	.08	.03			.01	.04	.05	.01	.02	.68
	7TH	.01		.01	.02	.01	.03	.01																		.09
	8TH								.01	.02	.03	.01	.01	.03	.01	.01		.01					.01	.02	.01	.18
	9TH		.01	.04	.06	.04	.03	.01	.01																	.20
	15TH		*	*	*	*	*	*	.31	.01	.01	.03	.02	.08	.05											.51
	17TH	.01	.01	.01																						.03
	22ND	*	*	*	*	*	.05																			.05
	30TH																.01	.02	.07	.03						.13
CLEMENTSVILLE 4 SE	//																									
NOVEMBER 1950	1ST										.01	.01	.01	.04	.07	.05										.19
	7TH																					.01	.02	.03	.02	.08
	11TH											.01	.05	.01												.07
	12TH									.02			.05	.03												.10
	14TH										.01	.01	.02	.01	.02	.01										.08
	17TH												.01	.02	.02											.05
	19TH					–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
FEBRUARY 1951	2ND				.03	.04	.03	.04		.02	.01				.01	.01							.01			.20
	3RD	.05	.03	.01	.01		.01				.01															.12
	4TH							.05	.04			.01	.01													.11
	5TH				.02	.01																				.03
	7TH						.15	.04	.08	.09	.10		.07	.01			.04	.01								.59
	23RD																	.02								.02
	24TH		.04	.01		.01			.01	.01				.01												.09
COUNCIL 2 NNE																										
JANUARY 1951	1ST																							.01	.02	.03
	2ND	.01	.01			.03	.03	.04	.03	.04	.05	.06	.03	.02	.17	.20	.14	.06	.02	.04	.11	.07	.05	.05	.03	1.28
	3RD	.02				*	.04											*	*	*		*	*	*	*	*
	4TH	*	*	*	*	*	*	*	*	*	*	*	*	.10												.16
	10TH																	.03	.04	.03	.03	.05	.05	.04	.07	.34
	11TH	.03		.01	.01	.01																				.06
	13TH													.01	.02	.05	.02	.01	.01		.01	.02	.03	.02		.20
	14TH	.02	.01	.02	*	*	*	*	*	*	.10	.01	.03				.01						.02	.01		.23
	15TH											.01		.01												.02
	16TH																		.01	.04	.04	.01	.01	.04		.15
	17TH	.05		.04	.02	.10	.04			.01				.01											.01	.28
	18TH	.01	.01	.10	.02	.01						.02														.17
	19TH			.03	.07	.03																				.13
	21ST	.02	.05	.07	.06	.07	.04	.01	.04	.04	.0[illegible]	.02		.01			.01									.47
	22ND																	–	–	–	–	–	–	–	–	–
	28TH	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DOLLARHIDE SUMMIT																										
AUGUST 1950	23RD	–	–	–	–	–	–	–	–	–	–	–	–	–												–
SEPTEMBER 1950	8TH			.02		.01		.01	.01	.06	.04							.16	.08	.01	.13	.18	.01			.72
	9TH	.01		.01	.01	.04	.12	.06	.07	.06	.02	.01	.02	.01	.01	.01	.01	.02	.02	.01	.01	.01	.01	.01	.01	.57
	10TH	.03	.02	.01	.02	.13	.02	.01	.02	.02							.03	.01	.03				.01			.36
	17TH													.01	.01	.02	.03	.01	.01	.01	.01	.02	.01			.14
	22ND							.03	.03	.02	.01	.01	.01	.02	.01	.02	.09	.01	.01				.01			.28
	23RD											.01		.01			.01									.03
	25TH									.01	.01	.01														.03
	26TH								.02	.01	.02			*	*	*	*	*	*	*	*	.18				.23
	29TH						.01	.02	.10	.01	.01		.01	.02	.01		.02									.21
	30TH	.02	.08	.04	.02	.01	.01	.01																		.19
OCTOBER 1950	1ST							.01	.03	.04	.06															.14
	5TH											.01	.01		.01	.01	.02	.01	.01	.01	.01			.01	.01	.12
	6TH	.02	.02	.03	.01	.02	.02																			.12
	14TH																		.02	.03	.01	.01	.01	.03	.12	.23
	15TH	.03	.01	.01																						.05
	24TH															.01	.01	.01	.01	.05	.03	.02	.02	.01	.02	.19
	25TH	.04	.05	.03	.02	.02	.05	.05	.05	.02	.02	.01	.01	.02	.06	.08					.01	.01	.05	.07	.07	.74
	26TH	.08	.22	.08	.04	.03	.03	.02	.02	.03	.02	.05	.05	.04	.02						.01	.01	.01			.76
	27TH	.04	.18	.04	.03	.06	.08	.04	.02	.03	.04	.05	.04	.02						.02	.04	.04	.04	.02	.01	.84
	28TH	.01	.04	.06	.04	.02	.02	.02	.04	.06	.10	.06	.13	.16	.05	.01	.01			.01	.01	.01		.01	.01	.88
	29TH	.03	.03	.04	.05	.03	.03	.02	.03	.05	.03	.06	.02	.03										.01	.05	.51
	30TH	.05					.03	.04	.01		.03	.03	.03			.01	.01	.01								.25
	31ST																						.01	.01	.01	.03
NOVEMBER 1950	1ST	.01	.01	.03	.03	.04	.01	.02	.04	.01	.02	.03	.03	.03	.04	.02	.01	.02	.01	.03	.05	.07	.08	.02	.03	.69
	2ND	.06	.03	.01	.02	.02	.02		.01	.01	.01	.02	.03	.02												.26
	7TH				.01	.02	.01	.03	.01	.01				.01	.01	.01	.01	.03	.02	.01	.01	.05	.06	.04	.03	.38
	8TH	.02	.03	.04	.04	.01																				.14
	12TH	.01		.01	.03	.03	.01	.01	.01	.02	.01	.01														.15
	13TH	.01	.01		.01			.02	.01	.01	.02	.01			.01		.06	.02		.06	.08	.02				.35
	14TH		.01	.01	.02	.02	.02	.02	.03	.05	.03	.03	.03	.06	.03	.02	.01	.01	.01	.02	.01					.44
	15TH		.01	.01	.02	.02	.01		.02	.01	.02															.12
	16TH	.01			.01				.02	.08	.04	.05	.02	.16	.06	.09	.06	.03	.03	.07	.10	.08	.06	.03	.01	1.01

See reference notes following Station index

Station		A M Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
[illegible] SUMMIT (CONT)																										
NOVEMBER 1950	17TH	.01	.01	.01	.02	.04	.08	.05	.06	.06	.03	.03	.01	.02	.04	.05	.05	.03	.03	.06	.05	.06	.06	.08	.07	1.01
	18TH	.07	.06	.06	.06	.07	.04	.04	.04	.05	.05	.04	.02	.01	.01	.01	.03	.03	.01							.70
	19TH			.01	.03	.01	.02		.03	.01	.01	.01								.02	.02	.02	.03	.01		.23
	20TH		.01	.01	.01		.01			.02	.01	.03	.06	.08	.07	.08	.02			.03		.01			.01	.46
	29TH																				.01	.02	.03	.04	.06	.16
	30TH	.08	.03	.02	.02	.03	.01	.01		.01	.01	.01	.01	.01	.01	.01	.01		.02	.03	.05	.05	.06	.04	.02	.55
DECEMBER 1950	1ST							.01		.01	.01	.01	.01					.01	.02	.01	.01			.01	.01	.12
	2ND	.01			.01					.02		.01	.02	.01	.01	.02				.01	.01		.01	.01	.01	.16
	3RD	.01	.04	.02	.03	.03	.01	.04	.02	.01	.01	.01	.01	.01	.02		.01	.01	.01	.01	.02	.02	.04	.02	.01	.42
	4TH	.02	.02	.11	.05	.14	.03	.02	.02	.04	.03	.01	.01	.01	.01	.01	.02									.55
	6TH										.01	.02	.03	.01	.02	.04	.01	.01	.01	.01	.01	.09	.06	.03	.03	.39
	7TH	.04	.09	.06	.11	.04	.02	.02	.03	.01																.42
	14TH		.01			.01	.02		.01	.02	.01	.02	.04	.09	.02	.01	.03	.02	.01	.01		.01			.01	.35
	15TH	.01	.01	.01			.01		.01	.02	.01	.01														.09
	16TH			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
JANUARY 1951	3RD	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	2.56									2.56
	4TH					.01	.02	.02	.03	.03	.02	.01	.01	.01												.16
	10TH				.01	.01	.01															.01	.01			.05
	11TH	.01	.03		.01	.01	.01		.01																	.08
	12TH																					.03				.03
	13TH								.01	.01			.01	.01		.01	.02	.02	.01	.02	.01	.01	.01			.15
	14TH	.02	.04	.05	.06	.02	.01	.01	.01	.02		.02	.01	.01		.02	.01	.01	.01	.03	.02		.02	.01	.01	.42
	15TH	.01								.01	.03	.01							.02	.03	.03	.01	.01	.02	.02	.20
	16TH																		.01	.03	.02	.01	.03	.04	.03	.17
	17TH	.02	.04	.11	.07	.05	.08	.04	.03	.05	.12	.11	.08	.13	.04	.03	.02	.02	.08	.03	.02		.01	.02	.01	1.21
	18TH	.02	.03	.05	.02	.02	.01	.01				.01													.01	.18
	19TH	.03	.02	.02	.04	.01	.08	.02					.01													.23
	21ST		.01	.02	.02	.04	.08	.05	.05	.05	.05	.03		.05	.02	.03	.04	.04	.02	.05	.04	.03	.03	.02	.01	.78
	22ND	.02	.07	.06	.04	.02	.02		.01		.01	.03	.02		.01	.01		.01								.33
	23RD							.01	.01	.02	.03	.03	.04	.04	.05	.03	.03	.01	.01							.31
FEBRUARY 1951	1ST																			.01		.01	.01	.02	.02	.07
	2ND	.01	.04	.08	.09	.05	.03	.03	.02	.05	.04	.05	.06	.06	.07	.03	.02	.02	.09	.05	.05	.14	.02	.03		1.13
	3RD	.02	.02	.03	.05	.04	.02	.01	.01	.01	.01	.01		.01					.01						.01	.26
	4TH	.01	.03	.07	.02	.01	.02	.01	.02	.03	.02			.01	.01	.02	.01	.08	.08	.06	.03	.04	.08	.04	.03	.73
	5TH	.02			.02	.02	.01	.02	.01																	.10
	6TH							.01	.01	.01	.01	.01	.02	.03	.01						.01	.05	.08	.08	.05	.38
	7TH	.02	.01	.10	.12	.10	.18	.03	.03	.04	.02	.02	.04	.04	.05	.03	.03	.03	.03	.01	.01					.94
	17TH								.02	.02	.01	.02	.01					.01	.01		.01	.01	.01	.03		.17
	20TH																.02		.01	.01	.01	.01	.02	.01	.03	.12
MARCH 1951	4TH	.05		.02		.03	.02	.03	.02	.03	.03	.02	.05	.05	.02		.03	.05	.15	.10	.10	.05	.15	.10	.10	1.20
	5TH	.10	.10																							.20
	6TH								.10	.05	.02	.03	.05	.05	.10	.10	.05	.05	.05	.05	.02	.03	.05		.05	.85
	7TH	.05	.05		.05								.10													.25
	8TH						.05				.05	.10		.05			.05									.30
	15TH										.05		.05	.10	.05	.05			.10							.40
	16TH	.10										.10														.20
	22ND																								.02	.02
	27TH																				.02					.02
MOORE CREEK SUMMIT																										
SEPTEMBER 1950	25TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							.02	.04	.04	-
	26TH	.14			.02							.02	.02	.02	.02	.08	.02	.02								.36
	29TH																								.02	.02
	30TH										.03	.03	.02													.08
OCTOBER 1950	1ST	.02	.02	.02	.02																					.08
	5TH											*	*	*	.12	.05	.03	.02	.02	.02	.02		.02		.02	.32
	6TH				.04					.02	.02	.02														.10
	7TH		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	14TH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.18			.02			.02	.04	.26
	15TH	.02		.02					.02		.02															.08
	16TH			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	25TH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.14				.10	.06	.04	.08	.42
	26TH	.16	.04	.04	.02						.02	.02	.02	.04	.04				.02		.04	.10	.02		.04	.62
	27TH	.08						.02	.06	.08	.12	.04	.06	.02	.02					.02	.02				.02	.56
	28TH	.02	.02		.02	.02	.02	.04	.02	.02	.04	.04	.04	.02	.02			.02								.36
	29TH	.02	.02			.06	.02			.02	.02	.02			.02								.02		.02	.24
	30TH								.02	.02	.06	.02														.12
NOVEMBER 1950	1ST				.02	.04	.02	.02	.06	.08	.04	.08	.06	.06	.06	.06	.04	.08	.06	.06	.10	.06	.10	.06	.06	1.22
	2ND	.06	.08	.04	.06	.02	.04		.02	.02	.02	.04	.08	.02												.50
	7TH										.02				.02			.02	.02	.04	.04	.08	.06	.12	.04	.46
	8TH	.04	.10	.18	*	.04																				.36
	13TH																.02	.02	.02	.06	.02			.02		.16
	14TH						.02		.02	.04	.04	.04	.10	.02												.28
	15TH				.02						.02	.02	.02													.08
	16TH										.02	.02	.04	.04	.06	.20	.04		.02	.02			.02	.02	.02	.52
	17TH			.02	.02	.02	.04	.04	.08	.12	.14	.04	.04	.04	.02	.02	.06	.10	.18	.14	.08	.04	.06	.04	.12	1.46
	18TH	.04	.02	*	*	*	*	*	.40	*	*	*	*	.58												1.04
	20TH							.02			.02		.02	.04	.02	.04	.04									.20
	21ST												.02													.02
	22ND										*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	23RD	*	*	*	*	*	*	*	*	.06																.06
	29TH																	.02	.02	.02	.04	.04	.04	.06	.06	.30
	30TH	.04	.04	.04	.04	.02			.02	.08	.02	.02						.04	.02	.06	.08		.02	.02	.12	.68
DECEMBER 1950	1ST								.01	.03	.02	.01	.04	.05	.05	.10	.10	*	*	*	.40	.02	.03	.01	.01	.88
	2ND	.03	.01								.04	.01	.04													.13
	3RD			.10	.07	.03	.03	.07	.10	.15	.05	.10	.02	.08	.05	.05	.05	.03	.02	.10	.05	.05	.10	.01	.02	1.33
	4TH	.07	.20	.20	.20	.17	.03		.01	.09	.20	.08		.02	.03	.03	.04									1.37
	6TH					.01			.01	.03	.10	.10	.05	.05	.07	.03	.04	.03	.03	.10	.09		.01	.03	.03	.81
	7TH	.24	.07	.03	.10	.10	.10	.01	.01	.01	.01		.06													.74
	8TH													.01	.08	.01										.10
	9TH												.05	.01												.06
	14TH									.01	.01	.02	.03	.01	.01	.01										.10
	15TH						.01	.01	.01	.01	.10	.01	.02	.05	.05											.27
	16TH										.01	.02	.01	.02	.01											.07
	19TH										.01	.01	.01	.01	.01											.05
	20TH									.02	.03	.05	.01	.01												.12
	22ND										.02	.01	.01	.02	.01			.01								.08
	24TH																			*	*	*	*	*	*	*
	29TH	*	*	*	*	*	*	*	*	*	*	*	.80													.80
	30TH	.01	.01	.01	.02		.01	.01		.01	.02	.05	.05	.10	.10	.40										.80
	31ST	.01	.01	.01								.02														.05
JANUARY 1951	2ND				.01	.05	.05	.05	.10	.09	.01	.01	.05	.10	.20	.05	.10	.20	*	*	*	.30				1.37
	3RD	.09	.01								.01		.01	.01										.02	.02	.17
	4TH	.01	.01	.02	.04	.05	.03	.02	.10	.05	.03	.01	.01	.01	.03	.01										.43
	10TH																				.01	.01	.01	.05	.08	.16
	11TH	.04				.01		.01		.02	.05	.10														.23
	13TH										.01	.02	.02						.01	.07	.01	.01	.01	.05	.05	.26
	14TH	.10	.10	.01	.04	.04	.01	.01	.10	.15	.04	.01	.01	.03	.01	.02	.02				.10	.15	.05		.01	1.01

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
MOORE CREEK SUMMIT (CONTD) JANUARY 1951	15TH	.01	.04			.01	.01	.01			.01	.01	.03	.01					.01	.14	.02	.05	.05	.02	.04	.47
	16TH	.10										.11	.07	.01	.01							.17	.03	.10	.10	.70
	17TH	.17	.08	.10	.12	.10	.20	.10	.20	.10	.08	.07	.03	.03	.05	.05	.05	.05	.02	.10	.10	.01	.05	.02	.05	2.13
	18TH	.01	.01	.02	.01			.01	.01		.05	.01	.02	.03	.05											.23
	19TH				.10	.10	.02	.01	.01		.02	.08	.03	.05	.02	.08										.52
	20TH												.05	.03	.02											.10
	21ST				.05	.01	.05	.10	.16	.08	.07	.02	.01											.01	.02	.58
	22ND	.01	.01	.01	.01							.01	.02	.03	*	*	.05							.01	.01	.17
	23RD	.01			.01	.01	.02	.02	.01	.01	.06	.03	.02	.01	.08	.05	.03	.01					.02	.02	.04	.46
	24TH	.06	.04	.01	.01	.02	.05	.04		.01	.06	.06	.01	.07												.44
	25TH										*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	26TH	*	.14	.01	.09																					.24
	27TH											.01	.07	.01	.01	.01										.11
MOOSE CREEK RS // OCTOBER 1950	2ND			.01	.03																					.04
	3RD													.01	.03			.02			.01		.01	.02	.02	.12
	4TH	.03	.02																							.05
	5TH								.01	.05	.03	.03	.01	.03	.02	.01	.02				.02	.01	.01	.01	.04	.30
	6TH	.01			.02			.02		.01	.02		.03	.01								.01	.01			.14
	7TH		.01	.03	.03	.02	.01			.01	.01															.12
	8TH															.02	.02	.05	.01	.04	.01	.02	.01	.01		.19
	12TH																		.01			.01				.02
	13TH				.01	.02	.01																			.04
	14TH								.04	.03	.01			.03	.02	.02	.01									.16
	17TH															.01	.01	.07	.06	.01						.16
	18TH	.01							.02	.02			.02						.01						.01	.09
	19TH	.01		.03	.04		.06	.02						.01							.03		.01		.01	.22
	21ST								.03	.02	.02	.04	.02	.01				.01	.02	.02						.19
	22ND																							.01	.02	.03
	23RD						.02			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OLA DECEMBER 1950	1ST	*	*	*	*	*	.63										.01	.08	.05	.10	.15	.17	.13	.15	.06	1.53
	2ND	.04	.05	.01	.01				.03	.05	.12	.11	.04	.03	.05	.03	.08	.02	.02	–	–	–	–	–	–	–
	15TH	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							–
	27TH																		*	*	*	*	*	*	*	*
	30TH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1.30							1.30
PIERCE RS // FEBRUARY 1951	1ST																	*	*	*	*	*	*	*	*	*
	2ND	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.91	.02	.01				.01	.05	1.00
	3RD	.03	.01		.01		.01		.02	.02	.02		.02	.01			.02	.06	.01							.24
	4TH	.01	.01		.01	.01	.01	.01	.01	.01								.01	.03	.03	.02	.01	.02	.02		.22
	5TH	.01	.04		.03	.01	.02	.03	.06	.02										.01						.23
	6TH																					.01	.01	.02		.04
	7TH	.01		.01	.03	.01			.04	.05	.01	.04	.06	.11	.10	.11	.02	.01							.02	.63
	8TH	.04	.05	.02		.01	.01	.01																	.01	.15
	9TH		.03	.06	.10	.07	.08	.09	.06	.09	.04	.02	.04	.01			.01									.70
	10TH												.01						.01	.01						.03
	11TH			.08	.03	.04	.01	.02	.02	.02			.03	.04	.02		.02	.04	.04							.41
	15TH																				.03	.01	.01	.01	.01	.07
	16TH				.01	.01																				.02
	17TH																							*	*	*
	18TH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.35								.35
	24TH																	*	*	*	*	*	*	*	*	*
	25TH	*	*	*	*	*	*	*	*	*	*	*	*	*	.47											.47

DAILY TEMPERATURES

Table 5

Station		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
DECEMBER 1950 ELK CITY	MAX	41	34	38	37	31	34	38	39	40	37	45	44	44	42	48	36	37	35	36	37	40	43	45	43	42	46	38	37	37	36	31	39.1
	MIN	15	21	25	29	8	9	30	27	21	28	26	31	27	16	26	25	27	26	27	31	25	27	27	28	33	26	24	26	27	28	21	24.7
JANUARY 1951 ROLAND W PORTAL	MAX	28	31	31	28	26	30	27	27	32	29	31	29	29	33	42	35	31	28	25	28	32	29	28	38	42	41	27	2	3	6	7	27.6
	MIN	24	25	26	25	16	13	13	17	24	21	24	18	28	28	29	22	24	14	11	21	20	23	12	25	34	27	- 4	-11	-13	- 8	- 7	16.8
FEBRUARY 1951 ELK CITY	MAX	24	36	48	43	40	35	47	45	42	54	51	39	41	48	49	48	42	37	39	42	37	39	47	39	40	35	35	35				41.3
	MIN	- 7	11	26	21	29	13	28	31	30	30	32	25	- 3	0	15	10	17	24	- 1	9	24	10	- 3	6	23	- 3	-12	-21				13.0
MARCH 1951 ELK CITY	MAX	35	34	29	33	32	37	32	41	34	30	42	43	43	44	43	32	29	41	46	56	50	33	47	58	59	48	45	50	48	48	58	41.9
	MIN	- 7	17	- 1	18	16	18	11	8	19	-25	-13	31	32	28	21	21	21	8	6	16	18	20	7	18	17	32	25	19	28	26	27	15.5
APRIL 1951 [illegible]	MAX	38	48	48	55	49	51	50	54	50	53	39	45	58	65	56	48	62	63	60	54	57	43	57	57	43	57	50	53	56	39		51.9
	MIN	20	22	24	24	30	25	28	34	21	14	20	27	33	20	20	33	34	39	29	26	17	36	35	25	35	39	40	35	28	25		27.9
MAY 1951 CONDA	MAX	35	37	[illegible]	61	70	75	69	56	50	60	67	70	40	58	55	62	61	66	64	66	67	58	72	70	64	67	73	68	79	69	63	62.1
	MIN	29	[illegible]	[illegible]	34	43	37	32	33	32	31	33	26	27	23	43	33	39	36	39	41	43	40	42	42	41	45	43	31	41	31	30	35.9

SNOWFALL AND SNOW ON GROUND

Table 7

Station		Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
JANUARY 1951 ROLAND W PORTAL	SNOWFALL	T	6.8	8.3	4.5				T		T		2.4	4.9	5.6	1.9	T	13.2	2.3	T	2.4	11.6	4.9	1.3	2.1	1.2						
	SN ON GND	-	34	42	45	43	41	40	40	40	40	39	41	46	50	51	51	64	66	66	65	76	80	81	79	65	60	59	59	59	59	59

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage †	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
BERDEEN EXP STATION	0010	BINGHAM	12	42 58	112 50	4400	5P	5P	EXPERIMENT STATION	5
LBION	0149	[illegible]	12	42 25	113 [illegible]	4750	8A	8A	[illegible]	
LPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN [illegible]	
MERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	[illegible]	8A	U S BUR RECLAMATION	5
NDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	[illegible]	[illegible]	U S BUR RECLAMATION	5
RCO	0375	BUTTE	6	43 38	113 19	5320	6P	6P	JAMES W MARTIN	5 7
RROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	5 6 7
SHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	[illegible] TEISMAN	5 7
TLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 4
VERY RANGER STATION	0523	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
ANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	3 4
ATVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	NAVY	5
ENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	4
IG CREEK	0835	VALLEY	11	45 08	115 20	5737	5P	5P	MARY A WEYMOUTH	4 5
LACKFOOT	0915	BINGHAM	12	43 11	112 21	[illegible]	6P	6P	EARL [illegible]	5
LACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 4 5 6
LISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
OGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	[illegible]	3 4
OISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 4
ONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	[illegible] NEUMAYER	2 3 4 5 7
RIDGE	[illegible]	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	3 4
UHL	1217	TWIN FALLS	12	42 35	114 46	[illegible]	5P	5P	WILLIAM A LOW	2 3
UNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3
URKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	
URLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	
URLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3
URLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
ALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
AMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J L TORTON	2 3
ASCADE 1 NW	1514	VALLEY	8	44 31	116 03	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 5
ASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	4
ENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
HALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
HILLY BARTON FLAT	1671	CUSTER	6	44 02	[illegible]	6500	5P	5P	GEORGE A MILLER	3
LARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	[illegible]	6P	6P	MRS MARY [illegible]	
LARKIA RANGER STATION	1871	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	3 4
LEMENTSVILLE [illegible]	1881	TETON	12	43 51	111 16	[illegible]		MID	TETONIA EXP STATION	3 4
OEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	3 4 7
OEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 [illegible]	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
ONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3
OTTONWOOD	[illegible]	IDAHO	3	46 03	116 21	3411	6P	6P	[illegible] KLAPPRICH	2 3 5 7
OTTONWOOD [illegible]	2159	IDAHO	3	46 02	116 [illegible]	3600		MID	[illegible]	3 4
OUNCIL [illegible] NNE	2187	ADAMS	12	44 45	116 [illegible]	[illegible]	7P	7P	[illegible] W HOOVER	2 3 4 5
RAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	3 4
ROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
EADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 4 7
EADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	[illegible]		VAR	U S SOIL CON SER	5
[illegible]	[illegible]	KOOTENAY	5	47 44	116 29	[illegible]		MID	U S FOREST SERVICE	3 4
EER FLAT DAM	2444	CANYON	12	43 [illegible]	116 14	[illegible]	6P	6P	U S BUR RECLAMATION	3
RIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3
UBOIS EXP STATION	2707	CLARK	6	44 11	112 14	5462	5P	5P	U S FOREST SERVICE	5
UBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
[illegible]	[illegible]	JEROME	12	42 41	114 15	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 5
[illegible]	[illegible]	GEM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6P	[illegible]	5 7
[illegible]	[illegible]	[illegible]	12	43 21	114 48	[illegible]	[illegible]	6P	[illegible]	2 3 5
[illegible]	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	1600	[illegible]	[illegible]	U S FOREST SERVICE	7
[illegible]	[illegible]	LEMHI	11	45 07	114 21	[illegible]	[illegible]	[illegible]	CALERA MINING CO	7
[illegible]	3297	[illegible]	[illegible]	[illegible]	[illegible]	4500	5P		[illegible]	2 3
[illegible]	[illegible]	BOISE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	3
[illegible]	[illegible]	CUSTER	[illegible]	[illegible]	113 31	6690		VAR	STAN L SWANGER	5
[illegible]	[illegible]	ELMORE	12	[illegible]	115 19	2569	7P	7P	[illegible]	2 3 7
[illegible]	[illegible]	[illegible]	[illegible]	42 55	114 46	3696	[illegible]	[illegible]	U S CIVIL AERO ADM	2 3 4 5 7
[illegible]	[illegible]	[illegible]	12	[illegible]	[illegible]	5400			[illegible]	2 3
[illegible]	[illegible]	[illegible]	12	[illegible]	[illegible]	[illegible]		[illegible]	CLARA M JENKINS	
[illegible]	3771	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	[illegible]	2 3 4 7
[illegible]	[illegible]	BONNEVILLE	[illegible]	43 03	111 22	[illegible]		[illegible]	ROSCOE T SIDBETT	5 7
[illegible]	[illegible]	[illegible]	[illegible]	43 42	[illegible]	6100	5P	[illegible]	MRS BRYAN TAYLOR	2 3
[illegible]	[illegible]	BLAINE	12	[illegible]	114 19	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3
AMER 4 NW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	12	[illegible]	114 08	4060		[illegible]	NORTH SIDE CANAL CO	2 3
[illegible]	[illegible]	[illegible]	12	43 18	115 03	[illegible]	[illegible]	[illegible]	CARROLL DAMMEN	2 3 7
[illegible]	[illegible]	TWIN FALLS	12	42 21	114 35	[illegible]		5P	SALMON R CANAL CO	2 3
[illegible]	4384	[illegible]	[illegible]	[illegible]	[illegible]	1820		7A	CHARLES D COWGILL	3
AHO CITY	[illegible]	BOISE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	R JOHN MELLOR	
AHO CITY 13 SW	[illegible]	BOISE	2	43 42	116 01	5000		[illegible]	C M GARDNER	3
[illegible]	4457	[illegible]	[illegible]	[illegible]	112 04	[illegible]	[illegible]	MID	U S CIVIL AERO ADM	2 3 4 5
[illegible]	[illegible]	OWYHEE	2	[illegible]	[illegible]	6000		VAR	CHRIS CALLEN	5
[illegible]IN 2 S	4588	[illegible]	[illegible]	43 24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3
[illegible]	[illegible]	FREMONT	[illegible]	44 25	[illegible]	6300	[illegible]	[illegible]	U S BUR RECLAMATION	2 3
[illegible]	4670	[illegible]	[illegible]	42 43	114 32	3774	5P	[illegible]	NORTH SIDE CANAL CO	2 3
[illegible]	[illegible]	LEWIS	[illegible]	46 14	116 01	1190	7A	7A	[illegible]	3
[illegible]	4831	[illegible]	4	47 32	[illegible]	[illegible]	9A	9A	[illegible]	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1261	[illegible]	4P	E T GYLROY	2 3
[illegible]	[illegible]	ADA	[illegible]	43 31	[illegible]	[illegible]		5P	[illegible]	2 3
[illegible]	[illegible]	VALLEY	11	44 40	[illegible]	[illegible]		[illegible]	U S FOREST SERVICE	5
[illegible]	[illegible]	LEMHI	11	[illegible]	113 22	[illegible]		MID	[illegible]	3 4
[illegible]	[illegible]	[illegible]	12	46 25	[illegible]	[illegible]		[illegible]	JACK MCKAY	
[illegible]	[illegible]	[illegible]	[illegible]	46 25	117 01	743		[illegible]	[illegible]	7
[illegible]	5241	[illegible]	[illegible]	[illegible]	117 02	1413	MID	[illegible]	U S WEATHER BUREAU	4 5 7
[illegible]	[illegible]	[illegible]	1	42 07	[illegible]	[illegible]	[illegible]	6P	[illegible]	
[illegible]	[illegible]	[illegible]	3	[illegible] 38	114 [illegible]	[illegible]		VAR	[illegible]	
[illegible]	[illegible]	[illegible]	8	44 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5 7
[illegible]	[illegible]	CUSTER	6	43 55	113 17	5900	5P	5P	[illegible]	2 3 4 5 7
MALAD	[illegible]	ONEIDA	1	[illegible]	112 [illegible]	4420	[illegible]	7P	J L CROWTHER	
MALAD CAA AP	[illegible]	ONEIDA	1	42 10	112 [illegible]	4480	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
MAY RANGER STATION	[illegible]	LEMHI	11	44 36	113 55	[illegible]	6P	6P	[illegible]	2 3 5
MCCALL	[illegible]	VALLEY	8	44 54	116 07	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7
[illegible]	[illegible]	BANNOCK	12	[illegible]	[illegible]	4774	5P	[illegible]	[illegible]	
MERIDIAN 1 SSW	[illegible]	ADA	2	43 [illegible]	116 [illegible]	2607	[illegible]	5P	L A ROSS	
MESA	[illegible]	ADAMS	11	44 37	[illegible]	3244	[illegible]	8P	MESA CO	
MINIDOKA DAM	[illegible]	MINIDOKA	12	42 40	113 29	[illegible]	[illegible]	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	1	42 19	111 18	[illegible]	8A	8A	U S FOREST SERVICE	2 3 5
[illegible]	[illegible]	[illegible]	3	[illegible]	[illegible]	2400		MID	U S FOREST SERVICE	4
MOSCOW U OF I	[illegible]	LATAH	7	46 44	117 00	2628	[illegible]	[illegible]	[illegible]	
MOUNTAIN HOME 1 W	[illegible]	ELMORE	12	43 08	115 43	[illegible]	[illegible]	[illegible]	[illegible]	2 3 4 5
MULLAN PASS CAA	[illegible]	SHOSHONE	4	47 27	[illegible]	6022	MID	MID	U S CIVIL AERO ADM	4
NAMPA	[illegible]	CANYON	2	43 [illegible]	116 34	[illegible]	5P	5P	C W NELSON	2 3 5
NAMPA [illegible]	[illegible]	CANYON	2	43 37	116 [illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	[illegible]	ADAMS	11	44 58	116 17	[illegible]	[illegible]	5P	U S FOREST SERVICE	
NEZPERCE	[illegible]	LEWIS	3	46 14	116 14	[illegible]	5P	5P	WAYNE S SHAEFFER	2 3 5
[illegible]	[illegible]	LEMHI	11	45 43	114 30	[illegible]		VAR	U S FOREST SERVICE	
OAKLEY	[illegible]	CASSIA	12	[illegible]	113 [illegible]	4600	6P	[illegible]	[illegible]	2 3 5 7
OBSIDIAN 4 NNE	[illegible]	CUSTER	11	44 03	114 48	[illegible]	5P	5P	MARJORIE L SHAW	2 3 5
OLA	[illegible]	GEM	8	44 [illegible]	116 17	3075	5P	5P	DAISY V NEWELL	
[illegible]	6681	CLEARWATER	3	46 29	116 15	[illegible]	5P	5P	U S FOREST SERVICE	
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	[illegible]	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	[illegible]	CANYON	2	43 [illegible]	116 57	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 [illegible]	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	[illegible]	6P	6P	MICHAEL HARRIS	
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	[illegible]	5P	5P	U S FOREST SERVICE	2 3 4 5
PINE 2 SSW	[illegible]	ELMORE	[illegible]	[illegible]	115 19	4225		[illegible]	[illegible]	
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 [illegible]	[illegible]		MID	U S INDIAN SERVICE	3 4
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 [illegible]	4441	MID	MID	U S WEATHER BUREAU	2 3 4 5
[illegible]	[illegible]	BOUNDARY	5	[illegible]	[illegible]	[illegible]	[illegible]	5P	R E DENHAM	
[illegible]	7301	LATAH	7	[illegible]	[illegible]	[illegible]	7P	7P	POTLATCH FOREST INC	2 3 5
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	[illegible] 05	111 [illegible]	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	[illegible]	BONNER	9	48 21	116 50	[illegible]	5P	5P	U S FOREST SERVICE	7
[illegible] MOUNTAIN	[illegible]	[illegible]	12	43 [illegible]	112 03	[illegible]		[illegible]	[illegible]	
RICHFIELD	[illegible]	LINCOLN	12	[illegible]	114 [illegible]	4306	[illegible]	[illegible]	[illegible]	
RIGGINS RANGER STATION	[illegible]	IDAHO	11	[illegible]	116 19	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
[illegible]	[illegible]	JEFFERSON	12	[illegible]	111 [illegible]	4962	[illegible]	[illegible]	[illegible]	2 3 5
[illegible]	[illegible]	SHOSHONE	10	47 21	115 40	[illegible]	5P	5P	J L RANDOLPH	7
RUPERT	7968	MINIDOKA	12	[illegible] 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	[illegible]	FREMONT	12	43 58	111 [illegible]	4968	[illegible]	7P	E M JERGENSON	
SAINT MARIES	[illegible]	BENEWAH	10	[illegible]	116 33	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible]	[illegible]	LEMHI	11	45 11	113 [illegible]	3949	MID	MID	U S WB AIRWAY OBS	2 3 4 5
[illegible]	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 4 5
[illegible]	[illegible]	LINCOLN	12	[illegible]	114 24	[illegible]	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	[illegible]	CAMAS	12	43 30	114 [illegible]	[illegible]		VAR	U S FOREST SERVICE	5
SPENCER RANGER STATION	[illegible]	CLARK	6	44 21	112 11	[illegible]	[illegible]	5P	U S FOREST SERVICE	2 3 5
[illegible]	[illegible]	BINGHAM	[illegible]	43 04	[illegible] 11	[illegible]	[illegible]	6P	E T SHELAN	
STIBNITE	8738	VALLEY	11	44 54	115 20	[illegible]	[illegible]	8A	BRADLEY MINING CO	
STREVELL CAA AP	[illegible]	CASSIA	12	42 01	[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 4 5
[illegible]	[illegible]	MADISON	12	[illegible]	[illegible]	4892	6P	6P	WM C ROBERTS JR	
SUN VALLEY	[illegible]	BLAINE	12	[illegible]	[illegible]	5821	5P	[illegible]	[illegible]	2 3 4 5 7
SWAN FALLS POWER HOUSE	[illegible]	ADA	2	[illegible]	116 [illegible]	2323	[illegible]	[illegible]	[illegible]	2 3 5 7
[illegible] EXPERIMENT STA	[illegible]	[illegible]	12	[illegible] 19	[illegible]	[illegible]	6P	6P	STATE EXP STATION	
THREE CREEK	9119	[illegible]	[illegible]	42 03	115 10	5400	[illegible]	[illegible]	[illegible]	
[illegible]	9294	TWIN FALLS	12	42 35	114 28	[illegible]	5P	5P	U S BUR ENTOMOLOGY	7
TWIN FALLS 3 SE SUG FAC	[illegible]	TWIN FALLS	12	42 32	[illegible]	3770	[illegible]	8A	AMALGAMATED SUGAR	
WALLACE	[illegible]	SHOSHONE	[illegible]	[illegible]	[illegible]	2770	[illegible]	6P	W FEATHERSTONE JR	7
[illegible]	9498	[illegible]	[illegible]	[illegible]	[illegible]	2950	[illegible]	[illegible]	[illegible]	2 3 5
WEISER	[illegible]	WASHINGTON	[illegible]	[illegible]	[illegible]	[illegible]	6P	6P	ROLAND HEMENWAY	
WINCHESTER 1 SE	[illegible]	LEWIS	[illegible]	46 14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible] SUMMIT	[illegible]	KOOTENAY	[illegible]	47 43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	VALLEY	[illegible]	44 58	[illegible]	4760	[illegible]	[illegible]	[illegible]	
NEW STATIONS										
JACKSON PEAK	[illegible]	[illegible]	[illegible]	44 03	[illegible]	[illegible]		VAR	U S SOIL CON SER	
[illegible]	[illegible]	BOISE	[illegible]	[illegible]	[illegible]	5990		MID	U S SOIL CON SER	3 4
PRAIRIE	7327	[illegible]	[illegible]	43 30	115 35	[illegible]		MID	VICTOR J ACARREGUI	
SHAKE CREEK RANGER STA	[illegible]	[illegible]	2	43 37	[illegible]	4730				
TRINITY LAKE GUARD STA	[illegible]	[illegible]	2	43 38	[illegible]	7400		VAR	U S SOIL CON SER	
[illegible]	[illegible]	[illegible]	[illegible]	43 43	115 38	[illegible]		VAR	U S SOIL CON SER	
[illegible]	[illegible]	BLAINE	[illegible]	[illegible]	[illegible]	8800		VAR	U S SOIL CON SER	
PUNGO CREEK	7413	VALLEY	11	[illegible]	115 04	[illegible]		[illegible]	[illegible]	
ATLANTA SUMMIT	[illegible]	[illegible]	[illegible]	43 45	115 14	7590		VAR	U S SOIL CON SER	
[illegible]	[illegible]	CAMAS	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	
BOISE LUCKY PEAK DAM	[illegible]	ADA	[illegible]	43 32	[illegible]	[illegible]	[illegible]	4P	U S ENGINEERS	
ELK CITY	[illegible]	IDAHO	3	45 49	115 26	[illegible]	[illegible]	4P	MRS LORA B VILAS	

† 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 4 are from recording gages. Traces are not shown.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 4, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. When hourly precipitation is missing or accumulated for several days, only the first and last days are shown in Table 4.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
6	Station not equipped with a recording gage.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gages.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

CORRECTED DATA

JANUARY 1950	Dubois 5 NE Exp. Station, precipitation on 2nd should be Trace, monthly total .93 and departure -.02.
JUNE 1950	Minidoka Dam, min. temperature on 29th should be 60°
DECEMBER 1950	Winchester 1 SE, delete snowfall amounts, should be no record.

GPO 86-100273 1000 8-13-51


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation storage
Precipitation and Temperature
Precipitation Temperature and Evaporation
Section Center
Type of gage Non recording.
Recording. Both types
Double circle combinations Complete Meteorological.
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Bonners Fy WB Awy
Benton Dam
Priest Riv Exp Sta
Sandpoint Exp Sta
Clark Fork 1ENE
Bayview Model Basin
Coeur d'Alene CAA AP
Deception Cr
Wolf Lodge Summit
Coeur d'Alene RS
Kellogg
Burke 2NNE
Mullan Pass CAA Sta
Wallace
Saint Maries
Plummer 3WSW
Roland W Portal
Avery RS
Clarkia RS
Potlatch
Moscow U of Ida
Bungalow RS
Lolo Pass
Orofino
Pierce RS
Lewiston Wtr Pl
Lewiston WB AP
Winchester 1SE
Craigmont
Kamiah 1NE
Nezperce
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Cottonwood 2SW
Grangeville WB Awy
Nez Perce Pass
Riggins RS
Salmon WB Awy
Big Creek
Forney Blackbird M
New Meadows RS
Yellow Pine
Stibnite
McCall USFS
Pungo Creek
Council 2NNE
Mesa
Landmark RS
Leadore
Cambridge
Cascade 1NW
Deadwood Summit
May RS
Challis
Cascade RS
Island Park Dam
Alpha 1NE
Deadwood Dam
Gilmore Summit RCL
Weiser
Ola
Crouch 2NNW
Payette
Lowman
Jackson Peak
Obsidian 1NNE
Dubois CAA AP
Hamer 4NW
Ashton 1S
St Anthony
Garden Valley RS
Chilly Barton Flat
Centerville 1NE
Arbaugh
Moores Cr Summit
Emmett 2E
Parma Exp Sta
Bogus Basin
Atlanta 1E
Vienna
Mackay RS
Howe
Nampa 2NW
Caldwell
Idaho Cy 13SW
Meridian 1SSW
Trinity Lake GS
Sun Valley
Arco
Shake Cr RS
Deer Flat Dam
Nampa
Prairie Pine 2SSW
Boise WB AP
Kuna
Soldier Cr RS
Hailey
Idaho Falls CAA AP
Anderson Dam 1SW
Fairfield RS
Palisades Dam
Swan Falls PH
Hill City
Mountain Home 1W
Richfield
Springfield
Putnam Mt
Grand View
Glenns Ferry
Bliss
Shoshone
Aberdeen Exp Sta
Fort Hall Ind Agcy
Blackfoot Dam
Pocatello WB AP
Gooding CAA AP
Jerome
Eden Hunt
Minidoka Dam
American Falls 1NW
Bancroft
Grace PH
Buhl
Burley 1NW
Rupert
McCammon
Twin Falls 2NNE
Hazelton
Burley CAA AP
Twin Falls 1SE
Burley
Montpelier RS
Hollister
Albion
Oakley
Malad
Lifton Pump Sta
Bridge
Three Creek
Malad CAA AP
Preston 2SE
Ida Vada
Strevell

CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

JULY 1951
Volume LIV No. 7

SAN FRANCISCO: 1951

IDAHO - JULY 1951

E. H. Jones, Section Director, Boise

WEATHER SUMMARY

July temperatures averaged more than 2° above those of the previous year and higher than in any July since 1947. The statewide precipitation average was very near that of last year and also close to the 59-year mean, but the Southeastern Division recorded the highest July average since 1941. Sunshine was noticeably below the mean for July, particularly in the southeastern part of the State. Despite considerable thunderstorm activity, little damage was reported, either from wind or hail, and in general winds were lighter than usual for July.

For the most part rainfall in the northern and western portions of the State was confined to the first ten days of the month, while in the southcentral and southeastern areas the heavier showers occurred in the final week or ten days. During the month only two well-defined storm fronts crossed the State. The first crossed the western border during the evening of the 3d and by forenoon of the 4th had passed eastward beyond the State; the second moved southward throughout the length of State between the evening of the 9th and the evening of the 10th. Both storm fronts were accompanied by rather widespread shower activity and drops in temperature. From the 23d through the remainder of the month temperatures ran above normal in all sections and the fire hazard increased rapidly, especially in the forests and ranges of the Southwestern and Northern Divisions. During this period the circulation over the State was principally from the south and southwest, in contrast to the early part of the month when the circulation pattern was more changeable and west to north winds were observed at upper levels on several occasions.

The July weather was generally very good for crop growth in irrigated sections of the State, but in some dry-farm areas the moisture was insufficient for full development of spring-sown grains. Intense heat during the latter half of the month necessitated heavy use of irrigation water and caused rapid drying of lower ranges; in southcentral areas beef cattle were moved from desert ranges to irrigated pastures and feed lots. Dairy production fell below normal during the month because of poor pasture conditions in many sections. Harvesting of fall-sown grain was started during July, but the hot, dry weather caused such rapid ripening that yields were somewhat reduced. Sugar beets made excellent progress, while potatoes and beans were doing well.

Rivers and streams in most sections of the State dropped slowly during the month, with remarkably good flow for the time of the year, and irrigation water supplies were ample in nearly all sections.

DJS

ACKNOWLEDGMENTS

In addition to the climatological data from some 6,000 Weather Bureau and cooperative weather stations, this bulletin series contains records from Hydroclimatic Network Stations which were formerly reproduced in the Hydrologic Bulletin Series. The Hydroclimatic Network is a nationwide net of rain gages--mostly of the recording type which produce continuous records of precipitation. It was established in 1939 at the request of the Corps of Engineers, Department of the Army, to supplement existing precipitation stations in order to provide records of rainfall intensity which were essential to the planning of flood control and related works by the Corps of Engineers. This Network, now numbering about 2,000 recording, and 1,000 non-recording rain gages, has been maintained by the Weather Bureau through working funds transferred annually to the Weather Bureau by the Corps of Engineers. These transfers averaged about $250,000 per year between 1940 and 1944, and nearly $375,000 since that date. For the years 1940-42, the Department of Agriculture transferred about $100,000 per year to provide data required in its work, and since 1947 the Bureau of Reclamation has transferred about $25,000 per ear to meet the increasing needs of their program in the Western States.

Previous to the introduction of this bulletin series, data from Hydroclimatic Network stations were presented in bulletins (Hydrologic Bulletins) which were issued monthly for each of 8 drainage areas embracing the entire United States, but since the Network was established to meet the internal requirements of the Federal agencies referred to above, no provision was made for public dissemination of the data, distribution being limited to cooperating agencies and to certain public repositories. A list of locations where reference copies of the Hydrologic Bulletin Series are available for inspection may be obtained upon application to Chief, U.S. Weather Bureau, Washington 25, D.C.

Many other records published in this bulletin have been made available through the cooperation of various public offices, private agencies, and individuals as listed in the Station Index.

SUPPLEMENTAL DATA

Station	Wind direction: Prevailing	Wind direction: Percent of time from prevailing	Wind speed m p h: Average	Wind speed m p h: Fastest mile	Wind speed m p h: Direction of fastest mile	Wind speed m p h: Date of fastest mile	Relative humidity averages percent: 5:30A MST	Relative humidity averages percent: 11:30A MST	Relative humidity averages percent: 5:30P MST	Relative humidity averages percent: 11:30P MST	Number of days with precipitation: Trace	Number of days with precipitation: .01–.09	Number of days with precipitation: .10–.49	Number of days with precipitation: .50–.99	Number of days with precipitation: 1.00–1.99	Number of days with precipitation: 2.00 and over	Number of days with precipitation: Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
BOISE WB AIRPORT	NW	22	6.9	56	S	24	53	32	22	36	2	1	1	0	0	0	4	90	2.6	SEE TABLE 2.
LEWISTON WB AIRPORT	NE	16	4.1	-	-	-	58	33	22	40	3	2	2	0	0	0	7	-	2.1	
POCATELLO WB AIRPORT	W	11	7.5	38	SW	7	57	29	21	39	2	2	1	0	0	0	5	73	3.0	

COMPARATIVE DATA

Table 1

Year	Temperature: Average	Temperature: Highest	Temperature: Lowest	Precipitation: Average	Precipitation: Average snowfall	Precipitation: No. of days .01 or more
1893	66.8	106	22	.39	-	2
1894	69.3	107	31	.25	-	2
1895	66.4	105	23	.57	-	3
1896	71.6	107	31	.76	-	4
1897	65.3	108	27	.72	-	4
1898	67.4	105	28	.78	-	3
1899	68.6	111	26	.30	0.0	2
1900	67.3	115	24	.19	0.0	2
1901	70.0	113	18	.23	0.0	1
1902	63.4	105	26	1.33	T	4
1903	63.5	105	27	.72	0.0	5
1904	66.6	109	26	.88	0.0	5
1905	69.0	113	30	.30	0.0	2
1906	70.6	108	34	.20	0.0	2
1907	66.7	105	28	.77	T	5
1908	69.2	110	27	.50	0.0	3
1909	66.7	110	28	1.26	0.0	4
1910	70.7	110	25	.36	0.0	2
1911	67.4	106	24	.20	0.0	2
1912	64.7	106	22	1.28	T	5
1913	65.5	105	22	2.01	0.0	7
1914	69.5	111	25	.87	0.0	4
1915	65.0	110	23	1.31	0.0	7
1916	66.3	107	19	1.11	0.0	5
1917	69.2	111	20	.30	0.0	1
1918	68.3	111	15	1.02	0.0	5
1919	70.1	111	23	.23	0.0	1
1920	69.9	111	26	.33	0.0	2
1921	68.4	109	22	.38	0.1	2
1922	68.7	113	25	.53	0.0	3
1923	70.3	110	26	.95	0.0	5
1924	67.8	115	17	.52	0.0	3
1925	71.1	115	30	.77	0.0	4
1926	70.2	109	27	.61	0.0	3
1927	68.3	107	26	.24	0.0	2
1928	69.1	114	25	.46	0.0	3
1929	69.5	112	24	.16	0.0	1
1930	70.0	110	28	.40	0.0	2
1931	71.3	116	25	.34	0.0	2
1932	67.1	107	25	.98	0.0	4
1933	70.1	115	24	.17	0.0	1
1934	70.1	118	24	.31	0.0	2
1935	69.1	116	22	.25	0.0	2
1936	71.5	112	29	.72	0.0	5
1937	69.8	111	28	.93	0.0	5
1938	68.1	113	28	1.18	0.0	7
1939	69.1	117	21	.69	0.0	[illegible]
1940	69.3	111	24	.64	0.0	4
1941	69.4	112	24	.72	0.0	3
1942	69.6	110	25	.42	0.0	5
1943	67.9	112	21	.47	0.0	3
1944	66.5	107	19	.38	0.0	3
1945	68.4	106	21	.30	0.0	2
1946	69.0	110	27	.62	0.0	4
1947	69.2	107	24	.16	0.0	2
1948	65.8	106	22	.87	T	4
1949	67.8	110	24	.30	T	[illegible]
1950	66.8	105	25	.64	T	[illegible]
1951	69.0	110	26	.62	T	3
PERIOD	68.4			.61	T	

CLIMATOLOGICAL DATA

Table 2

Station	Temperature: Average	Temperature: Departure from normal	Temperature: Highest	Temperature: Date	Temperature: Lowest	Temperature: Date	Temperature: Degree days	No. of days: Max 90° or above	No. of days: Min. 32° or below	Precipitation: Total	Precipitation: Departure from normal	Precipitation: Greatest day	Precipitation: Date	Snow, Sleet, Hail: Total	Snow, Sleet, Hail: Max. depth on ground at obsn	Snow, Sleet, Hail: Date	No. of days: .01 or more	No. of days: .50 or more	No. of days: 1.00 or more
NORTHERN DIVISION																			
AVERY RS	69.4	1.9	103	17+	40	11+	32	20	0	.87	- .03	.67	4	.0	0		4	1	0
BAYVIEW MODEL BASIN	65.0		93	31	37	7	63	6	0	.91		.80	4	.0	0		4	1	0
BONNERS FERRY	67.7	1.3	98	17	41	7+	34	14	0	1.17	.31	.76	4	.0	0		4	1	0
BUNGALOW RS	70.6	- 0.1	104	17	41	11	17	20	0	1.42	.66	.70	4	T	[illegible]		7	2	0
BURKE 2 NNE	61.3	1.5	88	13+	34	7	139	0	0	1.40	- .23	.99	4	.0	0		[illegible]	1	0
CLARK FORK 1 ENE	63.8	- 0.6	96	1	37	10+	78	4	0	1.30	.36	.71	4	.0	0		[illegible]	1	0
COBALT BLACKBIRD MINE	59.8M		91	15	32	7+	167	1	3	.33				.0	0		9	0	0
COEUR D ALENE CAA AP	68.1M		95	17+	40	7	46	10	0	.70		.54	4	.0	0		4	1	0
COEUR D ALENE RS	68.8	0.4	100	17	36	8+	46	19	0	.86	.26	.73	4	.0	0		4	1	0
COTTONWOOD	66.5	- 0.2	97	17	40	11	63	9	0	.96	.01	.52	4	T	0		5	1	0
ELK CITY	61.2		97	17	26	21	134	10	10	1.02		.63	4	.0	0		8	1	0
FENN RS	72.3	0.7	103	17	42	11	3	23	0	1.05	.34	.66	4	.0	0		[illegible]	1	0
KELLOGG	69.3	1.9	101	18	42	7+		16	0	.89	.07	.78	4	.0	0		3	1	0
KOOSKIA	73.3	1.0	106	17+	43	21	1	21	0	1.07	.27	.77	4	.0	0		4	1	0
LEWISTON WATER PLANT	75.6	- 0.5	106	23	48	8	1	23	0	.23	- .25	.19	4	.0	0		2	0	0
LEWISTON WB AP	74.3		104	17	48	6	10	18	0	.35		.16	4	.0	0		4	0	0
MOSCOW U OF I	67.6	0.4	96	17+	41	7+	41	10	0	.54	- .02	.47	4	.0	0		2	0	0
MULLAN PASS CAA	60.7	1.0	83	17	35	10	180	0	0	1.10	.04	.74	4	.0	0		4	1	0
NEZPERCE	67.3	2.1	99	18	40	21		11	0	.77	.00	.60	4	T	0		3	1	0
OROFINO	74.7	1.4	107	17	44	22	0	24	0	.61	- .04	.42	4	.0	0		3	0	0
PORTHILL	67.3	1.1	95	24	39	7	39	14	0	.91	.02	.35	6	.0	0		5	0	0
POTLATCH	66.8	1.6	96	17	39	7+	39	15	0	.71	.29	.69	4	.0	[illegible]		2	1	0
PRIEST RIVER EXP STATION	64.6	0.2	95	17	37	7	61	9	0	.91	.07	.46	4	.0	0		5	0	0
RIGGINS RS	78.4	1.8	109	17	50	6	0	23	0	.05	- .49	.05	25	.0	[illegible]		1	0	0
ROLAND W PORTAL	63.7	0.9	93	17	36	7	94	6	0	1.06	.32	.82	4	.0	[illegible]		3	1	0
SAINT MARIES	68.3	1.0	96	17+	40	21	39	18	0	.63	- .10	.60	4	.0	0		2	1	0
SALMON	68.4	0.3	101	17+	37	8	35	16	0	.84	.00	.52	27	.0	0		5	1	[illegible]
SANDPOINT EXP STATION	65.8	0.3	93	27	40	11+	39	7	0	1.21	.55	1.04	4	.0	0		4	1	1
WALLACE	65.5	- 1.1	97	17	38	7+	72	13	0	1.36	.47	1.07	4	.0	[illegible]		4	1	1
WALLACE WOODLAND PARK	64.5	- 0.6	95	18	39	7+		8	0	1.39	.67	.87	4	.0	0		4	1	0
WINCHESTER 1 SE	64.6M	1.1	95	23	36	11	80	9	0	.37	- .46	.25	4	.0	0		3	0	0
DIVISION	67.6	0.6								.87	.02			T					

See reference notes following Station Index

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	60.4	- 1.2	93	17+	30	8+	142	10	5	.31	- .19	.25	10	.0	0		2	0	0
ANDERSON DAM	74.6M		102	13+	46	11	0	19	0	.34		.34	4	.0	0		1	0	0
ARROWROCK DAM	74.5M	0.0	104	14	47	11		19	0	.22	- .18	.22	4	.0	0		1	0	0
ATLANTA 1 E	64.5	2.2	90	18+	35	11	89	2	0	.70	- .03	.35	29	.0	0		3	0	0
BLISS	75.5	2.1	102	13+	46	6+	0	21	0	.10	- .11	.10	29	.0	0		1	0	0
BOISE LUCKY PEAK DAM	77.3M		105	23+	41	6	3	23	0	.19		.19	4	.0	0		1	0	0
BOISE WB AP //	75.7	3.2	103	23	48	6	1	20	0	.29	.05	.27	4	.0	0		2	0	0
BUHL	75.0M	2.1	99	12	47	11	3	18	0	.19	- .17	.19	28	.0	0		1	0	0
CALDWELL	73.5	0.0	102	31	45	11	1	20	0	.25	- .08	.20	4	.0	0		2	0	0
CAMBRIDGE	74.7	0.7	107	18	47	10		20	0	.07	- .30	.07	4	.0	0		1	0	0
CASCADE 1 NW	65.4		95	23+	35	8	64	13	0	.03		.03	4	.0	0		1	0	0
CHALLIS	66.9	- 0.3	96	18	39	26	32	9	0	.62	.03	.21	10	.0	0		5	0	0
COUNCIL 2 NNE	72.8	0.4	101	26	43	8	8	18	0	.86	.36	.82	4	.0	0		2	1	0
DEADWOOD DAM	60.6	- 0.2	92	13+	29	8+	147	8	5	.69	- .12	.61	28	.0	0		3	1	0
DEER FLAT DAM	74.7	0.9	100	31	48	11	0	20	0	.13	- .06	.13	4	.0	0		1	0	0
EDEN HUNT PROJECT	73.1M		102	18	41	1+	3	21	0	.23		.15	29	.0	0		2	0	0
FAIRFIELD RS	65.9M		96	18	35	6	62	13	0	.27		.18	28	.0	0		2	0	0
GARDEN VALLEY RS	73.1M	2.9	105	31	38	11	12		0	.42	.14	.32	4	.0	0		2	0	0
GLENNS FERRY	74.5M	- 3.0	104	18	44	8	1	21	0	T	- .31	T	21	.0	0		0	0	0
GOODING CAA AP	75.5	3.3	102	18	46	11	3	20	0	.03	- .27	.03	28	.0	0		1	0	0
GRAND VIEW	78.9	3.6	110	17	49	11	0	28	0	.00	- .25	.00		.0	0		0	0	0
HAILEY	68.5	0.6	96	15+	39	11	34	13	0	.34	- .19	.18	28	.0	0		2	0	0
HAZELTON	72.6	- 2.6	99	18	45	11+	5	17	0	.65	.43	.49	29	.0	0		2	0	0
HILL CITY	65.7	- 0.1	98	18	33	6	65	14	0	.35	.06	.35	30	.0	0		1	0	0
HOLLISTER	72.4M	1.1	97	13+	37	11	18	16	0	.35	- .02	.35	28	.0	0		1	0	0
IDAHO CITY	66.3	- 1.0	[illegible]	17+	35	11	56	19	0	.33	- .11	.31	4	.0	0		2	0	0
JEROME	75.2	0.8	100	13+	45	12	[illegible]	19	0	.03	- .17	.03	29	.0	0		1	0	0
KUNA 2 NNE	71.1	- 2.1	100	23+	42	11	8	18	0	.35	.02	.35	4	.0	0		1	0	0
LOWMAN	64.0	- 2.1	96	13+	33	6+	73	16	0	.13	- .41	.08	[illegible]	.0	0		2	0	0
MC CALL	64.0	1.2	92	17	36	8	86	6	0	.59	.05	.59	4	.0	0		1	1	0
MERIDIAN 1 SSW	70.9	- 2.2	101	23+	42	6+	11	20	0	.34	.07	.34	4	.0	0		1	0	0
MESA	75.3		104	26	45	11	0	20	0	.19		.19	4	.0	0		1	0	0
MOUNTAIN HOME 1 NE	74.4	2.2	104	17	42	6	2	21	0	.15	- .22	.15	4	.0	0		1	0	0
NAMPA	77.9M	3.4	108	31	45	11	0	30	0	.00	- .16	.00		.0	0		0	0	0
NAMPA 2 NW	74.0		103	27	44	11		20	0	.10		.10	4	.0	0		1	0	0
NEW MEADOWS RS	64.1M	1.5	96	17	30	8	77	16	1	.67	.07	.67	4	.0	0		1	1	0
OBSIDIAN 4 NNE	55.7	- 1.6	86	18+	27	6+	281	0	11	.97	.30	.39	29	.0	0		5	0	0
PARMA EXP STATION	75.3	1.2	105	17	48	6	0	24	0	.18	.05	.18	4	.0	0		1	0	0
PAYETTE	75.7	1.6	103	23	48	[illegible]	0	22	0	.06	- .24	.06	4	.0	0		1	0	0
RICHFIELD	69.4	- 0.1	98	18	38	11	25	15	0	.12	- .18	.12	29	.0	0		1	0	0
SHOSHONE	73.7	1.7	102	18	43	11	4	18	0	.11	- .12	.09	28	.0	0		3	0	0
STIBNITE	59.5		91	20	32	7+		1	[illegible]	.38		.32	4	T	0		4	0	0
SUN VALLEY	60.3	1.3	93	18	28	6+	157	6	[illegible]	1.72	1.01			T	0		7	0	0
SWAN FALLS PH	81.5	1.4	108	14+	54	10+	0	27	0	.06	- .18	.06	24	.0	0		1	0	0
THREE CREEK	66.6		97	19	30	11	57	16	3	1.00	.71	.65	28	.0	0		4	1	0
TWIN FALLS 2 NNE	74.0	2.6	102	13+	44	11	5	21	0	.16	- .19	.13	28	.0	0		2	0	0
TWIN FALLS 3 SE	71.1	- 1.8	101	14	40	11		17	0	.17	- .13	.16	29	.0	0		2	0	0
WEISER	75.3	- 1.4	103	17+	48	8+	0	24	0	.03	- .14	.03	4	.0	0		1	0	0
DIVISION	70.9	0.8								.32	- .08			T					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STATION	70.0	0.0	99	15+	39	7	19	14	0	.53	.03	.37	28	.0	0		3	0	0
ALBION	67.4	0.8	96	15+	36	7	45	12	0	.24	- .32	.17	27	.0	0		2	0	0
AMERICAN FALLS 1 NW	71.0	0.8	99	18	41	8		14	0	.60	- .03	.56	29	.0	0		4	1	0
ASHTON 1 S	62.5	- 2.3	91	14+	33	[illegible]	104	3	0	.58	- .36	.36	29	.0	0		3	0	0
BLACKFOOT	72.1	3.0	100	18	41	12	10	16	0	.25	- .41	.25	29	.0	0		1	0	0
BLACKFOOT DAM	62.5M	0.5	96	5	29	8+	108	9	5	.19	- .78	.16	27	.0	0		2	0	0
BURLEY	73.9	0.6	103	19	43	11		15	0	.02	- .31	.02	29	.0	0		1	0	0
BURLEY FACTORY 1 NW	71.0	- 0.4	101	19	40	11		15	0	.21	- .17	.12	28	.0	0		3	0	0
BURLEY CAA AP	72.6	2.0	102	15	41	11	7	16	0	.06	- .16	.05	28	.0	0		2	0	0
CHILLY BARTON FLAT	58.4	- 3.1	89	18	29	6	203	0	5	2.27	1.67			.0	0		6		
CONDA	63.4	0.1	91	16+	33	11		4	0	1.32	.67	.43	28	.0	0		8	0	0
DRIGGS	64.3	1.9	95	19	33	8+		9	0	2.00	.79	1.03	28	T	0		7	1	1
DUBOIS EXP STATION	69.2	- 0.7	96	18	40	12	26	13	0	1.27	.54	.50	29	.0	0		7	1	0
DUBOIS CAA AP	69.1	- 1.2	98	18	38	[illegible]	31	12	0	1.07	.42	.61	27	.0	0		4	1	0
FORT HALL IND AGENCY	70.0M	- 0.5	100	18	40	12	18	13	0	.29	- .30	.20	28	.0	0		3	0	0
GRACE PH	64.6	- 2.7	91	15	34	12	72	2	0	.98	.00	.49	29	.0	0		7	0	0
GRAY	64.4	1.3	90	16+	33	13	80	2	0	.75	- .27	.50	28	.0	0		3	1	0
GROUSE	59.1		88	18	29	7	173	0	[illegible]	1.24	.47	.70	10	.0	0		4	1	0
HAMER 4 NW	68.8M	0.9	100	17	35	12	31	14	0	1.84	1.37			T	0		5		
IDAHO FALLS CAA AP	69.1	0.3	99	15	41	8+	25	12	0	.22	- .40	.15	28	.0	0		2	0	0
IRWIN 2 S	66.5	1.8	93	14+	36	8+	52	10	0	1.28	.31	1.14	29	.0	0		2	1	0
ISLAND PARK DAM	59.8	- 1.4	88	17+	29	8+	162	0	3	1.82	1.05	.57	10	.0	0		6	2	0
LIFTON PUMPING STATION	67.6	0.2	89	14+	43	12	21	0	0	1.43	.70	.50	29	.0	0		5	1	0
MALAD	70.8	0.5	98	18	43	11+	7	13	0	1.39	.40	.81	27	.0	0		6	1	0
MALAD CAA AP	69.3		98	18	38	12	11	16	0	1.54		.71	21	.0	0		6	1	0
MAY RS	65.0	- 1.2	94	18	36	1+	62	9	0	.80	.02	.30	28	.0	0		6	0	0
MC CAMMON	69.4		[illegible]	18	39	12	15	16	0	.26		.17	27	.0	0		3	0	0
MINIDOKA DAM	73.9		100	15	48	11	3	12	0	.25		.25	29	.0	0		1	0	0
MONTPELIER RS	65.8M	- 1.1	94	17+	35	12+		7	0	.26	- .62	.16	30	.0	0		4	0	0
OAKLEY	71.5	0.5	99	15	35	11	21	12	0	.50	- .12	.25	28	.0	0		5	0	0
PALISADES DAM	64.8M		93	16+	31	7+	74	10	3	.87		.71	29	.0	0		5	1	0
PAUL 1 E	69.8	- 0.9	99	16+	41	22		13	0	.26	- .23	.21	27	.0	0		2	0	0
POCATELLO WB AP //	72.3	2.1	101	18	42	12	12	14	0	.28	- .49	.18	26	.0	0		3	0	0
PRESTON SUG FACT 2 SE	70.8	0.9	100	18	41	5+	9	19	0	.89	- .07	.50	21	T	0		2	1	0
RIRIE	69.9M		97	18	40	11	31	10	0	1.95		1.60	29	.0	0		3	1	1
RUPERT	71.6M	- 0.3	99	19	46	6+		11	0	.26	- .15	.23	29	.0	0		2	0	0
SAINT ANTHONY	65.5		98	18	34	8	63	11	0	.30	- .13	.23	29	.0	0		3	0	0
SPENCER RS	63.4	- 0.4	95	18	32	12	87	7	1	1.36	.18	.58	29	.0	0		7	1	0
SPRINGFIELD	70.0M	0.0			38	8	9		0	.41	- .18	.16	28+	T	0		3	0	0
SUGAR	65.7M	- 1.0	96	18			52	10	0	.53	- .10	.45	29	.0	0		4	0	0
TETONIA EXP STATION	62.0	- 1.4	92	18	31	1+	117	3	2	2.35	1.28	.60	29	.0	0		6	2	0
DIVISION	67.5	0.4								.85	.13			T					
STATE	69.0	0.6								.62	.01			T					

See reference notes following Station Index

Table 3

DAILY PRECIPITATION

Station		Day of month																															Total
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA												T								T								03	.37	.13			.53
ALBION																									07			17					24
ALPHA 1 NE					.06						.25																						31
AMERICAN FALLS 1 NW																							T			01		.02	.01	.56			.60
ANDERSON DAM					.34																												.34
ARROWROCK DAM					.22														T							T							22
ASHTON 1 S											.15	T								T					T			.07	T	36			.58
ATLANTA 1 E											.27																		.08	.35	T		.70
ATLANTA 1 E	R										.30																		.34	.11			.75
AVERY RS			.02		.67	.05	.13																								T		.87
BANCROFT	R																				.05						06	.03	29	13			56
BAYVIEW MODEL BASIN		.01			.80	T	.05				.05																						91
BENTON DAM	R	.12		.03	.51	.18	.03			17																							1.04
BLACKFOOT																													T	.25			.25
BLACKFOOT DAM																					T					T		.16		.03			.19
BLACKFOOT DAM	R																											.14		.03			.17
BLISS				T	T																	T			T				T	.10			.10
BOISE LUCKY PEAK DAM					.19																												.19
BOISE LUCKY PEAK DAM	R				.19																												.19
BOISE WB AP	R			T	.27															T					.02								.29
BONNERS FERRY		.07			.76	.14	T			.20																							1.17
BONNERS FERRY	R	.08			.76	.09	.01			.19																							1.13
BRIDGE	R								-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BUHL																													.19				.19
BUNGALOW RS			T		.70	.02					.06	T														07			.53	.02		.02	1.42
BURKE 2 NNE					.99	.02	.39				T					T																	1.40
BURLEY																						T								.02			.02
BURLEY FACTORY 1 NW																						.04							.12	05	T		21
BURLEY CAA AP											T									T		.01			T			T	.05				06
BURLEY CAA AP	R																					.01							.05				.06
CALDWELL				.05	.20																												.25
CAMBRIDGE					.07																												.07
CASCADE 1 NW				T	.03	T					T																					T	.03
CASCADE RS	/R			.03																													.03
CENTERVILLE ARBAUGH				T	.39	.01					.12																						.52
CHALLIS											.21														.03			.20	11	T	.07		.62
CHILLY BARTON FLAT											*	1.15																.30	.57	.15	.10		2.27
CLARK FORK 1 ENE		.03			.71	.24	.02	.05		.25																							1.30
CLARK FORK 1 ENE	R	.01			.65	.24	.06			.25																							1.21
CLARKIA RS	//R				.73	.02	.12																										.87
CLEMENTSVILLE 4 S	//R										.10									.03								.33	.53	.49		.15	1.63
COBALT BLACKBIRD MINE				.04	*	*		.09			*	.07	.01																.05	T		.07	.33
COEUR D ALENE CAA AP		T		.05	.54	.09			T	.02																							.70
COEUR D ALENE CAA AP	R			.05	.54	.07				.01																							.67
COEUR D ALENE RS					.73	.07	.03				.03																						.86
CONDA											.10									.23	.42	.05				.03	.01	.05	.43	T			1.32
COTTONWOOD					.52	.18	T				.02					T										.22						.02	.96
COTTONWOOD 2 SW	R			.10	.42	.13				.05															.09								.79
COUNCIL 2 NNE				.04	.82																												.86
COUNCIL 2 NNE	R			.03	.74																												.77
CRAIGMONT	//R			.06	.37	.11	.02																										.56
CROUCH 2 NNW											.05																						.05
DEADWOOD DAM				T	.05						T														.03				.61		T		.69
DEADWOOD DAM	//R			.02	.04																				.01				.60				.67
DECEPTION CREEK	R	.05	.02	.37		.06																											.50
DEER FLAT DAM					.13																												.13
DRIGGS												.07								.04	T					.09	.01	.43	1.03	.33	T		2.00
DUBOIS EXP STA											.16	.02									.22	T				.02		.34	T	.50	.01		1.27
DUBOIS CAA AP										T	.11									T	T				T	T		.61	.12	.23			1.07
DUBOIS CAA AP	//R										.11																	.57	12	.25			1.05
EDEN HUNT PROJECT																											T		.08	.15			.23
ELK CITY			.07		.63	.08	.03				.09														T	.01				.11			1.02
EMMETT 2 E		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
FAIRFIELD RS				T	T						T																		18	.09			.27
FENN RS			.03		.66	.03	.02				.03															.25			.01	.02			1.05
FORT HALL IND AGENCY																				T							T	.01	.20	.08			.29
GARDEN VALLEY RS					.32						.10																						.42
GLENNS FERRY																						T											T
GOODING CAA AP				T																		T			T				.03				.03
GOODING CAA AP	//R																												.02				.02
GRACE PH		.02										.06								T	.23	.02						.12	.04	.49	T		.98
GRAND VIEW																																	.00
GRAY																													.50	*	.25		.75
GROUSE											.70															.01	.26		.27				1.24
HAILEY											.16																		.18				.34
HAMER 4 NW											.01														T			.26	.31	*	1.26		1.84
HAZELTON																				T					.16		T		T	.49			.65
HILL CITY				T																										T	.35		.35
HOLLISTER																													.35				.35
HOWE											.02	.37																	.02	.15	.02		.58
IDAHO CITY				.02	.31																												.33
IDAHO CITY 13 SW				T	.45																												.45
IDAHO FALLS CAA AP																		T		T								T	.15	.07			.22
IDAHO FALLS CAA AP	//R																			.03									.15	.07			.25
IRWIN 2 S												.14																		1.14			1.28
ISLAND PARK DAM											.57	.16									.11					T		.50		.32	.16		1.82
JEROME																				T										.03			.03
KAMIAH 1 NE			.01		.54	.14	.11				.02															T				T			.82
KELLOGG					.78	.01	.10																										.89
KOOSKIA			.03		.77		.10																			.17		T					1.07
KUNA 2 NNE					.35																												.35
LEADORE	R			.02							.10														.07	.36		.03	.38	.03			.99
LEWISTON WATER PLANT					.19	T	T				.04																						.23
LEWISTON WB AP	6			.12	.16	.04	T			.03															T	T							.35
LIFTON PUMPING STA																					.44	.47	T				01		.01	50	T		1.43
LOWMAN				.08							.05																		T		T		.13
MACKAY RS	R										.89	.02																*	*	1.26	.05		2.22
MALAD										T	.01						T	T			.21	.29						.81	.02	T		.05	1.39
MALAD	R										.01									.18	.02	.27						.82	.01			05	1.36
MALAD CAA AP	6											T					.02			.25		.71						.42	.01	T	.13		1.54
MAY RS			T	T							.27	.04													T	.03		.07	.30	.09			.80
MC CALL					.59																												.59
MC CAMMON																		T		T	.01	T						.17	.08				.26
MERIDIAN 1 SSW					.34																												.34
MESA				T	.19																												19
MINIDOKA DAM																														.25			.25
MONTPELIER RS												.05											.03				02				.16		.26
MOOSE CREEK RS	/R	.03		.02	.11	.46																			.03								.65
MOSCOW U OF I					.47	T				.07																							.54
MOUNTAIN HOME 1 NE				T	.15																	T							T				.15
MOUNTAIN HOME 1 NE	R			.02	.14																												.16
MULLAN PASS CAA		T		.12	.74	.14				.10	T																						1.10
MULLAN PASS CAA	R			.10	.74	.17				.08																							1.09
NAMPA																																	.00
NAMPA 2 NW					.10																												.10
NEW MEADOWS RS					.67																												.67
NEZPERCE					.60	.10	.07																										.77
OAKLEY																		.06				.02							.25	.13	.04		.50
OBSIDIAN 4 NNE											.27																	.10	.12	.39	.09		.97

See reference notes following Station Index.

DAILY PRECIPITATION

Station	Day of month																															Total
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
OROFINO				.42			.05																		.14							.61
PALISADES DAM											.02						.01			T					.07		.06		.71			.87
PARMA EXP STA				.18																												.18
PAUL 1 E																								T			.21	.05				.26
PAYETTE				06	T																											.06
PIERCE RS //R				.20	.68	.11																		.05							.11	1.15
PINE 2 SSW			.08																									.05		T	T	.13
PLUMMER 3 WSW R			.01	.50	.07																											.58
POCATELLO WB AP //R																			T					T		.18	.06	.04				.28
PORTHILL				.25		.35	.15	.02	.14																							.91
POTLATCH				.69	.02																											.71
PRESTON SUG FACT 2 SE																				.39	.50					T				T		.89
PRIEST RIVER EXP STA	.10			.46	.14	.07	T		.14	T																						.91
RICHFIELD																												T	.12			.12
RIGGINS RS	T	T																							.05							.05
RIRIE																											.03	.32	1.60	T		1.95
ROLAND W PORTAL	T			.82	.10	.14				T															T		T					1.06
RUPERT																					T						T	.03	.23			.26
SAINT ANTHONY																											.05	.02	.23	T		.30
SAINT MARIES				.60	.03										T																	.63
SALMON 6	08		.16	.04					T	.04																	.52					.84
SANDPOINT EXP STA				1.04	.08	.04			.05																							1.21
SANDPOINT EXP STA R			.01	.93	.07	.01			.02																							1.04
SHOSHONE																					.01							.09	.01			.11
SPENCER RS									T	.25	.03	T								T	T			.03	.15		.31	.01	.58	T		1.36
SPRINGFIELD																								T			.09	.16	.16			.41
STIBNITE			.01	.32	.03	T																						.02			T	.38
SUGAR										.06	.01								T							.01		T	.45	T		.53
SUN VALLEY			.06	09						.46	T																	*	.50	.49	.12	1.72
SUN VALLEY //R			.13							.47																		.50	.05	.50	.12	1.77
SWAN FALLS PH																								.06								.06
TETONIA EXP STA										T	.35	.02							T					T			.36	.55	.60	.47		2.35
THREE CREEK																.05										.27		.65		.03		1.00
TWIN FALLS 2 NNE																					T			T		T	T	.13	.03	T		.16
TWIN FALLS 3 SE																					T						.01		.16			.17
WALLACE			T	1.07	.01	.24			.04	T																						1.36
WALLACE WOODLAND PARK				.87	.09	.35				.08																						1.39
WALLACE WOODLAND PARK R			.10	.80	.33				.06																							1.29
WEISER				.03																												.03
WINCHESTER 1 SE				.25		.06				.06																						.37

Table 4

HOURLY PRECIPITATION

IDAHO
JULY 1951

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
-1st-																										
BONNERS FERRY		.03	.02	.02	.01																					.08
CLARK FORK 1 ENE				.01																						.01
DECEPTION CREEK																.04	.01									.05
MOOSE CREEK RANGER STA	//																				.03					.03
SALMON	6													•	•	•	•	•	.08							-
-2d-																										
DECEPTION CREEK																					.01			.01		.02
-3d-																										
CASCADE RANGER STATION	//																	.02	.01	.01						.04
COEUR D ALENE CAA AP																					.01		[illegible]		.02	[illegible]
COTTONWOOD 2 SW																							[illegible]	[illegible]	.01	[illegible]
COUNCIL 2 NNE																						.02	[illegible]			[illegible]
CRAIGMONT	//																					.02		.03	.01	.06
DEADWOOD DAM	//															.01	.01									.02
DECEPTION CREEK			.01	.05	.14	.07	.04	.05	.01																	.37
LEADORE																			.01			.01				.02
LEWISTON WB AP	6																		•	•	•	•	•	[illegible]	•	-
MOOSE CREEK RANGER STA	//																							.01	.01	.02
MOUNTAIN HOME 1 W																			.01						.01	.02
MULLAN PASS CAA	//																					.08	.01	.01		.10
PLUMMER 3 WSW																									.01	.01
SALMON	6													•	•	•	•	•	.16							-
SANDPOINT EXP STATION																									.01	.01
SUN VALLEY	//																	.06	.06	.01						.13
WALLACE WOODLAND PARK																							.10			.10
-4th-																										
BOISE LUCKY PEAK DAM					.19																					.19
BOISE WB AIRPORT	//				.26	.01																				.27
BONNERS FERRY		.02	[illegible]	.12	.16	.24	[illegible]	.07	.03	[illegible]	.03															.76
CLARK FORK 1 ENE					.11	.22	.05	.13	.08	.03	.02						.01									.65
CLARKIA RANGER STATION	//											.04	.03		.11	.03		.30	.03	.10	.08	.01				.73
COEUR D ALENE CAA AP			[illegible]	[illegible]	.12	.07	.12	.05																		.54
COTTONWOOD 2 SW		.05			.04	.19	.13						.01													.42
COUNCIL 2 NNE		[illegible]	[illegible]	[illegible]	.26	.10	.22	[illegible]	[illegible]	[illegible]																.74
CRAIGMONT	//	.03	.01	.02	.02	.15	.09	.02	.01			.01							.01							.37
DEADWOOD DAM	//				.01	.01	.01	.01																		.04
LEWISTON WB AP	6	•	•	•	•	.18	•	•	•	•	•	[illegible]														-
MOOSE CREEK RANGER STA	//		.01		.01	.09																				.11
MOUNTAIN HOME 1 W					.03	.11																				.14
MULLAN PASS CAA	//	.03	.04	[illegible]	.01	.18	.19	.12	.04	[illegible]																.74
PIERCE RANGER STATION	//																			.03	.10		.02	.03	.02	.20
PLUMMER 3 WSW		.07	.14	.15	.08	.05	.01																			.50
SALMON	6	•	•	•	•	•	.01	•	•	•	•	•	[illegible]													-
SANDPOINT EXP STATION			[illegible]	.28	.16	.17	[illegible]	.04	[illegible]	[illegible]																.93
WALLACE WOODLAND PARK		.07	.14		.07	[illegible]	.14	[illegible]	.08	.07	.02				.01											.86
-5th-																										
BONNERS FERRY												.01						.01	.04	.02			.01			.09
CLARK FORK 1 ENE																	.10	.08	.03			.03				.24
CLARKIA RANGER STATION		.01		.01																						.02
COEUR D ALENE CAA AP															.03	.01	.02	.01								.07
COTTONWOOD 2 SW																		.10	.03							.13
CRAIGMONT	//																	.10	.01							.11
DECEPTION CREEK																	.02			.02		.02				.06
LEWISTON WB AP	6																		•	•	•	•	•	[illegible]		-
MOOSE CREEK RANGER STA	//													.01	.36		.02			.07						.46
MULLAN PASS CAA	//														.01		.01				.14	.01				.17
PIERCE RANGER STATION	//	.04	[illegible]	.06	.15	[illegible]	.05	[illegible]	[illegible]	[illegible]	[illegible]	.01	.03		.01		.01									.68
PLUMMER 3 WSW															.02	.03	.02									.07
SANDPOINT EXP STATION																	.02	.05								.07
WALLACE WOODLAND PARK																					.08	.25				.33
-6th-																										
BONNERS FERRY			.01																							.01
CLARK FORK 1 ENE		.01																		.05						.06
CLARKIA RANGER STATION	//							[illegible]			.01	.01	[illegible]													.12
CRAIGMONT	//														.02											.02
PIERCE RANGER STATION	//																			.10	.01					.11
SANDPOINT EXP STATION															.01											.01
-8th-																										
BRIDGE	//									-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-9th-																										
BONNERS FERRY														[illegible]		.08				.02	.01	.01				.19
CLARK FORK 1 ENE																.02	.16	.02	.05							.25
COEUR D ALENE CAA AP																			.01							.01
COTTONWOOD 2 SW																				.03	.02					.05
LEWISTON WB AP	6																		•	•	•	•	•	.03		-
MULLAN PASS CAA	//													•	•	•	•	•	•	•	•	•	•	.08		.08
SANDPOINT EXP STATION																	.01	.01								.02
WALLACE WOODLAND PARK																	.01	.05								.06
-10th-																										
ATLANTA 1 E	//														.16	.03	.06	.01	.01	.03						.30
CLEMENTSVILLE 4 SE	//														.05	.05										.10
DUBOIS CAA AIRPORT	//	.01				[illegible]	.04							[illegible]		.02		.01								.11
LEADORE		.04	.01	.01								.02		.01	.01											.10
MACKAY RANGER STATION											.14	[illegible]	[illegible]	[illegible]	[illegible]	.08	.03	.03	.01	.02	.02	.02	.01	.02		.89
MALAD																.01										.01
SALMON	6							•	•	•	•	•	[illegible]													-
SUN VALLEY	//													[illegible]	[illegible]	.04	.01									.47
-11th-																										
MACKAY RANGER STATION		.01		.01																						.02
-16th-																										
MALAD CAA AIRPORT	6																			•	•	•	•	•	.02	-
-19th-																										
CLEMENTSVILLE 4 SE	//														.01				.01			.01				.03

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
IDAHO FALLS CAA AIRPORT	/										.01	.02														.03
MALAD																							.06	.11	.01	.18
MALAD CAA AIRPORT	6																			*	*	*	*	*	.24	-
-20th-																										
BANCROFT	//																				.03	*	*	*	.02	.05
MALAD			.01	.01																						.02
MALAD CAA AIRPORT	6	*	*	*	*	*	.01																			-
-21st-																										
BURLEY CAA AIRPORT	//								.01																	.01
MALAD													.22	.01	.02			.01	.01							.27
MALAD CAA AIRPORT	6							*	*	*	*	*	.60	*	*	*	*	*	.11							-
-24th-																										
BOISE WB AIRPORT	//																	.02								.02
COTTONWOOD 2 SW																			.04	.04	.01					.09
DEADWOOD DAM	//												.01													.01
LEADORE															.07											.07
MOOSE CREEK RANGER STA	/																		.03							.03
PIERCE RANGER STATION	//																				.05					.05
-25th-																										
LEADORE														.34		.01	.01									.36
-26th-																										
BANCROFT	//																			.02	.02			.02		.06
POCATELLO WB AIRPORT	//														.10	.08										.18
-27th-																										
BANCROFT	/	.01	.01	.01																						.03
BLACKFOOT DAM	//								.03	.06		.01	.01	.01	.01				.01							.14
CLEMENTSVILLE 4 SE	//										.06	.16	.08	.01		.01	.01									.33
DUBOIS CAA AIRPORT	//										.27	.14	.10	.04	.01	.01										.57
LEADORE																				.03						.03
MACKAY RANGER STATION																	.21	.03	.01	.04		.02		*	*	*
MALAD														.82												.82
MALAD CAA AIRPORT	6													*	*	*	*	*	.41	*	*	*	*	*	.01	-
POCATELLO WB AIRPORT	//						.01	.03	.02																	.06
SALMON	6													*	*	*	*	*	.52							-
-28th-																										
ATLANTA 1 E	//																	.06		.08	.18			.01	.01	.34
BANCROFT	//							.03						.03	.23											.29
BURLEY CAA AIRPORT	//																						.05			.05
CLEMENTSVILLE 4 SE	//									.01	.01				.02			.01	.02	.06	.05	.21	.06	.06	.02	.53
DEADWOOD DAM	//																			.58			.02			.60
DUBOIS CAA AIRPORT	//																		.07			.02	.01	.01	.01	.12
GOODING CAA AIRPORT	//																				.02					.02
IDAHO FALLS CAA AIRPORT	//																			.15						.15
LEADORE				.02														.04	.13	.17	.01				.01	.38
MALAD																.01										.01
MALAD CAA AIRPORT	6													*	*	*	*	*	.01							-
POCATELLO WB AIRPORT	//																							.01	.03	.04
SUN VALLEY	//																	.25	.25							.50
-29th-																										
ATLANTA 1 E	//												.01	.01	.03	.03		.01		.01	.01					.11
BANCROFT	//		.04	.09																						.13
BLACKFOOT DAM	//			.03																						.03
CLEMENTSVILLE 4 SE	//		.08	.04	.01	.06								.01			.01		.03	.05	.19	.01				.49
DUBOIS CAA AIRPORT	//					.01	.01											.17	.05				.01			.25
IDAHO FALLS CAA AIRPORT	//	.07																								.07
LEADORE		.01	.01	.01																						.03
MACKAY RANGER STATION		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.95								1.25
SUN VALLEY	//														.01				.01		.01	.01	.01			.05
-30th-																										
MACKAY RANGER STATION													.01			.01	.01	.02								.05
MALAD CAA AIRPORT	6													*	*	*	*	*	.13							-
SUN VALLEY	//									.01		.01		.01	.44	.02	.01									.50
-31st-																										
CLEMENTSVILLE 4 SE	//				.07		.05	.01				.01	.01													.15
MALAD																		.05								.05
PIERCE RANGER STATION	//																.10	.01								.11
SUN VALLEY	//													.04	.06		.01	.01								.12

See reference notes following Station Index.

Table 5

DAILY TEMPERATURES

IDAHO
JULY 1951

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	88	84	94	88	91	89	82	83	82	79	72	82	97	97	99	98	98	99	94	86	83	87	97	95	95	95	85	86	82	86	94	89.3
	MIN	47	49	44	55	[illegible]	42	[illegible]	40	44	[illegible]	43	41	46	50	45	58	59	55	63	62	54	44	48	56	54	58	58	59	58	53	53	50.7
ALBION	MAX	84	82	[illegible]	86	84	82	[illegible]	80	74	73	71	87	94	[illegible]	96	93	94	96	95	82	80	84	93	91	89	91	85	84	86	88	93	86.5
	MIN	44	47	41	41	42	38	[illegible]	41	40	43	37	38	43	60	43	51	46	51	62	59	54	38	47	64	53	52	58	60	58	51	48	48.2
ALPHA 1 NE	MAX	80	76	87	78	72	73	72	[illegible]	73	70	75	[illegible]	91	86	90	90	93	86	80	77	83	91	90	87	87	93	90	86	85	90	90	83.1
	MIN	34	34	[illegible]	34	36	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35	36	41	39	30	39	50	41	36	33	35	38	42	42	36	41	41	46	36	42	37.0
AMERICAN FALLS 1 NW	MAX	87	84	94	92	89	87	86	81	81	78	[illegible]	76	94	96	94	98	95	99	98	84	81	86	94	94	93	90	85	86	84	87	94	88.1
	MIN	49	[illegible]	45	48	43	44	47	[illegible]	41	44	46	45	47	58	46	72	65	63	63	67	52	47	54	64	53	62	62	61	59	55	53	53.8
ANDERSON DAM	MAX	88	85	94	87	82	85	81	85	82	78	83	92	102	96	102	100	102	102	95	88			101	97	95	100	97	94	94	97	101	92.6
	MIN	53	[illegible]	52	54	54	53	54	[illegible]	49	[illegible]	46	51	56	58	55	57	60	60	67	62	56	51	58	61	65	56	60	64	62	61	61	56.6
ARROWROCK DAM	MAX	88	88	85	93	78	84	84	83	85	[illegible]	77			104	96	101	99	101	101	95	98	86	93	102	101	95	103	98	95	94	96	92.6
	MIN	53	50	52	53	52	49	51	50	48	51	47	52	58	60	58	58	61	63	61	58	53	54	56	62	62	58	65	64	62	60	63	56.3
ASHTON 1 S	MAX	77	77	83	74	83	82	89	77	78	64	68	76	86	91	89	91	89	91	84	82	78	80	85	85	87	82	73	83	80	83	87	81.5
	MIN	36	37	33	38	38	39	36	38	[illegible]	38	41	34	39	44	45	44	43	50	50	49	48	48	48	50	53	48	49	49	53	44	47	43.4
ATLANTA 1 E	MAX	77	75	82	77	72	74	72	73	74	72	71	80	88	87	88	88	89	90	90	88	78	82	87	86	87	89	89	83	79	82	86	81.8
	MIN	45	42	43	38	39	40	42	40	44	39	35	41	51	45	50	52	55	50	61	54	46	49	43	52	56	50	50	55	49	50	52	47.2
AVERY RS	MAX	87	86	94	93	74	72	74	76	79	74	84	90	99	99	95	96	103	103	92	86	86	92	99	100	99	100	100	98	98	97	99	91.5
	MIN	49	51	47	52	45	48	44	43	44	46	40	47	49	47	50	52	54	54	46	41	40	45	48	48	47	44	41	50	57	47	47	47.2
BAYVIEW MODEL BASIN	MAX	88	76	79	74	68	68	74	75	74	75	74	82	82	92	91	92	90	88	87	81	80	77	79	82	86	87	84	85	88	92	93	82.0
	MIN	57	45	47	53	49	40	37	40	45	50	40	50	51	53	52	50	52	61	52	52	41	44	49	50	59	40	47	46	47	42	42	48.0
BLACKFOOT	MAX	90	84	95	89	90	89	84	90	84	74	74	85	95	97	99	98	96	100	90	87	82	89	95	96	95	93	86	89	85	88	95	89.8
	MIN	48	50	50	58	47	48	48	40	48	51	44	41	49	57	50	62	62	63	64	66	56	49	54	59	59	64	[illegible]	58	61	53	57	54.4
BLACKFOOT DAM	MAX	80	74	85	74	96	93	80	77	77	81	65	76	90	91	93	92	89	93	84	79	83		88	90	90	87	87	83	78	84	87	84.2
	MIN	33	33	33	51	32	31	33	29	36	34	30	29	30	38	37	47	52	41	46	54	36		40	42	44	54	52	53	56	43	46	40.7
BLISS	MAX	91	88	95	90	89	87	86	80	85	82	79	88	102	99	102	99	101	102	97	91	88	93	100	94	97	98	98	95	92	95	100	93.2
	MIN	54	59	52	58	51	46	47	46	51	54	51	55	61	58	56	55	64	64	70	63	57	57	52	65	64	54	70	69	65	63	62	57.8
BOISE LUCKY PEAK DAM	MAX		90	98	94	84	83	85		88	82	82	94	104	101		100	103	103	101	96	85		105	104	99	105	105	97		98	105	95.8
	MIN		52	58	53	53	41	53		57	51	51	58	58	61		61	66	65	62	59	52		58	66	64	62	69	68		62	68	58.7
BOISE WB AP	MAX	90	85	97	78	82	82	83	87	82	78	80	94	94	96	94	96	102	99	96	84	84	92	103	98	95	100	96	93	93	94	103	91.5
	MIN	59	53	51	50	50	48	52	52	51	54	48	60	63	62	62	56	65	65	63	57	54	55	64	68	67	63	73	69	65	65	71	59.9
BONNERS FERRY	MAX	79	84	93	67	76	68	75	77	74	78	85	93	95	89	91	92	98	88	82	80	85	90	95	95	87	93	95	88	90	91	94	86.0
	MIN	54	47	50	53	45	49	41	51	46	41	42	50	51	53	52	53	52	56	53	50	44	46	47	53	52	50	50	51	54	48	48	49.4
BUHL	MAX	88	88	92	90	84	85	83	86	84	82	76	89	90	96	97	96	95	96	94	95	82	84	94	93	90		92	88	86	90	93	89.8
	MIN	60	55	62	55	[illegible]	50	54	54	58	56	47	54	58	66	60	64	70	68	66	64	60	58	60	68	66		64	61	64	62	64	60.1
BUNGALOW RS	MAX	88	77	93	93	70	78	79	81	80	81	86	93	101	96	98	98	104	97	96	86	87	93	101	101	98	102	98	97	94	97	96	91.6
	MIN	46	44	47	55	47	46	47	42	46	50	41	44	50	52	51	51	53	54	51	44	42	44	48	59	58	48	53	53	58	50	51	49.5
BURKE 2 NNE	MAX	74	72	81	82	61	60	62	65	67	66	73	82	88	86	81	81	88	87	78	71	72	77	84	86	84	85	85	87	83	82	85	77.9
	MIN	48	44	48	45	34	34	34	40	41	42	37	43	48	48	50	49	49	51	43	38	38	41	45	54	52	41	51	49	48	43	46	44.7
BURLEY	MAX	85	90	86	95	81	89	89	85	85	94	80	75	87	98	97	100	99	98	103	88	86	85	91	91	98	95	95	89	90	85	93	90.1
	MIN	54	56	53	54	48	52	51	48	55	55	43	50	54	49	52	57	65	62	74	68	60	53	56	67	59	68	66	63	64	59	58	57.7
BURLEY FACTORY 1 NW	MAX	83	90	87	94	80	88	86	82	90	80	80	75	88	97	95	100	97	96	101	86	85	84	87	97	94	92	94	90	89	85	92	89.2
	MIN	49	47	50	57	48	45	43	45	46	53	40	43	49	53	47	60	57	56	68	65	57	47	50	64	53	56	61	58	60	55	52	52.7
BURLEY CAA AP	MAX	90	84	97	80	91	86	85	85	83	80	76	87	100	98	102	99	101	101	89	85	84	89	97	98	95	96	91	89	87	94	97	90.8
	MIN	52	51	50	57	43	44	43	45	50	50	41	48	53	54	47	65	61	58	70	67	56	50	52	63	55	59	64	61	62	59	55	54.4
CALDWELL	MAX	90	87	95	81	82	83	85	88	85	80	83	90	98	96	95	97	99	98	95	85	87	92	100	98	96	99	98	95	93	95	102	91.8
	MIN	48	50	51	54	50	46	52	47	52	55	45	52	56	58	55	59	54	59	62	56	54	50	51	58	59	62	64	65	63	55	60	55.1
CAMBRIDGE	MAX	87	88	95	87	80	79	81	79	80	85	87	88	96	98	100	102	102	107	105	97	90	95	97	102	105	102	105	104	100	101	101	94.4
	MIN	50	51	52	50	51	50	44	42	54	48	45	50	57	59	55	56	70	71	60	56	52	49	62	64	55	57	58	59	53	54	55	55.0
CASCADE 1 NW	MAX	80	77	89	80	75	77	75	77	76	73	76	85	93	93	93	91	94	94	90	86	79	84	95	94	92	95	93	89	86	90	87	85.7
	MIN	40	40	42	[illegible]	40	36	38	45	44	50	38	41	42	45	43	48	47	49	50	49	43	42	43	50	50	44	54	49	53	44	50	45.0
CHALLIS	MAX	85	79	87	85	83	81	78	80	74	71	70	82	93	93	93	93	93	96	91	86	81	86	90	89	89	91	88	87	87	86	86	85.6
	MIN	48	47	46	53	48	43	44	42	53	45	45	43	50	53	48	53	54	58	64	59	54	44	40	46	45	39	49	41	53	44	41	48.1
CHILLY BARTON FLAT	MAX	73	72	80	78	75	76	75	72	71	70	64	70	85	85	86	86	84	89	84	81	76	80	84	83	84	85	76	73	77	80	82	78.6
	MIN	35	34	36	51	33	29	31	30	37	31	37	32	35	37	33	38	44	40	53	45	40	36	33	40	40	33	45	43	48	42	42	38.2
CLARK FORK 1 ENE	MAX	86	78	84	79	75	68	71	73	71	72	78	83	86	85	85	87	88	85	79	75	78	83	88	90	86	86	90	87	85	88	90	82.2
	MIN	54	42	43	53	41	50	40	47	44	[illegible]	37	42	40	48	50	49	49	54	44	43	40	41	45	47	49	41	46	47	52	41	42	45.3
COBALT BLACKBIRD MINE	MAX	71	78					68	72	65	45	60	78	85	80	91	86	87	87	84	82		78	83	81	83	85	80		76	79	84	78.4
	MIN	36	36					32	34	36	32	32	35	36	43	46	48	48	49	45	46		35	47	47	40	42	43		44	45	46	41.2
COEUR D ALENE CAA AP	MAX		82	87	67	65	73	73	74	76	73	83	89	92	89	89	90	95	87	82	78	82	86	93	95	86	93	94	94	87	91	93	84.6
	MIN	56	52	50	51	46	45	40	50	50	41	46	53	55	60	55	55	57	62	53	51	44	48	53	53	58	49	55	56	58	51	48	51.6
COEUR D ALENE RS	MAX	84	80	93	92	70	67	75	76	82	75	87	94	93	92	91	93	100	99	87	83	87	92	97	96	95	97	96	96	93	93	97	89.0
	MIN	49	42	50	43	45	42	43	30	52	43	40	41	52	50	56	56	53	64	51	41	36	40	38	52	59	50	53	58	64	50	51	48.6
CONDA	MAX	74	80	72	85	75	82	82	78	75	75	71	62	78	87	90	91	90	87	91	87	77	69	80	87	89	88	85	78	84	78	85	81.0
	MIN	43	35	45	35	37	38	35	40	38	36	33	37	43	41	56	57	50	50	55	50	40	44	45	48	58	61	58	56	46	49	52	45.7
COTTONWOOD	MAX	78	76	86	78	67	67	71	77	74	68	76	86	95	85	91	88	97	87	80	74	78	83	95	93	85	94	91	95	86	91	81	83.1
	MIN	48	45	49	50	48	42	44	41	48	48	40	44	50	49	52	56	57	54	50	45	43	48	51	61	54	50	64	56	51	54	56	49.9
COUNCIL 2 NNE	MAX	89	85	94	72	78	79	81	85	81	82	84	89	98	95	96	96	100	98	96	86	88	91	99	98	94	101	94	95	98	96	100	90.9
	MIN	47	52	53	54	[illegible]	47	44	43	50	48	49	47	51	64	62	63	61	65	63	55	53	54	53	55	63	67	53	56	58	55	58	54.7
DEADWOOD DAM	MAX	79	76	87	70	70	75	72	75	74	65	76	84	92	85	91	89	92	91	87	78	78	84	91	89	86	92	90	86	84	87	91	82.8
	MIN	33	35	45	45	40	30	31	29	33	30	29	32	36	41	36	38	39	40	52	45	34	33	36	43	42	36	47	46	52	38	43	38.4
DEER FLAT DAM	MAX	[illegible]	88	92	78	83	82	83	85	82	78	81	90	95	94	92	94	97	98	95	85	84	95	98	95	95	97	98	94	93	95	100	90.5
	MIN	[illegible]	59	50	54	50	50	54	[illegible]	56	60	48	59	63	66	59	68	61	67	73	60	58	57	63	58	54	56	64	67	66	59	61	58.8
DRIGGS	MAX	75	81	72	88	77	87	85	80	80	76	70	61	79	91	91	91	91	91	95	80	82	78	82	91	94	89	90	75	77	79	82	82.6
	MIN	40	38	39	50	37	40	39	33	39	40	42	33	40	48	43	56	52	53	51	58	57	47	45	48	50	54	50	51	55	46	48	45.9
DUBOIS EXP STA	MAX	78	76	87	87	87	85	86	84	80	75	66	79	91	94	95	95	95	96	95	85	81	83	91	92	90	91	90	84	80	84	90	86.2
	MIN	48	49	49	48	48	46	47	42	50	40	42	40	48	56	53	60	61	57	64	56	52	50	52	59	56	54	59	55	53	50	56	52.1
DUBOIS CAA AP	MAX	81	78	86	78	58	85	86	83	78	87	67	80	93	95	95	95	93	98	93	86	83	86	94	94	92	92	73	84	82	87	90	85.6
	MIN	[illegible]	49	50	52	44	45	47	38	54	44	45	40	48	55	51	59	60	59	61	60	56	52	51	57	60	54	60	56	55	52	56	52.5
DEN HUNT PROJECT	MAX	89	85	96	92	90	89	86	85	84	[illegible]	81	100	96	96	101	101	99	102	99	88	86	90	101	101	96	98	93	95	93	94	99	93.1
	MIN	41	[illegible]		56	44	45	42	42	49	[illegible]	44	47	53	51	48	50	64	58	68	63	58	41	49	60	57	53	66	63	62	59	56	53.0
ELK CITY	MAX	78	76	87	85	74	73	69	75	73	71	82	86	94	92	89	88	97	90	84	78	75	83	94	93	86	95	94	87	85	92	94	84.5
	MIN	42	41	42	50	44	40	40	42	41	44	[illegible]	[illegible]	35	39	37	38	39	41	40	31	26	31	32	46	45	37	41	42	56	36	37	37.8
EMMETT 2	MAX																	102	104	98	87	89	94	104	103	97	102	99	97	95	94	105	-
	MIN																	62	65	60	58	52	49	52	58	60	53	65	62	61	64	68	-
AIRFIELD RS	MAX	83	79	78	79	80	79		79	74	70	73		93	[illegible]	94	93	95	96	91	86	86		92		89	92	90	84	83	90	92	85.7
	MIN	[illegible]	40	41	48	44	45		37	47	43	36		45	53	41	45	56	49	64	52	44		39		56	41	50	55	53	47	49	46.0
ENN RS	MAX	92	91	95	95	73	78	79	85	84	83	87	94	[illegible]	99	98	98	103	100	98	90	89	93	102	102	94	100	100	99	97	101	101	93.6
	MIN	46	33	46	57	[illegible]	44	[illegible]	44	44	52	41	44	51	51	54	54	54	56	53	46	43	45	48	56	58	52	55	55	60	51	53	50.9
ORT HALL IND AGENCY	MAX		82	91	89	88	87	85	81	[illegible]	74	73	94	97	96	98		97	100	97	86	80	86	95	95	94	94	82	88	81	89	94	88.4
	MIN		47	43	50	42	43	42	41	42	51	43	[illegible]	45	[illegible]	47		62	58	62	68	52	45	50	58	55	61	64	58	59	52	53	51.6
ARDEN VALLEY RS	MAX	88	85	95	78		82	84			81	84	92	103	100	99	101	103	100	98	94	87		104	100	97	103	102	98	95	96	105	94.6
	MIN	42	48	44	54		55	42			40	38	44	45	[illegible]	46	61	61	64	64	62	64		43	59	53	45	57	52	56	49	53	51.5
LENNS FERRY	MAX	93	88	94	92	87	89	87	88	85	82	82	91	103	100	102	101	103	104	97	89	90	94	102	95	99	103	101					93.9
	MIN	49	56	48	[illegible]	51	46	40	44	50	[illegible]	46	50	65	55	51	55	60	59	70	63	59	46	48	63	65	48	68					55.0
OODING CAA AP	MAX	95	85	97	78	85	85	84	85	82	78	77	88	100	97	103	99	100	102	94	90	86	90	98	95	95	100	96	92	92	96	99	91.5
	MIN	56	57	55	58	57	50	54	54	56	51	46	50	61	66	62	62	65	68	70	61	58	49	60	66	64	63	71	64	63	63	63	59.4
RACE PH	MAX	80	74	84	77	84	84	80	77	76	73	64	77	88	90	91	88	87	89	86	77	71	79	84	88	88	86	77	82	78	84	87	81.6
	MIN	42	42	44	45	39	41	41	40	44	40	37	34	41	44	45	59	59	52	53	56	54	42	48	49	50	59	60	58	57	48	52	47.6
RAND VIEW	MAX	98	92	101	86	91	92	92	94	90	94	87	94	108	104	103	106	110	109	103	94	92	100	107	106	104	107	106	108	101	103	107	99.3
	MIN	50	64	51	63	51	50	52	[illegible]	[illegible]	61	49	57	54	60	53	60	59	62	71	67	63	50	51	62	63	53	66	69	66	65	61	58.5
RAY	MAX	80	84	85	72	81	82	81	73	80	68	62	85	85	88	89	90	85	90	85	78	79	80	85	89	87	88	87	85	86	83	85	81.8
	MIN	41	43	40	[illegible]	42	43	40	45	41	37	35	35	33	[illegible]	58	60	58	55	70	52	53	42	45	48	50	50	53	50	52	50	49	47.0
ROUSE	MAX	71	74	81	77	77	74	75	75	73	67	67	74	83	83	86	85	86	88	84	80	76	79	83	83	82	85	76	79	79	77	84	78.8
	MIN	[illegible]	34	36	35	39	31	29	[illegible]	37	40	39	31	30	39	36	40	46	47	54	48	38	34	36	42	40	34	47	46	50	43	41	39.3
AILEY	MAX	83	81	88	73	82	79	79	80	82	78	74	80	92	91	96	95	96	95	93	96	82	88	94	93	89	95	94	84	85	88	93	87.2
	MIN	46	42	46	[illegible]	45	41	42	41	42	46	39	45	48	52	51	51	63	55	64	55	48	45	49	54	56	51	59	55	56	54	54	49.8
AMER 4 NW	MAX	86	83	91	87	88	87	87	85	82	76	70	83	95	96	96	98	100	95	90		85	89	95	95	96	94	91	87	85	[illegible]	93	89.1
	MIN	41	45	45	48	43	40	38	38	[illegible]	42	41	35	43	[illegible]	45	53	56	59	58		54	47	47	53	56	49	56	54	56	51	53	48.4

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HAZELTON	MAX	[illegible]	85	95	91	87	83	[illegible]	[illegible]	80	[illegible]	74	[illegible]	[illegible]	[illegible]	[illegible]	96	96	99	98	84	83	85	97	92	90	94	90	90	85	92	95	89.3
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	47	49	47	[illegible]	53	[illegible]	45	45	53	[illegible]	55	[illegible]	62	62	70	63	67	49	52	62	57	60	65	63	63	60	57	55.9
HILL CITY	MAX	82	79	90	76	83	79	[illegible]	[illegible]	79	72	75	[illegible]	[illegible]	92	[illegible]	94	96	98	90	85	81	86	95	94	90	93	93	83	86	82	95	86.3
	MIN	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43	43	[illegible]	34	41	45	48	[illegible]	44	52	47	63	52	50	38	38	54	57	39	57	53	50	48	47	45.1
HOLLISTER	MAX	[illegible]	[illegible]	95	92	89	[illegible]	[illegible]	[illegible]	[illegible]	77	[illegible]	[illegible]	97	[illegible]	[illegible]	92	94	97	91	86		85	94	91	90	93	90	86	84	90	92	88.1
	MIN	[illegible]	51	[illegible]	55	[illegible]	[illegible]	43	40	49	[illegible]	37	47	64	[illegible]	[illegible]	60	68	[illegible]	72	67		49	60	67	64	63	67	65	63	57	57	56.7
IDAHO CITY	MAX	[illegible]	[illegible]	[illegible]	[illegible]	78	79	70	[illegible]	[illegible]	79	79	[illegible]	97	95	[illegible]	96	98	97	97	90	94	89	96	96	92	98	95	93	91	94	96	89.4
	MIN	[illegible]	41	40	[illegible]	43	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35	40	45	40	42	44	44	55	52	40	37	40	40	48	40	51	51	52	44	50	43.1
IDAHO FALLS [illegible]	MAX	[illegible]	79	[illegible]	80	[illegible]	87	[illegible]	83	[illegible]	[illegible]	69	83	[illegible]	[illegible]	[illegible]	92	93	[illegible]	86	84	80	83	90	94	92	94	78	87	82	88	94	86.5
	MIN	46	47	[illegible]	[illegible]	44	48	49	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	[illegible]	48	[illegible]	[illegible]	[illegible]	60	62	56	50	50	54	57	55	60	56	57	53	53	51.7
IRWIN [illegible]	MAX	81	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	93	[illegible]	[illegible]	89	84	75	84	90	92	88	91	88	82	81	86	90	84.9
	MIN	[illegible]	41	[illegible]	49	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	43	[illegible]	45	57	53	[illegible]	[illegible]	60	53	46	48	50	54	55	53	56	52	48	52	48.0
ISLAND PARK DAM	MAX	75	70	79	78	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	61	[illegible]	54	[illegible]	[illegible]	87	88	[illegible]	[illegible]	75	77	76	83	87	85	85	82	80	78	81	84	79.1
	MIN	[illegible]	40	39	[illegible]	34	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35	43	37	43	44	[illegible]	49	48	58	37	39	43	50	43	45	47	54	42	44	40.5
JEROME	MAX	89	[illegible]	95	90	[illegible]	[illegible]	[illegible]	[illegible]	82	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	97	99	[illegible]	98	91	86	89	97	97	95	98	96	95	91	95	98	91.8
	MIN	[illegible]	49	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	46	[illegible]	61	[illegible]	[illegible]	[illegible]	[illegible]	64	61	57	60	60	63	62	66	66	65	66	58	58.5
KELLOGG	MAX	[illegible]	78	[illegible]	92	[illegible]	74	[illegible]	[illegible]	[illegible]	[illegible]	77	[illegible]	[illegible]	96	[illegible]	93	95	[illegible]	90	84	79	84	90	97	97	89	98	97	96	91	94	87.5
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	54	[illegible]	55	54	[illegible]	[illegible]	47	44	47	[illegible]	[illegible]	59	46	55	54	56	48	49	51.0
KOOSKIA	MAX	[illegible]	89	[illegible]	[illegible]	72	[illegible]	[illegible]	[illegible]	[illegible]	81	[illegible]	[illegible]	104	[illegible]	[illegible]	99	[illegible]	[illegible]	90	85	89	95	106	101	100	105	99	103	96	101	100	94.0
	MIN	48	[illegible]	[illegible]	57	57	[illegible]	49	45	[illegible]	[illegible]	44	46	[illegible]	[illegible]	54	54	[illegible]	[illegible]	53	47	43	47	[illegible]	63	61	51	57	56	58	51	53	52.5
KUNA 2 NNE	MAX	88	83	91	77	79	80	[illegible]	[illegible]	[illegible]	76	[illegible]	[illegible]	[illegible]	93	[illegible]	94	97	[illegible]	[illegible]	[illegible]	84	89	[illegible]	96	92	97	94	93	91	92	100	89.1
	MIN	47	54	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	52	42	[illegible]	54	[illegible]	49	53	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	56	58	50	62	64	61	56	62	53.1
LEWISTON WATER PLANT	MAX	[illegible]	[illegible]	[illegible]	[illegible]	79	[illegible]	84	[illegible]	[illegible]	[illegible]	91	99	[illegible]	95	97	98	[illegible]	[illegible]	[illegible]	87	91	97	106	104	96	101	100	96	97	100	100	94.2
	MIN	[illegible]	54	[illegible]	[illegible]	[illegible]	49	[illegible]	48	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	62	63	[illegible]	[illegible]	[illegible]	[illegible]	55	56	73	67	53	62	59	59	54	55	56.9
LEWISTON WB AP	MAX	[illegible]	[illegible]	96	77	67	[illegible]	81	[illegible]	[illegible]	79	87	[illegible]	[illegible]	[illegible]	[illegible]	96	104	93	87	85	84	93	102	98	94	100	99	96	94	99	99	91.1
	MIN	[illegible]	56	[illegible]	[illegible]	49	[illegible]	54	[illegible]	[illegible]	53	[illegible]	[illegible]	64	[illegible]	[illegible]	61	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	59	71	64	54	67	60	60	56	59	57.5
LIFTON PUMPING STA	MAX	80	[illegible]	[illegible]	[illegible]	79	[illegible]	[illegible]	[illegible]	76	[illegible]	70	[illegible]	84	[illegible]	89	89	85	89	88	78	74	78	82	83	88	79	82	81	80	83	89	81.7
	MIN	[illegible]	[illegible]	47	[illegible]	46	[illegible]	[illegible]	49	[illegible]	48	[illegible]	43	48	51	53	61	63	56	56	60	52	48	51	52	56	61	63	62	59	54	57	53.5
LOWMAN	MAX	[illegible]	[illegible]	92	[illegible]	[illegible]	79	79	81	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	91	[illegible]	94	96	96	95	89	84	88	95	96	90	95	92	92	89	91	96	88.6
	MIN	35	38	[illegible]	[illegible]	40	33	[illegible]	33	[illegible]	[illegible]	[illegible]	[illegible]	37	41	36	37	39	40	52	47	37	34	37	38	44	36	45	46	47	40	44	39.4
MALAD	MAX	[illegible]	80	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	75	84	93	94	[illegible]	95	93	98	95	89	75	84	90	93	94	89	86	86	84	90	95	87.9
	MIN	49	[illegible]	[illegible]	[illegible]	44	47	[illegible]	47	[illegible]	[illegible]	43	43	46	52	52	59	65	58	59	62	57	47	51	54	54	64	64	63	64	55	57	53.6
MALAD CAA AP	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	89	[illegible]	[illegible]	[illegible]	73	84	[illegible]	95	[illegible]	95	93	98	94	81	77	85	91	95	95	91	86	85	84	91	94	88.5
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	41	[illegible]	[illegible]	54	61	55	57	62	52	46	48	49	51	63	63	62	59	53	55	50.1
MAY RS	MAX	[illegible]	[illegible]	[illegible]	81	[illegible]	[illegible]	77	[illegible]	76	71	71	83	91	90	91	92	93	94	90	86	81	87	91	87	89	91	87	77	85	86	87	84.5
	MIN	36	[illegible]	[illegible]	[illegible]	41	37	[illegible]	[illegible]	[illegible]	43	42	[illegible]	46	47	44	44	50	48	60	57	40	44	45	47	49	43	55	47	49	51	47	45.5
MC CALL	MAX	76	[illegible]	[illegible]	74	[illegible]	70	[illegible]	[illegible]	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	88	92	91	88	82	77	82	90	89	91	83	91	90	83	87	89	82.3
	MIN	[illegible]	46	43	[illegible]	43	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	40	44	48	48	48	47	48	51	46	45	42	42	53	50	49	54	48	50	43	47	45.6
MC CAMMON	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	85	[illegible]	82	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	98	98	99	94	89	82	85	90	93	92	93	91	85	[illegible]	91	95	89.5
	MIN	41	[illegible]	[illegible]	49	[illegible]	40	[illegible]	41	44	47	44	[illegible]	43	43	43	47	56	60	53	52	52	42	46	49	56	61	61	62	60	60	52	49.3
MERIDIAN [illegible]	MAX	88	[illegible]	[illegible]	81	[illegible]	[illegible]	82	[illegible]	[illegible]	[illegible]	82	[illegible]	94	94	[illegible]	95	98	98	95	94	85	92	101	98	93	97	98	94	92	93	101	90.8
	MIN	48	50	48	[illegible]	[illegible]	42	45	42	46	49	42	49	[illegible]	60	48	51	51	52	57	53	47	43	49	53	55	49	60	59	57	51	60	50.9
MESA	MAX	[illegible]	87	[illegible]	[illegible]	[illegible]	82	[illegible]	[illegible]	[illegible]	78	87	91	[illegible]	[illegible]	[illegible]	100	103	100	97	89	89	93	101	101	98	104	99	98	98	99	102	93.3
	MIN	53	[illegible]	55	[illegible]	[illegible]	48	51	47	[illegible]	[illegible]	45	[illegible]	50	63	64	68	67	65	64	57	56	55	50	58	64	69	63	62	60	59	61	57.2
MINIDOKA DAM	MAX	[illegible]	80	[illegible]	[illegible]	87	86	82	[illegible]	[illegible]	83	75	83	97	[illegible]	100	98	97	98	86	86	80	85	96	95	94	91	87	86	85	89	96	88.5
	MIN	53	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	56	48	50	56	56	57	69	70	66	68	66	58	52	53	68	64	74	69	63	60	60	61	59.3
MONTPELIER RS	MAX	77	[illegible]	78	[illegible]	[illegible]	80	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	80	[illegible]	93	93	94	89	94		92	75	81	87	90	92	83	86	85	84	88	85.0
	MIN	41	42	40	49	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	39	35	[illegible]	35	45	57	60	50	50		53	41	45	45	48	59	58	60	59	47	50	46.6
MOSCOW U OF I	MAX	80	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	73	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	89	90	96	92	82	78	82	87	96	91	89	95	92	89	86	91	92	85.3
	MIN	[illegible]	47	48	49	49	46	41	44	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	51	51	49	57	52	46	41	47	59	62	56	43	58	50	51	44	47	49.9
MOUNTAIN HOME 1 W	MAX	90	[illegible]	98	[illegible]	84	86	83	[illegible]	[illegible]	[illegible]	[illegible]	90	[illegible]	99	101	100	104	103	95	91	87	94	102	102	97	103	98	96	96	99	102	93.6
	MIN	50	[illegible]	50	[illegible]	49	[illegible]	47	47	[illegible]	[illegible]	46	52	61	57	52	54	59	60	65	59	54	48	50	66	65	51	66	72	61	61	64	55.2
MULLAN PASS CAA	MAX	60	[illegible]	78	[illegible]	[illegible]	[illegible]	[illegible]	59	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	73	83	73	68	60	63	71	80	80	73	82	79	80	73	77	79	69.8
	MIN	[illegible]	[illegible]	[illegible]	40	40	40	40	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	61	62	57	51	44	47	54	58	61	55	56	64	59	56	58	60	51.5
NAMPA	MAX	95	[illegible]	[illegible]	[illegible]	[illegible]	97	[illegible]			96	[illegible]	98	102	[illegible]	[illegible]	99	103	102	100	96	92	105	104	103	102	104	105	100	96	98	108	98.7
	MIN	[illegible]	[illegible]	53	48	[illegible]	[illegible]	[illegible]			[illegible]	45	[illegible]	62	[illegible]	[illegible]	54	58	59	54	50	54	55	55	63	64	55	69	70	66	60	65	57.0
NAMPA 2 NW	MAX	[illegible]	92	[illegible]	[illegible]	78	[illegible]	[illegible]	86	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	97	97	98	98	101	98	89	91	94	100	98	95	103	90	97	94	96	92.2
	MIN	[illegible]	[illegible]	50	[illegible]	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	59	57	54	57	55	61	65	60	57	50	53	59	61	55	66	72	63	60	61	55.8
NEW MEADOWS RS	MAX	[illegible]	81	90	83	[illegible]	75	[illegible]	79	79	70	[illegible]	[illegible]	[illegible]	[illegible]	91	93	96	92	92	89	79		93	94	90	95	95	91	88	92	94	86.9
	MIN	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	34	37	42	41	43	42	43	46	39	33		34	48	45	40	45	43	47	45	41	41.2
NEZPERCE	MAX	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	64	76	73	[illegible]	[illegible]	[illegible]	92	88	90	99	86	81	78	81	86	95	93	86	96	91	94	81	93	83.9
	MIN	45	46	47	[illegible]	50	[illegible]	[illegible]	[illegible]	54	54	44	45	[illegible]	61	60	54	65	56	50	45	40	42	46	62	54	42	58	53	52	45	51	50.6
OAKLEY	MAX	86	80	97	88	[illegible]	[illegible]	80	[illegible]	80	[illegible]	[illegible]	[illegible]	94	[illegible]	99	94	93	98	92	84	81	85	94	90	89	94	89	89	89	87	93	87.7
	MIN	43	[illegible]	[illegible]	[illegible]	[illegible]	40	40	[illegible]	40	[illegible]	[illegible]	43	[illegible]	[illegible]	55	61	64	[illegible]	71	65	57	53	56	54	63	62	63	61	61	53	59	55.3
[illegible]	MAX	[illegible]	[illegible]	[illegible]	66	[illegible]	69	67	[illegible]	[illegible]	64	64	74	[illegible]	[illegible]	83	82	85	86	81	75	70	79	82	62	78	86	81	79	75	75	81	75.8
	MIN	[illegible]	[illegible]	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	27	35	33	[illegible]	34	38	32	36	38	[illegible]	[illegible]	41	31	30	33	38	39	31	46	40	44	38	38	35.5
OROFINO	MAX	[illegible]	90	100	99	[illegible]	[illegible]	[illegible]	84	86	84	[illegible]	[illegible]	[illegible]	98	[illegible]	100	107	103	91	85	93	98	106	103	101	105	103	99	98	102	102	95.3
	MIN	53	55	[illegible]	52	[illegible]	[illegible]	[illegible]	46	[illegible]	[illegible]	46	[illegible]	54	55	58	57	59	59	55	50	47	44	49	67	61	50	59	70	59	52	55	54.1
PALISADES DAM	MAX	80	77	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	80	[illegible]	[illegible]	64	[illegible]	[illegible]	92	92	93	91	93	92	80	78	84	90	91	90	89	86	84	79	85	89	84.9
	MIN	[illegible]	37	39	[illegible]	40	[illegible]	[illegible]	[illegible]		[illegible]	39	33	[illegible]	46	43	53	53	52	50	56	50	42	44	46	50	55	53	52	57	47	50	44.7
PARMA EXP STA	MAX	92	92	95	[illegible]	[illegible]	85	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	99	99	[illegible]	98	105	104	100	98	89	93	99	100	99	102	102	100	95	97	104	94.9
	MIN	[illegible]	[illegible]	52	[illegible]	52	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	57	52	60	56	62	61	57	53	52	54	64	63	54	61	65	63	56	61	55.7
PAUL [illegible]	MAX	[illegible]	85	80	[illegible]	[illegible]	[illegible]	85	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	92	99	96	95	99	88	85	82	85	95	93	90	94	87	91	85	92	87.6
	MIN	[illegible]	[illegible]	[illegible]	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	52	[illegible]	48	50	59	57	71	64	57	41	50	50	50	51	52	61	63	57	53	51.9
PAYETTE	MAX	[illegible]	[illegible]	97	[illegible]	[illegible]	84	[illegible]	[illegible]	[illegible]	79	[illegible]	90	102	[illegible]	[illegible]	100	102	[illegible]	97	89	90	94	103	100	96	102	99	94	96	97	100	93.7
	MIN	[illegible]	58	53	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	55	[illegible]	[illegible]	[illegible]	[illegible]	55	64	64	58	[illegible]	[illegible]	60	55	55	53	67	64	54	66	65	64	57	61	57.6
POCATELLO WB AP	MAX	[illegible]	[illegible]	94	[illegible]	[illegible]	[illegible]	86	[illegible]	[illegible]	[illegible]	[illegible]	85	[illegible]	[illegible]	[illegible]	97	96	[illegible]	87	87	85	89	96	94	95	92	84	88	85	90	98	89.3
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	47	45	[illegible]	[illegible]	43	42	47	[illegible]	52	[illegible]	[illegible]	63	69	71	56	49	57	63	58	63	64	59	60	53	56	55.3
PORTHILL	MAX	[illegible]	[illegible]	[illegible]	87	72	74	70	70	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	91	94	[illegible]	85	81	82	86	93	95	94	92	94	94	90	91	94	85.6
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]	[illegible]	[illegible]	51	[illegible]	51	[illegible]	[illegible]	[illegible]	48	50	45	46	50	55	50	47	49	49	53	48	45	48.9
[illegible]	MAX	[illegible]	[illegible]	[illegible]	81	[illegible]	70	74	74	79	76	92	90	92	87	[illegible]	90	96	95	[illegible]	78	84	92	94	92	87	91	91	90	86	90	91	85.6
	MIN	54	[illegible]	[illegible]	[illegible]	40	46	39	44	[illegible]	[illegible]	40	[illegible]	52	[illegible]	52	50	[illegible]	[illegible]	54	42	39	44	47	60	54	40	52	50	49	40	45	48.0
PRESTON SUG FACT 2 SE	MAX	88	[illegible]	92	91	[illegible]	89	[illegible]	87	[illegible]	[illegible]	[illegible]	83	94	[illegible]	[illegible]	94	93	100	99	93	76	84	91	94	94	93	90	90	86	92	96	90.2
	MIN	[illegible]	49	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	45	41	44	46	50	57	64	[illegible]	[illegible]	63	[illegible]	46	50	52	53	63	66	62	64	53	55	51.3
PRIEST RIVER EXP STA [illegible]	MAX	76	[illegible]	86	[illegible]	71	64	72	74	74	74	[illegible]	[illegible]	[illegible]	[illegible]	87	89	[illegible]	90	83	78	81	86	91	92	88	91	92	90	87	89	91	84.2
	MIN	[illegible]	[illegible]	45	[illegible]	[illegible]	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	47	48	[illegible]	[illegible]	[illegible]	[illegible]	42	41	38	41	46	48	45	42	46	45	47	42	41	45.0
RICHFIELD	MAX	86	80	92	87	[illegible]	[illegible]	[illegible]	81	78	74	[illegible]	[illegible]	96	94	[illegible]	94	95	98	94	87	80	86	94	92	91	94	90	87	84	92	95	88.1
	MIN	42	46	45	[illegible]	[illegible]	41	41	45	47	[illegible]	[illegible]	41	52	[illegible]	47	53	59	[illegible]	64	57	53	44	47	57	59	50	63	59	58	55	56	50.7
RIGGINS [illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	84	84	[illegible]	91	[illegible]	[illegible]	[illegible]	[illegible]	105	[illegible]	[illegible]	98	109	108	97	93	87	94	107	107	105	107	107	103	102	104	104	97.1
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		56	60	[illegible]	[illegible]	63	62	63	[illegible]	61	67	56	59	54	57	62	63	64	65	67	68	65	64	66	59.7
RIRIE	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	82	82	[illegible]	69	79	92	95	[illegible]	95	92	97	87	86	79	85	92	93	92	92		84	82	84	87	85.8
	MIN	49	[illegible]	49	64	[illegible]	[illegible]	[illegible]	43	43	[illegible]	[illegible]	[illegible]	51	58	[illegible]	61	62	62	63	67	[illegible]	51	55	59	60	60	60	57	56	53	57	53.9
ROLAND W PORTAL	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	72	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87	93	89	84	77	77	82	90	90	87	90	89	88	86	89	90	81.8
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	42	[illegible]	[illegible]	47	[illegible]	[illegible]	48	49	48	52	43	41	39	42	47	53	54	40	52	49	48	43	46	45.5
RUPERT	MAX		[illegible]	[illegible]	[illegible]	[illegible]	89	[illegible]	[illegible]	[illegible]	[illegible]	75	75	85	[illegible]	94	94	98	95	99	86	84	86	89	94	93	93	92	86	85	83	[illegible]	87.9
	MIN		50	[illegible]	[illegible]	47	46	46	47	[illegible]	[illegible]	46	47	[illegible]	[illegible]	[illegible]	64	62	59	71	63	57	48	53	64	60	59	60	61	62	57	55	55.3
SAINT ANTHONY	MAX	[illegible]	[illegible]	[illegible]	76	89	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	95	95	95	98	89	[illegible]	80	83	90	93	93	94	84	84	83	[illegible]	92	86.1
	MIN	38	40	[illegible]	54	40	38	37	34	[illegible]	46	39	35	42	45	41	49	48	54	[illegible]	35	51	44	44	49	53	49	52	50	58	45	47	44.9
SAINT MARIES	MAX	84	[illegible]	[illegible]	[illegible]	[illegible]	69	76	75	78	[illegible]	85	91	94	94	90	93	96	95	87	85	82	89	96	95	92	94	94	94	93	93	95	87.6
	MIN	44	48	48	[illegible]	45	47	41	41	[illegible]	40	58	[illegible]	49	51	55	52	51	56	45	44	40	44	49	58	58	42	52	50	51	45	47	49.0
SALMON	MAX	[illegible]	[illegible]	90	78	[illegible]	[illegible]	82	84	78	[illegible]	80	[illegible]	98	[illegible]	97	100	101	101	99	89	86	89	97	87	96	100	95	90	92	95	98	89.9
	MIN	[illegible]	[illegible]	43	[illegible]	44	40	41	[illegible]	45	47	[illegible]	40	42	45	46	48	50	48	64	59	41	43	47	50	53	49	51	50	55	50	50	46.9
SANDPOINT EXP STA	MAX	[illegible]	[illegible]	85	[illegible]	69	[illegible]	74	75	75	73	79	[illegible]	[illegible]	[illegible]	89	90	91	89	83	79	78	81	89	91	87	87	93	91	89	90	91	83.1
	MIN	[illegible]	[illegible]	47	[illegible]	46	[illegible]	41	[illegible]	[illegible]	[illegible]	40	47	48	[illegible]	52	51	50	50	45	51	40	42	46	49	48	43	47	47	53	46	42	48.5
SHOSHONE	MAX	89	[illegible]	[illegible]	[illegible]	90	[illegible]	84	84	[illegible]	80	78	88	[illegible]	94	100	97	100	102	94	88	84	88	99	97	94	99	95	92	90	94	99	91.5
	MIN	53	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	53	43	47	58	62	57	55	64	[illegible]	68	[illegible]	55	46	57	62	61	58	66	65	62	61	61	55.9
SPENCER RS	MAX	78	[illegible]	[illegible]	81	84	81	[illegible]	79	79	61	65	82	88	91	93	92	91	95	89	83	80	82	89	91	91	89	89	82	81	85	87	83.8
	MIN	[illegible]	42	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	43	36	32	37	42	40	44	52	47	[illegible]	47	47	41	39	44	44	47	49	47	54	43	46	42.9

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SPRINGFIELD	MAX	91	85	95	[illegible]	89	[illegible]	86	84	[illegible]					[illegible]	99					89	[illegible]	[illegible]	[illegible]	98	96	96	81	88	86	[illegible]	97	90.0
	MIN	44	44	44	55	42	40	45	[illegible]	41	49	40	41	45	[illegible]	45	57	59	56	50	65	50	42	47	[illegible]	55	[illegible]	[illegible]	56	57	53	[illegible]	[illegible]
STIBNITE	MAX	72	75	72	81	[illegible]	70	68	[illegible]	[illegible]	[illegible]	68	[illegible]	80	[illegible]	[illegible]	85	86	88	86	81	[illegible]	73	79	84	84	81	85	[illegible]	82	79	[illegible]	[illegible]
	MIN	38	39	42	38	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	33	44	[illegible]	42	44	48	52	42	[illegible]	[illegible]	[illegible]	48	48	42	50	40	45	42	42	51	41.0
SUGAR	MAX	85	77	89	79	[illegible]	85	84	81	79	[illegible]	88	77	92	[illegible]	94	92	93	[illegible]	[illegible]	79		[illegible]	[illegible]	[illegible]	91	91	89	84	[illegible]	81	90	85.3
	MIN	37	41	41			[illegible]	[illegible]			[illegible]	36	[illegible]	40	44	[illegible]	51	48	[illegible]	51	[illegible]		43	[illegible]	48		[illegible]	[illegible]	50	[illegible]	48	[illegible]	[illegible]
SUN VALLEY	MAX	80	78	82	79	76	77	77	78	78	77	[illegible]	77	88	[illegible]	[illegible]	91	90	93	92	85	80	82	88	88	87	90	89	80	79	83	[illegible]	83.0
	MIN	32	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	[illegible]	35	37	33	36	51	38	52	44	34	32	[illegible]	40	44	32	47	46	[illegible]	44	[illegible]	[illegible]
SWAN FALLS PH	MAX	96	93	99	96	[illegible]	[illegible]	88	[illegible]	[illegible]	[illegible]	[illegible]	94	107	108	[illegible]	103	108	105	101	[illegible]	89	98	[illegible]	105	103	107	103	[illegible]	[illegible]	[illegible]	107	98.3
	MIN	58	65	60	61	58	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	68	71	65	73	66	72	75	66	66	62	61	[illegible]	[illegible]	62	70	73	[illegible]	68	70	64.7
TETONIA EXP STA	MAX	[illegible]	71	83	73	83	84	80	75	74	[illegible]	[illegible]	75	[illegible]	[illegible]	[illegible]	90	89	92	83	80	77	[illegible]	83	85	87	84	74	80	72	[illegible]	85	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	40	31	[illegible]	[illegible]	42	33	40	40	42	57	46	55	49	54	52	42	39	46	47	50	48	[illegible]	55	40	46	[illegible]
THREE CREEK	MAX	[illegible]	82	[illegible]	91	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	74	[illegible]	93	94	94	94	96	95	97	96	91	84	94	96	96	[illegible]	88	86	86	85	91	88.9
	MIN	[illegible]	[illegible]	36	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	55	[illegible]	[illegible]	43	50	50	53	55	52	51	43	35	43	40	59	60	54	51	54	44.3
TWIN FALLS 2 NNE	MAX	91	88	98	92	90	86	[illegible]	86	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	99	99	98	102	102	101	89	85	90	101	100	96	[illegible]	95	[illegible]	[illegible]	[illegible]	101	93.0
	MIN	51	[illegible]	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]	61	66	61	69	64	60	47	[illegible]	64	54	[illegible]	63	65	62	[illegible]	[illegible]	[illegible]
TWIN FALLS 3 [illegible]	MAX	[illegible]	[illegible]	85	97	80	90	85	83	[illegible]	[illegible]	[illegible]	[illegible]	71	[illegible]	94	96	97	[illegible]	[illegible]	90	88	[illegible]	[illegible]	98	[illegible]	[illegible]	[illegible]	92	[illegible]	89	91	89.5
	MIN	45	43	48	[illegible]	42	46	49	[illegible]	53	47	40	43	[illegible]	60	48	51	61	69	66	62	[illegible]	[illegible]	48	63	59	[illegible]	60	60	59	56	[illegible]	52.6
WALLACE	MAX	[illegible]	80	[illegible]	70	[illegible]	67	70	[illegible]	[illegible]	[illegible]	83	[illegible]	95	[illegible]	[illegible]	90	97	88	82	76	79	86	94	[illegible]	96	[illegible]	[illegible]	[illegible]	88	[illegible]	[illegible]	84.5
	MIN	[illegible]	40	45	[illegible]	42	[illegible]	[illegible]	44	[illegible]	42	[illegible]	45	49	[illegible]	[illegible]	[illegible]	49	53	45	[illegible]	40	43	41	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	44	46	46.5
WALLACE WOODLAND PARK	MAX	[illegible]	79	79	87	[illegible]	71	[illegible]	69	71	74	69	[illegible]	[illegible]	[illegible]	[illegible]	88	[illegible]	95	86	[illegible]	76	[illegible]	92	93	[illegible]	93	[illegible]	91	[illegible]	88	89	[illegible]
	MIN	[illegible]	[illegible]	44	50	[illegible]	45	39	[illegible]	[illegible]	43	39	[illegible]	49	[illegible]	52	51	50	[illegible]	45	43	40	[illegible]	48	[illegible]	42	44	49	50	[illegible]	44	45	46.2
WEISER	MAX	95	[illegible]	99	82	[illegible]	86	87	90	89	80	85	[illegible]	[illegible]	[illegible]	101	102	103	102	99	90	92	[illegible]	[illegible]	102	[illegible]	103	101	[illegible]	[illegible]	96	100	94.7
	MIN	50	56	58	[illegible]	[illegible]	49	[illegible]	48	[illegible]	50	49	48	54	57	[illegible]	51	62	58	58	54	48	[illegible]	[illegible]	60	[illegible]	[illegible]	61	62	58	62	59	55.8
WINCHESTER [illegible]	MAX		[illegible]	86	82	61	65	69	[illegible]	75	[illegible]	79	87	[illegible]	84	86	87	[illegible]	[illegible]	81	76	79	[illegible]	95	94	[illegible]	92	92	88	[illegible]	[illegible]	92	83.4
	MIN		45	42	44	45	48	[illegible]	[illegible]	44	41	30	[illegible]	50	45	40	48	51	[illegible]	44	47	37	42	44	[illegible]	[illegible]	[illegible]	60	[illegible]	[illegible]	48	47	[illegible]

EVAPORATION AND WIND

Table 6

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STATION	EVAP	.27	.33	.23	.43	.29	.28	.37	.40	.41	.33	.14	.19	.18	.31	.15	.38	.23	.20	.26	.31	.22	.22	.24	.24	.23	.25	.12	.16	.09	.15	.17	7.78
	WIND	56	62	21	128	64	71	73	120	122	128	79	17	24	39	15	23	3	17	11	50	59	13	19	15	30	27	24	32	8	40	10	1400
ARROWROCK DAM	EVAP	.33	.40	.33	.36	.20	.25	.33	.40	.35	.32	.26	.30	.38	.43	.41	.39	.41	.42	.40	.42	.38	.35	.36	.38	.28	.35	.36	.30	.24	.39	.34	10.82
	WIND	30	59	37	68	22	35	37	68	46	48	54	31	40	36	31	28	33	23	27	42	40	39	30	22	29	30	23	26	24	36	26	1120
BLACKFOOT DAM	EVAP	.48	.48	.24	.48	.48	.48	.48	.36	.36	.24	.24	.24	.36	.36	.24	.48	.48	.36	.24	.12	.24	.36	.36	.36	.36	.24	.16	.12	.15	.24	.24	10.03
	WIND	120	83	64	96	127	60	166	117	127	80	80	58	43	89	75	31	62	34	39	100	33	116	57	54	68	44	27	75	46	61	40	2272
LIFTON PUMPING STATION	EVAP	.30	.36	.23	.44	.35	.30	.40	.40	.36	.29	.29	.20	.31	.33	.30	.37	.28	.32	.31	.19	.22	.15	.25	.26	.30	.24	.28	.20	.36	.21	.26	9.06
	WIND	17	63	13	53	41	29	47	64	59	29	74	27	14	37	13	28	23	24	24	44	50	18	12	10	23	39	48	43	56	27	18	1067
MINIDOKA DAM	EVAP	.47	.55	.56	.43	.57	.44	.53	.55	.53	.44	.24	.35	.48	.59	.47	.48	.45	.50	.31	.46	.45	.35	.41	.53	.49	.40	.34	.42	.23	.25	.50	13.77
	WIND	120	135	130	245	165	75	120	170	155	90	185	115	135	130	70	70	70	90	55	55	270	130	75	135	120	95	115	240	75	70	85	3790
MOSCOW U OF I	EVAP	.33	.23	.30	.23	.10	.11	.26	.27	.22	.26	.25	.31	.39	.34	.26	.24	.35	.40	.34	.17	.34	.31	.37	.38	.41	.30	.38	.33	.33	.28	.31	9.10
	WIND	38	20	34	84	36	28	51	36	36	38	27	34	43	37	25	10	22	46	57	56	18	19	6	59	44	12	29	30	31	16	21	1043
PALISADES DAM	EVAP	.23	.24	.27	.41	.23	.30	.37	.44	.12	.27	.12	.15	.28	.41	.28	.26	.31	.32	.29	.15	.25	.25	.23	.31	.30	.30	.17	.17	.16	.22	.20	8.01
	WIND	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4790	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0371	BUTTE	6	43 38	113 19	5320	6P	6P	JAMES W MARTIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 4 5 7
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0561	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	3 4
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	3 4
BIG CREEK	0835	VALLEY	11	45 08	115 20	5737	5P	5P	MARY A WEYMOUTH	2 3 4 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 4 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	3 4
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 4 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	3 4
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	3 4
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 4 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	3 4
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	TETONIA EXP STATION	3 4
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	3 4
COUNCIL 2 NNE	2187	ADAMS	12	44 45	116 25	3150	7P	7P	JOHN W HOOVER	2 3 4 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	3 4
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 4 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		MID	U S FOREST SERVICE	3 4
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
# FORNEY BLACKBIRD MINE	3289	LEMHI	11	45 07	114 21	6825	8A	8A	(SEE NAME CHANGE END OF INDEX)	
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 4 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
IDA VADA	4475	OWYHEE	2	42 03	115 09	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JEROME	4670	JEROME	12	42 44	114 31	3785	8A	8A	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190	7A	7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	3 4
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 4 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 4 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	3 4
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE B BENTZINGER	2 3 4 5
MULLAN PASS CAA	6237	[illegible]	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
NAMPA	6295	CANYON	2	43 35	116 34	2482	5P	5P	C W NELSON	2 3 5
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	8A	8A	WAYNE S SHAEFFER	2 3 5 7
NEZPERCE PASS	6430	[illegible]	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	6586	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	2 3 4 5 7
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	5P	5P	U S FOREST SERVICE	2 3 4 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	3 4
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB AIRWAY OBS	2 3 4 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 4 5 7
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 [illegible]
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	[illegible]	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL CAA AP	8786	CASSIA	12	42 01	113 13	5275	MID	MID	U S CIVIL AERO ADM	CLOSED 12/15/50
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	[illegible]	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 4 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	[illegible]	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
WOLF LODGE SUMMIT	9862	KOOTENAY	4	47 43	116 30	4650		MID	U S FOREST SERVICE	CLOSED 7/10
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		MID	U S SOIL CON SER	3 4
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	3 4
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	3 4
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	[illegible]	4P	4P	U S ENGINEERS	2 3 4 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
NAME CHANGE										
# COBALT BLACKBIRD MINE	1938	SEMBI	11	45 07	114 21	3800	8P	8P	EDWIN B DOUGLAS	2 3 5 7

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 4 are from recording gages. Traces are not shown.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 4, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. When hourly precipitation is missing or accumulated for several days, only the first and last days are shown in Table 4.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
6	Station not equipped with a recording gage.
R	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gages.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
S	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
R	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-100558 1000 9-11-51


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
○ ● ◑ Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage: ○ Non-recording:
● Recording: ◑ Both types.
Double circle combinations: Complete Meteorological.
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Bonners Fy WB Awy
Benton Dam
Priest Riv Exp Sta
Sandpoint Exp Sta
Clark Fork 1ENE
Bayview Model Basin
Coeur d'Alene CAA AP
Deception Cr
Wolf Lodge Summit
Coeur d'Alene RS
Kellogg
Burke 2NNE
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace
Saint Maries
Roland W Portal
Plummer 3WSW
Avery RS
Clarkia RS
Potlatch
Moscow U of Ida
Bungalow RS
Lolo Pass
Orofino
Lewiston Wtr Pl
Pierce RS
Lewiston WB AP
Winchester 1SE
Craigmont
Kamiah 1NE
Nezperce
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Cottonwood 2SW
Grangeville WB Awy
Nez Perce Pass
Riggins RS
Salmon WB Awy
Big Creek
Forney Blackbird M
New Meadows RS
Yellow Pine
Stibnite
McCall USFS
Pungo Creek
Council 2NNE
Landmark RS
Leadore
Mesa
May RS
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Cascade RS
Island Park Dam
Spencer RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Weiser
Dubois Exp Sta
Ola
Crouch 2NNW
Ashton 1S
Payette
Lowman
Jackson Peak
Dubois CAA AP
Obsidian 4NNE
Garden Valley RS
Chilly Barton Flat
Hamer 4NW
St Anthony
Centerville 4NE
Arbaugh
Moore Cr Summit
Clementsville 4SE
Emmett 2E
Mackay RS
Parma Exp Sta
Idaho City
Atlanta 1E
Howe
Sugar
Vienna
Tetonia Exp Sta
Bogus Basin
Nampa 2NW
Grouse
Caldwell
Idaho Cy 13SW
Troutdale GS
Sun Valley
Arco
Driggs
Ririe
Arrowrock Dam
Shake Cr RS
Meridian 1SSW
Trinity Lake GS
Idaho Falls CAA AP
Deer Flat Dam
Nampa
Prairie
Pine 2SSW
Soldier Cr RS
Hailey
Boise WB AP
Irwin 2S
Kuna
Anderson Dam 1SW
Fairfield RS
Palisades Dam
Swan Falls PH
Bill City
Blackfoot
Mountain Home 1W
Springfield
Richfield
Putnam Mt
Gray
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Bliss
Aberdeen Exp Sta
Blackfoot Dam
Shoshone
Pocatello WB AP
Gooding CAA AP
Conda
Jerome
Minidoka Dam
Bancroft
Eden Hunt
American Falls 1NW
Paul 1E
Burley 1NW
Buhl
Rupert
McCammon
Hazelton
Grace PH
Twin Falls 2NNE
Burley CAA AP
Twin Falls 3SE
Burley
Hollister
Albion
Montpelier RS
Malad
Oakley
Bridge
Lifton Pump Sta
Malad CAA AP
Three Creek
Preston 2SE
Ida Vada
Strevell
N.O.C. 9/50

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

AUGUST 1951
Volume LIV No. 8

SAN FRANCISCO: 1951

IDAHO - AUGUST 1951

E. H. Jones, Section Director, Boise

WEATHER SUMMARY

Statewide averages for the month indicate that August 1951 was a wet and comparatively cool month. The Northern and Southwestern Divisions received more rain than in any August since 1941, and in the Southeastern Division the average was greater than in any year since 1930, and the second highest for August since records were begun in 1893. Despite this, the Northern Division experienced a prolongation of the drought which began in early July and ended only in the final four days of August. All Northern Division stations recorded their greatest daily rainfall between the 28th and 30th with at least one station, Porthill, reporting its greatest daily rainfall on record for August. In the southeast and south-central portions of the State new record daily totals for August were recorded at a number of stations, among them Hill City, Twin Falls 3 SE, Hamer, Island Park Dam, Paul, Ririe, St. Anthony, Sugar and Tetonia. Sunshine was generally less than normal with a marked deficiency in the eastern part of the State; at Pocatello the percentage of possible was only 60% compared to a long-period mean of 78% for August. Storm damage, from hail and rain,was noticeably greater than in August 1950, particularly in the eastern part of the State. Winds caused little or no damage.

During the first week of August there were scattered thunderstorms and showers which brought light to moderate rains to southern Idaho, with an occasional report of an inch or more. From the 10th to the 20th there was very little rain anywhere in the State, sunshine was plentiful in most sections, and temperatures rose to levels well above normal between the 15th and 20th. A cold front moved across the State from north to south on the 22d, preceded, accompanied and followed by showers and scattered thunderstorms and bringing a drop in temperature to nearly all of the State. The outstanding storm front of the month entered the northern tip of the State on the evening of the 27th, moved slowly southward and southeastward, and finally passed out of the southeast corner of the State on the evening of the 29th. It was this front that touched off the period of heavy showers in northern Idaho, and brought a sharp lowering of temperatures to all of the State, with maximum temperatures dropping to the seventies or high sixties, and minima to the forties during the final days of the month.

The effect of weather on Idaho's agriculture during August was somewhat negative in the northern part of the State because of the drought during most of the month, which dried pastures and ranges, and retarded crop growth in some localities. Other detrimental effects of the weather on crops were largely confined to the hail and rain damage which seems to have been concentrated in a broad strip running eastward from Blaine County to Fremont County. Crop damage was probably in excess of $200,000. On the positive side of the picture, we find that crop growth was generally good, with ample moisture in dry-land farming areas of the eastern part of the State, and that higher range lands continued to provide good feed. Much grain harvesting was accomplished during the month and harvesting of fruits was begun. Forest fires and grass fires were unusually few in southern portions of the State, mostly because of the copious rains. In the Southeastern Division every station reported a rainfall total in excess of the August mean, with some stations recording totals equal to about three times the mean. In the Southwestern Division the precipitation totals were also in excess of the mean, except at a few scattered stations in the Snake River and Boise Valleys, but excesses in this Division did not approach those in the Southeast.

DJS

SUPPLEMENTAL DATA

Station	Wind direction: Prevailing	Wind direction: Percent of time from prevailing	Wind speed m. p. h: Average	Wind speed m. p. h: Fastest mile	Wind speed m. p. h: Direction of fastest mile	Wind speed m. p. h: Date of fastest mile	Relative humidity averages percent: 5 30A MST	Relative humidity averages percent: 11 30A MST	Relative humidity averages percent: 5 30P MST	Relative humidity averages percent: 11 30P MST	Number of days with precipitation: Trace	Number of days with precipitation: 01–09	Number of days with precipitation: 10–49	Number of days with precipitation: 50–99	Number of days with precipitation: 1 00–1 99	Number of days with precipitation: 2 00 and over	Number of days with precipitation: Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
BOISE WB AIRPORT	NW	17	6.6	42	SE	2	53	34	25	38	8	2	0	0	0	0	10	79	3.9	SEE TABLE 2
LEWISTON WB AIRPORT	WNW	13	3.3			-	56	37	25	38	1	2	2	0	0	0	5		3.6	
POCATELLO WB AIRPORT	S	13	6.1	42	W	6	67	38	31	50	8	4	3	0	0	0	15	60	4.6	

COMPARATIVE DATA

Table 1

Year	Temperature: Average	Temperature: Highest	Temperature: Lowest	Precipitation: Average	Precipitation: Average snowfall	Precipitation: No of days 01 or more
1893	66.3	108	37	.13	-	2
1894	69.7	110	30	.50	-	3
1895	66.4	106	24	.27	-	2
1896	67.5	103	28	1.02	-	4
1897	69.2	111	20	.25	-	1
1898	69.6	110	31	.52	-	2
1899	61.3	111	19	1.20	0.0	6
1900	63.5	105	25	.55	0.0	4
1901	70.0	108	29	.41	0.0	4
1902	66.5	105	21	.43	0.0	3
1903	66.3	110	25	.60	0.0	2
1904	68.0	110	21	.42	0.0	3
1905	68.5	112	25	.33	0.0	3
1906	66.7	107	25	.91	0.0	4
1907	63.0	113	22	1.12	T	6
1908	65.1	110	18	.75	T	5
1909	67.6	107	22	.54	0.0	3
1910	64.3	106	11	.10	0.0	1
1911	64.3	103	22	.24	0.0	1
1912	63.4	105	17	1.27	0.0	6
1913	68.2	109	22	.58	0.0	3

Year	Temperature: Average	Temperature: Highest	Temperature: Lowest	Precipitation: Average	Precipitation: Average snowfall	Precipitation: No of days 01 or more
1914	66.9	109	24	.18	0.0	1
1915	70.5	111	26	.25	0.0	2
1916	64.8	106	10	.71	0.1	3
1917	66.0	108	20	.20	0.0	2
1918	62.8	103	21	1.07	T	6
1919	68.5	106	24	.28	0.0	2
1920	66.8	111	19	.94	0.0	5
1921	67.5	108	22	.61	0.0	4
1922	68.8	108	23	1.56	0.0	8
1923	65.6	110	21	.91	0.0	4
1924	65.5	109	12	.41	0.0	2
1925	65.0	106	21	1.03	0.0	5
1926	66.9	112	22	1.30	0.0	5
1927	65.2	105	22	.73	0.0	5
1928	64.8	108	18	.25	0.0	2
1929	70.6	110	28	.39	0.0	3
1930	68.8	111	22	1.41	0.0	6
1931	68.7	109	25	.24	0.0	2
1932	65.2	111	20	.61	T	3
1933	66.2	109	24	.38	0.0	3
1934	68.9	110	27	.24	0.0	2

Year	Temperature: Average	Temperature: Highest	Temperature: Lowest	Precipitation: Average	Precipitation: Average snowfall	Precipitation: No of days 01 or more
1935	66.4	111	16	.18	0.0	1
1936	67.6	107	18	.87	0.0	4
1937	65.5	108	18	.26	0.0	2
1938	65.7	105	23	.48	0.0	4
1939	67.9	107	22	.17	0.0	2
1940	68.4	113	26	.10	0.0	1
1941	65.8	105	22	1.68	0.0	9
1942	67.1	108	20	.21	0.0	2
1943	65.7	108	19	.40	0.0	3
1944	64.6	106	16	.23	0.0	2
1945	67.2	106	20	.75	0.0	4
1946	67.1	108	19	.58	0.0	4
1947	65.7	105	23	.54	0.0	4
1948	65.5	104	24	.43	0.0	4
1949	68.1	109	27	.35	T	3
1950	66.3	105	23	.52	T	3
1951	65.4	109	19	1.37	T	6
PERIOD	66.6			.59	T	

CLIMATOLOGICAL DATA

Table 2

Station	Temperature: Average	Temperature: Departure from normal	Temperature: Highest	Temperature: Date	Temperature: Lowest	Temperature: Date	Temperature: Degree days	Temperature: No of days: Max 90° or above	Temperature: No of days: Min 32° or below	Precipitation: Total	Precipitation: Departure from normal	Precipitation: Greatest day	Precipitation: Date	Precipitation: Snow, Sleet, Hail: Total	Precipitation: Snow, Sleet, Hail: Max depth on ground at obsn	Precipitation: Snow, Sleet, Hail: Date	Precipitation: No. of days: 01 or more	Precipitation: No. of days: .50 or more	Precipitation: No. of days: 1 00 or more
NORTHERN DIVISION																			
AVERY RS	66.8	0.9	102	3	37	24	44	13	0	1.26	.44	.79	29	.0	0		4	1	0
BAYVIEW MODEL BASIN	64.0		94	1	39	17	72	3	0	.67		.40	29	.0	0		6	0	0
BIG CREEK 1 S	56.9	0.0	93	[illegible]	25	31	251	2	11	1.91	1.18	.98	23	.0	0		7	1	0
BONNERS FERRY	65.1M	0.8	98	2	42	24	68	[illegible]	0	1.50	.62	.45	28	.0	0		12	0	0
BUNGALOW RS	67.3	- 1.3	103	2	39	25	40	12	0	1.04	.28	.56	29	.0	0		3	1	0
BURKE 2 NNE	58.9	0.6	[illegible]	2+	35	24	201	2	0	1.73	.73	.79	29	T	0		6	2	0
CLARK FORK 1 ENE	61.8	- 1.5	90	2+	39	17+	106	2	0	1.43	.25	.46	29	.0	0		6	0	0
COBALT BLACKBIRD MINE	54.2M		84	14+	29	29+		0	5	1.61		.56	23	.0	0		11	1	0
COEUR D ALENE CAA AP	65.3		97	2	38	24	74	5	0	.43		.33	28	.0	0		3	0	0
COEUR D ALENE RS	67.9	0.5	102	2	40	8+	43	17	0	.68	.03	.41	29	.0	0		4	0	0
COTTONWOOD	64.7	- 0.8	97	2	36	31	81	3	0	.69	- .20	.44	29	T	0		5	0	0
ELK CITY	57.7		95	2	28	14+	227	3	14	1.48		.85	22	.0	0		4	1	0
FENN RS	70.6	0.3	105	2	44	26	16	19	0	.82	.13	.36	30	.0	0		4	0	0
KELLOGG	67.2	2.1	102	3	42	24		12	0	.71	- .20	.50	29	.0	0		4	1	0
KOOSKIA	70.4	0.1	105	2	40	25	18	21	0	.89	.20	.36	30	.0	0		4	0	0
LEWISTON WATER PLANT	72.6	- 1.5	102	2	45	31	14	20	0	.39	- .09	.30	29	.0	0		3	0	0
LEWISTON WB AP	71.3		101	2	46	31	27	15	0	.53		.27	29	.0	0		4	0	0
MOSCOW U OF I	64.2	- 1.9	96	2	37	24	81	7	0	.68	.07	.39	29	.0	0		3	0	0
MULLAN PASS CAA	57.3	- 0.6	85	2	35	30	254	0	0	2.05	1.20	.96	28	.0	0		4	2	0
OROFINO	71.2	- 0.2	105	2	42	31	18	20	0	.63	.04	.26	29	.0	0		5	0	0
PIERCE RS	62.9	- 0.3	98	2	32	25	106	7	1	.79	- .03	.59	29	.0	0		4	1	0
PORTHILL	63.8	- 0.1	96	3	42	21+	82	7	0	3.97	3.15	1.50	30	.0	0		11	3	1
POTLATCH	62.8	- 1.2	94	2	36	24	94	7	0	1.08	.59	.58	30	.0	0		4	1	0
PRIEST RIVER EXP STATION	62.8	0.2	96	2	37	24	98	6	0	.62	- .34	.32	29	.0	0		8	0	0
RIGGINS RS	75.9	0.9	109	2	47	30	10	19	0	.63	.16	.19	29	.0	0		5	0	0
ROLAND W PORTAL	60.8	- 0.4	95	2	35	24	161	3	0	1.52	.27	.90	29	.0	0		7	1	0
SAINT MARIES	66.1	0.7	97	2	38	25	46	12	0	.66	- .07	.43	29	.0	0		3	0	0
SALMON	64.5	- 0.9	96	2+	34	31	74	8	0	1.09	.49	.33	23	.0	0		9	0	0
SANDPOINT EXP STATION	63.5	- 0.2	94	2	[illegible]	24	81	2	0	1.34	.41	.53	29	.0	0		5	1	0
WALLACE	63.6	- 1.3	101	2	38	24	91	6	0	1.54	.56	.80	29	T	0		4	2	0
WALLACE WOODLAND PARK	62.9	- 0.6	97	3	37	24		5	0	1.11	.27	.86	29	.0	0		4	1	0
WINCHESTER 1 SE	60.4	- 2.0	91	2	33	12+	155	3	0	.55	.00	.20	29	.0	0		4	0	0
DIVISION	64.5	- 1.0								1.13	.34			T					

See reference notes following Station Index

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	57.7	- 1.2	95	2	25	31	226	3	8	.94	.38	.42	28	.0	0		6	0	0
ANDERSON DAM	71.1M		98	2			12	10	0	.41		.12	5	.0	0		6	0	0
ARROWROCK DAM	71.2	- 1.4	102	1	40	30+		13	0	.18	- .08	.08	24	.0	0		3	0	0
ATLANTA 1 E	61.0	1.1	87	2+	29	31	153	0	2	1.55	.85	.38	6	T	0		6	0	0
BLISS	71.6M	0.0	99	1			15	14	0	.13	- .04	.05	4+	.0	0		3	0	0
BOISE LUCKY PEAK DAM	74.5M		106	1	43	30	18	22	0	.00		.00		.0	0		0	0	0
BOISE WB AP	72.2	1.2	102	2	43	30	23	13	0	.07	- .12	.06	22	.0	0		2	0	0
BUHL	70.8	0.4	94	1+	44	30+	17	8	0	.80	.53	.70	23	.0	0		2	1	0
CALDWELL	70.0	- 0.3	99	2+	36	31	27	16	0	.23	.01	.16	23	.0	0		4	0	0
CAMBRIDGE	70.2	- 1.7	105	4	35	30		20	0	.72	.37	.50	27	T	0		2	1	0
CASCADE 1 NW	61.3		95	2	29	31	136	3	2	1.16		.40	5	.0	0		8	0	0
CHALLIS	62.6	- 2.6	91	17	36	31	102	3	0	1.38	.85	.34	4	.0	0		10	0	0
COUNCIL 2 NNE	69.9	- 0.5	100	2	37	30	41	17	0	1.02	.60	.51	23	.0	0		3	1	0
DEADWOOD DAM	57.8	- 0.7	92	2	27	26+	226	1	7	1.93	1.27	.42	24	T	T	28	12	0	0
DEER FLAT DAM	70.1	- 1.3	99	3	38	31	32	10	0	.30	.12	.20	23	.0	0		3	0	0
EDEN HUNT PROJECT	68.2		99	18	33	25	38	13	0	.23		.23	5	.0	0		1	0	0
EMMETT 2 E	70.2	- 2.4	101	2	39	31	25	16	0	.86	.65	.50	24	.0	0		4	1	0
FAIRFIELD RS	M		92	1						.72		.31	4	.0	0		4	0	0
GARDEN VALLEY RS	68.8M	0.8	102	2			24	16	0	1.58	1.07	.48	5	.0	0		7	0	0
GLENNS FERRY	69.0M	- 5.0			35	25+	31		0										
GOODING CAA AP	71.1	1.8	99	2	38	31	22	11	0	.15	- .05	.12	3	.0	0		2	0	0
GRAND VIEW	74.2	1.8	106	2	39	31	15	23	0	.19	.02	.19	22	.0	0		1	0	0
HAILEY	64.3	- 2.0	95	2	32	30+	80	1	2	.55	.05	.31	3	.0	0		5	0	0
HAZELTON	68.3	- 3.2	96	1	37	25	31	7	0	.34	.01	.13	24	.0	0		5	0	0
HILL CITY	62.2	0.9	94	2	27	31	122	2	3	1.96	1.59	1.25	3	.0	0		5	1	1
HOLLISTER	66.7M	- 2.5	90	1+	36	31	52	2	0	.58	.20	.41	5	T	0		2	0	0
IDAHO CITY	63.1	- 2.7	98	1	27	31	98	9	2	1.10	.69	.45	23	.0	0		7	0	0
JEROME	69.7	- 1.9	97	2	37	30	27	11	0	.21	- .01	.07	22+	.0	0		5	0	0
KUNA 2 NNE	67.7M	- 3.3	98	2	36	31	40	10	0	.45	.26	.45	22	.0	0		[illegible]	0	0
LOWMAN	63.2M	- 0.3	100	16	27	31	86	13	7	1.25	.71	.55	22	.0	0		7	1	0
MC CALL	60.0	- 0.3	91	2	28	31	173	2	2	1.18	.58	.63	23	.0	0		5	1	0
MERIDAN 1 SSW	66.6	- 4.1	101	2	33	31	49	9	0	.31	.11	.17	22	.0	0		2	0	0
MESA	70.8		102	2	37	30	40	16	0	1.04		.61	23	.0	0		3	1	0
MOUNTAIN HOME 1 NE	69.7	0.2	101	2	33	30	34	14	0	.06	- .11	.02	3+	.0	0		3	0	0
NAMPA 2 NW	71.2		103	1+	42	30		16	0	.50		.28	23	.0	0		4	0	0
NEW MEADOWS RS	60.5M	- 0.2	95	2+	28	31	155	5	4	1.14	.60	.54	23	.0	0		4	1	0
OBSIDIAN 4 NNE	52.4	- 3.1	81	2	19	31	360	0	12	1.04	.32	.30	5	.0	0		7	0	0
OLA	70.9M		100	18	40	31	24	16	0	1.42	1.01	.79	24	.0	0		3	1	0
PARMA EXP STATION	71.6	0.2	105	2+	38	30	21	17	0	.15	- .08	.08	5	.0	0		3	0	0
PAYETTE	71.5	- 0.6	101	2	37	31	27	17	0	.30	.10	.18	23	.0	0		3	0	0
RICHFIELD	65.3	- 1.9	95	2	35	31	66	2	0	.64	.39	.64	5	.0	0		1	1	0
SHOSHONE	69.3	- 0.1	98	1	37	31	30	8	0	.30	.03	.09	24	T	0		7	0	0
STIBNITE	56.9M		88	3	27	30+		0		2.49		.86	23	T	0		7	1	0
SUN VALLEY	57.3	- 0.4	88	16+	20	31	239	0	7	1.69	.98	.68	4	T	0		9	2	0
SWAN FALLS PH	77.0	- 0.4	107	2	41	25	9	22	0	.53	.45	.53	23	.0	0		1	1	0
THREE CREEK	62.1		91	1+	26	30+	130	5	3	1.54	1.12	.71	4	T	0		10	1	0
TWIN FALLS 2 NNE	69.5	0.8	99	1	39	25	24	12	0	.20	- .02	.09	5	.0	0		5	0	0
TWIN FALLS 3 SE	67.8	- 1.4	98	1	35	25		10	0	1.02	.79	.96	6	T	0		5	1	0
WEISER	71.2	- 3.1	102	2	37	30+	26	20	0	.39	.11	.32	23	.0	0		2	0	0
DIVISION	67.1	- 1.1								.77	.41			T					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STATION	66.3	- 1.0	93	11+	37	25	41	7	0	1.10	.68	.27	1	.0	0		12	0	0
ALBION	63.5	- 3.2	92	2	31	25	96	3	1	1.47	1.04	.49	1	T	0		10	0	0
AMERICAN FALLS 1 NW	67.1	- 1.5	93	1	35	25	29	6	0	1.43	.87	.67	6	.0	0		10	1	0
ASHTON 1 S	59.1	- 4.1	86	2	32	31	181	0	1	4.89	4.10	1.10	28	.0	0		11	4	2
BLACKFOOT	67.3	0.5	95	2	39	25	34	7	0	1.11	.47	.33	4	.0	0		7	0	0
BLACKFOOT DAM	59.1M	- 0.7	91	12	30	31	182	1	3	3.18	2.18			.0	0		13		
BURLEY	70.6	0.2	99	1	39	25		11	0	1.08	.60	.35	3	.0	0		8	0	0
BURLEY FACTORY 1 NW	66.9	- 1.8	98	1	33	25		10	0	1.03	.68	.24	23	.0	0		[illegible]	0	0
BURLEY CAA AP	67.6	- 0.7	97	2	35	25	45	10	0	1.89	1.69	.59	2	.0	0		10	1	0
CHILLY BARTON FLAT	54.6	- 5.3	84	16+	23	31	319	0	10	3.17	2.22			.0	0		11		
CONDA	60.6	- 1.3	90	[illegible]	31	24		1	1	2.58	1.56	.71	3	.0	0		14	1	0
DRIGGS	60.6	0.3	88	19	34	25		0	0	3.52	2.20	.92	22	.0	0		10	3	0
DUBOIS EXP STATION	64.0	- 3.0	90	2+	35	31	95	3	0	2.17	1.30	.67	[illegible]	.0	0		9	2	0
DUBOIS CAA AP	64.5	- 3.2	91	17	37	31	82	3	0	2.39	1.68	.79	21	T	0		12	2	0
FORT HALL IND AGENCY	66.4	- 1.0	94	1	37	25	46	7	0	2.12	1.46	.85	22	T	0		6	1	0
GRACE PH	61.9	- 3.2	88	1	36	25	110	0	0	2.17	1.22	.47	4	.0	0		12	0	0
GRAY	59.2	- 1.9	84	1+	34	25+	179	0	0	3.32	2.24	.85	29	.0	0		11	3	0
GROUSE	56.9		88	17	22	31	250	0	7	.86	.04	.26	3	.0	0		10	0	0
HAMER 4 NW	64.1M	- 0.7	93	16	32	31	77	3	1	4.22	3.42	1.35	22	T	0		11	3	2
IDAHO FALLS CAA AP	64.8	- 1.8	92	16	38	25	67	3	0	2.43	1.84	.89	3	.0	0		12	1	0
IRWIN 2 S	63.1	0.5	90	2+	40	9+	99	2	0	3.39	2.52	.97	4	.0	0		12	1	0
ISLAND PARK DAM	56.4	- 3.2	85	2	27	31	264	0	3	4.45	3.13	1.40	4	T	0		11	3	1
LIFTON PUMPING STATION	63.1	- 1.8	89	1	36	28	83	0	0	.82	.07	.28	4	.0	0		6	0	0
MACKAY RS	61.0	- 4.1	88	17	33	31	140	0	0	2.71	1.93	.75	21	.0	0		12	2	0
MALAD	67.8	- 0.3	94	16+	40	25	25	6	0	2.29	1.34	.76	4	.0	0		9	1	0
MALAD CAA AP	66.3		95	16+	38	25	36	7	0	1.85		.49	20	.0	0		6	0	0
MAY RS	61.3	- 3.3	89	17+	32	31	132	0	1	1.93	1.21	.43	23	.5	0		10	0	0
MC CAMMON	65.7		94	17	34	25	58	7	0	1.02		.25	28	.0	0		10	0	0
MINIDOKA DAM	69.3		93	19	44	25	14	6	0	.78		.41	5	.0	0		10	0	0
MONTPELIER RS	62.7M	- 1.6	92	1	32	25		3	1	1.55	.61	.42	4	T	0		11	0	0
OAKLEY	67.1	- 2.2	92	1+	35	30+	48	3	0	1.88	1.28	.43	28	T	0		13	0	0
PALISADES DAM	61.5M		89	1	35	26	130	0	0	2.92		.65	4	.0	0		14	2	0
PAUL 1 E	67.5	- 0.9	95	1	36	25		9	0	1.66	1.27	1.03	23	.0	0		8	1	1
POCATELLO WB AP	68.1	- 0.8	94	17	38	25	31	7	0	1.23	.73	.40	5	T	0		7	0	0
PRESTON SUG FACT 2 SE	67.4	- 0.5	95	1+	38	25	25	7	0	2.10	1.10	1.15	4	T	0		9	1	1
RIRIE	65.1		90	17	41	26	64	1	0	3.06		1.60	[illegible]	.0	0		7	2	1
RUPERT	67.1	- 1.5	95	1	38	25		5	0	.82	.41	.36	23	.0	0		7	0	0
SAINT ANTHONY	62.1	- 2.1	92	2	35	31	117	3	0	4.66	4.10	1.40	4	.0	0		14	3	1
SPENCER RS	59.5	- 2.2	87	3+	30	31	179	0	3	2.48	1.49	.57	4	.0	0		12	3	0
SPRINGFIELD	66.6	- 0.7	96	17+	35	25	45	10	0	.92	.42	.16	4	.0	0		11	0	0
SUGAR	63.2M	0.1	88	2+			89	0		3.69	3.17	1.03	4	T	0		11	2	1
TETONIA EXP STATION	58.1	- 3.2	85	2+	30	26	214	0	2	4.76	3.69	1.41	22	T	0		11	3	2
DIVISION	63.7	- 1.5								2.31	1.58			T					
STATE	65.4	- 1.2								1.37	.79			T					

See reference notes following Station Index.

Table 3

DAILY PRECIPITATION

IDAHO
AUGUST 1951

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
ABERDEEN EXP STA	27		02	.21	.01			03												03		06	12	05				.10	.12	08		1.10
ALBION	49			.12		.23	.02													38	03	15	34	04				.03				1.17
ALPHA 1 NE			T	T	.08															T	T	[illegible]	21	09				42	08			91
AMERICAN FALLS 1 NW		.03		.23		67			02													12	11	11	[illegible]				05	.10		1.13
ANDERSON DAM				.09	.12			T													02	07	15	01								41
ARROWROCK DAM				T	T		04														T		[illegible]	08				T		T		18
ASHTON 1 S	10		T	1 09	11	56	37	22	10		T											69	30	25				1.10				4.89
ATLANTA 1 E		T	34	10	T	38															20		34	19								1 55
ATLANTA 1 E //R			.45			36															29	16	30	10								1.57
AVERY RS							T																	07			T	.09	.79	.31		1.26
BAYVIEW MODEL BASIN									T	T			04									T		91				11	[illegible]	[illegible]	[illegible]	.67
BENTON DAM R									02				94									02	01				[illegible]	.27	08	21	01	.73
BIG CREEK 1 S			18	T	T	T		T			T										T	12	98	02				.25	16	20		1.91
BIG CREEK 1 S R			15																			28	74					25	32	02		1.76
BLACKFOOT	T		T	33	T		16	.03														16	05	14					21			1.11
BLACKFOOT DAM	40	10	•	1 28		01		03												T	07	[illegible]	02	21				[illegible]	26	[illegible]		3 18
BLACKFOOT DAM R	35	03	34	92		01		03													69		12	20				[illegible]	06	[illegible]		2 94
BLISS				05	.03																T		T	05								13
BOISE LUCKY PEAK DAM																																10
BOISE LUCKY PEAK DAM R																																00
BOISE WB AP R		T		T		T															T	06	T	01			T	T	T			17
BONNERS FERRY									02	02	17	01										02	05	.02			[illegible]	[illegible]	11	[illegible]	12	[illegible]
BONNERS FERRY R									02	03	12	02										02	01	01			19	[illegible]	17	[illegible]	11	1 31
BRIDGE R					24	06														02			13	02								
BUHL			T		T	10																T	70									.80
BUNGALOW RS											T											T	T	T				13	56	18	T	1.04
BURKE 2 NNE	02		T								T											T		09			15	18	79	20		1.73
BURLEY		03	35	07	.06	11															10		10	06								[illegible]
BURLEY FACTORY 1 NW		.12	16	09	10	09															09	T	21	14								1.03
BURLEY CAA AP	04	59	10	13	09	02														.41		15	08	08				T	[illegible]			1.89
BURLEY CAA AP // R	03	53	09	15	08	02														10		10	06	09								1.85
CALDWELL																						02	16					[illegible]	[illegible]			[illegible]
CAMBRIDGE					T																		.22				[illegible]					72
CASCADE 1 NW		01	T	02	40	T																01	17					[illegible]	.01	[illegible]		[illegible]
CASCADE RS //R		01	01		55																											
CENTERVILLE ARBAUGH	03		01	03	25			02										T			T	17	41	29				.12		[illegible]		1 47
CHALLIS	.06	.02	.04	31	T	19		03													01	24	22	.20								1.38
CHILLY BARTON FLAT	25	T	•	1 25	50	T	10	14												06	42	15	15	25								3.17
CLARK FORK 1 ENE																								.10		18	T	15	15	28	[illegible]	[illegible]
CLARK FORK 1 ENE R																								11	[illegible]	•	•	•	•	•	[illegible]	[illegible]
CLARKIA RS R																												.13	41	20		[illegible]
CLEMENTSVILLE 4 S R			13	1 21	05	17		05													18	84	27	18				.12	05	[illegible]		[illegible]
COBALT BLACKBIRD MINE				•	22		T	12	11		02	T										12	[illegible]	11	01					[illegible]		[illegible]
COEUR D ALENE CAA AP									T																			.33	.07	[illegible]		[illegible]
COEUR D ALENE CAA AP R																												•	•	[illegible]		[illegible]
COEUR D ALENE RS																											T	[illegible]	.41	05		[illegible]
CONDA	16	25	71	22				01												•	13	01	[illegible]	10				.40	.05	.02	.08	2.58
COTTONWOOD																						05	01					.13	14	[illegible]		[illegible]
COTTONWOOD 2 SW P																						07						.10	[illegible]	[illegible]		[illegible]
COUNCIL 2 NNE																							11					.48	03			[illegible]
COUNCIL 2 NNE R																						[illegible]	[illegible]					T	.03			[illegible]
CROUCH 2 NNW					38																	T	17	15			T		.19			[illegible]
DEADWOOD DAM	01	01	32		28	03														T	15	.07	.35	.42				.18	.09	T		[illegible]
DEADWOOD DAM R		01	29	23	12	03															.11	.0[illegible]	[illegible]	41				.19	[illegible]			1.79
DECEPTION CREEK R														1													[illegible]	1[illegible]	1	[illegible]	.07	1.07
DEER FLAT DAM																						08	.2[illegible]						.02			[illegible]
DRIGGS			81	27	01	05	T	T													.64	02	[illegible]	.37				.33	[illegible]			[illegible]
DUBOIS EXP STA	T		T	67	10	[illegible]	18	T													03	[illegible]	[illegible]	07				T	.22			[illegible]
DUBOIS CAA AP	01		[illegible]	01	09	30	T	02									T			.01	[illegible]	17	.05	.02				T	26			[illegible]
DUBOIS CAA AP	11		22	[illegible]	05	27		[illegible]												01	80	1	.0[illegible]	[illegible]					[illegible]	[illegible]		[illegible]
EDEN HUNT PROJECT				T	23	T	T																									[illegible]
ELK CITY	T																					.85	.2[illegible]						[illegible]	[illegible]		[illegible]
EMMETT 2 E	14																						.17	.50				T	.05			[illegible]
FAIRFIELD RS				31	[illegible]	[illegible]																		11								[illegible]
FENN RS																												02	18			[illegible]
FORT HALL IND AGENCY			32	12	21	T		T														.8[illegible]	[illegible]	[illegible]								[illegible]
GARDEN VALLEY RS		18	03	01	18	T																T	[illegible]	[illegible]				.25				[illegible]
GLENNS FERRY																						T	[illegible]									
GOODING CAA AP			12	[illegible]														T				T	.03									1[illegible]
GOODING CAA AP R			11																				.07									1[illegible]
GRACE PH		18	14	17																.35	.05	.21	.11	[illegible]				.15	.22	T	[illegible]	[illegible]
GRAND VIEW																						[illegible]										[illegible]
GRAY	30		.55	T		22													29	.05			10	.12					.85	[illegible]	[illegible]	[illegible]
GROUSE	T		25	1[illegible]	.02	T		[illegible]	01											06	.04	02							.09			[illegible]
HAILEY			.31	.06		02	01																	.11								[illegible]
HAMER 1 SW	12		T	1 14	31	18	T		04											T		1.35	[illegible]	[illegible]	[illegible]				.37	T		1[illegible]
HAZELTON	T	T	T	03	.06	T														.01		.11		.13								[illegible]
HILL CITY			1[illegible]	45	.10		T	•													T		.10	.06								[illegible]
HOLLISTER		17			41																											[illegible]
HOWE	03			.07		82		50	31												.03	05	.03	.29					T			[illegible]
IDAHO CITY			13		.20																.03		.45	.25								[illegible]
IDAHO CITY 13 SW		T	T																T	T		.20	.27					[illegible]				.61
IDAHO FALLS CAA AP	06	T	84	.34	01	T	[illegible]	11													11	17	.16	.07				[illegible]	[illegible]			2 43
IDAHO FALLS CAA AP R	09		85	.35	.02		1	17													10	[illegible]	.08					T	T			2.31
IRWIN 2 S	01		.18	.97	.05	08	T	12												.31		.37	1[illegible]	.37				[illegible]	[illegible]			3.39
ISLAND PARK DAM				1 11			[illegible]	[illegible]		06												[illegible]	[illegible]	.42								4.45
JEROME	T		.02	.03	T	02	•															.07	T	07								.21
KAMIAH 1 SE		T																					.01						•	.49	.0[illegible]	[illegible]
KELLOGG		01																									T			.11	T	[illegible]
KOOSKIA	T	T									T											T	.11									[illegible]
KUNA 2 NNE	T			T																												[illegible]
LEADORE			17	.11	.23	.2[illegible]																.01	[illegible]	.20								[illegible]
LEWISTON WATER PLANT																												[illegible]				[illegible]
LEWISTON WB AP	T																					.02										[illegible]
LIFTON PUMPING STA	T	12	23	.28				T	[illegible]			[illegible]										T	14									82
LOWMAN	T		02	01	16	T															.09	[illegible]	[illegible]				T	T				1.25
MACKAY RS	17	01	.65	.45	27	01	01	09												T	.75	07	[illegible]	20								2.71
MACKAY RS R	06	02	1.07	[illegible]	28	03	02	07													.72	08	1[illegible]	10								2.68
MALAD		T	06	.76	15		T				T										.05		[illegible]	.14				18	[illegible]	T		[illegible]
MALAD R			.61	28	03															•			[illegible]	12				[illegible]				2 20
MALAD CAA AP	T	T	28	35																19			11	13				1[illegible]				1.85
MAY RS	10	12	2[illegible]	.32	14	10					T											[illegible]	[illegible]	.12					[illegible]	T		[illegible]
MC CALL							12														.18		[illegible]					20	[illegible]			1.18
MC CAMMON	05		.03	18	.15															.08	1[illegible]	01		[illegible]				[illegible]	[illegible]			1.02
MERIDIAN 1 SSW																							.14									.31
MESA																							.61					[illegible]	[illegible]	T		1.04
MINIDOKA DAM			.01	.09	11	06														01	.02	.03	01	.03				08				[illegible]
MONTPELIER RS		05		.42	.36				T												[illegible]	05	[illegible]	[illegible]	09				[illegible]	1[illegible]	[illegible]	[illegible]
MOOSE CREEK RS		02		.01						[illegible]												[illegible]	.17					[illegible]	[illegible]	[illegible]		81
MOSCOW U OF I																												05	29	[illegible]		[illegible]
MOUNTAIN HOME 1 NE			02		.02																			[illegible]								[illegible]
MOUNTAIN HOME 1 NE R			.02	02																			01									[illegible]
MULLAN PASS CAA									T		[illegible]		T											[illegible]				[illegible]	[illegible]	[illegible]		[illegible]
MULLAN PASS CAA R																								05				[illegible]	[illegible]	[illegible]		[illegible]
NAMPA 2 NW					02																	T	.28	12						[illegible]		[illegible]
NEW MEADOWS RS					T																	.21	54					[illegible]		1[illegible]		[illegible]
OAKLEY	09	16	.02	28	.03	13													[illegible]	[illegible]	[illegible]		.14	[illegible]				[illegible]	[illegible]			[illegible]
OBSIDIAN 4 NNE					.30	01														10	09	[illegible]	[illegible]	[illegible]								[illegible]
OLA																							20	79				[illegible]				[illegible]

See reference notes following Station Index

Table 3—Continued

DAILY PRECIPITATION

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
OROFINO			.07																				.15					.13	.26	.02	T	.63
PALISADES DAM	.06	T	T	65	.10	.16		T	.24											.03	.09	.20	.30	.20				.18	.58	.10	.03	2.92
PARMA EXP STA					.08																		.06						.01			.15
PAUL 1 E		T	.01	.20	.10	.14															.05		1.03	.05	.08							1.66
PAYETTE						T																T	.18	T				.11	.01			.30
PIERCE RS																						.01	T				T	.04	.59	.15	T	.79
PIERCE RS //R																						.01						.40	.36	.02		.79
PINE 2 SSW			T	.07	.09															T		.02	.16					T	T			.34
PLUMMER 3 WSW R																												.32	.14	.01		.47
POCATELLO WB AP R	T		.09	.09	.40	T	T	T											T	T	.23	.02	.04	.36				T	T			1.23
PORTHILL									.24		.50	.25	.06										.17	.20		T	.02	.79	.14	1.50	.10	3.97
POTLATCH			.03																									.12	.35	.58		1.08
PRESTON SUG FACT 2 SE			.08	1.15	.13			.14	.05												T		.06	.12				T	.06		.31	2.10
PRIEST RIVER EXP STA									T				.04										.01	.01			.03	.06	.32	.10	.05	.62
RICHFIELD					.64	T																T		T								.64
RIGGINS RS																						.15	.06					.08	.19	.15	T	.63
RIRIE	T		.30	1.60				T														.50	.09	.30				*	.27			3.06
ROLAND W PORTAL	T							T	.04		.02		T	T								T		.02			T	.34	.90	.18	.02	1.52
RUPERT		T	T	.15	.10	.02	T														.05	.07	.36	.07	T				T			.82
SAINT ANTHONY	.08		.05	1 40	.15	.56	.29	.14													.42	.72	.08	.45	.04			.16	.12			4.66
SAINT MARIES																						T					T	.20	.43	.03		.66
SALMON 6			.07	.24		T	.02	.08		.01	.09											.22	.33	T					.03			1.09
SANDPOINT EXP STA											T		.38									T		T			T	.11	.53	.27	.05	1.34
SANDPOINT EXP STA R													.17											.04			.03	.42	.20	.23	.04	1.13
SHOSHONE	T		.07	.04	.06	.01																.01	.02	.09								.30
SPENCER RS	.10		.18	.57	.08	.03	.10	T														.50	.20	.11					.56	.04	.01	2.48
SPRINGFIELD	.10		.05	.16	.01	.03		.10														.13	.08	.11				.10	.05			.92
STIBNITE	T			.05	T	.30			T												T	T	.86	.42				.39	*	.47		2.49
SUGAR	26		.23	1.03	.40	.20	.40	T													.50		.02	.23				.21	.21	T		3.69
SUN VALLEY	.03		.52	.68	.07	.05		T										T		T	.06	.12	.10	.06				T				1.69
SUN VALLEY //R	.02		1.16	.07	.03	.05														.05	.08	.08	.07	.06								1.67
SWAN FALLS PH																						T	.53									.53
TETONIA EXP STA	.05		37	1.30	.02	.02	T				T									.66		1.41	.25	.35				.17		.16		4.76
THREE CREEK			14	71	.14	.04													.11	.05	.02	.14	.10	.09								1.54
TWIN FALLS 2 NNE		T	T	.03	.09	.03	01															T	T	.04					T			.20
TWIN FALLS 3 SE				.02	T	.96	.01																.01	.02								1.02
WALLACE	.05		T						T		T		T									T		T			T	.59	.80	.10		1.54
WALLACE WOODLAND PARK				.03								T													T			T	.86	.20	.02	1.11
WALLACE WOODLAND PARK R			.01																									*	1.05	.11		1.17
WEISER																							.32					.07				.39
WINCHESTER 1 SE																						.05						.16	.20	.14		.55

ACKNOWLEDGMENTS

In addition to the climatological data from some 6,000 Weather Bureau and cooperative weather stations, this bulletin series contains records from Hydroclimatic Network Stations which were formerly reproduced in the Hydrologic Bulletin Series. The Hydroclimatic Network is a nationwide net of rain gages--mostly of the recording type which produce continuous records of precipitation. It was established in 1939 at the request of the Corps of Engineers, Department of the Army, to supplement existing precipitation stations in order to provide records of rainfall intensity which were essential to the planning of flood control and related works by the Corps of Engineers. This Network, now numbering about 2,000 recording, and 1,000 non-recording rain gages, has been maintained by the Weather Bureau through working funds transferred annually to the Weather Bureau by the Corps of Engineers. These transfers averaged about $250,000 per year between 1940 and 1944, and nearly $375,000 since that date. For the years 1940-42, the Department of Agriculture transferred about $100,000 per year to provide data required in its work, and since 1947 the Bureau of Reclamation has transferred about $25,000 per year to meet the increasing needs of their program in the Western States.

Previous to the introduction of this bulletin series, data from Hydroclimatic Network stations were presented in bulletins (Hydrologic Bulletins) which were issued monthly for each of 8 drainage areas embracing the entire United States, but since the Network was established to meet the internal requirements of the Federal agencies referred to above, no provision was made for public dissemination of the data, distribution being limited to cooperating agencies and to certain public repositories. A list of locations where reference copies of the Hydrologic Bulletin Series are available for inspection may be obtained upon application to Chief, U.S. Weather Bureau, Washington 25, D.C.

Many other records published in this bulletin have been made available through the cooperation of various public offices, private agencies, and individuals as listed in the Station Index.

See reference notes following Station Index

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
–1st–																										
BLACKFOOT DAM	//															.30		.02		.03						.35
BRIDGE	/	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BURLEY CAA AIRPORT	//																.03									.03
DUBOIS CAA AIRPORT	/						.01																			.01
IDAHO FALLS CAA AIRPORT	/											[illegible]								.08						.09
MACKAY RANGER STATION			.01	[illegible]						[illegible]	[illegible]						.01									.06
SUN VALLEY	//										.01	.01														.02
–2d–																										
BLACKFOOT DAM																									[illegible]	.03
BURLEY CAA AIRPORT	/																.37	.14		.01			.01			.53
CASCADE RANGER STATION	//																		.01							.01
DEADWOOD DAM	//																				.01					.01
MACKAY RANGER STATION																.02										.02
MOOSE CREEK RANGER STA	//										.01			.01												.02
–3d–																										
ATLANTA 1 E	//																.28	.06		.10	.01					.45
BIG CREEK 1	//													.02	.13											.15
BLACKFOOT DAM	//									[illegible]							.03							.26	.04	.34
BURLEY CAA AIRPORT	//																					.08	.01			.09
CASCADE RANGER STATION	//																			.01						.01
CLEMENTSVILLE 4 SE	//														.01		.01	[illegible]	.01	.02				[illegible]	.24	[illegible]
DEADWOOD DAM	//																.04	.08	.16		.01					[illegible]
DUBOIS CAA AIRPORT	//																			.02			.21	[illegible]	[illegible]	.52
GOODING CAA AIRPORT	//																				.11					.11
IDAHO FALLS CAA AIRPORT	//																			[illegible]	[illegible]	.06	[illegible]	[illegible]	.03	[illegible]
LEADORE															.06	.01		.05	.21	[illegible]	[illegible]	.06	.04	.05	.02	[illegible]
MACKAY RANGER STATION																	.01	.62	.11	[illegible]	.07	.11	.11			1.07
MALAD									*		*	*	*	*	*	*	*	*	*	*	.06			[illegible]	[illegible]	[illegible]
MALAD CAA AIRPORT	/							*	*	*	*	*	.04	*	*	*	*	*	.04	*	*	*	*	*	.12	–
MOUNTAIN HOME 1 NE																			.02							.02
POCATELLO WB AIRPORT	//																				[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SALMON	6																			*	*	*	*	*	[illegible]	–
SUN VALLEY	//																.51	.28	.13	.19	[illegible]					1.16
WALLACE WOODLAND PARK										.01																.01
–4th–																										
BLACKFOOT DAM	//	[illegible]	[illegible]	[illegible]	.01	[illegible]					.09		.01	.01	.26	.01										.92
BRIDGE	//	–	–	–	–	–	–	–	–	.01		[illegible]								.25	.06	[illegible]	[illegible]			–
BURLEY CAA AIRPORT	//				.01	[illegible]													[illegible]			[illegible]	[illegible]			[illegible]
CLEMENTSVILLE 4 SE	//	[illegible]	[illegible]	[illegible]	.07	.02		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]				.01	.01					1.24
DEADWOOD DAM	/																					[illegible]	[illegible]	[illegible]	[illegible]	.23
DUBOIS CAA AIRPORT	//	.01			.01	.01	.01	[illegible]																		.06
IDAHO FALLS CAA AIRPORT	/		.01	.04				.04		[illegible]		[illegible]	[illegible]						.11							.35
LEADORE		.01		[illegible]	.01		.01							[illegible]	[illegible]					[illegible]						[illegible]
MACKAY RANGER STATION										[illegible]				[illegible]	[illegible]	[illegible]										.04
MALAD		[illegible]	[illegible]	[illegible]	.01																		[illegible]	[illegible]		.28
MALAD CAA AIRPORT	/	*	*		*	*	[illegible]							*	*	*	*	*	.03	*	*	*	*	*	.14	–
MOOSE CREEK RANGER STA	//																				[illegible]					[illegible]
MOUNTAIN HOME 1 NE																				[illegible]						[illegible]
POCATELLO WB AIRPORT	//	[illegible]	[illegible]					.01																		[illegible]
SALMON	6	*	*	*	*		[illegible]	*	*	*	*	*	[illegible]	*	*	*	*	*	.09							–
SUN VALLEY	//			.01	.01					.02				.01			.01	[illegible]								[illegible]
–5th–																										
BRIDGE	//														[illegible]	[illegible]	.02	[illegible]	.02	.05						[illegible]
BURLEY CAA AIRPORT	//															[illegible]		[illegible]								[illegible]
CASCADE RANGER STATION	//																		*	*	*	*	[illegible]			[illegible]
CLEMENTSVILLE 4 SE	//												[illegible]	[illegible]	[illegible]					.02						[illegible]
DEADWOOD DAM	//	.01	.01																							[illegible]
DUBOIS CAA AIRPORT	//																.01	[illegible]	.01							[illegible]
IDAHO FALLS CAA AIRPORT	//																		.01	[illegible]						[illegible]
LEADORE																[illegible]	.03	[illegible]								[illegible]
MACKAY RANGER STATION																.14	.01		.11	.01	.01					[illegible]
MALAD				.01	.01					.01																[illegible]
POCATELLO WB AIRPORT	//																.37	[illegible]								[illegible]
SUN VALLEY	//																.03									[illegible]
–6th–																										
ATLANTA 1 E	//													.02	.32		.01	[illegible]								[illegible]
BLACKFOOT DAM	//															.01										.01
BRIDGE	//										.01					[illegible]		[illegible]		[illegible]						.06
BURLEY CAA AIRPORT	//				.02																					.02
CLEMENTSVILLE 4 SE	//											.02	[illegible]	[illegible]		.01	.07			.05						.17
DEADWOOD DAM	//																	[illegible]	[illegible]							[illegible]
DUBOIS CAA AIRPORT	//				.02						.01							.10	.02	[illegible]	.04					[illegible]
LEADORE																.07	.04		.01							.12
MACKAY RS														[illegible]	[illegible]											[illegible]
SUN VALLEY	//														[illegible]	.02	.01									.05
–7th–																										
IDAHO FALLS CAA AIRPORT	//																	.01								.01
MACKAY RANGER STATION				.01												[illegible]										.02
SALMON	6													*	*	*	*	*	.02							–
–8th–																										
BLACKFOOT DAM	//																	[illegible]								.03
CLEMENTSVILLE 4 SE	//																.05									.05
DUBOIS CAA AIRPORT	//																	[illegible]								.02
IDAHO FALLS CAA AIRPORT	//												[illegible]				[illegible]	.04								.17
MACKAY RANGER STATION														[illegible]	[illegible]		[illegible]		.01							.07
SALMON	6	*	*	*	*	*	.05	*	*	*	*	*	.03													–
–9th–																										
BENTON DAM															[illegible]	[illegible]										.02
BONNERS FERRY			[illegible]																							[illegible]
–10th–																										
BONNERS FERRY										[illegible]	[illegible]	[illegible]														.03
MOOSE CREEK RANGER STA	//											[illegible]	[illegible]													[illegible]
SALMON														*	*		*	*	[illegible]							–

See Reference Notes Following Station Index

HOURLY PRECIPITATION

Station	A. M. Hour Ending												P. M. Hour Ending												Total
	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
—11th—																									
BONNERS FERRY																			.05	.07					.12
[illegible]													*	*	*	*	*	.09							-
—12th—																									
BONNERS FERRY		[illegible]	[illegible]																						.02
—13th—																									
[illegible]										.01	.03														.04
[illegible]												.13	.02	.02											.17
—14th—																									
DECEPTION CREEK																		.15							.15
—20th—																									
[illegible]																			.02						.02
BURLEY CAA AIRPORT													.04	.01				.26	.04	.03	.02				.40
CASCADE RANGER STATION										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DUBOIS CAA AIRPORT																						.01			.01
MALAD												*	*	*	*	*	*	*	*	*	*	*	*	*	*
MALAD CAA AIRPORT													*	*	*	*	*	.27	*	*	*	*	*	.22	-
SUN VALLEY																	.03	.02							.05
—21st—																									
ATLANTA 1 E													*	*	*	*	.20								.20
BLACKFOOT DAM			[illegible]	.01																.40	.15	.03	.09		.69
CLEMENTSVILLE 4 SE																				.09	.01	.01	.07		.18
DEADWOOD DAM															.11	.02	.01								.14
DUBOIS CAA AIRPORT																					.19	.45	.15	.01	.80
IDAHO FALLS CAA AIRPORT																						.05	.05		.10
MACKAY RANGER STATION																	.72								.72
MALAD	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.35							.35
POCATELLO WB AIRPORT																		.15		.06	.01	.01			.23
SUN VALLEY																	.05	.02	.01						.08
—22d—																									
ATLANTA 1 E																						.01	.14	.01	.16
BENTON DAM																			.01	.01					.02
BIG CREEK 1 S													.06	.01	.01	.02	.01		.01	.01	.05	.01	.07	.02	.28
BOISE WB AIRPORT																		.06							.06
BONNERS FERRY																						.01		.01	.02
BURLEY CAA AIRPORT																.33	.02	.02				.01	.01	.01	.40
CLEMENTSVILLE 4 SE	.02	[illegible]							.01	.01		.26	.17	.02	.10	.05	.03	.04	.01	.01	.07	.02			.84
[illegible]											.02			.02	.02		.01								.07
COUNCIL 2 NNE																					.09	.07	.04		.20
DEADWOOD DAM		.01	.01																		.04				.06
DUBOIS CAA AIRPORT	.01		.01		.01						.01		.01		.12		.03	.01							.21
IDAHO FALLS CAA AIRPORT															.01	.09		.01				.01			.12
LEADORE																		.01							.01
LEWISTON WB AP												*	*	*	*	*	.02								-
MACKAY RANGER STATION													.02	.03	.01	.01	.01								.08
MOOSE CREEK RANGER STA														.01	.01			.01	.10	.02	.05				.20
PIERCE RANGER STATION															.01										.01
POCATELLO WB AIRPORT																		.01	.01						.02
SALMON													*	*	*	*	*	.15	*	*	*	*	*	.07	-
SUN VALLEY														.05				.01	.01	.01					.08
—23d—																									
ATLANTA 1 E				.01	.01	.01							.01		.12	.02	.01		.11						.30
BENTON DAM	.01																								.01
BIG CREEK 1 S								.02	.15			.02	.18	.18	.04	.13	.01			.01					.74
BLACKFOOT DAM		.01	.01																						.02
BONNERS FERRY																		.01							.01
[illegible]							.03		.05	.05	.04	.02													.19
BURLEY CAA AIRPORT		.05	.01																						.06
CLEMENTSVILLE 4 SE													.01		.06										.07
COUNCIL 2 NNE										[illegible]				.22	.02										.25
DEADWOOD DAM						.02	.05	.02			.09	.14	.01												.33
DUBOIS CAA AIRPORT						.01				.01					.03										.05
GOODING CAA AIRPORT																							.07		.07
IDAHO FALLS CAA AIRPORT		.01		.01	.01											.03		.01	.01						.08
LEADORE	.12	.01	.01												.06									.01	.21
MACKAY RANGER STATION											.03		.01	.01										.14	.19
MALAD	.02									.01		.01	.14		.02										.20
MALAD CAA AIRPORT													*	*	*	*	*	.14							-
MOOSE CREEK RANGER STA									.01	.09	.02	.01				.01	.01	.02							.17
MOUNTAIN HOME 1 NE																					.01				.01
POCATELLO WB AIRPORT				.04																					.04
SALMON	*	*	*	*	*	.19	*	*	*	*	*	.03	*	*	*	*	*	.03	*	*	*	*	*	.08	-
SUN VALLEY			.02										.01	.02										.02	.07
—24th—																									
ATLANTA 1 E			.05	.05																					.10
BLACKFOOT DAM							.02	.03	.02			.08	.03	.01	.01										.20
BOISE WB AIRPORT	.01																								.01
BONNERS FERRY																			.01						.01
[illegible]														.01			.01								.02
BURLEY CAA AIRPORT		.01	.05	.01	.01						.01														.09
CLARK FORK 1 ENE									.04	.01									.06						.11
CLEMENTSVILLE 4 SE									.02	.03	.01		.01	.03		.03	.04	.01							.18
DEADWOOD DAM	.05	.28	.08																						.41
DUBOIS CAA AIRPORT						.01				.01															.02
IDAHO FALLS CAA AIRPORT									.02	.01		.01	.01												.05
LEADORE	.09	[illegible]	.01	.01																					.20
MACKAY RANGER STATION	.10																								.10
MALAD												.06	.04	.01	.01										.12
MALAD CAA AIRPORT							*	*	*	*	*	.01	*	*	*	*	*	.12							-
MULLAN PASS CAA									.01	.03	.01														.05
POCATELLO WB AIRPORT								.05		.06	.12	.10	.03												.36
SANDPOINT EXP STATION			.02									.01	.01												.04
SUN VALLEY	.01	.02				.03																			.06
—25th—																									
[illegible]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLARK FORK 1 ENE																				.01			.02	.03	.06

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
-26th-																										
CLARK FORK 1 ENE		.02	.01		.01	.02		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
-27th-																										
BENTON DAM														.03	.01							.01	.01		.01	.07
BONNERS FERRY																					.06			.03		.09
DECEPTION CREEK																					.04	.01				.05
SANDPOINT EXP STATION																							.03			.03
-28th-																										
BENTON DAM									.03	.02	.01	.01	.01	.01	.01					.14			.02	.01		.27
BIG CREEK 1 S	//				.01	.01	.04	.01	.09	[illegible]	.02		.02	.01												.25
BLACKFOOT DAM	//													*	*	*	*	.06	.03	.01	.04	.01	.05	.07		.27
BONNERS FERRY				.05	[illegible]				[illegible]	[illegible]	.10	.03		.03	.01						.05		.04	[illegible]		.53
CLARKIA RANGER STATION												.02	.01	.01	.01			.08								.13
CLEMENTSVILLE 4 SE													.01	.01			.07		.02						.01	.12
COEUR D ALENE CAA AP						*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
COTTONWOOD 2 SW									.01	[illegible]		.01			.07											[illegible]
COUNCIL 2 NNE			[illegible]	.01	.01	[illegible]	.09	[illegible]	[illegible]	.03		.01	.01													.45
DEADWOOD DAM	//	.02	[illegible]	.05	.01	.01		.05							.02											.19
DECEPTION CREEK					.02			.01	[illegible]	[illegible]	[illegible]	[illegible]	.06	.01						.12		[illegible]	.03			[illegible]
IDAHO FALLS CAA AIRPORT																.42						.01				.43
LEWISTON WB AP	o						*	*	*	*	*	[illegible]	*	*	*	*	*	[illegible]	*	*	*	*	*	[illegible]	*	-
MALAD																				.14	[illegible]	[illegible]	.17	[illegible]	.02	[illegible]
MALAD CAA AIRPORT								*	*	*	*	*	[illegible]	*	*	*	*	*	.02	*	*	*	*	*	.43	-
MOOSE CREEK RANGER STA																	.02									.02
MULLAN PASS CAA					*	[illegible]	.02	.05	[illegible]	[illegible]	.03	.23	.07	.07					.02		[illegible]		.05	[illegible]	.15	[illegible]
PIERCE RANGER STATION								.07		.03		[illegible]					.02						.24	[illegible]		[illegible]
PLUMMER 3 WSW										[illegible]	[illegible]	.04			.01		.01	.01	.03			.04	.05			.32
SANDPOINT EXP STATION				.01	.01				.01	.03		.01							.02	.08		.05	.20			.42
WALLACE WOODLAND PARK								*	*	*	*	*	*	.10							*	*	*	*	*	*
-29th-																										
BENTON DAM														.03	.01		.04									.08
BIG CREEK 1 S	//	.01				.01						[illegible]	.01				.02	.06		.13	.05	.01				.32
BLACKFOOT DAM	//		.02	.01																		.03				.06
BONNERS FERRY			.01	.01				.01		.01	.01													.01	.01	.07
CLARKIA RANGER STATION	//											.01	.01			.02										.04
CLEMENTSVILLE 4 SE	//	.02											.01	.01									.01			.05
COTTONWOOD 2 SW			[illegible]	.04	.01	.06						[illegible]	.13	.20	.03	.01	.01			.01	.01					.55
COUNCIL 2 NNE																				.03						.03
DEADWOOD DAM	/																		.02	.02		.01				.05
DECEPTION CREEK				.01	.03		.06				.01															.11
DUBOIS CAA AIRPORT	//														.01		.09	.14	.01							.25
IDAHO FALLS CAA AIRPORT	//												.01	.01							.01	.01				.04
LEWISTON WB AP	o	*	*	*	*	.15							*	*	*	*	*	.08	*	*	*	*	*	.01		-
MALAD		.01	.02		.01																		.01			.05
MOOSE CREEK RANGER STA	//								.01			.01				.01	.01		.05		.04	.07	.02		.02	.24
MULLAN PASS CAA	/	.08	.01	.01		.11	.23	.10	.01						.01	.09						.07	.02			.74
PIERCE RANGER STATION	//								[illegible]							.22	.02						.03	[illegible]	.02	.36
PLUMMER 3 WSW				.02	.05									.03	.03				.01							.14
SALMON	o													*	*	*	*	*	.03							-
SANDPOINT EXP STATION					.01	.01	.01		.01					.13				.03								.20
WALLACE WOODLAND PARK		*	.35				*	*	.50						.07		.03									1.05
-30th-																										
BENTON DAM		.01	.01											.05	.03	.04	.03		.01	.02	.01					.21
BIG CREEK 1 S	//					.01	.01																			.02
BLACKFOOT DAM	//	.01	.01																							.02
BONNERS FERRY			.01			.10	.04		.06	.06	.04															.31
CLARKIA RANGER STATION	//	.11	.01	.01			.01			.03		.01	.01		.01											[illegible]
CLEMENTSVILLE 4 SE	//										.01				.01											.02
COEUR D ALENE CAA AP		*	*	*	*	*	*	*	*		*	*	*	.54												.54
COTTONWOOD 2 SW																		.01	.02							[illegible]
DECEPTION CREEK				.01	.02	.01	.04				.07	.02	.02	.05	.03											.27
DUBOIS CAA AIRPORT	//				.01	.01					.01															[illegible]
LEADORE																.04			.01							.05
LEWISTON WB AP	o						*	*	*	*	*	.03														-
MOOSE CREEK RANGER STA	//	.02	.05		.01					.01	.01		.01		.01											.12
MULLAN PASS CAA	//		.05	.03		.02	.03			.02	.03															[illegible]
PIERCE RANGER STATION	//											.01			.01											[illegible]
PLUMMER 3 WSW																	.01									[illegible]
SANDPOINT EXP STATION				.04	.01						.01	.03		.01	.01	.05	.03	.03	.01							[illegible]
WALLACE WOODLAND PARK				.01	.04	[illegible]			.03			.01				.01										[illegible]
-31st-																										
BENTON DAM							.01																			[illegible]
BONNERS FERRY		.02	.01						[illegible]											[illegible]						[illegible]
CLARK FORK 1 ENE		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.76								.82
DECEPTION CREEK				.01									.01									[illegible]	[illegible]			[illegible]
SANDPOINT EXP STATION			.01	.01	.02																					.04

DAILY TEMPERATURES

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	91	88	82	78	81	85	83	80	83	87	93	85	83	80	90	92	93	90	90	85	84	81	79	74	77	83	81	82	72	70	74	83.1
	MIN	61	61	61	61	53	52	47	45	44	45	49	49	49	44	39	48	49	48	61	58	50	55	53	52	37	40	44	48	47	44	41	49.5
ALBION	MAX	91	92	81	83	81	81	78	78	80	87	87	83	80	79	81	87	90	86	87	76	84	82	73	68	77	82	78	75	70	71	70	80.6
	MIN	59	64	57	58	50	49	41	43	37	40	51	43	42	50	40	44	48	50	58	55	45	50	46	50	31	39	42	46	41	33	33	46.3
ALPHA 1 NE	MAX	90	95	90	85	81	80	77	77	80	83	82	78	75	79	85	86	87	89	84	84	84	75	77	68	75	77	72	63	65	60	66	79.0
	MIN	42	38	43	50	44	40	36	38	33	34	34	32	28	29	28	33	33	33	37	42	43	41	47	38	26	26	42	46	40	26	25	36.4
AMERICAN FALLS 1 NW	MAX	93	86	81	79	80	80	83	79	79	87	90	88	85	82	88	90	91	90	90	85	83	79	79	76	76	83	82	79	77	70	73	82.7
	MIN	60	64	65	60	54	50	51	49	46	47	54	51	51	48	45	51	50	45	63	59	50	57	53	51	35	48	45	49	51	47	42	51.5
ANDERSON DAM	MAX	96	98	96	92	84	87	85	82	87	94	87	87	84	85	93	94	96	93	94	87	85	82	77	74	83	86	81	78	79	69		86.5
	MIN	64	63	65	64	59	50	56	55	54	54	56	53	55	49	51	56	56	56	60	59	59	60	56	54	45	49	53	57	51	42		55.6
ARROWROCK DAM	MAX	102	98	100	96	95	88	88	87	85	91	93	88	86	82	86	94	95	94	95	92	86	91	85	80	75	85	87	80	72	72	70	87.7
	MIN	66	64	68	63	58	58	50	56	53	54	57	50	50	49	52	57	57	56	61	58	59	60	55	50	46	48	51	55	46	40	40	54.7
ASHTON 1 S	MAX	82	86	81	67	75	75	75	75	78	76	82	73	76	77	81	83	83	85	80	77	75	69	75	64	72	75	71	68	65	75	73	75.8
	MIN	49	52	51	57	47	43	40	43	37	39	42	44	37	40	37	39	41	41	45	46	51	48	46	42	33	33	40	43	38	39	32	42.4
ATLANTA 1 E	MAX	86	87	82	80	77	72	75	76	80	77	79	80	79	78	82	85	85	87	85	84	82	70	70	65	70	74	72	65	62	63	68	76.7
	MIN	57	55	58	53	40	38	45	44	46	45	45	47	43	39	44	50	50	49	50	50	48	50	44	40	36	40	47	45	43	32	29	45.2
AVERY RS	MAX	97	100	102	95	87	88	88	89	88	92	92	87	81	88	90	91	94	95	96	96	98	76	79	78	85	84	83	71	67	61	64	86.5
	MIN	50	50	57	55	48	44	44	40	48	43	50	43	40	42	49	46	44	44	44	46	45	54	48	37	42	47	52	54	48	46	44	47.0
BAYVIEW MODEL BASIN	MAX	94	91	87	89	89	86	86	84	88	80	80	75	77	74	78	87	89	90	89	82	84	83	84	75	76	75	79	74	59	57	68	80.9
	MIN	44	47	52	56	55	40	42	42	55	51	50	51	40	40	47	44	39	40	42	56	47	46	53	42	42	41	55	53	50	49	50	47.1
BIG CREEK 1	MAX	88	93	87	77	80	80	78	74	78	83	80	78	74	80	88	87	88	90	88	86	78	78	63	65	71	68	69	63	50	57	65	76.9
	MIN	46	38	46	52	45	40	35	42	32	35	37	34	28	28	28	32	32	31	37	31	37	37	48	43	28	28	43	41	40	35	25	36.8
BLACKFOOT	MAX	91	95	86	77	82	84	84	78	82	88	92	87	85	81	89	92	93	90	90	84	85	81	81	75	76	84	76	83	74	71	74	83.5
	MIN	63	65	65	62	56	52	48	46	44	44	45	51	50	50	45	51	50	52	50	62	54	56	55	52	39	43	46	51	52	44	41	51.1
BLACKFOOT DAM	MAX	86	86		67	77	80	78	72	75	86	84	91	79	72	81	85	85	87	80	77	76	72	74	61	68	77	75	76	70	66	68	77.0
	MIN	49	49		54	45	45	37	37	34	36	40	39	36	44	33	39	49	39	47	46	50	50	44	43	31	32	37	39	48	35	30	41.2
BLISS	MAX	99	98	95	90	86	91	90	88	89	94	90	89	88	88	93	95	96	90	97	88	91	84	88	75	85	89	86	81	78	72		88.8
	MIN	64	70	70	66	62	55	54	52	51	54	57	50	47	47	54	52	51	53	61	60	58	64	55	55	41	42	45	56	47	36		54.3
BOISE LUCKY PEAK DAM	MAX	106	105	100	96		92	90	88	93	90	95		90	85	97	96	95	97		94	95	94	88	76	93		93	83	74	73	77	91.1
	MIN	64	68	70	66		61	60	60	57	59	59		52	51	56	60	61	62		61	64	65	58	54	49		51	58	46	43	44	57.9
BOISE WB AP	MAX	99	102	97	90	87	89	88	85	90	94	90	84	84	83	95	94	94	91	90	89	93	87	76	75	85	86	83	78	69	69	75	86.8
	MIN	66	64	69	67	64	62	59	59	60	62	62	53	50	48	59	60	58	58	63	59	65	59	57	52	51	53	57	58	45	43	45	57.6
BONNERS FERRY	MAX	94	98	97	91	85	86	87	87	87	82	84	77	74	83	87	89	91	91	91	86	93	83	75	69			62	53	61	57	68	81.7
	MIN	47	50	54	55	54	45	45	46	55	54	52	52	46	44	52	46	44	43	45	50	44	50	47	42				47	47	51	50	48.5
BUHL	MAX	94	90	90	88	80	82	84	82	82	88	88	88	84	84	90	94	92	93	90	88	84	80	76	74	78	84	84	80	80	72	74	84.4
	MIN	66	60	64	64	62	58	54	56	54	56	58	58	56	58	54	60	56	62	68	64	58	62	54	54	46	50	56	60	52	44	44	57.2
BUNGALOW RS	MAX	95	103	101	91	87	79	85	85	87	94	94	85	81	87	90	89	92	97	96	96	98	89	80	73	84	85	86	78	75	61	69	86.8
	MIN	53	53	55	59	53	47	43	47	44	48	51	44	42	42	47	47	45	44	45	46	48	49	54	40	39	40	51	52	45	48	44	47.7
BURKE 2 NNE	MAX	84	90	90	85	75	73	75	75	76	79	76	71	65	70	76	76	78	83	82	79	84	82	66	63	70	69	68	63	56	53	56	73.8
	MIN	47	48	55	52	43	39	41	42	44	47	47	38	37	38	44	43	41	41	44	50	45	51	44	35	37	44	48	47	45	42	43	43.9
BURLEY	MAX	99	97	96	86	85	83	84	88	85	86	91	93	89	88	86	94	95	98	94	95	77	86	86	79	76	82	90	78	72	79	75	86.8
	MIN	66	66	62	62	59	57	52	51	51	50	56	57	52	58	49	53	57	56	66	62	53	60	53	55	39	45	55	54	45	41	45	54.4
BURLEY FACTORY 1 NW	MAX	98	96	95	86	85	86	81	84	80	85	91	90	89	85	82	92	91	94	92	93	79	85	82	77	71	78	86	76	71	76	71	84.7
	MIN	59	60	57	58	56	58	48	44	45	44	52	49	45	50	44	46	50	50	61	59	48	56	49	52	33	40	45	48	39	38	37	49.0
BURLEY CAA AP	MAX	96	97	90	87	83	82	85	82	86	91	91	86	85	83	92	94	95	92	91	78	84	87	77	71	80	86	77	73	75	70	74	84.5
	MIN	66	65	59	57	58	56	51	48	49	47	54	50	42	54	44	47	53	51	61	60	50	57	52	46	35	43	48	50	41	38	39	50.7
CALDWELL	MAX	96	99	99	93	90	91	90	87	91	93	92	85	85	85	93	95	95	93	91	88	92	85	79	79	85	88	82	75	72	72	78	87.7
	MIN	63	59	64	62	60	54	50	57	50	49	53	52	50	49	45	52	51	52	60	51	60	60	56	45	40	42	51	57	48	39	36	52.2
CAMBRIDGE	MAX	103	102	104	105	102	97	98	97	96	90	95	94	89	90	87	89	101	100	98	100	99	97	90	78	80	81	82	80	70	69	70	91.4
	MIN	57	58	65	65	50	52	50	52	48	51	50	49	47	42	41	50	56	57	56	58	54	53	47	38	39	38	40	45	37	35	37	48.9
CASCADE 1 NW	MAX	92	95	90	82	81	80	81	79	80	86	83	78	76	77	87	86	87	87	87	84	85	74	72	68	75	75	74	71	63	60	60	79.2
	MIN	51	47	51	54	50	47	45	43	42	41	44	39	35	39	37	43	43	43	46	48	49	47	50	43	33	38	47	46	43	30	29	43.3
CHALLIS	MAX	87	86	89	67	74	69	80	77	76	83	85	81	80	77	86	90	91	90	87	84	81	72	63	70	73	76	75	71	72	67	68	78.3
	MIN	46	43	51	59	49	48	43	40	45	47	48	45	49	47	44	49	49	51	58	50	52	50	50	44	38	40	51	50	45	38	36	46.9
CHILLY BARTON FLAT	MAX	80	82	76	66	70	72	68	66	74	76	78	76	76	73	79	84	83	84	80	75	74	66	65	64	67	72	72	64	63	60	65	72.6
	MIN	46	43	51	52	39	42	37	38	34	34	33	32	32	36	31	34	35	36	41	42	39	42	43	42	27	28	32	32	32	24	23	36.5
CLARK FORK 1 ENE	MAX	89	90	90	87	83	82	81	82	80	82	79	74	71	78	83	84	86	85	86	82	88	84	77	72	78	75	70	67	60	60	65	79.0
	MIN	42	46	50	47	44	40	41	41	51	53	48	41	40	39	45	41	39	39	40	42	44	45	50	40	40	48	53	51	46	49	48	44.6
COBALT BLACKBIRD MINE	MAX	80	83	79			72	70	63	67	70	76	75	70	84	77	82	84			74	76	68	52	58	65	65	63	61	59	58	60	70.0
	MIN	48	49	42			40	40	37	37	43	39	38	36	36	39	43	42			42	42	42	40	31	31	35	42	37	29	29	29	38.4
COEUR D ALENE CAA AP	MAX	94	97	94	88	83	83	83	85	84	87	83	77	75	81	87	86	88	90	89	86	92	85	75	70	80	79	76	57	62	55	67	81.2
	MIN	51	52	53	59	56	47	44	46	55	57	51	47	44	47	51	54	45	44	47	51	53	55	47	38	41	53	54	47	47	48	45	49.3
COEUR D ALENE RS	MAX	97	102	99	95	89	87	90	91	90	93	92	82	77	85	91	90	91	93	95	94	96	94	81	78	85	82	80	75	59	63	65	86.5
	MIN	51	53	53	58	53	50	48	40	48	52	50	52	46	43	51	52	48	41	49	50	47	54	55	40	44	54	54	52	48	49	41	49.2
CONDA	MAX	87	90	85	78	66	77	80	77	72	75	78	83	79	79	73	81	86	87	85	79	75	78	72	74	61	70	77	77	75	70	67	77.2
	MIN	57	57	56	48	46	39	39	34	38	45	44	39	42	34	43	43	44	50	52	50	49	46	43	31	34	47	49	50	41	35	38	44.0
COTTONWOOD	MAX	88	97	91	83	88	85	83	80	83	86	80	77	73	80	85	84	86	87	87	88	92	76	72	73	78	78	74	65	60	59	68	80.[illegible]
	MIN	54	55	59	58	54	49	49	48	51	51	52	39	43	44	47	52	51	49	52	48	51	57	52	43	46	47	55	50	43	41	36	49.2
COUNCIL 2 NNE	MAX	96	100	98	94	95	92	88	89	90	92	90	85	84	90	91	95	97	96	97	95	93	82	75	78	79	81	82	80	78	76	79	88.3
	MIN	61	58	60	60	61	52	57	55	52	51	58	51	51	51	48	45	58	55	64	62	55	54	53	49	39	40	40	39	38	37	40	51.4
DEADWOOD DAM	MAX	86	92	87	87	80	80	81	75	78	83	81	79	75	78	85	86	87	89	82	81	81	74	62	69	74	75	72	62	59	61	66	77.6
	MIN	49	40	46	52	47	41	41	38	35	35	36	37	29	29	31	35	35	36	42	38	43	41	46	37	29	27	40	43	38	32	27	37.9
DEER FLAT DAM	MAX	95	96	99	96	83	87	86	85	88	92	94	82	85	84	92	91	92	82	83	87	93	84	82	75	82	87	82	75	72	68	77	85.7
	MIN	59	60	62	68	63	56	53	52	52	53	61	57	56	54	47	62	61	59	54	57	64	62	54	48	40	44	54	46	50	42	38	54.5
DRIGGS	MAX	85	84	86	81	82	78	76	77	70	74	78	82	78	79	71	80	85	84	88	81	78	78	67	70	55	69	74	72	66	70	67	76.3
	MIN	54	50	60	58	50	46	40	40	35	40	44	41	41	44	39	45	43	44	50	48	49	49	46	44	34	36	47	43	48	45	35	44.8
DUBOIS EXP STA	MAX	89	90	85	73	74	77	72	68	74	80	88	84	82	79	82	90	90	88	85	85	79	76	74	69	66	74	73	76	69	65	69	78.2
	MIN	60	56	63	59	50	47	44	49	41	51	51	50	49	51	46	50	58	60	58	50	48	51	50	45	37	38	52	53	48	40	35	49.7
DUBOIS CAA AP	MAX	88	90	86	69	76	79	74	72	78	81	89	[illegible]	84	77	84	90	91	88	86	84	80	73	75	63	70	77	73	78	70	67	70	78.9
	MIN	59	57	50	55	49	49	46	47	42	52	55	52	49	53	45	46	57	57	56	57	51	52	51	48	40	40	48	48	50	42	37	50.0
EDEN HUNT PROJECT	MAX	98	95	92	89	85	84	86	84	86	94	91	93	88	85	90	94	95	99	93	95	95	85	82	75	82	84	84	85	86	76	75	87.9
	MIN	60	63	64	58	57	56	50	46	47	49	47	50	50	44	41	43	54	47	61	54	52	49	50	52	33	40	40	34	41	38	35	48.5
ELK CITY	MAX	91	95	91	85	83	85	81	76	84	83	79	75	75	79	84	85	85	87	85	86	89	78	79	69	76	74	68	70	67	58	64	79.5
	MIN	44	38	40	54	42	36	32	34	30	35	35	30	30	28	29	30	30	28	29	28	32	38	50	44	30	29	45	44	45	37	36	35.9
EMMETT 2 E	MAX	98	101	100	96	90	91	90	88	90	93	93	85	85	85	88	95	95	96	94	91	95	86	78	79	84	84	83	77	72	72	78	88.1
	MIN	57	58	60	61	63	55	50	55	55	50	53	50	43	43	44	49	51	50	56	52	67	62	57	49	45	48	51	57	44	40	39	52.3
FAIRFIELD RS	MAX	92	91	87	83		86	80	78	86	85	85	82	81	80	86	89					91	75		73			83	74				
	MIN	53	52	53	57		47	46	43	42	42	43	42	41	39	36	44					44	55		48			32	45		27		-
FENN RS	MAX	98	105	104	101	100	94	94	92	95	98	93	89	86	89	97	95	97	99	98	98	101	98	74	81	88	85	83	83	69	69	76	91.3
	MIN	[illegible]	54	56	64	57	51	46	47	48	50	51	46	45	45	46	48	46	45	46	46	49	57	57	49	47	44	54	55	51	47	45	49.9
FORT HALL IND AGENCY	MAX	94	93	93	76	82	84	84	77	81	87	91	85	84	83	88	92	92	90	89	88	84	82	78	76	74	82	74	81	76	70	72	83.3
	MIN	62	63	52	[illegible]	55	52	45	45	41	43	46	47	47	46	40	46	48	48	56	61	51	57	54	52	37	40	46	49	51	44	39	49.5
GARDEN VALLEY RS	MAX	101	[illegible]	99	95	90	90	89	87	90	92	91	89	85	89	97	99	99	99	95	91	90	85	84		83	86	84	79	70	68		89.6
	MIN	[illegible]	[illegible]	54	[illegible]	55	51	50	50	46	45	47	43	40	40	41	45	45	46	52	47	53	54	53		39	39	50	53	48	42		48.0
GLENNS FERRY	MAX								87	90	[illegible]	[illegible]	89	88	89	97	95	97	95	96	90	92	82	80	80	85	92	96	78	80	73	80	88.3
	MIN								51	49	48	54	57	51	54	44	48	50	50	58	55	57	65	56	56	35	40	44	54	45	37	35	49.7
GOODING CAA AP	MAX	[illegible]	99	95	91	85	90	88	84	85	92	90	87	86	83	93	94	95	89	93	85	88	81	78	74	81	87	81	76	76	74	74	86.1
	MIN	[illegible]	[illegible]	54	64	60	56	57	55	55	56	62	54	54	52	51	60	56	56	65	59	61	60	54	52	45	51	54	56	49	41	38	56.0
GRACE [illegible]	MAX	[illegible]	[illegible]	[illegible]	69	76	80	77	74	75	78	85	[illegible]	80	75	82	86	86	86	80	74	77	72	75	62	70	77	77	78	71	69	69	77.0
	MIN	[illegible]	57	[illegible]	56	50	49	43	43	38	43	47	[illegible]	40	45	40	46	46	45	55	54	50	49	47	48	36	37	46	47	49	45	38	46.[illegible]
GRAND VIEW	MAX	101	[illegible]	[illegible]	98	94	95	96	92	94	101	96	91	93	92	102	101	101	96	99	91	96	87	80	82	91	96	89	86	75	76	83	93.0
	MIN	[illegible]	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	60	[illegible]	[illegible]	53	60	52	58	47	55	55	55	63	57	56	68	59	56	40	45	53	59	45	42	39	55.3
GRAY	MAX	[illegible]	84	79	76	78	77	74	[illegible]	73	[illegible]	84	77	76	76	78	83	84	84	82	74	73	72	74	61	60	74	72	74	70	71	66	75.3
	MIN	[illegible]	[illegible]	[illegible]	47	[illegible]	45	40	41	37	40	37	41	40	41	37	45	46	45	42	49	48	47	43	43	34	34	35	45	45	46	40	43.1
GROUSE	MAX	[illegible]	81	77	71	[illegible]	76	74	[illegible]	74	77	[illegible]	[illegible]	[illegible]	75	[illegible]	87	88	85	80	79	75	73	74	69	[illegible]	76	72	69	69	63	62	75.2
	MIN	[illegible]	44	[illegible]	[illegible]	42	[illegible]	[illegible]	36	[illegible]	34	36	32	33	[illegible]	[illegible]	35	35	36	39	45	43	47	50	47	26	27	36	46	37	27	22	38.5
HAILEY	MAX	[illegible]	95	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	85	[illegible]	[illegible]	[illegible]	[illegible]	89	89	89	88	85	84	74	73	71	76	80	77	74	71	70	71	81.4
	MIN	53	57	[illegible]	[illegible]	49	[illegible]	48	[illegible]	46	[illegible]	[illegible]	45	[illegible]	40	44	49	50	50	52	52	53	52	51	49	37	40	42	48	43	32	32	47.2

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HAMER 4 NW	MAX	[illegible]	[illegible]	87	[illegible]	79	81	77	71	78	[illegible]	[illegible]	84	84	[illegible]	[illegible]	93	90		87	84	79	73	75	68	72	77	72	78	70	68	71	79.7
	MIN	60	[illegible]	[illegible]	59	50		[illegible]	47	[illegible]	47	[illegible]	47	[illegible]	[illegible]	42	43	49		50	57	52	54	50	51	40	38	48	46	49	41	32	48.5
HAZELTON	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	89	90	90	90	84	87	80	76	73	80	84	83	76	75	74	72	83.9
	MIN	[illegible]	65	64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	56	54	64	57	53	53	51	53	37	45	51	47	45	44	42	52.7
HILL CITY	MAX	[illegible]	[illegible]	[illegible]	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	83	89	88	89	88	83	78	71	71	77	81	76	70	70	63	69	80.2
	MIN	[illegible]	[illegible]	[illegible]	50	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	38	43	46	46	52	48	45	52	48	50	32	33	34	45	40	30	27	44.1
HOLLISTER	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	77	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	88	88	85					86	77	75	85	80	79	71	69	68	82.1
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	55	57	56					46	44	40	51	51	54	45	39	36	51.2
IDAHO CITY	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	93	94	88	83	88	80	76	74	79	82	79	70	68	68	74	84.3
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	40	40	40	48	42	47	51	48	47	33	33	43	50	37	29	27	41.9
IDAHO FALLS CAA AP	MAX	90	[illegible]	[illegible]	74	81	81	[illegible]	[illegible]	[illegible]	[illegible]	89	[illegible]	84	[illegible]	[illegible]	92	89	89	89	81	85	77	78	65	71	81	71	76	73	66	70	80.3
	MIN	[illegible]	[illegible]	[illegible]	57	54	50	46	[illegible]	42	[illegible]	[illegible]	49	46	46	44	50	49	49	54	57	56	54	52	46	38	41	47	49	50	44	39	49.2
IRWIN 2	MAX	85	90	80	65	[illegible]	75	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	82	75	[illegible]	89	89	90	87	83	79	76	75	62	71	79	78	74	73	68	70	78.1
	MIN	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	40	43	47	48	54	53	54	54	49	46	40	40	46	49	49	42	40	48.0
ISLAND PARK DAM	MAX	[illegible]	85	[illegible]	67	[illegible]	74	71	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	75	[illegible]	[illegible]	83	83	83	80	79	76	67	69	57	63	69	67	62	61	60	64	72.1
	MIN	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	41	37	[illegible]	[illegible]	34	42	44	41	45	43	44	39	41	31	30	42	40	39	36	27	40.6
JEROME	MAX	[illegible]	[illegible]	[illegible]	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	93	94	93	91	85	86	84	78	75	82	84	81	80	77	75	75	86.3
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	50	55	52	64	59	56	56	50	52	39	49	46	57	44	37	38	53.0
KELLOGG	MAX	[illegible]	[illegible]	[illegible]	95	91	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	89	89	90	92	93	94	96	82	76	69	83	81	78	63	62	58	84.9
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	43	44	50	48	44	45	46	49	49	53	53	42	43	50	56	55	50	49	49	49.5
KOOSKIA	MAX	98	105	96	95	91	93	91	90	94	98	94	91	87	90	95	94	95	99	97	98	102	96	81	81	88	88	84	78	71	69	76	90.5
	MIN	[illegible]	[illegible]	[illegible]	62	60	[illegible]	[illegible]	51		53	51	49	46	46	48	48	47	46	46	46	49	58	58	43	40	46	57	54	52	48	43	50.3
KUNA 2 NNE	MAX	[illegible]	98	95	90	85	88	87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	83	[illegible]	[illegible]	91	91	91	87		92	84	75	75	82	84	80	75	68	68	74	84.8
	MIN	60	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	51	49	48	58		57	55	55	48	42	43	48	56	42	38	36	50.6
LEWISTON WATER PLANT	MAX	[illegible]	102	98	96	92	88	92	90	[illegible]	[illegible]	91	[illegible]	81	[illegible]	[illegible]	93	96	98	99	99	101	93	84	83	90	88	84	79	71	66	79	90.1
	MIN	[illegible]	57	67	62	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	55	54	50	52	52	53	55	67	55	47	47	56	61	57	49	52	45	55.0
LEWISTON WB AP	MAX	[illegible]	[illegible]	96	95	[illegible]	89	90	[illegible]	[illegible]	[illegible]	88	[illegible]	[illegible]	88	[illegible]	92	94	96	96	96	98	83	80	82	86	84	83	68	66	63	74	87.3
	MIN	59	[illegible]	67	62	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	57	53	53	54	56	57	64	53	48	47	55	61	50	48	51	46	55.2
LIFTON PUMPING STA	MAX	[illegible]	80	[illegible]	68	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	77	[illegible]	84	83	87	82	73	72	74	73	72	72	76	74	73	71	71	68	76.8
	MIN	[illegible]	60	62	60	[illegible]	[illegible]	[illegible]	[illegible]	43	47	49	[illegible]	48	50	44	47	49	50	56	55	51	51	52	46	39	39	47	36	45	46	45	49.3
LOWMAN	MAX	93	[illegible]	91	[illegible]	86	84	85	88	89	96	85	90	88	90	96	100	99	94	93	86	85	87	84	85	84	90	87		67	72	74	87.6
	MIN	50	[illegible]	49	[illegible]	[illegible]	43	[illegible]	38	36	37	34	30	29	29	35	35	35	40	42	43	44	46	43	32	31	40	47		34	29	27	38.8
MACKAY RS	MAX	[illegible]	[illegible]	81	[illegible]	[illegible]	74	[illegible]	[illegible]	74	[illegible]	[illegible]	[illegible]	78	76	82	86	88	86	84	77	76	65	66	74	75	78	72	71	68	66	68	75.9
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43	43	[illegible]	44	44	[illegible]	45	44	42	46	49	52	55	54	47	49	48	49	47	38	45	45	42	38	33	46.0
MALAD	MAX	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	89	94	90	94	87	78	82	80	80	70	70	83	82	83	75	75	75	83.4
	MIN	[illegible]	[illegible]	66	[illegible]	[illegible]	[illegible]	50	[illegible]	[illegible]	[illegible]	[illegible]	54	49	49	45	50	50	52	64	62	52	55	54	54	40	43	49	50	56	46	43	52.2
MALAD CAA AP	MAX	92	92	78	[illegible]	83	[illegible]	85	[illegible]	[illegible]	[illegible]	91	[illegible]	[illegible]	84	[illegible]	95	93	95	88	80	83	80	81	67	77	84	83	83	77	74	76	84.0
	MIN	[illegible]	[illegible]	63	[illegible]	[illegible]	52	48	[illegible]	43	[illegible]	45	[illegible]	43	45	40	44	45	48	59	55	50	53	51	45	38	39	43	45	55	47	39	48.5
MAY RS	MAX	84	[illegible]	[illegible]	[illegible]	72	74	[illegible]	70	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	88	89	87	89	80	80	73	64	69	73	72	71	72	70	67	68	77.5
	MIN	54	[illegible]	57	[illegible]	[illegible]	44	[illegible]	[illegible]	40	40	44	42	[illegible]	43	42	45	45	47	49	45	47	51	47	46	36	38	45	47	47	33	32	45.1
MC CALL	MAX	[illegible]	91	90	85	[illegible]	[illegible]	[illegible]	77	77	[illegible]	[illegible]	[illegible]	75	77	[illegible]	85	85	88	85	84	81	68	66	67	71	69	69	68	59	59	60	77.0
	MIN	[illegible]	46	[illegible]	[illegible]	[illegible]	45	[illegible]	44	43	41	44	[illegible]	37	39	37	41	41	43	46	45	46	46	49	44	33	34	47	46	41	32	28	42.9
MC CAMMON	MAX	[illegible]	92	88	[illegible]	85	89	[illegible]	81	[illegible]	[illegible]	90	[illegible]	[illegible]	[illegible]	[illegible]	92	94	93	89	86	81	79	78	71	78	85	81	80	74	72	74	84.2
	MIN	[illegible]	62	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39	42	[illegible]	[illegible]	41	50	38	45	46	44	59	59	49	54	48	49	34	36	40	43	53	42	35	47.2
MERIDIAN 1 SSW	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	86	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	86	91	90	89	93	86	75	79	83	85	82	73	75	69	77	85.8
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	46	45	50	45	56	57	51	44	37	40	45	52	45	35	33	47.4
MESA	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	87	[illegible]	97	98	99	96	95	92	81	74	79	83	82	80	71	67	69	77	88.1
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	56	56	61	61	60	56	60	53	45	43	45	52	49	45	37	38	53.4
MINIDOKA DAM	MAX	90	91	81	[illegible]	[illegible]	[illegible]	[illegible]	80	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	90	90	93	85	85	82	82	69	77	84	75	75	75	84	74	82.9
	MIN	[illegible]	64	64	[illegible]	[illegible]	[illegible]	53	[illegible]		54	61	[illegible]	[illegible]	52	[illegible]	58	60	56	62	60	[illegible]	53	56	55	44	55	54	57	51	46	45	55.6
MONTPELIER [illegible]	MAX	[illegible]	[illegible]	[illegible]	79		[illegible]	[illegible]	[illegible]	77	80	[illegible]	[illegible]	[illegible]	[illegible]	79	84	89	88	90	87	[illegible]	[illegible]	75	74	71	73	79	78	75	72	76	80.7
	MIN	[illegible]	[illegible]	[illegible]	[illegible]		48	43	40	37	[illegible]	40	44	40	39	[illegible]	43	[illegible]	45	50	[illegible]	46	[illegible]	49	43	[illegible]	34	41	48	43	[illegible]	39	44.7
MOSCOW [illegible]	MAX	[illegible]	96	[illegible]	89	[illegible]	[illegible]	[illegible]	84	[illegible]	[illegible]	[illegible]	74	74	[illegible]	[illegible]	85	86	91	91	92	94	88	74	79	[illegible]	77	[illegible]	69	[illegible]	60	68	[illegible]
	MIN	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	47	47	[illegible]	47	47	40	42	45	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46.5
MOUNTAIN [illegible]	MAX	100	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	95	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	75	86	[illegible]	[illegible]	78	[illegible]	71	75	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	52	[illegible]	50	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	55	[illegible]	[illegible]	[illegible]	51.4
MULLAN PASS CAA	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	67	[illegible]	70	[illegible]	74	72	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	48	65.3
	MIN	60	61	[illegible]	[illegible]	51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	52	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]
NAMPA 2 NW	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	[illegible]	[illegible]	94	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	76	[illegible]	84	85	[illegible]	75	70	71	[illegible]
	MIN	[illegible]	60	64	64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	56	49	42	49	54.2
NEW MEADOWS RS	MAX	92	[illegible]	95	[illegible]	[illegible]	86	[illegible]	[illegible]	[illegible]	[illegible]	86	[illegible]	[illegible]	[illegible]	[illegible]	89	[illegible]	93	[illegible]	88	[illegible]	73	69	74	77	77		75	64	64	[illegible]	82.5
	MIN	45	[illegible]	45	52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	[illegible]	36	33	31	[illegible]	36	[illegible]	[illegible]	[illegible]	34	42	[illegible]	[illegible]	42	30	29		44	41	33	28	38.4
OAKLEY	MAX	92	[illegible]	87	[illegible]	[illegible]	87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	72	78	[illegible]	[illegible]	75	[illegible]	[illegible]	72	82.5
	MIN	62	64	60	[illegible]	[illegible]	51	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	48	[illegible]	58	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35	51.7
[illegible]	MAX	80	[illegible]	[illegible]	72	71	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	70	[illegible]	76	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	62	69.7
	MIN	[illegible]	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35.1
OLA	MAX	[illegible]	[illegible]	[illegible]	96	94	91	[illegible]	89	89	90	93	91	[illegible]	[illegible]	96	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	[illegible]	84	84	87	87	72	74	[illegible]	[illegible]
	MIN					63	59				61		54	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	MAX	[illegible]	105	103	[illegible]	[illegible]	[illegible]	92	91	95	[illegible]	94		[illegible]	90	[illegible]	[illegible]	95	98	[illegible]	[illegible]	102	[illegible]	82	82	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	77	90.3
	MIN	[illegible]	50	[illegible]	[illegible]	51				52	54	59		47	[illegible]		[illegible]	48	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]
PALI[illegible]	MAX	89	[illegible]	84	[illegible]	[illegible]	[illegible]	76	78	[illegible]	[illegible]		84		81		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	77	73	73	65	[illegible]	[illegible]	[illegible]	72	72	72	69	[illegible]
	MIN	[illegible]	50		[illegible]	[illegible]	[illegible]	41	41	[illegible]	[illegible]	42		40	36	37	42	43	44	51	[illegible]	[illegible]	[illegible]	46	44	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	37	44.7
PARMA EXP STA	MAX	[illegible]	[illegible]	105	96	[illegible]	94	93	89	[illegible]	97	[illegible]	[illegible]	[illegible]	[illegible]	90	[illegible]	[illegible]	94	[illegible]	[illegible]	[illegible]	[illegible]	79	80	84	[illegible]	86	77	70	[illegible]	78	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	64		[illegible]		[illegible]	53						45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	48	[illegible]
PAUL 1 E	MAX	95	94	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	90	90	85	[illegible]	81	[illegible]	91	94	92	[illegible]	79	[illegible]	80	78	[illegible]	[illegible]	[illegible]	75	[illegible]	74	[illegible]	84.0
	MIN	[illegible]	64	60	60		[illegible]	[illegible]	[illegible]	48	52		[illegible]	47		41	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	50.9
PAYETTE	MAX	99	[illegible]	99	96	[illegible]	[illegible]	91	89	[illegible]	[illegible]	93	[illegible]		[illegible]	95	[illegible]	[illegible]	95	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	73	[illegible]	71	[illegible]	88.4
	MIN	[illegible]	59	67	[illegible]			[illegible]	[illegible]		51	60	[illegible]			40	[illegible]	54	[illegible]	65	[illegible]	66	62	[illegible]	[illegible]	[illegible]	42	[illegible]	57	[illegible]	[illegible]	37	[illegible]
PIERCE [illegible]	MAX	90	[illegible]	97	[illegible]	92	86	83	[illegible]	88	[illegible]	87	[illegible]				85	87	92	[illegible]	[illegible]	92	[illegible]	74	73	[illegible]	[illegible]	[illegible]	72	63	66	67	[illegible]
	MIN	49	47	51	55	[illegible]	40		[illegible]	40	44	46	[illegible]	37	37	41	41	39	37	[illegible]	41	[illegible]	[illegible]	47	[illegible]	32	[illegible]	[illegible]	[illegible]	48	45	35	43.0
POCATELLO WB AP	MAX	92	[illegible]	[illegible]	[illegible]	[illegible]	82	85	[illegible]	81	[illegible]	92	80	[illegible]	[illegible]	[illegible]	93	94	91	91	76	84	[illegible]	[illegible]	68	77	80	76	[illegible]	[illegible]	70	74	[illegible]
	MIN	[illegible]	68	63	62	[illegible]	54	[illegible]	48	44			[illegible]		[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	53	[illegible]	[illegible]	[illegible]	[illegible]	40	50	54	52	45	42	[illegible]
[illegible]	MAX	[illegible]	95	90	94	[illegible]	81	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	72		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	[illegible]	[illegible]	70	74	70	68	61	59	[illegible]	67	[illegible]
	MIN	[illegible]	[illegible]	56			49	45	40		[illegible]	49	[illegible]	[illegible]	44	53	46	44	44	[illegible]	44	42	[illegible]	53	42	[illegible]	[illegible]	[illegible]	46	47	49	49	47.4
[illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	[illegible]		80	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	92	81	[illegible]	73	[illegible]	77	[illegible]	67	[illegible]	57	69	[illegible]
	MIN	47	[illegible]	54		[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	40	41	[illegible]	[illegible]	[illegible]	[illegible]	36	34	46	[illegible]	[illegible]	45	47	40	44.9
[illegible]	MAX	95	[illegible]	[illegible]	[illegible]	[illegible]	84	85	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	93	95	[illegible]	[illegible]	79	[illegible]	[illegible]	80	77	[illegible]	[illegible]	81	[illegible]	75	[illegible]	[illegible]
	MIN	[illegible]	63	67	60				47	43	[illegible]	47	52	[illegible]	46	42	[illegible]	48	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	38	[illegible]	[illegible]		[illegible]	42	48	50.2
PRIEST RIVER EXP STA	MAX	92	96	93	[illegible]		[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	84	[illegible]	[illegible]		86	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76	70	[illegible]	[illegible]	73	68	[illegible]	54	66	[illegible]
	MIN	[illegible]	44	50	46	[illegible]	39	41	[illegible]	[illegible]	53	[illegible]	[illegible]	41		[illegible]	[illegible]	[illegible]	38	[illegible]	46	40	[illegible]	[illegible]	37	40	[illegible]	[illegible]	[illegible]	42	[illegible]	49	44.4
[illegible]	MAX	93	[illegible]	87	[illegible]	81	[illegible]	[illegible]		83		86	83			88	89	88	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76	70	[illegible]	82	[illegible]	71	74	[illegible]	72	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	47	[illegible]	[illegible]	46	44	43	42	[illegible]	49	49		[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	41	43	51	42	[illegible]	[illegible]	[illegible]
[illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	96	96	[illegible]	[illegible]	94	[illegible]	97	[illegible]	87	[illegible]	[illegible]	[illegible]	97	96	97	[illegible]	98	[illegible]	79	81	[illegible]	87	[illegible]	[illegible]	[illegible]	69	78	91.4
	MIN	67	67	[illegible]	[illegible]			[illegible]	60	[illegible]	62	[illegible]	[illegible]	[illegible]	61	[illegible]	[illegible]	61	59	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	61	60	[illegible]	47	[illegible]	60.3
[illegible]	MAX	[illegible]	88	[illegible]	[illegible]	80	81	[illegible]	70	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	81	[illegible]	71	[illegible]	[illegible]	[illegible]	79	[illegible]	[illegible]	[illegible]	67	[illegible]	[illegible]
	MIN	63	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	49	44	[illegible]	[illegible]	51	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	57	[illegible]	[illegible]	49	43	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]
[illegible]	MAX	[illegible]	[illegible]	90	[illegible]	[illegible]	78	[illegible]	79		[illegible]	79	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	88	[illegible]	[illegible]	90	[illegible]	71	67	74	73	72	[illegible]	[illegible]	[illegible]	56	[illegible]
	MIN	[illegible]	50	54	[illegible]	[illegible]	39	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	37	37	44	[illegible]	41	41	[illegible]	[illegible]	46	51	[illegible]	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	83	80	79							84	81	[illegible]	[illegible]	[illegible]	88	89	74	[illegible]	[illegible]	76	70	77	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	61	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	49	[illegible]	[illegible]				47	[illegible]			61	[illegible]	[illegible]	[illegible]		53	[illegible]	43	[illegible]	[illegible]	45	44	41	[illegible]
SAINT ANTHONY	MAX	[illegible]	92	86	67	77	[illegible]	78	[illegible]	76	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	88	[illegible]		[illegible]	[illegible]	[illegible]	70	75	61	69	70	69	72	71	[illegible]	69	78.4
	MIN	[illegible]	51	[illegible]	[illegible]	[illegible]	[illegible]	42	43	38	42	[illegible]	42	[illegible]	41	[illegible]	[illegible]	43	48	[illegible]		51			47			47	[illegible]	49	45		[illegible]
SAINT MARIES	MAX	[illegible]	[illegible]	96	94	91	[illegible]	[illegible]	[illegible]	87	96	[illegible]	82	75	[illegible]	[illegible]	[illegible]	[illegible]	91	[illegible]	91	90	[illegible]	84	75	[illegible]	[illegible]	[illegible]	[illegible]	77	59	69	[illegible]
	MIN	[illegible]			[illegible]		44	[illegible]	[illegible]	47	44	47		[illegible]	[illegible]	[illegible]	[illegible]	41	42	[illegible]	[illegible]	[illegible]	54	[illegible]	40	38	[illegible]			49	46	[illegible]	[illegible]
SALMON	MAX	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	75	[illegible]							96		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	74	76	[illegible]	77	75	[illegible]	69	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	45	41	[illegible]		40	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	43	[illegible]	[illegible]	40.5
SANDPOINT EXP STA	MAX	88	[illegible]	[illegible]	[illegible]	82	[illegible]	[illegible]	[illegible]	[illegible]	82	81			76	[illegible]	87			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	66	[illegible]	77	63	69	[illegible]	[illegible]	[illegible]	79.4
	MIN	[illegible]	40	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]					[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]	48	48	[illegible]	[illegible]

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SHOSHONE	MAX	98	97	94	89	86	87	86	84	87	90	89	85	86	85	91	92	94	89	93	86	89	83	80	77	82	86	83	74	79	70	75	86.1
	MIN	63	65	67	63	56	51	58	52	53	53	60	49	46	48	52	53	54	51	57	57	55	60	52	44	41	48	46	55	44	38	37	52.5
SPENCER RS	MAX	86	86	87	72	74	77	73	67	72	79	83	80	81	77	79	87	87	86	83	81	77	77	72	65	66	72	72	74	66	63	66	76.4
	MIN	53	48	52	55	42	42	38	43	34	45	42	[illegible]	38	44	34	38	45	51	47	50	44	44	45	42	32	32	43	45	45	36	30	42.6
SPRINGFIELD	MAX	92	93	87	75	84	85	87	80	84	90	94	84	88	84	92	95	96	96	94	82	86	93	80	69	78	87	76	82	76	73	76	85.1
	MIN	59	61	62	60	52	51	46	43	44	44	49	45	44	42	38	47	47	46	56	59	52	55	50	52	35	38	40	47	46	43	39	48.1
STIBNITE	MAX	84	82	88	85	74	77	73	73	68	73			77	69	71	78	81	82	84	77	80	77	68	74			69	65	59	54	53	73.9
	MIN	52	54	52	46	41	39	41	38	41			36	34	37	41	41	42	46	41	44	41	43	39			31	35	37	29	27	27	39.8
SUGAR	MAX	84	88	84	84	78	79	77	70	76	80	84	79	81	77	82	87	87	88	85	81	78	72	75	64	70	78	79	70	73			79.0
	MIN	55	53	59	59	48	47	43	45	37	45	49			42	40	41	42	47	45	54	54	53	50	46	37	36	46	51	52			47.3
SUN VALLEY	MAX	85	87	84	74	73	74	75	75	76	81	81	80	78	76	84	88	88	87	84	80	77	68	70	71	71	76	74	72	67	67	67	77.1
	MIN	50	45	50	53	44	43	39	38	36	35	35	33	33	30	30	35	35	35	42	41	45	44	45	45	26	28	30	38	35	22	20	37.4
SWAN FALLS PH	MAX	103	107	103	97	95	95	96	94	96	100	97	95	90	89	101	100	99	99	96	89	95	95	83	79	90	95	88	79	74	74	80	92.7
	MIN	70	68	68	69	64	60	62	68	65	59	60	61	62	60	57	69	69	68	68	65	65	69	60	57	41	53	57	62	50	48	45	61.3
TETONIA EXP STA	MAX	81	85	74	67	74	71	73	68	73	76	80	76	77	70	79	84	85	85	77	79	72	65	69	55	67	73	70	68	72	64	66	73.4
	MIN	54	49	59	53	46	44	39	40	36	39	42	39	38	41	36	36	39	43	50	49	47	46	47	43	32	30	36	46	47	46	34	42.8
THREE CREEK	MAX	91	91	88	82	77	78	80	82	82	88	89	84	88	81	90	91	90	88	88	79	81	77	70	67	78	84	81	76	72	67	72	81.7
	MIN	54	53	59	51	50	46	40	39	36	40	46	40	35	36	36	45	43	48	60	47	40	50	40	43	27	34	46	46	34	26	26	42.5
TWIN FALLS 2 NNE	MAX	99	97	94	91	85	82	88	88	86	94	93	88	87	84	94	94	96	92	92	89	89	87	78	76	83	90	87	75	78	76	74	87.3
	MIN	59	59	62	61	58	57	56	51	46	47	50	54	55	53	44	50	53	52	64	56	51	55	48	54	39	42	52	56	45	40	40	51.7
TWIN FALLS 3 SE	MAX	98	96	94	94	88	84	81	86	84	85	93	88	88	87	85	92	93	94	90	90	81	85	84	78	76	80	87	83	75	77	69	86.0
	MIN	60	56	61	58	54	54	47	51	42	43	47	54	55	51	44	49	57	54	60	56	47	52	48	49	35	38	39	52	42	41	41	49.6
WALLACE	MAX	92	101	93	86	84	84	82	81	81	88	86	82	74	83	84	86	87	90	89	90	94	86	75	66	79	80	75	62	61	54	62	81.2
	MIN	46	50	56	52	46	42	43	43	46	50	52	42	39	40	45	45	41	42	43	50	47	52	48	38	40	47	51	51	48	46	46	46.0
WALLACE WOODLAND PARK	MAX	91	90	97	[illegible]	[illegible]	80	81	80	81	81	86	79	73	[illegible]	80	83	94	85	88	87	87	91	74	74	65	78	77	72	72	72	53	80.3
	MIN	47	50	55	54	46	42	43	43	43	49	51	43	40	40	40	45	42	[illegible]	44	46	42	48	49	37	39	45	50	54	48	45	45	45.4
WEISER	MAX	98	102	101	100	94	94	92	[illegible]	94	94	92	90	89	90	97	98	100	100	98	[illegible]	[illegible]	87	78	82	86	82	85	76	73	74	82	90.5
	MIN	60	59	[illegible]	63	63	[illegible]	56	[illegible]	[illegible]	52	56	[illegible]	48	46	[illegible]	[illegible]	[illegible]	52	58	[illegible]	58	60	57	45	40	40	40	55	51	37	37	51.9
WINCHESTER	MAX	90	91	83	87	85	80	81	80	64	85	83	76	[illegible]	90	94	82	84	87	87	84	90	82	71	69	78	77	73	68	56	56	66	79.3
	MIN	48	47	57	46	46	40	39	40	45	43	44	33	35	36	41	[illegible]	41	40	42	40	41	40	43	38	35	40	49	44	40	37	33	41.5

EVAPORATION AND WIND

Table 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STA	EVAP	.25	.16	.05	.21	.13	.13	.13	.16	.04	.18	.26	.26	.24	.35	.21	.21	.37	.20	.23	.16	.11	.17	.15	.08	.10	.21	.24	.13	.07	.18	.17	5.54
	WIND	46	35	17	19	18	43	27	30	33	26	35	52	63	61	10	58	35	21	19	28	13	42	48	57	7	17	74	32	37	57	31	1091
ARROWROCK DAM	EVAP	.38	.25	.41	.22	.29	.27	.32	.35	.30	.31	.35	.37	.30	.33	.28	.33	.35	.35	.31	.30	.13	.14	.29	.17	.23	.26	.27	.16	.10	.11	.19	8.42
	WIND	32	19	43	26	31	28	37	35	35	[illegible]	34	47	[illegible]	[illegible]	[illegible]	30	29	29	25	37	20	19	[illegible]	30	[illegible]	[illegible]	[illegible]	19	[illegible]	37	35	948
BLACKFOOT DAM	EVAP	.40	.34	*	.44	.24	.25	.24	.27	[illegible]	.24	*	.72	.36	[illegible]	.36	.48	[illegible]	*	[illegible]	.12	.43	.19	.26	.09	*	.24	.36	.18	.14	[illegible]	.12	7.86
	WIND	53	29	54	71	[illegible]	64	74	54	[illegible]	44	*	160	106	[illegible]	[illegible]	81	59	*	98	26	47	102	[illegible]	[illegible]	*	138	79	55	118	51	66	1967
LIFTON PUMPING STA	EVAP	.29	.18	.18	.06	.20	.29	.23	.31	.16	.25	.24	.29	.31	.26	.30	.28	.20	.23	.20	.18	.18	.16	.25	.19	.17	.27	.28	.34	.19	.17	.15	6.99
	WIND	5	36	42	[illegible]	26	41	[illegible]	74	28	[illegible]	[illegible]	47	[illegible]	28	20	26	15	13	22	35	40	46	69	59	24	[illegible]	[illegible]	130	76	59	30	1253
MINIDOKA DAM	EVAP	.30	.38	.28	.27	.44	.44	.28	.35	.36	.34	.50	.48	[illegible]	[illegible]	[illegible]	.44	[illegible]	.40	.37	.23	.11	.35	.20	.18	[illegible]	.30	.34	.27	.19	.27	.26	10.24
	WIND	110	110	220	110	[illegible]	[illegible]	120	105	140	80	135	105	120	130	65	95	95	65	80	100	90	120	90	[illegible]	[illegible]	85	100	120	105	145	75	3420
MOSCOW U OF I	EVAP	.34	.32	.34	.28	.46	.26	.22	.35	.24	.29	.22	.38	[illegible]	.27	.24	.31	[illegible]	.24	.25	.28	.31	.25	.31	.13	.25	.28	.23	.05	.06	.05	.08	7.87
	WIND	31	19	28	[illegible]	63	[illegible]	44	48	21	20	46	[illegible]	10	[illegible]	14	[illegible]	24	16	18	[illegible]	4	[illegible]	60	48	28	41	33	[illegible]	[illegible]	[illegible]	22	1011
PALISADES DAM	EVAP	.27	.16	.24	*	*	[illegible]	.14	.19	.15	.19	*	.56	.21	.28	[illegible]	.25	.27	.35	.18	.18	.12	.10	[illegible]	.08	.11	.17	.27	.12	.14	.12	.13	5.66
	WIND	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–		–	–	–	–	–	–	–	–

PRECIPITATION MEASURED IN STORAGE GAGES

Station	Observation date	Amount since last obs.	Snow on ground
ATLANTA SUMMIT	1950		
	AUG 17		
	1951		
	[illegible]	47.04	
TOTAL . .	. . . . .	47.04	
[illegible]	[illegible]		
	[illegible]		
	1951		
	[illegible]	47.37	
TOTAL . .	. . . . .	47.37	
LOWMAN	[illegible]		
	JUL		
	AUG	[illegible]	
	SEP	.78	
	[illegible]	[illegible]	
	NOV	[illegible]	
	[illegible]	[illegible]	

Station	Observation date	Amount since last obs.	Snow on ground
LOWMAN (CONTD)	1951		
	JAN 1	[illegible]	
	FEB 1	4.38	
	MAR 1	[illegible]	
	APR 1	[illegible]	
	MAY 1	[illegible]	
	JUN 1	1.70	
	[illegible]	[illegible]	
TOTAL . .	. . . . .	30.44	
MOORE CREEK SUMMIT	1950		
	[illegible] 16		
	1951		
	AUG 21	46.80	
TOTAL . .	. . . . .	46.80	
SHAKE CREEK	1950		
	AUG [illegible]		
	1951		
	AUG 24	34.88	
TOTAL . .	. . . . .	34.88	

Station	Observation date	Amount since last obs.	Snow on ground
TRINITY LAKE GS /	1950		
	AUG 24		
	1951		
	AUG [illegible]	60.09	
TOTAL . .	. . . . .	60.09	
TROUTDALE GS /	1950		
	AUG 17		
	1951		
	APR [illegible]	22.23	
TOTAL . .	. . . . .	-	
VIENNA MINE //	1950		
	AUG 22		
	1951		
	AUG [illegible]	54.90	
TOTAL . .	. . . . .	54.90	

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	3 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	3
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	[illegible]	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5
ARCO	0375	BUTTE	6	43 38	113 18	[illegible]	5P	5P	MRS [illegible]	2 3 5
ARROWROCK DAM	0418	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	[illegible]	5P	5P	[illegible]	2 3 5
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 4 5
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	[illegible]		VAR	U S SOIL CON SER	
AVERY RANGER STATION	[illegible]	SHOSHONE	10	47 15	115 48	[illegible]	5P	5P	U S FOREST SERVICE	3 7
BANCROFT	[illegible]	BANNOCK	12	42 43	111 [illegible]	[illegible]		MID	KENNETH E CRUMP	3 4
BAYVIEW MODEL BASIN	[illegible]	KOOTENAY	4	47 59	116 33	[illegible]	4P	4P	[illegible] NAVY	2 3 5
[illegible] DAM	0789	BONNER	9	48 21	[illegible]	[illegible]		MID	U S FOREST SERVICE	3 4
BIG CREEK 1 S	[illegible]	VALLEY	11	[illegible] 06	115 20	[illegible]	6P	6P	RAPIER EDWARDS	2 3 4 5 7
BLACKFOOT	[illegible]	BINGHAM	12	43 11	[illegible]	[illegible]	5P	5P	[illegible]	2 3 5
BLACKFOOT DAM	[illegible]	CARIBOU	12	[illegible]	111 [illegible]	[illegible]	5P	5P	FORT HALL IR PROJ	2 3 4 5 6
BLISS	1002	GOODING	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	NORTH SIDE CANAL CO	2 3
BOGUS BASIN	1014	BOISE	2	43 46	[illegible]	[illegible]		MID	[illegible]	3 4
BOISE LUCKY PEAK DAM	[illegible]	ADA	2	43 32	116 04	[illegible]	4P	4P	U S ENGINEERS	2 3 4 5
BOISE WB AP	1022	ADA	2	43 34	116 13	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 4 5
BONNERS FERRY	[illegible]	BOUNDARY	9	48 [illegible]	[illegible]	1842	11P	11P	GOLDIE L NEUMAYER	2 3 4 5
BRIDGE	[illegible]	CASSIA	12	42 08	[illegible]	4700		MID	MARLIN [illegible]	[illegible]
BUHL	[illegible]	TWIN FALLS	12	42 35	114 46	[illegible]	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	[illegible]	CLEARWATER	3	46 [illegible]	115 30	[illegible]	3P	3P	U S FOREST SERVICE	2 3 5
BURKE [illegible] NNE	1272	SHOSHONE	4	47 [illegible]	115 48	4093	4P	4P	MONTANA POWER CO	3
BURLEY	[illegible]	CASSIA	12	42 32	113 47	[illegible]	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	[illegible]	CASSIA	12	42 34	113 [illegible]	4200	8A	8A	AMALGAMATED SUGAR	3
BURLEY CAA AP	[illegible]	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 4 5
CALDWELL	[illegible]	CANYON	2	43 39	116 [illegible]	[illegible]		[illegible]	[illegible]	2 3 5
CAMBRIDGE	1408	WASHINGTON	1	44 34	116 41	[illegible]	8A	8A	[illegible] GORDON	2 3 5
CASCADE 1 SW	[illegible]	VALLEY	8	44 31	[illegible]	4860	5P	5P	U S BUR RECLAMATION	2 3 5
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	3 4
CENTERVILLE ARBAUGH RCH	[illegible]	BOISE	[illegible]	43 58	[illegible]	4780		4P	[illegible]	3 7
CHALLIS	[illegible]	CUSTER	11	44 30	114 14	[illegible]	5P	5P	U S FOREST SERVICE	3
CHILLY BARTON FLAT	[illegible]	CUSTER	6	44 02	113 48	[illegible]	5P	5P	GEORGE A MILLER	2 3
CLARK FORK [illegible]	1810	BONNER	9	48 [illegible]	116 10	[illegible]	6P	6P	MRS MARY L RALPH	3 4 5
CLARKIA RANGER STATION	[illegible]	SHOSHONE	10	47 00	116 [illegible]	2800		MID	U S FOREST SERVICE	3 4
[illegible]	1881	TETON	12	[illegible]	111 16	5904		MID	TETONIA EXP STATION	3 4
COBALT BLACKBIRD MINE	[illegible]	LEMHI	[illegible]	[illegible]	114 21	[illegible]	8A	8A	EDWIN [illegible]	3 7
COEUR D ALENE CAA AP	1951	KOOTENAY	4	47 46	116 49	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
COEUR D ALENE RS	[illegible]	KOOTENAY	4	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	3 7
CONDA	[illegible]	CARIBOU	12	[illegible]	111 [illegible]	[illegible]	9A	9A	ANACONDA COPPER CO	3
COTTONWOOD	[illegible]	IDAHO	3	46 03	116 [illegible]	[illegible]	6P	6P	MRS [illegible]	2 3 5 7
COTTONWOOD [illegible] SW	[illegible]	IDAHO	3	46 02	116 23	[illegible]		MID	SABI FREI	3 4
COUNCIL 2 NNE	[illegible]	ADAMS	12	44 [illegible]	116 25	[illegible]	7P	7P	JOHN W [illegible]	2 3 4 5
CRAIGMONT	[illegible]	LEWIS	3	46 14	116 28	2950		MID	LEWIS [illegible] PHILLIPS	3 4
CROUCH 2 NNW	[illegible]	BOISE	8	44 08	115 58	[illegible]		6P	HARRY GRAHAM	3
DEADWOOD DAM	[illegible]	VALLEY	8	44 19	115 38	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 4 5 7
DEADWOOD SUMMIT	[illegible]	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	8
DECEPTION CREEK	2422	KOOTENAY	4	47 44	116 29	3000		MID	U S FOREST SERVICE	3 4
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 5
DOLLARHIDE SUMMIT	[illegible]	CAMAS	[illegible]	43 36	114 41	8650		MID	U S FOREST SERVICE	3 4
DRIGGS	[illegible]	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	[illegible]	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
EDEN HUNT PROJECT	[illegible]	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
ELK CITY	[illegible]	IDAHO	3	45 49	115 [illegible]	[illegible]	4P	4P	MRS LORA B VILAS	2 3
EMMETT 2 E	[illegible]	GEM	2	43 50	116 32	[illegible]	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	[illegible]	CAMAS	12	43 [illegible]	114 48	[illegible]	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	[illegible]	IDAHO	3	46 06	115 33	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	[illegible]	BINGHAM	12	43 02	112 26	[illegible]	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	[illegible]	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	3 7
GILMORE SUMMIT RANCH	[illegible]	CUSTER	11	44 19	113 31	[illegible]		VAR	STAN L SWANGER	8
GLENNS FERRY	[illegible]	ELMORE	12	42 57	115 19	[illegible]	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	[illegible]	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	5P	5P	H A WESTENFELDER	2 3 5
GRAND VIEW	[illegible]	OWYHEE	12	42 59	116 06	2600	4P	4P	CLARA M JENKINS	2 3
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 4 5 7
GRAY	[illegible]	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	[illegible]	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	[illegible]	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3961	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 [illegible]	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	[illegible]	BUTTE	6	43 47	113 00	[illegible]		7A	CHARLES D COWGILL	3
IDAHO CITY	[illegible]	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	[illegible]	BOISE	2	43 42	116 01	[illegible]		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	[illegible]	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
IDA VADA	[illegible]	OWYHEE	2	42 03	115 09	6000		VAR	CHRIS CALLEN	
IRWIN [illegible]	4588	BONNEVILLE	12	43 24	111 18	[illegible]	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	[illegible]	FREMONT	12	44 25	111 24	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	[illegible]		VAR	U S SOIL CON SER	8
JEROME	4670	JEROME	12	42 44	114 31	[illegible]	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190	7A	7A	MRS MARY E LANDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	[illegible]	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 [illegible]	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	[illegible]	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	[illegible]	VALLEY	11	44 40	115 32	[illegible]		VAR	U S FOREST SERVICE	8
LEADORE	[illegible]	LEMHI	11	44 41	113 22	6100		MID	RODNEY [illegible] TOBIAS	3 4
LEWISTON	[illegible]	NEZ PERCE	[illegible]	46 25	117 02			7A	JACK MCKAY	3
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	[illegible]	46 25	117 01	743	[illegible]	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
LIFTON PUMPING STATION	[illegible]	BEAR LAKE	1	42 07	111 18	[illegible]	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	[illegible]	[illegible]	[illegible]	[illegible]	114 33	[illegible]		VAR	U S FOREST SERVICE	
[illegible]	[illegible]	BOISE	8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
MALAD	5544	[illegible]	[illegible]	[illegible]	112 16	4420			J L CROWTHER	4 5
MALAD CAA AP	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4480	[illegible]	[illegible]	[illegible]	[illegible]
[illegible] STATION	[illegible]	[illegible]	[illegible]	44 36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3
[illegible]	[illegible]	VALLEY	[illegible]	[illegible]	116 07	[illegible]	[illegible]	[illegible]	[illegible]	2 3
[illegible]	[illegible]	BANNOCK	[illegible]	42 39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	5841	[illegible]	[illegible]	[illegible]	116 24	[illegible]	[illegible]	[illegible]	L A ROSS	
[illegible]	[illegible]	[illegible]	[illegible]	44 37	[illegible]	3244	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	42 40	113 29	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	
[illegible]	[illegible]	BEAR LAKE	[illegible]	42 19	[illegible]	5943	8A	[illegible]	U S FOREST SERVICE	
MOORE CREEK SUMMIT	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	U S SOIL CON SER	[illegible]
MOOSE CREEK RANGER STA	6087	[illegible]	[illegible]	[illegible]	114 50	[illegible]		[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	7	46 44	117 00	[illegible]	[illegible]	[illegible]	[illegible]	5 6
MOUNTAIN HOME 1 NE	[illegible]	ELMORE	[illegible]	[illegible]	115 42	3180	6P	6P	[illegible]	4 5
MULLAN PASS CAA	[illegible]	SHOSHONE	4	47 27	115 41	[illegible]	[illegible]	[illegible]	U S CIVIL AERO ADM	[illegible]
NAMPA	[illegible]	CANYON	[illegible]	43 35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3
NAMPA 2 NW	[illegible]	[illegible]	[illegible]	43 37	[illegible]	2470	[illegible]	[illegible]	AMALGAMATED SUGAR	2 3
NEW MEADOWS RANGER STA	[illegible]	[illegible]	[illegible]	[illegible]	116 17	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	116 14	[illegible]	8A	8A	WAYNE S SHAFFER	2 3
[illegible]	6430	[illegible]	11	45 43	114 30	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	
[illegible]	[illegible]	CASSIA	[illegible]	42 15	113 53	[illegible]	[illegible]	[illegible]	[illegible]	
OBSIDIAN 4 NNE	[illegible]	CUSTER	[illegible]	44 03	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	116 17	[illegible]	[illegible]	[illegible]	DAISY V NEWELL	4 5
[illegible]	[illegible]	[illegible]	[illegible]	46 29	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	
[illegible]	6764	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	CANYON	2	43 [illegible]	116 57	[illegible]	[illegible]	[illegible]	STATE EXP STATION	2 3
PAUL 1 E	[illegible]	[illegible]	[illegible]	42 37	[illegible]	4200	8A	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	44 04	[illegible]	[illegible]	[illegible]	[illegible]	MICHAEL HARRIS	7
[illegible] RANGER STATION	[illegible]	[illegible]	[illegible]	46 30	115 48	[illegible]	5P	[illegible]	[illegible]	7
PINE 2 SSW	[illegible]	ELMORE	[illegible]	43 28	115 19	4225	[illegible]	[illegible]	[illegible]	3 7
PLUMMER 3 WSW	[illegible]	[illegible]	1	47 19	[illegible]	[illegible]		[illegible]	U S INDIAN SERVICE	[illegible]
[illegible] AP	[illegible]	[illegible]	[illegible]	42 55	112 36	4444	MID	MID	[illegible]	2 3 4 5
[illegible]	7264	BOUNDARY	[illegible]	49 00	116 30	1800	[illegible]	[illegible]	[illegible]	
[illegible]	7301	[illegible]	7	[illegible]	[illegible]	[illegible]	[illegible]	7P	[illegible]	
PRAIRIE	7327	ELMORE	2	43 30	115 35	[illegible]		MID	VICTOR J ACARREGUI	3 4
PRESTON SUG FACT 2 SE	[illegible]	FRANKLIN	1	[illegible]	111 52	[illegible]	[illegible]	[illegible]	C M CRABTREE	
PRIEST RIVER EXP STA	[illegible]	BONNER	[illegible]	48 21	116 50	2380	[illegible]	[illegible]	U S FOREST SERVICE	2 3 7
[illegible]	[illegible]	[illegible]	11	44 45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	8
PUTNAM MOUNTAIN	7465	[illegible]	12	[illegible]	[illegible]	6300		VAR	ROY POTTER	
RICHFIELD	[illegible]	LINCOLN	12	43 04	[illegible]	4306	5P	[illegible]	LESLIE F BUSBY	2 3
RIGGINS RANGER STATION	[illegible]	[illegible]	[illegible]	45 25	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	5
[illegible]	[illegible]	[illegible]	12	43 38	111 47	4962	[illegible]	[illegible]	[illegible]	2 3
ROLAND WEST PORTAL	[illegible]	[illegible]	10	47 21	[illegible]	4150	[illegible]	[illegible]	[illegible]	
[illegible]	7968	[illegible]	[illegible]	[illegible]	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 [illegible]	4968	7P	7P	[illegible]	
SAINT MARIES	[illegible]	BENEWAH	10	47 19	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3
[illegible]	8076	[illegible]	11	[illegible]	113 53	3949	MID	MID	U S WB AIRWAY OBS	4 5
SANDPOINT EXP STATION	[illegible]	BONNER	9	48 17	116 34	2100	5P	[illegible]	[illegible]	2 3 4 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	[illegible]		VAR	U S FOREST SERVICE	
[illegible]	[illegible]	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
[illegible] CREEK	8548	CAMAS	12	43 30	114 [illegible]	[illegible]		VAR	U S FOREST SERVICE	
[illegible] RANGER STATION	8604	CLARK	[illegible]	44 21	112 11	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	
SPRINGFIELD	[illegible]	BINGHAM	[illegible]	43 04	112 41	4420	[illegible]	[illegible]	E T SHELAN	
[illegible]	8738	VALLEY	11	44 [illegible]	115 20	6550	8A	8A	BRADLEY MINING CO	
SUGAR	8818	[illegible]	12	43 52	111 45	[illegible]	[illegible]	[illegible]	[illegible]	2 3
SUN VALLEY	[illegible]	BLAINE	12	43 41	114 21	5821	[illegible]	[illegible]	EDWARD F SEAGLE	4 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	[illegible]	[illegible]	IDAHO POWER COMPANY	2 3
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	[illegible]	[illegible]	[illegible]	
THREE CREEK	[illegible]	OWYHEE	12	42 03	[illegible]	5400	[illegible]	[illegible]	L E TANNER	2 3 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	[illegible]		VAR	U S SOIL CON SER	
[illegible] GUARD STATION	9233	[illegible]	2	[illegible]	115 38	3475		VAR	U S SOIL CON SER	
TWIN [illegible] NNE	9294	TWIN FALLS	12	[illegible]	114 28	3770	5P	[illegible]	[illegible]	2 3
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	[illegible]	42 32	114 25	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	[illegible]	BLAINE	11	43 49	114 51	[illegible]		VAR	U S SOIL CON SER	
WALLACE	[illegible]	SHOSHONE	[illegible]	[illegible]	115 56	[illegible]	[illegible]	[illegible]	W FEATHERSTONE JR	7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	[illegible]	[illegible]	8A	[illegible]	[illegible]	[illegible]
WEISER	[illegible]	WASHINGTON	12	44 [illegible]	116 [illegible]	2114	6P	[illegible]	[illegible]	2 3
WINCHESTER 1 SE	[illegible]	LEWIS	3	46 14	116 36	[illegible]	[illegible]	4P	T CENSKY	3
YELLOW PINE	[illegible]	VALLEY	11	44 [illegible]	[illegible]	[illegible]		VAR	L J MILLER	

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 4 are from recording gages. Traces are not shown.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 4, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. When hourly precipitation is missing or accumulated for several days, only the first and last days are shown in Table 4.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
6	Station not equipped with a recording gage.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-100836 1000 10-1



IDAHO

Precipitation only
Porthill
Bonners Fy WB Awy
Benton Dam
Priest Riv Exp Sta
Sandpoint Exp Sta
Clark Fork 1ENE
Bayview Model Basin
Coeur d'Alene CAA AP
Deception Cr
Coeur d'Alene RS
Burke 2ENE
Mullan Pass CAA Sta
Wallace
Saint Marie
Avery RS
Clarkia RS
Grangeville WB Awy
Deadwood Summit
Parma Exp Sta
Fairfield RS
Irwin 2S
Fort Hall Ind Agcy
Malad CAA AP
Three Creek
Strevell WB Awy
48
47
46
45
44
43
42
117
116
115
114
113
112
111

AGRICULTURAL [illegible] DEPARTMENT
CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

SEPTEMBER 1951
Volume LIV No. 9

Beginning with the October, 1951, issue of Climatological Data, Table 4, Hourly Precipitation, will be discontinued due to curtailment of the funds necessary for the processing and publication of these data.

SAN FRANCISCO: 1951

IDAHO - SEPTEMBER 1951

D. J. Stevlingson, Acting Section Director, Boise

WEATHER SUMMARY

This was a very dry September in most sections of the State but temperatures averaged close to normal. Positive precipitation departures were recorded at only 10 stations, all in Shoshone, Bonner and Boundary Counties, while more than 30 stations in southern sections reported no rain for the entire month. Only two Septembers since 1893 have been drier in the Southeastern Division and only five in the Southwestern Division. Sunshine was well above normal in southern portions of the State but somewhat deficient in the extreme north. Winds were lighter than usual for September and no storm damage was reported.

Storm fronts during September were relatively weak as they moved across Idaho. In the Northern Division frontal action was more pronounced than in the Southern Divisions, as shown by the more frequent and heavier precipitation. There was no day during the month when showers occurred generally throughout the State, and only a few days with widespread shower activity affecting two of the three divisions. In the north the principal rainy days were the 11th, 25th and 30th, and on either one or the other of the latter two days the heaviest rain of the month was recorded at every station in the division. The 11th was also a day of considerable shower activity in the Southeastern Division, in fact the only day with widespread showers. In the southwest the only day with widespread showers was the 25th. The period between the 11th and the 25th was one of generally warm, dry weather, particularly in the southern portions of the State. The 14th to the 19th was an especially warm period with a majority of stations recording daily maximum temperatures ranging upward from 75° into the nineties, and minimum readings in the forties and fifties. A cold front that pushed into the State from the north on the 19th caused little precipitation, but did bring a very noticeable drop in temperatures, with subzero readings reported from the Southeastern Division and from higher elevations in other portions of the State. Another cold front, this one from the northwest, moved through the State on the 25th and was followed by widespread early morning freezing temperatures on the 26th and 27th. As a consequence, by the end of the month nearly all sections of the State had experienced at least a light frost.

From the standpoint of the agricultural economy of Idaho, September 1951 was a generally favorable month. The dry weather permitted almost uninterrupted harvesting operations, but lack of soil moisture caused some delay in soil preparation and fall seeding. Prune harvesting was completed and apple picking begun. Some alfalfa and clover seed crops were being harvested. Beans were mostly harvested and threshed by the close of the month, while second and third crop hay harvest continued. Corn canning was about complete and digging of late potatoes was well under way, particularly where vines had frozen. Sugar beet harvesting was just starting at the end of the month. Range conditions in lower elevations were below normal, causing some shrinkage in cattle and sheep while moving down from higher ranges.

Although rainfall was light in southern Idaho, the fire hazard did not reach extreme stages in the forest areas because of the copious rains in August and the relatively light winds during September. Lower range grasses were still dry enough to constitute a distinct fire hazard, but absence of strong winds helped to prevent large conflagrations.

DJS

ACKNOWLEDGMENTS

In addition to the climatological data from some 6,000 Weather Bureau and cooperative weather stations, this bulletin series contains records from Hydroclimatic Network Stations which were formerly reproduced in the Hydrologic Bulletin Series. The Hydroclimatic Network is a nationwide net of rain gages--mostly of the recording type which produce continuous records of precipitation. It was established in 1939 at the request of the Corps of Engineers, Department of the Army, to supplement existing precipitation stations in order to provide records of rainfall intensity which were essential to the planning of flood control and related works by the Corps of Engineers. This Network, now numbering about 2,000 recording, and 1,000 non-recording rain gages, has been maintained by the Weather Bureau through working funds transferred annually to the Weather Bureau by the Corps of Engineers. These transfers averaged about $250,000 per year between 1940 and 1944, and nearly $375,000 since that date. For the years 1940-42, the Department of Agriculture transferred about $100,000 per year to provide data required in its work, and since 1947 the Bureau of Reclamation has transferred about $25,000 per year to meet the increasing needs of their program in the Western States.

Previous to the introduction of this bulletin series, data from Hydroclimatic Network stations were presented in bulletins (Hydrologic Bulletins) which were issued monthly for each of 8 drainage areas embracing the entire United States, but since the Network was established to meet the internal requirements of the Federal agencies referred to above, no provision was made for public dissemination of the data, distribution being limited to cooperating agencies and to certain public repositories. A list of locations where reference copies of the Hydrologic Bulletin Series are available for inspection may be obtained upon application to Chief,U.S. Weather Bureau,Washington 25, D.C.

Many other records published in this bulletin have been made available through the cooperation of various public offices, private agencies, and individuals as listed in the Station Index.

SUPPLEMENTAL DATA

Station	Wind direction: Prevailing	Wind direction: Percent of time from prevailing	Wind speed m p h: Average	Wind speed m p h: Fastest mile	Wind speed m p h: Direction of fastest mile	Wind speed m p h: Date of fastest mile	Relative humidity averages percent: [illegible]	Relative humidity averages percent: [illegible]	Relative humidity averages percent: [illegible]	Relative humidity averages percent: [illegible]	Number of days with precipitation: Trace	Number of days with precipitation: .01–.09	Number of days with precipitation: .10–.49	Number of days with precipitation: .50–.99	Number of days with precipitation: 1.00–1.99	Number of days with precipitation: 2.00 and over	Number of days with precipitation: Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
BOISE WB AIRPORT	SE	25	6.9	[illegible]	NW	[illegible]	50	[illegible]	[illegible]	40	[illegible]	1	0	[illegible]	0	0	[illegible]	[illegible]	[illegible]	[illegible]
LEWISTON WB AIRPORT	E	13	3.4	-	-	-	65	42	[illegible]	50	[illegible]	[illegible]	[illegible]	0	[illegible]	0	6	-	[illegible]	[illegible]
POCATELLO WB AIRPORT	SW	16	7.4	40	SW	[illegible]	[illegible]	31	[illegible]	37	1	1	0	0	[illegible]	[illegible]	[illegible]	83	3.2	[illegible]

COMPARATIVE DATA

able 1

Year	Temperature: Average	Temperature: Highest	Temperature: Lowest	Precipitation: Average	Precipitation: Average snowfall	Precipitation: No. of days .01 or more
1893	55.9	100	20	2.54	-	7
1894	54.7	93	15	1.03	-	5
1895	53.9	96	8	1.48	-	6
1896	56.0	101	10	.51	-	3
1897	58.1	95	17	1.07	-	4
1898	57.2	100	10	.47	0.0	3
1899	59.9	104	14	.40	0.0	2
1900	56.2	101	8	.84	T	3
1901	54.4	97	11	1.03	0.0	6
1902	57.4	99	9	.41	0.1	3
1903	54.3	100	15	1.14	1.2	6
1904	59.8	101	21	.35	0.0	2
1905	59.3	107	6	.95	T	5
1906	59.5	100	10	.54	T	3
1907	57.2	103	7	.68	0.0	[illegible]
1908	58.1	102	8	1.19	0.1	4
1909	58.5	99	9	2.01	T	7
1910	58.2	98	12	1.09	0.0	5
1911	56.1	101	10	.79	0.0	4
1912	52.3	94	10	.96	0.0	5
1913	58.0	100	11	.85	T	4
1914	55.7	100	14	1.59	1.0	7
1915	55.2	97	12	1.35	0.1	5
1916	56.7	105	13	.55	0.1	3
1917	59.5	99	16	1.57	0.0	5
1918	60.0	103	16	1.35	0.0	6
1919	58.5	102	15	1.18	0.0	5
1920	57.1	99	18	1.57	0.4	7
1921	53.1	98	10	.86	0.1	4
1922	60.4	101	11	.27	0.0	2
1923	59.9	104	12	.69	0.3	3
1924	57.8	107	5	.59	0.2	4
1925	57.3	100	18	1.48	T	7
1926	52.3	95	- 1	.98	0.4	4
1927	55.4	100	18	2.40	0.1	9
1928	58.6	103	15	.29	T	2
1929	54.3	99	13	.63	T	4
1930	58.0	100	13	1.15	T	6
1931	57.9	104	18	.95	0.1	5
1932	58.3	103	16	.15	0.0	1
1933	55.7	100	11	.85	0.1	5
1934	55.6	103	10	.58	0.3	3
1935	60.8	102	14	.19	0.0	1
1936	56.3	101	5	.48	T	3
1937	60.1	104	15	.55	0.0	4
1938	63.1	107	20	.45	0.0	3
1939	58.6	102	18	.96	0.0	2
1940	59.1	102	15	3.25	T	13
1941	52.8	91	10	1.33	T	9
1942	58.6	103	11	.46	0.0	2
1943	60.8	102	15	.15	0.0	1
1944	58.6	108	12	.83	T	5
1945	54.4	107	12	1.53	0.3	7
1946	56.1	93	16	1.11	T	6
1947	57.8	104	9	1.31	0.2	5
1948	57.7	101	15	1.16	0.1	4
1949	60.0	100	13	.89	0.1	4
1950	57.9	110	14	1.16	0.3	6
1951	57.8	99	12	.40	T	2
PERIOD	57.3			.98	0.1	

CLIMATOLOGICAL DATA

able 2

Station	Temperature: Average	Temperature: Departure from normal	Temperature: Highest	Temperature: Date	Temperature: Lowest	Temperature: Date	Temperature: Degree days	Temperature: No. of days: Max 90° or above	Temperature: No. of days: Min. 32° or below	Precipitation: Total	Precipitation: Departure from normal	Precipitation: Greatest day	Precipitation: Date	Snow, Sleet, Hail: Total	Snow, Sleet, Hail: Max depth on ground at obsn	Snow, Sleet, Hail: Date	No. of days: .01 or more	No. of days: .50 or more	No. of days: 1.00 or more
ORTHERN DIVISION																			
ERY RS	59.6M	1.1	92	7	33	21+	171	[illegible]	0	1.90	.13			.0	0		9		0
YVIEW MODEL BASIN	56.4		86	18	42	24	[illegible]	0	1	1.11		.50	30	.0	0		[illegible]	[illegible]	0
G CREEK 1 S	49.7		88	15	17	[illegible]	454	0	22	.36	- 1.44	.22	[illegible]	.0	0		[illegible]	[illegible]	[illegible]
NNERS FERRY	56.6	- 0.2	85	18	30	26	[illegible]	0	1	2.10	.71	.66	30		0		8		[illegible]
RKE 2 NNE	51.5	- 0.7	76	6	31	21	[illegible]	0	[illegible]	3.15	.54	[illegible]	[illegible]	.0	[illegible]		11		
ARK FORK 1 ENE	54.1	- 0.7	80	18	[illegible]	21+	[illegible]	0	[illegible]	2.81	- .06	1.31	[illegible]	.0	0		[illegible]	2	[illegible]
BALT BLACKBIRD MINE	46.9		75	7	[illegible]	[illegible]		0	[illegible]	.68				.0	0		6		0
EUR D ALENE CAA AP	57.8		85	18	[illegible]	26	220	0	1	1.03		.70	30	.0	0		[illegible]	1	[illegible]
EUR D ALENE RS	59.4M	1.5	87	6+	[illegible]	[illegible]	[illegible]	0	1	.71		.44	30	.0	0		[illegible]	0	[illegible]
TTONWOOD	57.7	0.9	86	15	29	[illegible]	[illegible]	0	[illegible]	.34	- 1.16	.20	30	.0	0		[illegible]	0	0
K CITY	51.2		88	16	[illegible]	21+	408	0	[illegible]	.84		.37	30	.0	0		[illegible]	0	
NN RS	61.8	0.7	[illegible]	6	[illegible]	21	[illegible]	4	1	[illegible]	- .79	.32	[illegible]	.0			[illegible]	0	0
ANGEVILLE	M																		
LLOGG	58.6	1.5	89	17	34	[illegible]		0	0	1.23	- .56	.31	26	.0			10	0	0
OSKIA	63.4	2.2	94	15	31	27	79	5	1	[illegible]	- 1.16	.21	[illegible]	.0			[illegible]	0	0
WISTON WATER PLANT	65.6M	1.5	95	6	39	27	48	6	0	*				.0					
WISTON WB AP	63.6		90	15	39	27	77	1	0	.34		.17	30	.0			[illegible]	0	0
SCOW U OF I	[illegible]	2.1	87	15	34	23+	[illegible]	0	0	[illegible]	- .68	.40	30	.0			4	[illegible]	0
LLAN PASS CAA	47.5	- 1.4	70	6+	29	26	[illegible]	0	[illegible]	2.51	.20	1.13	[illegible]	T			10		1
ZPERCE	57.8M	1.5	88	16	[illegible]	11+	219	0	0	.57	- .74	.41	[illegible]	.0			3	0	0
OFINO	63.2M	0.9	[illegible]	6	[illegible]	27	87	[illegible]	0	.47	- 1.09	.37	[illegible]	.0			4	0	0
ERCE RS	54.2	- 0.6	86	14+	[illegible]	[illegible]	[illegible]	0	9	1.60	- .39			.0	0		4		0
RTHILL	55.3	0.8	84	18	[illegible]	[illegible]	284	0	[illegible]	1.67	.15	.64	[illegible]	.0	0		9		0
LATCH	58.6	2.2	87	16	[illegible]	27	[illegible]	0	0	[illegible]	- .98	.20	[illegible]	.0	0				0
IEST RIVER EXP STA	54.1	- 0.0	84	6	[illegible]	[illegible]	321	0	7	1.78	[illegible]	.51	[illegible]	T	[illegible]		[illegible]	1	0
GGINS RS	68.5	2.1	95	7	43	[illegible]	[illegible]	[illegible]	0	.04	- .98	.04	30	.0	0		1	0	0
LAND W PORTAL	52.7	- 0.3	80	16	[illegible]	[illegible]	362	0	2	2.96	.61	1.29	[illegible]	.0	0				[illegible]
INT MARIES	57.8M	0.4	87	18	30	27	207	[illegible]	[illegible]	1.23	- .07	.57	[illegible]	.0			4	1	0
NOPCINT EXP STA	54.7	- 0.6	[illegible]	18	[illegible]	11+	301	0	[illegible]	[illegible]	.40	1.21	30	[illegible]	0		4		1
LLACE	55.1	- 1.4	[illegible]	[illegible]	30	26	[illegible]	0	[illegible]	2.98	.89	1.30	[illegible]	.0	0		11		1
LLACE WOODLAND PARK	54.4	- 0.9	[illegible]	17	[illegible]	21		0	0	1.54	- .27	.46	26	.0	0		[illegible]		
NCHESTER 1 SE	55.4	0.4	[illegible]	[illegible]	[illegible]	27	[illegible]	0	9	.60	- 1.50	[illegible]	30	.0	0		4	0	0
DIVISION	[illegible]	0.1								1.30	- .34			T					

See reference notes following Station Index

CLIMATOLOGICAL DATA

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max depth on ground at obsn	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	49.8	- 1.1	88	16	20	17+	450	0	[illegible]	.74	- .15	.58	25	.0	0		3	1	0
ANDERSON DAM	63.8		92	16	41	12	81	2	0	.01		.01	25	.0	0		1	0	0
ARROWROCK DAM	62.3	0.1	92	8	36	26		[illegible]	0	.01	- .52	.01	6	.0	0		1	0	0
ATLANTA 1 E	56.3	4.2	85	16	28	21	158	0	[illegible]	.13	- .88	.13	[illegible]	.0	0		1	0	0
BLISS	62.5	1.3	93	7	42	27	100	2	1	.00	- .40	.00		.0	0		0	0	0
BOISE LUCKY PEAK DAM	66.1M		95	7	[illegible]	11	[illegible]	[illegible]	1	.00		.00		.0	0		0	0	0
BOISE WB AP	63.6	2.4	93	7	37	26	88	2	0	.01	- .52	.01	25	.0	0		1	0	0
BUHL	64.6M	3.8	88	7+	34	12	60	0	0	.00	- .44	.00		.0	0		0	0	0
CALDWELL	61.1	0.1	94	7	31	27	[illegible]	[illegible]	[illegible]	T	- .47	T	25+	.0	0		0	0	0
CAMBRIDGE	57.8	- 2.9	91	7+	27	26		3	[illegible]	.38	- .28	.20	24	.0	0		2	0	0
CASCADE 1 NW	53.9		84	7+	21	21	325	0	13	.66		.53	25	.0	0		2	1	0
[illegible]	56.6	0.5	85	7	25	26	246	0	4	.01	- .61	.01	6	.0	0		1	0	0
COUNCIL [illegible] NNE	61.4	1.2	90	15+	33	27	129	[illegible]	0	.49	- .44	.49	30	.0	0		1	0	0
DEADWOOD DAM	49.8	- 0.8	86	16	21	12	447	0	25	.49	- .50	.47	25	.0	0		2	0	0
DEER FLAT DAM	62.9	1.6	90	7	34	27	102	1	0	.00	- .38	.00		.0	0		0	0	0
EDEN HUNT PROJECT	59.6		92	17	30	[illegible]	166	[illegible]	7	T		T	20	.0	0		0	0	0
EMMETT [illegible] E	62.2	- 1.1	[illegible]	7	31	27	109	2	1	.00	- .58	.00		.0	0		0	0	0
FAIRFIELD RS	[illegible]M						246			.00		.00		.0	0		0	0	0
GARDEN VALLEY RS	61.5M	2.4	[illegible]	7+	29	27	111	5		[illegible]	- .56	.32	[illegible]	.0	0		1	0	0
GLENNS FERRY	62.2	- 0.6	95	7	30	27	106	5		.00	- .31	.00		.0	0		0	0	0
GOODING CAA AP	62.7	2.8	90	7+	35	21	108	2	0	.03	- .36	.03	20	.0	0		1	0	0
GRAND VIEW	64.5	3.0	99	7	33	22+	61	9	0	.00	- .42	.00		.0	0		0	0	0
HAILEY	57.9	1.3	85	16	28	21+	210	0	[illegible]	.00	- .70	.00		.0	0		0	0	0
HAZELTON	61.0	- 0.0	89	7+	32	[illegible]	131	0	1	.00	- .45	.00		.0	0		0	0	0
HILL CITY	54.8	0.9	87	16	19	27	[illegible]	0	15	.00	- .42	.00		.0	0		0	0	0
HOLLISTER	M		87	7+				0	0	.00	- .46	.00		.0	0		0	0	0
IDAHO CITY	55.9	- 1.0	90	16	[illegible]	27	266	1	19	.01	- .65	.01	25	.0	0		1	0	0
JEROME	61.8	0.3	91	7	[illegible]	27	119	1	0	.01	- .33	.01	20	.0	0		[illegible]	0	0
KUNA [illegible] NNE	59.6	- 1.9	91	7	[illegible]	22+	169	[illegible]		.00	- .53	.00		.0	0		0	0	0
LOWMAN	[illegible].7M	- 1.2	90	16	[illegible]	[illegible]	333	1	21	.41	- .59	.41	[illegible]	.0	0		1	0	0
[illegible]	58.1	- [illegible].1	[illegible]	6	28	22	[illegible]	0	6	.00	- .51	.00		.0	0		0	0	0
MESA	63.3		91	6	[illegible]	1	101		0	.66		.49	30	.0	0		2	0	0
MOUNTAIN HOME 1 NE	61.6	1.7	[illegible]	7	41	16	[illegible]	[illegible]	4	.00	- .48	.00		.0	0		0	0	0
NAMPA 2 NW	61.6		[illegible]	8	[illegible]	[illegible]		[illegible]	0	T		T	26+	.0	0		0	0	0
NEW MEADOWS RS	M		84	6	20	21		0											
[illegible]	46.4	- 1.4	77	15+	16	21+	550	0	27	.06	- .87	.06	25	.0	0		1	0	0
OLA 4 S	58.8M		94	16			159	6		.08	- .74	.08	[illegible]	.0	0		1	0	0
PARMA EXP STA	63.1	1.3	92	7	31	[illegible]	91	4	[illegible]	.07	- .37	.05	29	.0	0		2	0	0
PAYETTE	61.9	0.4	90	6+	31	[illegible]	117	[illegible]	1	.22	- .24	.12	30	.0	0		2	0	0
RICHFIELD	57.7	- 0.4	86	7	[illegible]	27	215	0	3	.00	- .46	.00		.0	0		0	0	0
SHOSHONE	61.5	2.4	90	16	34	21+	[illegible]	1	0	.03	- .45	.03	19	.0	0		1	0	0
STIBNITE	49.4M		79	17	[illegible]	20		0	17	.72		.40	26	T	0		4	0	0
SUN VALLEY	[illegible]M	1.1	81	7+	18	[illegible]	411	0	[illegible]	.01	- .92	.01	6	.0	0		1	0	0
SWAN FALLS PH	68.5	1.2	99	7	42	[illegible]	19	8	0	.00	- .42	.00		.0	0		0	0	0
THREE CREEK	55.1		88	7	[illegible]	21	[illegible]	0	16	T	- .86	T	[illegible]	.0	0		0	0	0
TWIN FALLS 2 NNE	62.0	2.5	[illegible]	7+	[illegible]	27	104	3	1	.00	- .57	.00		.0	0		0	0	0
TWIN FALLS 3 SE	60.4	0.9	90	8+	31	22+		[illegible]	[illegible]	.00	- .43	.00		.0	0		0	0	0
WEISER	62.9	- 0.5	96	5	30	27	95	7	[illegible]	.34	- .09	.26	30	.0	0		2	0	0
DIVISION	59.3	0.7								[illegible]	- .56			T					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STA	59.2	1.7	88	7	27	27	179	0	4	T	- .67	T	11+	.0	0		0	0	0
ALBION	57.1	0.6	88	7	[illegible]	[illegible]	236	0	8	.00	- .82	.00		.0	0		0	0	0
AMERICAN FALLS 1 NW	60.8	[illegible]	87	7	29	12	137	0	[illegible]	.02	- .69	.02	19	.0	0		1	0	0
ARCO	56.3	1.0	85	17	[illegible]	26	[illegible]	0	9	.00	- .56	.00		.0	0		0	0	0
ASHTON 1 S	[illegible]	- 2.2	79	7+	18	[illegible]	377	0	[illegible]	.15	- .97	.15	11	.0	0		1	0	0
BLACKFOOT	59.1	2.0	87	7+	29	21+	176	0	[illegible]	.05	- .71	.05	11	.0	0		1	0	0
BURLEY	62.8	2.5	[illegible]	8	[illegible]	[illegible]		2	1	.00	- .51	.00		.0	0		0	0	0
BURLEY FACTORY 1 NW	58.4	0.1	[illegible]	8	27	1		1	6	.00	- .54	.00		.0	0		0	0	0
BURLEY CAA AP	59.7	0.7	92	16	28	27	160	[illegible]	[illegible]	.00	- .88	.00		[illegible]	0		0	0	0
CHILLY BARTON FLAT	49.0	- 1.8	81	[illegible]	[illegible]	27	473	0	24	.00	- .91	.00		.0	0		0	0	0
CONDA	53.1	0.2	[illegible]	8+	[illegible]	11		0	[illegible]	[illegible]	- 1.17	.17	18	T	0		3	0	0
[illegible]	52.4	0.8	80	8+	20	21		0	10	[illegible]	- .98	.40	11	.0	0		2	0	0
DUBOIS EXP STA	57.4	1.1	[illegible]	7	29	21	[illegible]	0	4	.00	- .87	.00		.0	0		0	0	0
DUBOIS CAA AP	56.4	- 1.4	83	7	27	[illegible]	[illegible]	0	5	T	- .95	T	11	.0	0		0	0	0
FORT HALL IND AGENCY	[illegible].0M	1.2	87	7	[illegible]	12	183	0	4	.11	- .69	.07	11	.0	0		2	0	0
GRACE PH	54.9	- 1.3	81	17	[illegible]	[illegible]	296	0	5	.34	- .73	.29	28	.0	0		3	0	0
GRAY	53.0	0.5	[illegible]	18	[illegible]	21	[illegible]	0	9	[illegible]	- .75	.32	11	.0	0		1	0	0
GROUSE	49.8		90	16+	17	[illegible]	[illegible]	0	24	T	- .61	T	11	.0	0		0	0	0
HAMER 4 NW	55.7	0.6	[illegible]	7+	[illegible]	27	275	0	10	[illegible]	- .70	.03	11	.0	0		1	0	0
IDAHO FALLS CAA AP	56.9	- 0.1	84	5+	[illegible]	21+	240	0	4	[illegible]	- .63	.15	11	.0	0		2	0	0
[illegible]	55.6	2.0	85	8	25	21	278	0	7	[illegible]	- .84	.34	11	.0	0		1	0	0
ISLAND PARK DAM	49.4	- 2.0	77	17	19	21	463	[illegible]	[illegible]	.04	- 1.66	.04	[illegible]	.0	0		1	0	0
LIFTON PUMPING STA	54.6	- 0.9	[illegible]	17	[illegible]	21	308	0	6	.17	- .67	.17	29	.0	0		1	0	0
MACKAY RS	55.4	- 0.4	[illegible]	16	[illegible]	[illegible]	283	0	4	[illegible]	- .78	.02	17	.0	0		1	0	0
MALAD	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	146	0	1	[illegible]	- .77	.34	28	.0	0		2	0	0
MALAD CAA AP	58.1		85	17	29	22+	203	0	7	[illegible]		.34	28	.0	0		2	0	0
[illegible]	[illegible]	- [illegible]	[illegible]	7	25	21+	306	0	8	[illegible]	- .68	.01	18	.0	0		1	0	0
MC CAMMON	58.3		89	7	[illegible]	27	206	0	7	T		T	11	.0	0		0	0	0
MINIDOKA DAM	[illegible]		[illegible]	7	[illegible]	[illegible]	109	0	0	.00		.00		.0	0		0	0	0
MONTPELIER RS	53.8M	- 0.9	[illegible]	17	[illegible]	[illegible]		0		.77	- .29	.41	29	T	0		3	0	0
OAKLEY	60.2	0.7	[illegible]	7	28	21	150	0	1	T	- .76	T	20	.0	0		0	0	0
PALISADES DAM	54.2		82	7+	19	[illegible]	316	0	[illegible]	[illegible]		.35	11	.0	0		1	0	0
PAUL 1 E	59.3	0.4	91	9	[illegible]	[illegible]		[illegible]	[illegible]	.00	- .70	.00		.0	0		0	0	0
[illegible]	60.1	0.8	88	7	30	12	147	0	[illegible]	.02	- .72	.02	19	.0	0		1	0	0
PRESTON SUG FACT 2 SE	59.1	1.0	87	17	30	12	178	0		.45	- .55	.44	29	.0	0		2	0	0
RIRIE	57.4M		[illegible]	7		[illegible]	[illegible]	0	[illegible]	.29		.29	11	.0	0		1	0	0
RUPERT	59.0	0.2	87	[illegible]	[illegible]	27		0	1	.00	- .56	.00		.0	0		0	0	0
SAINT ANTHONY	54.9	0.5	82	5+		[illegible]	298	0	7	.05	- 1.03	.05	11	.0	0		1	0	0
SPENCER RS	52.8	0.2	[illegible]	[illegible]	[illegible]	27	358	0	[illegible]	.00	- 1.18	.00		.0	0		0	0	0
[illegible]	58.3	0.8	89	7	[illegible]	7	197	0	[illegible]	[illegible]	- .81	.00		.0	0		0	0	0
SUGAR	55.4M	0.8	87	[illegible]	[illegible]	21+	282	0		.00	- .97	.00		.0	0		0	0	0
TETONIA EXP STA	51.0	- 2.4	81	17	19	[illegible]	412	0	[illegible]	.15	- .94	.15	11	.0	0		1	0	0
DIVISION	56.4	0.5								.13	- .79			T					
STATE	57.8	0.5								.40	- .58			T					

See reference notes following Station Index

Table 3

DAILY PRECIPITATION

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
ABERDEEN EXP STA											T							T														T
ALBION																																.00
ALPHA 1 NE					.01																				.58					.15		.74
AMERICAN FALLS 1 NW																			02													02
ANDERSON DAM																									.01							.01
ARCO																																.00
ARROWROCK DAM																										.01						.01
ASHTON 1 S											15							T														15
ATLANTA 1 E																									.13							.13
ATLANTA 1 E //R																									.13							.13
AVERY RS							T	.13		.01	.25						.03			T			02		•	.97			.03	46		1.90
BAYVIEW MODEL BASIN	.17		T				T	.07	T	T	.12		T									T		.01	.14		T	T	.10	50		1.11
BENTON DAM R	.05									.07												.06		.67	15			.11	07	1.26		2 44
BIG CREEK 1 S										T	.09														.22				T	.05		.36
BLACKFOOT											.05							T														.05
BLACKFOOT DAM //R											.17							.03														.20
BLISS																																.00
BOISE LUCKY PEAK DAM																																.00
BOISE LUCKY PEAK DAM R																																.00
BOISE WB AP //R																	T								.01					T		.01
BONNERS FERRY	.47						T															.18	02	.14	.53			.06	01	.66		2.10
BONNERS FERRY R	.42						.03															.15	.01	.20	.47			•	.16	.62		2.06
BUHL																																.00
BURKE 2 NNE	.01	.34					T	04		T	.32						.09			T		.15	T	T	1 33	05		.01	.13	.68		3.15
BURLEY																																.00
BURLEY FACTORY 1 NW																																.00
BURLEY CAA AP																																.00
BURLEY CAA AP //R																																.00
CALDWELL																									T				T	T		T
CAMBRIDGE																								.20					.18			.38
CASCADE 1 NW																									53					13		.66
CASCADE RS //R	-	-	-																							-						
CENTERVILLE ARBAUGH																	.01								13				T	T		.14
CHALLIS						.01																										.01
CHILLY BARTON FLAT																																.00
CLARK FORK 1 ENE		.14						.10		.04	.44												T	.08	.60	.10				1.31		2.81
CLARK FORK 1 ENE R	.13						05	.05		38	.02													.47	17	.02				1.38		2.67
CLARKIA RS //R							.17			.07							.02								.33				.08	1.02		1.69
CLEMENTSVILLE 4 S //R											.12																					.12
COBALT BLACKBIRD MINE						.13				.14								.02	.01	T					•	.38						.68
COEUR D ALENE CAA AP	T						.07			04							T					T		.12	.06			.02	.02	.70		1.03
COEUR D ALENE CAA AP R							.07			.04														.12	.06			•	•	•		•
COEUR D ALENE RS		T									15											.01	T	T	.08	T	.01		.02	44		.71
CONDA											.12							.17										.13				.42
COTTONWOOD								.01			03														.10					.20		.34
COTTONWOOD 2 SW R										.03															.10					.18		.31
COUNCIL 2 NNE																														49		.49
COUNCIL 2 NNE R																														.50		.50
CROUCH 2 NNW																									.34					.03		.37
DEADWOOD DAM																									.47				T	.02		.49
DEADWOOD DAM //R																									.46					.03		49
DECEPTION CREEK R							.05			.22														.24	.24			.03	04	2.23		3.05
DEER FLAT DAM																																.00
DRIGGS											.40	.05						T														.45
DUBOIS EXP STA																																00
DUBOIS CAA AP											T																					T
DUBOIS CAA AP //R																																.00
EDEN HUNT PROJECT																				T												T
ELK CITY								.13		T	06														28					.37		.84
EMMETT 2 E																																.00
FAIRFIELD RS																																.00
FENN RS								.11			.12														.32	.22			.18	.10		1.05
FORT HALL IND AGENCY											.07							.04														.11
GARDEN VALLEY RS																									.32					T		.32
GLENNS FERRY																																.00
GOODING CAA AP																				.03												.03
GOODING CAA AP //R																				.02												.02
GRACE PH	T										.03																	.29	.02			.34
GRAND VIEW																																.00
GRANGEVILLE 6	-	-	-	-	-	-	-	-	-	-	-	-	-												.06					.01		-
GRAY											.32																					.32
GROUSE											T																					T
HAILEY																																00
HAMER 4 NW											.03																					.03
HAZELTON																																.00
HILL CITY																																.00
HOLLISTER																																.00
HOWE																		T														T
IDAHO CITY																									.01							01
IDAHO CITY 13 SW																									T				T			T
IDAHO FALLS CAA AP						04					.15						T															19
IDAHO FALLS CAA AP //R						.01					.12						.05															.18
IRWIN 2 S											.34																					.34
ISLAND PARK DAM						.04																										.04
JEROME																				.01												.01
KAMIAH 1 NE								04			02														.05	.06			•	•		•
KELLOGG		.03						T			30						.08	.01		.01			.02		19	11	T		[illegible]	23		1.23
KOOSKIA																									.21				.02	.13		.36
KUNA 2 NNE																																.00
LEADORE R											05						.03															08
LEWISTON WATER PLANT								T																	.16					•		•
LEWISTON WB AP 6							T			.03							T								.14			T		.17		.34
LIFTON PUMPING STA	T																	T										T	.17			.17
LOWMAN																									41					T		.41
MACKAY RS						T											.02															02
MACKAY RS R																	05															05
MALAD						T												.02										[illegible]				.36
MALAD R																		.01										29				30
MALAD CAA AP 6																		01										[illegible]				[illegible]
MAY RS																		.01														.01
MC CAMMON											T																					T
MERIDIAN 1 SSW																																00
MESA																									.17				T	[illegible]		[illegible]
MINIDOKA DAM																																00
MONTPELIER RS	33											T						T	.03										.41			.77
MOOSE CREEK RS R								06									04								.49	02				04		[illegible]
MOSCOW U OF I								T			10														[illegible]	01				40		[illegible]
MOUNTAIN HOME 1 NE																																[illegible]
MOUNTAIN HOME 1 NE R																																[illegible]
MULLAN PASS CAA	02	05					T	T		25	.02						20		.03			.15		.14	1.13			T	T	.52		2.51
MULLAN PASS CAA R	.17	03					.02	.01		25	.01						19		.03			.13	02	17	[illegible]				[illegible]	.67		3.28
NAMPA 2 NW																																[illegible]
NEW MEADOWS RS							-			-																						
NEZPERCE							T			.04															12				T	.41		[illegible]
OAKLEY																				T												T
OBSIDIAN 4 NNE																	T								06							.06
OLA 4 S																									08							08
OROFINO												.03													.37	[illegible]				[illegible]		47

DAILY PRECIPITATION

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
PALISADES DAM						T					.35																					.35
PARMA EXP STA																									.02				.05	T		.07
PAUL 1 E																																.00
PAYETTE																									.10					.12		.22
PIERCE RS												08						T							•	.85				.67		1.60
PIERCE RS //R											.06														.86					.69		1.61
PINE 2 SSW																									T							T
PLUMMER 3 WSW R																									.14					.49		.63
POCATELLO WB AP //R											T							.02														.02
PORTHILL	.20							.15			T											.33	06	.03	.07			.01	.18	.64		1.67
POTLATCH																									.20					.18		.38
PRESTON SUG FACT 2 SE	.01																	T											.44			.45
PRIEST RIVER EXP STA	T	05						.03		T	.05											.08		.44	.48	T		.02	.12	.51		1.78
RICHFIELD																																.00
RIGGINS RS																														.04		.04
RIRIE											.29																					.29
ROLAND W PORTAL							T-	.17		.09	.38	T					.15			T		.06	T	T	1.29	.16			.11	.55		2.96
RUPERT																																.00
SAINT ANTHONY											.05																					.05
SAINT MARIES							T			.13	.15						T							T	.57			T		.38		1.23
SANDPOINT EXP STA	T						T	.06		T												T	T		.74			T	.13	1.21		2.14
SANDPOINT EXP STA R							.05	.04		.02					-	-	-	-	-	-	-	-	-	-	-			.10	.02	1.28		-
SHOSHONE																			.03	T												.03
SPENCER RS																																.00
SPRINGFIELD																																.00
STIBNITE										.02	T										T					.40			.07	.23		.72
SUGAR																																.00
SUN VALLEY						.01																		T								.01
SWAN FALLS PH																																.00
TETONIA EXP STA											.15																					.15
THREE CREEK																													T			T
TWIN FALLS 2 NNE																																.00
TWIN FALLS 3 SE																																.00
WALLACE		T					.02	.08		.04	.15						.14					.01	.08	T	1.30	.10		T	.38	.68		2.98
WALLACE WOODLAND PARK		.06						.02			.23						T	.12					.05		.32	.46			.06	.22		1.54
WALLACE WOODLAND PARK R	.04	.01					.01			.20							.11					.05		.11	.64			.02		.52		1.71
WEISER																									.08					.26		.34
WINCHESTER 1 SE										.20							.01								.16					.23		.60

See reference notes following Station Index

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
-1st-																										
BENTON DAM																		[illegible]		[illegible]						[illegible]
BONNERS FERRY		.01	.01	.01		.01						.01					.01	.25	.10	[illegible]						[illegible]
CLARK FORK 1 ENE																				[illegible]	[illegible]	[illegible]				[illegible]
MULLAN PASS CAA	//																						[illegible]	[illegible]	.09	[illegible]
WALLACE WOODLAND PARK																								[illegible]	[illegible]	[illegible]
-2d-																										
MULLAN PASS CAA	//	.01			.01						.01															[illegible]
WALLACE WOODLAND PARK		.01																								[illegible]
-3d-																										
CASCADE RANGER STATION	//	-	-	-	-	-	-	-	-	-	-	-														-
-6th-																										
IDAHO FALLS CAA AIRPORT	//																.01									[illegible]
-7th-																										
BONNERS FERRY																				[illegible]	[illegible]					[illegible]
CLARK FORK 1 ENE																						[illegible]	[illegible]			[illegible]
CLARKIA RANGER STATION	//																							[illegible]	[illegible]	[illegible]
COEUR D ALENE CAA AP																					[illegible]	[illegible]				[illegible]
DECEPTION CREEK																					.05					[illegible]
MULLAN PASS CAA	//																							[illegible]		[illegible]
SANDPOINT EXP STATION																			[illegible]	[illegible]	[illegible]					[illegible]
WALLACE WOODLAND PARK																		[illegible]								[illegible]
-8th-																										
CLARK FORK 1 ENE						.05																				[illegible]
MOOSE CREEK RANGER STA	//	.04									.02															[illegible]
MULLAN PASS CAA	//						.01																			.01
SANDPOINT EXP STATION																					[illegible]					.04
-10th-																										
BENTON DAM																			[illegible]	[illegible]						[illegible]
CLARK FORK 1 ENE																[illegible]			[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
CLARKIA RANGER STATION	//																						[illegible]	[illegible]		[illegible]
COEUR D ALENE CAA AP																					[illegible]	[illegible]				[illegible]
COTTONWOOD 2 SW																								[illegible]		[illegible]
DECEPTION CREEK																					.04	.15	[illegible]			[illegible]
LEWISTON WB AP	6																								[illegible]	-
MULLAN PASS CAA	//															[illegible]	.02	[illegible]		.01	.01	[illegible]	[illegible]		[illegible]	[illegible]
SANDPOINT EXP STATION																				.01	.01					[illegible]
WALLACE WOODLAND PARK																							[illegible]	[illegible]		[illegible]
-11th-																										
BLACKFOOT DAM	//										.10	.07														[illegible]
CLARK FORK 1 ENE			.01				.01																			[illegible]
CLEMENTSVILLE 4 SE	//							.02	.04		.01	.02	.01				.01	[illegible]								[illegible]
IDAHO FALLS CAA AIRPORT	//							.01	.05	.06																[illegible]
LEADORE						.05																				[illegible]
LEWISTON WB AP	6	*	*	*	*	.03																				-
MULLAN PASS CAA	//					.01																				[illegible]
PIERCE RANGER STATION	//																.01					[illegible]		[illegible]	[illegible]	[illegible]
-15th-																										
SANDPOINT EXP STATION		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-17th-																										
CLARKIA RANGER STATION	//											.01	.01													.02
IDAHO FALLS CAA AIRPORT	//																							[illegible]	[illegible]	.05
LEADORE														.01								.01		.01		[illegible]
MACKAY RANGER STATION													.01	.01	.03											[illegible]
MOOSE CREEK RANGER STA	//												.02		.02											[illegible]
MULLAN PASS CAA	//							*	*	*	*	.19														[illegible]
SALMON	6																			*	*	*	*	*	.02	-
WALLACE WOODLAND PARK									.02	.03	.06															[illegible]
-18th-																										
BLACKFOOT DAM	//													.01	.02											[illegible]
MALAD														.01												.01
MALAD CAA AIRPORT	6													*	*	*	*	*	[illegible]							-
POCATELLO WB AIRPORT	//									.02																[illegible]
-19th-																										
MULLAN PASS CAA	//																				*	*	*	[illegible]		[illegible]
-20th-																										
OODING CAA AIRPORT	//																	[illegible]								[illegible]
-22d-																										
ENTON DAM																	.06									[illegible]
ONNERS FERRY												.02			.03	.04	.06									.15
ULLAN PASS CAA	//																.10	.02		[illegible]						.13
ALLACE WOODLAND PARK																		.03	.01	[illegible]						[illegible]
-23d-																										
ONNERS FERRY																		[illegible]								.01
ULLAN PASS CAA	//		.01	.01																						[illegible]
-24th-																										
ENTON DAM															.02	.02	.01	.01	.02	.04	.09	.14	.15	.10	.07	[illegible]
ONNERS FERRY																			.02	.01	.01	.04	.05	[illegible]	[illegible]	[illegible]
ASCADE RANGER STATION	//										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LARK FORK 1 ENE																[illegible]	.02	.01	.02	.05	.05	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OEUR D ALENE CAA AP																						[illegible]	[illegible]		[illegible]	.12
ECEPTION CREEK																			.03	.05	.02	[illegible]	[illegible]	.01	.02	.24
ULLAN PASS CAA	//																	[illegible]	[illegible]	*	*	[illegible]	[illegible]	.04	.05	.17
ALLACE WOODLAND PARK																				[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

See Reference Notes Following Station Index

HOURLY PRECIPITATION

Station		A. M. Hour Ending												P. M. Hour Ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
−25th−																										
ATLANTA 1 E	//														.03	.03	.07									.13
BENTON DAM		.02	.01									.04	.01						.07							.15
BOISE WB AIRPORT	//														.01											.01
BONNERS FERRY												.11	.03		.01	.01	.23	.06	.01	.01						.47
CLARK FORK 1 ENE		.10	.01		.01															.05						.17
CLARKIA RANGER STATION	//	.02	.01								.08	.06	.09	.05	.02											.33
COEUR D ALENE CAA AP		.01														.05										.06
COTTONWOOD 2 SW								*	*	*	*	*	*	*	.08	.01		.01								.10
DEADWOOD DAM	//							.01	.14	.07	.05	.07	.02	.05	.03	.01	.01									.46
DECEPTION CREEK		.01	.01								.03	.01		.14	.04											.24
LEWISTON WB AP	5						*	*	*	*	*	.01	*	*	*	*	*	.13								−
MOOSE CREEK RANGER STA	//							.08	.02	.05	.03	.07		.02				.02	.10		.02	.02	.03		.03	.49
MULLAN PASS CAA	//	.06	.09	.08	.04	.05	.03	.02	.05	.05	.05	.15	.13	.10	.01	.10	.19	.33	.02							1.55
PIERCE RANGER STATION	//	.02	.03	.03	.06	.05	.01	.01		.01	.02	.01	.14	.23	.03		.03	.17	.01							.86
PLUMMER 3 WSW									*	*	*	*	.14													.14
SALMON	6																			*	*	*	*	*	.01	−
SANDPOINT EXP STATION		−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	.02							−
WALLACE WOODLAND PARK		.01	.08	.05	.02	.01	.02		.02	.05	.03	.06	.09	.10	.01	.06	.01	.02								.64
−26th−																										
CLARK FORK 1 ENE					.01		.01																			.02
MOOSE CREEK RANGER STA	//	.02																								.02
−28th−																										
BENTON DAM																	.01	.01	.04	.01	.01		.01	.02		.11
BONNERS FERRY									*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
COEUR D ALENE CAA AP																			*	*	*	*	*	*	*	*
DECEPTION CREEK																				.02	.01					.03
MALAD														.27	.02											.29
MALAD CAA AIRPORT	//																			*	*	*	*	*	.34	−
SANDPOINT EXP STATION																		.02	.05					.03		.10
WALLACE WOODLAND PARK																							.02			.02
−29th−																										
BENTON DAM																					.02	.01	.01	.01	.02	.07
BONNERS FERRY		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.15								.01	.16
CLARKIA RANGER STATION	//					.04	.02				.02															.08
DECEPTION CREEK										.01			.01	.01	.01											.04
MULLAN PASS CAA	//					.01		.01		.01																.03
SANDPOINT EXP STATION																						.01		.01		.02
−30th−																										
BENTON DAM		.05	.10	.12	.21	.14	.14	.08	.04	.01	.01			.01	.05	.12	.02	.08	.02	.01	.02	.01	.02			1.26
BONNERS FERRY		.02	.05	.08	.11	.08	.05	.03	.05	.02		.04									.01	.01	.02	.04	.01	.62
CLARK FORK 1 ENE			.01	.05	.08	.13	.17	.13	.11	.14	.09	.02	.05	.07	.01	.10	.02	.01	.14	.03	.02					1.38
CLARKIA RANGER STATION	//					.02	.02	.03	.08	.03	.03	.02	.03	.05	.07	.03	.23	.13	.08	.06	.10	.01				1.02
COTTONWOOD 2 SW									.02	.02	.01	.01	.02	.03	.02	.03	.01	.01								.18
COUNCIL 2 NNW								.02	.12	.06	.10	.02	.01	.02	.04	.04	.03	.01						.03		.50
DEADWOOD DAM	//																.01				.01			.01		.03
DECEPTION CREEK			.01	.03	.09	.11	.17	.16	.20	.25	.25	.24	.19	.15	.16	.08	.05	.03	.05			.01				2.23
LEWISTON WB AP	5						*	*	*	*	*	.01	*	*	*	*	*	.09	*	*	*	*	*	.04	*	−
MOOSE CREEK RANGER STA	//												.03	.01												.04
MULLAN PASS CAA	//	.01		*	*	.05	.03	.08	.09	.05	.09	.05	.05	.01	.05	.03	.02	.02	.01	.01	.01	.01				.67
PIERCE RANGER STATION	//					.01	.03	.05	.07	.09	.06	.04	.05	.02	.06	.05	.03	.01	.12							.69
PLUMMER 3 WSW				.03	.03	.09	.09	.03	.03	.07	.02	.01	.04	.02		.01		.02								.49
SANDPOINT EXP STATION		.02	.06	.10	.14	.17	.20		.34	.09	.02				.01		.05		.03		.02	.03				1.28
WALLACE WOODLAND PARK						.02	.02	.02	.06	.03	.05	.05	.06	.04	.03	.07	.01	.01		.03	.01	.01				.52

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5

IDAHO
SEPTEMBER 1951

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	78	78	78	80	83	84	88	82	76	85	77	65	75	81	79	88	83	78	82	80	61	68	71	77	74	68	78	79	75	76		77.0
	MIN	38	39	40	40	44	48	41	54	30	37	44	29	32	34	43	37	49	47	38	54	[illegible]	[illegible]	41	43	48	44	27	36	40	56		43.7
ALBION	MAX	74	74	73	80	81	83	88	72	85	74	70	67	74	79	83	81	82	73	83	76	61	73	69	78	77	67	83	75	77	78		76.3
	MIN	32	36	35	31	39	43	37	50	34	53	45	23	26	30	32	34	39	51	41	[illegible]	[illegible]	[illegible]	33	36	40	43	26	34	35	39		37.8
ALPHA 1 NE	MAX	71	70	71	75	78	79	83	70	77	71	63	68	76	78	83	88	82	75	78	67	62	66	66	72	59	60	74	68	67	56		71.6
	MIN	25	25	27	29	39	33	32	30	24	27	36	20	22	24	25	20	33	32	27	[illegible]	21	22	22	23	36	24	20	26	30	41		27.9
AMERICAN FALLS 1 NW	MAX	77	77	77	82	84	84	87	86	77	85	80	68	72	82	80	79	84	80	82	79	62	69	[illegible]	76	76	67	72	78	73	78		77.4
	MIN	39	41	43	41	49	46	46	55	40	47	45	29	34	36	45	41	41	50	45	51	51	[illegible]	40	44	52	46	31	43	51	51		44.1
ANDERSON DAM	MAX	77	78	79	86	87	87	91	84	80	82	73	73	80	84	87	92	87	84	85	81	72	74	74	79	70	67	82	76	74	73		79.9
	MIN	47	40	45	45	50	55	51	56	45	49	49	41	48	44	50	49	56	53	49	59	40	49	44	42	47	44	40	45	47	52		47.6
ARCO	MAX	71	77	77	78	81	80	82	81	82	82	75	66	75	81	80	79	85	78	82	79	61	64	73	76	71	75	75	73	69	76		76.1
	MIN	36	37	37	35	37	51	39	40	36	33	47	29	30	32	40	36	33	47	42	44	34	31	32	31	37	28	30	30	34	35		36.4
ARROWROCK DAM	MAX	78	79	80	79	86	87	88	92	75	80	79	67	74	81	85	88	90	85	84	86	73	68	75	74	80	65	68	79	79	74		79.3
	MIN	45	47	47	45	46	52	51	52	45	48	50	41	43	44	48	48	52	50	47	[illegible]	38	39	41	40	43	[illegible]	37	39	46	49		45.3
ASHTON 1 S	MAX	72	71	75	73	77	73	79	71	76	68	54	56	69	75	73	74	75	74	67	58	68	69	71	69	63	63	[illegible]	75	75	75		70.5
	MIN	33	32	35	40	43	44	45	34	29	33	43	24	27	31	32	32	36	34	36	33	28	31	32	34	34	28	22	34	41	43		33.0
ATLANTA 1 E	MAX	66	70	70	75	80	78	80	79	76	75	66	76	78	80	82	85	80	76	76	75	64	65	69	71	70	61	73	72	63	63		73.2
	MIN	30	36	36	39	43	45	45	38	36	43	36	35	39	42	44	45	55	43	42	44	28	33	35	34	40	29	42	41	39	46		39.4
AVERY RS	MAX	77	77	78	83	86	88	92	72	85	84	64	76	81	82	90	87	79	87	85	81	67	66	68	72		68	75	75	68	65		77.9
	MIN	43	40	40	38	40	43	49	51	45	41	38	36	37	38	40	43	54	48	42	49	33	41	36	36		35	33	35	40	48		41.2
BAYVIEW MODEL BASIN	MAX	72	69	73	75	73	74	77	75	84	70	65	74	74	75	73	67	75	86	82	75	65	62	72	66	58	60	65	58	67	66		70.7
	MIN	36	50	46	44	43	46	50	51	36	45	35	46	34	36	41	41	52	42	41	42	33	44	37	32	49	[illegible]	39	36	45	46		42.1
BIG CREEK 1S	MAX	69	69	69	75	77	78	80	77	78	72	57	65	76	79	88	85	78	75	78	65	63	65	64	72	57	63	74	64	61	54		71.1
	MIN	26	27	29	27	29	35	31	35	25	28	26	20	23	25	26	26	27	28	27	41	17	35	22	26	16	25	19	24	14	36		28.2
BLACKFOOT	MAX	78	80	79	82	85	85	87	80	82	86	75	68	77	83	82	87	84	78	83	76	63	67	74	79	72	68	80	[illegible]	75	78		78.4
	MIN	42	40	40	40	45	52	43	42	40	42	43	30	35	37	32	38	41	44	42	43	[illegible]	37	40	38	30	43	[illegible]	24	46	37		39.7
BLISS	MAX	78	80	81	87	88	89	93	91	82	86	86	74	83	85	86	85	85	87	88	86	[illegible]	78	76	81	76	80	82	77	78	79		82.6
	MIN	38	38	43	44	43	45	46	56	48	46	46	40	39	39	43	42	41	51	46	51	36	36	40	38	40	36	32	43	42	43		42.4
BOISE LUCKY PEAK DAM	MAX	80			88	88	89	95	91		83	80	73	81	83	92	92		85	88	88	74	77		85	84	71	82	83	80			83.8
	MIN	49			49	48	57	56	48		51	32	43	48	50	53		56	57	53	53	42	43		45	50	35	43	47	51			48.3
BOISE WB AP	MAX	79	77	78	84	85	87	93	74	80	78	67	71	78	82	89	90	80	84	87	73	68	73	74	80	69	66	78	78	75	67		78.1
	MIN	45	47	47	50	53	52	63	49	47	49	46	43	48	50	55	52	60	54	56	51	44	43	41	48	47	37	39	51	54	44		49.1
BONNERS FERRY	MAX	70	74	76	81	83	82	75	72	78	71	64	74	79	81	82	81	83	85	[illegible]	74	70	58	54	59	59	58	64	57	66	65		71.8
	MIN	46	43	42	40	41	41	49	51	42	48	38	37	37	39	40	37	46	43	44	40	40	41	34	45	39	30	36	35	46	40		41.3
BUHL	MAX	76	78	78	81	82	84	88	88	80	84	77	76	84		84	87		88	86	84	68	74	74	76	78	70	80	78	78	76		80.0
	MIN	48	49	50	48	52	56	54	54	50	52	48	34	44		48	50		56	56	56	44	42	46	48	54	44	40	52	48	54		49.2
BURKE 2 NNE	MAX	63	62	63	69	73	76	72	61	67	67	54	66	65	68	74	75	67	75	71	66	60	62	55	60	55	48	62	58	55	54		64.1
	MIN	35	43	36	36	39	41	45	47	36	40	36	35	35	37	40	41	52	40	42	35	31	40	33	35	42	34	31	35	43	45		38.9
BURLEY	MAX	77	82	81	80	86	87	88	93	78	80	89	67	72	82	85	83	90	88	84	88	76	67	76	73	82	80	71	83	79	79		[illegible]
	MIN	43	44	44	44	44	52	46	53	46	44	46	34	37	39	48	43	45	53	51	55	44	36	40	44	40	45	32	40	49	54		44.0
BURLEY FACTORY 1 NW	MAX	75	78	79	78	85	87	85	90	72	78	86	65	70	79	82	83	88	84	81	85	69	64	74	72	81	79	70	81	76	78		78.5
	MIN	36	37	36	34	37	48	40	49	36	39	43	27	31	32	42	32	38	46	42	[illegible]	34	29	34	36	44	42	28	34	43	50		38.3
BURLEY CAA AP	MAX	79	78	78	83	85	85	90	74	78	86	65	70	77	82	84	92	86	82	86	69	63	73	71	81	79	69	81	77	76	79		78.0
	MIN	37	39	39	39	41	50	44	53	41	41	42	30	33	34	47	36	41	44	49	44	36	33	38	43	51	36	28	39	40	44		40.8
CALDWELL	MAX	81	82	83	86	88	91	94	77	84	81	70	76	82	86	87	88	86	88	88	74	71	76	79	80	73	69	76	80	76	67		80.4
	MIN	40	40	45	40	42	46	48	48	39	40	46	33	36	38	41	42	44	46	42	[illegible]	38	32	38	35	46	41	31	38	47	55		41.8
CAMBRIDGE	MAX	79	69	72	75	82	90	91	89	85	84	75	68	70	71	74	79	91	88	87	88	77	68	73	74	76	78	65	68	76	78		78.0
	MIN	38	37	38	39	40	50	52	40	37	36	30	34	37	36	38	35	47	38	39	47	32	[illegible]	37	45	34	27	37	35	44	35		37.6
CASCADE 1 NW	MAX	68	69	71	76	77	79	84	78	77	73	63	67	75	79	81	84	83	77	78	75	61	68	66	[illegible]	70	62	73	70	67	61		72.8
	MIN	31	32	35	34	41	44	42	38	32	35	39	26	30	32	33	35	40	42	35	47	[illegible]	40	29	31	43	29	26	32	42	42		34.9
CHALLIS	MAX	71	71	73	76	77	80	85	81	76	79	69	66	76	80	75	74	84	74	84	79	61	67	68	76	71	56	69	73	[illegible]	65		73.5
	MIN	38	38	40	39	47	45	44	58	37	41	41	29	35	39	40	41	41	43	41	48	40	43	36	40	45	25	44	36	32	35		39.7
CHILLY BARTON FLAT	MAX	66	69	68	71	76	72	77	68	72	77	63	62	71	73	74	81	76	68	78	64	56	62	64	71	67	63	68	70	65	69		69.4
	MIN	26	25	28	27	32	36	30	39	27	27	36	25	22	31	26	26	31	33	30	43	24	26	26	25	28	31	15	21	28	35		28.6
CLARK FORK 1 ENE	MAX	70	68	70	76	76	77	75	69	74	70	63	69	72	76	78	73	77	80	77	69	68	64	62	62	69	58	61	60	64	60		69.6
	MIN	39	41	36	35	36	38	44	49	37	41	35	35	34	36	36	36	43	40	39	38	32	41	32	37	49	36	34	34	42	49		38.5
COBALT BLACKBIRD MINE	MAX	62	59	61	67	67	68	75	59	67	69	40	56	65	67	70	74	69	67	72	46	52	57	55	65	53	54	65	62	54	55		61.7
	MIN	33	32	32	33	36	38	37	29	29	29	26	27	30	33	37	39	39	36	37	23	23	27	28	33	27	20	26	35	40	40		32.0
COEUR D ALENE CAA AP	MAX	74	70	72	78	80	83	76	72	76	69	66	70	75	78	79	83	81	85	79	69	72	63	68	66	62	56	60	61	66	58		71.6
	MIN	42	46	46	44	48	50	52	48	44	46	38	43	40	44	47	47	55	47	51	43	41	40	38	37	40	32	33	35	52	53		43.9
COEUR D ALENE RS	MAX	74	77	79	84	86	87	83	76	80	77	69	75	79	85	85	86	85	87		70		77	69	69	65	62	65	62	65	64		75.8
	MIN	43	46	41	38	40	43	51	54	43	48	39	40	45	38	38	39	58	47		42		48	36	41	51	32	34	37	48	51		42.9
CONDA	MAX	69	71	74	73	72	80	80	82	67	69	77	57	59	71	75	71	81	82	70	76	57	57	60	64	70	72	65	76	75	67		70.0
	MIN	33	35	31	41	44	37	41	29	32	44	22	26	30	32	31	35	49	34	48	24	29	31	35	40	41	27	38	40	45	45		35.6
COTTONWOOD	MAX	69	70	70	78	79	83	78	67	80	66	60	70	77	78	86	82	81	83	81	67	70	72	70	77	64	60	77	70	70	62		73.2
	MIN	40	43	40	38	42	43	52	46	37	47	33	43	37	40	41	45	57	43	52	42	21	45	34	45	49	37	30	37	42	53		42.1
COUNCIL 2 NNE	MAX	78	81	82	84	85	89	89	80	84	80	69	79	84	88	90	90	87	89	86	86	72	73	75	79	74	68	76	75	73	72		80.4
	MIN	42	49	46	43	45	49	48	47	43	40	51	35	37	45	44	46	46	52	50	45	35	36	41	34	38	35	33	35	36	38		42.3
DEADWOOD DAM	MAX	72	72	72	75	79	79	84	70	77	69	60	67	77	82	82	86	81	76	78	67	50	60	67	73	55	62	74	67	65	57		71.5
	MIN	27	26	30	28	40	34	31	31	25	27	36	21	24	25	27	27	35	31	29	32	24	22	22	23	24	26	22	25	32	34		28.1
DEER FLAT DAM	MAX	82	77	78	85	85	86	90	76	82	77	68	72	80	85	86	87	84	87	88	72	68	76	77	78	76	67	72	76	80	76		79.1
	MIN	45	54	50	47	51	57	54	52	48	44	46	35	38	41	51	46	54	54	[illegible]	[illegible]	42	[illegible]	40	39	44	39	34	43	53	56		46.8
DRIGGS	MAX	67	70	72	70	74	79	77	80	69	65	78	51	58	71	74	75	80	79	70	75	55	56	58	64	70	64	67	75	76	69		69.6
	MIN	37	35	33	32	37	43	37	42	30	34	35	24	27	30	28	41	38	41	42	45	20	33	43	43	40	39	23	36	40	44		35.1
DUBOIS EXP STA	MAX	72	72	70	74	79	77	82	79	71	81	75	58	69	76	76	80	79	75	[illegible]	78	58	62	64	73	70	65	70	75	[illegible]	73		72.8
	MIN	39	45	45	43	48	55	46	49	43	43	44	32	33	42	44	41	44	51	42	42	29	49	48	37	43	30	42	45	41	41		42.0
DUBOIS CAA AP	MAX	71	73	72	75	80	79	83	72	72	82	60	62	71	78	77	81	77	75	81	61	60	64	67	74	68	67	71	77	67	74		72.4
	MIN	40	44	47	45	49	54	47	43	44	38	34	27	32	42	45	34	43	47	38	38	24	41	40	36	41	29	31	39	40	49		40.4
EDEN HUNT PROJECT	MAX	78	79	79	86	87	87	90	84	79	84	84	71	79	83	80	82	92	83	86	80	66	75	[illegible]	71	78	84	84	85	[illegible]	79		80.9
	MIN	34	34	36	38	40	43	53	50	36	36	41	32	31	35	41	43	44	42	37	52	31	31	30	36	38	35	31	30	42	43		38.3
ELK CITY	MAX	70	68	70	78	78	82	84	70	77	75	58	68	75	78	85	88	85	87	80	72	55	69	69	74	72	61	77	74	67	77		74.4
	MIN	34	31	31	27	28	33	33	40	29	27	37	24	23	23	22	25	26	23	22	24	21	29	21	22	33	31	21	22	36	35		28.0
EMMETT 2 E	MAX	80	81	84	84	87	90	92	77	84	82	71	75	84	86	88	89	87	88	84	75	72	75	78	83	75	68	78	[illegible]	79	69		[illegible]
	MIN	40	41	42	43	50	46	52	46	40	44	43	35	38	40	46	47	53	47	45	47	45	34	37	34	51	35	31	39	51	54		43.3
FAIRFIELD RS	MAX	73		76	81	83	84	86					69	78	82		87	87	81	82	73		72		77	70		78	77	73	73		78.2
	MIN	32		31	32	37	40	35					26	29	30		33	44	43	37	[illegible]	24			36	34		22	31	34	41		34.1
FENN RS	MAX	80	80	83	85	89	92	89	82	85	83	80	78	86	84	90	86	86	91	[illegible]	84	72	75	[illegible]	77	72	[illegible]	[illegible]	75	68	58		80.0
	MIN	45	44	44	41	42	42	47	54	43	42	44	37	38	39	40	41	51	[illegible]	41	[illegible]	32	45	41	36	50	40	36	36	40	48		42.9
FORT HALL IND AGENCY	MAX	76	76	76	81	84	84	87	83	75	84	79	65	75	80		85	86	94	92	78	61	67	75	76	75	67	78	79	74	78		77.4
	MIN	37	40	42	35	41	49	41	54	39	33	43	26	30	33		34	39	48	40	[illegible]	50	[illegible]	34	41	54	44	28	45	50	60		[illegible]
GARDEN VALLEY RS	MAX	79	81	82	87	89	91	92	91	87	85	75	75		89	90	92	88	86		87	72			81	84		78	77	79	78		84.0
	MIN	35			39	47	43	42	43	37	37	46	31		36	37	38	45	43		37	47			31	38		29	34	42	48		38.9
GLENNS FERRY	MAX	83	83	83	87	90	91	95	88	85	86	74	78	83	87	93	92	89	84	89	76	72	78	79	81	78	[illegible]	84	78	76	79		83.3
	MIN	36	39	40	40	42	43	42	54	40	40	49	34	34	35	47	37	40	47	41	[illegible]	34	31	38	33	36	44	33	34	48	46		[illegible]
GOODING CAA AP	MAX	78	78	78	84	87	86	90	73	79	84	66	71	78	83	85	90	87	84	86	74	65	75	74	80	75	67	82	76	75	78		78.9
	MIN	46	46	42	49	49	53	55	53	44	48	44	38	41	47	51	54	60	[illegible]	47	47	[illegible]	[illegible]	43	48	52	43	39	46	42	46		46.4
GRACE PH	MAX	73	73	72	77	79	77	80	71	71	77	65	63	73	76	76	79	81	71	77	64	58	64	67	72	74	68	74	74	66	70		72.1
	MIN	41	38	38	37	40	44	40	47	34	38	37	25	28	32	35	34	34	[illegible]	[illegible]	[illegible]	26	35	38	35	46	45	27	38	43	46		37.7
GRAND VIEW	MAX	86	85	85	89	95	94	99	82	89	88	72	80	86	90	90	94	92	90	95	76	74	80	80	86	78	74	81	81	80	81		85.1
	MIN	42	44	45	41	45	52	47	54	42	43	51	35	38	39	43	40	48	52	44	[illegible]	45	43	43	36	45	45	33	37	44	54		43.8
GRANGEVILLE	MAX														79	84	85	84	83	84	77	70	73	72	78	75	62	73	71	71	67		
	MIN														42	43	44	57	47	50	41	33	40	36	48	48	36	30	41	48	54		
GRAY	MAX	70	71	70	71	76	77	78	77	71	75	65	57	69	70	80	78	[illegible]	82	78	[illegible]	[illegible]	64	62	60	70	72	73	72	72	58		71.1
	MIN	37	36	35	36	34	45	41	40	30	35	36	24	28	30	34	36	38	40	[illegible]	[illegible]	20	[illegible]	30	[illegible]	35	37	30	42	45	38		34.8
GROUSE	MAX	71	73	72	76	77	75	79	73	73	78	66	63	70	75	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	57	64	65	71	66	67	72	[illegible]	70	71		71.8
	MIN	21	24	26	27	27	41	28	27	24	27	40	19	22	25	32	27	33	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17	24	24	37		27.8
HAILEY	MAX	73	77	77	79	84	83	84	81	73	80	72	68	76	82	81	85	83	80	82	77	63	69	70	74	71	61	76	73	71	70		76.0
	MIN	37	38	39	40	40	48	44	39	38	40	43	30	37	39	42	44	44	49	42	61	28	[illegible]	37	36	35	[illegible]	33	39	36	43		39.7

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month 1	2	3	4	5	6	7	[illegible]	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	[illegible]	30	31	Average
HAMER 4 NW	MAX	74	74	73	76	81	79	83	75	74	82	74	64	74	78	77	83	78	77	82	77	60	65	67	75	70	69	75	80	70	77		74.8
	MIN	35	37	41	40	45	53	41	35	32	33	44	25	30	32	39	30	36	46	35	44	25	39	38	32	40	26	24	32	37	47		36.5
HAZELTON	MAX	76	76	76	84	85	86	89	86	76	85	75	68	76	80	85	89	83	82	84	81	65	73	70	78	78	68	81	79	77	78		79.0
	MIN	39	46	42	41	45	52	45	51	40	41	43	33	35	36	45	44	43	53	44	54	41	32	43	43	50	43	35	39	48	45		43.0
HILL CITY	MAX	73	74	74	80	84	83	85	82	78	78	65	68	78	81	83	87	85	80	79	76	63	70	70	75	66	64	78	72	72	71		75.8
	MIN	30	37	34	28	26	40	33	50	31	30	41	25	26	28	33	30	37	45	42	52	25	27	32	33	38	32	19	31	35	41		33.7
HOLLISTER	MAX	73					83	87				74	69	75	80	81		85	80	87	79	65			82	79	77	80	75	77	78		-
	MIN	42										44	38	39	44	41		50	56	52	53	36			36	38	36	35	45	43	42		-
IDAHO CITY	MAX	76	78	78	83	89	85	88	83	84	80	71	74	80	87	89	90	83	85	85	83	75	80	75	79	76	71	83	81	73	65		80.3
	MIN	30	30	32	31	39	36	34	35	30	31	33	25	28	30	32	33	40	40	32	33	25	26	26	26	32	26	23	28	35	44		31.5
IDAHO FALLS CAA AP	MAX	74	77	76	78	84	83	84	74	74	84	62	64	74	81	78	84	82	77	81	63	60	63	69	72	69	65	78	77	72	75		74.5
	MIN	40	39	37	40	46	48	41	46	35	39	38	29	32	36	40	36	39	45	41	36	28	41	36	43	49	37	28	36	44	51		39.2
IRWIN 2 S	MAX	75	75	75	78	83	77	83	85	70	82	69	61	74	76	80	83	82	73	79	70	59	62	68	75	67	68	72	79	71	75		74.2
	MIN	41	38	37	37	37	45	41	42	32	37	38	29	30	34	32	35	40	42	36	41	25	35	32	36	43	38	30	34	42	47		36.9
ISLAND PARK DAM	MAX	67	68	68	71	75	72	75	70	66	73	69	51	66	70	74	76	77	76	72	70	56	55	61	66	63	61	69	72	65	66		68.0
	MIN	29	33	36	37	37	47	36	30	26	29	39	20	24	30	32	28	27	38	27	35	19	27	27	25	29	26	20	28	44	38		30.8
JEROME	MAX	79	77	79	84	87	86	91	89	79	85	79	71	78	83	88	89	86	85	85	80	67	74	72	78	77	70	82	78	76	77		80.4
	MIN	39	38	38	42	45	49	49	50	39	44	45	36	37	38	48	51	52	49	44	54	39	35	39	40	45	43	33	41	49	44		43.2
KELLOGG	MAX	65	75	73	76	81	86	88	80	67	81	70	66	73	80	81	87	89	81	85	80	67	72	67	65	70	60	60	75	62	64		74.2
	MIN	41	47	41	40	41	44	50	56	40	44	40	40	38	40	49	42	56	45	45	42	35	43	38	39	46	41	34	37	46	51		43.0
KOOSKIA	MAX	84	86	88	86	89	92	86	86	88	76	72	80	85	91	94	92	89	92	87	85	80	79	78	84	81	70	82	77	79	73		83.7
	MIN	48	45	45	40	41	41	52	57	40	41	40	35	36	37	39	41	54	45	42	55	33	46	36	38	53	41	31	35	50	54		43.0
KUNA 2 NNE	MAX	78	76	77	82	83	86	91	72	79	77	69	70	78	81	88	88	88	83	85	72	69	73	74	78	68	68	78	78	77	67		77.8
	MIN	39	38	40	40	43	44	50	45	37	41	44	34	35	38	44	41	50	45	43	52	37	32	36	37	47	35	32	38	48	53		41.3
LEWISTON WATER PLANT	MAX	83	83	86	89	91	95	89	83	91	85	74	83	89	92	94	86	87	92	87	82	80	82	77	78	73	70	75	68	78			83.5
	MIN	47	49	46	45	45	47	56	57	46	50	43	40	44	44	45	48	58	51	52	50	42	51	43	46	59	45	39	44	52			47.7
LEWISTON WB AP	MAX	78	81	81	84	87	89	81	78	87	71	72	79	83	87	90	84	84	89	87	75	77	81	75	80	69	66	75	70	76	64		79.3
	MIN	47	48	46	46	47	51	58	51	48	50	45	40	45	47	50	52	57	51	52	46	42	52	42	48	49	43	39	42	48	54		47.9
LIFTON PUMPING STA	MAX	72	75	76	77	78	78	78	75	72	77	71	62	71	75	69	68	82	72	72	69	56	61	66	70	69	67	68	67	66	68		70.9
	MIN	43	41	41	40	44	49	42	43	36	36	44	28	31	35	38	35	38	50	36	49	20	29	37	33	32	43	29	37	40	40		38.2
LOWMAN	MAX		76	78	81	86	84	86	83	81	77	66	72	82	85	87	90	83	82	91	78	68		74	77	68	68	79	74	71	64		77.9
	MIN		28	29	31	29	33	31	33	27	31	34	23	25	27	28	29	35	34	30	30	23		24	24	28	35	25	27	33	40		29.5
MACKAY RS	MAX	72	74	73	75	78	74	82	72	77	78	69	64	72	78	71	85	78	73	80	74	63	64	64	73	69	70	71	73	68	74		72.9
	MIN	38	36	41	39	41	41	41	48	39	36	41	36	35	39	33	41	45	45	42	41	32	32	34	37	34	30	29	33	35	41		37.8
MALAD	MAX	70	72	82	82	86	84	85	78	78	82	64	71	79	84	84	86	88	80	81	70	65	68	74	76	79	73	79	78	70	75		77.4
	MIN	47	48	48	44	46	50	44	50	43	40	48	32	35	38	41	41	41	58	40	49	35	33	41	37	41	43	33	42	46	52		42.9
MALAD CAA AP	MAX	79	82	81	84	87	85	86	78	79	84	67	71	79	84	84	86	88	80	86	70	64	70	74	78	80	73	84	80	71	75		79.0
	MIN	43	44	42	39	39	45	41	43	37	35	43	30	33	34	36	36	37	45	36	39	32	29	34	30	32	[illegible]	29	30	42	42		37.1
MAY RS	MAX	69	73	71	75	80	78	85	77	77	79	64	67	77	78	81	83	75	75	81	70	61	63	66	75	67	67	74	74	69	65		73.2
	MIN	34	34	38	35	43	41	39	45	32	34	41	26	30	33	36	37	38	39	36	44	25	41	30	34	40	31	25	32	39	43		35.8
MC CAMMON	MAX	80	80	78	79	85	88	89	83	74	79	82	76	78	81	86	86	86	85	78	76	75	71	72	78	79	72	78	76	74	75		79.3
	MIN	35	36	36	38	38	46	48	48	34	34	33	26	28	32	34	36	52	44	28	52	34	29	36	34	39	42	25	32	44	46		37.3
MERIDIAN 1 SSW	MAX	77	78	78	84	85	89	88	74	80	77	68	71	80	82	84	86	85	84	87	71	70	75	75	79	68	74	78	79	76	67		78.3
	MIN	35	35	35	38	40	40	50	42	36	38	40	31	33	36	40	42	43	40	39	39	32	28	30	32	43	37	29	36	44	51		37.8
MESA	MAX	79	81	81	84	87	91	89	83	85	77	69	75	84	89	88	90	88	88	88	81	69	75	80	77	68	67	76	75	75	64		80.1
	MIN	41	47	46	48	54	55	50	48	45	42	44	35	49	50	53	53	55	55	47	51	39	40	41	42	49	37	36	39	52	52		46.5
MINIDOKA DAM	MAX	77	76	76	82	82	85	87	71	75	84	64	67	75	78	73	82	83	80	83	64	63	71	70	77	75	67	77	75	75	78		75.7
	MIN	46	45	50	49	54	58	53	56	47	51	47	39	39	46	50	49	47	55	48	56	40	39	48	42	51	47	40	50	49	57		48.3
MONTPELIER RS	MAX	70	73	78	78	80	81	80			83	78	58	65		78	75	84	81	74	76	65	59	62	70	72	73	67	75	72	69		73.2
	MIN	40	36	35	36	39	43	38			32	45	22	22		31	30	36	38	34	50	24	27	33	32	30	40	26	33	41	36		34.4
MOSCOW U OF I	MAX	73	75	76	81	83	85	80	72	80	65	65	72	79	84	87	82	81	82	80	75	71	77	71	75	70	61	75	70	71	70		75.6
	MIN	38	42	39	47	40	42	54	48	44	43	36	36	40	39	53	51	56	48	44	47	43	52	34	42	50	34	47	39	34	64		44.2
MOUNTAIN HOME 1 NE	MAX	79	80	82	88	91	90	95	89	83	82	74	76	83	85	87	90	92	84	88	83	71	78	75	83	74	70	86	80	77	76		82.4
	MIN	38	35	38	39	39	45	50	38	39	46	45	36	37	39	42	48	46	49	44	53	42	32	39	37	42	31	32	32	45	47		40.8
MULLAN PASS CAA	MAX	54	50	53	61	67	70	66	46	62	53	42	51	60	62	69	70	64	64	59	45	50	48	49	52	41	41	53	52	48	49		55.0
	MIN	41	39	39	42	47	51	43	40	43	33	30	35	44	47	42	58	49	54	38	35	31	35	32	38	33	29	30	41	39	42		40.0
NAMPA 2 NW	MAX	77	80	80	80	85	87	90	92	76	84	80	70	75	81	84	88	90	81	87	88	75	70	75	77	78	71	69	77	79	76		80.1
	MIN	40	43	45	42	45	46	45	48	41	43	48	34	38	40	41	44	51	48	44	49	41	35	42	39	41	40	34	39	50	55		43.0
NEW MEADOWS RS	MAX	72	74	73	80	80	84					62	73				82	83	81	82		74	70							67	60		
	MIN	29	28	30	28	33	33					34	29				28	38	32	38		20	24							39	44		-
NEZPERCE	MAX	71	85	78	82	79	75	74	79	78	70	63					88	80	84	80	69	70	73	70	78	65	60	74	68	68	58		73.8
	MIN	37	36	39	41	39	40	36	40	37	36	33					50	56	48	51	46	36	46	39	46	49	34	33	40	48	51		41.8
OAKLEY	MAX	74	74	75	80	82	82	89	74	75	86	70	69	75	79	81	82	85	80	83	69	63	73	70	79	78	70	84	77	76	81		77.2
	MIN	42	43	42	41	45	49	48	49	39	49	44	33	37	42	40	42	52	53	48	55	28	36	40	40	48	35	39	48	44	45		43.2
OBSIDIAN 4 NNE	MAX	63	66	66	68	72	73	75	69	73	72	61	63	72	74	77	77	73	68	72	62	57	60	61	[illegible]	60	59	68	66	60	57		67.0
	MIN	22	23	24	24	26	31	29	30	22	26	28	17	21	24	25	27	32	32	27	42	16	25	20	24	39	20	16	22	27	34		25.8
OLA 4 S	MAX	80	82	79	84	89	90	92	92	85	71	69	85	85	89	87	94	91	92	89	75	74	78	78	81	72	70	72	74	75	64		81.3
	MIN	38	42	32	34	31	46	45	35	40	45	30	24	27	28	46	28	36	36	38	32	35	30	35	38	48							36.2
OROFINO	MAX	80	82	80	87	90	93	87	79	87	69	71	84	85	89	92	91	89	90	86	85	78		77	77	73	67	76	70				82.0
	MIN	44	47	45	42	44	45	54	55	43	44	41	40	41	42	43	45	56	48	45	48	36		39	40	54	42	35	39				44.3
PALISADES DAM	MAX	72	74	74	77	79	80	82	82	69	80	77	59	72	75	77	80	82	77	79	78	58	60	67	74	74	66	77	77	73	75		74.2
	MIN	38	35	35	34	43	45	38	38	27	33	33	25	28	31	33	33	36	38	33	46	19	31	26	31	39	33	26	36	40	42		34.2
PARMA EXP STA	MAX	82	83	81	86	88	91	92	89	85	85	75	75	82	85	86	91	88	89	90	89	72	77	79	79	77	69	77	79	77	71		82.3
	MIN	38	45	48	42	49	52	49	48	43	42	47	31	38	41	47	48	43	52	42	52	34	33	45	40	51	37	32	38	51	55		43.9
PAUL 1 E	MAX	75	76	78	77	84	85	84	90	91	77	85	65	69	78	82	84	88	82	80	83	69	65	75	70	79	77	67	80	77	74		78.2
	MIN	36	38	37	38	42	50	40	53	36	35	45	31	31	33	40	38	40	49	42	54	37	31	37	39	47	45	29	35	46	54		40.3
PAYETTE	MAX	80	82	80	83	86	90	90	77	83	78	71	75	81	82	83	85	88	88	86	78	69	73	77	79	70	65	73	78	74	70		79.1
	MIN	40	46	50	42	50	56	50	53	42	42	50	36	38	38	45	43	52	51	43	55	42	33	40	37	48	41	31	38	52	54		44.6
PIERCE RS	MAX	70	72	75	80	81	84	82	74	79	78	77	76	76	86	86	78	86	81	76	71	66	65	68	71	68	57	75	65	65	56		74.1
	MIN	35	36	36	34	35	36	35	47	32	36	35	40	30	34	36	48	36	39	33	36	26	37	29	28	46	36	29	31	23	12		34.2
POCATELLO WB AP	MAX	77	78	78	82	84	83	88	74	76	88	65	68	76	81	79	87	86	78	84	70	62	68	72	78	77	68	79	80	73	76		77.2
	MIN	39	47	46	41	45	49	45	55	45	49	42	30	35	38	42	39	43	51	44	37	31	42	40	40	55	43	31	40	52	54		43.0
PORTHILL	MAX	67	73	75	77	80	81	78	72	77	74	62	72	75	79	78	78	79	84	77	74	74	59	53	55	62	55	61	57	61	64		70.4
	MIN	45	42	42	40	42	40	45	49	41	48	35	35	37	40	39	37	42	40	41	35	36	42	33	41	47	28	33	33	45	49		40.1
POTLATCH	MAX	72	75	78	82	82	85	75	70	80	69	67	72	80	84	86	87	80	83	78	71	71	70	70	72	70	67	73	65	68	68		75.0
	MIN	38	46	48	39	40	41	52	52	40	42	38	35	37	38	42	42	57	45	48	38	35	46	33	38	51	34	33	34	51	50		42.1
PRESTON SUG FACT 2 SE	MAX	76	80	81	83	85	85	85	84	77	80	80	68	78	82	84	85	87	85	78	78	65	67	73	75	78	77	77	76	70	75		78.5
	MIN	39	42	41	40	42	47	41	44	36	38	51	30	32	34	38	36	38	51	39	53	31	32	39	34	38	48	31	38	43	43		39.6
PRIEST RIVER EXP STA	MAX	71	73	75	80	81	84	74	69	77	71	62	72	77	79	81	82	83	83	78	71	71	62	60	60	62	57	63	56	61	58		71.1
	MIN	47	41	37	34	36	36	45	46	37	44	29	33	32	34	33	34	44	40	38	36	30	42	34	36	32	28	32	31	41	48		37.0
RICHFIELD	MAX	75	75	74	80	82	83	86	85	76	79	73	68	76	79	80	85	83	78	80	77	63	68	70	75	71	65	77	72	69	74		75.9
	MIN	38	37	38	43	46	50	39	45	39	40	38	34	36	38	49	41	47	48	41	46	31	32	37	36	36	35	29	39	35	38		39.4
RIGGINS RS	MAX	80	81	80	87	88	91	95	82	90	88	72	77	84	87	94	94	94	90	94	94	78	83	82	85	83	70	82	82	80	70		84.6
	MIN	52	50	50	51	54	52	62	60	49	55	49	44	48	52	52	57	60	56	54	60	45	50	44	50	62	43	44	48	56	60		52.3
RIRIE	MAX	75	74	74	78	81	81	84	74		83	73	61	72	77	75	83		75	79	68	61	65	64	73	68	64	76	79	72	76		73.8
	MIN	45	44	43	40	51	50	48		35	44	32	30	35	41	33			42	44	41	25	41	34	34	51	42	36	48	44	52		40.9
ROLAND W PORTAL	MAX	67	63	69	69	75	78	76	59	73	54	54	64	71	69	72	80	73	76	73	72	60	55	56	61	55	52	58	58	57	55		65.1
	MIN	34	45	39	39	45	44	48	46	34	40	45	33	34	42	48	41	54	42	43	35	30	38	37	35	42	32	33	37	44	46		40.2
RUPERT	MAX	72	77	76	75	80	81	82	87	71	75	84	64	68	75	80	80	80	81	80	83	65	61	72	70	78	78	67	79	75	75		75.7
	MIN	39	40	41	43	45	52	43	53	41	42	43	34	34	36	47	45	43	50	42	46	34	33	38	43	45	45	30	39	47	53		42.2
SAINT ANTHONY	MAX	74	74	73	77	82	78	82	72	70	81	74	62	73	77	79	81	82	78	79	70	60	64	67	72	68	65	74	77	78	74		73.9
	MIN	39	35	35	36	40	49	41	37	31	34	38	25	29	34	36	33	52	42	34	41	22	39	33	32	32	35	25	34	35	46		35.8
SAINT MARIES	MAX	74	76	81	83	84	86	85			76	66	73	79	85	82	80	77	87	85	78	74	74	72	69	66	60	72	70	66	65		75.9
	MIN	43	41	39	38	39	39	48			39	35	34	38	35	37	43	46	43	42	39	31	37	39	42	51	37	30	31	49	47		39.7
SANDPOINT EXP STA	MAX	72	72	73	71	80	79	74	70	71	69	69	70	71	71	71	72	77	83	81	72	64	59	58	58	62	59	57	55	65	57		68.7
	MIN	45	49	48	43	38	41	46	50	38	44	32	37	39	34	45	36	46	41	40	40	32	44	35	37	33	35	40	35	47	50		40.7
SHOSHONE	MAX	80	80	79	86	88	87	89	85	79	83	75	71	82	83	87	90	86	84	85	78	67	74	73	78	76	68	83	74	77	77		80.1
	MIN	40	39	39	45	48	49	50	51	41	46	43	36	38	42	50	51	51	50	42	51	34	34	37	35	41	40	35	42	40	45		42.8

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SPENCER RS	MAX	69	71	67	74	73	75	79	75	69	78	73	59	69	73	76	84	79	72	76	64	59	59	63	71	71	64	70	73	73	71		71.0
	MIN	31	37	40	38	43	45	36	38	37	30	40	26	28	34	35	31	38	47	32	38	29	34	35	28	40	29	21	27	29	41		34.6
SPRINGFIELD	MAX	75	80	80	84	85	87	89	78	77	87	73	68	71	82	79	88	86	79	73	73	63	69	73	78	75	70	82	80	77	79		78.0
	MIN	35	34	37	37	40	48	39	50	33	36	43	26	31	33	42	37	39	45	36	48	38	30	34	38	42	37	25	37	43	54		38.6
STIBNITE	MAX	61	63	63	66	70	70	74	76		72	68	53	62	71	73	75	79	74	73	74	62			62	60	56	56	70	65	59		67.1
	MIN	30	31	33	35	36	38	35		29	31	23	25	30	34	37	37	36	35	37	22			24	31	26	25	27	34	37	39		31.7
SUGAR	MAX	73		73	76	81	78				81	73	62	72	77	87	82	82	79	80	73	59	62	66	72	64	69	75	79	75	74		74.0
	MIN	40		35	40	44	49				32	43	25	28	31	37	30	34	41	34	41	23	42	35	40	54	40	23	30	38	49		36.8
SUN VALLEY	MAX	72	72	74	77	79	79	81	80	74	77	72	73	79	79	81	80	78	81	78	60	65	68	73	72	67	73	72	68	68			74.2
	MIN	25	24	26	26	31	33	29	36	24	28	38	23	25	24	28	31	35	29	43	27	24	24	24	27	21	18	24	27	35			27.9
SWAN FALLS PH	MAX	83	82	82	92	93	94	99	87	89	86	80	77	86	90	88	96	88	88	95	90	75	81	80	88	87	85	84	85	75	72		85.9
	MIN	45	56	56	52	57	62	47	52	60	52	64	43	46	47	47	53	59	56	52	59	52	42	44	46	46	46	45	43	44	57		51.0
TETONIA EXP STA	MAX	68	71	70	74	79	74	78	67	76	74	52	55	69	71	75	78	81	71	74	67	55	58	65	69	62	63	73	73	70	70		69.4
	MIN	36	35	30	31	30	42	41	36	28	38	30	24	25	30	24	29	35	36	31	31	19	31	36	40	47	31	20	30	41	40		32.0
THREE CREEK	MAX	75	74	73	81	84	81	88	86	77	87	74	71	76	80	73	81	84	78	85	78	65	74	70	80	75	71	82	75	78	74		77.7
	MIN	27	30	32	29	33	38	34	36	30	39	36	25	28	29	33	32	42	40	41	45	22	25	35	30	33	25	25	31	27	39		32.4
TWIN FALLS 2 NNE	MAX	78	79	80	85	85	86	92	91	80	85	79	71	79	83	85	92	89	84	86	81	67	76	74	81	80	68	84	80	78	79		81.2
	MIN	37	43	44	39	43	47	42	53	41	41	47	35	35	35	44	39	44	52	44	54	42	33	45	42	51	44	30	41	48	48		42.8
TWIN FALLS 3 SE	MAX	75	79	79	79	84	86	85	90	77	78	83	66	71	78	85	84	90	87	84	87	72	67	75	74	79	83	70	81	74	78		79.3
	MIN	39	45	44	36	41	50	41	49	45	40	42	33	34	39	41	36	39	52	49	51	38	31	38	45	50	40	31	35	42	49		41.5
WALLACE	MAX	69	71	75	78	84	82	78	68	78	64	60	68	74	76	81	83	75	80	78	68	65	63	63	66	51	54	67	61	61	56		69.9
	MIN	36	46	37	38	40	42	48	49	38	42	36	40	41	33	44	41	55	43	42	37	33	41	37	37	47	30	33	36	45	41		40.3
WALLACE WOODLAND PARK	MAX	61	69	69	71	76	81	82	79	75	76	63	58	69	75	75	87	85	74	79	75	67	65	63	62	66	54	55	68	62	61		69.9
	MIN	38	36	38	38	37	41	43	50	42	38	40	40	36	36	38	40	37	43	43	37	33	34	37	38	39	38	34	36	37	49		38.9
WEISER	MAX	82	87	85	87	96	94	95	82	81	82	80	77	85	87	87	90	90	91	90	78	76	73	80	83	75	70	77	80	73	68		82.7
	MIN	46	43	45	46	52	50	47	50	42	39	35	36	38	38	42	40	50	50	41	53	40	32	46	38	43	42	30	34	48	53		43.0
WINCHESTER 1 SE	MAX	67	70	72	77	80	82	80	67	81	77	61	67	75	78	84	86	80	81	77	73	68	72	70	73	66	66	73	69	67	63		73.4
	MIN	34	35	32	32	34	37	47	44	33	40	37	31	32	34	34	42	43	40	46	43	30	39	27	40	44	32	25	31	52	48		37.3

EVAPORATION AND WIND

Table 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STA	EVAP	.18	.20	.33	.05	.15	[illegible]	.19	.30	.14	.24	.14	.23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–
	WIND	24	37	46	27	29	18	23	118	22	66	144	28	7	8	47	9	9	52	67	131	70	17	59	87	146	149	25	22	37	44		1568
ARROWROCK DAM	EVAP	.21	.26	.23	.23	.26	.28	.30	.35	.26	.24	.31	.25	.20	.22	.23	.21	.22	.16	.25	.33	.29	.16	.17	.18	.17	.03	.16	.17	.14	.13		6.60
	WIND	22	49	33	29	23	27	28	60	47	27	97	73	29	19	24	18	19	18	31	74	72	26	20	29	17	23	22	18	24	16		1014
LIFTON PUMPING STA	EVAP	.16	.17	.22	.19	.19	.22	.24	.21	.21	.20	.23	.14	.19	.19	.19	.17	.17	.17	.19	.23	.13	.11	.18	.18	.26	.15	.25	.14	.10	.15		5.53
	WIND	27	21	28	23	18	29	40	38	32	25	69	50	21	22	38	20	12	52	59	69	73	39	33	45	74	65	23	41	34	31		1151
MINIDOKA DAM	EVAP	.30	.33	.35	.23	.28	.28	.34	.54	.33	.39	.50	.24	.22	.29	.32	.32	.34	.27	.43	.43	.20	.22	.30	.31	.31	.28	.21	.27	.22	.19		9.24
	WIND	70	100	110	95	95	60	95	215	115	105	310	130	65	80	155	90	120	85	125	225	170	75	110	120	140	190	100	85	105	60		3600
MOSCOW U OF I	EVAP	.15	.18	.16	.19	.18	.20	.23	.20	.20	.16	.14	.16	.16	.18	.23	.18	.12	.16	.27	.29	.19	.20	.16	.20	.06	.12	.13	.09	.10	.04		5.03
	WIND	15	19	14	*	33	18	57	77	49	107	68	38	20	27	30	22	11	33	100	7	19	31	16	59	141	64	31	13	31	8		1168
PALISADES DAM	EVAP	.15	.14	.15	.22	.17	.15	.15	.24	.13	.18	.15	.10	.13	.17	.15	–	–	.18	.15	.20	.14	.11	.14	.15	.17	.14	.15	.18	.17	.21		8 4.79
	WIND	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp.	Precip.		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 4 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH F CRUMP	3 4
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	3 4
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 4 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 4 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	3 4
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 4 5
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 4 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	3 4
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	3 4
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 4 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	3 4
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	TETONIA EXP STATION	3 4
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COTTONWOOD 2 S	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	3 4
COUNCIL 2 NNE	2187	ADAMS	12	44 45	116 25	3150	7P	7P	JOHN W HOOVER	2 3 4 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	3 4
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 4 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		MID	U S FOREST SERVICE	3 4
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	3 4
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 4 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5317	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
IDA VADA	4475	OWYHEE	2	42 03	115 09	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	3 4
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 4 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 4 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		MID	U S SOIL CON SER	3 4
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	3 4
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE B BENTZINGER	2 3 4 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 4 5 7
NAMPA	6295	CANYON	2	43 35	116 34	2482	5P	5P	C W NELSON	2 3 5
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	7P	7P	WAYNE S SHAEFFER	2 3 5 7
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	6586	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	CLOSED 7/30
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	5P	5P	U S FOREST SERVICE	2 3 4 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	3 4
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 4 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	3 4
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	F M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB AIRWAY OBS	2 3 4 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 4 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 4 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 4 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 4 are from recording gages. Traces are not shown.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 4, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. When hourly precipitation is missing or accumulated for several days, only the first and last days are shown in Table 4.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
6	Station not equipped with a recording gage.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-101177 1000 11-8-51


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation storage
Precipitation and Temperature
Precipitation Temperature and Evaporation
Section Center
Type of gage Non-recording:
Recording. Both types
Double circle combinations Complete Meteorological.
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Bonners Fy WB Awy
Benton Dam
Priest Riv Exp Sta
Sandpoint Exp Sta
Clark Fork 1ENE
Bayview Model Basin
Coeur d'Alene CAA AP
Deception Cr
Coeur d'Alene RS
Kellogg
Burke 2NNE
Mullan Pass CAA Sta
Wallace Woodland PK
Wallace
Saint Maries
Plummer 3WSW
Roland W Portal
Avery RS
Clarkia RS
Potlatch
Moscow U of Ida
Bungalow RS
Lolo Pass
Lewiston Wtr Pl
Orofino
Pierce RS
Lewiston WB AP
Winchester 1SE
Craigmont
Kamiah 1NE
Nezperce
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Cottonwood 2SW
Grangeville WB Awy
Elk City
Nez Perce Pass
Riggins RS
Salmon WB Awy
Big Creek 1 S
Cobalt Blackbird Mine
New Meadows RS
Yellow Pine
McCall USFS
Stibnite
Pungo Creek
Council 2NNE
Leadore
Landmark RS
Mesa
May RS
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Cascade RS
Alpha 1NE
Gilmore Summit Rch
Deadwood Dam
Weiser
Ola
Crouch 2NNW
Payette
Lowman
Jackson Peak
Obsidian 4NNE
Garden Valley RS
Chilly Barton Flat
Centerville Arbaugh Ranch
Moore Cr Summit
Emmett 2E
Parma Exp Sta
Idaho City
Atlanta 1E
Mackay RS
Howe
Bogus Basin
Vienna
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Arco
Caldwell
Idaho Cy 13SW
Shake Cr RS
Nampa 2NW
Meridian 1SSW
Arrowrock Dam
Dollarhide Summit
Deer Flat Dam
Nampa
Trinity Lake GS
Hailey
Kuna
Boise Lucky Peak Dam
Pine 2SSW
Soldier Cr RS
Boise WB AP
Prairie
Fairfield RS
Anderson Dam
Hill City
Swan Falls PH
Mountain Home 1 NE
Richfield
Grand View
Glenns Ferry
Bliss
Shoshone
Gooding CAA AP
Jerome
Eden Hunt
Minidoka Dam
Paul 1E
Burley 1NW
Buhl
Rupert
Hazelton
Twin Falls 2NNE
Burley CAA AP
Twin Falls 3SE
Burley
Hollister
Albion
Oakley
Bridge
Three Creek
Ida Vada
Strevell WB Awy
Island Park Dam
Spencer RS
Dubois Exp Sta
Ashton 1S
Dubois CAA AP
Hamer 4NW
St Anthony
Clementsville 4SE
Sugar
Tetonia Exp Sta
Driggs
Ririe
Idaho Falls CAA AP
Irwin 2S
Palisades Dam
Blackfoot
Springfield
Gray
Putnam Mt
Fort Hall Ind Agcy
Aberdeen Exp Sta
Blackfoot Dam
Pocatello WB AP
American Falls 1NW
Bancroft
Conda
McCammon
Grace PH
Montpelier RS
Malad
Lifton Pump Sta
Malad CAA AP
Preston 2SE
R.A.W. 8/51

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

OCTOBER 1951
Volume LIV No. 10

Beginning with the October, 1951, issue of Climatological Data, Table 4, Hourly Precipitation, will be discontinued due to curtailment of the funds necessary for the processing and publication of these data.

SAN FRANCISCO: 1951

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Compared with the warm October of 1950, this month was very cool. The statewide average temperature was 5.4° below that of the preceding October and 2.7° below the weighted normal. On the basis of all available precipitation records this was the wettest October for the State as a whole since averages were begun in 1893. In the Northern Division only two Octobers have been wetter and in the Southwestern Division only three. Without exception stations throughout the State recorded average temperatures below the weighted normal. Precipitation totals, however, were a little less than the mean at a group of stations from Bliss eastward to Pocatello, southeastward to the Utah border and northward to Arco and Howe. Elsewhere precipitation departures ranged upward to more than five inches above normal at a number of stations in the northern and southwestern divisions. Clark Fork recorded the extremely high precipitation total of 10.12 inches for the month, while a number of other stations had totals exceeding eight inches.

As would be expected in a month of heavy precipitation, the number of days with measurable rain was well above the mean, averaging 17 days out of the month for all Northern Division stations, 10 days for the Southwestern Division and 9 days for the Southeast. Snowfall, too, was well above the weighted normal and more than three times the average depth during the month of October 1950. Sunshine, of course, was deficient; on the basis of records from Weather Bureau Offices at Spokane, Washington, Boise and Pocatello, deficiencies ranged from somewhat less than 10% in the southwest to around 25% in the north. At Spokane the total sunshine for the month was only 28% of possible, while at Pocatello it totalled 49% and at Boise 59% of possible.

Rains that began toward the end of September increased in intensity early in October and by the 2nd and 3rd all sections of Idaho received moderate to heavy amounts. In the Southwestern Division this was particularly noticeable with about one-half of the stations reporting the greatest daily amount on the 2nd. Several stations reported more than one inch of rain in 24 hours. This stormy period, which lasted through the 4th, was associated with rather slow eastward movement of a low pressure center along the Canadian Border. Northwesterly winds brought to the northwest states an air mass that had become moist and unstable as it traveled long distances southeastward over the Pacific Ocean. The rainy spell diminished to scattered showers on the 5th and then gave way to a period of generally fair weather that lasted four days. Temperatures generally were several degrees below the seasonal normal from the 2nd through the 6th, rising during the subsequent fair-weather period, reaching values of 10° to 15° above normal in most parts of the State. Almost without exception stations throughout Idaho recorded the highest temperature of the month between the 7th and the 10th. Between the 10th and the 15th three storm fronts from the Pacific crossed Idaho from west to east, bringing widespread showers to all sections. The first of these reached western Idaho on the evening of the 10th and traversed the State from west to east in a little more than 12 hours. It was very effective as a shower producer in all sections, with numerous thunderstorms reported in the Northern and Southwestern Divisions. Noticeable lowering of maximum temperatures accompanied this showery period, but minimum readings remained above freezing at most stations until the 15th or 16th when partial clearing of the skies brought sharp drops in nighttime temperatures. The seven day period from the 18th through the 24th again brought widespread precipitation. For much of this period showers occurred without any definite storm fronts moving through the State. But finally, a cold front entered the northern tip of the State during the forenoon of the 23rd, and moved southeastward across all of Idaho within 36 hours. Amounts of rain were variable, but several stations in each division reported the greatest daily fall of the month on either the 23rd or 24th, and some of the amounts exceeded 1.50 inches. This week of showery weather was relatively cool with very little sunshine and light to moderate winds. The final week of October brought only scattered light precipitation to Idaho but a mass of cold air slowly moved southward out of Cadana and covered all of the State, with temperatures falling to the lowest levels of the month at most stations on the morning of the 31st.

Agricultural activities were frequently hampered by wet weather during the month. Soil preparation and the sowing of fall grains were delayed in nearly all parts of the State; grains that were planted, however, benefited from the moisture. Sugar beet harvesting suffered considerable delay, particularly in southwestern districts, but the favorable weather of the final week permitted extensive digging and hauling. There was some loss to alfalfa seed, clover seed, dry beans and late hay on the ground, but grazing conditions on lower ranges and pastures improved, resulting in slightly improved condition of cattle and sheep.

The month was surprisingly free from damaging storms. The only reported damage of consequence occurred with high winds that visited Lincoln County late in the afternoon of the 10th. Crop losses from this windstorm were estimated at $3500.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	[illegible]	[illegible]	[illegible]	[illegible]	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	[illegible]	[illegible]	7.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.0	[illegible]
LEWISTON WB AIRPORT	[illegible]	[illegible]	[illegible]	-	-	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-	7.2	[illegible]
POCATELLO WB AIRPORT	W	[illegible]	8.[illegible]	[illegible]	W	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.2	[illegible]

COMPARATIVE DATA

Table 1

Year	Temperature Average	Temperature Highest	Temperature Lowest	Precipitation Average	Precipitation Average snowfall	Precipitation No of days .01 or more
1893	44.3	80	3	1.89	-	7
1894	46.7	88	9	2.30	-	10
1895	49.3	93	3	.09	-	1
1896	47.4	96	8	.84	-	3
1897	46.9	92	4	1.58	-	5
1898	43.8	88	0	1.08	0.5	6
1899	43.9	90	4	2.41	4.3	8
1900	47.0	87	5	2.29	0.8	[illegible]
1901	51.4	90	[illegible]	1.06	T	4
1902	48.7	91	[illegible]	.49	0.6	4
1903	49.1	86	[illegible]	1.15	1.0	6
1904	49.2	90	7	1.33	0.6	7
1905	42.6	89	- 3	1.12	2.4	6
1906	49.1	92	- 1	.67	0.9	5
1907	52.2	92	16	.98	T	5
1908	44.7	85	3	2.40	2.3	7
1909	47.8	87	5	1.01	1.2	[illegible]
1910	49.3	94	7	1.48	T	6
1911	44.6	88	5	1.57	1.3	5
1912	43.7	88	7	2.34	1.5	9
1913	44.0	87	8	1.51	2.2	6
1914	49.0	93	13	1.81	0.2	9
1915	49.2	91	6	.55	0.2	4
1916	43.8	87	1	1.06	0.9	6
1917	47.0	92	-16	.18	0.7	1
1918	49.0	88	10	2.33	0.6	8
1919	41.0	87	-12	1.58	7.1	8
1920	44.0	92	2	2.54	5.5	11
1921	50.2	91	9	.75	0.3	4
1922	49.8	94	4	.74	0.4	4
1923	45.5	91	- 5	2.38	1.3	8
1924	46.8	85	11	2.06	1.9	8
1925	45.0	80	8	1.23	0.2	5
1926	48.4	90	2	.86	T	4
1927	48.3	97	1	1.69	0.5	8
1928	48.3	88	9	1.32	1.1	7
1929	48.4	89	- 1	.73	0.2	4
1930	45.0	81	6	1.75	0.6	9
1931	47.8	89	12	1.38	0.3	6
1932	45.6	91	0	1.04	0.6	5
1933	50.4	91	0	1.77	0.7	5
1934	49.7	98	13	1.76	1.0	8
1935	46.4	95	- 9	.80	2.4	5
1936	48.2	89	1	.28	0.1	2
1937	49.7	88	10	1.15	T	6
1938	48.6	88	14	2.50	0.4	11
1939	47.5	85	6	1.29	0.9	7
1940	49.8	91	16	2.02	0.3	9
1941	46.0	83	9	1.41	0.8	9
1942	48.4	92	2	1.12	0.6	6
1943	49.1	95	- 3	2.15	2.2	10
1944	52.2	89	8	.67	T	4
1945	50.0	91	- 2	1.04	0.6	6
1946	41.5	85	3	2.48	2.2	10
1947	50.0	90	10	2.48	0.2	11
1948	47.8	87	5	.70	0.2	4
1949	42.5	86	6	1.53	3.9	7
1950	50.1	90	9	2.13	0.5	9
1951	44.7	87	3	2.73	1.7	11
PERIOD	47.3			1.45	1.1	

CLIMATOLOGICAL DATA

Table 2

Station	Temperature									Precipitation									
								No of days						Snow, Sleet, Hail			No of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max. 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn	Date	.01 or more	.50 or more	1.00 or more
NORTHERN DIVISION																			
AVERY RS	46.8M	- 2.0	81	10	21	31	551	0	10	5.15	2.33			.0	0		20		
BAYVIEW MODEL BASIN	45.2		79	10	23	31	606	0	9	7.21		1.25	23	T	0		20	5	2
BIG CREEK 1 S	39.3		79	10	7	31	789	0	20	4.00	2.39			9.0			15		0
BONNERS FERRY	44.5	- 1.6	69	8	24	31	627	0	10	4.89	3.05	.82	23		3	24	15	5	0
BURKE 2 NNE	39.8	- 2.5	74	10	18	31	775	0	16	8.06	4.53	1.20	23	5.4	3	23	19	6	2
CLARK FORK 1 ENE	43.6	- 2.6	75	10	22	31	655	0	10	10.12	6.65	1.50	23				20	8	3
COBALT BLACKBIRD MINE	32.7		67	10	6	30+		0	27	2.40		.56	19	14.2			18	1	0
COEUR D ALENE CAA AP	44.5		70	9	21	31	631	0	12	5.66		1.00	2	1.5	0		17	5	1
COEUR D ALENE RS	46.7M	- 1.4	73	9	21	31	561	0	7	6.96	5.16	1.17	23	.3	0		19	6	1
COTTONWOOD	44.1	- 3.3	83	10	19	31	641	0	15	2.49	.72	.57	11	T	0		15	1	0
ELK CITY	43.0		84	10	21	16+	674	0	19	4.24		1.00	20	9.0			17	1	1
FENN RS	47.1	- 4.1	79	10	27	31	548	0	7	4.35	1.38	.74	3	.0	0		13	[illegible]	0
GRANGEVILLE	44.9	- 3.5	80	10	22	31	615	0	11	2.82	.56	.45	20		0		14	0	0
KELLOGG	46.8	- 1.0	80	11	28	31		0	7	6.82	4.14	1.06	1	T	0		21	[illegible]	1
KOOSKIA	50.0	- 1.3	83	9	24	31	458	0	6	4.07	1.97	.58	4	.0	0		16	3	0
LEWISTON WATER PLANT	52.0	- 1.2	82	8	23	31	397	0	6	V 2.84		.61	23	.0	0		13	1	0
LEWISTON WB AP	49.5		81	10	21	31	475	0	7	2.10		.53	23	.0	0		14	1	0
MOSCOW U OF I	47.8	- 1.1	84	10	18	31	535	0	7	3.75	2.07	.56	3+	.0	0		15	3	0
MULLAN PASS CAA	34.0	- 6.0	67	9	10	31	954	0	19	5.98	2.42	1.37	14	25.7	17	23+	19	1	1
NEZPERCE 2 E	44.5		82	10	21	31	628	0	10	[illegible].40		.66	11	T	0		18	1	0
OROFINO	49.7M	- 1.6	79	8+			434	0		5.92	3.82	1.38	11	.0	0		19		1
PORTHILL	44.3	- 0.9	68	8	26	31	635	0	11	3.89	2.21	.67	1	3.0	T	23	17	2	0
POTLATCH	46.7	- 1.5	85	10	18	31	564	0	8	4.47	2.62	.67	3	.0	0		13	3	0
PRIEST RIVER EXP STATION	43.4M	- 1.0	74	8	17	31	660	0	14	8.19	5.53	1.75	2	4.0			20		1
RIGGINS RS	52.0M	- 3.6	83	8	26	31	390	0	4	3.05	1.79	.67	24	.0	0		16	2	0
ROLAND W PORTAL	40.1	- 4.8	75	9	15	31	763	0	16	8.10	4.14	1.37	23	8.2	4	22	18	8	[illegible]
SAINT MARIES	46.7M	- 1.6	80	8	19	31	561	0		6.10	3.97	1.25	23	.0	0		18	1	1
SALMON	44.7	- 0.8	80	8+	15	31	623	0	19	.73	.09	.22	20		0		10	0	0
SANDPOINT EXP STATION	44.1	- 2.1	67	7+	21	25	639	0	6	9.[illegible]	7.03	1.[illegible]	3	2.5			19	8	3
WALLACE	43.6	- 3.5	74	10	23	31	659	0	11	7.80	4.59	1.36	23	T	0		18	7	1
WALLACE WOODLAND PARK	44.0	- 3.3	75	9+	24	26		0	12					.0	0				
WINCHESTER 1 SE	42.3M	- 4.5	83	10	14	31	694	0		2.[illegible]	.47	.55	3	.0	0		17		0
DIVISION	44.6	- 2.9								[illegible].17	2.93			3.0					

See reference notes following Station Index

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max. 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	40.7	- 2.7	78	10	11	31	748	0	23	5.79	3.83	1.17	22	4.0	2	21	13	4	2
ANDERSON DAM	48.0		82	9	24	31	518	0	9	2.71		.78	2	T	0		14	1	0
ARROWROCK DAM	47.5	- 3.4	82	11	23	31		0	9	3.07	1.83	1.15	2	.0	0		13	2	1
ATLANTA 1 E	39.8	- 2.9	77	9	15	31	775	0	23	5.59	3.64	1.40	4				14	3	1
BLISS	49.2	- 1.5	85	10	17	31	485	0	14	.55	- .10	.34	24	T	T	23	5	0	0
BOISE LUCKY PEAK DAM	50.5M		86	10	22	31	449	0		1.87		.48	2	.0	0		11	0	0
BOISE WB AP //	49.2	- 0.9	87	10	23	31	482	0	5	1.60	.36	.30	15	T	T	3+	12	0	0
BUHL	49.9	- 0.8	80	9	28	30	467	0	8	.79	- .10	.34	24	.0	0		4	0	0
CALDWELL	48.6	- 3.5	78	9	23	30	502	0	9	1.76	.98	.44	2	.0	0		14	0	0
CAMBRIDGE	48.1	- 1.4	79	1	20	30+		0	13	3.99	2.79	.66	22		1	22	10	5	0
CASCADE 1 NW	41.2		76	10	16	31	731	0	21	4.92		1.17	23	1.0	T	22	14	2	1
CHALLIS	44.1	- 2.0	76	10+	14	31	640	0	22	.31	- .26	.12	4+		0		3	0	0
COUNCIL 2 NNE	48.8M	- 1.1	79	9			492	0		6.92	5.17	1.59	23	T	0		14	5	2
DEADWOOD DAM	38.5	- 3.8	78	10	9	31	815	0	25	6.22	4.13	1.24	2	3.0	2	22+	17	4	2
DEER FLAT DAM	50.7	- 0.2	82	9+	26	31	438	0	6	1.26	.54	.34	15	.0	0		8	0	0
EDEN HUNT PROJECT	46.1		86	10	13	31	580	0	17	.60				1.0	0		6	0	0
EMMETT 2 E	49.2	- 3.5	78	9	20	31	483	0	10	2.73	1.83	.55	2	T	0		11	1	0
FAIRFIELD RS	42.0M		78	9	14	31	703	0	21	1.97		.48	2	1.0	0		9	0	0
GARDEN VALLEY RS	46.9M	- 1.7	76	8	19	31	558	0	8	4.25	2.70	.89	2	.0	0		12	3	0
GLENNS FERRY	49.6	- 1.7	86	9	20	18	475	0	14	.87	.28	.20	24	.0	0		7	0	0
GOODING CAA AP	47.4	- 1.7	85	10	20	31	542	0	14	.59	- .19	.27	24	T	0		5	0	0
GRAND VIEW	51.0	- 0.5	85	[illegible]	23	31	425	0	7	.82	.03	.30	23	.0	0		4	0	0
HAILEY	43.4	- 3.4	78	10	12	31	660	0	17	1.65	.54	.43	24	.0	0		9	0	0
HAZELTON	47.0	- 3.8	82	10	21	17	550	0	13	.79	- .07	.34	24	1.0	0		7	0	0
HILL CITY	41.3	- 2.9	76	9	16	16	728	0	21	2.15	1.13	.62	[illegible]	.0	0		11	1	0
HOLLISTER	45.3M	- 3.8	81	9	20	31	604	0		.83	- .05	.42	24	.0	0		4	0	0
IDAHO CITY	44.3	- 3.8	84	9	9	31	636	0	17	4.92	3.53	.70	2	1.0	0		18	4	0
JEROME	48.0	- 3.2	86	9	23	16+	518	0	13	.66	- .02	.37	2		0		5	0	0
KUNA 2 NNE	48.6	- 2.9	85	10	22	30+	503	0	10	1.96	1.01			.0	0		13	0	0
LOWMAN	43.0M	- 3.3	80	10	12	31	675	0	19	5.87	4.31	1.50	2	.8	0		14		1
MC CALL	40.2	- 2.6	72	9+	18	31	770	0	22	6.47	4.55	.99	23	.0	0		15	5	0
MERIDIAN 1 SSW	46.7	- 4.9	86	10	18	30	565	0	14	1.44	.46	.37	24	.0	0		7	0	0
MESA	47.8		78	9	27	31	527	0	4	5.16		1.04	23	1.0	0		12	5	1
MOUNTAIN HOME 1 NE	48.5	- 1.8	85	9	18	31	502	0	12	1.43	.53	.61	2	.0	0		8	1	0
NAMPA	[illegible]		80	[illegible]	24	31		0											
NAMPA 2 NW	49.9		78	10	25	30+		0	9	1.54		.25	15	T	T	21	14	0	0
NEW MEADOWS RS	M		81	9	13	31		0		6.95	5.20	1.40	2	.0	0		15	6	2
OBSIDIAN 4 NNE	34.7	- 4.5	72	9	3	31	933	0	27	1.98	.78	.38	15	1.0	1	23	13	0	0
OLA 4 S	M		82	10	19	31		0		4.12		1.37	4	T	0		13	2	1
PARMA EXP STATION	49.2M	- 2.9	75	9+	24	31	480	0	8	1.25	.48	.50	2	T	0		9	1	0
PAYETTE	48.5	- 2.5	73	[illegible]	25	30+	506	0	9	1.71	.82	.41	2	.0	0		12	0	0
RICHFIELD	44.3	- 3.6	79	9	13	31	632	0	17	.87	.03	.30	2	.0	0		6	0	0
SHOSHONE	47.3	- 1.2	85	10	17	31	543	0	11	.56	- .30	.14	24	1.0	0		9	0	0
STIBNITE	35.6M		75	10	3	31		0	28	4.70		.84	1	21.5	7	24	14	5	0
SUN VALLEY	39.1	- 2.4	75	9	6	31	794	0	28	2.36	.92	.55	24				11	2	0
SWAN FALLS PH	53.9	- 2.0	84	9+	32	31	339	0	1	.93	.35	.22	2+	T	0		5	0	0
THREE CREEK	43.2		84	10	13	31	668	0	26	1.68	.40	.45	23	1.0	0		12	0	0
TWIN FALLS 2 NNE	47.9	- 1.8	84	10	25	16+	522	0	12	.88	- .03	.50	[illegible]	T	0		5	1	0
TWIN FALLS 3 SE	46.1	- 5.1	84	11	20	18		0	20	.87	.13	.28	3	.8	T	22	9	0	0
DIVISION	45.9	- 2.8								2.56	1.32			.9					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STA	45.4	- 1.6	79	10	17	30	599	0	16	.62	- .32	.26	11	.8	0		8	0	0
ALBION	43.8	- 3.5	84	9	12	16	651	0	22	.58	- .65	.23	1	.0	0		5	0	0
AMERICAN FALLS 1 NW	46.3	- 1.1	80	10	19	18	571	0	13	.54	- .62	.30	11	T	T	20	5	0	0
ARCO	41.9	- 3.2	77	7	11	16	708	0	23	.32	- .38	.13	24	.0	0		5	0	0
ASHTON 1 S	40.2	- 4.2	77	10	12	31	765	0	21	3.63	2.35	.75	15	10.5	4	15+	10	3	0
BLACKFOOT	46.2	- 0.2	80	10	18	31	577	0	11	1.12	.13	.39	11	T	0		7	0	0
BURLEY	48.8	- 1.2	83	10+	22	31		0	11	.49	- .33	.27	11	T	0		6	0	0
BURLEY FACTORY 1 NW	44.5	- 4.6	82	10+	17	31		0	20	.63	- .14	.27	11	.0	0		7	0	0
BURLEY CAA AP	45.3	- 4.2	83	9+	19	27+	603	0	15	.57	- .33	.36	10	.2	0		6	0	0
CHILLY BARTON FLAT	36.7	- 5.3	70	[illegible]	7	31	872	0	27	1.91	1.23	.30	4+				12	0	0
CONDA	40.6	- 3.5	77	11	11	30		0	23	1.88	.39	.36	1	5.5			12	0	0
DRIGGS	41.7	- 0.5	78	11	12	30		0	20	2.20	.97	.47	21	.0	0		16	0	0
DUBOIS EXP STA	42.0	- 3.3	74	10	19	30+	706	0	14	1.30	.30	.30	4	2.3	0		11	0	0
DUBOIS CAA AP	42.1	- 4.4	77	10	16	30+	703	0	18	.95	.01	.29	4	T	T	24	9	0	0
FORT HALL IND AGENCY	46.4M	- 1.9	80	10	20	30	567	0	16	1.00	.02	.20	11+	.0	0		12	0	0
GRACE PH	41.9	- 3.9	74	10	15	31	710	0	21	1.69	.41	.51	2	2.5	3	21	9	1	0
GRAY	41.7	- 1.6	77	10	20	17+	716	0	21	1.46	.02	.65	3	2.0	0		6	1	0
GROUSE	37.5		72	9	7	31	850	0	27	1.01	.14	.22	4+	T	0		8	0	0
HAMER 4 NW	42.4M	- 2.8	78	10	10	17	697	0	19	.94	.27	.61	4	T	0		6	1	0
IDAHO FALLS CAA AP	43.5	- 3.6	82	10	15	31	660	0	14	.83	- .15	.22	12	T	0		12	0	0
IRWIN 2 S	44.0	- 0.1	79	[illegible]	13	31	632	0	13	1.87	.61	.71	6	3.0	1	21	10	1	0
ISLAND PARK DAM	36.8	- 5.9	74	10	5	31	869	0	26	3.99	1.57	1.35	24	15.0	10	24	14	2	1
LIFTON PUMPING STATION	42.7	- 2.5	68	10	21	22+	685	0	14	.89	- .23	.32	11	.0	0		7	0	0
MACKAY RS	41.5	- 4.1	72	9	15	22	723	0	21	1.35	.65	.57	24	.2	0		10	1	0
MALAD	46.2	- 1.7	78	9+	21	22+	576	0	12	.72	- .53	.38	2	3.3	0		7	0	0
MALAD CAA AP	44.5M		78	10	13	29	613	0	22	.36		.17	10	T	0		6	0	0
MAY RS	41.5	- 5.1	77	10	10	31	723	0	20	.57	- .03	.17	11	.5	0		8	0	0
MC CAMMON	44.2		77	10	15	31	639	0	22	.98		.31	3	2.5	T	21	6	0	0
MINIDOKA DAM	47.0		76	10	21	31	551	0	10	.45		.25	2	1.0	0		6	0	0
MONTPELIER RS	41.4M	- 3.4	75	11	15	23		0	24	1.62	.35	.45	2	2.0	1	13+	12	0	0
OAKLEY	46.2	- 3.7	75	9+	20	31	576	0	17	.75	- .17	.44	11	.0	0		7	0	0
PALISADES DAM	42.0M		77	10	11	31	709	0	21	1.86		.53	[illegible]	1.0	1	22	14	1	0
PAUL 1 E	45.9	- 3.5	82	11	20	18+		0	17	.75	- .21	.28	3	T	T	22	9	0	0
POCATELLO WB AP //	45.8	- 0.7	81	10	21	16	586	0	13	.81	- .87	.29	21	2.3	1	21	7	0	0
PRESTON SUG FACT 2 SE	46.7	- 1.4	78	10	18	31	559	0	13	1.00	- .23	.31	11	T	T	21	7	0	0
RIRIE	44.6		80	10	16	31	628	0	13	1.00				5.0			10		0
RUPERT	45.8	- 3.4	83	11	20	31		0	16	.66	- .28	.37	3	T	0		7	0	0
SAINT ANTHONY	42.4		78	10	14	31	694	0	18	1.97	1.17	.44	24				11	0	0
SPENCER RS	38.3	- 3.2	73	10	15	17+	819	0	25	2.97	1.53	1.30	4	6.0	4	21+	10	2	1
SPRINGFIELD	45.4M	- 1.9	84	10	14	31	600	0	13	.64	- .42	.20	11	T	0		10	0	0
SUGAR	42.3M	- 2.2	77	10	13	31	709	0		1.56	.55						13	0	0
TETONIA EXP STA	38.4	- 5.4	77	10	11	31	818	0	27	2.13	1.15	.46	3	.0	0		13	0	0
DIVISION	43.2	- 2.4								1.25	.17			1.7					
STATE	44.7	- 2.7								2.73	1.31			1.7					

See reference notes following Station Index.

DAILY PRECIPITATION

Table 3

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
ABERDEEN EXP STA		.09			.05						.26	T			.02						.05			.06	.03	.06						.62
ALBION	.23	.04			T						.10				.12									.09								.58
ALPHA 1 NE	.56	1.10	.25							.15	.41	.30			.09			.08	.41	.50	.41	1.17		.36								5.79
AMERICAN FALLS 1 NW		.05			.11						.30								T	T				.05		.03						.54
ANDERSON DAM	.28	.78	.04	.04						.22	.27	.17			.21				.02	.01	.03	.08	.28	.28	T							2.71
ARCO	T	.02		.02	T	T					.12		.03									T	T	.13	T							.32
ARROWROCK DAM	T	1.15	.29	.15	.02						.09	.10			.41	.02			.04	T	T	.13	.09	.55	.03							3.07
ASHTON 1 S		T	.45	.51	T						.20				.75				.14	.18	.39	.34		.59	.08							3.63
ATLANTA 1 E	.25	.95	.14	1.40	.13					.35		.15	.02		.57	T			.28	.35	T	.25	.32	.43	T							5.59
AVERY RS	.50	.51	•	.40		.01					.34	.20	.14	.52	.15	.07	.07		.19	•	•	1.20	.62	.03					.19	.01		5.15
BAYVIEW MODEL BASIN	.63	.45	1.00	.17		T			.05		.28	.81	.05	.57		.40	.10	.07	.35	.10	.23	.20	1.25	.03					.22	.27		7.21
BIG CREEK 1 S	.23	.54	.25	.07							.32	.24	T	.05	.77	.04	.02		.27	.20	.20	T	•	.80					T			4.00
BLACKFOOT		.10	T		.23						.39	.10			T							.10		.12	.08							1.12
BLISS	.02	.12								T	.03				.04								T	.34								.55
BOISE LUCKY PEAK DAM		.48	.30	.03							.07	.21	•	•	.44				.03				.20	.11								1.87
BOISE WB AP R	.28	.14	.20	T						.05	.19	T		T	.30	T		.03	.07	.01	T	.03	.29	.01	T							1.60
BONNERS FERRY	.74	.38	.10	.08	T	T					.12	T	.09	.52		.60	.06	.15	.79	.25		.02	.82	T				T	.17	T		4.89
BUHL	.04	.31	T							T					.10									.34	T							.79
BURKE 2 NNE	.60	.83	.48	.26	T	T					.39	.17	.28	.99	.17	.11	T		.35	1.11	.19	.21	1.20	.04					.60	.05	.03	8.06
BURLEY		.09	.06								.27					T						.01		.02		.04						.49
BURLEY FACTORY 1 NW		.14	.08	.01							.27											T		.06	.04	.03						.63
BURLEY CAA AP	T	.08			T					.36		T			.03				T			.01	T	.07	.02							.57
CALDWELL	.06	.44	.27	.08		T	.01			.01	.18	.03			.27	T			.16	.07		.03	.10	.05								1.76
CAMBRIDGE	.53	.32	.18							.20	.62		.25			.02						.66	.65	.56								3.99
CASCADE 1 NW	.28	.87	.29	.38							.32	.45	T	.04	.44	T		T	.17	.10	.07	.09	1.17	.25								4.92
CENTERVILLE ARBAUGH	.18	1.12	.47	.80						.25	.27			T	.75				1.10	.14	.05	.33	.62	.38								6.46
CHALLIS	T	.07		.12															T		.12											.31
CHILLY BARTON FLAT	.05	.09	.12	.30	.05						.30			.25					.10	.10	T		.25	.10	.20							1.91
CLARK FORK 1 ENE	.90	.44	1.17	.28	.04						.44	1.04	.30	.88		.29	.13	.10	.35	.50	.55	.19	1.50	.02					.78	.22		10.12
COBALT BLACKBIRD MINE	.02	.19	.13	.05						.10	.09	T		.37	.05	.01		.13	.56	.12	.08	.08	.17	.04					.20		.01	2.40
COEUR D ALENE CAA AP	.63	1.00	.32	T	.05	T					.19	T	.05	.56		.29	.06	.07	.61	.03	.30	.42	.78					.03	.27	T		5.66
COEUR D ALENE RS	.61	.80	.78	.25	.01						.29	.05	.17	.74		.31	.29	T	.50	.19	.22	.34	1.17	.03					.18	.03		6.96
CONDA	.36	.33	.14	.21	.02					.29		.14						.07	.02	.11		.16	.03									1.88
COTTONWOOD	.10	.12	.10	.02							.57	.14	.03	.33	T	T		.01	.33	.21	.02	.10	.31						.10			2.49
COUNCIL 2 NNE	.65	1.26	.70	.18					.36	.69	.27				.09		.12	.18		.23		.40	1.59	.20								6.92
CROUCH 2 NNW	.30	1.30	.50	.73							.24	.29		.06	.62				.35	.22		.34	.20	1.20	.30							6.65
DEADWOOD DAM	.48	1.24	.29	.59						.10	.53	.20	.07	.22	.44	T	T	T	.33	.07	.02	.25	1.15	.23	.01							6.22
DEER FLAT DAM	.10	.15	.13	T							.19				.34				.10		.05		.20									1.26
DRIGGS		.05	.03	.43		.15				T	.11	.04	.11		.18	.23			.10	T	.47	.08	.02		.04	.12				.04		2.20
DUBOIS EXP STA			.23	.30	T						.11	.16	.01	T	.06	T				.03	.01	.15		.20	.04							1.30
DUBOIS CAA AP	T		.14	.29						T	.08	.07			.08					.09	.01		T	.16	.03							.95
EDEN HUNT PROJECT	T	.20	T	T						.03	T				.05							.05	T	•	.27							.60
ELK CITY	.15	.33	.29	.25							.32	.35	.09	.05	.32	.12	.32	.04	.03	1.00	.25	.23	.10									4.24
EMMETT 2 E	.30	.55	.40	.32						.04	.19	.09			.30			T	.16				.30	.08								2.73
FAIRFIELD RS	.25	.48									.15				.11				.04	.01		.12	.40	.41								1.97
FENN RS	.20	.16	.74	.51							.59	.23	.11	•	.40	.10	.12	T					.64					.55				4.35
FORT HALL IND AGENCY		.04			.11						.20	.08	.20	•	.03				T	T	•	.13		.13	.01	.07						1.00
GARDEN VALLEY RS	.19	.89	.47								.11	.30			.65				.30	.30	.04	.08	.63	.29								4.25
GLENNS FERRY	.15	.19	.04	T						.07					.14								.08	.20								.87
GOODING CAA AP	.12	.06									T				.03			T				T	.11	.27								.59
GRACE PH	.23	.51	.06	.07	.01						.31	.16	.12						T		.22	T										1.69
GRAND VIEW	.24	.08	.20																				.30									.82
GRANGEVILLE	.06	.08	.24	.10							.33	.18	T	T	.41	.02		T	.22	.45	.04	.10	.42						.17			2.82
GRAY			.65	.15	.05							.41										•	.20									1.46
GROUSE	.03	.19		.22							.17	.02									.11		.05	.22	T							1.01
HAILEY	.10	.32	.05	.14							.27				.06							.06	.22	.43								1.65
HAMER 4 NW		T	T	.61							.10	.02			T					T	.09			.11	.01							.94
HAZELTON	T	.25	.02								.07	T			.03							.07	.01	.34								.79
HILL CITY	.23	.62	.11								.22	.05			.09				.13	T		.11	.14	.43	.02							2.15
HOLLISTER		.15	T												.17									.42	.09							.83
HOWE		T	.02	.09	.06						.03	.04	.04											T	.06	T						.34
IDAHO CITY	.28	.70	.40	.53	.01					.01	.26	.50	.02		.54	.01			.26	.19	.20	.18	.42	.40	.01							4.92
IDAHO CITY 13 SW	.34	.90	.50	.08						.02	.35	.21			.56				.25	.03	.10	.20	.58	.26	T							4.38
IDAHO FALLS CAA AP	T	.03	.03	.02	.18					.14	T	.22			.02			T	T	.02	.01	.02	T	.09	.05							.83
IRWIN 2 S	.06		.20			.71					.31	.04	.04		.10					T	.15	.08		.18								1.87
ISLAND PARK DAM		.17	.15	.29	.05							.15	.17		.34	.02			.12	.33	.12	.51		1.35	.22							3.99
JEROME	.04	.37								T					.06							.04		.15	T							.66
KAMIAH 1 NE	•	.71	.38	.48							•	.73	•	•	.43	T	.16		.15	.53	.34	.07	.13	.31					.12	T		V 4.71
KELLOGG	1.06	.46	.74	.29	.02		.03				.25	.28	.14	.25	.45	.01	.10	T	.03	.58	.40	.09	.68	.58					.37	.01		6.82
KOOSKIA	.15	.16	.53	.58		T					.51	.23	.13	.19	.01		T	.07	.42	.25	.12	.22	.39						.11			4.07
KUNA 2 NNE	.04	.23	.32	.08						.04	•	.36			.27				.11	.09	T	.03	.25	.14								1.96
LEWISTON WATER PLANT	.33	.19	.48	.05		T					.14		T	.13	T			.14	.17	.01	.08	.32	.61						.03			V 2.84
LEWISTON WB AP	.24	.17	.43			T				.10	.07	T	T	.04		.02		.04	.11	.01	.04	.24	.53						.06			2.10
LIFTON PUMPING STA	.05	.29	.08	.09	.02						.32	T			T					.04	T	T										.89
LOWMAN	.18	1.50	.44	.50							.26	.43	.01	•	.75				.42	.31	T	.14	.58		.35							5.87
MACKAY RS	T	.03	.03	.20							.25					.11				.10		.03	.01	.57	.02							1.35
MALAD	.05	.38		.04	T						.18	.05			T				T	T	.01	.01		T	T							.72
MALAD CAA AP	.01	.11	.05							.17		.01	.01							T	T	T		T								.36
MAY RS	T	.10	.01	.02							.17				T				T	.15	.01	.04		T	.07			T				.57
MC CALL	.30	.87	.66	.71						.32	.37	.30		.34	.10				.05	.30	.24	.30	.99	.62								6.47
MC CAMMON	T	.06	.31	T		.10				.15		.08	T								.28			T	T							.98
MERIDIAN 1 SSW	.11	.25	.21	.01											.33				.16					.37								1.44
MESA	.75	.33	.18							T	.84	.45	T	T	.50			.06	.04	.24		.54	1.04	.19								5.16
MINIDOKA DAM		.25	.01		.02						.10				T							.02		.05								.45
MONTPELIER RS		.45	.15	.20	.07					.03			.32			.03			.04	.20	.05	.05	.03									1.62
MOSCOW U OF I	.55	.20	.56			T					.24	.02	.05	.40	T	.16		.10	.39	.18	.03	.26	.56						.05			3.75
MOUNTAIN HOME 1 NE	.13	.61	.07	T								•	.17		.13				T	T			.07	.25								1.43
MULLAN PASS CAA	.38	.72	.50	.04	T	.01	T				.13	.23	.13	1.37	T	.16	T	.09	.39	.35	.23	.42	.66	T					.13	.04	.02	5.98
NAMPA	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-
NAMPA 2 NW	.06	.19	.09	.22	.05						.04	.15			.25				.11	.05	.09	.04	.02	.18								1.54
NEW MEADOWS RS	.57	1.40	.89	.08							.41	.40	•	.88				.15	.11	•	•	.47	1.01	.58								6.95
NEZPERCE 2 E	.16	.25	.42	.14	T						.66	.09	.05	.14	.01	.02	T	.04	.34	.25	.13	.11	.42	.02					.15			3.40
OAKLEY		.10	.05							.02	4				.02					T				.10	T	.02						.75
OBSIDIAN 4 NNE	.11	.23	.10	.08							.20	.12			.38	T			.27	.20	.09	T	.10	.06	.04							1.98
OLA 4 S	.07	.11	.25	1.37						T	.30	.43	.01	T	.45				.17	.20	T	.12	.57	.07								4.12
OROFINO	•	.90	.45	.06							1.38	.11	.15	.47	.11	.21	.02	.07	.36	.32	.37	.15	.60	T			.03		.16			5.92
PALISADES DAM	.10	.07	.14	.05	.11	.53					.22	T	.13	.14					.02	.04	.14	.11	T	.06	T							1.86
PARMA EXP STA	.28	.50									.02	.09			.16				.06	.02	.10		.02									1.25
PAUL 1 E		.08	.28								.26				•	.03						.02		•	.06	.02						.75
PAYETTE	.30	.41	.10							.04	.27	.25		.01	.14			.04	.03			.05	.07	T								1.71
PINE 2 SSW	.30	.95	.01							.35	.25							.25	.06	.06	.09	.17	.36	.33	T							3.18
POCATELLO WB AP R	T	.03	T		.16					.19		.05			T				T		.29	T		.06	.03							.81
PORTHILL	.67	.34		.10	.01	.01	T				.17		.08	.21	.05	.30	.02	.31	.41	.45	.05		.60						.11			3.89
POTLATCH	.55	.35	.67		.40						.21			.43		.07		.16	.29	.28	.10	.35	.61									4.47
PRESTON SUG FACT 2 SE	.04	.19	.07	.15	T						.31	.21	T								.03	T										1.00
PRIEST RIVER EXP STA	.97	1.75	.32	.24	T	.02	T	T	T		.40	.10	.07	.50	T	.57	.25	.12	.72	.62	.37	.03	•	.82					.30	.02		8.19
RICHFIELD	.19	.30									.05	.02			T							.04		.27								.87
RIGGINS RS	.05	.24	.56	.06							.11	.13	.09		.21		.11	T	.04	.25	.19	.29	.03	.67						.02		3.05
RIRIE		T	•	.08	.05						.14	T			.04					•	.55			.03	•	.11						1.00
ROLAND W PORTAL	.59	.68	.53	.23	T	T					.40	.10	.36	.90	.14	.14	.05	.07	.53	1.10	.25	.62	1.37	T					.04	T	T	8.10
RUPERT		.11	.37		.01						.10											T		.03	.02	.02						.66
SAINT ANTHONY		.11	.29	.28							.17				.10				.05	.11	.10	.20		.44	.12							1.97
SAINT MARIES	.61	.66	.44	.30	.06							.30	.28	.36	T	.07	.01	.04	.37	.56	.44	.08	1.25	.02					.25			6.10
SALMON			.04	.02							.01				.05			T	.20	.22	.06		.03	.08	T				.02			.73
SANDPOINT EXP STA	1.03	.65	1.52	.12		T					9	.41	.13	.75		.64	.20	.11	.76	.61	.45	.15	1.15	.03				.28	.11	T		9.59
SHOSHONE	.05	.12	.01								.01	T			.02				.01			.12	.08	.14								.56
SPENCER RS		T		1.30	T						.16	.25	.02		.05					.17	.37	.10		.52	.03				T			2.97
SPRINGFIELD		.06			.07						.20		.06		.01						T	.02		.15	.02	.04	.01					.64
STIBNITE	.84	.25		.22							.19	.20	.10		.65		.15		.25	•	.50	.25	.50	.60						T		4.70
SUGAR		.08	.25	.03	T							•	•	.30		•	.10			T	.14	•	.28	.26	.12	T						1.56
SUN VALLEY	.04	.22	T	.50	.10						.33	T			.08				.08	.11	T	.09	.26	.55								2.36
SWAN FALLS PH		.22	.22		T							.12			.22			T						.15								.93
TETONIA EXP STA	T	.15	.46	.06	.11						T	.32		.09		.16			.12	.29	.16	.03		.08	.10	T						2.13
THREE CREEK	.04	.09	.35	.11					.04			.11		.13	.28					.05			.45		.03							1.68
TWIN FALLS 2 NNE	T	.50	T												.12	.01						.06	T	.19								.88
TWIN FALLS 3 SE	.01	.07	.28	.01							T				.01	.12						.08		.25	.04							.87
WALLACE	.60	.70	.59	.02	T	T					.36	.10	.47	.91	T	.18	.02	.15	.75	.73	.12	.30	1.36	.05					.39	T	T	7.80
WALLACE WOODLAND PARK	.46	.54	.53	.43			.04				.24	.08	.14	.33	.63		.11		.09	1.00	.22	.11	.76	.53								
WINCHESTER 1 SE	.05	.18	.55	.11									.04	.10	.26	.04	.07	.02	.27	.50	.03	.13	.01	.03				.25				2.64

See reference notes following Station Index

Table 5

DAILY TEMPERATURES

IDAHO
OCTOBER 1951

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
		Day Of Month																															
ABERDEEN EXP STA	MAX	73	64	59	53	59	64	67	73	78	79	69	58	58	66	58	52	55	55	61	57	47	49	59	52	53	55	55	57	60	53	43	59.4
	MIN	40	44	40	39	38	29	30	32	30	33	42	38	36	31	40	19	24	20	35	36	29	28	36	37	34	25	24	20	27	17	18	31.3
ALBION	MAX	68	59	52	48	55	66	72	79	84	81	68	69	70	73	68	51	56	62	64	54	42	48	58	57	46	47	54	58	60	50	43	60.1
	MIN	38	43	40	38	31	21	25	30	28	31	38	30	29	38	35	12	14	14	31	38	30	20	25	33	30	25	17	17	19	15	17	27.5
[illegible] 1 N	MAX	56	51	48	58	60	69	72	72	76	78	56	51	55	58	46	45	48	49	47	44	43	40	40	45	49	51	57	61	49	45	40	53.5
	MIN	42	41	38	25	25	26	28	29	25	24	38	34	35	32	30	18	22	21	36	31	28	31	30	29	33	18	19	19	28	15	11	27.8
AMERICAN FALLS 1 NW	MAX	75	63	58	53	58	65	64	72	72	80	74	60	58	65	63	53	56	52	61	55	49	48	57	48	53	53	53	57	62	53	43	59.1
	MIN	44	45	43	40	37	30	32	32	35	37	41	41	38	42	41	20	23	19	33	38	30	27	39	36	36	29	27	22	33	22	23	33.4
ANDERSON DAM	MAX	55	59	55	50	60	66	72	78	82	80	65	55	59	63	58	55	55	55	55	51	51	48	46	43	53	56	56	61	56	50	47	58.2
	MIN	51	47	46	44	38	37	40	43	45	45	46	43	40	39	39	30	30	30	42	39	34	32	39	36	35	36	30	32	32	27	24	37.8
ARCO	MAX	73	61	53	50	59	61	77	73	75	74	70	55	59	60	60	47	51	46	54	51	46	47	52	43	44	52	58	56	59	47	40	56.5
	MIN	38	42	34	38	37	25	28	29	30	28	42	31	28	29	26	11	15	19	29	31	23	25	24	34	31	33	20	19	20	14	12	27.3
ARROWROCK DAM	MAX	69	61	59	56	44	60	67	70	80	78	82	65	58	60	65	51	54	53	55	53	49	44	49	52	47	54	52	54	55	55	45	57.9
	MIN	52	50	46	42	36	36	38	41	40	43	44	44	42	41	40	30	30	31	33	42	33	32	35	38	37	34	30	31	32	25	23	37.1
ASHTON 1 S	MAX	71	67	64	51	54	56	66	72	75	77	69	54	53	55	51	45	43	48	49	47	39	39	35	40	43	49	49	52	53	42	38	53.1
	MIN	34	35	36	34	34	28	31	30	33	33	33	32	31	30	29	26	16	20	34	29	23	20	19	30	33	25	17	20	23	16	12	27.3
ATLANTA 1 E	MAX	60	45	47	42	52	58	61	71	77	72	67	63	58	55	48	43	46	51	49	43	34	39	40	38	44	48	56	54	52	49	42	51.7
	MIN	42	32	35	30	26	22	32	37	40	38	35	33	32	29	30	18	20	22	34	29	26	22	28	28	27	20	24	22	22	16	15	27.9
AVERY RS	MAX	60	61		60	65		76	77	78	61	67	52	53	51	51	45	51	50	47			47	42		50	53	55	59	49	46	40	56.6
	MIN	50	48		45	42		34	42	41	43	42	43	44	44	32	32	32	29	39			33	35		31	31	29	30	34	29	21	36.9
BAYVIEW MODEL BASIN	MAX	60	73	69	54	57	56	61	62	65	79	62	53	56	54	52	46	41	49	48	49	49	41	43	48	44	43	42	49	48	40	39	52.0
	MIN	52	52	49	45	45	38	40	42	41	41	50	45	46	44	31	34	34	32	37	36	38	33	35	31	25	26	29	29	37	31	23	37.8
BIG CREEK 1S	MAX	58	51	45	45	58	59	70	74	78	79	65	50	48	57	45	44	44	43	44	45	36	43	42	45	45	47	51	54	48	42	36	51.3
	MIN	42	35	30	36	35	22	28	25	25	24	37	34	34	40	30	18	22	20	34	32	26	25	38	32	21	17	13	15	25	13	7	27.3
BLACKFOOT	MAX	71	64	59	53	57	64	71	76	79	80	72	58	59	66	57	51	56	55	59	54	43	44	59	54	53	55	55	58	59	52	45	59.3
	MIN	50	37	42	39	36	34	33	34	34	30	44	38	37	35	40	25	25	24	37	37	29	28	37	35	34	27	29	24	26	20	18	33.0
BLISS	MAX	72	67	59	57	63	71	75	82	84	85	79	59	66	75	66	60	60	60	66	60	52	60	58	51	53	54	57	62	62	54	50	63.8
	MIN	42	50	41	39	28	31	32	41	46	45	52	50	34	31	42	24	25	26	37	37	33	26	32	37	34	33	24	27	30	21	17	34.5
BOISE LUCKY PEAK DAM	MAX	75	69	60	54	60			84	84	86	86	65			71	57	58	56	58			59	58	53	58	58	57		62	57	51	63.8
	MIN	52	51	47	35	38			40	49	50	45	43			42	33	34	35	41			32	31	31	31	30	28		28	25	22	37.2
BOISE WB AP	MAX	66	60	56	49	60	67	70	82	80	87	69	57	62	68	52	54	56	62	60	52	48	52	58	50	57	52	57	61	59	47	45	59.8
	MIN	53	50	42	38	34	39	43	47	47	47	44	45	43	47	37	36	36	35	41	32	33	37	43	40	35	30	29	34	34	24	23	38.6
BONNERS FERRY	MAX	58	58	62	56	61	55	68	69	62	62	59	54	54	54	54	38	46	45	42	50	46	49	36	45	49	46	41	52	44	45	41	51.6
	MIN	51	51	49	47	43	41	45	37	40	40	45	46	42	39	35	34	31	30	35	39	36	32	32	31	28	28	33	35	31	28	24	37.4
BUHL	MAX	74	64	58	54	60	68	72	78	80	78	69	62	62	74	64	52	57	60	64	58	47	56	60	51	50	52	56	60	62	56	46	61.4
	MIN	48	54	46	38	36	38	40	44	46	46	44	42	40	40	40	32	30	30	40	40	32	32	40	38	36	34	32	34	38	28	30	38.3
BURKE 2 NNE	MAX	52	50	50	46	50	54	58	66	69	74	63	47	45	45	44	38	40	45	43	40	36	35	34	41	40	42	42	45	38	34	32	40.4
	MIN	47	43	43	39	38	32	42	39	38	36	42	38	39	38	29	28	29	27	36	33	32	31	31	26	22	21	22	25	31	28	18	33.1
BURLEY	MAX	82	72	62	60	55	61	70	73	82	83	83	74	56	61	74	66	58	61	60	67	55	46	53	59	45	40	52	58	61	65	52	63.0
	MIN	44	46	45	39	39	36	34	36	37	39	42	41	39	37	41	26	25	23	35	37	32	30	32	36	35	30	24	26	35	29	22	34.6
BURLEY FACTORY 1 NW	MAX	79	71	60	58	55	59	67	71	80	82	82	66	55	60	61	48	55	58	60	64	55	46	50	59	44	46	48	57	60	63	49	60.3
	MIN	38	42	41	36	33	29	27	28	30	31	35	35	34	33	38	22	19	19	21	31	29	24	29	33	28	24	18	20	22	24	17	28.7
BURLEY CAA AP	MAX	71	61	55	53	58	67	71	81	83	83	67	56	62	72	55	54	58	60	65	53	45	51	59	43	47	49	55	58	63	49	45	59.6
	MIN	39	45	43	35	35	34	30	31	33	34	40	39	33	34	28	24	21	20	32	36	25	28	36	33	33	28	19	22	27	25	19	31.0
CALDWELL	MAX	69	66	63	54	60	68	72	77	78	77	68	62	67	66	60	59	6	56	55	55	55	57	59	54	57	56	59	61	63	53	47	61.7
	MIN	52	49	44	37	33	32	34	35	30	37	40	41	37	42	41	27	27	28	39	37	33	37	42	30	37	29	30	26	29	23	25	35.5
CAMBRIDGE	MAX	79	78	64	67	68	70	65	69	73	73	73	60	61	63	60	63	54	56	50	51	52	55	50	52	53	53	58	56	57	50	50	60.9
	MIN	42	50	51	49	48	40	39	37	39	34	42	41	39	30	28	31	33	31	32	33	32	40	37	36	30	27	25	28	26	20	20	35.2
CASCADE 1 NW	MAX	54	51	48	47	55	59	66	71	72	76	67	46	54	56	46	45	45	49	47	46	37	40	39	40	46	49	53	55	53	43	37	51.4
	MIN	45	42	39	35	28	29	30	31	31	32	39	32	38	39	33	23	27	25	38	33	29	28	32	31	30	24	24	24	32	20	16	30.9
CHALLIS	MAX	68	65	59	56	61	62	69	71	71	76	72	70	67	71	74	76	50	45	54	56	50	50	51	50	49	52	49	50	52	49	57	59.7
	MIN	40	40	38	38	36	37	31	29	29	35	34	32	30	32	24	19	23	23	34	32	22	24	26	24	22	27	26	22	20	20	14	28.5
CHILLY BARTON FLAT	MAX	63	56	53	42	53	56	64	60	70	69	60	48	53	58	50	43	47	43	47	44	40	42	47	38	39	44	58	61	55	39	40	51.0
	MIN	37	36	32	34	30	18	23	22	20	21	34	20	32	22	30	10	8	16	25	26	20	20	20	30	20	20	20	17	15	8	7	22.4
CLARK FORK 1 ENE	MAX	57	56	55	52	61	56	65	65	66	75	61	49	51	50	51	45	43	45	47	46	44	42	39	52	48	41	40	51	44	42	40	50.9
	MIN	50	49	47	45	44	35	39	36	38	39	46	45	44	42	30	33	35	30	32	40	36	33	34	31	25	24	28	28	34	30	22	36.3
COBALT BLACKBIRD MINE	MAX	51	48	45	40	44	50	56	61	65	67	48	39	47	51	33	35	35	39	40	35	31	35	37	36	33	33	38	46	42	27	22	42.2
	MIN	36	32	33	32	25	26	32	32	33	34	30	31	30	26	15	15	13	20	27	10	18	21	28	24	10	10	18	23	9	6	6	23.1
COEUR D'ALENE CAA AP	MAX	60	56	58	52	60	59	66	69	70	68	57	55	56	55	49	43	41	45	50	45	42	42	44	48	46	38	42	52	47	43	37	51.5
	MIN	50	50	47	44	41	40	44	46	45	47	48	45	45	36	31	32	32	32	34	41	36	32	34	32	28	27	30	31	33	25	21	37.4
COEUR D'ALENE RS	MAX	69	60	56	54	60		69	72	73	72	70	57	57	57	50	48	45	47	47	50	45	44	44	51	48	46	47	55	55	44	41	54.4
	MIN	53	51	50	45	45		42	43	42	42	49	47	47	45	33	37	33	34	39	42	30	32	37	34	30	29	30	31	38	30	21	38.9
CONDA	MAX	71	62	53	49	40	43	57	64	71	75	77	60	41	47	58	44	50	52	57	58	52	34	44	53	45	54	51	52	51	49	45	53.5
	MIN	38	36	36	32	30	27	28	31	29	40	31	33	31	40	18	19	20	28	30	27	22	28	34	37	32	18	14	24	16	11	12	27.6
COTTONWOOD	MAX	63	58	50	48	57	63	70	79	80	83	67	50	55	58	50	48	45	49	51	46	46	45	45	47	43	43	48	57	52	41	37	54.2
	MIN	48	42	41	40	30	32	30	35	41	42	43	41	40	42	31	28	29	27	39	33	32	30	30	31	26	28	22	26	30	23	19	33.9
COUNCIL 2 NNE	MAX	70	62	54	55	61	65	70	74	79	76	72	65	58	57	56	58	55	52	57	55	54	50	45	54	54	56	62					60.2
	MIN	45	50	45	42	36	34	38	33	41	36	36	35	39	40	37	38	39	33	36	32	28	32	39	35	36	33	33					37.4
DEADWOOD DAM	MAX	52	46	46	43	55	58	68	73	76	78	64	56	48	54	45	47	45	42	43	44	34	42	37	39	46	50	57	58	48	41	39	50.8
	MIN	40	37	36	30	24	20	27	28	25	24	35	23	34	31	30	21	22	20	33	30	27	25	29	30	27	15	17	18	23	12	9	26.1
DEER FLAT DAM	MAX	67	65	67	63	62	67	71	78	82	82	73	63	66	68	64	57	61	59	59	54	58	60	62	56	67	54	60	61	64	59	54	64.0
	MIN	48	49	47	41	40	35	41	36	37	39	42	42	39	43	42	33	29	30	40	36	37	35	38	30	36	34	31	28	34	28	26	37.3
DRIGGS	MAX	71	64	59	50	45	53	58	67	75	74	78	61	48	53	60	42	45	50	55	51	40	38	40	47	47	48	50	53	55	52	44	54.0
	MIN	42	40	39	38	35	31	29	29	30	31	39	30	32	34	36	18	25	19	34	34	25	23	27	30	30	30	20	22	26	12	13	29.4
DUBOIS EXP STA	MAX	67	61	55	42	56	52	63	68	70	74	71	54	53	60	55	43	48	47	46	45	38	36	45	46	40	47	48	50	50	39	36	51.8
	MIN	46	42	38	35	35	32	40	37	38	40	41	36	35	33	38	36	21	23	35	42	25	21	25	32	45	26	25	26	27	19	19	32.1
DUBOIS CAA AP	MAX	66	64	59	44	60	54	65	70	72	77	61	49	57	62	52	45	50	48	48	50	41	39	54	44	43	51	50	51	52	42	38	53.5
	MIN	45	37	37	37	37	31	38	36	35	40	42	35	35	32	29	27	14	25	32	31	24	23	28	32	33	29	22	23	26	16	16	30.7
EDEN HUNT PROJECT	MAX	79	61	55	53	60	74	74	85	85	86	69	60	61	72	67	62	59	62	64	55	55	52	60	57	45	49	56	54	61	65	51	62.8
	MIN	38	42	42	35	32	23	26	30	35	30	39	38	33	26	38	15	14	18	33	33	29	24	31	34	31	27	21	20	23	19	13	29.4
ELK CITY	MAX	58	56	52	47	58	57	71	77	81	84	64	51	56	58	51	44	45	44	46	47	42	43	47	48	47	48	50	60	63	42	40	54.1
	MIN	44	43	40	38	39	29	46	32	30	27	45	38	31	37	28	21	29	24	36	34	28	28	35	29	30	28	26	24	21	25	21	31.8
EMMETT 2 E	MAX	69	64	63	54	63	66	71	77	78	74	70	63	65	65	61	59	57	54	57	55	52	55	59	55	60	55	59	61	60	52	47	61.3
	MIN	53	52	45	39	32	35	36	40	39	39	43	45	46	41	44	30	31	30	41	36	33	39	45	39	35	26	27	29	32	25	20	37.0
FAIRFIELD RS	MAX	65	51	58	55	61	65	69	73	78	76	70	50			53	47	51	53	55	49		44	47	40	45	55	56	58	54	47	47	56.4
	MIN	40	41	38	33	26	25	28	33	31	36	36	35			25	15	16	16	34	31		23	29	31	31	27	21	21	22	16	14	27.6
FENN RS	MAX	59	62	56	52	65	60	65	68	68	79	62	57	56	55	52	50	50	50	47	45	44	49	44	55	54	51	53	57	55	46	45	55.2
	MIN	50	51	48	45	45	36	43	42	42	42	47	46	45	40	41	31	34	31	40	40	40	36	38	37	35	33	29	30	31	30	27	38.9
FORT HALL IND AGENCY	MAX	70	63	60	53	55	63	62	77	78	80	72	59	58		65	50	55	55	58	55		47	58	53	51	53			61	52	41	59.4
	MIN	51	44	40	41	37	31	30	29	31	30	44	40	39		40	21	23	30	35	36		30	37	37	33	29			21	20	22	33.4
GARDEN VALLEY RS	MAX	69	60	57	65	62		71	76	75	72	68	55	62	59	55	55	54	47	52	50	44	50	45	48	59	56	59	58	59	50	51	58.1
	MIN	47	48	45	35	35		35	30	34	33	44	43	41	50	40	27	26	36	40	39	35	32	37	38	35	25	35	26	24	22	19	35.6
GLENNS FERRY	MAX	72	67	59	55	66	72	77	84	86	85	72	72	72	74	72	59	62	63	64	60	54	60	58	51	58	58	57	62	65	54	51	65.2
	MIN	47	51	45	39	28	27	30	36	30	52	37	42	34	32	43	22	23	20	37	38	32	30	41	40	35	34	21	21	28	26	24	33.9
GOODING CAA AP	MAX	71	64	55	52	60	68	73	81	84	85	67	56	62	70	55	56	57	59	62	53	46	53	58	43	47	50	51	59	59	47	46	59.6
	MIN	47	46	41	37	31	31	43	47	47	51	43	40	39	37	31	22	26	27	40	34	23	30	39	37	35	32	26	28	30	24	20	35.2
GRACE PH	MAX	63	54	48	45	49	55	65	70	72	74	63	48	49	57	52	50	53	55	62	49	38	37	53	54	57	52	54	57	52	44	39	53.9
	MIN	45	40	38	37	32	32	30	30	32	32	37	34	32	31	33	20	21	20	35	33	27	23	31	37	30	30	20	20	31	19	15	29.9
GRAND VIEW	MAX	73	70	61	56	66	71	74	82	85	84	73	68	73	68	71	58	60	61	60	56	61	61	65	53	58	57	64	62	67	54	51	65.3
	MIN	51	53	49	37	37	34	35	35	36	36	43	41	36	41	36	29	28	38	38	41	34	38	46	42	40	37	26	25	27	26	23	36.7
GRANGEVILLE	MAX	65	61	52	49	58	58	69	76	76	80	74	55	58	61	49	49	48	50	53	51	44	47	48	43	40	40	41	56	53	44	39	54.4
	MIN	49	46	42	41	36	35	36	39	41	43	48	42	41	42	33	28	28	29	37	38	31	33	35	28	27	30	23	28	36	28	22	35.3
GRAY	MAX	66	64	54	41	45	64	65	70	71	77	65	45	45	46	44	43	56	48	55	57	45	50	32	48	48	46	46	55	55	50	55	53.3
	MIN	42	40	35	32	30	28	30	33	35	35	38	32	30	31	29	28	20	35	39	35	30	24	23	25	24	24	23	20	27	28	25	30.0
GROUSE	MAX	62	57	55	45	55	57	66	70	72	70	56	50	52	57	51	42	48	45	48	53	52	42	43	38	41	53	58	56	53	42	37	52.5
	MIN	37	35	27	31	32	21	23	23	23	21	33	29	25	23	35	12	10	15	26	17	18	17	21	32	26	15	16	16	17	10	7	22.4
HAILEY	MAX	63	57	57	56	57	61	68	74	77	78	70	57	67	62	56	46	51	51	54	51	44	40	46	40	48	56	55	57	57	46	41	56.2
	MIN	44	42	36	34	34	31	34	37	39	40	36	31	31	30	39	21	18	24	38	39	23	25	31	34	34	27	29	26	24	17	12	30.6

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HAMER 4 NW	MAX	67	65	58	47	61	55	[illegible]	[illegible]	74	[illegible]	69	56		63	[illegible]	[illegible]	[illegible]	[illegible]	63	55	43	46	54	[illegible]	46	54	[illegible]			45	40	[illegible]
	MIN	39	[illegible]	[illegible]	40	[illegible]	[illegible]	31	31	34	30	42	[illegible]		29	41	20	10	[illegible]	34	[illegible]	21	[illegible]	24	[illegible]	34	22	[illegible]	17	17	14	[illegible]	[illegible]
HAZELTON	MAX	76	60	55	52	62	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	60	[illegible]	[illegible]	[illegible]	54	[illegible]	60	65	[illegible]	47	[illegible]	[illegible]	[illegible]	40	48	54	56	54	54	45	[illegible]
	MIN	43	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	33	21	22	[illegible]	37	30	28	[illegible]	[illegible]	34	29	[illegible]	24	[illegible]	24	[illegible]	[illegible]
HILL CITY	MAX	61	51	51	50	[illegible]	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	52	[illegible]	[illegible]	[illegible]	49	[illegible]	53	46	41	45	45	40	52	54	[illegible]	60	[illegible]	47	47	[illegible]
	MIN	39	40	[illegible]	34	[illegible]	[illegible]		[illegible]	[illegible]		[illegible]	[illegible]	33	[illegible]	33	[illegible]	17	[illegible]	[illegible]		[illegible]	25	30	37	30		21		23	[illegible]	23	[illegible]
HOLLISTER	MAX	67	59						80	81	[illegible]	56	[illegible]	72		[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		45	48	57	[illegible]	63	[illegible]	48	[illegible]
	MIN	41	45						[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35		[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	28	26	[illegible]	31	24	20	[illegible]
IDAHO CITY	MAX	64	57	55	48	65	66	74	61	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	42	43	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	45	45	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	37	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	22	[illegible]	23	[illegible]	[illegible]	[illegible]
IDAHO FALLS CAA AP	MAX	67	[illegible]	54	48	55	59	68	[illegible]	70	[illegible]	[illegible]	49	56	62	52	48	[illegible]	[illegible]	[illegible]	53	[illegible]	42		49	50	[illegible]	51	53	[illegible]	42	[illegible]	[illegible]
	MIN	44	42	[illegible]	[illegible]	35	34	32	33	34	34	40	[illegible]	36	35	32	24	[illegible]	[illegible]	[illegible]		[illegible]	28		[illegible]	[illegible]	26	[illegible]	23	21	[illegible]	[illegible]	31.4
IRWIN 2 [illegible]	MAX	65	62	[illegible]	[illegible]	55	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	61	51	[illegible]	[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	55.8
	MIN	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	36	31	27	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			19	[illegible]	32.1
ISLAND PARK DAM	MAX	61	55	49	42	[illegible]	[illegible]	[illegible]	60	70	74	72	[illegible]	[illegible]	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]
	MIN	35	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]
JEROME	MAX	71	[illegible]	55	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	62	[illegible]	64	55	58	59	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	54	[illegible]	58	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	41	37	33	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]		25	[illegible]
KELLOGG	MAX	58	60	55	[illegible]	50	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	57	[illegible]	57	[illegible]	47	[illegible]	48	51	[illegible]	44	[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]				[illegible]	[illegible]
	MIN	53	50	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]		[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	35	34	34	[illegible]	[illegible]	[illegible]	35		[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	33	[illegible]	[illegible]
KOOSKIA	MAX	66	65	59	[illegible]	[illegible]	61	78	[illegible]	83	[illegible]	75	[illegible]	[illegible]	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	65	44	[illegible]	49	[illegible]	[illegible]	[illegible]	54				[illegible]	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	49	43	[illegible]	[illegible]	[illegible]	[illegible]	40	52	[illegible]	52	[illegible]	35	[illegible]	[illegible]	30	[illegible]		38	[illegible]	40	40	[illegible]	40	[illegible]	[illegible]	[illegible]	31	24	40.0
KUNA 2 NNE	MAX	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	61	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		61	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	63	61	48	[illegible]	[illegible]
	MIN	[illegible]	51	[illegible]	[illegible]	[illegible]	[illegible]		37	[illegible]	[illegible]	[illegible]	41	[illegible]	42	42	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]		[illegible]	[illegible]
LEWISTON WATER PLANT	MAX	[illegible]	[illegible]	[illegible]	65	70	65	72	[illegible]	[illegible]	[illegible]	76	[illegible]	65	64	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]	[illegible]
	MIN	57		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]	42.1
LEWISTON WB AP	MAX	70	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	64	[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]		[illegible]		[illegible]	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	41	[illegible]	[illegible]			[illegible]			[illegible]			[illegible]	[illegible]
LIFTON PUMPING STA	MAX	64	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	67	[illegible]	[illegible]	64	[illegible]	[illegible]	58	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]
	MIN	42	41	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]			[illegible]			[illegible]	[illegible]
LOWMAN	MAX	[illegible]	[illegible]	53	[illegible]	61	63		[illegible]	[illegible]	80	64	59	[illegible]	[illegible]	52	46	[illegible]	49	48	47	45	47	42	47	56	[illegible]	[illegible]		[illegible]	49	45	[illegible]
	MIN	42	42	[illegible]	35	[illegible]	31		30	[illegible]	[illegible]	30	37	37	[illegible]	35	23	[illegible]	[illegible]	36	35	31	[illegible]	32	33	31	[illegible]			22	[illegible]	[illegible]	[illegible]
MACKAY [illegible]	MAX	64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]
	MIN	42	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	26	15	[illegible]		[illegible]		[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
MALAD	MAX	[illegible]	61	[illegible]	[illegible]	51	49	[illegible]	[illegible]	[illegible]	[illegible]	61	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
	MIN	51	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	24		[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]
MALAD CAA AP	MAX	[illegible]	63	[illegible]	[illegible]	54	61	71	[illegible]	[illegible]	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]	[illegible]	[illegible]
	MIN	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	24	[illegible]				[illegible]	[illegible]	22				[illegible]	[illegible]	[illegible]			20	[illegible]	[illegible]
MAY [illegible]	MAX	64	56	[illegible]		[illegible]	[illegible]	68	73	75	[illegible]	66	54	58	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	42			34	[illegible]			[illegible]	[illegible]	44	34	35	30	33	15	[illegible]	[illegible]	[illegible]		[illegible]				[illegible]	[illegible]	19	[illegible]	[illegible]	14	[illegible]	[illegible]
MC CALL	MAX	52	52	44	46	54	54	66	[illegible]	72	[illegible]	[illegible]	42	40	[illegible]	44	42	42	[illegible]	42	42	[illegible]	38	36	[illegible]	46	44	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	48	[illegible]	40	38		28	32	32	32	32	42	32	30	34	32	26	[illegible]	[illegible]	[illegible]	32	[illegible]	30	[illegible]	[illegible]	[illegible]	[illegible]	24	26	[illegible]		[illegible]	31.8
MC CAMMON	MAX	71	[illegible]	[illegible]	52	48	50	70	74	[illegible]	[illegible]	72	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	46	45	41	38	[illegible]	[illegible]	29	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	MAX	66	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	61	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	[illegible]	36			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]
[illegible]	MAX	61	60	[illegible]	58	62	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	55	[illegible]	[illegible]	[illegible]	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	55	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		27	[illegible]
MINIDOKA DAM	MAX	68	[illegible]	55	53	57	[illegible]	[illegible]	[illegible]	74	[illegible]	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	56	[illegible]	52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	49	[illegible]	46	40	40	[illegible]	40	41	[illegible]	45	[illegible]	41	39	[illegible]	41	[illegible]	26	[illegible]	[illegible]	[illegible]	31	30	[illegible]	[illegible]	37	[illegible]	26	[illegible]	[illegible]	[illegible]	[illegible]	36.2
[illegible]	MAX	71	[illegible]	58	49	47			67	70	74	75	61	45	46	[illegible]	[illegible]	49	[illegible]	[illegible]	57	43	40	34	57	48	[illegible]	[illegible]	54		[illegible]	[illegible]	[illegible]
	MIN	42	[illegible]	[illegible]	[illegible]	34			27	[illegible]	[illegible]	37	[illegible]	32	24	32	[illegible]	[illegible]	20	23	[illegible]	[illegible]	19	[illegible]	[illegible]	[illegible]	[illegible]	22		[illegible]	21	17	27.7
[illegible]	MAX	66	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	51	[illegible]	46	45	[illegible]	51	[illegible]	50	[illegible]	60	[illegible]	41	[illegible]	[illegible]
	MIN	58	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	38	[illegible]	[illegible]	34	37	[illegible]	[illegible]	[illegible]	31	[illegible]	32	[illegible]	[illegible]	39.0
MOUNTAIN HOME [illegible]	MAX	71	[illegible]	[illegible]	55	[illegible]	70	[illegible]	81	[illegible]	[illegible]	80	65	65	71	[illegible]	57	[illegible]	61	[illegible]	57	[illegible]	[illegible]	[illegible]	49	[illegible]	54	[illegible]	60	63	[illegible]	46	[illegible]
	MIN	46	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]	35	37	[illegible]	[illegible]	26	25	[illegible]	34	29	36	40	39	34	[illegible]	21	25	[illegible]	[illegible]	18	33.9
MULLAN PASS CAA	MAX	45	[illegible]	[illegible]	36	42	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	[illegible]	[illegible]	34	35	[illegible]	[illegible]	29	[illegible]	31	[illegible]	[illegible]	35	43	39	27	[illegible]	[illegible]
	MIN	41	36	34	[illegible]	[illegible]	[illegible]	39	41	[illegible]	[illegible]	35	33	33	26	23	22	22	23	[illegible]	26	23	[illegible]	23	[illegible]	22	24	25	[illegible]	21	[illegible]	10	[illegible]
NAMP[illegible]	MAX	[illegible]	70	[illegible]	[illegible]	[illegible]	72			[illegible]	74	[illegible]	74		[illegible]	81	71	[illegible]	[illegible]									[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
	MIN	42	[illegible]	47	46	34	34			[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	32	31									[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
NAMPA 2 NW	MAX	67	67	[illegible]	61	[illegible]	64	70	73	77	[illegible]	[illegible]	69	62	65	67	[illegible]	[illegible]	60	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	[illegible]	64	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	51	45	36	33	34	39	40	39	42	42	44	42	[illegible]	43	32	41	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	39	[illegible]	[illegible]	27	29	32		[illegible]	37.5
NEW MEADOWS RS	MAX	60	55	[illegible]						81		76	50			[illegible]	49	51	48	49			[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	40	
	MIN	47	43	[illegible]							24	41	30			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	
NEZPERCE [illegible]	MAX	[illegible]	[illegible]	50	49	58	55	69	76	76	87	60	52	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]	42	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	50	[illegible]	[illegible]	[illegible]	42	35	40	42	[illegible]	[illegible]	44	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OAKLEY	MAX	[illegible]	[illegible]	54	49	58	57	[illegible]	[illegible]	75	75	68	55	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	65	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	44	43	44	32	[illegible]	[illegible]	[illegible]	30	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OBSIDIAN 4 NNE	MAX	52	40	46	40	51	56	63	67	72	73	60	43	40	54	47	36	40	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47.1
	MIN	34	35	36	30	24	27	22	[illegible]	22	22	35	30	27	24	29	10	11	14	[illegible]	[illegible]	19	[illegible]		[illegible]	22	14	10	13	[illegible]			22.2
OLA [illegible]	MAX	65	66	56	52	63	64	78	80	81	82	67	57	61	61	50	61	56	53	55	56	45	[illegible]	[illegible]	52	[illegible]	[illegible]	60	63	62	[illegible]	46	[illegible]
	MIN											36	32	33	36	31	26	28	[illegible]	31	[illegible]	35	[illegible]	36	[illegible]	37	[illegible]	[illegible]	27	[illegible]	28	19	-
OROFINO	MAX		75	57	61	65	62		79	79	79	77	63	58	58	57	50	55	53	51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	57	55	[illegible]	47	58.4
	MIN		47	50	48	48	39		38	37	35	35	46	48	48	39	35	37	[illegible]	[illegible]	[illegible]	[illegible]	35	37	32								[illegible]
PALISADES DAM	MAX	62	58	57	48	52	58	66	71	76	77	72	61	51	60	55	56	52	55	55	55	37	34	[illegible]	51	53	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]
	MIN	44	40	38	[illegible]	[illegible]		[illegible]	31	31	33	38	28	33	30	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28.4
PARMA EXP STA	MAX	72	65	61	57	65	67	73		75	75	73	62	65	62	60	58	56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54		[illegible]	[illegible]
	MIN	51	50	46	40	[illegible]	[illegible]	36		34	36	43	42	31	43	43	[illegible]	28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PAUL 1 E	MAX	79	70	[illegible]	[illegible]	54	64	68	71	79	81	82	66	55	62	71	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	41	45	43	39	36	[illegible]	[illegible]	34	34	38	38	[illegible]	34	29	39	22	[illegible]		[illegible]		[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]
PAYETTE	MAX	68	[illegible]	61	59	64	64	68	71	73	[illegible]	68	65	65	63	58	[illegible]	56	[illegible]	[illegible]	57	[illegible]	[illegible]	[illegible]	54	59	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]
	MIN	54	[illegible]	45	43	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	46	45	38	44	40	[illegible]		[illegible]	37			[illegible]	44	35		[illegible]		27	30	25	[illegible]	36.9
POCATELLO WB AP	MAX	70	[illegible]	[illegible]	[illegible]	56	63	68	78	79	81	62	51	58	65	58	51	56	57	60	[illegible]	40	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]
	MIN	48	42	[illegible]	41	37	[illegible]	33	[illegible]	[illegible]	[illegible]	44	40	40	[illegible]	33	[illegible]	[illegible]	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	30			[illegible]	[illegible]	[illegible]	33.9
PORTHILL	MAX	57	[illegible]	61	56	60	[illegible]	[illegible]	[illegible]	60	[illegible]	57	54	56	54	55	44	46	43	41	[illegible]	45	[illegible]	42	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	50	[illegible]	[illegible]	48	39	40	42	[illegible]	37	40	40	[illegible]	46	41	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37.0
POTLATCH	MAX	65	[illegible]	55	[illegible]	[illegible]	60	74	[illegible]	80	[illegible]	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	52		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	53	50	49	43	45	40	41	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37.9
PRESTON SUG FACT 2 SE	MAX	74	67	56	50	49	60	[illegible]	75	75	76	72	62	53	61	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]		[illegible]				[illegible]
	MIN	49	46	43	42	[illegible]	32	[illegible]	33	34	33	39	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	33.4
PRIEST RIVER EXP STA	MAX	56	55	57	[illegible]	[illegible]	57	68	[illegible]	[illegible]	[illegible]	[illegible]	50	[illegible]	[illegible]	[illegible]	37	41	44	44	46	41	41	41		[illegible]	47	[illegible]	45	42	38	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	44	38	40	[illegible]	37	[illegible]	46	[illegible]	40	39	26	[illegible]	31	30	[illegible]	[illegible]	34		[illegible]		28	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
RICHFIELD	MAX	66	[illegible]	[illegible]	[illegible]	56	65	70	75	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	53	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	49	[illegible]	[illegible]	30	[illegible]	29	[illegible]	[illegible]	39	40	41	35	31	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	MAX	58	67	[illegible]	57	[illegible]	65	[illegible]	[illegible]	82	[illegible]	78	[illegible]	[illegible]	67	64	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	56	53	49	[illegible]	45	44	47	42	49	50	55	47	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41.9
[illegible]	MAX	67	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	76	80	64	[illegible]	67	62	[illegible]	49		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]					[illegible]	[illegible]	[illegible]
	MIN	49	40	40	[illegible]	30	33	[illegible]	[illegible]	[illegible]	42	42	[illegible]	37	35	37				22	[illegible]											[illegible]	32.9
[illegible]	MAX	[illegible]	[illegible]	49	45	[illegible]	52	[illegible]	65	75	66	64	45	45	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	43	42		[illegible]	31	[illegible]	45	40	[illegible]	[illegible]	[illegible]	40	39	[illegible]	[illegible]	28	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	MAX	77	69	59	[illegible]	[illegible]	[illegible]	64	[illegible]	71	[illegible]	83	[illegible]	55	60	[illegible]	45	[illegible]	[illegible]	[illegible]	65		[illegible]	51	60	44	48		[illegible]		[illegible]	[illegible]	59.4
	MIN	44	44	[illegible]	[illegible]		[illegible]	32		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	[illegible]		[illegible]	[illegible]			[illegible]	34	[illegible]			[illegible]		25	20	32.2
SAINT ANTHONY	MAX	66	63	[illegible]	46	58	59	[illegible]	72	74	[illegible]	60	50	57	[illegible]	54	[illegible]	[illegible]	[illegible]	49		[illegible]	[illegible]	[illegible]	47	48	54	50	53		43	40	54.7
	MIN	42	44	40	40	[illegible]	[illegible]	[illegible]	32	33	[illegible]	42	32	[illegible]	[illegible]	[illegible]	25	[illegible]		37						34		19	21	[illegible]	[illegible]	[illegible]	30.1
SAINT MARIES	MAX	67	[illegible]	[illegible]	[illegible]	62			[illegible]	76	[illegible]	[illegible]	54		[illegible]	[illegible]	46	49	[illegible]	[illegible]		[illegible]	48	43			46		[illegible]		40	[illegible]	56.1
	MIN	49	49	49	44	43			40	[illegible]	[illegible]	[illegible]	46		41	29	[illegible]		31	[illegible]		42	40	37		[illegible]	[illegible]	[illegible]	[illegible]			19	37.3
SALMON	MAX	74	[illegible]	63	[illegible]	65	[illegible]	75	80	60	79	70	56	[illegible]	72	[illegible]	45	[illegible]	49	[illegible]	[illegible]	40	48	56	56	[illegible]	[illegible]	[illegible]	55	47	48	45	[illegible]
	MIN	46	40	44	[illegible]	[illegible]	25	[illegible]	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]			[illegible]	[illegible]	[illegible]	19	23	[illegible]	[illegible]	[illegible]

See reference notes following Station Index

Table 5 - Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SANDPOINT EXP STA	MAX	58	56	59	53	63	54	67	67	64	66	60	60	54	54	52	45	40	40	44	46	43	42	42	48	48	43	43	52	46	45	36	51.3
	MIN	33	34	49	42	45	39	39	42	37	41	46	44	45	41	33	33	30	32	35	39	36	33	34	34	21	25	33	34	35	30	23	36.9
SHOSHONE	MAX	71	64	54	55	60	69	75	79	83	85	73	60	64	72	60	57	58	58	64	58	50	44	58	52	51	52	55	60	60	50	46	61.4
	MIN	42	45	42	35	33	30	37	41	43	45	39	37	34	35	33	22	24	24	37	34	24	36	37	36	34	29	22	27	28	20	17	33.1
SPENCER R S	MAX	64	54	49	42	50	54	63	68	70	73	59	49	50	56	53	42	46	47	48	44	35	35	44	43	37	41	49	51	49	41	33	50.0
	MIN	36	38	33	32	32	26	32	24	25	30	39	33	33	31	34	19	15	17	30	27	25	16	15	30	31	20	26	19	20	15	16	26.6
SPRINGFIELD	MAX	71	62	62	50	61	65	70	75	79	84	66	55	60	67	55	53	58	55	63	65	46	48	60	50	52	54	55	58	60	50	42	59.9
	MIN	40	43	38	34	37	24	26	33	31	33	39	39	34	35	40	17	21	19	33	33	29	29	37	36	35	37	22	19	23	15	14	–
STIBNITE	MAX	52	55	46	46			54	62	70	75	73	57	49	50	52	39	35	40	45		42	35	39	39	39	42	44	50	53	43	38	48.7
	MIN	34	33	30			25	30	32	32	35	30	30	30	26	17	20	18	22		20	20	26	23	21	11	11	11	21	10	6	3	22.4
SUGAR	MAX		66	57	45	58	59	67	73	75	77				60	66	55	48	53	49	52	51	40	42	53	47	48	52	50	53	56	44	55.4
	MIN		42	40	39	35	29	30	28	28		27			33	30	36	23	21	18	36	35	28	27	31	35	34	26	20	19	22	13	29.1
SUN VALLEY	MAX	66	57	57	50	59	59	67	70	75	74	69	53	57	59	56	47	50	51	51	51	43	42	40	37	44	53	57	57	55	46	43	54.7
	MIN	41	39	28	30	25	22	24	24	24	23	32	31	25	22	37	13	11	16	30	20	20	20	24	31	29	20	20	17	17	8	6	23.5
SWAN FALLS PH	MAX	69	69	62	57	66	75	77	81	84	84	75	63	70	73	72	60	62	64	68	61	55	59	62	58	60	56	64	65	66	58	49	65.9
	MIN	44	53	49	40	42	45	43	44	46	50	50	47	45	44	44	35	35	34	34	44	37	39	49	43	39	39	34	34	40	34	32	41.8
TETONIA EXP STA	MAX	58	61	51	43	51	53	62	71	73	77	55	46	47	51	49	42	44	54	50	45	37	34	47	45	46	50	47	45	52	36	32	50.5
	MIN	40	38	35	31	33	25	27	28	30	29	31	32	31	30	26	19	25	17	20	26	26	20	25	30	30	28	20	17	19	15	11	26.3
THREE CREEK	MAX	70	61	53	44	55	65	71	78	78	84	70	66	58	70	63	50	56	65	63	57	50	47	60	56	41	44	54	58	61	51	46	59.5
	MIN	30	36	38	32	32	23	23	32	40	33	25	32	30	25	31	16	16	20	30	33	25	20	22	31	32	30	26	22	22	14	13	26.9
TWIN FALLS 2 NNE	MAX	69	64	55	54	59	68	74	79	82	84	71	64	64	72	66	57	56	61	63	58	48	52	62	55	47	50	55	57	61	53	47	61.5
	MIN	43	46	45	39	37	42	30	33	35	30	44	41	41	33	41	25	25	25	34	37	33	31	35	36	35	32	28	28	26	27	29	34.3
TWIN FALLS 3 SE	MAX	77	72	60	58	55	60	68	73	79	82	84	68	58	63	73	46	54	56	61	68	56	48	54	62	45	48	57	57	58	65	49	61.7
	MIN	40	43	42	34	33	28	29	28	31	35	39	36	36	32	34	22	23	20	22	33	27	26	30	32	32	29	28	29	25	23	25	30.5
WALLACE	MAX	60	58	55	50	56	60	68	71	71	74	54	49	52	53	46	44	45	47	49	43	42	44	41	44	45	41	48	50	44	44	35	51.1
	MIN	51	47	46	43	40	36	44	41	38	41	43	44	44	43	30	29	31	30	41	39	36	33	33	30	25	24	26	26	34	26	23	36.0
WALLACE WOODLAND PARK	MAX	56	56	52	54	48	58	59	70	75	75	75	55	48	51	52	46	43	45	45	48	42	40	43	41	47	48	48	51	53	45	41	51.9
	MIN	50	47	46	43	41	30	40	41	39	34	46	43	44	43	31	30	31	29	37	38	37	33	33	31	25	24	25	25	28	31	31	36.0
WINCHESTER 1 SE	MAX	59	54	60	49	57	61	70	77	80	83	70	71	54	52	47	46	45	47	48	45	42	40	43	46	45	45	51	62	55	37	34	54.2
	MIN	50	41	33	32	30	31	32	38	34	39	38	38				24	23	25	36	30	28	28	30	24	21	25	23	26	29	23	14	30.4

Table 6

EVAPORATION AND WIND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave.
ARROWROCK DAM	EVAP	.08	.05	.03	.00	.03	.09	.06	.09	.14	.12	.11	.07	.04	.07	.05	.07	.03	.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WIND	19	11	10	25	31	19	12	17	18	12	38	44	24	14	27	29	16	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIFTON PUMPING STA	EVAP	.14	.16	.06	.01	.06	.07	.09	.10	.11	.12	.18	.09	.03	.08	.13	.06	.08	.06	.12	.10	.08	.00	.04	.15	.08	.15	.08	.07	.08	.13	.09	2.80
	WIND	77	67	43	68	112	23	14	[illegible]	17	14	50	71	39	22	97	43	60	28	17	109	71	27	60	177	77	48	55	45	40	97	70	1746
MINIDOKA DAM	EVAP	.24	.10	.15	.12	.13	.14	.17	.21	.25	.33	.15	.16	.16	.20	.10	.06	.14	.12	.13	.21	.11	.08	.15	.00	.01	.05	.06	.11	.15	.13	.08	4.20
	WIND	95	125	185	215	125	90	115	115	150	185	150	205	165	130	170	95	85	120	95	215	210	160	170	100	110	95	85	80	100	120	105	4165
PALISADES DAM	EVAP	.08	.07	.03	.04	.05	*	.19	.13	.11	.14	.10	.05	.06	.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STATION	SNOWFALL																					0.8										
	SN ON GND																															
ANDERSON DAM	SNOWFALL																						T									
	SN ON GND																															
ASHTON 1 S	SNOWFALL															4.0					0.6	2.5	3.4									
	SN ON GND															4	3	2				2	4	2								
ATLANTA 1 E	SNOWFALL				8.0	-															-	-	-	-	-							
	SN ON GND				-	-	-														-	-	-	-	-							
BIG CREEK 1 S	SNOWFALL															T	T				3.0			*	6.0					T		
	SN ON GND																				-	-		-	-	-	-	-	-	-	-	-
BLACKFOOT	SNOWFALL																						T									
	SN ON GND																															
BONNERS FERRY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND																	T						1	3	-	-	-	-	-	-	-
BURLEY CAA AP	SNOWFALL																						0.2									
	SN ON GND																															
CASCADE 1 NW	SNOWFALL																T				T	T	1.0									
	SN ON GND																						T									
CENTERVILLE ARBAUGH RCH	SNOWFALL				0.1											T					T	T	2.5									
	SN ON GND																															
COEUR D ALENE CAA AP	SNOWFALL														T		T	T				T	1.5									
	SN ON GND																															
COEUR D ALENE RS	SNOWFALL														T			T					0.3								T	
	SN ON GND																															
COTTONWOOD	SNOWFALL											T											T									
	SN ON GND																															
DEADWOOD DAM	SNOWFALL				T							T	T				T	T			T	T	2.0	1.0	T	T						
	SN ON GND				T							T	T				T	T			T	T	2	2	T	T						

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
DUBOIS CAA AP	SNOWFALL																				T	T		T	T							
	SN ON GND																								T							
GOODING CAA AP	SNOWFALL																						T									
	SN ON GND																															
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-			-			-		-	-	-	-
	SN ON GND																															
GRAY	SNOWFALL																						*	2.0								
	SN ON GND																															
HAMER 4 NW	SNOWFALL																					T										
	SN ON GND																															
IDAHO CITY	SNOWFALL				1.0																											
	SN ON GND																															
IDAHO CITY 13 SW	SNOWFALL																					0.5	2.0									
	SN ON GND																					T	T									
IDAHO FALLS CAA AP	SNOWFALL																				T	T	T									
	SN ON GND																															
IRWIN 2 S	SNOWFALL																					2.0	1.0									
	SN ON GND																					1										
ISLAND PARK DAM	SNOWFALL																				2.0	1.0	5.0		6.0	1.0						
	SN ON GND																						[illegible]	-	10	8					-	4
LOWMAN	SNOWFALL																					T	0.8									
	SN ON GND																															
MACKAY RS	SNOWFALL																						0.2		T							
	SN ON GND																															
MALAD CAA AP	SNOWFALL																					T	T									
	SN ON GND																															
MAY RS	SNOWFALL																				T	T	0.5									
	SN ON GND																															
MESA	SNOWFALL																						1.0									
	SN ON GND																															
MULLAN PASS CAA	SNOWFALL											T		T	2.7	T	2.0	T	0.9	3.8	2.9	2.1	4.2	6.6	T					T	0.4	0.1
	SN ON GND														1	T	2	2	[illegible]	3	6	7	10	17	17	17	[illegible]	15	14	12	12	[illegible]
NEZPERCE 2 E	SNOWFALL																						T									
	SN ON GND																															
OBSIDIAN 4 NNE	SNOWFALL			T	T							T	T									T	T	1.0	T	T						
	SN ON GND																					T	T	1	T	T	T					
PINE 2 SSW	SNOWFALL																						1.0									
	SN ON GND																															
POCATELLO WB AP	SNOWFALL																					[illegible]	T									
	SN ON GND																															
PORTHILL	SNOWFALL																							3.0								
	SN ON GND																							T								
PRIEST RIVER EXP STA	SNOWFALL																2.0	2.0														
	SN ON GND																-	-														
ROLAND WEST PORTAL	SNOWFALL															T	T	T		T	T	T	5.9	2.3	T					T	T	T
	SN ON GND																T			T	T	T	4	[illegible]	2	[illegible]	1	1	T	T	T	T
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SN ON GND																															
SANDPOINT EXP STATION	SNOWFALL																T	2.5													T	
	SN ON GND																	-														
SPENCER RS	SNOWFALL		T		T	T																4.0			2.0	T				T		
	SN ON GND																					4	4	-	[illegible]	-	-	-	-	-	-	-
STIBNITE	SNOWFALL				T								2.0			2.5		1.5		0.5	*	5.0	2.0	3.0	5.0						T	
	SN ON GND												2			2		2	1	1	-	5	4	3	7	[illegible]	3	.				
SUN VALLEY	SNOWFALL				-																T	T	-	-								
	SN ON GND				-																		-	-								
THREE CREEK	SNOWFALL												1.0											T								
	SN ON GND																															
TWIN FALLS 2 NNE	SNOWFALL		T																				T									
	SN ON GND																															
WALLACE	SNOWFALL															T	T	T				T	T	T						T	T	T
	SN ON GND																															

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp.	Precip.		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 5
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	TETONIA EXP STATION	
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	
COUNCIL 2 NNE	2187	ADAMS	12	44 45	116 25	3150	7P	7P	JOHN W HOOVER	2 3 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		MID	U S FOREST SERVICE	
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	B A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 03	115 09	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		MID	U S SOIL CON SER	
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE B BENTZINGER	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA	6295	CANYON	2	43 35	116 34	2482	5P	5P	C W NELSON	2 3 5
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	7P	7P	WAYNE S SHAEFFER	CLOSED 9/15
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	6586	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	CLOSED 7/30
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	5P	5P	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB AIRWAY OBS	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

STATIONS NOT FOLLOWED BY A TABLE NUMBER REFERENCE IN THE STATION INDEX ARE NOT PUBLISHED IN CLIMATOLOGICAL DATA BEGINNING WITH OCTOBER 1951. RECORDS.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

- No record in Table 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry.

+ And also on a later date or dates.

* Amounts included in following measurement, time distribution unknown.

/ Gage is equipped with a windshield.

R This entry in time of observation column in Station Index means after rain.

B Adjusted to a full month.

E Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

M One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.

R Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.

S Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.

S This entry in time of observation column in Station Index means sunset.

T Trace, an amount too small to measure.

Y Includes total for previous month.

R This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-101430 1000 12-12-51

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

NOVEMBER 1951
Volume LIV No. 11

SAN FRANCISCO: 1952

IDAHO - NOVEMBER 1951

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

This November was much cooler than that of the past two years with average temperature only slightly above that of November 1947 and 1948. A few scattered stations in the Northern and Southwestern Divisions showed small positive departures, but a large majority reported deficiencies; negative departures of more than 4° were reported from a few stations in the Southeastern Division. Precipitation was only a little below normal for the State as a whole, and similar to 1950 and 1949 in that respect. Division averages indicate 83 per cent of the November mean in the Northern, 109 per cent in the Southwestern, and 77 per cent in the Southeastern. Snowfall averaged somewhat above the November mean for the State, although well below such Novembers as those of 1942, 1945 and 1946. The average number of days with measurable precipitation was close to the November mean, but available records indicate a moderate deficiency of sunshine throughout the State. Average wind speed apparently was a little less than usual, and no reports of destructive storms were received.

The generally fair weather of late October carried over into November, particularly in southern portions of Idaho where very little precipitation fell during the first ten days of the month. Temperatures averaged generally below normal during the first few days, with freezing temperatures each morning in all parts of the State. Daytime temperatures were relatively mild, however; and with drying soil, sugar beet harvesting increased rapidly during the opening days of the month. Clover and alfalfa seed threshing and apple picking were resumed and nearly completed during this period.

Wet weather between the 11th and 15th again delayed late field work, but during the next four days fair, though cold, weather permitted further progress in harvesting. By the time the next rainy spell began, on the 20th, less than 15 per cent of the sugar beet crop remained in the fields, few apples were left unpicked, and all but a few scattered patches of clover has been threshed. The final week of November was rather mild, but precipitation was frequent and widespread fresh to strong winds prevailed. Snow cover was pretty well confined to elevations above 5,000 feet at the close of the month.

Despite some interference from rains and early morning freezes, late harvest operations were carried on successfully. There remained undug, however, perhaps 10 per cent of the sugar beet crop. Moisture was sufficient to be beneficial to fall-sown grains which, in general, were in good condition.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	SE	38	8.0	36	W	10	79	62	64	76	4	8	6	0	0	0	18	12	7.5	SEE TABLE
LEWISTON WB AIRPORT	E	23	5.1	-		-	82	76	76	82	6	7	3	0	0	0	16		8.5	
POCATELLO WB AIRPORT	S	18	8.9	42	SW	12	75	57	56	67	5	3	2	0	0	0	10	37	6.3	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
[illegible]	32.9	[illegible]	- 9	3.00		[illegible]
[illegible]	40.1	[illegible]	1	.71	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	.94	[illegible]	[illegible]
[illegible]	30.6	[illegible]	-38	3.82		[illegible]
[illegible]	36.9	[illegible]	- 6	[illegible]		[illegible]
1898	31.0	[illegible]	[illegible]	[illegible]	13.9	[illegible]
1899	40.7	[illegible]	[illegible]	2.09	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	1.38	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	1.01	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	36.2	[illegible]	[illegible]	2.65	13.1	[illegible]
[illegible]	[illegible]			.59	0.7	[illegible]
[illegible]	35.8	[illegible]	[illegible]	1.29	10.4	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	36.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	36.7	76	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]	[illegible]
1910	37.7	[illegible]		[illegible]	[illegible]	[illegible]
1911	32.2	[illegible]		[illegible]	[illegible]	[illegible]
1912	[illegible]			[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1914	[illegible]	[illegible]	-15	[illegible]	1.9	4
1915	[illegible]	[illegible]	[illegible]	2.17	14.0	11
1916	30.0	77	-27	1.60	9.4	6
1917	39.8	77	[illegible]	1.53	2.1	6
1918	34.0	[illegible]	-15	1.00	[illegible]	[illegible]
1919	[illegible]	70	-30	2.02	10.2	8
1920	34.5	64	-10	[illegible]	3.6	[illegible]
[illegible]	38.3	[illegible]	-10	2.75	10.5	[illegible]
1922	32.7	[illegible]	- 8	.82	2.2	[illegible]
1923	[illegible]	[illegible]	- 6	1.23	2.7	[illegible]
[illegible]	[illegible]	78	[illegible]	1.91	5.3	9
1925	35.0	73	-10	1.23	2.7	[illegible]
1926	39.6	73	- 1	4.16	4.2	[illegible]
[illegible]	39.3	[illegible]	[illegible]	4.47	4.6	[illegible]
[illegible]	35.8	[illegible]	[illegible]	[illegible]	[illegible]	7
1929	32.1	[illegible]	-12	.15	0.6	[illegible]
[illegible]	30.5	76	-20	1.45	10.6	[illegible]
1931	30.2	81	-27	[illegible]	15.0	[illegible]
1932	37.5	77	-18	2.17	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	- 1	.71	1.0	3
[illegible]	40.0	[illegible]	- 2	2.39	[illegible]	13

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1935	29.3	[illegible]	-15	.86	5.2	[illegible]
[illegible]	[illegible]	70	-13	.15	1.1	[illegible]
1937	38.1	75	- 4	[illegible]	3.4	[illegible]
1938	29.6	[illegible]	-26	1.82	6.1	[illegible]
1939	38.2	73	[illegible]	.25	[illegible]	[illegible]
[illegible]	31.2	[illegible]	-15	1.87	7.4	[illegible]
1941	37.1	74	-17	1.73	2.3	[illegible]
[illegible]	34.6	74	-15	3.94	[illegible]	14
1943	36.6	70	-13	.87	[illegible]	[illegible]
[illegible]	33.4	[illegible]	-15	2.22	5.6	11
[illegible]	33.8	76	[illegible]	2.68	13.1	14
1946	33.6	66	[illegible]	3.18	11.4	[illegible]
1947	32.2	78	-15	1.96	9.4	[illegible]
[illegible]	32.3	70	-23	2.41	9.6	[illegible]
[illegible]	40.9	77	1	[illegible]	1.6	[illegible]
[illegible]	37.1	[illegible]	- 7	[illegible]	5.4	[illegible]
1951	33.1	68	-20	1.82	7.8	[illegible]

CLIMATOLOGICAL DATA

Table 2

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max depth on ground at obsn	Date	.01 or more	.50 or more	1.00 or more
NORTHERN DIVISION																			
AVERY RS	35.2M	- 0.9	53	6	14	1	885	0	24	3.70	.07	.70	13	8.5	1	14	16	1	0
BAYVIEW MODEL BASIN	36.6		52	30	17	1+	842	0	18	2.75		.60	12	.5	T	14	14	[illegible]	0
BIG CREEK 1 S	26.4M		59	9	- 16	16	1152	0	30	1.74	- 1.25	.38	28		6	14+	11	0	0
BONNERS FERRY	34.3M	- 0.1	49	9	17	1+	900	0											
BURKE 2 NNE	30.1	- 1.4	47	6	8	1	1042	0	29	5.75	- .53	1.17	13	36.3	25	14	16	3	1
CLARK FORK 1 ENE	35.9	0.1	50	9+	15	1	867	0	23	3.66	- .75	.85	11				14	2	0
OBALT BLACKBIRD MINE	22.5		47	10	- 8	16		0	30	1.85		.50	28	17.6	14	14	14	1	0
COEUR D ALENE CAA AP	34.9		53	30	14	16	893	0	22	2.76		.48	10+	4.6	5	14	13	0	0
COEUR D ALENE RS	36.4	- 0.2	53	30	12	16	840	0	19	2.49	- .68	.53	12	6.0	[illegible]	14	14	[illegible]	0
OTTONWOOD	34.1	- 2.2	54	8	10	16+	918	0	25	1.09	- 1.07	.19	11	2.5	2	14	12	0	0
FENN RS	36.7	- 2.3	55	6	18	18	841	0	19	3.13	- .95	.47	28				16	0	0
GRANGEVILLE	34.5	- 3.0	56	30	14	17	909	0	25	1.22	- .70	.34	11		2	21+	13	0	0
KELLOGG	36.4	0.1	53	6	18	1		0	16	3.82	.19	.85	13	T	0		[illegible]	1	0
KOOSKIA	38.4	- 0.8	58	8+	16	18	795	0	19	.81	- 1.58	.26	28	T	0		10	0	0
LEWISTON WATER PLANT	41.4	- 0.3	56	4+	21	1	700	0	12	.65	- .85	.16	29	.0	0		9	0	0
LEWISTON WB AP	39.3		57	30	19	1	767	0	19	.67		.18	29	T	T	14	10	0	0
MOSCOW U OF I	38.2	0.5	53	8	20	15	802	0	15	1.97	- .89	.43	11		T	14+	12	0	0
MULLAN PASS CAA	25.9	- 0.2	40	6	7	1	1166	0	30	4.61	- .96	.75	13	47.5	46	30	[illegible]	3	0
NEZPERCE 2 E	34.8		53	30	16	17	899	0	22	1.23		.25	20	.8	1	[illegible]	13	0	0
OROFINO	40.6M	1.2	57	11			720	0		[illegible]	- .87	.82	29	.0	0		14	[illegible]	0
PIERCE RS	30.5	- 3.3	51	30	8	17		0	29	[illegible]	.85	1.23	30	21.5	8	30	14	3	1
PORTHILL	33.9	- 0.1	49	28	12	1	928	0	25	1.23	- 1.33	.31	26	T	T	3+	7	0	[illegible]
POTLATCH	37.8	0.6	53	6	15	1	811	0	[illegible]	2.72	- .03	.45	11	.3	0		12	0	[illegible]
PRIEST RIVER EXP STA	32.5	- 0.7	48	7	11	1	969	0	28	3.89	.29	.93	26	3.2	1	[illegible]	12	3	0
RIGGINS RS	41.3	- 1.6	62	11	25	[illegible]		0	10	[illegible]	.32	.35	29	.0	0		12	0	0
ROLAND W PORTAL	31.0	- 2.2	47	6	9	1+	1012	0	28	[illegible]	- 1.64	.76	13	49.4	24	[illegible]	11	1	0
SAINT MARIES	37.5M	0.1	54	5	14	1	816	0		3.08	- .42	.50	30	.0	0		13	1	0
SALMON	32.6M	0.5	64	10	[illegible]	17+	990	0											
SANDPOINT EXP STA	35.7M	0.3	49	7+	18	1+	870	0	21	[illegible]	- .19	1.15	[illegible]	T	0		11	3	1
WALLACE	34.4	- 1.0	50	5+	13	1	910	0	22	[illegible]	[illegible]	1.21	13	1.0	1	13+	16	[illegible]	1
WALLACE WOODLAND PARK	33.3M	- 2.4	52	7	11	17+		0	24	[illegible]	.48	.63	13	[illegible]	[illegible]	14	[illegible]	[illegible]	0
WINCHESTER 1 SE	34.0	- 1.1	55	6	9	16	922	0	24	[illegible]	- 1.24	.26	3	.0	0		9	[illegible]	0
DIVISION	34.6	- 1.5								2.81	- .58			8.2					

See reference notes following Station Index

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max. 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	28.1M	- 3.0	57	[illegible]	-10	18	1101	0	29	3.71	.27	1.24	30	9.5	7	14+	12	3	1
ANDERSON DAM	36.8M		59	11	15	16	843	0	21	3.12		1.41	12	1.6	1	27	10	1	1
ARROWROCK DAM	35.5	- 1.9	62	11	16	17+		0	23	3.53	.99	.86	12				12	2	0
ATLANTA 1 E	30.8	0.1	59	7	2	16	1017	0	30	3.19	.31	.66	12	47.0	19	28	10	2	0
BLISS	38.2	0.7	66	7+	13	2	796	0	25	1.28	.16	.35	12+	.5	0		9	0	0
BOISE LUCKY PEAK DAM	M		63	10	16	1		0		1.84							12		0
BOISE WB AP //	38.7	- 1.0	62	9	17	1	784	0	19	1.80	.52	.39	13	T	T	13	14	0	0
BUHL	39.4	0.5	68	10	16	2	768	0	19	1.03	.03	.80	12	.0	0		4	1	0
CALDWELL	37.0	- 1.8	57	8+	15	2	832	0	26	1.39	.25	.35	11		0		12	0	0
CAMBRIDGE	35.3	- 1.6	53	11	13	17		0	22	4.22	1.75	1.33	25	2.0			10	4	1
CASCADE 1 NW	28.7		51	[illegible]	- 1	18	1082	0	29	2.42		.71	30	18.5	7	26	10	1	0
CHALLIS	31.5	- 0.6	62	10	3	16+	996	0	29	.28	- .09	.10	26				7	0	0
DEADWOOD DAM	26.3	- 1.5	52	6	-14	16	1155	0	30	4.21	.78	1.16	30	20.5	12	27+	14	3	1
COUNCIL 1 N	37.1	- 0.3	65	11	15	16	832	0	25	4.59	1.35	1.01	30				9		1
DEER FLAT DAM	39.1	0.9	60	[illegible]	13	16	773	0	23	1.20	.26	.53	11	.0	0		7	1	0
EDEN HUNT PROJECT	35.1		65	9+	5	2	893	0	30	1.07		.75	12		0		4	1	0
EMMETT 2 E	38.4M	- 1.9	60	10	17	2	789	0		2.36	1.05	.62	12	T	0		11	1	0
FAIRFIELD RS	26.1M		58	7	-14	16	1170	0	29	E 2.53		.75	12	22.8	15	26	11	2	0
GARDEN VALLEY RS	33.8M	- 1.3	58	4	9	17	930	0	26	4.26	1.10	.89	30	1.5	0		11	4	0
GLENNS FERRY	38.7	- 0.9	68	7	9	2	782	0	23	1.73	.50	.51	12		0		8	1	0
GOODING CAA AP	36.6	0.4	66	10	14	1	844	0	25	1.44	.18	.55	11	3.3	T	10	8	1	0
GRAND VIEW	39.2	- 0.5	65	10	11	3	767	0	22	.31	- .34	.15	11	.0	0		3	0	0
HAILEY	29.6	- 3.8	58	7	- 1	25	1055	0	30	2.25	.86	.60	20	24.0	17	27	8	2	0
HAZELTON	36.6	- 1.3	66	10	8	2	848	0	26	1.10	- .05	.74	12	T	0		8	1	0
HILL CITY	26.5	- 3.7	57	9	-12	16	1149	0	29	2.59	.99	1.05	12	28.0	14	26	11	1	1
HOLLISTER	35.8M	- 1.7	64	9			870	0		1.27	.44	.84	12	6.0			4	1	0
IDAHO CITY	33.4	- 2.1	62	7	0	18	943	0	29	3.58	.76	.82	12	8.7			12	3	0
JEROME	37.2	- 1.0	66	10	10	2	828	0	27	.65	- .27	.15	20				9	0	0
KUNA 2 NNE	38.3M	- 1.0	62	10+	17	2+	795	0		1.63	.35	.27	11+	T	0		9	0	0
LOWMAN	30.2M	- 2.2			1	16+	1038	0		3.41	.29	.65	12+		5	26	12	2	0
MC CALL	30.5	0.0	52	6	- 1	16	1036	0	30	3.35	.48	.67	30	15.0	8	30	9	2	0
MERIDIAN 1 SSW	35.9	- 3.3	61	11	12	2	865	0	26	1.89	.54	.48	11				5	0	0
MESA	35.9		56	8+	15	17	867	0	26	3.98		.72	30	4.5			10	2	0
MOUNTAIN HOME 1 NE	38.9M	0.7	65	7	14	1+	780	0		1.24	.09	.30	12				9	0	0
NAMPA 2 NW	38.6		61	10	18	2+		0	21	1.41		.41	14	T	0		11	0	0
NEW MEADOWS RS	32.9M	0.5	57	6+	5	16	945	0	29	4.11	1.39	.74	11		5	25+	13	5	0
OBSIDIAN 4 NNE	22.6	- 3.7	52	6	-20	16	1266	0	30	1.09	- .57	.34	12	17.0	14	28	9	0	0
OLA 4 S	37.0		59	11	13	18	832	0	20	2.42		.45	21	T	0		10	0	0
PARMA EXP STATION	37.3	- 1.3	60	8+	14	2	822	0	25	.90	- .08	.18	14		0		12	0	0
PAYETTE	37.2	- 1.6	56	11+	16	2	827	0	21	1.44	.30	.32	11	.0	0		8	0	0
RICHFIELD	33.3	- 1.1	60	10	9	2+	943	0	30	1.24	.17	.59	12				8	1	0
SHOSHONE	36.0	- 0.1	65	10	12	2	863	0	27	1.56	.28	.78	12	3.3	T	12+	12	1	0
STIBNITE	26.3		51	8+	- 5	15		0	30	2.70		.37	28	26.0	10	30	14	0	0
SUN VALLEY	25.3	- 1.8	57	7	-12	16	1184	0	30	1.71	- .18	.50	26	28.0	15	27	6	1	0
SWAN FALLS PH	42.0	1.0	67	10	20	3	686	0	15	.71	- .24	.33	13	.0	0		3	0	0
THREE CREEK	34.7		67	11	- 5	16	902	0	28	.97	- .16	.34	14	9.0	3	14+	5	0	0
TWIN FALLS 2 NNE	37.3	- 0.4	66	10	11	2	824	0	24	.92	- .16	.66	12	T	0		6	1	0
TWIN FALLS 3 SE	36.1	- 1.6	66	12	9	2		0	30	1.07	.02	.70	12	.5	0		6	1	0
WEISER	37.2	- 1.8	58	4+	14	2	826	0	24	1.43	.04	.28	14				10	0	0
DIVISION	34.4	- 2.1								2.08	.17			8.7					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STATION	33.2M	- 0.8	67	30	7	2	960	0	28	.35	- .38	.29	12	.3	0		4	0	0
ALBION	32.8	- 4.2	65	7	- 1	2	960	0	27	1.16	- .32	.93	12				3	1	0
AMERICAN FALLS 1 NW	34.6	- 0.3	57	10	8	2	904	0	24	.56	- .60	.37	12	1.2	1	14	4	0	0
ARCO	28.3M	- 3.1	56	9+	0	19	1095	0	30	.27	- .33	.25	20				2	0	0
ASHTON 1 S	27.5	- 4.3	56	9	- 2	16	1117	0	30	.99	- .31	.38	12	10.3	5	21+	5	0	0
BLACKFOOT	34.5	0.3	62	10	8	18	909	0	28	.17	- .66	.12	12		0		2	0	0
BURLEY	36.9	- 0.4	66	8+	10	2		0	25	.80	- .08	.62	12				4	1	0
BURLEY FACTORY 1 NW	34.5	- 1.2	61	8+	6	2		0	30	.95	.05	.67	12				7	1	0
BURLEY CAA AP	35.8	- 0.2	64	7	9	1+	872	0	26	.94	- .20	.43	11	.7	0		7	0	0
CHILLY BARTON FLAT	24.6	- 2.8	51	8	- 6	18	1205	0	30	.40	.12	.20	26	5.0			3	0	0
CONDA	26.3	- 2.6	60	8	- 7	17		0	30	1.43	- .59	.50	21	22.0			6	1	0
DRIGGS	27.9	- 1.3	55	8	- 6	16+		0	29	.32	- .86	.13	21				5	0	0
DUBOIS EXP STATION	29.1	- 1.6	53	10	3	2	1070	0	29	.30	- .31	.12	21	8.0	4	21+	7	[illegible]	0
DUBOIS CAA AP	28.8	- 1.6	56	10	3	2+	1080	0	30	.26	- .43	.16	21	1.9	2	21	5	0	0
FORT HALL IND AGENCY	33.4M	- 1.3	60	10	4	17	939	0	26	.60	- .19	.25	12				4	0	0
GRACE PH	27.9	- 4.4	55	7+	- 1	16	1105	0	30	1.15	- .02	.44	21	13.0	8	21+	6	0	0
GRAY	28.3	- 1.6	60	[illegible]	- 9	16	1094	0	30	1.11	- .21	.30	13	13.0	12	21+	4	0	0
GROUSE	24.0		52	7+	-10	22	1225	0	30	.71	.08	.35	20	11.5	9	27	4	0	0
HAMER 4 NW	28.6	- 1.7	59	10	- 2	18	1085	0	29	.11	- .26	.06	21	1.5			2	0	0
IDAHO FALLS CAA AP	31.8	- 1.7	59	10	5	17	986	0	29	.22	- .57	.07	12	T	T	14+	7	0	0
IRWIN 2 S	29.7	- 1.8	59	7	- 5	16	1050	0	27	1.02	- .13	.39	21	12.0	6	21	5	0	0
ISLAND PARK DAM	23.7	- 3.0	50	10	-12	16	1232	0	30	1.68	- 1.41	.41	21	22.0	16	22+	9	0	0
LIFTON PUMPING STATION	28.0	- 4.1	53	8	3	16	1105	0	29	1.35	.71	.71	21	10.5	7	24+	7	1	0
MACKAY RS	27.0	- 4.6	54	8	3	2	1134	0	30	.44	- .07	.16	20	6.3	3	26+	7	0	0
MALAD	32.9	- 2.1	61	8	5	2	957	0	23	1.40	.11	.64	12	2.2	1	14+	5	1	0
MALAD CAA AP	31.4		62	8	2	2	1002	0	29	1.31		.47	12	1.6	T	21+	5	0	0
MAY RS	28.8	- 2.3	58	10	0	16	1080	0	30	.24	- .03	.15	21	4.1	2	22+	6	0	0
MC CAMMON	32.7		61	9	3	2	961	0	28	1.06		.51	12	1.0	T	11+	5	1	0
MINIDOKA DAM	35.8		56	9	12	1	870	0	23	.62		.57	12	T	0		2	1	0
MONTPELIER RS	23.9M	- 7.7	55	10	- 4	16		0	30	1.22	.25	.49	12	8.0	4	14+	6	0	0
OAKLEY	36.9	- 1.6	67	7	8	17	838	0	26	.97	.20	.83	12	3.0	1	12	5	1	0
PALISADES DAM	29.0M		58	10+	- 7	16	1077	0	29	1.20							7	0	0
PAUL 1 E	34.5	- 2.8	62	8+	6	2		0	28	.70	- .27	.58	12	T	T	14	4	1	0
POCATELLO WB AP //	33.6	- 0.5	58	9	3	17	934	0	25	.36	- .67	.13	11	1.7	2	15	5	0	0
PRESTON SUG FACT 2 SE	33.7	- 0.9	60	7	6	2	932	0	28	1.44	.00	.44	12	3.7	T	14	7	0	0
RIRIE	32.2M		60	10	3	16+	969	0	26	E .53		E .20	21	2.5			4	0	0
RUPERT	35.1M	- 1.8	63	8+	7	2		0	30	.67	- .33	.50	12		T	14	4	1	0
SAINT ANTHONY	30.4		58	10	2	2	1034	0	29	.63	- .79	.22	21		2	21+	6	0	0
SPENCER RS	26.0	- 1.8	52	7	- 4	17	1161	0	30	1.54	.23	.91	21	16.5			7	1	0
SPRINGFIELD	32.9	- 1.7	61	10	[illegible]	2	956	0	29	.79	- .13	.29	11				5	0	0
SUGAR	30.5M	- 1.2	61	10	2	2+	1029	0	27	.52	- .17	.17	12	9.0			8	0	0
TETONIA EXP STATION	25.5	- 3.5	54	11	- 9	17	1179	0	30	.35	- .63	.16	20				4	0	0
DIVISION	30.5	- 2.6								.78	- .23			6.4					
STATE	33.1	- 2.2								1.82	- .13			7.8					

See reference notes following Station Index.

Table 3

DAILY PRECIPITATION

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
ABERDEEN EXP STA											.01	.29		02						T							03					35
ALBION										.14		93		09												T						1 16
ALPHA 1 NE			01				.01			T	33	50	05	15							12				.06	36	16	72		1 24		3 71
AMERICAN FALLS 1 NW											.07	.37		.06	T					06							T					56
ANDERSON DAM							T				02	1 41	.05	.24			T	T	T	38	.25				T	03	.18	.18		38		3 12
ARCO																				25	T					T	02			T		27
ARROWROCK DAM											14	86	15	44						10	12	05				17	47	22	22	.59		3 53
ASHTON 1 S											T	38	T	13	T					T	05					T	25			.18		99
ATLANTA 1 E											19	66	30	11						23	25					50	29	25	T	41		3 19
AVERY RS			11	09				T		.11	.27	.35	70	38	.04					.20	.13	.04			T	14	02	26	42	44		3.70
BAYVIEW MODEL BASIN			.15	T				T	T	25	.23	60	.05	35	.02					T	03	T			.02	.45	05	16	.15	24		2.75
BIG CREEK 1 S			05	T						T	T	28	12	16	.02					T	.08	T			T	.15	10	.38	15	.25		1.74
BLACKFOOT												.12		.05	T						T								T	T		17
BLISS											.03	.35		.11						35	.08					.13	.01	.04		.18		1.28
BOISE LUCKY PEAK DAM										•	•	•	72	.28						.02	.11	•				.12	.17	.15		.27		1.84
BOISE WB AP //R			T	T						.09	.31	.03	.39	06	T				T	.16	.01	02			.01	27	04	.19	.07	.15		1 80
BONNERS FERRY				.14						.30	.27	.37		T	T						T					-	-		-	-		-
BUHL												80		.06						.11							06			T		.03
BURKE 2 NNE			.10	.14				.03	04	.24	.43	.94	1 17	.33	T					.24	.25	T				.16	.07	.39	.56	.36		5 75
BURLEY											T	.62	06	.10						.02	T								T			.80
BURLEY FACTORY 1 NW											.02	.67	.06	.12						.04	.01						.03		T			95
BURLEY CAA AP				T							43	.38	.01	.08	T					02	.01					.01	T			T		94
CALDWELL							.04			T	.35	.16	.18	.23	.03					.06	.02				T	.20	.02		03	.07		1.39
CAMBRIDGE			T							.17	.65		.12							.12	.05				1 33		.40	.23	.50	.65		4.22
CASCADE 1 NW			T	T							.23	.45	T	.07	T					.18	.17	T			T	.13	.10	.37	01	.71		2 42
CENTERVILLE ARBAUGH				.04			.03				.37	1.04	.19	.30	.01					.30	.10	.05			.01	.58	.24	.48	.05	1.00		4.79
CHALLIS												.03		T						.03	.05	.01				.10	.05	.01	T	T		.28
CHILLY BARTON FLAT											T	.10									.10					.20						.40
CLARK FORK 1 ENE			13						.05	.20	.35	.85	.30	35	.05						04				.04	64		29	.24	.13		3 66
COBALT BLACKBIRD MINE				.06							.12	16	.39	.15	.12					.06	.05	03				.01	.04	.50	.12	.04		1 85
COEUR D ALENE CAA AP			14				T		03	.48	21	.09	.08	.16						.48	T				.18	.26	04	T	.21	.40		2.76
COEUR D ALENE RS			06						03	32	10	.53	.01	.32						.11	.10				T	.29	.01	19	.08	.34		2.49
CONDA											.12	.37		.20	.07					.17	.50											1 43
COTTONWOOD			.11	T						T	.19	14	07	.14						.04	10	02				01		09	.05	.13		1.09
COUNCIL 1 N										.40	68		.35							•	60					60		10	85	1 01		4 59
CROUCH 2 NNW				04							23	77	10	47						.15	.13					.47	.27	.75		1 20		4.58
DEADWOOD DAM			T	.03			.04			T	.30	66	.04	.12	.01					.27	.14				T	.49	.33	65	.03	1.16		4.21
DEER FLAT DAM											.53	.04	15	•	.23										.07		.18					1.20
DRIGGS														.06	.04					.02	.13								.07	T		.32
DUBOIS EXP STA												02								.05	.12	T				.05	.01	.01		.04		.30
DUBOIS CAA AP											T	T	T	T						05	.16	T			T	.01	.03			.01		.26
EDEN HUNT PROJECT											T	.75	T							.20						.10	.02	T	T			.07
EMMETT 2 E											.20	.62	20	17						15	35				•	.18	.10	10	T	29		2 36
FAIRFIELD RS											10	75	.03	.03					E .20	.38	.08					.65	.18	.10		.03		E 2.53
FENN RS			27	10							28	40	19	.27	.11					.25	.36	.01			.09	.10	.02	.47	.02	.19		3.13
FORT HALL IND AGENCY												25	.23	.06	.06												T					.60
GARDEN VALLEY RS											.25	74	.09	23						.33	.12				T	.58	31	.64	08	.89		4.26
GLENNS FERRY											.35	.51		.15						.22		.10				.07	T	.06		.27		1 73
GOODING CAA AP				T							55	27	T	06						.25						13	.02	.03	T	.13		1 44
GRACE PH											.03	38		.08	.07					.15	.44											1.15
GRAND VIEW											.15		.10												.06	T			T			.31
GRANGEVILLE			.06								24	.02	T	.02						.02	34	.01			.01	08	.01	.27	.04	.10		1.22
GRAY													.30	.28						.28	.25											1 11
GROUSE												T								.35	.02					.18	.16	T		T		71
HAILEY										.04		.06	.52							.60						.30	23	18		.32		2.25
HAMER 4 NW																				T	.06					T	.05			T		.11
HAZELTON											.08	.74	05	11						T	05					03	.03	T		.01		1 10
HILL CITY											.11	1.05	.12	.05					.40	•	10					35	.11	04		.26		2.59
HOLLISTER												84	.08	09	.26															T		1 27
HOWE																				.12	.04						T	12				.28
IDAHO CITY											.31	.82	.12	.32	.02					.17	.15					.54	.20	.30	.08	.55		3.58
IDAHO CITY 13 SW											.44	1.04	24	22						.36	.19	T			.01	.82	35	.60	T	1.09		5 36
IDAHO FALLS CAA AP											02	.07	T	.04	T	T				05	.02					.01	T	T		01		.22
IRWIN 2 S														29	.27					.07	.39											1.02
ISLAND PARK DAM											11	35		04						.18	41	16					23	.06		.14		1 68
JEROME											05	07		09						.15	.12	T				.02	.08	.01		.06		.65
KAMIAH 1 NE				.14						.03	.09	13	T	04	T					.04	.06					12	.01	29	.19	.18		1 32
KELLOGG				08	03			07	.10	.20	.26	28	85	31							42	05	T			11	.14	.24	22	.46		3.82
KOOSKIA			.09				T				02	05		06	T					05					.10	02		26	.05	.11		81
KUNA 2 NNE											27	27	19	25	T					.21					T		.25	02	03	.14		1 63
LEWISTON WATER PLANT			.10								.08	T	T	12						.05	01				.02			.03	.16	.08		65
LEWISTON WB AP			10					T	T	.08	T		14	01	.01					.08	.01				.01	T	.05	T	.18	T		67
LIFTON PUMPING STA											.04	36	08	07						.07	.71			.02								1.35
LOWMAN				04							28	65	23	15						.15	10					.45	.30	.35	.06	.65		3 41
MACKAY RS											T	02								.16	05					.11	.05	.03		.02		14
MALAD								T			06	64		18	T					.20	.32	T										1.40
MALAD CAA AP				T							.26	47	T	18	T					.26	14			T		T	T					1 31
MAY RS											T	01		01	T					.01	15	01				05	T					24
MC CALL											50	27		20						.25	41					40	.45	.20		.67		3 35
MC CAMMON											T	51	.09	06	T					.03	.37					T						1.06
MERIDIAN 1 SSW											48	T	•	45						•	32					.17	18	.14	T	.15		1 89
MESA			T								.40	35	T	47	T					.31	70				08	40	.24	.31	T	72		3.98
MINIDOKA DAM												57								T	T					T	.05					62
MONTPELIER RS				T	T						.04	49	07	12	T						45				.05							1.22
MOSCOW U OF I			.30	01			.01			.07	.43	08	T	23	.04					T	.08				T	T		.14	.19	.39		1 97
MOUNTAIN HOME 1 NE											25	30	•	15						.19						18	.01	.03	T	.13		1.24
MULLAN PASS CAA			06				T	T	T	.29	36	35	75	11	.01					.27	09	T	T		.10	.55	.47	.35	69	.16		4.61
NAMPA 2 NW												37	07	41	.02					T	.23	01				10	.07	.03	.05	.05		1.41
NEW MEADOWS RS										.05	74	04	T	08	03					.15	.50				.14	.35	.70	.50	.10	.73		4.11
NEZPERCE 2 E			16	02							21	03	02	02	T					.25	.11			02	T	.02		.15	.12	10		1.23
OAKLEY											03	83		06						.02	T			.03			T					97
OBSIDIAN 4 NNE											05	34	08	01						.09						.11	.09	.10		.22		1 09
OLA 4 S			T				.04				.24	32	04							04	.45					.36	.25	34		.34		2.42
OROFINO			17	03						.05	11	.25	08	.33	.03					20		04	T		.02			25	82	.16		2 51
PALISADES DAM										T	•	•	.32	.27	.29					.12	T									.20		1 20
PARMA EXP STA							.02				10	13	10	18						.01	.11					15	04	.02	.01	.03		90
PAUL 1 E											.01	.58		07						T	T					.04				T		.70
PAYETTE											.32			20						•	.27				•	.28	12			.25		1.44
PIERCE RS				40						04	45	34	39	.64	09					.06		30				.16	.14	.82	.44	1.23		5 50
PINE 2 SSW											.27	1 30	16	13						.53	06					78	.25	.14		58		4.20
POCATELLO WB AP //R											13	08	T	.02	.12					T	.01					T	T			T		36
PORTHILL			T	T						21	07	17													T	.31	T	20	.14	.13		1 23
POTLATCH			30							.25	45	.20	27	.20											03	.11	.08	16	.25	42		2.72
PRESTON SUG FACT 2 SE											.10	.44		20						.32	.32	05					01					1.44
PRIEST RIVER EXP STA			05	03						51	48	64		.32											.03	.93	.03	.39	.16	.32		3 89
RICHFIELD											03	59		04						.15	.02					.25	09	T		.07		1 24
RIGGINS RS				09							.27	02	.05	08	T	T					.27	07				.02	.02	.18	35	08		1 50
RIRIE												13		15							E 20					T	T		.05			E .53
ROLAND W PORTAL			12	07			T			.20	12	43	76	.51	.05					.25	.19	T			T	.47	.03	.50	35	74		4.79
RUPERT												50	06	.07							T						.04					67
SAINT ANTHONY												20			T					.03	.22					.05	.04			.09		63
SAINT MARIES			16							.35	27	35	13	15							.16	T			.03	.24	13	.26	.35	50		3 08
SALMON											04	02	T	.05								-	-			.01						
SANDPOINT EXP STA			10							51	20	80	09	.16							T				T	1.15	03	.32	.12	22		3.70
SHOSHONE											03	78		.07	.02	.01				.18	.06	T			.01	.18	.06	.05		.11		1 56
SPENCER RS										T		.25		T						.15	91	06			T	05		.10		.02		1.54
SPRINGFIELD											29	28		.03	.04					.02	06						04		02	.01		79
STIBNITE				19	T						19	34	23	.17	.07	T				.07	.10	06				.07	.27	37	25	32		2.70
SUGAR											T	.17	•	.05	T					03	.10	05			T	T	.05			07		52
SUN VALLEY												.30	T	T						45	T					.50	22	.10	T	.14		1.71
SWAN FALLS PH											T		.33							.20						.18						71
TETONIA EXP STA												.04	T	12						.16								T		03		35
THREE CREEK				11							.19	.27		34	06											T						.97
TWIN FALLS 2 NNE											.07	.66	T	.12	T					.02						.04	.01	T		T		92
TWIN FALLS 3 SE											.12	70	.08	.11						.01	T						05		T	T		1.07
WALLACE			08	02		T		.03	.02	.30	.32	83	1.21	11	T					.30	.10	T			T	.59	.40	31	74	50		5 88
WALLACE WOODLAND PARK	02			03						.23	.40	.59	.63	.59	.02						26	06				.15	20	50	10	51		4 49
WEISER											.16	.09	.04	28					.08	T					15	22	16	04		.21		1.43
WINCHESTER 1 SE			.26								10	04		15							12					06		18	11	03		1 5

See reference notes following Station Index

DAILY TEMPERATURES

Table 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	34	42	48	55	50	51	54	55	60	57	54	41	40	40	36	31	34	39	43	48	44	38	37	35	42	43	45	49	54	67		45.7
	MIN	15	7	16	22	17	13	18	33	18	24	32	32	25	30	20	9	8	9	17	23	30	19	19	17	20	24	27	29	25			20.6
ALBION	MAX	37	48	55	51	50	61	65	54	62	62	56	48	36	35	31	35	34	43	38	50	41	38	40	32	44	44	44	41	59	54		46.3
	MIN	7	- 1	11	40	11	11	15	33	14	32	38	30	28	28	21	5	5	3	12	25	28	12	13	10	11	23	27	26	29	31		19.3
ALPHA 1 NE	MAX	35	45	40	40	46	50	44	54	57	52	45	39	34		36	24	25	27	34	40	37	40	35	27	34	37	38	40	45	40		39.4
	MIN	[illegible]	[illegible]	17	20	12	11	14	18	17	26	28	28	27		12	- 8	- 9	-10	2	23	30	22	15	10	5	29	26	32	32	33		16.8
AMERICAN FALLS 1 SW	MAX	40	45	51	54	52	49	51	55	54	57	53	45	40	37	35	31	34	38	45	47	43	40	36	35	40	42	46	47	54	52		45.0
	MIN	11	8	18	37	20	19	19	30	18	34	32	34	30	31	20	14	10	12	16	27	32	22	22	20	13	31	31	39	30	39		24.2
ANDERSON DAM	MAX		41	56	54	57	57	57	57	57	57	59	41	40	42	36	31	37	44	44	43	44	35	35	36	33	36	38	41	43	42		44.6
	MIN		20	[illegible]	40	26	24	32	[illegible]	30	37	33	32	33	31	22	15	16	26	26	32	34	28	27	22	21	31	34	35	31	36		28.9
ARCO	MAX	37	40	42	48	53	47	52	54	56	56	48	47	48	40	35	32	35	34	37	43	41		38	39		36	35	43	45	47		42.8
	MIN	[illegible]	4	[illegible]	14	16	11	14	21	14	18	17	18	16	13	16	17	3	4	0	13	9		9	6		9	25	23	20	30		13.8
ARROWROCK DAM	MAX	44	47	39	45	50	50	52	55	52	54	62	45	44	42	37	36	32	34	36	48	47	41	41	41	39	40	41	42	44	48		43.9
	MIN	23	19	20	27	26	26	26	28	29	29	34	32	34	31	25	17	16	16	18	30	33	32	29	29	24	24	33	34	34	34		27.1
ASHTON 1 S	MAX	38	29	[illegible]	46	44	47	55	51	50	54	41	38	33	35	34	31	30	38	34	36	35	33	31	34	29	34	40	36	43	47		38.6
	MIN	5	0	13	23	[illegible]	4	15	20	17	25	24	28	23	22	10	- 2	- 1	5	8	21	24	21	17	9	9	[illegible]	[illegible]	26	26	29		16.4
ATLANTA 1 E	MAX	[illegible]	43	46	48	47	50	54	53	54	52	49	31	30	33	34	31	36	44	48	44	34	36	40	39	41	35	35	35	40	40		41.8
	MIN	[illegible]	9	[illegible]	31	12	25	29	22	23	32	25	25	22	20	8	2	9	[illegible]	23	29	22	15	13	12	13	[illegible]	23	30	26	31		19.8
AVERY RS	MAX	[illegible]	44	[illegible]	48		53	44	47	48	48	50	41	39	37	37	37	38	37	41	37	36	40	42	40	42	41	39	39	39	45		41.6
	MIN	14	20	25	33		29	28	32	32	[illegible]	31	36	35	32	28	18	19	19	29	30	32	31	32	29	25	34	30	33	31	32		28.8
BAYVIEW MODEL BASIN	MAX	[illegible]	45	[illegible]	43	44	43	45	49	49	49	49	45	42	39	37	36	36	36	42	42	38	51	40	38	37	46	45	46	49	52		42.9
	MIN	17	20	[illegible]	[illegible]	31	30	31	34	35	40	39	34	37	32	24	17	20	21	29	31	33	30	32	27	27	35	27	37	40	33		30.3
BIG CREEK 1	MAX	33	33	[illegible]	41	47	45	44	53	59	51	41	36	36	35	34	29	31	37	38	33	36		41	37	41	40	35	38	40	43		39.5
	MIN	10	[illegible]	[illegible]	[illegible]	12	12	15	14	19	[illegible]	27	28	23	22	7	-16	-13	-11	- 2	7	21	15	12	- 7	- 4	30	15	28	28	32		13.3
BLACKFOOT	MAX	[illegible]	[illegible]	38	57	47	53	55	54	58	62	59	45	43	40	36	32	35	43	48	44	42	37	38	35	42	44	48	48	56	55		45.6
	MIN	13	10	20	24	22	16	17	30	30	[illegible]	32	32	27	29	21	12	9	8	15	24	29	25	23	17	25	30	32	37	[illegible]	35		23.4
BLISS	MAX	44	44	50	60	56	60	66	60	63	66	58	48	46	45	41	40	42	47	50	50	46	41	39	44	45	45	42	54	53	54		50.1
	MIN	17	13	16	31	[illegible]	22	29	[illegible]	24	[illegible]	30	32	32	32	25	17	21	21	19	33	29	22	30	21	22	35	31	35	30	38		26.2
BOISE LUCKY PEAK DAM	MAX	44	42			52	57	57	56	62	63				43	42	42		43	49	50	46						47	50	56	52		-
	MIN	[illegible]	[illegible]			21	30	[illegible]	[illegible]	44					32	25	21		18	30	37	35						37	39	36	41		-
BOISE WB AP	MAX	41	39	43	52	51	52	53	55	62	61	47	47	42	41	38	40	44	47	54	50	44	42	40	39	47	46	49	51	55	52		47.5
	MIN	17	21	20	27	[illegible]	26	36	27	40	39	31	37	33	29	23	19	21	22	30	35	34	32	30	27	27	37	36	42	39	44		29.8
BONNERS FERRY	MAX		34	45	36	45	38	41	48	49	47	44	45	46	47	39	41		36	33	44	34	35	37	39	41							41.3
	MIN	17	17	24	27	30	28	30	32	35	34	38	32	34	30	26	20	18	18	23	25	27	29	30	30								27.3
BUHL	MAX	42	42	48	54	56	60	66	60	64	68	64	48	42	40	38	38	40	45	50	50	44	42	40	40	50	48	46	52	58	52		49.6
	MIN	20	16	22	36	28	24	30	36	32	40	34	34	30	34	26	22	20	20	28	34	30	28	30	26	24	34	30	36	34	38		29.2
BURKE 2 NNE	MAX	30	37	35	35	38	47	43	39	41	43	39	34	34	32	30	26	27	32	35	35	34	33	34	33	36	35	35	35	35	36		35.3
	MIN	[illegible]	14	23	30	28	23	28	29	30	33	32	31	30	27	21	10	10	16	24	26	31	27	28	15	18	32	26	31	30	32		24.8
BURLEY	MAX	47	37	49	57	54	54	61	66	59	66	63	50	45	41	44	40	37	40	46	42	51	46	46	47	37	45	46	47	52	58		49.1
	MIN	18	10	15	20	24	19	22	29	22	24	33	33	31	31	25	19	15	15	23	23	33	23	26	24	18	32	32	33	33	32		24.6
BURLEY FACTORY 1 NW	MAX	47	37	46	55	53	53	58	61	57	60	61	50	44	41	40	36	36	40	44	42	50	45	42	40	35	47	48	47	51	56		47.4
	MIN	12	6	8	13	17	11	19	29	20	23	32	32	30	30	24	17	15	15	16	23	30	21	23	22	17	17	31	31	30	31		21.5
BURLEY CAA AP	MAX	35	40	54	54	52	60	64	56	60	62	55	47	39	40	37	37	40	45	43	50	44	42	41	34	45	46	45	51	56	52		47.7
	MIN	9	9	15	33	18	15	26	26	19	43	32	33	31	28	20	17	15	15	22	[illegible]	26	21	23	22	17	29	31	31	27	35		23.8
CALDWELL	MAX	44	38	43	55	53	53	52	57	56	54	57	50	47	42	42	40	40	43	49	51	46	45	41	41	46	45	47	53	56	54		48.0
	MIN	21	15	17	24	20	20	22	22	23	27	26	26	29	32	26	17	17	20	25	39	29	30	25	27	21	30	30	39	29	43		25.9
CAMBRIDGE	MAX	46	48	49	40	52	50	49	51	50	52	53	45	48	40	47	42	38	36	39	49	40	41	39	37	40	41	47	43	45	50		44.9
	MIN	17	[illegible]	11	14	18	19	21	23	22	23	30	32	29	28	16	14	13	14	17	30	34	33	26	30	33	35	37	40	37	43		25.6
CASCADE 1 NW	MAX	34	32	36	43	43	50	45	48	51	49	45	47	35	32	28	25	[illegible]	[illegible]	30	38	35	34	29	25	35	37	37	38	41	40		36.5
	MIN	16	10	20	24	17	17	24	23	21	[illegible]	29	29	28	25	13	1	0	- 1	10	26	23	26	20	14	14	30	28	32	32	32		20.9
CHALLIS	MAX	35	32	45	51	60	47	46	55	54	62	60	47	50	52	40	32	33	37	36	38	41	41	41	42	44	36	36	48	50	48		44.6
	MIN	[illegible]	9	[illegible]	21	[illegible]	16	18	20	19	27	25	27	25	19	15	[illegible]	3	[illegible]	11	17	24	22	25	12	11	23	22	26	25	34		18.4
CHILLY BARTON FLAT	MAX	29	34	47	48	46	48	50	51	46	49	46	43	34	33	27	[illegible]	[illegible]	36	37	37	37	34	37	40	28	31	28	38	44	42		38.7
	MIN	7	0	10	27	19	8	8	18	8	16	10	15	19	13	7	- 4	- 4	- 6	4	9	10	7	12	5	5	15	16	24	16	21		10.5
CLARK FORK 1 ENE	MAX	39	44	35	40	46	47	48	47	50	50	48	43	40	38	42	39	41	40	48	39	35	40	41	43	38	44	50	47	45	48		43.1
	MIN	15	0	25	31	32	26	30	30	32	38	37	32	34	31	30	22	19	[illegible]	[illegible]	24	[illegible]	[illegible]	31	23	22	32	28	37	36	34		28.7
COBALT BLACKBIRD MINE	MAX	18	31	42	34	33	33	46	41	44	47	41	31	29	24	19	15	21	24	35	36	29	29	30	23	36	37	34	35	38	38		32.4
	MIN	1	7	21	12	12	[illegible]	21	19	21	23	21	15	13	- 1	- 7	- 8	0	5	16	14	[illegible]	19	6	6	7	12	12	13	27	31		12.6
COEUR D ALENE CAA AP	MAX	33	41	36	39	45	42	48	49	48	48	47	42	42	37	34	31	32	32	39	36	37	41	39	36	40	46	44	45	45	53		41.0
	MIN	[illegible]	22	29	31	28	28	32	36	37	34	32	37	35	22	15	14	19	22	27	[illegible]	[illegible]	[illegible]	31	28	27	36	28	34	34	32		28.8
COEUR D ALENE RS	MAX	[illegible]	44	42	42	50	46	48	49	50	50	49	44	42	42	37	36	36	[illegible]	39	35	37	42	42	38	39	47	46	46	46	53		43.1
	MIN	17	[illegible]	24	29	30	29	34	40	32	40	41	33	37	31	19	12	15	23	[illegible]	30	33	33	32	28	27	36	29	38	31	35		29.7
CONDA	MAX	36	31	40	48	45	42	52	60	53	55	52	41	33	30	30	28	[illegible]	29	[illegible]	40	40	41	32	25	33	32	38	43	41	48		39.3
	MIN	12	0	13	25	14	9	11	15	17	19	[illegible]	28	24	24	13	10	- 7	- 4	1	12	27	9	0	- 3	- 1	2	12	26	29	30		13.2
COTTONWOOD	MAX	33	40	41	42	45	52	48	54	52	50	48	41	39	36	35	35	38	40	48	48	34	41	[illegible]	34	39	45	42	45	42	53		42.7
	MIN	16	[illegible]	30	[illegible]	[illegible]	27	27	29	31	37	34	33	32	21	19	[illegible]	10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	17	24	34	24	30	27	34		25.4
COUNCIL	MAX	56	46	53	54	[illegible]	56	56	56	56	54	65	45	42	45	46	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	44	44	42	46	46	45	48	52		48.9
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	33	30	25	19	15	[illegible]	[illegible]	[illegible]	21	24	[illegible]	22	24	21	32	32	35	[illegible]	36		25.3
DEER FLAT DAM	MAX	48	39	44	55	53	54	53	60	54	58	56	53	50	44	44	42	44	46	53	48	46	47	43	48	47	46	50	53	56	54		49.6
	MIN		[illegible]	19	26	22	20	[illegible]	[illegible]	[illegible]	28	32	35	34	[illegible]	28	13	24	[illegible]	27	32	[illegible]	[illegible]	31	30	25	40	37	42	39	42		28.6
DRIGGS	MAX	[illegible]	23	35	43	45	42	50	55	48	51	52	47	[illegible]	40	44	38	33	37	41	40	39	36	39	39	38	42	40	42	44	50		41.9
	MIN	[illegible]	2	16	[illegible]	14	[illegible]	[illegible]	17	22	21	18	[illegible]	11	12	14	- 6	- 6	- 3	[illegible]	[illegible]	24	[illegible]	13	4	4	12	28	26	29	33		13.9
DUBOIS EXP STA	MAX	29	[illegible]	34	49	43	43	[illegible]	49	45	[illegible]	47	39	35	34	30	28	34	39	41	35	34	30	28	34	26	33	34	37	43	45		37.5
	MIN	10	[illegible]	[illegible]	22	[illegible]	[illegible]	25	[illegible]	[illegible]	[illegible]	24	26	15	20	14	[illegible]		12	[illegible]	26	26	[illegible]	23	15	20	24	29	31	25	32		20.6
DUBOIS CAA AP	MAX	25	29	35	51	44	46	53	52	45	56	44	44	35	37	35	[illegible]	34	40	43	38	39	28	30	35	30	35	38	41	43	53		39.6
	MIN	4	[illegible]	15	[illegible]	14	[illegible]	19	22	20	27	31	[illegible]	16	15	11	3	[illegible]	5	9	22	24	[illegible]	14	15	24	27	30	29	27	32		17.9
EDEN HUNT PROJECT	MAX	42	44	50	53	47	55	64	55	65	65	55	42	39	39	36	35	34	43	47	42	48	40	39	35	48	48	43	48	55	49		46.8
	MIN	[illegible]	5	14	[illegible]	17	12	[illegible]	29	12	[illegible]	[illegible]	29	26	28	21	27	20	21	23	28	28	20	27	20	16	30	27	29	26	31		23.3
EMMETT 2 E	MAX	44	38	43	55	53	54	50	55	57	60	59	50	45	43	41	40	40	42	41	52	44	43	41	40	49	49	49	54	56	57		48.1
	MIN	22	17	20	25	22	22	26	24	23	31	35	36	32	32	30	19	19	18	27	34	34	34	28	31	24		31	45	40	47		28.7
FAIRFIELD RS	MAX	37	36	54	52	[illegible]	50	58	57	55	55	48	32	33	32	29	24	30	35	37	38	38	29	31	29	27	35	35	38	35	40		39.5
	MIN	10	7		35	[illegible]	[illegible]	[illegible]	24	15	24	22	25	22	19	3	-14	- 7	- 8	4	21	14	4	15	- 2	1	16	25	18	9	26		12.6
FENN RS	MAX	40	43	40	42	49	55	50	53	50	48	51	44	43	40	42	38	40	41	38	41	40	44	45	45	43	46	42	42	42	51		44.3
	MIN	26	21	27	30	34	29	26	20	31	34	39	36	36	32	30	23	22	18	25	28	33	33	32	[illegible]	21	33	20	35	35	36		29.1
FORT HALL IND AGENCY	MAX	35	42	42	55	45	54	57	53	58	60		55	40	40	34	39	32	41	44	46	42	40	41	34	41	43	47	47	55	56		45.4
	MIN	13	5	17	30	[illegible]	11	15	33	21	23		33	29	30	19	[illegible]	4	5	11	21	30	[illegible]	[illegible]	14	21	25	29	36	30	40		21.4
GARDEN VALLEY RS	MAX	43	40	41	58	50	53	47	53	41	43	55		44	41	34	33	33	35	[illegible]	40	39	45	43	40	40	37	39	43	49	45		42.9
	MIN	[illegible]	14	20	20	19	18	22	22	23	[illegible]	35		32	28	21	11	9	10	19	30	32	32	27	28	23	32	32	35	32	38		24.6
GLENNS FERRY	MAX	44	45	50	59	59	63	68	63	64	60	56	51	58	46	42	42	45	51	54	52	42	39	42	46	48	50	47	51	54	52		51.6
	MIN	[illegible]	9	[illegible]	33	16	16	25	25	20	34	28	32	32	32	26	16	24	20	[illegible]	34	31	25	23	20	21	37	27	34	27	38		25.7
GOODING CAA AP	MAX	38	44	49	54	52	57	62	55	60	60	48	45	42	42	38	37	40	45	47	47	44	37	37	38	44	45	40	51	51	51		46.9
	MIN	14	15	17	30	21	26	33	29	20	33	32	32	29	26	21	15	18	20	30	[illegible]	[illegible]	25	24	22	21	32	31	33	31	36		26.3
GRACE PH	MAX	25	33	48	49	45	50	55	54	54	55	48	39	37	36	27	28	32	36	39	39	35	28	20	24	32	37	39	39	44	44		39.0
	MIN	8	3	20	31	16	12	15	25	18	28	30	29	26	20	10	- 1	0	3	7	22	18	13	5	2	19	10	26	26	29	32		16.7
GRAND VIEW	MAX	44	41	50	59	57	61	60	62	63	65	60	55	47	47	44	42	44	49	54	50	53	42	42	48	48	45	49	56	55	55		51.6
	MIN	13	12	11	32	22	17	24	22	21	30	27	39	30	38	28	17	17	20	30	35	34	25	27	25	18	33	29	39	37	38		26.7
GRAY	MAX	28	26	49	45	41	50	57	55	60	54	52	48	46	36	24	30	29	41	46	48	45	36	35	25	33	38	40	44	46	50		41.9
	MIN	- 5	0	- 1	28	[illegible]	10	19	[illegible]	29	20	27	28	21	20	12	- 9	- 5	- 4	6	24	23	15	12	- 2	12	13	20	24	26	29		14.7
GROUSE	MAX	41	29	46	51	45	48	52	52	51	52	44	43	42	40	31	31	34	39	37	41	39	38	35	40	38	33	32	40	42	43		40.6
	MIN	9	0	9	17	7	7	9	15	10	15	21	12	10	8	9	- 7	- 5	- 5	3	7	7	-10	- 1	- 6	- 6	4	15	15	20	29		7.3
HAILEY	MAX	37	35	49	53	50	54	58	55	55	56	46	41	41	42	34	33	38	40	43	44	38	36	32	36	38	34	34	41	42	43		42.6
	MIN	11	[illegible]	17	24	20	19	27	26	21	30	27	20	10	10	9	5	8	3	19	27	20	6	6	11	- 1	22	22	26	12	31		16.6
HAMER 4 NW	MAX	33	31	36	52	45	47	53	54	51	59	53	47	49	38	36	32	35	39	41	44	42	33	31	38	32	37	38	45	50	53		42.5
	MIN	6	1	0	21	10	6	10	19	11	22	26	25	9	6	11	- 1	- 1	- 2	4	13	26	17	25	9	24	26	30	33	22	32		14.7
HAZELTON	MAX	40	43	54	53	51	58	63	56	63	66	57	45	40	39	36	35	37	44	48	50	44	40	40	35	49	50	45	49	55	53		47.9
	MIN	13	[illegible]	11	35	25	20	27	36	21	32	32	34	28	32	23	19	14	16	26	31	32	21	26	22	17	29	29	29	29	33		25.2
HILL CITY	MAX	47	45	55	52	51	52	51	56	57	53	47	37	33	34	28	23	21	28	26	37	38	30	29	33	22	33	34	38	37	38		38.5
	MIN	4	5	7	35	13	12	20	28	18	24	26	28	26	22	3	-12	- 8	- 5	12	25	22	4	12	1	3	19	21	22	10	28		14.4

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HOLLISTER	MAX								[illegible]	64	[illegible]	[illegible]	[illegible]	[illegible]	34	36	34	[illegible]	40	43	45	43	[illegible]	37	[illegible]	43	43	44	50	54			[illegible]
	MIN								[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	21	17	12	[illegible]	19	27	[illegible]	[illegible]	[illegible]	27	21	24	27	[illegible]	[illegible]	34	[illegible]		[illegible]
IDAHO CITY	MAX	45	40	49	55	57	[illegible]	62	[illegible]	57	54	49	38	[illegible]	40	39	[illegible]	40	43	51	44	39	45	42	[illegible]	43	40	37	42	[illegible]	46		46.1
	MIN	8	[illegible]	17	[illegible]	[illegible]	14	19	[illegible]	15	24	32	30	29	24	[illegible]		[illegible]	0	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	27	34		[illegible]
IDAHO FALLS CAA AP	MAX	[illegible]	33	[illegible]	51	47	51	[illegible]	[illegible]	[illegible]	[illegible]	50	42	42	37	31	[illegible]	37	41	39	43	39	34	[illegible]	[illegible]	42	43	47	48	51	[illegible]		[illegible]
	MIN	8	5	[illegible]	[illegible]	[illegible]	13	[illegible]	[illegible]	[illegible]	24	32	28	[illegible]	24	14	[illegible]	[illegible]	[illegible]	12	[illegible]	[illegible]	20	20	[illegible]	[illegible]	26	[illegible]	35	31	32		20.7
IRWIN 2 S	MAX	28	30	47	48	44	[illegible]	59	[illegible]	57	[illegible]	46	[illegible]	[illegible]	33	31	[illegible]	[illegible]	[illegible]	[illegible]	37	39	34	34	27	[illegible]	[illegible]	39	44	[illegible]	[illegible]		[illegible]
	MIN	11	[illegible]	[illegible]	33	[illegible]	14	19	32	[illegible]	28	[illegible]	[illegible]	[illegible]	26	[illegible]	-5	-1	[illegible]	11	[illegible]	26	[illegible]	[illegible]	[illegible]	10	20	[illegible]	[illegible]	32	[illegible]		[illegible]
ISLAND PARK DAM	MAX	25	24	34	43	37	42	49	48	45	[illegible]	40	[illegible]	29	[illegible]	[illegible]	28	[illegible]	41	42	39	[illegible]	28	[illegible]	29	[illegible]	33	[illegible]	[illegible]	43	44		[illegible]
	MIN	-5	-11	[illegible]	14	[illegible]	[illegible]	10	[illegible]	13	21	22	24	10	[illegible]	0	-12	-10	-8		[illegible]	[illegible]	20		3	[illegible]	21	[illegible]	28	[illegible]	29		[illegible]
JEROME	MAX	41	45	50	55	52	58	65	58	64	66	58	48	42	41	37	42	41	[illegible]	46	50	46	[illegible]	41	39	47	46	40	49	[illegible]			[illegible]
	MIN	14	10	11	30	[illegible]	[illegible]	31	[illegible]	23	[illegible]	32	40	28	32	22	[illegible]	[illegible]	[illegible]	27	32	28	29	28	22	[illegible]	[illegible]	28	31	29			[illegible]
KELLOGG	MAX	42	41	44	38	44	53	45	45	49	47	51	48	41	38	36	36	38	42	[illegible]	48	37	37	[illegible]	41	41	42	46	[illegible]	47	43		[illegible]
	MIN	18	[illegible]	[illegible]	33	[illegible]	29	[illegible]	36	[illegible]	[illegible]	40	37	33	33	28	21	19	[illegible]	25		[illegible]	33	34	[illegible]	26	[illegible]	30	[illegible]	38			[illegible]
KOOSKIA	MAX	46	44	40	48	50	55	47	58	49	54	52	[illegible]	54	45	44	44	41	42	43	43	45	43	41	40	42	[illegible]	49	47	[illegible]			[illegible]
	MIN	[illegible]	[illegible]	27	[illegible]	34	[illegible]	[illegible]	28	36	[illegible]	[illegible]	39	32	[illegible]	[illegible]	20	17	16	[illegible]	31		31	28		30	[illegible]	31	33	33			29.4
KUNA 2 NNE	MAX	43	41	43	54	[illegible]	54	54	57	61	[illegible]	[illegible]	49	44	41	40	40	43	47	53	[illegible]		45	42	40	47	45	[illegible]	[illegible]	[illegible]			[illegible]
	MIN	19	[illegible]	17	26	18	[illegible]	[illegible]	21	27	35	[illegible]	34	[illegible]	[illegible]	[illegible]	19	21	[illegible]		33		31			23	39	[illegible]	41	37	44		27.7
LEWISTON WATER PLANT	MAX	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	54	48	[illegible]	[illegible]	54	52	48	43	45	[illegible]	47	49	46	42	46	[illegible]	41	47		50	[illegible]	49	[illegible]		[illegible]
	MIN	21	23	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	33	[illegible]	39	[illegible]	43	[illegible]	[illegible]	23	[illegible]	[illegible]	37	[illegible]	34	35	34			39	[illegible]	41	38	43		[illegible]
LEWISTON [illegible]	MAX	44	[illegible]	41	[illegible]	48	[illegible]	44	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	48	42	41	48	47	45	45	40	43	47	38	49	[illegible]	43	[illegible]	45	57		47.4
	MIN	[illegible]	[illegible]	29	[illegible]	[illegible]	32	[illegible]	31	[illegible]	40	40	42	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	27	25	24	33	29	38	[illegible]	38		31.2
LIFTON [illegible]	MAX	[illegible]	38	[illegible]	52	43	49	46	[illegible]	[illegible]	48	45	43	[illegible]	[illegible]	27	[illegible]	[illegible]	34	[illegible]	[illegible]	39		[illegible]	24	36	31	39	41	44	40		[illegible]
	MIN	17	[illegible]	[illegible]	37	[illegible]	[illegible]	18	[illegible]	20	24	27	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]		[illegible]	13	[illegible]	12		[illegible]	[illegible]	17	[illegible]		17.4
LOWMAN	MAX	42	39	[illegible]	54									[illegible]	[illegible]	38	[illegible]	[illegible]	39	44	[illegible]	41	42	42	40		[illegible]	37	[illegible]	[illegible]	40		40.
	MIN	[illegible]	7	16	[illegible]									[illegible]	[illegible]	[illegible]	[illegible]	1		12		[illegible]		28			29	29	29				[illegible]
MACKAY [illegible]	MAX	[illegible]	[illegible]	44	41	48	47	51	54	51	[illegible]	44	39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	40	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	43	[illegible]		[illegible]
	MIN	[illegible]	3	[illegible]	21	[illegible]	14	18	28	[illegible]	[illegible]	27	[illegible]	25	[illegible]	12	[illegible]	[illegible]		8	[illegible]	17		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26		[illegible]		14.7
MALAD	MAX	36	[illegible]	[illegible]	[illegible]	[illegible]	54	58	[illegible]	59	[illegible]	48	[illegible]	41	[illegible]	36	34	34	39	[illegible]	[illegible]	42	32	[illegible]	[illegible]			40	40	49	49		43.
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	26	17	20	32	[illegible]	28	[illegible]	[illegible]	[illegible]	27	17	[illegible]		[illegible]	15	26		15	16		24	21			26	30		[illegible]
MALAD [illegible]	MAX	[illegible]	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	62	60	58	49	[illegible]	[illegible]	40	[illegible]	33	[illegible]	[illegible]	[illegible]	41	43		[illegible]	[illegible]	36	[illegible]	40	42	[illegible]	48		44.0
	MIN	[illegible]	[illegible]	[illegible]	33	[illegible]	[illegible]	14	26	[illegible]	20	32	32	31	[illegible]	15	[illegible]			[illegible]	20			17	20	20		[illegible]		[illegible]			[illegible]
MAY [illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	43	[illegible]	50	[illegible]	47	42	40	37	31	30	34	[illegible]	[illegible]	41	[illegible]	34	[illegible]	37	36	34	[illegible]	50	[illegible]			41.[illegible]
	MIN	13		9	30	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	21	[illegible]	9		[illegible]		7	[illegible]	22	22			[illegible]	25		26	27	[illegible]		[illegible]
MC CALL	MAX	[illegible]	32	34	42	44	[illegible]	48	48	[illegible]	50	40	36	34		[illegible]	30	28	[illegible]	42	38	[illegible]	[illegible]		28	32	[illegible]	[illegible]	[illegible]	40			37.[illegible]
	MIN	20	10	20	[illegible]		[illegible]	26	24	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	16	-1			[illegible]			[illegible]			[illegible]	[illegible]	28			32		[illegible]
MC CAMMON	MAX	41	39	[illegible]	[illegible]	[illegible]	[illegible]	55	59	61	[illegible]	[illegible]	[illegible]	46	40	42	37	33	39	40	39	40	[illegible]	36	[illegible]	35	[illegible]	40	41	47	50		44.[illegible]
	MIN	17	3	[illegible]	[illegible]		[illegible]	14	[illegible]	14	[illegible]	[illegible]	30	30	29	[illegible]	[illegible]	[illegible]	[illegible]	18	[illegible]		[illegible]	17	[illegible]	24	20	29	29	25	[illegible]		20.[illegible]
MERIDIAN [illegible]	MAX	[illegible]	39	44	54	[illegible]	[illegible]	54	[illegible]	[illegible]	60	[illegible]	49	43	43	41	40	44	46	51		40	46	41	40	47	40	48	[illegible]	51			48.[illegible]
	MIN	14	[illegible]	14	21	14	17	20	17	[illegible]	36	[illegible]	28	23	[illegible]	22		[illegible]		24		27			27	[illegible]	[illegible]	[illegible]	[illegible]		40		23.[illegible]
MESA	MAX	[illegible]	[illegible]	37	[illegible]	52	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	40	45	[illegible]	39	39	[illegible]	43	40	36	42	44	[illegible]	40	[illegible]	40	[illegible]	45	49		44.
	MIN	22	[illegible]	23	[illegible]	26	22	28	[illegible]	27	[illegible]	32	32	[illegible]	32	23	[illegible]	[illegible]	16	23	31		27	25	27	22	32	31	[illegible]		40		27.2
MINIDOKA [illegible]	MAX	34	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39	39	37	[illegible]	35	40	[illegible]	48	42	40	39	38	42	44	44	47	54	[illegible]		44.[illegible]
	MIN	12	[illegible]	22	36	24	24	32	[illegible]	22	[illegible]	33	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]		27		32	22	28	[illegible]	22	31	33	34		30		26.7
[illegible]	MAX	40	[illegible]	38	[illegible]	[illegible]	43	[illegible]	[illegible]	54	[illegible]	54	42	37	[illegible]	[illegible]	[illegible]			32	32	40	39	28	24	26	[illegible]	30	40	42	[illegible]		39.2
	MIN	13	[illegible]	[illegible]	9	15	11	[illegible]	17	[illegible]	19	23	28	24	[illegible]	[illegible]	-4	-3		-1	-1	[illegible]	-2	-1	-1	1	2	[illegible]	[illegible]	1			[illegible].6
MOSCOW [illegible]	MAX	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]	48	52	[illegible]	[illegible]	43	40	[illegible]	37	41	[illegible]	41	[illegible]	[illegible]	40	41	44	44	47	43	46	45			44.
	MIN	25	[illegible]	32	31	[illegible]	30	30	36		[illegible]	37	[illegible]	[illegible]	31	[illegible]				[illegible]	36		[illegible]	[illegible]				[illegible]	36	[illegible]			[illegible]
MOUNTAIN [illegible]	MAX	[illegible]	[illegible]	50	[illegible]	[illegible]	[illegible]	65	[illegible]	[illegible]	[illegible]	64	[illegible]	45	44	40	[illegible]	[illegible]	47	53	[illegible]						40	47	49	[illegible]	[illegible]		[illegible].1
	MIN	14	[illegible]	14	[illegible]	17	22	[illegible]	23	[illegible]	41	26	[illegible]	[illegible]	[illegible]	[illegible]	17	[illegible]	[illegible]	[illegible]	34						[illegible]	[illegible]	37	34	40		[illegible].6
MULLAN [illegible]	MAX	[illegible]	29	[illegible]	[illegible]	32	40	38	[illegible]	36	39	29	28	27	24	[illegible]	21	[illegible]	34	36	[illegible]	[illegible]	[illegible]	26	[illegible]	[illegible]	[illegible]	30		28	30		[illegible].2
	MIN	7	16	[illegible]	[illegible]	22	[illegible]	[illegible]	[illegible]	30	[illegible]	25	25	23	16	14	[illegible]	[illegible]	[illegible]	28	28	[illegible]	19	17	18	17	[illegible]	25	[illegible]	25	[illegible]		21.
NAMPA 2 [illegible]	MAX	48	44	41	42	[illegible]	[illegible]	[illegible]	[illegible]	58	[illegible]	[illegible]	[illegible]	[illegible]	44	42	42	41	44	45	[illegible]	[illegible]	46	47	43	41	47	46	47	[illegible]	50		[illegible]
	MIN	23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		24	[illegible]	[illegible]	[illegible]	34	[illegible]	34	[illegible]	18	[illegible]	[illegible]	30	36	[illegible]	32	27	[illegible]	24	38	33	40	[illegible]	45		[illegible].7
NEW MEADOWS RS	MAX	40	[illegible]	[illegible]	48	49	[illegible]	54	[illegible]	[illegible]	54	45	[illegible]	[illegible]	[illegible]								44	40	32	[illegible]	[illegible]	39	45	41	[illegible]		44.2
	MIN	[illegible]	[illegible]	18	[illegible]	14	14	17	[illegible]	[illegible]	28	[illegible]	30	31	29								29	20	[illegible]	[illegible]	[illegible]	28	30	31	[illegible]		21.
NEZPERCE 2 [illegible]	MAX	35	30	[illegible]	40	46	49	43	[illegible]	47	[illegible]	47	44	41	39	34	34	[illegible]	38	44	39	[illegible]	37	[illegible]	38	40	51	41	44	40	[illegible]		41.
	MIN	[illegible]	[illegible]	29	33	[illegible]	30	29	[illegible]	32	38	34	34	34	25	[illegible]	18	16	[illegible]	[illegible]	31	[illegible]	[illegible]	26	21	26	[illegible]	27	34	32	35		[illegible].1
OAKLEY	MAX	38	49	[illegible]	[illegible]	54	64	[illegible]	[illegible]	[illegible]	61	52	[illegible]	39	36	[illegible]	34	[illegible]	[illegible]	43	49	47	43	41	[illegible]	44	40	43			54		47.9
	MIN	10	13	[illegible]	42	[illegible]	[illegible]	[illegible]	31	[illegible]	38	30	31	31	30	18	11		[illegible]	27		[illegible]		20	24		28	27		33	[illegible]		[illegible]
OBSIDIAN 4 NNE	MAX	28	[illegible]	47	42	[illegible]	52	47	[illegible]	[illegible]	48	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	27	26	39	[illegible]	[illegible]	[illegible]	41	[illegible]	40	[illegible]	[illegible]	[illegible]	37	37		[illegible]
	MIN	-4	-4	14	[illegible]	7	9	14	16	10	23	[illegible]	[illegible]	[illegible]	[illegible]	-8	-20	-16	-10	-13	[illegible]	16		-2	-3	-7	20	14	[illegible]	30	30		[illegible].3
OLA [illegible]	MAX	45	46	42	54	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	38	[illegible]	[illegible]	45	[illegible]	[illegible]	46	39	42	[illegible]	[illegible]	[illegible]	53	[illegible]		47.6
	MIN	[illegible]	15	[illegible]	28	20	20	23	20	[illegible]	[illegible]	34	33	34	27	24	15	[illegible]	13	[illegible]		33	35		[illegible]	27	35	30	[illegible]	[illegible]	42		26.[illegible]
OROFINO	MAX	47	[illegible]	[illegible]	45	[illegible]	54	55	[illegible]	[illegible]	[illegible]	57	[illegible]	47	47	40	[illegible]	45	45	47	49		46	49	47	40	[illegible]	[illegible]	50	[illegible]	[illegible]		[illegible].7
	MIN								[illegible]	32	41	40	40	[illegible]	[illegible]	[illegible]	24	[illegible]	20	[illegible]	[illegible]					25	34	32	[illegible]	34	[illegible]		32.
PALISADES [illegible]	MAX	31	[illegible]	46	45	43	49	[illegible]	54	57	58	[illegible]	40	[illegible]	34	29	17	[illegible]	[illegible]	27	[illegible]	[illegible]					40	40	44	[illegible]	45		[illegible]
	MIN	10	[illegible]	[illegible]		[illegible]	12	[illegible]	30	[illegible]	24	29	[illegible]	[illegible]	[illegible]	16	-7	-5	2	8	21	27					[illegible]	26	32	31	[illegible]		17.[illegible]
PARMA EXP STA	MAX	[illegible]	44	[illegible]	[illegible]	[illegible]	54	50	[illegible]	57	[illegible]	[illegible]	49	[illegible]	[illegible]	43	41	[illegible]	[illegible]	48	43	45	47	45	44	42	46	[illegible]	55	55	[illegible]		[illegible].2
	MIN	[illegible]	14	18	27	[illegible]	19	22	24	21	27	[illegible]	[illegible]	[illegible]	[illegible]	25	18	[illegible]	[illegible]	[illegible]	[illegible]	31	30	[illegible]	25	20	20	[illegible]	33	[illegible]	44		26.[illegible]
PAUL 1 E	MAX	44	36	46	55	54	52	57	62	56	62	62	47	45	41	40	37	[illegible]	38	44	44	51	45	43	41	35	47	46	46	[illegible]	54		47.
	MIN	13	6	8	16	21	15	22	29	18	20	33	33	30	30	21	19	16	17	19	23	31	[illegible]	[illegible]	[illegible]	[illegible]	16	31	[illegible]	26	[illegible]		21.[illegible]
PAYETTE	MAX	44	36	39	55	52	49	49	54	52	45	56	54	56	47	42	[illegible]	36	[illegible]	47	47	43	45	42	40	41	48	46	54	52	[illegible]		[illegible]
	MIN	22	16	20	24	21	19	[illegible]	22	24	34	35	34	32	42	26	[illegible]	19	19	26	33	[illegible]	27	27	27	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		27.
PIERCE RS	MAX	38	36	43	34	35	44	41	40	49	43	47	45	38	48	34	[illegible]	36	[illegible]	33	[illegible]	[illegible]	35	37	43	[illegible]	34	[illegible]	34	[illegible]	[illegible]		[illegible]
	MIN	13	14	20	30	[illegible]	24	22	24	[illegible]	30	33	32	32	30	24	10	8	[illegible]	12	[illegible]	27	31	[illegible]	14	14	[illegible]	20	[illegible]	30	[illegible]		22.
POCATELLO WB AP	MAX	30	42	47	55	46	54	56	54	58	58	55	45	41	38	33	[illegible]	34	[illegible]	[illegible]	46	42	[illegible]	[illegible]	[illegible]	40	44	49	[illegible]	54	54		44.9
	MIN	10	8	[illegible]	31	23	[illegible]	16	[illegible]	23	[illegible]	33	33	30	26	15	7	[illegible]		12	[illegible]	29	23	23	18	20	26	[illegible]	34	[illegible]	40		22.3
PORTHILL	MAX	37	41	32	44	42	46	46	47	48	47	[illegible]	44	46	42	41	36	34	[illegible]	43	37	36	36	40	40	[illegible]	41	[illegible]	49	43	40		41.[illegible]
	MIN	[illegible]	22	21	26		28	20	[illegible]	29	31	40	34	35	[illegible]	24	[illegible]	[illegible]	[illegible]	22	27	25	27		23	27	31	32	[illegible]	[illegible]	30		26.[illegible]
POTLATCH	MAX	39	[illegible]	39	42	[illegible]	53	46	[illegible]	[illegible]	[illegible]	52	43	43	[illegible]	[illegible]	[illegible]	40	43	47	49	48	[illegible]	47	43	48	48	[illegible]	45	45	[illegible]		45.0
	MIN	[illegible]	21	[illegible]	33	[illegible]	33	[illegible]	36	34	41	[illegible]	34	[illegible]	30	22	[illegible]	26	20	[illegible]	37	33	[illegible]	29	24	20	37	[illegible]	36	37	35		[illegible]
PRESTON [illegible] FACT 2 [illegible]	MAX	45	38	51	55	[illegible]	58	60	[illegible]	[illegible]	59	54	[illegible]	[illegible]	40	39	36	35	[illegible]	[illegible]	41	40	35	[illegible]	31	40	[illegible]	[illegible]	42	[illegible]	[illegible]		44.[illegible]
	MIN	21	[illegible]	18	[illegible]	21	14	[illegible]	24	[illegible]	[illegible]	30	33	31	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21	[illegible]	28	26	27	30		22.
PRIEST RIVER EXP STA	MAX	32	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35	[illegible]	35	[illegible]	36	[illegible]	36	36	35	[illegible]	[illegible]	41	43	43	[illegible]		[illegible].7
	MIN	11	[illegible]	17	30	[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	[illegible]		21	17	13	[illegible]	21	[illegible]	27	28	[illegible]	[illegible]		[illegible]	28	30	32	32		26.[illegible]
RICHFIELD	MAX	38	38	48	56	49	52	58	52	58	[illegible]	[illegible]	43	42	39	37	[illegible]	[illegible]	41	42	42	41	36	34	37	40	40	[illegible]	43	45			44.0
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	14	24	[illegible]	27	[illegible]	21	18	23		24	27	[illegible]			[illegible]
RIGGINS [illegible]	MAX	[illegible]	45	42	43	[illegible]	55	56	56	57	[illegible]	62	49	47	48	46	43	43	43	45		[illegible]	41	47	49	[illegible]	47	49	46				[illegible]
	MIN	26	[illegible]	[illegible]	35	29	30	33	32	[illegible]	38	40	40	[illegible]	[illegible]	[illegible]	26	[illegible]	[illegible]	[illegible]		36		33	[illegible]	29	[illegible]	[illegible]	40	38	[illegible]		[illegible]
RIRIE	MAX	28	[illegible]	[illegible]	50	45	52	57	[illegible]	[illegible]	[illegible]	[illegible]	43	41	[illegible]	[illegible]	24	28			42	39	[illegible]	[illegible]	34	[illegible]	41	[illegible]	46	[illegible]	[illegible]		42.2
	MIN	10	[illegible]	[illegible]	19	[illegible]	20	24	31	27	[illegible]	32	[illegible]	[illegible]	[illegible]	12		[illegible]	[illegible]				23	[illegible]	[illegible]	24	[illegible]	[illegible]	37		[illegible]		[illegible]
ROLAND [illegible] PORTAL	MAX	30	40	35	[illegible]	44	47	45	40	45	[illegible]	38	34	35	32	[illegible]	[illegible]	[illegible]	[illegible]	35	35	33	32	34	[illegible]	[illegible]	36	[illegible]	[illegible]	36	[illegible]		[illegible].4
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	29	[illegible]	22	[illegible]	[illegible]	19					[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	32		[illegible]
RUPERT	MAX	45	38	46	[illegible]	54	52	[illegible]	[illegible]	57	[illegible]	63	[illegible]	44	41	39	37	34	37	42	44	[illegible]	46	43	39		[illegible]	46	[illegible]		[illegible]		47.
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	16	24	[illegible]	[illegible]	22	[illegible]	32	[illegible]	30	[illegible]	17	[illegible]	15	21	24	30		27	21		27	30	30	26	[illegible]		22.4
SAINT ANTHONY	MAX	[illegible]	34	38	[illegible]	44	49	[illegible]	51	[illegible]	[illegible]	49	41	[illegible]	[illegible]	[illegible]	[illegible]	37	41	42	40	[illegible]	32	36	[illegible]	[illegible]	41	42	44	[illegible]	[illegible]		42.
	MIN	[illegible]	[illegible]	14	[illegible]	[illegible]	[illegible]	[illegible]	24	18	24	[illegible]	[illegible]	[illegible]	27	14				[illegible]	20	[illegible]	[illegible]	16	7	[illegible]	[illegible]	[illegible]	[illegible]	29	34		[illegible]
SAINT MARIES	MAX	41	46		49	54	49	[illegible]	[illegible]	[illegible]			49	52	[illegible]	46	[illegible]		44	46	40	38	43	39	42	40	[illegible]	42	49	[illegible]	52		45.7
	MIN	[illegible]	[illegible]		34	[illegible]	[illegible]	31	[illegible]	34			36	[illegible]	31	27	[illegible]			24	31	34	[illegible]	29		[illegible]			34	[illegible]	[illegible]		[illegible]
SANDPOINT EXP STA	MAX	[illegible]	42	39	[illegible]	[illegible]	43	49	47	47	[illegible]	49	43	47	[illegible]	[illegible]	35	39	35	42	[illegible]	37	48	40	37	[illegible]	44	43	45	43			41.
	MIN	[illegible]	23	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]	34	[illegible]	38	32	[illegible]	[illegible]	24	19	21	[illegible]				32	[illegible]	[illegible]	[illegible]			[illegible]				[illegible]
SHOSHONE	MAX	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	62	[illegible]	[illegible]	[illegible]	[illegible]	46	44	42	39	37	38	44	45	46	44	39	36	[illegible]	[illegible]	43	37	[illegible]	50	[illegible]		47.[illegible]
	MIN	[illegible]	12	[illegible]	[illegible]	17	[illegible]	[illegible]	[illegible]	24		32	[illegible]	[illegible]	[illegible]	20	15	16	20	29			21	[illegible]	20	20	[illegible]		[illegible]	29	[illegible]		[illegible]
SPENCER [illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	40	44	52	50	43	[illegible]	[illegible]	44	[illegible]	[illegible]	33	30	[illegible]	[illegible]	41	34	[illegible]	30	[illegible]	[illegible]	25	32	33	[illegible]		45		37.4
	MIN	[illegible]	0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	20		30	27	[illegible]	[illegible]	[illegible]	[illegible]	2	[illegible]	-2		12	[illegible]		21	10		[illegible]	26	[illegible]	27	27		14.[illegible]
SPRINGFIELD	MAX	33	40	[illegible]	[illegible]	49	51	59	56	59	[illegible]	[illegible]	44	43	40	[illegible]	32	34	39	41	47	44	[illegible]	40	37	43	[illegible]	42	[illegible]	[illegible]	54		[illegible]
	MIN	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	20	[illegible]	[illegible]	[illegible]	30	16	8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	19	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]		[illegible]

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
STIBNITE	MAX	39	29	35	36	41	40	45	51	50	51	51	37	32	29	30	27	31	43	44	50	37	31	32	42	38	42	37	38	35	36		38.6
	MIN	3	4	7	10	10	17	20	19	20	24	23	19	18	5	- 5	- 4	3	10	20	22	18	13	9	8	9	15	17	25	30	32		14.0
SUGAR	MAX	44	34	39	50	44		56	52	55	61	57	43	39	39	33	31	32	38	41	41	37	34	35	37	34	40	41	46	51	51		42.6
	MIN	7	2	[illegible]	25	11		13	25	11	21	31	31	25	26	15	4	2	2	6	18	27	22	22	6	21	26	29	34	33	37		18.3
SUN VALLEY	MAX	38	33	49	50	50	53	57	55	52	54	48	39	40	36	33	31	40	42	44	42	36	37	36	36	35	34	34	37	41	39		41.7
	MIN	8	2	13	22	11	12	13	16	12	17	17	13	12	5	- 7	-12	- 7	- 5	5	15	13	- 3	4	1	- 6	18	10	22	12	24		8.8
SWAN FALLS PH	MAX	46	40	45	56	58	60	60	61	66	67	63	52	50	46	44	40	47	45	51	51	50	45	44	46	48	45	50	55	56	55		51.4
	MIN	28	25	30	29	30	26	32	36	32	34	34	40	38	35	32	24	30	25	35	37	37	33	30	34	25	30	33	41	39	45		32.5
TETONIA EXP STA	MAX	24	30	36	40	45	48	52	48	53	52	54	38	36	33	24	23	33	35	41	37	35	34	32	30	32	33	43	40	47	48		38.5
	MIN	3	1	14	16	13	10	12	24	16	30	23	23	21	19	4	- 8	- 9	- 6	- 5	- 2	5	15	3	- 1	5	19	24	32	30	31		12.4
THREE CREEK	MAX	34	51	60	62	51	64	65	55	61	[illegible]	67	60	65	57	50	42	40	50	47	42	39	38	35	34	48	46	46	48	50	54		50.9
	MIN	10	3	16	36	14	13	20	28	15	22	25	28	30	14	13	- 5	- 4	- 1	12	29	26	17	10	22	12	29	26	37	29	31		18.4
TWIN FALLS 2 NNE	MAX	40	44	49	55	56	59	64	57	64	66	59	44	41	41	36	37	38	45	48	50	45	42	40	38	48	48	43	49	57	50		48.4
	MIN	19	11	16	35	24	19	24	30	22	31	33	35	31	34	27	23	17	15	24	29	32	24	24	23	17	24	29	31	29	35		26.1
TWIN FALLS 3 SE	MAX	50	38	44	50	55	55	58	62	58	65	66	50	45	42	42	37	37	39	46	52	52	45	42	40	49	48	49	50	51	57		49.1
	MIN	16	9	10	15	24	17	16	21	22	28	32	32	30	30	26	23	17	16	16	25	31	26	27	23	20	20	31	31	29	29		23.1
WALLACE	MAX	34	43	39	39	50	44	46	45	46	50	45	38	37	34	35	32	35	39	40	38	35	38	39	38	41	42	43	42	42	46		40.5
	MIN	13	19	28	34	31	31	27	29	35	30	35	34	32	27	25	16	17	26	27	29	32	31	32	20	21	34	29	34	33	32		28.3
WALLACE WOODLAND PARK	MAX	36	37	46	37	39	49	52	45	46	46	50	44	37	37	34	36	33	35	41	45	40	34		40	35	43	42	45	44	39		40.9
	MIN	15	13	24	31	29	23	31	32	35	30	30	34	32	31	20	13	11	11	11	26	31	30		19	19	24	28	28	33	33		25.6
WEISER	MAX	46	38	38	58	56	52	55	58	54	58	54	53	45	45	47	42	40	42	48	52	44	50	45	40	39	45	44	54	50	56		48.3
	MIN	19	14	19	[illegible]	20	19	[illegible]	22	23	[illegible]	28	31	28	31	26	19	15	17	25	36	33	27	26	23	22	33	30	36	39	45		26.0
WINCHESTER 1 SE	MAX	32	44	43	43	46	55	51	50	50	49	50	40	37	34	34	33	40	41	51	47	37	37	40	40	40	46	44	43	40	51		42.9
	MIN	10	14	25	25	20	23	32	29	27	38	35	34	32	25	17	9	14	13	27	28	28	27	24	19	25	34	25	33	25	33		25.1

SNOWFALL AND SNOW ON GROUND

Table 7

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STATION	SNOWFALL														0.3																	
	SN ON GND																															
ANDERSON DAM	SNOWFALL											0.5	T	T	T			T	T	T						T	0.6	0.5				
	SN ON GND											T			T			T	T	T						T	T	1				
ARCO	SNOWFALL																				-	-									T	
	SN ON GND																				-	-	-									
ASHTON 1 S	SNOWFALL												3.5		1.5	T					T	3.0						2.3				
	SN ON GND												2	2	3	3	3	3	3	3	2	5	5	5	5	5	5	5	4	3	2	
ATLANTA 1 E	SNOWFALL											3.0	12.0	5.0	2.0						3.0	4.0					10.0	4.0	4.0			
	SN ON GND											1	11	14	12	11	11	10	9	7	8	11	10	8	7	6	15	17	19	18	14	
AVERY RS	SNOWFALL			T										3.0	3.0	2.0					0.5	T									T	
	SN ON GND			T										T	1	1	1	1	1	T	T											
BIG CREEK 1 S	SNOWFALL				T							-	-	-	-	-					-	3.0	-			-	-	-	-	-	-	
	SN ON GND											1	4	-	6	6	-	-	-	-	-	6	-	-	-	-	4	-	-	-	-	
BLACKFOOT	SNOWFALL														-	-						T										
	SN ON GND																															
BOISE WB AP	SNOWFALL													T	T	T																
	SN ON GND													T																		
BONNERS FERRY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SN ON GND				T								T		T							-	-	-	-	-	-	-	-	-	-	
BURLEY CAA AP	SNOWFALL											T	T	0.1	0.6	T					T	T										
	SN ON GND																															
CASCADE 1 NW	SNOWFALL			T								2.0	5.0	T	1.0	T					4.0	1.5	T			T	3.0	1.0	1.0	T		
	SN ON GND											1	[illegible]	3	4	4	3	3	3	2	5	8	6	6	5	5	7	6	4	3	1	
CENTERVILLE ARBAUGH RANCH	SNOWFALL											T	5.8	1.5	1.7	T					3.0	1.0	T			T	4.5					
	SN ON GND											T	6	7	9	9	9	9	8	8	11	12	12	1	8	8	12	11	11	11	10	
COEUR D ALENE CAA AP	SNOWFALL											T			4.6							T								T		
	SN ON GND														5	[illegible]	3	2	2	1												
COEUR D ALENE RS	SNOWFALL														6.0																	
	SN ON GND														6	3	3	2	1	1	T	T										
COTTONWOOD	SNOWFALL														1.6							0.4	0.5									
	SN ON GND														2	1	1	1	1			T										
DEADWOOD DAM	SNOWFALL			T	T			T				1.5	6.0	0.5	2.0	T					2.5	1.5				T	3.0	2.0	T	T	1.5	
	SN ON GND			T	T			T				2	7	7	8	8	8	8	8	7	9	10	10	10	10	9	11	12	12	11	12	
DUBOIS CAA AP	SNOWFALL											T	T	T	T						T	1.9	T			T	T	T			T	
	SN ON GND																					2	1	T	T	T	T	T	T			
EMMETT 2 E	SNOWFALL												T	T																		
	SN ON GND																															
GARDEN VALLEY RS	SNOWFALL												T		1.5																	
	SN ON GND																															
GOODING CAA AP	SNOWFALL											3.0		T	0.3												T					
	SN ON GND											T																				
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SN ON GND																					2	2	2	1	T						
GRAY	SNOWFALL													3.0	4.0							6.0										
	SN ON GND													3	4	4	[illegible]	4	4	4	6	12	12	12	11	10	10	8	8	6	6	
HAILEY	SNOWFALL													6.0							4.0						8.0	5.0			1.0	
	SN ON GND													4	3	2	2	2	1		4	4	4	4	4	4	12	17	15	14	13	
HAMER 4 NW	SNOWFALL																				T	1.5					T				T	
	SN ON GND																				-	-	-	-	-	-	-	-	-	-	-	

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ILL CITY	SNOWFALL												8.0	4.0						6.0	*	2.0					8.0					
	SN ON GND												6	[illegible]	10	-	-	-	-	12	-	-	-	-	-	-	14	-	-	-	-	
DAHO CITY	SNOWFALL											T	3.0	0.2	3.5												2.0					
	SN ON GND												-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DAHO CITY 13 SW	SNOWFALL											2.0	5.0	3.0	3.0						0.5					T	3.0					
	SN ON GND											2	6	9	11	11	11	11	11	11	10	9	[illegible]	9	[illegible]	9	11	10	9	9	8	
DAHO FALLS CAA AP	SNOWFALL											T	T	T	T	T	T				T	T					T	T			T	
	SN ON GND														T	T	T	T	T	T	T	T	T				T					
RWIN 2 S	SNOWFALL														3.0	3.0					1.0	5.0										
	SN ON GND														1	4	-	-	-	-	2	6	-	-	-	-	-	-	-	-	-	
SLAND PARK DAM	SNOWFALL											0.5	6.0		0.5						2.5	5.0	2.0					2.0	1.0		2.5	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	3	9	-	[illegible]	-	-	-	-	-	9	14	16	-	-	-	-	15	15	15	16	
EWISTON WB AP	SNOWFALL														T																	
	SN ON GND																															
OWMAN	SNOWFALL												-	0.7	1.5						1.5	T					2.0					
	SN ON GND												1	2	3	-	-	-	-	-	[illegible]	-	-	-	-	-	5	-	-	-	4	
ACKAY R S	SNOWFALL											T	0.3								1.8	0.5					1.8	1.0	0.5		0.4	
	SN ON GND												T								[illegible]	2	1	1	1	1	[illegible]	3	[illegible]	2	3	
ALAD CAA AP	SNOWFALL											T	T	T	1.5	T					T	0.1			T		T	T				
	SN ON GND																					T	T		T							
AY RS	SNOWFALL												0.1		0.3						0.2	1.5	1.0				1.0	T				
	SN ON GND																					1	2	2	2	2	1	1				
C CALL	SNOWFALL														6.0						3.0										6.0	
	SN ON GND														-	-	-	-	-	-	[illegible]	-	-	-	-	-	-	-	-	-	8	
ESA	SNOWFALL			T											3.0							1.0				0.5						
	SN ON GND														-											T						
ULLAN PASS CAA	SNOWFALL			T				T	T	T	4.5	5.2	3.5	7.3	1.1	0.1					2.6	0.9	T	T		1.0	5.5	3.9	3.5	6.8	1.6	
	SN ON GND	12	12	11	11	11	10	10	10	10	11	15	19	26	27	27	27	27	27	27	29	30	30	30	30	30	34	35	39	43	46	
AKLEY	SNOWFALL												3.0																			
	SN ON GND												1	T	T	T	T	T	T	T												
BSIDIAN 4 NNE	SNOWFALL											T	10.0	T	T						1.0						2.0	2.0	2.0		T	
	SN ON GND											T	10	10	10	9	9	8	[illegible]	7	8	8	8	8	8	8	10	12	14	13	13	
IERCE RS	SNOWFALL														4.0	1.0							3.0						2.5	6.0	5.0	
	SN ON GND														4	5	5	5	5	4	4	4	3	3	3	3	3	3	4	4	8	
INE 2 SSW	SNOWFALL											T	5.0	1.0	1.5												6.0	2.0				
	SN ON GND											T	4	5	6	6	5	5	5	5	5	5	5	5	4	4	10	12	10	10	8	
OCATELLO WB AP	SNOWFALL											T		T	T	1.7						T					T					
	SN ON GND															1	1	T	T	T												
ORTHILL	SNOWFALL			T	T																					T						
	SN ON GND			T	T																					T						
OTLATCH	SNOWFALL														0.3																	
	SN ON GND																															
RIEST RIVER EXP STATION	SNOWFALL												1.8		1.0											0.4						
	SN ON GND												-	1	1	1	1	1	1	1	1											
OLAND W PORTAL	SNOWFALL			T				T				1.9	4.8	16.5	11.8	1.3					2.1	1.4	T			T	1.3	T	1.3	2.3	4.7	
	SN ON GND	T	T	T	T	T	T	T	T	T	T	1	5	14	23	24	23	23	22	21	23	23	22	21	20	19	17	16	16	17	20	
ALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-	-	-	-	-	-	-			-	-	
	SN ON GND														T							1	-	-	-	-						
ANDPOINT EXP STATION	SNOWFALL			T											T																	
	SN ON GND																															
PENCER RS	SNOWFALL										T		3.0		T						3.0	9.0	0.5			T	0.5		0.5		T	
	SN ON GND												-	-	-	-	-	-	-	-	-	12		-	-	-	9	-		-	-	
TIBNITE	SNOWFALL				1.0	T						3.0	3.0	2.5	2.5	1.0	T				1.0	1.5	1.0				1.0	1.5	3.0	2.0	2.0	
	SN ON GND				1	1						3	6	6	7	8	6	4	4	4	5	6	6	5	4	3	4	5	7	8	10	
N VALLEY	SNOWFALL												7.0	T	T						5.0	T					7.0	3.0	3.0	T	3.0	
	SN ON GND												5	4	4	3	3	3	3	3	7	7	7	7	6	6	13	15	13	13	11	
REE CREEK	SNOWFALL												2.0		4.0	3.0											T					
	SN ON GND												2		3	3	3	2	2	1	T	T					T					
IN FALLS 2 NNE	SNOWFALL													T		T																
	SN ON GND																															
LLACE	SNOWFALL			T	T							T	T	1.0	T	T					T	T				T	T		T	T	T	
	SN ON GND													1	1	T	T	T	T	T	T	T	T	T	T	T	1	T	1	T		

See reference notes following Station Index

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time: Temp	Observation time: Precip	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0119	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 SE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP I PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	L H KUHN	
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 5
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	
BUHL	121[illegible]	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 ENE	[illegible]	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	237[illegible]	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J [illegible] LORTON	2 3 5
CASCADE 1 NW	1511	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 [illegible]	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	16[illegible]	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	18[illegible]	BONNER	9	48 09	116 10	212[illegible]	6P	6P	MRS MARY L RALPH	2 3 5
CLARKIA RANGER STATION	18[illegible]	SHOSHONE	10	47 00	116 1[illegible]	2800		MID	U S FOREST SERVICE	
CLEMENTSVILLE [illegible]	1861	TETON	12	[illegible]	111 16	5904		MID	TETONIA EXP STATION	
COBALT BLACKBIRD MINE	[illegible]	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 4[illegible]	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	[illegible]	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	215[illegible]	IDAHO	3	46 03	116 21	[illegible]	6P	6P	MRS M D KLAPERICH	2 3 5 7
COTTONWOOD [illegible]	215[illegible]	IDAHO	3	46 02	116 23	360[illegible]		MID	CARL FREI	
COUNCIL 1 N	2187	ADAMS	12	[illegible]	116 [illegible]	2950	5P	5P	[illegible]	2 3 5
[illegible]	2216	LEWIS	3	46 14	116 [illegible]	2950		MID	LEWIS I PHILLIP	
[illegible]	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	
DEADWOOD DAM	[illegible]	VALLEY	8	44 19	115 38	[illegible]	5P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 [illegible]	3000		MID	U S FOREST SERVICE	
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	[illegible]	6P	6P	U S BUR RECLAMATION	[illegible]
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	
DRIGGS	2676	TETON	12	43 43	111 [illegible]	6097	9A	9A	EDITH STEVENS	[illegible]
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 1[illegible]	112 13	51[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3
EMMETT [illegible]	2942	GEM	[illegible]	43 50	116 [illegible]	[illegible]	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	[illegible]	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1605	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	[illegible]	[illegible]	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 [illegible]	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
[illegible] RANCH	3576	[illegible]	11	[illegible]	113 [illegible]	[illegible]		VAR	STAN L SWANGER	
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	[illegible]	7P	7P	[illegible] STONE	[illegible] 7
GOODING CAA AP	[illegible]	GOODING	12	42 55	114 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 14	[illegible]	SS	SS	H A WESTENFELDER	2 3 [illegible]
GRAND VIEW	3760	OWYHEE	12	[illegible]	116 [illegible]	[illegible]	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	[illegible]	116 [illegible]	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	[illegible]	BONNEVILLE	12	43 03	111 [illegible]	[illegible]	6P	6P	ROSCOE T SIDBETT	2 3 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	[illegible]	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	[illegible]	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	[illegible]	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	[illegible]	BOISE	[illegible]	43 50	115 [illegible]	[illegible]	5P	5P	R JOHN MELLOR	2 3 [illegible] 7
IDAHO CITY [illegible]	4450	BOISE	[illegible]	[illegible]	[illegible]	[illegible]		6P	C M CARPENTER	3
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 7
IDA VADA	4475	OWYHEE	[illegible]	42 03	[illegible]	[illegible]		VAR	[illegible]	S
IRWIN [illegible]	4588	BONNEVILLE	12	43 24	111 18	[illegible]	5P	5P	ANNA FLEMING	2 3 7
ISLAND PARK DAM	4598	FREMONT	12	[illegible]	111 [illegible]	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 7
[illegible]	4612	BOISE	8	[illegible]	[illegible]	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	[illegible]	[illegible]	[illegible]	[illegible] O OLIVER	2 3
KAMIAH [illegible]	4793	LEWIS	3	[illegible]	116 01	[illegible]		7A	MRS MARY E LUNDERS	[illegible]
KELLOGG	4831	SHOSHONE	4	47 32	[illegible]	[illegible]	9A	9A	IRVING [illegible]	2 3
KOOSKIA	5011	IDAHO	[illegible]	46 09	[illegible]	1261	4P	4P	[illegible]	2 3 5
KUNA [illegible]	5038	ADA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 [illegible]
LANDMARK RANGER STATION	[illegible]	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
[illegible]	[illegible]	[illegible]	11	[illegible]	113 22	[illegible]		MID	[illegible]	
[illegible]	5240	NEZ PERCE	12	[illegible]	[illegible]			7A	[illegible]	3
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	[illegible]	46 25	[illegible]	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	[illegible]	NEZ PERCE	[illegible]	[illegible]	117 02	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	[illegible]	[illegible]	111 18	[illegible]	[illegible]	[illegible]	UTAH P & L COMPANY	2 3 [illegible]
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		MID	U S SOIL CON SER	
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE B BENTZINGER	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA	6295	CANYON	2	43 35	116 34	2482	5P	5P	C W NELSON	CLOSED 11/20
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	7P	7P	WAYNE S SHAEFFER	CLOSED 9/15
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	6586	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	CLOSED 7/30
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	8A	8A	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA P SCHRAFF	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	
PRESTON SUG FACT 2 SE	73[illegible]3	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
[illegible] CREEK	7433	VALLEY	11	44 4[illegible]	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	8A	8A	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7854	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4966	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	806[illegible]	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB AIRWAY OBS	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8518	CAMAS	12	43 30	114 5[illegible]	[illegible]		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	K T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8815	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	[illegible]	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	[illegible]	TETON	12	43 49	111 10	[illegible]	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9149	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 43	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT I SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9640	LEWIS	3	46 14	116 [illegible]	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	I J MILLER	S
NEW STATIONS										
OLA 1 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3870	6P	6P	JOHN KOEPL	2 3 5 7

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

STATIONS NOT FOLLOWED BY A TABLE NUMBER REFERENCE IN THE STATION INDEX ARE NOT PUBLISHED IN CLIMATOLOGICAL DATA BEGINNING WITH OCTOBER, 1951, RECORDS

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
/	Gage is equipped with a windshield.
R	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
S	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
R	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-101728 1000 1-16-52

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

DECEMBER 1951

Volume LIV No. 12

SAN FRANCISCO: 1952

IDAHO - DECEMBER 1951

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

This was among the colder Decembers on record in Idaho with an average temperature nearly 10° lower than in December 1950, and 3.7° below the 59-year mean. Since 1932 only one December, 1948, was colder, and the extreme of -40° recorded at Elk City on the 24th is the lowest reported December temperature in Idaho since 1924. Precipitation exceeded the statewide 59-year mean by 67 percent and was greater than in any December since 1942. Average snowfall reached the unprecedented figure of 36 inches, more than three times the average for December 1950 and nearly seven inches above the average for the memorable December of 1948. Sunshine was below the December mean with the deficiency particularly noticeable in southern portions of the State. At Pocatello the sunshine for the month totaled only 15 percent of possible, compared to a long-period mean of 42 percent, and at Boise the total was 28 percent compared to a mean of 40 percent.

For the third successive month temperatures were below the long-period mean throughout the State and the accumulated precipitation totals for the three months were generally well above the mean. In the Panhandle, and in the mountain areas of the Southwestern Division, the precipitation excess was particularly great and the mountain snowpack in those areas was unusually heavy.

Examination of the day to day weather records for the month of December reveals a greater than usual number of days with precipitation and no period of what might be called fair weather throughout the State. Sunshine records show that Boise had only three days during the month with more than 75 percent of possible sunshine, Pocatello had no day with more than 66 percent and Spokane, Washington one day of 81 percent and only three other days above 60 percent. Several times during the month little or no sunshine was recorded at any of the three stations for two or three days in succession. Periods of heaviest precipitation were the 1st to 5th, the 18th, the 22nd to 24th, and the 27th to 29th. Temperature records show only two mild spells during the month; the first extended through the first four days and the second ran from the 27th through the 29th in most sections, although in the northern part of the State this latter period was not very pronounced. All but a few stations reported the highest temperature of the month on the 1st, but the lowest readings of the month were not so concentrated. The 8th and 9th saw most stations in the Southwestern and Southeastern Divisions register the lowest temperature, while in the Northern Division a majority registered the low for the month on the 24th, a day which also brought forth the lowest reading at several stations in the Southern Divisions. The heavier snowfalls of the month, for the State as a whole, appear to have been those of the 16th to 18th, the 21st and 22nd and the 29th.

Reports indicate little or no storm damage during December in Idaho, but the frequent snows, combined with occasional periods of strong winds, caused drifting in many areas with resultant intermittant closing of portions of major highways. As usual for the season, farming activities were largely confined to the care of livestock and there were no reports of losses or undue hardships. Supplemental feeding was heavy, but cattle and sheep maintained their good condition.

DJS

December reports received subsequent to preparation of the several tables but prior to publication will be found in the "DELAYED DATA" tables.

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	SE	35	8.3	37	SE	4	83	75	78	83	5	[illegible]	8	1	0	0	23	28	8.2	SEE TABLE 2.
LEWISTON WB AIRPORT	E	21	4.9	-	-	-	81	74	75	79	9	9	2	0	0	0	20	-	9.1	
POCATELLO WB AIRPORT	SW	22	12.8	45	SE	4	84	77	80	81	11	10	5	0	0	0	26	15	8.4	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	30.2	60	-13	1.61	-	6
1894	24.7	64	-22	1.90	-	8
1895	23.7	60	-23	1.79	-	10
1896	31.1	60	-10	2.04	-	8
1897	26.0	57	-27	2.74	-	[illegible]
1898	20.7	54	-29	1.03	8.0	7
1899	26.1	61	-32	1.79	12.1	8
1900	31.0	58	-34	1.40	4.0	7
1901	29.0	64	-20	1.88	6.7	8
1902	27.2	65	-25	2.29	15.7	10
1903	27.0	64	-16	1.08	7.4	7
1904	28.1	60	-35	1.91	13.6	9
1905	23.4	60	-22	1.65	13.2	8
1906	32.2	61	-11	2.80	13.3	13
1907	28.7	59	-33	2.55	12.6	11
1908	25.8	56	-31	1.18	9.2	7
1909	20.1	55	-28	1.91	15.0	8
1910	29.8	63	-12	1.49	5.2	8
1911	24.6	59	-26	1.33	17.0	8
1912	26.0	61	-22	1.61	13.5	9
1913	24.1	56	-21	1.51	15.7	6
1914	19.4	63	-33	.67	7.1	5
1915	26.3	65	-44	2.40	17.2	12
1916	21.1	58	-42	2.35	24.0	13
1917	36.5	52	- 6	4.06	7.6	13
1918	25.7	65	-32	.94	5.5	5
1919	18.9	66	-50	1.52	14.4	7
1920	27.6	62	-34	2.67	16.6	13
1921	27.6	59	-20	1.92	5.3	9
1922	24.0	60	-28	2.73	22.9	12
1923	25.0	60	-31	1.63	12.0	[illegible]
1924	18.6	62	-50	2.18	18.9	10
1925	31.0	64	-18	1.71	5.8	8
1926	25.5	64	-37	1.78	14.6	12
1927	20.2	61	-38	1.74	19.6	[illegible]
1928	21.8	67	-28	1.51	13.1	8
1929	32.4	75	-12	2.79	7.6	9
1930	18.5	51	-29	.66	6.8	5
1931	22.1	58	-30	2.61	21.0	12
1932	18.9	65	-34	1.96	19.2	9
1933	34.0	75	-16	4.03	13.3	13
1934	27.4	62	-17	1.89	15.6	11
1935	24.5	55	-24	1.25	8.0	7
1936	28.1	65	-24	1.61	11.5	8
1937	30.3	64	-16	3.12	14.2	10
1938	28.[illegible]	64	-30	1.30	9.1	8
1939	34.1	74	-22	2.10	4.8	11
1940	30.1	64	-26	1.64	6.9	10
1941	29.1	67	-27	3.27	15.5	14
1942	28.2	65	-28	3.37	21.3	14
1943	28.0	65	-35	.98	4.7	6
1944	25.[illegible]	58	-25	1.33	9.6	8
1945	25.3	66	-36	2.75	13.3	13
1946	31.3	63	-25	2.04	7.2	10
1947	28.1	61	-22	1.28	8.6	10
1948	19.7	56	-36	2.86	29.3	14
1949	26.3	60	-27	1.72	20.5	10
1950	32.4	61	-18	2.11	10.5	11
1951	22.6	57	-40	3.28	36.0	14

CLIMATOLOGICAL DATA

Table 2

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max. 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
NORTHERN DIVISION																			
AVERY RS	26.0M	- 2.9	42	1	- 3	24	1199	0	30	4.77	.65	.73	29	62.6	34	30	21	3	0
BAYVIEW MODEL BASIN	25.3		54	1	4	24	1222	0	28	4.50		.70	29		15	31	20	5	0
BIG CREEK 1 S	17.7		42	1	-28	25	1461	0	31	5.79	3.05	1.20	2	82.0	44	28	18		1
BONNERS FERRY	23.5M	- 4.2	48	1			1277	0	30										
BURKE 2 NNE	21.3	- 1.7	38	1	- 1	24	1347	0	31	8.87	3.17	1.59	29	104.8	62	29	21	7	[illegible]
CLARK FORK 1 ENE	25.2	- 4.1	45	1	-10	24	1227	0	28	5.14	.98	.95	29		24	30+	17	4	0
COBALT BLACKBIRD MINE	[illegible]		36	1				0		E 2.84		.36	22+	43.6	32	31	[illegible]8	0	0
COEUR D ALENE CAA AP	22.3		47	1	- 3	31	1316	0	31	1.66		.34	18	34.7	22	22+	16	0	0
COEUR D ALENE RS	25.9	- 4.9	54	1	- 2	23	1208	0	28	6.39	2.74	1.67	18	29.4	24	30+	19	5	1
COTTONWOOD	24.1	- 4.5	49	1	- 7	24	1261	0	30	1.48	- .30	.33	21	21.8	12	31	17	0	0
ELK CITY	20.2		48	1	-40	24	1384	0	31						26	21+			
FENN RS	29.1	- 2.5	46	3	0	24	1108	0	28	4.95	.99	.70	21		15	21	17	2	0
KELLOGG	26.2	- 3.0	55	1	- 7	24		0	27	4.98	1.34	.89	1	32.9	18	31	22	3	0
KOOSKIA	31.0	- 0.8	51	1	3	26	1049	0	28	2.09	- .10	.45	2	9.0	6	21	15	0	0
LEWISTON WATER PLANT	33.0	- 2.3	51	1	14	26	984	0	23	.87	- .60	.23	28	4.5	3	28+	12	0	0
LEWISTON WB AP	29.8		53	1	2	31	1084	0	27	.72		.20	28	7.2	3	28+	11	0	0
MOSCOW U OF I	26.6	- 4.2	51	1	- 7	24	1186	0	29	5.07	2.33	.81	21	41.0			15	5	0
MULLAN PASS CAA	15.6	- 6.3	33	1	- 7	31	1525	0	31	7.49	2.20	1.29	29	74.7	104	31	27	6	1
NEZPERCE 2 E	25.9		50	1	2	25	1205	0	30	1.88		.30	28	24.9	16	22+	15	0	0
OROFINO	32.1M	0.0	57	1	4	26	1016	0	25	2.78	- .28	.38	21				17	0	0
PIERCE RS	22.2	- 5.1	47	18	-17	24		0	31	8.53	3.40	1.47	22		51	30+	23	6	1
PORTHILL	20.5	- 7.1	47	1	-19	26	1374	0	30	2.93	.63	.90	18	32.5	17	18	13	2	0
POTLATCH	25.9	- 4.7	50	1	- 8	25	1204	0	29	6.06	2.94	1.50	18	41.8	27	29	16	4	1
PRIEST RIVER EXP STATION	20.9	- 5.7	47	1	-10	26	1358	0	30	6.62	2.31	2.21	18	56.3	29	18+	16	5	2
RIGGINS RS	32.8	- 5.1	56	1	14	25+		0	26	2.28	.91	1.05	2		1	2+	13	1	1
ROLAND W PORTAL	21.1	- 5.3	41	1	- 2	24	1354	0	31	7.21	- 1.08	.89	29	99.7	60	22+	22	6	0
SAINT MARIES	26.4M	- 4.4	48	1	- 6	24	1193	0	29	6.27	2.59	1.03	18	39.3			19	5	1
SALMON	21.5	0.5	50	1	-13	25	1343	0	31	.68	.04	.23	27		[illegible]	28+	9	0	0
SANDPOINT EXP STATION	22.6	- 6.1	47	1	- 8	24	1305	0	30	4.92	.57	1.32	18	38.1	36	29+	11	4	1
WALLACE	24.7	- 4.5	43	1	- 4	24	1243	0	30	7.79	2.05	1.40	29	55.0	29	29+	19	6	3
WALLACE WOODLAND PARK	23.3M	- 5.8	52	1	- 9	24+		0	31	5.31	.32	1.03	22		27	30+	19	3	1
WINCHESTER 1 SE	25.0	- 5.1	48	1	- 6	24	1232	0	30	3.83	1.84	.60	22				20	2	0
DIVISION	24.8	- 4.5								4.49	1.32			34.6					

See reference notes following Station Index

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max. 90° or above	Min. 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max. depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
SOUTHWESTERN DIVISION																			
ALPHA 1 NE	17.3	- 4.6	42	1	-23	8+	1476	0	31	5.69	- 1.89	1.06	18	55.4	31	30	15	6	1
ANDERSON DAM	25.3		42	1+	1	9+	1222	0	29	6.34		1.20	18		31	27	13	6	1
ARROWROCK DAM	25.7	- 1.9	50	1	0	9+		0	29	5.01	2.44	1.01	4	29.1	15	22+	15	4	1
ATLANTA 1 E	20.1	- 2.0	44	27	- 5	8	1387	0	31	6.09	2.54	.99	22	101.0	54	30	15	5	0
BLISS	24.8	- 3.3	47	1	- 9	9+	1240	0	28	2.15	1.16	.45	18	24.8	15	26	14	0	0
BOISE LUCKY PEAK DAM	M		55	1	2	9		0		3.11							13		
BOISE WB AP //	27.5	- 2.8	53	1	5	9	1156	0	28	2.47	.90	.52	1	15.6	6	30	18	1	0
BUHL	28.3	- 1.3	48	1	1	9	1132	0	27	E 1.54	.73			16.6			12		0
CALDWELL	30.1	- 0.3	52	1	4	24	1075	0	29	2.52	1.38	.52	3	6.5	3	30	13	1	0
CAMBRIDGE	26.0	0.0	53	1	-10	23		0	29	5.48	2.70	1.17	22				10		1
CASCADE 1 NW	18.7		40	1	-14	9	1427	0	31	4.38		.96	1	53.5	24	27+	16	1	0
CHALLIS	21.3	0.7	55	1	-11	25	1348	0	30	.95	.33						7		0
COUNCIL 1 N	26.3	- 1.3	53	2	- 8	[illegible]	1191	0	30	6.[illegible]	2.19	1.00	18+	27.4	20	27	12	6	2
DEADWOOD DAM	16.7	- 2.8	36	1	-25	[illegible]	1494	0	31	8.52	2.30	1.55	1	90.5	58	30	18	6	3
DEER FLAT DAM	30.2	- 0.5	52	18+	- 2	24	1074	0	29	2.22	1.22	.55	3	10.0			10	2	0
EDEN HUNT PROJECT	21.8M		47	1	-14	9	1333	0	31										
EMMETT 2 E	30.4M	- 1.2	57	1	[illegible]	9	1066	0	28	3.63	2.24	.61	1				10	3	0
FAIRFIELD RS	14.1M		36	1	-30	25	1571	0	31										
GARDEN VALLEY RS	24.6	- 1.1	44	1	- 9	8+	1243	0	30	6.11	2.80	.89	1	[illegible]	19	27+	14	6	0
GLENNS FERRY	M		50	1	- 4	[illegible]		0	30	2.11	1.12	.51	18				15	1	0
GOODING CAA AP	22.8	- 4.1	45	1	- 4	9	1303	0	29	2.56	1.54	.80	3	25.5	12	24+	14	1	0
GRAND VIEW	29.3	- 1.5	56	1	0	9	1099	0	28	1.25	.52	.54	30				5	2	0
HAILEY	14.[illegible]	- 7.4	40	2	-13	[illegible]	1546	0	30	4.05	1.97	1.11	1	48.5	36	27	13	3	1
HAZELTON	25.1	- 4.0	47	1+	- 8	[illegible]	1231	0	31	2.04	.88	.52	24	24.1	13	24+	17	1	0
HILL CITY	15.5	- 4.7	38	1	-30	25	1531	0	31	4.20	1.94	.86	1	78.0	46	30	12	3	0
HOLLISTER	26.4M	- 2.6			- 3	9	1193	0											
IDAHO CITY	22.0	- 4.2	43	2	-18	[illegible]	1328	0	31	6.31	3.05	1.07	18	52.0			16	5	1
JEROME	25.2	- 4.6	48	2	-10	9	1228	0	29	1.[illegible]	.94	.35	18				10	0	0
KUNA 2 NNE	28.5M	- 1.8	52	1	1	25	1125	0		2.01	.90	.37	3	11.0	5	30	12	0	0
LOWMAN	22.0	- 2.6	48	13	-13	8+	1322	0	31	6.50	3.13	.99	18	57.3	32	27	15	6	0
MC CALL	19.[illegible]	- 2.1	36	1	-12	24	1401	0	31	6.93	3.33	1.04	27		41	29+	14	7	1
MERIDIAN 1 SSW	27.0	- 3.6	52	1	1	25	1170	0	30	1.88	.54	.50	1				9	1	0
MESA	25.7		52	1	- 5	[illegible]	1213	0	31										
MOUNTAIN HOME 1 NE	26.1	- 3.5	53	1+	- 8	25	1197	0	27	1.41	.30	.18	3		5	23+	12	0	0
NAMPA 2 NW	30.2		53	1	7	9+		0	28	2.30		.42	[illegible]	13.5	4	24+	12	0	0
NEW MEADOWS RS	18.7M	- 3.2	45	1	-22	8	1429	0	31	[illegible].58	3.44	1.03	1	67.[illegible]	34	29	18		1
OBSIDIAN 4 NNE	11.8	- 4.2	38	27	-28	8	1663	0	31	2.46	.54	.39	28	27.0	36	28	17	0	0
OLA 4 S	26.4		54	1	- 5	8+	1191	0	29	[illegible].58		.94	1				8	5	0
PARMA EXP STATION	29.6M	- 1.0	51	1	4	24	1091	0	30	1.38	.38	.50	2				10	1	0
PAYETTE	30.0	- 0.1	56	2	7	[illegible]	1082	0	28	1.69	.24			4.3	[illegible]	26+	10	0	0
RICHFIELD	19.9	- 4.8	43	1	-15	[illegible]	1393	0	30	2.87	1.68	.86	18	33.0	17	23+	13	1	0
SHOSHONE	22.8	- 3.7	46	1	- 7	9+	1303	0	30	3.19	2.06	.70	18	27.[illegible]	16	26	18	1	0
STIBNITE	17.4M		41	12	-11	25+		0	31	7.82		1.10	2	93.7	47	31	20		2
SUN VALLEY	11.0	-10.0	36	1	-28	[illegible]	1672	0	31	[illegible].18	1.78	.90	27	66.0	43	29+	12	4	0
SWANS FALLS PH	32.5	- 3.1	56	1	7	8+	1002	0	27	1.35	.67	.33	30	10.0	5	24+	8	0	0
THREE CREEK	23.8		45	1	-16	[illegible]	1273	0	28	2.84	1.93	.64	24	37.0	12	24	11	1	0
TWIN FALLS 2 NNE	27.5	- 1.6	50	1	- 4	25	1156	0	28	1.85	.95	.50	24	16.0	9	24	13	1	0
TWIN FALLS 3 SE	27.3	- 3.0	51	1	- 3	25		0	30	2.08	1.33	.67	24	19.1	9	24	14	1	0
WEISER	29.7M	0.1	50	1+	7	9	1088	0	29	2.24	.64	.66	3	17.[illegible]	4	25+	9	1	0
DIVISION	23.8	- 3.4								[illegible].62	1.64			37.7					
SOUTHEASTERN DIVISION																			
ABERDEEN EXP STATION	21.4	- 2.9	46	1	-13	9	1343	0	31	1.55	.87	.45	24	21.0	9	24+	15	0	0
ALBION	24.9	- 4.9	48	1	-11	[illegible]	1239	0	31	1.83	.43	.51	24				16	1	0
AMERICAN FALLS 1 NW	23.4	- 3.2	47	1	-13	25	1284	0	30	1.06	- .04	.31	2	25.7	12	24+	10	0	0
ARCO	11.4M	- 8.6	41	27	-19	8	1658	0	31	.73	- .21	.36	5				4	0	0
ASHTON 1 S	17.8	- 2.8	40	1	-14	8+	1459	0	31	3.06	1.42	.77	27	40.3	27	31	17	1	0
BLACKFOOT	22.4	- 1.4	49	1	-11	9	1313	0	31	1.02	.10	.18	2	21.5	11	24+	8	0	0
BURLEY	26.6	- 2.7	57	1	- 7	9		0	28	2.40	1.48	.90	24	22.5			10	1	0
BURLEY FACTORY 1 NW	24.2	- 3.9	53	1	- 9	[illegible]		0	30	1.93	1.01	.70	24				10	1	0
BURLEY CAA AP	24.[illegible]	- 6.7	47	1	-12	25	1250	0	28	2.19	1.35	.40	23	21.1	12	24+	17	0	0
CHILLY BARTON FLAT	12.8	- 7.5	39	1	-30	25	1611	0	31	.80	.39	.25	30		8	30	8	0	0
DRIGGS	16.6	- 2.8	50	1+	-19	9		0	31	3.75	2.34	.65	28				19	2	0
DUBOIS EXP STATION	15.4	- 6.6	41	1	- 9	[illegible]	1531	0	31	1.45	.55	.47	2	24.3	14	25+	12	0	0
DUBOIS CAA AP	14.9	- 8.[illegible]	38	1	-17	[illegible]	1547	0	31	1.10	.46	.21	2	11.5	10	25+	14	0	0
FORT HALL IND AGENCY	22.6M	- 2.6	48	1	-13	9	1305	0	30	E .84	.11	.23	24				11	0	0
GRACE PH	18.6	- 4.2	41	1	-18	[illegible]	1435	0	31	2.19	1.12	.27	23	37.0	30	31	19	0	0
GRAY	19.3	- 2.6	45	2	-21	8	1412	0	31	4.16	2.75	.65	24	66.[illegible]	30	31	19	3	0
GROUSE	9.7		37	1	-32	8	1710	0	31	1.69	.76	.54	2	16.0			7	1	0
HAMER 4 NW	14.3	- 5.2	46	1	-24	[illegible]	1565	0	31	E .87	.25	.21	5	12.0	6	18+	9	0	0
IDAHO FALLS CAA AP	18.7	- 4.5	48	1	-13	14	1427	0	31	.80	- .26	.16	27	8.[illegible]	9	24+	18	0	0
IRWIN 2 S	21.7	0.9	44	2	-12	8+	1339	0	31	2.97	1.72	.46	31	42.5			17	0	0
ISLAND PARK DAM	11.9	- 7.6	35	1	-31	14	1641	0	31	6.32	3.40	.92	18	97.5	55	22	20	4	0
LIFTON PUMPING STATION	17.9	- 4.9	39	1	-17	8	1454	0	31	.99	.34	.15	5	20.5	17	24+	12	0	0
MACKAY RS	14.6	- 5.8	36	27+	-16	25	1555	0	31	1.29	.58	.37	2	21.[illegible]	12	5+	12	0	0
MALAD	23.2	- 2.2	44	27	- 6	9	1287	0	31	2.67	1.28	.52	18		16	24	17	1	0
MALAD CAA AP	20.0		43	1	-15	31	1390	0	31	2.41		.48	18	27.4	15	31	17	0	0
MAY RS	18.5	- 3.3	45	1	-21	25	1437	0	30	.40	- .01	.21	22	7.3	4	22+	7	0	0
MC CAMMON	23.0		42	1+	-13	25	1298	0	31	3.05		.51	28		18	31	13	1	0
MINIDOKA DAM	24.9		42	1	-11	25	1236	0	30	1.16		.34	24	19.6	14	24+	13	0	0
MONTPELIER RS	16.9M	- 5.2	43	28	-20	9		0	31	2.33	1.25	.68	19	61.8	24	24+	11	1	0
OAKLEY	25.2	- 4.7	44	1	- 6	25	1228	0	29	1.46	.81	.39	24	22.5	7	24	13	0	0
PALISADES DAM	20.9M		43	1	-18	9	1342	0	31	3.87		.50	21				19	1	0
PAUL 1 E	24.4	- 7.[illegible]	53	1	-10	9+		0	30	2.18	1.11	.74	24	22.0	12	24	10	1	0
POCATELLO WB AP //	22.9	- 2.4	48	1	- 9	9	1301	0	29	1.58	.43	.44	23	19.[illegible]	8	24+	15	0	0
PRESTON SUG FACT 2 SE	24.0	- 1.9	50	1	-10	9	1264	0	31	1.76	.15	.39	2	29.0	13	24	15	0	0
RIRIE	21.5		46	1	- 7	9+	1341	0	30	E 1.77				11.3	8	23	21		
RUPERT	24.3M	- 3.4	53	1	-12	[illegible]		0	31	2.17	1.20	.77	24	17.3	13	24+	9	1	0
SAINT ANTHONY	18.9		43	1	-15	9+	1425	0	31	2.30	.85	.68	27		13	22+	21	1	0
SPENCER RS	13.2	- 4.8	37	1	-20	8	1604	0	31	2.98	1.30	1.02	2	41.0			13	1	1
SPRINGFIELD	20.9	- 3.1	42	1+	-15	9	1361	0	31	1.83	.97	.32	5	28.[illegible]			15	0	0
SUGAR	18.7M	- 1.5	46	1	-19	14	1429	0	31	1.00	- .10	.25	28	16.1	6	22+	9	0	0
TETONIA EXP STATION	15.0M	- 4.4	40	1+	-22	9	1543	0	31	1.85	.76	.35	22				17	0	0
DIVISION	19.6	- 3.3								1.99	.90			27.8					
STATE	22.6	- 3.7								3.28	1.32			36.0					

DAILY PRECIPITATION

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
ABERDEEN EXP STA	08	.11	.01	.02	.09							T	.05					30	.03	T		12	05	.45		.03		.07	06		08	1 55
ALBION	.12	.18	08	.07			.02				T			.02		.05		.03	.11			32	.03	.51				.10	.14	.02	.03	1.83
ALPHA 1 NE	50	.51	60	.20	12	T					T				.01			1 06	04	T	.32	59				.07	.72	35	.15	45		5 69
AMERICAN FALLS 1 NW		.31		02	04									.02		02	T	T	.13			09		.15					20		08	1.06
ANDERSON DAM	68	.21	98	27	26										T	16		1.20	T	T	T	85	.10	T		55	.75	.13	T	.20		6 34
ARCO	02	T		T	.36									T				T		.08						T	.27					.73
ARROWROCK DAM	35	.69	19	1.01	.08	.03										20		.37	.42		T	.68		.10		T	.50	.03	12	24		5 01
ASHTON 1 S	T	.15	.30	10	.05	T	T			08	.10	T	08	04		.06	T	.19	06		20	.48		T		T	77	15		.15	.10	3 06
ATLANTA 1 E	40	58	T	.33	30	05									T	48	T	50	.34	T	.11	.99				.10	69	.21	.41	60	T	6 09
AVERY RS	37	06		05	43	09				02	03		03		20	58	•	34	04	11	38	61			T		.29	16	.73	.20	.05	4.77
BAYVIEW MODEL BASIN	55	.02	15	20	12	T	T		T	T	T		.10	.10	.15	08	05	.60	04	.05	.55	.60					.20	04	70	05	.15	4.50
BIG CREEK 1 S	20	1.20	.10	20	.60	03	.05									.19		39	.16		09	.24				•	.89	.47	45	33	.20	5.79
BLACKFOOT	05	18	T	T	10								T					.15	T				.16	16					.10		.12	1.02
BLISS	30	.05	.30	20								T	T			.12		.45	05			.23	06	.20		.02		.05	11	.01		2 15
BOISE LUCKY PEAK DAM	•	•	1.21	.23	02	.06												48								.63	.11	12	05	•	.30	3.11
BOISE WB AP //R	52	.01	43	.01	01	.04					.02	T	T		T	02		.31	.01	T	.14	.08	.17			.11	.15	.07	14	.23	T	2 47
BONNERS FERRY	81	T	45	05	31	T				03					26	06	19	1 33	.02		76	.05							.40	.15		
BUHL	06	.07E	.01E	35							T					04	•	•	16			.18	•	.61				.06	T	T		E 1 54
BURKE 2 NNE	1.04	02	T	.51	1 04	.39	.07		T	T	T		.15	T	26	.55	07	1 12	.14	.08	.40	.72			.01		28	.18	1.59	.16	.09	8.87
BURLEY		.26		.27	.09							.02				.15		02	.29					.90					.34	T	.06	2.40
BURLEY FACTORY 1 NW	T	28	T	.31	.14						T	.01				.11		T	09		T	.11		.70	T				.14		.04	1.93
BURLEY CAA AP	21	.11	.11	.01							.02	T	T		.01	10		.34	.01		.01	.04	40	.32		.02		.25	.17	.06		2.19
CALDWELL	15	.39	52	22							T	.01				T		.03	.20		.01		17	T	T	.18	.24	.10		.30		2.52
CAMBRIDGE	38	.77	30	.78												•		.70	.05			1 17					93	40				5 48
CASCADE 1 NW	96	.47	38	.44	17										05	T		45	.10	.02	.10	.07				.17	.25	.15	26	.34	T	4.38
CENTERVILLE ARBAUGH	.72	.44	78	.40	.13	.06						T			T	27		1 11	.07	.03	.05	.96	.02			.25	.78	.25	.14	38	T	6.87
CHALLIS	T		•	.68												04		.05			.02					.08	.08	T				95
CHILLY BARTON FLAT		.20		•	.10											.05			.05			.10						.05		.25		.80
CLARK FORK 1 ENE	72	.04	.09	.30	50	.06			T	T		T			.35	.24		.67	25	.01	.30	.16				12		08	.95	.30		5 14
COBALT BLACKBIRD MINE		.26	•	.10	.21	.03							.04			.09	.03	.03	.17		02	.36				E .20E	.30	.15	.36	.36	.13E	2.84
COEUR D ALENE CAA AP	.17		16	14	.16	T			.05	T		.02	T	T	07	04	.12	.34	T	.01	.18	T		T		T	02	03	09	.06	T	1.66
COEUR D ALENE RS	75		.21	35	.35	T	T		T	.03		T	.02		.14	.10	.01	1 67	.21	.03	79	.63					.18	.02	59	.27	.04	6.39
COTTONWOOD	.13	.29	02	T	.02										.01	.03		.04	.01	.06	.33	21				.02	.04	.15	.08	.01	.03	1.48
COUNCIL 1 N	81	.75	55	45											10			1.00	10		05	.95					1.00	.07		.25		6.08
CROUCH 2 NNW	.72	.46	91	55												08		1.25		.02	30	.85				.31	.70	.18	55	.15		7 03
DEADWOOD DAM	1.55	.42	44	60	20	04				T	T				07	.08		1 11	.17	.02	12	56				.30	1 38	.31	67	.45		8.52
DEER FLAT DAM	40		.55								T	T	T			03		08	T			10	23			14	.14		.05	50		2.22
DRIGGS		.10	07	.05	.17	.03						.02	.06			.03	.08	.25	.09			.22	.30	31			.63	.65	19	.25	.25	3.75
DUBOIS EXP STA	.05	.47	T	.19	21					.06	T	T	T	.03	.04	.04	T	.04	T			15			.05	T	.12					1.45
DUBOIS CAA AP	.17	.21	.06	.19	T		T	T	.07	T	T	T	.01	.07	T	T	.01	03	T	T	12	.02	T	03	.04	T	.07		T		T	1 10
EDEN HUNT PROJECT		-	-	-	-	-													-	-	-	-				-						
ELK CITY	11	.48	.02	02	.02	.04	T			.07	.04	T				11	13	.65	.04	.05	.27	T										
EMMETT 2 E	61	29	.60	.29														38			.04		T			.37	.50	.30	.25			3.63
FAIRFIELD RS	62	.06	17	20														1.10				1 23	.07	.09		.20	.97	.12	.04	13		
FENN RS	.21	.40	20	.26	.19	.16										.35	11	35	.12	.29	.70	.50					.32	23	14	.42		4.95
FORT HALL IND AGENCY	04	.15	T		T	T					T	T	E .10					01	.01				.02	.23	T	.01	T	.06	.13		.08E	84
GARDEN VALLEY RS	89	.33	68	54	07	T						T				09		88	16			64				27	80	28	16	32		6.11
GLENNS FERRY	25	.04	.45	.16		T					T		T			.20		.51			•	•	•	•	•	•		•	•	.50		2.11
GOODING CAA AP	43	.03	.80	.02								T	T		T	.08		.41	T	T	.10	.10	.15	.11		02	T	.03	.18	.10	T	2.56
GRACE PH	07	24		.10	.09								•	.10		•	.07	.12	.09	.07	.12	.10	27	.21				.08	.20	.10	.16	2.19
GRAND VIEW	02	T																			.12			50			07			.54		1.25
GRAY	.25	.35	.12	.10	.12	12										.20	.10	15	05	.10	08	T		65	.20	15	.60		.10	.12	.60	4.16
GROUSE		.54	.14	.20								T	T					.19					T			.11	42		09			1.69
HAILEY	1 11		25	.25	.20								.05					.50	.19			.38	.08			.19	.51	.25	.09			4.05
HAMER 4 NW	.03	.08		.11	.21					E .10				.04	T	T		.07		.07							.16		T			E .87
HAZELTON	.08	.07	10	.34	.10						.01	.01	T		T	.04		.25	.01			.12	.16	52		.01		.12	09	.01		2.04
HILL CITY	86	12	17	.31	.11	T										.08		.70				.84	T	.21		.06	49	T		25		4 20
HOLLISTER	-	-	-	-	-													T			T	12	.60			T			.10			
HOWE	T	.47		.10	.17								T						.04			.03					09			.05		95
IDAHO CITY	.68	.34	.59	.42	10	.03										.26		1.07	.28		.03	.93				.20	.74	.21	.14	.29		6.31
IDAHO CITY 13 SW	1.22	.41	1 06	.60	.04	.10										.22		1.43	06	.01	.10	.65	T	.06		.50	84	.20	05	.27	.20	8.02
IDAHO FALLS CAA AP	05	.14	.07	.05	01	.01	T	.01	T	T	T	.05	.04	05	T	T	T	.01	.02	.01	.01	T	.02	T	T	T	.16	T	T	.07	.02	80
IRWIN 2 S	T	38		.14	11	.23	.08			T	.03		T		.08	.10	.03	.08	.09	.17	.20	.24		.32					.23		.46	2 97
ISLAND PARK DAM	05	.87	06	31	47					.08	.08		11		.06	.06		.92	08		.06	.90				.20	.83	34	.41	.36	07	6 12
JEROME	.14	.13		.33	T						T	.09	T			.11	T	.35	T				.31	.25	T	T	T	.06	.09	T	T	1 86
KAMIAH 1 NE		.40	.03	T	.02	T							T		T	.14	.04	.02	.01	.08	19	.42					.04	.28			T	1.67
KELLOGG	89	.18	01	.07	.31	04	.02				.03		.04		.10	.49		.32	.25	.02	.08	.74	.01				04	.16	.48	51	.19	4.98
KOOSKIA	.09	.45				02				T	T		T		T	.12	.03	.11	05	.11	.23	.31					05	24	.16	08	.02	2 09
KUNA 2 NNE	.34	.27	.37	.08							T	T	T		T	T		.18	T	T	T	.02	.23	.05		.05	.13	.02		27		2.01
LEWISTON WATER PLANT	06	T	T	T	01								T			11		.06	.12	.05	.06	.05				T	.07	.23	04		.01	.87
LEWISTON WB AP	.13	T	T	T	T	T							T		.01	.09		.06	.05	08	.01	T				T	.06	.20	.02	T	.01	.72
LIFTON PUMPING STA	T	.06	T	.07	.15											.01		.05	.12		T	05	05	.13				.11	.14	T	05	.99
LOWMAN	95	70	33	.43	.10	.02									.02	.19		99	.19		.13	69					.90		.55	.31		6 50
MACKAY RS	04	37		22	.17							.01	T			T		.02	.11			13	T			T	.05	.05	08	.04		1.29
MALAD	.12	05	20	.13	.09	.02						T	.03			.04		.52	12		.03	.30	08	.14				.08	.30	42		2 47
MALAD CAA AP	14	17	.20	.08	.14	.01					T	T	T			.03		.48	02	.04	.04	.31	.09	04				.01	28	.33	T	2.41
MAY RS		.05		.02									T			.02			03		T	.21					.06			.01		.40
MC CALL	90	85	50	.58											16			.97	16		.40	.17					1 04	.50	.35	.10	.05	6 93
MC CAMMON	46		28	T	.18	T							.11			.20	05	.17		.22	.07	.31	T	.29	T			51			.20	3.05
MERIDIAN 1 SSW	50	.24	20	.22														T	.11			.05	.14				.20			.22		1.88
MESA	47	.15	1 11	.19							T							-										.80	.26		.18	
MINIDOKA DAM	11	.10	02	.11	.02								.01					.04	04				.20	.34				.11	04	.02	T	1.16
MONTPELIER RS		21	T	.05	.20	T	T							T			T		.68	T	.12	.14	.21	.23					.31	.13	05	2.33
MOSCOW U OF I	41	T	.13	.08	18								T		T	.10		.59	.30	.20	.81	.54		T		.13	.50	.41	.62	T	.07	5.07
MOUNTAIN HOME 1 NE	.12	.13	.18	.07	T	T					T	T	T			.16		.10	.11	T		12	.15			.10		T	.02	.15		1.41
MULLAN PASS CAA	41	05	.33	.59	.73	.09	.03		.02	.04	.01	.06	T	.10	.29	.26	.15	.84	.08	.05	.76	.53		.01		.13	.18	.23	1 29	.17	06	7.49
NAMPA 2 NW	08	30	25	.42	T							.01	T				T	.16	.13			.02		21			.33	08	T	.31		2.30
NEW MEADOWS RS	1.03	70	45	.70	.07					T				.01	•	.18		.88	.08	.07	•	.53				20	76	.54	.11	.27		6 58
NEZPERCE 2 E	22	.19	T	T	T	T				07			.02		T	.14		.03	.05	.18	21	.29				.02	T	.30	.13	02	.01	1.88
OAKLEY	.03	.13	04	.02	T											.05		.16	.10			.08	.15	.39					.13	.16	02	1.46
OBSIDIAN 1 NNE	.19	.36	T	.20	05	.03									.05	.06		.19		05	.10	.15		.01		.06	29	.39	.13	15	T	2.46
OLA 4 S	94	54	81	.34								T						.60								T	.90		35	.10		4 58
OROFINO	.13	27	.31	.10	19	.05							T		.02	.17		•	.23	.20	.38	.13				•	.12	.25	.23	T	T	2.78
PALISADES DAM		10		35	12	29	.10			.02	T			T	•	•	.27	.15	.33	.12	.50			.36			.25	.02	.15	.10	.34	3.87
PARMA EXP STA	03	50	08	15								.02												.35			.02	.15	.01	.07		1.38
PAUL 1 E		22		.26	.05											16		•	29			.17		.74					.19		.10	2.18
PAYETTE	•	47	20	20							T					T		08			.03	T	T			.27	.31	.07	T	.06		1.69
PIERCE RS	15	.64	17	.37	.24	.33	•	.14			13				.05	.49	.23	52	65	.23	.39	1 47	.30	T			.30	56	.20	51	.13	8 53
PINE 2 SSW	1 35	38	.32	.48	.16	.10						T			T	.34		1.40	.18	.02	09	.89	.15	.04	T	.43	1.65	.31	.14	.25	.02	8 70
POCATELLO WB AP //R	06	.17	T	.01		.01		T			T	01	.06	T	T	T	T	.11	T	T	01	.03	.44	.28		T	T	.09	.20	.07	.03	1.58
PORTHILL	59		.10	15	42										13	.05	T	.90	.02		.14	14					.10		18	11		2.93
POTLATCH	65	45	16	.04	.43				T				T		T	02		1 50	.23	.22	89	05				.02	23	.7	.85		.05	[illegible]
PRESTON SUG FACT 2 SE		39		.20	.07	T	T				T		.01			01		.24	.20	.01	02	.05	.05	20				.01	20		.10	1 76
PRIEST RIVER EXP STA	1 10		39	.22	56	.10			01		.01	T			.17	.09	09	2.21	T	T	61	.35			T		09		.59	.03		6 62
RICHFIELD	38	09	17	.25												T		86				.33	20	08		18	.13	.04	10	06	•	2.87
RIGGINS RS	36	1 05	T	.02	09	T										05		.01	.18	.03	01	.02						01		39	03	2 28
RIRIE	•	•	•	•	•	•			•	•	•	•	•			•	•	•	•	•	•	•	1 67						T E	.06E	[illegible]	1 77
ROLAND W PORTAL	53	12	11	39	17	51	.07			T	02	T	.04	T	.18	52	17	.75	.05	.30	.28	.81	T			T	40	.26	89	.23	08	7.21
RUPERT		23		37	01							T		T		.13		T	.15			.14		.77				T	25		09	2.17
SAINT ANTHONY	06	13	05	28	.10					05	•	04	.03	.05	T	.03		09	.10	.03	.15	17	T	.01	T	T	68	.03		.10	.12	2 30
SAINT MARIES	.42	20	.21	.22	.59	T			T	02	.02				.14	.23	02	1 03	.03	.08	.93	.58					38	68	.30	19	•	6.27
SALMON		06	T	06									T			T		07			03	04				02	.23	.07		.10		68
SANDPOINT EXP STA	92		22	06	52	T									.22	.16	04	1.32			86	.11							49			4.92
SHOSHONE	24	.16	36	.26	.07							T	.03		T	04	.01	70	.08			35	.14	18		09	.03	.09	27	09	T	3.19
SPENCER RS	40	1.02	05	.28	.23					11	T	.02		T	T	04	T	.17	.20			.23				.15	08					2 98
SPRINGFIELD	.11	.12	T	.22	.32						T	T	08				01	.25	.10	T		12	08	.27		.01	T	T	05	02	.07	1 83
STIBNITE	.20	1.10	25	.18	19	.17	.02				08					•	•	65	.76	05	08	98	T				.63	65	40	[illegible]	.08	7.82
SUGAR	06	15		.17	T			T		02	T	T	T	05	T	T	T	T	05			.20	•	T				25	T	05		1.00
SUN VALLEY	60	60	13	23	39	T						T	T					.52	.10		T	30	T	T		.04	90	.33	04			4.18
SWAN FALLS PH		26		06	12											T		T	T			15	.22	.15		06	T			33		1.35
TETONIA EXP STA		05	02	06	05	.07	02			.05	T			05	T	.06		32	.05		22	15					.05		11	12	17	1 85
THREE CREEK		.40	T	T	.11	.14	T									05			40			34	18	14				29	24	[illegible]		2 84
TWIN FALLS 2 NNE	01	11	T	15	11						T	T	T			.13		.20	02				24	.50		.03	T	.12	.11	09		1.85
TWIN FALLS 3 E		.17	T	.09	.18							.01				.13	02	.12	.09			20	T	.67			.01		.19	.10	.10	2 08
WALLACE	1.31	.03	29	21	08	.10			T	T	T	T	.03		.26	11	.09	1 22	01	.07	76	51		T	T	.12	26	T	1 40	T	.08	7.79
WALLACE WOODLAND PARK	82	27	.04	21	11	17	01						.06		.06	12	.10	.18	08	02	09	[illegible]					11			.49	.01	5 31
WEISER	27	10	06	.25								T						28	T		.04				13		35	.16				2.24
WINCHESTER 1 E	10	.20		05	10	03				04			69			18		.50	.11	27	.31	10	.10			.08	06	.18	.27	20	.16	3 83

DAILY TEMPERATURES

Table 5

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	46	43	30	34	36	27	23	13	12	19	23	25	24	23	30	35	35	32	35	22	29	35	29	22	19	25	38	37	37	35	20	28.
	MIN	26	27	26	20	24	16	10	- 6	-13	0	16	19	20	- 4	4	26	24	20	14	3	16	22	4	17	- 5	1	23	26	29	20	10	14.
ALBION	MAX	45	44	35	39	40	27	24	21	23	26	33	29	26	25	40	38	35	39	39	23	33	40	30	27	20	40	46	47	41	37	38	34.
	MIN	29	27	17	22	[illegible]	[illegible]	12	-10	-11	2	22	21	18	2	8	27	23	13	18	17	19	28	16	15	-10	- 1	30	31	30	13	15	15.
ALPHA 1 NE	MAX	42	34	24	35	36	32	18	10	10	27	30	26	25	15	29	33	30	33	30	25	28	35	17	11	13	31	37	35	35	34	18	27.
	MIN	32	24	18	14	22	6	-17	-23	-23	7	20	18	1	- 8	12	17	13	22	6	10	18	17	- 5	-22	-16	- 8	17	31	27	10	-15	7.
AMERICAN FALLS 1 NW	MAX	47	45	34	34	36	28	24	13	14	20	24	26	25	26	34	35	32	34	28	24	32	36	30	25	16	25	42	41	39	39	26	30.
	MIN	36	30	24	24	26	20	9	4	- 9	2	19	19	21	12	6	25	22	26	17	12	21	23	11	9	-13	- 2	22	31	31	23	13	16.
ANDERSON DAM	MAX	42	42	33	35	33	31	23	18	18	28	31	30	31	32	31	38	37	38	38	27	35	40	30	22	17	31	36	39	39	40	28	32.
	MIN	36	31	24	26	24	14	8	2	1	8	13	19	20	8	18	26	20	24	21	13	25	27	13	15	1	13	27	33	30	23	8	18.
ARCO	MAX	[illegible]		38	29	28	28	24	17	15	20	22	23	22	19	19	27	24	31	30	18	24	31	22	26	28	22	41					25.
	MIN	31		4	6	4	6	0	-19	-17	-15	- 6	9	2	-15	- 7	- 3	- 5	13	6	-15	-15	-13	-14	-10	-10	- 8	19					- 2.
ARROWROCK DAM	MAX	50	47	38	36	40	35	31	21	11	18	25	30	31	30	30	32	36	31	39	29	31	42	40	27	22	22	36	41	39	42	32	32.
	MIN	39	32	27	28	30	25	9	3	0	0	17	23	23	14	13	21	14	12	22	18	20	25	12	13	4	4	19	34	31	28	16	18.
ASHTON 1 S	MAX	40	39	36	34	32	27	18	11	13	18	23	29	28	15	21	24	21	29	30	13	18	28	21	20	23	29	35	34	33	30	14	25.
	MIN	29	29	25	23	18	16	6	-14	-14	6	11	17	1	-14	2	8	14	20	2	- 2	4	12	- 3	9	12	17	25	26	24	6	1	10.
ATLANTA 1 E	MAX	[illegible]	38	28	29	30	24	23	21	24	32	39	35	24	29	22	32	31	27	28	21	22	29	20	27	27	31	44	34	30	29	23	28.
	MIN	[illegible]	21	12	13	19	[illegible]	- 3	- 5	- 3	13	15	15	4	0	13	20	12	12	10	7	13	16	2	5	- 3	8	22	26	22	12	7	11.
AVERY RS	MAX	42	38	41	39	39	33	30	28	23	32	38	38	35	31	32	35		34	35	21	27	36	27	14	27	22	29	29	33	33	22	31.
	MIN	35	32	30	28	32	24	21	8	7	23	21	32	26	19	29	29		26	13	12	20	26	8	- 3	8	5	20	26	25	18	10	20.
BAYVIEW MODEL BASIN	MAX	54	43	41	40	39	34	31	27	26	31	34	35	33	29	30	30	34	37	36	18	19	19	17	24	22	26	26	26	38	33	30	31.
	MIN	40	30	32	33	33	30	16	6	6	21	24	31	18	23	21	28	26	28	15	10	12	10	8	4	6	5	20	21	24	20	7	19.
BIG CREEK 1S	MAX	42	34	34	30	[illegible]	26	26	20	16	31	40	38	28	34	38	32	38	30	30	25	25	31	26	24	16	15	29	35	35	30	19	29.
	MIN	27	23	14	11	20	12	- 4	-25	-25	11	15	2	- 5	-16	21	20	17	21	10	12	14	21	- 7	-25	-28	-21	7	24	24	15	4	6.
BLACKFOOT	MAX	44	44	33	35	35	28	24	15	12	22	23	25	26	26	24	33	30	33	35	22	30	36	27	24	21	28	43	40	40	39	27	30.
	MIN	32	28	22	25	24	13	10	- 3	-11	0	15	17	16	- 8	5	22	19	24	14	7	17	23	8	16	2	5	23	28	28	24	12	14.
BLISS	MAX	47	45	37	34	38	33	26	18	16	22	26	33	30	25	30	38	38	34	38	33	37	40	34	25	19	32	40	41	40	43	30	33.
	MIN	41	34	24	17	17	23	8	- 3	- 9	3	15	17	23	9	14	24	19	17	18	5	20	29	7	9	- 9	8	30	34	31	30	12	16.
BOISE LUCKY PEAK DAM	MAX	55			45	44	38	33			27	31	32	31	31			37	42									44	45	42			-
	MIN				28	28	24	11		2		22	25	25	13			13	28									35	34	33			-
BOISE WB AP	MAX	53	43	36	43	40	33	28	23	20	26	29	30	31	30	32	34	38	43	31	31	37	40	28	27	21	42	44	42	44	33	24	34.
	MIN	37	30	31	28	29	22	10	9	5	18	24	25	14	13	20	24	20	25	19	19	23	20	19	9	8	19	33	34	31	17	11	20.
BONNERS FERRY	MAX	48	46	41	40	38	37	29	28	27	28	38	40	40	31	22	27	28	27	19	11	13	22	18						36	15	14	29.
	MIN	36	29	32	32	32	27	16	11	10	25	26	31	26	22	17	18	17	19	9	4	6	- 3	-10						25	3	- 1	17.
BUHL	MAX	48	46	42	40	40	33	30	22	20	23	26	26	28	29	32	38	38	39	40	30	40	44	36	32	26	32	46	44	44	40	32	35.
	MIN	42	34	26	24	30	20	15	3	1	14	20	23	22	14	20	28	22	26	18	18	22	30	22	18	5	14	30	34	34	26	16	21.
BURKE 2 NNE	MAX	38	33	35	34	31	26	24	22	23	30	36	35	34	24	29	29	28	32	32	15	26	30	22	17	15	23	30	28	30	30	13	27.
	MIN	32	23	25	28	26	24	12	2	3	19	27	30	17	10	16	14	9	24	6	6	12	19	0	- 1	0	5	16	19	22	10	9	15.
BURLEY	MAX	57	47	44	36	37	37	30	28	20	20	27	32	30	25	30	39	38	38	38	29	29	39	39	29	30	22	40	44	42	41	34	34.
	MIN	37	32	33	24	24	22	8	- 3	- 7	8	10	22	23	15	14	18	25	25	20	11	20	28	21	19	- 2	3	15	38	32	28	15	18.
BURLEY FACTORY 1 NW	MAX	53	47	38	35	37	34	28	23	14	18	25	30	28	23	26	35	36	33	38	26	28	37	35	24	25	19	39	43	39	39	33	31.
	MIN	34	31	24	17	19	22	15	- 3	- 9	9	10	20	22	10	10	17	22	19	18	6	18	[illegible]	19	21	- 5	- 7	14	31	32	32	14	16.
BURLEY CAA AP	MAX	47	44	36	38	36	28	24	19	20	26	30	31	25	28	35	37	33	38	28	26	35	39	28	28	19	37	43	42	40	37	22	32.
	MIN	34	27	25	19	24	21	- 1	- 5	- 4	10	19	23	21	10	15	26	16	28	16	9	24	22	19	- 2	-12	4	35	33	32	21	6	16.
CALDWELL	MAX	52	49	40	40	42	41	32	29	24	30	31	31	34	33	31	34	40	47	38	38	39	45	45	39	23	34	44	47	49	45	34	38.
	MIN	40	32	27	33	32	26	17	10	7	16	24	25	25	12	19	21	16	30	25	24	25	30	23	4	5	19	19	30	28	23	14	22.
CAMBRIDGE	MAX	53	49	46	39	40	41	36	30	18	29	27	35	35	34	30	32	37	37	39	38	30	37	35	25	20	25	30	40	39	37	40	34.
	MIN	43	30	31	28	30	18	2	- 6	- 9	17	22	26	3	15	16	30	34	20	23	19	23	7	-10	- 1	10	20	30	29	28	7	- 6	17.
CASCADE 1 NW	MAX	40	34	28	28	34	25	20	13	8	24	25	25	21	20	27	30	27	31	30	22	27	33	25	12	5	28	35	34	33	32	20	25.
	MIN	32	25	21	20	23	17	- 7	-12	-14	7	9	17	16	- 2	12	25	18	22	12	14	[illegible]	22	- 2	-12	-11	- 1	27	31	26	18	- 8	11.
CHALLIS	MAX	55	54	52	50	34	29	25	15	13	29	37	35	28	22	34	32	37	35	32	33	30	37	32	32	13	12	35	40	38	28	36	32.
	MIN	34	20	17	15	19	7	6	- 9	- 7	10	11	9	3	- 1	11	24	14	20	10	10	13	23	0	- 4	-11	- 5	10	20	15	10	3	9.
CHILLY BARTON FLAT	MAX	39	34	26	24	25	23	17	23	16	27	34	19	21	15	19	37	30	25	25	20	27	25	21	20	9	21	32	33	38	28	20	24.
	MIN	25	10	- 8	0	[illegible]	- 2	- 5	- 4	-17	- 4	- 1	- 4	-16	-13	4	11	5	12	4	- 3	9	11	- 6	- 5	-30	-10	18	16	5	17	0	0.
CLARK FORK 1 ENE	MAX	49	43	42	40	39	34	33	32	27	33	35	39	39	39	26	30	31	38	34	18	21	30	24	18	23	19	23	28	35	33	20	31.
	MIN	37	28	32	33	32	31	30	11	9	24	30	33	26	24	22	21	23	26	12	9	15	17	- 4	-10	- 1	- 4	16	20	24	12	5	18.
COBALT BLACKBIRD MINE	MAX	36	26	24	25	25	19	13	10	19	28	32	30	19	24	30	26	25	26	15	12	25	25										-
	MIN	23	8	9	7	3	0	-12	-12	- 9	16	12	5	- 4	- 2	16	12	15	5	5	8	9	0										-
COEUR D ALENE CAA AP	MAX	47	40	38	39	36	32	25	23	28	32	33	32	26	30	31	30	30	35	21	16	24	24	14	15	18	18	22	29	35	27	10	27.
	MIN	28	30	32	32	27	20	11	13	13	24	29	25	15	20	21	21	23	21	10	9	14	3	2	7	7	4	18	19	26	3	- 3	16.
COEUR D ALENE RS	MAX	54	44	40	40	37	36	33	30	28	34	37	34	31	29	33	31	31	34	36	19	24	34	24	17	25	19	25	25	36	34	15	31.
	MIN	42	31	32	33	33	30	16	12	16	25	31	29	19	24	23	25	25	29	15	11	16	19	- 2	3	9	8	18	18	24	15	5	20.
COTTONWOOD	MAX	49	36	38	36	39	29	28	24	24	30	37	36	30	27	33	38	33	38	31	27	30	36	27	20	20	25	38	35	40	32	22	31.
	MIN	33	17	16	26	25	15	10	3	9	19	26	23	19	15	21	21	21	26	19	16	23	22	6	- 7	- 1	- 1	20	23	25	9	5	16.
COUNCIL 1 N	MAX	52	53	51	33	36	39	39	24	25	29	32	34	34	31	36	46	33	39	35	30	42	36	31	23	23	32	36	36	40	39	32	35.
	MIN	30	32	30	29	32	18	[illegible]	- 5	- 8	- 4	22	26	25	5	17	22	20	22	24	15	20	19	5	- 6	8	3	20	32	34	24	9	17.
DEADWOOD DAM	MAX	36	34	26	34	31	23	19	13	14	28	35	31	26	21	22	30	28	29	28	22	24	32	23	17	18	18	32	33	31	30	19	26.
	MIN	30	23	16	19	19	[illegible]	[illegible]	-25	-23	6	16	15	15	-14	10	16	18	16	11	8	14	16	- 8	-17	-14	- 6	15	28	27	16	-11	7.
DEER FLAT DAM	MAX	50	44	38	45	45	35	30	27	25	30	30	31	35	35	32	34	43	52	37	37	47	42	37	28	33	37	48	48	52	37	32	37.
	MIN	4	34	30	30	30	28	[illegible]	10	3	15	25	26	26	13	14	22	15	30	28	25	25	32	20	- 2	9	16	32	30	26	23	14	22.
DRIGGS	MAX	50	50	50	30	29	33	28	14	12	18	26	31	28	26	24	22	22	33	23	19	12	18	24	24	18	17	26	31	33	29	23	26.
	MIN	29	28	15	22	22	6	- 5	-18	-19	- 5	6	14	11	-15	[illegible]	9	12	14	13	- 3	- 4	7	8	9	-16	- 8	15	17	18	12	13	6.
DUBOIS EXP STA	MAX	41	33	27	25	27	14	17	5	10	20	19	23	22	17	18	21	18	26	29	10	15	25	20	18	16	25	32	33	30	29	21	22.
	MIN	[illegible]	24	12	21	19	7	- 1	- 9	- 7	2	6	12	3	- 2	9	10	2	15	- 1	- 3	- 3	8	- 1	9	- 2	13	23	21	21	21	2	8.
DUBOIS CAA AP	MAX	38	35	26	28	25	18	18	14	12	21	20	25	24	16	21	23	20	30	30	17	20	30	18	17	27	28	35	34	33	30	18	24.
	MIN	[illegible]	13	[illegible]	22	[illegible]	- 2	- 8	-13	-17	4	5	12	- 1	-10	5	4	12	17	- 1	- 8	- 9	1	- 1	7	- 3	17	20	20	23	12	- 3	5.
EDEN HUNT PROJECT	MAX	47	46	35	36	39	[illegible]	22	12	20	25	28	32	27	31	33	33	35	38	38	38	35	38	31	22	20	31	43					32.
	MIN	[illegible]	[illegible]	20	13	[illegible]	18	5	-10	-14	3	18	22	20	9	11	25	15	15	11	8	14	22	11	- 2	1	1	0					11.
ELK CITY	MAX	48	41	36	68	[illegible]	[illegible]	[illegible]	16	19	34	45	35	30	22	26	36	33	31	31	27	29	35	29	8	6	30	33	37	35	37	31	31.
	MIN	[illegible]	24	4	[illegible]	[illegible]	[illegible]	4	-21	-20	12	25	26	18	- 3	14	22	24	6	6	15	22	22	- 8	-40	-31	-28	24	23	23	16	7	8.
EMMETT 2 E	MAX	57	47	[illegible]	47	44	[illegible]	31	29	23	24	31	31	33	30	31	32	41	44	38	36	39	43	34	30	28	28	43	44	45	45	28	36.
	MIN	42	[illegible]	[illegible]	30	[illegible]	[illegible]	15	10	8	20	20	28	27	14	22	25	20		27	25	28	32	22	14	15	22	25	32	32	25	16	24.
FAIRFIELD RS	MAX	46	35	26	28	28	23	[illegible]	4	8	13	20	24	21	10	27	32	25	31	31	22	27	32	22	20	- 2	26	35	35	34	32		24.
	MIN	[illegible]	22	[illegible]	15	14	1	- 7	-27	-25	-11	-15	8	- 8	- 8	- 5	22	13	11	3	- 5	13	19		- 1	-30	-10	26	26	17	18		3.
FENN RS	MAX	44	[illegible]	46	38	[illegible]	34	32	28	26	36	40	37	35	34	35	34	36	38	35	27	32	34	32	24	25	26	33	44	37	34	28	34.
	MIN	[illegible]	33	31	30	[illegible]	30	[illegible]	16	12	24	30	30	29	23	26	28	30	30	22	18	23	32	20	0	5	2	22	29	25	25	21	23.
FORT HALL IND AGENCY	MAX	[illegible]	44	33	35	35	29	24	17	16	23	27	26	25	23	32	34	31		35	22	30	35	29	23	21	27	45	40	40	38	25	30.
	MIN	37	[illegible]	21	24	22	18	12	- 6	-13	- 2	12	18	18	- 6	5	29	21		17	8	18	24	8	15	- 5	1	22	29	31	24	12	14.
GARDEN VALLEY RS	MAX	44	[illegible]	44	47	34	21	24	16	16	24	35	31	32	26	28	33	32	34	35	30	38	38	29	22	18	23	34	40	40	40	26	31.
	MIN	[illegible]	[illegible]	26	26	3	22	- 3	- 4	- 9	13	24	27	24	1	17	24	17	24	20	16	22	27	8	5	- 1	15	22	31	31	25	5	17.
GLENNS FERRY	MAX	50	48	[illegible]	39	41	36	26	22	21	27	30	33	33	31	31	40	42	36	35													-
	MIN	45	[illegible]	24	23	26	23	8	4	- 4	12	17	24	24	11	18	26	19	26	17													-
GOODING CAA AP	MAX	45	34	31	37	31	27	18	13	13	20	23	30	26	24	30	33	33	38	29	27	36	36	23	25	20	32	39	39	44	38	22	29.
	MIN	[illegible]	25	22	21	20	13	3	- 2	- 4	4	17	22	18	15	14	25	16	22	12	0	21	18	10	6	- 3	11	31	33	32	18	12	15.
GRACE PH	MAX	41	37	28	30	31	27	17	10	11	21	26	[illegible]	21	17	27	30	29	30	29	17	21	33	27	25	11	34	40	37	33	33	24	26.
	MIN	[illegible]	23	12	22	20	12	- 1	-15	-18	3	14	18	11	-13	10	22	18	19	10	3	14	18	9	- 7	-14	5	28	27	24	22	5	10.
GRAND VIEW	MAX	56	48	42	44	44	41	35	25	21	29	32	[illegible]	36	34	31	38	41	50	41	36	49	46	39	30	17	37	44	44	49	36	30	38.
	MIN	42	38	28	26	33	29	20	6	0	15	20	26	27	9	15	20	20	20	23	20	20	24	20	13	7	7	17	29	26	26	12	20.
GRAY	MAX	43	45	24	[illegible]	31	30	26	20	16	20	27	28	20	15	25	24	28	30	28	26	21	31	25	22	24	23	40	40	41	40	42	28.
	MIN	20	21	11	18	19	18	- 2	-21	-18	- 9	0	12	10	-10	8	8	12	15	8	8	2	15	9	12	14	13	17	22	25	26	25	9.
GROUSE	MAX	37	[illegible]	23	25	24	25	18	10	12	20	26	[illegible]	17	17	15	26	32	27	29	24	28	32	18	23	13	23	33	34	31	30	22	24.
	MIN	[illegible]	17	[illegible]	-11	- 5	- 4	-16	-32	-28	-15	-10	[illegible]	-21	-23	-17	- 1	-10	12	- 3	- 9	- 4	- 8	-16	- 5	-30	-13	18	20	17	18	0	- 4.
HAILEY	MAX	39	[illegible]	29	30	[illegible]	[illegible]	21	10	11	18	24	14	14	11	22	33	30	26	30	21	26	34	25	20	10	25	35	37	33	32	22	25.
	MIN	[illegible]	[illegible]	[illegible]	5	10	0	- 1	- 7	-13	- 5	- 1	0	- 1	-12	- 8	12	0	14	1	- 5	-12	12	- 6	1	- 9	5	23	29	18	21	2	4.
HAMER 4 NW	MAX	46	37	34	32	30	19	22	13	8	19	22	25	23	15	19	22	21	29	32	21	10	34	17	21	18	26	36	36	37	32	25	25.
	MIN	24	31	16	22	13	- 2	- 7	- 6	-24	- 5	- 2	- 3	- 1	-11	- 4	- 5	3	14	5	-11	-19	2	-12	- 8	- 6	10	22	13	26	25	6	3.
HAZELTON	MAX	47	47	36	40	34	30	24	17	18	22	29	28	26	[illegible]	32	35	34	39	37	25	35	39	31	28	15	31	40	45	42	37	25	32.
	MIN	[illegible]	32	22	14	22	19	15	- 5	- 8	7	19	24	21	8	16	25	22	17	19	11	18	28	18	13	2	8	28	30	32	24	12	17.

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HILL CITY	MAX	38	37	26	28	28	25	19	3	5	15	18	23	23	16	22	32	30	31	32	[illegible]	28	33	[illegible]	[illegible]	-1	[illegible]	32	35	34	[illegible]	20	[illegible]
	MIN	31	24	6	15	13	[illegible]	-8	-28	-24	-4	-1	[illegible]	11	-9	-4	22	14	[illegible]	11	[illegible]	16	22	[illegible]	[illegible]	-30	[illegible]	22	27	23	20	[illegible]	[illegible]
HOLLISTER	MAX			41	36	35	32	24	20	23	30	31	28	31	[illegible]	42	41	39	27		[illegible]	25	43	38	36	[illegible]	[illegible]	42	44	46	44	40	34.5
	MIN			26	26	24	17	14	0	-3	10	21	14	19	[illegible]	27	24	19	[illegible]		12	[illegible]	20	19	17	8	15	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]
IDAHO CITY	MAX	42	43	33	35	35	31	31	22	19	31	37	[illegible]	34	35	32	36	37	[illegible]	34	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	26	39	[illegible]	37		28	32.7
	MIN	32	29	17	20	23	12	-10	-18	-16	11	20	21	12	-7	14	22	5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-7	-16	2	[illegible]	[illegible]	[illegible]	22	2	[illegible]
IDAHO FALLS CAA AP	MAX	48	43	32	33	32	23	16	11	13	22	19	22	26	15	27	27	27	[illegible]	[illegible]	12	27	[illegible]	19	21	17	27	[illegible]	[illegible]	37	[illegible]	21	[illegible]
	MIN	30	22	20	25	22	11	2	-8	-12	[illegible]	13	11	-5	-13	2	9	16	25	[illegible]	3	2	15		7	[illegible]	11	24	[illegible]	[illegible]	20	[illegible]	[illegible]
IRWIN 2 S	MAX	42	44	29	34	32	27	21	15	7	21	26	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	28	30	[illegible]	24	35	28	25	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	30	[illegible]
	MIN	32	28	22	25	25	13	5	-12	-12	2	17	18	18	10	12	24	[illegible]	[illegible]	[illegible]	[illegible]	14	[illegible]	[illegible]	17	[illegible]	10	19	21	[illegible]	24	[illegible]	[illegible]
ISLAND PARK DAM	MAX	35	32	27	23	25	20	16	17	11	13	19	24	[illegible]	15	17	21	21	24	24	[illegible]	16	[illegible]	17	[illegible]	14	25	[illegible]	[illegible]	29	28	24	21.8
	MIN	32	23	7	18	18	-2	-13	-29	-30	3	7	14	5	-31	6	[illegible]	[illegible]	14	-10	[illegible]	[illegible]	10	-10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.0
JEROME	MAX	45	48	41	39	35	29	28	21	15	23	27	[illegible]	[illegible]	[illegible]	[illegible]	35	[illegible]	[illegible]	35	[illegible]	35	[illegible]	34	30	[illegible]	[illegible]	[illegible]	39	42	41	[illegible]	[illegible]
	MIN	36	32	24	16	25	21	14	2	-10	6	17	22	21	10	13	[illegible]	21	[illegible]	[illegible]	[illegible]	18	[illegible]	[illegible]	12	-3	4	24	[illegible]	[illegible]	[illegible]	[illegible]	17.3
KELLOGG	MAX	55	48	39	44	42	36	33	32	25	27	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35	36	[illegible]	21	[illegible]	28	24	[illegible]	22	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]
	MIN	38	33	32	35	33	30	19	10	[illegible]	12	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	16	[illegible]	14	[illegible]	[illegible]	[illegible]	-6	-3	17	[illegible]	23	[illegible]	[illegible]	[illegible]
KOOSKIA	MAX	51	46	43	43	47	40	39	34	30	[illegible]	48	41	40	34	[illegible]	[illegible]	37	47	40	31	[illegible]	45	37	27	[illegible]	[illegible]	[illegible]	36	42	36	[illegible]	[illegible]
	MIN	43	35	32	30	33	30	20	13	11	[illegible]	28	[illegible]	[illegible]	[illegible]	[illegible]	32	31	31	26	22	[illegible]	[illegible]	[illegible]	11	7	3	19	[illegible]	18	[illegible]	22	[illegible]
KUNA 2 NNE	MAX	52	48		41	40	37	30	25	23	[illegible]	29	31	[illegible]	34	[illegible]	[illegible]	[illegible]		37	34	37	41	[illegible]	27	[illegible]		[illegible]	43	[illegible]	44	[illegible]	[illegible]
	MIN	42	33		25	31	28	16	10	[illegible]	[illegible]	25	[illegible]	25	[illegible]	17	24	15		24	20	21	31	22	11	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	7	[illegible]
LEWISTON WATER PLANT	MAX	51	50	48	47	46	42	37	37	[illegible]	39	[illegible]	39	34	34	[illegible]	40	[illegible]	44	43	[illegible]	35	48	[illegible]	29	29	29	[illegible]	[illegible]	40	[illegible]	[illegible]	39.1
	MIN	45	38	36	33	37	31	20	[illegible]	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	23	[illegible]	16	[illegible]
LEWISTON WB AP	MAX	53	49	44	45	45	40	33	34	[illegible]	[illegible]	46	[illegible]	[illegible]	[illegible]	45	36	38	[illegible]	34	[illegible]	47	47	[illegible]	25	[illegible]	[illegible]	31	[illegible]	36	32	[illegible]	[illegible]
	MIN	37	33	34	35	32	25	21	[illegible]	16	[illegible]	[illegible]	23	[illegible]	20	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	19	[illegible]	18	17	14	12	[illegible]	[illegible]	20	[illegible]	2	23.0
LIFTON PUMPING STA	MAX	39	38	31	34	31	24	17	11	7	23	[illegible]	[illegible]	[illegible]	20	34	36	30	[illegible]	31	21	[illegible]	[illegible]	26	[illegible]	17	24	[illegible]	[illegible]	[illegible]	37	34	27.8
	MIN	13	25	8	20	20	10	0	-17	-13	-3	[illegible]	10	12	-11	[illegible]	[illegible]	[illegible]	11	9	0	[illegible]	[illegible]	[illegible]	7	[illegible]	0	[illegible]	7	24	24	[illegible]	7.9
LOWMAN	MAX	37	37	31	32	34	34	[illegible]	18	[illegible]	29	29	[illegible]	[illegible]	44	[illegible]	38	33	[illegible]	33	28	30	[illegible]	[illegible]	33	[illegible]	[illegible]	[illegible]	46	36	36	[illegible]	32.7
	MIN	30	28	18	24	25	19	-8	-13	-13	[illegible]	14	12	14	-5	[illegible]	19	12	[illegible]	16	[illegible]	[illegible]	[illegible]	[illegible]	-5	-11	-1	[illegible]	29	[illegible]	[illegible]	-2	[illegible]
MACKAY RS	MAX	34	32	28	25	27	26	[illegible]	[illegible]	[illegible]	21	24	[illegible]	[illegible]	[illegible]	[illegible]	31	32	[illegible]	27	22	24	[illegible]	24	21	[illegible]	19	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]
	MIN	28	22	-1	1	7	5	5	-11	-12	-5	-2	-3	-8	-6	[illegible]	[illegible]	14	[illegible]	11	-4	[illegible]	15	4	5	[illegible]	-3	17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MALAD	MAX	43	42	39	35	35	31	26	21	17	[illegible]	25	[illegible]	24	[illegible]	[illegible]	34	32	[illegible]	32	[illegible]	26	39	[illegible]	[illegible]	26	[illegible]	44	38	42	[illegible]	27	[illegible]
	MIN	27	29	15	24	24	21	6	-1	-6	3	18	22	[illegible]	-1	9	21	19	[illegible]	15	[illegible]	19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MALAD CAA AP	MAX	43	41	35	35	33	31	[illegible]	20	16	[illegible]	[illegible]	31	27	21	[illegible]	34	[illegible]	33	[illegible]	23	29	[illegible]	30	[illegible]	[illegible]	[illegible]	41	[illegible]	42	38	24	30.8
	MIN	23	23	16	21	17	9	-1	-9	-13	-2	[illegible]	19	[illegible]	-9	9	[illegible]	18	16	-6	-9	[illegible]	17	10	-7	-11	[illegible]	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MAY RS	MAX	45	42	31	32	33	28	[illegible]	17	16	27	37	32	[illegible]	[illegible]	[illegible]	34	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	14	[illegible]	[illegible]	[illegible]	40	40	[illegible]	20	[illegible]
	MIN	38	27	12	11	23	10	8	-7	-8	11	11	[illegible]	[illegible]	-1	14	[illegible]	15	21	14	10	[illegible]	[illegible]	-4	-12	-21	[illegible]	[illegible]	[illegible]	7	14	[illegible]	[illegible]
MC CALL	MAX	36	32	30	30	30	26	[illegible]	10	[illegible]	18	24	22	[illegible]	[illegible]	24	[illegible]	[illegible]	28	[illegible]	22	26	[illegible]	24	20	[illegible]	[illegible]	[illegible]	34	[illegible]	30	22	[illegible]
	MIN	30	28	26	24	26	18	-5	-10	-7	14	18	[illegible]	14	[illegible]	14	22	16	[illegible]	16	14	[illegible]	[illegible]	[illegible]	-12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	20	6	13.9
MC CAMMON	MAX	42	39	38	33	32	29	[illegible]	22	22	23	25	[illegible]	24	[illegible]	34	34	32	[illegible]	29	[illegible]	39	[illegible]	31	29	[illegible]	[illegible]	42	40	[illegible]	37	[illegible]	[illegible]
	MIN	32	14	15	26	27	[illegible]	[illegible]	-8	-11	-1	[illegible]	[illegible]	17	-5	10	25	[illegible]	21	19	7	18	[illegible]	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29		14.1
MERIDIAN 1 SSW	MAX	52	49	36	43	41	36	30	27	[illegible]	28	30	[illegible]	[illegible]	[illegible]	32	[illegible]	40	[illegible]	34	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	43	27	[illegible]
	MIN	40	29	24	24	27	23	12	[illegible]	2	12	[illegible]	21	21	11	[illegible]	[illegible]	[illegible]	[illegible]	21	[illegible]	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MESA	MAX	52	41	35	38	40	34	27	21	14	[illegible]	32	31	[illegible]	28	[illegible]	25	29	[illegible]	34	[illegible]	[illegible]	40	[illegible]	33	34	[illegible]	[illegible]	[illegible]	41	42	37	32.9
	MIN	32	32	29	25	27	20	10	-1	-5	[illegible]	[illegible]	24	21	[illegible]	18	20	19	[illegible]	23	15	[illegible]	24	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26	19.4
MINIDOKA DAM	MAX	42	37	37	36	33	28	[illegible]	22	16	25	30	28	[illegible]	29	[illegible]	35	32	36	26	[illegible]	33	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	27	[illegible]
	MIN	35	32	24	23	[illegible]	21	17	1	-3	[illegible]	18	24	[illegible]	[illegible]	16	27	24	21	20	12	[illegible]	[illegible]	[illegible]	15	-11	-1	27	31	[illegible]	[illegible]	14	[illegible]
MONTPELIER RS	MAX	42	41	32	31	37	28	[illegible]	20	15	[illegible]	[illegible]	32	[illegible]	[illegible]			[illegible]	30	30	[illegible]	[illegible]	18	[illegible]	19	[illegible]	[illegible]	27	[illegible]	36	[illegible]	[illegible]	27.1
	MIN	11	14	7	14	19	7	0	-19	-20	-1	0	17	10	-11			5	13	14	-3	[illegible]	10	11	12	-11	4	[illegible]	[illegible]	[illegible]	[illegible]	10	6.7
MOSCOW U OF I	MAX	51	40	40	42	40	34	28	[illegible]	24	[illegible]	41	[illegible]	31	[illegible]	40	35	34	37	36	[illegible]	31	40	27	18	25	[illegible]	[illegible]	29	37	[illegible]	21	[illegible]
	MIN	36	33	29	31	31	26	[illegible]	17	14	[illegible]	[illegible]	[illegible]	[illegible]	18	[illegible]	25	26	29	[illegible]	[illegible]	[illegible]	24	-1	-7	11	[illegible]	20	[illegible]	[illegible]	[illegible]	13	[illegible]
MOUNTAIN HOME 1 NE	MAX	53	48	35	38	40	33	27	19	21	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	38	40	[illegible]	40	31	[illegible]	41	[illegible]	27	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	42	34	24	18	21	19	5	[illegible]	-4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21	[illegible]	[illegible]		7	11	[illegible]	11	10	-8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17.1
MULLAN PASS CAA	MAX	33	25	26	25	25	20	14	16	14	24	30	28	22	15	21	22	[illegible]	[illegible]	[illegible]	11	25	25	[illegible]	11	12	[illegible]	28	[illegible]	24	14	[illegible]	20.6
	MIN	23	18	19	20	17	13	[illegible]	[illegible]	[illegible]	11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-5	[illegible]	[illegible]	8	[illegible]	[illegible]	4	[illegible]	[illegible]	[illegible]	12	3	-7	[illegible]
NAMPA 2 NW	MAX	53	50	45	40	43	42	37	32	27	25	[illegible]	30	32	[illegible]	35	32	34	[illegible]	48	34	[illegible]	44	44	31	[illegible]	24	[illegible]	44	47	47	33	[illegible]
	MIN	45	33	29	21	34	24	[illegible]	11	7	17	24	[illegible]	[illegible]	[illegible]	20	22	17	30	[illegible]	[illegible]	[illegible]	[illegible]	24	9	[illegible]	17	20	[illegible]	[illegible]	[illegible]	11	23.0
NEW MEADOWS RS	MAX	45	40	35	33	37	29	23	10	[illegible]	27	[illegible]	30	29	22			30	[illegible]	34	[illegible]			20	12	15	21	32	39	37	[illegible]	[illegible]	[illegible]
	MIN	31	26	24	22	27	[illegible]	-16	[illegible]	-21	[illegible]	20	[illegible]	[illegible]	[illegible]			16	[illegible]	11	11			-8	-13	-16	-12	19	[illegible]	26	[illegible]	-1	8.4
NEZPERCE 2 E	MAX	50	40	37	39	[illegible]	32	[illegible]	27	26	30	41	34	[illegible]	[illegible]	40	34	34	40	[illegible]	24	30	[illegible]	[illegible]	20	20	[illegible]	[illegible]	33	39	[illegible]	[illegible]	32.1
	MIN	35	27	27	31	[illegible]	25	[illegible]	9	9	[illegible]	30	[illegible]	21	14	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	20	[illegible]	11	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4	19.6
OAKLEY	MAX	44	42	34	34	36	30	[illegible]	25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	38	[illegible]	32	27	[illegible]	40	31	33	21	33	[illegible]	40	42	[illegible]	[illegible]	[illegible]
	MIN	34	24	20	20	21	22	[illegible]	-4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	16	[illegible]	16	14	[illegible]	[illegible]	[illegible]	[illegible]	-6	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]	[illegible]
OBSIDIAN 4 NNE	MAX	37	33	24	[illegible]	20	24	14	4	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	26	17	22	[illegible]	[illegible]	16	6	[illegible]	[illegible]	[illegible]	26	24	[illegible]	22.9
	MIN	30	18	2	6	14	0	-18	[illegible]	[illegible]	-1	[illegible]	-7	-15	-19	4	6	[illegible]	13	[illegible]	[illegible]	2	1	-10	-15	[illegible]	-12	23	[illegible]	[illegible]	-2	-9	-0.7
OLA 4 S	MAX	54	53	40	44	41	33	27	23	[illegible]	30	[illegible]	[illegible]	[illegible]	30	[illegible]	32	31	39	39	34	[illegible]	[illegible]	42	[illegible]	26	27	[illegible]	43	41	40	[illegible]	35.4
	MIN	34	38	30	27	27	18	1	-5	-5	[illegible]	[illegible]	18	19	[illegible]	15	[illegible]	19	[illegible]	18	20	[illegible]	20	18	16	9	14	22	[illegible]	22	22	[illegible]	17.4
OROFINO	MAX	57	43	49	[illegible]	55	54	44	[illegible]	45	[illegible]	42	[illegible]	[illegible]	41	37	35	40		45	40	[illegible]	33	36	27	[illegible]	20	32	34	[illegible]	38	[illegible]	[illegible]
	MIN	39	38	32	32	[illegible]	35	22	16	[illegible]	[illegible]	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32		[illegible]	24	[illegible]	24	17	[illegible]	9	4	[illegible]	18	[illegible]	[illegible]	17	24.8
PALISADES DAM	MAX	43	32	28	31	33	26	20	14		20	[illegible]	[illegible]	27	17	30	31	28	27	30	[illegible]	24	37	27	27	19	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	28.4
	MIN	26	19	19	24	24	12	[illegible]	-8	-18	0	17	[illegible]		-10	11	20	[illegible]	19	16	6	10	20		15	-2	[illegible]	[illegible]	31	28	25	12	13.4
PARMA EXP STA	MAX	51	47	45	45	44	38	34	29	30	28	[illegible]	31	[illegible]	[illegible]	[illegible]		40	[illegible]	38	[illegible]	40			29	[illegible]	33	[illegible]	[illegible]	47	46	38	[illegible]
	MIN	41	20	30	28	28	26	[illegible]	11	[illegible]	[illegible]	[illegible]	[illegible]	25	[illegible]	[illegible]		[illegible]	[illegible]	26	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21.6
PAUL 1 E	MAX	53	46	37	36	37	33	27	[illegible]	18	18	[illegible]	[illegible]	28	24	[illegible]	35	37	[illegible]	38	26	28	[illegible]	[illegible]	27	24	[illegible]	[illegible]	48	42	49	30	32.5
	MIN	34	31	26	18	18	20	[illegible]	-3	-10	-10	[illegible]	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	20	9	[illegible]	27	17	17	-1	0	14	[illegible]	[illegible]	[illegible]	14	16.2
PAYETTE	MAX	54	56	42	42	45	38	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	34	30	30	32	35	[illegible]	37	37	37	44	34	29	[illegible]	28	[illegible]	[illegible]	[illegible]	47	29	36.4
	MIN	38	36	32	27	[illegible]	25	[illegible]	11	[illegible]	[illegible]	26	[illegible]	26	14	21	[illegible]	18	[illegible]	27	[illegible]	[illegible]	[illegible]	27	10	18	[illegible]	[illegible]	31	24	27	20	[illegible]
PIERCE RS	MAX	37	38	[illegible]	36	34	34	[illegible]	30	[illegible]	[illegible]	33	[illegible]	33	[illegible]	[illegible]	30	[illegible]	47	33	29	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	34	34	[illegible]
	MIN	31	31	25	28	28	[illegible]	[illegible]	-3	-4	-5	24	[illegible]	[illegible]	[illegible]	[illegible]	25	[illegible]	27	23	[illegible]	[illegible]	[illegible]	-13	-17	[illegible]	-15	-11	[illegible]	[illegible]	[illegible]	[illegible]	13.8
POCATELLO WB AP	MAX	48	45	[illegible]	35	[illegible]	24	[illegible]	16	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	33	35	31	[illegible]	[illegible]	23	30	[illegible]	[illegible]	[illegible]	[illegible]	37	46	42	[illegible]	[illegible]	22	30.2
	MIN	37	25	24	25	[illegible]	19	[illegible]	-5	[illegible]		19	20	4	9	7	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-4	-2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PORTHILL	MAX	47	43	40	38	35	35	[illegible]	25	[illegible]	[illegible]	[illegible]	[illegible]	37	31	24	24	[illegible]	[illegible]	28	13	13	26	14	10	[illegible]	9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27.9
	MIN	34	29	31	31	31	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	15	11	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	13.1
POTLATCH	MAX	50	39	40	[illegible]	38	34	27	[illegible]	27	[illegible]	40	38	[illegible]	[illegible]	38	[illegible]	[illegible]	[illegible]	33	23	32	39	[illegible]	[illegible]	28	32	[illegible]	31	37	30	[illegible]	[illegible]
	MIN	35	31	30	33	32	[illegible]	[illegible]	10	10	[illegible]	32	[illegible]	23	[illegible]	[illegible]	[illegible]	[illegible]	30	20	16	[illegible]	24	-3	-5	-8	-7	[illegible]	19	28	12	0	18.2
PRESTON SUG FACT 2 SE	MAX	50	44	35	34	36	31	[illegible]	[illegible]	16	[illegible]	26	31	27	[illegible]	[illegible]	33	[illegible]	[illegible]	34	24	26	40	37	[illegible]	23	[illegible]	46	40	37	41	37	32.5
	MIN	28	31	15	25	[illegible]	17	13	-5	-10	0	9	23	[illegible]	-4	6	26	[illegible]	[illegible]	19	1	[illegible]	[illegible]	11	21	[illegible]	10	17	[illegible]	[illegible]	[illegible]	[illegible]	15.4
PRIEST RIVER EXP STA	MAX	47	38	35	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	31	[illegible]	[illegible]	30	15	[illegible]	19	[illegible]	[illegible]	[illegible]	11	[illegible]	24	[illegible]	31	[illegible]	27.2
	MIN	[illegible]	26	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	17	[illegible]	18	19	[illegible]	[illegible]	10	0	-2	[illegible]	-7	[illegible]	[illegible]	-10	10	19	[illegible]	10	[illegible]	14.6
RICHFIELD	MAX	43	39	32	30	[illegible]	[illegible]	24	17	11	21	21	[illegible]	[illegible]	21	[illegible]	34	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	22	17	26	36	[illegible]	[illegible]	[illegible]	[illegible]	27.9
	MIN	34	[illegible]	[illegible]	17	[illegible]	[illegible]	[illegible]	-15	-13	0	[illegible]	19	[illegible]	[illegible]	[illegible]	22	[illegible]	14	[illegible]	-13	9	[illegible]	[illegible]	15	-12	[illegible]	[illegible]	29	20	22	[illegible]	11.8
RIGGINS RS	MAX	56	48	45	42	46	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	39	35	[illegible]	41	[illegible]	[illegible]	45	[illegible]	[illegible]	46	43	[illegible]	[illegible]	29	[illegible]	34	41	45	33	38.9
	MIN	44	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
RIRIE	MAX	46	43	31	33	[illegible]	24	[illegible]	12	[illegible]	[illegible]	23	[illegible]	[illegible]	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	15	[illegible]	34	24	23	23	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	27.9
	MIN	36	28	22	[illegible]	[illegible]	16	[illegible]	-4	-7	[illegible]	[illegible]	18	[illegible]	-7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21	[illegible]	13	[illegible]	17	[illegible]	[illegible]	[illegible]	24	11	[illegible]
ROLAND W PORTAL	MAX	41	[illegible]	35	[illegible]	34	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	27	[illegible]	[illegible]	32	32	18	[illegible]	31	[illegible]	18	14	12	[illegible]	29	30	[illegible]	[illegible]	[illegible]
	MIN	31	27	23	27	24	22	[illegible]	[illegible]	2	18	26	30	14	10	15	25	21	23	[illegible]	[illegible]	15	[illegible]	-1	-2	2	[illegible]	[illegible]	[illegible]	24	[illegible]	5	14.9
RUPERT	MAX	53	47	[illegible]	[illegible]	[illegible]	33	[illegible]	[illegible]	[illegible]	[illegible]	25	[illegible]	28	24	[illegible]	35	38	[illegible]	[illegible]	29	[illegible]	38	38	[illegible]	28	[illegible]	40	[illegible]	40		[illegible]	[illegible]
	MIN	33	30	[illegible]	[illegible]	20	[illegible]	[illegible]	-4	-12	[illegible]	10	20	[illegible]	12	12	17	21	[illegible]	18	11	[illegible]	26	17	[illegible]	-5	[illegible]	[illegible]	30	[illegible]		[illegible]	15.4
SAINT ANTHONY	MAX	43	42	31	32	32	23	22	22	11	19	[illegible]	[illegible]	[illegible]	[illegible]	22	24	21	[illegible]	33	13	18	36	22	23	24	[illegible]	[illegible]	[illegible]	38	34	[illegible]	27.4
	MIN	27	28	[illegible]	[illegible]	20	11	4	-11	-15	[illegible]	15	[illegible]	[illegible]	-15	2	10	7	20	4	-1	[illegible]	14	-4	[illegible]	[illegible]	15	14	27	29	[illegible]	[illegible]	10.4
AINT MARIES	MAX	48	[illegible]	43	40	[illegible]	37	32	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31		35	33	43	36	22	34	[illegible]	31	12	22	24	[illegible]	35	37	[illegible]	[illegible]	[illegible]
	MIN	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	10	[illegible]	[illegible]	[illegible]	[illegible]	24	21	[illegible]		24	29	18	14	19	[illegible]	1	[illegible]	[illegible]	6	[illegible]	18	21	15	[illegible]	19.6
ALMON	MAX	50	45	34	[illegible]	[illegible]	37	[illegible]	[illegible]	17	[illegible]	[illegible]	29	[illegible]	28	[illegible]	43	40	39	[illegible]	31	34	41	25	19	14	[illegible]	25	41	39	[illegible]	[illegible]	32.0
	MIN	32	22	[illegible]	17	[illegible]	[illegible]	[illegible]	0	-3	14	12	[illegible]	9	4	[illegible]	23	[illegible]	[illegible]	17	[illegible]	[illegible]	[illegible]	4	[illegible]	-13	-10	[illegible]	[illegible]	12	[illegible]	[illegible]	10.9
ANDPOINT EXP STA	MAX	47	41	37	[illegible]	[illegible]	[illegible]	[illegible]	26	[illegible]	31	34	[illegible]	[illegible]	[illegible]	25	[illegible]	[illegible]	30	29	[illegible]	16	[illegible]	17	[illegible]	18	15	20	22	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	19	10	[illegible]	23	[illegible]	[illegible]	19	[illegible]	[illegible]	15	24	[illegible]	[illegible]	7	1	[illegible]	-7	[illegible]	12	[illegible]	[illegible]	[illegible]	20	[illegible]	4	[illegible]
HOSHONE	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	14	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	32	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]	22	21	29	39	[illegible]	43	[illegible]	[illegible]	30.1
	MIN	37	[illegible]	[illegible]	[illegible]	21	[illegible]	3	-2	-7	4	17	21	21	[illegible]	[illegible]	24	[illegible]	17	[illegible]	-5	12	[illegible]	7	16	-7	10	27	[illegible]	31	[illegible]	10	[illegible]

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]	12	10	17	22	25	22	16	17	25	21	25	26	17	10	20	18	20	20	25	30	34	28	28	20	22.2
	[illegible]	27	18	[illegible]	20	[illegible]	[illegible]	[illegible]	-20	-19	[illegible]	4	4	4	-10	8	1	- 6	14	- 6	- 6	- 8	6	-10	8	- 8	10	20	20	18	10	0	4.1
[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21	23	25	26	24	24	36	31	31	32	22	28	26	26	23	32	26	41	37	40	32	25	29.2
	[illegible]	[illegible]	[illegible]	22	23	23	[illegible]	[illegible]	[illegible]	[illegible]	- 3	14	19	12	- 6	2	23	20	[illegible]	12	1	17	[illegible]	0	9	- 2	1	23	24	30	24	11	12.5
[illegible]	[illegible]	[illegible]	[illegible]	25	21	[illegible]	[illegible]	24	23	22	22	28	41	40	32				29	29	35	20	28	27	20	24	26	28	34	32	27	23	28.4
	MIN	[illegible]	[illegible]	[illegible]	12	18	8	- 7	- 9	- 9	- 5	15	10	2	- 6				- 2	6	7	9	13	- 3	- 9	-11	-11	22	25	21	12	0	6.3
[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]		[illegible]	12	10	21	24	[illegible]	26	17	20	24	26	30	33			35	23	25					37	30		27.4
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	-12	-17	- 4	14	17	12	-19	- 2	14	4	21	8			16	- 3	8					28	24		9.9
[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	26	17	[illegible]	16	21	28	21	16	17	28	30	28	24	29	15	21	29	26	22	16	23	35	35	30	29	29	24.8
	[illegible]	[illegible]	[illegible]	- 7	- 1	[illegible]	- 8	-17	-28	-22	-10	- 5	- 7	-22	-20	-10	5	0	5	- 7	-18	-15	17	- 9	- 5	-25	-11	19	26	8	20	3	- 2.9
SWAN FALLS PH	[illegible]	[illegible]	[illegible]	[illegible]	43	46	41	[illegible]	25	[illegible]	30	32	46	34	35	32	36	41	50	40	36	42	50	42	29	28	34	42	50	48	48	30	39.6
	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	17	25	[illegible]	28	19	22	25	28	29	30	25	27	31	26	14	9	14	22	31	30	28	25	25.3
[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	26	[illegible]	[illegible]	15	12	[illegible]	21	[illegible]	19	23	28	30	26	27	30	15	22	40	21	21	21	30	35	35				25.9
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-21	[illegible]	[illegible]	[illegible]	13	11	-11	13	[illegible]	-10	[illegible]	-10	[illegible]	-10	- 5	- 3	- 1	-11	- 3	27	29				4.1
THREE CREEK	[illegible]	[illegible]	40	[illegible]	49	[illegible]	[illegible]	24	27	31	34	37	47	32	39	[illegible]	[illegible]	30	41	35	36	32	41	40	28	22	39	46	40	37	36	24	35.4
	MIN	[illegible]	[illegible]	[illegible]	9		[illegible]	13	-16	-13	[illegible]	16	6	2	[illegible]	3	21	25	19	8	14	15	15	17	9	-10	- 5	34	34	25	20	2	12.1
TWIN FALLS 2 NNE	MAX	[illegible]	47	[illegible]	40	41	[illegible]	[illegible]	20	19	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]	37	40	40	31	38	41	33	28	19	33	43	44	45	40	31	34.4
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	18	- 1	- 3	12	20	[illegible]	[illegible]	[illegible]	18	27	25	[illegible]	21	[illegible]	21	[illegible]	22	16	- 4	10	30	32	33	25	15	20.5
[illegible]	[illegible]	[illegible]	49	44	38	41	[illegible]	[illegible]	27	20	20	[illegible]	27	[illegible]	27	29	37	[illegible]	[illegible]	41	30	31	43	39	29	29	29	43	47	42	42	39	35.2
	[illegible]	36	[illegible]	27	[illegible]	27	24	[illegible]	0	0	[illegible]	[illegible]	19	[illegible]	16	14	[illegible]	[illegible]	25	[illegible]	[illegible]	20	[illegible]	24	20	- 3	2	19	31	32	24	14	19.4
[illegible]	[illegible]	[illegible]	37	[illegible]	38	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	27	[illegible]	31	29	[illegible]	33	[illegible]	[illegible]	34	23	14	18	29	29	28	34	30	15	29.8
	MIN	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	23	28	11	[illegible]	[illegible]	23	[illegible]	[illegible]	6	10	20	22	28	15	9	19.5
[illegible]	[illegible]	[illegible]	45	36	41	38	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	31	[illegible]	[illegible]	[illegible]	15	17	34	25	25	13	20	26	28	33	34	23	30.1
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	20	[illegible]	[illegible]	21	15	8	7	11	- 5	- 9	- 9		10	22	21	18	11	16.4
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	40	36	[illegible]	23	24	[illegible]	30	[illegible]	[illegible]	[illegible]	[illegible]	35	44	40	[illegible]	[illegible]	46	33	25	26		39	38	47	44	31	36.5
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	[illegible]	[illegible]	12	[illegible]	[illegible]	16	28	[illegible]	26		[illegible]	22	20	22		23	31	23	23	16	22.9
WINCHESTER 1 SE	[illegible]	[illegible]	38	[illegible]	36	[illegible]	[illegible]	[illegible]	31	[illegible]	34	[illegible]	43	[illegible]	[illegible]	[illegible]	32	[illegible]	37	30	[illegible]	[illegible]	36	[illegible]	25	28	31	37	35	37	[illegible]	25	33.0
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]						[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- 2	26	19	25	3	13	16.9

Table 7

SNOWFALL AND SNOW ON GROUND

Station		Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STATION	SNOWFALL		0.8	0.8	0.4	3.2								0.4					3.5	0.5	T		1.5	1.0	6.0		0.4		T	1.0		1.5
	SN ON GND		T	1	T	4	4	3	3	[illegible]	3	3	3	[illegible]	2	2	1	[illegible]	4	4	[illegible]	3	4	5	9	9	9	7	5	5	5	6
ANDERSON DAM	SNOWFALL		T	12.0	3.3	T										T	1.5		8.0		T	T	1.0	1.5	T		5.0	-			4.0	
	SN ON GND			12	12	12	12	12	12	11	12	12	12	12	12	12	14	14	22	21	21	18	19	20	20	19	24	31	26	25	29	[illegible]
ARCO	SNOWFALL	1.0				7.0									T				2.0		-						T	8.0				
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-
ARROWROCK DAM	SNOWFALL	2.2		2.0	8.0	T	T										2.4		5.1	2.1		T	2.5		1.4			0.7			2.7	
	SN ON GND	2	2	2	10	10	[illegible]	[illegible]	8	8	8	7	7	7	7	7	9	[illegible]	12	14	13	13	15	13	15	15	14	14	13	11	13	12
ASHTON 1 S	SNOWFALL	T	1.5	3.2	1.0	0.5	T	T			1.0	1.0	T	0.5	2.4		T	T	2.0	0.7		3.0	10.0		T		T	7.0	1.5		3.0	2.0
	SN ON GND	[illegible]	3	6	7	7	7	7	7	7	7	[illegible]	8	8	10	10	9	9	11	11	11	14	22	22	20	20	17	24	25	24	26	27
ATLANTA 1 E	SNOWFALL	6.0	9.0	T	4.0	4.0	1.0									T	10.0	T	10.0	7.0	T	2.0	14.0				2.0	14.0	3.0	7.0	8.0	T
	SN ON GND	16	22	21	23	25	24	23	22	21	21	20	20	20	19	19	29	28	36	41	40	36	46	41	40	38	37	47	48	50	54	50
AVERY RS	SNOWFALL		T		0.5	1.5	2.0				0.5	0.5		0.5		2.0	11.0	*	4.0	1.0	4.0	6.0	6.0			0.5		4.0	3.0	12.0	2.5	1.0
	SN ON GND				T	2	2	1	1	1	2	2	1	1	1	3	14	-	15	15	18	22	23	22	22	22	20	23	23	33	34	33
BIG CREEK 1 S	SNOWFALL	3.0	12.0	2.0	3.0	10.0		1.0									6.0		8.0	3.0		2.0	4.0				1.0	10.0	6.0	4.0	5.0	2.0
	SN ON GND	-	24	26	29	24	-	-	-	-	-	-	-	-	-	-	21	21	29	32	22	24	28	-	-	-	-	38	44	40	40	40
BLACKFOOT	SNOWFALL		2.0	0.5	1.0	2.0								1.0					2.0	T				4.0	4.0					2.0		3.0
	SN ON GND		2	2	3	5	[illegible]	4	[illegible]	4	4	[illegible]	4	4	4	4	4	3	4	[illegible]	4	4	3	7	11	11	10	[illegible]	6	5	5	8
BOISE WB AP	SNOWFALL		T	2.0	T	T	0.9					T	T	T		T	0.2		3.5	0.2	T	1.4		1.9			T			4.0	1.5	T
	SN ON GND			1	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	1	1	1	1	2	2	2	2	T	T	T	5	[illegible]
BONNERS FERRY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	-	-	-	-	-	-	-	-	-	[illegible]	-	-	-	-	-	4	4	-	-	-	-	26	-	-	-	-	-	-	-	-	20
BURLEY CAA AP	SNOWFALL		1.0	4.5	0.1							0.1	T	T		0.1	1.4		2.2	1.0		0.3	0.2	4.2	4.0		T		T	0.5	1.5	
	SN ON GND			1	3	3	3	3	3	3	3	3	3	3	3	2	3	3	4	6	6	6	5	6	12	12	12	10	5	4	5	5
CALDWELL	SNOWFALL			T								T	T				T		T	T		T		2.0	T	T	2.0				2.5	
	SN ON GND			T									T							T		T		2	T	T	2	T	T		3	2
CASCADE 1 NW	SNOWFALL	T	5.0	6.0	4.0	2.0										1.0	T		11.0	3.0	1.0	2.0	1.5				2.5	6.0	0.5	3.0	5.0	T
	SN ON GND	1	6	10	13	15	14	13	13	13	12	12	11	10	10	10	9	9	19	21	20	20	21	20	20	19	21	24	20	22	24	23
CENTERVILLE ARBAUGH RCH	SNOWFALL	T	3.1	7.8	4.8	1.3	1.3						T			T	4.3		12.3	0.6	0.8	0.5	6.5	0.1			2.8	9.5	0.7	1.0	5.0	T
	SN ON GND	9	12	19	22	21	21	20	19	19	18	18	17	17	16	16	20	[illegible]	31	29	28	28	30	29	[illegible]	28	30	34	34	34	38	36
COEUR D ALENE CAA AP	SNOWFALL			T	1.2	1.0	T			0.5	T		T	T	T	2.3	1.0	3.2	8.0	T	1.0	9.2	0.7		T		T	1.5	0.4	1.8	2.9	T
	SN ON GND				1	2	2	2	2	2	2	2	2	2	1	3	4	4	13	11	12	20	22	22	20	20	20	22	22	20	22	22
COEUR D ALENE RS	SNOWFALL			T	0.5	T	T	T		T	T			T		1.0	2.0	T	7.0	2.0	0.1	7.0	4.0					1.0	0.3		4.0	0.5
	SN ON GND				1	0	T	T	T	T	T	T		T	T	1	3	3	10	12	12	19	23	23	23	20	19	20	20	19	24	24
COTTONWOOD	SNOWFALL		3.3	0.6	T	1.0										0.5	0.5		0.4	0.4	1.3	3.0	4.2				0.4	T	1.5	3.1	0.3	1.3
	SN ON GND		3	3	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	[illegible]	7	10	10	9	9	9	[illegible]	[illegible]	11	11	12
DEADWOOD DAM	SNOWFALL	3.5	3.0	6.0	7.5	1.5	0.5				T	T				1.0	1.5		16.0	3.0	0.5	2.5	6.5				4.5	16.0	3.5	7.5	6.0	
	SN ON GND	15	18	23	28	27	27	26	25	24	24	24	23	23	22	23	24	24	38	38	37	37	40	39	37	36	40	52	52	57	58	55
DUBOIS CAA AP	SNOWFALL	0.5	1.5	2.0	3.0	T		T	T	1.0	T	T	T	T	T	T	T	T	0.9	T	T	1.0	T	T	0.4	0.6	T	0.6		T		T
	SN ON GND		1	1	4	6	6	6	6	6	7	7	7	7	7	7	7	7	8	8	[illegible]	[illegible]	9	9	[illegible]	10	10	10	10	10	10	10
EMMETT 2 E	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4		T			4.0	-	-	-		
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	T		T			-	-	-	-	-	-
FENN RS	SNOWFALL						1.0										-	1.6	2.0	2.0	9.0	3.0	-					2.0	2.4	T	2.0	
	SN ON GND						1	1	1	1							1	[illegible]	2	3	12	15	[illegible]	8	8	8	7	9	11	10	12	11
GARDEN VALLEY RS	SNOWFALL			11.5	6.0	1.0											1.0		9.0	0.5			5.0				2.0	8.0			4.0	
	SN ON GND			12	13	10	[illegible]	7	7	7	6	5	5	5	5	5	6	[illegible]	14	14	10	10	15	15	15	15	[illegible]	19	16	15	19	18
GLENNS FERRY	SNOWFALL			-								T		T			4.0		3.0		-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND			2	2	2	1	1	1	1	1	1	1	1	-	-	4	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GOODING CAA AP	SNOWFALL		T	10.2	0.1								T	T		T	1.0		6.4	T	T	1.6	T	1.5	2.5		T	T			2.2	T
	SN ON GND			5	8	7	7	7	7	7	6	6	5	5	5	5	6	4	9	10	10	10	8	9	12	12	11	11	8	6	8	8
GRAY	SNOWFALL	4.0	4.0	2.0	2.0	3.0	2.0										4.0	2.0	3.0	2.0	2.0	2.0	T		8.0	3.0	2.0	4.0		2.0	3.0	12.0
	SN ON GND	10	14	16	16	16	16	16	16	16	16	16	16	16	16	16	20	20	23	23	25	25	24	20	28	28	28	28	24	26	26	30
HAILEY	SNOWFALL	4.0		4.0	6.0	3.0								0.5					10.0	1.5			5.0	T			1.5	9.0	2.0	2.0		
	SN ON GND	14	14	18	22	25	20	20	19	19	19	19	19	20	19	19	19	19	29	28	28	28	30	30	29	28	29	36	35	34	34	34
HAMER 4 NW	SNOWFALL				3.0	2.0					1.0				2.0	T	T	T	1.0		1.0							2.0		T		
	SN ON GND	-	-	3	-	-	-	-	-	-	4	-	-	-	5	5	5	5	6	5	6	-	-	-	-	-	-	6	6	[illegible]	-	-
BILL CITY	SNOWFALL	10.0	2.0	4.0	5.0	2.0	T										2.0		16.0				10.0		4.0		3.0	14.0			6.0	
	SN ON GND	-	-	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	26	-	-	-	28	42	-	-	46	-
IDAHO CITY	SNOWFALL		1.0	6.5	5.0	1.5											4.0		14.0	2.0			6.0				2.0	6.0			4.0	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	-	-	-	-
IDAHO CITY 13 SW	SNOWFALL		3.0	11.5	7.0	T	T										3.0		T	T	T	0.5	4.0	T	1.0		4.0	5.0	1.0	T	4.0	3.0
	SN ON GND	7	9	17	24	23	22	21	20	19	18	18	18	17	17	17	19	18	15	14	13	12	16	16	17	17	21	26	25	24	27	30
IDAHO FALLS CAA AP	SNOWFALL		T	1.4	0.5	0.1	0.4	T	T	T	T	T	0.6	0.6	0.9	T	T	T	0.2	0.6	0.3	0.2	T	0.5	T	T	T	0.5	T	0.1	0.9	0.6
	SN ON GND		T	T	2	2	3	3	3	3	3	3	4	5	6	6	6	6	6	7	7	8	8	8	9	9	9	6	5	4	5	6
IRWIN 2 S	SNOWFALL		5.0		2.0	1.5	4.0	2.0				0.5				1.0	2.0	0.5	1.0	1.0	2.0	3.0	3.0		5.0					3.0		6.0
	SN ON GND		5	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
ISLAND PARK DAM	SNOWFALL	0.5	9.5	2.0	4.5	8.0					2.0	3.0		3.5		5.0	0.5		11.5	3.0		2.0	22.0				4.0	8.0	2.5	2.5	2.5	1.0
	SN ON GND	17	24	25	28	34	-	-	-	-	29	32	-	31	-	33	33	-	39	40	-	38	55	-	-	-	47	51	50	48	50	50
LEWISTON WATER PLANT	SNOWFALL													T							1.5	T					T	0.4	2.6	T		T
	SN ON GND																				2	1						T	3	2	2	3
LEWISTON WB AP	SNOWFALL						T							T		T	0.8		T	1.7	1.3	T					T	0.4	2.9		T	0.1
	SN ON GND													T	T		T	T		1	2	2					T	T	3	2	2	2
LOWMAN	SNOWFALL		4.0	5.0	4.5	2.0	T									T	2.5		15.0	2.0		1.7	5.4					10.0		1.6	3.6	
	SN ON GND		8	11	14	14	13	-	-	-	11	-	-	-	-	10	13	12	27	24	22	22	25	23	23	23	-	32	27	27	28	27
MACKAY RS	SNOWFALL	0.5	6.0		3.0	2.5							0.2	T			T		0.4	2.1			2.1	T			T	1.0	1.0	1.5	1.0	
	SN ON GND	3	8	8	11	12	12	11	11	11	10	10	10	10	9	8	8	7	7	[illegible]	-	-	10	9	8	8	8	9	9	10	10	10
MALAD CAA AP	SNOWFALL		0.6	2.2	0.9	2.0	0.3					T	0.1	0.3			0.3		8.1	T	0.5	0.5	3.8	1.5	0.4				T	2.2	3.7	T
	SN ON GND		T	T	3	5	5	5	5	5	4	4	4	4	4	4	4	3	9	11	11	11	12	13	14	14	14	12	10	12	11	15
MAY RANGER STATION	SNOWFALL		0.2		0.3									T			0.3			0.5		0.1	5.0					0.5			0.4	
	SN ON GND		T		T									T			T			T	T	T	4	4	3	3	3	3	3	2	2	2
MC CALL	SNOWFALL	4.0	7.0	10.0	8.0											7.0			14.0			-	6.0					10.0	6.0	6.0	3.0	4.0
	SN ON GND	8	12	18	24	24	22	20	20	18	18	18	18	18	18	20	20	20	31	31	31	31	32	30	30	30	30	35	40	41	41	41
MESA	SNOWFALL			-	T						T								4.2		T	1.5	-	-				2.0	6.0			3.0
	SN ON GND			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	17	21	15	15	16
MULLAN PASS CAA	SNOWFALL	4.1	0.5	3.3	5.9	7.3	0.9	0.3		0.2	0.4	0.1	0.6	T	1.0	2.9	2.4	1.5	8.4	0.8	0.5	7.6	5.3		0.1		1.3	1.8	2.3	12.9	1.7	0.6
	SN ON GND	49	49	49	56	61	63	63	63	63	63	63	61	62	63	64	67	68	77	78	78	80	86	86	86	86	86	88	90	101	103	104
OAKLEY	SNOWFALL		1.0	0.5	0.5												1.0		3.0	2.0			1.0	3.0	5.5					1.0	3.5	0.5
	SN ON GND		1	1	1	1	1	1	1	1	T	T	T	T			1	T	2	2	2	2	2	3	7	6	5	3	1	1	4	4
OBSIDIAN 4 NNE	SNOWFALL	4.0	4.0	T	2.0	T	T									1.0	1.0		3.0		T	T	2.0		T		1.0	3.0	6.0	T	T	T
	SN ON GND	17	21	19	21	21	21	21	21	21	21	21	21	20	20	21	22	22	25	24	24	24	26	26	26	26	27	30	36	35	35	35
PAYETTE	SNOWFALL			T	T							0.3	T				T		T			T	T	T			3.5	0.5				
	SN ON GND			T								T	T	T	T	T	T	T	T			T		T	T	T	4	4	3	2	1	1
PIERCE RANGER STATION	SNOWFALL		3.0	4.0	1.0	3.0	3.0	-	-			-				-	7.0	1.0	6.0	9.0	3.0	2.0	6.0	3.0				1.0	4.0	-	6.0	
	SN ON GND		10	14	15	18	21	21	20	20	20	18	17	16	15	15	22	23	29	38	41	43	49	49	46	44	43	44	48	45	51	51
PINE 2 SSW	SNOWFALL		T	4.0	4.0	1.5	1.0						T			T	3.2		16.4	2.0	0.5	1.0	8.0	2.0	0.8	T	5.7	13.0	1.0	0.5	3.7	0.5
	SN ON GND	7	7	11	15	16	16	15	15	15	15	15	15	14	14	14	16	16	30	30	28	27	31	32	32	31	35	44	42	40	42	41
POCATELLO WB AP	SNOWFALL		2.6	0.3	0.5		0.3		T			T	0.2	1.3	T	T	T	T	1.3	T	T	0.1	0.3	5.2	3.0		T		T	2.8	1.2	0.8
	SN ON GND		T	T	1	T	T	T	T	T	T	T	T	1	1	1	T	T	1	1	1	1	T	3	8	8	8	2	2	3	3	5
PORTHILL	SNOWFALL			T	1.0	2.0										3.0	0.5	0.5	14.0	1.0		4.0	2.0					2.0		2.0	0.5	
	SN ON GND			T	T	1	1	1	1	1	1	1	1	1	1	3	4	4	17	15	13	15	16	15	14	14	14	14	13	14	14	14
POTLATCH	SNOWFALL			T	1.0	2.0				T				T		T	0.3		8.0	2.5	3.5	11.0	2.0				1.0	2.5	3.5	3.5		1.0
	SN ON GND				1	2	1	1	1	1	1						T		6	8	11	22	20	20	20	20	21	22	25	27	25	26
PRIEST RIVER EXP STA	SNOWFALL			1.5	2.3	8.5	1.0			0.3		0.3	T			2.5	1.5	1.0	20.0	T	0.3	6.2	1.5			0.3		2.5		5.6	1.0	
	SN ON GND			2	2	9	10	9	9	9	7	7	6	6	5	9	9	10	29	27	25	29	27	27	26	25	25	27	26	28	29	27
RIGGINS RS	SNOWFALL		1.0														1.0														-	-
	SN ON GND		1														1														1	1
ROLAND W PORTAL	SNOWFALL	T	1.7	2.9	7.9	7.2	6.8	1.8			T	0.8	T	1.1	T	2.5	5.8	2.3	9.1	2.8	4.1	3.9	11.8	T			T	3.6	4.3	13.9	2.9	2.5
	SN ON GND	17	18	20	20	32	36	36	35	34	33	30	28	28	28	30	35	37	46	48	52	56	60	60	60	60	48	48	52	60	60	60
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND		T		T									T			T						2	-	-	-	-	2	4	4	4	-
SANDPOINT EXP STATION	SNOWFALL			T	0.5	4.5	T									3.3	2.0	1.5	12.8			7.5	2.0							4.0		
	SN ON GND					5	4	4	4	4	4	4	4	4	4	6	8	10	22	22	22	30	32	32	32	32	32	32	32	36	36	-
SPENCER RANGER STATION	SNOWFALL	3.0	7.0	3.0	4.0	4.0					2.0	T	0.5		T	T	0.5	T	3.0	4.0			5.0				3.0	2.0				
	SN ON GND	-	-	19	-	-	-	-	-	-	24	-	-	-	-	-	-	23	26	-	-	-	-	-	-	-	-	-	-	-	-	26
STIBNITE	SNOWFALL	1.0	10.0	6.0	2.4	8.2	3.1	0.5				1.7							9.2	12.0	1.6	1.5	10.5	T				5.5	5.0	4.0	10.5	1.0
	SN ON GND	10	18	22	20	26	25	24	23	22	22	23	22	22	21	-	-	-	26	33	33	34	38	37	36	36	35	38	40	42	46	47
SUN VALLEY	SNOWFALL	7.0	7.0	3.0	6.0	9.0	T						T	T					7.0	4.0		T	8.0	T	T		1.0	10.0	3.0	1.0		
	SN ON GND	18	22	23	26	30	30	30	30	30	30	30	30	30	30	30	30	29	31	34	34	30	37	37	35	35	35	40	42	43	43	43
SWAN FALLS PH	SNOWFALL																T						T	4.0	2.0						4.0	
	SN ON GND																T							3	5	5	5	2			3	3
THREE CREEK	SNOWFALL		3.0	T	1.0	2.0	2.0	T									2.0			5.0		T	3.0	3.0	8.0				3.0	4.0	1.0	
	SN ON GND		3	2	2	3	3	3	2	2	2	2	2	2	2	1	2	2	1	5	5	4	4	4	12	10	10	6	5	9	7	-
TWIN FALLS 2 NNE	SNOWFALL			T	0.6							T	T	T			0.4		2.0	0.5				2.8	6.7		0.5				2.5	
	SN ON GND			T	1	1	T	T	T	T	T	T	T	T	T	T	1	T	1	2	2	T		3	9	7	7	5	3	2	4	4
WALLACE	SNOWFALL	T	T	T	2.0	6.0	1.0			T	T		T	T		5.0	7.0	1.0	7.0	T	3.0	7.0	4.0		T	T	2.0	2.0	T	7.0	T	1.0
	SN ON GND	T	T		2	8	7	7	6	6	5	3	2	2	2	7	8	9	16	15	16	23	27	26	26	26	27	27	27	29	28	29

See reference notes following Station Index

Station	Temperature									Precipitation									
								No. of days						Snow, Sleet, Hail			No. of days		
	Average	Departure from normal	Highest	Date	Lowest	Date	Degree days	Max 90° or above	Min 32° or below	Total	Departure from normal	Greatest day	Date	Total	Max depth on ground at obsn.	Date	.01 or more	.50 or more	1.00 or more
NORTHERN DIVISION																			
JUNE 1951																			
BONNERS FERRY	59.7	0.1	86	15	33	1	160	0	0	1.38	- .22	.51	23		0		13	1	0
COTTONWOOD	55.2	- 2.3	82	30	28	2	286	0	2	3.47	.89	1.53	11	T	0		9	3	1
JULY 1951																			
GRANGEVILLE	68.0	0.3	97	17	39	6	53	10	0	1.32	.53	.56	4		0		5	1	0
PIERCE RS	66.0	0.5	100	17+	33	9	70	18	0	1.23	.38	.92	4	.0	0		4	1	0
AUGUST 1951																			
GRANGEVILLE	68.3M		96	2			24	6	0										
NEZPERCE	64.3	- 0.2	96	3	36	25+	78	4	0	.04	- .66	.03	29	.0	0		2	0	0
SEPTEMBER 1951																			
BUNGALOW RS	58.9M	- 1.0	91	6+			180	2											
SALMON	56.3	0.2	90	7	24	27	256	1	8	.03	- .78	.02	17		0		2	0	0
OCTOBER 1951																			
PIERCE RS	40.3M							0						T	T	21+			
DECEMBER 1951																			
GRANGEVILLE	24.7	- 6.2	48	1	3	26+	1247	0	31	1.58	- .10	.35	1		8	30+	11	0	0
SOUTHWESTERN DIVISION																			
JUNE 1951																			
EMMETT 2 E	60.6M	- 6.0			35	2+	144		0	.84	- .10	.54	5	T	0		2	1	0
MC CALL	52.0	- 2.1	78	15	28	3	390	0	1	2.47	.65	.62	6	.0	0		8	2	0
NAMPA	65.7M	1.5	95	16	32	1	84	8	1	.45	- .36	.25	5	.0	0		2	0	0
NEW MEADOWS RS	54.5M	- 0.5	85	15			321	0		2.25	- .57	.92	7	.0	0		10		0
JULY 1951																			
OLA	69.2M		108	17	34	8	31	19	0	.14	- .25	.14	4	.0	0		1	0	0
SEPTEMBER 1951																			
MC CALL	53.3	1.5	80	16	27	27	352	0	10	.48	- .62	.35	30	.0	0		2	0	0
OCTOBER 1951																			
WEISER	49.2	- 3.2	80	[illegible]	23	30+	484	0	12	1.87	1.02	.51	1	.0	0		11	1	0
SOUTHEASTERN DIVISION																			
JULY 1951																			
MACKAY RS	65.4	- 2.2	93	18	39	10+	49	4	0	2.31	1.46	.85	10	.0	0		7	2	0
DECEMBER 1951																			
CONDA	18.5		46	1	-22	8		0	31	3.06	1.27	.80	23	68.5			16	2	0

Table 3

DAILY PRECIPITATION

Station	Day of month																															Total
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NOVEMBER 1951																																
DECEPTION CREEK	.46	.02	.09	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-	-	-	-	-	-		-
[illegible]																																
BOGUS BASIN	-	-		.02		.06	.10	.01			[illegible]	[illegible]	[illegible]		-	-		-	-	-		-	-	-	-	-	-	-	-	-	-	-
[illegible]							-	.56			[illegible]	.19															.20	.04		*	.55	-
JUNE 1951																																
BONNERS FERRY				.07	.15	[illegible]	.06			.05	.06	.11	.04				T			.03	.03		.51	.23	.02					T		1.38
COTTONWOOD				.09	.66	.59	.16				1.5[illegible]	.13										.10		.17	.04							3.47
EMMETT 2 E					[illegible]	[illegible]	T																									.84
MC CALL					.59	.62	[illegible]	.49				.16	.11									.21		.02								2.47
NAMPA				T	[illegible]	.20																										.45
NEW MEADOWS RS		*	*	*	.65	.19	[illegible]					.32	.01									.03		.13								2.25
JULY 1951																																
GRANGEVILLE	T		[illegible]	.56	.15				T						T									.25							.02	1.32
MACKAY RS										[illegible]	.12						.02										.31	.38	.60	.03		2.31
[illegible]				[illegible]						T																						.14
OLA				.10																												.10
PIERCE RS				[illegible]	.14																				.06						.11	1.23
AUGUST 1951																																
[illegible]			.64																				.14	[illegible]				1.10	.03	-	-	-
GRANGEVILLE	T									T												.03	.09				-	-	-	-	-	-
NEZPERCE																												.01	.03			.04
SEPTEMBER 1951																																
BIG CREEK 1 S										.06												.17								.05		.28
BUNGALOW RS								.05		.01	[illegible]						T								.90	.29	-	-	-	-		-
[illegible]	-		-	-					-	-															.12					.24		-
MC CALL																									.13					.35		.48
SALMON																	.02									.01						.03
SUN VALLEY						.01																										.01
OCTOBER 1951																																
PIERCE RS	.55	.95	.61	.20		T	T			-	-	-	-	-	[illegible]	.22		.13	*	.95	T	2.00	.43	.68					.87			-
WEISER	.51	.30	[illegible]							T	.27	[illegible]			[illegible]			.03		.02		.03	.20	.05								1.87
DECEMBER 1951																																
CONDA		[illegible]	[illegible]	.11	.15	.07	.06						.05			.11	.05		.10	.04	.20	.10	.80						.16		.52	3.06
GRANGEVILLE	[illegible]	.21	T	T	T	T							T		T	T		[illegible]	.07	.09	T	.02				.01	T	.28	.33	.06	.09	1.58

See reference notes following Station Index.

HOURLY PRECIPITATION

Station		A. M. Hour ending												P. M. Hour ending												Total
		1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
BANCROFT																										
AUGUST 1951	3RD		.02	.01	.01	.01					.04		.41	.12	.02											.64
	23RD																							.14		.14
	24TH	.06	.01	.01																	.01	.03				.12
	28TH		.01	.01	.01	.12	.15	.20	.09	.03			.05	.03	.02	.13	.13	.09	.01	.02						1.10
	29TH																	.03								.03
	30TH													-	-	-	-	-	-	-	-	-	-	-	-	-
BENTON DAM																										
JULY 1951	1ST	.03		.08	.01																					.12
	3RD																			.01			.01	.01		.03
	4TH		.15	.03	.08	.04	.06	.06	.06	.02	.01															.51
	5TH													.01	.01	.01	.09	.05			.01					.18
	6TH												.02		.01											.03
	9TH																.14	.03								.17
BIG CREEK 1 S																										
JULY 1951	27TH	-	-	-	-	-	-	-	-	-	-	-	-	-												-
	28TH												.05	.02				.44	.13	.16						.80
SEPTEMBER	10TH																			.01	.02	.03				.06
	22ND								.01					.01	.01	.03	.02	.04	.04	.01						.17
	30TH				.01		.01			.01		.01						.01								.05
BOGUS BASIN																										
MAY 1951	2ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4TH																			.02						.02
	6TH																						.02	.03	.01	.06
	7TH				.01							.06	.02	.01												.10
	8TH				.01																					.01
	11TH									.03	.04			.01	.02	.06	.06	.10	.07		.11	.01				.51
	12TH										.01			.02	.02		.01	.22	.69	.10	.02					1.09
	13TH									.05	.02		.01													.08
	15TH																		-	-	-		-	-	-	-
CLEMENTSVILLE 4 SE																										
MAY 1951	6TH													-	-	-	-	-	-	-	-	-	-	-	-	-
	7TH	-	-	-	-	-	-	-	-	-	-	-	-													-
	8TH						.05	.07	.01	.07	.02	.04	.03	.02	.01		.24									.56
	11TH																			.06		.06	.03			.15
	12TH	.05	.02	.01	.01	.01			.03	.01	.01	.02	.01	.01												.19
	27TH																				.04	*	.05	.11		.20
	28TH	.02	.02																							.04
	30TH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	31ST	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.55									.55
CRAIGMONT																										
SEPTEMBER 1951	4TH	-	-	-	-	-	-	-	-																	-
	9TH																			-	-	-	-	-	-	-
	10TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							-
	25TH		.01			.01	.02				.01	.01		.01	.01	.04										.12
	30TH							.01	.01	.01	.02	.02	.01	.03	.02	.04	.01	.01	.01	.02	.02					.24
DECEPTION CREEK																										
NOVEMBER 1950	1ST					.01	.02	.06	.05	.05	.02	.04	*	.14	.01	.02	.01	.02	.01							.46
	2ND																							.01	.01	.02
	3RD		.01	.01		.01	.01	.01	.02		.01		.01													.09
	4TH									-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OLA																										
JULY 1951	4TH								.05	.04	.01															.10
SUN VALLEY																										
SEPTEMBER 1951	6TH																		.01							.01

PRECIPITATION MEASURED IN STORAGE GAGES

Station	Obser-vation date	Amount since last obs.	Snow on ground
DEADWOOD SUMMIT //	1950		
	SEP. 16	.00	
	OCT. 18	10.15	
	1951		
	OCT. 10	76.30	
TOTAL	. . . . .	86.45	
GILMORE SUMMIT //	1950		
	SEP. 6	.00	
	1951		
	OCT. 4	21.49	
TOTAL	. . . . .	21.49	

Station	Obser-vation date	Amount since last obs.	Snow on ground
IDA VADA //	1950		
	SEP. 12		
	OCT. 30	.00	
	DEC. 2	1.73	
	1951		
	JAN. [illegible]	1.16	
	FEB. [illegible]	1.16	
	MAR. 3	1.16	
	APR. 9	.57	
	JUNE 2	2.87	
	30	.57	
	JULY 31	.00	
	SEP. 1	2.29	
	OCT. 2	1.16	
	DEC. 11	1.16	
TOTAL. . . .	. . . . .	13.83	

Station	Obser-vation date	Amount since last obs.	Snow on ground
LOLO PASS //	1950		
	SEP. 7	.00	
	1951		
	OCT. 2	58.74	
TOTAL	. . . . .	58.74	
NEZPERCE PASS //	1950		
	SEP. 7		
	OCT. 24	3.93	
	1951		
	MAY 4	23.11	
	SEP. 16	6.93	
	OCT. 3	.00	
TOTAL	. . . . .	33.97	

See reference notes following Station Index

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
JUNE 1951																																	
BONNERS FERRY	MAX	77	75	63	66	54	58	69	67	78	81	76	71	75	85	86	80	81	75	73	71	74	80	71	68	76	80	80	82	83	73		74.
	MIN	33	38	46	41	44	41	44	45	43	44	52	55	52	49	55	42	48	47	46	39	38	42	51	47	43	51	41	39	42	55		45.
COTTONWOOD	MAX	59	64	61	55	52	50	52	61	71	72	72	58	72	76	76	75	72	69	70	70	68	68	77	70	70	76	72	73	75	82		67.
	MIN	32	28	38	48	41	36	38	40	38	45	49	46	48	50	48	45	43	38	48	41	41	44	41	41	48	43	46	44	43	43		42.
EMMETT 2 E	MAX	68	69	72	74	63	60	65	72	78	84	83	76	79	87	91			83	84	82	80	78		79	80	87						77.
	MIN	38	35	35	48	45	45	37	37	40	43	51	57	45	46	50			43	41	48	42	51		49	42	43						44.
MC CALL	MAX	50	56	56	54	52	46	46	60	66	70	68	62	68	74	78	76	72	70	70	70	66	64	68	68	66	70	70	68	70	74		64.
	MIN	36	36	28	42	38	36	38	34	34	36	46	48	42	44	44	42	40	40	38	42	38	42	38	42	34	38	40	38	42	36		39.
NAMPA	MAX	69	69	74	69	69	71		69	81	85	86	90	82	90	89	95	94	87	86	87	86			87	85	90	91	90	87	90		83.
	MIN	32	37	37	34	46	45		39	50	41	51	59	50	53	56	56	62	49	48	50	56			46	43	45	50	51	54	58		48.
NEW MEADOWS RS	MAX	57					55	54	65	73	77	75	59	75	80	85	83	77	76	77	76	70	69	74	70	73	77	77	75	74	81		72.
	MIN	32					46	36	37	31	32	43	49	44	39	41	35	36	35	31	33	30	37	32	36						29		36.
JULY 1951																																	
GRANGEVILLE	MAX	81	80	86	64	68	69	72	78	76	70	78	86	96	87	88	90	97	89	83	78	81	86	94	95	87	93	94	96	89	94	91	84.
	MIN	49	49	50	50	47	39	46	43	50	47	41	50	57	56	55	57	56	61	54	47	45	49	54	59	56	53	60	57	55	53	54	51.
MC KAY RS	MAX	82	77	85	79	81	80	80	80	78	76	68	76	88	88	90	92	88	93	91	84	83	82	89	87	87	88	88	76	76	80	85	83.
	MIN	42	46	45	50	41	40	44	42	46	39	44	39	45	46	50	53	56	54	59	52	49	49	47	49	51	50	49	52	54	51	45	47.
OLA	MAX	87	85	94	84	84	80	82	85	84	76	84	89	98	93	98	99	108	101	97	90	89	98	103	100	96	103	98	97	95	96	96	92.
	MIN	42	44	44	43	42	37	36	34	46	45	44	36	40	44	47	52	48	42	55	53	43	41	41	51	54	65	60	54				45.
PIERCE RS	MAX	83	82	90	90	69	70	69	74	76	76	81	90	95	94	90	91	100	100	89	80	80	86	95	97	95	97	98	94	92	92	94	87.
	MIN	45	44	42	50	45	40	43	38	33	49	37	39	45	47	47	48	49	50	47	39	37	40	43	56	55	41	49	46	50	42	46	44.
AUGUST 1951																																	
GRANGEVILLE	MAX	91	96	94	86	88	86	83	82	86	91	81	79	77	81	87	89	88	90	89	89	93	82	72	74	80	78						85.
	MIN	56	54	60	60	59	52	50	54	52	51	54	44	47	46	50	53	50	50	53	48	55	55	51	43	42	49						51.
NEZPERCE	MAX	95	91	96	86	87	84	84	84	83	87	89	79	75	75	82	87	85	88	88	87	89	94	76	75	74	61	83	78	72	76	70	82.
	MIN	50	48	54	56	51	45	41	47	47	46	50	41	43	42	45	48	46	44	49	43	44	46	39	40	36	48	55	44	42	58	36	45.
SEPTEMBER 1951																																	
BUNGALOW RS	MAX	78	78	83	84	84	91	91	80	84	82	64	75	80	85		86	82	86		78	[illegible]	68	72		74	64						79.
	MIN	40	43	39	38	40	41	37	31	41	39	41	40	37	39		41	52	37		52	[illegible]	30	34		38	30						38.
MC CALL	MAX	66	68	70	72	76	78	76	72	76	74	60	64	72	76	78	80	78	76	74	72	60	66	64	68	66	60	70	68	62	58		70.
	MIN	32	34	40	36	40	42	42	40	32	38	42	28	30	34	34	36	46	40	38	46	28	32	30	34	42	30	27	32	42	48		36.
SALMON	MAX	77	76	77	81	85	84	90	79	79	80	59	70	80	86	82	84	74	[illegible]	87	62	65	70	72	87	67	70	74	75	72	68		76.
	MIN	38	36	37	33	39	47	40	45	33	34	36	29	29	32	35	34	44	41	36	42	27	43	31	31	43	35	24	28	42	43		36.
OCTOBER 1951																																	
PIERCE RS	MAX	57	55	50	47	52	57	70	76	77	82						47	45	49		47	40	37	37	38	48	44	35	50	51	47	41	51.
	MIN			44	41	39	31	36	33	31							28	31	31		35	30	25	31	29	23	24	23	23	22	19	16	29.
WEISER	MAX	68	68	66	62	68	68	74	78	80	77	68	66	66	66	58	58	58	51	58	59	55	58	53	56	64	59	63	60	63	54	48	62.
	MIN	53	50	44	39	32	34	34	35	38	38	43	45	38	43	35	29	30	31	35	36	[illegible]	38	43	36	30	26	27	26	30	23	23	35.
DECEMBER 1951																																	
CONDA	MAX	46	42	40	29	30	25	21	17	1	17	22	30	28	19	24	28	29	29	28	16	18	7	31	31	30	30	35	43	35	33	34	27.
	MIN	28	17	10	19	17	13	5	-22	-21	-18	14	19	17	-15	- 6	22	11	13	15	6	9	17	- 2	8	-12	- 7	22	31	28	27	10	9.
GRANGEVILLE	MAX	48	37	41	41	36	31	28	26	24	30	38	31	30	27	38	36	36	41	29	30	33	35	22	18	21	25	35	38	40	32	21	32.
	MIN	30	25	25	26	25	17	10	8	6	18	22	19	18	13	22	27	28	25	19	15	20	[illegible]	5	4	5	3	16	20	22	12	3	17.

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	[illegible]	2 3 5
ALPHA 1 SE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 SW	0227	POWER	12	42 46	112 52	4316	5P	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 23	3882	6P	6P	U S BUR RECLAMATION	2 3 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL [illegible]	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0495	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP J PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH L CRUMP	
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 7
BLACKFOOT DAM	0930	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F J KUHN	
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 5
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLLIE E NEIMAYER	2 3 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN [illegible]	
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3
BURKE [illegible] NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2370	SS	SS	[illegible]	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J J LORTON	2 3
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	[illegible]	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	
CENTERVILLE ARBAUGH RCH	[illegible]	BOISE	2	43 58	115 51	4780		4P	MABEL W ARBAUGH	7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY E RALPH	2 3 5
CLARKIA RANGER STATION	[illegible]	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	TETONIA EXP STATION	
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2151	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M L KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2930	5P	5P	DAN GOODMAN	2 3 5
CRAIGMONT	2216	LEWIS	3	46 14	116 28	2950		MID	LEWIS E PHILLIPS	
CROUCH [illegible] NNW	2279	BOISE	8	44 08	115 58	3100		6P	LARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	8
[illegible] CREEK	2422	KOOTENAY	5	47 44	116 29	3000		MID	U S FOREST SERVICE	
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DOLLARHIDE SUMMIT	[illegible]	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
EDEN [illegible] PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
ELK CITY	[illegible]	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA E VILAS	2 3 5
EMMETT [illegible]	[illegible]	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3168	CAMAS	12	43 21	114 48	5065	6P	6P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGCY	[illegible]	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	[illegible]	LEMHI	11	44 19	113 31	6600		VAR	STAN L SWANGER	
GLENNS FERRY	[illegible]	ELMORE	12	42 57	115 19	2569	7P	7P	E O STONE	2 3 5 7
GOODING CAA AP	[illegible]	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	[illegible]	CARIBOU	12	42 35	111 44	5400	5S	5S	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3309	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRA[illegible]	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D [illegible]	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 11 SW	4450	BOISE	2	43 42	116 01	5000		6P	C W GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 03	115 09	6000		VAR	CHRIS CALLEN	
IRWIN [illegible]	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	8
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH [illegible] N	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	[illegible]	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 10	115 32	6650		VAR	U S FOREST SERVICE	8
LEADORE	5160	LEMHI	11	44 41	113 22	6100		MID	[illegible]	
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	—		7A	JACK MCKAY	3
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	[illegible]	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	[illegible]	2 3 5 6
[illegible]	[illegible]	IDAHO	3	46 38	114 43	3700		VAR	U S FOREST SERVICE	
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 37	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4470	7P	7P	J L CROWTHER	2 3
MALAD CAA AP	[illegible]	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5060	6P	6P	U S FOREST SERVICE	2 3
MCCALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	[illegible]	2 3
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	[illegible]	2 3
MESA	5860	ADAMS	8	44 37	116 26	3244	8P	8P	MESA CO	2 3 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5941	8A	8A	U S FOREST SERVICE	2 3
MOORES CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5996		MID	U S SOIL CON SER	
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 [illegible]	2400		MID	U S FOREST SERVICE	
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 7
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE J [illegible]	2 3 5
MULLAN PASS CAA	6217	SHOSHONE	4	47 27	115 4[illegible]	6022	MID	MID	U S CIVIL AERO ADM	2 3
NAMPA	[illegible]	CANYON	2	43 3[illegible]	116 34	2482	5P		C W NELSON	
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	7P	7P	WAYNE [illegible]	
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	
OAKLEY	[illegible]	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3
OBSIDIAN 4 NNE	[illegible]	[illegible]	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3
OLA	6586	GEM	8	44 10	116 17	3077			[illegible]	CLOSED 7/30
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6811	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	8A	8A	U S FOREST SERVICE	
PINE 2 SSW	[illegible]	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	[illegible]	2 3 5
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	[illegible] FOREST INC	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	[illegible]	
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	[illegible]	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3
[illegible] CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	[illegible]	
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	8
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	8A	8A	U S FOREST SERVICE	2 3
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	[illegible]	2 3
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	[illegible]	2 3 5
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3
SAINT MARIES	[illegible]	BENEWAH	10	47 19	116 34	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB AIRWAY OBS	2 3
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	7355		VAR	U S FOREST SERVICE	
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	F [illegible] SHELAN	2 3
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM [illegible] ROBERTS JR	
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD [illegible]	2 3 5 7
SWAN FALLS POWER HOUSE	8938	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	I F TANNER	2 3 5 7
TRINITY LAKE GUARD STA	[illegible]	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3
VIENNA	[illegible]	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	8
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W [illegible] JR	2 3 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	[illegible]	2 3
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	8
NEW STATIONS										
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A [illegible]	2 3
NEZPERCE 2 E	[illegible]	LEWIS	3	46 15	116 12	1850	6P	6P	JOHN KOEPL	3 7

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

STATIONS NOT FOLLOWED BY A TABLE NUMBER REFERENCE IN THE STATION INDEX ARE NOT PUBLISHED IN CLIMATOLOGICAL DATA BEGINNING WITH OCTOBER 1951 RECORDS.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

CORRECTED DATA

ANNUAL INDEX 1947 through 1950	Length of record data for Centerville Arbaugh Ranch, Crouch, Idaho City 13 SW, Ola, Shoshone, Sun Valley, Swan Falls, Three Creek, Twin Falls 2 NNE, Twin Falls 3 SE are in error. See 1951 Annual Index for corrected data.
APRIL 1951	Swan Falls PH, min temperature on 29th should be 40 and 30th, 41. Mean min should be 41.4, monthly mean 56.4, departure 2.4 and total degree days 281.
AUGUST 1951	Ola, record for this station should be under the name of Ola 4 S.
SEPTEMBER 1951	Nezperce, record for the last fifteen days of the month should be under the name of Nezperce 2 E. Delete all summary data.

GPO 86-102096 1000 2-

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

AGRICULTURAL [illegible] [illegible]
CLEMSON COLLEGE LIBRARY

CLIMATOLOGICAL DATA

IDAHO

ANNUAL SUMMARY 1951
Volume LIV No. 13

SAN FRANCISCO: 1952

IDAHO - ANNUAL - 1951

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Dominant features of the year's weather in Idaho were the cold weather of March and June, the dry weather during much of April, the unusually heavy August rains, particularly in the Southeastern Division, and the generally wet, cold weather of the last three months. Annual precipitation totals were above the long-period mean at a majority of reporting stations, largely because of the heavy precipitation in October and December, but one well-defined area of deficiency included the Clearwater Basin. In the higher elevations of Eastern Idaho annual totals exceeded the mean by moderate amounts, and the same was true of the Panhandle area, but the most notable excesses appeared in the mountainous areas of the Southwestern Division. All but a few scattered stations showed average annual temperatures below the long-period mean, and the records reveal only one month, February, in which all division averages were definitely above the mean. The winter months of 1951 brought no prolonged periods of extremely cold weather, such as were experienced in January 1950, and to an even greater degree in January 1949. On the other hand, the low average temperatures of October, November and December 1951 contrasted sharply with the mild weather of those months in 1950. Irrigation water supplies were generally ample at the beginning of the season with all reservoirs filled to capacity.

The principal adverse effect of the weather on the agricultural economy of Idaho may be summarized as follows: Damage to soft fruits due to freezes in April, resulting in about 30 percent reduction in yield; some damage to fall-sown grains because of lack of protective snow cover during part of January and February, which combined with frosts early in June to reduce wheat yields; the hot spell in the latter half of July which resulted in a rough potato crop with quality lower than in many years; hail damage to crops totalling $200,000 in August; and the adverse weather of autumn which resulted in loss of some alfalfa and clover seed and about 90,000 tons of sugar beets. Favorable effects of the weather were: The warm dry spell in April, following a cool wet March, which greatly aided soil preparation and planting; the general absence of long hot, dry spells during the summer with the result that forest fires in southern Idaho were neither as extensive nor as numerous as in many past years; the dry weather of September which permitted almost uninterrupted harvest operations; and the heavy snows of December which, following above-normal precipitation for the two preceding months, provided a good start toward adequate water supplies for the next season.

Only one fatality was reported as directly attributable to weather; a man was killed by a falling tree when strong winds felled numerous trees in the vicinity of Coeur d'Alene on January 15th.

SYNOPSIS BY MONTHS

JANUARY: Fairly typical January in Idaho with temperatures averaging close to normal in all divisions, although individual station averages varied from nearly 5° below to 5° above the mean. Precipitation was slightly above the January mean in all divisions and snowfall was nearly 140% of the mean. Weather was generally favorable for livestock and agriculture, although alternate freezing and thawing did some damage to fall-sown grains on lands that remained bare.

FEBRUARY: Relatively mild with precipitation above and snowfall slightly below the mean. Sunshine somewhat deficient in Southwestern and Northern Divisions. Alternate freezing and thawing early in month caused slight damage to winter wheat. Early lambing began with generally favorable weather. Livestock was moved to lower ranges and pastures, toward close of month.

MARCH: An unusually cool March, averaging more than 4° below the mean for the State. Precipitation much lighter than in March 1950, and 83% of the March mean. Snowfall nearly double the mean and heavier than in any March since 1917. Cold wet weather delayed spring plowing, retarded the growth of fall-sown grains an delayed sheep shearing. Pastures and ranges were slo in starting growth.

APRIL: A drought of more than three weeks duratio resulted in a new low for April precipitation in th Northern Division, but rains late in the month brough the totals reasonably close to the mean for the Southwestern and Southeastern Divisions. Temperatures averaged a little above the April mean and sunshine wa unusually abundant. Snowfall was very light. Th weather was very favorable for farming activities an much soil preparation and planting were accomplished Some fruits were damaged in the hard freeze at the en of the third week.

MAY: Temperatures averaged near the mean and precipitation somewhat below. Farm activities progresse about as usual for the season and showers were frequent enough to be beneficial to pastures, ranges, an dry farms. Freezing temperatures late in month nippe some crops, including fruits, and killed tender vegetables in some localities.

JUNE: A dry month with only 69% of mean rainfal and cooler than usual. Most of the rain fell durin the first two weeks. During the latter half of th month warmer weather and abundant sunshine brough rapid plant growth, with crops about up to normal a close. Frost did considerable damage in Magic Valle on the 7th and scattered damage elsewhere.

JULY: Fairly typical July with temperatures averaging near the mean, but with rainfall the heavies in ten years in the Southeastern Division. Hot, dr weather of the latter half of the month caused rapi ripening of grain, and drying of pastures in some sections, but in general the month was favorable for cr growth and for farm activities, although potatoes we adversely affected.

AUGUST: Wet and cool with Northern and Southweste Divisions recording more rain than in any August sin 1941 while the Southeastern Division had the heavies August rains in more than 20 years. Despite high monthly totals, however, the Northern Division suffered drought through most of month, resulting in drying pastures and ranges, and general retardation of cr growth. Crop damage by rain and hail was high in central and eastern areas.

SEPTEMBER: A dry month with temperatures near normal. The weather favored harvesting, but drying t soil delayed soil preparation and fall seeding. Low ranges were below normal.

OCTOBER: A cool, wet month with statewide preci itation averaging higher than in any October since records were begun in 1893. The wet weather caused mu delay in harvesting of sugar beets and also in t preparation of soil and sowing of fall grains. Low ranges and pastures improved, but there was some lo of alfalfa and clover seed, beans and late hay. Su shine was noticeably deficient.

NOVEMBER: Temperatures averaged about 2° below t November mean; precipitation averages showed only sma negative departures. Snowfall was above the mea Favorable weather early in the month permitted harve operations to be brought near completion, includi sugar beet digging, apple picking and the threshing some clover. Fall-sown grains were generally in go condition.

DECEMBER: Among the coldest Decembers on reco in Idaho; nearly 10° colder than December 1950 a 3.7° below the 59-year mean. Precipitation was 16 above the mean with record average snowfall of 36 inc es. Cattle and sheep maintained good condition b heavy supplemental feeding was necessary. At the e of the year the mountain snowpack was unusually heav after three cold wet months.

DJS

Table I

AVERAGE TEMPERATURES AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure
ABERDEEN EXP STA	21.9	1.7	31.9	6.0	33.2	2.0	46.8	1.7	55.5	1.8	57.7	- 3.5	70.0	0.0	66.3	- 1.0	59.2	1.7	45.1	- 1.6	33.2M	- 0.8	21.4	- 2.9	45.2	0.1
ALBION	25.3	- 2.8	31.9	1.4	31.6	- 6.3	44.8	- 0.4	51.7	- 0.7	55.2	3.7	67.4	0.8	63.5	- 3.4	57.1	0.6	44.8	3.5	32.8	1.2	21.9	4.9	44.2	2.2
ALPHA 1 NE	18.1	- 0.3	24.9	2.0	25.0	- 5.0	39.8	0.7	47.8	0.1	49.9	- 4.6	60.4	- 1.2	57.7	- 1.4	49.8	- 1.1	40.7	- 2.7	28.1M	- 3.0	17.3	- 4.6	38.3	- 1.7
AMERICAN FALLS 1 NW	24.6	0.8	32.2	4.8	33.3	- 2.4	47.4	1.9	55.5	1.5	57.7	- 3.8	71.0	0.8	67.1	1.5	60.8	2.3	46.3	- 1.1	34.6	- 0.3	23.4	- 3.2	46.1	- 0.1
ANDERSON DAM	25.3		30.8		32.8		49.2		56.8		61.2		74.6M		71.1M		63.8		48.0		36.8M		25.3		48.0	
ARCO																	56.3	1.0	41.9	- 3.2	28.3	- 3.1	11.4	- 8.6		
ARROWROCK DAM	24.0	- 0.9	31.6	1.1	33.7	- 5.3	49.9	1.2	55.9	- 1.2	61.1	3.5	74.5M	0.0	71.2	- 1.4	62.3	0.1	47.5	3.4	35.5	1.9	25.7	- 1.9	47.8	1.3
ASHTON 1 S	15.2	- 3.0	22.3	0.6	22.8	- 5.7	40.6	- 0.4	50.1	- 0.1	51.1	- 6.3	62.5	- 2.3	59.1	4.1	52.2	- 2.2	40.2	- 4.2	27.5	- 4.3	17.8	2.3	38.4	1.0
ATLANTA 1 E	21.7	0.6	27.7	3.6	26.2	- 4.6	41.4	1.2	47.9	0.6	51.4	- 2.3	64.5	2.2	61.0	1.1	56.3	4.2	39.8	- 2.9	30.8	0.1	29.1	- 2.0	40.8	1.2
AVERY RS	27.5	0.2	32.2	0.7	35.6M	- 2.3	47.1	0.8	53.9	- 0.2	58.6	- 1.8	69.4	1.9	66.8	0.9	59.6M	1.1	46.8M	- 2.0	35.2M	- 0.9	26.0M	- 2.9	[illegible]	- 0.4
BAYVIEW MODEL BASIN	29.2		32.5		-		44.9		51.7		57.1		65.0		64.0		56.4		45.2		36.6		25.3			
BIG CREEK 1S															56.9	0.0	49.7		39.3		26.1		17.7			
BLACKFOOT	24.2	3.0	32.3	6.6	34.7	- 0.2	48.5	3.1	57.5	4.0	59.3	- 2.2	72.1	3.0	67.3	0.5	59.1	2.0	46.2	- 0.2	34.5	0.3	22.4	- 1.4	46.5	1.5
BLACKFOOT DAM	-				-				48.2	1.4	49.6	- 5.1	62.5M	0.5	59.1M	- 0.7										
BLISS	25.8	- 1.3	35.2	2.7	36.4M	- 3.5	50.7	1.9	57.4	- 0.1	62.3	- 2.9	75.5	2.1	71.6M	0.0	62.5	1.3	49.2	- 1.5	38.2	0.7	24.8	- 5.3	49.1	1.5
BOISE LUCKY PEAK DAM	-		37.5		39.9		53.6		59.3		63.4		77.3M		74.5M		66.1M		50.5M							
BOISE WB AP	29.1	1.2	36.9	3.3	37.1	- 4.3	50.7	1.6	56.8	0.7	62.3	2.2	75.7	3.2	72.2	1.2	63.6	2.4	49.2	0.9	38.7	1.0	27.5	- 2.8	50.0	0.2
BONNERS FERRY	26.1	2.7	29.9M	1.5	31.9	- 5.5	47.1	0.4	54.8	1.3	59.7	0.1	67.7	1.3	65.1M	0.8	56.6	- 0.2	44.5	- 1.6	34.3M	- 0.1	23.5M	- 4.2	45.1	0.3
BUHL	28.8	1.5	36.5	3.8	37.1	- 3.2	51.6M	3.0	58.3	2.1	62.4	- 1.5	75.0M	2.1	70.8	0.4	64.6M	3.8	49.9	- 0.8	39.4	0.5	28.3	- 1.3	50.2	0.8
BUNGALOW RS	-				-						58.6	- 3.8	70.6	- 0.1	67.3	- 1.3	58.9M	- 1.0								
BURKE 2 NNE	21.7	- 0.5	26.3	- 0.1	27.4	- 4.4	38.7	0.2	45.1	0.2	50.4	- 1.2	61.3	1.5	58.9	0.6	51.5	- 0.7	39.8	- 2.5	30.1	- 1.4	21.3	- 1.7	39.4	- 0.8
BURLEY	27.4	1.4	35.1	4.0	35.7	- 3.3	50.6	3.3	57.5	1.4	61.8	2.2	73.9	0.6	70.6	0.2	62.8	2.5	48.8	- 1.2	36.9	0.4	26.6	- 2.7	49.0	0.3
BURLEY FACTORY 1 NW	25.0	1.0	33.0	3.2	33.7M	- 4.5	47.6	0.4	55.0	0.2	58.6	- 3.6	71.0	- 0.4	66.9	- 1.8	58.4	0.1	44.5	- 4.6	34.5	- 1.2	24.2	- 3.9	46.0	1.3
BURLEY CAA AP	25.4	0.0	34.3	3.1	34.1	- 3.7	47.3	0.1	55.0	0.6	59.6	- 1.7	72.6	2.0	67.6	- 0.7	59.7	0.7	45.3	- 4.2	35.8	- 0.2	24.4	- 6.7	46.8	- 0.9
CALDWELL	30.5	2.2	37.1	2.4	39.5	- 3.3	52.6	1.7	58.0	0.1	63.0	- 2.2	73.5	0.0	70.0	- 0.3	61.1	0.1	48.6	- 3.5	37.0	- 1.8	30.1	- 0.3	50.1	- 0.4
CAMBRIDGE	27.2	5.1	28.6	1.3	34.7	- 3.3	52.3	3.1	56.2	- 0.5	56.6	- 8.1	74.7	0.7	70.2	- 1.7	57.8	- 2.9	48.1	- 1.4	35.3	- 1.6	26.0	- 0.0	47.3	- 0.8
CASCADE 1 NW	20.0		25.5		25.5		41.4		49.1		53.4		65.4		61.3		53.9		41.2		28.7		18.7		40.3	
CHALLIS	18.0	- 0.7	28.0	2.8	30.3	- 4.4	46.3	2.0	52.4	0.2	55.1M	- 4.3	66.9	- 0.3	62.6	- 2.6	56.6	0.5	44.1	- 2.0	31.5	- 0.6	21.3	0.7	42.8	- 0.7
CHILLY BARTON FLAT	9.8	- 4.9	16.6	- 1.9	20.3	- 8.4	39.5	- 0.5	47.1	- 1.3	49.3	- 5.1	58.4	- 3.1	54.6	- 5.3	49.0	- 1.8	36.7	- 5.3	24.6	- 2.8	12.8	- 7.5	34.9	- 4.0
CLARK FORK 1 ENE	27.2	1.2	31.1	0.6	32.9	- 4.6	44.7	- 2.2	52.2	- 2.0	56.1	- 2.7	63.8	- 0.6	61.8	- 1.5	54.1	- 0.7	43.6	- 2.6	35.9	0.1	25.2	- 4.1	44.1	- 1.5
COBALT BLACKBIRD MINE	16.9		23.6		23.4M		37.7M		44.2M		-		59.8M		54.2M		46.9		32.7		22.5					
COEUR D ALENE CAA AP	27.1		31.2		32.2		45.1		52.8		57.8M		68.1M		65.3		57.8		44.5		34.9		22.3		44.9	
COEUR D ALENE RS	29.6	2.8	32.5	2.4	33.5	- 4.8	47.3	0.3	55.1	0.1	59.1	- 2.1	68.8	0.4	67.9	0.5	59.4M	1.5	46.7M	- 1.4	36.4	- 0.2	25.9	- 4.9	46.8	- 0.5
CONDA	19.4		25.7	4.7	23.3	- 3.6	39.9	- 0.1	49.0	0.6	51.4	- 2.3	63.4	0.1	60.6	- 1.3	53.1	0.2	40.6	- 3.5	26.5	- 2.4	18.5		39.3	
COTTONWOOD	25.1	1.5	30.6	0.4	31.5	- 4.8	46.3	2.9	50.9	0.1	55.2	- 2.3	66.5	- 0.2	64.7	- 0.8	57.7	0.9	44.1	- 3.3	34.1	- 2.2	24.1	- 4.5	44.2	- 1.1
COUNCIL 1 N	25.3	1.6	31.3	2.0	33.4	- 3.7	50.3	2.7	55.6	- 0.2	60.2	- 3.0	72.8	0.4	69.9	- 0.5	61.4	1.2	48.8M	- 1.1	37.1	- 0.3	26.3	- 1.3	47.7	- 0.2
DEADWOOD DAM	16.9	1.2	24.0	2.7	23.8	- 3.4	37.8	1.0	45.2	- 0.3	48.4	- 3.7	60.6	- 0.2	57.8	- 0.7	49.8	- 0.8	38.5	3.8	26.3	1.5	16.7	- 2.8	37.2	- 1.0
DEER FLAT DAM	31.6	4.9	38.3	5.4	39.0	- 2.8	52.9	2.3	57.8	- 0.6	63.4	- 1.5	74.7	0.9	70.1	- 1.3	62.9	1.6	50.7	- 0.2	39.1	0.9	30.2	- 0.5	50.9	0.8
DRIGGS	16.1	- 0.4	23.8	4.3	25.1	- 1.5	40.6	2.6	49.0	2.3	50.7	- 3.6	64.3	1.9	60.6	0.3	52.4	0.8	41.7	- 0.5	27.9	- 1.3	16.6	- 2.8	39.0	0.1
DUBOIS EXP STA	16.1M	- 1.5	23.0	1.2	24.0	- 5.1	43.7	1.0	52.6	0.2	55.2	- 4.7	69.2	- 0.7	64.0	- 3.0	57.4	1.1	42.0	- 3.3	29.1	- 1.6	15.4	- 6.6	41.0	- 1.9
DUBOIS CAA AP	15.1	2.7	24.0	2.5	26.5	- 3.4	44.2	0.3	52.8	1.3	56.0	- 2.4	69.1	- 1.2	64.5	- 3.2	56.4	- 1.4	42.1	- 4.4	28.8	- 1.6	14.9	- 8.9	41.2	- 2.1
EDEN HUNT PROJECT	24.0		33.6		33.6M		47.8		55.6M		59.3M		73.1M		68.2		59.6		46.1		35.1		21.8M		46.5	
ELK CITY	20.1		27.2		28.7		40.8		49.1		50.5		61.2		57.7		51.2		43.0				20.2			
EMMETT 2 E	30.5M	1.4	37.0	1.5	39.2M	- 4.9	52.1	0.2	57.9	- 1.2	60.6M	- 6.0			70.2	- 2.4	62.2	- 1.1	49.2	- 3.5	38.4	- 1.9	30.4	- 1.2		
FAIRFIELD	14.0M		20.4M		22.6M				51.8		55.5		65.9M				56.2		42.0		26.1		14.1			
FENN RS	29.7M	0.2	34.4M	0.0	36.3	- 6.3	49.9	- 0.6	55.7	- 1.5	60.4M	- 3.2	72.3	0.7	70.6	0.3	61.8	0.7	47.1	- 4.1	36.7	- 2.3	29.1	- 2.5	48.6	- 1.6
FORT HALL IND AGENCY	24.0M	2.3	32.1M	4.7	33.1M	- 3.1	46.6M	1.0	55.3M	0.8	58.1M	3.8	70.0M	- 0.5	66.4	- 1.0	59.0M	1.2	46.4M	1.9	33.4M	1.3	22.6M	- 2.6	45.6	- 0.3
GARDEN VALLEY RS	25.7	1.9	32.4	3.4	33.6	- 2.9	48.7	2.3	54.9	0.2	58.8	- 2.6	73.1M	2.9	68.8M	0.8	61.5M	2.4	46.9M	- 1.7	33.8M	- 1.3	24.6	- 1.1	46.9	0.4
GLENNS FERRY	29.6	0.4	37.6	2.2	38.4	- 5.5	52.3	0.7	59.5	0.0	63.6	- 4.4	74.5M	- 3.0	69.0M	- 5.0	62.2	- 0.6	49.6	- 1.7	38.7	- 0.9	-			
GOODING CAA AP	23.1	- 0.6	32.4	2.9	33.8	- 4.5	49.8	2.4	56.2	0.8	61.6	- 1.8	75.5	3.3	71.1	1.8	62.7	2.8	47.4	- 1.7	36.6	0.4	22.8	- 4.1	47.8	0.2
GRACE PB	19.6	- 0.1	27.1	3.5	26.9	- 4.2	42.2	0.1	49.7	- 0.9	52.5	- 6.3	64.6	- 2.7	61.9	- 3.2	54.9	- 1.3	41.9	- 3.9	27.9	- 4.4	18.6	- 4.2	40.6	- 2.4
GRAND VIEW	30.2	1.2	38.1	2.8	41.0	2.4	55.1	2.8	61.2	1.4	66.8	0.7	78.9	3.6	74.2	1.8	64.5	3.0	51.0	0.5	39.2	- 0.5	29.3	- 1.5	52.5	1.0
GRANGEVILLE	27.0	- 1.6	31.3	- 0.2	31.9	- 5.5	46.4	1.5	51.3	- 0.6			68.0	0.3	68.3M				44.9	- 3.5	34.5	- 3.0	24.7	- 6.2		
GRAY	17.6	- 0.1	24.5M	2.2	23.5M	- 3.9	37.9M	0.0	48.9	0.7	50.9	- 3.7	64.4	1.3	59.2	- 1.9	53.0	0.5	41.7	- 1.6	28.3	- 1.6	19.3	- 2.6	39.1	- 0.9
GROUSE	10.8		18.5		21.4		40.2		46.3		48.7		59.1		56.9		49.8		37.5		24.0		9.7		35.3	
HAILEY	18.5	1.0	25.8	2.2	26.8	- 4.4	45.5	2.6	52.8	0.8	55.7	- 3.3	68.5	0.6	64.3	- 2.0	57.9	1.3	43.4	- 3.4	29.6	- 3.8	14.9	- 7.4	42.0	- 1.5
HAMER 4 NW	17.3	4.7	24.8	6.5	28.3	1.2	44.8	2.1	53.4	0.7	56.5	3.3	68.8	0.9	64.1M	- 0.7	55.7	0.6	42.1M	2.8	28.6	1.7	14.3	- 5.2	41.6	0.1
HAZELTON	25.9	- 0.3	34.7	3.4	35.3	- 4.1	48.7	0.9	56.3	- 0.8	60.5	- 5.1	72.6	- 2.6	68.3	- 3.2	61.0	0.0	47.0	- 3.8	36.6	- 1.3	25.1	- 4.0	47.7	- 1.7
HILL CITY	14.3	- 1.0	21.8	2.2	23.3	- 3.8	42.4	2.2	50.7	0.8	53.4	- 2.4	65.7	- 0.1	62.2	0.9	54.8	0.9	41.3	- 2.9	26.5	- 3.7	15.5	- 4.7	39.3	- 1.0
HOLLISTER	27.3M	0.8	33.7M	2.6	32.8M	- 4.7	48.1M	2.4	53.6M	- 0.1	58.2	- 3.6	72.4M	1.1	66.7M	- 2.5			45.3	- 3.8	35.8	- 1.7	26.4	- 2.6		
IDAHO CITY	21.7	- 2.6	29.4	0.6	29.2	- 6.0	45.1	0.9	51.3	- 1.6	54.8	- 4.4	66.3	- 1.0	63.1	- 2.7	55.9	- 1.0	44.3	- 3.8	33.4	- 2.1	22.0	- 4.2	43.0	- 2.4
IDAHO FALLS CAA AP	18.9	- 0.4	28.6	4.5	30.2	- 3.4	45.3	0.4	54.4	1.2	56.7	- 3.8	69.1	0.3	64.8	- 1.8	56.9	0.1	43.5	- 3.6	31.8	1.7	18.7	- 4.5	43.2	- 1.1
IRWIN 2 S	21.5	2.2	28.9	6.4	28.3	- 2.3	44.5	4.0	52.0	2.5	54.1	- 2.8	66.5	1.8	63.1	0.5	55.6	2.0	44.0	- 0.1	29.7	- 1.8	21.7	0.9	42.5	1.1
ISLAND PARK DAM	12.6	- 0.2	18.7	1.9	18.9	- 4.9	35.7	- 0.8	46.5	0.1	47.7	- 4.9	59.8	- 1.4	56.4	- 3.2	49.4	- 2.0	36.8	- 5.9	23.7	- 3.0	11.9	- 7.6	34.8	- 2.7
JEROME	24.9	- 1.6	32.9	1.3	34.2	- 4.8	49.7	1.1	55.8	- 1.6	62.0	- 2.8	75.2	0.8	69.7	- 1.9	61.8	0.3	48.0	- 3.2	37.2	- 1.0	25.2	- 4.6	48.1	- 1.5
KELLOGG	28.5	1.6	32.8	1.6	34.5	- 4.2	47.5	1.1	54.1M	0.5	59.1	- 1.2	69.3	1.9	67.2	- 2.0	58.6	1.5	46.8	- 1.0	36.4	0.1	26.2	- 3.0	46.8	0.1
KOOSKIA	32.4	3.2	36.3	1.4	39.3	- 3.5	51.7	1.1	58.7	1.1	62.5	2.0	73.3	1.0	70.4	0.1	63.4	2.2	50.0	1.3	38.4	0.8	31.0	- 0.8	50.6	0.1
KUNA 2 NNE	29.8	1.5	37.0	3.2	38.0	- 3.9	50.1M	0.8	56.1	- 0.6	60.0	- 4.4	71.1	- 2.1	67.7M	- 3.3	59.6	- 1.9	48.6	- 2.9	38.3M	- 1.0	28.5M	- 1.8	48.7	- 1.4
LEWISTON WATER PLANT	35.4	2.2	38.9	1.6	42.3	- 3.2	53.2	0.2	60.7	0.7	65.1	- 2.2	75.6	- 0.5	72.6	- 1.5	65.6M	1.5	52.0	- 1.2	41.4	- 0.3	33.0	- 2.3	53.0	- 0.4
LEWISTON WB AP	33.2		37.2		39.7		51.8		57.8		63.1		74.3		71.3		63.6		49.5		39.3		29.8		50.9	
LIFTON PUMPING STA	18.9	1.1	25.1	4.6	24.1	- 3.3	43.1	3.0	51.7	0.3	55.8	- 3.5	67.6	0.2	63.1	- 1.8	54.6	- 0.9	42.7	2.5	28.0	- 4.1	17.9	- 4.9	41.1	- 0.9
LOWMAN	22.5	0.2	30.0	1.7	30.9	- 3.7	45.3M	2.2	51.0M	0.3	54.0M	4.3	64.0	- 2.1	63.2M	- 0.3	53.7M	1.2	43.0M	3.3	30.2M	2.2	22.0	- 2.6	42.5	- 1.3
MACKAY RS	16.7	- 0.4	23.1	1.9	26.2	- 4.7	43.9	1.5	51.2	0.0	55.0	- 3.7	65.4	- 2.2	61.0	- 4.1	55.4	- 0.4	41.5	- 4.1	27.0	- 4.6	14.6	- 5.8	40.1	- 2.2
MALAD	22.7M	1.0	29.5	2.3	31.1	- 4.3	48.3	3.0	55.1	1.0	58.9	- 3.0	70.8	0.5	67.8	- 0.3	60.2	1.5	46.2	- 1.7	32.9	- 2.1	23.2	- 2.2	45.6	- 0.3
MALAD CAA AP	19.0		26.3		30.1		46.2		53.7		57.6		69.3		66.3		58.1		44.5M		31.4		20.0		43.5	
MAY RS	15.5	- 1.9	27.3	3.8	30.1	- 3.4	44.6	0.1	51.2	- 1.1	53.4	- 4.1	65.0	- 1.2	61.3	- 3.3	54.5	- 1.0	41.5	- 5.1	28.8	- 2.3	18.5	- 3.3	41.0	- 1.9
MC CALL	20.2	2.1	22.8	0.7	22.3	- 6.4	35.6	2.0	47.8	0.7	52.0	2.1	64.0	1.2	60.0	- 0.3	53.3	1.5	40.2	- 2.6	30.5	0.0	19.8	2.1	39.0	- 0.8
MC CAMMON	23.1		31.0		32.2		47.4		55.2		56.8		69.4		65.7		58.3		44.2		32.7		23.0		41.9	
MERIDIAN 1 SSW	28.4	- 0.2	35.9	1.3	37.3	- 5.4	49.6	- 0.8	54.9	- 2.8	59.6	- 5.4	70.9	- 2.2	66.6	- 4.1	58.1	- 3.1	46.7	- 4.9	35.9	- 3.3	27.0	- 3.6	47.6	- 2.8
MESA	25.6		30.8		34.3		51.3		56.6		61.2		75.3		70.8		63.3		47.8		35.9		25.7		48.2	
MINIDOKA DAM	25.5		33.8		34.0		47.7		55.2		59.6		73.9		69.3		62.0		47.0		35.8		24.9		47.4	
MONTPELIER RS	18.6	1.0	24.4M	2.7	25.1M	3.5	41.7M	0.8	49.6M	- 0.8	52.9M	5.6	65.8M	1.1	62.7M	- 1.6	53.8M	0.9	41.4M	3.4	23.9M	7.7	16.9M	- 5.2	39.8	- 2.0
MOSCOW U OF I	28.8	0.6	33.2	1.5	35.0	- 3.4	46.9	0.7	55.1	2.1	57.9	- 1.4	67.6	0.4	64.2	- 1.9	59.9	2.1	47.8	- 1.1	38.2	0.5	26.6	- 4.2	46.8	- 0.3
MOUNTAIN HOME 1 NE	27.6	- 0.2	36.4	3.0	37.2	- 3.4	50.5	1.9	57.5M	1.5			74.4	2.2	69.7	0.4	61.6	1.7	48.5	- 1.8	38.9M	0.7	26.1	- 3.5		
MULLAN PASS CAA	15.8	- 3.9	20.9	- 0.3	20.9	- 5.5	35.4	- 0.1	41.1	- 2.3	46.7	- 1.9	60.7	1.0	57.3	- 0.6	47.5	- 1.4	34.0	- 6.0	25.9	- 0.2	15.6	- 6.3	[illegible]	- 2.3
NAMPA	31.3M	1.9	38.4M	2.4	41.1M	- 0.8	53.6M	1.6	59.5M	1.1	65.7M	1.5	77.9M	3.4												
NAMPA 2 NW	31.1		37.4		37.9		52.2		57.9		62.8		74.0		71.2		61.6		49.9		38.6		30.2		[illegible]	
NEW MEADOWS RS	20.3	1.0	26.0M	1.1	25.4M	- 6.7	42.3	0.1	49.6M	0.3	54.5M	- 0.5	64.1M	1.5	60.5M	- 0.4					32.9	0.5	18.7	- 3.2		
NEZPERCE	25.9	- 0.6	30.6	0.3	32.0	5.1	45.7	1.3					67.3	2.1	64.3	- 0.2										
NEZPERCE 2 E	-		-						-										44.5		34.8		25.9			
OAKLEY	27.4	- 0.6	34.7	3.1	35.4	- 3.4	48.5	1.7	54.4	0.2	58.4	- 3.9	71.5	0.5	67.1	- 2.2	60.2	0.7	46.2	- 3.7	36.9	- 1.6	25.2	- 4.7	47.2	- 1.1
OBSIDIAN 4 NNE	12.2	- 2.2	20.6	2.3	20.3M	- 4.3	33.7	0.0	41.9	- 1.0	44.7	- 4.7	55.7	- 1.6	52.4	- 3.1	46.4	1.4	34.7	4.5	22.6	[illegible]	11.8	- 4.2	[illegible]	- 2.4
OLA	24.2		31.9		35.1		48.4		54.1		58.6		69.2M													
OLA 4 S			-												70.9		58.8				37.0		[illegible]			
OROFINO	32.8	3.1	37.2	2.1	42.1M	- 0.9	52.2M	0.8	59.4M	1.0	63.4	- 1.8	74.7	1.4	71.2	- 0.3	63.2M	0.9	49.7M	- 1.6	40.6M	1.2	32.1M	0.0	51.6	0.6
PALISADES DAM	18.5M		26.4		26.0M		42.8M		51.4		52.7M		64.8M		61.5M		54.2		42.0M		29.0M		[illegible]		40.9	
PARMA EXP STA	29.2M	1.4	34.0	- 0.7	36.7	- 6.2	52.5M	0.7	58.8	- 0.7	63.6	- 2.2	75.3	1.2	71.6	0.4	63.1	1.1	49.2M	- 2.9	37.3	- 1.3	29.6M	- 1.0	50.1	- 0.8
PAUL 1 E	25.1	- 0.9	34.1	2.7	34.0	- 4.3	47.5	1.2	55.0	0.0	58.2	- 3.4	69.8	- 0.9	67.5	- 0.9	59.3	0.4	[illegible]	- 3.5	34.5	- 2.8	24.4	- 7.9	46.3	- 1.7
PAYETTE	29.9	2.7	34.7	1.7	39.5M	- 3.0	52.9	1.6	59.1	0.3	64.1	- 1.6	75.7	1.6	71.5	- 0.6	61.9	0.4	48.5	- 2.5	37.2	- 1.6	30.0	- 0.1	50.4	- 0.1
PIERCE RS	23.7	- 0.5	26.1	- 2.5	29.2	- 5.3	42.0	- 0.3	49.8	- 3.3	54.8M	- 2.8	66.0	0.5	62.9	- 0.1	54.2	- 0.6	40.3M	- 6.7	30.5	- 3.3	22.2	- 5.1	41.8	- 2.5
POCATELLO WB AP	23.8	1.5	32.7	5.8	33.1	- 2.8	46.9	2.0	56.1	3.1	59.9	- 1.6	72.3	2.1	68.1	- 0.8	60.1	0.8	45.8	- 0.7	33.6	- 0.5	22.9	- 2.4	46.3	0.6
PORTHILL	25.0	1.3	28.6	1.2	31.0	- 4.8	46.1	0.3	54.5	0.9	59.0	- 0.5	67.3	1.1	63.8	- 0.1	55.3	0.8	44.3	- 0.9	33.9	- 0.1	[illegible]	- 7.1	44.1	- 0.7
POTLATCH	30.1	2.0	33.4	1.8	35.0M	- 3.4	46.3	0.8	53.8	1.7	57.8M	- 0.6	66.8	1.6	62.8	- 1.2	58.6	2.2	46.7	- 1.5	37.8	0.6	25.9	- 4.7	46.2	- 0.1
PRESTON SUG FACT 2 SE	22.7	2.2	31.3	5.1	33.3	- 1.0	48.2	2.8	55.2	1.3	58.3	- 3.0	70.8	0.9	67.4	- 0.7	59.1	1.0	46.7	- 1.4	33.7	- 0.9	24.0	- 1.9	45.9	0.4
PRIEST RIVER EXP STA	24.9	1.3	27.6	0.3	30.2	- 4.6	43.4	- 0.5	51.9	0.5	56.3	- 1.7	64.6	0.2	62.8	0.2	54.1	0.1	43.4M	- 1.0	[illegible]	- 0.7	20.9	- 5.7	42.7	- 1.0
RICHFIELD	18.8	- 1.4	26.6	2.3	28.4	- 5.8	47.2	2.2	54.5	1.1	56.9	- 3.7	69.4	- 0.1	65.1	- 1.9	57.7	- 0.1	44.3	- 3.6	33.3	- 1.1	19.9	- 4.8	43.5	[illegible]
RIGGINS RS	34.2	- 0.1	38.8M	- 1.7	40.9	- 5.4	54.7	2.1	59.4	- 1.9	64.2	- 1.4	78.4	1.8	75.9	0.9	68.5	2.1	52.0M	- 3.6	41.3	- 1.6	32.8	- 5.1	53.4	- 1.2
RIRIE	21.3		28.5M		30.1		45.2		54.4		56.1		69.9M		65.1		57.4M		44.6		32.2M		21.5		43.9	

See reference notes following Station Index

Table 1—Continued

AVERAGE TEMPERATURES AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp	Departure	Temp.	Departure	Temp.	Departure	Temp.	Departure
ROLAND W PORTAL	22.2	1.3	28.0	1.3	28.0	- 4.1	44.9	5.2	47.1	- 1.5	52.0	- 3.0	63.7	0.9	60.8	- 0.4	52.7	- 0.3	40.1	- 4.8	31.0	- 2.2	21.1	- 5.3	41.0	- 1.
RUPERT	24.5	- 0.1	33.0	3.2	33.4M	- 4.9	47.8M	0.8	54.3M	- 1.0	58.9M	- 4.2	71.6M	- 0.3	67.1	- 1.5	59.0	0.2	45.8	- 3.4	35.1M	- 1.8	24.3M	- 3.4	46.2	- 1.
SAINT ANTHONY	16.8		24.1		24.8		42.6		52.5		53.6	- 5.4	65.5		62.1	- 2.1	54.9	0.5	42.4		30.4		18.9		40.7	
SAINT MARIES	29.2	0.7	33.9	1.6	35.4M	- 4.1	46.9M	0.5	55.4M	0.8	57.7M	- 3.3	68.3	1.0	66.1	0.7	57.8M	0.4	46.7M	- 1.6	37.5M	0.1	26.4M	- 4.4	46.8	- 0.
SALMON	15.6	- 1.8	27.8M	3.7	31.8	3.7	46.7	0.8	55.0	1.5			68.4	0.3	64.5	- 0.9	56.3	0.2	44.7	- 0.8	32.6M	0.5	21.5	0.5	-	
SANDPOINT EXP STA	27.1	1.6	30.4	1.4	31.4	5.8	45.7M	- 0.3	53.8	0.7	57.7	- 1.6	65.8	0.3	63.5	- 0.2	54.7	- 0.6	44.1	- 2.1	35.7M	0.3	22.6	- 6.1	44.4	- 1.
SHOSHONE	22.1	- 1.2	30.5	2.8	32.5	- 4.5	48.7	1.9	56.0	1.4	60.8	- 1.8	73.7	1.7	69.3	- 0.1	61.5	2.4	47.3	- 1.2	36.0	- 0.1	22.8	- 3.7	46.8	- 0.
SPENCER RS	11.9	- 2.6	20.8	2.6	21.6	- 3.3	39.6	1 8	49.4	1.2	51.0	- 4.2	63.4	- 0.4	59.5	- 2.2	52.8	0.2	38.3	- 3.2	26.0	- 1.8	13.2	- 4.8	37.3	- 1.
SPRINGFIELD	21.2	0.9	30.5	5.0	32.7	- 2.6	46.1	1.6	54.0	0.9	57.2	- 3.9	70.0M	0.0	66.6	- 0.7	58.3	0.8	45.4M	- 1.9	32.9	- 1.7	20.9	- 3.1	44.7	- 0.
STIBNITE	17.7		23.1		21.9		37.6		44.6		46.8		59.5		56.9M		49.4M		35.6M		26.3		17.4M		36.4	
SUGAR	17.4M	0.8	24.4M	4.0	27.2M	- 2.8	45.9M	2.9	52.5M	0.6	54.6M	- 4.9	65.7M	- 1.0	63.2M	0.1	55.4M	0.8	42.3M	- 2.2	30.5M	- 1.2	18.7M	- 1.5	41.5	- 0.
SUN VALLEY	12.4	2.9	20.5	0.9	21.2	- 4.4	39.6	1.8	47.5	2.0	49.3	- 1.3	60.3	1.3	57.3	- 0.4	51.1M	1.1	39.1	- 2.4	25.3	- 1.8	11.0	-10.0	36.2	- 1.
SWAN FALLS PH	33.1	1.7	39.9	1.9	42.1	- 2.6	56.4	2.4	62.0	0.1	68.6	- 0.1	81.5	1.4	77.0	- 0.4	68.5	1.2	53.9	- 2.0	42.0	1.0	32.5	- 3.1	54.8	0.
TETONIA EXP STA	15.8	0.0	23.7	4.4	23.3	- 3.7	39.0	- 0.7	48.8	0.4	50.1	- 4.5	62.0	1.4	58.1	- 3.2	51.0	- 2.4	38.4	- 5.4	25.5	- 3.5	15.0M	- 4.4	37.6	- 2.
THREE CREEK	-		-		30.3		43.9		49.8		52.9		66.6		62.1		55.1		43.2		34.7		23.8		-	
TWIN FALLS 2 NNE	26.7	0.0	35.7	3.5	36.4	- 3.5	50.4	2.3	57.9	2.1	62.0	- 1.1	74.0	2.6	69.5	0.8	62.0	2.5	47.9	- 1.8	37.3	- 0.4	27.5	- 1.6	49.0	0.
TWIN FALLS 3 SE	24.9	- 1.9	31.5	- 1.0	31.9	- 8.4	47.2	1.5	55.2	- 1.3	59.7	- 3.9	71.1	- 1.8	67.8	- 1.4	60.4	0.9	46.1	- 5.1	36.1	- 1.6	27.3	- 3.0	46.6	- 2.
WALLACE	25.9	0.9	30.9	0.1	32.0	- 5.6	44.9	- 0.9	51.0	- 1.9	55.1	- 4.2	65.5	- 1.1	63.6	- 1.3	55.1	- 1.4	43.6	- 3.5	34.4	- 1.0	24.7	- 4.5	43.9	- 2.
WALLACE WOODLAND PARK	24.8	- 1.2	28.8	- 1.1	30.3	- 6.1	43.8M	- 0.4	49.8	- 1.8	53.6M	4.2	64.5	- 0.6	62.9	- 0.6	54.4	- 0.9	44.0	- 3.3	33.3M	- 2.4	23.3M	- 5.8	42.8	- 2.
WEISER	28.8	2.5	34.7M	0.7	39.1	- 4.3	52.6M	0.2	58.8	- 1.5	63.8	- 4.1	75.3	- 1.4	71.2	- 3.1	62.9	- 0.5	49.2	- 3.2	37.2	- 1.8	29.7M	0.1	50.3	- 1.
WINCHESTER 1 SE	23.9	- 2.3	28.8	1.8	30.1	- 4.9	42.7	- 0.6	49.2	- 0.9	53.0	3.1	64.6M	1.1	60.4	- 2.0	55.4	0.4	42.3M	- 4.5	34.0	- 1.1	25.0	- 5.1	42.4	- 2.
STATE	23.4	- 0.1	30.1	2.1	31.5	- 4.2	46.3	1.1	53.4	0.2	57.1	- 3.2	69.0	0.6	65.4	- 1.2	57.8	0.5	44.7	- 2.7	33.1	- 2.2	22.6	- 3.7	44.5	- 1.

Table 2

TOTAL PRECIPITATION AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure
ABERDEEN EXP STA	.62	- 06	1.14	.46	.39	- 28	.62	- 37	.32	- .73	.17	- .61	.53	.03	1.10	.68	T	- .67	.62	- .32	.35	- .38	1.55	.87	7.41	- 1.
ALBION	1-42	- 05	1.84	.53	.36	- 74	1.48	.01	.80	- 82	.59	- 44	.24	- .32	1.47	1.04	.00	- .82	.58	- .65	1.16	- .32	1.83	.43	11.77	- 2.
ALPHA 1 NE	3 23	- .01	4.20	1.32	2.73	- 09	1.63	- .48	1.61	- .32	1.53	- .25	.31	- .19	.94	.38	.74	- .15	5.79	3.83	3.71	.27	5.69	1.88	32.11	6.
AMERICAN FALLS 1 N	.39	- 1.01	1 47	.34	.23	- 1 05	.99	- 33	.54	- .95	.28	- .74	.60	- .03	1.43	.87	.02	- .69	.54	- .62	.56	- .60	1.06	- .04	8.11	- 4.
ANDERSON DAM	3.60		3.76		1.01		1 65		.76		.56		.34		.41		.01		2.71		3.12		6.34		24.27	
ARCO	-		-		-		-		-		-		-		-		.00	- .56	.32	- .38	.27	- .33	.73	- .21	-	
ARROWROCK DAM	4.26	1 62	4 24	1.85	1.76	- .17	1.66	.07	.95	- .30	91	- .05	.22	- .18	.18	- .08	.01	- .52	3.07	1.83	3.53	.98	5.01	2.44	25.80	7.
ASHTON 1 S	1.23	- .65	2.04	.52	1.30	.09	1.03	- .13	1.20	- .51	.89	- 77	.58	- .36	4.89	4.10	.15	- .97	3.63	2.35	.99	- .31	3.06	1.42	20.99	4.
ATLANTA 1 E	4.62	1.22	4 98	1.65	6.58	4 20	2.27	.62	2 33	.78	1 50	.12	.70	- .03	1.55	.85	.13	- .88	5.59	3.64	3.19	.31	6.09	2.54	39.53	15.
AVERY RS	3.92	.14	4.46	1.52	2.10	- 1.49	.86	- 1.59	3 08	.89	1.75	- .39	.87	- .03	1.26	.44	1.90	.13	5.15	2.33	3.70	.07	4.77	.65	33.82	2.
BANCROFT R	-		-		57		.86		.90		-		.56		-		-		-		-		-		-	
BAYVIEW MODEL BASIN	2 53		1.69		1.99		.25		1 41		1.15		.91		.67		1.11		7.21		2.75		4.50		26.17	
BENTON DAM R	4 53		3.69		3.58		.74		1.81		1.78		1.04		.73		2.44		-		-		-		-	
BIG CREEK 1 S	-		-		-		-		-		-		-		1.91	1.18	.36	- 1.44	4.00	2.39	1.74	- 1.25	5.79	3.05	-	
BLACKFOOT	59	- 42	1.05	.22	36	- .55	.48	- .48	.26	- 1.06	.28	- .65	.25	- .41	1.11	.47	.05	- .71	1.12	.13	.17	- .66	1.02	.10	6.74	- 4.
BLACKFOOT DAM	-		-		-		-		1.38	- .25	.86	- .95	.19	- .78	3.18	2.18	-		-		-		-		-	
BLISS	1.60	36	1.21	.25	.47	- 37	.81	- 04	70	- 21	12	- .34	.10	- .11	.13	- .04	.00	- .40	.55	- .10	1.28	.16	2.15	1.16	9.12	.
BOGUS BASIN R	-		-		-		-		-		-		-		-		-		-		-		-		-	
BOISE LUCKY PEAK DAM	-		2 02		1.24		1 15		.93		.76		.19		.00		.00		1.87		1.84		3.11		-	
BOISE WB AP //R	1.66	- .07	2 16	72	1.05	- .30	.94	- .24	.94	- .49	70	- .22	.29	.05	.07	- .12	.01	- .52	1.60	.36	1.80	.52	2.47	.90	13.69	.
BONNERS FERRY	4.58	1.89	2 96	1.31	2 65	97	.62	- .44	1.46	- .11	1 38	- .22	1.17	.31	1.50	.62	2.10	.71	4.89	3.05	-		-		-	
BRIDGE R	-		-		46		1 91		.86		42		-		-		-		-		-		-		-	
BUHL	1.11	.09	.96	.05	.56	- .12	.59	- .36	.22	- .86	T	- .94	.19	- .17	.80	.53	.00	- .44	.79	- .10	1.03	.03	E 1.54	.73	E 7.78	- 1.
BUNGALOW RS	-		-		-		-		-		1.70	- 1.01	1.42	.66	1.04	.28	-		-		-		-		-	
BURKE 2 NNE	8.10	1 84	6 89	1 73	4 11	- .72	1 33	- 1.11	4.90	1.89	2.78	.01	1.40	- .23	1.73	.73	3.15	.54	8.06	4.53	5.75	- .53	8.87	3.17	57.07	11.
BURLEY	1.33	.39	1.65	.70	.44	- 28	1.19	04	.64	- .26	.02	- .77	.02	- .31	1.08	.60	.00	- .51	49	- .33	.80	- .08	2.40	1.48	10.06	.
BURLEY FACTORY 1 N	.61	- 31	1 24	20	.22	- 60	1.34	- 10	1.02	02	.04	- .88	.21	- .17	1.03	.68	.00	- .54	.63	- .14	.95	.05	1.93	1.01	9.22	- .
BURLEY CAA AP	84	19	1 62	80	15	- 67	1.67	86	80	- .24	.11	- 83	.06	- .16	1.89	1.69	.00	- .88	.57	- 33	.94	- .20	2.19	1.35	10.84	1.
CALDWELL	1 45	19	2 13	.99	1 32	.28	.92	- 02	86	- .12	.47	- 30	.25	- .08	.23	.01	T	- .47	1.76	.98	1.39	.25	2.52	1.38	13.30	3.
CAMBRIDGE	3 08	.10	2 34	00	1 27	- 55	1.00	- .50	1.42	.12	.62	- .50	.07	- .30	.72	.37	.38	- .28	3.99	2.79	4.22	1.75	5.48	2.70	24.59	5.
CASCADE 1 NW	1.94		1.85		2 15		1.05		98		97		.03		1.16		.66		4.92		2.42		4.38		22.51	
CASCADE RS R	3 99		3.02		3.03		-		.75		1 07		.03		-		-		-		-		-		-	
CENTERVILLE ARBAUGH	5.08		3.91		3 57		1 89		1.88		1 56		.52		1.47		.14		6.46		4.79		6.87		38.14	
CHALLIS	78	.30	70	.22	.34	- 05	43	- 15	1 25	.23	.73	- 32	.62	.03	1 38	.85	.01	- .61	.31	- .26	.28	- .09	.95	.33	7.78	.
CHILLY BARTON FLAT	15	- 09	72	.51	64	20	1 00	45	1.40	.32	56	- .54	2.27	1.67	3.17	2.22	.00	- .91	1.91	1.23	.40	.12	.80	.39	13.02	5.
CLARK FORK 1 ENE	4.60	1.23	4.53	1.79	2 60	- 63	.87	- 1.33	3.74	1.49	1 28	- 1.03	1 30	.36	1.43	.25	2.81	- .06	10.12	6.65	3.66	- .75	5.14	.98	42.08	8.
CLARKIA RS //R	5 61		5.40		3 39		1 27		1.77		1.78		87		.37		1.69		-		-		-		-	
CLEMENTSVILLE 4 S //R	-		1.16		-		-		-		91		1.63		3.30		.12		-		-		-		-	
COBALT BLACKBIRD MINE	2 90		3 34		2 10		-		2 17		90		.33		1.61		.68		2.40		1.85		E 2.84		-	
COEUR D ALENE CAA	1 76		1.27		.96		41		1.08		1.55		.70		.43		1.03		5.66		2.76		1.66		19.27	
COEUR D ALENE RS	4 38	1 07	2.07	- 32	2 86	57	44	- 1.32	1.28	- 51	1.88	.32	.86	.26	.68	.03	.71	- .67	6.96	5.16	2.49	- .68	6.39	2.74	31.00	6.
CONDA	1 57	01	2 21	.77	1.09	- 17	1.94	- .01	1.90	.00	.93	- 1.45	1.32	.67	2.58	1.56	.42	- 1.17	1.88	.39	1.43	- .59	3.06	1.27	20.33	1
COTTONWOOD	1.44	- .66	1 18	- 54	1.60	- 33	.55	- 1 55	1.62	- 1.00	3.47	.89	.96	.01	.69	- .20	.34	- 1.16	2.49	.72	1.09	- 1.07	1.48	- .30	16.91	- 5
COTTONWOOD 2 SW R	1.06		1 11		-		.50		1 73		2 40		.79		.75		.31		-		-		-		-	
COUNCIL 1 N	3.64	.07	3 57	.35	1 95	- 69	1.39	- 87	1.45	- 31	1.55	- .05	.86	.36	1.02	.60	.49	- .44	6.92	5.17	4.59	1.35	6.08	2.19	33.51	7
CRAIGMONT R	93		1 23		1 31		.48		1.05		1.58		.56		-		-		-		-		-		-	
CROUCH 2 NNW	4 38	.53	5 16	1 90	3 14	50	1 36	- .42	1 02	- .51	1 71	.44	.05	- .34	1.72	1.29	.37	- .47	6.65	5.08	4.58	.77	7.03	3.21	37.17	11
DEADWOOD DAM	5 11	.30	4 25	- 21	4 18	.56	1 87	- .09	1.83	- .15	1 92	.08	.69	- .12	1 93	1.27	.49	- .50	6.22	4.13	4.21	.78	8.52	2.30	41.22	8
DECEPTION CREEK R	-				-		-		-		-		.50		1.07		3.05		-		-		-		-	
DEER FLAT DAM	1 22	.22	2 03	1 22	.98	04	57	- 25	.96	19	59	- 09	.13	- .06	.30	.12	.00	- .38	1.26	.54	1.20	.26	2.22	1.22	11.46	3
DOLLARHIDE SUMMIT R V	9 36		3.90		3 44		-		-		-		-		-		-		-		-		-	V	-	
DRIGGS	89	- 78	1.71	.44	1 58	48	1 55	.37	2 46	50	.95	- 1.08	2.00	.79	3.52	2.20	.45	- .98	2.20	.97	.32	- .86	3.75	2.34	21.38	4
DUBOIS EXP STA	42	- .53	.46	- 31	22	- 42	.66	- 27	1.20	- .12	.36	- 1.25	1.27	.54	2.17	1.30	.00	- .87	1.30	.30	.30	- .31	1.45	.55	9.81	- 1
DUBOIS CAA AP	49	- 37	.43	- 31	16	- .58	.55	- 35	97	- .29	1.07	- .94	1.07	.42	2.39	1.68	T	- .95	.95	.01	.26	- .43	1.10	.46	9.44	- 1
EDEN HUNT PROJECT	2 31		1.41		.56		1 18		1.07		10		.23		.23		T		.60		1.07		-		-	
ELK CITY	4.13		4.26		3.43		1.37		1.65		2.52		1.02		1.48		.84		4.24		-		-		-	
EMMETT 2 E	1.33	- .05	2.30	1.10	.98	- .22	1.48	.44	.68	- .34	.84	- .10	-		.86	.65	.00	- .58	2.73	1.83	2.36	1.05	3.63	2.24	-	
FAIRFIELD	3.03		-		1.26		1.95		.67		.71		.27		.72		.00		1.97		E 2.53		-		-	
FENN RS	3.84	.24	3.88	.50	3.71	- .31	1.13	- 2.31	2.07	- .92	2.15	- .31	1.05	.34	.82	.13	1.05	- .79	4.35	1.38	3.13	- .95	4.95	.99	32.13	- 2
FORT HALL IND AGENCY	.53	- .23	1.29	.57	.24	- .57	.89	- .22	.53	- .60	.25	- .67	.29	- .30	2.12	1.46	.11	- .69	1.00	.02	.60	- .19	E .84	.11	E 8.69	- 1
GARDEN VALLEY RS	3.73	.50	3.96	1.43	2.54	.11	1.28	- .50	1.56	.14	1.53	.47	.42	.14	1.58	1.07	.32	- .56	4.25	2.70	4.26	1.10	6.11	2.80	31.54	9
GLENNS FERRY	1.58	.44	1.49	- .52	.43	- .26	.90	.14	.57	- .29	.23	- .38	T	- .31	-		.00	- .31	.87	.28	1.73	.50	2.11	1.12	-	
GOODING CAA AP	1.51	.27	1.59	.57	.92	.17	.97	.03	1.29	.53	.16	- .45	.03	- .27	.15	- .05	.03	- .36	.59	- .19	1.44	.18	2.56	1.54	1.24	1
GRACE PH	1.01	- .19	1.71	- .61	.69	- .43	1.31	- .07	1.72	.11	.31	- .98	.98	.00	2.17	1.22	.34	- .73	1.69	.41	1.15	- .02	2.19	1.12	15.27	1
GRAND VIEW	.82	- .10	.81	.09	.60	- .12	.38	- .50	.41	- .50	.20	- .50	.00	- .25	.19	.02	.00	- .42	.82	.03	.31	- .34	1.25	.52	5.79	- 1
GRANGEVILLE	.82	- .91	1.36	- .24	1.95	- .40	.92	- 1.69	1.61	- 1.54	-		1.32	.53	-		-		2.82	.56	1.22	- .70	1.58	- .10	-	
GRAY	1.63	.03	1.27	- .31	-		1.18	- .45	1.57	- .30	.72	- .94	.75	- .27	3.32	2.24	.32	- .75	1.46	.02	1.11	- .21	4.16	2.75	-	
GROUSE	.52	- .45	.47	- .53	.38	- .51	1.34	.30	1.04	.01	.21	- 1.17	1.24	.47	.86	.04	T	- .61	1.01	.14	.71	.08	1.69	.76	9.47	- 1
HAILEY	2.57	.34	1.53	- .45	.86	- .43	2.74	1.59	1.21	- .12	.26	- .78	.34	- .19	.55	.05	.00	- .70	1.65	.54	2.25	.86	4.05	1.97	18.01	2
HAMER 4 NW	.38	- .25	E .40	- .02	.14	- .26	.37	- .34	.77	- .18	.31	- .72	1.84	1.37	4.22	3.42	.03	- .70	.94	.27	.11	- .26	E .87	.25	E 10.38	2

See reference notes following Station Index

TOTAL PRECIPITATION AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure	Precip	Departure
HAZELTON	1.39	.15	1.74	.50	.41	-.59	1.24	-.03	.77	-.27	.16	-.60	.65	.43	.34	.01	.00	-.45	.79	-.07	1.10	-.05	2.04	.88	10.63	-.09
HILL CITY	2.60	.52	2.62	.75	1.60	.35	1.97	.91	.60	-.49	.74	-.04	.35	.06	1.96	1.59	.00	-.42	2.15	1.13	2.59	.99	4.20	1.94	21.38	7.29
HOLLISTER	1.50	.63	1.09	.24	.61	-.09	.98	-.20	.61	-.52	.15	-.76	.35	-.02	.58	.20	.00	-.46	.83	-05	1.27	.44				
HOWE	.32	-.47	.08	-.52	.47	-.12	.83	.13	.75	-.11	.27	-1.06	.58	.09	2.33	1.64	T	-.50	.34	-.35	28	-.10	.95	.35	7.20	-1.02
IDAHO CITY	3.61	.47	3.95	.93	2.41	.14	1.88	.37	1.90	.34	1.34	.34	.33	-.11	1.10	.69	.01	-.65	4.92	3.53	3.58	.76	6.31	3.05	31.34	9.86
IDAHO CITY 13 SW	5.93	1.74	5.13	1.38	2.75	.12	1.96	.31	.95	-.54	1.09	-.06	.45	.01	.61	.29	T	-.69	4.38	2.97	5.36	1.62	8.02	3.97	36.63	11.12
IDAHO FALLS CAA AP	.79	-.52	.89	-.08	.59	-.49	.52	-.42	.93	-.31	.46	-.75	.22	-.40	2.43	1.84	.19	-.63	.83	-.15	.22	.57	80	-.26	8.87	-2.74
IRWIN 2 S	.80	-.62	1.45	.30	1.52	.38	1.24	.18	1.29	-.38	.96	-.57	1.28	.31	3.39	2.52	.34	-.84	1.87	.61	1.02	-.13	2.97	1.72	18.13	3.48
ISLAND PARK DAM	3.39	.31	3.48	.24	3.45	.97	.51	-1.30	1.91	-.46	2.73	-.83	1.82	1.05	4.45	3.13	.04	-1.66	3.99	1.57	1.68	-1.41	6.32	3.40	33.77	5.01
JEROME	1.06	-.01	1.65	.64	.32	-.48	1.05	.07	87	.07	.09	-.44	.03	-.17	21	-.01	.01	-33	66	-.02	.65	-.27	1.86	.94	8.46	-.01
KAMIAH 1 NE	1.23	-.77	1.51	-.07	1.73	-.45	1.19	-1.14	1.42	-.78	1.60	-.47	.82	.31	.60	-.04	•		V 4.71		1.32	-.78	1.67	-.38	17.80	-2.98
KELLOGG	3.43	-.02	4.23	1.54	2.30	-.69	.62	-1.55	3.61	1.12	1.99	-.07	.89	.07	.71	-.20	1.23	-.56	6.82	4.14	3.82	.19	4.98	1.34	34.63	5.31
KOOSKIA	1.44	-.67	1.39	-.42	2.07	-.31	1.39	-1.28	1.74	1.03	1.91	-.29	1.07	.27	.89	.20	.36	-1.16	4.07	1.97	.81	-1.58	2.09	.10	19.23	-4.20
KUNA 2 NNE	E 1.57	.37	1.90	.90	.54	-.56	.84	-.21	1.36	.19	.65	-.15	.35	.02	.45	.26	.00	-.53	1.96	1.01	1.63	.35	2.01	.90	13.26	2.55
LEADORE R	.57		.62		-		.51		1.54		.47		.99		1.60		.08									
LEWISTON WATER PLANT	.94	-.47	.62	-.60	.78	-.44	.33	-.79	.83	-.66	2.01	.55	.23	-.25	.39	-.09	•		V 2.84		.65	-.85	.87	-.60	10.49	-3.49
LEWISTON WB AP	.51		.39		.66		.45		1.05		2.36		.35		.53		.34		2.10		.67		.72		10.13	
LIFTON PUMPING STA	.62	.02	.69	.00	1.16	.33	1.70	.50	.93	-.02	.82	.01	1.43	.70	.82	.07	.17	-.67	.89	-.23	1.35	.71	.99	.34	11.57	1.76
LOWMAN	4.30	1.10	4.32	1.73	2.93	.75	1.42	-.20	1.66	-.17	1.75	.35	.13	-.41	1.25	.71	.41	-.59	5.87	4.31	3.41	.29	6.50	3.13	33.95	11.00
MACKAY RS	.42	-.41	.61	-.16	.38	-.13	1.19	.53	.95	-.11	.23	-.92	2.31	1.46	2.71	1.93	.02	-.78	1.35	.65	.44	.07	1.29	.58	11.90	2.57
MALAD	2.00	.58	2.34	1.02	.42	-.84	1.31	-.24	1.28	-.02	.15	-1.01	1.39	.40	2.29	1.34	.36	-.77	.72	-.53	1.40	.11	2.67	1.28	16.33	1.32
MALAD CAA AP	1.29		1.91		.37		1.16		1.24		.19		1.54		1.85		.35		.36		1.31		2.41		13.98	
MAY RS	.20	-.24	.55	.23	.20	-.17	.48	-.04	1.34	.24	.97	-.30	.80	.02	1.93	1.21	.01	-.68	.57	-.03	.24	.03	40	-.01	7.69	.20
MC CALL	3.61	.12	3.62	.50	5.56	3.02	.68	-1.23	1.19	-.75	2.47	.65	.59	.05	1.18	.58	.48	-.62	6.47	4.55	3.35	.48	6.93	3.33	36.13	10.68
MC CAMMON	2.43		1.73		.67		.65		1.11		.34		.26		1.02		T		.98		1.06		3.05		13.30	
MERIDIAN 1 SSW	.91	-.51	1.95	.70	.64	-.57	1.09	-.02	1.18	.01	.78	-.09	.34	.07	.31	.11	.00	-.51	1.44	.46	1.89	.54	1.88	.54	12.41	.73
MESA	3.35		3.51		1.20		1.17		2.03		.86		.19		1.04		.66		5.16		3.98					
MINIDOKA DAM	.57		1.44		.17		1.10		.38		.09		.25		.78		.00		.45		62		1.16		7.01	
MONTPELIER RS	1.33	.33	1.36	.04	1.23	.00	2.20	.59	.79	-.48	.69	-.55	.26	-.62	1.55	.61	.77	-.29	1.62	.35	1.22	.25	2.33	1.25	15.35	1.48
MOORE CREEK SUMMIT R	9.78		-		-		-		-		-		-		-				-		-					
MOOSE CREEK RS //R	-		-						-		1.02		.65		.81		.65		-		-				-	
MOSCOW U OF I	2.18	-.60	1.65	-.46	1.21	-.95	.36	-1.23	1.04	-.83	2.08	.61	.54	-.02	.68	.07	.59	-.68	3.75	2.07	1.97	-.89	5.07	2.33	21.12	-.58
MOUNTAIN HOME 1 NE	E 1.59	.41	1.16	.05	.46	-.55	.88	-.06	.54	-.36	.37	-.33	.15	-.22	.06	-.11	.00	.48	1.43	.53	1.24	.09	1.41	30	9.29	-.73
MULLAN PASS CAA	5.40	1.42	3.98	-.18	3.84	.27	.59	-1.63	1.93	-.35	1.22	-1.67	1.10	.04	2.05	1.20	2.51	.20	5.98	2.42	4.61	-.96	7.49	2.20	40.70	2.96
NAMPA	1.32	.26	2.32	1.47	.65	-.19	1.00	.02	.77	-.64	.45	-.36	.00	-.16	-		-		-							
NAMPA 2 NW	1.19		2.13		.88		.64		.86		.73		.10		.50		T		1.54		1.41		2.30		12.28	
NEW MEADOWS RS	3.32	.34	3.34	.84	2.74	.67	1.02	-.67	.88	-.84	2.25	-.57	.67	.07	1.14	.60	-		6.95	5.20	4.11	1.39	6.58	3.44		
NEZPERCE	E 1.00	-.56	1.29	-.02	1.83	.10	.60	-1.53	-		.72	-1.46	.77	.00	.04	-.66	-		-							
NEZPERCE 2 E	-		-		-		-		-		-		-		-				3.40		1.23		1.88		-	
OAKLEY	1.05	.29	1.02	.26	.40	-.41	1.23	.08	1.59	.29	1.06	-.04	.50	-.12	1.88	1.28	T	-.76	.75	-.17	.97	.20	1.46	.81	11.91	1.71
OBSIDIAN 4 NNE	1.78	-.21	1.87	.22	2.03	.63	1.07	-.14	.93	-.46	.91	-.45	.97	.30	1.04	.32	.06	-.87	1.98	.78	1.09	-.57	2.46	.54	16.19	.09
OLA	E 3.64	1.00	3.13	.57	1.67	-.66	1.40	-.38	1.12	-.50	1.29	-.54	.14	-.25	-		-		-						-	
OLA 4 S	-		-		-		-		-		-		-		1.42		.08		4.12		2.42		4.58			
OROFINO	3.33	.47	1.80	-.86	1.38	-1.37	.68	-1.44	1.15	-1.09	2.00	-.01	.61	-.04	.63	.04	.47	-1.09	5.92	3.82	2.54	-.87	2.78	-.28	23.29	-2.72
PALISADES DAM	1.50		1.96		1.84		.97		1.80		1.02		.87		2.92		.35		1.86		1.20		3.87		20.16	
PARMA EXP STA	.90	-.33	E 1.41	.52	.53	-.21	.38	-.45	.95	.26	.36	-.43	.18	.05	.15	-.08	.07	-.37	1.25	.48	.90	-.08	1.38	.38	8.46	-.16
PAUL 1 E	1.03	.03	1.80	.71	.34	-.53	1.96	.81	.72	-.02	.10	-.81	.26	-.23	1.66	1.27	.00	-.70	.75	-.21	.70	-.27	2.18	1.11	11.50	1.16
PAYETTE	1.22	-.33	1.75	.53	.87	-.21	.93	.13	1.10	.10	.69	-.09	.06	-.24	.30	.10	.22	-.24	1.71	.82	1.44	.30	1.69	.24	11.98	1.11
PIERCE RS	7.05	2.51	5.72	1.74	4.49	-.27	1.45	-1.93	3.01	.01	2.68	.18	1.23	.38	.79	-.03	1.60	-.39	-		5.50	.85	8.53	3.40	-	
PINE 2 SSW	5.03	1.38	5.41	2.39	2.20	.19	2.16	.80	.95	-.39	.92	.04	.13	-.21	.34	-.02	T	-.65	3.18	1.71	4.20	1.24	8.70	5.26	33.22	11.74
PLUMMER 3 WSW R	3.30		2.35		2.07		.63		1.09		1.62		.58		.47		.63		-		-				-	
POCATELLO WB AP //R	.44	-.90	1.46	.26	.38	-.90	1.02	-.45	.39	-1.34	.31	-.78	.28	-.49	1.23	.73	.02	-.72	.81	-.87	.36	-.67	1.58	.43	8.28	-5.70
PORTHILL	2.58	.23	2.23	.65	1.43	.02	.44	-.50	2.08	.43	1.35	-.24	.91	.02	3.97	3.15	1.67	.15	3.89	2.21	1.23	-1.33	2.93	.63	24.71	5.42
POTLATCH	2.87	.08	2.54	.31	-		.55	-1.44	.86	-.84	2.12	.37	.71	.29	1.08	.59	.38	-.98	4.47	2.62	2.72	-.03	6.06	2.94		
PRESTON SUG FACT 2	1.40	.00	1.21	-.21	1.09	-.45	2.46	.53	1.55	.04	.29	-.99	.89	-.07	2.10	1.10	.45	-.55	1.00	-.23	1.44	.00	1.76	.15	15.64	-.68
PRIEST RIVER EXP STA	5.42	1.66	3.51	.72	3.28	.73	.56	-1.35	1.82	-.28	2.31	.33	.91	.07	.62	-.34	1.78	.03	8.19	5.55	3.89	.29	6.62	2.31	38.91	9.72
RICHFIELD	2.02	.73	2.51	1.50	.67	-.05	1.37	.47	.57	-.37	.18	-.58	.12	-.18	.64	.39	.00	-.46	.87	.03	1.24	.17	2.87	1.68	13.06	3.33
RIGGINS RS	.57	-.46	1.18	-.12	1.56	.11	.30	-1.21	.70	-1.25	1.35	-.37	.05	-.49	.63	.16	.04	-.98	3.05	1.79	1.50	.32	2.28	.91	13.21	-1.59
RIRIE	E 2.02		E .70		E 1.54		1.23		1.06		.57		1.95		3.06		.29		1.00		+ .53		E 1.77		E 15.72	
ROLAND W PORTAL	6.36	-.73	9.76	3.92	6.16	.73	1.06	-2.17	2.73	.40	2.67	-.13	1.06	.32	1.52	.27	2.96	.61	8.10	4.14	4.79	-1.64	7.21	-1.08	54.38	4.64
RUPERT	1.08	.02	1.72	.77	.41	-.37	1.26	.24	.32	-.69	.06	-.78	.26	-.15	.82	.41	.00	-.56	.66	-.28	.67	-.33	2.17	1.20	9.43	-.52
SAINT ANTHONY	1.41		1.72	.48	1.23	.39	1.19	.13	1.60	.06	.83	-1.19	.30	-.13	4.66	4.10	.05	-1.03	1.97	1.17	.63	-.79	2.30	.85	17.89	
SAINT MARIES	4.55	1.29	3.35	.96	2.62	.10	1.01	-.69	1.84	-.10	1.72	.12	.63	-.10	.66	-.07	1.23	-.07	6.10	3.97	3.08	-.42	6.27	2.59	33.06	7.58
SALMON	.55	-.14	1.32	.90	.56	.05	.40	-.25	1.23	.11	-		.84	.00	1.09	.49	.03	-.78	.73	.09			.68	.04		
SANDPOINT EXP STA	5.15	1.48	3.90	1.08	2.56	-.08	.46	-1.43	1.67	-.41	1.80	-.07	1.21	.55	1.34	.41	2.14	.40	9.59	7.03	3.70	-.19	4.92	.57	38.44	9.34
SHOSHONE	1.95	.52	2.16	.98	.85	.07	1.45	.49	1.12	.15	.08	-.58	.11	-.12	.30	.03	.03	-.45	.56	-.30	1.56	.28	3.19	2.06	13.36	3.13
SPENCER RS	1.19	-.29	1.23	-.33	1.10	-.30	1.16	-.34	1.86	-.42	1.49	-.44	1.36	.18	2.48	1.49	.00	-1.18	2.97	1.53	1.54	.23	2.98	1.30	19.36	1.43
SPRINGFIELD	1.22	.21	3.08	2.26	.60	-.04	.77	-.32	.51	-.59	.42	-.39	.41	-.18	.92	.42	.00	-.81	.64	-.42	.79	-.13	1.83	.97	11.19	.98
STIBNITE	6.37		4.10		3.35		.86		1.68		1.85		.38		2.49		.72		4.70		2.70		7.82		37.02	
SUGAR	.88	-.32	1.13	.21	.64	-.04	1.27	.48	1.45	.20	.78	-.48	.53	-.10	3.69	3.17	.00	-.97	1.56	.55	.52	-.17	1.00	-.10	13.45	2.43
SUN VALLEY	2.40	.29	2.20	-.55	.98	-.74	2.35	1.26	.82	-.61	.70	-1.00	1.72	1.01	1.69	.98	.01	-.92	2.36	.92	1.71	-.18	4.18	1.78	21.12	2.24
SWAN FALLS PH	1.21	.24	1.04	.24	.78	-.21	.14	-.71	.65	-.30	.35	-.94	.06	-.18	.53	.45	.00	-.42	.93	.35	.71	-.24	1.35	.67	7.75	-1.05
TETONIA EXP STA	.63	-.47	1.12	.14	1.02	.20	1.45	.40	1.57	-.01	.92	-1.13	2.35	1.28	4.76	3.69	.15	-.94	2.13	1.15	.35	-.63	1.85	.76	18.30	4.44
THREE CREEK	-		-		1.38	.18	1.40	.06	1.32	-.95	.64	-1.17	1.00	.71	1.54	1.12	T	-.86	1.68	.40	.97	-.16	2.84	1.93	-	
TWIN FALLS 2 NNE	1.60	.50	1.54	.66	.38	-.47	.74	-.37	.85	-.18	.07	-.74	.16	-.19	.20	-.02	.00	-.57	.88	-.03	.92	-.16	1.85	.95	9.19	-.62
TWIN FALLS 3 SE	1.57	.68	1.14	.30	.42	-.43	1.02	-.05	.86	-.08	.07	-.72	.17	-.13	1.02	.79	.00	-.43	.87	.13	1.07	.02	2.08	1.33	10.29	1.41
WALLACE	5.85	1.08	6.29	2.55	3.16	-.79	.94	-1.55	3.41	.77	1.85	-.51	1.36	.47	1.54	.56	2.98	.89	7.80	4.59	5.88	.56	7.79	2.05	48.85	10.67
WALLACE WOODLAND PARK	5.15	1.25	3.32	-.16	2.36	-1.32	.75	-1.65	3.41	1.02	2.04	-.37	1.39	.67	1.11	.27	1.54	-.27			4.49	.48	5.31	.32		
WEISER	E 2.19	.40	1.67	.17	.76	-.26	1.05	.06	1.16	.34	.36	-.54	.03	-.14	.39	.11	.34	-.09	1.87	1.02	1.43	.04	2.24	.64	13.49	1.75
WINCHESTER 1 SE	2.11	.75	1.53	-.14	2.48	.58	.67	-1.84	1.89	-1.42	2.39	-.48	.37	-.46	.55	.00	.60	-1.50	2.64	.47	1.05	-1.24	3.83	1.84	20.11	-3.44
STATE	2.13	.12	2.19	.47	1.39	-.29	1.06	-.31	1.29	-.30	.92	-.41	.62	.01	1.37	.79	.40	-.58	2.73	1.31	1.82	-.13	3.28	1.32	19.20	2.00

See reference notes following Station Index

Table 3

TEMPERATURE EXTREMES AND FREEZE DATA

Station	Highest	Date	Lowest	Date	Last spring minimum of: 24° or below	28° or below	32° or below	First fall minimum of: 32° or below	28° or below	24° or below	No. of days between dates: 24° or below	28° or below	32° or below
ABERDEEN EXP STA	99	7-15+	-13	12- 9	4-22 (20°)	5-14 (37°)	6- 8 (31°)	9-12 (29°)	9-27 (27°)	10-16 (19°)	177	136	96
ALBION	96	7-15+	-11	12- 9	5-14 (24°)	6- 7 (26°)	6- 7 (26°)	8-25 (31°)	9-12 (23°)	9-12 (23°)	121	97	79
ALPHA 1 NE	95	8- 2	-33	1-31	6- 3 (22°)	6- 9 (28°)	6-30 (30°)	7- 6 (31°)	8-13 (28°)	9- 9 (24°)	98	65	6
AMERICAN FALLS 1 NW	99	7-18	-13	12-25	4-22 (21°)	4-22 (21°)	6- 9 (32°)	9-12 (29°)	10-16 (20°)	10-16 (20°)	177	177	95
ANDERSON DAM	102	7-13+	-12	1-30	3-28 (22°)	3-28 (22°)	4-22 (31°)	10-16 (30°)	10-30 (27°)	10-31 (24°)	217	216	177
ARCO	-	-	-	-	-	-	-	9-12 (29°)	9-26 (28°)	10-16 (11°)	-	-	-
ARROWROCK DAM	104	7-14	- 8	1-31	3-23 (23°)	4-21 (26°)	4-22 (31°)	10-16 (30°)	10-30 (25°)	10-31 (23°)	222	192	177
ASHTON 1 S	91	7-14+	-28	2- 1	6- 3 (24°)	6- 3 (24°)	6-27 (32°)	8-31 (32°)	9-12 (24°)	9-12 (24°)	101	101	65
ATLANTA 1 E	90	7-18+	-18	1-29	6- 8 (21°)	6- 8 (21°)	6- 8 (21°)	8-30 (32°)	9-21 (28°)	10- 6 (22°)	120	105	83
AVERY RS	103	7-17+	-10	1-29	4-22 (24°)	6- 1 (28°)	6- 2 (30°)	10-15 (32°)	10-31 (21°)	10-31 (21°)	192	152	135
BAYVIEW MODEL BASIN	94	8- 1	-12	1-29	4-22 (24°)	6- 2 (28°)	6- 2 (28°)	9-24 (32°)	10-25 (25°)	10-31 (23°)	192	145	114
BIG CREEK	-	-	-	-	-	-	-	8- 9 (32°)	9- 1 (26°)	9-12 (20°)	-	-	-
BLACKFOOT	100	7-18	-11	12- 9	4-11 (21°)	4-22 (28°)	6- 2 (32°)	9-12 (30°)	10-16 (25°)	10-18 (24°)	190	177	102
BLACKFOOT DAM	96	7- 5	-	-	6- 8 (23°)	6-26 (27°)	6-30 (29°)	7- 5 (32°)	-	-	-	-	5
BLISS	102	7-13	-10	1-30+	4-22 (23°)	4-22 (23°)	5-29 (32°)	9-27 (32°)	10- 5 (28°)	10-27 (24°)	188	166	121
BOISE LUCKY PEAK DAM	106	8- 1	-		4-21 (24°)	4-21 (24°)	5- 1 (31°)	9-11 (32°)	10-27 (28°)	10-31 (22°)	193	189	133
BOISE WB AP	103	7-23	1	1-30	4-21 (24°)	4-21 (24°)	4-21 (24°)	10-20 (32°)	10-30 (24°)	10-30 (24°)	192	192	182
BONNERS FERRY	98	7-17+	-	-	4-21 (22°)	4-24 (27°)	5-31 (31°)	9-26 (30°)	10-25 (28°)	10-31 (24°)	193	184	118
BUHL	99	7-12	- 3	1-31	3-28 (22°)	3-28 (22°)	5- 1 (32°)	10-16 (32°)	10-30 (28°)	11- 1 (20°)	218	216	168
BUNGALOW RS	104	7-17	-	-	-	-	6- 2 (30°)	9- 8 (31°)	-	-	-	-	95
BURKE 2 NNE	90	8- 2+	-16	1-29	4-24 (24°)	6- 2 (28°)	6-25 (31°)	9-21 (31°)	10-16 (28°)	10-25 (22°)	184	136	88
BURLEY	103	7-19	- 7	12- 9	3-28 (19°)	4-22 (26°)	5-14 (32°)	9-27 (31°)	10-16 (26°)	10-18 (23°)	204	177	136
BURLEY FACTORY 1 NW	101	7-19	- 9	12- 9	4-22 (22°)	4-25 (28°)	6- 8 (32°)	9-12 (27°)	9-12 (27°)	10-16 (22°)	177	140	96
BURLEY CAA AP	102	7-15	-12	12-25	4-22 (23°)	4-25 (28°)	[illegible]- 7 (30°)	9-12 (30°)	9-27 (28°)	10-16 (24°)	177	155	95
CALDWELL	102	7-31	2	1-29+	3-28 (19°)	4-22 (26°)	4-25 (31°)	9-22 (31°)	10-16 (27°)	10-30 (23°)	216	177	150
CAMBRIDGE	107	7-18	-19	1-30	3-20 (24°)	4-21 (28°)	6- 2 (31°)	9-11 (30°)	9-26 (27°)	10-30 (20°)	224	158	101
CASCADE 1 NW	95	7-23+	-22	1-29	4-22 (22°)	6- 3 (26°)	6- 9 (32°)	8-30 (30°)	9-12 (26°)	9-21 (21°)	152	101	[illegible]
CHALLIS	96	7-18	-27	1-29+	4-22 (22°)	6- 2 (28°)	6-10 (30°)	9-12 (29°)	9-26 (25°)	10-15 (24°)	176	116	94
CHILLY BARTON FLAT	89	7-18	-34	2- 1	6- 7 (22°)	6- 7 (22°)	6-29 (31°)	7- 6 (29°)	8-25 (27°)	8-30 (24°)	84	79	7
CLARK FORK 1 ENE	96	7- 1	-10	12-24	4-24 (24°)	6- 1 (28°)	6- 3 (31°)	9-21 (32°)	10-25 (25°)	10-26 (24°)	185	146	110
COBALT BLACKBIRD MINE	91	7-15	-25	1-28+	5-29 (24°)	6- 3 (26°)	6-28 (32°)	7- 7 (32°)	9-11 (26°)	9-20 (23°)	114	100	9
COEUR D ALENE CAA AP	97	8- 2	- 5	1-29	4-21 (21°)	4-22 (25°)	6- 1 (29°)	9-26 (32°)	10-25 (28°)	10-31 (21°)	193	186	117
COEUR D ALENE RS	102	8- 2	- 2	1-29+	5-30 (21°)	5-30 (21°)	6- 1 (29°)	9-26 (32°)	10-31 (21°)	10-31 (21°)	154	154	117
CONDA	91	7-16+	-27	1-31	4-21 (17°)	6- 8 (28°)	6-29 (32°)	8-24 (31°)	9-11 (22°)	9-11 (22°)	143	95	56
COTTONWOOD	97	7-17+	-15	1-29	4-22 (21°)	6- 2 (28°)	6- 2 (28°)	9-21 (29°)	10-16 (28°)	10-27 (22°)	188	136	111
COUNCIL 2 NNE	101	7-26	-12	1-30	4-21 (23°)	5- 1 (28°)	5- 2 (31°)	10-20 (32°)	10-21 (28°)	-	-	173	171
DEADWOOD DAM	92	7-13+	-35	1-31	6- 3 (21°)	6-25 (28°)	6-30 (30°)	7- 6 (30°)	8-26 (27°)	9-12 (21°)	101	62	6
DEER FLAT DAM	100	7-31	- 2	12-24	4-22 (24°)	4-22 (24°)	4-22 (24°)	10-17 (29°)	10-28 (28°)	11- 1 (22°)	193	189	178
DRIGGS	95	7-19	-33	1-29	5-14 (23°)	6- 9 (27°)	6-30 (31°)	[illegible]- 4 (32°)	9-12 (24°)	9-12 (24°)	121	95	66
DUBOIS EXP STA	96	7-18	-20	2- 1	4-22 (23°)	5-14 (27°)	6- 8 (32°)	9-12 (32°)	10-17 (21°)	10-17 (21°)	178	156	96
DUBOIS CAA AP	98	7-18	-23	2- 1	5- 2 (24°)	5- 3 (27°)	6- 7 (29°)	9-12 (27°)	9-12 (27°)	10-17 (19°)	168	132	97
EDEN HUNT PROJECT	102	7-18	-14	12- 9	4-21 (19°)	4-22 (28°)	5-14 (29°)	9-12 (32°)	10- 7 (28°)	10-16 (15°)	178	168	121
ELK CITY	97	7-17	-40	1-29	6- 3 (24°)	6-30 (28°)	6-30 (28°)	7- 1 (32°)	7-21 (26°)	9-12 (24°)	101	21	1
EMMETT 2 E	-	-	1	1-30	3-12 (20°)	4-21 (25°)	5-31 (32°)	9-27 (31°)	10-26 (26°)	10-31 (20°)	233	188	119
FAIRFIELD RS	96	7-18	-34	1-30+	-	6- 7 (26°)	6- 9 (32°)	8-30 (27°)	8-30 (27°)	9-21 (24°)	-	84	82
FENN RS	105	8- 2	- 5	1-29	3-11 (20°)	4-24 (28°)	6- 2 (32°)	9-21 (32°)	10-31 (27°)	11- 2 (21°)	236	190	111
FORT HALL IND AGENCY	100	7-18	-13	12- 9	4-22 (21°)	6- 2 (28°)	6- 2 (28°)	9-12 (26°)	9-12 (26°)	10-16 (21°)	177	102	102
GARDEN VALLEY RS	105	7-31	-16	1-31	4-22 (23°)	6- 3 (28°)	6- 3 (28°)	9-12 (31°)	10-16 (27°)	10-29 (24°)	190	135	101
GLENNS FERRY	104	7-18	- 4	1-30+	4-11 (23°)	4-22 (25°)	6- 3 (31°)	9-22 (31°)	10- 5 (28°)	10-16 (22°)	188	166	111
GOODING CAA AP	102	7-18	-14	1-30	3-28 (20°)	4-22 (26°)	5-14 (32°)	10- 5 (31°)	10-16 (22°)	10-16 (22°)	202	177	144
GRACE PH	91	7-15	-21	2- 1	4-22 (18°)	6- 9 (28°)	6-23 (32°)	9-12 (25°)	9-12 (25°)	10-16 (20°)	177	95	81
GRAND VIEW	110	7-17	0	12- 9	3-23 (24°)	4-22 (28°)	4-22 (28°)	10-16 (29°)	10-17 (28°)	10-31 (23°)	222	178	177
GRANGEVILLE	97	7-17	-15	1-29	4-22 (23°)	4-22 (23°)	-	9-27 (30°)	10-16 (28°)	10-27 (23°)	188	177	-
GRAY	90	7-16+	-29	1-29	5-14 (24°)	6- 8 (28°)	6-26 (31°)	9- 9 (30°)	9-12 (24°)	9-12 (24°)	121	96	75
GROUSE	88	7-18	-42	1-29	6- 8 (22°)	6-26 (28°)	6-29 (32°)	7- 6 (31°)	8-25 (26°)	8-31 (22°)	84	60	7
HAILEY	96	7-15+	-25	1-31	4-11 (22°)	5- 2 (27°)	6- 8 (30°)	8-30 (32°)	9-21 (28°)	10-16 (21°)	188	142	83
HAMER 4 NW	100	7-17	-25	2- 1	5-14 (24°)	6- 7 (25°)	6- 8 (31°)	8-31 (32°)	9-12 (25°)	9-27 (24°)	136	97	84
HAZELTON	99	7-18	-10	1-29	4-22 (22°)	4-22 (22°)	5- 3 (32°)	9-22 (32°)	10- 6 (28°)	10-17 (21°)	178	167	142
HILL CITY	98	7-18	-36	1-31	6- 3 (24°)	6- 3 (24°)	6-23 (31°)	8-25 (32°)	8-31 (27°)	9-27 (19°)	116	89	63
HOLLISTER	97	7-13+	- 5	1-30	4-22 (24°)	6- 3 (26°)	6- 7 (30°)	10- 8 (31°)	10-16 (26°)	10-18 (23°)	179	135	123
IDAHO CITY	98	7-17+	-27	1-30	6- 3 (24°)	6- 3 (24°)	6- 9 (32°)	8-30 (29°)	8-31 (27°)	9-27 (23°)	116	89	82
IDAHO FALLS CAA AP	99	7-15	-18	2- 1	4-21 (24°)	5-14 (27°)	6- 2 (29°)	9-12 (29°)	9-21 (28°)	10-16 (24°)	178	130	102
IRWIN 2 S	93	7-14+	-21	2- 1	4-16 (24°)	5-15 (27°)	6-10 (32°)	9- 9 (32°)	9-21 (25°)	10-18 (20°)	185	129	91
ISLAND PARK DAM	88	7-17+	-46	2- 1	6- 4 (24°)	6-26 (28°)	6-30 (30°)	7- 7 (31°)	8-31 (27°)	9-12 (20°)	100	66	7
JEROME	100	7-13+	-11	1-29+	4-22 (21°)	5-14 (27°)	5-14 (27°)	10- 6 (32°)	10-16 (23°)	10-16 (23°)	177	155	145
KELLOGG	102	8- 3	- 7	12-24	4-21 (22°)	4-24 (27°)	6- 1 (32°)	10-24 (32°)	10-31 (28°)	11- 1 (18°)	194	190	145
KOOSKIA	106	7-17+	- 3	1-29+	4-22 (22°)	4-22 (22°)	6- 2 (32°)	9-27 (31°)	10-28 (28°)	10-31 (24°)	192	189	117
KUNA 2 NNE	100	7-23+	- 2	1-30	4-21 (22°)	4-22 (26°)	6- 2 (31°)	9-22 (32°)	10-26 (28°)	10-30 (22°)	192	187	112
LEWISTON WATER PLANT	106	7-23	4	1-30	4-21 (23°)	4-21 (23°)	4-24 (31°)	10-17 (32°)	10-30 (28°)	10-31 (23°)	193	192	176
LEWISTON WB AP	104	7-17	1	1-30	4-21 (22°)	4-21 (22°)	5-30 (32°)	10-17 (30°)	10-30 (25°)	10-31 (21°)	193	192	140
LIFTON PUMPING STA	89	7-14+	-22	2- 1	4-24 (23°)	4-24 (23°)	6- 2 (32°)	9-12 (28°)	9-12 (28°)	10-17 (24°)	176	141	102
LOWMAN	100	8-16	-22	1-30+	6- 3 (23°)	6- 3 (23°)	6-29 (32°)	8-12 (30°)	8-31 (27°)	9-12 (23°)	101	89	44
MACKAY RS	93	7-18	-20	2- 1	4-22 (18°)	6- 7 (28°)	6- 7 (28°)	9-21 (32°)	10-14 (28°)	10-16 (20°)	177	129	106
MALAD	98	7-18	- 9	1-30	4-22 (24°)	4-22 (24°)	6- 8 (31°)	9-12 (32°)	10-16 (24°)	10-16 (24°)	177	177	101
MALAD CAA AP	98	7-18	-26	2- 1	4-22 (20°)	6- 8 (28°)	6-10 (32°)	9-12 (30°)	10- 6 (28°)	10-14 (24°)	175	120	94
MAY RS	94	7-18	-30	1-29	6- 3 (23°)	6- 3 (28°)	6-23 (32°)	8-31 (32°)	9-12 (26°)	10-16 (15°)	135	101	69
MC CALL	92	7-17	-23	1-29	5- 3 (24°)	6- 3 (28°)	6- 3 (28°)	8-30 (32°)	8-31 (28°)	10-27 (24°)	177	89	88
MC CAMMON	99	7-18	-19	2- 1	4-22 (18°)	6- 8 (28°)	6- 9 (30°)	9-12 (26°)	9-12 (26°)	10-16 (16°)	177	96	95
MERIDIAN 1 SSW	101	7-23+	- 2	1-30+	4-11 (22°)	4-22 (25°)	6- 2 (32°)	9-12 (31°)	9-22 (28°)	10-26 (22°)	198	153	102
MESA	104	7-26	-11	1-30	3-28 (24°)	5- 1 (28°)	5- 1 (28°)	10-16 (31°)	10-31 (27°)	11- 1 (22°)	218	183	168
MINIDOKA DAM	100	7-15	-11	12-25	3-28 (22°)	4-22 (28°)	5-14 (32°)	10-16 (25°)	10-16 (25°)	10-31 (21°)	217	177	155
MONTPELIER RS	94	7-17+	-26	2- 1	4-22 (20°)	6- 9 (28°)	6-23 (32°)	8-25 (32°)	9-12 (22°)	9-12 (22°)	143	95	63
MOSCOW U OF I	96	7-17+	- 7	12-24	4-21 (17°)	5-30 (28°)	6- 1 (29°)	10-17 (32°)	10-25 (27°)	10-30 (23°)	192	148	138
MOUNTAIN HOME 1 W	104	7-17	- 8	12-25	4-22 (21°)	4-22 (21°)	5-28 (30°)	9-22 (32°)	10-16 (24°)	10-16 (24°)	177	177	117
MULLAN PASS CAA	85	8- 2	-20	1-28	5- 2 (24°)	6- 2 (27°)	6- 8 (32°)	9-11 (30°)	10-14 (26°)	10-15 (23°)	166	134	95
NAMPA	108	7-31	-	-	3-23 (21°)	4-23 (28°)	6- 1 (32°)	10-17 (32°)	10-31 (24°)	10-31 (24°)	222	191	138
NAMPA 2 NW	103	7-27+	1	1-30	3-28 (16°)	4-22 (27°)	4-22 (27°)	10-16 (32°)	10-30 (25°)	11- 1 (23°)	218	191	177
NEW MEADOWS RS	96	7-17	-33	1-30	5-29 (23°)	5-31 (26°)	6-30 (29°)	7- 8 (30°)	8-31 (28°)	9-21 (20°)	115	92	8
NEZPERCE	-	-	-	-	4-22 (23°)	4-23 (27°)	-	-	-	-	-	-	-
NEZPERCE 2 E	-	-	-	-	-	-	-	10-16 (31°)	10-25 (28°)	10-31 (21°)	-	-	-
OAKLEY	99	7-15	- 6	1-30+	3-28 (15°)	5-14 (28°)	6- 3 (31°)	9-21 (28°)	9-21 (28°)	10-16 (24°)	202	130	110
OBSIDIAN 4 NNE	86	7-18+	-42	1-29	6- 9 (24°)	6-30 (28°)	6-30 (28°)	7- 1 (31°)	7- 6 (27°)	8-30 (21°)	82	6	1
OLA	108	7-17	-17	1-30+	4-22 (19°)	5- 3 (28°)	6- 8 (32°)	-	-	-	-	-	-
OLA 6 S	-	-	-	-	-	-	-	9-11 (30°)	9-12 (24°)	9-12 (24°)	-	-	-
OROFINO	107	7-17	0	1-30	4-21 (24°)	4-21 (24°)	5-30 (32°)	10-24 (32°)	-	-	-	-	147
PALISADES DAM	93	7-16+	-28	1-29+	5-15 (24°)	6- 7 (28°)	6-30 (32°)	7- 8 (31°)	9- 9 (27°)	9-21 (19°)	129	94	8
PARMA EXP STA	105	7-17+	0	1-30	3-28 (21°)	4-22 (26°)	4-25 (32°)	9-12 (31°)	10-17 (28°)	10-31 (24°)	217	178	140
PAUL 1 E	99	7-16+	-10	12- 9+	4-22 (19°)	4-25 (27°)	6- 6 (32°)	9-12 (31°)	10- 6 (28°)	10-16 (22°)	177	164	98

See reference notes following Station Index

Table 3—Continued

TEMPERATURE EXTREMES AND FREEZE DATA

Station	Highest	Date	Lowest	Date	Last spring minimum of 24° or below	Last spring minimum of 28° or below	Last spring minimum of 32° or below	First fall minimum of 32° or below	First fall minimum of 28° or below	First fall minimum of 24° or below	No. of days between dates 24° or below	No. of days between dates 28° or below	No. of days between dates 32° or below
PAYETTE	103	7-13	1	1-30+	3-28 (20°)	4-22 (27°)	4-[illegible] (31°)	9-27 (31°)	10-27 (28°)	11- 1 (22°)	218	188	1[illegible]
PIERCE RS	100	7-17+	-22	1-29+	4-25 (24°)	6- 2 (28°)	6- 2 (28°)	8-25 (32°)	9-21 (26°)	9-29 (23°)	157	111	84
POCATELLO WB AP	101	7-18	- 9	1-29+	4-15 (24°)	4-25 (28°)	5- 1 (32°)	9-12 (30°)	10-16 (21°)	10-16 (21°)	184	174	133
PORTHILL	96	8- 3	-19	12-26	4-22 (22°)	4-24 (27°)	6- 1 (32°)	9-26 (28°)	9-26 (28°)	11- 1 (12°)	193	155	117
POTLATCH	96	7-17	- 8	12-25	4-21 (19°)	5-30 (28°)	6- 1 (29°)	10-17 (30°)	10-25 (26°)	10-30 (22°)	192	148	138
PRESTON SUG FACT 2 SE	100	7-18	-19	2- 1	4-22 (23°)	4-22 (23°)	6- 9 (32°)	9-12 (30°)	10-11 (28°)	10-17 (24°)	178	172	95
PRIEST RIVER EXP STA	96	8- 2	-16	1-29+	4-24 (23°)	6- 1 (28°)	6- 2 (30°)	9-11 (29°)	9-26 (28°)	10-31 (17°)	190	117	101
RICHFIELD	98	7-18	-26	1-29	4-22 (20°)	5-14 (27°)	6- 8 (31°)	9-21 (31°)	10-16 (18°)	10-16 (18°)	177	155	105
RIGGINS RS	109	7-17+	3	1-29+	3-18 (24°)	4-21 (25°)	4-21 (25°)	10-25 (32°)	10-31 (26°)	12- 7 (21°)	264	193	187
RIRIE	97	7-18	-17	1-29	4-20 (18°)	4-22 (28°)	6- 2 (32°)	9-11 (32°)	9-21 (25°)	10-18 (22°)	181	152	101
ROLAND W PORTAL	95	8- 2	-13	1-29	4-21 (20°)	6- 1 (28°)	6- 2 (32°)	9-21 (30°)	10-16 (28°)	10-25 (24°)	187	137	111
RUPERT	99	7-19	-12	12- 9	4-23 (23°)	4-23 (23°)	5-14 (29°)	9-27 (30°)	10-16 (23°)	10-16 (23°)	176	176	136
SAINT ANTHONY	98	7-18	-27	2- 1	6- 3 (23°)	6- 4 (27°)	6-30 (31°)	9- 9 (31°)	9-12 (25°)	9-21 (22°)	110	100	71
SAINT MARIES	97	8- 2	- 8	1-31	4-21 (20°)	5-30 (28°)	6- 1 (29°)	9-21 (31°)	10-30 (28°)	10-31 (19°)	193	153	112
SALMON	101	7-17+	-26	1-30	5- 3 (24°)	5-29 (27°)	-	9-12 (29°)	9-21 (27°)	9-27 (24°)	147	115	-
SANDPOINT EXP STA	94	8- 2	-10	1-29+	4-25 (24°)	5-29 (28°)	6- 1 (30°)	9-11 (32°)	10-25 (21°)	10-25 (21°)	183	149	102
SHOSHONE	102	7-18	-18	1-29	4-22 (24°)	4-22 (24°)	5-14 (29°)	10- 6 (30°)	10-16 (22°)	10-16 (22°)	177	177	145
SPENCER RS	95	7-18	-35	2- 1	6- 3 (23°)	6- 8 (28°)	6-30 (30°)	7-12 (32°)	9-12 (26°)	9-27 (21°)	116	96	12
SPRINGFIELD	-	-	-17	1-29	4-22 (21°)	5-14 (25°)	6- 8 (29°)	9-12 (26°)	9-12 (26°)	10-16 (17°)	177	121	96
STIBNITE	91	7-20	-28	1-28	5-28 (24°)	6- 8 (28°)	6-27 (32°)	7- 7 (32°)	8-30 (27°)	9-11 (23°)	106	83	10
SUGAR	96	7-18	-27	2- 1	4-22 (24°)	5-14 (27°)	6- 9 (30°)	9-10 (32°)	9-12 (25°)	9-27 (23°)	158	121	93
SUN VALLEY	93	7-18	-35	1-30+	6- 8 (21°)	6-28 (27°)	6-30 (29°)	7- 1 (32°)	7- 6 (28°)	8-30 (22°)	83	8	1
SWAN FALLS PH	108	7-14+	5	1-30	3-18 (24°)	3-28 (27°)	3-31 (31°)	10-31 (32°)	11- 1 (28°)	11- 3 (20°)	230	218	214
TETONIA EXP STA	92	7-18	-37	1-29	5-14 (23°)	6- 3 (28°)	6-23 (30°)	7- 1 (31°)	9- 9 (28°)	9-12 (24°)	121	98	8
THREE CREEK	97	7-19	-	-	6- 3 (24°)	6- 9 (28°)	6-30 (32°)	7- 6 (32°)	8-25 (27°)	9-21 (22°)	110	77	6
TWIN FALLS 2 NNE	102	7-13+	- 4	1-31+	4-22 (23°)	4-22 (23°)	5-14 (31°)	9-27 (30°)	10-16 (25°)	11- 1 (19°)	193	177	136
TWIN FALLS 3 SE	101	7-14	- 6	1-29+	4-23 (23°)	5- 3 (28°)	6- 6 (32°)	9-22 (31°)	10- 6 (28°)	10-16 (22°)	176	156	108
WALLACE	101	8- 2	- 9	1-29	4-22 (23°)	6-25 (27°)	6-25 (27°)	9-26 (30°)	10-25 (25°)	10-26 (24°)	187	122	93
WALLACE WOODLAND PARK	97	8- 3	-13	1-29	4-24 (24°)	6- 1 (28°)	6- 2 (30°)	10-15 (31°)	10-25 (25°)	10-26 (24°)	185	146	135
WEISER	103	7-17+	- 2	1-29+	4-21 (23°)	4-22 (25°)	5-31 (32°)	9-22 (32°)	10-26 (26°)	10-30 (23°)	192	187	114
WINCHESTER 1 SE	95	7-23	-22	1-29	4-22 (22°)	6- 1 (26°)	6-20 (32°)	9- 3 (32°)	9-23 (27°)	10-16 (24°)	177	114	75

TOTAL EVAPORATION AND WIND MOVEMENT

Table 4

Station		Jan	Feb	Mar	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov	Dec.	Annual
ABERDEEN EXPERIMENT STATION	EVAP	-	-	-	-	-	B 7.25	7.78	5.54	-	-	-	-	
	DEP	-	-	-	-	-	- .16	- 1.08	- 2.30	-	-	-	-	
	WIND	3695	2683	3101	2760	2875	1846	1400	1091	1568	2344	2359	3183	28905
ARROWROCK DAM	EVAP	-	-	-	-	5.76	8.10	10.82	8.42	6.60	-		-	
	DEP	-	-	-	-	- .63	.84	.18	- 1.05	.80		-	-	-
	WIND	-	-	-	-	1792	1414	1120	948	1014	-	-	-	-
BLACKFOOT DAM	EVAP	-	-	-	-	-	B 7.99	10.03	7.86	-	-	-	-	
	DEP	-	-	-	-	-	-	-	-	-	-		-	-
	WIND	-	-	-	-	-	B 2577	2272	1967	-	-	-	-	-
LIFTON PUMPING STATION	EVAP	-	-	-	B 4.94	5.94	7.29	9.06	6.99	5.53	2.80	-	-	
	DEP	-	-	-	.92	- .58	- .32	- .21	- 1.44	- .23	- .18	-	-	
	WIND	-	-	-	2325	2427	1720	1067	1253	1151	1746	1331	1576	-
MINIDOKA DAM	EVAP	-	-	-	B 7.71	9.21	11.25	13.77	10.24	9.24	4.20	-	-	
	DEP	-	-	-	-	-	-	-	-	-	-	-	-	-
	WIND	5105	3915	4985	3870	4825	3920	3790	3420	3600	4165	4160	5395	51150
MOSCOW U OF I	EVAP	-	-	-	4.92	5.39	6.35	9.10	7.87	5.03	-	-	-	-
	DEP	-	-	-	1.84	1.19	1.12	1.36	1.76	1.60	-	-	-	-
	WIND	-	-	-	1858	2095	1313	1043	1011	1168	-			
PALISADES DAM	EVAP	-	-	-	-	-	5.99	8.01	5.66	B 4.79				
	DEP	-	-	-	-	-	-	-	-	-	-		-	
	WIND	-	-	-	-	-		-	-				-	

ACKNOWLEDGMENTS

In addition to the climatological data from some 6,000 Weather Bureau and cooperative weather stations, this bulletin series contains records from Hydroclimatic Network Stations which were formerly reproduced in the Hydrologic Bulletin Series. The Hydroclimatic Network is a nationwide net of rain gages--mostly of the recording type which produce continuous records of precipitation. It was established in 1939 at the request of the Corps of Engineers, Department of the Army, to supplement existing precipitation stations in order to provide records of rainfall intensity which were essential to the planning of flood control and related works by the Corps of Engineers. This Network, now numbering about 2,000 recording, and 1,000 non-recording rain gages, has been maintained by the Weather Bureau through working funds transferred annually to the Weather Bureau by the Corps of Engineers. These transfers averaged about $250,000 per year between 1940 and 1944, and nearly $375,000 since that date. For the years 1940-42, the Department of Agriculture transferred about $100,000 per year to provide data required in its work, and since 1947 the Bureau of Reclamation has transferred about $25,000 per year to meet the increasing needs of their program in the Western States.

Previous to the introduction of this bulletin series, data from Hydroclimatic Network stations were presented in bulletins (Hydrologic Bulletins) which were issued monthly for each of 8 drainage areas embracing the entire United States, but since the Network was established to meet the internal requirements of the Federal agencies referred to above, no provision was made for public dissemination of the data, distribution being limited to cooperating agencies and to certain public repositories. A list of locations where reference copies of the Hydrologic Bulletin Series are available for inspection may be obtained upon application to Chief, U.S. Weather Bureau, Washington 25, D.C.

Many other records published in this bulletin have been made available through the cooperation of various public offices, private agencies, and individuals as listed in the Station Index.

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Years of record			Opened or closed during yr.		Refer to tables
							Temp.	Precip.	Evap.	Month opened	Month closed	
ABERDEEN EXPERIMENT STATION	0010	BINGHAM	12	42 56	112 50	4400	38	38				1 2 3 4
ALBION	0149	CASSIA	12	42 25	113 35	4750	22	22				1 2 3
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	30	30				1 2 3
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	54	54				1 2 3
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	10	10				1 2 3
ARCO	0375	BUTTE	6	43 38	113 19	5325	45	45				1 2 3
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3238	40	40				1 2 3 4
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	54	54				1 2 3
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	35	35				1 2 3
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		1				S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	37	37				1 2 3
BANCROFT	0563	BANNOCK	12	42 43	115 54	5285		7				2
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	5	5				1 2 3
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		9				2
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	13	13				1 2 3
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	55	55				1 2 3
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	30	30				1 2 3 4
BLISS	1002	GOODING	12	42 56	114 57	3269	36	36				1 2 3
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		-				2
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	1	1		JAN		1 2 3
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	87	87				1 2 3
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	45	45				1 2 3
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		7				2
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	44	44				1 2 3
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	-	-				1 2 3
BURKE 2 NNE	1272	SHOSHONE	4	47 32	115 48	4093	15	15				1 2 3
BURLEY	1288	CASSIA	12	42 32	113 47	4180	34	34				1 2 3
BURLEY 1 NW FACTORY	1293	CASSIA	12	42 34	113 49	4200	27	27				1 2 3
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	14	14				1 2 3
CALDWELL	1380	CANYON	2	43 39	116 41	2372	47	47				1 2 3
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	56	56				1 2 3
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	10	10				1 2 3
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		9				2
CENTERVILLE ARBAUGH RANCH	1636	BOISE	2	43 58	115 51	4780		2				2
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	42	42				1 2 3
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	15	15				1 2 3
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	15	15				1 2 3
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		7				2
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		9				2
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	3	3				1 2 3
COEUR D ALENE CAA AIRPORT	1951	KOOTENAY	4	47 46	116 49	2273	2	9				1 2 3
COEUR D ALENE RANGER STATION	1956	KOOTENAY	4	47 41	116 45	2160	59	59				1 2 3
CONDA	2071	CARIBOU	12	42 43	111 33	6200	13	13				1 2 3
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	36	36				1 2 3
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		9				2
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	39	39				1 2 3
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		5				2
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		52				2
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	22	22				1 2 3
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		4				S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		6				2
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	34	34				1 2 3
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		1				2
DRIGGS	2676	TETON	12	43 43	111 07	6097	42	42				1 2 3
DUBOIS EXPERIMENT STATION	2707	CLARK	6	44 14	112 14	5462	30	30				1 2 3
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	13	13				1 2 3
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	6	6				1 2 3
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	1	1		DEC/50		1 2 3
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	45	45				1 2 3
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	3	3				1 2 3
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	38	38				1 2 3
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	37	37				1 2 3
GARDEN VALLEY RANGER STATION	3448	BOISE	8	44 04	115 55	3147	41	41				1 2 3
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		4				S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	42	42				1 2 3
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	42	42				1 2 3
GRACE POWER HOUSE	3732	CARIBOU	1	42 35	111 44	5400	45	45				1 2 3
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	37	37				1 2 3
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	37	37				1 2 3
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	33	33				1 2 3
GROUSE	3882	CUSTER	6	43 42	113 37	6100	19	19				1 2 3
HAILEY	3942	BLAINE	12	43 31	114 19	5347	48	48				1 2 3
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	25	25				1 2 3
HAZELTON	4140	JEROME	12	42 36	114 08	4060	35	35				1 2 3
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	32	32				1 2 3
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	40	40				1 2 3
HOWE	4384	BUTTE	6	43 47	113 00	4820		17				2
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	48	48				1 2 3
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		43				2
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	57	57				1 2 3
IDA VADA	4475	OWYHEE	2	42 03	115 09	6000		4				S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	50	50				1 2 3
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	15	15				1 2 3
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		2				S
JEROME	4670	JEROME	12	42 44	114 31	3785	36	36				1 2 3
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		30				2
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	47	47				1 2 3
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	43	43				1 2 3
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	44	44				1 2 3
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		11				S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		8				2
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	74	74				1 2 3
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 02	1413	5	5				1 2 3
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	32	32				1 2 3 4
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		4				S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	42	42				1 2 3 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	44	44				1 2 3
MALAD	5544	ONEIDA	1	42 11	112 16	4420	38	38				1 2 3
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	7	7				1 2 3
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	17	17				1 2 3
MC CALL	5708	VALLEY	8	44 54	116 07	5025	41	41				1 2 3
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	2	2				1 2 3
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	41	41				1 2 3
MESA	5859	ADAMS	12	44 37	116 26	3244	8	8				1 2 3
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5	5	5			1 2 3 4
MONTPELIER RANGER STATION	6053	BEAR LAKE	1	42 19	111 18	5943	35	35				1 2 3
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		1				2
MOOSE CREEK RANGER STATION	6087	IDAHO	3	46 08	114 50	2400		6				2
MOSCOW UNIVERSITY OF IDAHO	6152	LATAH	7	46 44	117 00	2628	60	60				1 2 3 4
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	46	46				1 2 3
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	12	12				1 2 3
NAMPA	6295	CANYON	2	43 35	116 34	2482	15	15			NOV	1 2 3
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	6	6				1 2 3
NEW MEADOWS RANGER STATION	6388	ADAMS	11	44 58	116 17	3860	47	47				1 2 3
NEZ PERCE	6421	LEWIS	3	46 14	116 14	3082	43	43			SEP	1 2 3
NEZ PERCE 3 E	6424	LEWIS	3	46 15	116 12	3850	0	0		SEP		1 2 3
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		4				S
OAKLEY	6542	CASSIA	12	42 14	113 53	4600	58	58				1 2 3
OBSIDIAN 4 NNE	6553	CUSTER	12	44 03	114 48	6900	41	41				1 2 3
OLA	6586	GEM	[illegible]	44 10	116 17	3075	7	51			JUL	1 2 3
OLA 4 S	6590	GEM	[illegible]	44 08	116 17	2975	1	1		JUL		1 2 3
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	47	47				1 2 3
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	5	5	5			1 2 3 4
PARMA EXPERIMENT STATION	6844	CANYON	[illegible]	43 47	116 57	2224	29	29				1 2 3
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	17	17				1 2 3
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	58	58				1 2 3
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	36	36				1 2 3
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		41				2
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		9				2
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	51	51				1 2 3
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	62	62				1 2 3
POTLATCH	7301	LATAH	7	46 55	116 53	2550	37	37				1 2 3
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		0				2
PRESTON SUGAR FACTORY 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	30	30				1 2 3
PRIEST RIVER EXPERIMENT STA	7386	BONNER	9	48 21	116 50	2380	40	40				1 2 3
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		2				S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		4				S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	37	37				1 2 3
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	37	37				1 2 3
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	9	9				1 2 3
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	31	31				1 2 3
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	45	45				1 2 3
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	12	12				1 2 3
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	52	52				1 2 3
SALMON	8076	LEMHI	11	45 11	113 53	3949	44	44				1 2 3
SANDPOINT EXPERIMENT STATION	8137	BONNER	9	48 17	116 34	2100	41	41				1 2 3
SHAKE CREEK RANGER STATION	8303	ELMORE	2	43 37	115 10	4730		2				S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3968	43	43				1 2 3
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		3				S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	32	32				1 2 3
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	43	43				1 2 3
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	2	2				1 2 3
STREVELL CAA AIRPORT	8786	CASSIA	12	42 01	113 13	5275	13	13			DEC/50	1 2 3
SUGAR	8818	MADISON	12	43 52	111 45	4892	43	43				1 2 3
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	15	15				1 2 3
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	16	16				1 2 3
TETONIA EXPERIMENT STATION	9059	TETON	12	43 49	111 10	6040	19	19				1 2 3
THREE CREEK	9119	OWYHEE	12	4 03	115 10	5400	12	12				1 2 3
TRINITY LAKE GUARD STATION	9202	ELMORE	2	43 38	115 26	7400		2				S
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		2				S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	46	46				1 2 3
TWIN FALLS 3 SE	9299	TWIN FALLS	12	42 32	114 25	3770	27	27				1 2 3
VIENNA	9422	BLAINE	11	43 49	114 51	8800		2				S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	43	43				1 2 3
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	31	31				1 2 3
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	40	40				1 2 3
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	12	12				1 2 3
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		2				S

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST JOE, 11 SALMON, 12 SNAKE.

RELOCATIONS

ANDERSON DAM 1 SW	All equipment moved 2 miles NE. . . .	April 6, 1951
ARCO	All equipment moved 0.5 mile NE . . .	August 16, 1951
BIG CREEK	All equipment moved 1 mile S.	July 20, 1951
COUNCIL 2 NNE	All equipment moved 1 mile SSW. . . .	November 1, 1951
FAIRFIELD RS	All equipment moved 0.3 mile NW . . .	November 1, 1951
JEROME	All equipment moved 9 blocks NNW. . .	June 12, 1951
MOUNTAIN HOME 1 W	All equipment moved 2.25 miles ENE. .	June 18, 1951
SHOSHONE	All equipment moved 670 feet NW . . .	January 1, 1951
SHOSHONE	All equipment moved 50 feet S	June 12, 1951

NAME CHANGE

FORNEY BLACKBIRD MINE	Changed to	COBALT BLACKBIRD MINE	July 1951

Unless otherwide indicated, dimensional units used in this bulletin are: Temperature in °F; precipitation and evaporation in inches, and wind movement in miles. Evaporation is measured on the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 4.

The four digit identification numbers in the Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried in the June and December issues of Climatological Data.

-	No record.
+	Also later date (dates) or months.
*	Amount included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
B	Adjusted to full month.
E	Water equivalent of snowfall wholly or partially estimated, using a ratio of 1 inch of water equivalent to every 10 inches of new snowfall.
M	1 to 9 days' record missing; see monthly Climatological Data for detailed daily record.
R	Station equipped with a recording gage only.
T	Trace, an amount too small to measure.
V	Includes total for previous months. V in annual column means total is for a two-year period.
S	Storage precipitation station. Will be published in the June, July and August or delayed data December issue of Climatological Data.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-102921 1400 4-8-52


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation storage
Precipitation and Temperature
Precipitation Temperature and Evaporation
Section Center
Type of gage Non recording.
Recording Both types
Double circle combinations Complete Meteorological.
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Bonners F. WB Awy
Benton Dam
Priest Riv Exp Sta
Sandpoint Exp Sta
Clark Fork 1ENE
Bayview Model Basin
Coeur d'Alene CAA AP
Deception Cr
Coeur d'Alene RS
Kellogg
Burke 2NNE
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace C
Saint Maries
Roland W Portal
Plummer 3WSW
Avery RS
Clarkia RS
Potlatch
Moscow U of Ida
Bungalow RS
Lolo Pass
Lewiston Wtr Pl
Orofino
Pierce RS
Lewiston WB AP
Winchester 1SE
Craigmont
Kamiah 1NE
Nezperce
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Cottonwood 2SW
Grangeville WB Awy
Elk City
Nez Perce Pass
Riggins RS
Salmon WB Awy
Big Creek 1 S
Yellow Pine
Cobalt Blackbird Mine
New Meadows RS
Stibnite
McCall USFS
Pungo Creek
Council 2NNE
Landmark RS
Leadore
Mesa
May RS
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Cascade RS
Island Park Dam
Spencer RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Weiser
Dubois Exp Sta
Ashton 1S
Ola
Dubois CAA AP
Lowman
Jackson Peak
Payette
Obsidian 1NNE
Hamer 4NW
St Anthony
Garden Valley RS
Chilly Barton Flat
Clementsville 4SE
Centerville Arbaugh Ranch
Emmett 2E
Moore Cr Summit
Mackay RS
Sugar
Parma Exp Sta
Idaho City
Atlanta 1E
Vienna
Howe
Tetonia Exp Sta
Bogus Basin
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Driggs
Caldwell
Idaho Cy 13SW
Arco
Rexburg
Ririe
Nampa 2NW
Meridian 1SSW
Arrowrock Dam
Shake Cr RS
Dollarhide Summit
Idaho Falls CAA AP
Deer Flat Dam
Nampa
Trinity Lake GS
Hailey
Irwin 2S
Kuna
Lucky Peak
Pine 2SSW
Soldier Cr RS
Boise WB AP
Prairie
Palisades Dam
Fairfield RS
Anderson Dam
Blackfoot
Swan Falls PH
Hill City
Springfield
Gray
Mountain Home 1 N
Putnam Mt
Richfield
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Blackfoot Dam
Aberdeen Exp Sta
Bliss
Shoshone
Pocatello WB AP
Gooding CAA AP
Conda
Bancroft
Jerome
Minidoka Dam
Eden Hunt
Paul 1E
American Falls 1NW
Burley 1NW
Buhl
Rupert
McCammon
Grace PH
Twin Falls 2NNE
Hazelton
Twin Falls 3SE
Burley
Burley CAA AP
Hollister
Albion
Montpelier RS
Oakley
Malad
Lifton Pump Sta
Bridge
Malad CAA AP
Preston 2SE
Three Creek
Ida Vada
Strevell WB Awy
R.A.W. 8/51

CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

JANUARY 1952
Volume LV No. 1

SAN FRANCISCO: 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

This month was colder than January 1951 and average temperatures were below the long-period mean in all divisions. Precipitation was somewhat greater than a year ago and also above the January mean in the Southwestern and Southeastern Divisions, but considerably lighter than in January 1951 and a little below the mean in the Northern Division. Snowfall, averaged on a statewide basis, was well above the mean and about six inches above last year, but still eight inches short of the record-breaking snowfall in January 1950. There was a deficiency of sunshine in all parts of Idaho, while the number of days with measurable precipitation exceeded the January mean. Few extraordinary 24-hour totals were reported, the general excess of precipitation for the State resulting from frequent light to moderate falls of rain or snow. Average wind speed was near the January mean, and although high winds were reported on a number of days, damage was light.

Several marked temperature changes occurred during the month, but there was only one pronounced cold wave. In the Southwestern and Southeastern Divisions, between the morning of the 16th and the morning of the 17th, minimum temperatures fell an average of 20° to 25°, with a few stations reporting drops of 35° to 40°, and all but a fe reporting minimums of zero or lower. Th drop in temperature came in the wake of general snowstorm, as the area of low pressure, or storm center, was rapidly displace eastward and a high pressure cell, wi clearing skies and diminishing winds, move over Idaho. During the snowstorm precedi the cold wave a number of stations in southern Idaho reported snowfall of from eight to nearly twenty inches.

The 10th was another day of heavy snowfall, this time striking the Northern a Southwestern Divisions, but this storm w not followed by clearing skies and loweri temperatures. A number of stations report the heaviest daily precipitation of the mon on the 10th, but a greater number report the heaviest on the 15th and 16th, or on t 23rd, 24th, and 25th.

All in all this was not an unusual severe January in Idaho and adverse effec of weather on the economy of the State we small. On the other hand, the steady i crease in the mountain snowpack gave promi of ample water supplies in all areas.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	SE	41	8.1	43	SE	14	83	79	79	[illegible]	[illegible]	1[illegible]	4	[illegible]	0	0	24	31	7.7	[illegible]
LEWISTON WB AIRPORT	E	13	4.4	-	-	-	80	74	76	79	11	10	1	0	[illegible]	0	22	-	8.5	[illegible]
POCATELLO WB AIRPORT	SW	19	10.8	61+	SE	14	79	76	78	79	11	8	[illegible]	0	0	0	21	21	8.1	[illegible]

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1894	25.8	62	-26	3.08	-	-
1895	22.6	55	-34	2.71	-	10
1896	27.4	62	-25	3.07	-	10
1897	24.0	58	-30	1.06	-	5
1898	17.4	60	-40	1.35	-	[illegible]
1899	28.1	60	-19	2.64	20.9	11
1900	30.8	63	-18	1.56	2.9	6
1901	26.7	75	-23	1.87	14.1	8
1902	23.7	61	-34	.78	6.3	6
1903	25.9	60	-19	3.02	17.0	10
1904	24.5	60	-24	1.44	14.0	8
1905	27.5	61	-18	1.08	6.2	8
1906	25.0	55	-30	2.67	19.7	10
1907	22.5	61	-32	2.52	26.7	12
1908	26.3	63	-36	1.08	9.8	7
1909	28.1	63	-28	4.02	21.4	14
1910	20.3	56	-36	2.05	18.7	10
1911	26.5	59	-39	3.10	17.1	11
1912	24.9	62	-39	2.74	19.4	11
1913	20.8	57	-42	2.42	29.4	11
1914	29.6	62	-27	2.80	18.7	13
1915	22.5	56	-33	1.26	12.8	8
1916	18.0	63	-38	3.20	34.8	15
1917	16.8	56	-44	1.75	19.6	10
1918	28.5	68	-31	2.52	17.1	13
1919	25.9	62	-28	1.55	5.7	6
1920	24.8	63	-31	1.23	2.9	4
1921	27.0	60	-33	2.14	17.5	13
1922	15.5	51	-30	1.48	17.5	[illegible]
1923	28.0	61	-30	2.48	20.3	11
1924	19.9	57	-33	.98	9.8	7
1925	26.0	60	-18	2.82	21.3	15
1926	23.6	54	-24	1.31	10.3	7
1927	25.6	63	-44	2.01	14.2	11
1928	25.8	57	-29	1.76	11.3	9
1929	15.6	54	-36	2.10	30.6	11
1930	12.9	66	-46	1.49	19.3	10
1931	23.9	58	-22	1.34	10.2	8
1932	19.2	58	-35	1.73	19.9	12
1933	23.8	58	-25	2.53	31.4	13
1934	32.0	65	-16	2.05	4.8	10
1935	24.8	62	-41	1.74	18.7	8
1936	23.5	56	-35	3.77	26.3	14
1937	8.7	56	-48	1.80	29.4	12
1938	27.6	62	-19	1.72	9.8	9
1939	27.3	61	-27	1.55	14.7	11
1940	26.2	57	-29	2.49	15.3	13
1941	27.2	57	-30	1.57	10.6	10
1942	19.5	58	-45	1.42	11.9	9
1943	23.1	64	-60	2.71	20.6	10
1944	20.8	59	-34	.88	8.7	6
1945	27.2	65	-21	1.40	5.7	9
1946	23.7	60	-23	1.91	17.2	10
1947	19.9	56	-42	1.41	13.8	10
1948	25.5	66	-37	1.73	8.1	7
1949	6.9	45	-42	1.00	15.5	8
1950	18.9	61	-40	3.25	36.9	15
1951	23.4	62	-42	2.13	22.9	12
1952	21.1	52	-35	2.16	28.8	12

See reference notes following Station Index.

TABLE 2

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail			No. of Days		
										Max.		Min.						Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
										90° or Above	32° or Below	32° or Below	0° or Below										
NORTHERN DIVISION																							
AVERY RS	31.9	18.9	25.4	- 1.9	45	29	- 8	1	1216	0	15	30	3	2.51	- 1.27	.38	24	24.5	36	24	21	0	0
BAYVIEW MODEL BASIN	33.2	21.8	27.5		43	27+	1	3	1153	0	11	29	0	2.77		.35	14	26.0	31	24	20	0	0
BIG CREEK 1 S	31.1	6.7	18.9	1.9	40	25+	-22	3	1424	0	17	31	9	1.90	- .03	.30	14+	44.0	44	20	14	0	0
BONNERS FERRY	29.6	17.0	23.3M	- 0.1	43	27+	-12	3	1293	0	16	30	3	3.61	.92	.53	30				24	1	0
BURKE 2 NNE	27.5	16.4	22.0	- 0.2	37	28+	-10	1	1326	0	24	31	2	4.54	- 1.72	.93	10	67.2	67	10	24	2	0
CLARK FORK 1 ENE	33.1	18.2	25.7	- 0.3	45	10	-11	3	1212	0	11	30	4	4.56	1.19	.92	30	42.5	30	24+	21	2	0
COBALT BLACKBIRD MINE	24.0	4.1	14.1M		39	31	- 6	18+		0	28	31	15	1.00		.18	15	15.0	36	24	14	0	0
COEUR D ALENE CAA AP	29.5	18.4	24.0		44	27	-12	1	1264	0	20	29	1	1.72		.54	30	47.0	36	23	20	1	0
COEUR D ALENE RS	32.5	19.5	26.0	- 0.8	44	27	- 4	1	1203	0	14	30	1	3.67	.36	.73	10	35.3	37	24	22	2	0
COTTONWOOD	32.5	15.2	23.9	0.3	45	24	- 7	1	1269	0	15	30	2	.89	- 1.21	.18	16	11.7	17	23	13	0	0
ELK RIVER 1 S	35.2	18.3	26.8		46	29+	-15	1	1181	0	8	29	4	3.91		.90	30	32.6	42	24	23	3	0
FENN RS	34.5	20.5	27.5	- 2.0	44	26	0	3	1155	0	12	31	1	E 2.34	- 1.26	.38	23		24	23+	16	0	0
GRANGEVILLE	34.7	17.0	25.9	- 2.7	46	30	- 8	1	1205	0	10	31	1	1.25	- .48	.29	16		13	23	11	0	0
KELLOGG	32.0	18.2	25.1	- 1.8	44	31	- 9	1		0	12	29	4	2.94	- .51	.61	25	30.2	24	25	23	1	0
KOOSKIA	35.5	19.0	27.3	- 1.9	47	27+	- 2	3	1163	0	11	31	1	1.22	- .89	.23	23	20.0	13	23	12	0	0
LEWISTON WATER PLANT	36.9	24.4	30.7	- 2.5	49	31	3	1	1058	0	7	24	0	.53	- .88	.15	23	5.6	4	23	12	0	0
LEWISTON WB AP	35.7	22.1	28.9		48	14	1	3	1111	0	9	27	0	.46		.11	23	4.6	5	23+	11	0	0
MOSCOW U OF I	33.5	19.9	26.7	- 1.5	45	15	-19	1	1177	0	14	29	1	1.67	- 1.11	.34	23	15.0	29	1	11	0	0
MULLAN PASS CAA	20.7	13.6	17.2	- 2.5	32	29	- 8	1	1476	0	31	31	1	6.17	2.19	1.18	6	50.9	122	10+	25	4	1
NEZPERCE 2 E	31.1	17.5	24.3		42	31	- 5	1	1255	0	18	30	1	1.16		.39	16	15.3	22	23	11	0	0
OROFINO	37.7	22.2	30.0M	0.3	48	29	1	3	1079	0	6	29	0	1.40	- 1.46	.30	23	12.5			9	0	0
PIERCE RS	30.1	8.7	19.4	- 4.8	39	30	-15	2		0	19	31	6	4.05	- .49	.80	24	23.0	55	24	18	2	0
PORTHILL	28.9	15.0	22.0	- 1.7	44	31	-16	3	1328	0	20	29	4	2.97	.62	.45	14	45.6	32	22+	18	0	0
POTLATCH	33.6	18.5	26.1	- 2.0	46	29	-15	1+	1200	0	13	28	4	2.24	- .55	.35	10	24.1	27	23	17	0	0
PRIEST RIVER EXP STA	29.7	17.2	23.5	- 0.1	42	29	-15	1	1282	0	19	31	3	5.32	1.56	1.05	10	63.4	46	24	22	2	1
RIGGINS RS	37.8	25.9	31.9	- 2.4	47	31	15	2		0	7	28	0	1.15	.12	.30	10	9.7	4	20+	10	0	0
ROLAND W PORTAL	27.9	14.7	21.3	- 2.2	41	29	-12	1	1345	0	23	31	2	5.72	- 1.37	1.40	30	80.8	72	24+	19	3	1
SAINT MARIES	33.8	18.3	26.1	- 2.4	47	30	-10	3	1198	0	11	31	3	3.69	.43	.54	24+	29.5			21	2	0
SALMON	28.5	2.7	15.6	- 1.8	44	25	-15	18	1526	0	19	31	13	.33	- .36	.11	23		7	23+	6	0	0
SANDPOINT EXP STA	29.2	19.0	24.1	- 1.4	40	29+	-15	1	1259	0	21	30	2	5.11	1.44	1.02	30	49.4	45	7	20	2	1
WALLACE	30.9	18.7	24.8	- 2.0	43	29	- 7	1	1234	0	16	31	2	4.32	- .45	1.05	10	34.0	54	24	20	3	1
WALLACE WOODLAND PARK	31.1	14.4	22.8	- 3.2	46	30	-14	1		0	16	30	4	2.46	- 1.44	.36	31	26.9	34	11	17	0	0
WINCHESTER 1 SE	33.0	16.8	24.9	- 1.3	47	27	-10	1	1236	0	16	28	2	1.73	.37	.44	16				14	0	0
DIVISION			24.4	- 2.1										2.71	- .28			31.7					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	29.2	8.1	18.7	0.3	41	26	-24	3	1434	0	22	31	7	3.60	.36	.90	10	45.0	42	24	16	3	0
ANDERSON DAM	29.5	14.7	22.1		47	26	- 5	17	1321	0	17	31	4	3.83		1.05	24		38	24+	14	2	1
ARROWROCK DAM	30.3	15.4	22.9M	- 2.0	41	11	- 1	18+		0	14	31	3	2.46	- .18	.41	23	21.3	28	23	17	0	0
ATLANTA 1 E	29.5	10.5	20.0	- 1.1	42	28	- 8	17	1387	0	27	31	7	4.07	.67	.66	10	64.0	64	24	14	2	0
BLISS	30.6	13.6	22.1	- 5.0	40	14+	- 9	17	1323	0	14	31	4	1.58	.34	.65	15	16.0	18	22	9	1	0
BOISE LUCKY PEAK DAM			M											1.22		.32	31		3	2+	18	0	0
BOISE WB AP //	33.7	19.5	26.6	- 1.3	46	31	- 2	3	1182	0	12	30	2	1.24	- .49	.26	24	11.0	6.	22+	16	0	0
BUHL	34.2	19.0	26.6	- 0.7	44	26+	0	3	1185	0	12	30	1	E .57	- .45	E .20	16	13.5			9	0	0
CALDWELL	33.8	18.1	26.0	- 2.3	47	10	- 2	18	1203	0	11	31	3	1.12	- .14	.22	24	6.3	3	22	13	0	0
CAMBRIDGE	31.4	16.2	23.8	1.7	43	31	-15	2		0	12	28	6	7.25	4.27	2.30	10	66.0			19	4	2
CASCADE 1 NW	26.2	11.7	19.0		38	26+	-19	3	1423	0	21	31	6	2.41		.71	10	40.5	42	24	19	1	0
CHALLIS	27.4	4.5	16.0	- 2.7	41	24+	-14	18	1513	0	21	31	13	.61	.13	.28	15		10	22+	5	0	0
COUNCIL 1 N	31.1	15.8	23.5	- 0.2	42	23+	-17	2	1282	0	13	31	5	6.63	3.06	2.00	10	47.1	39	24	17	4	2
DEADWOOD DAM	27.4	7.8	17.6	1.9	38	25+	-25	18	1465	0	21	31	8	4.90	.09	.98	10	75.5	69	14	20	3	0
DEER FLAT DAM	34.8	19.2	27.0	0.3	46	10	- 3	3	1173	0	9	31	2	.97	- .03	.25	22	7.0			6	0	0
EMMETT 2 E	34.2	21.2	27.7	- 1.4	45	10	- 1	3	1148	0	9	31	1	E 1.55	.17	.60	24				6	1	0
FAIRFIELD	24.2	- 7.5	8.4M		38	24	-32	2+	1758	0	25	31	21	4.75		1.20	15	64.5	53	16+	16	4	1
GARDEN VALLEY RS	31.2	16.7	24.0	0.2	40	25+	-11	3	1266	0	17	31	5	3.18	- .05	.70	10	37.5	32	24	19	2	0
GLENNS FERRY	35.1	16.4	25.8M	- 3.4	47	14	- 8	17	1209	0	12	30	2	2.65	1.51	1.28	15	27.0	12	15+	8	1	1
GOODING CAA AP	28.9	13.4	21.2	- 2.5	40	27	- 6	17	1351	0	17	31	5	1.64	.40	.46	15	20.0	24	22+	11	0	0
GRAND VIEW	36.0	17.0	26.5	- 2.5	46	11	-11	18	1183	0	9	30	4	1.68	.96	.88	15	18.5			8	1	0
HAILEY	26.5	4.7	15.6	- 3.9	39	28	-17	2	1525	0	21	31	10	4.44	2.21	1.05	15	61.5	57	15	16	1	1
HAZELTON	31.2	14.0	22.6	- 3.6	45	15	- 7	2+	1307	0	15	31	6	.99	- .25	.18	24	14.1	16	22	12	0	0
HILL CITY	23.9	- 0.6	11.7	- 3.6	45	27	-28	4+	1648	0	26	31	15	4.35	2.27	1.15	15	77.0			13	3	1
HOLLISTER	34.0	15.1	24.6M	- 1.9	44	30	- 5	2	1246	0	11	30	3	.97	.10	.22	15	12.4			6	0	0
IDAHO CITY	33.1	8.3	20.7	- 3.6	47	27	-20	3+	1366	0	15	31	9	3.25	.11	.54	24	40.6			19	1	0
JEROME	31.7	13.6	22.7	- 3.8	43	23	- 8	17	1305	0	13	31	4	1.36	.29	.21	11				10	0	0
KUNA 2 NNE	32.6	18.2	25.4	- 2.9	44	10+	- 6	18	1221	0	12	30	4	.71	- .49	.24	31	6.8	4	22	7	0	0
LOWMAN	31.8	11.1	21.5	- 0.8	46	27	-16	18	1345	0	17	31	7	4.51	1.31	1.05	10	45.8	45	24	17	2	1
MC CALL	23.5	10.5	17.0	- 1.1	34	27	-16	3	1486	0	29	31	7	4.78	1.29	.75	10	77.0	61	15+	14	3	0
MERIDIAN 1 SSW	33.2	14.1	23.7	- 4.9	47	10	- 9	3+	1273	0	10	31	7	.69	- .73	.28	24				5	0	0
MESA	31.4	16.3	23.9		42	25	- 9	18	1271	0	13	31	4	6.60		1.29	24	47.4			14		1
MOUNTAIN HOME 1 NE	34.1	16.5	25.3	- 2.5	52	13	- 6	17	1224	0	14	30	4	1.38	.20	.57	15	19.5	12	15	8	1	0
NAMPA 2 NW	33.5	17.7	25.6		46	11	- 1	18		0	9	30	1	.82		.20	23	6.0	3	5+	10	0	0
NEW MEADOWS RS	27.9	11.8	19.9	0.6	40	25	-24	3	1394	0	22	31	7										
OBSIDIAN 4 NNE	23.6	0.0	11.8M	- 2.6	38	25	-28	3	1644	0	26	31	13	.90	- 1.09	.18	10	14.0	40	16+	12	0	0
OLA 4 S	33.8	13.3	23.6		41	13+	-11	18	1275	0	9	30	7	2.37		.68	24				14	1	0
PARMA EXP STA	33.6	19.4	26.5M	- 1.3	46	10	1	3	1190	0	11	31	0	.72	- .41	.17	24		4	22	11	0	0
PAYETTE	33.1	20.0	26.6	- 0.6	48	10	0	18	1185	0	9	30	1	3.91	2.36	2.30	10	11.9	6	22	13	2	1
RICHFIELD	25.7	6.0	15.9	- 4.3	35	24+	-15	17	1515	0	23	31	11	1.61	.32	.44	15	25.0	26	23	11	0	0
SHOSHONE	29.1	11.3	20.2	- 3.1	40	20+	- 7	17	1378	0	16	31	7	2.01	.58	.60	15	27.8	24	22	15	1	0
STIBNITE	28.5	7.5	18.0		44	31	- 6	18		0	25	31	7	3.13		.46	11	50.5	57	24	16	0	0
SUN VALLEY	25.4	- 6.1	9.7	- 5.6	35	29+	-30	1	1712	0	25	31	21	4.79	2.68	.80	10+	85.0	85	16	10	6	0
SWAN FALLS PH	34.5	21.3	27.9	- 3.5	48	10	0	18	1145	0	11	27	1	1.04	.07	.24	31	8.0	6	22	6	0	0
THREE CREEK	37.3	11.5	24.4		52	29	-14	17	1252	0	8	31	6	.99	- .27	.25	22	22.0	18	22	8	0	0
TWIN FALLS 2 NNE	33.6	15.7	24.7	- 2.0	44	12	- 9	17	1242	0	12	31	5	.93	- .17	.17	24	10.6	5	22	12	0	0
TWIN FALLS 3 SE	33.6	15.2	24.4	- 2.4	45	13	- 3	18		0	12	31	5	.68	- .21	.13	25	11.0	5	23	10	0	0
WEISER	32.5	18.6	25.6	- 0.7	40	31	- 6	18	1215	0	10	29	2	2.22	.43	.80	9	24.8	14	22	15	2	0
DIVISION			21.8	- 2.8										2.51	.42			32.8					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	27.1	8.9	18.0	- 2.2	37	12+	-18	3	1451	0	18	31	10	.57	- .11	.14	30+	11.0	7	23	11	0	0
ALBION	32.6	11.3	22.0M	- 6.1	48	30	-12	2+	1380	0		31	8	.92	- .55	.24	16	15.5			9	0	0

See Reference Notes Following Station Index

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
AMERICAN FALLS 1 NW	29.[illegible]	13.2	21.1	- 2.7	40	[illegible]	-12	[illegible]	1354	0	17	31	8	E .57	- .83	.16	31	11.5	6	5+	10	0	0
ARCO	23.7	- 4.2	9.8M	- 5.2			-21	2+	16[illegible]	0		31	22	E 2.12	1.16	.87	15	39.5			4	2	0
ASHTON 1 S	27.3	13.1	20.2	2.0	36	25+	- [illegible]	18	[illegible]	0	21	31	2	1.97	.09	.23	25+	27.0	30	26	14	0	0
BLACKFOOT	24.[illegible]	12.0	20.5	- 0.7	40	1[illegible]	-1[illegible]	3+	1372	0	17	31	8	.50	- .51	.16	31	13.0	9	22	5	0	0
BURLEY	33.4	15.2	24.3	- 1.7	46	16	- 6	17		0	12	30	5	.64	- .30	.12	31	9.0			10	0	0
BURLEY FACTORY 1 NW	30.7	13.4	22.1	- 1.9	42	3[illegible]	- 9	2+		0	13	31	5	.52	- .40	.10	26	10.0			9	0	0
BURLEY CAA AP	32.[illegible]	13.[illegible]	23.0	- 2.4	46	[illegible]	- 9	17	1294	0	12	31	5	.79	.14	.12	22	11.2	11	22	12	0	0
CHILLY BARTON FLAT	19.5	-10.7	4.4	-10.3	[illegible]	27	-4[illegible]	18	1876	0	30	31	24	1.20	.96	.45	15	26.0	20	16	6	0	0
CONDA	28.8	8.1	18.5	2.2	40	31	-2[illegible]	3		0	24	31	7	2.00	.44	.30	17	41.0			13	0	0
DRIGGS	27.3	5.0	16.2	- 0.3	48	[illegible]	-24	2		0	21	31	11	1.17	- .50	.26	14				12	0	0
DUBOIS EXP STA	22.5	7.9	15.2	- 2.4	4[illegible]	25	- 8	2	1539	0	31	31	9	1.25	.30	.43	15	26.0	28	22	10	0	0
DUBOIS CAA AP	24.3	4.4	14.4	- 3.4	34	[illegible]+	-15	3	1564		26	31	13	1.64	.78	.55	15	27.9	30	15	12	1	0
FORT HALL IND AGENCY	31.0	10.1	20.6M	- 1.1	47	11	-18	3	1373	0	16	30	7	.48	- .28	.17	31				9	0	0
GRACE PH	26.7	7.4	17.1	- 2.6	38	[illegible]	-20	2	1479	0	21	31	9	1.49	.29	.38	16	24.5	42	24+	12	0	0
GRAY	29.5	9.2	19.4	1.7	44	31	-17	3	1410	0	19	31	3	1.77	.17	.50	20	18.0	36	25+	7	1	0
GROUSE	23.3	-13.5	4.9		3[illegible]	24	-32	1+	1862	0	28	31	25	2.38	1.41	1.25	15	45.5			6	1	1
HAMER 4 NW	24.7	3.6	14.2	1.6	43	25	-24	17	1570	0	23	31	14	.78	.15	.37	11				4	0	0
IDAHO FALLS CAA AP	25.9	8.3	17.1	- 2.2	38	12	-14	3	1481	0	20	31	10	.41	- .90	.08	31	11.4	12	22	12	0	0
IRWIN 2 S	28.6	12.9	20.8	1.5	40	12	-16	2	1367	0	17	31	5	.70	- .72	.30	13	11.5			7	0	0
ISLAND PARK DAM	23.4	3.7	13.6	0.8	34	25	-30	18	159[illegible]	0	30	31	10	6.07	2.99	1.40	15	101.5	78	15	19	3	1
LIFTON PUMPING STA	24.5	0.6	12.6	- 5.2	39	25+	-21	2+	1620	0	20	31	16	.63	.03	.14	16	12.0	20	23	10	0	0
MACKAY RS	23.4	- 0.5	11.5	- 5.6	37	26	-15	5+	1655	0	27	31	17	4.04	3.21	1.28	16	47.0	36	16+	9	3	1
MALAD	30.5	12.1	21.3	- 0.4	43	27	-12	3	1346	0	16	31	5	1.77	.35	.37	16	18.0	25	22+	12	0	0
MALAD CAA AP	28.7	5.1	16.9		43	26	-21	4	1485	0	19	31	12	1.40		.32	13	14.9	22	22	12	0	0
MAY RS	25.9	1.0	13.5	- 3.9	43	24	-25	18	1591	0	23	31	15	.47	.03	.21	15	7.7	8	16	6	0	0
MC CAMMON	30.8	12.1	21.5		40	26+	-19	3	1343	0	18	31	6	1.47		.31	13+		18	1	9	0	0
MINIDOKA DAM	29.8	12.7	21.3		41	12+	-12	17	1349	0	16	31	6	.76		.19	31	14.0	12	22	10	0	0
MONTPELIER RS	27.8	2.6	15.2	- 2.4	42	25+	-20	3		0	20	31	17	1.25	.25	.26	17	21.8	26	23	13	0	0
OAKLEY	35.0	16.6	25.8	- 2.2	44	26+	- 6	3	1207	0	9	31	3	.84	.08	.34	16	11.5	4	22	8	0	0
PALISADES DAM	28.[illegible]	10.8	19.4M		39	13	-18	2	1407	0	17	31	7	1.56		.30	16				13	0	0
PAUL 1 E	32.5	10.7	21.6	- 4.4	50	13	-12	18		0	15	31	7	.73	- .27	.14	25		5	16+	9	0	0
POCATELLO WB AP //	29.[illegible]	12.4	20.7	- 1.6	39	23	-15	3	1368	0	16	30	8	.68	- .66	.18	16	8.9	8	22+	10	0	0
PRESTON SUG FACT 2 SE	31.5	10.3	20.9	0.4	47	26	-16	3+	1359	0	15	31	6	2.06	.66	.65	16	29.2	19	22	14	1	0
RIRIE	29.0	13.7	21.4		39	12	- 6	4	1345	0	16	31	4	E .50		E .10	13+	7.7			8	0	0
RUPERT	31.5	11.7	21.6	- 3.0	45	31	-10	17		0	14	31	7	.72	- .34	.16	16		9	23	8	0	0
SAINT ANTHONY	28.0	7.9	18.0		40	25	-20	1	1452	0	21	31	9	E 1.44	.35	.20	22+		15	31	16	0	0
SPENCER RS	22.6	3.7	13.2	- 1.3	32	30	-20	17	16[illegible]	0	31	31	13	3.13	1.65	1.02	15				14	2	1
SPRINGFIELD	28.2	8.2	18.2	- 2.1	39	23	-18	1	1443	0	19	31	9	.75	- .26	.15	31	11.4			11	0	0
SUGAR	28.4	5.0	16.7M	0.1	40	25	-24	4	1482	0	20	31	10	.30	- .90			7.0	9	21+	4	0	0
TETONIA EXP STA	27.9		M				-23	2+		0		31		.68	- .42	.2[illegible]	27				6	0	0
DIVISION			17.8	- 2.1										1.31	.10			21.6					
STATE			21.1	- 2.4										2.16	.15			28.8					

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3

IDAHO
JANUARY 1952

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.57					[illegible]								.05		.02	.03				T	T	.02	.01	.04	.04	.07				.14	.14
ALBION	.92	T							.11					.06			.24				.13	.05	.06			.07	.04					.16
ALPHA 1 NE	3.60				[illegible]			[illegible]	.34		.90	.02	.19	.60	.34				T	.04	.25	.08	.04	.20	.66						.33	.11
AMERICAN FALLS 1 NW	E .57	T	T			[illegible]								.03	T	E.05	.11	.02				.01	T	.01		.06	.11					.16
ANDERSON DAM	3.83				[illegible]						[illegible]	.12	T	T	.29	.78	.19				.11	.19	.19	.08	1.05		.03				.20	.18
ARCO	E2.12											.25			E.80	.87	E.20					T										T
ARROWROCK DAM	2.46				[illegible]	[illegible]			[illegible]	T	[illegible]	[illegible]		T	.03	.22	.28			.04	.13	.15	.14	.41	.16	.15	.10					.25
ASHTON 1 S	1.97									.18		.07	T	[illegible]	.03	.15	[illegible]				.05	.11	.16	.08	.21	.23	.20					.23
ATLANTA 1 E	[illegible]				-			T			.60	[illegible]	.28		.33	.52	.24			.07	.25	.07	.07	.48	.44		T				.16	.40
AVERY RS	2.51				[illegible]		[illegible]	.18	.07	.03	.24		.35	[illegible]	.05	.08	T			[illegible]	.17	.10	.11	.19	.38	.16	.11	.08			.32	.08
BAYVIEW MODEL BASIN	2.77				[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.34	.27		.35	.10	.35	.08				T	.02	.14	.15	.10	.26	.07	T	.10		.21	.30	T
BIG CREEK 1 S	1.90							.06			.28	[illegible]	[illegible]	.05	[illegible]	.08	.17		T	T	.30	.04	.02	T	.03						.04	.06
BLACKFOOT	.50				T									.10			.10						.10	.04	T		T					.16
BLISS	1.68				T							[illegible]			.03	.65	.20				T	.04	.08		.28		.05				T	.15
BOISE LUCKY PEAK DAM	1.22				[illegible]	T		.01	[illegible]		[illegible]		T	T	.01	.20	.10			*	*	.09	.12	.02	.21	.01	*	*			.03	.32
BOISE WB AP //R	1.24				[illegible]	[illegible]		[illegible]	[illegible]	T	[illegible]	T	T	T	[illegible]	.19	.02		T	[illegible]	.06	.03	.17	T	.26	.03	T	T			.07	.23
BONNERS FERRY	3.61	.02	.02		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.34	[illegible]	[illegible]	.06	.35	.05	T	T	.08	.05	.18	.17	.08	.25	.32	.01	.01	T		T	.53	
BUHL	E .57				E.35							*		*	*	.15	E.20				*	*	.17		T						T	
BURKE 2 NNE	4.54	T	T		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.15	[illegible]	[illegible]	[illegible]	.19	.07	.22		.05		.15	.25	.07	.14	.31	.35	.26	.09	.17			.55	.07
BURLEY	.64					[illegible]								.06	T	[illegible]	.11					.03	.04	.04		.07	.06					.12
BURLEY FACTORY 1 NW	.52					T					T			.05	T	.06	[illegible]					.02	.04	.06		.07	.10					.07
BURLEY CAA AP	.79	T			[illegible]	T		T	T		T			.11	T	.07	[illegible]			T	.03	.02	.12		.09	.02	.04				.07	.09
CALDWELL	1.12				[illegible]			[illegible]	[illegible]				[illegible]		.05	.15	T			T	[illegible]	.02	.17		.22	.05	.06				T	.16
CAMBRIDGE	7.25						[illegible]	[illegible]	.23		[illegible]	[illegible]	[illegible]	.21	.10	.10			[illegible]	.30	[illegible]	.15	.20	.10	.56	.20					.50	.10
CASCADE 1 NW	[illegible]				[illegible]			[illegible]	[illegible]	[illegible]	.21	[illegible]	.25	.02	.32	.07	[illegible]			.01	.28	[illegible]	.02	[illegible]	.22						.08	.17
CENTERVILLE ARBAUGH	[illegible]				[illegible]			[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	.04	.28	.24	.10			.02	[illegible]	[illegible]	.27	.26	.66		.10	T			.34	.30
CHALLIS	.61										T		T		T	.28	.20				.07		.05	T								.01
CHILLY BARTON FLAT	1.20													[illegible]	.20	.45	.25				.10		.10									
CLARK FORK 1 NE	4.50	.04			[illegible]	T	[illegible]	[illegible]	.13	.13	.35		.23	.15	[illegible]	.21			T	.10	T	.25	.22	.14	.62	.31	.11	.24			.92	.04
COBALT BLACKBIRD MINE	[illegible]		[illegible]			[illegible]			[illegible]		.01	.17	.04			.18	[illegible]			.03		.07	.03	.12	.09							.10
COEUR D ALENE CAA AP	1.72	T	T	T	[illegible]	[illegible]	[illegible]	[illegible]	.05	[illegible]	[illegible]	[illegible]	[illegible]	.03	.12	.03	T		T	T	.05	.03	.16	.03	.15	T	.03	.05			.54	T
COEUR D ALENE R	[illegible]	.01			[illegible]	[illegible]	[illegible]	[illegible]	.12	[illegible]	[illegible]		.24	[illegible]	[illegible]	.21				.04	.07	.10	.34	.22	.42	.06	.01	.02			.50	T
CONDA	[illegible]								[illegible]						.25	.02	.24	.30			.07	.18	.03	.26	.13	.24	.10					.02
COTTONWOOD	[illegible]				T			[illegible]	T	.07	.07		.03				.18				.02	.07	.03	.16	.14		.02				.05	.03
COUNCIL 1 N	6.63				[illegible]			[illegible]	[illegible]		[illegible]	[illegible]	.65	[illegible]	[illegible]	.07	[illegible]			[illegible]	.30	.20	.20		1.40	.15					T	.70
CROUCH 2 NNW	4.15				[illegible]			T	.12		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.05	.03			.04	.16	.18	.09	.33	.82	.03	.21				.23	.30
DEADWOOD DAM	4.90				[illegible]	T		[illegible]	[illegible]	T	.48	.12	.34	.17	.67	.18	[illegible]			[illegible]	.47	.15	[illegible]	.15	.56	.02	.12	T			.28	.28
DEER FLAT DAM	.97				[illegible]			T					T		T	.20							.25		.15		.11					.19
DRIGGS	1.17												[illegible]	[illegible]	.26	.12	[illegible]				.04	.04	[illegible]			.15	[illegible]	.12	.02			
DUBOIS EXP STA	1.25				T	[illegible]			T	[illegible]	T	.07		T	.21	.43	.05				.17	.07	.08	T	.09		T					
DUBOIS CAA AP	1.64	T	T		T	[illegible]		T	T	[illegible]	T	[illegible]		[illegible]	.41	.55	[illegible]			T	.25	.10	.01	T	.01	T	.08	T	T	T	T	T
ELK RIVER 1 S	3.41	.03			[illegible]	[illegible]	.01	[illegible]	.17	.12	.20	[illegible]	.03	.03	.08	.01	[illegible]	T		.11	[illegible]	.10	.15	.11	.62	.29					.90	.53
EMMETT 2 E	E1.55				[illegible]				[illegible]														.12		.60		.25					.25
FAIRFIELD	4.75				[illegible]			T			.08	.21	.12	[illegible]	.87	1.20	.54				.12	.09	.15	.20	.54		.13				.15	.22
FENN RS	E2.34				[illegible]			.14	[illegible]	[illegible]	[illegible]		.15	[illegible]			.16				.22	.06	.08	.38	.16		.16				.30	.23
FORT HALL IND AGENCY	.48	.02	T		[illegible]	[illegible]			T								.08			T	T	T	.02	.01	T	.08	.08					.17
GARDEN VALLEY RS	[illegible]				[illegible]			[illegible]	[illegible]		[illegible]	[illegible]	.07	[illegible]	.23	.05	[illegible]				.18	.12	.07	.30	.56	.03	.12				.18	.32
GLENNS FERRY	2.65							T				.24			T	1.28	.35			T	T	.08	.10		.32		.08				T	.15
GOODING CAA AP	1.64		T		[illegible]	T					T	[illegible]		T	.28	.46	.07			T	T	.09	.18	T	.25	.05	.02				.06	.08
GRACE PH	1.49							T	T					[illegible]	[illegible]		.38			.02	.11	.03	.08	.03	.25	.11	.10					.05
GRANDVIEW	1.68											.10				.88	.25				.05		.20		.09		.06					.05
GRANGEVILLE	1.25				T		T	.14		[illegible]	.25		.12				.29				.13	.04	.01	.20							.03	.02
GRAY	1.77								.29						.45		.30				.50		.05		.25							.02
GROUSE	2.38										[illegible]	[illegible]	.38			[illegible]					[illegible]				T							.01
HAILEY	4.44				[illegible]			T			.44	.15	.36	.17	.48	1.05	.35				.33	.12	.09	.17	.40		.09				.05	.12
HAMER 4 NW	.76											.37				.25					[illegible]		T	T	T		.07					
HAZELTON	[illegible]				[illegible]			T	T					.01	T	.09	[illegible]				.05	.09	.08	T	.18	.06	.09				.03	.17
HILL CITY	4.35										.11	[illegible]	.22	.06	.13	1.15	.82				.15	.10	.18		.71		.10				T	.47
HOLLISTER	.97													[illegible]		.22	.19				.21		.16		.09							
HOWE	.41										T	[illegible]				[illegible]	.22				T	.18	T									
IDAHO CITY	3.25				[illegible]				.11		.41	[illegible]	.11	[illegible]	.12	.20	.19				.14	.08	.13	.45	.54	.03	.06	.03			.13	.40
IDAHO CITY 13 SW	4.74					[illegible]	T	[illegible]	[illegible]	[illegible]	.58	.01	[illegible]	[illegible]	.02	[illegible]	.02				.58	.27	.40	.15	.90	T	.15				.20	.40
IDAHO FALLS CAA AP	.41	T	T	T	.02	[illegible]			T	T		T	T	[illegible]	T	T	.01	T		T	.03	.02	.04	T	.01	T	.07	.02			.02	.08
IRWIN 2 S	.70					[illegible]						T		[illegible]	T	.08	.08			.03		.06	T	.07								T
ISLAND PARK DAM	6.07				T	.12		T	[illegible]	.05	.12	.24	.25	.29	.45	[illegible]	.30			.08	.60	.26	.09	.14	.93	.23	.15					.15
JEROME	1.36				T							[illegible]		[illegible]	.01	.19	.19				T	.15	.16	T	.18		.07				T	.19
KAMIAH 1 NE	1.40				T			[illegible]	T			T	.14	T			.10	.19				T	.06	.21	.17		.11					.11
KELLOGG	2.94					[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.07	T	.07	.20		.02		.05	.05	.03	.20	.04	.28	.61	.04	.25	.02		.10	.35
KOOSKIA	1.22				[illegible]			[illegible]			[illegible]		.15				.15				.04	.01	.05	.23	T		.16				.01	.09
KUNA 2 NNE	.71				T			T	T		T	T	T		.06	.14	T		T		T	T	.05		.15	T	.03	T			.04	.24
LEWISTON WATER PLANT	.53				[illegible]	T				T	[illegible]		T	.05			[illegible]				.01	.01	.01	.15	.04		.04				.03	.02
LEWISTON WB AP	.40	T		T	T			[illegible]		T	[illegible]	T	T	.02			.08		T	T	.01	T	.05	.11	.02	.02	T	T			.03	.05
LIFTON PUMPING STA	.63				T			T	[illegible]					T	[illegible]	T	.14	.03		T	T	.05	.10	.13	T	.02	.04	T				.04
LOWMAN	4.51				[illegible]				[illegible]		[illegible]		.24	[illegible]	.41	.16	[illegible]			.05	.44	.03	.11	.41	.53		.18				.25	.34
MACKAY RS	[illegible]										.24	[illegible]	.27	T	.36	.92	1.28				.56	.35		.05								
MALAD	E1.77					*		[illegible]						[illegible]		T	.37	T	.02	T	[illegible]	.15	.23		.15	.17	.09				T	.21
MALAD CAA AP	[illegible]				T	.01		[illegible]	T					.32	T	T	.24			T	.05	.07	.12		.17	.18	.05				.02	.15
MAY RS	.47				T						T					.21	.20				.02	T	.01	.02			.01					
MC CALL	4.78							[illegible]	[illegible]	.25	[illegible]	.30	.50	[illegible]		.41	.05				.51			.29	.41	.16						.41
MC CAMMON	1.47		[illegible]					T		T	T			[illegible]				T			.11	.20	.08	.16	.31	.09						.15
MERIDIAN 1 SSW	.69							T	T				T		T	T	T				T	T	.07		.28	T	.07				.08	.19
MESA	[illegible]							.60		*	[illegible]	[illegible]	.50	.82		.10						.79	.50		1.29	.01	.15		T		.40	.25
MINIDOKA DAM	.70				T				T					.02		.07	.09				.01	.03	.07		.08	.07	.13					.19
MONTPELIER RS	1.25				T				[illegible]	T				T	.09	T	[illegible]	.26		.03	.02	.23	.04	.16	[illegible]	.05	.03					.11
MOSCOW U OF I	1.67				[illegible]			.04	T	[illegible]	.17			[illegible]	T		T				.03	T	.26	.34	.15						.33	.15
MOUNTAIN HOME 1 NE	[illegible]				T						T	[illegible]			.12	.57	.25				T	T	.06		.17		.05				T	.14
MULLAN PASS CAA	6.17			T	[illegible]	[illegible]	[illegible]	.14	[illegible]	.73	.49	.06	.11	.12	.15	.04	T	.07	.04	.19	.24	.15	.02	.35	.74	.04	.14	.09			.60	.20
NAMPA 2 NW	.82				T	[illegible]			[illegible]	T		T		T	T	.02	.17			T	T		.03	.20	.09	.12	.06	T				.06
NEW MEADOWS RS	-				[illegible]	T		[illegible]	.08	[illegible]	.87	.16	[illegible]	.11	.52	.07				.10	.37	.06	.06	.17	.60		.03				.29	-
NEZPERCE 2 E	1.16				[illegible]			T		[illegible]	.1		T	T	T		.39				[illegible]	.05	.06	.32	.02		.05				T	.07
OAKLEY	.84													[illegible]		T	.34				.05	.08	.11		T	.03	.01					.14
OBSIDIAN 4 NNE	.90				T					T	.18	T	[illegible]		.16	[illegible]	.12			T	.08	T	.04	.07	.05		.02				.02	.04
OLA 4 S	[illegible]				.04		.04		[illegible]	T	.34	[illegible]	.03	T	T	.02				.03		.26	.20		.68	.20	T				.10	.15
OROFINO	[illegible]					T	T	[illegible]								T	.20				T	*	.20	.30	.22		.12	T			.07	.10
PALISADES DAM	1.56		T		T	[illegible]		*	[illegible]		[illegible]			[illegible]	T	T	.30			.07	.15		.13	.12	.12	.08		T				.15
PARMA EXP STA	.72				.10			[illegible]	[illegible]	[illegible]	.06				[illegible]	T	T			T		T	.10		.17	.02	.06				T	.10
PAUL 1 E	.73													[illegible]		[illegible]	[illegible]					.01	.05	.10		.14	.11					.11
PAYETTE	[illegible]				.10			T	[illegible]	T	[illegible]	[illegible]	T				[illegible]			T	.03	.06	.16	.02	.40		.13				.08	.08
PIERCE RS	[illegible]	[illegible]			[illegible]	[illegible]		[illegible]	[illegible]	T	.38	[illegible]	.15		T	T	[illegible]	.24		T	T	.34	.22	.17	[illegible]	.27	.02	.16				.50
PINE 2 SSW	5.61				[illegible]	T		[illegible]	T	T	[illegible]	.17	.27	[illegible]	.39	[illegible]	[illegible]			.05	.28	.20	.24	.40	.73	T	.13				.30	.46
POCATELLO WB AP //R	.68	T	T	T	T	[illegible]		T	T	T				[illegible]	T		.18			T	[illegible]	T	.04	T	.03	.06	.10				.02	.15
PORTHILL	[illegible]				T	[illegible]	[illegible]	[illegible]	[illegible]	.12	.41		.25		.45	.20	[illegible]		.09	T	.18	.13	.17	.06	.36		T	.01			.29	
POTLATCH	[illegible]				[illegible]		.02	[illegible]	[illegible]	[illegible]	.35		[illegible]	.08	[illegible]						.11	.05	.10	.19	.33		.10				.33	.17
PRESTON SUG FACT 2 SE	[illegible]					T		.08						[illegible]	.12		.65	.02		.02	.02	.06	.11	.01	.10	.36	.05					.15
PRIEST RIVER EXP STA	5.32			T	[illegible]	[illegible]	[illegible]	.15	.15	[illegible]	[illegible]		[illegible]	[illegible]	.26	.15			[illegible]	T	.22	.16	.11	.18	.42	.04	.01	.07			.67	.02
RICHFIELD	1.61											[illegible]		T	[illegible]	.44	[illegible]				[illegible]	.06	.15	.11	.26		.03					.23
RIGGINS RS	1.15										.30	[illegible]	.07	T	[illegible]	.10	[illegible]				.22	.18		.03								.01
RIRIE	E .50	T	T			.03			T	T				E.1[illegible]	T		[illegible]			T	[illegible]	T	E.10	E.05		E.02	T	T				E.10
ROLAND W PORTAL	5.72						[illegible]	.34	[illegible]	[illegible]	[illegible]	[illegible]	T	[illegible]	.16	T	T	T		.25	.25	.03	.01	.43	.85	.16	.16	.18			1.40	.14
RUPERT	.72					T								.05		.04	.16					T	.04	.04		.06	.13					.10
SAINT ANTHONY	E1.44	[illegible]			[illegible]	[illegible]					.03	[illegible]		.15	.02	.04	.04				.10	.18	.20	T	.15	.07	.12	T				E.20
SAINT MARIES	[illegible]				T	.04	T	[illegible]	[illegible]	.08	.35		.06	.08	.18	.14	T	T		.04	.07	.11	.06	.26	.54	.04	.13	.04	.25		.54	.40
SALMON	[illegible]				T						T				.02	.08	[illegible]				[illegible]		T	.11			.04					T
SANDPOINT EXP STA	5.11				[illegible]	[illegible]	.28	[illegible]	.32	.41	.70		.14	.26	.14	.16				.02	.22	.27	.18	.08	.36	.06	.16				1.02	
SHOSHONE	[illegible]		T		[illegible]			T				.20		.01	.03	.60	.18				.03	.11	.24	.01	.27	.01	[illegible]				.01	.22
SPENCER RS	3.13				.05	T	T		.11	[illegible]	T	[illegible]	T	.10	.30	1.02	[illegible]				.55	.10	.11	.03	.11	T	.06		T			T
SPRINGFIELD	.75	T			.02	.04								.08		.06	.10				.02		.10	.05	.02	.11						.15
STIBNITE	3.13					[illegible]			[illegible]		[illegible]	.46	.17		.16	.42	.12	T		.05	[illegible]	.23	.03	.20	.33		.16	T				.16
SUGAR	.30				T	[illegible]						T				T				T	*	.20			T	T						.05
SUN VALLEY	4.79				T			T			.80	T	.75	.11	.73	[illegible]	.71				.60	T	.03		.13						T	.13
SWAN FALLS PH	E1.04				[illegible]											.23	.15				.12	T	.20		T							.24
TETONIA EXP STA	.68									[illegible]			.10		.15							.05						.20		.10		
THREE CREEK	.99	[illegible]		[illegible]		.14				T				.08		.03	.19				.15	T	.25	T								
TWIN FALLS 2 NNE	.93				.02			T				-		.04	T	.16	[illegible]			T	.02	.02	.12		.17	.03	.10				.04	.12
TWIN FALLS 3 SE	.68					.01			T			T		.01	T	.09	.10					.06	.04	.09		.13	.03					.12
WALLACE	4.32	T			[illegible]	T	[illegible]	[illegible]	[illegible]	.32	1.05	T	T	.21	[illegible]			T	.04	.03	.28	.16	.03	.04	.57	.05	.21	.07			.86	.04
WALLACE WOODLAND PARK	2.46						[illegible]	[illegible]	[illegible]	[illegible]	.32	.33	.03		[illegible]	.16					.18	.02	.11		.29	.24		.10			.08	.36
WEISER	2.22			[illegible]				[illegible]	[illegible]	.80	.07	[illegible]				T	T		.02	.06		.03	.13	.06	.62		.16				.07	.06
WINCHESTER 1 SE	[illegible]				[illegible]			[illegible]		[illegible]	[illegible]		.04		.07	.05	.44				.18	.05	.07	.22	.15		.06					

See reference notes following Station Index.

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	14	[illegible]	5	10	[illegible]	16	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	35	[illegible]	[illegible]	[illegible]	[illegible]	19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	28	28	34	35	27.1
	MIN	-15	-10	-18	-13	[illegible]	0	[illegible]	4	-3	10	[illegible]	[illegible]	27	7	[illegible]	22	-8	-8	[illegible]	13	10	[illegible]	14	[illegible]	[illegible]	25	24	[illegible]	5	2	28	8.9
ALBION	MAX	[illegible]	20	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	39	38	42	45	34	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]									42	48	43	32.6
	MIN	[illegible]	-12	-11	-7	-7	-3	10	3	-3	14	18	[illegible]	[illegible]	17	20	[illegible]	-12	-1	[illegible]	21	[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	12	11	[illegible]	[illegible]	11.3
ALPHA 1 SW	MAX	14	[illegible]	7	[illegible]	28	[illegible]	28	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]	30	17	[illegible]	[illegible]	24	[illegible]	40	40	40	41	40	41	31	40	39	29.2
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	2	10	[illegible]	[illegible]	-5	[illegible]	18	24	22	[illegible]	[illegible]	[illegible]	-17	[illegible]	[illegible]	18	[illegible]	3	[illegible]	[illegible]	[illegible]	24	[illegible]	8	[illegible]	4	31	8.1
AMERICAN FALLS 1 SW	MAX	18	14	[illegible]	12	16	16	31	[illegible]	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	[illegible]	38	24	[illegible]	[illegible]	35	[illegible]	[illegible]	40	[illegible]	[illegible]	35	35	27	[illegible]	31	[illegible]	[illegible]
	MIN	[illegible]	-2	-12	-8	-3	-3	[illegible]	10	0	23	[illegible]	31	[illegible]	20	[illegible]	[illegible]	-7	[illegible]	[illegible]	22	15	15	[illegible]	32	[illegible]	[illegible]	24	[illegible]	9	[illegible]	29	[illegible]
ANDERSON DAM	MAX	[illegible]	16	14	20	23	[illegible]	30	28	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	33	34	[illegible]	17	25	32	[illegible]	[illegible]	33	[illegible]	[illegible]	47	37	34	30	41	[illegible]	29.5
	MIN	[illegible]	-1	-2	[illegible]	10	19	21	[illegible]	6	20	[illegible]	28	26	[illegible]	[illegible]	19	[illegible]	-1	[illegible]	23	13	11	[illegible]	31	26	[illegible]	[illegible]	12	[illegible]	[illegible]	[illegible]	14.7
ARCO	MAX	[illegible]	[illegible]	[illegible]	5	[illegible]	[illegible]	27	23	[illegible]	[illegible]	[illegible]	27	31	[illegible]	[illegible]	[illegible]								[illegible]	[illegible]	[illegible]		25	[illegible]	[illegible]	28	[illegible]
	MIN	-9	[illegible]	[illegible]	-19	-18	-12	-10	-2	-17	[illegible]	[illegible]	[illegible]	0	[illegible]	23	[illegible]	-17	[illegible]	-10	-10	-7	[illegible]	-9	19	7	4		-2	0	-4	14	-4.2
[illegible]	MAX	[illegible]	14	[illegible]	14	23	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	38				[illegible]	19	36	37	[illegible]	[illegible]	36	36	[illegible]	[illegible]	34	34	31	36	30.3
	MIN	[illegible]	4	[illegible]	[illegible]	11	13	23	[illegible]	[illegible]	13	25	[illegible]	29	19	19	23	2	-1	-1	1	[illegible]	11	[illegible]	[illegible]	31	30	[illegible]	21	[illegible]	[illegible]	24	[illegible]
[illegible]	MAX	[illegible]	18	14	15	19	[illegible]	[illegible]	[illegible]	22	[illegible]	[illegible]	34	32	[illegible]	32	34	[illegible]	29	25	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	33	[illegible]	34	[illegible]	[illegible]	27.3
	MIN	[illegible]	2	7	9	[illegible]	[illegible]	[illegible]	12	[illegible]	17	20	22	19	[illegible]	[illegible]	[illegible]	0	-4	8	[illegible]	[illegible]	8	12	22	29	26	[illegible]	15	24	4	25	13.1
[illegible]	MAX	16	[illegible]	26	[illegible]	[illegible]	37	30	25	26	[illegible]	30	[illegible]	30	[illegible]	[illegible]	26	21	31	25	27	21	20	[illegible]	[illegible]	[illegible]	[illegible]	39	42	[illegible]	[illegible]	[illegible]	29.5
	MIN	-7	-7	-4	0		13	[illegible]	[illegible]	0	[illegible]	14	[illegible]	[illegible]	[illegible]	[illegible]	10	-8	0	15	15	[illegible]	[illegible]	[illegible]	24	15	[illegible]	[illegible]	13	[illegible]	[illegible]	25	[illegible]
[illegible]	MAX	[illegible]	16	[illegible]	[illegible]	32	30	30	[illegible]	31	[illegible]	[illegible]	[illegible]	30	33	[illegible]	29	34	[illegible]	34	36	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	42	45	[illegible]	[illegible]	31.9
	MIN	-8	-2	-1	[illegible]	[illegible]	21	[illegible]	[illegible]	17	30	16	[illegible]	7	16	[illegible]	13	[illegible]	17	[illegible]	27	[illegible]	9	[illegible]	[illegible]	[illegible]	32	33	31	28	30	[illegible]	18.0
[illegible]	MAX	[illegible]	20	21	[illegible]	[illegible]	32	32	32	[illegible]	[illegible]	[illegible]	34	[illegible]	36	[illegible]	35	[illegible]	[illegible]	35	[illegible]	[illegible]	[illegible]	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	33.2
	MIN	[illegible]	[illegible]	[illegible]	7	18	19	[illegible]	[illegible]	[illegible]	[illegible]	20	26	27	[illegible]	[illegible]	18	[illegible]	21	[illegible]	31	25	20	[illegible]	17	[illegible]	30	34	24	22	[illegible]	[illegible]	[illegible]
BIG CREEK 1S	MAX	[illegible]	[illegible]	[illegible]	30	28	34	[illegible]	[illegible]	[illegible]	28	36	[illegible]	34	27	30	28	31	[illegible]	27	28	[illegible]	[illegible]	[illegible]	37	40	40	[illegible]	40	40	[illegible]	37	31.1
	MIN	-10	-6	-22	-11	[illegible]	4	7	9	-2		17	21	20	[illegible]	15	15	-12	-21	[illegible]	[illegible]	-4		13	[illegible]	8	18	[illegible]	[illegible]	6	[illegible]	23	6.7
[illegible]	MAX	17	11	8	11	[illegible]	18	28	27	26	36	35	40	34	34	[illegible]	[illegible]	25	19	32	[illegible]	27	[illegible]	39	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	31	[illegible]	29.0
	MIN	-9	0	[illegible]	-12	7	-6	0	[illegible]	[illegible]	[illegible]	26	[illegible]	27	19	27	21	0	-4	8	19	14	[illegible]	[illegible]	30	[illegible]	27	22	20	9	5	26	[illegible]
[illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	35	30	26	33	32	[illegible]	35	40	35	34	18	21	28	36	[illegible]	24	[illegible]	[illegible]	36	40	[illegible]	34	35	[illegible]	[illegible]	30.6
	MIN	[illegible]	1	0	[illegible]	[illegible]	18	[illegible]	9	5	24	[illegible]	27	25	15	29	[illegible]	-9	-5	2	[illegible]	[illegible]	[illegible]	17	32	[illegible]	19	16	[illegible]	11	16	24	13.6
[illegible]	MAX		44		23	[illegible]		39	35	34	44	43			45	37	37		32			40	31	38	41	40			43	40	39	44	
	MIN		6		7	[illegible]		[illegible]	22	15	[illegible]	29			[illegible]	29	[illegible]		[illegible]			6	22	21	[illegible]	[illegible]			[illegible]	[illegible]	25	[illegible]	
BOISE WB AP	MAX	21	[illegible]	[illegible]	18	30	34	34	[illegible]	36	44	40	38	40	40	34	[illegible]	25	21	33	39	[illegible]	30	42	41	39	44	[illegible]	[illegible]	37	41	46	[illegible]
	MIN	[illegible]	3	-2	[illegible]	[illegible]	[illegible]	20	12	[illegible]	[illegible]	30	[illegible]	25	[illegible]	27	12	[illegible]	-2	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	25	[illegible]	19.5
BONNERS FERRY	MAX	9	12	11	17	22	33	32	34	35	41	28	36	21	26	32	29	33	32	34	39	35	21	17	19	29	41	43	34	37	42	43	29.6
	MIN	-2	-7	-12	4	[illegible]	[illegible]	[illegible]	20	24	[illegible]	21	[illegible]	11	18	21	18	[illegible]	21	21	[illegible]	21	6	7	[illegible]	17	[illegible]	32	24	26		33	17.0
BUHL	MAX	30	23	[illegible]	20	19	30	35	30	32	40	38	40	37	40	40	34	32	26	36	40	32	30	[illegible]	40	39	44	41	37	36	36	44	34.2
	MIN	[illegible]	2	[illegible]	[illegible]	8	14	20	16	14	[illegible]	26	[illegible]	30	25	28	[illegible]	4	[illegible]	7	24	18	[illegible]	26	[illegible]	[illegible]	26	[illegible]	18	[illegible]	19	32	19.0
BURKE 2 NNE	MAX	11	12	18	22	27	27	[illegible]	24	[illegible]	29	28	27	28	30	29	26	26	28	28	28	25	24	20	[illegible]	35	[illegible]	36	37	[illegible]	[illegible]	37	27.5
	MIN	-10	-3	[illegible]	8	14	16	[illegible]	16	16	15	12	[illegible]	4	18	17	11	17	14	[illegible]	22	16	14	12	19	28	26	31	24	25	29	29	16.4
BURLEY	MAX	[illegible]	23	14	16	22	[illegible]	[illegible]	36	29	[illegible]	36	37	41	37	38	46	31	25	25	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	43	43	34	[illegible]	[illegible]	33.4
	MIN	5	-4	-3	-1	[illegible]	6	16	15	[illegible]	11	24	24	30	21	28	28	-6	-5	8	[illegible]	[illegible]	18	[illegible]	[illegible]	[illegible]	26	29	19	13	14	18	15.2
[illegible]	MAX	[illegible]	19	[illegible]	13	19	[illegible]	30	[illegible]	25	33	35	[illegible]	39	[illegible]	37	40	[illegible]	18	24	35	36	27	[illegible]	40	37	38	40	33	33	42	39	30.7
	MIN	[illegible]	-9	-6	-6	1	7	14	9	7	[illegible]	22	23	28	18	27	26	-8	-9	[illegible]	23	[illegible]	16	[illegible]	27	[illegible]	24	27	[illegible]	12	17	31	13.4
[illegible]	MAX	[illegible]	14	16	[illegible]	26	30	34	28	30	[illegible]	37	[illegible]	36	38	42	39	21	23	36	[illegible]	29	31	41	40	[illegible]	41	40	35	36	46	38	32.9
	MIN	-3	-7	-5	-5	2	8	[illegible]	8	7	22	22	30	18	22	29	2	-9	4	11	18	[illegible]	[illegible]	[illegible]	32	31	20	18	17	12	15	30	13.0
CALDWELL	MAX	25	21	[illegible]	20	[illegible]	31	35	32	33	47	46	37	37	40	36	40	31	20	26	40	36	30	35	39	38	40	38	35	39	35	41	33.8
	MIN	5	0	-1	6	1	22	22	21	9	[illegible]	27	[illegible]	25	25	30	15	4	-2	14	20	20	17	23	21	[illegible]	30	28	22	23	24	27	18.1
CAMBRIDGE	MAX	26	10	12	12	[illegible]	21	27	26	35	[illegible]	36	37	40	[illegible]	38	39	19	15	22	[illegible]	34	29	37	39	41	40	42	41	42	40	43	31.4
	MIN	-12	-15	-7	10	[illegible]	7	[illegible]	6	8	[illegible]	21	30	22	21	22	-10	-11	0	15	20	27	26	30	34	34	30	29	30	32	32	34	16.2
CASCADE 1 NW	MAX	12	3	3	15	25	30	27	23	24	30	31	33	33	28	27	26	21	11	26	29	22	22	36	36	35	38	38	33	22	37	35	26.2
	MIN	-15	-13	-19	-8	[illegible]	16	19	16	3	20	21	26	21	22	22	18	-10	-16	9	[illegible]	16	12	20	29	25	24	18	12	6	[illegible]	31	11.7
CHALLIS	MAX	[illegible]	21	8	19	18	22	25	24	16	31	[illegible]	35	38	38	30	36	16	10	[illegible]	28	27	30	30	41	41	33	35	33	[illegible]	27	38	27.4
	MIN	-9	-3	-8	-5	-5	-3	2	5	-4	12	12	12	15	10	20	13	-8	-14	-2	10	-2	-8	0	14	21	[illegible]	14	8	5	3	15	[illegible]
CHILLY BARTON FLAT	MAX	6	13	11	12	10	12	23	15	12	25	22	25	25	21	25	27	12	3	18	25	18	10	25	28	25	27	33	22	22	25	27	19.5
	MIN	-24	-19	-24	-24	-24	-18	-16	-17	-22	8	-8	5	10	-5	18		-32	-35	-17	-3	-24	-18	5	10	3	-9	-8	-11	-12	-15	-7	-10.7
CLARK FORK 1 ENE	MAX	14	19	15	18	33	31	31	31	35	45	36	34	30	37	40	39	36	34	34	[illegible]	38	29	19	21	39	38	40	42	44	40	44	33.1
	MIN	-5	0	-11	-1	15	22	25	[illegible]	25	31	20	25	2	13	21	6	[illegible]	21	28	29	21	12	10	15	20	33	32	25	25	31	31	19.2
COBALT BLACKBIRD MINE	MAX		10	10	19	15	17	25	25	19	22	25	24	27	26	22	[illegible]	20	21	25	23	23	15	15	32	35	32	32	32	32	35	39	24.0
	MIN		0	-4	-4	-1	-1	2	-1	-4	[illegible]	8	[illegible]	9	[illegible]	12	-1	-5	-6	-5	14	-3	-5	-6	14	19	13	10	8	9	12	17	4.1
[illegible]	MAX	9	14	14	20	[illegible]	30	[illegible]	28	32	36	29	30	23	31	31	25	30	35	33	34	29	25	16	28	37	38	44	40	41	41	38	29.5
	MIN	-12	3	4	12	18	13	20	[illegible]	25	26	14	13	7	17	13	10	17	24	24	26	[illegible]	10	12	15	27	24	27	25	27	33	34	18.4
[illegible]	MAX	15	18	15	21	31	32	32	30	34	35	34	32	30	36	36	31	36	36	35	35	34	30	23	27	39	38	44	42	42	41	42	32.5
	MIN	-4	1	1	7	16	[illegible]	20	21	[illegible]	32	20	26	7	13	19	[illegible]	21	22	29	30	24	[illegible]	9	17	25	30	34	26	26	32	31	19.5
[illegible]	MAX	12	15	16	20	21	23	28	29	28	26	30	31	35	42	31	32	31	24	29	26	29	30	31	34	34	38	35	38	28	36	40	28.8
	MIN	3	-15	-20	-19	-13	1	0	7	2	7	17	25	26	18	20	27	1	2	[illegible]	17	12	11	[illegible]	[illegible]	29	25	25	5	0	-1	2	8.1
[illegible]	MAX	14	22	22	25	32	33	34	29	29	33	33	32	34	38	33	[illegible]	30	28	30	32	28	25	33	45	39	38	43	41	42	40	40	32.5
	MIN	-7	-3	7	13	[illegible]	[illegible]	10	13	9	14	13	12	10	15	8	13	15	[illegible]	17	14	4	[illegible]	15	31	25	[illegible]	30	35	30	[illegible]	29	15.2
[illegible]	MAX	[illegible]	15	13	18	[illegible]	24	29	31	34	35	35	34	38	38	36	30	28	13	34	30	33	34	42	42	42	40	36	35	30	[illegible]	[illegible]	[illegible]
	MIN	-5	-17	-8	[illegible]	[illegible]	19	20	13	22	25	29	30	28	22	20	-7	-16	4	[illegible]	12	14	[illegible]	[illegible]	32	31	32	24	24	[illegible]	26	26	15.8
[illegible]	MAX	12	18	14	20	24	26	24	25	21	[illegible]	29	31	33	29	25	[illegible]	24	24	24	26	22	20	34	36	48	[illegible]	36	46	[illegible]	33	36	27.4
	MIN	-20	-16	-23	-8	[illegible]	[illegible]	12	14	-9	16	15	23	20	17	18	14	-11	-25	10	18	11	5	16	26	20	22	22	11	8	7	25	[illegible]
[illegible]	MAX	25	23	22	20	[illegible]	34	[illegible]	36	31	46	40	38	36	38	[illegible]	40	31	[illegible]	[illegible]	[illegible]	37	32	37	41	40	37	36	35	36	37	[illegible]	34.8
	MIN	5	[illegible]	-3	5	[illegible]	[illegible]	[illegible]	10	19	26	28	31	25	28	[illegible]	14	[illegible]	1	11	[illegible]	[illegible]	19	[illegible]	[illegible]	30	31	30	[illegible]	26	29	[illegible]	[illegible]
[illegible]	MAX	24	12	12	15	12	21	[illegible]	12	19	30	33	32	33	34	34	[illegible]	30	21	22	28	[illegible]	[illegible]	23	32	37	34	32	33	34	48	42	[illegible]
	MIN	-6	-24	-20	-18	-10	-14	-6	[illegible]		14	16	18	20	22	20	19	6	-10	3	[illegible]	[illegible]	0	8	12	16	[illegible]	[illegible]	12	[illegible]	14	14	[illegible]
[illegible]	MAX	10	8	15	13	15	20	22	17	15	24	24	28	28	24	27	30	12	25	15	27	26	[illegible]	22	31	32	29	25	[illegible]	27	31	[illegible]	22.5
	MIN	[illegible]	-8	-7	-3	-2	[illegible]	9	7	1	12	10	21	20	12	23	[illegible]	-4	[illegible]	[illegible]	[illegible]	[illegible]	-5	6	20	19	20	[illegible]	[illegible]	[illegible]	11	10	[illegible]
DUBOIS CAA AP	MAX	10	12	15	14	16	24	[illegible]	20	18	28	27	31	30	26	31	31	[illegible]	[illegible]	17	30	18	[illegible]	[illegible]	[illegible]	34	33	28	34	[illegible]	34	31	[illegible]
	MIN	-11	-9	[illegible]	-11	-8	-4	[illegible]	5	-1	[illegible]	[illegible]	16	17	10	25	-10	-11	-8	-4	[illegible]	0	-5	[illegible]	21	14	[illegible]	[illegible]	9	[illegible]	4	24	[illegible]
[illegible]	MAX	20	27	22	30	35	32	[illegible]	35	32	38	39	38	37	39	41	35	34	33	36	[illegible]	34	[illegible]	28	[illegible]	[illegible]	36	40	40	46	46	40	[illegible]
	MIN	-15	-7	-10	7	14	21	[illegible]	9	12	30	19	26	[illegible]	19	8	14	10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	20	28	34	[illegible]	33	24	24	[illegible]	[illegible]	[illegible]
[illegible]	MAX	[illegible]	[illegible]	17	21	[illegible]	33	34	35	[illegible]	45	42	43	35	43	41	[illegible]	29	[illegible]	[illegible]	[illegible]	33	30	36	[illegible]	40	40	[illegible]	33	38	38	41	[illegible]
	MIN	[illegible]	3	-1	7		[illegible]	24	[illegible]	21	[illegible]	29	31	22	30	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	[illegible]	32	[illegible]	32	30	29	25	[illegible]	29	21.2
[illegible]	MAX	11	-2	2	18	17	23	25	21	19	32	28	32	34	29	30	26	7	[illegible]	[illegible]	[illegible]	[illegible]	20	35	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	24.2
	MIN	-24	-32	-32	-25	-20	5	5	-12	-17	-7	-1	-1	[illegible]	5	6	[illegible]	[illegible]	-29	-9	-9	-9	-6	-6	-6	[illegible]	6		-8	-8	-8	[illegible]	-7.5
[illegible]	MAX	[illegible]	[illegible]	24	[illegible]	32	32	35	32	34	[illegible]	36	36	41	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	32	34	42	44	42	40	[illegible]	34	[illegible]	[illegible]
	MIN	10	7	0	[illegible]	11	16	[illegible]	[illegible]	[illegible]	29	27	26	22	22	23	21	7	10	23	[illegible]	20	20	24	21	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]
FORT HALL IND AGENCY	MAX	16	16	13	[illegible]	23	[illegible]	30	27	[illegible]	[illegible]	47	39		39	38	[illegible]	24	26	32	41	30	26	39	[illegible]	37	34	35	30	41	34	[illegible]	[illegible]
	MIN	-9	-9	-18	-15	[illegible]	-12	[illegible]	5	[illegible]	[illegible]	20	31		12	11	23	-5	-7	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]	18	[illegible]	6	28	[illegible]
[illegible]	MAX	21	15	[illegible]	26	[illegible]	28	[illegible]	29	[illegible]	36	35	[illegible]	39	35	[illegible]	[illegible]	29	24	25	[illegible]	32	[illegible]	[illegible]	35	40	39	40	40	40	[illegible]	36	[illegible]
	MIN	[illegible]	-8	-11	-1	[illegible]	10	[illegible]	22	3	[illegible]	22	27	25	28	[illegible]	[illegible]	-4	-10	13	[illegible]	[illegible]	16	24	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	18	31	16.7
[illegible]	MAX		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	[illegible]	42	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	40	[illegible]	40	38	38	39	41	[illegible]
	MIN		2	[illegible]	[illegible]	11	24	14	11	9	[illegible]	20	[illegible]	28	23	30	21	-8	-4	[illegible]	14	10	13	21	[illegible]	27	[illegible]	[illegible]	13	[illegible]	[illegible]	28	16.4
GOODING CAA AP	MAX	15	[illegible]	15	[illegible]	21	[illegible]	32	27	[illegible]	32	32	[illegible]	34	37	33	30	[illegible]	[illegible]	[illegible]	[illegible]	21	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	[illegible]	[illegible]	34	37	[illegible]
	MIN	-2	0	[illegible]	4	6	18	[illegible]	[illegible]	5	24	[illegible]	26	18	[illegible]	26	0	-6	3	[illegible]	[illegible]	[illegible]	10	17	[illegible]	26	[illegible]	17	[illegible]	[illegible]	[illegible]	24	13.4
[illegible]	MAX	17	6	7	[illegible]	18	[illegible]	28	[illegible]	[illegible]	[illegible]	31	34	33	[illegible]	[illegible]	32	24	[illegible]	[illegible]	[illegible]	21	23	[illegible]	[illegible]	36	36	[illegible]	[illegible]	34	[illegible]	35	[illegible]
	MIN	-3	-20	-19	-13	-2	-10	4	[illegible]	[illegible]		18	[illegible]	23	[illegible]	[illegible]	17	-6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	20	27	29	[illegible]	17	[illegible]	[illegible]	-2	[illegible]	7.4
[illegible]	MAX	25	21	21	22	29	[illegible]	36	30	37	45	46	45	45	45	45	40	30	21	34	34	[illegible]	[illegible]	45	44	43	[illegible]	39	33	[illegible]	39	[illegible]	36.0
	MIN	[illegible]	-2	[illegible]	[illegible]	10	[illegible]	23	[illegible]	2	22	[illegible]	[illegible]	24	[illegible]	31	17	-10	[illegible]	2	17	[illegible]	19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17	[illegible]	30	[illegible]
[illegible]	MAX	18	21	24	31	[illegible]	[illegible]	[illegible]	[illegible]	36	37	36	[illegible]	[illegible]	[illegible]	[illegible]	28	34	34	34	[illegible]	[illegible]	[illegible]	30	[illegible]	42	43	[illegible]	40	41	46	[illegible]	34.7
	MIN	[illegible]	[illegible]	[illegible]	7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	13	[illegible]	10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	12	17	[illegible]	23	[illegible]	[illegible]	24	[illegible]	28	[illegible]	[illegible]
[illegible]	MAX	31	[illegible]	[illegible]	16	[illegible]	[illegible]	24	[illegible]	32	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	28	30	[illegible]	[illegible]	18	28	[illegible]	[illegible]	[illegible]	34	[illegible]	37	42	44	29.5
	MIN		-13	[illegible]	-14		[illegible]	[illegible]	10	6		17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2	[illegible]	12	[illegible]	[illegible]	[illegible]	[illegible]	27	[illegible]	20	[illegible]	[illegible]	[illegible]	[illegible]	9.2
[illegible]	MAX	[illegible]	[illegible]	11	[illegible]	13	22	[illegible]	27	[illegible]	28	[illegible]	31	30	[illegible]	28	[illegible]	13	[illegible]	20	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	26	33	32	23.3
	MIN	[illegible]	[illegible]	[illegible]	-26	-29	-12	[illegible]	-14	[illegible]	4	-2	13	14	1	[illegible]	[illegible]	-31	[illegible]	[illegible]	-7	[illegible]	[illegible]	-11	-3	-13	-28	[illegible]	-11	-14	[illegible]	-4	-13.5
[illegible]	MAX	9	11	14	10	17	[illegible]	30	19	21	[illegible]	[illegible]	[illegible]	34	27	[illegible]	29	[illegible]	21	[illegible]	25	[illegible]	[illegible]	30	[illegible]	33	33	37	[illegible]	33	[illegible]	[illegible]	[illegible]
	MIN	-10	-17	[illegible]	[illegible]	-14	[illegible]	12		-1	[illegible]	[illegible]	[illegible]	21	[illegible]	22	[illegible]	-12	[illegible]	1	[illegible]	-4	-8	12	25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.7
[illegible]	MAX	16	[illegible]	11	15	[illegible]	23	18	16	[illegible]	[illegible]	30	34	33	28	31	33	[illegible]	21	[illegible]	[illegible]	[illegible]	[illegible]	21	35	[illegible]	31	[illegible]	30	33	29	34	24.7
	MIN	-15	-15	[illegible]	[illegible]	-6	-7	-9	6	6	[illegible]	25	25	12	[illegible]	21	20	-24	[illegible]	-6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	16	[illegible]	23	[illegible]	1	17	-7	3.6

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HAZELTON	MAX	19	13	13	16	20	26	32	26	30	38	35	39	35	41	45	42	20	17	35	40	26	28	40	39	37	39	40	32	32	35	39	31.2
	MIN	7	-7	-7	-2	3	11	17	5	-1	23	25	29	27	15	27	19	-7	-1	3	23	11	13	14	30	31	27	24	15	12	15	32	14.0
HILL CITY	MAX	11	2	3	11	12	21	30	20	17	30	26	28	33	26	28	22	15	15	30	27	20	18	32	40	32	36	45	25	25	26	35	23.9
	MIN	-8	-27	-27	-28	-12	0	11	-8	-15	11	5	20	10	8	20	11	-25	-28	-5	12	1	-5	12	25	8	5	19	-5	-7	-7	11	-0.6
HOLLISTER	MAX	0	15	24	24	23	28	32	31	29		37	40	36	35	41	36	39	30	38	34	32	33	38	41	39	41	41	42	37	44	40	34.0
	MIN	10	-5	5	7	7	[illegible]	7	9	7		19	28	17	18	14	10	0	-1	11	20	12	23	25	27	28	29	27	20	19	20	34	15.1
IDAHO CITY	MAX	27	21	23	24	29	35	29	29	27	35	36	35	40	34	32	35	32	27	29	32	30	26	33	38	40	40	47	46	41	37	37	33.1
	MIN	-18	-15	-20	-20	-4	9	3	-1	-10	22	12	20	23	21	21	9	-18	-16	11	21	8	7	21	28	25	27	29	10	7	10	29	8.3
IDAHO FALLS CAA AP	MAX	11	8	9	11	13	16	24	22	15	35	35	38	33	32	37	37	15	25	24	36	23	17	37	35	33	31	29	30	28	30	33	25.9
	MIN	-12	-8	-14	-13	-12	-10	-2	10	4	12	21	21	18	17	28	13	-5	-7	9	12	13	-3	11	30	26	25	21	18	7	2	25	8.3
IRWIN 2 S	MAX	16	11	10	9	24	17	21	26	24	38	34	40	34	28	36	36	25	26	26	31	30	21	34	38	37	35	38	38	32	37	35	28.6
	MIN	-1	-16	-11	-8	7	-1	5	14	10	18	20	25	26	18	27	24	3	1	10	18	16	15	18	28	30	26	20	15	10	8	25	12.9
ISLAND PARK DAM	MAX	14	14	15	15	16	20	25	18	16	24	24	28	28	24	25	30	20	20	22	27	25	15	19	30	34	29	25	29	32	30	32	23.4
	MIN	-11	-27	-27	-23	-4	-20	-18	9	2	10	15	17	18	18	20	18	0	-30	7	15	7	5	7	16	26	21	20	20	[illegible]	-15	20	3.7
JEROME	MAX	[illegible]	13	18	18	17	19	32	29	25	38	36	35	37	40	38	34	26	26	36	40	32	30	43	40	38	39	36	34	36	35	41	31.7
	MIN	4	-3	-2	0	2	12	12	8	5	19	25	27	27	16	27	20	-8	1	3	20	6	13	16	31	26	22	27	13	12	14	27	13.6
KELLOGG	MAX	20	12	15	15	20	31	29	28	33	37	36	35	34	26	37	35	27	40	37	35	38	35	29	26	34	43	38	41	38	43	44	32.0
	MIN	-9	-6	-7	-4	3	16	24	20	23	31	19	23	5	14	19	8	12	20	24	29	24	18	18	18	25	31	34	28	28	32	34	18.2
KOOSKIA	MAX	24	25	22	27	32	33	39	38	31	45	36	39	32	35	34	31	31	29	36	42	33	32	33	40	37	41	47	40	47	47	42	35.5
	MIN	7	3	-2	7	4	17	25	18	11	27	28	25	21	21	15	15	10	8	17	23	19	21	23	28	30	30	32	27	20	25	30	19.0
KUNA 2 NNE	MAX	20	21	16	18	26	32	34	33	32	44	38	38	41	40	35	34	24	20	25	36	31	29	39	40	36	44	34	33	38	37	42	32.6
	MIN	[illegible]	-2	-3	-1	[illegible]	21	[illegible]	17	8	30	28	31	26	29	29	9	4	-6	11	19	19	20	23	34	32	32	29	23	24	24	29	18.2
LEWISTON WATER PLANT	MAX	22	0	22	27	32	35	35	35	39	40	36	37	32	47	39	33	35	39	39	43	40	32	33	41	35	39	46	45	48	48	49	36.9
	MIN	[illegible]	4	4	14	22	27	27	23	21	34	25	28	21	24	23	23	12	27	33	31	27	19	23	30	28	32	33	34	34	36	35	24.4
LEWISTON WB AP	MAX	19	2	20	29	32	36	35	37	38	39	34	40	30	48	36	33	36	36	35	44	31	28	32	39	33	37	44	45	47	45	46	35.7
	MIN	1	3	1	14	21	28	23	20	23	29	21	19	20	23	19	15	14	25	30	29	20	14	22	23	28	30	32	35	34	35	34	22.1
LIFTON PUMPING STA	MAX	17	7	5	8	12	9	19	20	19	19	29	33	36	33	33	32	19	14	25	24	28	21	36	37	39	38	39	33	20	21	36	24.5
	MIN	-8	-21	-15	-14	-15	-21	-17	-3	3	-6	-8	8	24	8	16	19	-10	-17	-6	4	6	3	16	19	25	22	22	-6	-4	-13	8	0.6
LOWMAN	MAX	19	19	18	23	30	34	31	30	26	34	35	35	38	32	31	32	24	18	28	32	28	27	36	37	45	41	46	40	43	36	37	31.8
	MIN	-8	-11	-15	-7	3	8	15	10	-5	19	15	22	19	20	21	14	-12	-16	10	20	11	11	20	28	27	25	28	19	13	12	29	11.1
MACKAY RS	MAX	10	11	14	14	12	18	24	21	17	26	25	28	29	23	26	28	16	7	21	30	28	14	32	35	36	37	35	23	24	29	31	23.4
	MIN	-11	-14	-12	-12	-15	-6	-7	-2	-10	6	-4	20	10	2	21	14	-13	-15	-1	-3	-8	-8	7	16	12	5	4	1	1	-1	8	-0.5
MALAD	MAX	19	15	10	12	22	26	36	27	29	27	36	37	36	33	38	38	28	30	32	37	27	25	38	35	37	42	43	32	33	31	35	30.5
	MIN	-2	-8	-12	-9	4	-7	8	10	12	6	10	21	28	15	30	20	5	3	10	13	15	8	21	27	32	31	30	13	12	6	23	12.1
MALAD CAA AP	MAX	20	10	8	12	15	21	32	25	24	22	28	33	37	33	39	37	21	26	32	35	25	31	37	34	40	43	42	31	31	29	36	28.7
	MIN	-15	-16	-20	-21	-15	-16	-3	1	-2	2	-2	11	22	10	29	14	-8	-5	3	10	0	4	27	24	32	32	19	7	5	3	25	5.1
MAY RS	MAX	12	18	13	11	12	19	25	21	20	36	28	34	36	30	31	34	22	7	28	31	23	14	27	43	40	32	35	25	30	28	38	25.9
	MIN	-15	-1	-15	-12	-11	-5	-3	4	-12	13	7	16	12	5	18	17	-15	-25	-5	9	-6	-10	4	20	18	9	4	2	0	-2	10	1.0
MC CALL	MAX	10	14	14	18	20	26	22	20	20	26	24	26	24	26	22	20	16	16	20	22	22	20	30	32	30	32	34	28	30	30	33	23.5
	MIN	-9	-12	-16	-5	8	8	18	14	0	10	17	22	22	20	20	13	-7	-16	12	20	14	4	11	20	28	28	22	10	16	10	23	10.5
MC CAMMON	MAX	30	28	18	12	20	27	34	30	24	30	32	37	36	34	36	31	25	25	29	35	30	32	37	35	37	40	40	35	29	32	34	30.8
	MIN	4	-8	-19	-16	[illegible]	-4	5	16	6	15	16	23	30	15	24	21	-5	-7	2	18	19	13	19	30	32	31	30	8	12	19	21	12.1
MERIDIAN 1 SSW	MAX	22	23	12	19	29	33	36	35	33	47	39	34	42	40	35	37	25	20	25	38	32	29	39	41	37	40	36	34	35	38	44	33.2
	MIN	-4	-5	-9	-4	-4	17	17	15	5	26	24	27	18	25	25	6	-2	-9	8	15	16	14	19	30	27	27	25	20	21	22	25	14.1
MESA	MAX	24	18	11	17	22	25	28	35	28	38	35	37	39	38	40	30	25	22	23	35	35	31	34	39	42	39	38	36	34	36	38	31.4
	MIN	2	-2	-7	-5	8	11	19	18	12	23	20	23	28	26	26	22	3	-9	7	13	15	13	23	30	31	31	30	23	22	26	25	16.3
MINIDOKA DAM	MAX	18	17	12	13	20	25	32	26	28	35	35	41	36	35	41	30	16	16	34	38	28	28	40	37	37	40	37	28	29	36	36	29.8
	MIN	3	-5	-6	-2	10	15	12	10	2	21	22	26	24	12	27	25	-12	0	-2	18	7	12	10	31	32	19	16	15	10	12	31	12.7
MONTPELIER RS	MAX	24	16	21	10	10	17	12	22	23	22	31	36	39	36	33	35	32	24	18	31	35	26	27	40	42	42	39	35	28	27	28	27.8
	MIN	-8	-18	-20	-16	-12	-19	-13	1	-4	-3	-1	10	25	15	17	26	-2	-14	0	12	10	3	14	24	26	24	22	-3	-2	-8	-5	2.6
MOSCOW U OF I	MAX	20	22	20	24	26	35	26	39	31	34	34	36	31	37	45	30	30	32	33	38	29	27	30	37	43	42	43	43	42	41	40	33.5
	MIN	-19	7	9	6	20	24	22	20	22	29	21	15	4	22	16	16	12	22	22	22	18	16	18	29	28	31	34	32	31	35	32	19.9
MOUNTAIN HOME 1 NE	MAX	25	20	19	21	30	30	35	29	31	40	42	42	52	41	34	39	20	22	30	32	31	30	40	46	42	42	44	36	35	35	41	34.1
	MIN	-1	3	-1	3	8	25	23	8	20	29	25	22	30	28	26	11	-6	-2	3	21	12	20	21	33	25	26	20	16	17	18	28	16.5
MULLAN PASS CAA	MAX	3	14	17	16	17	19	16	17	20	22	18	19	22	21	22	17	18	18	19	21	19	12	22	27	28	28	29	31	32	30	29	20.7
	MIN	-8	2	8	10	12	15	10	12	12	14	11	9	9	16	14	10	13	12	15	14	8	4	6	21	25	25	25	25	24	26	24	13.6
NAMPA 2 NW	MAX	30	20	21	18	21	26	30	37	36	36	46	40	37	37	41	35	40	25	19	37	38	34	34	40	40	35	41	34	37	38	36	33.5
	MIN	5	3	1	7	1	15	20	21	12	14	29	30	28	20	12	17	5	-1	12	11	21	19	19	33	31	32	30	25	24	25	29	17.7
NEW MEADOWS RS	MAX	16	14	10	15	26	23	29	30	25	32	33	33	35	30	30	28	24	12	22	32	26	25	31	36	40	36	38	32	34	31	36	27.9
	MIN	-14	-17	-24	-11	9	2	17	18	-2	20	20	26	23	25	21	11	-10	-20	9	18	11	15	20	28	31	29	30	16	11	27	26	11.8
NEZPERCE 2 E	MAX	18	20	19	24	30	29	30	33	29	35	30	31	30	34	33	26	28	30	30	33	26	23	30	37	40	39	40	37	40	38	42	31.1
	MIN	-5	2	3	10	17	18	14	11	12	23	12	20	18	17	17	18	11	17	21	19	14	14	17	26	23	24	32	27	26	33	30	17.5
OAKLEY	MAX	21	20	25	24	29	35	39	31	30	34	38	43	37	36	42	39	31	34	39	35	25	37	40	37	39	44	44	40	38	40	39	35.0
	MIN	13	-5	-6	4	6	15	12	9	15	20	24	25	21	19	28	23	0	1	6	22	13	16	25	32	31	30	28	18	17	23	30	16.6
OBSIDIAN 4 NNE	MAX	6	14	8	12	20	29	23	20	17	23	26	25	25	22	23	28	20	17	22	23	15	17	32	32	38	36	31	26	33	37	33	23.6
	MIN	-24	-22	-28	-18	-16	7	3	-12	-20	15	9	18	15	11	15	7	-20	-22	-1	4	-4	7	14	23	14	13	2	-6	-5	4	16	0.0
OLA 4 S	MAX	20	21	17	20	23	39	39	38	28	40	38	38	41	40	41	36	29	21	25	34	36	39	41	40	40	41	40	39	38	33	34	33.8
	MIN	-4	-4	-8	-3	-2	10	10	13	4	24	23	25	26	26	27	19	-9	-11	10	10	12	10	12	32	33	30	32	29	9	14	14	13.3
OROFINO	MAX	20	27	25	27	31	30	38	40	40	44	35	43	35	38	39	34	35	41	47	46		42	33	40	38	40	47	42	48	40	46	37.7
	MIN	5	4	1	11	18	22	26	19	19	33	25	27	30	24	22	22	11	12	30	28		13	22	29	30	32	33	28	27	31	32	22.2
PALISADES DAM	MAX	[illegible]	7	7	9	23		20	25	29	37	33	38	39	28	35	34	25	25	27	30	24	23	34	37	35		36	38	34	31	37	28.0
	MIN	0	-18	-15	-12	6		-5	13	7	18	20	23	17	17	27	23	0	-3	10		16	14	18	28	29		17	14	9	4	25	10.8
PARMA EXP STA	MAX	25	22	19	20	27	32	36	34	31	46	42	39	35	40	37	39	36	25	24		39	32	31	39	39	37		37	38	36	36	33.6
	MIN	9	4	1	14	5	17	22	21	7	26	28	31	25	28	30	23	10	5	14		19	10	21	27	30	31		26	26	26	27	19.4
PAUL 1 E	MAX	[illegible]	20	13	14	20	32	30	32	26	33	36	40	50	34	37	42	29	18	32	36	37	26	32	40	38	40	45	37	33	32	42	32.5
	MIN	11	-6	-7	-5	3	3	15	6	-2	-1	22	23	25	18	24	25	-11	-12	4	11	15	14	10	28	32	18	18	15	10	11	16	10.7
PAYETTE	MAX	25	21	20	21	25	33	34	35	33	48	39	39	35	43	36	39	29	16	23	39	35	25	35	40	38	40	36	35	37	33	38	33.1
	MIN	9	8	4	10	10	17	23	19	7	28	25	32	25	28	31	22	6	0	13	19	20	19	23	29	33	32	32	30	28	24	14	20.0
PIERCE RS	MAX	2	21	18	17	23	30	30	30	30	29	33	28	35	30	35	31	24	28	30	33	36	28	28	31	35	37	35	38	35	39	36	30.1
	MIN	-7	-15	-13	-13	5	6	9	4	4	11	9	7	3	5	[illegible]	8	0	0	11	13	10	2	12	18	31	28	30	18	18	19	30	8.7
POCATELLO WB AP	MAX	12	11	10	13	17	17	29	23	28	37	37	38	37	34	38	38	21	21	31	36	26	29	39	38	35	34	32	30	33	38	37	29.0
	MIN	-1	-11	-15	-11	-6	-7	6	11	2	20	21	31	20	22	30	17	-6	-7	9	19	16	15	26	34	29	28	23	17	11	9	31	12.4
PORTHILL	MAX	6	12	6	16	24	31	30	29	32	36	33	32	24	26	32	28	32	32	33	36	36	25	17	21	30	42	42	36	36	38	44	28.9
	MIN	-6	-10	-16	-3	10	16	16	16	20	31	14	17	4	14	16	16	18	19	22	21	22	12	5	12	15	21	34	23	20	30	35	15.0
POTLATCH	MAX	16	15	22	27	31	32	30	32	35	35	35	34	33	41	35	22	32	33	34	40	30	30	31	36	43	41	44	44	46	43	41	33.6
	MIN	-15	-15	-8	7	22	25	20	20	25	30	20	13	-2	25	13	10	12	25	28	22	19	16	14	30	19	32	35	32	32	34	34	18.5
PRESTON SUG FACT 2 SE	MAX	25	21	11	10	22	20	26	28	30	29	36	37	40	39	39	38	27	22	32	38	35	27	40	39	39	47	44	36	34	30	37	31.5
	MIN	-3	-12	-16	-16	2	-12	-3	[illegible]	2	7	7	23	25	18	26	25	12	2	6	10	14	10	23	23	32	32	29	12	8	5	20	10.3
PRIEST RIVER EXP STA	MAX	7	18	16	19	26	31	31	31	33	35	33	29	29	29	37	27	28	30	31	34	33	25	20	25	30	36	36	38	42	40	41	29.7
	MIN	-15	0	-8	5	16	21	22	20	20	28	19	25	12	19	23	5	5	10	21	25	22	15	12	14	20	27	31	29	29	31	29	17.2
RICHFIELD	MAX	12	6	11	14	15	22	28	23	20	28	32	34	31	34	32	30	15	19	23	34	24	20	34	35	33	35	31	29	28	32	34	25.7
	MIN	-14	-8	-9	-8	-8	10	14	-4	-7	18	17	23	22	8	25	13	-15	-6	-3	3	4	0	11	25	14	15	12	6	4	7	17	6.0
RIGGINS RS	MAX	31	26	31	30	32	38	38	39	38	36	42	40	37	42	40	38	38	34	32	36	39	35	30	38	38	45	45	46	45	45	47	37.8
	MIN	18	15	17	18	22	25	27	28	27	29	29	30	29	31	28	25	22	22	24	24	24	17	20	28	30	30	33	32	32	34	34	25.9
RIRIE	MAX	14	13	13	12	25	33	31	26	25	35	34	39	34	30	37	37	25	22	25	35	26	20	35	37	36	32	31	34	36	34	33	29.0
	MIN	-4	-4	-5	-6	1	[illegible]	7	15	11	23	25	28	19	19	29	20	3	1	8	22	15	11	13	32	26	26	22	21	[illegible]	11	27	13.7
ROLAND W PORTAL	MAX	11	19	25	23	27	27	26	24	26	25	30	28	26	28	30	26	27	29	27	28	26	24	14	33	37	34	37	39	41	33	35	27.9
	MIN	-12	-4	6	9	8	16	18	9	14	10	13	19	5	15	13	15	17	12	22	21	14	9	5	11	30	26	32	23	23	27	31	14.7
RUPERT	MAX	23	20	10	12	16	25	30	34	28	34	35	36	41	36	39	44	30	20	24	36	38	27	32	41	39	36	42	37	33	32	45	31.5
	MIN	-2	-6	-5	-5	3	3	12	9	0	22	20	20	25	20	26	25	-10	-8	4	19	16	14	10	27	31	17	19	15	13	14	15	11.7
SAINT ANTHONY	MAX	12	15	12	15	23	25	27	24	26	32	30	36	36	31	35	36	23	32	20	36	26	18	27	35	40	32	30	31	35	34	33	28.0
	MIN	-20	-17	-17	-19	-10	-8	-3	10	11	12	21	21	21	12	27	19	-7	-8	3	18	12	7	13	22	28	25	27	19	7	1	24	7.9
SAINT MARIES	MAX	12	16	11	22	32	34	34	32	33	39	33	36	31	39	34	27	36	35	43	39	36	32	27	32	41	44	43	39	43	47	45	33.8
	MIN	-8	-2	-10	4	20	20	20	19	23	30	20	21	6	18	17	4	21	20	24	27	19	19	19	21	25	29	28	26	27	30	31	18.3
SALMON	MAX	18	25	14	15	16	24	23	25	22	37	37	40	32	32	34	40	25	17	25	33	24	16	28	36	44	37	35	31	34	29	34	28.5
	MIN	-5	-8	-14	-13	-11	-6	-2	-1	-9	15	15	19	5	3	18	19	-5	-15	5	8	1	-8	12	18	10	10	11	1	1	-1	10	2.7
SANDPOINT EXP STA	MAX	[illegible]	14	12	18	26	31	29	28	33	35	31	30	28	28	30	30	30	31	31	34	31	27	16	31	34	36	37	35	40	40	40	29.2
	MIN	-15	3	-11	1	16	22	24	23	23	30	22	25	21	20	24	8	21	19	27	28	23	10	9	14	20	31	32	27	27	32	34	19.0

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SHOSHONE	MAX	13	13	16	18	8	25	[illegible]	[illegible]	24	30	34	36	35	35	35	32	17	21	30	40	25	24	39	[illegible]	[illegible]	40	[illegible]	34	[illegible]	34	37	[illegible]
	MIN	2	- 6	- 5	- 2	- 1	13	16	5	1	21	23	27	25	10	27	17	- 7	0	0	[illegible]	3	[illegible]	6	29	[illegible]	[illegible]	20	11	8	[illegible]	24	[illegible]
SPENCER RS	MAX	10	12	12	12	14	19	24	20	15	24	23	29	27	26	27	25	15	23	19	6	25	14	[illegible]	31	29	[illegible]	26	29	[illegible]	[illegible]	[illegible]	22.6
	MIN	-18	-19	-16	-14	-11	- 8	- 8	- 1	- 5	12	14	20	20	14	23	12	-20	-14	[illegible]	14	[illegible]	-15	[illegible]	20	[illegible]	20	19	16	14	0	20	[illegible]
SPRINGFIELD	MAX	13	12	11	12	20	22	[illegible]	24	30	31	35	37	34	[illegible]	48	36	20	21	40	[illegible]	26	[illegible]	39	[illegible]	36	34	[illegible]	29	[illegible]	[illegible]	34	[illegible]
	MIN	-18	-11	-17	-13	[illegible]	- 1	[illegible]	- 2	- 8	[illegible]	18	29	24	[illegible]	[illegible]	19	-10	- 7	1	13	7	9	[illegible]	[illegible]	25	[illegible]	[illegible]	[illegible]	4	[illegible]	27	[illegible]
STIBNITE	MAX	19	19	26	27	27	[illegible]	32	35	26	22	24	[illegible]	30	32	30	24	24	26	27	31	24	23	[illegible]	[illegible]	[illegible]	34	34	[illegible]	32	40	44	[illegible]
	MIN	- 5	- 3	- 2	- 2	[illegible]	6	10	7	2	5	14	15	15	12	15	14	- 5	- 6	- 2	14	3	[illegible]	[illegible]	[illegible]	15	[illegible]	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SUGAR	MAX		24	14	12	[illegible]			24	32	27	31	[illegible]		30	36	36	[illegible]	29	21			[illegible]	[illegible]	36	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	-10	-14	[illegible]	-24	- 4			17	14	8	18	20		2	6	[illegible]	- 9	-14	1			[illegible]	9	21	[illegible]	24	[illegible]	[illegible]	2	- 7	10	[illegible]
SUN VALLEY	MAX	20	16	16	21	15	21	25	14	17	25	28	[illegible]	27	24	27	[illegible]	14	14	27	25	24	20	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	-20	[illegible]	[illegible]	[illegible]	0	-17	[illegible]	10	- 4	5	20	3	2	16	-26	[illegible]	-11	6	-19	[illegible]	2	22	- 5	- 2	- 6	- 3	- 6	- 5	4	- 6.1
SWAN FALLS PH	MAX	28	20	23	23	28	29	41	38	[illegible]	48	40	40	42	42	34	40	[illegible]	12	24	40	38	[illegible]	37	42	41	40	40	[illegible]	36	[illegible]	40	[illegible]
	MIN	14	4	3	8	[illegible]	23	[illegible]	20	14	28	34	36	27	31	30	[illegible]	4	0	9	21	20	[illegible]	[illegible]	34	[illegible]	32	[illegible]	26	23	[illegible]	27	[illegible]
TETONIA EXP STA	MAX	25	[illegible]	[illegible]	10	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]	34	[illegible]	34	37	31										[illegible]	[illegible]	[illegible]	31	32	[illegible]	[illegible]	[illegible]
	MIN	10	-23	[illegible]	-22	- 8	[illegible]	6	14	14	17	19	20	22	15	23												12	10	[illegible]	4	24	
THREE CREEK	MAX	20	18	22	[illegible]	[illegible]	34	24	29	36	41	41	43	38	48	42	34	30	33	36	39	32	34	48	45	44	47	44	44	[illegible]	[illegible]	46	[illegible]
	MIN	[illegible]	- 1	-13	- 9	- 7	13	7	5	10	[illegible]	22	26	24	14	21	17	-14	- 3	5	21	4	17	22	30	[illegible]	[illegible]	7	[illegible]	[illegible]	[illegible]	30	[illegible]
TWIN FALLS 2 NNE	MAX	[illegible]	18	[illegible]	19	26	29	[illegible]	29	28	40	36	44	38	40	43	42	26	23	35	41	32	30	[illegible]	40	[illegible]	40	43	37	34	[illegible]	41	[illegible]
	MIN	[illegible]	- 3	- 2	- 2	2	13	[illegible]	6	5	[illegible]	25	28	27	24	28	23	- 9	0	5	25	10	20	17	32	[illegible]	26	31	16	[illegible]	16	[illegible]	[illegible]
TWIN FALLS 3 SE	MAX	[illegible]	29	14	17	[illegible]	[illegible]	28	[illegible]	[illegible]	37	[illegible]	39	45	45	40	43	32	23	[illegible]	[illegible]	38	31	[illegible]	43	40	37	[illegible]	42	34	[illegible]	39	[illegible]
	MIN	[illegible]	[illegible]	- 1	- 1	0	3	13	11	11	12	[illegible]	26	31	25	28	27	- 2	- 3	[illegible]	16	14	[illegible]	21	[illegible]	[illegible]	[illegible]	[illegible]	17	[illegible]	[illegible]	18	[illegible]
WALLACE	MAX	10	[illegible]	14	22	32	31	29	[illegible]	[illegible]	33	32	32	25	34	35	32	33	[illegible]	[illegible]	34	32	[illegible]	[illegible]	[illegible]	[illegible]	40	40	[illegible]	[illegible]	40	[illegible]	[illegible]
	MIN	- 7	- 3	1	9	[illegible]	18	20	[illegible]	[illegible]	[illegible]	15	14	5	18	17	19	20	[illegible]	[illegible]	27	18	16	13	[illegible]				27	28			[illegible]
WALLACE WOODLAND PARK	MAX	[illegible]	[illegible]	[illegible]	[illegible]	22	32	30	28	29	[illegible]	34	32	31	31	35	35	38	33	36	[illegible]	35	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	40	42	46	41	[illegible]
	MIN	[illegible]	[illegible]	- 8	1	[illegible]	14	22	13	[illegible]	28	11	9	- 2	12	16	[illegible]	[illegible]	[illegible]	20	[illegible]	18	13	12	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	14.4
WEISER	MAX	24	26	24	[illegible]	34	34	29	34	29	[illegible]	37	[illegible]	35	36	36	38	25	16	[illegible]	[illegible]	34	26	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	14	22	[illegible]	20	9	21	25	32	20	20	23	16	- 2	- 6	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]	[illegible]	33	33	[illegible]	26	[illegible]	[illegible]	18.6
WINCHESTER 1 SE	MAX	[illegible]	[illegible]	26	[illegible]	30	32	29	30	28	36	33	30	34	33	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	43	42	47	43	44	40	42	[illegible]
	MIN	-10	- 4	9	10	19	14	20	12	9	25	14	20	8	23	6	[illegible]	14	19		[illegible]						[illegible]	[illegible]	[illegible]	29	34	[illegible]	[illegible]

SNOWFALL AND SNOW ON GROUND

Table 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STATION	SNOWFALL					0.8								0.1		0.4	1.5					0.2	0.6	0.8			1.8				2.4	2.4
	SN ON GND	6	6	6	6	6	6	5	5	5	5	5	5	6	6	5	6	6	6	5	5	5	6	7	3	3	2	2	2	2	2	3
ANDERSON DAM	SNOWFALL				2.0						3.5	1.0	T	T	1.0	7.5	-				0.5	3.0	2.5	-	3.0		T				2.5	2.0
	SN ON GND	25	24	23	25	24	23	23	23	23	27	28	28	28	27	34	34	33	32	31	31	34	37	35	38	35	35	34	33	33	36	38
ARCO	SNOWFALL											3.0			8.0	26.0	2.0					T										0.5
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARROWROCK DAM	SNOWFALL				0.2	0.5			0.3	T	0.3	0.4		T	0.5	2.2	2.4			1.6	2.1	2.2	2.6	5.5			0.5					T
	SN ON GND	12	12	12	12	13	12	12	13	12	15	14	14	13	13	16	18	18	18	19	20	21	23	28	24	20	19	18	18	18	18	18
ASHTON 1 S	SNOWFALL									2.0		2.0	T	2.0	1.0	2.0	1.0				1.0	2.0	3.0	2.0	2.0	2.0	2.5					2.5
	SN ON GND	27	27	27	26	26	26	26	25	27	26	27	24	26	26	25	24	24	23	23	23	24	27	28	29	29	30	29	29	28	27	29
ATLANTA 1 E	SNOWFALL				T			T			9.0	3.0	4.0		6.0	8.0	4.0			1.0	5.0	1.0	1.0	8.0	7.0		T				2.0	5.0
	SN ON GND	50	49	48	[illegible]	46	45	43	42	40	47	47	48	48	54	59	60	53	53	52	53	53	53	59	64	59	55	52	49	48	47	50
AVERY RS	SNOWFALL				0.5		1.0	1.0	1.0	0.5	3.5		1.0	0.5	0.5	0.5	T			0.5	3.0	2.0	1.5	2.5	5.0	T						
	SN ON GND	32	31	30	31	30	31	32	32	31	32	31	30	30	31	30	30	30	30	29	32	31	33	34	36	33	31	28	26	25	24	23
BIG CREEK 1 S	SNOWFALL							1.0			6.0	2.0	6.0	2.0	6.0	2.0	2.0		T	T	8.0	2.0	2.0	T	2.0						2.0	1.0
	SN ON GND	38	36	34	30	28	28	29	28	28	34	36	42	36	42	38	40	38	36	36	44	42	38	38	36	36	34	34	34	34	36	36
BLACKFOOT	SNOWFALL				T									2.0			3.0						3.0	1.0			1.0					3.0
	SN ON GND	8	8	8	8	8	8	8	8	8	7	6	5	7	7	6	8	8	8	8	6	6	9	7	4	4	4	4	4	4	4	5
BOISE WB AP	SNOWFALL				1.0	0.2		0.3	0.2	T	0.2	T	T	T	0.3	3.2	0.3		T	0.4	0.5	0.3	4.1	T		T	T				T	
	SN ON GND	3	3	3	4	4	4	3	3	3	1	1	1	T	T	3	2	2	2	2	2	2	6	3	T	T						
BONNERS FERRY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	19	19	19	18	21	21	21	-	21	24	20	22	-	23	-	26	24	23	24	25	27	29	27	32	32	-	26	23	22	-	-
BURLEY CAA AP	SNOWFALL	T			0.3	T		T	T		T			1.6	T	1.0	1.0			T	2.5	0.2	4.3		0.1	T	0.2				T	
	SN ON GND	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	7	11	10	8	3	3	3	3	3	3	2
CALDWELL	SNOWFALL				1.5			T	T				T		T	1.0	1.0			T	0.3	0.5	2.0									
	SN ON GND	1	1	1	2	2	2	2	2	2	1	T	T	T	T	1	1	1	1	1	1	1	3	2	T	T	T	-	-	-	-	-
CASCADE 1 NW	SNOWFALL				0.2			0.2	T	0.5	7.0	0.3	4.0	0.3	6.5	1.0	T			T	5.0	3.5	0.5	2.0	5.0						2.5	2.0
	SN ON GND	23	22	22	21	21	20	19	19	18	25	25	29	29	35	35	35	34	33	33	37	39	39	40	42	40	38	38	38	37	39	40
CENTERVILLE ARBAUGH RCH	SNOWFALL				2.0			2.0	0.4		7.3	0.9	2.6	0.6	3.7	4.1	1.1			0.5	2.6	2.2	5.5	3.7	6.0		2.0				2.7	1.3
	SN ON GND	36	35	34	35	35	35	34	34	34	41	40	41	40	43	45	43	42	40	40	42	42	47	47	48	[illegible]	45	44	43	42	44	45
COEUR D ALENE CAA AP	SNOWFALL	0.1	T	T	1.3	0.2	2.6	2.3	1.5	3.5	2.3	1.2	3.8	2.2	4.0	1.2	T		T	T	1.0	2.0	6.0	4.2	7.6	T	T					
	SN ON GND	22	20	20	21	21	22	24	26	26	27	27	30	32	33	34	33	33	32	30	30	30	35	36	34	31	30	28	28	27	23	22
COEUR D ALENE RS	SNOWFALL	0.3			0.5	1.0	0.5	1.5	1.5	2.0	5.5		2.0	2.0	1.0	2.0				1.0	0.5	2.0	5.0	2.5	4.0	0.5						
	SN ON GND	24	24	23	23	23	23	24	24	25	28	27	29	31	30	31	30	30	29	29	29	30	34	36	37	34	33	29	28	28	26	24
COTTONWOOD	SNOWFALL				0.1			0.3	0.1	0.1	2.1		0.5				3.5				0.4	1.1	0.7	2.8								
	SN ON GND	11	11	10	10	10	10	10	10	10	12	12	12	12	11	11	14	13	13	13	12	14	13	17	13	13	13	12	12	12	12	11
DEADWOOD DAM	SNOWFALL				1.0	T		1.0	1.0	T	17.0	2.0	6.5	2.5	11.0	2.5	1.5			1.0	7.5	2.0	2.0	2.0	6.5	T	1.5	T			4.0	3.0
	SN ON GND	53	52	51	51	50	50	49	49	48	64	61	62	63	69	64	63	61	60	60	64	64	63	62	66	64	64	63	61	61	64	64
DUBOIS CAA AP	SNOWFALL	T	T		T	0.8		T	T	0.8	T	1.5		1.3	10.0	7.9	0.2			T	3.2	1.2	T	T	0.2	T	0.8	T		T	T	T
	SN ON GND	10	10	9	9	10	10	10	10	10	10	11	11	12	22	30	27	27	24	19	19	18	18	18	18	17	18	17	16	13	13	13
EMMETT 2 E	SNOWFALL				-				1.0														3.0		-		-					
	SN ON GND	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FENN RANGER STATION	SNOWFALL				0.2			2.5	0.5	2.0	2.0		-	-			-				4.0	1.0	1.0	6.0	3.0		-				-	-
	SN ON GND	14	14	-	-	-	-	16	16	18	12	12	14	-	12	-	17	17	17	16	19	18	19	24	24	20	18	16	15	-	-	-
GARDEN VALLEY RS	SNOWFALL				2.0			1.0	1.0		10.0	1.0	1.0	T	5.0	1.0	0.5				2.0	2.0	2.0	4.0	2.0		1.0				1.0	1.0
	SN ON GND	18	18	17	19	19	18	19	19	19	29	29	27	26	30	28	24	24	24	22	24	26	26	30	32	28	28	25	25	25	25	22
GLENNS FERRY	SNOWFALL							T				5.0			T	11.0	5.0			T	T	2.0	4.0									
	SN ON GND	-	[illegible]	[illegible]	4	4	3	2	2	2	-	6	3	2	1	12	10	10	10	8	6	8	12	10	8	6	5	4	3	3	3	3
GOODING CAA AP	SNOWFALL		T		T	T					T	2.6		T	3.5	8.5	1.0			T	T	0.8	2.6	T		1.0	T				T	T
	SN ON GND	8	8	8	8	8	6	6	6	6	6	9	9	8	8	[illegible]	20	20	20	20	20	21	24	24	18	18	19	19	18	15	15	14

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SN ON GND	7	7	6	6	6	5	7	6	6	7	7	7	7	7	7	11	10	10	10	11	11	11	13	10	10	6	4	4	4	2	
GRAY	SNOWFALL								2.0						4.0		6.0				2.0		1.0		3.0							
	SN ON GND	30	30	30	30	30	30	30	31	31	31	31	31	31	34	34	34	32	32	32	32	32	32	34	34	36	36	36	36	34	32	
HAILEY	SNOWFALL				1.0			T			9.0	2.0	4.0	3.0	8.0	15.0	6.0				4.0	1.0	1.0	2.0	3.0		1.0				0.5	1
	SN ON GND	33	33	32	33	32	32	31	31	31	38	39	40	42	46	57	56	52	49	48	50	48	47	47	49	47	46	45	45	44	43	
HAMER 4 NW	SNOWFALL											-				4.5					1.5		T	T	T		0.5					
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	9	-	-	-	-	-	4	-	-	-	-	
HILL CITY	SNOWFALL										2.0	5.0	5.0	2.0	3.0	19.0	13.0				3.0	2.0	4.0		10.0		2.0				T	7
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	36	-	-	-	52	-	-	-	48	-	-	-	-	-	-	-	-	-	-	
IDAHO CITY	SNOWFALL				1.0				1.5		5.0	0.4	1.0	T	1.0	3.5	4.0				3.0	1.2	4.5	6.0	5.5						1.0	2
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30	-	-	-	-	-	-	-	-	31	-	-	-	-	-	-	
IDAHO CITY 13 SW	SNOWFALL					0.5	T	T	3.0	T	6.0	T	T	T	1.0	9.0					6.0	4.0	6.0	2.0	4.5	T	1.5				2.5	
	SN ON GND	30	30	30	30	31	31	30	33	33	39	39	39	39	40	49	49	48	45	42	48	52	58	60	61	58	59	56	54	52	53	
IDAHO FALLS CAA AP	SNOWFALL	T	T	T	0.4	0.8			T	T		T	T	0.9	T	T	2.0	T		T	0.6	1.7	1.2	T	T	T	1.2	T			0.4	2
	SN ON GND	6	6	6	6	8	8	8	8	8	7	7	7	8	8	8	9	9	9	9	9	9	12	11	9	7	7	7	7	7	7	
IRWIN 2 S	SNOWFALL					1.0						T		4.0		2.0	2.0			0.5		1.0		1.0								
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ISLAND PARK DAM	SNOWFALL				T	2.5		T	7.0	3.0	2.0	6.0	7.0	4.5	8.5	18.0	5.0			3.0	12.0	4.0	2.5	3.0	8.0	2.0	2.0					1
	SN ON GND	-	-	-	46	[illegible]	-	45	51	51	50	54	60	61	67	78	75	-	-	67	73	71	70	69	72	70	70	-	-	-	-	
LEWISTON WATER PLANT	SNOWFALL				0.5					0.2			T	T			0.9					0.5	0.8	2.7								
	SN ON GND	3	3	3	3	3	2	2	2	1	T	T	T	T	T	T	1	1	1	T		T	1	4	1	1						
LEWISTON WB AP	SNOWFALL	T		T	0.1			0.2		T	0.1	T	T	0.1			0.9		T	0.1	T	0.1	0.6	2.4								
	SN ON GND	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	2	2	2	2	5	4	2	2	2	1	T	T	
LOWMAN	SNOWFALL				1.0				0.5		13.5		3.5	0.5	4.7	2.0	1.0			0.7	4.2	0.5	2.0	4.3	4.2		1.0				1.2	1
	SN ON GND	27	-	-	27	-	26	-	26	26	39	37	38	37	40	41	41	-	-	38	42	41	41	44	45	-	41	37	36	-	37	
MACKAY RS	SNOWFALL										3.7	0.2	4.1	T	5.0	10.5	11.0				6.1	4.2		2.2								
	SN ON GND	10	10	10	10	10	10	10	9	9	12	12	14	13	17	25	[illegible]	30	28	27	32	36	34	36	33	29	27	26	25	24	23	
MALAD CAA AP	SNOWFALL				T			0.6	T					4.3	T	T	1.4			T	0.4	2.1	2.9		0.6	T	0.7				0.4	
	SN ON GND	15	15	15	15	15	15	15	15	15	15	15	14	17	17	17	17	17	17	17	17	17	22	20	20	17	16	14	14	14	14	
MAY RANGER STATION	SNOWFALL				0.1						T					4.0	2.1				0.4	0.1	0.4	0.3			0.3					
	SN ON GND	2	2	2	2	2	2	2	2	2	2	2	2	2	2	6	8	7	7	7	7	7	7	7	6	6	5	5	5	5	5	
MC CALL	SNOWFALL							3.0	2.0	2.0	18.0	3.0	9.0	6.0		5.0	2.0				9.0			5.0	6.0	2.0						
	SN ON GND	-	38	-	-	-	38	39	39	39	54	56	59	60	-	61	60	-	-	-	55	-	-	57	61	60	-	-	52	50	50	
MESA	SNOWFALL							6.1		4.0	10.0	2.0	2.0	4.0		T						4.0	2.0		5.2		1.0		T		4.1	
	SN ON GND	-	-	-	-	-	-	-	-	-	30	32	33	31	-	-	-	-	-	-	-	30	-	-	34	33	32	-	-	-	33	
MULLAN PASS CAA	SNOWFALL			T	0.4	0.8	1.8	1.4	1.6	7.3	4.9	0.6	1.1	1.2	1.5	0.4	T	0.7	0.4	1.6	2.4	1.5	0.2	3.5	6.8	0.4	1.4	0.9			6.1	
	SN ON GND	105	105	105	105	106	107	109	111	115	122	120	120	120	120	117	112	111	110	110	112	113	113	115	119	120	120	122	120	117	119	
OAKLEY	SNOWFALL													2.0		T	4.0				1.0	1.5	3.0		T	T	T					
	SN ON GND	3	3	2	2	2	2	1	1	1	1	1	1	1	1	T	3	2	2	1	2	3	4	3	2	1	1	1	1	1	1	
OBSIDIAN 4 NNE	SNOWFALL				T					T	5.0	T	2.0		2.0	2.0	1.0			T	T	T	T	1.0	T		T				T	
	SN ON GND	34	34	33	33	32	31	31	31	31	36	33	35	35	37	39	40	40	39	39	39	39	39	40	40	39	39	39	39	39	39	
PAYETTE	SNOWFALL				1.8			T	0.7	T	0.8	0.3					0.3			0.5	1.2	1.3	3.3	0.5			T				1.2	
	SN ON GND	1	1	1	3	3	2	2	3	3	3	3	2	2	2	1	1	1	1	2	2	3	6	5	3	2	1	1	1	T	1	
PIERCE RS	SNOWFALL	T			T	T		3.0	2.0	T	4.0	1.0			T	T	1.0	2.0		T	T	3.0	3.0		4.0							
	SN ON GND	51	49	47	47	45	43	46	48	47	51	52	51	48	46	[illegible]	47	49	46	46	45	48	51	51	55	51	49	47	46	45	45	
PINE 2 SSW	SNOWFALL				0.8	T		1.0	T	T	9.0	3.5	3.0	1.0	4.3	7.5	6.5			1.0	4.5	3.[illegible]	5.5	5.0	7.0		1.0				3.0	
	SN ON GND	39	36	36	36	36	36	35	35	34	42	43	44	42	44	48	52	48	46	45	47	48	51	52	56	53	49	49	48	47	49	
POCATELLO WB AP	SNOWFALL	0.1	T	T	0.2	1.2		T	T	T				1.2	T		3.0			T	0.3	T	0.5	T		T	1.2				T	
	SN ON GND	5	5	5	5	6	6	6	6	6	6	6	5	6	6	5	7	7	7	7	7	7	7	7	5	3	4	4	4	3	3	
PORTHILL	SNOWFALL				T	1.0	2.0	2.0	1.0	4.0	2.0		3.0		8.0	1.0	0.3		2.0	T	4.0	3.0	4.0	2.0	6.0						0.3	
	SN ON GND	14	14	14	14	15	15	17	17	21	21	21	24	24	30	30	30	29	26	25	27	30	32	32	30	30	24	19	18	18	16	
POTLATCH	SNOWFALL				0.3		0.5	1.0	1.5	0.5	5.0		0.8	1.0	1.5						3.0	1.0	2.0	3.0	3.0		T					
	SN ON GND	26	26	25	25	24	22	22	20	20	25	24	24	22	22	22	22	22	21	21	22	23	25	27	26	23	23	20	20	20	18	
PRIEST RIVER EXP STA	SNOWFALL			0.3	1.3	4.0	3.8	3.0	2.7	2.9	13.0		3.5	1.8	4.0	1.5			1.3	0.3	3.8	2.6	2.7	3.5	5.8	0.3	0.3	1.0				
	SN ON GND	26	26	25	26	29	30	31	31	32	41	39	40	40	42	41	40	39	39	38	40	40	40	42	46	43	42	40	39	37	34	
RIGGINS RS	SNOWFALL										2.0	0.1	0.1	T	0.1	0.1	2.0				3.0	1.8		0.5								
	SN ON GND	1	1								2	1	1	1	1	1	3	2	1	1	4	4	4	4	3	2	1					
ROLAND WEST PORTAL	SNOWFALL						1.2	4.9	3.8	6.4	6.2	3.9	T	1.7	3.2	T	T	T		5.1	4.9	3.4	1.3	5.9	11.7	4.2	3.8	3.9			4.3	
	SN ON GND	58	58	58	57	57	56	60	63	64	60	61	60	61	60	60	60	60	60	60	60	60	60	62	72	72	70	72	68	66	70	
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SN ON GND	-	-	-	6	-	-	-	-	-	5	-	-	-	5	6	5	-	-	-	5	5	7	7	-	-	6	-	-	-	-	
SANDPOINT EXP STA	SNOWFALL				1.5	3.5	4.5	2.5	3.0	3.8	9.0		2.0	2.0	2.5	2.5			T	0.5	1.8	2.3	3.0	1.5	3.0	0.5						
	SN ON GND	33	33	33	35	38	41	45	42	36	40	-	32	34	36	36	35	34	34	33	34	34	37	39	40	[illegible]	33	31	31	28	-	
SPENCER RS	SNOWFALL				-	T	T		3.0	3.0	T	5.0	T	2.0	8.0	15.0	7.0				10.0	3.0	3.0	1.0	1.0	T	1.0		T			
	SN ON GND	26	-	-	-	-	-	26	-	-	-	-	-	-	31	-	48	-	-	-	-	48	-	-	-	-	-	-	42	-	-	
STIBNITE	SNOWFALL					0.8			1.3		3.6	6.3	3.0		3.8	6.3	1.4	T		1.0	3.1	5.8	0.5	2.3	5.5		2.3	T				
	SN ON GND	44	43	41	41	40	40	40	41	40	42	46	47	47	50	54	54	52	51	52	53	55	54	55	57	55	55	54	53	52	51	
SUN VALLEY	SNOWFALL				T			T			14.0	T	8.0	3.0	15.0	16.0	10.0				12.0	T	1.0		4.0						T	
	SN ON GND	43	42	41	40	40	38	37	37	36	48	47	55	58	69	80	85	74	70	66	74	70	67	61	60	60	59	58	56	54	52	
SWAN FALLS PH	SNOWFALL				1.0											2.0	1.0				0.5	0.5	3.0									
	SN ON GND	3	3	3	4	4	3	2	2	1	1					2	3	3	3	3	3	4	6	4	2	1						
THREE CREEK	SNOWFALL	1.0		2.0		3.0				T				2.0		2.0	3.0				2.0	T	7.0	T								
	SN ON GND	8	8	10	10	13	13	13	13	13	10	8	8	7	7	9	11	11	10	8	11	11	18	14	9	8	7	7	6	6	5	
TWIN FALLS 2 NNE	SNOWFALL				0.4			T				T		0.8	T	3.0	1.5			T	1.2	0.7	2.0				1.0				T	
	SN ON GND	4	4	4	4	3	3	2	2	2	2	2	2	2	1	2	3	3	3	3	4	4	5	3	2	1	1	1	1	1	1	
WALLACE	SNOWFALL	T			T	T	T	T	4.0	5.0	10.0	T	T	1.0	1.0			T	T	T	3.0	2.0	1.0	1.0	6.0	T		T			T	
	SN ON GND	29	29	28	28	28	28	29	33	36	42	41	41	42	43	43	43	43	43	43	46	48	48	49	54	[illegible]	44	42	41	40	38	

See reference notes following Station Index

STATION INDEX

Station	Index No	County	Drainage‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp	Precip		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	8A	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 5
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	TETONIA EXP STATION	
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	5P	5P	LAN GOODMAN	2 3 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		MID	U S FOREST SERVICE	
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	[illegible]	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	CLARA M JENKINS	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 06	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	[illegible]	46 38	114 33	[illegible]		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 [illegible]	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	[illegible]	CUSTER	6	43 55	113 37	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 [illegible]	[illegible]	7P	7P	[illegible]	2 3 5
MALAD CAA AP	5549	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 [illegible]	[illegible]	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	44 54	116 07	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	[illegible]	112 [illegible]	[illegible]	[illegible]	5P	[illegible]	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	[illegible]	5P	5P	[illegible]	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	5P	5P	[illegible]	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	[illegible]		MID	U S SOIL CON SER	
MOOSE CREEK RANGER STA	6082	IDAHO	3	46 08	114 50	[illegible]		MID	U S FOREST SERVICE	
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE B BENTZINGER	2 3 5
MULLAN PASS CAA	[illegible]	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA	[illegible]	CANYON	2	43 35	116 34	[illegible]	5P	5P	C W NELSON	CLOSED 11/20
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	[illegible]	7P	7P	WAYNE S SHAFFER	[illegible]
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	[illegible]		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE I SHAW	2 3 5 7
OLA	6586	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	CLOSED 7/30
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5186	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	[illegible]	8A	8A	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 [illegible]	4650		MID	VICTOR J ACARREGUI	
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	8A	8A	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J I RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB AIRWAY OBS	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F [illegible]	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	[illegible]	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	[illegible]	6P	6P	I E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	9231	ELMORE	2	43 43	115 38	[illegible]		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHER [illegible]	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	
NEW STATIONS										
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	[illegible]	6P	6P	JOHN KOEPL	2 3 5 7
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

STATIONS NOT FOLLOWED BY A TABLE NUMBER REFERENCE IN THE STATION INDEX ARE NOT PUBLISHED IN CLIMATOLOGICAL DATA BEGINNING WITH OCTOBER 1951, RECORDS

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary. Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

FEBRUARY 1952
Volume LV No. 2

SAN FRANCISCO: 1952

IDAHO - FEBRUARY 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

February 1952 marked the fifth consecutive month with average temperatures below normal in Idaho. Temperature deficiencies were particularly marked in the Southwestern and Southeastern Divisions, where every station reported an average temperature below the long-period mean, and the division averages were 5.7° below the mean. In the Northern Division stations from Lewiston and Orofino northward were generally a little above normal, but for the division as a whole the departure from the mean was -0.8°. This places the month in sharp contrast to February 1951 when, with few exceptions, average temperatures were above the mean at stations throughout the State. On the basis of the statewide average temperature this February ranks as the coldest since 1939, and the coldest since 1936 in the Southwestern Division. Precipitation for the entire State averaged just .01 inch below the 56-year mean, even though the average for the Northern Division was the lowest since 1941. Very few stations in the north reported totals above the 56-year mean, but in the southern divisions excesses were reported in the following drainage systems; the Weiser River, the Wood Rivers, the middle portion of the Snake, Henry's Fork, Lost River and portions of the Payette and Salmon Rivers. Snowfall was considerably heavier than in February 1951 and 1950, but only a little more than half the total in the record-breaking February of 1949. Sunshine, as indicated by records from Boise and Pocatello,was a little above the February mean over the southern portion of the State, but on the basis of Spokane's (Washington) records it appears that there was a deficiency of sunshine in northern Idaho.

The opening days of February 1952 gave hope of relief from the long winter, but in the southern divisions, at least, the relief was short-lived. For the first five or six days temperatures were above normal, settling back to near normal for several days thereafter, and finally dropping well below normal about mid-month and continuing generally subnormal throughout the remainder of the month. In southern portions of the State the latter half of the month was among the coldest of such periods on record.

Widespread precipitation accompanied the relatively mild weather of the first four days in February, but thereafter for a full week only a few very light amounts were reported in the State. The next ten days brought frequent precipitation to all parts of the State with the heaviest falls generally occurring on the 16th and 17th. Those two days produced some of the heaviest snowfall of the month in all sections. During the final week precipitation was light.

Although winds averaged below the mean for February, there were a few days on which strong winds were reported and in some sections of the State there was extensive drifting of the relatively dry snow. Some communities, among them Fairfield and Shoshone, were forced to close the schools for several days. Main highways were generally kept open, but side roads were drifted shut much of the time.

Farming activities were confined mainly to care of livestock. No losses were reported but some observers remarked that the weather had been "tough on livestock and feed".

Property damage due to weather conditions appears to have been light and confined mainly to occasional disruption of telephone and power facilities.

Although the average snowfall for the State this February has been exceeded several times in past years, the accumulated snowpack at the end of the month was of record-breaking proportions in many of the mountain areas, particularly in the Southwestern Division. Not only do irrigation projects seem assured of ample water supplies, but on many streams there is a definite threat of flooding.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5 30A MST	11 30A MST	5 30P MST	11 30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	SE	32	7.8	36	SW	2	83	73	66	83	2	9	1	0	0	0	12	54	6.8	SEE TABLE 2
LEWISTON WB AIRPORT	S	15	6.7	-	-	-	72	64	59	72	5	2	4	0	0	0	11	-	8.0	
POCATELLO WB AIRPORT	SW	23	8.9	35	SE	16	85	74	73	83	7	5	3	0	0	0	15	61	6.9	

Table 1

COMPARATIVE DATA

Year	Temperature			Precipitation			Year	Temperature			Precipitation			Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more		Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more		Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more
1894	20.4	58	-31	1.80	-	7	1915	33.6	67	-19	1.68	5.9	10	1936	21.2	61	-37	2.80	27.4	13
1895	26.0	64	-34	.67	-	4	1916	29.8	63	-29	2.76	23.9	10	1937	23.2	66	-34	2.37	24.8	10
1896	31.0	76	-17	.90	-	6	1917	24.2	60	-34	2.08	19.8	9	1938	31.4	69	-29	1.71	15.5	9
1897	28.8	67	-22	2.51	-	9	1918	30.1	69	-28	1.67	13.8	9	1939	22.4	60	-31	1.82	19.7	10
1898	30.7	69	-18	1.41	-	8	1919	28.4	56	-28	2.94	27.6	13	1940	32.6	71	-27	3.42	13.1	15
1899	23.0	58	-41	1.85	15.6	8	1920	30.6	66	-25	.45	3.8	3	1941	32.7	67	-18	1.24	4.0	8
1900	29.4	76	-29	1.48	10.4	7	1921	28.8	66	-33	1.68	13.5	9	1942	23.3	59	-47	1.60	11.9	11
1901	28.3	69	-28	1.93	6.8	9	1922	22.8	56	-34	1.71	19.4	10	1943	29.1	65	-25	1.39	11.5	6
1902	33.1	63	-35	2.62	10.5	11	1923	22.1	63	-28	.66	9.5	4	1944	28.7	60	-34	1.44	13.5	10
1903	18.2	58	-37	.55	5.0	3	1924	36.1	67	- 9	1.52	3.1	8	1945	31.9	65	-21	2.32	8.5	12
1904	30.1	73	-31	3.14	19.2	12	1925	34.1	64	-23	2.18	6.0	10	1946	27.2	64	-24	1.71	14.0	10
1905	26.4	70	-48	.60	4.8	4	1926	33.9	71	-21	2.19	9.2	11	1947	32.5	67	-30	.95	3.8	5
1906	29.3	60	-22	1.93	9.8	9	1927	30.3	63	-33	3.35	13.8	12	1948	28.1	69	-37	2.27	11.4	9
1907	36.3	65	- 9	2.00	8.7	8	1928	27.2	57	-33	.45	3.8	5	1949	23.6	60	-45	2.91	29.8	11
1908	29.7	69	-42	.97	8.8	7	1929	19.4	57	-44	.89	8.6	6	1950	29.0	74	-46	1.67	9.1	9
1909	31.7	60	-19	2.30	14.4	11	1930	34.7	70	-15	2.18	10.0	11	1951	30.1	69	-46	2.19	11.7	10
1910	22.9	60	-30	2.49	21.4	11	1931	15.3	74	-18	1.00	4.9	6	1952	23.4	62	-35	1.71	16.7	9
1911	22.8	56	-31	1.02	11.7	7	1932	22.8	66	-34	1.62	14.8	9							
1912	30.7	61	-29	1.93	8.6	9	1933	15.6	58	-57	1.70	21.2	8							
1913	22.9	61	-33	.59	5.2	4	1934	38.0	69	-11	.97	2.0	7							
1914	28.1	64	-43	1.51	9.8	9	1935	28.4	61	-27	.70	5.6	5							

TEMPERATURE AND PRECIPITATION DATA IN THIS TABLE HAVE BEEN WEIGHTED ON AN AREAL BASIS.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	No. of Days Max. 32° or Below	No. of Days Min. 32° or Below	No. of Days Min. 0° or Below	Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Snow, Sleet, Hail Max. Depth on Ground	Snow, Sleet, Hail Date	No. of Days .01 or More	No. of Days .50 or More	No. of Days 1.00 or More
NORTHERN DIVISION																							
AVERY RS	42.0	23.4	32.7	1.2	56	25	6	24	929	0	0	28	0	2.09	- .85	.81	4	12.9	22	1+	12	1	[illegible]
BAYVIEW MODEL BASIN	38.0	22.4	30.2		50	7	- 2	23	1000	0	6	27	1	1.19		.65	4	1.0	17	1+	7	1	0
BIG CREEK 1 S	37.8	2.0	19.9	- 1.0	50	8	-25	24	1249	0	8	29	13	2.00	- .10	.62	16	41.0	52	16	8	2	[illegible]
BONNERS FERRY	39.1	22.2	30.7M	2.3	48	9	3	24	989	0	9	28	0						19	1			
BURKE 2 NNE	34.9	18.6	26.8	0.4	48	11+	1	24	1101	0	12	29	0	2.56	- 2.60	1.05	4.	28.5	65	4	14	1	1
CLARK FORK 1 ENE	40.9	22.3	31.6	1.1	50	10	- 1	23+	959	0	0	29	2	2.26	- .48	.65	4	11.5			9	1	0
COBALT BLACKBIRD MINE	28.9	3.2	16.1		44	10	-23	24		0	19	29	12	1.99		.49	2	28.9	45	17	10	0	0
COEUR D ALENE CAA AP	38.0	21.4	29.7M		51	10	1	24	1018	0		29	0						19	1			
COEUR D ALENE RS	40.3	22.6	31.5	1.4	53	10	1	21	968	0	1	27	0	1.54	- .85	.30	4	10.8	22	1	10	0	0
COTTONWOOD	37.8	21.0	29.4	- 0.8	49	10	2	22	1022	0	6	28	0	1.11	- .61	.23	2	7.6	10	3+	10	0	0
ELK RIVER 1 S	42.8	20.0	31.4		55	10	- 2	24	968	0	1	27	2	2.56		1.18	3	16.5	32	29	11	1	1
FENN RS	39.7	23.4	31.6	- 2.8	49	25	10	24	964	0	0	29	0	1.78	- 1.60	.50	16	18.0	16	16+	11	1	0
GRANGEVILLE	38.8	19.9	29.4	- 2.1	50	7+	5	18+	1025	0	6	29	0	1.59	- .01	.53	2		9	17+	13	1	0
KELLOGG	40.7	23.6	32.2	1.0	54	11	7	23+		0	1	27	0	1.60	- 1.09	.64	4	5.8	9	1+	14	1	0
KOOSKIA	44.9	24.8	34.9	0.0	55	4	12	24	867	0	0	25	0	2.07	.26	.56	16	5.4	4	1	11	1	0
LEWISTON WATER PLANT	47.8	31.7	39.8	2.5	61	7	20	22	724	0	0	14	0	.93	- .29	.24	16	2.0	0		8	0	0
LEWISTON WB AP	45.4	29.6	37.5	1.6	57	10	18	18	792	0	0	16	0	.83	- .17	.26	3	2.6	1	16	9	0	0
MOSCOW U OF I	38.6	25.8	32.2	0.5	49	10	13	24	942	0	5	22	0	1.62	- .49	.58	4	9.0	5	1+	7	1	0
MULLAN PASS CAA	26.0	16.0	21.0	- 0.2	40	10	6	19	1268	0	23	29	0	2.59	- 1.57	.63	4	27.2	132	4	16	1	0
NEZPERCE 2 E	38.1	21.9	30.0		51	10	7	22	1006	0	7	27	0	1.61		.38	16	10.0	10	1+	10	0	0
OROFINO	47.9	26.2	37.1M	2.[illegible]	62	4	16	23+	798	0	0	23	0	1.82	- .84	.45	4				10	0	0
PIERCE RS	38.8	11.8	25.3	- 3.3	50	9	- 7	24		0	3	29	6	3.29	- .69	1.00	4		49	17	17	2	1
PORTHILL	38.5	21.4	30.0	2.[illegible]	49	9+	0	24	1013	0	6	27	1	.70	- .88	.26	18	17.0	12	1	7	0	0
POTLATCH	39.9	25.1	32.5	0.9	52	11	11	22	938	0	2	25	0	1.75	- .48	.70	4	6.5	14	1	8	1	0
PRIEST RIVER EXP STA	37.0	19.6	28.3	1.0	50	10	- 5	23	1054	0	6	29	3	2.14	- .65	.76	4	13.4	33	10+	14	1	0
RIGGINS RS	45.4	27.9	36.7	- 3.[illegible]	5[illegible]	5	17	22+		0	0	22	0	1.25	- .05	.73	2	4.4	3	21	7	1	0
ROLAND W PORTAL	34.0	18.1	26.4M	- 0.3	48	10	2	24	1119	0	13	29	0	2.79	- 3.05				73	29	11		
SAINT MARIES	42.7	23.0	32.9	0.6	57	10	5	24	923	0	0	28	0	1.56	- .83	.75	4				11	1	0
SALMON	33.8	3.9	18.9	- 5.[illegible]	51	4	-17	24	1331	0	11	29	14	1.21	.79	.39	2		12	17	10	0	0
SANDPOINT EXP STA	37.4	21.5	29.5	0.5	45	10	1	21+	1025	0	5	28	0	1.85	- .97	.89	4	6.0	23	4+	6	1	0
WALLACE	38.6	22.6	30.6	- 0.4	50	8+	6	23+	993	0	3	29	0	1.96	- 1.78	.83	4	3.0	34	1	10	1	0
WALLACE WOODLAND PARK	39.0	19.9	29.5M	- 0.4	52	11	2	25		0	4	28	0	1.19	- 2.29	.39	4		16	1	11	0	0
WINCHESTER 1 SE	38.3	20.9	29.6	- 1.0	51	8	3	18+	1019	0	7	27	0	1.76	.09	.29	16				14	0	0
DIVISION			29.9	- 0.8										1.78	- .65			12.6					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	32.9	1.9	17.4	- 5.5	44	2+	-23	22	1372	0	15	29	16	2.75	- .13	.61	2	27.5	50	21+	11	2	0
ANDERSON DAM	31.1	10.5	20.8		42	5	-13	22	1274	0	19	29	6	8.15		1.60	16	26.3	54	21	10	6	6
ARROWROCK DAM	33.3	14.8	24.1	- 6.4	47	5	- 2	22+		0	9	28	[illegible]	2.82	.43	.95	2	19.2	25	21+	11	1	0
ATLANTA 1 E	35.2	9.7	22.5	- 1.5	4[illegible]	26	- 9	22	1229	0	12	29	6	2.35	- .98	.85	2	33.0	64	4	6	1	0
BLISS	34.1	14.6	24.4M	- 8.1	47	4	- 2	22	1169	0	13	28	1	.75	- .21	.38	16		14	20+	5	0	0
BOISE LUCKY PEAK DAM	41.5	22.0	31.8M		52	4	10	22	957	0		26	0	1.21							11	0	0
BOISE WB AP //	38.3	22.5	30.4	- 3.2	53	4	14	24	995	0	4	26	0	1.12	- .36	.38	1	5.9	2	16	10	0	0
BUHL	38.3	20.0	29.2	- 3.5	50	4	4	22	1035	0	7	26	0	1.08	.17	.55	1	7.0			3	2	0
CALDWELL	39.4	21.2	30.3	- 4.1	56	4	11	21+	993	0	2	29	0	1.06	- .08	.30	2	4.9	T	16+	7	0	0
CAMBRIDGE	31.5	7.0	19.3	- 8.0	43	2	-12	23		0	16	27	13	2.93	.59	1.05	16	20.5			7	2	1
CASCADE 1 NW	28.[illegible]	7.[illegible]	18.[illegible]		41	11	-19	22	1352	0	21	29	8	1.09		.26	16	21.0	47	23	10	0	0
CHALLIS	32.6	5.9	19.3	- 5.9	48	5	-10	22	1321	0	14	29	10	.68	.20	.21	12	10.6	10	16+	6	0	0
COUNCIL 1 N	32.9	9.1	21.0	- 8.3	43	2	-11	17	1271	0	16	29	7	3.57	.35				46	22+	11		
DEADWOOD DAM	33.8	2.7	18.3	- 3.0	44	9+	-23	22	1348	0	12	29	15	2.81	- 1.65	.61	2	32.0	73	20+	13	3	0
DEER FLAT DAM	39.9	22.9	31.4	- 1.5	56	4	10	22	967	0	2	27	0	.80	- .01	.38	1	1.5			5	0	0
EMMETT 2 E	39.2	21.7	30.5M	- 5.0	55	4	9	24	995	0	1	28	0	1.60	.40	.60	16				5	1	0
FAIRFIELD	27.7	- 2.8	12.5M		37	4	-32	22	1511	0	22	29	20	4.30		2.20	2	30.5	54	16+	6	4	1
GARDEN VALLEY RS	39.0	14.[illegible]	26.[illegible]	- 2.4	44	4	- 8	22	1103	0	[illegible]	29	5	3.52	.99	.96	2	22.0	31	23	8	3	0
GLENNS FERRY	38.9	17.6	28.3	- 7.1	47	10	1	22	1061	0	1	2[illegible]	0	1.64	.67	.56	16	8.5	6	20	8	1	0
GOODING CAA AP	31.8	13.4	22.6	- 6.4	44	4	- 2	22	1223	0	15	29	2	1.66	.64	.80	1	9.2	16	16+	8	1	0
GRAND VIEW	40.7	21.9	31.3	- 4.0	52	4	[illegible]	22	968	0	4	28	0	.63	- .09	.38	16	3.5	3	16	5	0	0
HAILEY	32.7	4.8	18.8	- 4.8	42	2+	-11	21	1331	0	13	29	11	2.60	.62	.73	2	32.0	55	21	7	2	0
HAZELTON	34.4	14.3	24.4	- 6.9	44	16	- 6	22	1172	0	10	28	1	1.35	.11	.47	1	9.5	11	23+	11	0	0
HILL CITY	27.5	0.3	13.9	- 5.7	39	4	-28	22	1474	0	24	29	18	4.11	2.24	2.02	20	52.0			6	4	1
HOLLISTER	40.7	19.9	30.3M	- 0.8	50	9	4	22+	998	0			0	.46	- .39	.26	17				4	0	0
IDAHO CITY	38.5	5.8	22.2	- 6.6	48	4	-16	22	1236	0	4	29	10	2.47	- .55	.66	16	22.8			10	2	0
JEROME	33.8	14.4	24.1	- 7.5	44	4	- 6	22	1178	0	11	29	2	2.28	1.27	1.11	2	5.8			8	1	1
KUNA 2 NNE	38.7	22.2	30.5M	- 3.3	53	4	13	22+	998	0	3	26	0	.68	- .32	.28	2	1.6	T	1+	4	0	0
LOWMAN	38.5	8.7	23.6	- 4.7	54	28	-14	22	1195	0	7	29	6	2.68	.09	.76	2	14.9	42	21	8	1	0
MC CALL	28.3	6.3	17.3	- 4.[illegible]	36	10+	-17	18	1379	0	22	29	13	2.82	- .30			54.5	75	21	12		0
MERIDIAN 1 SSW	39.2	17.9	28.6	- 6.0	53	4	[illegible]	24	1049	0	2	29	0	.77	- .48	.22	2				5	0	0
MESA	33.9	12.8	23.4		46	3	- 5	18	1201	0	10	29	1	3.11		1.11	3	35.1	47	21	6	2	1
MOUNTAIN HOME 1 NE	36.8	17.0	26.9	- 6.5	51	4	- 1	21	1099	0	6	28	1	1.05	- .06	.29	16	10.5	5	21+	9	0	0
NAMPA 2 NW	40.0	22.3	31.2		54	5	12	18		0	1	29	0	.85		.39	2	2.2	1	16+	8	0	0
NEW MEADOWS RS	32.9	3.8	18.4M	- 6.5	43	4	-20	18+	1343	0	12	29		2.49	- .01	.69	2	27.0	48	21	10	2	0
OBSIDIAN 4 NNE	31.6	0.4	16.0	- 2.3	41	10+	-20	24	1414	0	16	29	16	.58	- 1.07	.20	12	8.0	44	2+	6	0	0
OLA 4 S	36.2	10.4	23.3M		49	5	-10	22+	1212	0	1[illegible]	28	6	2.80		.84	2				8	2	0
PARMA EXP STA	39.0	20.8	29.9M	- 4.8	55	4	7	18	1003	0		29	0	.89	.00	.25	16	5.0	3	16	5	0	0
PAYETTE	36.2	19.1	27.7	- 5.3	49	4	- 2	18	1077	0	6	29	2	1.81	.59	.60	16	10.7	5	16+	10	1	0
RICHFIELD	29.0	8.1	18.6	- 5.7	34	4	-15	22	1339	0	20	29	6	1.95	.94	.60	2	16.2	28	20+	6	2	0
SHOSHONE	31.7	12.2	22.0	- 5.7	43	4	- 7	22	1241	0	14	29	3	2.07	.89	.60	1	18.7	23	20	11	3	0
STIBNITE	35.7	5.0	20.4		50	12	-13	22		0	12	29	10	2.61		.81	2	37.0	60	2	12	1	0
SUN VALLEY	31.8	- 5.6	13.1	- 6.5	43	13	-31	22	1498	0	15	29	21	E 1.95	- .80	.85	2	40.5	66	2	6	2	0
SWAN FALLS PH	41.7	24.9	33.3	- 4.7	58	4	11	22	911	0	1	27	0	.38	- .42	.20	23				3	0	0
THREE CREEK	41.6	9.3	25.5		52	27	- 8	14+	1137	0	4	29	8	.89	- .01	.40	17	12.5	8	17+	5	0	0
TWIN FALLS 2 NNE	36.7	17.6	27.2	- 5.0	48	4	- 2	22	1092	0	8	28	1	.89	.01	.20	2	8.4	4	17+	10	0	0
TWIN FALLS 3 SE	37.2	15.6	26.4	- 6.1	50	5	- 1	22		0	7	28	1	1.15	.31	.54	17	10.7	7	17+	9	1	0
WEISER	36.9	16.5	26.7	- 7.3	48	12	- 3	22	1103	0	3	27	2	1.76	.26	.62	16	15.5	10	23	9	1	0
DIVISION			24.0	- 5.7										1.96	.10			18.4					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	31.6	8.7	20.2	- 5.7	38	1+	-12	22	1294	0	13	29	6	.79	.11	.40	2		3	1+	8	0	0
ALBION	39.5	14.1	26.8	- 3.7	55	11	-13	22	1100	0	8	29	5	.95	- .36	.38	2	10.0			6	0	0
AMERICAN FALLS 1 NW	32.0	11.8	21.9	- 5.5	43	4	- 8	22	1245	0	13	29	6	.92	- .21	.37	2	9.5	5	23	8	0	0
ARCO	29.6	- 4.9	12.4M	- 7.7	42	4	-27	22	1528	0	20	29		.69	.07			11.5			6		0

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
ASHTON 1 S	28.2	6.3	17.3	- 4.4	37	27	-15	24	[illegible]	0	[illegible]	[illegible]	8	3.44	2.47	1.27	2	46.4	[illegible]	21	12	3	1
BLACKFOOT	32.2	11.0	21.6	- 4.1	41	4	- 8	24	[illegible]	0	[illegible]	24	5	.40	- .43	.15	[illegible]	[illegible]	6	21+	4	0	0
BURLEY	38.9	15.6	27.3	- 3.8	50	5+	- 5	22		[illegible]	4	27	2	1.05	.10	.44	2	7.0			9	0	[illegible]
BURLEY FACTORY 1 NW	35.1	13.4	24.3	- 5.5	46	7	- 8	22		[illegible]	14	29	2	.49	- .15	[illegible]	2				9	0	0
BURLEY CAA AP	35.9	14.7	25.3	- [illegible]	48	11	-1[illegible]	22	1145	[illegible]	[illegible]	[illegible]	1	1.31	.19	.44	1	7.9	7	[illegible]	10		0
CHILLY BARTON FLAT	22.9	-10.6	6.2	-12.3	40	4	-30	13+	17[illegible]	[illegible]	[illegible]	29	24	[illegible]	.19	.20	[illegible]	7.0			4		0
CONDA	30.9	3.3	17.1	- 3.9	41	1+	-2[illegible]	24		[illegible]	17	[illegible]	14	1.57	.23	.45	[illegible]	[illegible]			11	0	0
DRIGGS	28.7	2.8	15.8	- 3.7	36	2+	-22	24		0	[illegible]	29	15	1.55	.28	.43	2				9		0
DUBOIS EXP STA	24.4	7.8	16.1	- 5.7	35	10+	-1[illegible]	24	1411	[illegible]	25	29	6	1.52	.75	.42	1	[illegible]	38	21+	9	0	0
DUBOIS CAA AP	26.6	0.5	13.6	- 7.9	40	27	-17	24	1486	[illegible]	[illegible]	29	14	1.80	[illegible]	.57	16	21.2	[illegible]	23+	10	1	0
FORT HALL IND AGENCY	33.9	11.4	**22.7	- 4.7	47	7	-13	24	[illegible]	0	[illegible]	[illegible]	6	.49	- .23	.1[illegible]	2		3	[illegible]	7	0	0
GRACE PH	29.8	3.2	16.5	- 7.1	41	4	-17	24+	1400	[illegible]	16	29	14	1.45	.25	.35	2	[illegible]	11	23+	[illegible]	0	0
GRAY	33.0	5.9	19.5	- 2.8	44	1	-2[illegible]	14	1313	[illegible]	16	29	1[illegible]	1.85	.27	[illegible]	2	31.0	40	17+	8	1	0
GROUSE	28.4	-12.2	8.1		38	4	-35	22	1645	0	21	29	26	1.04	.04			15.0			[illegible]		0
HAMER 4 NW	26.3	- 3.6	11.4M	- 6.9	39	2	- [illegible]	24	15[illegible]	0	[illegible]	[illegible]	14	1.40	.98	.65	16		7	[illegible]	6		0
IDAHO FALLS CAA AP	25.8	5.1	15.5	- 5.0	39	1	-14	24	1432	0	24	29	[illegible]	.82	- .15	.4[illegible]	1	8.9	12	23+	10		
IRWIN 2 S	30.8	10.5	20.7	- 1.8	41	4+	-17	24	1275	0	[illegible]	[illegible]	4	1.43	.28	[illegible]	[illegible]	[illegible]			[illegible]		
ISLAND PARK DAM	27.[illegible]	- 2.6	12.2	- 4.6	40	10+	-[illegible]	24	1527	[illegible]	[illegible]	29	14	4.60	1.[illegible]	1.40		[illegible]		18+	1[illegible]	2	1
LIFTON PUMPING STA	25.7	- 5.2	10.3	-10.2	41	4	-2[illegible]	[illegible]	158[illegible]	0	[illegible]	29	20	.53	- .16	.17	2	9.0	19	2+	7	0	
MACKAY RS	27.1	1.9	14.5	- [illegible]	43	4	-1[illegible]	19+	1459	[illegible]	22	[illegible]	13	.50	- .27	.19	16	[illegible]	26	2	7	0	[illegible]
MALAD	33.1	12.0	22.6	- 4.6	41	4	- 5	22+	1224	0	1[illegible]	[illegible]	4	1.22	- .1[illegible]	.4[illegible]	17	[illegible]	24	21+	8	0	0
MALAD CAA AP	32.7	3.8	18.3		42	1+	-18	25	1350	0	12	29	14	.83		.1[illegible]	[illegible]	[illegible]	1[illegible]	21+	10	0	0
MAY RS	30.8	1.7	16.3	- 7.2	45	4	-15	14	14[illegible]	0	17	29	11	.35	.[illegible]3	.20	[illegible]	6.4	6	[illegible]	6	0	0
MC CAMMON	31.2	8.6	19.9		42	4	-17	25	[illegible]	0	19	29	7	1.99		1.[illegible]	1	16.0	3	18+	7	[illegible]	1
MINIDOKA DAM	33.0	14.6	23.8		44	16+	-11	22	1189	0	14	29	3	.77		.25	[illegible]	6.0	11	[illegible]	6	0	0
MONTPELIER RS	27.6	- 2.7	12.5	- 9.2	41	5	-24	25		0	22	29	1[illegible]	1.15	- .[illegible]	.41	[illegible]	18.2	[illegible]	[illegible]	14	0	0
OAKLEY	39.4	17.6	28.5	- 3.1	50	4	[illegible]	22	1052	0	3	28	1	.87	.11	.44	[illegible]	8.0	6	[illegible]	7	0	0
PALISADES DAM	30.1	8.2	19.2M		40	4	-13	24	1334	0	16	29	5	2.05		.63	2				9	1	[illegible]
PAUL 1 E	35.3	11.9	23.6	- 7.8	47	2+	- 6	22		0	12	28	4	1.14	.05	.61	[illegible]	[illegible]	[illegible]	17+	7	1	0
POCATELLO WB AP //	32.0	11.4	22.0	- 4.9	41	4	- [illegible]	22	1239	0	14	29	5	1.00	- .24	.40	1	6.9	[illegible]	[illegible]	8		0
PRESTON SUG FACT 2 SE	33.3	8.2	20.8	- 5.4	40	4+	-14	25	1275	0	[illegible]	29	7	[illegible]	- .05	.30	2	26.1	20	23+	15		0
REACTOR TESTING STA	24.8	- 4.3	10.3		38	2	-20	25	1580	0	[illegible]	29	22	1.04		.3[illegible]	[illegible]	14.0	21	[illegible]	11		[illegible]
RIRIE	30.6	11.6	21.1		38	1+	-12	24	1267	0	16	29	5	E 1.72							1[illegible]		
RUPERT	34.9	12.3	23.6	- 6.2	44	5+	-12	22		0	10	29	4	1.19	.[illegible]	.45	2	8.3	7	21	[illegible]		
SAINT ANTHONY	30.0	4.5	17.3		37	1+	-19	24	1379	0	19	29	8	E 2.90	1.[illegible]	.65	1	[illegible]	[illegible]	23	12	[illegible]	
SPENCER RS	25.2	3.[illegible]	14.1	- 4.1	33	2+	-1[illegible]	22	1468	0	27	29	11	1.92	.[illegible]	[illegible]	16	[illegible]			9	[illegible]	0
SPRINGFIELD	30.4	8.1	19.3M	- 6.2	39	4	-12	24	[illegible]	0	17	29	8	.71	- .11	.24	1	10.7			7	0	0
SUGAR	29.1	4.0	1[illegible].6M	- 3.8	38	1	-31	24	1401	0	19	[illegible]	12	[illegible]	1.16	[illegible]	[illegible]	27.5	26	[illegible]	9	1	0
TETONIA EXP STA	28.2	- 0.7	13.8	- 5.5	37	11	-26	24	1479	0	20	29	17	.80	- .18	[illegible]	4				[illegible]	0	0
DIVISION			18.2	- 5.7										1.32	.29			17.4					
STATE			23.4	- 4.6										1.71	- .01			16.7					

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	[illegible]	[illegible]	.04		.01												.14	.04		.05				.03					.04			
ALBION	[illegible]	[illegible]	.34										[illegible]				[illegible]	.22						[illegible]								
ALPHA 1 NE	[illegible]	.50	.61	.16	.20							.04	[illegible]			[illegible]	.48				[illegible]	.19		.05								
AMERICAN FALLS 1 [illegible]	.92	.25	.37										T				[illegible]	.15		.02		.06		.02					[illegible]			
ANDERSON DAM	[illegible]	1.20	1.1[illegible]	.04	.12								[illegible]			T	[illegible]		T	.10	[illegible]	[illegible]		[illegible]								
ARCO	[illegible]	.08	T										T				[illegible]	[illegible]	[illegible]	.57		.04										
ARROWROCK DAM	[illegible]	.25	.95	.03	.47								[illegible]	[illegible]			.34	[illegible]		.05	.19	.09		[illegible]	T							
ASHTON 1 S	3.[illegible]	[illegible]	1.27		[illegible]									.23			[illegible]	.28	[illegible]	.13	[illegible]	[illegible]	.02	.25					[illegible]	T		
ATLANTA 1 E	[illegible]	.18	.65	T	.42								[illegible]				.28	T	[illegible]			.22										
AVERY RS	2.09	.19		.14	.81	.01							.15			.05	.22	[illegible]	.07		.05							.22		[illegible]		
BAYVIEW MODEL BASIN	1.19	.16			[illegible]					T		T	[illegible]			T			T	T	.09						.10	.12		[illegible]		
BIG CREEK 1	2.00	.16	.57	T	[illegible]								[illegible]			T	.62	.1[illegible]		[illegible]	[illegible]	[illegible]		.06				[illegible]	[illegible]	[illegible]		
BLACKFOOT	.40	[illegible]	[illegible]															.15		.10		[illegible]		T								
BLISS	.75		.1[illegible]		.10							[illegible]					[illegible]	T	.02		.15											
BOISE LUCKY PEAK DAM	1.21	[illegible]	.39	[illegible]	[illegible]								[illegible]				[illegible]	[illegible]	[illegible]	.01	.10			[illegible]								
BOISE WB AP	1.12	.3[illegible]	.08	.11								[illegible]	.09			[illegible]	[illegible]		T	.02	.06	[illegible]		.10								
BONNERS FERRY	-	.0[illegible]	T	.05	[illegible]			[illegible]		T		T	T			-	-	-	-	T	.1[illegible]					[illegible]	.03	[illegible]		.03		
BUHL	[illegible]	.55	T														[illegible]	T	[illegible]													
BURKE 2 NNE	2.5[illegible]	.18		.23	[illegible]	[illegible]		.01					.30	[illegible]		[illegible]	[illegible]	.06	.03	T	[illegible]	T	T			[illegible]		.20	.07	[illegible]		
BURLEY	[illegible]	.0[illegible]	.49		[illegible]								.02				[illegible]	.33	[illegible]	T		[illegible]			.07							
BURLEY FACTORY 1 NW	[illegible]	[illegible]	.39		[illegible]								.01				[illegible]	.19	T	[illegible]		.09		T	.06							
BURLEY CAA AP	1.[illegible]	.44	.08	.05	.02							[illegible]				[illegible]	.24	.02	[illegible]	T	.05			.04	T							
CALDWELL	[illegible]	.12	[illegible]	[illegible]									T				.17	T	T	.04	.1[illegible]			.07								
CAMBRIDGE	2.93	[illegible]															1.05		.05	.03	.23	.3[illegible]	.30									
CASCADE 1 NW	[illegible]	[illegible]	.19	.05	[illegible]								.05			[illegible]	.26	T		.07	.21	.09	T	.05								
CENTERVILLE ARBAUGH	3.5[illegible]	.72	.80	.20	[illegible]								.21				.75	.01	[illegible]	[illegible]	[illegible]	.10		[illegible]								
CHALLIS	.6[illegible]		[illegible]	.02									.21				.14	[illegible]			[illegible]	.17										
CHILLY BARTON FLAT	.50	[illegible]	.10										.2[illegible]				.10	.10	T													
CLARK FORK 1 ENE	2.2[illegible]	[illegible]		[illegible]	[illegible]			[illegible]					.13				[illegible]	[illegible]			.22						.13	.20				
COBALT BLACKBIRD MINE	1.[illegible]	[illegible]	.49		[illegible]								.11	.06			.14	.34				.10		[illegible]					[illegible]			
COEUR D ALENE CAA AP	-	.10	[illegible]	[illegible]	[illegible]							[illegible]	[illegible]			[illegible]	[illegible]	.02	T	T	[illegible]	T	T	-		T	.08	.03	T	.08		
COEUR D ALENE RS	1.54	.19		[illegible]	[illegible]											.02	[illegible]	.10	[illegible]	T	.15							.12		.14		
CONDA	1.57	.04	.31	[illegible]	[illegible]								[illegible]	[illegible]			[illegible]	.45	[illegible]			.15		.18								
COTTONWOOD	1.11	[illegible]	[illegible]	.12	[illegible]								T			.01	[illegible]	[illegible]			[illegible]	.08		T				[illegible]		.13		
COUNCIL 1 N	3.[illegible]	.25	.85	.40									.15				.75	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	.02								
CROUCH 2 NNW	3.5[illegible]	.60	1.[illegible]	.05	.52												.72			.05	.50	[illegible]										
DEADWOOD DAM	2.81	.55	.61	.03	.12							[illegible]	.14			.01	.54	.01	[illegible]	.07	[illegible]	.18		[illegible]				T	T			
DEER FLAT DAM	.80	.38	.08	.18													[illegible]					T		[illegible]								
DRIGGS	1.55	.01	.43	[illegible]	.37												[illegible]	.31	.12					.01	.07							
DUBOIS EXP STA	1.52	.42	.30											[illegible]		T	[illegible]	.11	T	.06	[illegible]	.18	T							.02		
DUBOIS CAA AP	1.80	.4[illegible]	.25										.02	T	T	.04	[illegible]	T	[illegible]	.03	[illegible]	.12	[illegible]	.05						.02		
ELK RIVER [illegible]	2.[illegible]	.13		1.[illegible]	.0[illegible]								.11			.47	[illegible]	.18			.04	.10						.01		[illegible]		

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3—Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	1.60	.25	.25	.30													.60						.20	T								
FAIRFIELD	4.33	.74	2.20		.02								.09				.70				.55			T								
FENN RS	[illegible]	.10	.10	.30	.04								.20			.19	.50					.02		.08				.06		.13		
FORT HALL IND AGENCY	.49	.13	.18										.01					.10	.01	T	T	.03		.03					T			
GARDEN VALLEY RS	3.52	.50	.96	T	.47								.06			T	.86	T		T	.46	.07		.14								
GLENNS FERRY	[illegible]	.40	.43	.01	.05												.56	.03		.05	.08			T								
GOODING CAA AP	1.50	[illegible]	[illegible]	.07								T	.02			T	.38	T	.04	T	.12			.06								
GRACE PH	[illegible]	[illegible]	.35	T													.15	.31	.07	.05		.16		.09								
GRAND VIEW	[illegible]	.04	[illegible]		T								.08				.38	.05	T	T	T											
GRANGEVILLE	1.54	[illegible]	.53	.04	.03							[illegible]	[illegible]			[illegible]	.44	.07			.01	.14		.04				T		.06		
GRAY	[illegible]	.10	.65		.10									[illegible]			.15	.40	T			.08		.12								
GROUSE	[illegible]	*	.41		T												.40			T	.12	.11										
HAILEY	[illegible]	.38	.73										.09				.62			.08	.33	.37										
HAMER 4 NW	1.40	*	.51														.65	T			.18			.06								
HAZELTON	[illegible]	.47	.28		.02								.02			T	.33	.12	.02	.04	.02	.01		.02								
HILL CITY	[illegible]	.08	.02		.05								T				.60			T	2.02	.14										
HOLLISTER	.44			T								[illegible]					.02	.26	.16													
HOWE	.72	T	.16														.12	.44			T	T		T						T		
IDAHO CITY	2.47	.31	.51	.32									.10				.66	.02		.01	.25	.15		.14								
IDAHO CITY 13 SW	4.80	.80	.92	.30	.24								.09				1.18		.04	.14	.73	.15		.21								
IDAHO FALLS CAA AP	.82	.45	.05	T	.01									.03	T		.09	T	.02	.08	T	.03	T	.03	T	T			.03	T		
IRWIN 2 S	1.43	.22	.22	T	.16												.21	.25	.13			.05		.09					.10			
ISLAND PARK DAM	4.60	.42	1.40		.40								.10				.84	.21	.18	.14	.12	.42	.10	.19					.03	.05		
JEROME	2.28	.48	1.11		.04								.04				.43	T	.14	T	.02	.02		T								
KAMIAH 1 NE	1.54	.08	*	*	.77								[illegible]				.48		T		.03	T						T		T		
KELLOGG	1.60	.17	T	.04	.64			.02	T				.14	.02		.03	.19	.04	.03		.02	.04						.18		.04		
KOOSKIA	2.07	.02	.47	.17	.31								.29	T		.06	.56	.06			T	T		.03				.03		.07		
KUNA 2 NNE	.68	.18	.28	.12	T							T				T	.10		T	T	T			T								
LEWISTON WATER PLANT	.93	T	.16	.08	.22							T					.24	.10			.02	.10	T					T		.01		
LEWISTON WB AP	.83	.02	.18	.26	.01							T	T			.10	.13	.08			.04	.01		T				T		T		
LIFTON PUMPING STA	[illegible]	[illegible]	.17		T								.03	T			.01	.12	T			T		.08	T				.10			
LOWMAN	[illegible]	.36	[illegible]	T	.34								[illegible]				.46				.33	.18		.10								
MACKAY RS	.50	.05	.17										.04				.19	.01			.01	.03										
MALAD	[illegible]	[illegible]	.15										[illegible]				.13	.43	T	T		.20	.04						.04			
MALAD CAA AP	[illegible]	[illegible]	[illegible]	T	.03								.02				.14	.17	T	.01	T	.17		.02					.02			
MAY RS	[illegible]	T	[illegible]		T								.20				.05		.01	.01		T	.01	T								
MC CALL	[illegible]	.25	[illegible]	*	[illegible]								[illegible]				.65	.19		.05	.23	.53	.04							.01		
MC CAMMON	[illegible]	[illegible]	[illegible]	T	.09								T				.54	T	.04	T	.15		.06									
MERIDIAN 1 W	[illegible]	[illegible]	[illegible]	.13													.17				T			[illegible]								
MESA	3.11		[illegible]	1.11												T	.07	T		.23	.40	.38		T								
MINIDOKA DAM	[illegible]	[illegible]	[illegible]										.04					.18			T	.04	.01									
MONTPELIER RS	[illegible]	.06		.14	.06								.02	T	[illegible]		.05	.12	.16	.03	T	.02		.09	.04					.02		
MOSCOW U OF I	[illegible]	[illegible]	T	[illegible]	[illegible]					T			T			[illegible]	.26											.03		.25		
MOUNTAIN HOME 1 W	[illegible]	[illegible]	*	[illegible]	.09								[illegible]				.29			.01	T	.05		.04								
MULLAN PASS CAA	[illegible]	.27		[illegible]	[illegible]			.04	T	T		[illegible]	[illegible]	T	[illegible]	[illegible]	.21	.06	T	.04	.21	T					.08	.18	[illegible]	.06		
NAMPA 2 NW	[illegible]	[illegible]	[illegible]		[illegible]								.01				.12		T	.03	.03	.01										
NEW MEADOWS RS	[illegible]	[illegible]	.69	.11	.12								[illegible]			T	.58			.04	.15	.25		.13								
NEZ PERCE 2 [illegible]	[illegible]	.14	[illegible]	[illegible]	.22								[illegible]			.07	.38	.05	T		T			.03				T		.16		
OAKLEY	[illegible]	[illegible]	.13										T				.02	.44	[illegible]	T		.05		.01								
OBSIDIAN 4 NNE	[illegible]	[illegible]	.18		[illegible]								[illegible]				[illegible]					.03		T								
OLA 4 S	[illegible]	.16	.54	[illegible]									.06				.71			.07	.37	.28	T									
OROFINO	[illegible]	.10	[illegible]	.23	.45								[illegible]			.05		.40			.22			T				.05		.08		
PALISADES DAM	[illegible]	.12	[illegible]		.21								[illegible]	.12	[illegible]		.13	.45	T	T	T	T		.25					[illegible]			
PARMA EXP STA	[illegible]	.14	.20	[illegible]													.25		T	T	T	T		[illegible]								
PAUL 1 E	[illegible]	[illegible]	[illegible]										.01					.24		.03		.13		T	.02							
PAYETTE	[illegible]	.32	.18	[illegible]	[illegible]								.10			.04	.60	T	T	.07	.08	T		.07								
PIERCE RS	[illegible]	[illegible]	.14	.15	[illegible]	.04							.32	.08		[illegible]	.68	.15	.02	T	.03	[illegible]	.02	.03				T	.03	.11		
PINE 2 SSW	[illegible]	[illegible]	1.21	.04	[illegible]								[illegible]			T	1.06	T		.15	.49	.43		.15								
POCATELLO WB AP	[illegible]	[illegible]	.12											.01		T	.29	.04	T	T	T	.06		.06	T				.02			
PORTHILL	[illegible]	.02		T	[illegible]											.01	T		.26		.07					[illegible]				.01		
POTLATCH	[illegible]	[illegible]		[illegible]	.70											.20	.26	.03										.02		.05		
PRESTON SUG FACT 2 SE	[illegible]	[illegible]	[illegible]	[illegible]	.09								.07		.01		.08	.25	.07	.05	.03	.16		.10	.01				.04			
PRIEST RIVER EXP STA	[illegible]	.17		.41	.76					[illegible]		[illegible]	T			.03	.07	.01	.01		.21					.06	[illegible]	.02	T	.11		
REACTOR TESTING STA	1.04	.22	[illegible]										.02	T		.03	.38	.02	.04	.05	.17	.03	.01						T	T		
RICHFIELD	1.45	.52	.60														.22	.13		.12	.36			T								
RIGGINS RS	1.25	.01	.73	.11									.02				.09	.05				.24	T									
RIRIE	E1.72	*	1.30		E.03												E.10	E.05		E.05	E.03	E.03	E.03	E.10								
ROLAND W PORTAL	2.79	.04	T	.10	*	1.38	T		T		T		.34	T	T	[illegible]	.48	.04	T	T	T							.21	.06	.09		
RUPERT	1.19	.07	.45		[illegible]								.02				.03	.30	T	.05	T	.25		T	T							
SAINT ANTHONY	[illegible]	.65	.53		[illegible]								[illegible]	[illegible]			.63	.25	.04	.12	.12	.10		.21								
SAINT MARIES	[illegible]	.06		[illegible]	.75							T				.11	.09	.06		.02	.04	.02						.02	.19			
SALMON	[illegible]	.04	.39	.05	.08								[illegible]				.36	.03	.02			T	T	.10				.01		T		
SANDPOINT EXP STA	[illegible]	.24		[illegible]	[illegible]							T	T				.16	T			.16	T					.32	T				
SHOSHONE	[illegible]	.60	[illegible]		[illegible]								.03				.55	.01	.01	.06	.15	.01		.03	T							
SPENCER RS	[illegible]	.30	[illegible]											[illegible]			.53	T	T	.09	.08	.32	T	.02						[illegible]		
SPRINGFIELD	[illegible]	.24		T	T												.12	.08	T	.06	.07	T		.10					.04			
STANLEY	[illegible]	[illegible]	.81	[illegible]	.23	.05							[illegible]	.07			.31	.20	T	T	.10	.28	T	.10						T		
SUGAR	[illegible]	[illegible]	[illegible]		T												.49	.20	.20	[illegible]	.10	[illegible]	T	.10								
SUN VALLEY	[illegible]	[illegible]	[illegible]										[illegible]				.58	T		T	.12	.25										
SWAN FALLS PH	[illegible]	T		.08									T				.10							.20								
TETONIA EXP STA	.80	.05		.10	[illegible]									[illegible]				.05	[illegible]					T						T		
THREE CREEK	.89	.20		T	[illegible]								.18				.03	.40	T					T								
TWIN FALLS 2 NNE	.89	.18	.20	T	[illegible]								[illegible]				.18	.18	.06	.01	T	.01		.02								
TWIN FALLS 3 SE	[illegible]	[illegible]	.30		[illegible]								.04					.54	.09	.01		.01		.01								
WALLACE	[illegible]	.30		[illegible]	.83			[illegible]					.12			.07	.11	T	T	T	.07	.03	T					T	T	.09		
WALLACE WOODLAND PARK	[illegible]	[illegible]	.08		.39	[illegible]							[illegible]	[illegible]			.11	.05			.04	.03						.05				
WEISER	[illegible]	.25	[illegible]	[illegible]	.02											T	.62			.07	.03	.13		.14								
WINCHESTER 1 E	1.76	[illegible]	[illegible]	[illegible]	[illegible]								[illegible]	.01		[illegible]	.29	.25	.05		.06	.11	.15							.20		

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	[illegible]	30	31	
ABERDEEN EXP STA	MAX	38	38	35	38	36	[illegible]	35	[illegible]	32	[illegible]	34	41	24	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	20	[illegible]	36	[illegible]	25	35	32	[illegible]			[illegible]
	MIN	25	31	[illegible]	[illegible]	22	[illegible]		[illegible]	7	8	[illegible]	7	9	[illegible]	1		22	10	2	-8	10	[illegible]		-3	[illegible]	[illegible]	11		-1			[illegible]
ALBION	MAX	44	44	[illegible]	45	42	46	48	48	50	47	[illegible]	44	27	[illegible]	37	46	[illegible]	31	25	34	30	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	45			[illegible]
	MIN	27	[illegible]	[illegible]	30	[illegible]	[illegible]	15	18	16	[illegible]	19	[illegible]	[illegible]	[illegible]	12	27	[illegible]	14	[illegible]	-3	12	-13		2	-5	5	22	22	[illegible]			14.1
ALPHA 1 NE	MAX	36	44	35	47	40	32	28	31	[illegible]	[illegible]	44	31	24	[illegible]	[illegible]	34	34	25	[illegible]	[illegible]	29	[illegible]	[illegible]	23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]
	MIN	31	31	[illegible]	[illegible]	[illegible]	[illegible]	-3	-2	[illegible]	[illegible]	-2	[illegible]	-17	-17	14	24	[illegible]	-20	-2	[illegible]	[illegible]	-23	[illegible]	-20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]
AMERICAN FALLS 1 NW	MAX	41	40	38	43	39	35	33	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	27	26	30	29	24	27	26	[illegible]	26	39	34	34			[illegible]
	MIN	26	[illegible]	[illegible]	[illegible]	[illegible]	14	[illegible]	[illegible]	[illegible]	12	10	22	[illegible]	5	4	19	[illegible]	12	[illegible]	[illegible]	15	-8	[illegible]	0	[illegible]	-4	12	24	-4			[illegible]
ANDERSON DAM	MAX	38	38	[illegible]	41	42	30	[illegible]	[illegible]	32	[illegible]	36	32	25	20	[illegible]	30	30	25	27	25	[illegible]	[illegible]	32	29	25	30	[illegible]	[illegible]	[illegible]			31.1
	MIN	28	28	[illegible]	25	22	11			[illegible]	10	[illegible]	25	[illegible]	-3	[illegible]	22	10	[illegible]	[illegible]	9	11	-13	[illegible]	[illegible]	[illegible]	[illegible]	4	13	6			[illegible]
ARCO	MAX	35	41		42	[illegible]	31	30	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			29	[illegible]	21	25	[illegible]	25	[illegible]	21	31	[illegible]	[illegible]	[illegible]			[illegible]
	MIN	2	[illegible]		[illegible]	[illegible]	-5	-6	-7	[illegible]	-2	-2	[illegible]	[illegible]	-12	-13			-12	-18	-16	-17	-27	-12	[illegible]	-20	[illegible]	-1	[illegible]	-2			-4.9
ARROWROCK DAM	MAX	38	42	40	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	33	[illegible]	26	[illegible]	[illegible]	[illegible]	[illegible]	30	35	29	26	25	25	28	33	[illegible]	36			[illegible]
	MIN	31	34	31	[illegible]	24	19	16	16	15	16	16	[illegible]	[illegible]	[illegible]	8	24	15	15	14	18	[illegible]	-2	-2	[illegible]	[illegible]	4	6	13	14			[illegible]
ASHTON [illegible]	MAX	35	33	27	29	27	31	[illegible]	[illegible]	29	34	34	35	29	[illegible]	24	29	[illegible]	22	[illegible]	27	27	29	25	[illegible]	[illegible]	[illegible]	[illegible]	26	[illegible]			[illegible]
	MIN	25	27	[illegible]	20	2	[illegible]	2	[illegible]	3	3	3	4	11	[illegible]	[illegible]	12	20	12	7	[illegible]	12	3	[illegible]	[illegible]	-13	[illegible]	24	12	-2			[illegible]
ATLANTA 1 E	MAX	[illegible]	34	32	35	37	[illegible]	40	44	[illegible]	[illegible]	43	38	[illegible]	31	32	[illegible]	[illegible]	24	28	29	26	26	33	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]			[illegible]
	MIN	21	27	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]
AVERY RS	MAX	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40			[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32			[illegible]
BAYVIEW MODEL BASIN	MAX	[illegible]	42	[illegible]	[illegible]	41	[illegible]	[illegible]	43	47	44	45	41	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	31	30	29	31	[illegible]	[illegible]	[illegible]	39	36			[illegible]
	MIN	34	[illegible]	30	29	[illegible]	[illegible]	30	[illegible]	20	21	22	[illegible]	25	14	[illegible]	20	23	18	9	24	[illegible]	10	-2	4	[illegible]	[illegible]	[illegible]	18	[illegible]			22.4
BIG CREEK [illegible]	MAX	[illegible]	37	[illegible]	[illegible]	44	48	48	50	49	[illegible]	47	37	[illegible]	[illegible]	[illegible]	[illegible]	32	28	29	[illegible]	28	[illegible]	33	[illegible]	41	40	[illegible]	38	[illegible]			[illegible]
	MIN	29	27	12	[illegible]	[illegible]	-4	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6	-17	[illegible]	[illegible]		-24		-25	-10	[illegible]	[illegible]	6	-14			[illegible]
BLACKFOOT	MAX	39	[illegible]	35	41	[illegible]	34	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26	[illegible]	[illegible]	37	28	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	26	[illegible]	[illegible]	[illegible]			[illegible]
	MIN	28	31	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	16	[illegible]	-2	15	22	14	9	1	14	-5	[illegible]	[illegible]	[illegible]	[illegible]	10	14	[illegible]			[illegible]
BLISS	MAX		41	40	47	43	37	37	[illegible]	40	[illegible]	[illegible]	32		28	[illegible]	34	32	29	[illegible]	27	34	24	[illegible]	[illegible]	28	32	[illegible]	[illegible]	[illegible]			[illegible]
	MIN		34	[illegible]	27	[illegible]	15	12	16	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	17	25	[illegible]	10	1	12	3	-2	19	[illegible]	6	[illegible]		[illegible]	7			14.6
BOISE LUCKY PEAK DAM	MAX	45	45		[illegible]	45	48	45	47			47	[illegible]	37	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	34			[illegible]	[illegible]	43	43	42			41.5
	MIN	36	36		[illegible]	20	[illegible]	23	[illegible]			22	27	13	[illegible]	26			13	[illegible]	[illegible]	[illegible]	10			[illegible]	15	21	20	21			22.0
BOISE WB AP	MAX	45	44	[illegible]	[illegible]	[illegible]	46	40	[illegible]	[illegible]	42	[illegible]	37	34	33	36	39	34	30	[illegible]	[illegible]	[illegible]	[illegible]	24	36	[illegible]	36	[illegible]	40	[illegible]			[illegible]
	MIN	38	[illegible]	30	34	27	[illegible]	[illegible]	25	22	[illegible]	24	22	15	17	27	[illegible]	[illegible]	17	22	26	[illegible]	[illegible]	1	14	[illegible]	16	20	[illegible]	24			22.5
BONNERS FERRY	MAX	[illegible]	44	[illegible]	46	40	44	45	41	48	46	41	[illegible]	41	[illegible]					32	34	[illegible]	32	33	31	[illegible]	41	[illegible]	42	40			[illegible]
	MIN	33	26	[illegible]	[illegible]	[illegible]	24	[illegible]	25	[illegible]	[illegible]	18	[illegible]	24	[illegible]					12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	24			[illegible]
BUHL	MAX	40	44	42	50	46	43	46	42	45	42	44	44	34	34	31	34	34	31	32	40	36	34	32	31	29	32	40	42	36			[illegible]
	MIN	34	35	[illegible]	34	30	20	20	20	20	21	22	28	19	14	20	26	24	10	11	17	13	4	17	17	7	12	18	26	15			20.0
BURKE 2 NNE	MAX	36	35	33	35	38	42	37	45	39	47	48	[illegible]	34	30	30	30	28	27	27	26	25	28	31	34	48	40	38	32	30			[illegible]
	MIN	32	30	29	30	26	20	26	[illegible]	22	22	23	[illegible]	21	6	[illegible]	26	17	7	5	11	6	7	[illegible]	1	14	24	29	19	[illegible]			18.6
BURLEY	MAX	42	41	42	45	[illegible]	43	48	47	41	47	40	50	34	32	35	34	44	40	34	34	34	32	26	37	34	27	34	44	38			[illegible]
	MIN	33	34	30	30	32	18	[illegible]	[illegible]	16	[illegible]	19	[illegible]	18	7	[illegible]	10	20	18	6	4	17	-5	-1	18	5	[illegible]	12	[illegible]	7			15.6
BURLEY FACTORY 1 NW	MAX	42	40	38	38	45	38	46	42	36	41	38	44	30	29	30	34	42	36	30	30	31	26	21	31	32	24	32	39	[illegible]			[illegible]
	MIN	18	[illegible]	29	[illegible]	31	17	16	14	[illegible]	15	16	19	17	5	6	6	21	17	5	2	15	[illegible]	-2	17	4	4	11	15	4			13.4
BURLEY CAA AP	MAX	40	40	40	47	39	46	41	[illegible]	41	[illegible]	48	32	29	28	34	43	37	32	33	32	28	23	32	28	26	35	[illegible]	[illegible]	[illegible]			35.9
	MIN	31	32	30	33	[illegible]	[illegible]	[illegible]	14	[illegible]	15	18	22	16	6	14	24	20	9	3	[illegible]	4	-10	15	5	3	9	11	[illegible]	4			14.7
CALDWELL	MAX	42	49	44	56	50	46	45	40	37	39	40	40	38	37	38	38	34	32	35	34	37	[illegible]	34	39	38	37	[illegible]	45	46			39.9
	MIN	28	35	29	30	25	23	21	22	24	24	22	28	17	16	29	[illegible]	20	[illegible]	[illegible]	[illegible]	11	[illegible]	[illegible]	11	[illegible]	17	[illegible]	[illegible]	[illegible]			[illegible]
CAMBRIDGE	MAX	42	43	40	37	34	34	32	33	20	23	24	27	29	39	40	39	34	[illegible]	30	37	39	[illegible]	[illegible]	25	27	24	[illegible]	[illegible]	22			[illegible]
	MIN	37	33	32	27	8	4	2	-2	0	[illegible]	2	-1	-3	0	30	0	-3	12	22	[illegible]	[illegible]	[illegible]	-12	2	-2	-3	-3	-6	1			7.0
CASCADE 1 NW	MAX	33	35	34	38	36	26	25	24	25	29	41	33	21	21	30	31	28	21	26	28	26	21	28	27	[illegible]	[illegible]	[illegible]	[illegible]	30			[illegible]
	MIN	31	30	26	28	[illegible]	11	[illegible]	[illegible]	2	4	3	14	-9	-10	14	25	14	-9	[illegible]	[illegible]	[illegible]	[illegible]	16	[illegible]	[illegible]	[illegible]	12	[illegible]	2			[illegible]
CHALLIS	MAX	33	43	36	47	48	38	33	36	35	[illegible]	33	33	28	29	27	32	29	[illegible]	[illegible]	26	33	[illegible]	[illegible]	27	[illegible]	30	[illegible]	[illegible]	[illegible]			[illegible]
	MIN	20	[illegible]	12	22	[illegible]	10	11	9	[illegible]	[illegible]	5	19	4	-8	1	13	5	-1	-5	-4	5	[illegible]	0	-8	[illegible]	0	9	[illegible]	-1			[illegible]
CHILLY BARTON FLAT	MAX	28	34	30	40	32	28	20	29	26	30	26	24	18	13	20	22	20	16	[illegible]	15	23	[illegible]	24	[illegible]	[illegible]	21	22	[illegible]	20			[illegible]
	MIN	-3	22	[illegible]	[illegible]	[illegible]	-8	-18	-8	[illegible]	[illegible]	[illegible]	-3	[illegible]	-22	-19	[illegible]	[illegible]	[illegible]	-30	-30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-16			[illegible]
CLARK FORK 1 ENE	MAX	41	[illegible]	[illegible]	42	45	46	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	44	[illegible]	41	41	42			[illegible]
	MIN	32	28	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	20	[illegible]	19	[illegible]	[illegible]	23	[illegible]	[illegible]	[illegible]	22			22.3
COBALT BLACKBIRD MINE	MAX	31	[illegible]	30	[illegible]	35	[illegible]	[illegible]	[illegible]	39	[illegible]	[illegible]	[illegible]	21	[illegible]	[illegible]	[illegible]	25	22	18	19	[illegible]	16	20	18	24	[illegible]	41	[illegible]	22			[illegible]
	MIN	18	24	9	[illegible]	[illegible]	9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-2	-8	-8	[illegible]	[illegible]	-2	-9	-8	7	[illegible]	[illegible]	-23	[illegible]		11		[illegible]			[illegible]
COEUR D ALENE CAA AP	MAX	43	38	37	[illegible]	40	48	44	45	45	51	42	[illegible]	34	33	[illegible]	[illegible]	[illegible]	35	[illegible]	[illegible]	[illegible]	[illegible]		34	[illegible]	40	39	37	[illegible]			[illegible]
	MIN	30	25	[illegible]	30	[illegible]	23	31	[illegible]	23	27	23	[illegible]	17	[illegible]	[illegible]	[illegible]	[illegible]	9	13	[illegible]	[illegible]	14		[illegible]	[illegible]	32	[illegible]	[illegible]	23			21.4
COEUR D ALENE RS	MAX	43	43	37	46	42	47	43	46	46	53	47	41	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	31	[illegible]	[illegible]	37	47	42	40	[illegible]	[illegible]			40.5
	MIN	[illegible]	[illegible]	32	33	[illegible]	24	[illegible]	30	23	28	21	31	25	[illegible]	28	29	[illegible]	[illegible]	[illegible]	18	[illegible]	10	[illegible]	[illegible]	[illegible]	32	32	[illegible]	[illegible]			22.0
CONDA	MAX	41	41	[illegible]	33	37	[illegible]	32	38	32	37	[illegible]	37	[illegible]	18	34	[illegible]	[illegible]	[illegible]	21	[illegible]	23	27	27	26	28	[illegible]	[illegible]	40	[illegible]			[illegible]
	MIN	25	29	[illegible]	[illegible]	12	0	-4	-2	1	[illegible]	-2	10	[illegible]	[illegible]	-15	12	[illegible]	13	[illegible]	-8	10	[illegible]	[illegible]	-20	-16	[illegible]	10	[illegible]	[illegible]			[illegible]
COTTONWOOD	MAX	42	38	36	44	43	43	45	45	[illegible]	[illegible]	47	37	32	33	35	33	33	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]	32	[illegible]	43	[illegible]	[illegible]	[illegible]			[illegible]
	MIN	31	[illegible]	[illegible]	31	34	[illegible]	[illegible]	28	30	26	[illegible]	[illegible]	14	20	24	24	14			15	12	2	15	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]			[illegible]
COUNCIL [illegible]	MAX	42	43	42	42	[illegible]	[illegible]	32	30	[illegible]	29	[illegible]	[illegible]	[illegible]	29	[illegible]	32	29	[illegible]	[illegible]	31	28	[illegible]	[illegible]	[illegible]	30	26	[illegible]	[illegible]	35			[illegible]
	MIN	32	[illegible]	32	[illegible]	10	[illegible]	[illegible]	[illegible]	[illegible]	2	17	-3	-5	[illegible]	[illegible]	22	[illegible]	[illegible]	10	20	7	15	-8	[illegible]	[illegible]	[illegible]	-3	[illegible]	[illegible]			9.0
DEA[illegible]	MAX	34	38	[illegible]	37	[illegible]	40	[illegible]	41	44	42	38	34	[illegible]	29	26	34	[illegible]	24	26	[illegible]	25	23	30	[illegible]	42	44	[illegible]	[illegible]	29			[illegible]
	MIN	[illegible]	[illegible]	[illegible]	26	[illegible]	-3	[illegible]	-3	[illegible]	-3	-1	19	[illegible]	[illegible]	[illegible]	22	[illegible]	-13	[illegible]	13	[illegible]	[illegible]	[illegible]	-21	-14	[illegible]			-8			[illegible]
DEER FLAT DAM	MAX	[illegible]	[illegible]	43	56	48	[illegible]	[illegible]	[illegible]	[illegible]	39	37	[illegible]	37	[illegible]	[illegible]	[illegible]	31	35	35	[illegible]	35	[illegible]	[illegible]	41	[illegible]	45	40	45	44			[illegible]
	MIN	28	[illegible]	[illegible]	30	26	[illegible]	21	24	26	[illegible]	[illegible]	29	[illegible]	[illegible]	27	[illegible]	13	[illegible]	20	[illegible]	20	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]	20	[illegible]			[illegible]
DRIGGS	MAX	35	[illegible]	36	32	34	31	26	[illegible]	23	23	26	29	[illegible]	20	22	[illegible]	32	[illegible]	[illegible]	[illegible]	31	24	26	25	27	32	34	[illegible]	[illegible]			[illegible]
	MIN	20	[illegible]	20	18	19	[illegible]	-4	0	0	[illegible]	6	10	-5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	[illegible]	-20	[illegible]	17	14	-2			[illegible]
DUBOI[illegible]	MAX	29	19	[illegible]	23	29	[illegible]	27	29	[illegible]	35	35	20	22	22	23	25	26	18	17	19	20	15	24	[illegible]	25	[illegible]	[illegible]	25	22			24.4
	MIN	18	16	[illegible]	15	10	10	11	10	[illegible]		16	[illegible]	12	0	[illegible]	11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-2			7.8
DUBOI[illegible]	MAX	32	36	[illegible]	26	27	32	25	27	32	36	30	27	[illegible]	[illegible]	24	27	26	[illegible]	[illegible]	[illegible]	[illegible]	22	24	15	24	[illegible]	[illegible]	[illegible]	24			[illegible]
	MIN	[illegible]	15	2	11	5	4	[illegible]	3		[illegible]	0	7	-1	-9	-9	16	[illegible]	-8	-4	-2	-10	[illegible]		[illegible]	[illegible]	-6	[illegible]	[illegible]	[illegible]			[illegible]
ELK RIVER [illegible]	MAX	40	42	40	48	48	48	44	46	50	55	50	40	[illegible]	44	42	[illegible]	34	32	36	34	34	40	44	44	40	[illegible]	[illegible]	[illegible]	44			[illegible]
	MIN	[illegible]	[illegible]	30	29	29	[illegible]	32	20	18	[illegible]	24	28	[illegible]	8	[illegible]	[illegible]	28	20	[illegible]	[illegible]	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]
[illegible]METT [illegible]	MAX	47	[illegible]	[illegible]	[illegible]	49	44		42	[illegible]	40	40	41	30	36		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	33	[illegible]	34	33	[illegible]		[illegible]	[illegible]	[illegible]			39.2
	MIN	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17	[illegible]	14	21	13	[illegible]	[illegible]	[illegible]	23	21	[illegible]	10		10	21	23			21.7
FAIRFIELD	MAX	[illegible]	[illegible]	[illegible]	37	33	25	26		[illegible]	27	32	[illegible]	25		22	[illegible]	[illegible]	[illegible]		25	21	[illegible]	[illegible]	[illegible]	[illegible]	35	36	32	[illegible]			[illegible]
	MIN	[illegible]	27	[illegible]	21	18	-9	[illegible]		[illegible]		-12	15	[illegible]	[illegible]	-7	16	-3	-10			-7	-32	[illegible]		-20	[illegible]	-14	15	[illegible]			[illegible]
FENN RS	MAX	[illegible]	38	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	42	37	41	[illegible]	[illegible]	36	[illegible]	[illegible]	34	[illegible]	36	38	[illegible]	[illegible]	49	[illegible]	36	42	[illegible]			[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	20	14	[illegible]	20	12	24	10	[illegible]	19	[illegible]	[illegible]	[illegible]			23.4
FORT HALL [illegible]	MAX	[illegible]	39	[illegible]	41	37	37	47	[illegible]	[illegible]	39	42	[illegible]	28	[illegible]		39	39	[illegible]	28	29	[illegible]	[illegible]	[illegible]	26	25	[illegible]	[illegible]	35	[illegible]			33.9
	MIN	[illegible]	[illegible]	28	31	26	12	10	12	[illegible]	[illegible]	[illegible]	[illegible]	12	[illegible]	[illegible]	24	17	13	[illegible]	-4	[illegible]	-8	[illegible]	-13	-6	-4	11	21	0			11.4
[illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	37	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	40			[illegible]
	MIN	32	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	10	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	28	[illegible]	2	13	24	[illegible]	-8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]
GLENNS FERRY	MAX	40	[illegible]	[illegible]	46	[illegible]	43	41	41	[illegible]	47	[illegible]	40	[illegible]	34	34	[illegible]	37	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	39			[illegible]
	MIN	[illegible]	33	[illegible]	28	[illegible]	[illegible]	[illegible]	17	18	17	21	[illegible]	19	10	22	27	[illegible]	[illegible]	[illegible]	19	[illegible]	1	4	0	8	10	10	[illegible]	[illegible]			17.6
GOODING CAA AP	MAX	[illegible]	39	40	44	41	[illegible]	[illegible]	[illegible]	35	[illegible]	37	[illegible]	[illegible]	[illegible]	26	[illegible]	[illegible]	31	24	27	28	[illegible]	32	26	20	[illegible]	[illegible]	[illegible]	[illegible]			31.6
	MIN	[illegible]	[illegible]	26	[illegible]	18	[illegible]	[illegible]	[illegible]	18	[illegible]	18	17	6		15	22	17	1	0	[illegible]	[illegible]	-2	14	[illegible]		13	[illegible]	[illegible]	[illegible]			[illegible]
GRACE [illegible]	MAX	34	[illegible]	36	41	36	32	34	[illegible]	35	[illegible]	[illegible]	[illegible]	26	19		[illegible]	[illegible]	24	20	29	[illegible]	21	25	[illegible]	23	[illegible]	30	[illegible]	[illegible]			29.8
	MIN	24	28	22	[illegible]	[illegible]	[illegible]	[illegible]	2			-3	[illegible]	3	-7	-13	17	20	11	0	-3	-7	[illegible]	-3	-17	-17	-10	[illegible]	[illegible]	-6			3.2
GRAND VIEW	MAX	48	48	44	52	[illegible]	[illegible]	44	[illegible]	40	47	[illegible]	44	[illegible]	37	36	[illegible]	32	32	32	[illegible]	32	[illegible]	[illegible]	[illegible]	38	42	46	44	43			40.7
	MIN	[illegible]	37	[illegible]	[illegible]	[illegible]	25			[illegible]	25	[illegible]	[illegible]	21	15	26	30	[illegible]	[illegible]	[illegible]	[illegible]	15	[illegible]	16	14	[illegible]	[illegible]	19	26	23			[illegible]
GRANGEVILLE	MAX	48	[illegible]	39	47	43	43	50	43	50	[illegible]	50	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	32	[illegible]	[illegible]	31	[illegible]	36	[illegible]	42	45	37	[illegible]	37			[illegible]
	MIN	32	[illegible]	[illegible]	[illegible]	27	25	[illegible]	26	27	[illegible]	[illegible]	[illegible]	14	[illegible]	22	[illegible]	[illegible]		10	17	[illegible]		13	6	[illegible]	19	[illegible]	[illegible]	[illegible]			[illegible]
GRAY	MAX	34	[illegible]	32	32	[illegible]	37	[illegible]	41	40	44	42	40	[illegible]	[illegible]	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]	[illegible]	28	[illegible]	30	40	32	[illegible]			[illegible]
	MIN	24	25	22	20	[illegible]	3	4	[illegible]	[illegible]	[illegible]				-20	[illegible]	[illegible]	16	[illegible]	[illegible]	-1	11	-2	-1	[illegible]	-13	-2	10	[illegible]	-7			5.9
GROUSE	MAX	[illegible]	36	[illegible]	[illegible]	36	29	26	34	32	[illegible]	34	[illegible]	25	[illegible]	[illegible]	[illegible]	24	21	[illegible]	22	24	[illegible]	27	21	[illegible]	29	36	[illegible]	29			[illegible]
	MIN	-5	20	-10	-3	[illegible]	-10	-12	-11	-10	[illegible]	-12	[illegible]	-8	-22	-18	-2	-14	-26	-28	[illegible]	-8	[illegible]	-20	-23	-24	[illegible]	[illegible]	[illegible]	-19			-12.2
HAILEY	MAX	34	42	[illegible]	42	37	32	35	[illegible]	40	[illegible]	39	37	31	[illegible]	24	[illegible]	[illegible]	27	[illegible]	[illegible]	29	24	[illegible]	27	[illegible]	33	38	[illegible]	34			[illegible]
	MIN	[illegible]	[illegible]	4	[illegible]	7	[illegible]	[illegible]	[illegible]	15	[illegible]	[illegible]	20	8	[illegible]	-1	[illegible]	-4		-3	-2	-11	-9	[illegible]	-3	-10	[illegible]	9	8	[illegible]			[illegible]
HAMER [illegible] NW	MAX	35	39	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	28	27	[illegible]	[illegible]	32		20	[illegible]	[illegible]	21	[illegible]	[illegible]	[illegible]	18	26	13	[illegible]	21	[illegible]	[illegible]	25			[illegible]
	MIN	[illegible]	32	[illegible]	[illegible]	-4	-1	-15	-14	-10	-8	-12	-4	[illegible]		[illegible]	15	2	-6	-18	-20	10	[illegible]	-8	-30	-20	-20	-3	-5	-15			[illegible]

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HAZELTON	MAX	40	41	37	40	40	36	41	38	37	36	38	37	28	28	31	44	34	30	30	35	30	23	30	31	26	33	35	33	35			34.4
	MIN	27	33	28	32	29	14	13	12	12	14	16	26	14	1	12	25	18	6	1	1	8	- 6	12	18	2	9	14	22	2			14.3
HILL CITY	MAX	34	31	30	39	35	30	33	32	32	31	31	28	25	19	19	29	35	21	23	22	20	12	25	22	19	28	35	30	28			27.5
	MIN	14	28	17	23	16	- 7	-13	10	-11	-11	- 9	19	- 3	-20	- 2	15	8	- 2	-10	- 1	0	-28	4	- 1	-18	-12	- 8	20	- 8			0.3
HOLLISTER	MAX		42	40	45	44	43	48	47	50	47	48	37	31			45					34	32		33	27	34	47	40	40			40.7
	MIN		33	26	33	28	26	25	23	25	24	25	26	9			10					17	4		4	8	11	19	19	23			19.9
IDAHO CITY	MAX	36	38	47	48	45	44	41	44	45	45	42	39	38	37	33	35	34	31	31	33	31	30	38	39	36	41	40	39	37			38.5
	MIN	30	31	30	10	3	1	2	1	1	1	3	26	-10	-11	19	27	14	-12	- 2	15	13	-16	17	-13	- 9	- 4	4	- 2	- 2			5.8
IDAHO FALLS CAA AP	MAX	39	36	32	37	32	23	26	24	27	27	25	28	24	14	18	37	27	21	25	25	24	13	27	12	15	20	38	26	25			25.8
	MIN	28	26	22	24	12	7	0	- 1	0	1	1	12	5	- 6	- 7	15	16	8	0	- 5	1	- 7	- 1	-14	- 3	- 6	0	8	7			5.1
IRWIN 2 S	MAX	36	36	36	41	37	32	35	31	41	35	38	32	27	21	21	30	35	24	22	26	26	24	27	21	22	33	41	35	29			30.8
	MIN	29	31	26	26	13	6	6	5	9	9	9	17	15	- 5	-12	11	22	16	10	5	18	3	13	-17	-10	2	20	23	5			10.5
ISLAND PARK DAM	MAX	30	32	32	32	30	29	30	30	33	40	40	32	26	19	22	25	25	20	18	22	20	20	23	16	23	32	32	28	23			27.0
	MIN	23	27	0	20	1	4	-18	- 8	-17	-13	-16	- 4	7	-18	-26	9	13	10	2	7	11	- 2	[illegible]	-35	-31	-24	0	10	-21			- 2.6
JEROME	MAX	40	38	40	43	41	35	38	34	39	39	35	33	38	28	32	33	34	32	28	28	29	26	30	28	24	31	35	35	34			33.8
	MIN	26	32	28	32	30	12	14	9	17	11	18	26	15	3	11	22	12	14	- 3	4	12	[illegible]	12	17	5	12	9	20	3			14.4
KELLOGG	MAX	41	46	38	46	45	44	49	46	45	44	54	48	35	36	35	34	35	35	35	33	35	31	36	38	39	53	43	39	41			40.7
	MIN	34	32	33	32	29	25	28	32	23	26	24	28	27	17	20	30	26	18	12	15	11	15	7	7	16	31	32	26	27			23.6
KOOSKIA	MAX	47	41	39	55	51	52	47	53	45	52	51	49	42	41	36	39	42	40	43	41	38	42	42	41	51	51	44	44	42			44.9
	MIN	33	34	31	34	25	22	25	23	20	21	21	32	22	18	31	32	25	19	15	24	29	14	29	12	21	21	33	[illegible]	26			24.8
KUNA 2 NNE	MAX	41	41	40	53	47	45	43	39	37	44	39	38	36	34	36	35	34	32	35	33	34	32	32	40	37	37	45	41	42			38.7
	MIN	33	34	30	33	27	26	23	22	20	22	23	28	17	18	26	28	16	14	21	26	14	13	22		13	15	17	19	22			22.2
LEWISTON WATER PLANT	MAX	52	50	45	56	52	59	61	58	52	56	52	48	44	43	42	41	39	34	41	42	38	39	44	44	55	52	48	48	40			47.8
	MIN	35	37	34	38	31	35	43	35	34	34	34	34	23	27	37	33	31	24	20	21	31	20	30	23	34	32	38	25	31			31.7
LEWISTON WB AP	MAX	52	53	44	55	48	55	57	56	49	57	48	44	40	39	42	37	37	30	36	39	34	39	42	40	51	52	45	45	44			45.4
	MIN	36	37	35	37	33	36	37	34	35	34	34	28	23	25	32	29	26	16	23	18	22	19	23	20	34	33	30	26	28			29.6
LIFTON PUMPING STA	MAX	34	39	36	41	35	25	22	26	26	24	25	31	22	17	18	31	33	24	18	14	22	16	24	20	17	20	30	34	22			25.7
	MIN	10	25	20	22	17	- 7	-12	-10	-11	-10	-13	- 3	0	-16	-22	9	21	7	- 8	-20	-15	-26	-11	-22	-28	-22	- 8	14	-22			- 5.2
LOWMAN	MAX	36	41	39	40	41	43	41	41	43	[illegible]	40	38	31	30	35	39	35	31	32	38	32	31	39	34	40	42	45	54	42			38.5
	MIN	29	30	25	27	13	5	[illegible]	3	[illegible]	3	14	29	- 2	- 6	9	16	2	1	4	15	20	-14	15	-10	- 2	4	0	3	14			8.7
MACKAY RS	MAX	30	37	36	43	35	29	27	35	23	15	33	25	22	17	20	25	24	20	15	21	23	22	26	23	19	27	32	31	24			27.1
	MIN	7	21	14	10	22	5	- 1	3	6		2	10	10	- 6	- 5	8	3	- 1	-13	-13	- 4	-12	-11	- 5	-11	- 3	4	13	- 5			1.9
MALAD	MAX	39	38	40	41	36	33	34	36	36	37	32	30	38	25	24	35	35	32	31	30	31	22	30	27	23	29	39	36	35			33.1
	MIN	30	32	21	29	[illegible]	10	9	3	9	11	8	16	10	4	0	17	27	11	11	10	10	- 5	12	4	- 5	- 2	15	20	4			12.0
MALAD CAA AP	MAX	42	39	40	42	37	33	33	35	35	34	33	37	31	25	23	36	35	31	31	27	32	25	31	24	23	29	37	35	34			32.7
	MIN	27	31	17	30	11	2	- 3	0	0	2	- 1	11	2	- 3	- 6	16	20	7	- 1	- 3	- 6	-15	8	-11	-18	-14	7	7	- 7			3.8
MAY RS	MAX	38	39	40	45	39	35	33	36	33	30	35	29	27	17	28	32	28	27	23	28	32	21	24	20	24	29	34	32	28			30.6
	MIN	15	11	9	16	13	4	1	3	1	[illegible]	0	14	0	-15	- 7	15	- 4	1	-10	- 8	4	1	2	-14	-12	- 5	4	13	- 5			1.7
MC CALL	MAX	32	34	30	34	32	33	32	33	34	36	36	[illegible]	24	24	24	26	22	18	24	24	22	20	28	22	28	32	32	28	29			28.3
	MIN	30	20	22	26	6	0	- 1	0	[illegible]	2	2	22	-13	-11	18	20	14	-17	0	16	18	0	12	-16	- 8	0	10	5	- 3			6.3
MC CAMMON	MAX	37	35	40	42	40	35	32	31	31	32	34	32	30	22	20	35	32	28	25	26	30	26	30	27	20	27	40	36	31			31.2
	MIN	28	32	30	28	29	6	4	3	1	[illegible]	1	16	17	1	- 5	17	17	13	4	- 1	15	-10	1	-12	-17	- 5	13	24	0			8.6
MERIDIAN 1 SSW	MAX	43	46	41	53	46	46	42	40	37	44	39	38	30	34	36	35	34	33	35	35	34	32	31	40	37	38	45	41	44			39.2
	MIN	31	[illegible]	25	23	23	20	[illegible]	19	12	17	15	24	14	14	23	24	14	13	18	22	13	10	18	8	9	11	13	15	15			17.9
MESA	MAX	37	38	46	40	40	35	37	38	33	30	34	34	38	29	32	35	31	26	29	34	33	24	34	29	31	30	33	35	36			33.9
	MIN	28	30	24	22	[illegible]	15	[illegible]	12	10	7	3	5	7	5	15	21	17	- 5	10	20	16	4	13	6	12	0	9	9	13			12.8
MINIDOKA DAM	MAX	39	40	38	42	37	34	39	31	33	33	35	30	27	25	28	44	44	30	28	32	26	25	32	27	21	28	36	35	38			33.0
	MIN	26	32	28	28	26	17	14	13	15	15	16	23	19	4	11	30	24	14	- 1	4	15	-11	7	8	3	0	15	23	0			14.6
MONTPELIER RS	MAX	38	36	34	30	41	32	30	24	32	29	30	28	30	20	22	21	34	32	25	20	20	26	15	23	15	15	22	38	32			27.6
	MIN	17	18	17	24	16	- 5	- 8	- 6	- 7	- 8	- 6	[illegible]	3	-12	-18	-15	19	9	- 1	-12	- 5	-17	-12	-19	-24	-17	- 9	8	-11			- 2.7
MOSCOW U OF I	MAX	44	39	38	46	40	46	48	46	44	49	46	37	36	33	33	32	35	34	32	38	31	30	35	32	41	42	39	37	35			38.6
	MIN	35	33	42	33	28	33	35	24	33	31	33	23	18	22	27	23	20	19	17	24	16	16	16	13	26	30	32	22	24			25.8
MOUNTAIN HOME 1 NE	MAX	40	43	38	51	46	40	42	38	42	42	40	38	34	32	34	34	35	33	29	32	35	25	34	30	30	35	39	39	38			36.8
	MIN	30	34	[illegible]	25	[illegible]	22	21	21	20	21	18	27	8	8	22	30	18	3	8	20	- 1	2	19	5	6	9	15	12	14			17.0
MULLAN PASS CAA	MAX	31	18	20	29	23	33	30	30	36	40	37	23	20	22	23	23	21	19	19	20	12	16	20	24	37	32	25	20	23			26.0
	MIN	27	21	21	23	19	25	15	25	20	[illegible]	23	14	9	9	15	14	11	7	6	9	7	7	9	9	17	24	17	10	10			16.0
NAMPA 2 NW	MAX	44	44	49	41	54	51	49	43	37	37	42	39	40	38	36	37	38	33	35	35	32	34	36	37	40	37	39	42	42			40.0
	MIN	30	31	30	31	27	27	23	21	24	26	21	30	19	18	28	27	20	12	20	23	13	13	22	14	16	16	19	21	22			22.3
NEW MEADOWS RS	MAX	37	40	35	43	36	36	30	38	32	36	30	33	30	24	29			26	27	30	28	27	32	29	34	33	34	31	34			32.9
	MIN	30	31	25	30	8	2	0	- 1	- 2	- 1	- 1		-12	-14	12			-20	8	19	19	-12	13	-20	- 8	- 2	5	- 5	- 5			3.[illegible]
NEZPERCE 2 E	MAX	41	38	35	44	43	46	48	48	43	51	50	36	37	31	31	32	34	30	32	33	34	32	36	31	42	43	37	33	33			38.1
	MIN	34	32	29	33	27	28	32	29	30	28	27	25	17	14	17	24	16	13	12	20	17	7	15	8	18	20	30	17	17			21.9
OAKLEY	MAX	38	41	41	50	45	43	44	45	45	47	48	38	34	33	38	41	35	33	31	35	31	35	36	32	37	41	46	43	37			39.4
	MIN	31	32	17	33	[illegible]	20	[illegible]	27	11	19	21	26	11	5	21	21	11	7	5	7	7	0	10	8	8	17	21	21	26			17.6
OBSIDIAN 4 NNE	MAX	32	33	30	33	38	37	36	36	40	41	40	25	27	20	33	29	25	27	20	21	27	27	27	32	40	41	38	28	32			31.6
	MIN	14	23	6	20	1	- 6	- 7	- 3	- 4	- 3	- 4	10	-10	7	5	19	- 6	-16	-10	0	- 7	9	3	-20	-11	- 2	3	10	-10			0.4
OLA 4 S	MAX	39	47	42	43	49	45	42	39	37	35	35	37	31	30	31	32	38	27	36	38	31	25	35	27	30	29	35	42	44			36.2
	MIN	30	33	30	26	18					3	10	13	0	1	23	22	14	- 7	- 2	23	5	-10	16	-10	- 8	8	4	6	8			10.4
OROFINO	MAX	44	43	41	62	61	55	52	55							40	40	49	41	40	44	39	42	44	43	55	53	51	58	50			47.9
	MIN	33	33	33	[illegible]	26	25	30	27	23	25	25	33	24	21	33	32	28	27	22	19	28	18	16	16	26	24	22	29	27			26.2
PALISADES DAM	MAX	36	35	34	40	38	34	32	33	33	34	33	30	25	20	22	30	35	20	25	24	29	28		22	21	27	38	37	28			30.1
	MIN	29	30		22	11	7	1	5	5	6			14	- 4	- 8	11		14	10	1	17	2	14	-13	-11	- 2	18	22	4			8.2
PARMA EXP STA	MAX	41	49		55	53	46	40	38	37		38	40	38	39	36	36			36	36	36	36	32	34	32	34	34	40	40			39.0
	MIN	32	32		32	27	24	23	27	27		21	30	18	19	28	28		7	12	24	10	8	19	11	12	18	13	17	22			20.8
PAUL 1 E	MAX	40	47	47	39	43	38	37	37	40	35	35	40	30	28	27	38	40	35	29	31	32	30	30	36	32	24	32	38	32			35.3
	MIN	26	33	27	29	30	13	11	10	11	11	12	15	16	0	1	15	20	16	3	- 1	8	- 6	- 1	18	1	5	10	10	2			11.9
PAYETTE	MAX	42	47	39	49	41	39	40	35	36	36	35	39	36	34	34	40	33	26	36	36	32	25	35	30	30	34	32	39	40			36.2
	MIN	32	29	30	31	26	23	22	20	23	25	20	30	18	18	28	28	9	- 2	13	26	13	- 1	20	7	16	13	9	11	16			19.1
PIERCE RS	MAX	35	36	35	35	45	46	49	45	50	47	40	40	31	38	37	33	34	36	37	37	36	28	36	36	40	48	48	30	36			38.8
	MIN	30	32	30	32	24	17	17	19	12	14	13	18	7	- 2	1	26	14	10	- 5	4	16	- 6	- 5	- 7	- 5	6	7	13	10			11.8
POCATELLO WB AP	MAX	40	39	36	41	35	36	37	36	38	37	38	32	25	24	28	34	31	24	26	30	29	23	24	23	23	30	37	33	35			32.0
	MIN	32	31	29	32	24	14	12	13	12	14	14	21	17	5	6	22	14	13	5	- 2	4	- 6	4	- 1	- 4	- 3	12	10	1			11.9
PORTHILL	MAX	42	44	41	45	43	40	45	40	49	49	47	41	38	35	32	35	34	34	34	30	32	34	32	31	30	40	40	39	40			38.5
	MIN	33	28	31	34	26	22	29	24	16	27	11	32	24	13	22	25	28	22	12	20	18	10	6	0	12	27	26	18	24			21.4
POTLATCH	MAX	45	40	39	45	45	49	45	51	45	50	52	38	36	37	35	33	35	34	34	33	30	34	30	37	45	48	38	36	38			39.9
	MIN	36	30	33	34	27	30	35	28	31	30	32	28	15	17	29	25	24	19	16	20	12	11	12	17	27	31	32	22	24			25.1
PRESTON SUG FACT 2 SE	MAX	37	38	38	40	40	39	35	35	33	34	33	36	30	27	22	32	39	33	31	30	34	26	30	30	25	26	39	39	35			33.3
	MIN	30	32	20	28	25	8	4	3	2	4	3	12	9	- 1	- 7	15	22	18	2	8	13	-12	0	-11	-14	-11	8	25	2			8.2
PRIEST RIVER EXP STA	MAX	41	38	34	44	37	43	44	46	43	50	35	37	38	34	31	35	33	32	32	29	30	34	34	32	38	38	37	39	36			37.0
	MIN	32	28	31	32	22	21	31	29	20	25	16	26	18	12	25	25	26	19	4	16	- 1	2	- 5	- 3	3	31	31	10	23			19.0
REACTOR TESTOMG STA	MAX	35	38	29	36	35	23	30	26	30	28	25	26	27	13	16	24	22	15	22	17	18	11	31	13	13	33	33	32	17			24.8
	MIN	22	16	6	5	2	- 4	- 8	- 5	- 7	- 3	- 7	6	- 5	-13	-14	11	- 1	-12	- 9	-10	-15	-17	- 7	-15	-20	- 5	- 2	- 7	- 6			- 4.3
RICHFIELD	MAX	34	37	36	39	37	28	34	30	33	32	33	29	25	28	23	30	30	24	21	22	24	19	28	23	21	29	32	34	27			29.0
	MIN	13	31	26	28	13	8	3	4	8	12	10	23	- 2	- 8	3	19	16	3	- 5	0	8	-15	9	9	1	10	3	7	- 6			8.1
RIGGINS RS	MAX	48	48	45	45	55	49	52	53	51	45	53	53	44	43	39	43	38	40	37	42	44	43	40	38	41	49	53	45	42			45.4
	MIN	30	34	34	35	31	30	34	31	32	33	32	34	27	23	26	32	29	23	18	27	27	17	17	17	18	26	32	28	26			27.9
RIRIE	MAX	38	36	31	38	36	36	33	36	34	35	35	29	25	26	28	35	32	24	24	29	24	25	23	19	27	33	36	29	30			30.0
	MIN	28	31	24	28	15	10	12	5	10	12	16	17	16	0	0	19	22	12	7	10	15	2	1	-12	- 3	0	10	15	8			11.0
ROLAND W PORTAL	MAX	37	35	36		36	42	39	45	39	46	42	30	32	31	29	29	28	25	25	28	23	27	32	34	47	43	40	31	30			34.0
	MIN	32	26	29		20	19	25	29	20	26		23	20	12	18	24	16	11	8	12	7	7	4	2	16	25	29	9	13			18.1
RUPERT	MAX	40	40	39	41	44	41	38	40	34	30	36	40	30	29	26	34	44	34	30	32	34	29	21	36	32	24	32	40	35			34.9
	MIN	25	32	27	30	[illegible]	12	[illegible]	3	14	12	16	17	17	- 1	- 2	14	19	16	4	- 1	10	-12	8	16	3	5	9	12	1			12.3
SAINT ANTHONY	MAX	37	35	28	36	31	34	33	33	31	37	35	29	28	22	26	33	32	23	29	30	25	25	29	17	25	32	36	30	30			30.0
	MIN	27	23	17	15	3	3	[illegible]	- 3	2	2	0	3	12	-12	-11	12	20	12	9	4	15	4	7	-19	-13	- 9	5	5	-10			4.5
SAINT MARIES	MAX	44	46	46	47	43	50	46	46	44	57	40	43	39	38	39	38	36	36	34	35	35	47	48	42	47	52	40	38	36			42.7
	MIN	33	32	[illegible]	31	27	25	30	24	27	26	25	24	22	16	27	23	24	19	12	22	10	16	8	5	20	30	31	19	24			23.0
SALMON	MAX	43	45	35	51	45	35	30	33	35	35	33	35	34	22	27	34	45	34	27	30	34	27	29	21	25	31	35	41	29			33.8
	MIN	20	27	17	24	22	5	0	3	- 1	2	0	13	- 1	-12	8	18	15	- 2	-10	- 5	7	-10	- 8	-17	-12	- 6	7	10	- 2			3.9

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SANDPOINT EXP STA	MAX	43	39	36	42	40	42	40	42	44	45	41	39	40	[illegible]	34	36	32	35	32	28	28	35	35	33	38	34	38	41	37			37.4
	MIN	33	24	31	32	29	20	30	[illegible]	20	26	18	29	24	12	15	26	25	16	5	21	[illegible]	18	[illegible]	1	23	31	26	13	25			21.5
SHOSHONE	MAX	35	38	39	43	36	33	33	33	35	37	37	[illegible]	25	23	27	31	31	28	28	25	30	24	33	26	26	34	35	33	33			31.[illegible]
	MIN	31	31	25	24	21	16	10	9	13	10	16	25	5	- 1	7	21	19	11	0	5	6	- 7	12	15	5	12	9	12	[illegible]			12.2
SPENCER RS	MAX	31	33	25	26	26	28	28	28	29	33	[illegible]	25	13	18	20	26	27	25	23	20	18	19	26	15	22	23	32	23	2[illegible]			25.2
	MIN	20	20	2	14	12	4	- 5	- 1	- 1	[illegible]	[illegible]	15	14	- 8	-11	10	18	1	4	- 7	8	-12	9	- 7	-15	- 7	8	5	-10			5.0
SPRINGFIELD	MAX	34	35	35	39	36	34	33	31	34	[illegible]	[illegible]	29	26	24	[illegible]	36	34	32	27	31	26	22	23	25	20	[illegible]	37	29				30.4
	MIN	31	32	27	10	17	6	4	4	6	[illegible]	4	1	12	- 5	- 5	17	16	12	0	- 4	13	-11	1	-12	- 5	- 2	5	13				5.[illegible]
STIBNITE	MAX	37	37	35	38	32	35	37	43	46	45	48	50	43	[illegible]	27	31	34	40	29	30	23	25	22	26	30	42	45	47	38			35.[illegible]
	MIN	24	2[illegible]	12	10	3	4	[illegible]	[illegible]	0	[illegible]	9	14	- 5	- 5	- 5	15	[illegible]	- 2	- 4	20	6	-13	-11	- 9	- 4	[illegible]	12	8	- 7			5.[illegible]
SUGAR	MAX	38	37	36	35	36	28	29	32			34	29	21	[illegible]	21	31	32	26	23	25	25	19	26	20	23	30	36	31	33			29.[illegible]
	MIN	21	31	17	21	2	4	- 1	- 7			- 8	5	13	-12	8	14	20	11	3	11	14	- 4	4	-31	-19	-19	- 2	5	- [illegible]			4.[illegible]
SUN VALLEY	MAX	32	39	34	39	30	34	32	3[illegible]	40	34	40	3[illegible]	43	30	25	28	29	24	21	26	20	20	25	28	31	35	37	35	30			31.[illegible]
	MIN	15	15	- 3	4	10	- 5	-10	- [illegible]	- 0	- [illegible]	- [illegible]		2	-15	- 4	14	- 8	-18	-20	-12	-15	-31	- 7	-23	-16	- 9	- 5	3	-15			- 5.6
SWAN FALLS PH	MAX	41	5[illegible]	46	58	53	47	46	4[illegible]	43	4[illegible]	49	43	40	38	36	36	36	37	32	35	39	38	35	39	36	39	45	44	45			41.7
	MIN	25	[illegible]	31	[illegible]	31	2[illegible]	25	25	24	27	25	[illegible]	31	20	2[illegible]	[illegible]	23	18	20	24	24	11	26	20	17	1[illegible]	22	23	2[illegible]			24.9
TETONIA EXP STA	MAX	35	34	31	32	30	30	31	35	30	3[illegible]	37	3[illegible]	25	21	20	2[illegible]	33	21	21	16	22	20	23	15	26	30	36	31	2[illegible]			28.2
	MIN	20	2[illegible]	3	- 6	- 5	- 1	-12	- 4	- 3	- 3	- 6	4	13	-18	-2[illegible]	10	10	1[illegible]	- 5	- 5	12	-10	- 7	-26	-22	13	6	12	-12			- 0.7
THREE CREEK	MAX	40	45	46	46	40	46	46	47	40	49	48	48	26	2[illegible]	47	46	33	32	32	37	36	35	35	39	43	51	52	45	36			41.0
	MIN	19	18	18	15	1[illegible]	11	10	1[illegible]	12	1[illegible]	17	11	- 2	- 8	14	25	5	- 8	- 4	- 2	0	- 5	1[illegible]	20	- 1	8	15	7	19			9.3
TWIN FALLS 2 NNE	MAX	44	42	41	48	44	40	41	38	40	39	41	37	32	31	32	47	38	42	33	38	35	27	28	29	28	35	35	35	34			36.[illegible]
	MIN	24	34	31	32	31	20	1[illegible]	1[illegible]	1[illegible]	18	19	28	17	9	19	27	16	14	2	5	15	- 2	15	18	4	10	13	21	9			17.[illegible]
TWIN FALLS 3 SE	MAX	43	45	45	39	50	45	37	45	35	43	40	42	34	34	32	40	42	35	33	34	37	29	25	30	31	27	32	39	37			37.[illegible]
	MIN	31	34	21	22	32	21	1[illegible]	2[illegible]	15	20	20	2[illegible]	18	11	12	20	21	1[illegible]	7	4	11	- 1	3	[illegible]	[illegible]	5	12	14	14			15.[illegible]
WALLACE	MAX	43	39	38	42	41	46	42	50	46	50	47	35	35	36	35	34	32	33	31	35	20	33	34	36	49	45	36	35	36			38.6
	MIN	32	3[illegible]	32	32	29	2[illegible]	3[illegible]	2[illegible]	2[illegible]	28	25	27	19	12	28	40	19	18	12	12	12	13	6	6	2[illegible]	2[illegible]	29	23	18			22.5
WALLACE WOODLAND PARK	MAX	41	41		39	43	41	44	42	48	40	52	50	33	35	35	34	33	37	32	31	33	28	32	35	35	50	44	35	36			39.0
	MIN	31	29		31	38	26	25	30	24	2[illegible]	23	23	23	1[illegible]	11	26	19	12	7	12	10	10	4	3	2	27	31	24	20			19.9
WEISER	MAX	39	42	36	38	42	41	36	35	37	38	30	48	39	35	36	42	33	29	37	36	35	30	30	36	36	35	33	41	40			36.9
	MIN	33	33	26	30	2[illegible]	12	1[illegible]	15	17	20	15	[illegible]	12	16	28	27	10	- 1	13	26	13	- 3	20	1	15	12	7	8	12			16.5
WINCHESTER 1 SE	MAX	44	40	35	42	42	46	46	51	46	50	49	3[illegible]	32	35	34	34	30	30	34	31	31	30	33	36	44	45	40	32	33			38.[illegible]
	MIN	34	31	30	32	24	2[illegible]	34	28	32	20	32	22	7	7	24	24	13	3	8	14	19	5	18	3	15	21	29	29	11			20.9

SNOWFALL AND SNOW ON GROUND

Table 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	SN ON GND	3	2	2	1	1	T	T	T	T	T	T	T	T	T	T	2	3	1	2	T	T	T	1	T	T	T	T	1	T		
ANDERSON DAM	SNOWFALL	5.3											2.0			T	9.0		T	2.0	6.0	1.0		1.0								
	SN ON GND	43	41	40	39	37	36	36	36	36	36	36	38	37	37	36	45	45	45	47	53	54	49	49	48	48	48	47	46	46		
ARCO	SNOWFALL	1.0	T										T				*	*	*	10.0		0.5										
	SN ON GND	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ARROWROCK DAM	SNOWFALL	T		T	1.7								0.3				3.6	1.3		2.0	7.1	1.0		2.2	T							
	SN ON GND	18	16	16	18	16	16	16	16	15	15	14	14	14	14	14	18	19	19	22	24	25	24	25	25	25	25	24	24	23		
ASHTON	SNOWFALL	4.0	10.5		2.2									2.2			10.0	3.5	2.0	3.0	2.0	2.0	1.0	4.0								
	SN ON GND	33	42	41	43	41	39	38	37	37	36	35	35	37	37	37	45	48	47	49	49	50	47	49	48	46	45	44	44	44		
ATLANTA 1 E	SNOWFALL	3.0	10.0	T	6.0								6.0				5.0	T	T			3.0										
	SN ON GND	52	60	60	64	60	59	58	57	56	54	50	53	52	51	50	55	55	55	54	53	55	53	54	53	52	50	48	47	47		
AVERY RS	SNOWFALL			T	2.0								T				3.0	0.5	0.9		0.5							3.0		3.0		
	SN ON GND	22	20	20	21	20	19	19	18	18	17	16	16	16	16	16	19	20	20	20	20	20	20	19	19	19	18	19	19	22		
BIG CREEK 1 S	SNOWFALL		12.0	1.0	T								2.0			T	16.0	2.0		T	2.0	4.0		2.0				T	T	T		
	SN ON GND	34	46	42	40	40	38	37	36	36	36	35	37	36	36	36	52	48	46	42	44	46	46	48	44	42	41	40	[illegible]	40		
BLACKFOOT	SNOWFALL	T												1.0				3.0		2.0		2.0		T								
	SN ON GND	3																2	2	4	4	6	6	6	6	5	5	4	3	2		
BOISE WB AP	SNOWFALL			T								0.4	1.1			T	2.2		T	0.4	0.8	T		1.0								
	SN ON GND												T	T	T		1	1	T	T	T	T	T	1	T	T	T					
BONNERS FERRY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	SN ON GND	19	-	16	17	15	15	14	14	13	13	12	12	11	11	11	-	-	-	13	13	13	13	13	13	14	15	13	12	13		
BURLEY CAA AP	SNOWFALL		T	T								0.9				T	3.5	0.2	0.5	T	2.0			0.8	T							
	SN ON GND	1	1	T	T	T	T	T	T	T	T	T	T	T	T	T	T	3	3	4	[illegible]	6	6	7	7	7	6	6	5	4		
CALDWELL	SNOWFALL																1.5			1.0	1.0			1.4								
	SN ON GND																T	T	T	T	T	T	T	T	T	T						
ASCADE 1 NW	SNOWFALL	1.0	1.5	0.5	T								1.5			T	6.0	T		T	7.0	2.0	T	1.5								
	SN ON GND	39	39	39	38	37	36	35	35	34	34	33	34	33	33	33	39	39	39	38	45	46	46	47	46	45	44	43	43	42		
ENTERVILLE ARBAUGH RCH	SNOWFALL	3.4	3.6	2.8	0.6								3.5			T	10.5	0.7	1.7	1.3	4.7	1.5		3.0								
	SN ON GND	46	47	49	47	47	46	45	45	44	43	43	46	45	45	45	53	52	52	52	56	55	54	54	53	52	52	51	50	50		
OEUR D ALENE CAA AP	SNOWFALL		1.2	0.1	T					T			0.4			2.2	1.0	1.0	T	T	2.5	T	T	-		T	0.8	T	T	2.5		
	SN ON GND	19	18	18	16	15	14	13	13	13	13	13	13	13	13	13	15	15	14	14	15	15	14	-	14	14	14	14	14	15		
OEUR D ALENE RS	SNOWFALL			0.5									0.3			0.3	2.3	1.3	0.3	T	2.5							0.3		3.0		
	SN ON GND	22	21	21	19	19	18	18	17	17	15	15	15	15	15	15	17	18	18	18	20	20	19	19	18	18	17	17	17	19		
OTTONWOOD	SNOWFALL			0.7												0.3	3.0	1.2			T	0.8								1.6		
	SN ON GND	9	9	10	9	8	8	8	7	7	[illegible]	6	5	5	5	5	[illegible]	9	9	8	8	10	10	9	9	8	8	9	8	10		
EADWOOD DAM	SNOWFALL	4.0	3.5	0.5	1.0							T	3.0			T	8.0	T	0.5	1.0	6.0	3.5		1.0				T	T	T		
	SN ON GND	67	67	66	65	64	63	63	63	63	62	[illegible]	65	64	64	63	69	68	68	68	73	73	72	72	70	69	68	67	67	66		
UBOIS CAA AP	SNOWFALL	5.0	2.4										0.2	T	T	0.5	7.1	T	T	0.4	2.9	1.1	0.2	1.0		T				0.4		
	SN ON GND	13	18	18	17	17	16	16	15	15	15	15	14	14	14	14	20	21	21	21	22	25	25	26	26	26	26	26	24	24		
MMETT 2 E	SNOWFALL																-						-	T								
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ENN RS	SNOWFALL	1.0	1.0	2.5	0.5								1.0			2.0	5.0					0.5		2.0				0.5		2.0		
	SN ON GND	10	10	11	11	10	10	10	9	[illegible]	[illegible]	9	10	9	9	11	16	15	15	15	15	15	14	16	16	15	14	15	14	15		
ARDEN VALLEY RS	SNOWFALL			T	2.0								1.0			T	10.0	T		T	6.0	1.0		2.0								
	SN ON GND	21	20	20	21	19	19	19	19	19	19	19	20	19	19	19	27	26	26	24	30	30	29	31	30	30	30	28	25	25		
OODING CAA AP	SNOWFALL	T	T	T								T	0.5			T	7.0	T	0.3	T	1.2			0.2								
	SN ON GND	12	10	10	10	10	10	10	10	10	9	[illegible]	9	9	9	9	16	16	15	15	16	16	16	16	16	16	16	16	15	15		
RANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	SN ON GND	2	T		T								3	2	1	1	3	[illegible]	9	[illegible]	7	6	8	8	7	6	5	4	4	4		

See reference notes following Station Index

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
		Day of month																														
GRAY	SNOWFALL	2.0	6.0		2.0									6.0			3.0	8.0	T			2.0		2.0								
	SN ON GND	32	32	32	34	34	34	34	34	34	34	34	34	36	36	36	36	40	40	40	40	40	40	40	38	38	38	38	38	38		
HAILEY	SNOWFALL	4.0	7.0										1.0				8.0			T	4.0	8.0										
	SN ON GND	48	54	52	50	49	48	47	46	46	45	45	45	44	43	43	50	50	49	48	52	55	54	53	52	50	49	48	48	47		
HAMER 4 NW	SNOWFALL	-	-														-	T			-			1.0								
	SN ON GND	-	4	-	-	-		-	-	-	-	-	-	1	-	-	7	-	-	-	3	-	-	-	-	-	-	-	-	-		
HILL CITY	SNOWFALL	11.0	8.0		2.0												12.0				17.0	2.0										
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48		
IDAHO CITY	SNOWFALL		2.0	3.0									1.0				9.0				4.0	2.0		1.8								
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-		
IDAHO CITY 13 SW	SNOWFALL	1.4	1.5	2.5	1.0								3.0			T	9.0		1.0	3.0	12.0	2.0		3.0								
	SN ON GND	-	-	-	-	-	-	-	-	-	48	48	50	50	50	49	58	58	59	61	72	74	73	76	75	74	73	71	70	68		
IDAHO FALLS CAA AP	SNOWFALL	1.6	T	T	0.1								0.1	1.5	T	T	2.2	0.2	0.4	1.2	0.1	0.5	T	0.8	T	T			0.2	T		
	SN ON GND	9	6	6	6	6	5	5	5	4	4	4	4	6	6	6	8	9	9	10	10	11	11	12	12	12	12	12	12	12		
IRWIN 2 S	SNOWFALL	2.5	2.5		2.0												2.5	3.0	2.0			0.5		2.0					2.0			
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36		
ISLAND PARK DAM	SNOWFALL	3.5	14.0		5.5								1.5				11.0	2.5	7.0	2.0	2.5	6.0	1.5	3.0					0.5	3.0		
	SN ON GND	66	78	-	77	-	-	-	-	-	-	-	67	-	-	-	77	76	82	79	79	82	80	81	-	-	-	-	73	75		
LEWISTON WATER PLANT	SNOWFALL																T	1.0				1.0	T							T		
	SN ON GND																															
LEWISTON WB AP	SNOWFALL												T			T	1.1	0.8			0.5	0.2		T				T		T		
	SN ON GND																T	T	T	T	T	T	T	T	T							
LOWMAN	SNOWFALL	0.5			1.4								2.6				3.7				3.0	2.0		1.7								
	SN ON GND	36	35	-	35	35	-	-	-	34	34	34	37	-	-	-	38	-	-	-	40	42	-	41	-	40	-	-	-	38		
MACKAY RS	SNOWFALL	0.3	1.5										0.8				2.8	0.2			0.2	0.8										
	SN ON GND	25	26	25	24	24	24	24	23	23	23	22	23	22	22	22	24	24	24	23	23	24	23	23	22	22	22	22	21	21		
MALAD CAA AP	SNOWFALL	0.6	0.8	T	0.5								0.5				1.6	2.1	T	0.2	T	2.0		0.3					0.4			
	SN ON GND	16	16	16	16	14	14	14	14	14	14	14	14	14	14	14	15	16	17	17	17	19	19	19	19	19	18	17	17	17		
MAY RS	SNOWFALL	0.2	0.8		0.1								3.0				0.7		0.3	0.2		0.2	0.7	0.2								
	SN ON GND	4	5	5	4	4	4	4	4	4	4	3	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	5	5		
MC CALL	SNOWFALL	2.0	3.0	*	12.0								3.0				10.0	4.0		1.0	5.0	10.5	3.0							1.0		
	SN ON GND	54	-	-	62	56	54	-	54	-	-	53	54	-	53	-	63	65	63	63	65	75	66	-	-	64	62	60	-	60		
MESA	SNOWFALL		2.0	3.1									T			T	10.0	T		5.5	9.0	5.5		T								
	SN ON GND	-	30	31	-	29	-	-	-	-	-	-	29	-	-	-	36	-	-	38	45	47	-	-	-	-	-	-	-	40		
MULLAN PASS CAA	SNOWFALL	2.7	T	5.6	5.5			0.4	T	T		0.1	0.6	T	0.3	1.5	2.6	0.7	T	0.5	2.2	T					0.8	2.3	0.3	1.1		
	SN ON GND	121	121	123	132	128	125	120	118	118	116	113	113	113	113	114	116	117	117	117	119	119	117	117	116	114	110	114	114	115		
OAKLEY	SNOWFALL	T	T										T					6.0	1.0	T		1.0		T								
	SN ON GND	T	T	T	T	T	T	T	T	T	T	T	T	T	T			6	5	4	3	4	3	3	2	2	2	2	2	1		
OBSIDIAN 4 NNE	SNOWFALL	1.0	4.0		T								2.0				1.0					T		T								
	SN ON GND	40	44	44	44	43	43	43	42	41	41	41	43	42	42	42	43	43	43	43	43	43	43	42	42	42	42	42	41	41		
PAYETTE	SNOWFALL			T									0.1			0.4	6.0	T	T	2.0	0.7	0.2		1.3								
	SN ON GND	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	5	5	5	4	5	5	5	5	5	5	4	4	4	3		
PIERCE RS	SNOWFALL			1.0	1.0								4.0				-	1.0				1.0						T	1.0	1.0		
	SN ON GND	44	43	44	45	42	41	40	40	40	40	39	43	43	42	42	48	49	48	47	47	48	48	48	47	46	44	44	45	46		
PINE 2 SSW	SNOWFALL	9.8	5.5	T	1.5								1.1			T	12.0	T		1.5	11.0	7.5		3.2								
	SN ON GND	59	60	58	57	55	54	53	53	52	52	51	51	51	50	50	62	59	58	58	68	70	68	65	64	63	60	59	58	57		
POCATELLO WB AP	SNOWFALL	T	T	T									T	0.1		T	3.4	0.8	T	T	T	1.2		1.0	T				0.4			
	SN ON GND	2	1	1	T	T	T						T	T	T	T	T	4	4	4	4	5	5	6	6	6	6	4	3	3		
FORTHILL	SNOWFALL				4.0											1.0	T		5.0		1.0					5.0				1.0		
	SN ON GND	12	11	10	11	10	10	9	9	8	7	6	6	5	4	4	4	4	8	7	7	7	7	7	7	10	8	8	8	7		
POTLATCH	SNOWFALL			T												1.0	4.0	0.5												1.0		
	SN ON GND	14	13	10	7	6	3									2	4	4	2	2	2	2	2	1	1	1	1	1	1	2		
PRIEST RIVER EXP STA	SNOWFALL			3.8	1.8					T			T			0.8	0.1	T	0.1		5.0					0.5	0.8	T		0.5		
	SN ON GND	30	30	31	30	30	30	28	28	28	27	27	27	27	27	27	27	27	27	27	33	33	33	32	31	30	31	30	30	31		
RIGGINS RS	SNOWFALL																0.9	0.5				3.0	T									
	SN ON GND																					3	1	1	1	1						
ROLAND W PORTAL	SNOWFALL	1.9	T	2.3	-	-	T		T		T		2.6	T	T	1.3	3.9	2.3	T	T	T							3.6	1.3	2.5		
	SN ON GND	70	70	70	-	68	68	68	68	68	68	68	69	69	69	69	71	72	72	72	72	72	72	72	71	70	69	71	72	73		
SALMON	SNOWFALL	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	SN ON GND	6	6	5	7	6	4	4	4	4	4	4	4	5	5	5	5	12	11	11	11	11	10	10	10	10	10	10	10	9		
SANDPOINT EXP STA	SNOWFALL				1.5					T						0.5	1.0	T			3.0	T					T	T				
	SN ON GND	21	21	21	23	23	22	21	20	20	20	20	20	20	20	20	21	19	19	19	21	21	19	19	17	-	-	-	15	14		
SPENCER RS	SNOWFALL	6.0	6.0														10.0	T	T	2.0	2.0	7.0	T	1.0						3.0		
	SN ON GND	-	-	-	48	-	-	-	-	-	-	44	44	-	-	-	-	-	48	-	-	-	-	-	-	-	-	-	-	-		
STIBNITE	SNOWFALL	3.5	9.2	1.0	2.0	0.5							3.0	1.2			4.5	4.8	T	T	1.0	4.8	T	1.5								
	SN ON GND	54	60	58	57	56	54	52	50	48	46	44	46	46	45	44	48	49	47	47	47	49	47	48	47	46	45	44	44	44		
SUN VALLEY	SNOWFALL	6.0	14.0										0.5				11.0	T		T	3.0	6.0										
	SN ON GND	58	66	64	60	58	57	54	54	53	52	51	50	50	50	50	59	58	58	58	61	64	62	61	60	59	58	57	56	55		
SWAN FALLS PH	SNOWFALL												T				1.0							-								
	SN ON GND																1	-	-	-	-	-	-	-	-	-	-					
THREE CREEK	SNOWFALL		T	T	1.0								4.0				2.0	4.0	T					1.5								
	SN ON GND	4	4	3	3	2	2	2	2	2	2	2	4	4	4	4	4	8	8	8	8	7	7	8	6	5	5	4	4	3		
TWIN FALLS 2 NNE	SNOWFALL												0.7				1.2	4.1	1.4	0.3	T	0.3		0.4								
	SN ON GND	1											T				1	4	4	4	3	2	2	2	2	2	2	1	1	1		
WALLACE	SNOWFALL									T			1.0			T	T	T	T	T	2.0	T	T					T	T	T		
	SN ON GND	34	32	30	27	26	24	22	19	18	15	14	15	14	14	14	14	14	14	14	16	16	16	15	15	14	14	14	13	13		

See reference notes following Station Index

STATION INDEX

Station	Index No	County	Drainage ⁑	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0143	CASSIA	12	42 25	113 35	4750	6P	6P	[illegible]	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL [illegible]	2 3 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	1	48 21	116 50	2640		MID	U S FOREST SERVICE	
BIG CREEK 1 S	0835	VALLEY	11	45 08	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KERN	
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 5
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARTIN H BOOTH	
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1276	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5
CLARKIA RANGER STATION	1825	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	
CLEMENTSVILLE 4 NE	1881	TETON	12	43 51	111 16	5301		MID	TETONIA EXP STATION	
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	[illegible]	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M I KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	5P	5P	DAN GOODMAN	2 3 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5372	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		MID	U S FOREST SERVICE	
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA G VILAS	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 41	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W GILALEA	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3369	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	G OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	F T ALROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	
LEWISTON	5230	NEZ PERCE	12	46 25	117 02			7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5376	IDAHO	3	46 38	114 33	5760		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 [illegible]	[illegible]	3870	5P	5P	JAMES E CHAPMAN	2 3 5
MACKAY RANGER STATION	5412	CUSTER	6	43 [illegible]	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 [illegible]	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	1	42 39	112 12	4774	5P	5P	R FRED [illegible]	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 [illegible]	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 [illegible]	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 [illegible]	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	1	42 19	111 18	5941	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE		43 56	115 40	5990		MID	[illegible]	
MOOSE CREEK RANGER STA	6082	IDAHO	3	46 08	[illegible]	2400		MID	U S FOREST SERVICE	
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE B BENTZINGER	2 3 5
MULLAN PASS CAA	[illegible]	SHOSHONE	4	47 27	115 41	6025	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA	[illegible]	CANYON	2	43 35	116 34	2482	5P	5P	C W NELSON	CLOSED 11/20
NAMPA 2 NW	[illegible]	CANYON	2	43 37	[illegible]	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3062	7P	7P	WAYNE S SHAEFFER	[illegible]
NEZPERCE PASS	6430	LEMHI	11	45 43	[illegible]	[illegible]		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 [illegible]	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	[illegible]	CUSTER	11	44 03	[illegible]	6900	5P	5P	MARJORIE L SHAW	2 3 7
OLA	6586	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	CLOSED 7/30
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 [illegible]	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6814	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	[illegible]	MINIDOKA	12	42 37	[illegible]	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	[illegible]	CLEARWATER	3	46 30	115 48	3175	8A	8A	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	[illegible]	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	[illegible]	1800	5P	5P	R F LENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRAIRIE	[illegible]	ELMORE	2	43 30	[illegible]	4650		MID	VICTOR J ACARREGUI	
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 [illegible]	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	[illegible]	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	8A	8A	U S FOREST SERVICE	2 3 5 7
RIRIE	[illegible]	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	F M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	[illegible]	3949	MID	MID	U S WB AIRWAY OBS	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 [illegible]	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 [illegible]	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	[illegible]	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	[illegible]	OWYHEE	12	[illegible]	[illegible]	5400	6P	6P	L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	[illegible]	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	[illegible]	TWIN FALLS	12	[illegible]	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	[illegible]	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5

⁑ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

STATIONS NOT FOLLOWED BY A TABLE NUMBER REFERENCE IN THE STATION INDEX ARE NOT PUBLISHED IN CLIMATOLOGICAL DATA BEGINNING WITH OCTOBER 1951. RECORDS

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary. Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-102920 1000 4-

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

CLIMATOLOGICAL DATA

IDAHO

MARCH 1952
Volume LV No. 3

SAN FRANCISCO: 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

With average temperature for the State 5.6 degrees below the long-period mean, this March was among the coldest on record for Idaho, and it climaxed one of the longest winters since statewide records were begun nearly sixty years ago. For the sixth successive month temperatures averaged below the mean in all divisions and during that six-month period snowfall averaged above the mean in all months. The average snowfall for the State this month was 13.8, compared to a 53-year mean of 7.4 inches. For the six-month period ending with March 1952 the average total snowfall for Idaho was 104.7 inches, compared to a 53-year mean of 55.7 inches for October through March.

Every station in the State reported an average monthly temperature below the March mean with departures of -10° or more in the Pahsimeroi and Big Lost River Valleys. Precipitation totals were below the March mean at all but one Northern Division station and at a majority of those in the southwest, but the Southeastern Division showed an excess for the fourth consecutive month. Snow accumulations at intermediate and higher levels were unusually large in most river basins of the two southern divisions, with heavy runoff on a few streams late in the month.

Although general precipitation covering the entire State occurred in 2 or 3-day periods at intervals throughout the month, there was hardly a day when precipitation did not occur somewhere in Idaho during March 1952. Examination of the daily weather maps reveals that a majority of the storm centers, or low pressure areas, moving onto the continent from the Pacific, travelled southeastward. Some of the centers moved inland across northern California, Nevada and Utah, giving relatively light and scattered precipitation to Idaho. Others moved southeastward at higher latitudes with more direct effect on the weather in Idaho. Three storm systems were particularly effective in bringing general precipitation to the State. The first was a low that appeared over Vancouver Island on the evening of the 9th. From this a trough developed southeastward across Idaho by the morning of the 10th. The center was over Butte, Montana, the evening of the 10th with a trough extending southwestward into Nevada. By the morning of the 11th the center was over central Wyoming and by evening it had progressed to southeastern Wyoming with precipitation gradually subsiding in Idaho. Snowfall was general during this storm period, although some stations at lower elevations received little or none. The next general storm period, from the 18th through the 20th, occurred with a low pressure center moving southeastward across western Canada through Montana into eastern Wyoming. The cold front from this center trailed southwestward and westward and much of the precipitation that occurred in Idaho was associated with the passage of the front. The third period of general precipitation affecting the State came on the 23rd and 24th as first a storm front aloft, and later a surface front, moved eastward. In these later storm periods snow was also reported at many stations, but in general it was not so widespread nor so heavy as in the storm of the 10th and 11th.

Relatively mild weather during the fourth week in the Northern and Southwestern Divisions resulted in disappearance of the snow cover at lower levels, but intermediate and higher elevations generally had snow on the ground at the end of the month. As a consequence, little was accomplished in spring field work and planting, except in the low elevation agricultural areas where some work had been done. Cattle, in most areas, were still on feed lots. Fruit trees had not yet begun to produce buds, and in general the season was definitely retarded throughout the State.

No runoff from melting snows occurred at higher elevations and heavy runoff from lower levels during this month was confined to a few streams. There was some inundation of farm lands along the Weiser River where the flow reached a peak on the early morning of the 31st, but damage appears to have been slight. Ample irrigation water supplies were assured for all projects and, in fact, there was considerable concern about the possibility of damaging overflows during the spring along many streams.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	01–09	10–49	50–99	1.00–1 99	2 00 and over	Total			
BOISE WB AIRPORT	SE	26	9.6	29+	NW	20	83	66	57	80	9	3	6	1	0	0	19	53	7.2	SEE TABLE 2
LEWISTON WB AIRPORT	E	13	5.5	-	-	-	76	61	48	69	11	5	2	0	0	0	18	-	8.2	
POCATELLO WB AIRPORT	SW	26	9.5	35	SW	31	86	71	71	81	6	9	4	0	0	0	19	45	6.9	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation			Year	Temperature			Precipitation			Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more		Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more		Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1894	34.0	78	-22	2.80	-	17	1915	40.7	78	-13	.97	1.1	6	1936	32.8	74	-24	1.31	10.4	9
1895	33.2	78	-20	1.10	-	7	1916	39.7	80	-20	2.39	11.0	10	1937	35.4	74	-15	1.31	4.8	8
1896	33.9	80	-33	1.80	-	11	1917	25.2	74	-34	1.99	21.4	11	1938	35.3	67	-28	3.47	12.4	16
1897	29.4	67	-30	3.08	-	12	1918	38.9	76	-20	1.71	4.6	8	1939	36.7	82	-24	1.13	9.2	7
1898	31.8	74	-26	.96	-	7	1919	35.7	90	-18	1.83	10.0	7	1940	40.0	79	-22	2.31	1.9	11
1899	34.4	68	-14	1.56	11.1	9	1920	34.8	78	-18	2.07	8.2	10	1941	39.6	81	-13	.68	1.5	5
1900	42.7	86	- 2	1.18	3.4	5	1921	39.0	89	-10	1.53	3.3	8	1942	32.5	79	-24	.70	3.3	6
1901	36.5	72	-16	1.26	8.0	7	1922	30.4	69	-35	1.84	11.1	10	1943	32.1	81	-35	1.84	6.2	8
1902	33.5	72	-14	1.43	9.9	8	1923	32.2	85	-22	.90	6.6	6	1944	32.1	73	-35	.93	7.6	7
1903	34.7	79	-27	1.74	9.4	9	1924	33.6	66	-20	.83	6.9	7	1945	32.6	69	-25	2.14	9.3	12
1904	34.4	63	-14	4.35	21.0	17	1925	38.3	78	-11	1.32	3.6	8	1946	38.0	77	-11	2.18	6.1	12
1905	41.0	76	- 1	2.16	7.3	11	1926	39.3	80	-11	.52	2.0	4	1947	39.9	78	-30	1.66	5.3	9
1906	31.2	71	-35	2.31	13.9	10	1927	35.5	79	-19	1.16	4.1	8	1948	32.1	72	-28	1.57	11.3	10
1907	37.9	75	- 2	3.40	15.1	15	1928	38.1	81	-27	2.65	4.0	11	1949	36.8	74	-20	1.03	4.1	8
1908	34.9	78	-12	1.39	7.6	8	1929	35.8	75	-12	1.38	4.0	8	1950	34.0	80	-25	2.83	11.7	14
1909	37.5	74	-22	.97	4.0	6	1930	37.8	79	-28	1.28	3.0	6	1951	31.5	70	-34	1.39	14.3	9
1910	43.2	81	- 2	1.04	2.2	5	1931	35.8	77	-20	2.22	6.5	11	1952	30.1	74	-28	1.41	13.8	10
1911	38.0	82	-21	.84	2.1	5	1932	33.1	78	-27	2.97	10.5	12							
1912	33.7	78	-24	1.50	9.7	8	1933	33.2	72	-14	1.07	4.0	7							
1913	33.1	78	-27	1.94	7.8	10	1934	44.3	82	- 2	1.70	0.6	7							
1914	39.1	75	-12	.62	3.3	5	1935	34.0	78	-17	1.50	12.2	9							

TEMPERATURE AND PRECIPITATION DATA IN THIS TABLE HAVE BEEN WEIGHTED ON AN AREAL BASIS.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	47.5	25.8	36.7	- 1.2	68	27	6	6	870	0	0	29	0	2.16	- 1.43	.44	23	12.0	20	4+	15	0	0
BAYVIEW MODEL BASIN	46.1	26.6	36.4		64	26	15	22	880	0	0	24	0	1.02		.28	30		10	1+	10	0	0
BIG CREEK 1 S	40.0	9.8	24.9	- 3.6	57	27	-15	3	1234	0	2	31	9	1.70	- .15	.38	24	24.0	46	24	11	0	0
BONNERS FERRY	47.5	26.7	37.1	- 0.3	63	27	17	1+	854	0	0	26	0	1.23	- .45	.27	11		12	1+	12	0	0
BURKE 2 NNE	37.5	21.1	29.3	- 2.5	53	27	7	22	1097	0	6	31	0	3.23	- 1.60	.53	30	40.8	66	23+	19	1	0
CLARK FORK 1 ENE	46.4	25.2	35.8	- 1.7	62	26	12	7	898	0	0	30	0	1.87	- 1.36	.44	30	21.0			12	0	0
COBALT BLACKBIRD MINE	32.6	6.5	19.6		52	28	- 7	3		0	17	31	9	1.62		.32	10	20.7	47	12	11	0	0
COEUR D ALENE CAA AP	43.5	25.7	34.6		59	27	18	6+	933	0	0	27	0	.87		.33	9	8.4	17	5	14	0	0
COEUR D ALENE RS	45.9	25.8	35.9	- 2.4	63	27	13	7	896	0	0	28	0	1.28	- 1.01	.30	10	5.5	18	1+	13	0	0
COTTONWOOD	41.1	22.3	31.7	- 4.6	60	27	9	1+	1026	0	1	27	0	.96	- .97	.20	20	5.4	9	1+	9	0	0
ELK RIVER 1 S	45.5	23.6	34.6		58	27	5	1	936	0	1	29	0	3.04		.51	24	14.0	37	5+	17	1	0
FENN RS	46.0	27.6	36.8	- 5.8	63	27	19	7	868	0	0	29	0	3.37	- .65	.63	24	8.3	10	4	14	1	0
GRANGEVILLE	42.1	23.8	33.0	- 4.4	61	27	14	6+	986	0	0	28	0	1.32	- 1.03	.63	11		7	11	11	1	0
KELLOGG	46.0	27.4	36.7	- 2.0	67	28	16	6		0	0	25	0	1.87	- 1.12	.26	30	4.8			17	0	0
KOOSKIA	52.5	29.9	41.2	- 1.6	71	27	20	6+	729	0	0	20	0	1.79	- .59	.53	19	8.5	T	1+	9	1	0
LEWISTON WATER PLANT	54.8	33.3	44.1M	- 1.4	74	27	23	7+	645	0	0	11	0	.40	- .82	.13	20	.0	0		7	0	0
LEWISTON WB AP	51.9	31.8	41.9	- 1.7	71	27	24	7	710	0	0	18	0	.45	- .69	.15	18	.6	T	1+	7	0	0
MOSCOW U OF I	45.0	29.2	37.1	- 1.3	64	27	20	7	858	0	0	21	0	1.77	- .39	.59	23	1.0	1	1	11	1	0
MULLAN PASS CAA	27.9	18.1	23.0	- 3.4	45	27	7	1	1294	0	25	31	0	2.91	- .66	.50	11	33.9	126	11	19	1	0
NEZPERCE 2 E	42.5	26.3	34.4		63	27	15	22	937	0	0	26	0	1.53		.28	30	7.0	7	1	10	0	0
OROFINO	53.7	30.9	42.3	- 0.7	73	27	22	7+	697	0	0	17	0	2.23	- .52	.60	22	.0	0		13	1	0
PIERCE RS	42.6	17.3	30.0	- 4.5	59	28	0	1+		0	0	31	2	4.89	.13	.71	24	26.0	51	5+	18	1	0
PORTHILL	45.3	25.5	35.4	- 0.4	62	27	14	1	911	0	0	26	0	.28	- 1.13	.12	31	2.0	7	1+	4	0	0
POTLATCH	46.0	27.2	36.6	- 1.8	65	27	15	2+	873	0	0	24	0	1.11	- 1.38	.33	18		4	4	11	0	0
PRIEST RIVER EXP STA	44.1	22.4	33.3	- 1.5	59	27	8	1+	976	0	0	30	0	2.00	- .55	.42	18		32	11+	12	0	0
RIGGINS RS	49.7	31.3	40.5M	- 5.8			25	3+		0	0	19	0	1.21	- .24	.27	19+	1.0	1	19	13	0	0
ROLAND W PORTAL	38.4	21.2	29.8	- 2.3	57	27	7	22	1083	0	5	31	0	3.48	- 1.95	.75	30	45.8	81	31	13	2	0
SAINT MARIES	47.2	26.5	36.9	- 2.6	69	27	13	6	866	0	0	27	0	1.36	- 1.16	.21	9+				13	0	0
SALMON	39.4	12.5	26.0	- 9.5	56	28	-10	3+	1203	0	8	31	6	1.16	.65	.24	10		10	11	11	0	0
SANDPOINT EXP STA	43.6	25.5	34.6	- 2.6	58	24+	13	6+	937	0	0	28	0	1.53	- 1.11	.47	13	3.0	14	1+	8	0	0
WALLACE	42.6	25.5	34.1	- 3.5	61	27	15	22	952	0	0	28	0	2.27	- 1.68	.56	30	3.0	13	1+	14	1	0
WALLACE WOODLAND PARK	41.9	23.4	32.7M	- 3.7	61	28	13	22		0	1	29	0	1.52	- 2.16	.26	31	5.0	9	1+	13	0	0
WINCHESTER 1 SE	40.5	20.1	30.3	- 4.7	60	27	5	1	1067	0	4	30	0	1.43	- .47	.45	20				14	0	0
DIVISION			[illegible]	3.5										1.78	- .75			12.1					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	38.5	9.6	24.1	- 5.9	53	27	-15	1	1261	0	5	31	10	1.68	- 1.14	.42	18	27.0	52	11+	10	0	0
ANDERSON DAM	40.0	21.5	30.8		51	26	5	2+	1054	0	3	27	0	1.75		.96	5		47	5	9	1	0
ARROWROCK DAM	43.5	23.5	33.5	- 5.5	57	29	13	2+		0	0	26	0	1.51	- .42	.41	10	7.7	25	5	9	0	0
ATLANTA 1 E	37.8	13.8	25.8	- 5.0	51	27+	- 4	21	1208	0	8	31	3	2.25	- .13	.40	18	29.0	51	19+	9	0	0
BLISS	43.0	24.6	33.8	- 6.1	60	26	4	3	959	0	1	24	0	.39	- .45	.15	16	1.5	6	1+	7	0	0
BOISE LUCKY PEAK DAM			M		64	28	15	12		0	0		0	1.68							13	0	0
BOISE WB AP //	45.3	28.2	36.8	- 4.6	62	28	13	12	868	0	0	21	0	2.05	.70	.88	11	9.2	[illegible]	11+	10	1	0
BUHL	43.8	26.6	35.2M	- 5.1	58	27+	15	3	918	0	0	25	0										
CALDWELL	50.0	27.7	38.9	- 3.9	66	27	17	12	803	0	0	23	0	1.25	.21	.37	10	4.3	T	4+	9	0	0
CAMBRIDGE	40.2	22.4	31.3	- 6.7	50	26+	- 2	8		0	2	25	1	.88	- .94	.40	24	5.0			4	0	0
CASCADE 1 NW	37.5	14.3	25.9		50	27	-11	1	1203	0	6	31	6	.91		.22	31	20.0	42	1	10	0	0
CHALLIS	39.5	14.5	27.0	- 7.7	56	29	- 4	3	1170	0	7	31	4	.72	.33	.37	11	10.5	12	11+	6	0	0
COUNCIL 1 N	41.3	20.1	30.7	- 6.4	48	24+	5	3	1055	0	0	29	0	1.38	- 1.26	.45	9	5.0	36	1	7	0	0
DEADWOOD DAM	38.4	9.3	23.9	- 3.3	53	27	-17	22	1269	0	7	31	[illegible]	1.84	- 1.78	.46	18	19.5	69	19	15	0	0
DEER FLAT DAM	49.0	28.1	38.6	- 3.2	68	26+	19	4	812	0	0	23	0	1.49	.55	.38	10	1.0	0		8	0	0
EMMETT 2 E	48.6	28.7	38.7M	- 5.4	65	28	16	12	809	0	0	21	0	1.30	.10	.60	11	4.0			3	1	0
FAIRFIELD	35.4	7.7	21.6M		46	26	-21	3	1339	0	9	31	12	2.03		.52	18		52	18	8	2	0
GARDEN VALLEY RS	46.9	22.2	34.6	- 1.9	62	28	4	1	937	0	0	31	0	1.33	- 1.10	.30	10	9.7	26	4+	11	0	0
GLENNS FERRY	48.1	27.3	37.7	- 6.2	63	26+	12	3	840	0	0	24	0	.76	.07	.21	5+	4.0	1	5	6	0	0
GOODING CAA AP	39.1	22.3	30.7	- 7.6	[illegible]	26	1	3	1055	0	9	28	0	.71	- .04	.19	16	5.1	15	1+	11	0	0
GRAND VIEW	51.5	30.0	40.8	- 2.6	67	28+	20	2	743	0	0	20	0	.95	.23	.38	20	7.0			7	0	0
HAILEY	38.5	14.6	26.6	- 4.6	50	24	- 2	3	1181	0	5	31	1	2.34	1.05	.72	5	22.0	51	10	9	2	0
HAZELTON	41.1	23.1	32.1	- 7.3	62	28	2	3	1011	0	3	26	0	.29	- .71	.10	10	4.4	12	2	8	0	0
HILL CITY	34.2	11.7	23.0	- 4.1	43	28	-12	22	1297	0	10	31	7	1.69	.44	.44	5	36.0			9	0	0
HOLLISTER	42.0	25.1	33.6M	- 3.9	60	29	12	3	955	0			0	.71	.01	.26	1				8	0	0
IDAHO CITY	43.4	14.8	29.1	- 6.1	57	29	- 4	3	1105	0	0	31	5	2.04	- .23	.34	10	18.3			14	0	0
JEROME	41.0	22.5	31.8	- 7.2	58	26	5	14	1023	0	0	26	0	.59	- .21	.12	2+				11	0	0
KUNA 2 NNE	46.8	26.7	36.8M	- 5.1	63	25+	12	12	865	0	0	23	0	1.43	.33	.50	11	9.3	4	11	8	1	0
LOWMAN	44.3	17.6	31.0	- 3.6	57	27	- 1	22	1047	0	0	31	1	1.26	- .92	.30	18	11.5	40	5	9	0	0
MC CALL	32.2	12.9	22.6	- 6.1	42	27+	-10	22	1314	0	20	31	6	2.61	.07	.50	24	35.0	63	24	10	1	0
MERIDIAN 1 SSW	47.6	23.2	35.4	- 7.3	64	28	8	12	907	0	0	28	0	.36	- .85	.13	24				4	0	0
MESA	43.4	23.8	33.6		56	25+	10	8	965	0	0	29	0	1.75		.60	10	7.6	38	4	6	1	0
NAMPA 2 NW	48.6	28.4	38.5		65	26+	16	12		0	0	21	0	1.56		.38	10	8.2	3	20	9	0	0
NEW MEADOWS RS	39.1	13.7	26.4	- 5.7	50	27	- 7	22	1188	0	2	31	5	1.69	- .38	.33	24	17.5	43	4	11	0	0
OBSIDIAN 4 NNE	35.6	6.4	21.0	- 3.6	52	26	-17	22	1357	0	13	31	12	.73	- .67	.20	18	9.0	46	11	11	0	0
OLA 4 S	44.4	20.4	32.4		53	26	3	1	1006	0	0	28	0	1.80		.48	11				9	0	0
PARMA EXP STA	50.3	29.1	39.7M	- 3.2	66	28	20	1+	775	0	0	21	0	.59	- .15	.21	10	1.5	1	20	6	0	0
PAYETTE	47.3	29.2	38.3	- 4.2	65	27	13	1	821	0	0	21	0	.51	- .57	.23	10	1.7	3	1+	5	0	0
RICHFIELD	35.1	17.4	26.3	- 7.9	45	29	-10	3	1194	0	12	31	2	.73	.01	.21	18	8.2	28	2+	7	0	0
SHOSHONE	38.6	20.4	29.5	- 7.5	50	26+	- 3	3	1095	0	5	30	1	.85	.07	.19	19	7.7	16	2	12	0	0
STIBNITE	35.6	7.1	21.4		52	29	- 6	3		0	12	31	9	2.65		.67	25	33.2	45	4	13	1	0
SUN VALLEY	36.0	3.2	19.6	- 6.0	52	30	-18	3	1399	0	14	31	16	1.37	- .35	.61	5	25.0	58	5	7	1	0
SWAN FALLS PH	50.6	30.5	40.6	- 4.1	66	28	24	1+	750	0	0	18	0	.93	- .06	.20	20	3.5	4	20	7	0	0
THREE CREEK	43.0	16.1	29.6		57	28	- 8	3	1091	0	1	31	2	2.22	1.02	.60	20	40.5	17	21	13	1	0
TWIN FALLS 2 NNE	43.5	25.1	34.3	- 5.6	63	28	9	3	943	0	2	26	0	.47	- .38	.10	2	3.3	2	1	11	0	0
TWIN FALLS 3 SE	42.7	22.7	32.7	- 7.6	65	29	13	2+		0	2	27	0	.43	- .42	.14	1	5.0	3	1	9	0	0
WEISER	48.5	27.7	38.1	- 5.3	65	25	11	1	824	0	0	22	0	.62	- .40	.28	10		7	4	4	0	0
DIVISION			31.4	- 5.9										1.28	- .35			12.6					
[illegible]																							
ABERDEEN EXP STA	36.7	18.7	27.7	- 7.5	56	28	- 2	3	1147	0	9	31	1	.64	- .03	.14	2	8.8	5	5+	9	0	0
ALBION	40.2	21.1	30.7	- 7.2	61	28	7	14	1059	0	5	29	0	.74	- .36			11.5			9	0	0
AMERICAN FALLS 1 NW	36.6	19.3	28.0	- 7.7	53	28	2	22	1141	0	10	30	0	.76	- .52	.18	17	11.4	6	5+	10	0	0
ARCO	36.8	10.5	23.7M	- 6.8	47	26	- 8	3+	1274	0	8	30	5	2.24	1.43						6		

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
ASHTON 1 S	33.9	12.1	23.0	- 5.5	44	28	- 5	22	1296	0	9	31	3	2.15	.94	.38	11	26.6	48	24	15	0	0
BLACKFOOT	38.3	20.0	29.2	- 5.7	53	28	6	22	1103	0	3	31	0	.68	- .23	.20	18	10.0	4	11+	7	0	0
BURLEY	43.4	24.2	33.8	- 5.2	67	29	9	1		0	0	25	0	.47	- .25	.15	17	5.5	1	1+	10	0	0
BURLEY FACTORY 1 NW	40.8	22.7	31.8	- 6.4	63	29	8	1		0	4	27	0	.46	- .36	.17	17				8	0	0
BURLEY CAA AP	41.5	24.1	32.8	- 5.0	64	28	12	6	990	0	2	27	0	.44	- .38	.17	1	7.2	8	2	9	0	[illegible]
CHILLY BARTON FLAT	30.5	4.0	17.3	-11.4	43	29	-22	3	1473	0	18	31	11	1.40	.96	.70	31	15.0			6	1	0
CONDA	33.5	11.5	22.5	- 4.4	50	30	-12	22		0	14	31	4	2.02	.76	.27	24	33.5			14	0	0
DRIGGS	38.3	8.5	23.4	- 3.2	54	28	-16	22		0	4	30	7	1.69	.59	.52	19				11	1	0
DUBOIS EXP STA	30.1	14.5	22.3	- 6.8	39	26+	1	3	1318	0	19	31	0	1.24	.60	.35	10	21.5	37	11+	10	0	0
DUBOIS CAA AP	33.8	13.1	23.5	- 6.4	47	26	2	14	1283	0	14	31	0	1.13	.39	.37	10	14.3	29	5+	11	0	0
FORT HALL IND AGENCY	37.9	20.3	29.1	- 7.1	52	28	6	21+	1107	0	6	30	0	.57	- .24	.18	17				7	0	0
GRACE PH	33.4	11.4	22.4	- 8.7	45	16	- 9	3	1313	0	14	31	6	1.84	.72	.28	26	24.0	35	5+	13	0	0
GRAY	34.6	8.1	21.4	- 6.0	48	28	-13	22	1345	0	15	31	5	2.35	.93	.50	11+	32.0	38	5+	10	2	0
GROUSE	35.3	2.6	19.0		45	24+	-23	3+	1422	0	15	31	16	.81	- .08	.47	10	16.0			9	0	0
HAMER 4 NW	34.7	10.7	22.7	- 6.8	47	26	-10	14	1302	0	13	31	8	1.14	.74	.29	11	13.0			6	[illegible]	0
IDAHO FALLS CAA AP	33.6	14.9	24.3	- 9.3	48	28	- 1	22	1254	0	15	31	1	.32	- .76	.11	10	3.8	13	2+	8	0	0
IRWIN 2 S	36.6	16.6	20.6	- 4.0	50	28	- 2	22	1183	0	6	31	1	1.70	.56	.70	23	21.5			7	1	0
ISLAND PARK DAM	31.2	4.4	17.8	- 6.0	42	26	-28	22	1457	0	17	31	10	4.59	2.11	.68	18	54.0	87	26	16	4	0
LIFTON PUMPING STA	32.6	5.2	18.9	- 8.5	44	18	-21	3	1422	0	17	31	12	.94	.11	.34	19	14.7	25	19	13	0	0
MACKAY RS	33.8	11.1	22.5	- 8.4	46	23	-11	3	1312	0	14	30	8	.39	- .12	.15	5	8.0	23	5+	6	0	0
MALAD	37.3	18.5	27.9	- 7.5	47	28	1	3	1142	0	8	31	0	1.97	.71	.32	24+	15.0	27	5+	14	0	0
MALAD CAA AP	37.7	13.2	25.5		46	24	-11	3	1219	0	7	31	2	1.66		.28	30	15.4	21	1+	14	0	0
MAY RS	36.7	10.3	23.5	-10.0	51	28	-13	6	1279	0	9	31	8	.65	.28	.27	11	7.3	[illegible]	11	8	0	0
MC CAMMON	35.9	18.0	27.0		45	24	4	3	1172	0	12	31	0	E 1.60		.21	9		21	2+	13	0	0
MINIDOKA DAM	39.2	21.7	30.5		57	28	5	3	1063	0	4	27	0	.57		.11	10	9.0	12	5	10	0	0
MONTPELIER RS	33.3	6.9	20.1	- 8.5	47	30	-11	3		0	14	31	11	1.58	.35	.32	19+	22.6	31	2+	15	0	0
OAKLEY	42.0	23.6	32.8	- 6.0	56	28	4	3	993	0	1	28	0	1.12	.31	.21	2	13.5	3	2+	10	0	0
PALISADES DAM	36.4	16.1	26.3		51	28	- 6	22	1195	0	8	30	3	E 3.09							11		
PAUL 1 E	42.5	20.1	31.3	- 7.0	65	29+	5	4		0	2	28	0	.55	- .32	.14	1	5.5	3	1	10	0	0
POCATELLO WB AP //	36.9	20.8	28.9	- 7.0	53	28	3	22	1111	0	9	30	0	1.13	- .15	.22	18	14.8	6	5+	13	0	0
PRESTON SUG FACT 2 SE	38.8	17.0	27.9	- 6.4	48	29	- 3	3	1141	0	4	31	1	1.78	.24	.45	1	25.2	24	1+	15	0	0
REACTOR TESTING STA	31.0	9.4	20.2		44	26	-10	14	1380	0	19	31	8	.41		.15	10	13.0	24	11	7	0	0
RIRIE	36.0	19.0	27.5M		48	28	2	22	1159	0			0	E .62		.35	23	6.2			8	0	0
RUPERT	40.7	21.2	31.0	- 7.3	61	29	7	14		0	4	29	0	.90	.12	.18	17	5.0	6	2+	9	0	0
SAINT ANTHONY	36.1	13.2	24.7		45	16	- 6	22	1243	0	8	31	2	1.88	1.04	.51	10	16.7	29	12	14	1	0
SPENCER RS	30.9	11.3	21.1	- 3.8	41	28	- 5	22	1356	0	19	31	6	2.58	1.18	.60	10	48.0			12	1	0
SPRINGFIELD	36.8	16.8	26.8	- 8.5	51	28	- 2	14	1177	0	9	31	2	.71	.07	.16	11	10.7			10	0	0
SUGAR			M							0													
TETONIA EXP STA	33.9	8.2	21.1	- 5.9	47	28	-16	3	1353	0	12	31	6	1.60	.78	.30	12+				14	0	0
DIVISION			25.4	- 6.8										1.31	.1[illegible]			16.6					
STATE			30.1	- 5.6										1.41	- .[illegible]			13.8					

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	E .64	T	.14			.10					.02	.12	E .01	T			T	.12	[illegible]	.09												[illegible]
ALBION	.74	[illegible]	.17			.08					.05	.07						.10	.09	[illegible]											.10	T
ALPHA 1 N	1.68			T	.19	.08					.29	[illegible]	.02						[illegible]	.19				.01							[illegible]	[illegible]
AMERICAN FALLS 1 SW	.76		[illegible]			.07					.03	.10	T					.18	.07	.09					.03						.08	[illegible]
ANDERSON DAM	[illegible]			T	[illegible]	.96					[illegible]	.12	T				.02		[illegible]	.12					T				T	T	[illegible]	.06
ARCO	[illegible]			T		.30					.62	.04	T				[illegible]	1.23	.05	T												
ARROWROCK DAM	1.51				.13	.18	T				.41	.12	T						.03	.23	[illegible]		T		.15		T					.23
ASHTON 1 S	[illegible]			[illegible]	[illegible]	.12					.26	.38	.26				[illegible]	.04	.06	.05				[illegible]	.26	[illegible]					[illegible]	.12
ATLANTA	[illegible]				[illegible]	.26					.29	.12	T						[illegible]	.29						[illegible]				[illegible]		.32
AVERY RS	[illegible]		T		[illegible]	[illegible]				T	.17	.06	.10						[illegible]	.03	.20			[illegible]	.13	.15			[illegible]	.04	.28	.03
BAYVIEW MODEL BASIN	1.02	T			.03	.07	T			.10	.15			.11					[illegible]	[illegible]	[illegible]			[illegible]					T	T	.28	T
BIG CREEK	1.70				T	.10					[illegible]	[illegible]	T	.05					[illegible]	[illegible]	T	.14		T	[illegible]	[illegible]				T	.07	.12
BLACKFOOT	.68	T	.06			.07					.10	.15	[illegible]						.20													.05
BLISS	[illegible]	[illegible]			T	[illegible]					.06	.01					[illegible]	.03	.10	T												
[illegible]	[illegible]				.06	.19					.30	[illegible]	[illegible]	[illegible]					.11	.10				[illegible]	[illegible]					[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			T	[illegible]	T				[illegible]	.29	[illegible]						[illegible]	[illegible]	.02	T			[illegible]	.24		T		[illegible]	.10	[illegible]	T
[illegible]	[illegible]			T		T				[illegible]	.11	[illegible]	[illegible]	[illegible]				[illegible]	[illegible]	.01			T	T					[illegible]	[illegible]	[illegible]	.09
[illegible]	-																[illegible]	[illegible]	.07												[illegible]	-
[illegible] 2 SW	[illegible]	T	[illegible]	T	[illegible]	[illegible]				.01	[illegible]	.17	.19	.01					[illegible]	[illegible]	.16	.03	T	[illegible]	.11	[illegible]			.20	[illegible]	[illegible]	.39
BURLEY	[illegible]	[illegible]	[illegible]			.02					T	.01	.02					[illegible]	T	[illegible]	[illegible]										[illegible]	.01
BURLEY FACTORY 1 NW	.46	[illegible]	.10			.02					T		[illegible]					[illegible]		T	.01										[illegible]	.03
BURLEY CAA AP	.44	[illegible]	.03		T	.01					.02	T	T				.08	.07	T	T										.02	.03	.01
[illegible]	[illegible]				[illegible]	[illegible]					[illegible]	[illegible]		T					T	.06	.18				.10						[illegible]	[illegible]
[illegible]	.88				.26	T					.07								T						.40							.15
CASCADE [illegible]	[illegible]				[illegible]	[illegible]					.09	[illegible]	T				T		.16	[illegible]				[illegible]	.06						[illegible]	.22
CENTERVILLE ARBAUGH RCH	[illegible]				[illegible]	.42				T	.53	[illegible]	[illegible]	T					[illegible]	[illegible]				T	.18	.01			.01	T	.07	.06
CHALLIS	[illegible]	T				.23					.07	[illegible]		T			.03	[illegible]									.01					
CHILLY BARTON FLAT	1.40				T	.10					T	[illegible]	.10				.10		.20													.70
CLARK FORK 1 ENE	1.87				[illegible]	[illegible]					.39		.22		.07				.16	[illegible]	.04			[illegible]	T				.09		.44	[illegible]
COBALT BLACKBIRD MINE	1.62					[illegible]					.32	[illegible]	.11						[illegible]	[illegible]			.10		[illegible]	.17	.11					[illegible]
COEUR D ALENE CAA AP	.87	T	T	.05	.07	.05				[illegible]	T	.05	T	.03				.01	.04	T	.01		T	.01	[illegible]					[illegible]	.18	.01
COEUR D ALENE RS	1.28	.01	T	.02	.14	.09				.06	.30	[illegible]		.02					[illegible]	.07	T			.01							.08	[illegible]
[illegible]	2.02	.12	.12			.14						.23	.07	[illegible]				.18		[illegible]	.07			[illegible]	[illegible]		[illegible]				[illegible]	.12
COTTONWOOD	[illegible]				T	.07					.10	.12							.02	.17	.20				[illegible]	T					.09	[illegible]
COUNCIL 1 N	[illegible]				[illegible]	.10				.45	.01								.02						.35							[illegible]
CROUCH 2 NNW	1.87				.35	[illegible]					[illegible]	.12							.24	.08			.05	[illegible]		.12					.12	[illegible]
DEADWOOD DAM	1.84			T	.18	.15				T	.23	.11	T	[illegible]	.01				.46	.15	T	.02	T	[illegible]	.14	.02				.03	.05	[illegible]
DEER FLAT DAM	1.49				[illegible]						[illegible]	[illegible]								.04	[illegible]			T	[illegible]						[illegible]	[illegible]
DRIGGS	[illegible]				[illegible]	.15					[illegible]	[illegible]							[illegible]	.52				[illegible]	[illegible]					[illegible]	[illegible]	.16
DUBOIS EXP STA	[illegible]			.04	[illegible]	[illegible]					.35	.29					[illegible]	[illegible]	[illegible]	.11				.12	[illegible]	.01					[illegible]	
DUBOIS CAA AP	[illegible]	T	T	.07	[illegible]	[illegible]				[illegible]	.37	.12	.02	T			.19	[illegible]	[illegible]	[illegible]				.15	.07	.01					[illegible]	
[illegible] RIVER 1 [illegible]	[illegible]	.08	.01		[illegible]	[illegible]				.35	.05		.10		[illegible]				[illegible]		[illegible]			.23	[illegible]	[illegible]			[illegible]	.05	.48	[illegible]

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3—Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT [illegible]	1.30					[illegible]					.45	[illegible]							T													
FAIRFIELD	[illegible]				T	[illegible]					.50						.21	.06	[illegible]	.11										.02		.16
F[illegible]	[illegible]				.22						[illegible]	[illegible]	[illegible]						.24	.16	.26			.30	.63	.32			.13	.04	.31	.36
FORT HALL [illegible]	.57					[illegible]					T	[illegible]	T					.18	.10	[illegible]				T			T				.07	.03
GARDEN VALLEY RS	[illegible]				.19	[illegible]					.30	.20							.14	.09				.02	[illegible]	.14					.06	.08
GLENNS FERRY	[illegible]	T				[illegible]					.14	.04					.21		.11						.05	T			T		T	
[illegible]ING [illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]					[illegible]	[illegible]	.01				.19		.16	.01				T	T					.02	T	.01
GRACE PH	[illegible]	[illegible]				.18				[illegible]	T	[illegible]						.09	.15	.02				.18		.18	.28			.08	.03	.10
GRAND VIEW	[illegible]			T	T	[illegible]					.10	.10	T						.12		.38				.08	T					.12	
GRANGEVILLE	[illegible]		[illegible]	T	T	[illegible]				T	T	.63							.16	.25	.06	.01		.03	.04	T			T	.04	.07	T
GRAY	[illegible]					.20						.50						.10	.05	.15				.30	.50					.25	.20	.10
GROUSE	.81			T	[illegible]	.17		T			.47	T	.01			.02		.02	.05											.02	.04	
HAILEY	[illegible]		T		.02	.72					.62		T			.08	.16	.02	.35	.33										.04		T
HAMER 4 NW	1.14		.11			.11					.25	.29					.13													.25		
HAZELTON	.29	.04	.04		T	T					.10	T	T					.01	.01	.03									T		.04	.02
HILL CITY	1.69					.44	.07				.32	.10	.20				.16		.25	.04											T	.06
HOLLISTER	.71	.06	T								.08	.05					.08	[illegible]	[illegible]		.09				.09							
HOWE	.83				T	.31					T	.42	T	T			T	.02		T				T	T					.08		
IDAHO CITY	2.04				.18	.18					.34	.20		.03	.01				.31	.18				.03	.20	.03			.02		.06	.27
IDAHO CITY 13 SW	1.96			.15	.06						.63	.07		.01			T		.35	.14					.18	.10					.07	.20
IDAHO FALLS CAA AP	.32	.01	[illegible]	[illegible]	T	.02		T		T	.11	T	.02		T	T	T	T	.10	T				T	.02	T	T			T	T	T
IRWIN 2 S	1.70					.06					T	.28					.26							.70	.02	.19	T				.19	T
ISLAND PARK DAM	4.59			.08	.16	.44	.06				.50	.56	.35				.16		.68	.53				.30	.31	.25	.08				.10	.03
JEROME	.59	T	[illegible]		T	.02					.05		.01				[illegible]	.12	.09	.04	.01				T						.06	.04
KELLOGG	1.87	.04	T		.04	.13	.03				.19		.07		.01				.17	.15	.01	.05		.22	.20	.03				.07	.26	.20
KOOSKIA	1.79		T	T	[illegible]	.04				T	T	.46	.05						.04	.53	.12	T		T	.26	T				T		.27
KUNA 2 NNE	1.43				T	.10				T	.32	.50					T		.03	[illegible]	[illegible]			T	.15						[illegible]	T
LEWISTON WATER PLANT	.40	T		T	T	.02	T			T	.04	T		T	.02				[illegible]	T	[illegible]	.03			.06	T						T
LEWISTON WB AP	.45			T	T	T				T	T	T		.06					.15	.02	[illegible]	T		.05	T	T			T	T	.13	.01
LIFTON PUMPING STA	.94	.14	.09		[illegible]	.03		.01			T	.12	.02	T	.01		T	T	[illegible]	[illegible]	T			T	.03	T	.02			T	.07	
LOWMAN	1.26				[illegible]	.16					[illegible]	.10		T					.30	.17		T		T	.10				T		.14	.13
MACKAY RS	.39		T		T	.15					.07	[illegible]	.06			T	[illegible]		[illegible]													
MALAD	1.97	.31	T		T	.11		[illegible]			.16	.01		T		T	T	.27	[illegible]	[illegible]				.24	[illegible]	.03				.03	.32	.01
MALAD CAA AP	1.66	.27	.03		T	.11	T	T			[illegible]	.01	T	.02		T	.15	.04	.13	T				.19	.25	.06				.07	.28	T
MAY RS	.65	T			.02	[illegible]					.04	[illegible]	T				.01	T	.01	T					.02							.03
MC CALL	2.61				.15	[illegible]					[illegible]	.30	[illegible]						.45	.40					.50	.12						.27
MC CAMMON	[illegible]	[illegible]	[illegible]			[illegible]			T	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]	.19	.05	.10			.12	[illegible]	T							
MERIDIAN 1 SSW	[illegible]					[illegible]														.03					.13						.11	
[illegible]	1.75				[illegible]	T					[illegible]	[illegible]							.10					T	.20							.27
MINIDOKA DAM	.57	.01	[illegible]			.05					.11	.02						.08	.04	.05											.05	.07
MONTPELIER RS	[illegible]	.19	.09	T		[illegible]	T	.02				.09	[illegible]		T		.01	.07	T	.32				.03	.13	.03	.18				.32	.03
MOSCOW U OF I	1.77			T	.18	.13				.02	[illegible]	T							.12	T	.13			.59	.03			.03		.10	.11	
MULLAN PASS CAA	2.91	.01	[illegible]	.07	.20	.05			T	[illegible]	[illegible]	[illegible]	[illegible]	T				.08	.28	.01	.04	T	T	.12	.03	.09			.16	.10	.31	.18
NAMPA 2 NW	1.56				[illegible]	[illegible]					[illegible]	.35			T	T				.11	.19			T	.15						.10	.07
NEW MEADOWS RS	1.69				.16	[illegible]					.31	[illegible]	.02						.28	.09				.07	.33	.08	T					.20
NEZPERCE 2 E	[illegible]		T	T	T	[illegible]				T		.11							.10	.26	.13			T	.25	.11			.08	[illegible]	.28	.12
OAKLEY	1.12	.17	[illegible]			[illegible]					[illegible]	[illegible]					.06	.19	.06	.03	T				T						.12	T
OBSIDIAN 4 NNE	.73					[illegible]					.07	.18	.02				T		[illegible]	.04			.03	.01	.02						.04	.04
OLA 4 S	1.80				.41	.10				T	.32	[illegible]							.13	.02				.03	.27						.04	
OROFINO	2.23	T	T		[illegible]	[illegible]			T	T	.10	.03							.28	.02	.02		.60		.12	.32			T	.02	.41	.13
PALISADES DAM	3.09				T	.11					T	[illegible]	.20	T			.30	T	T	.14				[illegible]	F1.20	[illegible]	.10			T	.25	.10
PARMA EXP STA	.59				T	.05					.21	.04		T					T	T	[illegible]				.10							.10
P[illegible]	.55	[illegible]	T			.03					.05	[illegible]	T					.13	.01	[illegible]	[illegible]										.10	.04
PAYETTE	.51				.15						.23	.04	T	T			T								.06						.03	
PIERCE RS	4.89	.08	T	T	[illegible]	.35	[illegible]				.35	.17	.30					T	.15	.12	.14	.21		[illegible]	[illegible]	.10	[illegible]			.20	.46	.34
PINE 2 SSW	1.66			[illegible]	.15	[illegible]		.02			[illegible]	[illegible]	T				T		.18	[illegible]		T		T	.04	T				.08	.06	.15
POCATELLO WB AP /R	1.13	[illegible]	[illegible]	T	T	.08		[illegible]			[illegible]	[illegible]	T				T	[illegible]	.22	[illegible]				T	[illegible]		T			.01	[illegible]	.08
PORTHILL	.28									T	.01		[illegible]	T					T	T									T		.10	.12
POTLATCH	1.11				.02	[illegible]				.06	[illegible]								.33	[illegible]	.03			[illegible]	[illegible]					.09	.10	
PRESTON SUG FACT 2 SE	[illegible]	.45	.05	.02		[illegible]					[illegible]	.23	[illegible]		T			[illegible]	.03	.23				.05	.25	T	[illegible]				.15	.03
PRIEST RIVER EXP STA	[illegible]			.03	[illegible]	[illegible]	.01			[illegible]	[illegible]	[illegible]	T	[illegible]					[illegible]	T	T			T		T			T	.10	.22	.12
REACTOR TESTING STA	.41	T	[illegible]	[illegible]	.03	.11		T			[illegible]	T	[illegible]	T		[illegible]	.06		T						T							T
RICHFIELD	.73	T	[illegible]		T	[illegible]					.12	[illegible]	[illegible]					.04	.21	T												
RIGGINS RS	1.21				T	T					[illegible]	.16	.05						.17	.27	.02	.10		.02	.27	[illegible]	[illegible]			.01		.07
RI[illegible]	E .62		[illegible]	T		[illegible]						[illegible]	T				[illegible]	[illegible]	[illegible]					.35								E .03
ROLAND W PORTAL	[illegible]		[illegible]	.03	[illegible]	.26	T				.29	[illegible]	.18	T	T				.11	T	T	T		.29	.29	.21			T	.02	.75	.54
R[illegible]	[illegible]	.10	[illegible]			[illegible]					T	[illegible]	T					.18		.01	.08										.09	.12
SAINT ANTHONY	1.88			.06	[illegible]	[illegible]					[illegible]	.32	.21				.12	[illegible]	.04	.03				.20	.05	.09					.05	
SAINT MARIES	1.36			T	.10	.14				[illegible]	[illegible]	.21	.03						.13	.05				.08					.03	.11	.19	.03
SALMON	1.16				.02	.15				T	.24	.20	T				T		.03			T		T	.10	.13	.23			.02	.03	.01
SANDPOINT EXP STA	1.53				[illegible]	[illegible]				.14				.47					[illegible]	.22	T			T						T		
SHOSHONE	.85	.01	[illegible]		[illegible]	[illegible]		T			[illegible]	[illegible]	.14				[illegible]	.08	.15	.19											T	.04
SPENCER RS	[illegible]			.04	[illegible]	[illegible]					[illegible]	[illegible]	T	.10			.21		.18	.13				.14	.23	.14						
SPRINGFIELD	.71	.08	.11		T	.08		[illegible]			.03	.16	[illegible]				.03	T	.13	T				T	T							.03
STIBNITE	2.65	T		T	.20	.25	T				.23	.23	.06	.02	T		T	T	.24	.22	T	T	T	T	T	.67	.10			.15	.07	.21
SUGAR	—			T	T					.20	[illegible]	[illegible]					[illegible]			.10				.30	.20					—	—	—
SUN VALLEY	1.37					[illegible]					.43	T	.04			.01	[illegible]		[illegible]	[illegible]					T					T	T	
SWAN FALLS PH	.93										.14	[illegible]							.05	.07	.20				.13						.19	
TETONIA EXP STA	1.60				.05						.05	.09	.30				.20	.10	.15	.30	.10	.06		.10	.05	.03						.02
THREE CREEK	2.22	[illegible]	.18		.04	.03					.36		T				.05	.28	.12	.07	[illegible]	[illegible]	.07	T	.07							
TWIN FALLS 2 NNE	.47	.06	[illegible]		.01	T					.05	T	.01				.05	[illegible]	[illegible]	.02	T				T						.05	.02
TWIN FALLS 3 SE	.43	.14			T	.01					[illegible]	T	.02					.09		.05					[illegible]						.04	.04
WALLACE	[illegible]	T	.03	T	[illegible]	T				.02	.44	.13	.07	T				T	.09	[illegible]	.02	T	T	T	.10	.07			.21	T	.56	.35
WALLACE WOODLAND PARK	1.52	.04				.06					.22		.12						.04	.08	[illegible]	.02		[illegible]	[illegible]					.09	.22	.26
WEISER	.62			T	.21	T					.28	[illegible]																				.06
WINCHESTER 1 SE	1.43				[illegible]	.05		[illegible]		.03	.05	.24							[illegible]	[illegible]	[illegible]			[illegible]	.20	.02					.08	.09

See reference notes following Station Index

DAILY TEMPERATURES

Table 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	30	30	36	33	32	40	33	36	34	[illegible]	34	34	31	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	47	49	56	49	44	44	[illegible]
	MIN	15	20	-2	15	[illegible]	7	15	9	12	27	25	21	11	[illegible]	5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	15	[illegible]	[illegible]	[illegible]	24	26	[illegible]	32	29	18.7
ALBION	MAX	[illegible]	25	36	41	34	[illegible]	42	40	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	52	[illegible]	[illegible]	[illegible]	45	[illegible]	40.2
	MIN	20	17	15	[illegible]	[illegible]	[illegible]	26	16	14	[illegible]	22	[illegible]	10	[illegible]	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	26	[illegible]
ALPHA 1 NE	MAX	32	30	34	35	35	38	38	41	39	42	30	[illegible]	37	38	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]
	MIN	-15	[illegible]	-7	14	[illegible]	-5	[illegible]	-5	2	[illegible]	23	-1	7	-4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	9.6
AMERICAN FALLS 1 NW	MAX	30	26	[illegible]	[illegible]	32	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	50	[illegible]	[illegible]	[illegible]
	MIN	13	20	[illegible]	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	[illegible]	5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	19.3
ANDERSON DAM	MAX	31	34	27	[illegible]	[illegible]	34	44	[illegible]	41	[illegible]	34	39	[illegible]	41	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	40.0
	MIN	[illegible]	5	6	22	[illegible]	5	[illegible]	[illegible]	[illegible]	[illegible]	28	14	14	[illegible]	26	[illegible]			21	18			19					25	[illegible]	[illegible]	[illegible]	21.5
ARCO	MAX	44	33	24	30	[illegible]	31	[illegible]	40	36	35	[illegible]	32	[illegible]	30			43	40	[illegible]	[illegible]	[illegible]	30	37	45	46	47	46	44	43		41	36.8
	MIN	9	[illegible]	-8	[illegible]	11	-8	[illegible]	10	[illegible]	20	16	4	[illegible]	-4			[illegible]	24	[illegible]	-3	19	[illegible]		14		[illegible]		13	[illegible]			[illegible]
ARROWROCK DAM	MAX	38	34	36	40	[illegible]	41	42	45	44	41	43	[illegible]	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	41	[illegible]	[illegible]	[illegible]	54	56	[illegible]	[illegible]	46	[illegible]
	MIN	14	13	14	13	27	[illegible]	21	[illegible]	20	24	[illegible]	16	17	14	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ASHTON 1 S	MAX	35	[illegible]	28	30	28	30	37	34	35	37	[illegible]	24	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	10	[illegible]	6	11	[illegible]	[illegible]	8	7		12	23	12	[illegible]	-1	[illegible]																	[illegible]
ATLANTA 1 E	MAX	33	35	[illegible]	34	[illegible]	36	41	45	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	3	13	[illegible]	[illegible]	3	15	[illegible]	25	26	20	6	[illegible]	-1	11	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	13.8
AVERY RS	MAX	45	40	41	39	39	51	54	50	44	47	41	43	44	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]
	MIN	[illegible]	24	25	[illegible]	[illegible]	[illegible]	18	17	[illegible]	[illegible]	31	29	27	21	22	26	26	[illegible]	20	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BAYVIEW MODEL BASIN	MAX	38	34	37	[illegible]	38	41	[illegible]	47	44	42	40	44	39	42	41	52	[illegible]	45	40	41	46	48	52	[illegible]	[illegible]	64	62	54	47	47	[illegible]	46.1
	MIN	20	12	[illegible]	[illegible]	31	19	10	18	24	[illegible]	31	31	24	[illegible]	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	19	15	33	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BIG CREEK	MAX	31	32	33	33	35	37	44	46	45	[illegible]	34	37	36	36	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40.0
	MIN	-12	-7	-15	16	[illegible]	[illegible]	-11	-11	16	[illegible]	22	[illegible]	8	13	-2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BLACKFOOT	MAX	34	[illegible]	[illegible]	[illegible]	45	44	35	34	36	[illegible]	[illegible]	[illegible]	34	36	40	40	38	42	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	12	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	17	11	19	[illegible]	[illegible]	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BLISS	MAX	32	36	34	35	[illegible]	34	41	39	[illegible]	41	38	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	44	39	42	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43.0
	MIN	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	19	11	26	[illegible]	30	[illegible]	[illegible]	[illegible]	22	[illegible]	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BOISE LUCKY PEAK DAM	MAX			42	40	44	47		48		[illegible]			49	45																		
	MIN			18	29	27	24		26		28		15		23																		
BOISE WB AP	MAX	34	37	40	[illegible]	41	45	41	47	45	41	33	[illegible]	39	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	43	[illegible]	54	57	[illegible]	[illegible]	[illegible]	[illegible]	48	45.3
	MIN	20	[illegible]		28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	14	22	24	[illegible]	[illegible]	28	[illegible]	24	[illegible]	23	20	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	37	[illegible]	34	28.2
BONNERS FERRY	MAX	34	42	41	42	42	45	41	46	40	48	[illegible]	44	41	48	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]
	MIN	[illegible]	18	28	[illegible]	27	20	17	21	26	31	30	30	27	24	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	32	[illegible]
BUHL	MAX	44	[illegible]	40	40	40	[illegible]	40	46	42	[illegible]	[illegible]	[illegible]	40	41	46	42	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	21	[illegible]	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	32	[illegible]	[illegible]	26	[illegible]	22	20	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BURKE 2 NNE	MAX	35	30	34	[illegible]	31	40	[illegible]	37	41	[illegible]	35	[illegible]	34	40	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	21	20	15	21	10	14	14	15	[illegible]	[illegible]	24	14	[illegible]	14	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21.1
BURLEY	MAX	40	34	33	35	40	40	34	37	44	36	38	36	41	[illegible]	42	49	45	[illegible]	45	39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	9	10	15	[illegible]	6	14	13	10	14	25	27	26	19	15	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24.2
BURLEY FACTORY 1 NW	MAX	37	28	30	33	41	35	32	36	38	41	37	33	38	35	41	46	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	34	[illegible]	49	[illegible]	[illegible]	[illegible]	63	[illegible]	48	[illegible]
	MIN	8	10	13	[illegible]	[illegible]	12	14	18	16	20	27	22	17	14	18	29	[illegible]	[illegible]	24	[illegible]	[illegible]	18	[illegible]	[illegible]	34	34	[illegible]	31	34	34	[illegible]	22.7
BURLEY CAA AP	MAX	36	29	31	40	35	33	39	39	41	38	33	38	34	41	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	[illegible]	54	57	64	[illegible]	48	47	41.5
	MIN	18	20	13	1	[illegible]	2	[illegible]	[illegible]	17	10	26	25	17	14	25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CALDWELL	MAX	40	40	43	40	45	47	41	51	51	47	42	41	45	45	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	50.0
	MIN	18	21	18	28	19	26	27	21	26	[illegible]	30	[illegible]	25	24	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27.7
CAMBRIDGE	MAX	28	32	35	37	36	37	35	34	37	34	45	38	34	37	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	40.2
	MIN	20	24	21	10	[illegible]	5	4	-2	[illegible]	[illegible]	10	10	23	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	[illegible]	[illegible]	22.4
CASCADE 1 NW	MAX	28	29	32	33	35	35	42	40	40	[illegible]	33	32	35	37	41	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	45	46	[illegible]	[illegible]	49	44	40	[illegible]
	MIN	-11	-9	-5	21	17	4	2	-2	20	24	24	10	15	4	13	27			20	10	[illegible]				30					29	[illegible]	14.3
CHALLIS	MAX	29	31	26	35	31	28	28	30	38	37	43	[illegible]	35	[illegible]	35	41		44	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	56		47	[illegible]
	MIN	10	4	-4	10	16	-2	-1	-2	6	25	27	12	11	1	7	21	[illegible]	22				[illegible]			28			24				14.5
CHILLY BARTON FLAT	MAX	24	25	18	24	26	21	29	29	35	30	34	29	23	20	27	[illegible]	[illegible]	32	[illegible]	[illegible]	25	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	40	[illegible]	40	[illegible]	[illegible]
	MIN	-11	3	-22	-5	11	-21	-14	-9	-4	1	10	6	-10	-20	10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	21	22	16	4.0
CLARK FORK 1 ENE	MAX	38	42	43	38	44	47	45	48	49	46	41	43	41	49	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46.4
	MIN	19	24	27	30	28	14	12	18	22	32	30	29	25	17	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
COBALT BLACKBIRD MINE	MAX	27	22	19	26	9	25	27	33	36	34	30	26	28	24	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	-4	-2	-7	8	10	-4	[illegible]	2	3	21	20	5	-1	-4	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.5
COEUR D ALENE CAA AP	MAX	37	42	41	37	34	39	42	47	40	45	43	40	40	42	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	52	[illegible]	54	59	[illegible]	41	[illegible]	44	43.5
	MIN	22	[illegible]	27	29	10	18	18	[illegible]	15	[illegible]	32	27	26	[illegible]	25	[illegible]	26	[illegible]	[illegible]	[illegible]	18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
COEUR D ALENE RS	MAX	41	38	41	39	37	44	45	[illegible]	43	43	42	45	44	45	45	[illegible]	[illegible]	42	41	40	43	44	49	58	[illegible]	56	63	[illegible]	46	48	46	45.9
	MIN	25	25	27	27	30	14	13	[illegible]	[illegible]	28	30	[illegible]	26	17	21	21	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CONDA	MAX	29	32	26	30	34	30	29	38	37	[illegible]	35	26	28	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	12	12	[illegible]	9	2	2	[illegible]	2	2	17	22	17	[illegible]	6	13	[illegible]	24	[illegible]	18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
COTTONWOOD	MAX	40	33	39	38	37	39	45	43	41	40	34	[illegible]	40	40	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41.1
	MIN	4	[illegible]	21	24	[illegible]	9	14	14	10	31	28	[illegible]	22	12	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	22.3
COUNCIL 1 N	MAX	35	34	37	39	36	35	38	42	40	37	37	[illegible]	[illegible]	46	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	41.3
	MIN	11	7	[illegible]	14	10	6	[illegible]	11	11	[illegible]	22	[illegible]	15	11	30	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	[illegible]
DEADWOOD DAM	MAX	33	34	[illegible]	[illegible]	33	39	46	44	42	30	[illegible]	[illegible]	31	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38.4
	MIN	[illegible]	-3	-12	[illegible]	[illegible]	[illegible]	[illegible]	1	-4	[illegible]	24	7	11	[illegible]	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]	[illegible]	9.3
DEER FLAT DAM	MAX	40	41	43	41	47	45	44	41	45	[illegible]	45	40	45	46	[illegible]	50	[illegible]	47	[illegible]	40	40	45	49	[illegible]	63	68	64	68	64			49.0
	MIN	21	22	20	19	20	26	[illegible]	21	26	15	30	21	26	26	31	[illegible]	30	32	26	30	23	22		35	40	30	26	[illegible]	34	34		[illegible]
DRIGGS	MAX	41	34	[illegible]	[illegible]	34	[illegible]	39	40	40	42	35	31	34	35	40	[illegible]	40	[illegible]	38	[illegible]	32	34	37	[illegible]	40	40	49	[illegible]	40	[illegible]	42	38.3
	MIN	22	[illegible]	-10	[illegible]	[illegible]	12	[illegible]	[illegible]	[illegible]	[illegible]	17	[illegible]	1	10	13	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
DUBOIS EXP STA	MAX	22	24	21	23	25	27	35	[illegible]	31	31	31	[illegible]	25	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	22	24	24	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	[illegible]	[illegible]	30.1
	MIN	14	12	[illegible]	[illegible]	[illegible]	16	[illegible]	[illegible]	[illegible]	[illegible]	21	16	10	4	4	27	[illegible]	[illegible]	12	[illegible]	[illegible]	2	[illegible]	13	[illegible]	23	16	27	27	[illegible]	19	14.5
DUBOIS CAA AP	MAX	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	44	40	[illegible]	[illegible]	31	34	29	[illegible]	40	36	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	33.8
	MIN	17	7	[illegible]	[illegible]	[illegible]	[illegible]	11	[illegible]	[illegible]	23	[illegible]	[illegible]	[illegible]	[illegible]	4	[illegible]	22	[illegible]	[illegible]	3	[illegible]	[illegible]	[illegible]	[illegible]	15	22	15	24	[illegible]	22	[illegible]	[illegible]
ELK RIVER	MAX	32	[illegible]	36	[illegible]	40	44	46	44	45	45	45	50	45	[illegible]	50'	50	46	44	42	45	46	[illegible]	44	[illegible]	52	55	[illegible]	[illegible]	43	40	46	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	18	[illegible]	[illegible]	[illegible]	[illegible]	23	[illegible]	21	28	[illegible]	[illegible]	19	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	[illegible]
EMMETT 2 E	MAX		[illegible]	41	38	43	49	45	49	[illegible]	44	40	41	[illegible]	45	48	[illegible]	[illegible]	54	42	45	45	47	45	57	60	61	64	65	56	54		[illegible]
	MIN		20	23	30	25	26	26		29	[illegible]	31	16	[illegible]	[illegible]	[illegible]	[illegible]	18	35	[illegible]	28	22		[illegible]	[illegible]	37							[illegible]
FAIRFIELD	MAX	[illegible]	32	26	21	[illegible]	[illegible]	40	[illegible]	35	[illegible]	38	30	[illegible]	27	31	40	35	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	40	40	40	40	45	40	[illegible]	[illegible]	35.4
	MIN	-6	-1	-21	12	[illegible]	-7	11	-2	-4	24	16	[illegible]	-4	-17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7.7
FENN RS	MAX	[illegible]	[illegible]	[illegible]	40	43	40	[illegible]	[illegible]	44	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	0	16	27	[illegible]	[illegible]	20	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	25	[illegible]	25	[illegible]	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27.6
FORT HALL IND AGENCY	MAX	[illegible]	43	30	33	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37.9
	MIN	[illegible]	19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GARDEN VALLEY RS	MAX	[illegible]	41	42		41	46	47	49	47	43	40	44	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	23	13	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GLENNS FERRY	MAX	40	40	[illegible]	39	44	42	49	46	46	45	38	45	43	43	47	[illegible]	55	[illegible]	47	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	63	61	63	59			[illegible]
	MIN	[illegible]	21	[illegible]	26	26	[illegible]	31	21	[illegible]	32	30	21	24	18	[illegible]	34		33		[illegible]	24	19		36	[illegible]	39		31		34	31	27.3
GOODING CAA AP	MAX	[illegible]	32	28	32	35	32	38	41	[illegible]	30	31	[illegible]	33	31	36	34	43	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39.1
	MIN	18	17	[illegible]	22	[illegible]	[illegible]	[illegible]	[illegible]	20	[illegible]	25	[illegible]	15	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	22.3
GRACE PO	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	41	35	34	[illegible]	32	[illegible]	32	31	38	45	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	33.4
	MIN	14	[illegible]	[illegible]	10	[illegible]	-3	[illegible]	[illegible]	13	[illegible]	20	-3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	[illegible]	11.4
GRAND VIEW	MAX	37	38	41	46	45	44	51	52	[illegible]	45	43	44	42	49	[illegible]	57	[illegible]	[illegible]	43	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	67	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	20	24	[illegible]	[illegible]	[illegible]	31	21	24	[illegible]	31	24	24	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39	36	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]
GRANGEVILLE	MAX	[illegible]	35	37	37	40	40	40	[illegible]	40	40	35	41	41	42	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42.1
	MIN	17	[illegible]	[illegible]	28	[illegible]	14	[illegible]	[illegible]	30		26	18	17	[illegible]	23				20	20	15	14			39	[illegible]	28			26	[illegible]	[illegible]
GRAY	MAX	38	37	30	30	29	32	34	45	[illegible]	[illegible]	31	30	31	[illegible]	[illegible]	[illegible]	42				30			[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	44	42	34.6
	MIN	[illegible]	[illegible]	[illegible]	4	[illegible]	2	[illegible]	0		2	18	2	0	6	4						-4	-13	-1		17	[illegible]		10	14			[illegible]
GROUSE	MAX	30	30	[illegible]	29	[illegible]	[illegible]	[illegible]	[illegible]	40	32	[illegible]	[illegible]	[illegible]	[illegible]	34				26	31			40	[illegible]	45	44	41	[illegible]	43	[illegible]		[illegible]
	MIN	-9	-5	-23	-11	[illegible]	[illegible]	-10	-8	-11	-4	[illegible]	[illegible]	-4	0	[illegible]				[illegible]		10	-4	-6		25	29	[illegible]	[illegible]	[illegible]	10	[illegible]	7.6
HAILEY	MAX	37	31	27	32	37	39	41	[illegible]	[illegible]	[illegible]	39	[illegible]	32	[illegible]	45					35	[illegible]	30	42	50	49	48	44	44		47	39	[illegible]
	MIN	9	12	-2	14	20		14	[illegible]	[illegible]	25		9	11	2	15					[illegible]					24	26	20				[illegible]	[illegible]
HAMER 4 NW	MAX	28	31	21	32	32	24	41	36	[illegible]	[illegible]	33	35	31	[illegible]	39	[illegible]	37	[illegible]			28	[illegible]	26		40	47	40	[illegible]	[illegible]	43	[illegible]	34.7
	MIN	11	8	-1	13	[illegible]	-7		-3	-1		22	16	6	-10	-1		14	24				-1		15			11	14	24			10.7

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HAZELTON	MAX	32	29	34	37	35	32	38	39	40	39	34	39	34	38	46	40	43	42	37	34	36	34	36	48	54	55	58	62	54	49	47	41.1
	MIN	20	19	2	16	24	11	23	16	15	32	26	20	14	13	23	31	28	28	21	24	21	[illegible]	26	33	35	35	28	27	35	33	26	23.1
HILL CITY	MAX	28	28	20	27	28	36	38	32	35	35	31	35	34	30	33	38	38	36	36	34	33	32	35	40	42	41	38	43	39	35	35	34.2
	MIN	- 4	- 5	- 6	12	18	10	14	18	19	23	20	8	7	-11	10	23	5	20	14	- 7	- 3	-1	13	28	30	30	8	11	27	22	23	11.7
HOLLISTER	MAX	33	28					37	39	44	42	39	35	37	36	42	38	46	43	37	41	35	35	39	48	55	54	52	56	60	46	48	42.0
	MIN	19	17	12					25	24	23	28	20	20	17	26	26	24	28	23	16	18	[illegible]	24	35	32	46	30	33	34	30	28	25.1
IDAHO CITY	MAX	39	39	39	36	39	43	46	44	43	40	39	38	38	41	46	49	50	43	36	39	40	39	38	48	48	53	52	55	57	45	42	43.4
	MIN	0	0	- 4	24	22	- 2	8	6	15	30	26	3	14	1	15	29	13	18	13	16	2	- 1	15	30	27	21	15	20	28	29	25	14.8
IDAHO FALLS CAA AP	MAX	27	26	28	32	28	30	30	36	37	35	30	29	36	25	37	38	34	39	29	30	28	26	31	36	36	44	40	48	40	39	38	33.6
	MIN	16	17	8	11	13	3	11	6	9	23	22	11	7	6	5	27	20	25	8	5	6	- 1	8	21	26	27	17	19	32	28	26	14.9
IRWIN 2	MAX	40	29	30	30	34	36	42	41	37	38	34	30	34	35	38	40	37	37	35	34	33	30	24	36	37	46	39	50	46	42	41	36.6
	MIN	21	15	6	16	17	7	19	12	12	18	23	10	3	12	10	24	24	24	23	4	1	- 2	8	12	[illegible]	28	29	19	32	30	27	16.6
ISLAND PARK DAM	MAX	27	29	25	25	22	30	38	34	34	33	31	25	31	27	32	36	37	31	28	28	25	23	21	35	33	42	38	40	38	34	35	31.2
	MIN	7	6	- 5	9	5	- 3	-17	-12	- 8	19	20	9	3	-18	19	1	- 3	23	15	-20	-17	-28	4	1	5	19	2	20	27	24	8	4.4
JEROME	MAX	34	35	34	37	36	35	37	36	37	38	35	38	36	33	38	37	45	43	34	39	37	36	39	51	55	56	54	53	52	50	48	41.0
	MIN	19	18	6	18	24	11	19	17	17	31	26	19	15	5	21	31	27	30	26	16	17	12	25	33	45	34	26	28	34	33	27	22.5
KELLOGG	MAX	36	41	36	42	37	39	50	53	46	40	45	37	45	48	50	[illegible]	52	48	45	46	42	45	47	48	54	[illegible]	59	57	48	43	47	46.0
	MIN	19	25	28	30	29	16	18	21	28	32	31	29	29	22	25	29	26	[illegible]	22	[illegible]	23	19	26	44	35	31	29	34	33	34	32	27.4
KOOSKIA	MAX	41	43	49	46	49	54	55	53	49	50	48	52	53	57	55	57	58	50	47	47	45	51	47	57	62	63	71	69	50	51	48	52.5
	MIN	24	30	28	33	32	20	20	23	35	35	33	29	26	21	26	30	27	31	31	19	29	21	35	28	40	34	28	34	36	36	32	29.9
KUNA 2 NNE	MAX	37	39	40	39	44	45	42	49	45	43	39	39	42	39	45	50	53	47	42	43		44	47	55	63	60	62		63	51	51	46.8
	MIN	17	22	19	28	16	25	27	19	24	33	30	12	18	23	32	44	27	33	24	8		21	26	37	36	34	29		42	36	32	26.7
LEWISTON WATER PLANT	MAX	45	44	50	52	49	55	57	54	53	54	49	51	56	58	56	61	54	53	48	47	47	55	58	64	65	67	74	67	54	54	53	54.8
	MIN	31	29	33	34	33	26	23	27	36	36	34	27	33	23	27			34	38	30	26	25	38	42	44	41	34	45	37	42	37	33.3
LEWISTON WB AP	MAX	39	42	48	47	47	53	55	52	50	52	44	49	52	54	53	56	51	45	43	44	46	[illegible]	58	63	67	64	71	59	50	54	49	51.9
	MIN	29	26	31	33	30	25	24	20	35	35	34	29	28	26	31	32	29	30	28	19	26	25	36	42	44	40	36	41	35	39	30	31.8
LIFTON PUMPING STA	MAX	25	32	24	29	31	28	31	29	31	33	30	35	20	28	34	36	34	44	30	31	27	22	30	40	41	38	40	37	41	40	39	32.6
	MIN	3	10	-21	- 8	- 2	-10	9	- 5	- 2	- 3	20	15	-15	- 8	-10	15	14	4	14	7	2	-14	- 7	22	22	25	8	6	15	27	18	5.2
LOWMAN	MAX	39	38	39	38	39	49	49	49	45	39	37	40	40	43	50	49	49	43	38	42	40	41	36	53	48	55	57	52	48	46	43	44.3
	MIN	2	1	1	25	26	2	4	9	17	32	29	18	18	5	13	24	15	31	21	13	2	- 1	14	30	31	28	18	21	28	26	28	17.6
MACKAY RS	MAX	22	28	25	28	29	29	29	38	38	33	34	36	27	25	32	34	38	36	41	7	29	[illegible]	46	40	43	44	41	40	41	39	39	33.8
	MIN	- 2	8	-11	- 2	- 1	- 6	- 1	6	8	19	16	15	4	- 2	6	23	14	16	14	0	15	[illegible]	7	31	30	24	14	13	22	22	19	11.1
MALAD	MAX	30	29	29	36	38	32	39	38	39	36	36	36	30	33	34	41	43	40	36	35	30	30	28	44	44	44	44	47	46	46	42	37.3
	MIN	20	19	1	11	18	9	22	19	15	26	27	16	10	8	16	13	23	27	15	18	16	11	9	26	27	26	21	22	27	29	28	18.5
MALAD CAA AP	MAX	35	31	28	33	40	34	41	41	39	37	35	34	32	35	35	44	39	43	40	30	29	29	29	46	44	45	43	45	45	44	43	37.7
	MIN	20	[illegible]	-11	3	13	3	21	8	7	22	20	9	6	- 1	4	23	25	24	7	16	13	[illegible]	[illegible]	24	20	20	15	14	21	27	21	13.2
MAY RS	MAX	25	29	29	33	36	25	26	32	36	37	36	36	35	32	37	36	34	34	35	32	35	[illegible]	41	44	49	45	46	51	48	45	43	36.7
	MIN	7	- 2	-11	6	12	-13	- 9	- 9	3	25	24	8	6	- 8	4	20	12	20	13	- 2	5	- 4	12	28	25	25	16	28	31	23	22	10.3
MC CALL	MAX	26	22	26	30	30	32	36	36	32	34	30	30	30	30	36	38	32	30	28	40	26	24	30	32	36	40	42	42	38	32	34	32.2
	MIN	- 2	2	4	20	19	0	6	0	20	20	22	13	8	2	8	24	8	20	20	0	- 5	-10	18	28	22	28	[illegible]	18	26	22	24	12.9
MC CAMMON	MAX	32	30	27	29	35	32	38	40	38	36	33	35	30	32	39	42	34	34	32	29	28	28	30	45	40	[illegible]	[illegible]	40	47	44	43	35.9
	MIN	20	18	4	10	22	8	19	10	10	25	26	22	6	5	10	25	19	[illegible]	21	11	14	[illegible]	7	21	25	30	18	24	26	26	27	18.0
MERIDIAN 1 SSW	MAX	36	39	41	40	44	45	43	49	46	43	40	38	41	41	47	52	57	46	44	44	45	44	46	57	63	60	62	64	55	54	50	47.6
	MIN	13	16	17	24	16	20	22	16	21	28	25	8	18	21	30	29	24	29	17	24	18	17	24	33	33	31	25	34	29	31	28	23.2
MESA	MAX	35	35	33	35	39	40	40	39	40	43	37	40	42	43	46	46	49	42	39	39	41	45	47	49	56	50	48	50	56	53	48	43.4
	MIN	16	15	20	24	24	18	12	10	22	30	29	17	19	23	20	[illegible]	21	31	27	22	17	14	24	30	34	34	32	26	27	30	28	23.8
MINIDOKA DAM	MAX	36	39	36	39	33	28	34	38	40	38	32	34	30	35	39	42	41	41	35	34	32	32	36	45	47	50	50	57	51	47	44	39.2
	MIN	4	19	5	20	13	7	20	14	11	31	26	24	13	6	21	31	29	30	26	17	14	8	18	34	33	35	28	31	[illegible]	[illegible]	27	21.7
MONTPELIER RS	MAX	15	24	32	26	33	37	24	35	34	32	35	27	32	24	33	30	42	36	40	42	25	28	27	30	38	38	42	42	43	47	40	33.3
	MIN	- 4	12	-11	- 2	6	- 4	3	- 1	- 4	5	17	16	- 7	- 6	- 4	6	21	15	12	4	7	- 3	- 2	20	21	24	10	11	18	12	19	6.9
MOSCOW U OF I	MAX	35	34	38	38	40	45	46	43	42	45	40	42	40	47	45	[illegible]	44	42	40	36	42	46	49	56	60	57	64	[illegible]	43	43	42	45.0
	MIN	25	23	27	30	27	24	20	21	35	34	30	24	28	25	31	34	27	[illegible]	27	23	21	21	33	34	41	33	[illegible]	41	31	34	28	29.2
MULLAN PASS CAA	MAX	19	18	22	22	21	29	36	29	28	30	25	26	26	32	30	37	33	26	24	21	22	25	29	30	34	36	45	36	29	26	25	27.9
	MIN	7	11	13	17	17	14	16	21	23	23	19	16	16	15	17	23	24	15	18	12	13	14	14	25	28	26	27	20	17	21	14	18.1
NAMPA 2 NW	MAX	49	42	40	42	42	45	47	44	50	50	42	36	41	43	43	48	52	55	45	44	44	45	46	47	57	65	62	65	65	58	53	48.6
	MIN	[illegible]	23	20	18	21	27	29	22	26	33	30	16	25	25	33	32	34	34	22	28	24	22	[illegible]	37	37	36	30	37	33	36	35	28.4
NEW MEADOWS RS	MAX	29	29	34	33	34	40	41	41	39	39	35	34	35	39	44	41	42	39	37	35	33	40	34	47	44	48	50	49	44	42	41	39.1
	MIN	1	- 3	3	21	15	2	- 5	- 6	20	26	26	5	10	3	10	27	4	29	17	- 1	2	- [illegible]	18	28	31	22	17	29	24	27	23	13.7
NEZPERCE 2 E	MAX	36	34	38	40	39	45	43	44	39	41	34	41	42	45	45	45	48	39	36	37	35	43	44	49	52	53	63	48	29	41	40	42.5
	MIN	19	21	22	27	23	17	20	21	32	34	29	21	25	20	26	30	29	26	21	6	24	15	31	34	36	35	30	35	29	32	25	26.3
OAKLEY	MAX	36	33	32	38	40	42	43	42	45	45	41	37	34	36	44	[illegible]	46	44	36	34	35	34	40	48	[illegible]	[illegible]	51	56	55	48	44	42.0
	MIN	19	[illegible]	4	24	26	14	22	19	19	24	23	21	16	13	28	24	24	28	20	14	21	14	21	32	36	34	32	32	35	29	27	23.6
OBSIDIAN 4 NNE	MAX	30	30	30	29	28	30	41	45	44	34	33	35	34	25	31	48	45	30	28	26	29	30	36	39	47	52	50	43	42	33	33	35.6
	MIN	- 6	- 4	-16	-11	11	- 8	0	- 6	5	22	14	5	- 1	-14	10	18	[illegible]	20	14	- 5	-15	-17	12	21	24	24	[illegible]	17	23	17	11	6.4
OLA 4 S	MAX	39	39	42	39	43	40	42	43	45	43	42	45	42	41	46	49	50	41	43	40	40	42	35	49	48	53	50	51	52	48	52	44.4
	MIN	3	5	6	15	24	6	11	6	20	21	24	20	22	21	20	22	22	24	19	24	13	12	24	32	33	37	28	30	34	32	23	20.4
OROFINO	MAX	42	43	48	47	47	57	57	54	60	52	53	53	54	57	54	55	56	54	47	47	47	54	49	55	64	62	73	67	52	55	50	53.7
	MIN	31	30	28	33	34	23	22	23	35	30	30	29	29	23	26	33	28	32	30	24	28	22	33	34	33	34	29	37	30	36	34	30.9
PALISADES DAM	MAX	38	33	31	29	32	37	42	39	39	37	34	29	35	34	38	41	38	36	35	31	32	29	24	34	36	41	43	51	49	41	41	36.4
	MIN	20	14	7	14	18	5	19	12	12	18	24	19	- 1	6	10	24	28	24	22	3	6	- 6	4	21	21	28	17	18	35	30	27	16.1
PARMA EXP STA	MAX	41		45	40	44	47	46	46	50	46	46	42	44	46	43	51	56	53	48	45	47	44	51	58	61	62	65	66	62	56	53	50.3
	MIN	20		23	29	24	28	30	23	30	28	32	21	26	21	33	34	24	34	28	28	23	20	24	34	40	34	27	41	35	37	33	29.1
PAUL 1 E	MAX	43	43	29	34	41	35	32	40	42	41	35	34	39	33	43	51	40	44	44	35	37	38	46	39	49	51	54	57	65	65	51	42.5
	MIN	9	20	12	5	22	9	12	15	13	15	27	22	12	6	10	30	29	29	23	12	19	14	17	24	32	34	29	30	34	33	26	20.1
PAYETTE	MAX	36	38	41	38	40	38	40	40	43	43	40	41	41	46	42	50	54	50	46	46	46	46	46	59	63	61	65	64	55	57	51	47.3
	MIN	13	23	16	30	27	23	24	19	28	32	33	23	29	26	32	34	30	37	28	21	25	23	29	36	41	40	26	38	34	36	33	29.2
PIERCE RS	MAX	34	40	33	40	38	38	45	51	48	40	40	35	43	43	48	47	49	48	43	38	40	38	43	35	42	40	53	59	46	40	44	42.6
	MIN	0	5	15	19	27	0	1	5	22	31	29	18	17	7	9	16	19	25	14	14	25	[illegible]	8	15	31	30	19	24	26	29	24	17.3
POCATELLO WB AP	MAX	32	25	30	32	32	35	36	34	38	39	29	34	33	35	39	41	38	40	31	29	33	29	34	42	43	48	48	53	47	44	43	36.9
	MIN	15	20	11	18	12	10	18	14	16	27	25	22	14	12	20	32	24	27	16	13	8	4	22	29	30	32	27	26	34	32	30	20.8
PORTHILL	MAX	33	40	40	42	42	42	38	43	37	42	45	42	42	45	47	46	43	45	42	40	46	43	47	52	58	58	62	58	48	47	49	45.3
	MIN	14	16	20	26	34	[illegible]	17	18	21	32	28	31	27	24	21	16	21	[illegible]	22	23	19	17	35	34	29	29	29	32	33	33	31	25.5
POTLATCH	MAX	37	39	38	38	40	48	45	47	40	45	42	50	44	47	50	50	47	42	40	39	42	45	49	56	62	57	65	54	42	44	42	46.0
	MIN	18	15	23	31	30	20	15	17	35	33	31	21	28	24	25	29	23	31	23	24	18	16	33	40	41	31	32	40	32	34	29	27.2
PRESTON SUG FACT 2 SE	MAX	35	34	[illegible]	35	39	33	43	40	40	40	39	33	34	38	39	44	44	44	41	33	31	31	32	40	42	43	43	46	48	46	44	38.8
	MIN	19	20	- 3	6	16	2	19	12	8	21	28	20	4	10	10	[illegible]	28	27	16	21	12	4	[illegible]	25	25	32	18	17	24	32	26	17.0
PRIEST RIVER EXP STA	MAX	37	39	37	36	36	45	48	42	37	40	42	40	38	46	47	48	44	44	38	40	44	45	49	54	57	57	59	47	42	47	43	44.1
	MIN	[illegible]	12	25	29	30	10	8	18	22	31	31	28	24	17	28	15	19	[illegible]	22	[illegible]	12	[illegible]	31	30	27	24	24	27	26	33	30	22.4
REACTOR TESTOMG STA	MAX	[illegible]	26	22	29	25	22	29	35	33	31	32	24	25	19	29	33	31	36	24	[illegible]	30	26	31	41	37	44	37	41	39	37	36	31.0
	MIN	14	5	- 1	5	13	- 1	2	- 3	2	20	22	13	- 1	-10	- 4	24	7	23	4	- 5	2	- 8	11	14	26	22	13	11	26	26	19	9.4
RICHFIELD	MAX	[illegible]	31	27	28	32	40	33	35	34	37	32	32	30	30	31	36	[illegible]	37	34	35	33	27	34	44	44	42	39	43	45	44	42	35.1
	MIN	14	17	-10	16	14	7	18	9	13	28	24	16	12	- 2	17	14	28	25	13	10	8	4	6	31	27	24	18	23	28	31	26	17.4
RIGGINS RS	MAX	47	[illegible]	53	48	50	55	54	54	54	53	45	39	50	52	53	54	55	57	50	42	42	45	51	44	54	53				53	50	49.7
	MIN	[illegible]	[illegible]	25	[illegible]	32	[illegible]	26	27	28	38	34	30	27	27	32	34	40	33	31	30	29	25	26	34	37	38	33	34	36	38	37	31.3
RIRIE	MAX	36	28	[illegible]	[illegible]	29	34	40	[illegible]							39	41	36	40	32	32	30	26	30	36	37	45	45	48	45	41	40	36.0
	MIN	19	[illegible]	[illegible]	[illegible]	22	12	[illegible]	9								[illegible]	22	26	21	8	8	2	15	25	21	24	24	25	33	31	28	19.0
ROLAND W PORTAL	MAX	32	[illegible]	[illegible]	31	31	[illegible]	44	39	[illegible]	40	35	35	35	42	41	42	41	37	33	34	37	39	37	42	46	49	57	50	35	33	35	38.4
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	20	[illegible]	[illegible]	15	27	23	24	23	18	15	22	21	20	26	14	10	16	7	26	31	32	27	26	32	25	28	22	21.2
RUPERT	MAX	42	[illegible]	[illegible]	35	40	37	[illegible]	[illegible]	38	42	32	35	38	33	40	44	42	45	43	37	35	34	35	38	48	51	53	57	61	52	48	40.7
	MIN	18	18	12	15	21	[illegible]	15	14	14	30	25	22	15	7	10	30	28	30	23	15	19	9	12	31	31	34	25	29	34	32	26	21.2
SAINT ANTHONY	MAX	[illegible]	33	[illegible]	[illegible]	[illegible]	35	[illegible]	37	33	34	34	31	38	42	42	45	39	41	32	31	28	27	27	36	36	43	42	44	42	43	38	36.1
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	3	5	4	18	24	20	6	- 5	2	28	25	25	21	[illegible]	9	- 6	3	15	19	20	13	27	27	26	10	13.2
SAINT MARIES	MAX	36	[illegible]	42	40	47	48	44	42	41	44	40	45	48	52	49	52	48	42	47	43	44	46	49	47	62	60	69	62	49	48	47	47.2
	MIN	[illegible]	22	7	27	30	13	14	19	32	30	30	27	24	20	23	30	31	31	21	24	31	16	33	33	35	28	28	26	33	32	30	26.5
SALMON	MAX	[illegible]	31	26	39	40	30	[illegible]	32	37	39	47	45	45	33	34	[illegible]	39	42	36	35	32	32	38	51	48	49	47	56	49	49	48	39.4
	MIN	6	- 7	-10	13	[illegible]	- [illegible]	- [illegible]	-10	6	25	23	15	10	- 2	6	2	10	23	15	11	10	5	21	24	32	28	18	21	28	25	23	12.5
SANDPOINT EXP STA	MAX	40	[illegible]	38	35	37	41	42	45	39	[illegible]	40	42	38	44	45	48	41	41	37	47	41	45	48	58	54	57	58	48	42	47	42	43.6
	MIN	[illegible]	[illegible]	28	[illegible]	31	[illegible]	17	[illegible]	24	26	31	31	27	14	30	16	24	32	14	28	17	14	32	35	34	28	26	29	29	33	32	25.5

See reference notes following Station Index.

DAILY TEMPERATURES

able 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HOSHONE	MAX	30	32	28	35	36	32	37	38	37	37	33	[illegible]	37	32	[illegible]	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	[illegible]	48	50	44	49	[illegible]	49	47	38.
	MIN	17	18	-3	19	22	11	22	14	14	30	24	14	13	5	20	[illegible]	[illegible]	25	16	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30	21	26	[illegible]	[illegible]	[illegible]	20.
PENCER RS	MAX	23	22	19	27	26	28	30	34	38	33	31	26	31	26	32	40	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	39	[illegible]	41	[illegible]	34	[illegible]	[illegible]
	MIN	11	6	-3	13	15	12	0	1	4	21	21	12	8	-4	2	21	[illegible]	[illegible]	20	-3	[illegible]		0	20	18	[illegible]	6	24	[illegible]	19	[illegible]	11.
PRINGFIELD	MAX	31	31	32	34	31	33	36	40	34	37	33	34	31	[illegible]	41	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	28	34	[illegible]	41	46	44	51	48	46	44	[illegible]
	MIN	15	16	-1	13	20	5	14	7	12	[illegible]	24	[illegible]	9	-2	9	28	[illegible]	27	21	[illegible]		[illegible]	11	[illegible]	[illegible]	[illegible]	21	24	30		27	16.
TIBNITE	MAX	26	31	29	27	30	32	35	41	43	44	43	30	26	35	33	[illegible]	[illegible]	[illegible]	43	[illegible]	30	29	27	[illegible]	[illegible]	42	43	42	[illegible]	42	[illegible]	35.
	MIN	-5	-4	-6	10	12	10	-2	0	-2	[illegible]	18	6	5	-4	2	16	[illegible]	11	[illegible]	-2	[illegible]	-3		8	[illegible]	27	10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
UGAR	MAX			38	34	28	32	40	40	39			31	34			42	48	42	[illegible]	[illegible]	45	28	[illegible]	[illegible]	[illegible]	46	45					
	MIN			5	14	15	4	-1	-1	7			18	2			[illegible]	20	28	[illegible]	0	6	-8	[illegible]	[illegible]	17	[illegible]	12					
UN VALLEY	MAX	37	28	28	29	31	32	41	37	38	31	31	27	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	27	40	43	[illegible]	46	38	[illegible]	41	[illegible]	47	[illegible]
	MIN	-4	8	-18	3	-5	-11	0	-4	1	21	20	-7	-1	-16	0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-3	27	[illegible]	25	-5	[illegible]	4	14	[illegible]	[illegible]
WAN FALLS PH	MAX	45	40	44	42	48	45	43	53	54	48	44	44	45	44	46	[illegible]	59	[illegible]	46	43	46	46	[illegible]	58	60	[illegible]	64	[illegible]	64	57	[illegible]	50.
	MIN	24	25	25	28	24	26	27	26	30	35	30	25	28	24	26	34	34	34	34	[illegible]	[illegible]	28	30	38	[illegible]	37	34	40	37	36	37	[illegible]
ETONIA EXP STA	MAX	35	30	25	26	26	31	[illegible]	36	32	37	33	31	35	27	38	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	[illegible]	[illegible]	[illegible]	40	47	45	40	37	33.
	MIN	[illegible]	3	-16	-9	-1	2	4	4	10	6	11	11	2	-1	-10	[illegible]	18	[illegible]	[illegible]	17	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	18	[illegible]
HREE CREEK	MAX	46	33	43	43	42	43	41	40	49	47	41	43	41	39	44	45	45	46	[illegible]	[illegible]	43	36	40	42	42	49	46	57	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	8	15	-8	17	7	9	26	21	11	30	9	[illegible]	1	0	24	[illegible]	18	[illegible]	[illegible]	[illegible]	[illegible]	10	[illegible]	[illegible]	[illegible]	[illegible]	17	16	26	[illegible]	[illegible]	[illegible]
WIN FALLS 2 NNE	MAX	31	32	36	40	38	36	38	40	42	39	36	40	39	43	47	42	47	46	[illegible]	37	[illegible]	[illegible]	40	[illegible]	[illegible]	57	[illegible]	[illegible]	59	52	48	43.
	MIN	22	20	9	16	26	12	24	20	22	32	28	33	18	17	26	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]	30	[illegible]	34	[illegible]	[illegible]	25.
WIN FALLS 3 SE	MAX	35	32	33	35	40	39	33	35	32	44	37	37	39	38	45	[illegible]	39	49	46	36	[illegible]	40	41	42	[illegible]	[illegible]	57	56	[illegible]	[illegible]	[illegible]	42.
	MIN	15	13	17	18	23	13	17	15	15	24	27	23	17	18	23	[illegible]	23	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]
ALLACE	MAX	40	34	39	37	38	44	45	43	42	42	35	41	41	45	45	45	46	[illegible]	[illegible]	[illegible]	40	43	43	49	47	[illegible]	[illegible]	45	41	41	40	42.
	MIN	26	24	25	24	22	16	16	19	31	33	31	28	18	18	25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	15	30	[illegible]	[illegible]	30	[illegible]	31	[illegible]	[illegible]	30	25.
ALLACE WOODLAND PARK	MAX	34	39	32	36	36	38	45	48	44	41	41	34	40	39		46	46	45	40	[illegible]	[illegible]	40	43		48	48	[illegible]	61	46	40	40	41.
	MIN	23	24	25	25	23	15	15	14	21	29	31	28	23	14		22	24	[illegible]	[illegible]	18	[illegible]	13	[illegible]		[illegible]	[illegible]	27	27	30	[illegible]	[illegible]	[illegible]
EISER	MAX	40	43	40	38	42	42	44	43	44	43	42	43	42	48	44	45	[illegible]	[illegible]	48	45	47	52	46	61	[illegible]	64	[illegible]	[illegible]	[illegible]	54	[illegible]	48.
	MIN	11	12	16	28	28	20	26	16	27	26	32	18	30	16	30	[illegible]	[illegible]	[illegible]	29	[illegible]	20	[illegible]	[illegible]	34	40	45	27	[illegible]	44	[illegible]	42	27.
INCHESTER 1 SE	MAX	30	32	36	36	36	36	41	40	40	40	40	30	33	41	42	43	[illegible]	41	[illegible]	[illegible]	[illegible]	41	45	47	49		[illegible]	[illegible]	40	40	[illegible]	40.
	MIN	5	7	19	25	18	14	10	10	24	32	26	13	22	11	20	27	24	[illegible]	10	13	[illegible]	[illegible]	14	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Table 7

SNOWFALL AND SNOW ON GROUND

Station		Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STATION	SNOWFALL	T	2.0			2.0		T				2.4	0.1	T			T	1.8														0.5
	SN ON GND	1	3	3	3	5	[illegible]	5	5	4	2	3	3	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T
ANDERSON DAM	SNOWFALL				1.0	1.0					-	-	T						-													
	SN ON GND	46	45	45	46	47	46	42	42	40	42	43	42	40	40	38	37	36	34	34	32	32	32	32	32	32	30	30	29	23	22	21
ARCO	SNOWFALL			T		3.0					5.0	2.0	T				-	-	-	T												
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARROWROCK DAM	SNOWFALL				2.3	2.4	T				0.9	0.5	T						T	1.6			T				T					
	SN ON GND	23	22	22	24	25	23	23	22	21	21	21	21	20	20	19	17	14	13	15	13	13	12	11	10	4	1					
ASHTON 1 S	SNOWFALL			1.0	1.5	1.5					2.5	6.0	3.0				T	0.5	0.5	0.6				4.0	4.0	T					0.5	1.0
	SN ON GND	43	42	43	43	42	36	35	35	35	38	44	47	46	45	44	42	41	42	42	42	41	40	46	48	46	45	44	40	38	37	36
TLANTA 1 E	SNOWFALL				2.0	4.0					4.0	2.0	T						6.0	5.0										2.0		4.0
	SN ON GND	47	46	46	45	47	46	44	43	43	45	45	45	44	43	42	41	40	46	51	51	50	50	50	49	47	47	47	46	46	45	47
VERY RS	SNOWFALL				3.0	1.0						T	0.5							0.5	3.0			3.0	1.0					T	T	
	SN ON GND	18	18	18	20	20	17	15	15	14	14	14	13	12	10	[illegible]	9	9	8	8	8	8	3	4	2	2	T	T				
IG CREEK 1 S	SNOWFALL					1.0					4.0	1.0	T	1.0			T		4.0	2.0	0.5	2.0		T	4.0					0.5	2.0	2.0
	SN ON GND	40	40	40	40	41	41	40	39	38	42	43	43	42	41	41	39	39	43	42	42	44	42	42	46	41	40	39	38	38	40	40
LACKFOOT	SNOWFALL	T	2.0			2.0					T	3.0	1.0						1.0													1.0
	SN ON GND	2	3	3	2	3	3	3	2	2	1	4	4	3	2	2	1	1	2	2	2	1	1	1								
OISE WB AP	SNOWFALL			T	1.5	T					0.1	6.3							0.7	0.5	T			0.1							T	
	SN ON GND					1						6	4	3	1	T			T	T												
ONNERS FERRY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	12	12	12	12	11	10	-	-	-	8	8	7	[illegible]	6	6	5	T	T	T	T	T	T	T	T	T	T					T
URLEY CAA AP	SNOWFALL	3.6	0.7		T	0.2					0.2	T	0.2				0.8	1.2	T	T										T	T	0.3
	SN ON GND	6	[illegible]	6	4	4	4	3	2	1	T	T	T	T	T	T			T	T	T											
ALDWELL	SNOWFALL				1.0	T						0.3									3.0											
	SN ON GND				T							T																				
ASCADE 1 NW	SNOWFALL				1.0	0.5					2.0	3.5	T				T		3.5	2.0				0.5	1.0						1.0	5.0
	SN ON GND	42	41	40	41	41	40	39	38	37	38	40	40	39	38	38	37	36	38	40	39	38	38	38	37	36	35	34	32	31	31	33
ENTERVILLE ARBAUGH RCH	SNOWFALL				6.0	6.0				T	7.0	13.0	0.1	T					4.0	5.0				T	1.0					T	T	1.0
	SN ON GND	49	48	47	51	54	52	50	49	48	50	58	56	55	54	52	49	49	52	54	52	51	51	51	49	48	46	45	44	43	42	42
OEUR D ALENE CAA AP	SNOWFALL	T	T	1.0	1.6	2.6				0.2		1.5	T	0.9				T	0.6	T	T		T	T						T	T	
	SN ON GND	15	14	14	15	17	16	15	15	14	14	14	14	14	12	12	12	12	11	11	11	10	10	10	10	10	8	6	2	2		
OEUR D ALENE RS	SNOWFALL	0.5		T	1.5	1.0						1.5		T						1.0	T			T							T	
	SN ON GND	18	18	18	18	18	17	17	15	14	14	14	14	13	13	12	11	10	9	9	9	9	8	7	6	5	3	2	1	1	T	T
OTTONWOOD	SNOWFALL				0.3	0.3						1.5							T	1.3	2.0											
	SN ON GND	9	9	8	8	9	8	8	7	7	7	7	6	5	5	5	5	5	5	6	8	8	7	7	1							
EADWOOD DAM	SNOWFALL			T	2.5	1.0				T	2.0	1.5	T	0.5	T		T		7.5	2.0	T	T	T	0.5	T	T			T	T	0.5	1.5
	SN ON GND	66	66	65	65	67	66	65	64	64	65	67	66	66	65	64	62	61	68	69	67	66	65	65	63	61	59	57	56	56	55	56
UBOIS CAA AP	SNOWFALL	T	T	2.2	1.7	1.4				T	4.0	1.3	0.3	T	T		0.7	T	0.1	T				1.7	0.9	T					T	
	SN ON GND	24	24	26	28	29	29	27	27	25	27	29	29	29	29	29	27	27	25	25	23	23	23	24	25	25	22	21	21	20	20	17
MMETT 2 E	SNOWFALL											4.0							T													
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-		-	-
NN RS	SNOWFALL		T		2.0						2.0	T							T	2.0	2.0			T	T							0.3
	SN ON GND	9	9	8	10	9	8	7	7	-	9	7	5	4	4	3	3	2	1	3	1	-	T	T	T	T						
RDEN VALLEY RS	SNOWFALL				4.0	2.0					0.5	2.0								1.0				0.2								
	SN ON GND	25	24	24	26	26	25	24	23	23	23	24	23	22	21	20	19	18	18	18	17	17	17	17	15	14	13	12	12	12	10	9

See reference notes following Station Index

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GLENNS FERRY	SNOWFALL					4.0																										
	SN ON GND	T	T	T	T	1	T																									
GOODING CAA AP	SNOWFALL	0.3	0.3		T	0.3					1.2	1.0	T				0.5		1.5	T				T								T
	SN ON GND	15	15	15	15	15	15	13	12	11	12	12	12	12	12	12	12	10	10	10	10	8	8	8	4	T	T	T	T	T		
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	5	4	4	4	4	3	3	3	3	2	7	6	5	4	3	2	2	3	5	4	3	2	1							T	
GRAY	SNOWFALL					2.0						6.0						2.0	1.0	2.0				4.0	8.0					4.0	2.0	1.0
	SN ON GND	36	36	36	36	38	38	38	38	36	36	38	38	38	36	36	36	34	34	34	34	34	34	36	38	38	38	38	36	36	36	36
HAILEY	SNOWFALL		T		T	7.5					6.0		T			1.0	T	T	4.0	3.5												T
	SN ON GND	47	46	45	45	50	49	47	45	45	51	50	49	48	47	48	47	46	47	47	47	46	46	45	43	41	38	36	34	33	31	29
HAMER 4 NW	SNOWFALL		2.0			2.0					3.0	5.0					1.0															
	SN ON GND	-	-	-	-	24	-	-	-	-	20	-	-	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HILL CITY	SNOWFALL					5.0	2.0				8.0	2.0	4.0				5.0		6.0	2.0												2.0
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY	SNOWFALL				2.0	3.0					2.3	2.5							4.0	2.0					1.5						T	1.0
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY 13 SW	SNOWFALL			3.0	2.0						5.0			T			T		4.5	2.0					4.5						1.0	2.0
	SN ON GND	66	64	62	60	60	58	56	54	51	52	52	52	52	52	52	52	50	54	54	54	53	51	49	51	50	48	46	45	44	43	42
IDAHO FALLS CAA AP	SNOWFALL	0.4	0.7	T	T	0.2		T		T	0.7	0.1	0.7		T	T	T	T	0.7	T				T	0.3	T	T				T	T
	SN ON GND	12	13	13	13	13	13	13	13	13	12	13	12	10	10	9	8	8	7	7	7	7	5	5	4	4	3	3	2	1	1	1
IRWIN 2 S	SNOWFALL					1.0						4.0					3.0							8.0	0.5	2.0					3.0	
	SN ON GND	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
ISLAND PARK DAM	SNOWFALL			2.5	2.5	6.0	2.0				4.0	4.5	3.5				T		6.5	5.5				7.0	4.0	4.0	1.0				0.5	0.5
	SN ON GND	-	-	74	75	79	75	-	-	-	75	78	79	-	-	-	75	-	80	84	-	-	-	84	86	86	87	-	-	-	75	74
LEWISTON WB AP	SNOWFALL					T								T					0.1	0.2	0.2	T										0.1
	SN ON GND																															
LOWMAN	SNOWFALL				1.3	2.2					0.5	1.4		T					2.5	2.1		T		T	1.5							
	SN ON GND	38	38	38	39	40	38	38	36	-	36	-	-	-	-	34	33	-	35	36	34	33	-	-	32	-	28	26	24	23	22	21
MACKAY RS	SNOWFALL		T		T	3.1					1.2	0.7	1.1			T	1.2		0.7													
	SN ON GND	-	20	20	20	23	23	22	21	20	21	21	22	22	22	22	22	22	22	22	21	21	21	20	20	19	17	15	14	13	13	12
MALAD CAA AP	SNOWFALL	4.8	0.4		T	1.2	T	T			0.7	0.1	T	0.2		T	1.2	0.7	2.0	T				3.1	0.7	T					0.3	T
	SN ON GND	21	21	21	21	20	18	18	17	17	16	16	16	16	16	16	16	15	16	16	15	15	15	17	17	16	14	13	13	12	12	12
MAY RS	SNOWFALL	0.2			0.4	2.1						4.0					0.5		T	0.1					T							T
	SN ON GND	5	5	5	5	7	7	7	7	6	6	8	7	7	7	7	6	6	6	6	6	6	6	6	5	4	3	2	1			
MC CALL	SNOWFALL				3.0	2.0					4.0	2.0	1.0						5.0	6.0					8.0	1.0						3.0
	SN ON GND	-	-	58	60	62	59	-	-	56	59	58	58	-	57	-	-	-	58	62	58	-	-	-	63	54	-	-	50	-	48	47
MESA	SNOWFALL				3.8	T					1.8	1.0													1.0							
	SN ON GND	-	-	-	38	-	-	36	-	34	34	34	-	-	30	-	28	-	26	-	24	-	-	20	20	18	-	-	16	-	-	14
MULLAN PASS CAA	SNOWFALL	0.3	T	1.2	2.0	0.5			T	4.5	1.5	5.3	1.6	T				0.8	4.4	0.2	0.4	T	T	1.6	0.4	0.9			1.6	1.2	3.3	2.2
	SN ON GND	115	115	116	118	118	117	117	117	117	123	126	125	125	120	120	118	115	118	117	117	117	117	118	118	119	117	115	115	115	116	117
OAKLEY	SNOWFALL	2.0	5.0			1.0					2.0	T						2.5	1.0	T												
	SN ON GND	2	3	3	3	3	2	1	1		2	1	T	T	T	T		T	1	1												
OBSIDIAN 4 NNE	SNOWFALL					1.0					2.0	3.0	T				T		2.0	T			T	T	T						1.0	T
	SN ON GND	41	41	41	41	42	42	42	41	41	43	46	45	45	44	44	42	42	44	44	44	44	44	44	43	42	41	40	40	38	39	39
PAYETTE	SNOWFALL				1.7								T	T					T													
	SN ON GND	3	3	2	2	T	T	T	T	T	T	T	T	T																		
PIERCE RS	SNOWFALL	1.0	T	T	4.0	3.0	1.0				T	3.0	2.0					T	2.0		3.0			1.0	1.0	T	T				2.0	3.0
	SN ON GND	47	45	45	49	51	51	47	46	44	42	45	47	45	43	43	42	41	43	42	45	45	43	44	45	43	42	40	39	39	41	44
PINE 2 SSW	SNOWFALL			T	1.5	3.0		0.5			5.0	0.3	T				T		1.2	1.0		T			0.3						1.0	1.7
	SN ON GND	56	55	55	55	56	55	53	52	51	54	53	53	52	51	50	49	49	50	50	49	49	48	47	45	42	40	39	38	38	38	37
POCATELLO WB AP	SNOWFALL	1.4	0.8	T	T	1.8		0.4			2.5	0.2	T				T	1.9	2.8	0.6				T	T						1.3	1.1
	SN ON GND	3	5	4	4	6	5	4	3	2	1	3	2	2	1	1	T	2	1	3	2	2	2	2	T	T						
PORTHILL	SNOWFALL									T			2.0	T					T	T									T			
	SN ON GND	7	7	7	5	4	4	2	2	2	2	2	2																			
POTLATCH	SNOWFALL				-	-					2.5								T													
	SN ON GND	1	-	-	4	1					2	-																				
PRIEST RIVER EXP STA	SNOWFALL			0.8	0.5	0.9				0.6	-	-	0.2	1.7					1.3	T	T			0.1						T	-	1.2
	SN ON GND	31	31	30	31	31	31	30	30	30	31	32	31	32	30	30	29	29	29	29	28	28	28	27	24	23	20	18	17	16	15	15
RIGGINS RS	SNOWFALL					T														1.0		T										
	SN ON GND																			1		T										
ROLAND W PORTAL	SNOWFALL		T	1.9	3.7	4.1	T				3.1	3.3	2.1	T	T				2.8	T	T	T		3.8	3.5	1.9			T	0.9	7.9	6.8
	SN ON GND	72	72	72	72	73	72	71	70	70	71	72	73	73	73	72	72	71	72	72	73	73	72	75	75	74	73	72	72	71	78	81
SALMON	SNOWFALL	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	9	8	8	8	9	9	8	8	8	8	10	9	8	7	7	7	7	7	7	7	7	7	6	6	4	T					
SANDPOINT EXP STA	SNOWFALL									T				1.0						2.0	T			T						T		
	SN ON GND	14	14	14	14	12	12	12	12	9	9	9	9	8	8	8	8	8	8	9	-	-	-	8	-	6	-	T		T		
SPENCER RS	SNOWFALL			2.0	6.0	7.0					6.0	6.0	T	3.0			3.0		3.0	2.0				3.0	6.0	1.0						
	SN ON GND	-		46	-	-	-	-	-	-	46	-	-	-	-	-	-	50	-	-	-	-	-	-	56	-	-	-	-	-	-	44
STIBNITE	SNOWFALL	T		T	2.0	3.0	T				2.5	3.4	1.0	0.5	T		T	T	4.5	4.0	T	T	T	T	T	7.0	1.0			1.0	0.8	2.5
	SN ON GND	44	43	43	45	44	43	42	40	39	41	44	44	43	41	40	40	39	43	43	42	40	39	38	37	42	38	34	33	32	32	32
SUN VALLEY	SNOWFALL		T			6.0		T			6.0	T	1.0			1.0	2.0		6.0	3.0					T					T	T	
	SN ON GND	54	54	53	53	58	56	54	50	49	54	-	56	54	54	54	54	53	56	56	56	54	52	51	50	48	47	47	46	45	43	40
SWAN FALLS PH	SNOWFALL																				3.5											
	SN ON GND																				4											
THREE CREEK	SNOWFALL	5.0	7.0		2.0	1.5					4.0		T				2.0	2.0	3.0	2.0	8.0	2.0	2.0	T								
	SN ON GND	8	12	5	7	9	6	6	4	3	7	7	7	6	6	4	6	6	5	7	15	17	15	15	7	6	5	4	4	T	T	T
TWIN FALLS 2 NNE	SNOWFALL	0.6	1.0		T	T					T	T	0.4				T	0.5	0.5	T	T											0.3
	SN ON GND	2	1	1	1	1	T												T													
WALLACE	SNOWFALL	T	T	T	T	T				T	T	1.0	T	T				T	T	T	T	T	T	T	T				T	T	1.0	1.0
	SN ON GND	13	13	13	12	12	11	11	11	10	9	10	10	10	9	9	8	7	7	7	7	7	7	7	6	6	5	4	3	3	4	5

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp	Precip		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S [illegible] EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN TRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	[illegible]	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	052[illegible]	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 5
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	[illegible]	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	21[illegible]5	6P	6P	MRS MARY L RALPH	2 3 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	TETONIA EXP STATION	
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	[illegible]411	6P	6P	MRS M E KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SADI FREI	
COUNCIL 1 N	2187	ADAMS	12	44 45	116 [illegible]6	[illegible]950	5P	5P	DAN GOODMAN	2 3 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	310[illegible]		6P	HARRY GRAHAM	3
DEADWOOD DAM	238[illegible]	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		MID	U S FOREST SERVICE	
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 16	114 41	8650		MID	U S FOREST SERVICE	
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
EDEN HUNT PROJECT	2821	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	11[illegible] 11	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	[illegible]569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	F T [illegible]	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY L GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	
LEWISTON	5230	NEZ PERCE	12	46 25	117 02			7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 37	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MCCALL	5708	VALLEY	8	4[illegible] [illegible]4	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	I A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		MID	U S SOIL CON SER	
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	61[illegible]4	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE B HENTZINGER	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA	6295	CANYON	2	43 35	116 34	2482	5P	5P	C W NELSON	CLOSED 11/20
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	7P	7P	WAYNE S SHAEFFER	CLOSED 9/[illegible]
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT I HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	6586	GEM	8	44 10	116 17	3075	5P	5P	DAISY V NEWELL	CLOSED 7/30
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	8A	8A	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BEDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE E BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	8A	8A	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	T I RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	F M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB AIRWAY OBS	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8819	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F [illegible]	2 3 5 7
SWAN FALLS POWER HOUSE	892[illegible]	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	90[illegible]9	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	92[illegible]	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9213	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	94[illegible]	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	94[illegible]	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9496	SHOSHONE	4	47 30	115 53	[illegible]950	8A	8A	ROBERT I SKANTEL	2 3 5
WEISER	96[illegible]	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
REACTOR TESTING STA	7536	BUTTE	[illegible]	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

STATIONS NOT FOLLOWED BY A TABLE NUMBER REFERENCE IN THE STATION INDEX ARE NOT PUBLISHED IN CLIMATOLOGICAL DATA BEGINNING WITH OCTOBER, 1951, RECORDS.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

APRIL 1952
Volume LV No. 4

SAN FRANCISCO: 1952

IDAHO - APRIL 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

April 1952 brought a rather abrupt change to spring in most of Idaho, after six months of subnormal temperatures. A few of the higher elevation stations in south central and eastern portions of the State still reported average monthly temperatures below the April mean, but all division averages were above the 55-year mean. Precipitation was below the April mean in all divisions, with the north averaging just over 50% of the mean and the southwest and southeast just under 60%. Deficiencies were particularly marked in Shoshone County, in the Clearwater Basin and in the Payette and Weiser River Basins. Average snowfall for the State was well below the 55-year mean with little or no addition to the record, or near-record, accumulations at the end of March.

Light precipitation occurred throughout the State on the 2nd and 3rd of April with subnormal temperatures on the 1st gradually rising to near normal by the 3rd. Warm, sunny weather from the 4th through the 6th was followed by cooler weather and widespread, though light, showers as a weak cold front, moving eastward, ushered in a mass of cool air from off the northeast Pacific. Fair weather accompanied by gradually rising temperatures prevailed from the 8th to the evening of the 13th. Showers moving eastward across the State during the following 36 hours were again accompanied by a change to cooler weather. Several stations reported snow during this period, with falls up to eight inches at some southeastern localities. The return to sunny weather was rapid and temperatures rose quickly, reaching levels 10° to 15° above normal on the 18th. The next brief period of showers, on the 19th and 20th, brought as much as 1/4-inch of rain to Northern Division stations, but left only scattered light amounts in the south. Temperatures dropped throughout the State, however, and recovered slowly despite sunny skies during the next few days. The week from April 21 to 27 was perhaps the most important of the month from standpoint of weather and its effects upon the economy of Idaho. Very little rain fell during the week, but temperatures rose to levels nearly 10° above normal by the 23rd, and averaged more than 10° above normal through the 27th. Rapid melting of snow at intermediate levels resulted, streams became swollen, and several rivers went over their banks. Cooler weather during the last three days accompanied a final spell of cloudy skies and light showers, but by that time the snow cover had disappeared at all but a few higher-elevation reporting stations.

Under the influence of the rather sudden change to mild weather early in April spring field work on Idaho farms and ranches progressed rapidly, and where earlier planting had been possible, crop growth was exceptional. Pastures and lower ranges improved rapidly and early fruit trees blossomed suddenly. There was, however, a delay in the arrival of spring over most of the south central and eastern portions of the State. There the generally higher elevations with their lower temperatures and longer persistence of snow cover, delayed field work until after mid-month. The unusually warm weather of the fourth week permitted field work to progress rapidly in all agricultural areas except those at the highest elevations. Freezing temperatures in the early morning were reported at many stations in the State on the final days of the month, but little damage resulted. In northern counties winter wheat appeared to be in excellent condition, but with disappearance of the snow cover on south central and southeastern fields, some loss was noted with indications that some replanting would be necessary.

No damaging storms were reported in Idaho during April.

FLOODS

As indicated in the Weather Summary, a spell of unusually high temperatures, persisting through the fourth week, brought rapid rises in streamflow over much of the State. Earlier warm spells near mid-month and the more prolonged later spell resulted in flooding on a number of streams.

The Snake River from the vicinity of Weiser southward to the mouth of the Owyhee, was over its banks from April 16th through the 21st and again from the 27th through the end of the month. Fed by extremely heavy runoff from the Owyhee and heavy discharges from the Boise, Payette and Weiser Rivers, the Snake at Weiser reached its highest stage since 1910. Damage in Idaho was comparatively light, being largely confined to some highway damage near the mouth of the Payette and damage to installations in the amusement park on Mortimer Island at Weiser. The Weiser River, which had experienced one flood crest on March 31st, was out of its banks again for several days at points near the mouth and also above Cambridge, Idaho. On the gage near Cambridge a stage of 7.68 ft. was recorded on April 27th. The highest on record there since 1939 was 8.30 ft. on March 31, 1940.

The Big Wood River, rapidly filling Magic Reservoir, overflowed the dam and the river banks below the reservoir in the early morning of April 23rd. By the 24th the water stage recorder below the dam was submerged, but subsequent determinations, based on high water marks, fixed the peak stage at 15.68 ft. on the 28th. That surpassed by more than 2 ft. the previous recorded high of 13.31 ft. on April 13, 1943.

The Little Wood River went over its banks near Carey on April 22nd, threatening to flood the village of Carey. Prompt action in building and reinforcing dikes prevented serious flooding in Carey, and diversion of much of the stream onto lava beds south of town averted serious flooding downstream at Richfield and Shoshone. Nevertheless, despite all efforts, considerable damage did result from high water on the two Wood Rivers. Canals, diversions, bridges, flumes and roads were damaged and some 2000 acres of farm land inundated. Preliminary estimates indicate damage to the extent of nearly a quarter-million dollars.

The Portneuf River, rising rather slowly, began spilling over its banks as early as the 15th at some points near Pocatello. The result was partial inundation of a golf course and of some farm lands, with at least one residence isolated by the flood waters. Overflow began at a stage of about 3.8 ft. on the Weather Bureau gage at Pocatello and by the close of the month the river at that point reached a stage of 4.5 ft. and was still rising.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5 30A MST	11 30A MST	5 30P MST	11 30P MST	Trace	01–09	10–49	50–99	1.00–1.99	2 00 and over	Total			
BOISE WB AIRPORT	SE	32	10.3	42	SE	27	67	44	33	59	3	2	2	1	0	0	8	74	5.4	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-	-	-	-	-	70	51	35	-	1	1	4	1	0	0	7		5.9	
POCATELLO WB AIRPORT	SW	21	6.5	34	SW	28	79	50	43	65	4	1	4	0	0	0	9	72	4.5	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days 01 or more
1894	44.1	97	[illegible]	1.73	-	8
1895	46.5	95	0	.67	-	3
1896	41.5	80	-10	1.59	-	9
1897	45.1	90	6	1.03	-	6
1898	48.3	94	4	.77	-	4
1899	43.0	84	3	1.38	3.3	6
1900	47.6	89	20	1.94	3.2	9
1901	43.2	84	-10	1.01	6.6	6
1902	44.2	87	6	1.20	1.5	8
1903	42.3	86	- 4	1.24	6.3	7
1904	46.2	91	0	1.22	3.0	6
1905	47.1	83	8	1.20	1.1	6
1906	46.5	96	0	1.14	2.5	5
1907	45.2	81	10	1.32	4.0	7
1908	47.1	92	- 6	.75	0.7	5
1909	41.6	80	- 9	.54	1.9	4
1910	50.8	100	7	1.44	1.3	6
1911	42.8	85	-11	1.20	4.9	7
1912	43.8	84	- 7	2.14	4.2	11
1913	46.2	87	0	1.00	0.9	6
1914	47.2	84	- 2	1.62	0.5	9
1915	51.3	95	18	1.43	1.5	8
1916	46.3	90	5	.94	0.8	7
1917	39.0	76	-10	2.14	7.2	10
1918	43.9	85	- 6	.84	1.3	4
1919	46.4	95	4	1.37	1.0	7
1920	40.4	78	-18	2.00	6.7	10
1921	41.8	83	-10	1.97	4.9	10
1922	39.8	79	-14	1.72	6.8	9
1923	44.0	88	0	1.89	0.9	10
1924	44.5	84	- 4	.52	1.1	4
1925	47.3	86	6	1.80	1.4	9
1926	50.6	96	-11	1.08	1.3	7
1927	43.1	95	-10	1.20	4.0	7
1928	42.4	86	-16	1.24	3.6	9
1929	41.5	80	-11	1.87	5.5	10
1930	50.8	89	10	1.55	0.1	8
1931	45.9	85	- 1	.89	1.0	5
1932	44.8	86	- 5	1.78	2.5	10
1933	42.4	86	-12	.85	2.3	6
1934	52.5	96	- 2	.75	0.5	5
1935	43.6	80	- 2	2.37	2.3	10
1936	46.8	96	-21	.98	2.2	7
1937	41.8	87	- 6	2.19	3.4	11
1938	45.6	86	-11	1.31	0.7	8
1939	47.9	98	- 1	.64	0.7	4
1940	46.6	87	8	2.09	0.4	11
1941	45.6	89	3	1.69	1.6	9
1942	46.6	89	- 3	1.39	1.7	8
1943	49.3	90	14	1.47	0.6	8
1944	44.0	85	1	2.26	3.6	11
1945	41.3	89	-11	1.05	4.4	6
1946	47.8	99	2	.86	1.1	7
1947	45.4	90	- 2	1.04	1.5	8
1948	43.4	87	- 9	2.01	4.4	12
1949	48.5	90	- 2	.54	0.2	4
1950	42.9	85	- 3	.94	1.6	7
1951	46.3	85	2	1.06	0.8	4
1952	46.6	94	- 6	.76	0.6	4

TEMPERATURE AND PRECIPITATION DATA IN THIS TABLE HAVE BEEN WEIGHTED ON AN AREAL BASIS.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	69.8	31.7	50.8	4.5	90	25	20	8	421	1	0	18	0	.45	-2.00	.26	28	.0	0		6	0	0
BAYVIEW MODEL BASIN	57.6	31.8	44.7		78	25+	21	8	573	0	0	19	0	.67		.39	28	.0	0		6	0	0
BIG CREEK 1 S	57.4	19.1	38.4	1.6	72	25	-3	1+	795	0	0	30	2	.48	-1.14	.20	19	6.0	40	2	3	0	0
BONNERS FERRY	67.1	33.3	50.2	3.5	87	25+	21	8	442	0	0	18	0	.94	-.12	.40	30		0		6	0	0
BURKE 2 NNE	53.6	27.4	40.5	2.0	68	25	14	1+	729	0	0	23	0	.72	-1.72	.40	28	T	63	1	7	0	0
CLARK FORK 1 ENE	63.1	31.1	47.1	0.2	81	24	20	8	531	0	0	20	0	1.03	-1.17	.57	28	.0	0		5	1	0
COBALT BLACKBIRD MINE	50.5	21.3	35.9		65	26+	0	1		0	1	28	1	.81		.31	7	5.0	38	1+	6	0	0
COEUR D ALENE CAA AP	61.4	34.7	48.1		83	25	23	8	501	0	0	12	0	.84		.42	30	.0	0		6	0	0
COEUR D ALENE RS	62.4	31.8	47.1M	0.1	83	18	21	9	537	0	0		0	.88	-.88	.49	28		T	1+	5	0	0
COTTONWOOD	62.8	31.7	47.3	3.9	82	25	20	1	523	0	0	17	0	.71	-1.39	.21	2+	T	0		6	0	0
ELK RIVER 1 S	65.4	26.7	46.1		80	26+	16	1+	562	0	0	19	0	.95		.30	28	.0	24	1	7	0	0
FENN RS	69.1	33.2	51.2	0.7	97	25	25	8	409	1	0	15	0					.0	0				
GRANGEVILLE	62.3	32.7	47.5	2.6	82	25	21	1+	518	0	0	15	0	1.56	-1.05	.37	14		T	7	7	0	0
KELLOGG	65.3	33.9	49.6	3.2	92	26	22	8		1	0	13	0	1.09	-1.08	.68	28	.0	0		7	1	0
KOOSKIA	72.9	35.4	54.2	3.6	94	25	23	8	324	3	0	8	0	1.31	-1.36	.51	14	.0	0		7	1	0
LEWISTON WATER PLANT	72.8	40.5	56.7	3.7	87	25	26	8	251	0	0	4	0	1.34	.22	.70	28	.0	0		6	1	0
LEWISTON WB AP	67.6	39.7	53.7	2.3	87	25	25	8	340	0	0	5	0	1.59	.45	.73	28	.0	0		6	1	0
MOSCOW U OF I	65.7	36.7	51.2	5.0	84	24	21	8	410	0	0	12	0	1.30	-.29	.62	28	.0	0		5	1	0
MULLAN PASS CAA	47.3	29.4	38.4	2.9	70	25	14	1	790	0	4	20	0	.38	-1.84	.13	2	2.7	116	1	5	0	0
NEZPERCE 2 E	62.4	35.4	48.9		83	25	23	8	476	0	0	11	0	1.39		.55	14	T	0		6	1	0
OROFINO	73.7	36.6	55.2M	3.8	94	25	25	8	300	2	0	7	0					.0	0				
PIERCE RS	57.2	25.4	41.3	-1.0	78	26	10	2		0	0	29	0	1.19	-2.19	.39	3	.0	40	1	8	0	0
PORTHILL	64.0	32.7	48.4	2.6	83	25	21	8+	495	0	0	19	0	.81	-.13	.30	3	.0	0		6	0	0
POTLATCH	65.4	33.5	49.5M	4.0	85	24	21	8	459	0	0	16	0	1.63	-.36	.56	28	.0	0		6	1	0
PRIEST RIVER EXP STA	60.5	27.5	44.0	0.1	84	25	13	10	623	0	0	24	0	1.34	-.57	.52	28	.1	14	1+	5	1	[illegible]
RIGGINS RS	72.2	40.4	56.3	3.7	92	25	27	8	268	1	0	3	0	.67	-.84	.28	7	.0	0		8	0	0
ROLAND W PORTAL	55.1	29.2	42.2	2.5	68	25	13	1	681	0	0	19	0	.93	-2.30	.37	28	T	76	1	6	0	0
SAINT MARIES	67.5	32.3	49.9	2.5	86	24+	21	8+	445	0	0	13	0	1.15	-.55	.76	28	.0	0		4	1	0
SANDPOINT EXP STA	60.6	34.5	47.6	1.6	83	25	21	8	516	0	0	15	0	1.09	-.80	.40	28	.0	0		4	0	0
WALLACE	64.4	31.2	47.8	2.0	85	25	20	8+	510	0	0	17	0	.74	-1.75	.32	28	.0	3	1	5	0	0
WALLACE WOODLAND PARK	60.3	29.3	44.8M	0.6	85	26	19	8+		0	0	21	0	.72	-1.68	.44	28	.0	1	1	4	0	0
WINCHESTER 1 SE	62.3	30.7	46.5	3.2	80	24+	18	8	544	0	0	15	0	1.17	-1.34	.38	28	.0	0		7	0	0
DIVISION			47.6	1.5										1.00	-.98			.5					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	56.9	23.8	40.4	1.3	75	24+	4	1	731	0	0	27	0	.67	-1.44	.28	2	T	35	1	5	0	0
ANDERSON DAM	59.2	33.3	46.3		79	27	21	1	554	0	0	11	0	.69		.33	14	.0	20	1	6	0	0
ARROWROCK DAM	65.2	36.5	50.9	2.2	82	25+	27	1		0	0	9	0	.61	-.98	.30	14	.0	0		4	0	0
ATLANTA 1 E	55.9	27.5	41.7	1.5	70	27	10	1	691	0	0	23	0	.91	-.74	.53	14	4.0	46	1	4	1	0
BLISS	69.0	35.8	52.4	3.6	86	27	25	1+	371	0	0	8	0	.48	-.37	.26	14	.0	0		4	0	0
BOISE LUCKY PEAK DAM			M		84	24				0			0	.68		.68	14	.0	0		1	1	0
BOISE WB AP //	66.2	38.7	52.5	3.4	84	24	24	8	376	0	0	6	0	1.08	-.10	.50	13	.0	0		5	1	0
BUHL	68.5	38.7	53.6M	5.0	82	24	26	8	339	0	0	5	0	1.02	.07	.90	14	.0	0		2	1	0
CALDWELL	70.9	36.6	53.8	2.9	85	24+	23	9	333	0	0	9	0	1.00	.06	.80	14	.0	0		4	1	0
CAMBRIDGE	64.6	34.8	49.7	0.5	84	25	30	7+		0	0	7	0	.58	-.92	.45	14	.0			2	0	0
CASCADE 1 NW	56.9	20.7	41.8		75	24	2	1	688	0	0	25	0	.32		.13	14	.5	31	1	6	0	0
CHALLIS	62.3	31.0	46.7M	2.4	73	23+	16	1	543	0	0	15	0	.45	-.13	.29	14	.0	0		4	0	0
COUNCIL 1 N			M		84	25				0	0		0	.75	-1.51	.35	2	T	6	1	5	0	0
DEADWOOD DAM	56.7	19.5	38.1	1.3	71	24+	0	1	801	0	0	30	1	.78	-1.18	.28	14	1.0	56	1	6	0	0
DEER FLAT DAM	68.8	38.2	53.5	2.9	86	25	22	9	344	0	0	6	0	.91	.09	.75	14	.0	0		3	1	0
EMMETT 2 E	70.9	37.0	54.0M	2.1	87	24	25	8	330	0	0		0	.72	-.32	.72	14	.0	0		1	1	0
FAIRFIELD	53.0	27.0	40.0M		74	25	6	1	753	0	0		0	.72		.20	14	1.5			5	0	0
GARDEN VALLEY RS	68.5	30.6	49.6	3.2	83	24	18	1	455	0	0	19	0	.62	-1.16	.38	14	T	9	1	4	0	0
GLENNS FERRY	70.4	36.3	53.4	1.8	87	24	21	1+	347	0	0	8	0	.60	-.16	.30	14	.0	0		4	0	0
GOODING CAA AP	64.1	36.9	50.5	3.1	81	24+	24	8	426	0	0	7	0	.61	-.33	.29	14	T	0		5	0	0
GRAND VIEW	74.3	38.6	56.5	4.2	88	26	23	9	256	0	0	7	0	.34	-.54	.24	14	.0	0		2	0	0
HAILEY	56.6	30.3	43.5	0.6	74	25	15	1	639	0	0	18	0	.57	-.58	.28	14	T	28	1	4	0	0
HAZELTON	66.6	35.0	50.8	3.0	81	24	23	9	417	0	0	7	0	1.11	-.16	.61	28	.0	0		5	1	0
HILL CITY	49.2	25.5	37.4	-2.8	72	27	10	9	821	0	0	24	0	.68	-.38	.26	7+	.0			3	0	0
HOLLISTER	66.3	36.3	51.3M	5.6	79	24			408	0	0		0	.57	-.61			.0	[illegible]		4	0	0
IDAHO CITY	64.1	25.7	44.9	0.7	80	24	15	1+	594	0	0	26	0	.74	-.77	.50	14	T			5	1	0
JEROME	67.1	34.8	51.0	2.4	82	27	21	9	418	0	0	11	0	.96	-.02	.33	14	.0	0		8	0	0
KUNA 2 NNE	69.2	36.1	52.7M	3.4	84	24	24	8	363	0	0	10	0	.85	-.20	.65	14	.0	0		2	1	0
LOWMAN	64.9	26.3	45.6M	2.5	80	24+	14	1	576	0	0	24	0	.72	-.90	.42	19	.0	20	1	4	0	0
MC CALL			M				8	1		0	0		0					3.0	46	1			
MERIDIAN 1 SSW	68.3	32.3	50.3	-0.1	83	27	18	8	432	0	0	17	0	1.00	-.11	.75	14	.0	0		3	1	0
MESA	63.5	36.5	50.0		82	24+	24	1	445	0	0	9	0	1.05		.49	14	.0	12	1	4	0	0
NAMPA 2 NW	69.0	37.8	53.4		88	27	24	9		0	0	8	0	.93		.65	14	.0	0		5	1	0
NEW MEADOWS RS	60.5	25.4	43.0M	0.8	80	25	9	8	654	0	0		0	.32	-1.37	.10	2	.0	25	1	5	0	0
OBSIDIAN 4 NNE	50.1	18.3	34.2	0.5	64	27	-6	1	915	0	0	30	1	.71	-.50	.33	28	1.0	39	1	7	0	0
OLA 4 S	67.6	33.4	50.5		85	24	23	8	427	0	0	13	0	.30		.12	14	.0	0		3	0	0
PARMA EXP STA	71.2	37.3	54.3M	2.5	86	24+	23	10	318	0	0	5	0	.94	.11	.67	14	.0	0		5	1	0
PAYETTE	69.6	37.8	53.7	2.4	86	24	25	[illegible]	334	0	0	6	0	.80	.00	.58	14	.0	0		4	1	0
RICHFIELD	62.3	32.5	47.4	2.4	80	27	16	1	521	0	0	15	0	.45	-.45	.25	14	.0	7	1	2	0	0
SHOSHONE	65.6	35.3	50.5	3.7	83	27	22	1	429	0	0	12	0	.79	-.17	.28	28	.0	0		8	0	0
STIBNITE	53.1	22.2	37.7		70	26	3	1		0	0	30	0	.35		.23	7	1.0	32	1+	2	0	0
SUN VALLEY	52.7	21.2	37.0	-0.8	71	27	1	1	835	0	0	29	0	.48	-.61	.33	14	.0	39	1	2	0	0
SWAN FALLS PH	72.5	42.2	57.4	3.4	87	27	30	1	240	0	0	2	0	.63	-.22	.53	14	.0	0		2	1	0
THREE CREEK	60.6	30.0	45.3		74	24+	14	1	584	0	0	19	0	.67	-.67	.27	14	.5	T	7	4	0	0
TWIN FALLS 2 NNE	68.2	35.1	51.7	3.6	83	24	22	9	394	0	0	8	0	1.01	-.10	.37	28	T	0		8	0	0
TWIN FALLS 3 SE	64.6	34.6	49.6	0.9	82	25	23	9		0	0	10	0	1.16	.09	.42	29	T	0		7	0	0
WEISER	70.7	36.6	53.7	1.3	87	25	22	8	338	0	0	9	0	.66	-.33	.52	14	.0	0		4	1	0
DIVISION			48.2	1.7										.72	-.50			.3					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	63.4	31.1	47.3	2.2	79	25+	21	9	525	0	0	18	0	.30	-.69	.09	14	T	0		4	0	0
ALBION	62.3	31.3	46.8	1.6	78	27	16	9	538	0	0	17	0	1.39	-.08	.70	14	T	0		4	1	0
AMERICAN FALLS 1 NW	61.2	32.6	46.9	1.4	77	25	22	1	534	0	0	17	0	1.01	-.31	.25	14+	5.0	2	20	6	0	0
ARCO	58.6	27.1	42.9M	-0.2	80	27	11	2	657	0	0	20	0	.05	-.67	.03	28	.0			2	0	0
ASHTON 1 S	53.0	27.9	40.5	-0.5	75	25	10	1	727	0	0	21	0	.30	-.86	.12	2	.5	35	1	3	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

ABLE 2 · CONTINUED

Station	Temperature									No. of Days				Precipitation				Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
BLACKFOOT	64.0	33.8	48.9	1.5	81	25	20	1	475	0	0	14	0	.67	- .29	.30	15	T	0		4	0	0
BURLEY	65.2	36.2	50.7	3.4	83	28	22	9		0	0	9	0	.95	- .20	.43	14	T	0		4	0	0
BURLEY FACTORY 1 NW	63.6	33.6	48.6	1.4	81	28	21	9		0	0	13	0	.98	- .46	.42	14	.0	0		5	[illegible]	0
BURLEY CAA AP	64.5	33.7	49.1	[illegible]	81	24	[illegible]	9	468	0	0	12	0	1.14	.38	.64	14	1.0	0		4	1	0
CHILLY BARTON FLAT	54.5	22.3	38.4	- 1.6	71	27	11	1+	791	0	0	28	0	.47	- .08	.24	28	1.0	0		4	0	0
CONDA	50.7	25.1	37.9	- 2.1	70	26	11	9		0	1	24	0	1.49	- .46	.81	15	10.5			6	1	0
DRIGGS	55.1	25.6	40.4	2.6	75	[illegible]	10	9		0	0	25	0	.66	- .52	.53	15				3	1	0
DUBOIS EXP STA	51.9	29.9	40.9	- 1.8	73	25+	[illegible]	1	716	0	1	19	0	.22	- .71	.16	14	T	28	1	2	0	0
DUBOIS CAA AP	54.8	29.6	42.2	- 1.7	76	[illegible]	[illegible]	1	675	0	0	17	0	.19	- .71	.12	14	T	15	1	2	0	0
FORT HALL IND AGENCY	60.9	29.9	45.4M	- 0.2	80	25	21	9	597	0	0	19	0	.76	- .35	.35	15	.0	0		5	0	0
GRACE PH	52.3	26.9	39.6	- 2.5	73	27	13	1+	755	0	0	24	0	1.19	- .19	.69	15	8.0	22	1	5	1	0
GRAY	53.8	24.8	39.3	1.4	[illegible]	[illegible]	[illegible]	1+	766	0	0	25	0	.52	- 1.11	.50	15	8.0	36	1+	2	1	0
GROUSE	52.5	19.8	36.2		70	[illegible]	- 3	1	855	0	0	27	1	.02	- 1.02	.02	20	.0	0		1	0	0
HAMER 4 NW	59.6	27.5	43.6	0.9	77	25+	10	1	637	0	0	22	0	T	- .71	T	14+	.0			0	0	0
IDAHO FALLS CAA AP	[illegible]	32.6	46.4	1.5	80	25+	14	1	550	0	0	13	0	.19	- .75	.18	15	T	1	1+	2	0	0
IRWIN 2 S	58.6	29.7	44.2	3.7	[illegible]	27	18	1+	620	0		19	0	.95	- .11	.82	14	4.5			2	1	[illegible]
ISLAND PARK DAM	[illegible]	18.3	34.7	- 1.8	[illegible]	25	0	9	902	0	0	29	1	.42	- 1.39	.13	8	2.0	74	1+	5	0	0
LIFTON PUMPING STA	49.6	27.4	38.5	- 1.6	73	27	12	1	788	0	0	20	0	.43	- .77	.18	8	T	12	1+	5	0	0
MACKAY RS	55.8	27.5	41.7	- 0.7	73	27	13	1	692	0	0	20	0	.41	- .25	.20	7	T			4	0	0
MALAD	58.5	33.8	46.2	0.9	78	25	25	4+	556	0	0	14	0	.78	- .77	.34	14	1.0			4	0	0
MALAD CAA AP	59.5	30.8	45.2		81	27	15	1	587	0	0	17	0	.59		.28	14	T	10	1+	4	0	0
MAY RS	61.8	28.3	45.1	0.6	77	25+	16	1+	[illegible]	0	0	22	0	.35	- .17	.30	28	.0	0		3	0	0
MC CAMMON	60.8	31.8	46.3		80	27	18	1	551	0	0	14	0	.72		.53	14	T	8	1	2	1	0
MINIDOKA DAM	61.4	36.4	48.9		78	27	25	1	474	0	0	12	0	.76		.35	14	2.0	0		6	0	0
MONTPELIER RS	51.7	25.6	38.7	- 2.2	76	28	12	1+		0	0	25	0	.93	- .68	.43	15		19	1	7	0	0
OAKLEY	64.2	34.7	49.5	2.7	80	27	21	8	457	0	0	13	0	1.47	.32	.78	14	.0	0		8	2	0
PALISADES DAM	59.1	30.2	44.7M		82	26	13	1	[illegible]	0	0	20	0	1.08		.75	15				7	1	0
PAUL 1 E	64.2	32.7	48.5	[illegible]	83	26	21	9		0	0	14	0	.96	- .19			1.0	1	15	4		0
POCATELLO WB AP	61.1	33.7	47.4	2.5	78	[illegible]	25	1+	[illegible]	0	0	12	0	.98	- .49	.36	15	1.9	T	2+	5	0	0
PRESTON [illegible] FACT [illegible]	60.4	32.4	46.4	[illegible]	79	26+	17	1	551	0	0	15	0	1.27	- .66	.72	15	1.5	4	1+	5	1	0
REACTOR TESTING STA	57.8	27.8	42.8		77	27	8	1	658	0	0	20	0	.03		.03	20	T			1	0	0
RIRIE	59.7	[illegible]	[illegible]		78	27	21	1	535	0	0	12	0	.98		.53	15	.6	0		3	1	0
RUPERT	63.5	33.6	48.6	1.6	82	28	22	9		0	[illegible]	16	0	.61	- .41	.28	14	T	T	14	4	0	0
SAINT ANTHONY	57.5	28.3	42.9		79	27	15	9	655	0	0	20	0	.21	- .85	.09	7	.0	10	1	4	0	0
SPENCER RS	50.3	24.7	37.5	- 0.3	71	25+	5	1	817	0	0	27	0	.05	- 1.45	.05	28	T			1	0	0
SPRINGFIELD	63.0	[illegible]	47.3	2.8	80	25+	18	1	527	0	0	17	0	.28	- .81	.12	14	T	0		4	0	0
SUGAR	58.1	27.1	42.6	- 0.4	[illegible]	27	11	1	663	0	0	22	0	.38	- .41	.20	2	.0	0		4	0	0
TETONIA EXP STA	50.7	21.4	36.1	- 3.6	72	29	10	9	861	0	0	27	0										
DIVISION			43.8	1.0										.65	- .48			1.2					
STATE			46.6	1.4										.76	- .61			.6					

DAILY PRECIPITATION

able 3

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.30		.06					T							.09	.07					.08											.
ALBION	1.39							.10							.70	.43													.16			.
ALPHA 1 NE	.67		.28					.05							.21														.04		.09	.
AMERICAN FALLS 1 NW	1.01		.14					.16	.03						.25	.18					.25											.
ANDERSON DAM	.69		.25	.02				.04							.33														.01		.04	.
ARCO	.05																				.02								.03			.
ARROWROCK DAM	.61		.11	.15				T							.30	.05													T	T		.
ASHTON 1 S	.30		.12					T	T						.08	.10																.
ATLANTA 1 E	.91		.08					T							.53	T				.04									.26		T	.
AVERY RS	.45		.05	.04				T					T		.03	.02				.05									.26		T	.
BAYVIEW MODEL BASIN	.67		.08	T			.05								.03	T				.03	T								.39	T	.09	.
BIG CREEK 1 S	.48		.10	T			T	.18	T						T	T				.20	T								T	T	T	.
LACKFOOT	.67		.08					.10							.19	.30																.
LISS	.48		.07					.05							.26									T					.10		T	.
OISE LUCKY PEAK DAM	.68														.68																	.
OISE WB AP //R	1.08		.23				T							.50	.31					T								T	.02		.02	.
ONNERS FERRY	.94		.22	.01			.03								.02													T	.26		.40	.
UHL	1.02														.90															.12		.
URKE 2 NNE	.72		.03	.05				T						T	.10	.03				.08									.40		.03	.
URLEY	.95			.07											.43	.16														.29		.
URLEY FACTORY 1 NW	.98		.11												.42	.16													.01	.28	T	.
URLEY CAA AP	1.19		.13					T							.64	.02					T						T		.40		T	.
ALDWELL	1.00		.16					.03							.80																.01	.
AMBRIDGE	.58														.45																.13	.
ASCADE 1 NW	.32		.03	.01				.06							.13														.02		.07	.
ENTERVILLE ARBAUGH	.78		.12					.02							.56					.02									T		.06	.
HALLIS	.45		T					.01							.29	.02													.13			.
HILLY BARTON FLAT	.47		T					.08							.	.15													.24			.
LARK FORK 1 ENE	1.03						.06	.18							.18	T													.57		.04	.
OBALT BLACKBIRD MINE	.81	.		.09				.31	.11						T							.05								.25		.
OEUR D ALENE CAA AP	.84		.07				T								.06					.02								.10	.17		.42	.
OEUR D ALENE RS	.88		.12	.02											.23	.02													.49			.
ONDA	1.49	.03		.05					.15							.81	.30					.15										.
OTTONWOOD	.71		.21					.06							.21					.04									.16		.03	.
OUNCIL 1 N	.75		.35					.							.20					.05											.15	.
ROUCH 2 NNW	.75		.25												.47														.01		.02	.
EADWOOD DAM	.78		.16					.18							.28					.02									.01		.13	.
EER FLAT DAM	.91		.12												.75																.04	.
RIGGS	.66								.12							.53														.01		.
UBOIS EXP STA	.22		T												.16														.06	T		.
UBOIS CAA AP	.19		T					T							.12	T	T			T									.07	T		.
K RIVER 1 S	.95		.15					.14							.05	.22				.05									.30		.04	.

DAILY PRECIPITATION

Table 3—Continued

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	.72														.72															T		
FAIRFIELD	.72		.17					.19							.20														.15		.01	
FENN R	-		.12					-					T		.09					.06									.04		.03	
FORT HALL IND AGENCY	.76		.12					.02							.26	.35					.01											
GARDEN VALLEY RS	.62		.11					.06							.38	T															.07	
GLENNS FERRY	.60		.10					.16							.30					T						T			.04			
GOODING CAA AP	.61		.08					.01						.02	.29														.21		T	
GRACE PH	1.19		.14					.13	T						.16	.69					.07											
GRAND VIEW	.34							.10							.24																T	
GRANGEVILLE	1.56		.19				.01	.27						T	.37					.21									.26		.25	
GRAY	.52		.02	T												.50																
GROUSE	.02		T					T													.02											
HAILEY	.57		.07					T							.28						.06								.16			
HAMER 4 NW	T														T	T													T			
HAZELTON	1.11		.10					T							.33	.04													.61	.03	T	
HILL CITY	.68		.16					.26							.26																	
HOLLISTER	.57														•												•		.50	.07		
HOWE	.23							T														.14								.09		
IDAHO CITY	.74		.16					.02							.50	.01															.05	
IDAHO CITY 13 SW	.72		.31												.33														T		.08	
IDAHO FALLS CAA AP	.19		T					T	T						.01	.18	T												T			
IRWIN 2 S	.95							.13							.82																	
ISLAND PARK DAM	.42		.10	.06					.13							.05														.08		
JEROME	.96		.09	.01				.01							.33	.03													.30	.17	.02	
KAMIAH 1 NE	1.23	T	.04	.17				.19							.10	.40				.07	.09							T	.14	.03		
KELLOGG	1.09		.03	.10											T	.18				.05	.01								.68	.04		
KOOSKIA	1.31		.23					.17							.51	.02				.21									.15		.02	
KUNA 2 NNE	.85		.20					T							.65					T									T		T	
LEWISTON WATER PLANT	1.34		.18					.07				T			.23					.14									.70		.02	
LEWISTON WB AP	1.59		.23				.11							T	.35					.14									.73		.03	
LIFTON PUMPING STA	.43		.01					T	.18						.15	T	T					.07									.02	
LOWMAN	.72		.17																	.42									.08		.05	
MACKAY RS	.41							.20	T						.04	.02					T								.15			
MALAD	.78		.15												.34	.27					T										.02	
MALAD CAA AP	.59		.09					T							.28	.20				T	.02									T		
MAY RS	.35							.01							.04														.30			
MC CALL	-		.10					.07												-											-	
MC CAMMON	.72														.53	.19					T								T			
MERIDIAN 1 SSW	1.00		.22												.75																.03	
MESA	1.05		.40					.04							.49	T															.12	
MINIDOKA DAM	.76		.13					T							.35	.06					.06								.06	.10		
MONTPELIER RS	.93	.03	T	.04					.18							.43	.03				.15	.07										
MOSCOW U OF I	1.30		.18												.13					.22									.62		.15	
MULLAN PASS CAA	.38		.13	T			.05	T				T			.06					T								T	.09		.05	
NAMPA 2 NW	.93		.12	.03				.10							.65	.03				T												
NEW MEADOWS RS	.32		.10					.04							.06					.09											.03	
NEZPERCE 2 E	1.39		.19					.12							.55					.18									.27		.08	
OAKLEY	1.47		.06	.02				.02							.78	.02					T								.50	.06	.01	
OBSIDIAN 4 NNE	.71		.03					.04							.26	T					.02								.33	.01	.02	
OLA 4 S	.30		.10												.12					T								T			.08	
OROFINO	-		.28					.07							.12					.11									-		-	
PALISADES DAM	1.08		.04	.06					.10						.08	.75	T					.03									.02	
PARMA EXP STA	.94		.14					.05							.67					.04											.04	
PAUL 1 E	.96			.10											•	.52														.34		
PAYETTE	.80		.14					.01							.58																.07	
PIERCE RS	1.19		.08	.39				.24							•	.15				.05	.09								.19			
PINE 2 SSW	.78		.21					T							.40					T	T								.11		.06	
POCATELLO WB AP //R	.98		.16					.20	T						.24	.36					.02						T		T		T	
PORTHILL	.81		.10	.30			.10								.06													T	.20		.05	
POTLATCH	1.63		.11												.17					.25								.24	.56		.30	
PRESTON SUG FACT 2 SE	1.27		.10						.20						.24	.72	.01															
PRIEST RIVER EXP STA	1.34		.41	T			.01								.13					T	T								.52		.27	
REACTOR TESTING STA	.03		T					T	T						T	T					.03								T		T	
RICHFIELD	.45		T					T							.25						T								.20			
RIGGINS RS	.67		T					.28							.04	.01				.16	.02							.04	.06		.06	
RIRIE	.98		.32					T	.13						T	.53				T									T			
ROLAND W PORTAL	.93		.18	.04				T							.19	.07				T									.37		.08	
RUPERT	.61			.08											.28	.09														.16		
SAINT ANTHONY	.21		.02					.09	.02							.08																
SAINT MARIES	1.15		.15												.19					.05									.76		T	
SANDPOINT EXP STA	1.09						T								.11														.40	.28	.30	
SHOSHONE	.79		.07	.01				.09							.26	.04					T						.01		.28		.03	
SPENCER RS	.05		T																										.05			
SPRINGFIELD	.28		.07					T							.12	.05					.04										T	
STIBNITE	.35		T					.23	.12						T	T					T									T		
SUGAR	.38		.20					T	.03							.14													.01			
SUN VALLEY	.48							T							.33						T								.15			
SWAN FALLS PH	.63		.10												.53																	
TETONIA EXP STA	-															-																
THREE CREEK	.67		T					.12							.27											.02	T	.26			T	
TWIN FALLS 2 NNE	1.01		.17					.02	.02						.33	.03											.05		.37	.02		
TWIN FALLS 3 SE	1.16		.06	.20					.03						.33	.08											.04			.42		
WALLACE	.74		.25					T							.07					.03									.32		.07	
WALLACE WOODLAND PARK	.72			.12												.08													.44	.08		
WEISER	.66		.08					.02							.52																.04	
WINCHESTER 1 SE	1.17		.16					.01							.34	.01				.19									.38		.08	

DAILY TEMPERATURES

Table 5

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	49	46	51	57	62	70	60	49	55	57	60	60	63	56	57	62	69	72	69	60	60	65	75	77	79	76	79	76	61	71		63.4
	MIN	23	28	31	26	27	30	38	30	21	27	28	29	27	33	33	39	33	31	33	31	35	24	28	34	32	40	37	38	36	30		31.1
ALBION	MAX	51	47	52	63	68	72	65	46	57	56	57	60	64	56	50	58	67	70	60	48	57	65	74	77	74	73	78	74	59	70		62.3
	MIN	18	30	35	23	24	30	42	22	16	23	23	38	28	32	31	39	27	31	38	31	38	22	31	33	35	47	37	41	40	33		31.3
ALPHA 1 NE	MAX	46	44	46	58	63	60	45	50	40	50	48	55	59	51	48	52	64	66	54	49	59	63	68	75	75	72	70	60	59	59		56.9
	MIN	4	28	25	15	17	20	30	15	16	20	14	20	24	31	31	20	21	22	29	31	23	22	25	28	27	34	33	38	24	28		23.8
AMERICAN FALLS 1 NW	MAX	49	47	51	50	62	67	64	46	47	53	58	57	63	59	50	60	66	71	69	57	55	62	73	72	77	76	73	72	60	70		61.2
	MIN	22	27	33	26	26	29	41	28	24	26	27	34	31	32	32	39	32	35	38	30	30	27	34	36	40	43	40	46	39	32		32.6
ANDERSON DAM	MAX	40	46	49	48	53	54	48	51	45	55	58	57	55	52	58	62	66	64	59	51	63	63	71	76	78	75	79	69	66	64		59.2
	MIN	21	31	28	28	29	31	35	24	23	25	25	33	33	36	33	32	33	35	39	36	34	34	36	39	41	44	41	44	37	38		33.3
ARCO	MAX	40	40	45	45	48	52	51	44	47	50	55		59	54	56	60	65	68			67	61	68	74	76	73	80	76	60	69		58.6
	MIN	17	11	15	17	17	19	30	24	15	21	27		25	34	36	33	30	29			33	21	28	34	36	38	40	39	36	29		27.1
ARROWROCK DAM	MAX	45	53	51	58	64	69	72	54	55	61	63	61	65	67	67	59	65	71	75	54	65	65	69	79	82	82	78	82	58	[illegible]		65.2
	MIN	27	29	31	32	34	36	42	31	28	30	31	32	36	37	33	33	37	40	44	34	34	37	40	40	49	49	46	49	34	39		36.5
ASHTON 1 S	MAX	37	37	33	43	45	48	46	40	40	45	46	45	49	42	45	47	49	59	63	51	53	57	65	72	75	73	73	68	72	71		53.0
	MIN	10	24	21	22	20	25	25	28	15	18	20	22	21	34	33	28	28	29	30	28	29	27	30	34	42	40	41	35	41	38		27.9
ATLANTA 1 E	MAX	42	40	46	46	58	60	54	44	49	53	51	53	55	48	50	55	63	62	59	51	57	58	64	68	69	67	70	68	57	59		55.9
	MIN	10	27	21	22	20	30	33	11	15	22	22	23	30	30	25	27	30	31	32	30	27	27	34	38	39	36	37	37	26	32		27.5
AVERY RS	MAX	52	51	46	71	75	76	[illegible]	[illegible]	62	65	[illegible]	67	[illegible]	[illegible]	[illegible]	74	78	83	77	64	70	73	77	87	90	82	77	76	68	68		69.8
	MIN	22	32	29	28	31	[illegible]	37	[illegible]	[illegible]	24	[illegible]	32	[illegible]	[illegible]	[illegible]	30	32	36	39	31	28	29	31	35	39	39	36	38	30	35		31.7
BAYVIEW MODEL BASIN	MAX	45	45	49	48	56	59	55	50	46	52	59	58	58	57	50	56	61	65	66	52	60	65	65	78	78	78	76	76	66	68		59.6
	MIN	25	34	26	28	30	31	32	21	22	24	29	30	29	34	39	29	32	34	43	30	28	27	35	38	43	42	40	40	32	28		31.8
BIG CREEK 1S	MAX	45	43	51	61	62	64	42	44	51	54	51	56	59	49	49	60	65	66	57	48	57	60	65	70	72	67	70	63	60	60		57.4
	MIN	- 3	20	21	13	13	23	29	- 3	5	12	10	21	20	30	32	20	20	21	25	20	17	14	20	23	23	26	26	29	24	22		19.1
BLACKFOOT	MAX	48	42	52	59	62	69	63	50	56	60	62	62	64	51	46	64	69	73	72	65	60	67	75	79	81	77	80	74	65	73		64.0
	MIN	20	31	30	24	26	30	43	29	23	27	27	34	31	34	31	37	33	34	43	32	34	29	37	39	46	45	42	48	40	34		33.8
BLISS	MAX	53	56	60	62	66	71	68	55	60	63	66	68	69	73	70	66	67	74	78	74	62	66	70	83	80	83	86	80	69	72		69.0
	MIN	25	35	30	31	33	39	37	25	25	30	29	35	36	38	37	39	30	35	39	38	37	36	45	35	40	46	48	48	37	36		35.8
BOISE LUCKY PEAK DAM	MAX								54	64	65								77	75				81	84	83			80				-
	MIN								24	32	35									45					50	51			46				-
BOISE WB AP	MAX	57	54	56	65	71	72	56	53	61	62	62	64	69	47	57	63	70	77	62	62	65	72	78	84	81	80	82	71	67	66		66.2
	MIN	33	39	32	35	40	40	33	24	32	33	31	32	42	38	33	34	39	48	38	33	35	44	46	51	53	52	51	41	30	50		38.7
BONNERS FERRY	MAX	55	45	47	61	73	73	63	51	57	63	63	67	67	67	62	70	73	80	80	63	69	68	72	80	87	87	72	72	63	63		67.1
	MIN	26	32	29	30	29	35	29	21	23	24	32	29	32	42	34	30	37	36	42	32	27	32	37	35	43	51	49	37	31	32		33.3
BUHL	MAX	56	53	56	60	71	79	73	68	60	62	60		70	64	57	63	70	78	76	58	63	68	78	82	80	78	81	80	70	73		68.5
	MIN	30	33	34	32	34	38	42	26	30	32	34		38	38	36	36	40	42	48	36	42	34	44	48	48	52	50	46	38	42		38.7
BURKE 2 NNE	MAX	41	40	37	57	60	56	52	40	46	51	46	52	56	51	47	57	59	65	55	48	55	56	59	67	68	58	63	59	52	56		53.6
	MIN	14	26	20	25	28	31	28	14	16	21	24	29	29	33	32	27	30	31	34	26	25	26	28	31	34	34	33	34	25	33		27.4
BURLEY	MAX	48	57	52	57	67	73	75	62	53	62	61	65	66	69	47	53	65	73	76	65	54	65	66	80	82	80	77	83	61	63		65.2
	MIN	25	32	33	28	32	36	42	28	22	29	29	38	34	33	35	37	36	37	46	35	37	31	41	42	43	50	44	50	41	39		36.2
BURLEY FACTORY 1 NW	MAX	48	55	49	55	64	71	75	61	50	60	59	62	62	69	45	56	62	70	74	63	50	63	69	78	80	79	74	81	62	61		63.6
	MIN	24	29	31	27	32	35	37	26	21	28	24	36	31	32	33	37	33	34	42	32	35	25	42	33	41	47	40	46	40	36		33.6
BURLEY CAA AP	MAX	55	50	56	64	70	75	60	50	59	58	61	63	68	55	54	62	69	74	62	50	61	67	78	81	80	75	80	61	62	75		64.5
	MIN	24	31	31	26	31	36	35	25	20	29	23	33	31	32	35	40	33	33	42	33	37	25	38	38	42	47	39	42	41	38		33.7
CALDWELL	MAX	60	61	61	68	75	70	63	68	65	66	67	70	73	67	61	68	74	80	75	65	69	75	80	85	85	82	85	75	68	67		70.9
	MIN	25	39	34	32	36	39	43	24	23	27	29	34	46	40	34	32	32	40	44	35	32	34	38	46	47	50	45	47	34	38		36.6
CAMBRIDGE	MAX	49	42	53	57	58	60	59	58	60	61	62	68	60	55	58	59	60	69	72	60	70	72	73	80	84	79	79	76	75	70		64.6
	MIN	36	37	31	33	35	31	30	32	33	35	42	39	37	34	35	37	30	32	33	34	31	33	34	35	34	42	39	38	36	35		34.8
CASCADE 1 NW	MAX	44	44	45	52	56	56	51	42	48	50	50	54	57	57	49	54	59	65	64	48	57	61	66	75	73	72	71	59	60	58		56.9
	MIN	2	31	30	19	21	26	30	16	19	18	20	26	27	32	31	25	24	25	35	32	25	25	29	30	31	37	35	40	27	33		26.7
CHALLIS	MAX	42	50	58	61		68	60	47	54	57	59	58	63	59	54	63	70	70	67	64	59	67	73	68	72	73	73	68	62	67		62.3
	MIN	16	22	29	26		27	36	18	21	25	26	33	30	37	37	31	31	35	35	34	31	24	33	36	34	41	40	40	36	34		31.0
CHILLY BARTON FLAT	MAX	35	39	47	48	51	55	52	41	42	50	51	53	51	44	46	57	63	61	63	53	54	56	64	67	70	67	71	67	55	62		54.5
	MIN	11	18	20	17	16	19	28	15	16	16	16	27	18	32	32	22	21	23	29	33	24	11	19	22	24	28	26	29	34	24		22.3
CLARK FORK 1 ENE	MAX	53	47	50	59	66	66	51	50	54	59	58	64	66	55	58	65	70	75	72	60	67	65	70	81	80	77	69	62	62	62		63.1
	MIN	27	31	27	27	27	31	35	20	21	22	27	29	30	39	37	27	32	32	40	29	25	27	34	32	37	39	42	41	27	36		31.0
COBALT BLACKBIRD MINE	MAX	31	40	45	46	53	58	58	44	40	45	47	46	54	49	39	39	52	56	60	52	38	48	55	61	62	65	63	65	52	51		50.5
	MIN	0	4	17	17	18	24	29	5	6	10	10	18	24	30	28	26	16	28	30	25	19	18	19	30	33	32	32	33	28	29		21.3
COEUR D ALENE CAA AP	MAX	51	49	47	59	71	70	46	49	51	60	58	62	63	51	56	64	69	78	59	60	65	66	70	79	83	68	69	54	60	56		61.4
	MIN	27	33	28	30	31	55	27	23	26	27	32	35	37	42	34	29	35	36	38	33	31	32	38	39	41	45	46	38	33	40		34.7
COEUR D ALENE RS	MAX	53	49	48	65	74	71	60	52	58	64	58	66	70	60	58	69	72	83	74									54	62	50		62.3
	MIN	24	32	28	28	30	35	34	22	21	22	29	35	32	42	34	30	36	36	42	36								40	32	32		31.8
CONDA	MAX	31	45	39	45	42	46	52	56	34	43	45	47	49	49	44	39	53	52	58	59	36	43	55	65	67	70	68	67	65	56		50.7
	MIN	12	15	25	17	17	21	29	20	11	17	22	21	20	27	29	30	20	22	29	30	29	24	25	28	33	35	33	41	34	36		25.1
COTTONWOOD	MAX	48	49	49	66	70	70	55	49	56	59	59	62	65	59	51	63	70	75	60	50	63	67	72	80	82	74	75	60	57	70		62.8
	MIN	20	33	29	28	37	38	29	22	23	28	30	26	32	38	32	32	34	38	33	25	26	31	36	37	40	45	38	32	25	35		31.7
COUNCIL 1 N	MAX	48	48	50	49													72	75	54	58	66	71	75	83	84	80	82	60	67	60		-
	MIN	19	32	28	27													35	40	40	35	35	31	35	42	40	45	47	38	35	47		-
DEADWOOD DAM	MAX	44	45	48	59	62	62	47	45	51	54	51	56	57	49	54	58	62	65	50	53	57	60	66	71	71	67	70	56	57	54		56.7
	MIN	0	24	20	12	13	17	31	8	8	12	13	19	21	30	30	19	19	20	24	27	17	17	20	23	22	25	26	28	19	20		19.5
DEER FLAT DAM	MAX	55	64	66	67	73	70	54	55	63	64	65	68	74	65	63	70	70	80	57	63	73	74	80	85	86	83	83	68	64	62		68.8
	MIN	26	36	34	30	44	40	40	26	22	24	30	34	52	45	36	33	40	34	36	36	34	36	41	46	50	49	48	48	48	47		38.2
DRIGGS	MAX	40	42	40	44	47	50	61	60	41	45	46	52	53	45	44	46	56	59	62	66	48	54	57	68	73	73	69	75	75	62		55.1
	MIN	12	23	27	17	16	25	32	20	10	12	20	20	19	22	32	31	29	26	28	30	31	22	25	29	31	35	34	35	38	38		25.6
DUBOIS EXP STA	MAX	32	35	37	38	46	45	43	40	35	41	47	51	43	41	43	51	55	57	61	60	50	57	65	69	73	71	73	71	61	66		51.9
	MIN	12	23	25	22	24	29	34	22	17	20	25	32	25	24	32	38	32	36	32	31	31	27	33	35	38	39	41	44	38	35		29.9
DUBOIS CAA AP	MAX	39	39	40	40	45	45	43	39	40	46	54	52	53	43	48	58	63	66	68	51	52	60	69	74	76	73	75	65	59	68		54.8
	MIN	9	23	23	21	21	26	31	20	17	22	24	29	28	32	36	35	30	34	35	34	35	27	28	35	41	39	41	40	39	34		29.6
ELK RIVER 1 S	MAX	51	50	48	50	60	65	60	55	74	72	60	60	60	55	55	65	66	65	62	60	60	69	68	70	78	80	80	70	68	65		63.4
	MIN	16	33	26	24	26	28	29	16	18	20	22	33	34	38	33	27	30	30	38	25	25	28	32	32	34	38	36	33	25	33		28.7
MMETT 2 E	MAX	60							57	64	66	65	68	74	67	60	67	74	79	70	65	68	75	80	87	85	83	82	66	72	68		70.9
	MIN	27							25	27	32	28	32	41	42	33	32	35	40	46	32	30	36	38	44	44	52	53	46	30	44		37.0
AIRFIELD	MAX	40	42	38	47		50	47	39	40		43	46	48	48				55	52	41			65	70	74	69	73	71	62	60		53.0
	MIN	6	25	23	13			30	19	9		13	24	20	32				27	33	31			26		51	41	38	41	32	34		27.0
ENN RS	MAX	50	54	58	69	72	66	52	64	65	69	61	71	74	56	60	72	77	80	78	61	70	76	79	87	90	80	82	73	70	57		69.1
	MIN	26	32	32	30	30	31	31	25	28	27	28	37	32	38	38	34	32	35	39	37	32	29	35	35	37	40	40	40	34	33		33.2
ORT HALL IND AGENCY	MAX	46	42	52	58	61	67	61	49	51	58	60	60	62	56	45	62	68	71		68	59	64	74	77	80				61	72		60.9
	MIN	22	28	30	24	24	28	36	24	21	25	25	31	27	34	32	38	32	33		32	32	24	32	35				37	40	32		29.9
ARDEN VALLEY RS	MAX	56	58	58	66	69	63	57	55	62	67	72	68	69	64	64	68	73	76	73	65	68	71	78	83	82	80	82	80	64	63		68.5
	MIN	18	32	32	25	26	29	38	23	23	26	24	27	33	38	33	29	31	31	38	33	28	28	30	34	34	39	39	39	28	30		30.6
LENNS FERRY	MAX	58	58	62	67	70	76	66	58	63	67	68	74	71	67	63	69	75	80	60	57	67	73	84	87	85	84	85	75	70	74		70.4
	MIN	21	38	28	31	37	35	40	28	21	28	24	39	41	40	36	30	33	38	46	37	35	33	37	50	44	47	42	49	37	43		36.3
OODING CAA AP	MAX	50	51	55	58	64	67	56	51	58	61	62	64	70	46	58	63	70	75	60	53	62	67	77	81	80	77	81	[illegible]	63	73		64.1
	MIN	25	33	32	30	35	37	32	24	26	33	30	35	39	37	33	35	39	42	42	34	39	35	42	48	49	50	49	44	36	42		36.9
RACE PH	MAX	38	35	47	46	45	49	50	36	42	47	48	50	52	46	37	47	55	59	64	43	50	53	63	68	71	68	73	66	60	62		52.3
	MIN	13	13	25	19	17	22	32	25	14	18	23	22	23	31	29	31	25	26	30	32	31	24	29	32	33	38	35	43	36	35		26.9
RAND VIEW	MAX	63	60	68	73	75	72	72	65	68	70	70	72	76	67	70	76	83	83	80	70	74	84	87	85	83	88	[illegible]	72	72	70		74.3
	MIN	26	42	27	29	41	39	44	32	23	29	32	35	44	42	39	33	34	39	53	40	34	33	38	40	46	49	55	54	35	51		38.6
RANGEVILLE	MAX	48	49	52	64	70	70	44	50	57	61	54	62	66	49	58	63	71	75	65	52	62	70	74	80	82	75	73	51	59	62		62.3
	MIN	21	31	30	30	34	39	25	21	25	28	29	35	35	37	34	31	35	39	32	31	27	34	35	40	44	47	40	30	27	36		32.7
RAY	MAX	48	39	38	36	50	48	58	38	36	48	47	50	51	47	53	52	52	50	60	56	49	51	61	62	65	74	70	80	85	60		53.8
	MIN	10	20	26	24	15	14	24	20	18	10	11	19	18	30	27	26	30	31	19	27	28	23	28	30	35	42	40	30	33	36		24.8
ROUSE	MAX	39	44	43	46	47	48	50	40	45	47	52	51	52	43	49	52	56	58	57	50	50	55	59	66	69	65	70	58	53	61		52.5
	MIN	- 3	10	7	9	8	7	27	18	4	10	[illegible]	22	15	30	32	23	19	20	24	32	30	13	20	25	27	36	29	33	33	26		19.8
AILEY	MAX	40	41	44	47	48	52	51	39	44	46	50	52	63	52	52	58	63	66	64	58	55	58	69	72	74	72	73	68	60	66		56.6
	MIN	15	29	21	25	26	31	36	21	19	23	26	29	30	32	29	31	33	34	35	33	30	28	32	37	38	40	37	40	35	34		30.3
AMER 4 NW	MAX	37	45	41	43	47	51	56	49	47	57	56	58	61	47	49	62	68	70	72	70	56	64	72	76	77	76	77	70	62	71		59.6
	MIN	10	22	25	17	14	22	30	22	16	22	20	26	23	30	37	29	29	30	31	33	36	26	28	34	31	37	37	36	40	32		27.5

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 Continued

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HAZELTON	MAX	57	51	55	63	70	76	73	50	60	60	62	64	68	62	55	62	69	75	72	55	62	68	79	81	80	75	80	79	62	73		66.6
	MIN	25	33	33	28	33	35	43	24	23	29	28	34	35	33	34	39	33	36	39	36	41	30	36	41	42	48	40	44	37	38		35.0
HILL CITY	MAX	34	43	38	45	48	48	45	40	41	44	45	46	44	45	44	44	47	50	47	43	52	54	58	53	64	69	72	52	59	63		49.2
	MIN	27	24	23	15	15	18	32	15	10	12	15	30	20	31	30	22	23	23	32	33	25	20	25	32	35	37	35	40	32	35		25.5
HOLLISTER	MAX									57	60	58	61	62	60	56	60	68	72	68	64	58	68	76	79	76	75	78	75	58	69		66.3
	MIN									22	22	28	29	32	34	31	32	34	36	37	34	40	32	45	47	47	48	44	43	38	43		36.3
IDAHO CITY	MAX	50	49	55	60	63	65	54	52	57	61	58	63	65	51	58	65	70	71	68	62	65	68	75	80	79	76	78	76	64	65		64.1
	MIN	15	30	21	19	20	23	33	15	16	19	19	20	27	32	28	24	26	27	32	28	23	25	27	30	32	37	34	37	25	28		25.7
IDAHO FALLS CAA AP	MAX	42	37	47	51	60	66	58	46	54	57	58	58	62	49	45	65	70	69	70	45	56	63	72	77	80	72	80	68	61	69		60.2
	MIN	19	27	28	25	26	29	37	28	24	28	27	32	29	36	34	35	34	34	36	36	36	27	34	36	39	46	42	42	40	33		32.6
IRWIN 2 S	MAX	38	40	46	42	57	60	68	50	48	52	53	55	55	54	58	58	59	65	69	52	55	59	68	72	75	73	77	70	63	68		58.6
	MIN	18	24	27	23	25	28	32	22	18	22	25	24	26	26	32	34	30	31	33	36	35	28	31	38	33	34	38	38	40	40		29.7
ISLAND PARK DAM	MAX	36	36	40	45	50	50	50	48	37	46	47	47	50	49	48	54	53	59	59	50	47	49	55	63	68	66	60	61	49	59		51.0
	MIN	8	10	22	10	8	16	21	10	0	7	9	15	13	16	28	29	19	20	20	29	28	17	18	20	22	25	26	24	33	27		18.3
JEROME	MAX	55	49	58	65	65	77	60	52	59	61	64	64	69	69	55	64	72	78	75	54	63	69	79	81	80	76	82	80	63	74		67.1
	MIN	24	23	32	27	35	37	41	24	21	31	26	32	37	39	25	34	31	40	39	35	35	35	39	43	45	48	43	48	36	40		34.8
KELLOGG	MAX	44	54	49	48	72	76	74	50	53	60	66	60	67	72	48	61	70	76	82	52	62	69	69	75	87	92	72	75	55	68		65.3
	MIN	27	33	30	29	31	35	37	22	24	25	29	34	33	42	40	32	35	36	43	31	29	31	35	37	40	46	43	40	30	37		33.9
KOOSKIA	MAX	56	55	57	76	82	78	67	60	65	70	63	73	74	61	65	72	77	86	83	63	74	79	80	92	94	92	81	77	71	65		72.9
	MIN	24	38	33	29	34	36	36	23	25	29	28	40	36	46	39	34	36	37	44	35	31	31	37	39	40	47	42	41	36	36		35.4
KUNA 2 NNE	MAX	58	59	58	64	73	72	70	54	63			67	73	67	58	65	72	78	75	62	66	73	78	84	82	81	83	68	68	67		69.2
	MIN	27	39	34	29	36	38	44	24	25			28	39	40	33	29	33	41	40	35	29	37	38	42	43	46	44	45	30	42		36.1
LEWISTON WATER PLANT	MAX	58	57	59	77	81	76	69	62	67	71	66	74	75	70	65	70	79	87	85	65	75	74	80	82	87	83	80	70	70	70		72.8
	MIN	27	42	42	33	45	50	42	26	29	32	33	40	45	47	39	36	41	45	45	37	34	39	41	44	48	54	49	43	36	51		40.5
LEWISTON WB AP	MAX	54	54	55	73	79	74	54	58	65	68	60	69	72	53	62	69	75	84	60	61	71	70	77	86	87	75	78	57	65	62		67.6
	MIN	29	40	38	37	46	48	32	25	29	32	35	38	47	45	36	36	42	49	41	34	35	38	41	48	50	54	48	40	34	45		39.7
LIFTON PUMPING STA	MAX	38	35	42	41	41	44	44	39	36	40	41	45	47	41	37	47	51	57	55	53	45	49	54	67	72	66	73	70	61	57		49.6
	MIN	12	15	27	15	13	16	21	28	14	18	24	19	19	28	30	32	26	28	28	33	34	33	30	34	33	41	41	45	41	43		27.4
LOWMAN	MAX	50	49	54	60	64	62	52	53	57	61	58	61	70	63	66	65		72	68	65	68	69	75	80	80	76	79	72	65	67		64.9
	MIN	14	30	28	20	20	22	33	16	17	20	20	24	27	35	33	27		27	30	33	24	25	26	29	28	32	34	35	27	26		26.3
MACKAY RS	MAX	36	37	48	44	48	53	53	41	46	49	54	54	54	47	49	60	65	62	63	58	57	58	60	70	71	72	73	62	65	65		55.8
	MIN	13	17	18	24	22	26	19	18	18	20	20	31	26	34	34	31	32	33	31	40	33	23	26	26	36	35	37	37	38	28		27.5
MALAD	MAX	46	39	51	49	51	58	61	41	48	51	58	59	61	44	42	56	66	69	67	49	58	62	71	75	78	74	71	68	67	66		58.5
	MIN	26	26	31	25	25	29	30	32	26	28	33	31	30	35	33	38	31	35	36	35	39	29	34	38	40	45	46	49	41	37		33.8
MALAD CAA AP	MAX	46	40	51	49	51	55	58	45	50	50	58	60	63	47	43	56	66	70	70	48	59	63	72	76	79	73	81	71	67	69		59.5
	MIN	16	22	26	19	17	22	31	25	19	27	32	30	29	37	33	37	31	32	35	37	36	27	31	34	36	42	41	46	40	34		30.8
MAY RS	MAX	45	47	54	59	64	70	52	47	53	57	52	58	62	55	52	63	70	70	67	60	59	65	73	76	77	76	77	65	62	68		61.8
	MIN	16	26	28	24	24	27	32	16	25	22	21	32	25	33	36	29	30	33	32	35	23	19	28	31	35	32	33	34	37	31		28.3
MC CALL	MAX	40	38	42	50	54	48	46	38	46	48	44	50	52	50	52																	–
	MIN	8	28	24	18	20	22	32	20	14	16	18	22	26	28	22																	–
MC CAMMON	MAX	42	42	49	48	50	56	60	56	60	56	57	59	59	51	41	54	67	69	69	66	59	61	71	74	76	74	80	76	72	70		60.8
	MIN	18	25	30	23	20	23	38	34	20	27	28	28	30	32	32	34	40	33	35	35	37	29	35	35	37	43	39	39	37	39		31.8
MERIDIAN 1 SSW	MAX	54	58	58	65	72	72	60	54	64	63	64	68	71	65	59	65	70	78	74	62	68	72	79	82	82	82	83	72	68	65		68.3
	MIN	23	35	29	25	32	37	40	18	19	25	22	24	40	36	28	25	29	32	41	29	25	32	38	46	45	44	40	41	28	42		32.3
MESA	MAX	47	48	49	55	59	58	48	54	56	62	58	65	62	55	58	65	76	70	72	62	65	70	75	82	82	77	79	65	66	64		63.5
	MIN	24	32	31	29	30	34	34	25	29	30	29	37	35	35	35	37	40	38	40	35	36	40	40	47	51	52	49	46	35	40		36.5
MINIDOKA DAM	MAX	50	47	52	55	62	68	59	50	53	52	60	67	64	45	52	61	68	68	66	65	59	65	73	72	71	70	78	59	60	70		61.4
	MIN	25	30	31	31	33	35	38	28	28	32	32	32	37	29	34	41	43	41	41	31	39	32	44	43	44	48	44	44	41	41		36.4
MONTPELIER RS	MAX	43	41	40	43	44	46	47	55	37	40	43	46	47	52	51	37	47	55	58	48	47	47	55	65	70	72	75	76	62	62		51.7
	MIN	12	14	16	17	17	18	24	26	12	19	[illegible]	[illegible]	21	29	29	30	25	25	35	30	30	31	27	30	30	30	33	40	37	38		25.6
MOSCOW U OF I	MAX	51	51	50	69	72	71	64	52	60	[illegible]	60	64	69	64	[illegible]	65	72	79	75	56	65	69	71	84	82	74	74	64	62	61		65.7
	MIN	30	36	30	36	44	49	32	21	26	25	31	33	46	40	32	32	41	49	37	28	33	32	33	46	53	48	46	37	30	45		36.7
MULLAN PASS CAA	MAX	32	32	30	51	55	52	55	31	40	43	39	47	54	40	39	50	55	59	50	40	50	48	52	65	70	51	55	38	49	47		47.3
	MIN	14	21	17	24	38	35	19	18	19	26	32	29	32	29	26	32	37	40	26	25	28	35	36	44	49	40	37	25	21	29		29.4
NAMPA 2 NW	MAX	53	60	60	61	71	80	72	54	57	65	66	69	66	69	53	60	68	75	85	62	65	69	76	80	87	84	88	84	62	70		69.0
	MIN	25	36	33	29	37	41	45	26	24	28	28	34	46	42	36	31	34	44	37	42	29	37	40	47	51	52	52	49	34	44		37.8
NEW MEADOWS RS	MAX	47	47	51	54	56	55	48	49	54	56				50		62	64	66	51	63			71	79	80	75	74	68	72	61		60.5
	MIN	11	21	24	16	15	21	31	9	12	15				35		23	24	34	33	26			25	31	31	39	37	39	22	36		25.4
NEZPERCE 2 E	MAX	47	49	49	66	72	70	53	49	56	58	51	63	67	63	53	63	69	77	62	51	64	67	70	81	83	70	72	56	60	60		62.4
	MIN	24	35	31	31	36	46	32	23	26	31	31	38	38	40	35	33	36	39	36	31	31	34	40	44	45	50	43	33	30	41		35.4
OAKLEY	MAX	52	49	56	61	68	74	67	63	58	57	58	63	65	56	51	58	67	71	65	51	58	68	76	79	75	75	80	75	60	71		64.2
	MIN	25	31	28	30	31	39	39	21	25	29	25	31	30	31	34	38	33	38	41	36	39	31	40	41	42	48	42	44	38	42		34.7
OBSIDIAN 4 NNE	MAX	35	41	46	51	51	51	45	43	50	48	51	56	46	42	43	52	56	51	49	44	50	50	56	54	61	55	64	60	51	52		50.1
	MIN	- 6	18	16	10	12	17	28	4	5	11	12	14	20	29	27	20	19	20	28	26	18	12	20	22	23	27	25	26	22	25		18.3
OLA 4 S	MAX	52	49	52	54	59	66	63	59	62	64	65	66	67	63	65	74	75	78	70	65	70	75	72	85	82	80	82	81	68	65		67.6
	MIN	25	25	29	27	29	33	40	23	26	27	31	32	35	34	31	30	29	40	39	34	36	39	36	40	39	41	41	40	34	38		33.4
OROFINO	MAX	57	55	58	77	82	75	65	60	67	79	72	74	75	67	65	69	70	88	84	64	76	75	80	93	94	89	80					73.7
	MIN	26	39	35	30	33	38	42	25	26	29	30	39	37	47	40	39	38	38	44	35	32	33	40	40	42	49	42					36.6
PALISADES DAM	MAX	41	39	45	43	52	58	59	53	48	53					58	56	62	63	67	67	51	55	66	70	73	82	74	68	69	65		59.1
	MIN	13	26	29	23	23	25	35	28	18	24					32	34	29	29	32	36	33	28	29	32	34	37	37	40	39	40		30.2
PARMA EXP STA	MAX	60	62	62	69	75		69	65	58	64	66	68	68	75	61	67	74	80	79		68	77	80	86	86	83	83	73	68	68		71.2
	MIN	25	41	35	30	41		44	41	28	23	28	33	36	41	35	33	35	40	34		34	33	38	43	43	50	47	48	33	52		37.3
PAUL 1 E	MAX	48	55	50	56	68	74	74	62	50	59	58	63	64	68	46	56	62	68	75	65	62	60	67	76	79	83	75	80	61	61		64.2
	MIN	24	30	31	27	31	34	36	24	21	25	25	29	29	32	33	37	33	33	38	33	34	26	38	37	41	44	39	43	39	36		32.7
PAYETTE	MAX	57	63	59	67	71	70	62	57	62	66	66	68	72	61	63	67	73	81	70	65	69	75	85	86	85	81	82	71	68	66		69.6
	MIN	27	41	37	31	35	39	43	25	27	30	34	34	42	42	36	32	35	39	46	39	35	34	36	44	45	51	47	45	35	49		37.8
PIERCE RS	MAX	39	48	44	50	58	62	56	45	48	56	59	51	62	54	41	52	62	65	72	43	53	62	65	65	76	78	72	73	42	62		57.2
	MIN	11	10	30	22	23	25	31	13	16	19	20	31	26	32	32	25	27	28	31	26	23	24	29	29	29	32	30	34	26	28		25.4
POCATELLO WB AP	MAX	47	45	50	58	61	67	61	47	54	56	58	58	62	56	50	60	67	69	67	42	58	64	73	75	78	74	78	67	60	71		61.1
	MIN	25	29	33	27	27	30	35	30	25	28	28	34	33	33	32	40	34	35	42	31	34	26	34	38	40	46	43	44	41	34		33.7
PORTHILL	MAX	46	45	44	58	70	68	55	50	54	59	58	65	66	66	62	66	73	76	74	61	68	67	72	78	83	81	67	61	64	62		64.0
	MIN	24	31	31	31	28	32	32	21	21	24	31	29	31	42	34	29	36	38	42	28	26	29	38	34	43	47	47	43	28	30		32.7
POTLATCH	MAX	52	50	50	71		70	63	51	60	62	68	65	72	60	57	65	71	80	70	58	68	65	72	85	82	71	70	63	64	61		65.4
	MIN	26	30	31	33		35	32	21	22	25	28	32	37	40	32	31	35	40	37	28	30	31	32	40	44	50	43	37	29	40		33.5
PRESTON SUG FACT 2 SE	MAX	45	43	48	48	49	55	59	54	50	53	56	57	58	54	44	53	65	69	71	70	52	62	70	75	78	79	79	79	68	69		60.4
	MIN	17	23	32	22	22	26	35	31	23	28	33	30	30	30	32	36	32	33	36	40	39	30	33	35	38	43	40	40	45	37		32.4
PRIEST RIVER EXP STA	MAX	47	44	41	61	66	56	45	48	52	59	56	62	65	52	57	63	69	76	57	62	65	64	69	79	84	75	64	60	60	56		60.5
	MIN	21	30	21	21	25	28	25	14	16	13	27	25	28	34	32	26	29	29	38	25	24	26	31	29	35	40	42	38	25	29		27.5
REACTOR TESTOMG STA	MAX	38	37	43	43	49	54	54	43	49	54	55	56	61	49	50	62	66	70	68	44	56	61	71	75	75	74	77	70	59	70		57.8
	MIN	8	17	18	17	18	23	30	23	19	23	21	31	26	35	36	29	27	27	33	34	35	23	26	32	37	45	40	39	35	28		27.8
RICHFIELD	MAX	39	46	50	49	53	58	56	48	52	55	59	60	66	62	57	64	69	73	72	57	61	64	75	77	79	76	80	77	63	71		62.3
	MIN	16	28	26	24	28	32	34	24	22	27	27	26	33	35	31	31	34	38	39	31	38	29	37	41	45	43	41	44	34	37		32.5
RIGGINS RS	MAX	57	62	65	75	79	75	70	55	64	67	62	72	70	70	60	69	78	81	79	57	74	76	82	88	92	86	84	81	68	68		72.2
	MIN	30	43	41	37	39	43	35	27	32	37	36	39	44	47	43	36	43	44	44	41	33	40	43	46	50	53	49	44	37	36		40.4
RIRIE	MAX	56	39	48	52	58	64	59	48	51	56	57	57	58	44	42	62	65	66	70	57	57	59	71	73	76	72	78	67	62	67		59.7
	MIN	21	30	30	29	30	34	42	25	23	29	26	30	30	36	33	33	36	36	40	36	36	32	36	39	42	42	44	41	41	40		34.1
ROLAND W PORTAL	MAX	42	37	38	60	62	59	56	42	49	54	53	56	56	48	51	59	62	66	46	52	54	59	62	66	68	62	67	52	58	56		55.1
	MIN	13	29	20	26	33	35	28	14	19	26	24	30	33	34	32	28	32	36	34	27	26	31	31	32	40	36	34	34	24	36		29.2
RUPERT	MAX	47	55	51	55	61	70	75	61	50	60	57	62	65	68	46	56	62	70	74	63	49	60	68	77	79	81	77	82	61	63		63.5
	MIN	24	30	30	27	31	34	38	25	22	29	26	31	31	31	32	36	32	34	40	33	32	30	36	41	44	47	40	46	39	37		33.6
SAINT ANTHONY	MAX	40	37	40	45	48	50	51	42	45	48	47	52	54	43	45	58	63	70	71	61	58	62	70	76	78	75	79	75	73	69		57.5
	MIN	22	26	22	20	19	21	31	23	15	18	18	18	23	29	35	28	28	31	32	36	37	25	30	35	38	37	39	38	39	36		28.3
SAINT MARIES	MAX	55	49	51	72	76	74	72	52	56	56	52	70	68	66	59	57	74	82	80	66	67	69	72	86	86	82	78	69	66	64		67.5
	MIN	24	33	30	29	30	34	34	21	22	25	32	29	33	40	35	29	34	34	35	37	29	30	33	37	38	47	43	39	21	35		32.3
SANDPOINT EXP STA	MAX	46	40	46	57	54	57	58	47	58	51	59	61	64	54	57	64	68	74	58	58	66	65	72	77	83	71	68	63	59	64		60.6
	MIN	26	32	27	27	49	32	33	21	24	41	29	29	32	41	39	29	33	35	43	29	26	29	37	37	46	48	50	41	29	41		34.5
SHOSHONE	MAX	46	50	58	56	62	66	60	59	54	60	64	65	69	58	61	66	72	76	64	52	65	69	79	81	82	79	83	74	65	74		65.6
	MIN	22	32	27	28	32	35	37	28	24	31	25	28	37	37	31	32	35	46	40	34	40	34	39	45	48	48	47	44	35	39		35.3

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SPENCER RS	MAX	37	38	42	42	46	48	48	38	40	46	43	46	43	41	33	44	46	50	56	55	43	51	65	69	71	70	71	66	56	65		50.[illegible]
	MIN	5	21	24	16	15	20	29	19	10	16	21	29	25	20	27	31	29	31	34	29	29	24	24	24	30	30	32	33	36	29		24.[illegible]
SPRINGFIELD	MAX	50	44	52	58	64	70	61	49	55	59	60	61	65	53	51	67	68	72	72	51	60	64	75	78	80	75	80	66	62	72		63.0
	MIN	18	27	38	25	26	30	39	30	21	26	27	24	28	33	33	38	32	32	35	32	36	24	29	35	36	42	38	43	38	30		31.5
STIBNITE	MAX	36	41	40	47	57	58	60	42	41	46	48	46	52	55	41	45	54	59	62	50	64	55	57	63	69	70	65	67	45	57		53.1
	MIN	3	12	20	18	19	25	31	4	11	16	15	20	23	30	27	21	24	26	24	21	23	21	26	30	31	32	31	32	24	27		22.2
SUGAR	MAX	41	38	45	42	45	51	53	44	42	48	54	54	57	55	45	62	66	68	71	61	56	61	71	76	77	76	79	70	66	69		58.1
	MIN	11	24	28	15	13	18	32	23	14	19	21	22	22	28	35	29	27	27	32	34	37	26	27	32	34	36	36	38	40	32		27.8
SUN VALLEY	MAX	42	39	44	50	53	55	50	41	41	47	51	45	53	45	44	48	52	53	55	48	52	53	61	66	68	67	71	69	56	62		52.7
	MIN	1	16	13	14	10	17	28	16	7	10	10	17	19	31	31	28	21	22	24	30	31	16	21	24	28	31	31	31	33	24		21.2
SWAN FALLS PH	MAX	60	60	64	67	74	74	70	58	64	65	66	71	74	70	70	70	77	80	79	64	70	75	85	86	86	86	87	84	70	70		72.5
	MIN	30	40	38	36	38	44	47	33	32	35	41	43	46	41	39	40	40	47	44	40	41	41	47	50	51	52	49	50	41	49		42.2
TETONIA EXP STA	MAX	34	35	45	41	44	55	56	40	39	41	43	46	54	45	35	40	54	52	62	59	40	45	50	55	60	68	71	70	72	70		50.7
	MIN	12	15	25	14	12	19	37	20	10	12	13	15	16	15	16	20	27	28	27	32	29	20	15	18	20	22	31	32	35	35		21.4
THREE CREEK	MAX	50	49	52	58	65	64	63	44	53	54	58	55	63	57	50	56	65	65	66	64	55	65	72	74	71	68	74	65	60	64		60.6
	MIN	14	27	23	24	24	35	30	18	19	25	28	25	32	33	30	25	30	27	30	28	35	25	34	42	46	44	35	40	33	39		30.0
TWIN FALLS 2 NNE	MAX	55	51	57	67	71	77	74	52	61	63	63	65	70	64	57	64	71	76	74	61	62	69	80	83	82	78	82	80	61	75		68.2
	MIN	23	33	34	28	32	34	42	25	22	27	26	38	35	38	35	36	33	34	44	37	42	40	35	39	42	47	40	45	38	39		35.1
TWIN FALLS 3 SE	MAX	49	54	53	58	67	72	75	57	52	61	63	63	65	69	46	58	63	72	75	60	53	62	69	80	82	79	76	81	61	62		64.6
	MIN	26	31	34	30	32	33	40	26	23	28	32	30	33	35	35	38	37	39	33	35	37	31	33	33	39	43	47	48	39	38		34.6
WALLACE	MAX	50	47	45	66	69	67	57	49	57	62	55	63	70	57	60	67	71	77	69	61	68	66	73	83	85	70	75	65	64	63		64.4
	MIN	21	35	27	28	30	33	27	20	20	23	27	31	33	38	34	28	32	34	42	29	27	24	31	35	39	40	39	37	27	39		31.2
WALLACE WOODLAND PARK	MAX	[illegible]	47	45	43	65	69	67	45	48	54	60		67	67	46	55	65	69	75	47	57	64	65	69	80	85	70	71	48	68		60.[illegible]
	MIN	21	22	26	28	29	29	34	19	19	21	23		29	29	37	29	29	35	38	28	26	26	29	33	36	41	40	38	26	28		29.3
WEISER	MAX	57	61	61	62	72	68	63	65	65	67	70	70	72	68	66	68	70	82	67	65	70	77	80	84	87	84	86	75	72	68		70.[illegible]
	MIN	38	38	36	28	31	36	43	22	26	34	28	30	40	41	33	32	40	35	44	40	38	32	36	40	42	46	54	43	30	42		36.6
WINCHESTER 1 SE	MAX	46	46	48	64	68	68	63	47	54	56	56	61	65	60	52	61	68	74	71	72	62	60	69	80	80	71	68	60	60	60		62.[illegible]
	MIN	19	32	27	31	34	45	26	18	21	25	26	28	33	35	29	28	35	40	35	27	26	29	32	35	40	4[illegible]	35	30	24	35		30.7

EVAPORATION AND WIND

Table 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ARROWROCK DAM	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	.62	.21	.23	.20	.21	.26	.14	.18	.18	.24	.23	.32	.27	.27	.26	.15	.19		-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	90	85	66	34	32	58	108	49	38	40	18	41	40	44	36	59	32		-
LIPTON PUMPING STATION	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.03	.18	.21	.10	.11	.16	.19	.20	.25	.21	.30	.29	.18		-
	WIND	35	10	84	28	11	10	55	215	42	12	35	20	20	75	118	75	34	20	29	162	133	91	29	39	38	53	47	95	170	125		1910
MINIDOKA DAM	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.19	.36	.24	.29	.27	.25	.20	.09	.24		-
	WIND	130	140	220	90	160	130	110	170	70	110	70	120	120	200	260	110	45	85	140	250	70	60	100	120	120	70	30	120	160	90		3670
MOSCOW U OF I	EVAP	.06	.04	.09	.14	.21	.17	.23	.10	.04	.25	.10	.11	.16	.05	.07	.13	.12	.24	.13	.08	.18	.15	.14	.24	.26	.24	.25	.07	.13	.08		4.26
	WIND	110	60	82	58	60	72	114	20	40	17	41	35	51	150	30	22	30	61	181	32	47	29	17	53	40	80	43	110	52	48		1785
PALISADES DAM	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.13	.20	.17	*	.29	.15	.19	.21	.25	-	-	-	-	-		-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-

SNOWFALL AND SNOW ON GROUND

Table 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STATION	SNOWFALL														T						T											
	SN ON GND																															
ANDERSON DAM	SNOWFALL																															
	SN ON GND	20	18	17	16	15	11	10	8	7	6	4	3	[illegible]																		
ASHTON 1 S	SNOWFALL		0.5																													
	SN ON GND	35	34	33	30	28	24	22	19	15	12	11	10	9	8	6	5	4	3	2												
ATLANTA 1 E	SNOWFALL		T												4.0																	
	SN ON GND	46	45	45	44	42	41	40	38	36	35	33	31	30	[illegible]	27	[illegible]	24	23	[illegible]	20	[illegible]	16	[illegible]	[illegible]	8	4					
BIG CREEK 1 S	SNOWFALL		2.0					1.0												3.0												
	SN ON GND	38	40	37	34	33	32	33	30	30	28	27	26	24	23	[illegible]	20	18	15	18	[illegible]	12	10	[illegible]	[illegible]	3						
BLACKFOOT	SNOWFALL																															
	SN ON GND																															
BONNERS FERRY	SNOWFALL		-		-	-	-				-																					
	SN ON GND																															
BURLEY CAA AP	SNOWFALL														1.0						T											
	SN ON GND																															
CASCADE 1 NW	SNOWFALL		0.5	T											T																	
	SN ON GND	31	[illegible]	[illegible]	27	25	24	[illegible]	[illegible]	21	19	18	[illegible]	[illegible]	14	[illegible]	10	8	6	[illegible]	4	2										
CENTERVILLE ARBAUGH RCH	SNOWFALL		1.0												[illegible]														T			
	SN ON GND	40	[illegible]	38	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26	24	[illegible]	[illegible]	[illegible]	17	14	[illegible]	10												
COBALT BLACKBIRD MINE	SNOWFALL	•		3.0						1.0												1.0										
	SN ON GND	38	38	38	38	36	34	29	29	29	27	25	24	21	[illegible]	16	[illegible]	[illegible]	7	[illegible]												

See reference notes following Station Index

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
COEUR D ALENE RS	SNOWFALL			T																												
	SN ON GND	T	T	T	T																											
DEADWOOD DAM	SNOWFALL		1.0					T							T																	
	SN ON GND	56	55	55	54	52	50	48	47	45	43	42	42	39	39	38	37	36	35	34	33	32	30	29	29	27	26	25	24	23	22	
DUBOIS CAA AP	SNOWFALL		T					T							T																	
	SN ON GND	15	14	13	12	10	10	5	3	2	T	T	T																			
GARDEN VALLEY RS	SNOWFALL							T																								
	SN ON GND	9	8	6																												
GOODING CAA AP	SNOWFALL		T																													
	SN ON GND																															
GRAY	SNOWFALL															8.0																
	SN ON GND	36	36	36	36	36	34	34	34	34	34	30	30	30	26	34	34	34	34	30	24	24	22	20	20	15	10	6	6			
HAILEY	SNOWFALL		T												T						T											
	SN ON GND	28	27	26	23	21	19	17	16	15	13	9	6	4																		
IDAHO CITY 13 SW	SNOWFALL		1.0												T																	
	SN ON GND	40	38	37	36	34	32	30	28	26	24	22	20	17	14	11	8	5	3	2												
IDAHO FALL CAA AP	SNOWFALL		T					T	T							T																
	SN ON GND	1	1																													
IRWIN	SNOWFALL							1.5							3.0																	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ISLAND PARK DAM	SNOWFALL		T	T					1.0							1.0																
	SN ON GND	74	74	72	-	-	-	-	62	-	-	-	-	-	-	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	
LOWMAN	SNOWFALL																															
	SN ON GND	20	18	17	16	14	13	12	11	-	8	6	4	-																		
MACKAY RS	SNOWFALL							T	T																							
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
MALAD CAA AP	SNOWFALL		T													T					T											
	SN ON GND	10	10	9	7	6	5	3	2	T																						
McCALL	SNOWFALL		3.0																													
	SN ON GND	46	42	40	38	-	36	33	28	26	25	24	21	20	16	16	15	14	10	8	5	2	2									
MESA	SNOWFALL																															
	SN ON GND	12	-	8	6	5	-	2	-																							
MULLAN PASS CAA	SNOWFALL		1.3	T				T				T			0.6					T									0.5		0.3	
	SN ON GND	116	114	114	113	110	104	104	104	102	101	99	96	94	90	88	83	81	78	77	76	74	70	65	58	49	41	37	36	35	30	
NEZPERCE	SNOWFALL		T																										-			
	SN ON GND																															
OBSIDIAN 4 NNE	SNOWFALL		T					T							1.0						T											
	SN ON GND	39	38	37	35	33	32	32	32	31	30	29	28	26	27	25	25	23	22	19	17	17	15	15	13	12	9	6	5	T		
PIERCE RS	SNOWFALL																															
	SN ON GND	40	39	39	37	35	32	30	30	28	25	23	21	17	15	15	14	13	10	6	4	3	3	2								
PINE 2 SSW	SNOWFALL		1.3																													
	SN ON GND	36	36	34	33	32	30	29	28	27	26	25	24	22	20	18	16	14	12	10	9	8	7	5	3	1						
POCATELLO WB AP	SNOWFALL		0.3						T						T	1.6					T											
	SN ON GND																															
PRIEST RIVER EXP STATION	SNOWFALL		0.1	T																												
	SN ON GND	14	14	13	12	8	7	6	5																							
ROLAND W PORTAL	SNOWFALL		T	T																T									T			
	SN ON GND	76	73	72	67	63	60	60	59	56	52	49	48	44	40	36	34	32	27	24	22	20	15	13	10	4	1	T	T	T	T	
SPENCER RS	SNOWFALL		T																													
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
STIBNITE	SNOWFALL		T					T	1.0						T	T					T											
	SN ON GND	32	[illegible]	31	28	20	17	14	13	10	8	4	T																			
SUN VALLEY	SNOWFALL																															
	SN ON GND	39	38	37	34	33	31	30	29	29	29	28	26	24	22	20	19	17	13	11	10	8	6									
THREE CREEK	SNOWFALL							0.5							T																	
	SN ON GND							T																								
WALLACE	SNOWFALL																															
	SN ON GND	3	2	2	1	1	1	T	T	T	T	T	T	T	T	T	T	T	T	T												

See reference notes following Station Index.

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0373	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUIN	
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 5
BOISE WB AP	1022	ADA	2	43 34	116 13	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	
CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	TETONIA EXP STATION	
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	
COUNCIL 1 W	2187	ADAMS	12	44 45	116 26	2950	5P	5P	DAN GOODMAN	2 3 5
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		MID	LEWIS I PHILLIPS	
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		MID	U S FOREST SERVICE	
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	
DRIGGS	2676	TETON	12	43 43	111 07	[illegible]	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	2 3 5
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	[illegible]		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	[illegible]		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	[illegible]		MID	RODNEY H TOBIAS	
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6

Station	Index No	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
LOLO PASS	5356	IDAHO	3	46 38	114 33	5200		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES [illegible] CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	[illegible] 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	442[illegible]	7P	7P	[illegible] ROWTHER	2 3 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	448[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 38	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5
MCCALL	5708	VALLEY	8	[illegible] 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MCCAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FREI LINDENSMIT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		MID	U S SOIL CON SER	
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2828	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE H BENTZINGER	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5
NAMPA	6295	CANYON	2	43 35	116 34	2482	5P	5P	[illegible] W NELSON	CLOSED 11/50
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	[illegible] 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6421	LEWIS	3	46 14	116 14	3082	7P	7P	WAYNE S SHAEFFER	[illegible]
NEZPERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	[illegible] 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA	6586	GEM	8	[illegible] 10	116 17	3075	5P	5P	DAISY V NEWELL	CLOSED 7/30
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	8A	8A	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	
POCATELLO WB AP	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7284	BOUNDARY	5	[illegible] 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	[illegible] M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD [illegible]	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F HUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	ALVIN F LARSEN	2 3 5
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	F W JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	[illegible] 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	[illegible] 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXPERIMENT STA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L F TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT L SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T [illegible]ENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

STATIONS NOT FOLLOWED BY A TABLE NUMBER REFERENCE IN THE STATION INDEX ARE NOT PUBLISHED IN CLIMATOLOGICAL DATA BEGINNING WITH OCTOBER, 1951, RECORDS

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables, 3,5,6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Statio Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on grou values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of n snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station ha been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, Ju and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summar Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regardi subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

[illegible]

CLIMATOLOGICAL DATA

IDAHO

MAY 1952
Volume LV No. 5

SAN FRANCISCO: 1952

IDAHO - MAY 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

With statewide average temperature 1.1° above that of May 1951, and 1.3° above the long-period mean for May, this was a month of generally pleasant weather in Idaho. The average number of rainy days was about normal for the month, with average precipitation for the State as a whole about ninety percent of the May mean. Considered by divisions, however, total precipitation presents a different picture. In the Northern Division large deficiencies in the far north were more than offset by large excesses in and near the Clearwater Basin, resulting in a division average a little above the mean. The Southwestern and Southeastern Divisions both showed averages somewhat below the mean, yet in both divisions there were stations, mostly at higher elevations, with substantial excesses. In the area drained bv the Snake River and its tributaries, from the mouth of the Boise River upstream, most stations showed precipitation deficiencies. This was particularly noticeable in the areas drained by the Lost River, Henry's Fork, and the Snake from the vicinity of American Falls upstream to its junction with Henry's Fork. Indications are that sunshine was a little below normal in southern Idaho, but above normal in the northernmost part of the State where precipitation was relatively light. Relatively strong winds, typical of the season, were reported on a number of days during the month, particularly in southern Idaho. Damage from winds was almost wholly confined to two days - the 3rd and 14th - but on other days local dust storms occurred in south-central and eastern portions of the State.

As the month opened a cold front was moving southeastward across Idaho, accompanied by general shower activity in the Northern Division and in most of the Southwestern. The Southeastern Division, however, experienced only widely scattered light showers as the front became nearly stationary, leaving about one-third of the State still in the warmer air mass. Light showers continued through the 4th in all parts of the State, and for several days more in the Northern Division. From the 7th through the 9th precipitation was again general in Idaho, with many northern and southwestern stations reporting falls of one-half inch or more, and several stations over one inch, on the 8th. Daytime temperatures on the 8th were lower by several degrees than on the preceding day and a few points in the State reported light snowfall. Mild weather with partly cloudy skies prevailed from the 10th to the 13th, when showers broke out over all of northern Idaho. By the 14th cooler air had invaded all but the southeastern portion of the State and by the 15th all of the State had been affected. Precipitation in the cooler air was general in the north and southwest where several stations reported thunderstorms and a few reported light hail. The final 15 days of May brought predominantly mild weather to Idaho with only occasional light showers in most areas. Nevertheless, it was during this period that southeastern Idaho received its heaviest precipitation of the month. Between the 20th and 22nd a majority of the stations of that division reported the greatest 24-hour amounts, although these amounts were less than one-half inch at most stations.

A general summary of the effects of weather on the agricultural economy of Idaho during May 1952 would indicate favorable conditions. Some exceptions were the tendency to rapid decrease in soil moisture on the dry farms of the Southeastern Division, the retardation of field work and planting because of excessive rains in Nez Perce, Lewis and Idaho Counties, and scattered frost damage. The frost damage, however, was not excessive and as usual for the month of May was principally confined to loss of garden vegetables. Fruits progressed very well with little or no frost damage, row crops in irrigated areas grew rapidly, small grains generally made good growth, ranges and pastures in most areas were in good condition and much potato planting was accomplished. Livestock were reported to be in good condition with some movement to summer ranges toward the end of the month.

Storm damage was caused almost wholly by wind with reported damage confined to the 3rd and the 14th. On the earlier date high winds were reported at such scattered points as Atlanta, May, Shoshone, Springfield, Pocatello and McCammon. Near Atlanta power poles were blown down, hundreds of trees were toppled and some 30 miles of Forest Service telephone lines damaged. Near May a cinder block building and two frame buildings were wrecked and three derricks upset and damaged. On the 14th high winds were reported generally in the south-central and southeastern portions of the State, with some damage to outbuildings and trees. Several localities reported dust storms as winds reached 48 miles per hour at Twin Falls, 50 miles per hour at Preston and gusts ranged upward to 65 miles per hour at Springfield.

FLOODS

Compared with the extensive flooding in southern Idaho during April 1952, this month brought only minor floods. At Pocatello the Portneuf River continued above flood stage until the 18th, with a crest at midnight of the 7th. Camas Creek near Camas in Jefferson County was high early in the month with a peak discharge of approximately 1000 c.f.s. some time between May 1st and May 9th. This is one of the heaviest flows ever experienced on that stream. Although not above bankful stage, the Snake at Heise reached a peak stage of 8.22 ft. on the 5th and Henry's Fork at Rexburg 9.49 ft. on the 6th. Preliminary estimates of flood damage for the 1952 spring season place the losses in southern Idaho at approximately one million dollars with agricultural losses constituting in the neighborhood of 90 percent of that total.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5 30A MST	11 30A MST	5 30P MST	11 30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	26	7.3	47	W	19	75	46	38	67	4	6	[illegible]	0	0	0	13	68	5.2	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-	-	-	-	-	78	54	43	-	6	5	5	1	0	0	17	-	7.2	
POCATELLO WB AIRPORT	SW	27	9.4	45	SW	3+	70	43	37	54	8	3	3	0	0	0	14	64	5.6	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	50.0	91	12	1.42	-	7
1894	54.7	95	21	1.19	-	6
1895	52.3	92	14	2.04	-	8
1896	47.2	93	11	3.09	-	13
1897	60.1	100	13	.95	-	5
1898	52.9	96	20	2.26	-	10
1899	49.0	88	6	1.59	2.0	8
1900	55.6	100	18	1.78	0.2	7
1901	57.4	99	19	1.32	0.0	6
1902	53.4	103	16	1.69	1.6	[illegible]
1903	51.6	102	18	1.46	1.8	7
1904	53.5	90	12	.62	0.1	[illegible]
1905	51.2	94	11	2.24	1.6	11
1906	51.9	93	14	3.03	1.1	11
1907	53.0	95	16	.94	0.2	5
1908	48.9	92	20	2.26	2.1	12
1909	50.2	96	[illegible]	1.54	1.1	8
1910	55.4	107	19	1.37	0.1	6
1911	51.4	92	12	2.47	0.7	10
1912	53.0	90	12	2.05	0.3	9
1913	55.0	99	11	1.49	T	8
1914	56.3	100	16	1.20	0.2	7
1915	51.2	91	18	4.02	1.9	17
1916	48.3	89	3	1.55	1.6	9
1917	49.6	92	12	2.23	0.8	11
1918	50.6	[illegible]	12	1.19	0.3	6
1919	54.6	105	12	.75	0.1	4
1920	50.8	89	12	1.10	0.2	6
1921	53.4	97	15	2.51	0.1	10
1922	51.9	93	10	1.25	0.7	7
1923	52.8	93	10	2.00	0.1	10
1924	57.5	102	10	.27	0.1	2
1925	56.8	95	18	1.37	0.1	7
1926	54.3	95	14	1.31	0.0	7
1927	49.9	102	9	2.17	1.2	11
1928	58.5	104	11	.56	T	4
1929	52.6	99	10	.51	0.2	4
1930	52.0	97	16	2.04	0.8	10
1931	55.4	100	12	.67	0.2	4
1932	53.4	98	18	1.83	0.1	9
1933	48.5	96	11	1.65	0.8	10
1934	59.5	105	14	.55	T	4
1935	51.3	92	15	1.30	0.1	6
1936	57.6	105	17	.85	0.2	5
1937	55.2	95	18	.73	0.2	4
1938	51.7	96	6	1.54	0.7	8
1939	56.2	100	12	.72	0.0	5
1940	57.1	100	12	.43	0.0	4
1941	54.4	97	18	2.69	0.1	13
1942	49.6	95	10	2.99	1.7	15
1943	50.4	94	12	1.25	0.7	9
1944	54.1	95	1	1.14	0.2	8
1945	53.3	91	21	2.65	0.2	14
1946	52.8	91	12	1.53	0.1	7
1947	57.4	99	20	1.39	T	6
1948	52.9	100	9	2.14	0.9	10
1949	56.5	97	17	2.02	0.1	10
1950	50.0	90	8	.90	1.3	6
1951	53.4	96	16	1.29	0.7	7
1952	54.5	93	20	1.42	0.3	8

TEMPERATURE AND PRECIPITATION DATA IN THIS TABLE HAVE BEEN WEIGHTED ON AN AREAL BASIS.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	72.1	39.5	55.8M	1.7	87	27	31	5	276	0	0	2	0	2.31	.12	1.00	14	.0	0		10	1	1
BAYVIEW MODEL BASIN	66.3	37.6	52.0		81	18	26	5	366	0	0	3	0	1.43		.65	1	.0	0		6	1	0
BIG CREEK 1	62.1	30.6	46.4	2.2	74	24	23	30	570	0	0	20	0	1.98	-.02	.40	15	6.0			10	0	0
BONNERS FERRY	70.7	40.9	55.8	2.3	84	24	29	5	278	0	0	2	0	.85	-.72	.29	25		0		10	0	0
BURKE 2 NNE	60.0	34.1	47.1	.4	72	24+	25	5	542	0	0	9	0	2.59	-.42	.73	14	.0	0		12	1	0
CLARK FORK 1 ENE	65.1	41.5	53.3	-0.9	74	28	26	5	357	0	0	3	0	1.43	-.82	.53	11	.0	0		7	1	0
COBALT BLACKBIRD MINE	55.6	31.4	43.5M		67	25+	26	5		0	0		0	3.01		.48	9	5.0	5	15	14	0	0
COEUR D ALENE CAA AP	67.7	42.0	54.9		74	27	28	5	308	0	0	1	0	.57		.30	11	T	0		4	0	0
COEUR D ALENE RS	71.2	41.9	56.5	1.5	84	27	27	5	258	0	0	2	0	.88	-.91	.26	11	.0	0		11	0	0
COTTONWOOD	62.7	39.7	51.2M	0.4	75	24+	31	4	422	0	0	2	0	4.30	1.68	1.13	8	.0	0		17	3	1
ELK RIVER 1 S	70.0	38.5	54.3		80	26	30	30	322	0	0	1	0	2.34		.66	14	.0	0		14	1	0
FENN RS	71.3	42.5	56.9	-0.3	87	24	37	5	244	0	0	0	0	5.85	2.86	1.00	15	.0	0		15	5	1
GRANGEVILLE	62.9	39.7	51.3M	-0.6	77	27	29	4	415	0	0	1	0	4.96	1.81	.66	8		0		16	3	0
KELLOGG	70.4	42.4	56.4	2.8	85	28	30	5		0	0	1	0	2.48	-.01	.67	14	.0	0		12	2	0
KOOSKIA	74.5	45.1	59.8	2.2	87	27	37	5+	160	0	0	0	0	6.13	3.36	1.27	8	.0	0		13	4	1
LEWISTON WATER PLANT	76.3	48.1	62.2M	2.2	90	27	39	4	105	1	0	0	0	1.54	.05	.58	8	.0	0		11	1	0
LEWISTON WB AP	71.6	47.1	59.4	0.5	86	27	40	30	181	0	0	0	0	1.82	.40	.51	8	.0	0		11	1	0
MOSCOW U OF I	68.5	41.5	55.0	2.0	80	28	31	30	302	0	0	2	0	1.52	-.35	.56	1	.0	0		8	1	0
MULLAN PASS CAA	51.0	35.1	43.1	-0.3	66	27+	24	4	674	0	1	13	0	1.04	-1.24	.28	14	6.6	31	1+	9	0	0
NEZPERCE 2 E	63.7	42.1	52.9		77	27+	34	4	366	0	0	0	0	5.11		1.14	8	.0	0		17	3	1
OROFINO	76.2	44.6	60.4M	2.0	90	27	37	1+	136	1	0	0	0	4.00	1.76	1.08	8	.0	0		18	3	1
PORTHILL	70.6	39.8	55.2	1.6	81	27	29	5	297	0	0	3	0	.63	-1.02	.20	20	.0	0		8	0	0
POTLATCH	69.	40.8	54.9	2.8	82	27	32	4+	302	0	0	2	0	1.32	-.38	.36	1	.0	0		9	0	0
PRIEST RIVER EXP STA	68.5	37.0	52.8	1.4	79	27	23	5	374	0	0	6	0	1.04	-1.06	.38	1	.0	0		10	0	0
RIGGINS RS	71.3	47.5	59.4M	-1.3	84	24+	38	5	195	0	0	0	0	3.47	1.52	1.00	8	.0	0		15	3	1
ROLAND W PORTAL	62.1	36.7	49.4	0.8	76	24	28	5	477	0	0	7	0	2.41	.08	.74	14	.9	T	1+	13	1	0
SAINT MARIES	70.1	39.8	55.0	0.4	81	17	30	5	303	0	0	1	0	1.42	-.52	.47	1	.0	0		10	0	0
SALMON	72.7	39.5	56.1M	1.6	83	31	31	5	270	0	0	2	0	1.63	.51	.37	8		0		11	0	0
SANDPOINT EXP STA	67.6	41.2	54.4	1.	79	18	26	5	320	0	0	2	0	.65	-1.43	.21	20	.0	0		4	0	0
WALLACE	67.0	39.0	53.0	0.1	80	27	28	5	365	0	0	3	0	2.50	-.14	.64	14	T	0		13	1	0
WALLACE WOODLAND PARK	64.1	37.4	50.8M	-0.8	78	28	28	5		0	0	6	0	2.40	.01	.49	15	T	0		11	0	0
WINCHESTER 1 SE	62.6	36.9	49.9	-0.2	76	27	29	4	464	0	0	4	0	4.55	1.24	1.70	8	.0	0		16	2	1
DIVISION			53.8	0.4										2.44	.12			.6					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	64.1	33.5	48.8	1.1	75	27	25	30	494	0	0	18	0	2.27	.34	.63	8		1	14	9	2	0
ANDERSON DAM	71.2	42.8	57.0		85	28	37	4+	241	0	0	0	0	1.44		.63	8	.0	0		11	1	0
ARROWROCK DAM	71.5	41.9	56.7	-0.4	86	25	35	4		0	0	0	0	1.15	-.10	.60	8	.0	0		8	1	0
ATLANTA 1 E	64.2	34.3	49.3	2.0	74	27+	24	5	480	0	0	8	0	1.77	.22	.72	8	T	0		8	1	0
BLISS	74.2	42.3	58.3	0.3	90	31	31	4	209	1	0	1	0	.36	-.55	.15	7	.0	0		7	0	0
BOISE LUCKY PEAK DAM	75.3	45.2	60.3M		87	27+	36	4	152	0	0	0	0	1.27		.80	8	.0	0		9	1	0
BOISE WB AP //	71.0	44.1	57.6	1.5	84	26	35	4	235	0	0	0	0	1.08	-.35	.49	8	T	0		9	0	0
BUHL	73.6	45.9	59.8M	3.6	87	31	35	4	167	0	0	0	0	.81	-.27	.23	7+	.0	0		4	0	0
CALDWELL	74.5	44.5	59.5	1.4	86	24+	35	4	163	0	0	0	0	.88	-.10	.24	8	T	0		7	0	0
CAMBRIDGE	72.4	35.9	54.2	-2.5	79	14+	32	2		0	0	1	0	.69	-.61	.47	8	.0	0		4	0	0
CASCADE 1 NW	63.8	36.6	50.2		75	28	30	5+	451	0	0	4	0	2.10		.58	3	1.0	0		14	2	0
CHALLIS	67.5	37.8	52.7M	1.5	79	28	32	5+	344	0	0	2	0	.78	-.24	.31	8	.0	0		8	0	0
COUNCIL 1 N	72.5	41.6	57.1	1.3	84	24	33	30	247	0	0	0	0	1.57	-.19	1.00	8	.0	0		6	1	1
DEADWOOD DAM	62.4	29.2	45.8M	0.5	75	27+	23	5	586	0	0	24	0	2.03	.05	.52	8	1.0	20	1	14	1	0
DEER FLAT DAM	72.2	45.8	59.0	0.4	85	24+	35	4	137	0	0	0	0	.60	-.17	.18	20	.0	0		5	0	0
EMMETT 2 E	75.5	43.3	59.4	0.3	89	24	34	5	171	0	0	0	0	1.35	.33	.26	8	.0	0		7	0	0
FAIRFIELD	66.7	37.9	52.3		79	31	32	4	387	0	0	1	0	.65		.21	7	T	0		6	0	0
GARDEN VALLEY RS	74.1	39.1	56.6	1.9	83	24+	30	1	250	0	0	2	0	1.65	.23	.45	20	.0	0		12	0	0
GLENNS FERRY	77.1	42.7	59.9	0.4	93	31	34	5	159	1	0	0	0	.76	-.10	.39	20	.0	0		5	0	0
GOODING CAA AP	71.5	43.7	57.6	2.2	89	31	34	4	228	0	0	0	0	.39	-.37	.15	20	T	0		6	0	0
GRAND VIEW	74.7	50.2	62.5	2.7	93	28	34	4+	103	3	0	0	0	1.34	.43	.50	7	T	0		7	1	0
HAILEY	66.1	38.7	52.4	1.4	78	24+	29	4	337	0	0	2	0	.70	-.63	.30	3	.0	0		6	0	0
HAZELTON	72.2	42.3	57.3	0.2	86	31	32	10	237	0	0	1	0	.65	-.39	.20	16	T	0		8	0	0
HILL CITY	66.7	38.2	52.5	2.4	91	31	30	5	382	0	0	2	0	.62	-.47	.28	7	.0	0		4	0	0
HOLLISTER	70.5	41.3	55.9M	2.2	85	31	31		285	0	0	1	0	.75	-.38	.32	15	.0	0		7	0	0
IDAHO CITY	70.4	34.0	52.2	-0.4	81	24+	26	5	379	0	0	11	0	1.38	-.18	.36	8	T	0		11	0	0
JEROME	73.7	42.4	58.1	0.7	88	31	33	15	217	0	0	0	0	.72	-.08	.19	8+	T	0		8	0	0
KUNA 2 NNE	71.4	41.6	56.5M	-0.2	86	28	33	4+	251	0	0	0	0	.95	-.22	.39	8	.0	0		7	0	0
LOWMAN	72.0	36.6	54.3M	3.6	91	24+	28	5+	329	0	0	8	0	.97	-.86	.51	8	.0	0		6	1	0
MC CALL	60.1	33.7	46.9	-0.2	72	27+	28	5+	560	0	0	14	0	2.65	.71	.75	8	.0	0		11	1	0
MERIDIAN 1 SSW	71.7	43.2	57.5	-0.2	88	28	35	4	233	0	0	0	0	1.00	-.17	.49	8	.0	0		4	0	0
MESA	72.3	44.2	58.3		87	12	36	4	209	0	0	0	0	1.90		1.10	8	.0	0		6	1	1
NAMPA 2 NW	73.4	45.1	59.3M		88	25	35	4+		0	0	0	0	.84		.20	9	.0	0		9	0	0
NEW MEADOWS RS	68.2	34.2	51.2	1.3	79	24+	23	30	420	0	0	12	0	2.61	.89	.95	8	.0	0		10	1	0
OBSIDIAN 4 NNE	59.5	27.9	43.7	0.8	68	28+	20	5	654	0	0	26	0	1.18	-.21	.29	7	.0	0		14	0	0
PARMA EXP STA	75.5	43.9	59.7	0.2	87	28	33	4	164	0	0	0	0	.91	.22	.45	8	.0	0		6	0	0
PAYETTE	75.5	44.8	60.2	1.4	87	24	36	4+	148	0	0	0	0	.74	-.26	.23	8	.0	0		6	0	0
RICHFIELD	70.5	40.5	55.5	2.1	84	31	32	21+	287	0	0	2	0	.62	-.32	.20	21	T	0		7	0	0
SHOSHONE	73.5	41.9	57.7M	3.1	86	28	33	4	220	0	0	0	0	.75	-.22	.24	7	T	0		10	0	0
STIBNITE	57.4	29.6	43.5		70	28+	24	5+		0	0	26	0	3.43		.65	14	9.5	5	14	15	1	0
SUN VALLEY	65.2	31.2	48.7	2.7	74	31	23	5+	516	0	0	20	0	1.22	-.21	.60	8	.0	0		9	1	0
SWAN FALLS PH	77.4	49.2	63.3	1.2	91	24+	40	15	92	3	0	0	0	.78	-.17	.30	20	.0	0		4	0	0
THREE CREEK					82	28				0	0		0	1.56	-.71	.60	15	1.0	1	15	6	1	0
TWIN FALLS 2 NNE	74.5	43.2	58.9	3.1	89	31	34	10	190	0	0	0	0	.58	-.45	.13	15	T	0		11	0	0
TWIN FALLS 3 SE	72.5	43.1	57.8	1.3	84	13+	30	4		0	0	2	0	.77	-.17	.26	16	.0	0		9	0	0
WEISER	77.3	44.5	60.9	0.6	90	24	34	4	128	1	0	0	0	.44	-.38	.15	7+	.0	0		4	0	0
DIVISION			55.5	1.1										1.17	-.15			.3					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	72.4	39.4	55.9	2.2	83	12+	29	10	278	0	0	1	0	.12	-.93	.04	21	.0	0		5	0	0
ALBION	69.0	37.7	53.4	1.0	83	28	27	10	353	0	0	7	0	1.30	-.32	.47	20	.0	0		6	0	0
AMERICAN FALLS 1 NW	70.8	41.1	56.0	2.0	84	28	32	10	273	0	0	1	0	.42	-1.07	.19	20	.0	0		7	0	0
ARCO	67.8	37.4	52.6M	1.1	80	31	30	10	378	0	0	3	0	.21	-1.05	.07	9	T	0		6	0	0
ASHTON 1 S	69.0	38.0	53.5	3.3	79	25	30	15	348	0	0	3	0	.75	-.96	.40	21	.0	0		4	0	0
BLACKFOOT	72.8	42.2	57.5	4.0	85	28+	33	4	225	0	0	0	0	.47	-.85	.15	9	T	0		5	0	0

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
BURLEY	[illegible]	[illegible]	[illegible]	2.4	85	[illegible]	34	[illegible]		0	0	0	0	.59	- .31	.27	16	.0	0		5	0	0
BURLEY FACTORY 1 NW	71.2	39.8	[illegible]	[illegible]	85	[illegible]	32	[illegible]		0	0	1	0	.82	- .18	.28	16	.0	0		7	0	0
BURLEY CAA AP	71.7	[illegible]	[illegible]	2.2	87	28	[illegible]	10	257		0	1	0	.98	- .06	[illegible]	15	T			7	0	0
CHILLY BARTON FLAT	[illegible]	31.6	[illegible]	- 1.[illegible]	[illegible]	12+	22	17	557	0	0	17	0	2.10	[illegible]	.35	3+	[illegible]	0		[illegible]	0	0
CONDA	63.8	34.8	49.3	[illegible]	76	13	22	15		0		7	0	[illegible]	- .41	[illegible]	21	.5	0		9	1	0
DRIGGS	[illegible]	35.9	[illegible]	3.7	74	[illegible]	5	15				17	0	[illegible]	- .36	[illegible]	22	.0	0		5	1	0
DUBOIS EXP STA	66.4	40.1	[illegible]	.5	[illegible]	28+	[illegible]	15			0	1	0	.79	- .53	[illegible]	8	.0	0		7	0	0
DUBOIS CAA AP	68.2	[illegible]	[illegible]	2.5	79	28+	[illegible]	15+	[illegible]	0	0	0	0	1.15	- .11	[illegible]	20	T	0		8	0	0
FORT HALL IND AGENCY	72.6	41.6	57.1	2.6	[illegible]	28+	[illegible]	10	[illegible]		0	0	0	.70	- .43	.28	4	.0	0		5	0	0
GRACE PH	[illegible]	[illegible]	51.3	[illegible]	76	12	27	15	[illegible]	0		[illegible]	0	1.78	.17	[illegible]	22	.0	T	1+	9		0
GRAY	63.1	33.8	[illegible]	[illegible]	77	[illegible]	[illegible]	[illegible]	506			17	0	[illegible]	.48	.65	9		0	9	5	2	0
GROUSE	62.0	[illegible]	47.2		71	28	[illegible]	4	546	0	0	20	0	.61	- .42	.29	3	.0	0		6	0	0
HAMER 4 NW	70.2	38.5	54.4	1.7	[illegible]	28+	30	4+	[illegible]	0	0	5	0	.78	- .17	.43	21	T			3		0
IDAHO FALLS 46 NE										0	0		0										
IDAHO FALLS CAA AP	70.2	[illegible]	55.7	2.5	81	12+	[illegible]	17	[illegible]		0	1	0	.70	- .54	.34	21	.0	0		5	0	0
IRWIN 2 S	68.6	37.2	[illegible]	3.4	81	[illegible]	28	15	368	0		[illegible]	0	1.97	.30	.75	21	.0	0		5	1	0
ISLAND PARK DAM	[illegible]	30.3	45.9	- 0.5	[illegible]	28+	4	30	[illegible]		0	25	0	2.12	- .25	.74	21	.0			8	2	0
LIFTON PUMPING STA	65.0	[illegible]	53.1	1.7	75	[illegible]	[illegible]	[illegible]	364			0	0	.64	- .31	.14	21	.0	0		6	0	0
MACKAY RS	65.6	[illegible]	[illegible]	[illegible]	74	24+	31	15+	418	0	0	5	0	[illegible]	- .13	.48	8	.0	0		5	0	0
MALAD	71.4	41.2	56.3	[illegible]	80	12+	[illegible]	[illegible]	[illegible]			1	0	[illegible]	- .75	[illegible]	20	.0	0		5	0	0
MALAD CAA AP	71.8	38.2	55.0		83	[illegible]	[illegible]	[illegible]	302		0	4	0	.70		.45	[illegible]	.0	0		8	0	0
MAY RS	67.0	36.4	51.7	- 0.6	77	31	[illegible]	5	405	0	0	7	0	2.55	1.45	1.21	15	5.0	0		11	1	1
MC CAMMON	[illegible]	39.4	54.8		81	28	32	[illegible]	308	0		1	0	1.01		.31	21	.0	0		5	0	0
MINIDOKA DAM	69.3	44.2	56.8		85	28	34	15	249		0	0	0	.63		.16	20	.0	0		7	0	0
MONTPELIER RS	66.6	33.3	[illegible]	- 0.4	77	13+	[illegible]	15		0	0		0	.76	- .51	.30	22	.0	0		7		0
OAKLEY	71.8	41.4	56.6	[illegible]	83	27	32	4	253	0	0	1	0	1.66	.36	.75	20	.0	0		6	2	0
PALISADES DAM	[illegible]	[illegible]	[illegible]		79	3	[illegible]	15	384	0	0		0	2.27		.65	26	.0	0		9	3	0
PAUL 1 E	71.5	40.7	56.1	1.1	84	25+	31	10		0	0	1	0	.57	- .17	.26	16	.0	0		7	0	0
POCATELLO WB AP	70.5	42.8	56.7	3.7	83	[illegible]	[illegible]	10	255	0		0	0	.59	- 1.14	.19	21	T	T	15	6	0	0
PRESTON SUG FACT 2 SE	72.9	[illegible]	56.5	[illegible]	84	[illegible]	[illegible]	15	[illegible]	0	0	1	0	1.10	- .41	.39	20	T	0		7	0	0
REACTOR TESTING STA	69.1	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	0	2	0	.69		.21	20	T	0		6	0	0
RIRIE			M								0		0										
RUPERT	71.2	40.9	56.1M	0.8	[illegible]	[illegible]	34	10+			0	0	0	.65	- .36	.27	4	.0	0		6	0	0
SAINT ANTHONY	70.2	38.6	54.4		83	[illegible]	29	[illegible]	[illegible]	0	0	4	0	.63	- .91	.34	21	.0	0		4		0
SPENCER RS	64.9	35.0	50.0	[illegible]	76	[illegible]	[illegible]	10	[illegible]	0	0	8	0	1.63	- .65	[illegible]	21	T	0		11	1	0
SPRINGFIELD	71.8	40.0	[illegible]	2.8	[illegible]	28	31	10	277	0	0	1	0	.57	- .53	.22	21	T	0		7	0	0
SUGAR	71.0	37.4	54.2M	2.3	83	31	[illegible]	10+	326	0		3	0	.82	- .43	[illegible]	21	.0	0		6	0	0
TETONIA										0	0		0										
TETONIA EXP STA			M							0	0		0										
DIVISION			53.6	2.0										1.04	- .38			.2					
STATE			54.5	1.3										1.42	- .17			.3					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.12								T							.02	[illegible]				[illegible]	.04	.01									
ALBION	[illegible]				.09			[illegible]	.14							.10	.32				.47											
ALPHA 1 N	2.27	.19		.52				[illegible]	[illegible]	[illegible]				.01	.16	.23					.18								T			
AMERICAN FALLS 1 NW	.42				[illegible]				.07	.01							[illegible]				.19	.04	.01						T			
ANDERSON DAM	1.44	T	T	.02	[illegible]			.29	.63	.01						.10	[illegible]				[illegible]					[illegible]			[illegible]	[illegible]		
ARCO	.21			.02				.01		.07						.02					[illegible]						[illegible]					
ARROWROCK DAM	1.15	.05	T	T	.05				.60	.24						.05	T				.13	[illegible]	[illegible]			T						
ASHTON 1 S	.75	T	T	T				T								T					.10	[illegible]	[illegible]				.18					
ATLANTA 1 E	1.77	.08		T					.72	T				T	T	.34					.28	.11	.02			.11			T	.11		
AVERY RS	2.31	.32		T	.18		.19		.02					.35	1.00	T	T				[illegible]	[illegible]					.11			[illegible]		T
BAYVIEW MODEL BASIN	1.43	.05	T				T					.20		.16		T					.22	[illegible]				[illegible]			T			
BIG CREEK 1	1.98	T		T	T			T	.02					.06	.34	.40	T				.32	[illegible]				[illegible]	.04		T	[illegible]		.28
BLACKFOOT	.47								[illegible]	.15									T			[illegible]	.11				.11					
BLISS	.36			.04				[illegible]	.01						T	.03	T				[illegible]	.01			[illegible]				T			
BOISE LUCKY PEAK DAM	1.27	T		.02				.12	.80	[illegible]					.02	.05	[illegible]					.02								.16		
BOISE WB AP //R	1.08	T	.01	.05				.22	.49						.06	.03				[illegible]	.17	T			T				[illegible]			T
BONNERS FERRY	.85	.02		[illegible]			.08					[illegible]		.21	.01	.07				T	[illegible]					.29			[illegible]			
BUHL	.81		T					.23		.23						.16	T				.19											
BURKE 2 NW	2.59	T		.02	.26	T	.10	T	T					.38	.73	.05	.10				.46	.33					.13			.02		.01
BURLEY	.59			.12	.10				.05								.27					.05										
BURLEY FACTORY 1 NW	.82			.23	.08				[illegible]	.03						T	.28					[illegible]								[illegible]		
BURLEY CAA AP	.98		.30	.17				.05	.02							.32	[illegible]				[illegible]	T							T			T
CALDWELL	.88			.08				.14	.24	T					.04	.12				T	[illegible]								.09			
CAMBRIDGE	.69								.47	.05					.12							[illegible]										
CASCADE 1 NW	2.10	.07	.02	.58	.03			.11	.50	.04				.01	.07	.20					.22	[illegible]				[illegible]				.14		
CENTERVILLE ARBAUGH	1.70	.05		.11				.29	.48	.22					.07	.20					.20					.02				.06		
CHALLIS	.78			.12	.03				.31	.02				[illegible]		.21					[illegible]					[illegible]				T		
CHILLY BARTON FLAT	2.10			.35				.20	.20	.20					.15	.25					.35	[illegible]				[illegible]			.10			
CLARK FORK 1 ENE	1.43											.53		[illegible]	.21						.24	[illegible]							[illegible]	.13		
COBALT BLACKBIRD MINE	3.01	.05	.16	.17	.30				.44	.48				.08	[illegible]	[illegible]	[illegible]				[illegible]	.25					[illegible]			.14		
COEUR D ALENE CAA AP	.57	T	T	T			T					.30		[illegible]	T					[illegible]	[illegible]					T			T			
COEUR D ALENE RS	.88	.10	.01	.01		T	.03	.01		T	.01	.26		.09			T				.15	.18					[illegible]					
CONDA	1.49		.05		.12					.04	.37							T			.35	[illegible]	[illegible]	[illegible]		T	.04					
COTTONWOOD	4.30	.42	.07	.29	.12	.10	.28	.01	1.13	.03				.52	.55	[illegible]	T			.02	[illegible]	[illegible]	T		.08	.13			T			
COUNCIL 1 N	1.57	.18		.01	.03				1.00	T						.15					.20	T										
CROUCH 2 NNW	2.26	.16		.10	.16			.22	.40						[illegible]						.72	[illegible]				[illegible]				.35		
DEADWOOD DAM	2.03	.17	.04	.25	.18			.10	.52	T				.02	.21	.10					.23	[illegible]			T	.01			.15	.01		
DEER FLAT DAM	.60							.17	.17											.06	.18								.02			
DRIGGS	1.60								.15	.10											.18	.24	.55				.38					
DUBOIS EXP STA	.79		T	.03	T			T	.28	.05						.01					.12	.27				T	.03					T
DUBOIS CAA AP	1.15		.20	T				.28		.02				T		T					.33	.18				.09	.04					.01
ELK RIVER 1 S	2.34	.16		.03	.23	.01	.06	.08	.38	.30				.03	[illegible]	[illegible]	[illegible]				[illegible]	[illegible]										

See Reference Notes Following Station Index

DAILY PRECIPITATION

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	1.45	.15		.21				.18	.26							.17				.24										.24		
FAIRFIELD	.65			.20	.09			.21	.08						T	.05													.02			T
FENN RS	5.85	.13		.39	.16		.15	.31	.62	.02				.57	.62	1.00	.15				.87	.43				.14				.29		
FORT HALL IND AGENCY	.70								T	.28						.01	T				T	.25	.15						.01			
GARDEN VALLEY RS	1.65	.05	.02	.10	.15			.07	.28	.06					.20	.10					.45	.10	T							.07		
GLENNS FERRY	.76			.07				.25	T						.04	.11	T				.29											
GOODING CAA AP	.39		T	.03				.13	T							.01	T				.15	.04			T	.03			T			
GRACE PH	1.78	.05		.12					.24	.10							.16				.20	.21	.39			.31						
GRAND VIEW	[illegible]				[illegible]			.50	.12						T	.07	.09				.30	T								.18		
GRANGEVILLE	4.96	.30	.02	.41		.05	.46	.02	.66					.37	.62	.50				.35	.30	.17			.38	.17			.18			
GRAY	2.35								.40	.65											.50	.40	.40									
GROUSE	.61			.29				.16	.03	.02	T				T						.08	.03										
HAILEY	.70		T	.30					.27	T	.05			T		.03					.03								.02			
HAMER 4 NW	.78			T	T				.20	T										T	T	.43					.15					
HAZELTON	.65	.02		.02	.01			.10	.04							.11	.20				.15	T							T			
HILL CITY	.62			.13				.28	.15							T					.06								T	T		
HOLLISTER	.75			*	.16				.11	.09						.32	.02				.05											
HOWE	.53			T	T				.18					T			.08					.27	T				T					
IDAHO CITY	1.38	.02		.02	.10			.14	.36						.16	.09					.32	.14	.02	.01								
IDAHO CITY 13 SW	1.20	T						.43	.37	T					.15						.25									T		
IDAHO FALLS 6 NE	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		.93	.18				.13					
IDAHO FALLS CAA AP	.70	T		T				.08	T	T									T		.09	.34	.08			T	.11					
IRWIN 2 S	1.47							T	.30											T		.75	.46			.04	.42					
ISLAND PARK DAM	2.12			T	.04			.02	.44							.04			.01		.73	.74					.10					
JEROME	.72	.02	T	.06				T	.19							.19	.08	.05			.10	.03	T						T			
KELLOGG	2.48	.50	.01	.02	.11	T	.02	.02					T	.15	.67	.30	T				.10	.31	T				.27					
KOOSKIA	6.13	.34		.11	.37		.24	.24	1.27	.14				.37	.78	.82	T				.58	.48				.39				T		
KUNA 2 NNE	.95	T		.15				.16	.39						.06	.07				T	.05								.07			
LEWISTON WATER PLANT	1.54	.31	.02	T	.02	T	.07		.58	.04				.16	.24	T	T				.08	.01										.01
LEWISTON WB AP	1.82	.30	.04	T	.03		.12		.51	.05		T		.16	.48	T	.01			T	.11	.01							T			T
LIFTON PUMPING STA	.64								.08	.08	T						.13	T			.11	.14	.10			T						
LOWMAN	.97	.03		.02					.51						.13						.19	.09										
MACKAY RS	.93								.48	.26					.01	.14					.04											
MALAD	.55	.03						T	.08												.35		.04			.05						
MALAD CAA AP	.70	.08		.02				T	.03	.01						T	.03				.45	T	.03			.05						
MAY RS	2.55	T	.01	.36	.06				.45	.08				.10	.06	1.21					.04	T				T	.15			.03		
MC CALL	2.65	.27		*	.45				.75	.22					.30	.08					.30	.05				.09			.14			
MC CAMMON	1.01			T				T	.30							T	T	T	T	T	.22	.31	.16	T	T	.02						
MERIDIAN 1 SSW	1.00			.10				.11	.49												.30											
MESA	1.90	.14		.16	.15				1.10							.29					.06									T		
MINIDOKA DAM	.63	.01		T	.09				.10							.12	.11				.16	.04										
MONTPELIER RS	.76									.20							.01				.03	.19	.30	.01			.02					
MOSCOW U OF I	1.52	.56	T		.03		.02		.43					.13	.09	.12					.14											
MULLAN PASS CAA	1.04	.12	T	.15	.01	.04	T		T					.25	.28	.01				.05	.13					T				T		T
NAMPA 2 NW	.84	.02		T	.06				.17	.20						.13					.11	.11				.02				.02		
NEW MEADOWS RS	2.61	.29		.21	.14				.95					.11	.10	.30					.48	.02								.01		
NEZPERCE 2 E	5.11	.38	.09	.39	.17	.09	.17	.01	1.14	T			.02	.50	.75	.41				.10	.41	.03			.08	.37			T		T	
OAKLEY	1.66	.11	.02	.03				.02	T							.14	.56				.75								.03			
OBSIDIAN 4 NNE	1.18	.04	.04	.07	.03			.29	.18	.02				.03	.10	.11					.08	T				.13			.03	.03		
OROFINO	4.00	*	.46	.60	.09	.01	.11	.01	1.08	.05				.18	.88	.04	.08	.05			.20	.13				.02						.01
PALISADES DAM	2.27				.07			T	.19	.04							T			T	.05	.60	.64	T		.03	.65	T		T		
PARMA EXP STA	.91	T		T				.06	.45							.14					.15	.03				.08	T		T	T		
PAUL 1 E	.57			.04	.10				.07								.26					.05	.01							.04		
PAYETTE	.74	.02		T	T			.05	.23	T					T	.14				T	.13					.17	T					
PINE 2 SSW	1.68	T		.04	T			.17	.83	.14					.10	T					.20	.07				.05				.08		
POCATELLO WB AP //R	.59	T		T				.07	.07	T						.04			T		.10	.19	.12		T	T			T			T
PORTHILL	.63	.18					.04						.04	.03	T				T	T	.20	.05	T			.05				.04		
POTLATCH	1.32	.36	.04				.15		.15					.17	.05	.11				.04	.25											
PRESTON SUG FACT 2 SE	1.10								.09	.02							.05				.39	.25	.27			.03						
PRIEST RIVER EXP STA	1.04	.38		.02			.01					T		.10	.19	.02		T	T	T	.14	.05	T						.01	.12		T
REACTOR TESTING STA	.69		.02					.18	T	T			T			.08				T	.21	.14					.06		T			
RICHFIELD	.62			.13	.08			.05								.08	.04				.04	.20										
RIGGINS RS	3.47	.33		.13	.24		T	.03	1.00	.05				.02	.16	.57	.01				.58	.02			.20	.05				.08		
RIRIE	-		.03	T					.09	.03										-	-	-	-	-	-	-	-	-	-	-	-	-
ROLAND W PORTAL	2.41	.04		.22	.08		.13		T				T	.25	.74	.26	.04	.01	T		.20	.07					.33			.04	T	
RUPERT	.65			.05	.27				.03								.21					.08	T							.01		T
SAINT ANTHONY	.63				T			T	.05													.34	.04				.20					
SAINT MARIES	1.42	.47	.05				.07		.19					.20	.16	.12				.03	.11	.02				T				T		
SALMON	1.63	T	.05	.34				.28	.37					.08	.16	.15					.08					.06	.04		.02			
SANDPOINT EXP STA	.65	T		T			T							.18	.18					T	.21	T							T	.08		
SHOSHONE	.75		T	.03	T			.24	.02						T	.08	.07	.01			.04	.18				.04			.04			
SPENCER RS	1.63		.07	.04				.03	.30	.02		T		.03		.09			T	.02	.39	.61	T									.03
SPRINGFIELD	.57			T				.06	.02	.05						.10					.01	.22	.11									
STIBNITE	3.43	.20	.21	.31	.30			T	.32	.13	T			.06	.65	.20	.05				.30	.25	.20			T	.09			.16		
SUGAR	.82				.01			.01	T											T	.20	.34	.12			T	.14			T		
SUN VALLEY	1.22	.03	T	.35	.05			T	.60	T	T				T	.04					.02	.01				.07			T	.05		
SWAN FALLS PH	.78							.25	.15							.08					.30											
TETONIA	-				.10														-	-	-	-	-	-	-	-	-	-	-	-	-	-
TETONIA EXP STA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				.54	.43				.31					
THREE CREEK	1.56		T	.04	T											.60	.07				.43	.21				.21						
TWIN FALLS 2 NNE	.58	T		.02	.03			.11	T							.13	.09	.01			.11	.04	.02						T	.01		.01
TWIN FALLS 3 SE	.77	.01			.10				.12	.01							.26	.09	.01			.14	.03									
WALLACE	2.50	.39	T	.02	.23	.02	.11	T	T					.31	.64	.11	T	T	T	T	.40	.03					.11		T	.03		.10
WALLACE WOODLAND PARK	2.40	.44		.03	.26		.04	.07							.43	.49	.05				.07	.38					.14					
WEISER	.44	T		.02				.15	.12							.15					T				T							
WINCHESTER 1 SE	4.55	.38	.07	.14	.10	.12	.19	.01	1.70	.05				.26	.80	.18	.03				.20	.28				.04						

DAILY TEMPERATURES

Table 5

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	71	80	80	76	76	70	69	65	62	71	80	83	71	70	62	62	67	74	74	69	56	65	71	79	79	74	77	83	71	72	[illegible]	72.4
	MIN	39	40	42	34	36	41	37	39	40	29	34	38	51	38	35	44	34	[illegible]	39	41	[illegible]	41	39	[illegible]	47	47	37	40	[illegible]	[illegible]	[illegible]	[illegible]
ALBION	MAX	67	78	77	63	72	70	66	52	59	64	75	79	74	64	50	[illegible]	65	[illegible]	70	69	54	64	71	78	72	75	77	[illegible]	69	71	[illegible]	[illegible]
	MIN	39	47	40	28	29	35	33	37	37	27	43	34	50	30	30	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	38	49	[illegible]	34	39	[illegible]	40	40	[illegible]
ALPHA 1 NE	MAX	50	64	67	55	62	59	59	47	60	63	67	73	67	60	53	[illegible]	65	[illegible]	[illegible]	64	[illegible]	[illegible]	[illegible]	[illegible]	59	[illegible]	[illegible]	74	[illegible]	[illegible]	72	[illegible]
	MIN	38	32	40	30	26	38	39	40	36	31	31	32	46	31	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	29	[illegible]	34	25	28	[illegible]
AMERICAN FALLS 1 NW	MAX	68	78	77	65	73	70	69	64	60	68	77	76	75	68	64	[illegible]	65	71	71	[illegible]	[illegible]	67	[illegible]	[illegible]	[illegible]	70	[illegible]	84	[illegible]	[illegible]	[illegible]	70.8
	MIN	43	42	44	34	36	41	38	41	40	32	43	39	54	36	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	42	[illegible]
ANDERSON DAM	MAX	68	78	72	65	72	70	67	49	59	70	73	78	69	65	58	[illegible]	[illegible]	[illegible]	74	[illegible]	[illegible]	[illegible]	[illegible]	82	[illegible]	[illegible]	[illegible]	[illegible]	71	[illegible]	[illegible]	71.2
	MIN	45	41	48	37	37	40	46	39	42	39	42	43	48	41	39	39	[illegible]	42	46	[illegible]	[illegible]	37	45	45	[illegible]	47	[illegible]	48	39	[illegible]	[illegible]	[illegible]
ARCO	MAX	66	73	70	72	68	71	65	57	55	56	54	77	76	68	57	60	60		71	66	54	65	[illegible]	76	73	73	75	77	70	[illegible]	[illegible]	67.8
	MIN	41	38	31	33	31	35	43	37	37	30	34	40	53	34	33	41	[illegible]		42	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	37	37	40	[illegible]	[illegible]	37.4
ARROWROCK DAM	MAX	67	64	76	67	66	74	70	63	55	65	73	77	80	72	59	64	74	72	76	76	[illegible]	62	72	[illegible]	[illegible]	79	[illegible]	70	[illegible]	[illegible]	74	70.5
	MIN	45	40	40	35	38	40	47	44	40	41	43	44	50	40	38	[illegible]	41	42	48	[illegible]	41	40	44	44	[illegible]	45	[illegible]	47	48	39	45	[illegible]
ASHTON 1 S	MAX	69	72	76	64	68	70	67	59	64	71	72	69	69	68	58	64	68	69	68	67	55	67	74	[illegible]	79	72	[illegible]	75	[illegible]	73	[illegible]	[illegible]
	MIN	36	38	44	41	39	37	39	37	43	41	43	37	45	40	30	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	41	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ATLANTA 1 E	MAX	58	64	63	68	66	58	60	46	54	60	66	70	69	61	53	59	65	64	65	66	[illegible]	66	[illegible]	[illegible]	73	[illegible]	[illegible]	74	65	[illegible]	74	64.2
	MIN	37	34	39	29	24	33	37	34	34	30	35	36	39	30	28	34	[illegible]	35	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]	39	[illegible]	[illegible]	40	37	30	41	34.3
AVERY RS	MAX	55	67	61	59	68	61	69	[illegible]		77	72	81	75	54		74	78	78	[illegible]	[illegible]	63	74	[illegible]			85	[illegible]	86	75	[illegible]	[illegible]	72.1
	MIN	38	39	41	35	31	38	37	43		36	41	38	43	41		40	37	43	45	45	[illegible]	[illegible]	[illegible]			40	[illegible]	41	45	[illegible]	40	39.5
BAYVIEW MODEL BASIN	MAX	55	55	55	57	54	52	64	68	64	65	67	64	66	65	69	73	76	80	68	68	63	70	75	75	74	74	73	72	67	[illegible]	64	66.3
	MIN	38	36	40	34	26	39	30	42	41	37	41	38	48	45	36	43	38	39	46	46	48	41	[illegible]	[illegible]	[illegible]	40	39	42	43	[illegible]	43	39.6
BIG CREEK 1S	MAX	50	62	59	52	60	57	62	52	57	63	66	70	67	56	45	55	64	67	63	53	48	60	64	74	68	67	72	73	65	67	[illegible]	62.1
	MIN	35	32	35	30	24	26	32	37	36	28	28	27	35	29	31	36	25	27	31	38	37	36	27	[illegible]	[illegible]	[illegible]	[illegible]	28	36	23	27	[illegible]
BLACKFOOT	MAX	73	79	80	70	75	70	69	63	64	73	78	83	77	71	59	64	68	75	74	69	57	70	75	81	79	71	79	85	70	73	86	72.8
	MIN	44	44	46	33	35	44	40	41	39	36	47	41	54	40	34	44	35	[illegible]	41	46	40	41	43	43	[illegible]	47	41	44	[illegible]	41	42	42.2
BLISS	MAX	74	78	76	65	76	71	69	54	65	74	76	83	80	71	55	68	73	78	74	69	63	73	79	85	82	79	84	84	76	77	90	74.2
	MIN	52	40	51	31	36	41	45	43	41	39	38	40	44	36	38	37	36	40	39	48	42	41	41	45	50	46	45	44	50	[illegible]	50	42.3
BOISE LUCKY PEAK DAM	MAX	68	73	72		76	75	70	53	69	75		81	80	72	64	74	74		79	78	75	72	78	86		80	87	87	84		79	75.3
	MIN	42	45	54	36		40	48	43	41	46		47	47	44	38	47	45		48	44	41	44	49	50		46	51	[illegible]	44		41	45.2
BOISE WB AP	MAX	63	70	63	63	72	69	63	50	65	73	75	77	72	59	64	74	73	77	77	61	64	72	77	85	78	78	83	86	67	73	79	71.0
	MIN	46	40	39	35	38	41	48	44	39	46	47	48	53	39	37	38	43	46	48	43	42	39	43	52	50	46	46	54	45	[illegible]	53	44.1
BONNERS FERRY	MAX	57	61	58	59	63	59	70	70	77	75	68	76	61	64	78	79	80	81	69	67	66	74	78	84	75	77	83	78	64	72	70	70.7
	MIN	38	35	41	38	29	40	32	36	42	37	41	43	46	45	44	41	41	50	45	44	44	42	42	42	46	41	40	44	42	34	43	[illegible]
BUHL	MAX	72		75	67	74		82	60	63	71	76	82	80	72	53	61	70	75	76	76	64	70	77	82	81	76	80	81	[illegible]	[illegible]	87	73.6
	MIN	48		45	35	42		45	42	40	40	48	48	56	45	36	42	40	46	54	46	42	42	[illegible]	50	52	54	[illegible]	57	[illegible]	44	50	45.9
BURKE 2 NNE	MAX	44	51	51	46	54	49	57	57	62	65	61	65	58	49	60	61	67	68	67	60	49	61	66	72	71	66	72	72	64	62	68	60.5
	MIN	32	31	35	30	25	31	29	36	33	33	35	33	38	35	34	32	33	38	48	40	44	31	35	35	40	33	45	37	38	30	39	34.1
BURLEY	MAX	75	73	84	75	68	79	71	70	55	64	76	81	84	75	70	53	63	70	76	76	64	60	71	77	83	79	78	81	85	68	75	72.9
	MIN	48	43	47	36	39	43	44	46	44	34	43	43	54	43	35	35	38	45	49	49	45	42	44	43	54	46	46	50	51	44	45	44.1
BURLEY FACTORY 1 NW	MAX		70	71	74	65	76	71	69	54	63	74	79	83	74	69	54	63	69	74	74	63	59	70	76	81	79	76	85	82	67	71	71.2
	MIN		39	36	34	37	41	40	38	38	32	40	40	49	37	35	34	35	40	48	46	38	38	41	40	51	39	41	34	51	40	43	39.8
BURLEY CAA AP	MAX	72	81	77	64	75	71	70	54	62	73	78	83	72	67	52	61	68	74	75	62	59	68	75	83	78	75	81	87	66	74	86	71.7
	MIN	44	39	42	34	36	40	40	39	39	32	39	39	45	39	35	42	37	45	47	45	40	40	43	41	51	43	41	48	52	41	44	41.4
CALDWELL	MAX	66	74	63	60	73	73	67	53	68	75	80	81	78	67	65	73	77	80	82	67	69	76	82	86	82	81	86	85	83	82	79	74.5
	MIN	47	38	48	35	36	43	48	46	40	43	44	46	55	46	39	44	40	41	52	52	47	42	[illegible]	45	49	47	45	46	44	41	44	44.5
CAMBRIDGE	MAX	68	69	67	68	69	70	69	70	69	70	73	70	76	79	69	70	71	72	71	69	70	69	76	78	78	75	76	78	79	78	79	72.4
	MIN	34	32	34	35	36	37	35	36	34	35	37	38	39	35	34	36	35	34	35	40	35	34	33	36	47	40	45	47	36	[illegible]	35	35.9
CASCADE 1 NW	MAX	53	66	63	54	61	60	57	48	57	63	66	72	65	62	51	60	65	67	67	65	53	64	70	74	71	66	73	75	[illegible]	67	71	63.8
	MIN	40	33	39	32	30	34	39	39	38	33	35	36	43	35	32	41	33	35	42	43	36	38	[illegible]	[illegible]	45	[illegible]	45	37	39	40	35	36.6
CHALLIS	MAX	67	73	68	65	68	66	63	56	58	66	74	75	70	65	50	57	64		72	65	55	67	74	76	72	67	75	79	75	68	76	[illegible]
	MIN	49	39	48	35	32	34	41	42	41	33	37	38	49	38	32	42	36		38	42	38	42	38	43	50	39	38	40	42	39	40	39.8
CHILLY BARTON FLAT	MAX	62	68	67	57	62	63	57	48	52	60	67	70	67	61	48	52	60	65	65	60	49	62	64	70	70	63	69	69	62	65	70	62.1
	MIN	38	32	43	25	24	24	35	31	34	25	27	25	43	26	28	34	22	28	33	[illegible]	32	36	29	34	39	37	29	30	35	30	34	[illegible]
CLARK FORK 1 ENE	MAX	57	60	58	57	60	57	67	71	70	71	66	73	71	63	70	73	71	76	73	66	61	70	73	75	73	73	77	79	64	67	68	[illegible]
	MIN	39	36	40	33	26	40	30	33	39	34	39	38	43	43	37	36	37	48	43	48	43	45	38	38	43	38	[illegible]	[illegible]	42	31	38	[illegible]
COBALT BLACKBIRD MINE	MAX	56	51	63	55	49	56	53	52	45	47	55	62	66	58	57	38	45	56	58	59	54	48	53	62	67	56	54	67	67	53		[illegible]
	MIN	32	30	32	28	26	29	31	33	33	29	31	31	31	30	27	28	32	31	35	35	31	33	31	33	41	32	31	32	34	[illegible]		31.3
COEUR D ALENE CAA AP	MAX	55	60	54	56	58	56	65	67	72	72	66	73	65	58	71	74	77	78	69	61	63	71	75	78	75	76	79	76	63	70	66	67.7
	MIN	37	38	42	33	28	37	34	46	40	40	44	41	45	46	38	40	42	51	51	45	43	46	45	41	50	45	43	47	43	[illegible]	46	[illegible]
COEUR D ALENE RS	MAX	55	60	60	57	63	58	70	69	71	74	71	76	75	64	79	77	78	76	80	69	66	71	75	81	76	77	84	82	69	72	72	71.2
	MIN	39	49	41	34	27	46	34	43	37	36	45	43	49	41	35	[illegible]	42	53	52	51	45	44	43	42	49	[illegible]	42	42	46	[illegible]	[illegible]	41.8
CONDA	MAX	62	64	73	72	65	70	66	62	47	53	62	69	76	67	67	59	52	58	64	65	59	49	57	65	72	70	61	71	75	65	61	[illegible]
	MIN	38	38	40	31	32	34	33	34	33	34	35	34	48	30	22	36	36	28	35	43	33	33	35	34	40	[illegible]	30	35	46	28	33	[illegible]
COTTONWOOD	MAX	45	52	48	55	60	57	61	58	64	68	64	68	60	52	58	65	70	72	70	75	54	65	70	75	70	70	75	74	61	65		[illegible]
	MIN	33	37	38	31	32	36	34	41	42	39	43	42	46	37	39	35	37	40	41	45	40	45	39	43	51	40	40	40	40	34		[illegible]
COUNCIL 1 N	MAX	64	68	65	63	69	68	68	63	69	69	70	80	72	62	62	74	78	79	77	70	62	73	80	84	80	80	83	81	77	77	79	72.5
	MIN	44	34	41	35	35	43	48	44	41	39	44	44	44	43	37	43	38	38	45	48	41	36	43	52	54	41	41	41	41	33	38	41.6
DEADWOOD DAM	MAX	51	65	61	53	61	57	57	44	56	63	67	71	63	53	52	61	63	69	68	59	54	66	70	73	66	70	75	75	61	69		62.4
	MIN	31	30	34	27	23	25	30	34	32	28	26	26	34	27	29	36	24	26	34	37	40	[illegible]	27	27	36	30	27	28	28	[illegible]		29.2
DEER FLAT DAM	MAX	62	71	68	65	70	72	63	55	68	77	78	81	73	61	64	68	73	77	80	67	65	76	78	85	79	78	84	85	58	72	75	72.2
	MIN	48	40	48	35	37	49	43	49	43	45	45	46	53	46	41	44	40	[illegible]	[illegible]	[illegible]	46	44	49	46	48	[illegible]	49	59	46	43	52	45.6
DRIGGS	MAX	64	68	74	74	62	68	66	65	52	57	65	68	74	69	69	68	65	65	55	63	63	48	60	67	71	70	60	68	65	65	64	64.9
	MIN	44	39	38	32	37	35	31	38	35	27	32	41	43	41	25	48	27	28	33	44	33	32	[illegible]	35	41	41	31	38	50	[illegible]	31	35.9
DUBOIS EXP STA	MAX	65	74	72	66	67	66	64	55	57	61	70	71	72	67	61	56	62	65	66	65	55	60	68	73	73	64	70	77	70	69	77	66.4
	MIN	40	42	41	36	37	40	44	39	36	35	37	41	52	43	32	41	34	37	38	43	40	43	38	43	43	41	41	41	45	40	40	40.1
DUBOIS CAA AP	MAX	67	75	73	62	70	70	66	56	61	65	74	73	75	68	58	59	64	69	69	63	55	63	71	75	73	66	73	79	75	68	79	[illegible]
	MIN	42	42	43	35	35	37	43	40	38	35	38	41	50	38	33	39	33	36	36	42	41	43	37	43	45	43	36	42	45	40	42	39.8
ELK RIVER 1 S	MAX	60	65	63	60	65	65	65	60	63	68	72	70	75	70	68	75	75	75	73	73	68	65	73	75	78	80	75	78	75	78	75	70.3
	MIN	33	40	42	33	34	37	34	40	40	35	40	40	45	45	40	35	38	40	40	44	40	34	36	37	40	42	34	45	44	[illegible]	40	38.3
EMMETT 2 E	MAX	67	75	68	66	75	72	68	53	70	76	80	83	77	73	66	77	82	82	77	67	70	75	81	88	81	82	86	87	77	78	[illegible]	75.5
	MIN	48	36	50	36	34	42	48	47	38	41	42	47	51	44	39	47	41	47	50	43	45	[illegible]	41	44	47	45	42	46	42	36	44	43.3
FAIRFIELD	MAX	63	69	68	60	66	62	61	59	56	64	70	72	69	63	50	62	65	70	76	65	56	67	70	75	72	72	74	77	66	69	79	66.7
	MIN	44	40	37	32	33	33	42	39	38	33	37	36	48	36	37	40	37	38	36	44	35	[illegible]	42	37	43	39	38	37	34	33	40	[illegible]
FENN RS	MAX	56	65	56	62	70	63	70	54	75	76	76	80	72	57	61	73	80	80	77	61	58	73	[illegible]	87	76	80	85	79	72	76	78	71.3
	MIN	42	43	40	39	37	44	40	47	45	40	42	43	46	43	40	44	38	41	46	48	44	45	[illegible]	43	52	[illegible]	40	39	45	38	38	42.5
FORT HALL IND AGENCY	MAX	71	82	79	67	75	73	70	66	61	70	78	82	79	70	67	62	67	74	74	69	55	68	75	80	77	71	78	85	69	72	85	72.6
	MIN	42	43	43	36	37	38	38	41	40	35	41	40	53	38	36	43	36	37	42	48	49	41	44	42	53	49	37	37	52	42	37	41.6
GARDEN VALLEY RS	MAX	63	76	74	64	72	70	66	60	68	75	76	80	75	68	65	73	76	79	77	75	62	75	80	83	82	80	83	83	79	77	80	74.1
	MIN	30	39	49	39	31	36	43	49	41	40	37	37	45	39	38	38	43	37	44	45	40	34	38	38	45	34	37	44	42	38	37	39.1
GLENNS FERRY	MAX	78	80	75	68	78	77	70	57	70	76	92	85	78	69	61	75	78	80	81	73	65	77	84	98	83	84	85	89	71	80	93	[illegible]
	MIN	51	37	51	35	34	40	47	44	41	40	39	40	53	41	37	39	48	37	50	47	42	41	40	41	49	[illegible]	43	41	52	41	44	42.7
GOODING CAA AP	MAX	71	77	70	65	74	69	68	52	63	73	76	81	71	66	55	68	70	75	75	54	59	71	76	83	79	78	81	84	67	71	89	71.5
	MIN	49	43	41	34	41	43	45	41	39	41	46	44	54	39	36	40	44	42	52	44	39	38	42	45	49	48	45	50	49	42	50	43.7
GRACE PH	MAX	64	73	75	66	70	67	67	58	55	62	71	76	70	70	52	53	59	67	67	58	52	58	66	70	70	62	69	74	66	66	75	65.4
	MIN	42	37	41	35	34	36	34	37	36	30	37	37	48	35	27	41	36	[illegible]	[illegible]	41	36	34	38	38	43	40	45	40	48	32	37	37.2
GRAND VIEW	MAX	70	81	78	69	78	77	75	60	68	78	81	86	85	80	67	77	80	84	84	79	74	77	85	92	89	83	90	93	85	81	86	79.7
	MIN	44	39	56	34	34	44	52	49	42	42	43	45	48	47	39	42	42	42	44	[illegible]	45	47	[illegible]	45	51	[illegible]	45	47	52	44	50	45.2
GRANGEVILLE	MAX	46	54	47	56	61	57	62	50	62	70	66	70	59	47	58	65	71	74	73	54	52	58	72	76	72	71	77	75	60			62.9
	MIN	34	37	35	29	33	41	35	41	41	39	43	42	44	37	36	37	37	42	48	40	40	[illegible]	40	48	50	42	41	46	39			39.7
GRAY	MAX	58	56	59	60	62	66	60	53	49	61	60	71	65	65	63	64	69	[illegible]	69	62	53	62	62	64	77	69	70	71	70	71	72	[illegible]
	MIN	30	31	32	32	32	36	35	34	30	30	30	37	45	43	25	44	37	29	28	35	34	30	29	32	48	37	48	34	32	[illegible]	32	33.8
GROUSE	MAX	60	67	65	54	62	62	56	49	50	61	61	69	65	58	50	52	63	65	65	58	52	62	68	70	70	67	68	71	65	66	70	62.0
	MIN	39	31	41	25	28	27	38	32	30	28	29	27	43	28	29	40	27	28	29	40	34	39	28	[illegible]	40	42	29	30	35	34	28	32.4
HAILEY	MAX	66	70	69	70	67	66	63	59	55	68	72	76	73	67	51	63	67	74	72	70	57	69	74	78	75	74	78	78	72	73	75	69.1
	MIN	43	39	46	29	33	35	43	38	38	35	38	38	48	37	33	38	[illegible]	[illegible]	45	40	31	[illegible]	40	41	46	42	40	42	41	35	37	38.7
HAMER 4 NW	MAX	71	78	78	65	73	70	67	59	61	67	75	77	75	70	62	60	65	70	73	68	56	65	73	78	78	67	75	80	72	64	80	70.2
	MIN	41	41	39	30	32	34	39	41	38	32	36	35	50	42	34	45	30	32	37	45	40	44	36	40	46	43	36	38	45	34	37	38.5

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 · Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HAZELTON	MAX	71	77	81	65	76	75	70	53	61	74	77	83	79	65	72	60	67	73	74	71	58	68	74	80	80	75	81	85	73	74	86	72.2
	MIN	46	43	49	36	38	45	43	39	39	32	40	41	54	38	35	42	37	39	49	44	39	40	44	40	50	47	40	43	50	43	45	42.3
HILL CITY	MAX	64	72	69	60	68	64	63	48	58	63	71	72	64	60	61	63	65	70	69	60	54	67	72	77	71	73	77	78	65	70	81	66.7
	MIN	43	36	47	33	30	38	42	40	37	33	35	37	48	37	35	36	35	35	45	46	36	34	35	36	43	45	36	35	43	32	41	38.2
HOLLISTER	MAX	68	72	68	68	72	68	66	69	70	73	75	79	75	65	58	61	64	71	70	68		65	71	78				83		71	85	70.5
	MIN	43	38	47	34	31	41	42	[illegible]	41	36	40	44	51	47	33	39	48	39	40	42		38	42	46			43			42	51	41.3
IDAHO CITY	MAX	60	73	72	61	64	65	63	50	61	69	73	77	74	067	63	71	73	74	74	65	57	72	77	81	77	77	80	80	75	76	81	70.4
	MIN	41	30	45	30	26	31	40	41	38	30	32	33	40	32	34	33	28	32	40	45	33	30	33	34	42	35	33	35	37	27	33	34.6
IDAHO FALLS 6 NE	MAX																				62	54	64	71	75	76	72	75	80	69	69	83	–
	MIN																				48	40	42	37	48	53	46	39	44	52	41	47	–
IDAHO FALLS CAA AP	MAX	69	79	78	65	72	68	68	65	62	68	75	81	74	69	55	61	66	72	72	66	53	67	72	75	78	70	77	80	66	72	81	70.2
	MIN	44	44	43	38	40	41	39	40	39	34	40	40	52	38	37	43	30	34	40	43	41	42	39	44	50	47	40	44	48	39	41	41.1
IRWIN 2 S	MAX	67	70	78	68	71	70	64	54	60	76	74	78	70	71	64	58	64	68	69	62	48	62	71	74	74	65	72	79	76	70	81	68.6
	MIN	40	38	40	37	38	38	37	37	32	34	36	33	34	35	28	45	32	31	37	45	34	38	36	38	44	42	35	41	53	32	32	37.2
ISLAND PARK DAM	MAX	61	67	67	55	61	61	55	50	55	58	61	68	66	64	58	53	58	58	63	61	46	58	67	70	67	60	67	72	68	61	72	61.5
	MIN	30	29	30	28	26	28	30	32	32	25	27	29	38	28	25	37	26	26	30	34	31	30	30	32	34	38	28	31	40	24	32	30.3
JEROME	MAX	73	78	76	65	75	73	70	53	63	75	76	80	78	71	53	66	68	74	75	73	64	70	78	85	80	77	82	86	86	73	88	73.7
	MIN	45	41	51	35	36	43	44	41	39	37	44	41	51	43	33	39	39	33	48	45	36	39	42	41	48	44	43	49	49	43	46	42.4
KELLOGG	MAX	61	55	61	52	57	66	60	70	67	74	76	68	81	67	50	75	76	80	81	73	63	66	74	78	84	77	79	85	82	66	77	70.4
	MIN	40	40	42	35	30	40	35	45	47	38	44	41	51	45	42	39	40	49	48	50	44	42	42	42	49	42	40	43	48	36	45	42.4
KOOSKIA	MAX	58	67	63	65	71	68	72	71	75	80	76	79	78	61	67	79	81	85	80	72	66	76	82	86	79	80	87	80	71	70	75	74.5
	MIN	43	45	48	40	37	48	42	50	49	42	45	47	50	47	44	46	39	44	50	49	47	42	42	46	56	46	43	44	47	37	42	45.1
KUNA 2 NNE	MAX	62	70	64		73	69	62	52	66	72	75	77	73	60	64	73	72	77	77	63	65	72	77	84	78	77	82	86	67	75	77	71.4
	MIN	46	34	49	33	33	41	47	45	37	43	42	42	48	40	36	37	40	38	46	50	43	38	39	45	45	44	38	46	43	38	44	41.[illegible]
LEWISTON WATER PLANT	MAX	61	64	65	66	71	68	76	75	73	79	75	80	80	66	76	80	82	84	80	70	70	78	82	86	82	84	90	87	76	79	79	76.3
	MIN	45	47	47	39		46	44	52	45	48	51	49	54	47	52	43	44	48	56	51	45	42	47	50	64	49	45	50	53	41	48	48.1
LEWISTON WB AP	MAX	56	60	54	63	68	64	72	59	69	74	70	79	67	61	72	76	79	82	77	69	68	75	79	84	80	80	86	80	69	76	71	71.6
	MIN	43	44	46	40	43	45	43	50	43	49	50	48	49	45	47	43	45	49	53	48	46	42	48	50	63	52	47	52	49	40	49	47.1
LIFTON PUMPING STA	MAX	66	73	69	67	68	67	64	58	57	62	69	75	71	65	63	50	53	64	65	61	50	53	67	70	72	63	69	73	69	68	74	65.0
	MIN	43	43	49	41	41	40	40	38	36	37	42	43	49	39	35	38	37	36	44	40	38	37	39	42	45	43	40	43	50	41	45	41.1
LOWMAN	MAX	60	74	74	70	69	69		65	66	70	72	78	74	68	61		73	75	73	71	69	72	77	81	78	76	80	80	77	80	81	72.9
	MIN	40	41	42	38	28	31		38	41	35	32	34	39	34	35		28	32	40	46	39	30	33	33	37	34	32	34	37	31	38	35.6
MACKAY RS	MAX	68	71	70	62	67	66	62	49	54	63	70	71	69	63	57	57	64	69	66	59	53	67	72	74	72	68	72	73	66	67	74	65.6
	MIN	38	40	38	32	33	33	44	32	33	32	37	36	45	34	31	31	35	35	43	40	38	42	38	38	37	42	38	40	39	34	33	36.8
MALAD	MAX	71	79	77	72	76	74	72	55	63	69	78	80	76	74	59	58	66	73	73	62	57	65	74	78	78	70	77	80	74	73	80	71.4
	MIN	43	42	41	39	39	43	40	41	42	35	39	44	51	38	32	43	44	37	40	46	42	39	38	43	47	43	37	42	44	38	45	41.2
MALAD CAA AP	MAX	72	79	80	72	76	72	72	58	62	69	78	82	75	75	58	57	66	74	73	62	55	66	75	78	79	71	77	82	74	74	83	71.8
	MIN	40	37	43	36	37	37	35	40	41	31	36	42	44	34	29	43	40	32	35	45	38	39	37	40	42	38	36	38	46	31	42	38.2
MAY RS	MAX	67	75	68	62	67	64	63	56	59	67	73	75	69	62	47	57	64	69	68	64	60	66	73	76	71	70	75	75	69	70	77	67.0
	MIN	42	36	43	32	29	31	37	40	36	30	35	34	45	31	30	40	32	35	40	38	40	42	34	40	42	34	36	37	36	36	35	36.4
MC CALL	MAX	52	58	56	48	58	56	56	42	54	58	62	68	64	54	50	56	64	66	62	46	50	62	70	70	66	68	72	72	68	68	68	60.1
	MIN	35	30	36	30	28	32	38	34	34	30	30	32	38	34	30	40	28	30	40	30	33	32	34	36	46	38	32	36	36	28	34	33.7
MC CAMMON	MAX	65	78	78	72	75	70	69	66	56	67	80	80	72	68	59	56	63	73	70	65	59	64	71	76	72	68	76	81	78	70	80	70.2
	MIN	43	39	43	34	36	37	37	45	40	34	37	38	46	33	34	44	40	32	40	49	38	37	39	40	46	42	36	39	50	35	39	39.4
MERIDIAN 1 SSW	MAX	62	60	61	65	73	70	64	52	67	72	77	79	74	65	64	77	74	77	78	63	64	73	79	87	78	78	82	88	67	76	78	71.7
	MIN	46	36	41	35	37	42	48	46	39	58	43	46	49	42	37	39	39	39	47	49	43	39	41	44	48	45	42	48	43	39	48	43.2
MESA	MAX	59	67	66	67	68	67	67	58	67	69	81	87	72	70	65	70	76	78	75	66	70	73	80	84	78	75	82	76	77	75	76	72.3
	MIN	45	40	46	36	39	44	44	44	40	43	46	51	49	47	37	46	44	46	45	49	42	39	47	50	46	46	47	42	44	39	46	44.2
MINIDOKA DAM	MAX	69	79	74	69	72	65	65	52	61	70	78	81	69	66	49	60	66	73	70	60	50	67	73	79	77	75	79	85	65	72	79	69.3
	MIN	48	45	47	38	41	45	45	42	40	39	47	44	54	40	34	42	43	42	48	47	39	39	43	46	46	46	46	53	52	41	49	44.2
MONTPELIER RS	MAX	63	69			75	72	70	70	52	59	64	72	77	70	70	55			65	67	57	51	54	68		74	65	70	76	70	77	66.6
	MIN	37	36			31	32	32	33	32	30	34	35	35	30	25	38			29	30	33	33	31	34		37	33	35	45	28	37	33.3
MOSCOW U OF I	MAX	53	58	57	56	63	58	70	66	67	71	66	76	76	62	68	73	73	75	73	60	62	70	73	79	76	72	79	80	69	69	73	68.5
	MIN	38	39	42	32	36	37	42	47	35	47	45	43	49	41	41	37	46	43	52	47	43	36	41	41	52	40	38	44	42	31	38	41.5
MULLAN PASS CAA	MAX	32	46	39	38	45	39	49	45	52	57	49	62	51	38	50	54	55	56	53	44	41	55	61	64	58	58	66	66	42	58	59	51.0
	MIN	26	27	28	24	28	30	31	37	36	37	40	39	35	30	32	37	41	46	39	30	32	36	42	45	39	38	48	38	28	30	39	35.1
NAMPA 2 NW	MAX	67	64	73	63	66	73	71	63	64	68	74	79	81	77	59	67		76	80	80	63	67	76	81	88	82	82	85	85	72	76	73.4
	MIN	50	36	51	35	35	44	50	48	40	46	45	45	53	46	38	42		43	50	53	46	43	45	44	49	47	43	50	46	40	50	45.1
NEW MEADOWS RS	MAX	56	70	65	58	65	63	69	60	66	67	70	76	70	60	55	65	72	74	72	69	58	67	71	79	72	72	79	74	72	74	75	68.2
	MIN	38	35	39	34	28	36	36	43	37	35	36	35	40	38	31	43	28	31	39	42	35	29	27	31	32	32	28	33	30	23	30	34.2
NEZPERCE 2 E	MAX	47	59	48	55	62	53	65	56	65	69	63	72	61	48	58	66	71	74	70	56	58	66	71	76	69	71	77	77	60	66	65	63.7
	MIN	36	39	41	34	38	40	38	41	41	42	45	46	48	40	41	39	42	44	50	41	41	39	42	47	53	44	43	47	41	37	44	42.1
OAKLEY	MAX	68	80	79	69	77	79	68	57	71	73	75	82	77	65	55	56	66	70	72	68	55	73	77	80	73	78	83	70	73	80	78	71.8
	MIN	47	38	48	32	40	39	38	36	39	36	44	44	44	40	33	36	37	42	45	45	38	39	37	45	49	46	50	51	37	45	44	41.4
OBSIDIAN 4 NNE	MAX	52	59	58	57	56	54	55	45	52	57	63	65	63	56	56	51	60	60	60	58	59	65	64	67	66	61	66	68	58	64	68	59.5
	MIN	30	26	36	22	20	22	30	31	32	25	26	24	35	28	25	34	22	25	34	32	25	27	[illegible]	28	33	30	26	28	32	21	31	27.9
OROFINO	MAX	61	67	64	65	71	65	76	75	74	80	73	84	81	70	71	80	83	84	83	75	65	77	82	87	80	82	90	87	78	81	72	76.[illegible]
	MIN	37	45	48	40	44		41	51	43	45	46	48	51	47	47	44	41	46	50	51	46	40	43	45	47	41	41	39	50	37	43	44.[illegible]
PALISADES DAM	MAX	66	76	79		69	70	65	59	57	64	72			72	59	58		65	69	65	50	59	69	73	72	61	70	78	78	66	78	67.[illegible]
	MIN	41	39			37	38	37	40	37	32	39			35	25	45		32	37	44	34	38	35	38	43	41	36	39	50	31	37	37.[illegible]
PARMA EXP STA	MAX	66	71	72	66	74	73	69	56	69	75	80	80	78	76	66	77	78	83	82	66	69	77	82	85	83	81	85	87	81	76	78	75.5
	MIN	47	38	49	33	35	42	49	48	39	43	42	46	53	47	40	44	38	41	53	50	45	39	42	45	48	46	44	46	45	39	43	43.8
PAUL 1 E	MAX	74	71	82	72	64	76	67	70	54	66	76	78	81	71	67	53	67	70	72	74	62	59	68	76	84	77	74	80	84	74	74	71.5
	MIN	44	40	45	37	38	41	38	39	38	31	36	39	52	35	35	35	38	40	44	48	39	38	43	38	49	44	42	41	50	43	43	40.7
PAYETTE	MAX	65	71	69	66	76	72	68	58	70	76	80	82	79	70	67	76	77	82	82	70	68	77	84	87	82	82	86	86	76	80	78	75.5
	MIN	47	39	48	36	36	45	50	49	40	41	43	47	54	48	41	48	42	41	52	49	49	39	44	43	50	47	44	46	47	41	43	44.8
POCATELLO WB AP	MAX	68	78	79	64	74	69	69	55	61	70	78	79	72	70	51	63	67	73	73	66	51	67	75	79	79	71	78	83	68	73	83	70.5
	MIN	46	44	44	38	39	40	40	40	39	35	41	42	52	40	36	49	36	39	45	44	39	41	46	45	55	48	38	48	51	45	41	42.8
PORTHILL	MAX	59	60	58	60	62	59	66	72	75	74	71	74	69	65	72	79	77	73	71	68	66	73	78	80	75	76	81	80	69	72	70	70.5
	MIN	40	30	40	40	29	40	34	41	41	35	41	41	42	40	39	41	38	48	43	40	39	40	43	41	44	38	45	43	45	32	42	39.8
POTLATCH	MAX	55	60	55	57	64	60	73	67	68	73	67	77	74	60	73	74	76	76	71	60	62	70	75	80	75	75	82	77	65	71	67	69.0
	MIN	38	39	40	32	35	37	36	48	36	42	46	41	49	43	43	38	40	42	51	46	42	35	40	40	50	40	39	42	42	32	42	40.8
PRESTON SUG FACT 2 SE	MAX	75	80	82	80	77	75	75	70	60	61	75	82	80	75	73	58	72	71	73	67	54	54	71	77	79	71	75	81	81	72	84	72.9
	MIN	43	40	45	40	38	39	37	42	42	43	35	35	47	34	29	43	42	38	34	44	42	39	38	43	44	42	38	40	53	33	40	40.1
PRIEST RIVER EXP STA	MAX	54	59	54	56	61	59	67	71	73	71	67	71	70	59	73	75	75	78	74	69	62	69	73	78	76	77	79	77	62	68	67	68.5
	MIN	32	29	36	31	23	39	30	38	35	34	41	37	45	43	35	36	36	46	43	47	39	35	37	37	42	35	36	40	42	28	39	37.0
REACTOR TESTOMG STA	MAX	68	77	75	62	71	68	63	55	58	69	74	78	73	72	53	61	65	71	70	65	53	66	73	77	75	71	74	81	70	72	82	69.1
	MIN	40	37	44	34	35	38	42	39	36	31	37	34	49	38	33	46	35	36	40	42	39	40	35	40	49	45	35	37	48	32	40	38.9
RICHFIELD	MAX	70	74	74	63	72	70	67	52	60	70	77	80	75	66	53	63	68	74	73	71	59	68	75	80	78	75	83	74	66	72	84	70.5
	MIN	44	41	50	37	36	39	41	39	38	36	40	39	49	37	34	39	37	39	48	44	32	36	42	38	49	44	41	42	46	32	47	40.5
RIGGINS RS	MAX	53	57	54	60	64	62	62					77	76	67	63			81	80	75	67	73	80	84		78	84	84	75	76	76	71.2
	MIN	43	47	41	43	38	48	47	49	50	47	49	51	52	45	40	47	44	50	55	52	49	41	48		53	51	49	53	50	42	50	47.5
RIRIE	MAX	70	79	79	64	72	68	67	56	61	67	74	76	72	68	58	63	65	71														–
	MIN	46	46	47	38	47	44	41	41	37	38	44	45	50	42	35	45	32	36														–
ROLAND W PORTAL	MAX	43	55	51	50	54	50	58	58	65	65	62	69	60	48	62	63	66	68	65	60	51	65	70	76	73	71	75	74	65	65	67	62.1
	MIN	32	32	37	30	28	34	32	38	35	38	37	35	41	35	37	35	36	40	41	43	36	32	36	38	44	36	43	44	38	30	44	36.7
RUPERT	MAX	74	71	81	77	65	75	70	68	55	65		79	82	73	68	54	62	70		74	62	57	70		82	77	75	80	85	67	75	71.2
	MIN	44	41	45	35	38	42	39	39	37	34		40	54	39	34	34	36	39		45	37	39	41		40	45	43	47	49	41	47	40.9
SAINT ANTHONY	MAX	70	79	78	64	71	70	69	57	62	75	77	76	75	69	60	62	65	70	70	65	55	67	73	77	78	68	74	80	68	69	83	70.2
	MIN	40	44	40	36	37	35	36	41	40	30	35	41	48	37	35	45	31	31	41	44	39	38	35	39	45	46	35	39	50	29	36	38.6
SAINT MARIES	MAX	57	63	59	57	64	62	70	68	70	74	72	74	71	67	71	74	81	78	76	66	62	72	74	75	73	75	75	77	74	70	72	70.1
	MIN	35	41	38	35	30	38	36	44	40	39	41	43	47	43	45	39	42	40	43	46	43	39	41	40	41	40	38	40	33	37	37	39.8
SALMON	MAX	77	77	77	65	71	73	70	62	67	77	80	80	73	62	58			76	72	68	66	73	78	81	70	75	80	77	70	71	83	72.7
	MIN	45	40	43	37	31	32	41	40	41	33	37	35	46	36	37				45	47	43	44	36	38	47	44	35	35	48	33	37	39.5
SANDPOINT EXP STA	MAX	55	57	56	56	58	56	66	71	72	71	66	72	68	59	73	75	76	79	65	66	62	71	75	74	76	76	75	73	64	66	68	67.6
	MIN	40	35	43	37	26	46	30	59	41	36	42	40	50	49	40	40	39	49	43	48	44	38	39	39	43	39	36	40	43	33	49	41.2
SHOSHONE	MAX	74	79	80	65	76	70	69	55	63	73	79	83	74	69	55	67	71	78	78	76	63	73	79	84	79	78	83	86	70	76		73.5
	MIN	43	41	49	33	39	42	44	40	38	39	44	44	53	40	35	39	38	38	48	43	36	35	41	46	48	45	44	48	47	38		41.9

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SPENCER RS	MAX	66	72	73	57	66	64	64	56	56	61	69	70	69	65	59	57	62	64	66	58	56	59	67	70	70	62	69	74	70	64	76	64.9
	MIN	34	35	36	35	31	34	40	37	35	29	31	33	46	35	30	38	33	32	34	37	35	34	31	35	[illegible]	40	32	33	39	35	32	35.0
SPRINGFIELD	MAX	71	78	80	67	75	70	71	57	62	70	79	81	74	72	54	62	68	75	75	68	58	68	75	80	80	72	77	84	68	71	83	71.8
	MIN	39	40	40	34	36	41	38	41	40	31	36	35	51	35	34	44	34	35	33	46	40	41	41	39	52	45	38	47	50	39	46	40.0
STIBNITE	MAX	56	47	60	52	48	56	53	52	48	51	59	62	65	58	42	45	57	61	63	63	53	44	58	65	69	63	64	70	70	56	68	57.4
	MIN	33	29	33	31	24	27	28	32	31	28	30	29	35	25	28	31	26	28	29	34	26	29	28	32	31	29	29	31	35	24	32	29.6
SUGAR	MAX	73	81	78	66	73	72	68	56	63	68	75	78	78	72	62		65	71	73	68	54	65	73	79	78	66	74	80	70	68	83	71.0
	MIN	43	38	39	35	37	35	35	40	38	28	35	33	48	39	39		28	29	38	45	39	38	34	37	41	45	34	36	51	34	33	37.4
SUN VALLEY	MAX	61	68	65	64	63	62	60	51	55	62	68	71	70	66	51	57	64	68	69	67	54	69	69	72	71	69	71	73	70	67	74	65.2
	MIN	37	30	42	25	23	25	34	35	36	28	28	28	39	26	30	41	24	28	34	36	32	37	24	30	39	31	28	28	32	23	28	31.2
SWAN FALLS PH	MAX	68	75	75	62	78	77	72	56	73	75	80	86	83	76	64	78	79	81	82	71	67	75	82	91	88	81	91	90	74	82	86	77.4
	MIN	51	42	54	50	42	48	52	49	44	47	48	48	60	47	40	44	47	46	48	52	47	49	51	52	54	54	51	55	52	49	52	49.2
TETONIA	MAX	62	72	75	66	66	65	63	55	50	62	60	72	69	67	57	57	65															-
	MIN	43	38	36	33	33	34	30	32	25	25	33	38	43	34	23	40	25															-
TETONIA EXP STA	MAX																		64	65	62	43	58	64	69	70	60	66	72	62	61	74	-
	MIN																		28	32	34	31	35	32	36	42	35	32	38	45	28	31	-
THREE CREEK	MAX	69	72	74	60	72											56	62	69	70	64	50	60	68	75	70	68	69	82	71	70	78	-
	MIN	38	42	32	25	28											33	29	32	37	36	34	32	35	34	39	40	29	40	38	35	41	-
TWIN FALLS 2 NNE	MAX	73	79	76	66	77	77	72	55	64	78	78	84	83	72	53	66	69	75	77	74	60	71	78	84	82	77	84	85	76	76	89	74.5
	MIN	46	42	49	36	36	48	44	42	40	34	40	41	54	41	36	42	36	43	52	47	40	40	44	42	50	49	41	45	51	42	45	43.2
TWIN FALLS 3 SE	MAX	75	73	78	72	73	76	71	70	56	64	76	77	84	73	67	54	65	69	72	78	62	61	72	78	82	79	77	83	84	70	75	72.5
	MIN	48	43	43	30	34	48	45	42	40	32	42	45	55	46	36	37	35	36	46	54	40	40	48	44	45	49	45	46	51	45	46	43.1
WALLACE	MAX	56	58	52	55	61	59	57	61	70	72	68	76	67	51	67	71	73	76	68	58	58	68	74	79	74	74	80	79	68	73	73	67.0
	MIN	37	38	41	33	28	30	31	43	45	37	40	37	46	41	42	35	36	44	44	42	41	35	37	38	44	46	36	40	46	33	43	39.0
WALLACE WOODLAND PARK	MAX	61	49	58	51	53	59	53	65	60	69	70	64	74	58	46	65	69	73	74	67	57	57	58		70	70	72	78	77	66	70	64.1
	MIN	38	36	39	32	28	29	32	32	44	36	40	38	39	42	40	36	36	36	45	45	41	35	37		41	39	37	39	44	32	33	37.4
WEISER	MAX	62	75	66	72	75	72	70	68	73	77	81	83	79	70	70	77	82	85	84	78	72	78	85	90	79	86	87	84	73	82	82	77.3
	MIN	41	46	49	34	35	50	50	48	48	42	46	46	51	47	40	46	43	46	47	46	48	36	43	45	48	48	46	43	43	36	42	44.5
WINCHESTER 1 SE	MAX	53	50	51	50	57	53	61	59	60	66	65	68	66	55	60	63	67	70	68	55	56	65	69	74	69	68	76	75	66	65	66	62.8
	MIN	31	32	34	29	33	35	33	40	33	39	40	40	43	34	34	33	35	40	45	42	35	33	33	40	49	42	36	43	38	30	39	36.9

EVAPORATION AND WIND

Table 6

Station		Day of month																															Total or ave
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.23	.25	.23	.29	.28	*	*	.20	*	.09	-	.21	.29	.40	.28	.29	-
	WIND	85	54	74	95	61	112	62	123	99	27	26	44	-	-	-	170	135	49	55	294	197	90	27	74	98	69	24	59	259	124	98	B 2972
ARROWROCK DAM	EVAP	.05	.09	.18	.14	.16	.23	.21	.08	.01	.13	.19	.21	.21	.25	.11	.16	.22	.28	.28	.26	.09	.17	.25	.26	.27	.30	.32	.30	.17	.27	.23	6.08
	WIND	26	27	41	66	31	37	32	29	36	33	31	27	30	45	75	58	40	42	48	58	45	82	57	35	40	48	53	29	45	60	45	1351
LIFTON PUMPING STA	EVAP	.20	.22	.34	.30	.20	.29	.23	.11	.13	.21	.25	.24	.35	.30	.26	.08	.20	.22	.20	.20	.13	.12	.14	.24	.28	.24	.22	.27	.38	.23	.33	7.11
	WIND	89	61	145	178	70	87	102	128	100	94	59	47	80	29	232	170	162	101	57	103	124	164	58	50	90	121	79	42	140	53	115	3130
MINIDOKA DAM	EVAP	.30	.17	.32	.24	.18	.37	.17	.20	.12	.22	.20	.32	.48	.35	.16	.17	.26	.35	.39	.27	.14	.22	.31	.34	.38	.33	.31	.38	.43	.39	.44	8.91
	WIND	80	80	150	160	40	110	80	190	170	70	100	50	150	130	260	140	160	90	150	210	180	210	90	90	110	100	90	90	220	180	180	4110
MOSCOW U OF I	EVAP	.09	.10	.09	.10	.13	.06	.17	.07	.08	.16	.14	.14	.17	.14	.17	.12	.18	.24	.13	.10	.15	.16	.20	.23	.32	.22	.23	.22	.26	.21	.15	4.93
	WIND	30	23	54	25	21	21	26	37	10	36	32	12	71	70	71	19	12	28	45	60	64	17	18	15	47	18	18	45	157	16	29	1147
PALISADES DAM	EVAP	.12	.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	.39	.13	.16	.06	.03	.15	.26	.22	.18	.18	.27	.26	.27	.22	-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTA 1 E	SNOWFALL														T	T						T										
	SN ON GND																															
BIG CREEK 1 S	SNOWFALL			T											T	6.0						T										T
	SN ON GND															-																
BURLEY CAA AP	SNOWFALL															T																
	SN ON GND																															
CASCADE 1 NW	SNOWFALL														T	1.0																
	SN ON GND																															
CENTERVILLE ARBAUGH RCH	SNOWFALL														T	0.1																
	SN ON GND																															
COBALT BLACKBIRD MINE	SNOWFALL				T				T	T				T	T	5.0																
	SN ON GND															5																
DEADWOOD DAM	SNOWFALL		T	T											1.0	T						T										
	SN ON GND	20	19	18	16	16	15	13	11	10	9	8	6	5	5	4	3	1				T										
GRAY	SNOWFALL									-																						
	SN ON GND									2																						
MAY RANGER STA	SNOWFALL															5.0																
	SN ON GND																															
MULLAN PASS CAA	SNOWFALL	1.2		1.5	0.1	0.8	T							T	3.0						T									T		
	SN ON GND	31	31	30	31	26	22	19	18	15	13	12	10	8	10	7	6	5	4	4	4	4	3	3	3	2	2	2	2	2		
POCATELLO WB AP	SNOWFALL															T																
	SN ON GND																															
ROLAND W PORTAL	SNOWFALL	0.9																									T					
	SN ON GND	T	T	T	T	T	T	T	T	T	T	T	T	T																		
SPENCER RANGER STA	SNOWFALL															T																
	SN ON GND																															
STIBNITE	SNOWFALL							T		T					6.0	1.0	0.5					2.0	T									
	SN ON GND														5							2										
THREE CREEK	SNOWFALL															1.0										T						
	SN ON GND															1																
WALLACE	SNOWFALL																										T					
	SN ON GND																															

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
BERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
LBION	0149	CASSIA	12	42 2[illegible]	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
LPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
MERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
NDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
RCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL [illegible]	2 3 5 7
RROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
SHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
TLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP I PETERSON	2 3 5 7
TLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
VERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
AYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
IG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	[illegible] EDWARDS	2 3 5 7
LACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
LACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
LISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
OISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	U S ENGINEERS	2 3 5
OISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
ONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE E NEUMAYER	2 3 5 7
UHL	1217	TWIN FALLS	12	42 35	114 46	[illegible]	5P	5P	WILLIAM A LOW	2 3 5
UNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
URKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3
URLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
URLEY 1 NW FACTORY	1298	CASSIA	12	42 33	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
URLEY CAA AP	1303	CASSIA	12	42 32	113 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
AMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I CORTON	2 3
ASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
ENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 [illegible]	4780		4P	MABEL M ARBAUGH	3 7
HALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
HILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
LARK FORK 1 ENE	1810	BONNER	9	48 09	116 1[illegible]	2125	6P	6P	MRS MARY E RALPH	2 3 5
LEMENTSVILLE 1 SE	1881	TETON	12	43 [illegible]	111 16	[illegible]		MID	SEE NAME CHANGE END OF INDEX	
OBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	[illegible]	8A	8A	EDWIN B DOUGLAS	2 3 5 7
OEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
OEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
ONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
OTTONWOOD	2174	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPERICH	2 3 5 7
OUNCIL 1 N	2187	ADAMS	12	44 44	116 26	29[illegible]	5P	5P	DAN GOODMAN	2 3 5
ROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
EADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
EADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
EER FLAT DAM	2444	CANYON	12	43 3[illegible]	116 41	2510	6P	6P	U S BUR RECLAMATION	2 3 5
RIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
UBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
UBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
DEN HUNT PROJECT	2823	JEROME	12	42 41	114 1[illegible]	[illegible]	5P	5P	U S BUR RECLAMATION	CLOSED 5/22/52
LK CITY	28[illegible]	IDAHO	3	45 49	115 26	[illegible]	4P	4P	MRS LORA B VILAS	2 3 5
LK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3
MMETT 2 E	2942	GEM	2	43 [illegible]	116 32	2500	6P	6P	WAYNE E HARPER	2 3 5 7
AIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
ENN RANGER STATION	3143	IDAHO	3	[illegible]	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
ORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	[illegible]	5P	5P	FORT HALL IR PROJ	2 3
ARDEN VALLEY RS	3448	BOISE	8	44 04	[illegible]	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
ILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
LENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 7
OODING CAA AP	3682	GOODING	12	42 [illegible]	114 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 7
RACE POWER HOUSE	3732	CARIBOU	12	42 3[illegible]	111 44	[illegible]			H A WESTENFELDER	2 3 5
RAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3
RANGEVILLE	3771	IDAHO	3	45 [illegible]	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 7
RAY	382[illegible]	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
ROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
AILEY	3942	BLAINE	12	43 31	114 19	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
AMER 1 NW	3964	JEFFERSON	6	43 [illegible]	112 1[illegible]	4796	5P	5P	U S F & W SERVICE	2 3 5 7
AZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
ILL CITY	4268	CAMAS	12	43 18	115 03	[illegible]	5P	5P	CARROLL DAMMEN	2 3 5 7
OLLISTER	429[illegible]	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
OWE	4381	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
DAHO CITY	4442	BOISE	2	43 [illegible]	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
DAHO CITY 13 SW	4446	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
DAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
DA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
RWIN 2 S	4788	BONNEVILLE	12	43 24	111 18	[illegible]	5P	5P	ANNA FLEMING	2 3 5 7
SLAND PARK DAM	4798	FREMONT	12	44 25	111 24	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 5 7
ACKSON PEAK	4612	BOISE	8	44 03	115 27	[illegible]		VAR	U S SOIL CON SER	S
EROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	G O OLIVER	2 3
AMIAH 1 NE	4793	LEWIS	3	46 [illegible]	116 01	[illegible]		7A	MRS MARY E LUNDERS	3
ELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
OOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T [illegible]	2 3 5
UNA 2 NNE	[illegible]	ADA	2	43 31	116 24	[illegible]	5P	5P	HARRY U GIBSON	2 3 5
ANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	[illegible]		VAR	U S FOREST SERVICE	S
EWISTON	52[illegible]	NEZ PERCE	12	46 25	117 02	[illegible]		7A	JACK M KAY	3
EWISTON WATER PLANT	52[illegible]	NEZ PERCE	3	46 25	117 01	[illegible]	5P	5P	LEWISTON WATER DEP	2 3 7
EWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
IFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	[illegible]	6P	6P	UTAH P & L COMPANY	2 3 6
OLO PASS	[illegible]	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
OWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
ACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
ALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
ALAD CAA AP	[illegible]	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
MC [illegible]	[illegible]	VALLEY	8	44 54	116 07	[illegible]	4P	4P	[illegible]	2 3 5 7
MC [illegible]	5716	BANNOCK	12	42 39	112 12	4774	[illegible]	[illegible]	[illegible]	2 3
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	[illegible]	5P	5P	[illegible]	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	[illegible]	[illegible]	[illegible]	3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	[illegible]	[illegible]	[illegible]	5943	[illegible]	[illegible]	[illegible]	2 3
MOSCOW U OF I	[illegible]	LATAH	[illegible]	[illegible] 41	[illegible]	2628	[illegible]	[illegible]	[illegible]	[illegible]
MOUNTAIN HOME 1 NE	[illegible]	ELMORE	[illegible]	[illegible]	[illegible] 42	3180	6P	[illegible]	[illegible]	[illegible]
MULLAN PASS CAA	[illegible]	SHOSHONE	[illegible]	[illegible]	115 41	[illegible]	MID	MID	[illegible] AERO ADM	[illegible]
NAMPA 2 NW	[illegible]	CANYON	[illegible]	[illegible]	[illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	[illegible]
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 [illegible]	116 17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NEZPERCE [illegible]	[illegible]	LEWIS	[illegible]	[illegible]	116 12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NEZ PERCE PASS	[illegible]	LEMHI	11	[illegible] 43	114 [illegible]	[illegible]		VAR	[illegible]	[illegible]
[illegible]	[illegible]	CASSIA	[illegible]	[illegible]	[illegible]	4600	[illegible]	[illegible]	[illegible] HARTY	[illegible] 7
OBSIDIAN 4 NNE	[illegible]	CUSTER	11	44 03	114 48	6900	[illegible]	[illegible]	MARJORIE L SHAW	[illegible] 7
OLA 4 S	[illegible]	GEM	8	[illegible]	[illegible]	[illegible]	5P	[illegible]	[illegible]	[illegible]
[illegible]	6681	CLEARWATER	3	46 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3
PALISADES DAM	[illegible]	BONNEVILLE	12	[illegible]	[illegible]	[illegible]	4P	[illegible]	U S BUR RECLAMATION	[illegible]
PARMA EXPERIMENT STA	6844	CANYON	[illegible]	[illegible]	[illegible]	2224	5P	[illegible]	STATE EXP STATION	2 3
PAUL 1 E	6877	MINIDOKA	12	42 37	113 4[illegible]	[illegible]	8A	[illegible]	AMALGAMATED SUGAR	[illegible] 5
PAYETTE	[illegible]	PAYETTE	8	44 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MICHAEL HARRIS	[illegible]
PIERCE RANGER STATION	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	[illegible]	8A	8A	[illegible]	2 3
PINE 2 SSW	[illegible]	ELMORE	2	[illegible]	[illegible]	4225		[illegible]	[illegible]	[illegible]
POCATELLO WB AIRPORT	7211	BANNOCK	[illegible]	[illegible]	112 36	4444	MID	MID	[illegible] WEATHER BUREAU	[illegible] 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 7
POTLATCH	7301	LATAH	[illegible]	[illegible]	[illegible]	[illegible]	7P	[illegible]	[illegible]	2 3 [illegible] 7
PRESTON [illegible]	[illegible]	FRANKLIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PRIEST RIVER EXP STA	[illegible]	BONNER	[illegible]	48 21	[illegible]	[illegible]	[illegible]	5P	[illegible]	[illegible] 7
PUNGO CREEK	7433	VALLEY	[illegible]	44 45	115 04	[illegible]		VAR	M EDWARD BUDELL	
PUTNAM MOUNTAIN	7465	BINGHAM	[illegible]	43 02	112 03	[illegible]		VAR	ROY POTTER	
REACTOR TESTING STA	[illegible]	BUTTE	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	[illegible] WEATHER STA	[illegible]
[illegible]	[illegible]	LINCOLN	[illegible]	[illegible]	114 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
RIGGINS RANGER STATION	7706	IDAHO	11	[illegible]	116 19	[illegible]	[illegible]	[illegible]	[illegible]	2 3 [illegible] 7
RIRIE	[illegible]	JEFFERSON	[illegible]	[illegible]	111 47	4962	[illegible]	6P	[illegible]	CLOSED 5/19/52
ROLAND WEST PORTAL	[illegible]	SHOSHONE	10	47 21	115 40	[illegible]	[illegible]	5P	J L RANDOLPH	2 3
RUPERT	[illegible]	MINIDOKA	[illegible]	[illegible] 37	113 41	4204	8A	8A	[illegible]	[illegible]
SAINT ANTHONY	[illegible]	FREMONT	[illegible]	[illegible]	111 40	[illegible]	[illegible]	7P	F M [illegible]	[illegible]
SAINT MARIES	[illegible]	BENEWAH	10	[illegible] 19	116 33	[illegible]	[illegible]	5P	U S FOREST SERVICE	2 3
SALMON	8076	LEMHI	11	[illegible] 11	[illegible]	[illegible]	5P	[illegible]	U S WB OBSERVER	2 3 [illegible] 7
SANDPOINT EXP STATION	[illegible]	BONNER	9	48 17	[illegible]	[illegible]	[illegible]	[illegible]	STATE EXP STATION	2 3 [illegible]
SHAKE CREEK RANGER STA	[illegible]	ELMORE	[illegible]	[illegible] 37	[illegible] 10	4730		VAR	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7P	[illegible]	[illegible]	2 3 5
SOL IER CREEK	8548	CAMAS	[illegible]	[illegible]	[illegible]	[illegible]		VAR	[illegible]	S
SPENCER RANGER STATION	8604	CLARK	[illegible]	[illegible]	112 11	[illegible]	5P	[illegible]	[illegible]	[illegible]
SPRINGFIELD	8626	BINGHAM	12	[illegible] 04	112 41	4420	[illegible]	[illegible]	[illegible]	2 3
STIBNITE	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]	8A	8A	[illegible]	[illegible]
SUGAR	[illegible]	MADISON	[illegible]	[illegible]	111 45	[illegible]	6P	6P	WM [illegible]	[illegible] 5
SUN VALLEY	[illegible]	BLAINE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	2 3 [illegible] 7
SWAN FALLS POWER HOUSE	[illegible]	ADA	[illegible]	[illegible]	[illegible]	[illegible]	5P	5P	IDAHO POWER COMPANY	2 3 [illegible] 7
TETONIA	[illegible]	TETON	12	43 49	111 [illegible]	6040	[illegible]	6P	STATE EXP STATION	[illegible]
THREE CREEK	[illegible]	OWYHEE	12	42 03	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 [illegible] 7
TRINITY LAKE GUARD STA	[illegible]	ELMORE	[illegible]	43 38	[illegible]	7400		VAR	U S SOIL CON SER	S
[illegible] GUARD STATION	[illegible]	ELMORE	2	43 43	115 [illegible]	3475		VAR	U S SOIL CON SER	
TWIN FALLS [illegible] NNE	9294	TWIN FALLS	12	42 [illegible]	114 28	3770	[illegible]	[illegible]	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	[illegible]	TWIN FALLS	12	[illegible]	[illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	5
VIENNA	9422	BLAINE	11	43 49	114 51	[illegible]		VAR	U S SOIL CON SER	
WALLACE	9493	[illegible]	4	47 28	[illegible]	[illegible]	6P	[illegible]	[illegible]	2 3
WALLACE WOODLAND PARK	[illegible]	SHOSHONE	4	47 30	[illegible]	[illegible]	8A	8A	[illegible]	[illegible] 5
WEISER	[illegible]	WASHINGTON	12	44 15	[illegible]	[illegible]	6P	[illegible]	ROLAND HEMENWAY	2 3
WINCHESTER 1 SE	9840	LEWIS	3	46 14	[illegible]	3950	4P	4P	T CENSKY	[illegible]
YELLOW PINE	9950	VALLEY	11	[illegible]	115 29	[illegible]		VAR	L J MILLER	
MOORE CREEK SUMMIT	6077	[illegible]	2	43 56	115 40	[illegible]		VAR	U S SOIL CON SER	[illegible]
NEW STATIONS										
IDAHO FALLS [illegible] NE	4455	BONNEVILLE	12	43 34	[illegible]	4840	5P	5P	CARROLL SECRIST	2 3 [illegible]
NAME CHANGE										
# TETONIA EXP STATION	[illegible]	TETON	12	[illegible]	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Table 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the June, July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-104476 1000 7-14-5

CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

JUNE 1952
Volume LV No. 6

SAN FRANCISCO: 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Statewide average precipitation of 2.04 inches places this June among the upper 20% for the 60 years of record in Idaho. The Northern Division average was 186% of normal, a figure exceeded only once since 1893. Average precipitation in all divisions was more than double that of June 1951, and the average number of days with measurable precipitation was nearly twice as great. Temperatures, despite the prevalence of cloudy skies and the frequency of precipitation, averaged just about normal for the State. The Northern Division, however, was cooler than normal, while the Southeastern Division, where most of the precipitation fell late in the month, averaged a little above normal. Sunshine was generally deficient with percent of possible at Boise 13% below normal and lower than in any June since 1945.

Throughout the State the first nine days were warmer than normal and precipitation was generally light. Work on farms progressed rapidly during this period; spring seeding was completed where earlier rains had caused delay, potato planting was nearly completed, sugar beet thinning went forward rapidly and haying was started in some areas. Sharp drops in temperature on the 10th followed a cold front that moved rapidly eastward across the State during the night of the 9th. The cold front ushered in a 3-day rainy spell in the Northern and Southwestern Divisions, but in the east rainfall was not sufficient to be of much benefit to dry-land crops. Some snow was reported in northern Idaho during this period and on the mornings of the 12th and 13th freezing temperatures were reported at stations in all sections of the State. Considerable damage to gardens resulted, but damage to field crops was not extensive. During the next week generally fair weather prevailed in southern divisions, but the north continued to have frequent showers throughout the balance of the month. Temperatures gradually rose to above-normal levels by the 17th in southern sections, but by the 21st another major cold front had swept across the State; and from that date until the end of the month daily temperatures were, with few exceptions, below normal. Showers were frequent during the last ten days and substantial rainfall was reported in all parts of the State. The showers were very beneficial to most dry farms in eastern Idaho; where drought, or near drought, conditions had persisted for three or four weeks. In some agricultural areas of the Northern Division, however, the rains further retarded field work. Some hay that had been cut was damaged by the rains, particularly in south central districts. There was also some loss of sweet cherries and green pea harvesting was delayed, but in most sections pastures and ranges continued green and livestock were in good condition at the close of the month.

Weather elements took a toll of one human life and caused some property damage during the month. On June 5th, in the afternoon, a boy and his horse were killed by lightning about eight miles east of Jerome. On the 18th, between 5:30 and 6 p.m., hail and high wind did an undetermined amount of damage to row crops in the vicinity of Parma. Finally, on the 26th at about 6 p.m., a thunderstorm, accompanied by heavy rain, occurred along the Snake River south of Cottonwood. During the storm,which covered a path some two miles wide and several miles long, eight head of beef cattle valued at $2500 were killed by lightning; and debris from the sides of the canyon was washed onto the road.

DJS

STORAGE GAGE DATA WILL BE PUBLISHED HEREAFTER IN THE JULY OR AUGUST ISSUES OR AS DELAYED DATA IN THE DECEMBER ISSUE.

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total			
OISE WB AIRPORT	NW	26	7.0	38	W	9	72	45	32	50	4	6	5	0	0	0	15	66	5.0	SEE TABLE 2.
EWISTON WB AIRPORT	-	-	-	-	-	-	82	53	42	-	1	6	8	1	0	0	16	-	6.9	
OCATELLO WB AIRPORT	SW	25	9.8	42	SW	10	66	40	28	48	2	2	2	2	0	0	8	72	4.0	

COMPARATIVE DATA

able 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	57.4	97	20	.34	-	2
1894	58.8	96	26	1.19	-	8
1895	58.3	103	19	.57	-	4
1896	62.9	103	25	1.16	-	5
1897	59.9	100	17	1.29	-	7
1898	61.4	102	18	.98	-	6
1899	58.6	103	17	.69	0.6	5
1900	65.8	109	24	.51	0.0	3
1901	56.7	101	17	.89	T	6
1902	60.3	106	21	.66	0.3	4
1903	63.7	99	28	1.31	0.0	7
1904	59.5	102	15	.94	T	5
1905	59.0	96	25	1.77	0.0	10
1906	56.8	96	16	1.62	T	6
1907	57.0	98	24	2.35	0.4	11
1908	56.0	101	23	2.60	1.2	11
1909	61.8	106	26	.72	0.0	4
1910	62.4	107	20	.25	0.0	2
1911	61.5	101	24	2.54	0.0	11
1912	62.3	103	25	1.43	T	6
1913	61.1	99	24	2.90	0.0	12
1914	58.8	106	14	2.24	0.5	10
1915	56.8	100	21	.96	0.1	6
1916	57.3	106	19	1.40	0.4	6
1917	56.9	105	20	.66	0.8	4
1918	67.0	110	14	.90	0.0	4
1919	62.5	109	15	.06	0.0	[illegible]
1920	59.1	102	15	.98	0.0	6
1921	64.0	106	25	.89	0.0	5
1922	64.5	107	26	.88	0.0	4
1923	57.9	104	12	2.66	0.0	12
1924	60.9	110	16	.57	0.2	4
1925	60.9	113	21	1.76	0.0	9
1926	64.2	113	18	.77	0.0	3
1927	61.9	104	25	1.06	0.0	5
1928	58.2	103	20	1.17	0.1	7
1929	59.5	102	18	1.59	0.1	7
1930	59.7	101	20	.85	T	5
1931	63.8	103	23	.58	T	4
1932	61.7	105	24	1.43	0.1	6
1933	63.7	107	26	.89	0.0	4
1934	60.7	102	21	1.45	T	[illegible]
1935	61.1	100	21	.40	0.0	3
1936	63.4	110	22	1.99	T	9
1937	59.5	106	17	1.46	T	8
1938	62.2	100	17	1.35	0.0	7
1939	57.9	110	16	1.12	T	8
1940	64.8	110	19	.66	T	4
1941	59.8	103	16	2.32	0.0	11
1942	57.0	100	18	1.32	T	8
1943	56.8	101	21	1.96	T	10
1944	57.3	104	18	2.14	T	13
1945	56.7	105	19	2.24	0.0	11
1946	60.1	99	21	.98	T	6
1947	57.1	97	21	2.48	T	12
1948	62.6	103	27	2.17	0.0	10
1949	60.3	103	15	.65	T	4
1950	58.8	108	20	1.72	0.1	7
1951	57.1	97	17	.92	T	5
1952	60.2	101	18	2.04	T	9

TEMPERATURE AND PRECIPITATION DATA IN THIS TABLE HAVE BEEN WEIGHTED ON AN AREAL BASIS.

TABLE 2

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	77.8	38.4	58.1M	- 2.3	92	10	25	14	210	2	0	7	0	4.29	2.15	.77	19	.0	0		20	3	0
BAYVIEW MODEL BASIN	71.6	46.9	59.3		83	4	34	13	189	0	0	0	0	2.30		.55	10	.0	0		11	2	0
BIG CREEK 1 S	68.8	36.1	52.5	2.1	84	9	21	13	369	0	0	11	0	3.24	.66	.72	24	T	0		13	1	0
BONNERS FERRY	74.7	46.6	60.7M	1.1	92	9	34	13	150	1	0	0	0						0				
BUNGALOW RS	78.8	45.7	62.3	- 0.1	94	9	29	10	103	2	0	1	0	3.53	.82	.81	12	.0	0		18	2	0
BURKE 2 NNE	65.9	39.6	52.8	1.2	80	10	29	13	359	0	0	3	0	5.38	2.61	.94	12		0		18	3	0
CLARK FORK 1 ENE	71.6	43.7	57.7	- 1.1	86	9	20	13	218	0	0	1	0	4.74	2.43	1.24	12	.0	0		11	4	1
COBALT BLACKBIRD MINE	63.6	36.8	50.2M		77	10	26	13		0	0	7	0	2.84		.66	24	.5	1	12	12	2	0
COEUR D ALENE CAA AP	71.2	46.8	59.0		86	9	33	13	188	0	0	0	0	2.17		.76	29	.0	0		10	1	0
COEUR D ALENE RS	76.1	46.3	61.2	0.0	91	10	34	13+	135	2	0	0	0	2.25	.69	.55	21	.0	0		12	1	0
COTTONWOOD	68.2	43.4	55.8	- 1.7	84	9	30	13	266	0	0	1	0	4.31	1.73	1.49	12	.0	0		15	1	1
ELK RIVER 1 S	72.6	42.2	57.4M		85	9	31	13	231	0	0	3	0	3.81		1.00	12	T	0		14	2	1
FENN RS	79.5	46.6	63.1M	- 0.5	93	9+	37	13	75	2	0	0	0	3.20	.74	.85	12	.0	0		15	3	0
GRANGEVILLE	70.1	43.8	57.0M	- 1.0	85	9	31	13	237	0	0	1	0	5.16	2.12	.77	12		0		16	2	0
KELLOGG	74.5	47.2	60.9	0.6	93	10	34	13		1	0	0	0	3.59	1.53	.82	12	.0	0		18	1	0
KOOSKIA	80.3	49.5	64.9	0.4	96	9	37	13	71	5	0	0	0	4.29	2.09	1.52	12	.0	0		11	3	1
LEWISTON WATER PLANT	80.7	52.9	66.8	- 0.5	95	9	40	13	43	3	0	0	0	2.38	.92	.54	12	.0	0		14	1	0
LEWISTON WB AP	75.9	51.3	63.6	- 2.7	93	9	39	13	89	1	0	0	0	2.95	1.20	.68	12	T	T	26	15	1	0
MOSCOW U OF I	72.5	46.2	59.4	0.1	87	9	36	23	180	0	0	0	0	2.73	1.26	.52	21	.0	0		12	2	0
MULLAN PASS CAA	56.3	39.4	47.9	- 0.7	73	9	27	10+	508	0	0	6	0	3.10	.21	.55	21	4.7	2	12	15	1	0
NEZPERCE 2 E	68.6	46.3	57.5		85	9	34	13	229	0	0	0	0	4.49		1.15	12	T	0		14	1	1
OROFINO	80.5	50.0	65.3M	0.1	98	9	39	23	54	5	0	0	0	3.18	1.17	1.17	12	.0	0		10	2	1
PIERCE RS	72.8	42.8	57.8M	0.1	90	9+	30	13	216	2	0	2	0	4.49	1.99	1.30	12	T	0		16	3	1
PORTHILL	74.1	45.6	59.9	0.4	89	9	31	13	157	0	0	1	0	4.36	2.77	1.24	12	.0	0		11	4	1
POTLATCH	72.1	45.9	59.0	0.6	90	9	35	13	185	1	0	0	0	4.51	2.76	1.13	27	T	0		14	3	1
PRIEST RIVER EXP STA	71.7	42.2	57.0M	- 1.0	86	9	27	13	234	0	0	2	0	4.10	2.12	.97	30	.0	0		13	4	0
RIGGINS RS	78.4	52.2	65.3	- 0.3	92	4+	40	13	62	3	0	0	0	3.36	1.64	1.00	24	.0	0		13	2	1
ROLAND W PORTAL	66.4	41.4	53.9	- 1.1	80	9	28	13	326	0	0	2	0	4.83	2.03	.79	12	.9	0		19	4	0
SAINT MARIES	75.1	45.0	60.1	- 0.9	90	9	33	13+	164	1	0	0	0	3.91	2.31	.60	26	.0	0		19	2	0
SALMON	79.0	43.9	61.5	0.9	96	9	30	13+	113	1	0	2	0	2.10	.81	.92	24		0		8	1	0
SANDPOINT EXP STA	71.8	45.4	58.6	- 0.7	84	9	30	13	188	0	0	1	0	3.45	1.58	.82	12	.0	0		10	2	0
WALLACE	70.5	43.3	56.9	- 2.4	89	9	30	13	239	0	0	1	0	4.95	2.59	.53	19	T	0		15	3	0
WALLACE WOODLAND PARK	69.2	43.0	56.1M	- 1.7	87	10	31	13		0	0	1	0	4.38	1.97	.71	12	.0	0		14	2	0
WINCHESTER 1 SE	67.4	41.4	54.4	- 1.7	83	9	31	13	312	0	0	3	0	6.02	3.15	1.31	27	T	0		15	4	3
DIVISION			58.6	- 1.1										3.77	1.74			.2					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	69.7	38.0	53.9	- 0.8	85	9	23	13	330	0	0	5	0	2.03	.25	.37	29	.0	0		10	0	0
ANDERSON DAM	78.1	49.0	63.5		94	9	38	13	92	1	0	0	0	1.41		.40	10	.0	0		10	0	0
ARROWROCK DAM	77.8	48.7	63.3	- 1.3	96	10	38	13		3	0	0	0	.92	- .04	.46	24	.0	0		8	0	0
ATLANTA 1 E	69.9	40.7	55.3	1.6	82	9+	30	13	291	0	0	3	0	2.49	1.11	.52	24	.0	0		11	2	0
BLISS	81.9	48.5	65.2	0.0	94	9	36	13	63	4	0	0	0	.30	- .16	.10	23	.0	0		8	0	0
BOISE LUCKY PEAK DAM	83.0	49.8	66.4M		97	9	40	12	57	4	0	0	0	.97		.26	24	.0	0		8	0	0
BOISE WB AP //	77.2	51.1	64.2	- 0.3	98	9	41	12	87	3	0	0	0	1.10	.18	.17	10	T	0		11	0	0
BUHL	79.5	51.6	65.6	1.7	93	9	40	13+	70	2	0	0	0	1.11	.17	.60	10	.0	0		4	1	0
CALDWELL	79.7	50.6	65.2	0.0	97	9	36	13	68	2	0	0	0	1.43	.66	.60	27	.0	0		9	1	0
CAMBRIDGE	81.6	46.4	64.0	- 0.7	95	10+	34	13		5	0	0	0	1.88	.76	.64	12	.0	0		9	1	0
CASCADE 1 NW	69.9	41.4	55.7		87	9	28	13	273	0	0	2	0	2.39		.51	27	T	0		15	1	0
CHALLIS	75.5	45.2	60.4M	1.0	88	9	33	13	147	0	0	0	0	1.06	.01	.41	27	.0	0		9	0	0
COUNCIL 1 N	78.7	47.6	63.2	0.0	95	9	33	13	110	4	0	0	0	1.93	.33	.60	29	T	0		8	1	0
DEADWOOD DAM	68.7	35.0	51.9	- 0.2	85	9	24	13	387	0	0	12	0	2.17	.33	.48	21	T	T	12+	13	0	0
DEER FLAT DAM	79.4	52.1	65.8	0.9	96	9	39	13	63	3	0	0	0	.96	.28	.25	29	.0	0		8	0	0
EMMETT 2 E	80.9	47.5	64.2	- 2.4	96	9	38	16	79	6	0	0	0	1.00	.06	.23	27	.0	0		8	0	0
FAIRFIELD	74.0	40.9	57.5		85	9+	27	13	221	0	0	2	0	2.54		.34	26	.0	0		9	3	0
GARDEN VALLEY RS	80.1	44.5	62.3	0.9	93	9	31	13	96	3	0	1	0	1.70	.64	.40	27	.0	0		10	0	0
GLENNS FERRY	83.0	48.9	66.0	- 2.0	99	9	34	13	50	7	0	0	0	.53	- .08	.13	9	.0	0		10	0	0
GOODING CAA AP	78.8	49.9	64.4	1.0	95	9	40	16	84	3	0	0	0	.37	- .24	.14	21	T	0		6	0	0
GRAND VIEW	85.4	51.4	68.4M	0.9	101	9	39	13	18	9	0	0	0	2.12	1.42	1.15	3	T	0		7	1	1
HAZELTON	78.5	47.1	62.8	- 2.8	91	18	36	13	94	3	0	0	0	1.41	.65	.82	10	.0	0		6	1	0
HILL CITY	74.0	40.9	57.5	1.7	88	9	26	17	222	0	0	3	0	2.31	1.53	.96	25	.0	0		8	2	0
HOLLISTER	76.9	45.3	61.1	- 0.7	90	9	34	13	131	1	0	0	0	1.38	.47	.33	24	.0	0		8	0	0
IDAHO CITY	75.1	40.7	57.9	- 1.3	90	9	28	16	209	1	0	2	0	1.57	.57	.35	24	T	0		13	0	0
JEROME	80.9	47.0	64.0	- 0.8	93	9	36	13	77	3	0	0	0	1.26	.73	.52	10	T	0		7	1	0
KUNA 2 NNE	76.9	47.1	62.0M	- 2.4	94	9	33	13	111	2	0	0	0	1.16	.36	.34	27	.0	0		9	0	0
LOWMAN	75.7	39.6	57.7M	- 0.6	90	8	28	13	216	1	0	2	0	2.12	.72	.72	27	.0	0		10	1	0
MC CALL	67.6	40.6	54.1	0.0	84	9	27	13	326	0	0	3	0	2.14	.32	.50	10	.0	0		11	1	0
MERIDIAN 1 SSW	78.2	49.0	63.6	- 1.4	96	9	36	13	84	2	0	0	0	1.44	.57	.50	27	.0	0		6	1	0
MESA	77.7	48.8	63.3		93	8	37	12	113	4	0	0	0	3.14		.75	7	T	0		10	4	0
NAMPA 2 NW	79.9	50.2	65.1		98	10	36	13		3	0		0	.69		.15	26	.0	0		9	0	0
NEW MEADOWS RS	73.6	39.2	56.4M	0.9	89	9	25	13	246	0	0	2	0	2.87	1.19	.71	12	T	0		11	3	0
OBSIDIAN 4 NNE	64.2	32.6	48.4	- 1.0	76	18+	18	13	489	0	0	14	0	1.72	.36	.56	21	.0	0		8	1	0
OLA 4 S	80.7	46.0	63.4		95	9	35	13	96	4	0	0	0	2.06		.54	6	.0	0		11	1	0
PARMA EXP STA	81.2	49.3	65.3	- 0.5	97	9	38	13	71	7	0	0	0	1.05	.26	.36	10	T	0		7	0	0
PAYETTE	82.1	51.4	66.8	1.1	96	9	39	13	50	6	0	0	0	1.64	.86	.68	29	T	0		9	1	0
RICHFIELD	77.4	45.5	61.5	0.9	90	9	35	13	122	1	0	0	0	1.15	.39	.45	10	.0	0		8	0	0
SHOSHONE	79.6	48.3	64.0	1.4	93	9+	36	16	84	3	0	0	0	.96	.30	.32	27	.0	0		10	0	0
STIBNITE	65.9	33.2	49.6		80	10	23	13		0	0	16	0	4.30		.94	22	2.0	1	12	14	3	0
SUN VALLEY	71.5	36.1	53.8	3.2	82	9	22	13	329	0	0	11	0	2.45	.75	.87	27	T	0		9	1	0
SWAN FALLS PH	84.0	55.3	69.7	1.0	98	9	44	13	18	10	0	0	0	1.09	- .20	.28	27	.0	0		8	0	0
THREE CREEK	73.8	38.6	56.2		88	18	26	13	264	0	0	6	0	1.09	- .72	.45	21	.0	0		5	0	0
TWIN FALLS 2 NNE	81.9	48.2	65.1	2.0	95	9	36	13	59	5	0	0	0	.73	- .08	.23	24	T	0		7	0	0
TWIN FALLS 3 SE	79.1	47.2	63.2	- 0.4	94	10	35	13+		3	0	0	0	1.08	.29	.35	24	.0	0		8	0	0
WEISER	82.3	49.8	66.1M	- 1.8	99	9	38	12	54	9	0	0	0	1.31	.41	.43	29	T	0		6	0	0
DIVISION			61.4	- 0.2										1.58	.56			T					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	79.5	44.5	62.0	0.8	89	7+	32	13	105	0	0	1	0	.74	- .04	.25	24	.0	0		6	0	0
ALBION	76.3	40.4	58.4	- 0.3	91	18	25	13	200	1	0	3	0	1.29	.26	.43	23	.0	0		7	0	0
AMERICAN FALLS 1 NW	79.8	46.4	63.1	1.6	90	9+	33	13	89	2	0	0	0	1.20	.18	.44	23	.0	0		6	0	0
ARCO	77.1	43.7	60.4	2.3	89	9	31	13	151	0	0	1	0	.87	- .29	.22	26	.0	0		6	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
ASHTON 1 S	74.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	13	[illegible]	[illegible]	[illegible]	[illegible]	0	2.37	[illegible]	.84	24	.0	0		7	[illegible]	0
BLACKFOOT	[illegible]	47.7	[illegible]	[illegible]	91	9+	[illegible]	13	[illegible]	[illegible]	[illegible]	[illegible]	0	2.87	1.94	1.46	25	[illegible]	0		5	2	2
BLACKFOOT DAM	[illegible]	34.9	[illegible]	- 1.6	[illegible]	9+	22	16	352	[illegible]	0	9	0	1.72	- .09	[illegible]	[illegible]	[illegible]	0		7	[illegible]	0
BURLEY	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	13		[illegible]	0	[illegible]	0	.35	- .44	.19	24	[illegible]	[illegible]		6	0	0
BURLEY FACTORY 1 NW	[illegible]	[illegible]	[illegible]	- [illegible]	92	[illegible]	33	13		1	0	0	[illegible]	.48	- .44	.23	24	.0	0		5	0	0
BURLEY CAA AP	78.6	[illegible]	[illegible]	[illegible]	94	18	33	[illegible]	125	[illegible]	[illegible]	[illegible]	[illegible]	.56	- .38	.14	23	.0	0		7	0	0
CHILLY BARTON FLAT	[illegible]	[illegible]	[illegible]	- [illegible]	85	[illegible]	22	[illegible]	355	[illegible]	[illegible]	[illegible]	[illegible]	1.80	.70	.50	24	.0	0		7	1	0
CONDA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	19	29	[illegible]		[illegible]	[illegible]	4	0	1.07	- [illegible]	.65	25	.0	0		[illegible]	1	0
DRIGGS	[illegible]	41.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	13		[illegible]	[illegible]	1	0	1.11	- .92	.81	25	.0	0		5	1	0
DUBOIS EXP STA	75.6	45.7	[illegible]	[illegible]	[illegible]	[illegible]	32	16	[illegible]	[illegible]	0	1	0	1.80	.14	1.00	24	.0	0		7	1	1
DUBOIS CAA AP	74.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	16	167	[illegible]	[illegible]	[illegible]	[illegible]	1.97	- .04	1.38	24	T	0		6	1	1
FORT HALL IND AGENCY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	18	35	[illegible]	[illegible]	[illegible]	0	[illegible]	0	[illegible]	2.14	.86	27	[illegible]	0		7	3	0
GRACE PH	72.6	42.5	[illegible]	- [illegible]	83	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	1	[illegible]	1.17	- .12	.89	24	[illegible]	0		5	1	0
GRAY	73.0	[illegible]	[illegible]	[illegible]	[illegible]	16	30	17+	252	[illegible]	0	[illegible]	[illegible]	1.92	.26	.80	24	.0	0		5	2	0
GROUSE	68.0	[illegible]	[illegible]		80	[illegible]	[illegible]	13	[illegible]	[illegible]	[illegible]	[illegible]	0	[illegible]	[illegible]	[illegible]	26	.0	0		[illegible]	0	0
HAMER 4 NW	[illegible]	43.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2	[illegible]	[illegible]	[illegible]	1.14	24	.0	0		5	1	1
IDAHO FALLS 6 NE	78.1	46.7	[illegible]		90	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		.45	24	[illegible]	0		5	0	0
IDAHO FALLS CAA AP	[illegible]	46.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	[illegible]	[illegible]	[illegible]	[illegible]	- .14	.44	24	.0	0		5	0	0
[illegible]	[illegible]	42.6	[illegible]	2.6	87	9+	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.70	.17	[illegible]	24	.0	0		6	2	0
ISLAND PARK DAM	70.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	16	331	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- .82	1.06	24	.0	0		11	2	1
LIFTON PUMPING STA	[illegible]	47.2	[illegible]	[illegible]	[illegible]	5+	[illegible]	16	149	[illegible]	[illegible]	[illegible]	0	1.43	.62	1.13	24	.0	0		4	1	1
MACKAY RS	[illegible]	43.0	[illegible]	- [illegible]	[illegible]	9	[illegible]	13	203	[illegible]	0	1	[illegible]	1.84	.74	.70	25	.0	0		7	1	0
MALAD	78.8	[illegible]	[illegible]	[illegible]	88	18	34	16	103	0	0	0	0	[illegible]	- .19	.66	24	.0	0		3	1	0
MALAD CAA AP	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	124	1	0	1	0	1.16		.70	24	.0	0		4	1	0
MAY RS	75.4	40.4	[illegible]	[illegible]	86	[illegible]	29	13	208	[illegible]	[illegible]	3	0	1.69	.42	.60	24	.0	0		8	1	0
MC CAMMON	79.4	42.9	61.2		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	[illegible]	1.19		.91	24	[illegible]	0		5	1	0
MINIDOKA DAM	77.9	49.2	[illegible]		[illegible]	19	39	13	91	[illegible]	0	[illegible]	[illegible]	.65		.22	25	.0	0		5	[illegible]	0
MONTPELIER RS	74.2	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	16		[illegible]	[illegible]	2	0	1.01	- .23	.55	24	.0	0		4	1	0
OAKLEY	78.9	[illegible]	62.8	[illegible]	[illegible]	5+	35	13	101	[illegible]	0	0	[illegible]	1.09	- .01	.39	24	.0	0		8	0	0
PALISADES DAM	77.4	42.0	[illegible]		[illegible]	[illegible]	32	[illegible]	153	0	0	1	0	1.84		.81	24	[illegible]	0		10	2	[illegible]
PAUL 1 E	78.2	[illegible]	[illegible]	0.1	91	10+	35	13		2	0	0	0	.61	- .30	.25	24	.0	0		6	0	0
POCATELLO WB AP //	77.9	47.5	[illegible]	[illegible]	91	18	35	13	104	[illegible]	[illegible]	0	0	1.67	.58	.62	24	T	T	27	6	2	0
PRESTON [illegible] FACT [illegible]	81.7	45.3	[illegible]	2.2	[illegible]	9+	33	16	75	2	0	0	[illegible]	1.28	.00	.99	24	T	0		4	1	0
REACTOR TESTING STA	75.4	43.6	[illegible]		91	9	30	13	172	1	0	2	0	.88		.25	6	T	0		7	0	0
RUPERT	78.4	[illegible]	[illegible]	- 0.4	94	19	36	13		[illegible]	0	0	0	.94	.10	.58	27	.0	0		7	1	0
SAINT ANTHONY	78.1	[illegible]	[illegible]	1.7	[illegible]	[illegible]	31	16	135	2	0	1	0	1.38	- .64	.93	24	.0	0		7	1	[illegible]
SPENCER RS	[illegible]	[illegible]	[illegible]	1.7	85	9	[illegible]	16	236	0	0	7	0	2.38	.45	1.16	24	.0	0		8	1	1
SPRINGFIELD	[illegible]	44.8	[illegible]	[illegible]	91	9+	37	16	112	3	0	0	0	1.48	.67	.64	24	T	0		7	1	0
SUGAR	77.1	[illegible]	[illegible]	[illegible]	90	9	32	13	[illegible]	1	0	1	0	[illegible]	.14	.62	24	.0	0		6	1	0
TETONIA EXP STA	[illegible]	[illegible]	55.1		83	9+	[illegible]	13	289	0	0	3	0	1.52		.93	24	T	0		10	1	[illegible]
DIVISION			[illegible]	0.8										1.43	.20			T					
STATE			60.2	- 0.1										2.04	.72			T					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.74																					.05		.13	.25	.06	.07	.18				.
ALBION	1.29										.20											.10		.43	.31	.22	.02	.01				.
ALPHA 1 NE	2.03			T		T	T		.09	.05	.30											.33		.30		.30	.04	.23	.02	.37		.
AMERICAN FALLS 1 NW	1.20																					.14		.44	.24	.02	.32	.04				.
ANDERSON DAM	1.41						.15	T			.40		.10									.11		.12	.23	.03		.03	.23	.01		.
ARCO	.82						.04				.15														.05	.16	.22	.20	T			.
ARROWROCK DAM	.92			T								.02	.05									.20			.46	.04		.04	.02		.09	.
ASHTON 1 S	2.37						.12															.25	T	.30	.84	.35	.41	.10				.
ATLANTA 1 E	2.49					T	.07				.29									.13		.51	T	T	.52	.08	.36	.26	.14	.10	.03	.
AVERY RS	4.29		.03				.53	T			.40	.06	.73	T	.02	.18	.03	.07	T	.77	.39	.29	•	.06	T	.05	.10	.05	.23	•	.30	.
BAYVIEW MODEL BASIN	2.30			T			.05	T			.55	.15	.39		.01	.16	.03	T				.20	.10							.50	.16	.
BIG CREEK 1 S	3.24	T					.45	.02	T		.12	T	.40			T	T		T			.43	T	.10	.72	.11	.09	.43	.06	.27	.04	.
BLACKFOOT	2.87						T															.14		.12	1.10	1.46		.05				.
BLACKFOOT DAM	1.72						.07				T											.02		.05	.65	.68	.20	.05				.
BLISS	.30					.02	.02	T			.05												.02	.10	.05		T	.02	.02		T	.
BOISE LUCKY PEAK DAM	.97										.17	.11									•	•		.25	.26					•	.18	.
BOISE WB AP //R	1.10		.01			T	T				.17	.09	.02								.16	.09		.09	.15	.05	T	.11	T	.16		.
BONNERS FERRY	-						.02				.57	.49	.87		.08		.05	.08			-	-	-	-	-	.07			.03	.55	T	.
BUHL	1.11										.60											.18	T	T	.29		T	.04				.
BUNGALOW RS	3.53										.61	.01	.81	.03	.03	.31	.02	.01		.38	.04	.31	.15	.01	T	.01	.01	.10		.31	.38	.
BURKE 2 NNE	5.38	.17					.35				.63	.05	.94	.01	.05	.31	.14	.10		.39	T	.58	.46			.01		.17	.11	.46	.45	.
BURLEY	.35										T											.01			.19	.07	.03	.04	.01			.
BURLEY FACTORY 1 NW	.48										.04														.23	.15	.04	.02				.
BURLEY CAA AP	.56						T				.06										T	.06		.14	.11	.05	.10	.04				.
CALDWELL	1.43										.25									.03	.16	.05			.10		.03	.60	.17		.04	.
CAMBRIDGE	1.88					T	.09					.33	.64							T	.13				.15	.03		.01	.08	.42		.
CASCADE 1 NW	2.39			T			.05	.21			.11	.02	.37								.03	.30	.07	.01	.35	.01		.51	.19	.13	.03	.
CENTERVILLE ARBAUGH	1.71		T	T	T	T	T				.19		.19							T	T	.39		.13	.16	.08	.07	.09	.30	.10	.01	.
CHALLIS	1.06		.05			.02	.03															.07			.37	T	.03	.41	.07	.01		.
CHILLY BARTON FLAT	1.80						.25	.05			T											.30		T	.50	.20	.05	.45				.
CLARK FORK 1 ENE	4.74						.12				.86	.18	1.24			.22	.20	T				.55	.03					.03		.95	.36	.
COBALT BLACKBIRD MINE	2.84					T	.26	.21	T				.08							.02		.26	.58		.66	.37	.06	.07	.17	T	.10	.
COEUR D ALENE CAA AP	2.17	T		T	T		T			.08	.34	.09	.27		.17	.08	.04		T	T	T	.27			T	T	T	T	T	.76	.07	.
COEUR D ALENE RS	2.25						.16				.39	.07	.25		.01	.23	.02	.04				.55	T		.04	T		T	.01	.48		.
CONDA	1.07							.03																	.23	.65	.08	.06	.02			.
COTTONWOOD	4.31				.04		.27				.29	.29	1.49		.02	.03				.34	T	.34			.25	.17	.09		.35	.32	.02	.
COUNCIL 1 N	1.93						T	.25			.45	.04	.04									.15			.20			.20	T	.60		.
CROUCH 2 NNW	1.21						.05				.05		.32									.10		.02	.15	.02		.25	.07	.17	T	.
DEADWOOD DAM	2.17		T			T	.08				.09	.02	.26			T			T		T	.48		.26	.34	.15	.07	.18	.07	.14	.03	.
DEER FLAT DAM	.96										.18	.05									.06	.05		.17	T		.10	.10		.25		.
DRIGGS	1.11																						.10		.14	.81	.01	.05				.
DUBOIS EXP STA	1.80						T	.08								.03						.27			1.00	.15		.26	.01		T	.
DUBOIS CAA AP	1.97	T				T	.01									T						.21		.10	1.38	T	.03	.24		T		.
ELK RIVER 1 S	3.81						.24	.22			.10	.19	1.00		T	.27	T	T		.41	T	.33	T		.03	.03	.12	T	.06	.62	.19	.

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	1.00										.21		.08								.10	.07			.15	T		.23	.08	.08		
FAIRFIELD	2.54							.06			.04											.06			.25	.53	.84	.53	.21	.02		
FENN RS	3.20						.08				.62	.02	.85	.02	.02	.14				.57		.33			.07	.09	.03	T	.10	.15	.11	
FORT HALL IND AGENCY	3.06										.04											.42		.20	.62	.84	.08	.86				
GARDEN VALLEY RS	1.70										.04		.26									.30	T	.11	.10	.15	T	.40	.20	.06	.08	
GLENNS FERRY	.53					.03	.03				.13										T	.07		.03	.05	.03	.06	.09	.01			
GOODING CAA AP	.37					T	.01				.07	T										.14		.11	.02			T		.02		
GRACE PH	1.17						.07																	.03	.89	.16	.02	T				
GRAND VIEW	2.12			1.15			.09				.25		.07									.26			.05			.25	T			
GRANGEVILLE	5.16		.28			T	.45			T	.37	.44	.77		.03	.16			.26	.14	T	.42	.05		.41	.59			.16	.46	.17	
GRAY	1.92																					T		.01	.80	.75	.25	.11	T			
GROUSE	1.89			.05		.05	.43				.04					T						.07				.43	.47	.27		.06	.02	
HAMER 4 NW	1.69						.12															.15			1.14	.14		.14				
HAZELTON	1.41						.01				.82											.04		.26	.23	T	.05	T	T			
HILL CITY	2.31						.06				.10		T								T	.16		.09	.15	.96	.50	T	.29	T		
HOLLISTER	1.38																					.26	.11	.32	.33	.11	.08	.06		.11	T	
HOWE	1.18						.03	.05				.12											T		.05	.12	.35	.46	T	T		
IDAHO CITY	1.57			.04							.06		.12									.31	.02	.20	.35	.03	.10	.09	.18	.05	.02	
IDAHO CITY 13 SW	1.17		T								.06		.07		T							.20		T	.43			.10	.15	.14	.02	
IDAHO FALLS 6 NE	.95																					.16		T	.45	.18	.14	.02				
IDAHO FALLS CAA AP	1.07										T											.16		.27	.44	.14	.06	T				
IRWIN 2 S	1.70							.05															T	.14	.75	.69	.03	.04				
ISLAND PARK DAM	2.74							.28			.06					.02						.33	.05	.06	1.06	.52	.07	.26			.03	
JEROME	1.76					.07	.06		T		.52											.16		.06	.33		T	T	T	.06		
KAMIAH 1 NE	3.80	.01					.24				.21	.33	1.28	.03		.14				.21		.14	.27		.03	.04	.42	T	.21	.24	T	
KELLOGG	3.59	.19					.23	.05			.26	.07	.82	.02		.21	.03	.07		.04		.31	.24	T		T	.01	.12	.02	.43	.47	
KOOSKIA	4.29						.19				.57	T	1.52			.20				.22		.23			.07	.52	T	.42	.11	.24		
KUNA 2 NNE	1.16										.15	T	.06								T	.15		T	.08	.09	.05	.34	T	.09	.15	
LEWISTON WATER PLANT	2.38						.21				.21	.01	.54		.02	.15				.09		.39			.02	.02	.09	.05		.48	.10	
LEWISTON WB AP	2.95	T					.20				.26	.07	.68		.01	.15			.01	.16		.49			.02	.11		.24	.05	.47	.08	
LIFTON PUMPING STA	1.43						.03																		1.13	.11	.16	T		T		
LOWMAN	2.12		T				.07			.12			.17									.31		.17	.20	.13		.72	.10	.13		
MACKAY RS	1.89						.09	.28	T		T											.02			.28	.70	.14	.38		T		
MALAD	.97																					T		T	.66	.24		.07				
MALAD CAA AP	1.16						T															T		.05	.70	.34		.07				
MAY RS	1.69					T	.33				T											.35			.60	.10	.01	.20	.08	.02		
MC CALL	2.14			.09							.50		.03			.05						.32	.03		.48	.07	T	.16		.22	.19	
MC CAMMON	1.19						T	T			T											T		.17	.91	.02	.04	.05				
MERIDIAN 1 SSW	1.44										.21	.10												T	.32			.50		.27	.04	
MESA	3.14							.75			.35	.08	.54									.21	.08		.56	.03		.03		.51	T	
MINIDOKA DAM	.65										.07											.03		.14	.19	.22						
MONTPELIER RS	1.01																								.55	.26	.03	.17				
MOSCOW U OF I	2.73	.03					.22				.51	T	.23		.03	.17				.07	T	.52			.25	.16	T			.30	.24	
MULLAN PASS CAA	3.10	T				T	.45			T	.09	.16	.30		T	.07	.05		.02	.28	T	.55	.10		T	T	.16	.16	.17	.36	.18	
NAMPA 2 NW	.69						.03				.03		.10									.11	T		.08	T	.15		.10	.06	.03	
NEW MEADOWS RS	2.87							.03		.60		.13	.71	.03	T	T					T	.15			.56	.06	.01			.46	.13	
NEZPERCE 2 E	4.49					T	.32				.48	.49	1.15		.04	.04				.35		.40	T		.09	.10	.03	.12	.43	.45		
OAKLEY	1.09						.03				.03											.06		.24	.39	.27	.04	.03				
OBSIDIAN 4 NNE	1.72										.07											.56			.30	.06	.22	.38	.07	.06		
OLA 4 S	2.06						.54				.38		.24								.15	.23		.13		.07	.07	T	.10	.06	.09	
OROFINO	3.18						.36				.30		1.17				.09			.17		.30	T	T	T	T	.03	.06	.15	.55	T	
PALISADES DAM	1.84						.01	.06			.03					.01					T	.06	T	.03	.81	.75	.03	.05				
PARMA EXP STA	1.05					T			.05		.36	T		T						.12		.03			.32	T		.02		.15		
PAUL 1 E	.61										.05	T												.06	.25	.17	.02	.06				
PAYETTE	1.64		T				.02	.23			.32	T	.04						.03			.08			.01			.23		.68		
PIERCE RS	4.49					.01	.10				.06	.01	1.30	.01		.20	T			.86	.01	.42	.10		T	.01	.07		.82	.27	.24	
POCATELLO WB AP //R	1.67	T									.02											.13		.33	.62	T	.06	.51				
PORTHILL	4.36	.08									.80	.25	1.24			.80	.06	.15				.51	.05		T				.06	.36	T	
POTLATCH	4.51						.18				.45	.07	.16			.03	.14	.20		.06		.55			.47	.03	T	1.13		.74	.30	
PRESTON SUG FACT 2 SE	1.28																								.99	.21	.04	.04				
PRIEST RIVER EXP STA	4.10	.01					.15				.64	.09	.77			.16	.16	.04				.37	.08			.10				.56	.97	
REACTOR TESTING STA	.88						.25				.08											.03		.03	.23	.24	.02					
RICHFIELD	1.15					.10	.11				.45											.02		.11	.27			.04			.05	
RIGGINS RS	3.36				.02		.09				.43	.10	.65							.24	T	.28			1.00	.24	.03	T	.03	.17	.08	
ROLAND W PORTAL	4.83	.07				T	.48	.02			.63	.04	.79		T	.21	.06	.07		.50	.18	.20	.16	.13	T	.03	T	.16	.06	.67	.37	
RUPERT	.94						T		.02		.02	.01										.04		T	.20	.07	T	.58				
SAINT ANTHONY	1.38						.05									.01						.24			.93	.07	.06	.02				
SAINT MARIES	3.91	.10					.17				.33	.10	.48		.10	.05	.05	.04		.02		.48	.02		.08	.23	.60	.18	.30	.52	.06	
SALMON	2.10					.20	.04	T			.05											.49		T	.92	.15		.19		.06		
SANDPOINT EXP STA	3.45										.47	.52	.82			.15	.22	.03		T		.26	.17	T		T			T	.43	.38	
SHOSHONE	.96					.01	.08				.07											.09		18	.05		.02	.32		.12	.02	
SPENCER RS	2.38			.04				.10	.03													.47			1.16	.22		.30	T		.06	
SPRINGFIELD	1.48										.02											.10		.26	.64	.42	.01	.03				
STIBNITE	4.30		.25		.19			.29				.23	.67	T			T	T		T			.94	.52	.18	.19	.37	.05	.12	.15	.15	
SUGAR	1.40					T	.22				.02											.23		T	.62	.14	.17					
SUN VALLEY	2.45	T					.06	.04			.07											.22	T		.48	.30	.31	.87	.10	T		
SWAN FALLS PH	1.09										.13		.05						.05			.17			.20		T	.28	.07	.14		
TETONIA EXP STA	1.52		T			.05	.03				.02					.05						.08	T	.07	.93	.14	.10	.05				
THREE CREEK	1.09							.10														.45	T	.25		.24				.05		
TWIN FALLS 2 NNE	.73					T	.13				.10											.15		.04	.23	.01	T	T			.07	
TWIN FALLS 3 SE	1.08							.02			.17											.13	T	.03	.35	.20		.08			.10	
WALLACE	4.95	T				T	.41				.52	.41	.46	T	.42	.16	.09	T		.53	.33	.31	.22		T	T	T	.17	.09	.51	.32	
WALLACE WOODLAND PARK	4.38	.16					.04	.33			.18	.29	.71	.10		.47	.02	.06		.20	.16	.50	.19	.02			.11	.11		.34	.39	
WEISER	1.31										.18	.27							T		T	.08	T		.07			.28		.43		
WINCHESTER 1 SE	6.02						.46				.29	.14	1.10	.10	.01	.02				.29	.10	.55			.11			1.31	.15	1.30	.09	

See reference notes following Station Index

MONTHLY AND SEASONAL SNOWFALL

Season of 1951 - 1952

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total
ABERDEEN EXP STA				0.8	0.3	21.0	11.0	-	8.8	T			-
ALBION		T			-	-	15.5	10.0	11.5	T			-
ALPHA 1 NE				4.0	9.5	55.4	45.0	27.5	27.0	T	-		-
AMERICAN FALLS 1 NW				T	1.2	25.7	11.5	9.5	11.4	5.0			64.3
ANDERSON DAM				T	1.6	-	-	26.3	-				-
ARCO	-	-			-	-	39.5	11.5	-		T		-
ARROWROCK DAM					-	29.1	21.3	19.2	7.7				-
ASHTON 1 S				10.5	10.3	40.3	27.0	46.4	26.6	0.5			161.6
ATLANTA 1 E		T		-	47.0	101.0	64.0	33.0	29.0	4.0	T		-
AVERY RS					8.5	62.6	24.5	12.9	12.0				120.5
BAYVIEW MODEL BASIN				T	0.5	-	26.0	1.0	-				-
BIG CREEK 1 S	-			9.0	-	82.0	44.0	41.0	24.0	6.0	6.0	T	-
BLACKFOOT				T	-	21.5	13.0	8.0	10.0	T	T		-
BLACKFOOT DAM			-	-	-	-	-	-	-	-	-	T	-
BLISS				T	0.5	24.8	16.0	-	1.5				-
BOISE LUCKY PEAK DAM					-	-	-	-	-				-
BOISE WB AP				T	T	15.6	11.0	5.9	9.2		T	T	41.7
BONNERS FERRY			-	-	-	-	-	-	-	-	-	-	-
BUHL						16.6	13.5	7.0	-				-
BUNGALOW RS	T		-	-	-	-	-	-	-	-	-		-
BURKE 2 NNE		T		5.4	36.3	104.8	67.2	28.5	40.8	T		-	-
BURLEY				T	-	22.5	9.0	7.0	5.5	T			-
BURLEY FACTORY 1 NW					-	-	10.0	-	-				-
BURLEY CAA AP				0.2	0.7	21.1	11.2	7.9	7.2	1.0	T		49.3
CALDWELL					-	6.5	6.3	4.9	4.3		T		-
CAMBRIDGE		T		-	2.0	-	66.0	20.5	5.0				-
CASCADE 1 NW				1.0	18.5	53.5	40.5	21.0	20.0	0.5	1.0	T	156.0
CENTERVILLE ARBAUGH				2.6	17.5	62.4	51.2	37.3	43.1	1.4	0.1	T	215.6
CHALLIS				-	-	-	-	10.6	10.5				-
CHILLY BARTON FLAT				-	5.0	-	26.0	7.0	15.0	1.0	2.0		-
CLARK FORK 1 ENE				-	0.5	-	42.5	11.5	21.0				-
COBALT BLACKBIRD MINE				14.2	17.6	43.6	15.0	28.9	20.7	5.0	5.0	0.5	150.5
COEUR D ALENE CAA AP			T	1.5	4.5	34.7	47.0	-	8.4		T		-
COEUR D ALENE RS				0.3	6.0	29.4	35.3	10.8	5.5	-			-
CONDA			T	5.5	22.0	68.5	41.0	36.0	33.5	10.5	0.5		217.5
COTTONWOOD	T	T		T	2.5	21.8	11.7	7.6	5.4	T			49.0
COUNCIL 1 N				T	-	27.4	47.1	-	5.0	T		T	-
CROUCH 2 NNW				T	4.0	53.0	37.1	14.8	10.0	T			118.9
DEADWOOD DAM		T		3.0	20.5	90.5	75.5	32.0	19.5	1.0	1.0	T	243.0
DEER FLAT DAM						10.0	7.0	1.5	1.0				19.5
DRIGGS	T				-	-	-	-	-	-			-
DUBOIS EXP STA				2.3	8.0	24.3	26.0	31.0	21.5	T			113.1
DUBOIS CAA AP		T		T	1.9	11.5	27.9	21.2	14.3	T	T	T	76.8
EDEN HUNT PROJECT				1.0	-	-	-	-	-	-	-	-	-
ELK CITY				9.0	-	-	-	-	-	-	-	-	-
ELK RIVER 1 S	-	-	-	-	-	-	32.6	16.5	14.0			T	-
EMMETT 2 E	-			T	T	-	-	-	4.0				-
FAIRFIELD				1.0	22.8	-	64.5	30.5	-	1.5	T		-
FENN RS					-	-	-	13.0	8.3				-
FORT HALL IND AGENCY		T			-	-	-	-	-				-
GARDEN VALLEY RS					1.5	48.0	37.5	22.0	9.7	T			118.7
GLENNS FERRY		-			-	-	27.0	8.5	4.0				-
GOODING CAA AP				T	3.3	25.5	20.0	9.2	5.1	T	T	T	63.1
GRACE PH				2.5	13.0	37.0	24.5	18.5	24.0	8.0			127.5
GRAND VIEW						-	18.5	3.5	7.0		T	T	-
GRANGEVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-
GRAY				2.0	13.0	66.0	18.0	31.0	32.0	8.0	-		-
GROUSE				T	11.5	16.0	45.5	15.0	16.0				104.0
HAILEY					24.0	48.5	61.5	32.0	22.0	T		-	-
HAMER 4 NW	T	T		T	1.5	12.0	-	-	13.0		T		-
HAZELTON				1.0	T	24.1	14.1	9.5	4.4		T		53.1
HILL CITY					28.0	78.0	77.0	52.0	36.0				271.0
HOLLISTER		T			6.0	-	17.4	-	-				-
HOWE				T	1.5	-	-	-	6.0				-
IDAHO CITY				1.0	8.7	52.0	40.6	22.8	18.3	T	T	T	143.4
IDAHO CITY 13 SW				2.5	16.5	47.0	46.0	39.4	24.0	1.0			176.4
IDAHO FALLS 6 NE	-	-	-	-	-	-	-	-	-	-	-		-
IDAHO FALLS CAA AP				T	T	8.4	11.4	8.9	3.8	T			32.5
IRWIN 2 S				3.0	12.0	42.5	11.5	19.0	21.5	4.5			114.0
ISLAND PARK DAM		T		15.0	22.0	97.5	101.5	63.5	54.0	2.0			355.5
JEROME				-	-	-	-	5.8	-		T	T	-
KAMIAH 1 NE						7.5	12.0	-	T		-		-
KELLOGG				T	T	32.9	30.2	5.8	4.8				73.7
KOOSKIA					T	9.0	20.0	5.4	8.5				42.9
KUNA 2 NNE					T	11.0	6.8	1.6	9.3				28.7
LEWISTON WATER PLANT						4.5	5.6	2.0					12.1
LEWISTON WB AP					T	7.2	4.6	2.6	0.6			T	15.0
LIFTON PUMPING STA					10.5	20.5	12.0	9.0	14.7	T			66.7
LOWMAN				0.8	-	57.3	45.8	14.9	11.5				-
MACKAY RS				0.2	6.3	21.3	47.0	6.6	8.0	T			89.4
MALAD				3.3	2.2	-	18.0	11.5	15.0	1.0			-
MALAD CAA AP				T	1.6	27.4	14.9	9.0	15.4	T			68.3
MAY RS		0.5		0.5	4.1	7.3	7.7	6.4	7.3		5.0		38.8
MC CALL					15.0	-	77.0	54.5	35.0	3.0			-
MC CAMMON				2.5	1.0	-	-	16.0	-	T			-
MERIDIAN 1 SSW					-	-	-	-	-				-
MESA				1.0	4.5	-	47.4	35.1	7.6			T	-
MINIDOKA DAM				1.0	T	19.6	14.0	6.0	9.0	2.0			51.6
MONTPELIER RS		T	T	2.0	8.0	61.8	21.8	18.2	22.6	-			-
MOSCOW U OF I					-	41.0	15.0	9.0	1.0	T			-
MOUNTAIN HOME 1 NE					-	-	19.5	10.5	-	-	-	-	-
MULLAN PASS CAA			T	25.7	47.5	74.7	50.9	27.2	33.9	2.7	6.6	4.7	273.9
NAMPA		-	-	-	-	-	-	-	-	-	-	-	-
NAMPA 2 NW				T	T	13.5	6.0	2.2	8.2				29.9
NEW MEADOWS RS			-		-	57.4	-	27.0	17.5			T	-
NEZPERCE	T		-	-	-	-	-	-	-	-	-	-	-
NEZPERCE 2 E	-	-	-	T	0.8	24.9	15.3	11.0	7.0	T		T	-
OAKLEY		T			3.0	22.5	11.5	8.0	13.5				58.5

See reference notes following Station Index

MONTHLY AND SEASONAL SNOWFALL

Season of 1951 - 1952

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total
OBSIDIAN 4 NNE				1.0	17.0	27.0	14.0	8.0	9.0	1.0			77.0
OLA		-	-	-	-	-	-	-	-	-	-	-	-
OLA 4 S	-			T	T	-	-	-	-		T		-
OROFINO						-	12.5	-					-
PALISADES DAM				1.0	-	-	-	-	-	-			-
PARMA EXP STA				T	-	-	-	5.0	1.5			T	-
PAUL 1 E				T	T	22.0	-	7.0	5.5	1.0			-
PAYETTE						4.3	11.9	10.7	1.7			T	28.6
PIERCE RS				T	21.5	-	23.0	-	26.0		-	T	-
PINE 2 SSW				1.0	15.5	68.8	71.6	53.1	15.5	1.3		-	-
POCATELLO WB AP		T		2.3	1.7	19.9	8.9	6.9	14.8	1.9	T	T	56.4
PORTHILL				3.0	T	32.5	45.6	17.0	2.0				100.1
POTLATCH					0.3	41.8	24.1	6.5	-			T	-
PRESTON SUG FACT 2 SE	T	T		T	3.7	29.0	29.2	26.1	25.2	1.5	T	T	114.7
PRIEST RIVER EXP STA			T	4.0	3.2	56.3	63.4	13.4	-	0.1			-
REACTOR TESTING STA	-	-	-	-	-	-	-	14.0	13.0	T	T	T	-
RICHFIELD					-	33.0	25.0	16.2	8.2		T		-
RIGGINS RS						-	9.7	4.4	1.0				-
RIRIE				5.0	2.5	11.3	7.7	-	6.2	0.6	-	-	-
ROLAND W PORTAL				8.2	49.4	99.7	80.8	-	45.8	T	0.9	0.9	-
RUPERT				T	-	17.3	-	8.3	5.0	T			-
SAINT ANTHONY				-	-	-	-	30.0	16.7				-
SAINT MARIES						39.3	29.5	-	-				-
SALMON			-	-	-	-	-	-	-	-	-	-	-
SANDPOINT EXP STA			T	2.5	T	38.1	49.4	6.0	3.0				99.0
SHOSHONE		T		1.0	3.3	27.8	27.8	18.7	7.7		T		86.3
SPENCER RS				6.0	16.5	41.0	-	37.0	48.0	T	T		-
SPRINGFIELD	T			T	-	28.9	11.4	10.7	10.7	T	T	T	-
STIBNITE	T	T	T	21.5	26.0	93.7	50.5	37.0	33.2	1.0	9.5	2.0	274.4
SUGAR		T		-	9.0	16.1	7.0	27.5	-				-
SUN VALLEY	T	T		-	28.0	66.0	85.0	40.5	25.0			T	-
SWAN FALLS PH				T		10.0	8.0	-	3.5				-
TETONIA		T			-	-	-	-	-	-	-	-	-
TETONIA EXP STA	-	-	-	-	-	-	-	-	-	-	-	T	-
THREE CREEK		T		1.0	9.0	37.0	22.0	12.5	40.5	0.5	1.0		123.5
TWIN FALLS 2 NNE				T	T	16.0	10.6	8.4	3.3	T	T	T	38.3
TWIN FALLS 3 SE		T		0.8	0.5	19.1	11.0	10.7	5.0	T			47.1
WALLACE		T		T	1.0	55.0	34.0	3.0	3.0		T	T	96.0
WALLACE WOODLAND PARK					6.5	-	26.9	-	5.0		T		-
WEISER					-	17.3	24.8	15.5	-			T	-
WINCHESTER 1 SE						-	-	-	-			T	-

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	81	89	85	85	89	84	84	87	87	79	81	79	80	84	84	77	86	89	83	80	80	71	69	61	65	64	67	80	[illegible]	74		79.5
	MIN	47	43	41	49	48	56	44	48	44	50	43	40	37	39	41	40	34	46	54	[illegible]	47	41	49	50	41	44	44	46	49	40		44.5
ALBION	MAX	72	81	80	80	86	85	80	81	86	82	80	60	80	80	80	80	84	81	81	78	71	69	67	57	60	65	67	78	74	75		76.4
	MIN	41	37	39	40	42	50	41	40	41	40	38	37	25	27	28	40	36	37	55	54	44	33	47	45	45	39	35	41	49	34		40.[illegible]
ALPHA 1 NE	MAX	72	75	78	79	82	76	78	79	85	70	55	54	70	66	55	70	78	84	83	66	58	64	57	61	64	68	65	78	65	63		69.7
	MIN	39	32	34	42	38	48	42	39	46	36	34	33	23	36	34	26	32	34	38	[illegible]	43	34	43	44	40	41	42	46	43	[illegible]		38.0
AMERICAN FALLS 1 NW	MAX	80	83	84	82	84	86	82	85	90	89	85	84	82	63	77	77	85	90	85	79	78	73	72	62	63	65	67	84	82	72		79.8
	MIN	50	45	42	50	49	56	44	47	47	52	40	43	33	42	43	43	41	54	51	47	47	40	[illegible]	50	49	45	43	[illegible]	52	44		46.4
ANDERSON DAM	MAX	79	86	85	85	87	84	82	86	94	88	73	63	77	74	68	79	81	89	81	83	74	72	68	65	68	72	70	80	73	77		78.[illegible]
	MIN	50	50	51	52	53	58	52	52	53	49	47	42	38	42	42	41	47	51	58	5[illegible]	49	44	50	51	46	49	53	53	52	44		49.0
ARCO	MAX	79	80	81	85	86	82	75	83	89	85	80	78	76	78	72	71	80	87	85	76	75	71	68	62	65	68	67	78	78	72		77.1
	MIN	40	44	46	56	46	52	41	45	45	43	37	39	31	37	40	37	37	45	54	54	48	39	37	44	45	43	45	48	55	38		43.7
ARROWROCK DAM	MAX	80	80	87	84	86	90	83	84	89	96	70	66	66	80	70	65	81	87	94	79	83	67	71	71	65	68	73	75	73	72		77.[illegible]
	MIN	46	49	50	50	53	59	52	52	51	49	48	41	38	48	44	41	48	53	52	50	48	46	48	53	48	52	52	53	53	42		48.7
ASHTON 1 S	MAX	74	76	80	76	83	82	74	76	86	75	82	73	72	75	74	76	79	81	80	81	70	72	63	63	67	64	69	76	73	72		74.[illegible]
	MIN	37	41	43	44	45	45	44	45	46	45	51	40	33	36	41	43	42	43	40	39	39	43	44	45	46	43	41	45	34	39		42.2
ATLANTA 1 E	MAX	73	75	73	79	79	76	74	81	82	82	69	56	66	68	65	68	75	81	77	71	70	59	60	52	55	62	63	7[illegible]	70	6[illegible]		69.[illegible]
	MIN	40	40	42	43	58	55	44	43	44	42	39	32	30	33	33	32	40	45	45	40	40	34	38	42	43	41	43	44	41	35		40.7
AVERY RS	MAX	73	84	84	84	85	81	81		91	92	86	66	74	76	76	59	76	85	74	75	69		75	71	70	78	81	82		72		77.[illegible]
	MIN	51	41	44	58	46	45	47		32	40	38	31	30	26	34	35	38	28	42	40	39		27	30	40	40	40	41		40		38.4
BAYVIEW MODEL BASIN	MAX	73	74	82	83	82	76	78	79	80	81	60	58	60	63	63	58	58	67	79	77	74	76	70	66	70	7[illegible]	73	78	73	[illegible]		71.[illegible]
	MIN	48	40	41	58	54	52	43	37	41	44	49	41	34	38	45	47	45	37	58	46	68	64	47	47	44	44	49	51	54	5[illegible]		46.[illegible]
BIG CREEK 1S	MAX	70	74	76	77	78	75	74	77	84	81	70	50	67	70	55	62	74	79	65	73	65	58	60	57	60	65	64	64	68	66		68.[illegible]
	MIN	36	28	31	48	35	44	42	38	34	42	30	32	21	33	32	26	30	30	37	28	43	33	29	42	42	42	42	52	42	39		36.1
BLACKFOOT	MAX	83	86	87	86	89	86	85	78	91	85	85	83	82	86	75	77	87	91	85	82	77	75	73	59	64	67	67	83	80	76		80.[illegible]
	MIN	53	47	46	54	52	56	48	53	53	51	44	43	37	46	42	40	50	47	52	47	46	40	52	45	45	45	47	48	[illegible]	44		47.7
BLACKFOOT DAM	MAX	73	74	77	75	80	79	76	79	82	70	78	70	74	78	67	69	78	82	74	72	58	67	63	51	54	60	60	73	74	70		71.2
	MIN	44	32	35	37	38	41	37	37	36	42	32	29	27	33	35	22	30	35	37	31	35	25	38	42	40	35	36	35	41	28		34.9
BLISS	MAX	82	88	87	87	92	89	84	88	94	92	80	80	80	79	65	80	88	93	87	85	79	79	70	68	75	74	74	85	75	77		81.[illegible]
	MIN	47	49	50	52	55	60	48	49	54	52	52	40	36	45	46	37	47	44	59	50	47	44	54	54	43	45	46	55	54	39		48.[illegible]
BOISE LUCKY PEAK DAM	MAX		87	86	86	93	88			97	96	68	69	78			84	89	94	89	85			79	70	72	75	79			78		83.[illegible]
	MIN		44	52	54	55	60			53	48	51	40	41			42	50	57	49	54			47	52	47	51	55			44		49.8
BOISE WB AP	MAX	78	83	86	86	93	78	82	86	98	69	65	64	75	75	67	80	86	90	81	83	68	71	72	69	68	75	76	69	69	74		77.2
	MIN	48	52	52	57	60	60	55	54	56	48	48	41	42	47	43	48	52	54	53	52	49	48	52	50	48	54	58	58	50	44		51.1
BONNERS FERRY	MAX	72	82	83	79	82	70	78	81	92	75	57	58	70	73	59	57	73	80	80					76	81	85	83	84	66	65		74.7
	MIN	49	44	43	61	56	52	53	38	45	43	38	42	34	37	48	50	45	40	48						47	46	50	55	53	49		46.6
BUHL	MAX	84	84	89	84	88	86	81	86	93	92	86	82	76	76	70	76	84	88	[illegible]	80	74	72	70	62	65	63	73	84	8[illegible]	72		79.[illegible]
	MIN	51	54	54	59	60	60	52	58	58	50	50	42	40	52	40	46	52	54	56	54	48	50	54	53	48	48	54	56	52	44		51.6
BUNGALOW RS	MAX	76	84	88	86	87	80	80	83	94	93	71	70	75	75	75	72	72	84	83	81	75	64	74	76	77	81	77	86	77	75		78.[illegible]
	MIN	50	48	45	55	55	56	51	45	44	29	39	40	37	38	36	42	51	38	49	50	51	43	36	4[illegible]	50	45	49	50	56	50		45.7
BURKE 2 NNE	MAX	62	69	72	71	73	71	65	73	79	80	52	50	60	64	59	49	62	74	75	69	68	49	63	63	66	68	71	72	70	58		65.9
	MIN	41	38	40	52	42	49	38	36	39	34	32	34	29	34	38	40	41	34	48	40	42	37	31	38	40	34	48	43	47	44		39.6
BURLEY	MAX	85	83	86	87	85	90	90	85	88	92	68	85	66	83	82	64	82	88	93	79	85	66	74	75	62	68	70	71	83	76		79.7
	MIN	51	49	48	55	58	58	47	53	51	50	44	42	35	43	42	40	42	47	46	53	48	42	52	50	46	45	43	46	45	44		47.2
BURLEY FACTORY 1 NW	MAX	85	82	82	86	84	88	87	84	88	88	65	82	66	83	82	62	82	89	92	77	80	65	75	71	60	66	68	71	83	73		78.2
	MIN	48	44	46	49	53	55	46	47	48	50	40	41	33	40	42	36		44	52	48	48	40	5[illegible]	49	44	45	44	47	44	38		45.4
BURLEY CAA AP	MAX	81	87	86	85	92	89	82	87	92	71	85	62	82	82	62	78	87	94	79	83	67	74	74	62	64	68	70	84	72	77		78.6
	MIN	47	45	45	51	52	52	44	48	48	49	40	40	33	40	43	37	41	44	56	49	43	40	51	48	45	44	44	48	45	39		45.[illegible]
CALDWELL	MAX	81	82	88	87	93	86	85	87	97	88	67	66	78	77	70	81	87	88	84	85	72	75	73	72	75	79	72	68	72	76		79.[illegible]
	MIN	50	49	50	60	59	61	58	57	56	51	50	42	36	49	41	41	47	54	49	51	52	45	50	52	53	52	54	56	51	43		50.6
CAMBRIDGE	MAX	80	82	84	83	90	89	87	89	90	95	85	73	72	75	72	80	79	80	85	95	90	81	75	78	72	75	81	79	77	75		81.[illegible]
	MIN	38	42	59	60	59	50	49	45	41	40	42	40	34	40	39	40	39	45	51	48	52	43	44	52	55	45	52	56	42	50		46.4
CASCADE 1 NW	MAX	70	76	76	78	82	75	73	77	87	84	59	53	67	64	58	74	75	82	79	75	58	64	61	57	59	66	65	71	68	64		69.9
	MIN	44	38	41	49	45	52	50	45	44	43	38	35	28	44	37	29	37	41	45	34	44	38	36	43	46	39	45	48	44	36		41.4
CHALLIS	MAX	79	81	82		80	80	82	84	88	82	78	71	74	78	75	74	80	78	79	74	72	66	69	66	61	70	65	75	74	73		75.[illegible]
	MIN	41	43	44		50	53	41	50	53	53	38	39	33	42	41	35	48	44	52	46	48	38	39	49	50	46	50	48	55	42		45.2
CHILLY BARTON FLAT	MAX	72	74	77	78	85	73	75	78	76	70	71	68	69	70	68	69	77	79	77	70	64	60	63	54	56	61	59	69	66	65		69.8
	MIN	33	34	35	39	39	45	37	37	40	45	32	34	22	29	35	27	30	34	47	40	34	30	34	43	40	35	41	43	40	31		36.2
CLARK FORK 1 ENE	MAX	72	72	79	77	79	77	72	76	86	82	59	56	66	68	65	60	68	74	76	73	73	55	69	72	74	76	79	8[illegible]	70	64		71.6
	MIN	48	41	41	59	46	51	46	36	40	44	36	41	30	33	46	46	44	34	54	45	49	41	42	40	42	42	44	48	54	49		43.7
COBALT BLACKBIRD MINE	MAX		67	68	71	73	72	69	68	73	77	68	69	51	60	73	51	66	70	72	68	65	47	53	54	44	53	54	54	68	67		63.[illegible]
	MIN		33	37	43	41	44	42	39	41	47	32	31	26	34	29	27	37	38	40	34	40	32	31	38	38	4[illegible]	41	37	4[illegible]	34		36.8
COEUR D ALENE CAA AP	MAX	73	76	81	80	84	65	76	79	86	60	52	60	71	67	60	58	70	78	78	78	54	61	71	71	76	80	79	78	64	70		71.2
	MIN	49	44	44	58	53	53	47	45	45	40	38	40	33	42	44	46	48	44	56	53	49	46	42	46	46	47	54	52	50	5[illegible]		46.8
COEUR D ALENE RS	MAX	72	80	82	81	82	82	76	81	90	91	62	61	72	72	63	59	74	80	80	78	78	78	75	74	78	8[illegible]	82	79	70	68		76.1
	MIN	51	44	44	60	54	54	50	39	47	44	37	42	34	34	45	47	46	37	58	48	45	47	40	43	50	49	52	41	54	[illegible]		46.3
CONDA	MAX	76	74	75	78	78	82	81	79	81	82	65	79	65	74	77	65	70	79	84	77	75	59	69	61	53	57	59	62	70	76		72.1
	MIN	38	36	37	40	41	51	43	41	40	52	38	38	30	47	31	29	33	37	45	34	45	33	43	45	43	38	44	39	[illegible]	[illegible]		40.1
COTTONWOOD	MAX	66	75	79	75	76	70	71	75	84	73	56	53	65	68	57	68	67	75	69	72	57	62	66	60	65	70	70	70	67	66		68.[illegible]
	MIN	47	42	44	56	51	51	47	43	44	40	37	33	30	38	40	39	47	41	48	43	40	37	36	47	48	47	45	46	50	46		43.4
COUNCIL 1 N	MAX	83	85	88	89	91	86	83	86	95	90	62	60	76	76	65	79	78	92	86	82	75	70	72	70	68	76	76	76	72	73		78.7
	MIN	49	43	46	60	55	58	53	53	54	46	50	40	33	45	46	35	43	52	49	46	49	42	44	43	52	46	50	54	52	40		47.6
DEADWOOD DAM	MAX	71	72	76	80	81	77	75	77	85	76	62	53	69	67	51	69	76	82	70	74	60	63	60	57	56	65	59	70	61	66		68.7
	MIN	38	31	33	35	35	44	45	35	35	41	30	31	24	32	31	26	29	32	35	31	38	31	30	39	42	39	42	41	42	33		35.[illegible]
DEER FLAT DAM	MAX	77	87	87	87	92	92	88	87	96	72	69	65	73	73	70	81	88	88	82	86	72	72	75	71	75	78	75	75	74	75		79.4
	MIN	45	53	53	62	56	61	58	57	56	53	55	44	39	49	46	47	49	57	53	55	52	46	51	51	52	54	57	56	51	44		52.1
DRIGGS	MAX	71	81	79	78	75	83	80	78	81	84	70	81	66	77	80	65	70	79	85	79	74	69	66	66	60	60	61	60	78	77		73.6
	MIN	51	45	39	42	42	42	34	42	42	44	33	39	30	41	39	37	41	41	43	41	39	39	42	45	40	38	42	48	52	36		41.[illegible]
DUBOIS EXP STA	MAX	76	78	80	79	84	83	79	80	88	86	81	76	75	80	78	71	80	85	86	79	73	67	60	61	58	64	61	75	75	64		75.6
	MIN	48	48	50	55	50	54	45	52	51	48	40	41	35	46	39	32	41	50	56	51	47	45	41	45	42	46	46	45	54	39		45.7
DUBOIS CAA AP	MAX	79	80	82	82	86	82	81	82	90	66	84	63	77	82	63	73	81	87	81	77	60	68	64	52	62	66	65	77	76	71		74.6
	MIN	48	46	52	49	50	51	45	54	49	47	42	37	38	46	41	34	39	52	58	41	44	35	40	45	43	48	48	45	51	39		45.4
ELK RIVER 1 S	MAX	78	78	78	80	78	78	77		85	80	60	57	69	70	63	65	67	80	72	74	69	71	69	68	72	75	76	77	70	68		72.[illegible]
	MIN	44	38	40	40	42	53	50		55	40	40	38	31	32	41	39	41	36	49	42	44	39	32	43	43	40	41	52	52	48		42.2
EMMETT 2 E	MAX	82	90	90	92	95	88	85	89	96	86	70	67	79	78	70	80	88	90	84	86	71	76	75	73	73	81	79	70	70	73		80.[illegible]
	MIN	42	45	46	47	56	56	57	50	50	5[illegible]	49	40	39	46	40	38	45	48	49	46	50	44	45	53	50	51	51	51	50	42		47.5
FAIRFIELD	MAX	76	78	80	82	82	80	78	80	85	84	76	65	72	72	69	71	79	85	81	77	67	66	65	64	60	65	67	73	71	69		74.[illegible]
	MIN	44	42	43	48	45	55	43	45	42	46	39	33	27	37	37	30	35	42	50	40	44	36	41	38	39	3[illegible]	39	48	46	36		4[illegible]
FENN RS	MAX	78	85	87	88	88	82	82	86	93	93	67	61	76	78	77	74	78	86	84	81	77	68		75	74	78	79	78	77	76		79.5
	MIN	51	43	47	42	38	45	41	49	45	47	43	39	37	42	47	41	45	45	53	49	50	46		48	54	50	5[illegible]	55	58	52		46.[illegible]
FORT HALL IND AGENCY	MAX	81	85	85	83	91	87		85	90	85	85	84	81		85	76	85	93	88	86	77	73	71	59	63	67	65	80		74		79.[illegible]
	MIN	53	43	43	55	51	56		46	49	51	40	43	35		43	39	42	47	52	45	47	44	52	50	47	44	45	47		42		46.[illegible]
GARDEN VALLEY RS	MAX	81	85	85	87	84	81	83	87	93	91	72	74	82	84	87	90	85	88	87	88	71	69	68	67	67	75	72	75	72	72		80.[illegible]
	MIN	45	41	43	49	46	47	43	45	45	[illegible]	41	42	[illegible]	43	44	36	34	38	46	42	49	41	40	5[illegible]	5[illegible]	43	5[illegible]	54	5[illegible]	45		44.[illegible]
GLENNS FERRY	MAX	83	84	91	90	93	85	88	92	99	89	78	67	80	81	68	83	9[illegible]	93	83	84	75	77	78	71	76	78	8[illegible]	86	77	78		83.[illegible]
	MIN	53	46	48	54	52	61	5[illegible]	48	[illegible]	54	5[illegible]	42	34	45	44	3[illegible]	4[illegible]	46	5[illegible]	46	[illegible]	[illegible]	[illegible]	54	46	52	55	46	5[illegible]	42		48.[illegible]
GOODING CAA AP	MAX	81	86	86	86	90	87	83	87	95	75	80	63	80	78	63	80	87	92	79	82	66	73	70	67	70	71	74	86	72	75		78.8
	MIN	49	51	53	56	56	56	52	54	58	51	48	41	41	48	44	40	47	52	57	54	47	48	54	51	46	47	42	48	44	44		49.9
GRACE PH	MAX	74	75	78	78	80	79	77	81	83	75	79	68	74	79	58	83	79	83	76	73	64	70	67	54	59	61	61	75	76	72		72.6
	MIN	48	41	41	48	46	50	44	45	44	53	38	40	35	42	38	3[illegible]	38	41	45	42	43	[illegible]	46	44	45	43	40	41	53	35		42.5
GRAND VIEW	MAX	87	92	92	94	93	86	89	95	101	99	75	70	83	84	83	86	94	96	86	77				76	78	81	77	75	76	81		85.4
	MIN	50	51	52	50	53	53	54	58	[illegible]	[illegible]	55	44	33	45	44	42	47	53	5[illegible]			55		56	5[illegible]	58	56	53	54	46		51.4
GRANGEVILLE	MAX		77	81	82	78	65	74	77	85	80	59	55	68	73	58	70	68	78	71	75	59	64	67	59	55		73	75	67	70		70.1
	MIN		40	45	55	52	50	47	44	45	44	38	33	31	39	40	37	49	44	50	44	[illegible]	[illegible]	38	40	44		47	52	49	47		43.8
GRAY	MAX	73	74	75	73	80	79	74	77	84	83	8[illegible]	77	72	84	82	85	75	80	73	72	70	81	66	52	55	54	62	65	69	75		73.[illegible]
	MIN	37	41	43	42	45	50	44	44	44	4[illegible]	40	33	33	45	44	46	5[illegible]	41	44	42	4[illegible]	44	30	4[illegible]	47	36	46	47	47	45		39.8
GROUSE	MAX	70	73	71	77	77	72	72	75	80	74	71	70	68	69	59	65	72	79	7[illegible]	70	62	60	60	55	58	55	60	70	64	64		68.0
	MIN	40	33	35	45	41	46	3[illegible]	[illegible]	37	4[illegible]	31	34	24	31	34	25	30	37	47	45	4[illegible]	33	34	41	42	36	42	42	41	30		37.3

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HAMER 4 NW	MAX	80	79	83	90	87	87	82	83	89	82	81	78	77	82	79	74	82	87	87	80	74	72	66	63	64	68	66	78	77	73		78.3
	MIN	48	47	46	47	47	52	45	47	44	50	38	42	33	38	40	29	36	43	49	48	46	32	40	42	43	48	47	43	51	37		43.3
HAZELTON	MAX	82	85	85	80	90	86	78	83	90	88	81	62	80	79	72	76	83	91	82	79	79	76	*69	61	65	68	72	82	74	77		78.5
	MIN	49	46	51	55	50	57	49	50	49	46	45	40	36	46	42	37	44	48	49	50	47	42	53	50	46	46	46	50	51	42		47.1
HILL CITY	MAX	76	80	81	79	84	84	78	80	88	86	77	57	75	72	67	72	80	86	78	77	65	65	65	65	64	65	64	71	65	74		74.0
	MIN	42	34	41	51	46	50	45	48	41	41	39	34	27	36	34	32	26	40	51	43	43	34	44	43	39	39	47	49	47	37		40.9
HOLLISTER	MAX	77	81	80	82	86	85	82	83	90	83	81	70	75	76	69	76	84	87	82	78	72	68	64	63	64	66	67	81	77	78		76.9
	MIN	43	47	49	50	52	54	51	47	49	47	43	36	34	43	39	37	45	48	51	50	44	45	45	46	45	43	46	47	40	42		45.3
IDAHO CITY	MAX	78	83	83	85	81	81	81	85	90	88	62	61	76	74	66	76	83	82	79	78	70	65	66	62	64	70	69	74	71	71		75.1
	MIN	40	37	40	46	42	50	45	40	40	47	37	38	36	36	32	28	34	38	42	37	46	36	36	45	48	45	48	49	48	35		40.7
IDAHO FALLS 6 NE	MAX	79	82	85	82	89	87	80	82	90	83	84	80	78	81	79	71	81	87	89	78	74	68	68	65	62	63	64	78	77	78		78.1
	MIN	53	46	48	54	54	54	41	47	48	51	48	42	33	48	43	39	38	40	43	44	46	38	46	49	46	47	47	52	60	55		46.7
IDAHO FALLS CAA AP	MAX	79	82	90	81	87	84	80	83	89	73	84	64	79	83	63	73	82	88	79	78	61	72	70	57	65	65	65	80	75	73		76.1
	MIN	53	47	44	51	52	52	46	49	51	48	43	42	36	44	42	39	45	47	46	48	47	40	50	47	45	47	48	47	53	44		46.4
IRWIN 2 S	MAX	79	80	81	80	86	82	81	82	87	75	85	75	80	83	72	74	82	87	80	75	68	75	65	56	60	63	63	79	80	75		76.3
	MIN	51	[illegible]	42	44	47	52	44	45	47	47	41	37	32	38	35	34	40	45	44	41	44	37	46	48	40	40	45	43	51	38		42.6
ISLAND PARK DAM	MAX	71	72	76	74	80	79	72	74	83	75	77	77	71	75	74	65	74	81	80	70	69	57	60	49	57	57	56	70	72	70		70.6
	MIN	37	40	39	38	39	40	38	45	40	43	31	36	27	34	36	25	30	39	47	41	34	29	33	40	37	40	39	36	35	32		36.9
JEROME	MAX	82	87	86	85	89	89	86	86	93	92	86	65	79	78	76	79	86	91	82	83	81	74	71	65	68	68	75	85	83	76		80.9
	MIN	50	47	45	51	[illegible]	[illegible]	48	49	50	48	49	42	36	45	43	40	41	50	56	44	46	45	52	50	46	46	50	54	38	41		47.0
KELLOGG	MAX	76	75	82	85	84	83	65	76	83	93	60	59	59	72	72	57	60	76	87	80	80	68	62	75	75	80	84	79	82	67		74.5
	MIN	51	45	48	63	52	55	49	43	45	46	42	43	34	38	46	45	47	40	55	48	51	45	37	44	47	47	53	50	56	51		47.2
KOOSKIA	MAX	77	86	90	93	89	84	81	86	96	94	60	62	77	77	67	74	77	90	89	85	78	69	76	76	74	82	83	81	79	77		80.3
	MIN	53	46	50	58	56	54	54	47	47	50	43	42	37	42	50	43	42	45	54	47	52	47	39	55	54	54	50	57	58	55		49.5
KUNA 2 NNE	MAX		82	85	85	91	79	82	86	94	77	62	64	75	76	67	80	85	88	81	82	68	72	71	70	69	76	75	67	69	72		76.[illegible]
	MIN		44	46	55	50	50	53	49	48	50	50	41	33	42	41	39	44	47	48	44	49	44	47	52	49	52	54	54	50	40		47.1
LEWISTON WATER PLANT	MAX	80	87	89	91	88	85	82	89	95	94	67	67	79	79	68	75	81	81	83	84	73	72	78	78	71	83	84	81	79	77		80.7
	MIN	53	49	54	64	65	59	53	49	52	51	49	45	40	45	50	50	58	49	59	52	52	49	43	58	56	54	58	59	59	52		52.9
LEWISTON WB AP	MAX	78	84	88	89	84	72	81	86	93	64	55	63	75	74	67	71	76	84	79	80	63	71	76	72	73	80	80	79	68	73		75.[illegible]
	MIN	52	49	52	64	65	57	51	47	52	48	46	42	39	44	47	48	55	47	56	53	48	47	43	56	55	53	57	57	56	53		51.3
LIFTON PUMPING STA	MAX	72	75	75	77	82	78	77	82	82	80	76	75	74	76	74	68	78	78	77	75	70	67	65	62	58	58	59	75	73	72		73.0
	MIN	48	45	49	53	51	53	50	50	50	56	46	43	41	44	45	38	43	48	50	49	49	41	50	46	45	46	44	42	57	43		47.2
LOWMAN	MAX	80	81	83	84	87	81	81	90	83		66	61	75	71	69	74	82	86	86	78	70	67	69	65	64	72	67	76	74	73		75.7
	MIN	34	40	38	42	39	48	48	40	49		36	37	28	35	34	30	34	35	42	36	46	37	36	42	35	44	46	48	48	42		39.6
MACKAY RS	MAX	76	77	79	82	84	77	77	79	85	74	78	78	71	74	76	74	79	84	80	76	64	64	62	59	55	61	60	75	70	68		73.3
	MIN	40	44	46	48	49	50	42	48	48	45	36	40	32	39	40	40	40	35	55	45	45	34	40	46	44	40	43	45	53	38		43.0
MALAD	MAX	80	81	85	84	87	84	86	87	87	82	83	81	80	83	67	75	84	88	86	80	68	74	73	68	64	62	68	79	79	79		78.8
	MIN	40	45	36	49	43	57	50	51	50	48	41	42	40	50	44	34	41	45	52	49	48	41	52	49	47	44	44	42	53	43		45.9
MALAD CAA AP	MAX	81	82	85	85	87	87	86	89	88	73	84	72	83	86	65	77	87	91	85	83	70	78	76	59	64	64	70	81	82	78		79.3
	MIN	43	38	41	41	46	53	45	46	45	49	38	40	35	42	43	31	38	39	47	46	45	38	51	49	45	43	40	42	49	43		43.0
MAY RS	MAX	77	77	80	82	82	76	78	83	86	80	77	73	75	78	65	79	76	78	79	77	77	75	78	66	62	70	66	64	72	74		75.4
	MIN	44	38	38	46	47	46	42	47	45	51	35	39	29	38	37	30	30	39	49	39	45	36	35	45	42	39	46	37	40	39		40.4
MC CALL	MAX	69	72	76	78	78	76	72	78	84	80	54	50	64	62	60	66	70	80	78	68	62	56	60	56	58	64	63	68	66	62		67.6
	MIN	42	38	40	48	44	50	48	48	44	40	36	30	27	40	38	30	36	40	44	38	42	38	38	42	44	40	42	48	46	36		40.6
MC CAMMON	MAX	80	81	80	82	86	84	83	89	86	82	81	78	80	84	85	86	86	89	81	80	77	75	71	62	60	62	65	81	80	86		79.4
	MIN	49	40	43	40	47	52	44	46	46	45	42	45	34	41	31	44	38	38	47	43	49	37	39	50	48	39	42	46	43	39		42.9
MERIDIAN 1 SSW	MAX	79	83	95	86	91	82	83	86	96	82	64	65	76	78	68	80	85	87	81	83	69	74	72	70	72	79	76	68	72	74		78.2
	MIN	46	46	46	55	52	58	55	48	67	48	48	40	36	48	42	41	45	47	48	57	48	44	48	51	57	50	54	54	50	41		49.0
MESA	MAX	78	85	85	87	89	85	82	93	91	91	62	59	74	71	68	77	83	90	87	80	73	70	72	66	67	75	74	74	69	73		77.7
	MIN	48	49	51	56	60	60	54	55	55	45	48	37	41	41	39	40	48	50	53	52	47	44	45	48	52	49	52	54	49	42		48.8
MINIDOKA DAM	MAX	[illegible]	85	84	81	90	86	88	88	85	63	81	64	82	82	78	77	87	92	76	81	80	73	67	59	62	65	68	78	79	76		77.9
	MIN	52	49	49	53	57	57	51	54	56	50	47	44	39	49	42	41	43	52	58	51	47	46	47	51	49	46	42	54	53	46		49.2
MONTPELIER RS	MAX	71	75	78	73	80	78	77	80	84	86	69	[illegible]	71	77	82	61	72		86	80	83	76	70	69	58	59	60	62	77	78		74.2
	MIN	39	38	42	41	41	37	40	40	42	46	40	37	32	37	39	28	35		40	40	39	39	34	45	43	41	42	38	49	36		39.3
MOSCOW U OF I	MAX	71	77	81	82	81	79	73	80	87	85	61	58	71	70	57	66	72	80	75	75	67	62	71	70	68	75	75	73	65	69		72.5
	MIN	45	41	49	58	59	60	46	42	47	43	42	40	38	38	42	42	48	40	50	46	45	43	36	47	50	43	52	54	52	47		46.2
MULLAN PASS CAA	MAX	52	64	67	63	68	53	55	64	73	53	46	35	56	55	38	42	55	69	56	62	49	42	56	56	59	61	62	67	58	52		56.3
	MIN	40	43	50	46	49	45	44	43	50	27	30	27	28	35	30	33	36	42	44	44	34	32	37	43	41	43	47	45	38	36		39.4
NAMPA 2 NW	MAX	82	81	86	89	89	95	84	88	90	98	69	67	66	78	78	70	81	88	88	84	84	70	75	72	72	74	79	78	70	72		79.9
	MIN	54	47	43	49	54	59	60	60	50	51	53	43	36	50	42	42	45	51	50	51	52	46	51	52	52	52	55	56	52	43		50.2
NEW MEADOWS RS	MAX	75	80	81	81	85	80	79	83	89	87	65	54	72	71	61	71	79	87	86	68	68	65	68	58	63	71	72	72	68	68		73.6
	MIN	34	33	36	45	40	54	48	40	37	43		35	25	37	41	28	33	36	34	34	45	36	35	45	48	39	39	50	48	35		39.2
NEZPERCE 2 E	MAX	68	76	79	82	77	68	70	76	85	72	51	53	66	68	55	63	67	77	69	74	55	61	67	59	66	72	72	75	67	68		68.6
	MIN	48	46	50	56	52	52	50	48	50	42	41	35	34	42	43	41	49	45	50	47	45	41	39	50	49	50	48	50	51	45		46.3
OAKLEY	MAX	82	85	82	82	90	85	84	85	89	85	83	76	80	82	67	80	85	90	85	80	73	71	70	60	62	63	70	80	77	85		78.[illegible]
	MIN	50	48	45	51	54	54	51	55	56	49	43	38	35	43	37	45	45	49	49	48	46	48	[illegible]	48	47	43	44	46	44	38		46.6
OBSIDIAN 4 NNE	MAX	66	68	70	72	72	72	70	70	75	74	64	50	63	64	53	61	70	76	76	64	51	55	58	50	55	60	58	66	62	62		64.2
	MIN	34	30	32	35	36	47	37	33	33	39	26	29	18	27	22	21	38	28	28	29	38	30	29	35	38	35	40	41	40	29		32.6
OLA 4 S	MAX	81	82	86	89	94	89	88	86	95	93	69	66	78	78	80	80	87	91	89	84	70	73	72	70	68	78	78	75	75	76		80.7
	MIN	39	42	49	49	53	52	49	50	50	49	48	43	35	43	42	39	44	48	49	47	47	44	44	44	45	44	53	49	48	41		46.0
OROFINO	MAX	80	88	90	91	91	82	81	87	98	91		64	71	78	65	74	81	80	81	83	80	70	83	70	76	81	80	83	75	80		80.5
	MIN	51	46	50	55	57	56	53	46	54	49		42	40	40	49	43	53	50	54	54	51	49	39	53	53	51	50	55	56	50		50.0
PALISADES DAM	MAX		80	80	80	84	85	81	83	87	84	83	81	78	81		74	82	86	85	80	75	67	69	63	60	62	63	77	79			77.4
	MIN		40	44	43	46	51	46	46	46	48	42	36	33	41	33	32	34	43	44	40	41	35	46	46	40	41	44	41	50			42.0
PARMA EXP STA	MAX	82	86	92	92	91	85	86	90	97	94	69	65	77	77	72	83	86	93	86	84	79	75	75	69	73	80	81	72	71	74		81.2
	MIN	47	49	51	59	57	51	57	53	53	51	53	41	38	41	42	40	49	53	51	50	51	44	48	51	51	52	54	51	51	40		49.3
PAUL 1 E	MAX	77	79	84	84	82	89	88	82	85	91	64	85	63	86	88	61	78	85	91	75	85	70	75	70	70	65	67	82	74	71		78.2
	MIN	50	46	47	51	49	57	50	48	48	49	42	41	35	41	42	39	40	45	55	46	48	42	44	42	38	38	37	50	52	41		45.1
PAYETTE	MAX	81	88	91	90	92	86	85	89	96	93	89	67	81	77	71	83	86	92	84	85	71	78	77	70	76	80	81	77	71	75		82.1
	MIN	49	[illegible]	49	63	52	61	66	57	54	50	52	43	38	48	40	40	49	55	51	52	51	46	48	55	56	51	56	57	51	42		51.4
PIERCE RS	MAX		77	81	82	81	77	73	79	90	90	52	52	69	71	60	62	67	82	79	77	72	69	77	69	65	70	73	77	69	68		72.8
	MIN		38	43	54	51	52	50	38	40	40	39	33	30	35	42	39	48	36	49	41	46	37	31	46	49	44	41	49	53	47		42.8
POCATELLO WB AP	MAX	82	83	86	84	87	87	84	87	91	75	87	65	82	85	63	78	86	91	80	80	65	74	70	60	63	68	66	81	74	74		77.9
	MIN	[illegible]	47	45	54	55	56	46	52	50	48	43	44	35	47	42	41	48	48	55	48	47	42	52	48	48	45	44	51	49	43		47.5
PORTHILL	MAX	74	80	79	80	80	81	74	82	89	85	58	60	67	70	65	57	70	75	80	80	74	57	68	75	80	82	83	78	71	68		74.1
	MIN	46	43	44	46	50	50	53	39	45	45	35	43	31	36	47	45	40	39	44	49	52	46	48	45	47	47	55	53	53	52		45.6
POTLATCH	MAX	70	78	78	80	81	70	75	80	90	81	59	60	71	70	56	65	73	80	76	75	65	62	70	67	70	75	75	74	69	68		72.1
	MIN	46	41	45	59	55	54	47	43	45	40	43	40	35	36	42	44	45	45	54	46	47	45	36	45	50	45	51	51	53	49		45.[illegible]
PRESTON [illegible] FACT 2 E	MAX	83	81	83	85	87	87	88	87	90	89	86	84	83	85	85	83	86	90	88	82	78	86	73	74	60	60	65	80	82	82		81.7
	MIN	48	43	47	47	48	53	49	47	45	58	41	44	37	45	44	33	38	42	49	44	46	39	51	48	48	44	43	43	53	41		45.3
PRIEST RIVER EXP STA	MAX	70	76	78	76	80	78	71	77	86	80	58	56	67	73	63	59	70	77	77	75	75	54	70	72	76		80	77	69	60		71.7
	MIN	43	40	39	54	49	51	47	43	40	44	33	41	27	31	46	45	41	33	46	45	49	36	35	40	41	41	47	49	51	49		42.[illegible]
REACTOR TESTING STA	MAX	79	82	84	84	87	84	79	82	91	67	85	61	77	82	64	73	82	89	80	78	62	69	66	51	62	68	68	80	72	73		75.4
	MIN	51	43	41	52	50	49	42	45	45	44	39	37	30	40	43	32	41	46	50	40	43	39	44	47	46	44	47	49	49	41		43.6
RICHFIELD	MAX	80	83	83	83	88	82	80	83	90	85	80	63	75	76	76	75	83	89	81	78	75	70	66	60	66	69	70	81	79	72		77.4
	MIN	46	45	47	52	50	51	47	48	48	47	46	38	35	41	36	37	40	50	53	46	46	41	49	49	41	48	49	53	48	39		45.5
RIGGINS RS	MAX	77	83	87	92	87	80	93	82	92	90	60	62	71	76	68	77	80	84	84	81	79	72	71	71	67	78	80	81	78	79		78.4
	MIN	57	52	54	62	58	61	57	53	54	49	48	45	40	51	51	45	41	52	57	53	52	50	47	54	55	50	52	58	58	51		52.[illegible]
ROLAND W PORTAL	MAX	[illegible]	74	76	74	74	69	68	72	80	79	52	48	64	65	63	50	66	76	75	67	66	46	67	66	67	68	68	70	60	60		66.4
	MIN	43	39	41	54	45	51	48	40	43	33	36	34	28	40	37	41	43	40	46	38	42	38	32	39	44	42	45	45	49	45		41.4
RUPERT	MAX	84	93	86	85	85	90	85	83	87	93	66	85	63	82	80	62	80	86	94	78	81		73	69	61	63	66	70	84	71		78.4
	MIN	49	47	49	50	52	57	48	51	51	49	45	40	36	42	42	38	43	48	56	48	47		43	49	46	45	45	53	50	42		46.9
SAINT ANTHONY	MAX	80	83	84	87	90	86	86	88	91	77	84	78	79	83	79	72	82	88	80	78	69	67	66	59	62	65	65	80	76	78		78.1
	MIN	51	42	42	41	48	51	44	42	45	52	40	45	33	47	44	31	35	41	48	42	44	37	42	41	45	48	46	43	48	39		43.2
SAINT MARIES	MAX	70	71	76	82	82	80	73	71	90	89	62	60	71	69	68	66	73	81	80	80	78	74	70	73	75	80	79	82	78	70		75.1
	MIN	[illegible]	41	44	58	55	53	45	46	47	52	39	40	33	40	41	33	46	36	53	45	46	44	35	40	51	50	49	49	50	50		45.0
SALMON	MAX	80	84	85	87	84	79	81	85	96	77	84	69	78	87	67	80	84	88	85	85	66	71	72	64	72	76	67	84	77	76		79.0
	MIN	44	40	41	49	45	50	49	46	45	47	36	43	30	41	45	33	43	42	49	40	47	44	30	50	48	47	52	45	53	42		43.9

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SANDPOINT EXP STA	MAX	72	76	81	76	78	75	76	78	84	81	56	58	69	64	[illegible]	[illegible]	69	[illegible]	79	[illegible]	71	[illegible]	72	[illegible]	74	80	79	[illegible]	69	66		71.8
	MIN	43	43	41	48	[illegible]	[illegible]	[illegible]	[illegible]	44	44	[illegible]	41	[illegible]	42	46	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	42	45	[illegible]	44	47	[illegible]	[illegible]	47	[illegible]		45.4
SHOSHONE	MAX	88	88	89	89	92	87	82	74	93	82	[illegible]	65	81	76	[illegible]	81	86	93	79	[illegible]	[illegible]	[illegible]	70	[illegible]	69	70	73	[illegible]	81	77		79.6
	MIN	47	48	50	51	54	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	[illegible]	38	56	44	36	47	[illegible]	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
SPENCER RS	MAX	76	76	78	[illegible]	82	83	77	78	85	[illegible]	79	79	73	78	76	69	78	[illegible]	79	[illegible]	76	73	62	54	60	65	[illegible]	73	75	67		74.7
	MIN	42	43	43	42	[illegible]	[illegible]	40	[illegible]	45	44	42	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	31	42	39	[illegible]	44	[illegible]	46	34		39.0
SPRINGFIELD	MAX	82	84	85	83	[illegible]	85	83	86	91	[illegible]	84	65	81	85	[illegible]	77	85	91	[illegible]	[illegible]	[illegible]	[illegible]	72	[illegible]	64	70	[illegible]	[illegible]	76	[illegible]		79.1
	MIN	[illegible]	43	41	[illegible]	48	[illegible]	45	49	48	[illegible]	[illegible]	41	38	39	[illegible]	37	[illegible]	47	49	49	43	[illegible]	50	[illegible]	[illegible]	45	[illegible]	46	46	41		44.8
STIBNITE	MAX	[illegible]	71	70	72	[illegible]	74	72	70	74	[illegible]	[illegible]	65	46	66	[illegible]	64	[illegible]	[illegible]	[illegible]	[illegible]	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	68		65.9
	MIN	31	32	[illegible]	[illegible]	38	43	40	[illegible]	[illegible]	[illegible]	42	27	23	34	[illegible]	[illegible]	[illegible]	36	36	[illegible]	32	30	31	30	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]		33.7
SUGAR	MAX	[illegible]	83	85	83	89	87	80	81	[illegible]	80	[illegible]	74	80	[illegible]	[illegible]	70	80	[illegible]	[illegible]	70		70	62	55	61	62				73		77.1
	MIN	[illegible]		38	44	[illegible]	[illegible]	[illegible]	45	43	[illegible]	38	43	32	36	42	[illegible]	39	[illegible]	[illegible]			38	42	[illegible]	[illegible]	45				40		43.3
SUN VALLEY	MAX	[illegible]	73	78	80	79	[illegible]	74	76	82	[illegible]	[illegible]	[illegible]	67	71	69	[illegible]	[illegible]	[illegible]	80	75	[illegible]	[illegible]	62	57	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	41	30	42	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	28	[illegible]	22	[illegible]	28	[illegible]	[illegible]	[illegible]	49	[illegible]	42	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		36.1
SWAN FALLS PH	MAX	82	[illegible]	[illegible]	[illegible]	94	[illegible]	89	[illegible]	98	[illegible]	74	70	80	80	[illegible]	[illegible]	[illegible]	92	92	86	[illegible]	79	75	[illegible]	75	[illegible]	[illegible]	70	[illegible]	80		84.0
	MIN	58	56	[illegible]	[illegible]	[illegible]	[illegible]	60	[illegible]	[illegible]	[illegible]	56	46	44	56	[illegible]	47	[illegible]	62	[illegible]	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	57	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
TETONIA EXP STA	MAX	[illegible]	[illegible]	[illegible]	[illegible]	82	[illegible]	76	77	[illegible]	[illegible]	[illegible]	75	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	76	72	63	64	54	[illegible]	[illegible]	57	[illegible]	73	74	64		71.0
	MIN	38	40	[illegible]	41	48	45	[illegible]	[illegible]	[illegible]	45	35	[illegible]	28	40	40	29	40	40	45		39	[illegible]	43	[illegible]	40	[illegible]	40	39	[illegible]	[illegible]		39.2
THREE CREEK	MAX	73	[illegible]	[illegible]	[illegible]	85	82	79	84	87	87	[illegible]	64	73	[illegible]	[illegible]	[illegible]	74	[illegible]	[illegible]	76	71	71	[illegible]	55	60	[illegible]	[illegible]	[illegible]	60	[illegible]		[illegible]
	MIN	38	36	[illegible]	40	44	[illegible]	[illegible]	43	41	47	40	[illegible]	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	39	40	42	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]		[illegible]
TWIN FALLS 2 NNE	MAX	[illegible]	87	[illegible]	87	93	91	83	87	[illegible]	91	84	65	80	[illegible]	[illegible]	[illegible]	89	93	[illegible]	[illegible]	[illegible]	75	71	[illegible]	[illegible]	66	76	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	51	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	51	47	[illegible]	36	49	45	[illegible]	[illegible]	46	[illegible]	49	[illegible]	46	54	[illegible]	48	47	[illegible]	[illegible]	[illegible]	41		48.2
TWIN FALLS 3 SE	MAX	88	[illegible]	86	86	[illegible]	[illegible]	88	82	85	[illegible]	[illegible]	84	65	80	78	77	79	85	90	80	82	66	74	69	64	67	66	[illegible]	[illegible]	73		79.1
	MIN	51	47	54	[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]	51	45	41	[illegible]	48	[illegible]	[illegible]	43	[illegible]	54	52	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
WALLACE	MAX	[illegible]	74	[illegible]	81	[illegible]	62	72	[illegible]	89	69	55	55	70	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76		[illegible]	[illegible]	72	69	73	[illegible]	74	78	[illegible]	[illegible]		70.5
	MIN	[illegible]	40	42	[illegible]	48	[illegible]	45	39	42	40	[illegible]	[illegible]	30	35	42	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	40	35	[illegible]	43	42	47	46	[illegible]	48		43.3
WALLACE WOODLAND PARK	MAX	[illegible]	68	76	79	[illegible]	[illegible]		70	78	87	[illegible]	54	53	[illegible]	[illegible]	[illegible]	[illegible]	69	80	70	[illegible]	50	56	70	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		69.2
	MIN	46	40	43	[illegible]	[illegible]	[illegible]		40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	39	44	[illegible]	43	[illegible]	40	[illegible]	42	49	47	[illegible]	48		43.0
WEISER	MAX	85	[illegible]	93	[illegible]		[illegible]	89	93	99	69	[illegible]	80	76	[illegible]	[illegible]	86	90	[illegible]	[illegible]	[illegible]	73	76	74	[illegible]	76	[illegible]	[illegible]	77	73	76		[illegible]
	MIN	48	51	[illegible]	60		[illegible]	54	[illegible]	[illegible]	48	[illegible]	38	46	43	48	[illegible]	48	[illegible]	56	52	50	47	[illegible]	[illegible]	[illegible]	[illegible]	46	50	48	41		49.8
WINCHESTER 1 SE	MAX	66	73	77	[illegible]	80	72	67	73	83	81	50	[illegible]	64	64	55	64	[illegible]	70	[illegible]	[illegible]	[illegible]	59	[illegible]	[illegible]	62	71	70	68	64	65		67.4
	MIN	39	39	43	49	49	46	44	40	41	39	40	32	31	35	37	32	40	40	47	[illegible]	41	37	[illegible]	46	46	48	40	[illegible]	49	45		41.4

EVAPORATION AND WIND

Table 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STA	EVAP	.31	-	.02	.58	.32	.23	.88	.19	-	.19	.36	.32	*	.07	.98	.23	.29	.23	*	.51	.48	.31	.09	.31	.06	.12	.10	.52	.10	.17		B 8.54
	WIND	132	65	75	104	62	39	65	81	74	201	141	249	5	93	329	167	48	22	177	64	167	178	83	52	83	74	28	114	96	87		3155
ARROWROCK DAM	EVAP	.26	.27	.23	.35	.33	.20	.20	.30	.30			-		-	.35	.20	.26	.30	.28	.33	.21	.12	.19	.08	.12	.12	.16	.21	.15	.12		B 6.77
	WIND	61	42	39	46	-	31	36	42	36	94	51	120	52	36	122	63	38	39	46	62	56	50	37	25	43	34	36	48	83	39		B 1559
LIFTON PUMPING STA	EVAP	.35	.26	.22	.26	.25	.27	.24	.34	.30	.45	.39	.37	.30	.33	.44	.24	.27	.34	.35	.33	.20	.25	.19	.25	.12	.07	.12	.20	.35	.31		8.36
	WIND	135	41	65	59	40	68	54	47	46	217	108	213	72	69	181	56	38	45	76	70	60	80	60	150	77	114	130	45	94	149		2659
MINIDOKA DAM	EVAP	.31	.28	.44	.48	.30	.36	.33	.34	.59	.34	.43	.34	.24	.42	.55	.25	.37	.38	.51	.48	.26	.34	.25	.16	.17	.11	.25	.40	.39	.23		10.30
	WIND	140	45	100	155	65	80	100	85	120	215	200	205	70	80	280	120	60	90	170	120	180	135	65	160	140	80	120	170	170	120		3840
MOSCOW U OF I	EVAP	.16	.22	.30	.41	.23	.11	.22	.30	.22	.25	.07	.08	.20	.18	.14	.11	.13	.24	.24	.20	.13	.18	.15	.04	.16	.18	.23	.18	.08	.14		5.48
	WIND	15	17	46	[illegible]	28	32	34	21	23	152	35	73	40	56	154	38	23	30	40	27	126	97	19	20	30	20	40	42	35	103		1510

SNOWFALL AND SNOW ON GROUND

Table 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIG CREEK 1 S	SNOWFALL						T						T			T																
	SN ON GND																															
COBALT BLACKBIRD MINE	SNOWFALL							T					0.5																			
	SN ON GND												1																			
LEWISTON WB AP	SNOWFALL																											T				
	SN ON GND																															
MESA	SNOWFALL																													T	T	
	SN ON GND																															
MULLAN PASS CAA	SNOWFALL										T	1.6	3.1			T						T	T									
	SN ON GND										T		2																			
ROLAND WEST PORTAL	SNOWFALL										0.9																	T				
	SN ON GND																															
STIBNITE	SNOWFALL												2.0	T			T						T	T			T			T	T	
	SN ON GND												1																			

See reference notes following Station Index

MONTHLY AND SEASONAL HEATING DEGREE DAYS

Season of 1951 - 1952

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total	Long-term means
ABERDEEN EXP STA	19	41	179	599	960	1343	1451	1294	1147	525	278	105	7941	
ALBION	45	96	236	651	960	1239	1380	1100	1059	538	353	200	7857	
ALPHA 1 NE	142	226	450	748	1101	1476	1434	1372	1261	731	494	330	9765	
AMERICAN FALLS 1 NW		29	137	571	904	1284	1354	1245	1141	534	273	89		
ANDERSON DAM	0	12	81	518	843	1222	1321	1274	1054	554	241	92	7212	
ARCO			253	708	1095	1658	1668	1528	1274	657	378	151		
ASHTON 1 S	104	181	377	765	1117	1459	1382	1375	1296	727	348	188	9319	
ATLANTA 1 E	89	153	256	775	1017	1387	1387	1229	1208	691	480	291	8965	
AVERY RS	32	44	171	551	885	1199	1216	929	870	421	276	210	6804	
BAYVIEW MODEL BASIN	63	72	253	606	842	1222	1153	1000	880	573	366	189	7219	
BIG CREEK 1 S		251	454	789	1152	1461	1424	1299	1234	795	570	369		
BLACKFOOT	10	34	176	577	909	1313	1372	1251	1103	475	225	76	7521	
BLACKFOOT DAM	138	182									543	352		
BLISS	0	15	100	485	796	1240	1323	1169	959	371	209	63	6730	
BOISE LUCKY PEAK DAM	3	18	53	449				957			152	57		
BOISE WB AP	1	23	88	482	784	1156	1182	995	868	376	235	87	6277	5898
BONNERS FERRY	34	68	248	627	900	1277	1293	989	854	442	278	150	7160	
BUHL	3	17	60	467	768	1132	1185	1035	918	339	167	70	6161	
BUNGALOW RS	17	40	180									103		
BURKE 2 NNE	139	201	397	775	1042	1347	1326	1101	1097	729	542	359	9055	
BURLEY CAA AP	7	45	160	603	872	1250	1294	1145	990	468	257	125	7216	
CALDWELL	1	27	122	502	832	1075	1203	993	803	333	168	68	6127	
CASCADE 1 NW	64	136	325	731	1082	1427	1423	1352	1203	688	451	273	9155	
CHALLIS	32	102	246	640	996	1348	1513	1321	1170	543	344	147	8402	
CHILLY BARTON FLAT	203	319	473	872	1205	1611	1876	1703	1473	791	557	355	11438	
CLARK FORK 1 ENE	78	106	323	655	867	1227	1212	959	898	531	357	218	7431	
COBALT BLACKBIRD MINE	167													
COEUR D ALENE CAA AP	46	74	220	631	893	1316	1264	1018	933	501	308	188	7392	
COEUR D ALENE RS	46	43	174	561	850	1208	1203	968	896	537	258	135	6879	
COTTONWOOD	63	81	217	641	918	1261	1269	1022	1026	523	422	266	7709	
COUNCIL 1 N	8	41	129	492	832	1191	1282	1271	1055		247	110		
DEADWOOD DAM	147	226	447	815	1155	1494	1465	1348	1269	801	586	387	10140	
DEER FLAT DAM	0	32	102	438	773	1074	1173	967	812	344	187	63	5965	
DUBOIS EXP STA	26	95	224	706	1070	1531	1539	1411	1318	716	358	150	9144	
DUBOIS CAA AP	31	82	253	703	1080	1547	1564	1486	1283	675	333	167	9204	
EDEN HUNT PROJECT	3	38	166	580	893	1333								
ELK CITY	134	227	408	674		1384								
ELK RIVER 1 S							1181	968	936	562	322	231		
EMMETT 2 E		25	109	483	789	1066	1148	995	809	330	171	79		
FAIRFIELD	62		246	703	1170	1571	1758	1511	1339	753	387	221		
FENN RS	3	16	112	548	841	1108	1155	964	868	409	244	75	6343	
FORT HALL IND AGENCY	18	46	183	567	939	1305	1373	1219	1107	597	237	90	7681	
GARDEN VALLEY RS	12	24	111	558	930	1243	1266	1108	937	455	250	96	6990	
GLENNS FERRY	1	31	106	475	782		1209	1061	840	347	159	50		
GOODING CAA AP	3	22	108	542	844	1303	1351	1223	1055	426	228	84	7189	
GRACE PH	72	110	296	710	1105	1435	1479	1400	1313	755	420	216	9311	
GRAND VIEW	0	15	61	425	767	1099	1183	968	743	256	103	18	5638	
GRANGEVILLE	53	24		615	909	1247	1205	1025	986	518	415	237		
GRAY	80	179	353	716	1094	1412	1410	1313	1345	766	506	252	9426	
GROUSE	173	250	451	850	1225	1710	1862	1645	1422	855	546	365	11354	
HAILEY	34	80	210	660	1055	1546	1525	1331	1181	639	337			
HAMER 4 NW	31	77	275	697	1085	1565	1570	1552	1302	637	322	137	9250	
HAZELTON	5	31	131	550	848	1231	1307	1172	1011	417	237	94	7034	
HILL CITY	65	122	302	728	1149	1531	1648	1474	1297	821	382	222	9741	
HOLLISTER	18	52		604	870	1193	1246	998	955	408	285	131		
IDAHO CITY	56	98	266	636	943	1328	1366	1236	1105	594	379	209	8216	
IDAHO FALLS 6 NE												105		
IDAHO FALLS CAA AP	25	67	240	660	986	1427	1481	1432	1254	550	281	126	8529	
IRWIN 2 S	52	99	278	632	1050	1339	1367	1279	1183	620	368	168	8435	
ISLAND PARK DAM	162	264	463	869	1232	1641	1590	1527	1457	902	582	331	11020	
JEROME	4	27	119	518	828	1228	1305	1178	1023	418	217	77	6942	
KOOSKIA	1	18	79	458	795	1049	1163	867	729	324	160	71	5714	
KUNA 2 NNE	8	40	169	503	795	1125	1221	998	865	363	251	111	6449	
LEWISTON WATER PLANT	1	14	48	397	700	984	1058	724	645	251	105	43	4970	
LEWISTON WB AP	10	27	77	475	767	1084	1111	792	710	340	181	89	5663	
LIFTON PUMPING STA	21	83	308	685	1105	1454	1620	1580	1422	788	364	149	9579	
LOWMAN	73	86	333	675	1038	1322	1345	1195	1047	576	329	216	8235	
MACKAY RS	49	140	283	723	1134	1555	1655	1459	1312	692	418	203	9623	
MALAD	7	25	146	576	957	1287	1346	1224	1142	556	262	103	7631	
MALAD CAA AP	11	36	203	613	1002	1390	1485	1350	1219	587	302	124	8322	
MAY RS	62	132	306	723	1080	1437	1591	1407	1279	590	405	208	9220	
MC CALL	86	173	352	770	1036	1401	1486	1379	1314		560	[illegible]		
MC CAMMON	15	58	206	639	961	1298	1343	1298	1172	551	308	116	7965	
MERIDIAN 1 SSW	11	49	206	565	865	1170	1273	1049	907	432	233	84	6844	
MESA	0	40	101	527	867	1213	1271	1201	965	445	209	113	6952	
MINIDOKA DAM	3	14	109	551	870	1236	1349	1188	1063	474	249	91	7197	
MOSCOW U OF I	41	81	160	535	802	1186	1177	942	858	410	302	180	6674	
MOUNTAIN HOME 1 NE	2	34	121	502	780	1197	1224	1099						
MULLAN PASS CAA	180	254	516	954	1166	1525	1476	1268	1294	790	674	508	10605	
NAMPA	0													
NEW MEADOWS RS	77	155			945	1429	1394	1343	1188	654	420	246		
NEZPERCE		78												
NEZPERCE 2 [illegible]				628	899	1205	1255	1006	937	476	366	229		
OAKLEY	21	48	150	576	838	1228	1207	1052	993	457	253	101	6924	
OBSIDIAN 4 NNE	281	380	550	933	1266	1663	1644	1414	1357	915	654	489	11546	
OLA	31													
OLA 4 S		24	159		832	1191	1275	1212	1006	427	240	96		
OROFINO	0	18	87	434	720	1016	1079	798	697	300	136	54	5339	
PALISADES DAM	74	130	316	709	1077	1342	1407	1334	1195	603	384	153	8724	
PARMA EXP STA	0	21	91	480	822	1091	1190	1003	775	318	164	71	6026	
PAYETTE	0	27	117	506	827	1082	1185	1077	821	334	148	50	6174	
PIERCE RS	70	106	320									216		
POCATELLO WB AP	12	31	147	586	934	1301	1368	1239	1111	520	255	104	7608	7022
PORTHILL	39	82	284	635	928	1374	1328	1013	911	495	297	157	7543	
POTLATCH	39	94	190	564	811	1204	1200	938	873	459	302	185	6859	
PRESTON SUG FACT 2 SE	9	25	178	559	932	1264	1359	1275	1141	551	258	75	7626	
PRIEST RIVER EXP STA	61	98	321	660	969	1358	1282	1054	976	623	374	234	8010	
REACTOR TESTING STA								1580	138[illegible]	658	337	172		

See reference notes following Station Index.

MONTHLY AND SEASONAL HEATING DEGREE DAYS

ONTINUED

Season of [illegible]

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total	Long-term means
ICHFIELD	25	66	215	632	943	1393	1515	1339	1194	521	287	122	8252	
IGGINS RS	0	10	23	390						268	195	62		
IRIE	31	64	228	628	969	1341	1345	1267	1159	535				
OLAND W PORTAL	94	161	362	763	1012	1354	1345	1119	1083	681	477	326	8777	
AINT ANTHONY	63	117	298	684	1034	1425	1452	1379	1243	655	320	145	8815	
AINT MARIES	39	46	207	561	816	1193	1198	923	866	445	303	164	6761	
ALMON	35	74	256	623	990	1343	1526	1331	1203	508	270	113	8272	
ANDPOINT EXP STA	39	81	301	639	870	1305	1259	1025	937	516	320	188	7480	
HOSHONE	4	30	129	543	863	1303	1378	1241	1095	429	220	84	7319	
PENCER RS	87	179	358	819	1161	1604	1601	1468	1356	817	457	236	10143	
PRINGFIELD	9	45	197	600	956	1361	1443	1320	1177	527	277	112	8024	
UGAR	52	89	282	709	1029	1429	1482	1401		663	326	156		
UN VALLEY	157	239	411	794	1184	1672	1712	1498	1399	835	516	329	10746	
WAN FALLS PH	0	9	19	339	686	1002	1145	911	750	240	92	18	5211	
ETONIA	117	214	412	818	1179	1543		1479	1353	861				
ETONIA EXP STA												289		
HREE CREEK	57	130	293	668	902	1273	1252	1137	1091	584		264		
WIN FALLS 2 NNE	5	24	104	522	824	1156	1242	1092	943	394	190	59	6555	
ALLACE	72	91	292	659	910	1243	1234	993	952	510	365	[illegible]	7560	
EISER	0	26	95	484	826	1088	1215	1103	824	338	128	54	6181	
INCHESTER 1 SE	80	155	282	694	922	1232	1236	1019	1067	544	464	312	8007	

See reference notes following Station Index

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
APRIL 1952																							
SALMON	67.5	28.3	47.9	2.0	86	25	15	1	508	0	0	22	0	.54	- .11	.39	28				3	0	[illegible]
SOUTHWESTERN DIVISION																							
APRIL 1952																							
MOUNTAIN HOME 1 NE			M							0	0		0										
MAY 1952																							
OLA 4 S	74.6	39.5	57.1		88	12	34	5	240	0	0	0	0	1.60		.45	3	T	0		7	0	[illegible]
SOUTHEASTERN DIVISION																							
MAY 1952																							
BLACKFOOT DAM	63.5	31.0	47.3M	0.5	74	12+	23	15	543	0	0	23	0	1.75	.12	.53	21				9	2	0

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
MARCH 1952																																
KAMIAH 1 NE	1.63	.03			.08	.09	T				.03	.04	.09						.07	.02	.28	.16		.02	.26	.06	.10				.03	.27
APRIL 1952																																
MOUNTAIN HOME 1 NE		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													T	T		
SALMON	.54		T					.11							.04														.39			
MAY 1952																																
BLACKFOOT DAM	1.75		T		.03			T	.20	.52								.02			.20	.53	.13			.11	.01		T			
OLA 4 S	1.60	.02		.45	.01			.14	.44	T					T	.18					.36				T					T		

DAILY TEMPERATURES

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
APRIL 1952																																	
MOUNTAIN HOME 1 NE	MAX																70	74	77	73	67	7.	82	85	83	86	85	83	72	69	72		-
	MIN																34	33	44	34	33	32	35	38	40	42	41	43	44	31	42		-
SALMON	MAX	47	47	57	63	66	76	55	56	60	62	65	64	8	58	61	73	77	78	76	56	64	74	80	85	86	85	84	63	66	72		67.5
	MIN	15	21	23	24	24	25	29	20	20	22	22	29	26	37	41	35	28	29	29	39	23	20	28	30	31	33	36	35	42	32		28.3
MAY 1952																																	
BLACKFOOT DAM	MAX	59	71		62	68	64	64	50	50	59	70	74	67	65	58	54	58	65	67	60	51	59	66	69	70	61	68	74	63	64	74	63.5
	MIN	31	30		25	27	30	28	34	31	25	30	30	40	28	23	38	30	24	30	39	31	34	32	32	35	35	28	32	43	27	28	31.0
OLA 4 S	MAX	63	75	74	66	72	71	65	62	65	73	70	88	79	66	65	74	75	80	79	74	65	75	80	85	82	81	84	86	79	80	81	74.6
	MIN	45	35	49	37	34	36	35	40	38	39	40	40	39	39	39	43	38	40	39	40	40	37	42	40	41	41	40	41	42	39	35	39.5

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
RDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
HA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
RICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
O	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
OWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
TON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
RY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
VIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 5 7
CKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
CKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
SS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
SE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5
SE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
NERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
L	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
GALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
KE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
LEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
LEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
LEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
DWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
DRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	8A	8A	J I LORTON	2 3 5
CADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
TERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
LLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
LLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
RK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5
MENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	SEE NAME CHANGE END OF INDEX	
ALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
UR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
UR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
DA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
TONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
NCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	5P	5P	DAN GOODMAN	2 3 5
UCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
R FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
GGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
OIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
OIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
N HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	CLOSED 5/22/52
CITY	2875	IDAHO	3	45 49	115 26	[illegible]	4P	4P	MRS LORA B VILAS	2 3 5
RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
ETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
RFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
N RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
T HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
DEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
MORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
NNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
DING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
ND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
NGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
Y	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
USE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
LEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
ER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
ELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
L CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
LISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
E	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
HO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
HO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
HO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
AND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
ESON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
OME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
IAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
LOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
SKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
A 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
DMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
ISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK McKAY	3
ISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
ISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
TON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
O PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
MAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
KAY RANGER STATION	5462	CUSTER	6	43 [illegible]	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
AD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
AD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 [illegible]	[illegible]	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 17	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 17	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE B BENTZINGER	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 17	116 [illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 [illegible]	116 12	[illegible]	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	[illegible]		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6653	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 18	3175	3P	3P	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	CLOSED 5/19/52
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	F M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	CLOSED 5/18/52
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 [illegible]	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	[illegible]	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	S
NEW STATIONS										
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5
NAME CHANGE										
# TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5

‡ 1 BEAR, 2 BOISE 3 CLEARWATER, 4 COEUR D ALENE 5 KOOTENAY, 6 LOST 7 PALOUSE 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7 (when published) are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 p.m., PST and 5:30 p.m., MST.

-	No record in Tables 3,6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station have been adjusted to represent the values for the full month.
R	Daily values and monthly total from recording gage. All other data in Table 3 are from non-recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July and August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

CORRECTED DATA

JANUARY 1951	Conda, temperature departure should be 3.1°.
	Ririe, total degree days should be 1355.
FEBRUARY 1951	Kellogg, precipitation departure should be 1.54.
APRIL 1951	Island Park Dam, precipitation departure should be -1.30.
MAY 1951	Montpelier RS, precipitation departure should be -.48.
	Porthill, total degree days should be 310.
	Spencer, precipitation departure should be -.42.
SEPTEMBER 1951	Coeur D'Alene RS, precipitation departure should be -.67.
	Ola 4 S, delete precipitation departure.
DECEMBER 1951	Pierce RS, Delayed Data for October 1951, temperature departure should be -6.7°.
JANUARY 1952	Ola 4 S, precipitation on 13th should be .04, monthly total, 2.41, and days with .01 or more, 15.
	Lewiston WB AP, temperature departure should be -1.9° and precipitation departure, -.59.
MAY 1952	Tetonia Experiment Station, record prior to May 18, 1952 should have been known as Tetonia.

GPO 86-100241 1000 8-11-52


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation Temperature and Evaporation
Section Center
Type of gage Non recording:
● Recording, ◗ Both types
Double circle combinations Complete Meteorological
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Bonners Fy WB Awy
Benton Dam
Priest R. Exp Sta
Sandpoint Exp Sta
Clark Fork 1ENE
Bayview Model Basin
Coeur d'Alene CAA AP
Deception Cr
Coeur d'Alene RS
Kellogg
Burke 2NNE
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace
Saint Maries
Plummer 3WSW
Roland W Portal
Avery RS
Clarkia RS
Potlatch
Moscow U of Ida
Lewiston Wtr Pl
Orofino
Bungalow RS
Lolo Pass
Pierce RS
Lewiston WB AP
Winchester 1SE
Craigmont
Kamiah 1NE
Nezperce
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Cottonwood 2SW
Grangeville WB Awy
Elk City
Nez Perce Pass
Riggins RS
Salmon WB Awy
Big Creek 1 S
New Meadows RS
Yellow Pine
Cobalt Blackbird Mine
Stibnite
McCall USFS
Pungo Creek
Council 2NNE
Mesa
Landmark RS
Leadore
May RS
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Cascade RS
Island Park Dam
Spencer RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Weiser
Dubois Exp Sta
Ola
Crouch 2NNE
Payette
Lowman
Jackson Peak
Ashton 1S
Dubois CAA AP
Obsidian 4NNE
Garden Valley RS
St Anthony
Hamer 4NW
Chilly Barton Flat
Centerville Arbaugh Ranch
Moore Cr Summit
Emmett 2E
Parma Exp Sta
Idaho City
Atlanta 1E
Clementsville 4SE
Mackay RS
Bogus Basin
Sugar
Howe
Vienna
Tetonia Exp Sta
Caldwell
Idaho Cy 13SW
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Arco
Meridian 3SW
Arrowrock Dam
Shake Cr RS
Nampa 2NW
Driggs
Ririe
Deer Flat Dam
Nampa
Trinity Lake GS
Dollarhide Summit
Hailey
Kuna
Boise Lucky Peak
Pine 2SSW
Soldier Cr RS
Idaho Falls CAA AP
Boise WB AP
Prairie
Irwin 2S
Fairfield RS
Palisades Dam
Anderson Dam
Swan Falls PH
Hill City
Mountain Home
Blackfoot
Richfield
Springfield
Putnam Mt
Gray
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Bliss
Shoshone
Aberdeen Exp Sta
Blackfoot Dam
Gooding
CAA AP
Jerome
Pocatello WB AP
Fort Hunt
Minidoka Dam
American Falls 1NW
Bancroft
Conda
Paul 1E
Buhl
Burley 1NW
Hazelton
McCammon
Rupert
Twin Falls 2NNE
Twin Falls Exp
Burley
Burley CAA AP
Grace PH
Rogerson
Albion
Montpelier RS
Oakley
Malad
Bridge
Lifton Pump Sta
Three Creek
Malad CAA AP
Ida Vada
Strevell WB Awy
Preston 2SE

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

JULY 1952
Volume LV No. 7

SAN FRANCISCO: 1952

IDAHO - JULY 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Averaging more than 2° cooler than July 1951, and 1.7° below normal, this month brought less than 50% of normal rainfall to the Northern Division and slightly more than normal precipitation to the Southwestern and Southeastern Divisions. Hours of sunshine were near the mean for July and thunderstorms occurred with about the usual frequency over most of the State. Destructive winds were few and of limited extent, as were hailstorms and damaging rains.

Following the cool, rainy weather of late June, the first week in July brought a shift to drier, warmer weather over much of Idaho. Crop growth was accelerated and good drying weather permitted resumption of haying in many areas. The second week brought a furthur rise in temperatures with dry weather over much of the State. Substantial amounts of rain did fall on the 11th and 12th in the Southeastern Division, however, greatly benefiting dry-land crops. Rapid crop growth continued during this week with grains heading out in irrigated areas and ripening in dry-land areas. In the lower valleys near Lewiston some wheat was harvested. Temperatures dropped during the third week, but crop growth continued favorable and much haying was accomplished as showers were light and spotty. Wheat harvesting increased and apricot picking was started. Light, spotty rainfall and near normal temperatures characterized the fourth week as winter wheat began to mature, second-crop haying was started and potatoes reached the stage of full bloom. On the last day of the month heavy showers were reported at several points in southeastern Idaho. Near McCammon crop damage approximated $10,000 as the result of high wind, rain and hail.

The fire hazard in southern Idaho was low on all forests and ranges at the beginning of the month, increasing gradually as temperatures rose and rains became spotty. During much of the month there was little danger of fire in the higher forests. Even on lower-elevation forests and ranges the hazard was never extreme and fires that did start were quickly brought under control.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	22	6.9	40	SW	4	55	32	25	42	4	3	0	0	0	0	7	89	2.7	[illegible]
LEWISTON WB AIRPORT	-	-	-	-	-	-	63	34	20	-	3	0	1	0	0	0	4	-	2.5	
POCATELLO WB AIRPORT	SW	16	10.4	46	W	18	60	33	25	44	4	2	1	0	0	0	7	81	2.6	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1893	66.8	106	22	.39	-	2
1894	69.3	107	31	.25	-	2
1895	66.4	105	23	.57	-	3
1896	71.6	107	31	.76	-	4
1897	65.3	108	27	.72		4
1898	67.4	105	28	.78	-	3
1899	68.6	111	26	.30	0.0	2
1900	67.3	115	24	.19	0.0	2
1901	70.0	113	18	.23	0.0	1
1902	63.4	105	26	1.33	T	4
1903	63.5	105	27	.72	0.0	5
1904	66.6	109	26	.88	0.0	5
1905	69.0	113	30	.30	0.0	2
1906	70.6	108	34	.20	0.0	2
1907	66.7	105	28	.77	T	5
1908	69.2	110	27	.50	0.0	3
1909	66.7	110	28	1.26	0.0	4
1910	70.7	110	25	.36	0.0	2
1911	67.4	106	24	.20	0.0	2
1912	64.7	106	22	1.28	T	5
1913	65.5	105	22	2.01	0.0	7
1914	69.5	111	25	.87	0.0	4
1915	65.0	110	23	1.31	0.0	7
1916	66.3	107	19	1.11	0.0	5
1917	69.2	111	20	.30	0.0	1
1918	68.3	111	15	1.02	0.0	5
1919	70.1	111	23	.23	0.0	1
1920	69.9	111	26	.33	0.0	2
1921	68.4	109	22	.38	0.1	2
1922	68.7	113	25	.53	0.0	3
1923	70.3	110	26	.95	0.0	5
1924	67.8	115	17	.52	0.0	3
1925	71.1	115	30	.77	0.0	4
1926	70.2	109	27	.61	0.0	3
1927	68.3	107	26	.24	0.0	2
1928	69.1	114	25	.46	0.0	3
1929	69.5	112	24	.16	0.0	1
1930	70.0	110	28	.40	0.0	2
1931	71.3	116	25	.34	0.0	2
1932	67.1	107	25	.98	0.0	4
1933	70.1	115	24	.17	0.0	1
1934	70.1	118	24	.31	0.0	2
1935	69.1	116	22	.25	0.0	2
1936	71.5	112	29	.72	0.0	5
1937	69.8	111	28	.93	0.0	5
1938	68.1	113	28	1.18	0.0	7
1939	69.1	117	21	.69	0.0	4
1940	69.3	111	24	.64	0.0	4
1941	69.4	112	24	.72	0.0	3
1942	69.6	110	25	.42	0.0	5
1943	67.9	112	21	.47	0.0	3
1944	66.5	107	19	.38	0.0	3
1945	68.4	106	21	.30	0.0	2
1946	69.0	110	27	.62	0.0	4
1947	69.2	107	24	.16	0.0	2
1948	65.8	106	22	.87	T	4
1949	67.8	110	24	.30	T	2
1950	66.8	105	25	.64	T	4
1951	69.0	110	26	.62	T	3
1952	66.7	106	26	.55	T	3

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	No. of Days Max. 32° or Below	No. of Days Min. 32° or Below	No. of Days Min. 0° or Below	Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Snow, Sleet, Hail Max. Depth on Ground	Snow, Sleet, Hail Date	No. of Days .01 or More	No. of Days .50 or More	No. of Days 1.00 or More
NORTHERN DIVISION																							
AVERY RS	88.0	37.5	62.8	- 4.7	99	30+	30	21+	99	13	0	3	0	.27	- .63	.16	1	.0	0		3	0	0
BAYVIEW MODEL BASIN	83.4	47.9	65.7		96	15	35	6	60	10	0	0	0	.09		.05	19	.0	0		2	0	0
BIG CREEK 1 S	79.3	35.2	57.3	- 1.3	90	31	27	2+	237	1	0	10	0	1.48	.50	.70	27	.0	0		7	1	0
BONNERS FERRY	83.9	49.2	66.6	0.2	97	30	37	6	37	9	0	0	0	.55	- .31	.40	1		0		3	0	0
BUNGALOW RS	89.5	46.7	68.1	- 2.6	100	9+	36	7	27	18	0	0	0	.53	- .23	.25	12	.0	0		4	0	0
BURKE 2 NNE	76.0	43.1	59.6	- 0.2	88	10+	30	6	175	0	0	1	0	.12	- 1.51	.09	1	.0	0		3	0	0
CLARK FORK 1 ENE	80.6	44.7	62.7	- 1.7	97	30	34	6	94	2	0	0	0	.39	- .55	.39	1	.0	0		1	0	0
COBALT BLACKBIRD MINE	74.3	39.9	57.1M		83	10+	30	2		0	0	2	0	1.50		.45	13	.0	0		10	0	0
COEUR D ALENE CAA AP	83.5	50.1	66.8		97	19	37	6	45	8	0	0	0	.13		.08	18	.0	0		3	0	0
COEUR D ALENE RS	87.8	49.7	68.8M	0.4	100	30	38	6	28	14	0	0	0	.32	- .28	.29	1	.0	0		2	0	0
COTTONWOOD	80.0	47.6	63.8	- 2.9	93	30	35	6	92	4	0	0	0	.59	- .36	.35	1	.0	0		4	0	0
DIXIE	77.7	35.3	56.5M		90	31	26	2	282	1	0		0	.94		.47	6	T	0		5	0	0
ELK CITY	83.3	35.6	59.5		93	30	27	6	166	5	0	10	0	.93		.65	12	.0	0		5	0	0
ELK RIVER 1 S	83.5	42.1	62.8M		93	30+	30	6	93	6	0	2	0	.30		.23	1	.0	0		3	0	0
FENN RS	89.5	49.8	69.7	- 1.9	99	30+	41	6+	12	18	0	0	0	.35	- .36	.19	12	.0	0		6	0	0
GRANGEVILLE	81.2	49.8	65.5	- 2.2	93	30+	39	22	73	6	0	0	0	.73	- .06	.37	12		0		5	0	0
KELLOGG	85.7	49.3	67.5	0.1	100	11	39	6		11	0	0	0	.02	- .80	.02	24	.0	0		1	0	0
KOOSKIA	91.1	50.0	70.6	- 1.7	102	30	41	6+	9	22	0	0	0	.61	- .19	.40	1	.0	0		4	0	0
LEWISTON WATER PLANT	92.8	56.9	74.9	- 1.2	104	30	45	6	3	22	0	0	0	.17	- .31	.16	1	.0	0		2	0	0
LEWISTON WB AP R	89.4	56.8	73.1	- 2.1	102	30	46	2	8	16	0	0	0	.22	- .20	.22	1	.0	0		1	0	0
MOSCOW U OF I	84.6	50.6	67.6	0.4	96	30	37	6	45	10	0	0	0	.20	- .36	.20	1	.0	0		1	0	0
MULLAN PASS CAA	66.8	47.9	57.4M	- 2.3			33	6	245	0	0	0	0	.10	- .96	.07	1	.0	0		3	0	0
NEZPERCE 2 E	78.8	50.6	64.7		92	30	39	6	77	2	0	0	0	.57		.54	1	.0	0		2	1	0
OROFINO	93.7	49.9	71.8	- 1.5	106	30	40	6	6	22	0	0	0	.25	- .40	.25	1	.0	0		1	0	0
PIERCE RS	83.5	41.7	62.6	- 2.9	95	30	30	18	100	7	0	2	0	.47	- .38	.28	1	.0	0		4	0	0
PORTHILL	83.3	47.9	65.6	- 0.6	96	30+	38	6	46	6	0	0	0	.25	- .64	.25	1	.0	0		1	0	0
POTLATCH	83.2	47.5	65.4	0.2	96	10+	35	6	49	8	0	0	0	.16	- .26	.16	1	.0	0		1	0	0
PRIEST RIVER EXP STA	82.5	44.7	63.6M	- 0.8	93	30	31	6	84	6	0	1	0	.46	- .38	.15	1	T	0		5	0	0
RIGGINS RS	92.3	58.4	75.4	- 1.2	103	30	48	2+	2	21	0	0	0	.24	- .30	.15	5	.0	0		3	0	0
ROLAND W PORTAL	78.3	43.5	60.9	- 1.9	92	31	32	6	148	3	0	1	0	.29	- .45	.22	1	.0	0		2	0	0
SAINT MARIES	87.7	44.5	66.1	- 1.2	98	30+	33	7	40	12	0	0	0	.01	- .72	.01	4	.0	0		1	0	0
SALMON	87.7	45.3	66.5	- 1.6	99	10	34	7	35	12	0	0	0	.91	.07	.33	26		0		7	0	0
SANDPOINT EXP STA	81.1	47.9	64.5	- 1.0	91	31	35	6	66	1	0	0	0	.13	- .53	.13	1	.0	0		1	0	0
WALLACE	82.6	44.4	63.5	- 3.1	94	30	33	6	86	7	0	0	0	.23	- .66	.12	1	.0	0		3	0	0
WALLACE WOODLAND PARK	80.2	44.5	62.4	- 2.7	93	11	34	6		3	0	0	0	.09	- .63	.06	1	.0	0		2	0	0
WINCHESTER 1 SE	80.5	46.4	63.5	0.0	93	30	36	7	89	2	0	0	0	.28	- .55	.25	1	.0	0		2	0	0
DIVISION			65.0	- [illegible].0										.41	- .44			T					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	80.7	37.5	59.1	- 2.5	90	9	29	2	178	1	0	8	0	.22	- .28	.22	12	.0	0		1	0	0
ANDERSON DAM	89.0	55.6	72.3		99	30	44	2	9	17	0	0	0	.28		.23	12	.0	0		2	0	0
ARROWROCK DAM	88.6	53.3	71.0	- 3.5	100	31	43	2		15	0	0	0	.41	.01	.29	12	.0	0		2	0	0
ATLANTA 1 E	79.4	46.2	62.8	0.5	90	30	34	2	103	1	0	0	0	.90	.17	.47	12	.0	0		5	0	0
BLISS	90.5	54.8	72.7	- 0.7	99	30	45	3	4	18	0	0	0	.14	- .07	.10	18	.0	0		2	0	0
BOISE LUCKY PEAK DAM	91.9	56.4	74.2M		100	4	44	1+	9		0	0	0	.10		.07	12	.0	0		2	0	0
BOISE WB AP /R	88.7	58.3	73.5	1.0	97	10	43	2	13	16	0	0	0	.15	- .09	.09	12	.0	0		3	0	0
BUHL	87.0	59.0	73.0	0.1	95	29+	48	2	7	13	0	0	0	.65	.29	.60	12	.0	0		2	1	0
CALDWELL	89.5	54.5	72.0	- 1.5	99	10	44	7	5	14	0	0	0	.37	.04	.30	12	.0	0		2	0	0
CAMBRIDGE	91.3	51.7	71.5	- 2.5	105	30	40	2	8	20	0	0	0	.58	.21	.58	12	.0	0		1	1	0
CASCADE 1 NW	81.7	44.3	63.0		90	30	35	2+	91	1	0	0	0	.69		.61	12	.0	0		2	1	0
CHALLIS	83.6	49.1	66.4	- 0.8	93	10	38	2	39	3	0	0	0	.94	.35	.27	11	.0	0		7	0	0
COUNCIL 1 N	91.1	51.4	71.3	- 1.1	102	30	40	2+	15	20	0	0	0	.00	- .50	.00		.0	0		0	0	0
DEADWOOD DAM	79.4	36.4	57.9	- 2.9	91	30	28	2	213	1	0	8	0	.30	- .51	.12	12	T	T	4	3	0	0
DEER FLAT DAM	88.5	56.2	72.4	- 1.4	99	30	43	7	6	14	0	0	0	.07	- .12	.07	26	.0	0		1	0	0
EMMETT 2 E	90.4	51.6	71.0M	- 4.0	100	10	38	2	16	19	0	0	0	T	- .28	T	26	.0	0		0	0	0
FAIRFIELD	81.5	44.9	63.2		91	30	35	7	96	2	0	0	0	1.01		.90	12	.0	0		3	1	0
GARDEN VALLEY RS	91.4	47.7	69.6M	- 0.6	100	30	39	2	12	21	0	0	0	.66	.38	.66	11	.0	0		1	1	0
GLENNS FERRY	92.2	54.8	73.5M	- 4.0	101	10			3		0	0	0	T	- .31	T	11+	.0	0		0	0	0
GOODING CAA AP	88.3	57.4	72.9	0.7	97	30	45	2	6	14	0	0	0	.60	.30	.26	8	.0	0		6	0	0
GRAND VIEW	96.6	56.7	76.7	1.4	105	10	46	3+	0	25	0	0	0	T	- .25	T	19	.0	0		0	0	0
HAILEY	83.3	48.6	66.0	- 1.9	92	28+	38	2+	55	6	0	0	0	.83	.30	.34	11	.0	0		5	0	0
HAZELTON	87.6	52.7	70.2	- 5.0	96	23+	43	2+	11	14	0	0	0	.39	.17	.36	19	.0	0		2	0	0
HILL CITY	83.3	45.5	64.4	- 1.4	94	30	34	2+	70	6	0	0	0	.70	.41	.25	13	.0	0		4	0	0
HOLLISTER	86.0	52.7	69.4M	- 1.9	98	25	40	7	9	6	0	0	0	2.10	1.73	.93	12	.0	0		4	2	0
IDAHO CITY	86.4	42.1	64.3	- 3.0	96	30	32	2	71	10	0	1	0	.43	- .01	.34	12	.0	0		3	0	0
JEROME	89.4	53.7	71.6	- 2.8	99	30	39	2	11	16	0	0	0	.34	.14	.16	19	.0	0		4	0	0
KUNA 2 NNE	87.4	51.8	69.6	- 3.6	97	10	41	2+	18	14	0	0	0	.18	- .15	.18	4	.0	0		1	0	0
LOWMAN	86.2	40.9	63.6M	- 2.5	96	30	33	2	78		0	0	0	.54	.00	.54	12	.0	0		1	1	0
MC CALL	79.5	43.1	61.3	- 1.5	89	30+	33	2	128	0	0	0	0	.33	- .21	.10	5+	.0	0		5	0	0
MERIDIAN 1 SSW	88.2	51.5	69.9	- 3.2	97	10	40	2	18	13	0	0	0	.25	- .02	.25	12	.0	0		1	0	0
MESA	90.0	55.5	72.8		100	30	45	2	7	18	0	0	0	.13		.13	4	.0	0		1	0	0
NAMPA 2 NW	89.5	55.0	72.3		99	11+	44	2+		17	0	0	0	.30		.27	12	.0	0		2	0	0
NEW MEADOWS RS	84.8	38.4	61.6	- 1.0	94	9	30	7	115	8	0	5	0	.37	- .23	.21	1	.0	0		5	0	0
OBSIDIAN 4 NNE	74.2	36.0	55.1	- 2.2	82	9+	26	2	301	0	0	12	0	.61	- .06	.18	11+	.0	0		6	0	0
OLA 4 S	91.7	50.5	71.1		102	30	44	4	1	18	0	0	0	.42		.42	12	.0	0		1	0	0
PARMA EXP STA	92.0	53.7	72.9	- 1.2	102	10	41	6	8	22	0	0	0	.08	- .05	.08	12	.0	0		1	0	0
PAYETTE	91.6	55.8	73.7	- 0.4	102	30	43	3	4	21	0	0	0	.32	.02	.30	12	.0	0		2	0	0
RICHFIELD	84.1	51.7	67.9	- 1.6	93	9	43	20	18	7	0	0	0	.70	.40	.29	13	.0	0		4	0	0
SHOSHONE	87.5	53.4	70.5	- 1.5	96	30	40	2	11	11	0	0	0	.67	.44	.27	28	.0	0		8	0	0
STIBNITE	75.7	37.8	56.8		84	10	28	2		0	0	7	0	.68		.55	13	T	0		4	1	0
SUN VALLEY	80.0	37.7	58.9	- 0.1	88	28+	29	17	194	0	0	6	0	.24	- .47	.10	12	.0	0		5	0	0
SWAN FALLS PH	95.7	63.1	79.4	- 0.7	103	10	51	3	0	25	0	0	0	.29	.05	.22	11	.0	0		2	0	0
THREE CREEK	85.0	42.0	63.5		97	23	26	13	103	10	0	2	0	.53	.24	.38	12	.0	0		2	0	0
TWIN FALLS 2 NNE	90.0	54.1	72.1	0.7	99	30	43	2+	6	17	0	0	0	.39	.04	.34	12	.0	0		2	0	0
TWIN FALLS 3 SE	87.5	52.8	70.2	- 2.7	95	10+	42	8		13	0	0	0	.06	- .24	.06	12	.0	0		1	0	0
WEISER	93.0	53.5	73.3	- 3.4	103	10	42	2	7	24	0	0	0	.07	- .10	.07	12	.0	0		1	0	0
DIVISION			[illegible]	- 1.5										[illegible]	.03			T					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	85.5	49.5	67.5	- 2.5	95	23	40	2+	26	8	0	0	0	.08	- .42	.04	13	.0	0		4	0	0

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail			No. of Days		
										Max.		Min.						Total	Max Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
										90° or Above	32° or Below	32° or Below	0° or Below										
ALBION	84.6	46.0	65.3	- 1.3	94	23+	35	3	49	[illegible]	0	0	0	1.01	.45	.59	11	.0	0		4	1	0
AMERICAN FALLS 1 NW	84.7	51.8	68.3	- 1.9	93	4	40	20	29	7	0	0	[illegible]	.02	- .61	.02	26	.0	0		1	0	0
ARCO	83.2	45.5	64.4M	- 2.4	93	30	36	19+	74	6	0	0	0	1.24	.69	.85	13	.0	0		3	1	0
ASHTON 1 S	77.1	45.2	61.2	- 3.6	86	8	38	21	124	[illegible]	0	0	0	1.01	.07	.43	12	.0	0		5	0	0
BLACKFOOT	86.8	51.9	69.4	0.3	97	23	41	7	13	10	[illegible]	0	0	.28	- .38	.18	12	.0	0		2	0	0
BURLEY	87.2	55.6	71.4	- 1.9	97	31	45	2+		13	0	0	0	.52	.19	.48	13	.0	0		2	0	0
BURLEY FACTORY 1 NW	86.6	51.5	69.1M	- 2.3	96	10+	40	8		12	0	0	0	.52	.14	.42	13	.0	0		3	0	0
BURLEY CAA AP	87.1	52.5	69.8	- 0.8	98	23	42	2+	11	11	0	0	0	1.15	.93	1.00	12	T	0		4	1	1
CHILLY BARTON FLAT	78.1	38.0	58.1	- 3.4	88	23	30	7	211	0	0	4	0	1.30	.70	.85	11	.0	0		3	1	0
CONDA	78.6	43.0	60.8	- 2.5	89	24+	33	7		0	0	0	0	1.04	.39	.56	13	.0	0		5	1	0
DRIGGS	79.6	44.8	62.2	- 0.2	89	6+	33	20		0	0	0	0	.83	- .38	.35	11	.0	0		8	0	0
DUBOIS EXP STA	82.4	49.5	66.0	- 3.9	91	23+	39	20	47	2	0	0	0	.55	- .18	.36	12	.0	0		4	0	0
DUBOIS CAA AP	82.5	48.6	65.6	- 4.7	93	23	38	20	57	6	0	0	0	1.10	.45	.41	12	.0	0		6	0	0
FORT HALL IND AGENCY	86.3	51.6	69.0M	- 1.5	97	23	42	3+	19	12	0	0	0	.41	- .18	.30	12	.0	0		3	0	0
GRACE PH	78.5	47.2	62.9	- 4.4	87	23	38	7	86	0	0	0	0	1.24	.26	.79	12	.0	0		5	1	0
GRAY	78.9	42.2	60.6	- 2.5	95	9	31	7	150	1	0	2	0	.50	- .52	.25	11+	.0	0		2	0	0
GROUSE	75.9	38.8	57.4		84	31	28	7	238	0	[illegible]	4	0	.79	.02	.39	12	.0	0		4	0	0
HAMER 4 NW	83.8	45.2	64.5	- 3.4	92	10+	36	7	61	6	0	0	0	1.17	.70	.64	12	.0	0		6	1	0
IDAHO FALLS CAA AP	83.8	50.0	66.9	- 1.9	94	9	42	3+	31	6	0	0	0	.07	- .55	.07	12	.0	0		1	0	0
IRWIN 2 S	82.3	46.3	64.3	- 0.4	93	23	32	7	57	3	0	1	0	1.29	.32	.70	11	.0	0		5	1	0
ISLAND PARK DAM	77.3	38.3	57.8	- 3.4	86	30	29	7	216	0	0	5	0	.97	.20	.60	19	.0	0		4	1	0
LIFTON PUMPING STA	79.8	51.5	65.7	- 1.7	87	23+	45	2+	32	0	0	0	0	.25	- .48	.09	11	.0	0		3	0	[illegible]
MACKAY RS	81.3	46.7	64.0	- 3.6	88	9+	36	20	70	0	0	0	0	1.83	.98	1.10	11	.0	0		5	1	1
MALAD	86.3	52.3	69.3	- 1.0	93	23+	44	3	4	11	0	0	0	.92	- .07	.63	12	.0	0		5	1	0
MALAD CAA AP	87.1	49.3	68.2		95	23	41	20	6	13	0	0	0	1.94		1.10	12	T	0		4	2	1
MAY RS	81.6	43.5	62.6	- 3.6	93	9+	34	2+	94	6	0	0	[illegible]	.33	- .45	.10	19	.0	0		6	0	0
MC CAMMON	86.0	47.5	66.8		94	29	39	2	27	9	0	0	0	.54		.27	12	.0	0		5	0	0
MINIDOKA DAM	86.3	56.8	71.6		97	23	46	2	4	10	0	0	0	.40		.27	13	.0	0		3	0	0
MONTPELIER RS	82.1	43.9	63.0M	- 3.9	92	24	36	20		2	0	0	0	.77	- .11	.28	11	.0	0		5	0	0
OAKLEY	85.1	53.5	69.3	- 1.7	93	4+	41	7	19	9	0	0	[illegible]	1.91	1.29	1.13	31	T	0		5	1	1
PALISADES DAM	83.7	45.5	64.6M		94	24	31	7	62	4	0	1	0	.79		.37	12	.0	0		5	0	0
PAUL 1 E	85.5	52.0	68.8	- 1.9	96	24	40	2		8	0	0	0	1.06	.57	.96	13	.0	0		3	1	0
POCATELLO WB AP	86.0	53.8	69.9	- 0.3	95	23	43	7	12	9	0	0	0	.27	- .50	.21	12	.0	0		3	[illegible]	0
PRESTON SUG FACT 2 SE	87.6	50.3	69.0	- 0.9	94	23+	42	3	11	14	0	0	0	.89	- .07	.60	11	.0	0		4	1	0
REACTOR TESTING STA	84.3	46.3	65.3		94	23+	36	19	57	8	0	0	0	.38		.14	12	.0	0		4	0	0
RUPERT	88.6	53.0	70.8	- 1.1	101	31	42	2		16	0	0	0	.35	- .06	.26	13	.0	0		3	0	0
SAINT ANTHONY	82.5	44.3	63.4		92	9+	33	20	79	5	0	0	0	1.28	.85	.53	19	T	T	19	3	1	0
SPENCER RS	80.8	40.5	60.7	- 3.1	90	30	33	20	137	1	0	0	0	.57	- .61	.40	12	.0	0		5	0	0
SPRINGFIELD	86.4	48.2	67.3	- 2.7	98	23	38	8	25	10	0	0	0	.26	- .33	.13	13	.0	0		5	0	0
SUGAR	82.6	43.7	63.2M	- 3.5	91	9	32	7	81	2	0	1	0	1.33	.70	.68	27	.0	0		4	0	0
TETONIA EXP STA	78.5	40.7	59.6		87	23+	28	7	160	0	0	3	0	1.00		.45	31	.0	0		7	0	0
DIVISION			[illegible]	[illegible]										[illegible]	[illegible]			T					
STATE			[illegible]	- 1.7										[illegible]	- .06			T					

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	[illegible]											[illegible]	[illegible]	[illegible]					.01													
ALBION	[illegible]											.59	.35	.04														.03				
ALPHA 1 NE	.22												[illegible]																			
AMERICAN FALLS 1 NW	[illegible]																										.02					T
ANDERSON DAM	[illegible]												[illegible]	.15																		
ARCO	1.24												T	.85														.35				.04
ARROWROCK DAM	.41												.29							.12					T		T					
ASHTON 1 S	1.01											.13	.43	[illegible]					T	.33							T	.07				
ATLANTA 1 E	.90												.47	[illegible]						.07							.09	.03				
AVERY RS	.27	.16																		.07					.04							
BAYVIEW MODEL BASIN	[illegible]	.04																		.05												
BIG CREEK 1 S	1.48	.32			.02	.05						T	.21	T						.04					.14			.70				
BLACKFOOT	.28												.18	T						.10							T					
BLISS	.14											T	T	.04					.10	T									T			
BOISE LUCKY PEAK DAM	[illegible]												.07							.03												
BOISE WB AP //R	.15				[illegible]							T	[illegible]						.05					T			T					T
BONNERS FERRY	.55	[illegible]	.10		T		T											.05														
BUHL	[illegible]												[illegible]							.05												
BUNGALOW RS	[illegible]	.22				.01							[illegible]							.05												
BURKE 2 NNE	.12	.09			.01								T							T		T			[illegible]							
BURLEY	.52													.48						.04								T				
BURLEY FACTORY 1 NW	.52													.42						.04								.06				
BURLEY CAA AP	1.15											T	1.00						.06	T							.03	T				.06
ALDWELL	[illegible]												.30														.07					
AMBRIDGE	.58												.58																			
ASCADE 1 NW	[illegible]	T											[illegible]	T											.08							
ENTERVILLE ARBAUGH	.74												[illegible]							.01							.06					
HALLIS	[illegible]										[illegible]	[illegible]	[illegible]	[illegible]						.07							.14	.26				
HILLY BARTON FLAT	[illegible]											[illegible]		[illegible]													T	[illegible]				
LARK FORK 1 ENE	.39	.39																														
OBALT BLACKBIRD MINE	[illegible]	.20			[illegible]	[illegible]							.16	.45						.12	.08				[illegible]			[illegible]	[illegible]			
OEUR D ALENE CAA AP	[illegible]	[illegible]																	.04	[illegible]												
OEUR D ALENE RS	[illegible]	.29																		.03												
ONDA	[illegible]												.16	[illegible]						[illegible]						T		[illegible]	[illegible]			
OTTONWOOD	[illegible]	.35			.18								[illegible]												[illegible]							
OUNCIL 1 N	[illegible]																															
ROUCH 2 NNW	[illegible]				[illegible]	[illegible]																					[illegible]					
EADWOOD DAM	[illegible]				[illegible]	T							[illegible]						T						T		[illegible]					
EER FLAT DAM	[illegible]																										[illegible]					
IXIE	[illegible]	[illegible]			[illegible]		.47			T			.32							[illegible]							T					
RIGGS	[illegible]											[illegible]	[illegible]	[illegible]						[illegible]	.08						[illegible]	.04	[illegible]			
UBOIS EXP STA	[illegible]												[illegible]	[illegible]						.10							T	[illegible]				
UBOIS CAA AP	[illegible]											[illegible]	[illegible]						.01	.16								[illegible]				[illegible]
E CITY	[illegible]	[illegible]				[illegible]							[illegible]							.22	T				[illegible]							

DAILY PRECIPITATION

Table 3 Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
[illegible]	[illegible]	.23			T								[illegible]						T	T					.05							
[illegible]	[illegible]																										T					
[illegible]	1.[illegible]	T											[illegible]						.10									.01				
FENN RS	[illegible]	[illegible]				[illegible]							[illegible]							.07		.02			.02							
FORT HALL IND AGENCY	[illegible]				[illegible]								[illegible]	.06													T					T
GARDEN VALLEY RS	[illegible]											.06																				
GLENNS FERRY	[illegible]												T						T								T					
GOODING CAA AP	[illegible]											[illegible]	[illegible]						.26								.01	.21				.04
GRACE PH	1.24											[illegible]	[illegible]	[illegible]													.07				.01	
[illegible]	T																			T												
[illegible]	[illegible]	[illegible]			.05								[illegible]							[illegible]					.06							
[illegible]	[illegible]											[illegible]	.25														T					
GROUSE	[illegible]												.34	[illegible]														.13	.02			
HAILEY	[illegible]											.34	.30	.10						.06							[illegible]					
HAMER 4 NW	1.[illegible]												[illegible]	[illegible]						.14	.05							.28	[illegible]			
HAZELTON	[illegible]											T	[illegible]						T	.36							.03	T	T			
HILL CITY	[illegible]											[illegible]	[illegible]	[illegible]					.22	T												
HOLLISTER	[illegible]											[illegible]	[illegible]						.33													.53
HOWE	1.[illegible]												[illegible]	[illegible]						.02	.04							T	[illegible]			
IDAHO CITY	[illegible]												[illegible]							.04							[illegible]					
IDAHO CITY 1[illegible]	[illegible]					T	T						.45	[illegible]																		
IDAHO FALLS CAA AP	.07											T	[illegible]						T								T	T				
IRWIN 2 S	1.29				T							[illegible]	.16	[illegible]													.10	.15				
ISLAND PARK DAM	.97											T	.23							.60	.06							.08				
JEROME	[illegible]				T							[illegible]	[illegible]							.16							T	.01				
KELLOGG	[illegible]																								[illegible]							
KOOSKIA	.61	.40			T	.09														.03					.09							
KUNA 2 NNE	.18				.18	T						[illegible]	T						T								T					T
LEWISTON WATER PLANT	.17	.16			.01															T												
LEWISTON WB AP	.22	.22											T												T							T
LIFTON PUMPING STA	.25										T	[illegible]		.08																		.08
LOWMAN	.54												.54																			
MACKAY RS	1.83											1.[illegible]	.48	T						.08							.04	.13				
MALAD	.92											[illegible]	.63						T								.12				.08	.05
MALAD CAA AP	1.94											[illegible]	[illegible]						T								.13				.64	T
MAY RS	.33						.05					.04	[illegible]						T	.10							[illegible]	.04				
MC CALL	[illegible]	.04				[illegible]							.06	[illegible]											.10							
MC CAMMON	.54											.04	[illegible]							T							[illegible]				.05	.03
MERIDIAN 1 [illegible]	[illegible]												[illegible]						T						T		T					
MESA	.13				.13																											
MINIDOKA DAM	.40											T		[illegible]						.10							.03					
MONTPELIER [illegible]	.77											[illegible]	[illegible]	.22						T											[illegible]	.14
[illegible]	.20	[illegible]																														
MULLAN PASS CAA	.10	[illegible]			T							T								.02				T	[illegible]							T
NAMPA 2 NW	.30					T							.27												T		.03					
NEW MEADOWS [illegible]	.37	[illegible]											.08	.01											.06			.01				
[illegible]	[illegible]	.54			.03															T												
[illegible]	1.91											[illegible]	.35	[illegible]					T								.06					1.13
OBSIDIAN 4 NNE	[illegible]											[illegible]	.02	[illegible]						.08							.18					.13
OLA 4 S	.42					T					T		.42																			
[illegible]	[illegible]	.25																														
PALISADES DAM	[illegible]											[illegible]	[illegible]	[illegible]	[illegible]					T							.03					
PARMA EXP STA	.08				T	T							[illegible]																			
PAUL 1 E	1.[illegible]													.96						.08									.02			
PAYETTE	.32	.02				T							.30												T							
[illegible]	.47	.28				.01							[illegible]	.08																		
PINE 2 SSW	.40												.21	.10						.07							[illegible]					
POCATELLO WB AP //R	[illegible]				T							[illegible]	[illegible]						T								.04	T				T
PORTHILL	.25	.25																														
POTLATCH	.16	.16																														
PRESTON SUG FACT 2 SE	[illegible]											.60	[illegible]	[illegible]														T				.03
PRIEST RIVER EXP STA	.46	.15	.12	.07														T	T	.10	.02	T										T
[illegible]	[illegible]											T	.14						[illegible]								T	.08				.11
RICHFIELD	[illegible]											[illegible]	.19	.29						.08												
[illegible]	.24	.05				.15							.04							T												
ROLAND W PORTAL	.29	[illegible]																		.07					T							
RUPERT	[illegible]											T		[illegible]						.07							T	.02	T			
[illegible]	1.[illegible]												.45							.53								.30				
[illegible]	.01				.01															T												
SALMON	.91	[illegible]			.02							[illegible]	.05						T	.19							[illegible]	.21				
[illegible]	[illegible]	.13	T															T				T										T
SHOSHONE	.67											[illegible]	.16	[illegible]					.08	.01							[illegible]	.03	[illegible]			
SPENCER R[illegible]	[illegible]		.04									.02	.40							.06												.05
[illegible]	[illegible]											.01	[illegible]	.13													.05					.02
STIBNITE	.68	.04	T		T									[illegible]											.08			.01				
SUGAR	[illegible]												.41	.10								.14						.68				
SUN VALLEY	[illegible]											[illegible]	.10	[illegible]		T				T							.01	.03			T	
SWAN FALLS PH	[illegible]											[illegible]								.07												
TETONIA EXP STA	[illegible]											[illegible]	[illegible]	.15						.05								.02			.05	.45
THREE CREEK	[illegible]												.38	.15																		
[illegible]	.39				T								.34						T	.05							T	T				T
[illegible]	[illegible]												[illegible]																			
WALLACE	[illegible]	.12			T							T								.03				.08								
WALLACE WOODLAND PARK	[illegible]	[illegible]																		.03												
[illegible]	.07				T								[illegible]																			
WINCHESTER 1 SE	[illegible]	[illegible]											.03																			

PRECIPITATION MEASURED IN STORAGE GAGES

Station	Observation date	Amount since last obs.	Snow on ground
DEADWOOD SUMMIT //	1951 OCT. 10		
	1952 AUG. 15	84.99	
TOTAL		84.99	
GILMORE SUMMIT RANCH //	1951 OCT. 4		
	1952 AUG. [illegible]	13.63	
TOTAL		13.63	

Station	Observation date	Amount since last obs	Snow on ground
LOLO PASS //	1951 OCT. 2		
	1952 AUG. 4	30.46	
TOTAL		30.46	
NEZ PERCE PASS //	1951 OCT. 3		
	1952 AUG. 4	23.86	
TOTAL		23.86	

Station	Observation date	Amount since last obs.	Snow on ground

All storage gage precipitation reports for this section were not received in time for publication in this issue. Additional storage gage reports, if received, will be published in the August issue.

DAILY TEMPERATURES

Table 5

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	77	75	85	90	90	84	79	85	91	89	85	75	76	79	87	97	86	83	78	84	83	88	95	87	93	92	86	89	91	93	88	85.5
	MIN	46	40	40	50	54	52	43	42	47	49	60	51	50	57	48	51	48	44	53	40	51	47	48	53	50	57	54	50	50	52	57	49.5
ALBION	MAX	77	75	89	92	80	74	82	84	91	90	78	76	75	79	84	83	82	85	86	83	82	85	94	88	90	89	88	90	92	94	87	84.6
	MIN	40	36	35	50	48	45	52	45	42	48	54	48	45	42	42	48	40	38	52	49	44	41	45	49	45	56	53	47	47	47	51	46.0
ALPHA 1 NE	MAX	63	73	81	85	73	68	80	85	90	87	84	77	74	80	84	83	77	83	79	74	80	83	80	78	85	83	85	85	88	88	87	80.7
	MIN	42	29	33	36	43	36	35	32	39	43	44	43	38	37	37	35	31	30	32	31	41	36	35	48	32	42	45	38	34	38	50	37.5
AMERICAN FALLS 1 NW	MAX	75	74	84	93	85	83	77	81	85	89	88	74	74	80	86	85	85	83	82	83	82	87	92	88	91	90	89	90	88	92	90	84.7
	MIN	49	41	41	50	53	57	46	41	47	55	62	50	52	47	55	58	42	47	57	40	49	55	48	58	52	61	58	54	56	55	66	51.8
ANDERSON DAM	MAX	72	81	92	95	83	78	88	95	97	97	91	83	84	88	91	86	86	91	76	88	83	91	97	88	94	90	94	95	97	99	95	89.0
	MIN	48	44	50	54	55	50	51	51	56	58	62	59	53	56	55	54	51	51	52	50	54	51	56	58	57	68	65	61	60	65	68	55.6
ARCO	MAX	72	75	84	88	81	77	80	87	92	91	85	70	74	80	82	83		78	78	79	81	81	89	87	88	88	85	90	90	93	90	83.2
	MIN	42	44	38	43	43	40	40	41	48	48	55	57	45	42	49	44		38	36	41	36	38	42	41	48	60	52	50	50	52	57	45.5
ARROWROCK DAM	MAX	76	70	81	90	95	81	78	88	96	98	98	92	83	83	87	92	97	85	95	77	88	80	92	89	88	96	95	95	96	96	100	88.6
	MIN	46	43	49	49	52	40	46	51	56	59	50	56	53	55	54	51	50	50	52	50	50	50	55	57	53	60	52	59	58	66	65	53.3
ASHTON 1	MAX	70	71	73	74	72	76	81	86	82	80	74	63	70	72	78	80	78	81	68	71	73	80	80	82	85	79	80	83	82	84	83	77.1
	MIN	42	43	43	44	43	43	51	49	49	47	48	46	45	46	47	46	39	40	41	39	38	41	43	43	46	47	52	47	49	51	52	45.2
ATLANTA 1 E	MAX	65	72	79	82	75	72	78	85	87	87	84	74	74	76	79	78	76	80	78	75	75	77	80	74	84	83	83	85	86	90	93	79.4
	MIN	39	34	43	43	50	41	41	45	50	51	53	49	40	46	46	44	42	44	46	39	49	41	41	49	48	54	54	50	50	54	57	46.2
AVERY RS	MAX	70	78	88	88	83	76	89	93	97	97	95	97	85	90	91	89	84	84	83	79	73	84	89	88	87	93	92	92	95	99	99	88.[illegible]
	MIN	37	31	33	39	55	34	33	35	39	41	44	48	35	39	39	36	33	33	37	39	30	30	41	41	33	37	33	37	39	40	42	37.5
BAYVIEW MODEL BASIN	MAX	71	75	75	84	84	70	82	90	91	92	84	84	79	92	96	90	84	71	77	77	78	78	88	86	75	90	91	92	90	84	86	83.4
	MIN	48	40	42	46	52	35	39	44	50	52	55	60	47	45	61	50	54	44	48	57	49	37	49	56	40	44	54	48	41	50	48	47.9
BIG CREEK 1	MAX	62	73	80	83	74	65	77	86	89	86	82	72	74	79	82	78	77	82	75	73	70	79	84	77	84	84	82	83	88	89	90	79.3
	MIN	34	27	31	34	40	34	27	31	37	40	39	45	37	34	35	34	29	29	45	30	36	29	33	39	29	39	43	35	32	35	49	35.2
BLACKFOOT	MAX	80	78	88	95	88	81	81	89	95	91	85	77	78	82	88	87	86	84	80	84	84	88	97	90	94	88	82	90	95	95	90	86.8
	MIN	47	44	44	53	56	55	41	44	50	55	60	53	49	46	50	53	54	48	53	42	52	52	53	64	55	61	56	51	50	55	64	51.9
BLISS	MAX	77	79	92	96	89	89	89	94	97	98	90	84	83	87	92	90	88	88	80	88	88	90	97	92	94	93	95	96	97	99	94	90.5
	MIN	49	47	45	56	50	48	47	46	52	56	64	62	55	58	52	50	46	48	57	47	53	47	55	60	58	72	69	61	60	65	65	54.8
BOISE LUCKY PEAK DAM	MAX	75	80	92	100				97	97	98	94	85		88	93	94	88	92	90		88	93	91	89	95	96		96	95	97	95	91.9
	MIN	44	45	53				44	56	58	61	61	59		56	56	53	51	54	55		49	49	56	61	59	71		60	64	67	68	56.4
BOISE WB AP	MAX	72	77	88	95	83	78	84	93	95	97	92	83	83	87	94	89	85	92	80	89	80	91	94	89	93	95	93	96	95	95	93	88.7
	MIN	48	43	53	62	56	46	48	57	60	62	68	61	59	58	62	56	53	56	56	55	53	48	63	64	55	72	72	66	59	65	72	58.3
BONNERS FERRY	MAX	69	76	84	85	71	75	85	90	95	95	87	80	86	91	88	83	75	80	77	74	76	78	86	76	84	91	87	91	94	97	96	83.9
	MIN	46	43	48	50	44	37	46	47	51	55	58	51	48	51	57	50	52	48	52	56	51	41	49	55	44	47	51	49	49	51	49	49.2
BUHL	MAX	73	74	89	90	88	83	83	88	91	91	84	78	78	82	90	90	86	90	86	84	84	85	92	93	89	89	90	92	95	95	94	87.0
	MIN	50	48	50	62	62	56	54	52	60	66	66	60	56	56	58	54	56	56	58	54	58	54	60	62	60	70	68	64	62	68	70	59.0
BUNGALOW RS	MAX	74	82	91	91	87	77	90	97	100	100	98	94	87	90	90	87	84	87	82	78	75	85	94	93	89	93	93	92	97	100	97	89.5
	MIN	48	42	42	49	55	37	36	44	48	53	53	56	43	43	49	48	45	43	50	47	45	39	49	54	43	50	48	44	47	47	50	46.7
BURKE 2 NNE	MAX	60	64	75	78	72	64	75	83	85	88	85	75	75	79	79	78	72	72	70	65	65	70	79	78	74	79	79	79	84	86	88	76.0
	MIN	41	34	40	46	[illegible]	30	34	43	46	48	52	51	41	44	48	49	42	41	42	44	37	35	45	43	39	43	43	44	46	46	48	43.1
BURLEY	MAX	77	77	78	90	94	87	79	82	90	94	92	85	82	78	82	86	90	88	85	78	87	85	90	96	92	95	89	89	94	95	97	87.2
	MIN	48	45	45	57	60	59	47	46	51	62	61	56	49	52	56	54	56	50	59	52	56	52	54	64	55	68	63	60	58	59	67	55.6
BURLEY FACTORY 1 NW	MAX	79	76	80	90	94	86	80	86	92	96	96	85	81	78	85	87		85	83	75	86	83	90	96	90	81	88	90	92	94	95	86.6
	MIN	49	49	42	50	53	55	49	40	46	57	62	54	52	49	50	52	49	49	54	45	52	45	49	55	50		59	56	52	54	66	51.5
BURLEY CAA AP	MAX	76	76	89	95	86	78	83	90	94	92	87	79	78	83	89	88	87	86	77	86	83	88	98	90	93	88	90	92	94	96	89	87.1
	MIN	44	42	42	53	55	56	48	42	46	58	60	55	54	53	54	54	50	47	57	47	52	46	50	58	51	65	61	58	54	54	66	52.5
CALDWELL	MAX	75	80	88	97	85	80	85	93	98	99	87	85	87	88	94	87	87	94	82	88	82	88	92	87	93	94	95	97	97	98	94	89.5
	MIN	50	45	45	52	56	48	44	47	53	56	63	60	56	55	51	56	50	47	58	48	55	50	55	64	55	65	61	57	60	59	68	54.5
CAMBRIDGE	MAX	80	84	88	95	92	92	88	95	96	103	98	90	89	90	95	93	86	90	79	78	79	88	94	90	93	96	96	100	101	105	98	91.3
	MIN	48	40	44	59	60	45	47	49	50	53	53	60	52	50	50	58	47	45	58	50	46	42	49	62	48	58	61	54	52	53	60	51.7
CASCADE 1 NW	MAX	63	72	81	87	81	71	78	84	88	89	86	82	75	79	84	82	78	84	80	79	79	82	83	78	85	85	86	87	88	90	87	81.7
	MIN	42	35	40	43	47	35	41	43	48	51	50	52	42	45	45	43	37	37	41	37	46	38	43	55	39	51	51	47	44	49	57	44.3
CHALLIS	MAX	71	74	89	87	80	75	79	87	91	93	83	72	75	81	86	85	86	86	82	82	80	83	89	86	88	85	81	89	89	90	89	83.6
	MIN	43	38	49	50	52	47	44	45	51	58	51	52	43	45	50	49	44	45	50	41	52	44	50	57	44	58	52	50	50	55	63	49.1
CHILLY BARTON FLAT	MAX	71	68	74	87	79	73	74	81	84	83	79	66	70	80	80	80	78	76	69	77	77	75	88	87	84	76	77	82	84	85	82	78.1
	MIN	34	33	34	36	36	38	30	33	32	46	50	47	38	37	38	37	32	32	44	33	36	33	34	34	36	50	40	42	39	41	52	38.0
CLARK FORK 1 ENE	MAX	66	72	80	81	79	67	77	82	88	87	85	82	79	85	83	79	79	75	74	75	72	73	84	81	79	86	83	85	89	97	96	80.6
	MIN	47	41	41	45	52	34	37	41	46	49	50	50	43	46	49	43	51	43	48	48	46	38	44	53	39	41	41	45	47	44	43	44.7
COBALT BLACKBIRD MINE	MAX	63	66	64		79	79	61	71	80	83	83	77	69	64	71	78	78	72	77	74	72	68	74	80	74	81	73	74	78	82	83	74.3
	MIN	35	30	34		42	34	32	38	45	48	48	43	40	38	40	43	38	38	41	34	42	35	37	48	37	39	46	42	41	43	47	39.9
COEUR D ALENE CAA AP	MAX	71	75	85	84	71	70	81	91	94	95	86	78	82	90	88	83	76	76	97	78	72	77	86	76	83	89	86	89	92	94	93	83.5
	MIN	48	44	45	50	46	37	44	48	52	56	57	57	52	49	57	53	54	45	51	54	48	39	52	52	45	48	56	51	54	51	53	50.1
COEUR D ALENE RS	MAX	65	76	88	87	82	75	87	93	94	95	95	89	88	91	94	92	87	83	78	80	80	95	90	89	86	95	92	94	95	100	98	87.8
	MIN	50	44	45		43	38	39	46	52	54	53	57	47	52	56	50	54	45	45	53	52	42	48	50	46	44	55	51	51	52	52	49.7
CONDA	MAX	72	75	72	81	86	83	73	75	82	88	61	62	74	68	74	78	80	79	83	71	76	80	81	89	85	87	81	83	83	86	[illegible]	78.6
	MIN	37	34	34	42	54	44	33	37	43	46	36	43	46	47	38	48	43	38	48	36	38	42	43	54	52	53	50	44	41	44	54	43.0
COTTONWOOD	MAX	60	74	83	77	68	65	78	85	87	88	85	78	77	83	84	79	75	78	70	78	68	80	87	72	85	90	87	86	90	93	90	80.0
	MIN	44	39	43	49	51	35	38	45	50	55	55	59	47	49	56	55	44	42	55	48	40	43	47	46	43	47	57	50	45	49	53	47.6
COUNCIL 1 N	MAX	71	80	90	95	83	78	88	96	100	100	96	89	86	90	94	90	87	92	88	90	85	90	94	88	94	90	95	98	100	102	99	91.1
	MIN	49	40	41	43	55	47	46	52	60	63	58	61	40	52	48	47	40	49	57	47	50	46	47	52	49	54	55	56	52	57	67	51.4
DEADWOOD DAM	MAX	63	71	81	85	71	71	79	85	87	87	81	71	73	79	83	79	77	84	69	77	72	80	75	80	85	80	83	85	87	91	89	79.4
	MIN	34	25	32	36	42	30	31	35	40	43	43	40	37	36	36	35	30	30	40	33	37	30	35	47	32	45	33	39	36	41	37	36.4
DEER FLAT DAM	MAX	73	80	86	94	82	78	86	89	94	97	92	84	85	86	84	88	85	92	92	88	80	86	92	88	94	93	93	96	93	99	94	88.5
	MIN	47	47	46	56	54	53	43	49	57	61	64	60	60	58	60	58	54	53	58	51	51	48	53	55	55	67	59	65	63	61	72	56.2
DIXIE	MAX	59	69	84	81	75	63	75	84	89	86	82	72	72	76	78	75	72	79	65	72	67	79	82	78	80	83	84	83	88	88	[illegible]	77.7
	MIN	40	26	31	35	45	27	27	31	36	39	36	47	36	32	34	33	28	29	45	29	37	27	33		30	38	55				46	35.3
DRIGGS	MAX	70	74	77	85	86	89	71	75	83	87	85	69	64	68	72	80	82	82	81	68	76	78	80	89	86	86	80	88	83	85	88	79.6
	MIN	38	36	36	43	45	51	40	36	43	45	53	49	47	38	39	55	51	44	49	33	51	34	45	52	48	59	48	42	40	45	50	44.8
DUBOIS EXP STA	MAX	74	71	80	87	85	77	75	84	88	89	87	68	70	76	84	87	86	83	78	80	80	80	91	91	89	82	82	84	87	89	89	82.4
	MIN	43	43	44	43	51	51	41	49	49	48	58	51	48	46	46	49	49	49	50	53	49	48	49	60	52	59	51	51	51	56	62	49.5
DUBOIS CAA AP	MAX	75	71	82	88	84	72	78	86	90	91	76	70	72	77	84	87	85	82	71	80	79	81	93	88	[illegible]	82	82	88	91	91	92	82.5
	MIN	41	43	45	48	[illegible]	44	41	44	50	52	54	51	47	45	47	46	43	51	48	38	45	46	50	54	47	58	55	50	55	55	61	48.6
ELK CITY	MAX	82	75	83	87	76	79	76	87	90	81	86	82	79	81	83	91	77	79	81	79	72	80	92	85	86	84	87	84	91	93	92	83.3
	MIN	36	41	32	36	45	21	29	31	33	37	35	45	45	37	35	35	30	30	47	36	37	34	35	36	34	39	43	32	30	31	42	35.6
ELK RIVER 1 S	MAX	65	73	83	83	79	72	83	89	92	92	91	88	81	86	85	84	79	79	78		73	79	87	85	82	88	88	86	90	93	93	83.5
	MIN	40	36	35	46	53	30	31	40	44	46	49	59	46	42	45	43	41	39	46		39	35	44	46	39	43	40	40	40	41	45	42.1
EMMETT 2 E	MAX	76	80	88	95	84	82	86	94	97	100		95	86	86	92	94	89	94	82	90	81	90	94	89	94	96	97	98	94	97	93	90.4
	MIN	41	38	44	49	50	44	48	41	50		63	60	53	51	50	49	44	48	52	47	48	42	58	67	56	63	64	60	52	57	65	51.6
FAIRFIELD	MAX	69	73	82	87	71	74	79	86	89	89	74	75	75	79	81	80	79	81	73	76	78	81	87	81	87	85	86	89	88	91	90	81.5
	MIN	40	37	40	44	45	42	45	38	43	44	46	45	44	47	44	45	39	39	46	42	38	43	45	51	46	59	55	50	50	51	59	44.9
FENN RS	MAX	74	79	90	89	81	78	87	94	95	97	93	91	88	91	91	91	86	86	83	83	82	86	95	91	90	98	97	96	95	99	99	89.5
	MIN	50	45	44	50	58	41	41	47	47	56	51	61	55	51	51	50	46	44	52	48	51	45	49	55	47	52	56	48	46	57	53	49.8
FORT HALL IND AGENCY	MAX	76	75	87	83	86	83	81	86	92	[illegible]	87		75	80	84	85	84	82	78	81	83	87	97	96	93	90		92	93	94	93	86.3
	MIN	48	46	42	54	57	51	44	42	58	55		51	57	45	49	52	50	48	55	42	51	55	51	54	55	57		50	52	54	62	51.6
GARDEN VALLEY RS	MAX	72	80	90		97	88	89	95	97	94	98	88	85	88	92	91	86	95	90	87	86	93	90	90	94	93	96	97	97	100	98	91.4
	MIN	44	43	43		52	42	41	46	46	48	48	57	49	49	48	47	43	42	50	44	45	41	45	55	44	54	54	51	48	51	58	47.7
GLENNS FERRY	MAX	77	82						96	99	101	94	87	87	90	95	90	89	84	81	91	84	93	97	91	96	96	97	[illegible]	98	100	97	92.2
	MIN	44	46						41	48	61	64	61	57	52	46	51	43	45	58	45	55	48	51	65	53	70	70	61	55	60	67	54.8
GOODING CAA AP	MAX	75	78	91	95	86	80	87	93	96	95	[illegible]	80	81	86	91	89	86	88	77	87	82	88	96	89	94	90	93	95	95	97	90	88.3
	MIN	51	45	51	60	57	53	49	55	61	61	63	53	53	57	55	57	54	51	50	51	51	54	60	64	58	72	66	63	59	67	67	57.4
GRACE RS	MAX	73	71	79	83	82	72	74	81	85	[illegible]	65	[illegible]	69	72	74	83	80	79	72	76	80	80	87	84	83	77	80	82	85	94	82	78.5
	MIN	34	40	41	45	49	47	39	42	47	50	53	48	44	42	43	46	44	42	52	41	50	41	47	51	53	54	53	49	47	50	57	47.2
GRAND VIEW	MAX	82	85	89	100	90	89	92	100	104	[illegible]	[illegible]	89	92	94	101	98	95	97	89	97	97	96	100	97	101	102	101	103	104	101	102	96.6
	MIN	53	49	46	[illegible]	52	[illegible]	47	48	[illegible]	[illegible]	[illegible]	55	56	56	51	62	51	49	60	46	50	51	55	61	54	76	70	62	63	62	69	56.7
GRANGEVILLE	MAX	62	72	81	78	70	64	74	86	89	[illegible]	84	79	78	84	87	81	77	80	[illegible]	81	66	79	92	71	87	91	89	87	91	93	93	81.2
	MIN	45	40	45	54	46	40	40	48	52	[illegible]	[illegible]	[illegible]	55	49	59	57	49	45	53	50	45	[illegible]	52	51	45	53	59	50	52	53	57	49.8
GRAY	MAX	68	73	71	72	78	78	82	88	95	80	75	70	[illegible]	70	72	75	77	80	79	81	87	88	86	81	83	80	78	81	84	85	89	78.9
	MIN	[illegible]	34	[illegible]	38	34	34	41	41	45	47	50	48	50	46	34	35	40	41	44	46	42	40	47	47	52	49	48	44	43	46	52	42.2

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
GROUSE	MAX	65	68	76	81	76	69	73	80	82	82	74	63	69	72	77	77	76	76	74	72	71	75	83	79	82	77	78	80	81	81	84	75.9
	MIN	35	34	34	37	39	35	28	32	36	42	51	47	37	37	39	37	30	34	40	32	41	34	35	44	40	53	42	44	39	41	53	38.8
HAILEY	MAX	79	74	85	90	78	79	82	87	91	90	85	71	73	78	83	83	83	83	76	78	73	81	89	86	88	87	86	92	91	92	89	83.3
	MIN	43	38	45	50	48	44	41	44	51	53	55	55	45	48	49	48	41	44	48	41	43	38	48	54	52	60	56	55	54	55	62	48.6
HAMER 4 NW	MAX	76	74	85	88	85	74	78	86	91	92	82	70	74	79	88	88	87	82	77	81	80	83	92	89	90	85	85	87	88	91	91	83.8
	MIN	40	38	39	46	45	46	36	39	42	50	58	55	46	44	43	43	41	41	50	39	42	41	47	51	44	51	51	48	47	42	57	45.2
HAZELTON	MAX	75	75	90	94	89	80	82	90	95	93	90	80	82	88	87	85	83	87	87	83	83	89	96	90	90	89	90	90	94	96	95	87.6
	MIN	47	43	43	55	54	54	46	49	51	56	60	57	54	50	50	57	49	46	46	46	47	52	55	60	56	65	62	56	57	57	55	52.7
HILL CITY	MAX	70	74	84	88	77	74	84	87	91	91	84	76	75	80	83	80	80	84	72	79	79	83	89	88	89	84	89	92	91	94	91	83.3
	MIN	43	34	37	43	46	45	37	34	42	44	53	53	42	43	46	47	41	38	47	39	47	46	45	55	47	61	54	49	48	50	55	45.5
HOLLISTER	MAX				95		82	82	88	89	90	83	76	75	78	86	88	82	85	82	83	85	87	90	88	98	88		89	88	91	89	86.0
	MIN				42		53	40	49	47	59	61	54	49	51	48	59	50	52	50	52	47	50	51	54	52	57		58	57	62	66	52.7
IDAHO CITY	MAX	71	77	85	93	80	78	84	90	94	95	89	84	82	84	88	86	83	89	83	82	81	86	85	85	90	89	92	92	91	96	93	86.4
	MIN	39	32	37	41	45	36	34	39	43	45	49	56	44	43	41	40	36	35	43	37	41	36	40	49	38	54	51	45	40	42	53	42.1
IDAHO FALLS CAA AP	MAX	76	77	83	91	87	84	80	87	94	88	74	69	76	82	85	86	83	81	77	80	82	81	93	86	88	83	82	90	91	92	89	83.8
	MIN	44	44	42	49	57	51	42	43	48	53	58	52	50	48	51	55	49	46	47	42	51	45	49	59	53	61	53	50	50	51	57	50.0
IRWIN 2 S	MAX	76	78	84	89	85	76	80	87	90	86	76	70	75	76	82	84	82	83	75	80	82	84	93	86	88	80	81	86	90	83	85	82.3
	MIN	42	40	38	48	52	48	32	37	45	49	54	50	45	50	43	49	50	43	54	36	42	47	48	55	50	55	50	45	44	48	45	46.3
ISLAND PARK DAM	MAX	69	66	76	82	79	77	78	80	85	83	79	65	68	73	78	79	77	77	70	69	72	73	83	82	82	81	77	82	84	86	85	77.3
	MIN	32	30	32	37	39	35	29	35	37	44	51	47	43	38	35	35	33	35	41	30	36	34	39	45	36	46	44	42	39	42	45	38.3
JEROME	MAX	75	77	90	88	85	88	88	93	95	94	91	80	82	89	90	87	86	89	80	93	88	88	96	93	95	93	92	94	97	99	95	89.4
	MIN	47	39	43	56	57	53	46	46	43	54	61	58	54	54	48	57	56	46	54	44	56	56	56	61	53	66	66	61	54	58	63	53.7
KELLOGG	MAX	71	70	78	89	84	71	77	89	96	99	100	95	81	89	93	91	86	80	84	79	78	73	80	91	76	88	93	89	93	96	99	85.7
	MIN	51	41	45	51	58	39	42	47	50	54	57	60	51	52	54	51	50	47	51	54	45	41	50	52	44	47	47	49	49	49	51	49.3
KOOSKIA	MAX	71	82	93	92	79	78	90	96	98	100	99	92	89	94	95	93	90	87	78	89	82	90	95	90	94	98	93	98	99	102	98	91.1
	MIN	52	45	47	52	59	41	41	46	49	53	53	63	53	50	53	51	47	45	55	47	51	43	50	56	45	52	58	46	47	49	52	50.0
KUNA 2 NNE	MAX	71	77	86	92	81	77	83	91	95	97	88	83	84	86	92	87	85	91	80	87	79	88	92	87	91	94	92	93	93	95	91	87.4
	MIN	48	41	43	50	54	46	41	47	49	51	60	60	54	50	49	53	42	44	54	45	52	44	57	59	49	68	63	60	51	56	65	51.8
LEWISTON WATER PLANT	MAX	77	85	95	94	85	79	91	98	102	103	102	97	91	98	97	94	92	85	83	82	81	91	91	87	94	100	96	99	101	104	103	92.8
	MIN	53	47	53	59	64	45	48	52	56	62	64	68	59	57	63	60	56	56	61	58	57	50	50	59	52	58	60	56	57	59	64	56.9
LEWISTON WB AP	MAX	71	80	90	89	78	77	87	95	98	100	97	88	89	94	96	90	83	88	84	87	75	88	93	80	92	98	93	96	99	102	95	89.4
	MIN	51	46	52	60	57	48	47	53	58	63	64	66	56	59	61	63	60	53	58	55	54	50	59	58	50	57	62	57	58	60	65	56.8
LIFTON PUMPING STA	MAX	75	73	81	83	83	78	72	78	84	79	71	79	72	73	79	81	83	82	76	78	81	84	87	84	87	82	81	79	85	84	81	79.8
	MIN	46	45	46	50	55	53	51	47	52	56	58	45	51	48	47	51	50	49	62	45	47	51	50	55	59	58	58	54	51	51	57	51.5
LOWMAN	MAX	75	78	86	92	83	78	85	90	94	93	90	81	84	86			87	87	80	82	76	88	81	83	89	88	91	92	93	96	93	86.2
	MIN	37	33	38	40	44	37	34	40	43	45	43	46	44	42			37	35	38	36	39	35	39	46	37	50	48	44	40	45	52	40.9
MACKAY RS	MAX	74	75	79	85	81	78	76	84	88	87	84	72	73	77	83	82	82	81	76	80	79	79	88	85	84	81	79	86	86	88	88	81.3
	MIN	41	40	43	47	46	44	41	41	45	49	53	51	46	42	50	50	45	45	46	36	40	40	46	52	49	59	46	52	52	52	58	46.7
MALAD	MAX	82	78	86	90	90	83	82	87	91	85	79	80	79	81	83	90	90	87	80	84	91	89	93	91	90	86	88	92	93	89	87	86.3
	MIN	45	47	44	50	57	53	50	48	51	53	58	52	51	47	47	52	49	50	55	46	48	53	51	57	59	62	60	58	53	55	59	52.3
MALAD CAA AP	MAX	83	80	87	91	92	84	84	89	93	87	74	81	78	81	86	90	90	88	80	86	91	90	95	92	90	86	89	92	93	91	87	87.1
	MIN	44	46	42	47	52	51	48	44	48	47	56	50	51	44	45	48	44	45	54	41	42	52	49	51	56	61	59	54	50	50	58	49.3
MAY RS	MAX	71	65	77	82	75	69	81	88	93	78	76	71	75	82	86	86	83	86	77	85	77	85	90	82	89	80	78	90	91	93	90	81.6
	MIN	40	34	40	43	41	42	34	40	45	52	53	51	45	41	46	44	37	39	48	38	42	40	45	40	38	49	47	47	45	46	58	43.5
MC CALL	MAX	60	69	78	82	78	70	76	83	87	86	84	78	72	80	82	83	75	81	78	75	74	77	80	76	82	83	85	86	87	89	89	79.5
	MIN	42	33	37	42	46	42	37	39	44	48	48	48	39	45	42	41	38	37	53	37	44	36	42	51	38	49	53	43	42	46	55	43.1
MC CAMMON	MAX	77	79	86	91	89	75	81	90	87	89	85	80	77	80	87	88	86	85	82	85	87	91	92	90	90	87	86	90	94	92	88	86.0
	MIN	40	39	46	41	51	49	42	41	42	53	59	47	50	43	43	47	42	42	53	41	44	46	50	51	54	57	55	50	49	50	57	47.5
MERIDIAN 1 SSW	MAX	72	80	86	91	87	77	83	92	93	97	89	89	84	86	93	88	85	89	89	87	79	87	91	87	93	93	93	94	93	95	93	88.2
	MIN	48	40	44	54	52	48	40	49	50	52	60	58	59	60	50	51	42	43	50	45	48	41	53	58	47	63	62	58	50	53	68	51.5
MESA	MAX	73	79	92	92	81	85	87	92	95	94	92	85	86	90	93	91	86	91	89	85	81	89	90	88	93	95	98	98	99	100	95	90.0
	MIN	48	45	49	49	57	49	55	57	60	65	63	58	54	50	58	54	46	55	54	48	50	52	55	61	54	56	60	62	60	64	71	55.5
MINIDORA DAM	MAX	77	77	89	90	92	83	77	87	95	88	78	80	80	81	85	87	86	81	83	82	82	88	97	86	94	90	90	91	94	96	88	86.3
	MIN	51	46	49	61	58	57	53	53	56	63	63	56	55	55	55	56	51	51	58	47	47	56	59	65	58	66	64	60	62	62	67	56.8
MONTPELIER RS	MAX	75	78	75	84	88	87			89	86	70	70	78	73	75	80	85	84	83	76	77	85	85	92	89	89	84	85	86		90	82.1
	MIN	39	40	37	43	50	45			45	41	39	45	47	39	38	39	39	39	54	36	40	42	45	52	55	52	53	48	43		45	43.9
MOSCOW U OF I	MAX	68	74	84	84	77	71	84	90	94	95	93	89	83	89	90	86	80	80	76	75	73	81	86	93	85	89	80	90	93	96	94	84.6
	MIN	45	42	51	56	50	37	40	43	61	63	63	63	54	56	56	54	52	43	50	49	47	46	51	58	53	43	48	47	46	51	52	50.6
MULLAN PASS CAA	MAX	51	62	73	72	53	58	68	76	78	78	75	54	72	70	70	68	62	69	57	56	52	69	73	56	70	74	70	72	79			66.8
	MIN	36	41	47	55	37	33	44	55	63	62	50	46	44	55	54	50	42	44	43	44	37	44	52	40	45	55	55	58	59			47.9
NAMPA 2 NW	MAX	76	75	81	90	96	85	81	87	95	97	99	90	85	86	89	94	90	87	93	84	88	80	89	92	90	95	94	96	97	96	99	89.5
	MIN	51	44	44	54	55	49	44	49	51	56	62	64	58	56	53	56	49	46	57	52	54	50	57	64	53	66	65	60	57	61	68	55.0
NEW MEADOWS RS	MAX	68	75	84	87	83	74	81	90	94	93	90	84	79	85	88	87	84	84	82	79	82	82	85	80	88	88	89	90	91	93	91	84.8
	MIN	43	31	33	37	45	32	30	35	41	42	44	44	42	38	38	36	34	32	44	33	42	32	36	46	35	40	45	37	34	38	51	38.4
NEZPERCE 2 E	MAX	62	72	81	72	65	63	78	85	86	88	84	75	78	83	85	78	78	77	72	77	67	79	84	71	81	86	82	85	87	92	90	78.8
	MIN	45	42	48	49	53	39	44	50	54	57	56	60	51	52	55	52	47	47	51	48	43	42	53	49	47	54	60	56	53	54	58	50.6
OAKLEY	MAX	74	76	90	93	85	77	81	85	92	90	85	75	75	81	86	85	83	84	82	86	81	85	92	88	90	85	88	89	90	93	91	85.1
	MIN	45	48	46	59	56	49	41	46	47	60	60	50	48	48	53	59	51	52	55	47	53	48	58	60	55	64	65	56	57	57	64	53.5
OBSIDIAN 4 NNE	MAX	60	70	77	78	68	64	76	81	82	81	76	68	67	73	74	73	73	75	64	70	68	74	79	74	79	76	76	78	81	82	82	74.2
	MIN	29	26	32	35	32	30	28	31	37	40	46	44	37	33	35	37	30	29	42	29	44	30	36	39	32	49	42	37	35	41	50	36.0
OLA 4 S	MAX	78	84	82	98	87	83	88	97	97	100	97	89	84	87	96	89	89	93	87	90	89	90	90	95	95	96	97	98	96	102	100	91.7
	MIN	49	46	48	44	46	48	47	49	52	53	53	59	54	52	51	52	47	47	49	45	51	47	50	52	48	50	48	51	58	58	60	50.5
OROFINO	MAX	78	88	96	89	88	82	94	99	100	103	99	98	93	97	96	97	95	90	84	85	79	94	96	95	89	99	96	100	101	106	99	93.7
	MIN	51	53	57	54	58	40	44	46	46	49	48	57	51	51	53	49	52	47	53	49	46	42	50	46	55	52	52	47	49	48	53	49.9
PALISADES DAM	MAX	79	76	84		88	84	79	85	89	90	78	67	73	77	81	84	83	84			82	83	92	94	89	89		86	90	89	86	83.7
	MIN	37	37	39		48	48	31	40	46	49	54	50	46	42	43	47	45	42		37		47	47	54	50	53		45	46	49	56	45.5
PARMA EXP STA	MAX	74	81	90	95	88	82	86	94	97	102	101	87	87	90	97	94	93	92	91	89	86	90	97	91	95	94	96	97	97	100	99	92.0
	MIN	51	43	44	51	53	41	45	49	54	58	65	59	56	55	50	55	51	48	55	48	51	47	54	63	52	64	62	60	58	56	68	53.7
PAUL 1 E	MAX	76	73	77	91	94	81	76	84	89	93	91	87	87	79	83	85	84	83	87	78	82	80	88	96	86	84	88	89	92	94	95	85.5
	MIN	46	40	41	51	55	55	46	42	48	56	60	55	53	50	51	56	49	45	56	45	46	50	49	59	51	65	58	59	53	57	64	52.0
PAYETTE	MAX	75	82	90	98	82	80	87	95	99	101	93	85	86	90	95	92	88	95	87	90	84	93	98	90	96	99	98	100	98	102	93	91.6
	MIN	53	44	43	50	57	47	50	49	53	60	64	61	55	55	52	61	55	49	60	50	59	51	54	66	53	65	66	63	61	58	67	55.8
PIERCE RS	MAX	68	72	83	84	79	70	81	90	92	93	91	86	81	85	85	83	78	80	78	74	74	81	87	87	85	88	89	86	91	95	94	83.5
	MIN	45	36	38	40	52	33	35	39	43	48	49	55	44	44	45	44	40	30	46	41	40	34	43	49	38	32	45	39	41	41	45	41.7
POCATELLO WB AP	MAX	78	76	87	93	88	81	80	86	94	90	76	75	76	80	89	89	87	85	80	86	86	88	95	90	94	85	88	92	92	92	87	86.0
	MIN	49	45	45	58	63	55	43	44	52	57	57	52	52	46	57	61	48	49	51	45	61	58	53	62	58	64	57	53	52	57	65	53.8
PORTHILL	MAX	67	77	83	87	78	74	80	86	89	89	89	82	86	91	90	86	76	79	78	78	74	76	77	76	83	92	89	86	91	96	96	83.3
	MIN	47	41	46	48	50	38	40	45	50	53	52	48	44	48	54	47	52	45	51	60	49	40	50	54	42	45	47	47	50	53	48	47.9
POTLATCH	MAX	67	75	85	81	78	71	83	91	93	96	90	84	83	90	87	84	77	80	74	74	70	81	85	80	81	88	86	91	92	96	86	83.2
	MIN	48	42	45	53	51	35	40	45	47	51	54	58	47	49	52	54	55	43	51	47	50	40	48	50	42	45	43	45	45	47	51	47.5
PRESTON SUG FACT 2 SE	MAX	82	81	85	90	91	90	81	87	92	91	83	80	79	80	83	89	90	90	85	84	89	89	94	94	93	90	88	92	92	92	89	87.6
	MIN	44	45	42	48	55	49	47	44	47	52	55	53	52	44	45	49	47	47	55	43	43	49	50	56	60	61	59	55	50	53	60	50.3
PRIEST RIVER EXP STA	MAX	64	73	82	82	76	72	82	89	92	92	90	83	83	89	87	84	81	78	77	74	68	75	83	82	81	88	86	88	90	93	92	82.5
	MIN	44	38	41	46	46	31	37		49	52	48	57	43	47	47	42	46	42	52	50	46	37	44	50	40	42	41	45	46	47	45	44.7
REACTOR TESTING STA	MAX	75	75	85	91	85	79	80	88	92	92	78	65	73	81	87	88	85	84	80	77	82	84	94	87	91	82	88	89	91	94	91	84.3
	MIN	39	43	48	45	53	49	40	38	45	49	57	52	47	49	49	44	44	41	36	40	41	39	45	50	47	58	50	49	56	52	51	46.3
RICHFIELD	MAX	74	78	86	90	84	77	84	90	93	90	83	74	77	81	80	81	82	85	74	81	82	85	92	86	87	84	88	88	92	91	88	84.1
	MIN	46	47	48	51	50	49	48	49	50	58	58	57	49	52	50	51	44	46	52	43	47	47	50	55	53	65	62	51	57	58	59	51.7
RIGGINS RS	MAX	76	81	95	95	85	78	86	93	96	99	98	88	81	91	99	99	89	87	86	90	91	93	99	95	94	99	98	97	99	103	102	92.3
	MIN	51	48	54	59	59	49	48	57	61	62	65	68	55	51	59	58	54	54	64	54	64	50	61	65	56	64	67	59	50	63	70	58.4
ROLAND W PORTAL	MAX	61	69	80	79	71	66	80	87	89	90	89	78	76	81	80	79	74	76	71	62	61	74	82	79	78	84	80	83	86	90	92	78.3
	MIN	40	43	40	47	50	32	37	45	50	44	52	54	45	45	47	44	42	42	41	43	47	34	49	43	38	43	43	44	45	46	47	43.5
RUPERT	MAX	76	74	78	90	92	85	79	83	91	98	92	84	83	84	86	91	89	90	87	76	88	87	95	100	91	97	92	92	97	100	101	88.6
	MIN	47	42	44	54	58	55	48	47	51	56	60	54	53	49	49	57	47	47	56	46	52	53	51	59	53	62	60	58	58	57	62	53.0
SAINT ANTHONY	MAX	76	74	84	91	86	75	79	88	92	89	77	69	73	78	85	83	83	81	75	78	77	82	91	85	89	79	83	86	88	92	90	82.5
	MIN	37	39	39	45	43	41	38	41	46	44	55	53	47	41	43	44	40	41	40	33	44	40	45	53	43	52	50	47	44	45	55	44.3
SAINT MARIES	MAX	78	78	86	85	81	83	87	89	94	94	94	94	88	91	91	89	84	82	83	79	76	83	89	85	86	94	95	92	94	98	98	87.7
	MIN	48	43	43	46	39	35	33	42	46	50	50	52	49	47	50	46	45	43	48	46	39	38	46	48	41	44	43	45	45	46	49	44.5

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SALMON	MAX	74	78	89	89	90	75	84	93	97	[illegible]	89	76	91	87	[illegible]	89	84	[illegible]	74	[illegible]	86	[illegible]	95	[illegible]	92	89	88	[illegible]	[illegible]	97	97	87.7
	MIN	39	35	40	45	50	46	34	39	45	[illegible]	52	[illegible]	44	43	45	46	42	41	49	[illegible]	[illegible]	42	43	[illegible]	43	48	[illegible]	46	[illegible]	45	[illegible]	[illegible]
SANDPOINT EXP STA	MAX	68	75	80	83	69	71	77	81	85	88	88	[illegible]	85	84	86	84	79	78	76	75	74	75	[illegible]	82	81	89	87	84	88	88	[illegible]	81.1
	MIN	48	40	52	58	49	35	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	45	48	58	49	[illegible]	44	44	53	49	38	[illegible]	[illegible]	42	44	[illegible]	[illegible]	47	47	46	47.9
SHOSHONE	MAX	75	79	89	94	87	80	86	91	95	94	88	[illegible]	81	[illegible]	[illegible]	[illegible]	86	83	[illegible]	[illegible]	[illegible]	87	94	88	91	89	[illegible]	92	[illegible]	96	[illegible]	[illegible]
	MIN	42	40	50	55	[illegible]	50	44	51	[illegible]	[illegible]	[illegible]	[illegible]	52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	52	[illegible]	[illegible]	48	[illegible]	[illegible]	54	59	[illegible]	59	[illegible]	[illegible]	[illegible]	[illegible]
SPENCER RS	MAX	71	69	77	83	81	74	74	85	88	[illegible]	[illegible]	[illegible]	76	76	[illegible]	86	[illegible]	[illegible]	74	77	78	79	[illegible]	87	86	86	79	85	87	90	88	[illegible]
	MIN	35	37	34	39	41	46	[illegible]	[illegible]	42	[illegible]	[illegible]	46	[illegible]	41	[illegible]	38	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	42	44	42	44	44	44	40.5
SPRINGFIELD	MAX	78	75	87	93	88	82	[illegible]	89	[illegible]	[illegible]	[illegible]	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87	[illegible]	[illegible]	85	89	98	91	94	85	87	93	95	96	91	86.4
	MIN	44	40	[illegible]	48	[illegible]	52	41	[illegible]	[illegible]	[illegible]	[illegible]	51	54	44	48	52	[illegible]	45	[illegible]	[illegible]	48	48	44	[illegible]	[illegible]	[illegible]	[illegible]	48	47	[illegible]	56	48.2
STIBNITE	MAX	69	72	[illegible]	75	81	74	63	76	[illegible]	84	83	72	79	74	76	77	74	72	72	64	77	[illegible]	[illegible]	[illegible]	71	79	76	[illegible]	[illegible]	[illegible]	[illegible]	75.7
	MIN	41	28	42	30	32	34	41	38	43	45	[illegible]	42	42	37	39	38	34	34	36	34	38	[illegible]	[illegible]	[illegible]	[illegible]	45	46	41	39	44	[illegible]	[illegible]
SUGAR	MAX	76		83	89	85	79	74	87	[illegible]	84	[illegible]	64	74	[illegible]	83	83	87	82	73		76	81	[illegible]	86	87	85	[illegible]	85	87	[illegible]	[illegible]	[illegible]
	MIN	39		45	43	47	41	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	41	[illegible]	43	45	[illegible]	[illegible]	[illegible]		[illegible]	40	40	[illegible]	[illegible]	51	[illegible]	47	44	[illegible]	[illegible]	43.7
SUN VALLEY	MAX	68	68	78	83	81	75	76	81	86	85	84	65	72	74	82	83	82	82	77	77	75	78	86	82	87	83	[illegible]	88	87	[illegible]	[illegible]	[illegible]
	MIN	33	30	34	35	36	[illegible]	32	31	[illegible]	[illegible]	[illegible]	[illegible]	34	38	37	35	[illegible]	30	40	41	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	44	41	[illegible]	[illegible]	[illegible]	37.7
SWAN FALLS PH	MAX	80	85	95	99	87	87	92	99	[illegible]	[illegible]	[illegible]	90	89	[illegible]	[illegible]	[illegible]	95	100	87	96	95	[illegible]	[illegible]	94	100	101	99	101	[illegible]	[illegible]	[illegible]	95.7
	MIN	56	52	51	50	65	[illegible]	60	54	[illegible]	65	[illegible]	65	61	64	59	67	61	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	63.1
TETONIA EXP STA	MAX	68	71	79	85	[illegible]	70	[illegible]	82	[illegible]	84	[illegible]	65	67	72	79	80	79	80	78	74	[illegible]	85	87	84	85	[illegible]	[illegible]	83	85	87	[illegible]	[illegible]
	MIN	[illegible]	37	34	34	35	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	44	[illegible]	44	[illegible]	39	[illegible]	45	34	47	41	39	[illegible]	41	45	46	40	38	42	48	40.7
THREE CREEK	MAX	72	75	83	91	85	74	80	89	[illegible]	[illegible]	80	64	[illegible]	[illegible]	[illegible]	90	87	87	[illegible]	86	88	90	97	90	92	[illegible]	86	[illegible]	91	94	86	85.0
	MIN	38	33	34	44	46	35	32	35	37	40	40	34	26	34	38	46	40	41	45	[illegible]	[illegible]	40	45	47	42	[illegible]	57	56	49	49	[illegible]	42.0
TWIN FALLS 2 NNE	MAX	78	78	92	95	[illegible]	83	86	94	[illegible]	97	[illegible]	[illegible]	[illegible]	86	[illegible]	[illegible]	87	[illegible]	88	88	87	89	94	92	97	[illegible]	94	95	98	99	97	[illegible]
	MIN	48	43	43	[illegible]	[illegible]	55	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	53	[illegible]	51	[illegible]	[illegible]	[illegible]	55	[illegible]	57	56	50	[illegible]	54	69	62	[illegible]	[illegible]	[illegible]	64	54.1
TWIN FALLS 3 SE	MAX	78	76	78	89	92	90	86	83	91	95	94	87	79	81	[illegible]	[illegible]	88	88	88	76	86	[illegible]	88	94	[illegible]	[illegible]	[illegible]	91	94	94	95	87.5
	MIN	51	45	45	52	[illegible]	[illegible]	47	42	[illegible]	[illegible]	63	57	51	[illegible]	[illegible]	62	49	48	55	[illegible]	51	[illegible]	49	[illegible]	[illegible]	[illegible]	51	[illegible]	56	60	63	[illegible]
WALLACE	MAX	69	75	86	81	70	75	84	91	92	93	90	83	85	[illegible]	86	87	75	78	69	74	[illegible]	81	88	74	[illegible]	[illegible]	85	[illegible]	91	94	91	[illegible]
	MIN	46	47	42	47	43	33	39	42	45	[illegible]	[illegible]	53	45	46	[illegible]	47	47	42	45	47	[illegible]	37	47	[illegible]	40	41	[illegible]	[illegible]	[illegible]	45	47	44.4
WALLACE WOODLAND PARK	MAX	64	63	72	83	81	65	[illegible]	82	89	[illegible]	93	88	73	81	86	85	73	79	71	71	68	78	85	88	82	87	[illegible]	[illegible]	85	[illegible]	92	[illegible]
	MIN	46	38	41	45	50	34	38	39	[illegible]	[illegible]	57	[illegible]	44	45	[illegible]	47	42	45	48	[illegible]	36	38	[illegible]	40	43	44	46	46	46	[illegible]	48	44.5
WEISER	MAX	[illegible]	82	92	98	87	82	89	97	100	103	96	90	91	96	[illegible]	94	92	94	92	89	86	91	92	92	95	97	99	100	[illegible]	101	94	93.0
	MIN	49	42	48	52	52	47	44	48	[illegible]	[illegible]	[illegible]	56	61	49	48	62	48	[illegible]	47	55	55	47	[illegible]	[illegible]	[illegible]	62	[illegible]	59	[illegible]	[illegible]	64	[illegible]
WINCHESTER 1 SE	MAX	63	71	80	80	74	65	77	84	88	89	88	83	80	[illegible]	[illegible]	81	78	76	71	72	71	[illegible]	82	80	82	[illegible]	89	87	84	93	92	[illegible]
	MIN	44	37	45	54	49	34	36	44	49	51	[illegible]	54	52	[illegible]	52	50	47	42	46	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	47	55	46	44	47	[illegible]	46.4

EVAPORATION AND WIND

Table 6

Station		Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STATION	EVAP	.46	.19	.23	.53	.11	.45	.31	.21	.17	.35	.11	.10	.16	.26	.42	.45	.43	.32	.32	.38	.39	.32	.06	.41	.28	.25	.20	.29	.29	.20	.20	8.85
	WIND	115	71	20	60	121	*	77	102	20	53	105	31	31	22	97	194	158	147	163	143	172	85	11	119	59	97	23	21	33	28	52	2430
ARROWROCK DAM	EVAP	.23	.31	.24	.30	.26	.33	.32	.27	.32	.35	.33	.19	.17	.27	.29	.32	.36	.33	.26	.28	.26	.27	.29	.16	.34	.31	.24	.34	.38	.34	.37	9.03
	WIND	37	73	38	33	39	57	69	29	25	32	30	37	32	36	35	39	47	43	38	56	32	52	31	21	48	32	24	39	44	39	34	1221
LIFTON PUMPING STA	EVAP	.34	.31	.24	.28	.31	.29	.34	.28	.27	.24	.23	.29	.21	.26	.31	.39	.36	.25	.39	.32	.36	.27	.32	.38	.29	.26	.21	.31	.27	.31	.19	9.08
	WIND	43	100	28	57	65	52	146	36	28	54	112	58	75	76	50	82	50	49	130	60	75	49	41	92	45	63	23	63	37	62	46	1947
MINIDOKA DAM	EVAP	.45	.34	.31	.52	.31	.63	.40	.33	.36	.51	.36	.31	.30	.28	.45	.48	.48	.30	.49	.40	.45	.42	.36	.40	.50	.31	.25	.37	.43	.47	.43	12.40
	WIND	130	110	60	70	110	160	170	100	50	90	110	50	110	90	80	130	105	105	200	120	140	110	80	100	100	70	40	110	100	70	140	3210
MOSCOW U OF I	EVAP	.20	.14	.34	.29	.37	.17	.24	.28	.16	.26	.34	.42	.10	.27	.39	.50	.29	.24	.29	.36	.12	.17	.20	.39	.24	.41	.34	.22	.37	.30	.13	8.54
	WIND	53	43	22	44	89	21	23	24	12	19	35	7	35	13	96	112	87	21	89	106	89	34	20	25	37	60	47	28	93	62	51	1497
PALISADES DAM	EVAP	.30	.27	.25	*	.63	.22	.27	.26	.29	.32	.19	.07	.16	.23	.28	.32	.29	.31	*	*	.66	.30	.27	.34	.22	.33	*	.31	.28	.29	.22	7.88
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See reference notes following Station Index

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 [illegible]	112 [illegible]	[illegible]	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	[illegible]	CASSIA	12	42 [illegible]	113 35	[illegible]	6P	6P	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 SW	0199	VALLEY	8	44 21	116 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 47	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 22	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	[illegible]	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0418	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 04	111 27	[illegible]	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	[illegible]	SHOSHONE	10	47 15	115 48	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 5 7
BLACKFOOT	[illegible]	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	[illegible]	GOODING	12	42 56	114 57	[illegible]	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOISE LUCKY PEAK DAM	[illegible]	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5
BOISE WB AP	[illegible]	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	[illegible]	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BUHL	1217	TWIN FALLS	12	42 36	114 46	3500	5P	5P	WILLIAM A LOW	2 3
BUNGALOW RANGER STATION	1241	CLEARWATER	3	46 38	115 30	[illegible]	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	4	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	[illegible]	8A	8A	U S BUR RECLAMATION	2 3
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 33	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	[illegible]	CANYON	2	43 39	116 41	[illegible]	SS	SS	HAROLD M TICKLE	2 3 5 7
CAMBRIDGE	[illegible]	WASHINGTON	12	44 34	116 41	[illegible]	5P	5P	J I LORTON	2 3
CASCADE 1 NW	[illegible]	VALLEY	8	44 31	116 03	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 7
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 48	115 51	[illegible]		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	[illegible]	CUSTER		44 02	113 48	[illegible]	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5
# CLEMENTSVILLE 1 [illegible]	1881	TETON	12	43 [illegible]	111 16	[illegible]		MID	SEE NAME CHANGE END OF INDEX	
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	[illegible]	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	[illegible]	KOOTENAY		47 46	116 49	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	[illegible]	KOOTENAY	4	47 41	116 4	2160	5P	5P	U S FOREST SERVICE	2 3 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	5P	5P	DAN GOODMAN	2 3 5
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	[illegible]	VALLEY	8	44 [illegible]	115 38	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	[illegible]		VAR	U S SOIL CON SER	S
DEER FLAT DAM	2444	CANYON	12	43 3[illegible]	116 41	[illegible]	5P	5P	U S BUR RECLAMATION	2 3
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3
DUBOIS EXP STATION	2707	CLARK	6	44 11	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2712	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
EDEN HUNT PROJECT	[illegible]	JEROME	12	42 41	114 [illegible]	[illegible]	5P	5P	U S BUR RECLAMATION	CLOSED 5/22/52
ELK CITY	[illegible]	IDAHO	3	45 49	115 26	[illegible]	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	[illegible]	CLEARWATER	3	46 47	116 10	[illegible]	5P	5P	GLENN WALKER	2 3
EMMETT 2 E	2942	GEM	2	43 [illegible]	116 32	[illegible]	6P	6P	WAYNE F HARPER	2 3 7
FAIRFIELD	[illegible]	CAMAS	12	43 21	114 48	[illegible]	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 [illegible]	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	[illegible]		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	[illegible]	7P	7P	F D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 [illegible]	114 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	[illegible]	CARIBOU	12	42 [illegible]	111 44	[illegible]	SS	SS	H A WESTENFELDER	2 3
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3
GRANGEVILLE	3771	IDAHO	3	[illegible]	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 7
GRAY	[illegible]	BONNEVILLE	12	43 03	111 22	[illegible]	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	[illegible]	BUTTE	6	43 42	113 37	[illegible]	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	[illegible]	5P	5P	U S F & W SERVICE	2 3 7
HAZELTON	4110	JEROME	12	42 36	114 08	[illegible]	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	[illegible]	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	[illegible]	TWIN FALLS	12	42 21	114 35	[illegible]	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4381	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	[illegible]	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	[illegible]	OWYHEE	2	42 01	115 14	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	[illegible]	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	[illegible]	FREMONT	12	44 2[illegible]	111 24	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	[illegible]	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	[illegible]	ADA	2	43 31	116 21	2685	5P	5P	HARRY L GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	[illegible]		VAR	U S FOREST SERVICE	S
LEWISTON	[illegible]	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	[illegible]	NEZ PERCE	3	46 23	117 02	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	[illegible]	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	[illegible]	IDAHO	3	46 38	114 33	[illegible]		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 [illegible]	113 [illegible]	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	[illegible]	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AP	[illegible]	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	6P	6P	WAYNE E BENTZINGER	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 1[illegible]	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	[illegible]		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 54	4600	6P	6P	HERBERT L HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A SALLY	2 3 5
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	3P	3P	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	[illegible]	BOUNDARY		49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 [illegible]	116 [illegible]	[illegible]	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON SUG FACT 2 SE	[illegible]	FRANKLIN	1	42 [illegible]	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	[illegible]	VALLEY	11	44 45	115 04	4800		VAR	W EDWARD BUDELL	S
PUTNAM MOUNTAIN	[illegible]	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
REACTOR TESTING STA	[illegible]	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	[illegible]	6P	6P	CALVIN E LARSON	CLOSED 5/19/52
ROLAND WEST PORTAL	[illegible]	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	[illegible]	FREMONT	12	43 [illegible]	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	[illegible]	LEMHI	11	45 11	113 [illegible]	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	[illegible]	ELMORE	2	43 37	115 10	[illegible]		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8518	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 [illegible]	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	[illegible]	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	[illegible]	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	CLOSED 5/18/52
THREE CREEK	[illegible]	OWYHEE	12	42 03	115 10	[illegible]	6P	6P	L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	[illegible]	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
[illegible] GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	[illegible]	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	[illegible]	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	[illegible]	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	[illegible]		VAR	U S SOIL CON SER	S

NEW STATIONS

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
IDAHO FALLS 6 NE	[illegible]	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET F STOUT	2 3 5

NAME CHANGE

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
# TETONIA EXP STATION	[illegible]	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

he four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will e no duplication of numbers within a state.

igures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

bservation times given in the Station Index are in local standard time.

elayed data and corrections will be carried only in the June and December issues of this bulletin.

onthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bul-etin.

tations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be in-luded in this issue.

nless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in nches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard eather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

leet and hail were included in snowfall averages in Table 1, beginning January 1949.

mounts in Table 3 are from non-recording gage, unless otherwise indicated.

ata in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Sta-ion Index for observation time.

now on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground alues are at 4:30 a.m., PST and 5:30 a.m., MST.

No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

And also on a later date or dates.

Amounts included in following measurements, time distribution unknown.

Gage is equipped with a windshield.

This entry in time of observation column in Station Index means after rain.

Adjusted to a full month.

Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.

Daily precipitation values and monthly total from recording gage.

Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.

This entry in time of observation column in Station Index means sunset.

Trace, an amount too small to measure.

Includes total for previous month.

This entry in time of observation column in Station Index means variable.

ubscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) hecks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding ubscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-100549 1000 9-9-52


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage Non recording;
Recording; Both types
Double circle combinations: Complete Meteorological.
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Bonners Fy WB Awy
Benton Dam
Priest Riv Exp Sta
Sandpoint Exp Sta
Clark Fork 1ENE
Bayview Model Basin
Coeur d'Alene CAA AP
Deception Cr
Coeur d'Alene RS
Kellogg
Burke 2NNE
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace
Saint Maries
Plummer 3WSW
Roland W Portal
Avery RS
Clarkia RS
Potlatch
Moscow U of Ida
Bungalow RS
Lolo Pass
Orofino
Lewiston Wtr Pl
Pierce RS
Lewiston WB AP
Winchester 1SE
Craigmont
Kamiah 1NE
Nezperce
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Cottonwood 2SW
Grangeville WB Awy
Elk City
Nez Perce Pass
Riggins RS
Salmon WB Awy
Big Creek 1 S
Cobalt Blackbird Mine
New Meadows RS
Yellow Pine
McCall USFS
Stibnite
Pungo Creek
Council 2NNE
Landmark RS
Leadore
Mesa
May RS
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Cascade RS
Island Park Dam
Spencer RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Dubois Exp Sta
Weiser
Ola
Ashton 1S
Crouch 2NNW
Dubois CAA AP
Payette
Lowman
Jackson Peak
Obsidian 4NNE
Hamer 4NW
St Anthony
Garden Valley RS
Chilly Barton Flat
Centerville Arbaugh Ranch
Moore Cr Summit
Clementsville 4SE
Emmett 2E
Mackay RS
Sugar
Parma Exp Sta
Idaho City
Atlanta 1E
Vienna
Howe
Tetonia Exp Sta
Bogus Basin
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Arco
Driggs
Caldwell
Idaho Cy 13SW
Ririe
Nampa 2NW
Meridian 1SSW
Arrowrock Dam
Shake Cr RS
Deer Flat Dam
Trinity Lake GS
Dollarhide Summit
Idaho Falls CAA AP
Nampa
Hailey
Kuna
Boise Lucky Peak Dam
Pine 2SSW
Soldier Cr RS
Irwin 2S
Boise WB AP
Prairie
Fairfield RS
Palisades Dam
Anderson Dam
Blackfoot
Swan Falls PH
Hill City
Mountain Home 1 NE
Springfield
Putnam Mt
Gray
Richfield
Fort Hall Ind Agcy
Grand View
Glenns Ferry
Blackfoot Dam
Bliss
Shoshone
Aberdeen Exp Sta
Pocatello WB AP
Gooding CAA AP
Jerome
Bancroft
Conda
Eden Hunt
Minidoka Dam
American Falls 1NW
Paul 1E
Buhl
Burley 1NW
Rupert
McCammon
Grace PH
Twin Falls 2NNE
Hazelton
Burley CAA AP
Twin Falls 3SE
Burley
Hollister
Albion
Montpelier RS
Oakley
Malad
Lifton Pump Sta
Bridge
Malad CAA AP
Preston 2SE
Three Creek
Ida Vada
Strevell WB Awy
R.A.W. 8/51

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

AUGUST 1952
Volume LV No. 8

SAN FRANCISCO: 1952

IDAHO - AUGUST 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

In contrast to August 1951, this month was very dry; in fact the statewide average precipitation was the lowest since 1944. Only a few stations reported totals in excess of the long-period mean for August and 18 stations reported no rain during the month. Temperatures averaged close to normal, despite much dry, sunny weather, and the extreme of 103° at three stations on the 5th was lower than the maximum usually recorded in August. Total sunshine in southern divisions, as indicated by Boise and Pocatello records, was above normal, while such records from Spokane, Washington and Missoula, Montana would indicate a deficiency of sunshine in the northern part of Idaho.

Most of the shower activity during August came in the first half of the month, with concentrations in the Northern Division on the 10th, the Southwestern Division on the 14th and in the Southeastern Division on the 2d, 3d, and 4th. There was no general storm period during the month and precipitation occurred almost entirely in connection with scattered thunderstorms. Thunderstorm activity was less than usual for August, however, and despite the dry conditions the number of forest fires was below average.

In general the weather was very good for crop growth, although lack of rain did affect pastures and lower ranges, as well as some crops on dry-land farms in the southeast. Grain harvesting was carried on at a rapid pace throughout the month, progressing from lower to higher elevations where considerable grain remained uncut at the close of the month. Much haying was done under very favorable conditions. Potatoes were maturing nicely and the sugar beet crop was generally in excellent condition at the end of the month. During the last week temperatures dropped considerably, especially at night, with several stations reporting early morning readings in the thirties. No frost damage was reported.

Storm damage was not extraordinary, but a lightning strike took one life. On the 2d at 5 p.m. a hailstorm about six miles east of Preston destroyed about 90 percent of the grain crop on 500 acres. Hailstones up to 5/8 inch in diameter were reported. On the 9th, at about 3:15 p.m., lightning struck the home of Sam Moss at Marsh Center, near Downey, electrocuting Mrs. Moss but leaving her husband and two children, who were also indoors, uninjured. During the afternoon of the 10th a ten-minute hailstorm at Mesa did considerable damage to fruits. About 4:00 p.m. on the 13th high wind and rain did some damage to buildings and trees at Cascade, and the following evening high wind damaged a greenhouse and some seed crops at the Branch Experiment Station near Parma.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	25	5.6	48	NW	13	48	31	20	37	1	0	0	0	0	0	1	93	1.9	SEE TABLE
LEWISTON WB AIRPORT	-	-	-	-	-	-	56	34	21	-	6	1	0	0	0	0	7	-	3.6	
POCATELLO WB AIRPORT	SW	18	7.9	37	SW	29	52	27	18	34	3	1	0	0	0	0	4	84	2.7	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	66.3	108	37	.13	-	2
1894	69.7	110	30	.50	-	3
1895	66.4	106	24	.27	-	2
1896	67.5	103	28	1.02	-	4
1897	69.2	111	20	.25	-	1
1898	69.6	110	31	.52	-	2
1899	61.3	111	19	1.20	0.0	6
1900	63.5	105	25	.55	0.0	4
1901	70.0	108	29	.41	0.0	4
1902	66.5	105	21	.43	0.0	3
1903	66.3	110	25	.60	0.0	2
1904	68.0	110	21	.42	0.0	3
1905	68.5	112	25	.33	0.0	3
1906	66.7	107	25	.91	0.0	4
1907	63.0	113	22	1.12	T	6
1908	65.1	110	18	.75	T	5
1909	67.6	107	22	.54	0.0	3
1910	64.3	106	11	.10	0.0	1
1911	64.3	103	22	.24	0.0	1
1912	63.4	105	17	1.27	0.0	6
1913	68.2	109	22	.58	0.0	3
1914	66.9	109	24	.18	0.0	1
1915	70.5	111	26	.25	0.0	2
1916	64.8	106	10	.71	0.1	3
1917	66.0	108	20	.20	0.0	2
1918	62.8	103	21	1.07	T	6
1919	68.5	106	24	.28	0.0	2
1920	66.8	111	19	.94	0.0	5
1921	67.5	108	22	.61	0.0	4
1922	68.8	108	23	1.56	0.0	8
1923	65.6	110	21	.91	0.0	4
1924	65.5	109	12	.41	0.0	2
1925	65.0	106	21	1.03	0.0	5
1926	66.9	112	22	1.30	0.0	5
1927	65.2	105	22	.73	0.0	5
1928	64.8	108	18	.25	0.0	2
1929	70.6	110	28	.39	0.0	3
1930	68.8	111	22	1.41	0.0	6
1931	68.7	109	25	.24	0.0	2
1932	65.2	111	20	.61	T	3
1933	66.2	109	24	.38	0.0	3
1934	68.9	110	27	.24	0.0	2
1935	66.4	111	16	.18	0.0	1
1936	67.6	107	18	.87	0.0	4
1937	65.5	108	18	.26	0.0	2
1938	65.7	105	23	.48	0.0	4
1939	67.9	107	22	.17	0.0	2
1940	68.4	113	26	.10	0.0	1
1941	65.8	105	22	1.68	0.0	9
1942	67.1	108	20	.21	0.0	2
1943	65.7	108	19	.40	0.0	3
1944	64.6	106	16	.23	0.0	2
1945	67.2	106	20	.75	0.0	4
1946	67.1	108	19	.58	0.0	4
1947	65.7	105	23	.54	0.0	1
1948	65.5	104	24	.43	0.0	4
1949	68.1	109	27	.35	T	3
1950	66.3	105	23	.52	T	3
1951	65.4	109	19	1.37	T	6
1952	66.9	103	22	.30	T	2

EMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index

CLIMATOLOGICAL DATA

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	87.3	39.1	63.2	- 2.7	97	1	24	30	98	14	0	5	0	.37	- .45	.37	10	.0	0		1	0	0
BAYVIEW MODEL BASIN	81.5	47.5	64.5		94	6	34	26+	87	6	0	0	0	.45		.45	10	.0	0		1	0	0
BIG CREEK 1 S	80.4	33.8	57.1	0.2	87	21	25	28	242	0	0	17	0	.40	- .33	.19	10	.0	0		4	0	0
BONNERS FERRY	84.1	48.9	66.5	2.2	96	4	38	26	45	8	0	0	0	.47	- .41	.19	9		0		4	0	0
BURKE 2 NNE	74.6	43.7	59.2	0.9	85	4	31	30	187	0	0	1	0	.49	- .51	.24	10	T	0		6	0	0
CLARK FORK 1 ENE	84.9	43.5	64.2	0.9	96	4	32	30	80	12	0	1	0	.11	- 1.07	.11	10	.0	0		1	0	0
COBALT BLACKBIRD MINE	73.3	41.3	57.3		83	1	33	30		0	0	0	0	.96		.45	2	.0	0		4	0	0
COEUR D ALENE CAA AP	81.1	50.9	66.0		94	4	39	26+	67	5	0	0	0	.36		.31	10	.0	0		2	0	0
COEUR D ALENE RS	86.5	52.1	69.3	1.9	98	4	36	30	25	13	0	0	0	.10	- .55	.06	25	.0	0		2	0	0
COTTONWOOD	81.3	46.6	64.0	- 1.5	92	5	37	19+	84	4	0	0	0	.14	- .75	.06	14	.0	0		4	0	0
DIXIE	78.4	33.2	55.8		92	24	25	28+	277	1	0	17	0	.65		.53	10	T	0		4	1	0
ELK CITY	82.2	36.7	59.5		91	21+	26	28	179	3	0	11	0	.71		.52	10	T	0		5	1	0
FENN RS	91.0	49.8	70.4	0.1	99	5	40	28+	12	20	0	0	0	.17	- .52	.12	14	.0	0		4	0	0
GRANGEVILLE	82.0	49.9	66.0	- 1.1	92	4+	34	31	57	5	0	0	0	.68	- .09	.54	10		0		2	1	0
KELLOGG	85.9	49.7	67.8	2.7	97	11	37	30		11	0	0	0	.46	- .45	.43	10	.0	0		3	0	0
KOOSKIA	90.1	50.2	70.2	- 0.1	101	5	39	28	17	16	0	0	0	.07	- .62	.06	14	.0	0		2	0	0
LEWISTON WATER PLANT	91.5	56.9	74.2	0.1	102	4	44	20+	4	18	0	0	0	.07	- .41	.07	6	.0	0		1	0	0
LEWISTON WB AP R	87.8	56.2	72.0	- 1.1	100	4	44	26	8	14	0	0	0	.01	- .37	.01	11	.0	0		1	0	0
MOSCOW U OF I	82.7	48.7	65.7	- 0.4	94	4	36	30	67	9	0	0	0	.23	- .38	.20	11	.0	0		2	0	0
MULLAN PASS CAA	67.3	48.3	57.8M	- 0.1	80	3	33	30	236	0	0	0	0	.33	- .52	.17	10	T	0		3	0	0
NEZPERCE 2 E	80.0	51.4	65.7		90	5	41	26+	59	1	0	0	0	.15		.10	9	.0	0		2	0	0
OROFINO	91.4	50.4	70.9M	- 0.5	103	5	38	30	12	19	0	0	0	T	- .59	T	7+	.0	0		0	0	0
PIERCE RS	83.3	42.4	62.9	- 0.3	91	5+	31	28	104	6	0	3	0	.17	- .65	.11	10	.0	0		3	0	0
PORTHILL	84.9	45.8	65.4	1.5	94	2+	35	26	63	10	0	0	0	.70	- .12	.25	6+	.0	0		5	0	0
POTLATCH	82.3	46.6	64.5	0.5	93	4+	32	30	81	7	0	1	0	.45	- .04	.33	10	.0	0		3	0	0
PRIEST RIVER EXP STA	81.9	43.3	62.6	0.0	92	4	30	30	114	4	0	1	0	.22	- .74	.21	10	.0	0		2	0	0
RIGGINS RS	92.9	59.9	76.4	1.4	101	5+	49	27	0	22	0	0	0	.38	- .09	.15	14	.0	0		4	0	0
ROLAND W PORTAL	77.5	43.8	60.7	- 0.5	89	12	32	30	145	0	0	1	0	.25	- 1.00	.10	10	.0	0		4	0	0
SAINT MARIES	87.4	45.8	66.6	1.2	96	4+	32	30	42	14	0	1	0	.42	- .31	.34	10	.0	0		2	0	0
SALMON	87.6	45.6	66.6	1.2	97	23+	37	28	35	15	0	0	0	.35	- .25	.12	1		0		5	0	0
SANDPOINT EXP STA	81.3	46.5	63.9	0.2	93	4	35	26+	89	3	0	0	0	.29	- .64	.18	10	.0	0		3	0	0
WALLACE	79.7	44.4	62.1	- 2.8	91	3	32	30	114	3	0	1	0	.58	- .40	.29	29	.0	0		3	0	0
WALLACE WOODLAND PARK	80.5	45.2	62.9	- 0.6	93	1	34	30		2	0	0	0	.51	- .33	.29	30	.0	0		4	0	0
DIVISION			64.9	- 0.6										.35	- .44			T					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	80.3	34.0	57.2	- 1.7	88	3	22	28	237	0	0	14	0	.35	- .21	.20	10	T	0		3	0	0
ANDERSON DAM	89.4	55.6	72.5		96	8+	47	31	3	17	0	0	0	.01		.01	1	.0	0		1	0	0
ARROWROCK DAM	90.0	55.0	72.5	- 0.1	98	14	46	31		18	0	0	0	.00	- .26	.00		.0	0		0	0	0
ATLANTA 1 E	80.1	46.1	63.1	3.2	85	13+	35	31	80	0	0	0	0	.38	- .32	.25	1	.0	0		5	0	0
BLISS	90.5	53.7	72.1	0.5	97	12	41	31	6	21	0	0	0	.00	- .17	.00		.0	0		0	0	0
BOISE LUCKY PEAK DAM			M								0	0	0	.00		.00		.0	0		0	0	0
BOISE WB AP //R	88.5	57.2	72.9	1.9	97	8	46	27+	8	17	0	0	0	T	- .19	T	13	.0	0		0	0	0
BUHL	87.9	59.2	73.6	3.2	94	9	50	31	1	15	0	0	0	.00	- .27	.00		.0	0		0	0	0
CALDWELL	90.4	52.7	71.6	1.3	98	4	41	28	4	18	0	0	0	.00	- .22	.00		.0	0		0	0	0
CAMBRIDGE	91.5	51.5	71.5	- 0.4	100	2+	38	28	9	20	0	0	0	.03	- .32	.02	14	.0	0		2	0	0
CASCADE 1 NW	81.6	43.0	62.3		88	6+	32	31	103	0	0	1	0	.20		.16	14	.0	0		2	0	0
CHALLIS	83.9	48.7	66.3	1.1	90	9+	40	18	35	3	0	0	0	.48	- .05	.29	2	.0	0		4	0	0
COUNCIL 1 N	90.2	50.2	70.2	- 0.2	98	13	40	30	7	18	0	0	0	.00	- .42	.00		.0	0		0	0	0
DEADWOOD DAM	81.5	34.8	58.2	- 0.3	89	21	25	28	206	0	0	11	0	.08	- .58	.06	5	.0	0		2	0	0
DEER FLAT DAM	88.7	55.5	72.1	0.7	96	3+	44	31	3	16	0	0	0	T	- .18	T	13	.0	0		0	0	0
EMMETT 2 E	90.5	49.3	69.9	- 2.7	98	8	39	28	12	20	0	0	0	T	- .21	T	14	.0	0		0	0	0
FAIRFIELD	84.4	43.4	63.9		90	13+	35	26+	64	3	0	0	0	.02		.02	11	.0	0		1	0	0
GARDEN VALLEY RS	92.3	46.1	69.2	1.2	99	13	35	31	19	23	0	0	0	.03	- .48	.03	11	.0	0		1	0	0
GLENNS FERRY	91.5	51.2	71.4M	- 2.6	98	3+	38	31	9		0	0	0	T	- .12	T	1	.0	0		0	0	0
GOODING CAA AP	89.1	57.0	73.1	3.8	95	3+	46	28	4	17	0	0	0	T	- .20	T	1+	.0	0		0	0	0
GRAND VIEW	96.9	55.1	76.0	3.6	103	5+	42	31	0	29	0	0	0	.08	- .09	.08	1	.0	0		1	0	0
HAILEY	84.9	47.2	66.1	- 0.2	89	3+	36	30	31	0	0	0	0	.35	- .15	.35	1	.0	0		1	0	0
HAZELTON	88.5	53.3	70.9	- 0.6	94	8+	43	31	4	15	0	0	0	.00	- .33	.00		.0	0		0	0	0
HILL CITY	85.2	43.2	64.2	2.9	91	5+	35	29	64	6	0	0	0	.05	- .32	.05	1	.0	0		1	0	0
HOLLISTER	86.0	53.2	69.6M	0.4	91	9	43	31	9	2	0	0	0	.56	.18	.38	1	.0	0		3	0	0
IDAHO CITY	86.9	40.6	63.8	- 2.0	94	13	31	28+	73	10	0	5	0	.00	- .41	.00		.0	0		0	0	0
JEROME	90.1	51.5	70.8	- 0.8	95	3+	41	26+	8	19	0	0	0	T	- .22	T	6+	.0	0		0	0	0
KUNA 2 NNE	85.8	49.7	67.8M	- 3.2			38	28	40		0	0	0	T	- .19	T	11+	.0	0		0	0	0
LOWMAN	85.6	39.1	62.4M	- 1.1	92	3+	29	31	99	6	0	3	0	T	- .54	T	9+	.0	0		0	0	0
MC CALL	79.4	41.9	60.7	0.4	85	3+	31	28	141	0	0	1	0	.12	- .48	.05	11	.0	0		3	0	0
MERIDIAN 1 SSW	87.9	55.4	71.7	1.0	94	3+	45	27	3	15	0	0	0	.00	- .20	.00		.0	0		0	0	0
MESA	89.4	57.5	73.5		96	5	44	30	4	18	0	0	0	.23		.23	10	T	0		1	0	0
MOUNTAIN HOME			M								0	0	0										
NAMPA 2 NW	91.1	53.6	72.4		97	5+	41	28		22	0	0	0	.02		.01	2+	.0	0		2	0	0
NEW MEADOWS RS			M								0		0	.19	- .35	.11	10	.0	0		2	0	0
OBSIDIAN 4 NNE	74.3	34.6	54.5	- 1.5	80	21+	25	27+	334	0	0	12	0	.26	- .46	.26	1	.0	0		1	0	0
OLA 4 S	92.3	49.6	71.0		100	4	40	28	6	23	0	0	0	.04		.04	14	.0	0		1	0	0
PARMA EXP STA	92.0	53.4	72.7	1.3	99	5	42	31	4	22	0	0	0	.06	- .17	.06	14	.0	0		1	0	0
PAYETTE	91.1	55.7	73.4	1.3	99	5	41	28+	4	21	0	0	0	T	- .20	T	10	.0	0		0	0	0
RICHFIELD	85.2	50.5	67.9	0.7	90	3+	41	29	24	2	0	0	0	.00	- .25	.00		.0	0		0	0	0
SHOSHONE	86.8	53.3	70.1	0.7	94	12	42	28+	13	12	0	0	0	.00	- .27	.00		.0	0		0	0	0
STIBNITE	74.9	39.8	57.4		85	1	31	31		0	0	1	0	.53		.25	5	T	0		5	0	0
SUN VALLEY	81.9	36.0	59.0	1.3	88	21	28	27+	185	0	0	10	0	.67	- .04	.65	1	T	0		2	1	0
SWAN FALLS PH	95.7	63.2	79.5	2.1	103	8	53	29	0	29	0	0	0	.00	- .08	.00		.0	0		0	0	0
TWIN FALLS 2 NNE	91.0	53.0	72.0	3.3	97	8	42	31	6	21	0	0	0	T	- .22	T	1	.0	0		0	0	0
TWIN FALLS 3 SE	88.1	51.5	69.8	0.6	94	5+	38	31		14	0	0	0	.00	- .23	.00		.0	0		0	0	0
WEISER	93.1	52.3	72.7	- 1.6	101	13	40	28	2	25	0	0	0	.00	- .28	.00		.0	0		0	0	0
DIVISION			68.5	0.3										.10	- .26			T					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	87.7	49.3	68.5	1.2	94	13	40	26	7	10	0	0	0	1.23	.81	1.07	2	.0	0		2	1	1
ALBION	86.0	45.6	65.8	- 0.9	92	3	36	26	39	6	0	0	0	.05	- .38	.05	4	.0	0		1	0	0
AMERICAN FALLS 1 NW	87.4	52.4	69.9	1.3	93	13	44	17+	4	10	0	0	0	.15	- .41	.13	3	.0	0		3	0	0
ARCO	84.5	43.9	64.2	- 0.6	91	13	33	18	61	2	0	0	0	.28	- .32	.19	1	.0	0		3	0	0

See Reference Notes Following Station Index

ABLE 2 - CONTINUED

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail			No. of Days		
										Max.		Min.						Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
										90° or Above	32° or Below	32° or Below	0° or Below										
ASHTON 1 S	79.7	44.6	62.2	- 1.0	85	23	33	31	94	0	0	0	0	.86	[illegible]	.40	10	.0	0		4	0	0
BLACKFOOT	88.3	52.3	70.3	3.5	95	13	45	17	6	12	0	0	0	.29	- .35	.16	2	.0	0		2	0	0
BLACKFOOT DAM	81.5	39.2	50.4	0.6	88	13+	29	31	139	0	0	2	0	.29	- .71	.16	29	.0			4	0	0
BURLEY	91.3	56.0	73.7	3.3	97	14+	45	31		22	0	0	0	.07	- .41	.07	1	.0			1		0
BURLEY FACTORY 1 NW	83.5	52.1	70.8	2.1	100	22	41	26		18	0	0	0	.08	- .27	.08	1	.0	0		1	0	0
BURLEY CAA AP	88.7	51.0	69.9	1.6	95	21	41	28	10	16	0		0	T	- .20	T	4+	.0	0		0	0	0
CHILLY BARTON FLAT	78.1	35.1	56.6	- 3.3	84	22	27	28+	256	0	0	11	0	.45	- .50	.25	1	.0			[illegible]	0	0
DRIGGS	82.9	45.5	64.2	3.9	89	23	33	31		0	0		0	.84	- .48	.65	1	.0	0		3	1	0
DUBOIS EXP STA	82.7	51.8	67.3	0.3	90	22	43	29+	18	1	0	0	0	1.38	.51	.58	3	.0	0		6	1	0
DUBOIS CAA AP	84.3	50.3	67.3	- 0.4	91	22	44	28+	17	2	0	0	0	.65	- .06	.33	10	.0	0		4		0
FORT HALL IND AGENCY	87.3	51.2	69.3	1.9	93	13	43	17+	3	13	0	0	0	.29	- .37	.29	2	.0	0		1	0	0
GRACE PH	81.1	48.6	64.9	- 0.2	87	13	40	31	36	0	0	0	0	.74	- .21	.20	3+	.0	0		7	0	0
GRAY	82.2	42.6	62.4	1.3	87	15	33	31	79	0		0	0	.24	- .84	.24	29	.0	0		1	0	0
GROUSE	78.1	37.1	57.6		84	13+	28	28+	223	0	0	7	0	1.67	.85	.82	3	.0	0		4	1	
HAMER 4 NW	85.9	45.3	65.6	0.8	93	22	34	28+	38	6		0	0	.51	- .29	.25	11	T	0		4	0	0
IDAHO FALLS 6 NE	83.8	48.5	66.2		89	22	40	31	21	0	0	0	0	.29		.29	10	T	0		1	0	0
IDAHO FALLS CAA AP	85.3	50.1	67.7	1.1	91	13	44	17+	13	5	0	0	0	.53	- .06	.25	2	.0	0		3	0	0
IRWIN 2 S	82.9	47.6	65.3	2.7	89	13	35	31	40	0	0	0	0	.53	- .34	.50	1	.0	0		3	1	0
ISLAND PARK DAM	78.4	39.5	59.0	- 0.6	85	22	28	31	179	0	0	3	0	1.16	- .16	.61	1	T	0		7	1	0
LIFTON PUMPING STA	80.3	50.1	65.2	0.3	86	19	35	31	37	0	0	0	0	.86	.11	.38	28	.0	0		6	0	0
MACKAY RS	81.7	45.6	63.7	- 1.4	89	22	37	31	60	0	0	0	0	1.69	.91	1.11	1	.0	0		3	1	1
MALAD	87.7	53.7	70.7	2.6	94	5	42	31	6	11	0	0	0	.43	- .52	.16	4	.0	0		4	0	0
MALAD CAA AP	88.3	49.1	68.7		93	5+	35	31	13	14	0	0	0	.51		.19	1	.0			5	0	0
MAY RS	84.9	43.9	64.4	- 0.2	91	9	36	21+	56	6	0	0	0	.28	- .44	.20	2	.0	0		2	0	0
MC CAMMON	88.0	47.5	67.8		94	14+	40	31	19	15	0	0	0	.47		.31	22	T	0		3	0	0
MINIDOKA DAM	86.7	57.8	72.3		94	8	47	31	7	11	0	0	0	T		T	23	.0	0		0	0	0
MONTPELIER RS	84.4	45.8	65.1M	0.8	90	1+				3	0		0	.83	- .11	.31	30	T	0		7	0	0
OAKLEY	85.2	53.3	69.3	0.0	92	13	36	31	21	4	0	0	0	.41	- .19	.16	1	.0	0		6	0	0
PAUL 1 E	87.5	51.1	69.3	0.9	93	22	40	31		14	0	0	0	.00	- .39	.00		.0			0	0	0
POCATELLO WB AP //R	88.0	54.5	71.3	2.4	94	13	45	17	3	15	0	0	0	.01	- .49	.01	7	.0	0		1	0	0
PRESTON SUG FACT 2 SE	87.5	52.3	69.9	2.0	92	5+	47	15+	4	9	0	0	0	.72	- .28	.32	10	T	0		6		0
REACTOR TESTING STA	85.6	46.9	66.3		93	13	38	28	25	8	0	0	0	.29		.24	1	T	0		2		0
RUPERT	92.7	52.2	72.5M	3.9	100	14				23	0	0	0	.00	- .41	.00		.0	0		0	0	0
SAINT ANTHONY	84.4	45.0	64.7M	0.5	91	22			56	2	0		0	.28	- .28	.12	10+	.0	0		3	0	0
SPENCER RS	80.4	42.5	61.5	- 0.2	87	22	32	29	107	0	0	1	0	1.95	.96	.86	2	T	0		7	2	0
SPRINGFIELD	89.4	47.4	68.4	1.1	96	13	37	31	12	17	0	0	0	.50	.00	.48	1	.0	0		2	0	0
SUGAR	83.4	44.4	63.9	0.8	90	22	34	31	55	1	0	0	0	.00	- .52	.00		.0	0		0	0	0
TETONIA EXP STA	80.2	43.0	61.6		87	22	29	31	101	0	0	1	0	.19		.09	1	.0	0		4	0	0
DIVISION			66.3	1.1										.52	- .21			T					
STATE			66.9	0.3										.30	- .28			T					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	1.23	.16	1.07																													
ALBION	.05				.05																											
ALPHA 1 NE	.35		T			.05					.20				.10																	
AMERICAN FALLS 1 NW	.15			.13																			.01	T	.01		T					
ANDERSON DAM	.01	.01																														
ARCO	.28	.19		•	.09																											
ARROWROCK DAM	.00																															
ASHTON 1 S	.86		.22	.22							.40	.02															T					
ATLANTA 1 E	.38	.25		.02			.01							.04	.06																	
AVERY RS	.37										.37																					
BAYVIEW MODEL BASIN	.45		T								.45																					
BIG CREEK 1 S	.40	.04				.07					.19	T			.10			T														
BLACKFOOT	.29	.13	.16																													
BLACKFOOT DAM	.29	.08						.01														T	.04				T			.16		
BLISS	.00																															
BOISE LUCKY PEAK DAM	.00																															
BOISE WB AP //R	T													T																		
BONNERS FERRY	.47							.08		.19	.06														.14				T			
BUHL	.00																															
BURKE 2 NNE	.49	.03				.02	.01				.24																			.18	.01	T
BURLEY	.07	.07																														
BURLEY FACTORY 1 NW	.08	.08																														
BURLEY CAA AP	T				T																		T	T								
CALDWELL	.00																															
CAMBRIDGE	.03											.01			.02																	
CASCADE 1 NW	.20					T					T	.04			.16																	
CENTERVILLE ARBAUGH	.30										.24					.06																
CHALLIS	.48		.29	.01							.16				.02																	
CHILLY BARTON FLAT	.45	.25	.10	.10										T																		
CLARK FORK 1 ENE	.11					T					.11																					
COBALT BLACKBIRD MINE	.96		.45								.30	.15	T			.06																
COEUR D ALENE CAA AP	.36										.31														.05					T		T
COEUR D ALENE RS	.10	T									.04															.06				T		
COTTONWOOD	.14						.02				.04				.06															T	.02	
COUNCIL 1 N	.00																															
CROUCH 2 NNW	.00																															
DEADWOOD DAM	.08		T			.06									.02												T					
DEER FLAT DAM	T													T																		
DIXIE	.65				T						.53	.03			.06				.03								T			T		
DRIGGS	.84	.65	.08	.11																												
DUBOIS EXP STA	1.38	.28	.13	.58		.06						.16		.17	T	T																
DUBOIS CAA AP	.65	.16	.14	T	.02	T	T				.33		T	T	T										T							
LK CITY	.71				T						.52	.02			.13			.03	.01													

DAILY PRECIPITATION

Table 3—Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	T														T																	
FAIRFIELD	.02											.02																				
FENN RS	.17	.01				T	.02			T	.02	T			.12													T		T	T	
FORT HALL IND AGENCY	.29		.29																													
GARDEN VALLEY RS	.03				T							.03																				
GLENNS FERRY	T	T																														
GOODING CAA AP	-	T		T																												
GRACE PH	.74								.02	.20												.20	.04				.14		.08	.06		
GRAND VIEW	.08	.08																														
GRANGEVILLE	.68	T				T					.54				.14			T												T		
GRAY	.24																													.24		
GROUSE	1.67	.47	.37	.82	.01										T																	
HAILEY	.35	.35																														
HAMER 4 NW	.51	.10		T							.25				.04										.12							
HAZELTON	.00																															
HILL CITY	.05	.05										T																				
HOLLISTER	.56	.38	.12	.06																												
HOWE	.14	.02	.04	T	T											.08																
IDAHO CITY	.00																															
IDAHO CITY 13 SW	.02					.02									T																	
IDAHO FALLS 6 NE	.29										.29														T	T						
IDAHO FALLS CAA AP	.53	.21	.25	T							.07														T		T					
IRWIN 2	.53	.50		.03																							T					
ISLAND PARK DAM	1.16	.61	.12		.10	.10						.08			.13												.02					
JEROME	T						T			T																						
KAMIAH 1 NE	T						T								T															T		
KELLOGG	.46										.43															.01					.02	
KOOSKIA	.07	T					.01								.06															T		
KUNA 2 NNE	T											T			T																	
LEWISTON WATER PLANT	.07						.07																									
LEWISTON WB AP	.01	T				T	T			T	T	.01																			T	
LIFTON PUMPING STA	.86	T			T		T			.08	.12	T			T	.13								.01			.14	T	.38	T		
LOWMAN	T									T					T																	
MACKAY RS	1.69	1.11	.26	.32																												
MALAD	.43	.13		.01	T					.16										T	T		T	.13			T			T		
MALAD CAA AP	.51	.19		.09						.06										.02				.15								
MAY RS	.28		.20												.08																	
MC CALL	.12										.03	.05			.04													T				
MC CAMMON	.47			T	.10					T													.31					T		.06	T	
MERIDIAN 1 SSW	.00																															
MESA	.23										.23			T																		
MINIDOKA DAM	T																							T								
MONTPELIER RS	.83	.05						.18			.03	T				.15							.05	T	.06						.31	
MOSCOW U OF I	.23										T	.20														.03						
MOUNTAIN HOME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
MULLAN PASS CAA	.33					.01	T				.17																			.15		T
NAMPA 2 NW	.02		.01			.01																										
NEW MEADOWS RS	.19							T			.11				.08																	
NEZPERCE 2 E	.15					T	.05			.10					T												T					
OAKLEY	.41	.16		.08	.09		.02																.01	.05			T					
OBSIDIAN 4 NNE	.26	.26																														
OLA 4 S	.04														.04																	
OROFINO	T							T			T																					
PARMA EXP STA	.06											T			.06																	
PAUL 1 E	.00																															
PAYETTE	T										T																					
PIERCE RS	.17	T					.02		.04		.11																					
PINE 2 SSW	.21	.21										T																				
POCATELLO WB AP //R	.01	T						.01															T	T								
PORTHILL	.70						.25		.16			.25														.02				.02		
POTLATCH	.45									.07	.33															.05						
PRESTON SUG FACT 2 SE	.72	.04	.27	T	.04					.02	.32	T													.03							
PRIEST RIVER EXP STA	.22						T				.21															.01				T		T
REACTOR TESTING STA	.29	.24										.05																				
RICHFIELD	.00																															
RIGGINS RS	.38	T							T		.12	.05			.15	.06		T														
ROLAND W PORTAL	.25	.08				.03					.10																			.04		
RUPERT	.00																															
SAINT ANTHONY	.28		.04								.12	.12																				
SAINT MARIES	.42										.34															.08						
SALMON	.35	.12			.05					.02	.11				.05																	
SANDPOINT EXP STA	.29					T					.18		.01												T	.10						
SHOSHONE	.00																															
SPENCER RS	1.95	.64	.86		.01						.01	.37		.03	.03																	
SPRINGFIELD	.50	.48	.02																						T							
STIBNITE	.53	.15				.25						.09			.02	.02																
SUGAR	.00																															
SUN VALLEY	.67	.65	.02											T																		
SWAN FALLS PH	.00																															
TETONIA EXP STA	.19	.09	.06								.01				T										.03		T					
TWIN FALLS 2 NNE	T	T																														
TWIN FALLS 3 SE	.00																															
WALLACE	.58	T					.04				.25														T	T				.29		
WALLACE WOODLAND PARK	.51	.02									.16	.04																			.29	
WEISER	.00																															

PRECIPITATION MEASURED IN STORAGE GAGES

Station	Obser-vation date	Amount since last obs.	Snow on ground
JACKSON PEAK //	1951 AUG. 21		
	1952 SEP. 3	52.30	
TOTAL	. . . .	52.30	
MOORE CREEK SUMMIT	1951 AUG. 21		
	1952 SEP. 3	56.50	
TOTAL	. . . .	56.50	

Station	Obser-vation date	Amount since last obs.	Snow on ground
SHAKE CREEK //	1951 AUG. 23		
	1952 SEP. 5	29.01	
TOTAL	. . . .	29.01	
TRINITY LAKE GS //	1951 AUG. 24		
	1952 SEP. 9	61.90	
TOTAL	. . . .	61.90	

Station	Obser-vation date	Amount since last obs.	Snow on ground
TROUTDALE GS //	1951 SEP. 2		
	1952 SEP. 9	28.66	
TOTAL	. . . .	28.66	
VIENNA MINE //	1951 AUG. 22		
	1952 SEP. 4	50.40	
TOTAL	. . . .	50.40	

DAILY TEMPERATURES

Table 5

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	86	89	89	91	91	89	84	88	90	88	86	[illegible]	[illegible]	[illegible]	87	86	[illegible]	93	[illegible]	[illegible]	93	92	[illegible]	[illegible]	84	[illegible]	82	[illegible]	84	81	77	[illegible]
	MIN	57	54	54	53	[illegible]	52	[illegible]	44	[illegible]	[illegible]	48	48	50	[illegible]	[illegible]	47	44	42	[illegible]	[illegible]	45	53	49	[illegible]	[illegible]	40	48	[illegible]	48	[illegible]	[illegible]	[illegible]
ALBION	MAX	87	89	92	90	88	86	80	91	[illegible]	84	84	[illegible]	91	89	84	[illegible]	[illegible]	88	[illegible]	84	90	[illegible]	87	91	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	73	[illegible]
	MIN	54	[illegible]	59	[illegible]	[illegible]	48	[illegible]	[illegible]	[illegible]	44	43	42	44	[illegible]	[illegible]	[illegible]	37	37	[illegible]	39	45	[illegible]	[illegible]	49	54	30	[illegible]	[illegible]	[illegible]	[illegible]	42	45.6
ALPHA 1 NE	MAX	82	85	88	[illegible]	86	86	[illegible]	84	86	84	78	84	[illegible]	[illegible]	76	77	83	81	77	80	[illegible]	84	[illegible]	[illegible]	72	72	74	78	76	[illegible]	70	[illegible]
	MIN	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	29	[illegible]	[illegible]	34	[illegible]	[illegible]	27	22	[illegible]	27	[illegible]	34.0
AMERICAN FALLS 1 NW	MAX	85	89	[illegible]	90	91	89	84	89	89	88	86	[illegible]	[illegible]	92	86	[illegible]	89	91	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	83	[illegible]	83	84	[illegible]	[illegible]	76	87.4
	MIN	57	55	54	55	[illegible]	52	[illegible]	[illegible]	[illegible]	[illegible]	53	55	52	62	46	49	44	[illegible]	[illegible]	[illegible]	[illegible]	57	[illegible]	[illegible]	57	44	53	48	46	[illegible]	40	52.4
ANDERSON DAM	MAX	92	93	95	93	95	90	85	86	92	89	87	94	[illegible]	92	[illegible]	86	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	94	93	[illegible]	[illegible]	80	86	[illegible]	79	77	[illegible]
	MIN	61	[illegible]	[illegible]	[illegible]	[illegible]	54	54	[illegible]	[illegible]	56	58	57	58	59	55	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	50	[illegible]	54	47	[illegible]
ARCO	MAX	83	85	86	86	87	86	84	88	86	[illegible]	87	87	[illegible]	85	[illegible]	80	[illegible]	86	[illegible]	[illegible]	[illegible]	90	87	84	[illegible]	[illegible]	80	[illegible]	80	[illegible]	[illegible]	[illegible]
	MIN	58	59	58	48	46	47	42	44	45	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	39	33	43	38	41	46	[illegible]	42	49	37	38	[illegible]	[illegible]	44	40	[illegible]
ARROWROCK DAM	MAX	96	92	96	90	95	95	[illegible]	86	[illegible]	[illegible]	[illegible]	89	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	[illegible]	84	90	[illegible]	94	94	[illegible]	[illegible]	81	[illegible]	[illegible]	[illegible]	74	[illegible]
	MIN	65	60	[illegible]	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	55	[illegible]	62	60	56	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	56	[illegible]	[illegible]	47	49	[illegible]	49	46	[illegible]
ASHTON 1 S	MAX	84	84	82	83	82	81	[illegible]	79	[illegible]	77	[illegible]	[illegible]	82	80	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	73	79	77	80	78	73	67	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	49	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	51	49	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	40	[illegible]	[illegible]	41	41	40	40	[illegible]	[illegible]
ATLANTA 1 E	MAX	81	83	84	83	84	82	78	82	[illegible]	82	78	[illegible]	85	[illegible]	75	77	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	74	[illegible]	75	72	70	[illegible]
	MIN	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	49	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	43	[illegible]	[illegible]	46.1
AVERY RS	MAX	97	91	95	94	92	91	[illegible]	92	96	94	85	[illegible]	93	92	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	[illegible]	[illegible]	84	[illegible]	75	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	36	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	42	39	[illegible]	[illegible]	31	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]	39	30	30	[illegible]	24	[illegible]	39.1
BAYVIEW MODEL BASIN	MAX	89	[illegible]	[illegible]	84	92	94	[illegible]	84	85	84	75	90	92	[illegible]	78	79	[illegible]	[illegible]	76	76	[illegible]	[illegible]	85	[illegible]	79	70	[illegible]	78	78	70	71	81.5
	MIN	57	48	47	[illegible]	[illegible]	53	46	64	[illegible]	53	51	47	51	[illegible]	55	48	39	42	45	37	[illegible]	48	55	41	[illegible]	34	[illegible]	36	[illegible]	34	47	[illegible]
BIG CREEK 1S	MAX	84	86	86	85	85	83	[illegible]	82	86	81	[illegible]	83	85	75	78	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	86	[illegible]	83	[illegible]	74	75	78	76	66	67	80.4
	MIN	[illegible]	40	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	39	39	33	45	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	28	26	27	[illegible]	[illegible]	29	[illegible]	33.8
BLACKFOOT	MAX	87	87	92	92	93	89	86	92	93	85	88	91	95	88	88	87	[illegible]	93	88	88	94	[illegible]	87	92	[illegible]	87	84	86	[illegible]	79	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	61	49	[illegible]	53	46	49	51	57	47	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	60	[illegible]	46	54	46	[illegible]	49	47	[illegible]
BLACKFOOT DAM	MAX	82	81	83	84	85	85	79	82	85	80	79	[illegible]	88	81	83	[illegible]	[illegible]	[illegible]	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	67	[illegible]
	MIN	46	43	42	43	41	45	49	34	47	42	39	41	41	43	[illegible]	[illegible]	[illegible]	[illegible]	40	36	[illegible]	39	40	[illegible]	[illegible]	[illegible]	36	32	[illegible]	[illegible]	[illegible]	[illegible]
BLISS	MAX	91	95	92	95	94	94	87	95	92	91	90	97	94	[illegible]	88	89	91	[illegible]	91	[illegible]	95	94	[illegible]	[illegible]	88	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	67	62	52	63	60	60	61	55	62	[illegible]	61	[illegible]	54	[illegible]	55	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	[illegible]	[illegible]	46	43	44	45	[illegible]	41	[illegible]
BOISE LUCKY PEAK DAM	MAX	91				95	93								95	88				90		98	96				82	82	87	89			
	MIN	64				60	59								54	55				44		55	54				[illegible]	44	48				
BOISE WB AP	MAX	91	94	95	94	95	90	88	97	92	91	88	93	94	87	87	86	[illegible]	90	83	87	92	91	91	95	79	[illegible]	80	[illegible]	[illegible]	74	80	[illegible]
	MIN	67	64	64	67	61	64	53	62	58	61	59	59	61	59	58	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	57.2
ONNERS FERRY	MAX	91	93	94	96	93	86	83	89	94	79	87	90	91	85	79	78	85	81	79	[illegible]	88	[illegible]	82	83	[illegible]	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84.1
	MIN	59	52	51	51	55	54	48	50	53	57	48	51	55	54	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	39	[illegible]	[illegible]
UHL	MAX	89	90	90	93	93	90	84	92	94	88	85	90	93	92	91	85	88	[illegible]	[illegible]	84	[illegible]	[illegible]	88	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87.9
	MIN	62	62	62	66	[illegible]	66	62	58	66	62	58	60	61	64	62	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	50	59.2
URKE 2 NNE	MAX	80	81	81	85	82	81	72	79	83	82	74	78	80	79	71	[illegible]	74	74	88	[illegible]	81	[illegible]	73	[illegible]	[illegible]	[illegible]	[illegible]	71	[illegible]	[illegible]	[illegible]	74.6
	MIN	56	44	46	49	52	50	44	51	49	54	46	44	48	47	43	[illegible]	47	43	[illegible]	[illegible]	41	[illegible]	[illegible]	43	49	[illegible]	[illegible]	36	[illegible]	31	37	43.7
URLEY	MAX	94	92	94	96	95	96	91	86	94	92	91	90	94	97	88	[illegible]	91	95	96	88	[illegible]	[illegible]	[illegible]	95	97	85	[illegible]	[illegible]	89	88	75	91.3
	MIN	60	61	59	62	59	60	65	52	62	56	57	55	57	65	56	56	49	[illegible]	57	51	[illegible]	60	[illegible]	61	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	45	56.0
URLEY FACTORY 1 NW	MAX	90	90	91	93	92	96	90	85	94	91	89	88	94	98	85	88	88	[illegible]	94	85	92	[illegible]	93	[illegible]	[illegible]	81	84	82	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	57	57	52	55	51	54	62	50	58	56	53	49	50	59	51	48	54	49	54	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	49	49	49	54	42	[illegible]
URLEY CAA AP	MAX	90	92	94	94	93	90	86	93	91	89	88	94	94	86	88	88	92	94	85	88	95	92	94	94	81	84	81	[illegible]	86	73	77	[illegible]
	MIN	59	59	54	58	55	55	55	47	54	51	56	51	51	56	53	49	43	43	[illegible]	44	48	57	54	58	48	42	48	41	44	55	43	51.0
ALDWELL	MAX	94	95	97	98	97	95	90	97	94	87	90	94	97	88	87	87	[illegible]	[illegible]	[illegible]	88	93	92	93	94	83	82	82	87	[illegible]	78	[illegible]	90.4
	MIN	60	60	57	60	59	58	54	55	54	56	49	55	57	59	53	[illegible]	[illegible]	[illegible]	[illegible]	45	48	[illegible]	[illegible]	51	[illegible]	52	46	41	47	52	42	52.7
AMBRIDGE	MAX	93	100	99	99	100	97	92	99	95	94	92	95	99	92	89	89	[illegible]	92	[illegible]	[illegible]	93	93	92	[illegible]	[illegible]	[illegible]	81	86	[illegible]	[illegible]	80	91.5
	MIN	65	56	53	54	[illegible]	55	[illegible]	60	54	52	49	56	55	58	50	48	47	[illegible]	54	[illegible]	44	[illegible]	[illegible]	57	[illegible]	[illegible]	46	[illegible]	47	47	[illegible]	[illegible]
ASCADE 1 NW	MAX	85	85	86	86	87	88	84	87	86	83	78	83	86	82	78	77	83	83	80	80	88	84	85	85	84	72	72	76	75	72	70	81.6
	MIN	58	50	48	51	49	47	42	47	46	46	43	42	45	51	44	39	[illegible]	40	[illegible]	37	[illegible]	43	43	[illegible]	41	[illegible]	[illegible]	[illegible]	41	37	32	43.0
HALLIS	MAX	83	85	87	88	88	86	82	85	90	85	80	84	89	87	82	[illegible]	81	[illegible]	[illegible]	84	[illegible]	89	[illegible]	90	[illegible]	[illegible]	78	[illegible]	[illegible]	[illegible]	70	[illegible]
	MIN	61	54	54	56	55	52	51	51	50	51	41	46	50	57	48	[illegible]	44	40	46	47	41	51	51	[illegible]	49	[illegible]	[illegible]	[illegible]	44	46	46	[illegible]
HILLY BARTON FLAT	MAX	78	80	78	83	81	79	78	79	83	76	75	79	80	79	76	79	78	80	80	78	82	84	[illegible]	80	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	64	[illegible]
	MIN	52	50	45	42	43	[illegible]	35	35	30	33	35	33	37	33	33	30	[illegible]	30	[illegible]	[illegible]	32	[illegible]	34	[illegible]	[illegible]	32	28	27	27	[illegible]	29	[illegible]
LARK FORK 1 ENE	MAX	90	92	91	96	94	86	83	89	95	90	85	90	94	[illegible]	83	[illegible]	[illegible]	81	[illegible]	[illegible]	[illegible]	[illegible]	81	82	[illegible]	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	53	44	43	46	47	52	44	50	49	54	44	43	48	45	45	46	[illegible]	39	38	36	[illegible]	43	47	41	[illegible]	[illegible]	34	[illegible]	[illegible]	32	40	[illegible]
OBALT BLACKBIRD MINE	MAX	83	72	74	79	77	79	78	70	77	82	57	65	72	80	70	72	73	69	79	74	[illegible]	82	[illegible]	82	[illegible]	72	65	[illegible]	[illegible]	70	[illegible]	[illegible]
	MIN	55	47	44	47	44	44	40	40	44	44	39	39	41	43	41	37	37	37	39	37	38	[illegible]	44	[illegible]	41	[illegible]	34	34	[illegible]	[illegible]	34	40.6
OEUR D ALENE CAA AP	MAX	88	89	90	94	92	82	80	88	92	73	83	88	91	83	78	75	[illegible]	77	72	79	85	[illegible]	78	[illegible]	69	[illegible]	[illegible]	[illegible]	73	70	73	81.1
	MIN	59	54	53	53	64	60	51	59	59	59	55	51	60	60	58	[illegible]	42	46	[illegible]	43	45	56	[illegible]	46	41	39	40	39	46	39	52	[illegible]
OEUR D ALENE RS	MAX	90	94	95	98	96	94	83	94	96	94	84	91	93	91	83	[illegible]	[illegible]	[illegible]	78	[illegible]	[illegible]	[illegible]	[illegible]	84	78	78	80	[illegible]	79	79	79	[illegible]
	MIN	62	51	47	54	62	60	59	54	55	61	52	53	57	60	58	[illegible]	45	48	48	43	[illegible]	54	[illegible]	[illegible]	[illegible]	40	40	41	[illegible]	[illegible]	[illegible]	52.1
OTTONWOOD	MAX	82	85	88	91	92	84	83	87	88	77	75	85	90	82	80	[illegible]	81	76	75	81	90	[illegible]	79	[illegible]	72	70	[illegible]	82	76	[illegible]	74	[illegible]
	MIN	58	53	48	52	55	52	50	52	51	57	48	47	48	56	48	39	42	45	37	40	41	46	47	49	[illegible]	37	39	39	[illegible]	37	42	46.6
OUNCIL 1 N	MAX	94	95	96	97	97	95	89	91	93	94	96	95	98	90	87	[illegible]	[illegible]	90	[illegible]	[illegible]	94	[illegible]	92	93	[illegible]	[illegible]	[illegible]	86	[illegible]	81	[illegible]	90.2
	MIN	65	57	55	57	56	55	48	47	47	44	48	49	54	55	50	47	[illegible]	[illegible]	[illegible]	47	49	[illegible]	[illegible]	47	47	[illegible]	49	42	[illegible]	40	44	[illegible]
ADWOOD DAM	MAX	83	83	87	87	86	84	79	86	85	81	78	85	86	78	79	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87	[illegible]	85	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	51	44	39	44	41	39	34	38	36	37	35	34	37	45	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34.8
ER FLAT DAM	MAX	91	95	96	96	94	95	84	95	94	84	88	92	96	85	88	[illegible]	[illegible]	90	[illegible]	[illegible]	92	92	90	[illegible]	84	[illegible]	79	84	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	61	62	64	61	60	60	58	54	54	58	56	58	63	59	59	57	59	56	[illegible]	49	[illegible]	[illegible]	56	54	48	[illegible]	[illegible]	49	46	48	44	[illegible]
XIE	MAX	80	82	84	84	84	82	76	82	85	72	69	79	87	75	74	76	78	79	78	77	84	[illegible]	[illegible]	[illegible]	79	79	71	[illegible]	74	67	[illegible]	78.4
	MIN	46	38	32	34	40	36	31	37	36	47	38	34	32	44	35	[illegible]	29	30	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	29	29	[illegible]	[illegible]	25	26	27	[illegible]
IGGS	MAX	86	80	80	79	84	84	86	79	83	85	80	78	81	87	81	[illegible]	81	84	[illegible]	84	[illegible]	[illegible]	89	84	[illegible]	[illegible]	[illegible]	[illegible]	81	[illegible]	[illegible]	[illegible]
	MIN	49	50	52	51	40	48	55	[illegible]	50	43	45	44	43	51	39	[illegible]	[illegible]	40	46	48	44	46	46	[illegible]	[illegible]	[illegible]	45	40	[illegible]	49	[illegible]	45.5
BOIS EXP STA	MAX	79	80	81	84	84	82	80	84	88	81	76	84	87	84	84	[illegible]	85	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87	[illegible]	84	83	82	[illegible]	70	68	82.7
	MIN	56	56	56	56	55	54	50	55	57	54	51	52	54	55	49	49	[illegible]	[illegible]	52	47	48	[illegible]	52	[illegible]	[illegible]	49	[illegible]	47	43	[illegible]	43	[illegible]
BOIS CAA AP	MAX	82	83	84	86	88	86	83	85	90	79	79	84	89	86	85	[illegible]	[illegible]	88	[illegible]	[illegible]	[illegible]	91	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	80	73	70	84.3
	MIN	58	57	57	57	[illegible]	56	46	51	58	55	51	48	50	54	46	47	47	[illegible]	47	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	49	[illegible]	44	47	[illegible]	50.3
K CITY	MAX	87	83	85	89	90	89	86	86	89	86	79	83	87	86	77	78	[illegible]	81	76	[illegible]	[illegible]	86	[illegible]	[illegible]	[illegible]	70	75	[illegible]	[illegible]	66	[illegible]	82.2
	MIN	54	45	33	[illegible]	[illegible]	42	[illegible]	39	40	48	45	44	35	46	40	[illegible]	32	[illegible]	[illegible]	30	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	36.7
METT 2 E	MAX	94	96	96	95	95	95	90	98	92	93	96	95	97	89	87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	94	93	92	95	[illegible]	[illegible]	83	[illegible]	[illegible]	80	82	[illegible]
	MIN	60	57	55	61	55	55	49	[illegible]	49	53	51	51	55	47	52	47	46	49	46	47	45	47	[illegible]	[illegible]	48	45	[illegible]	39	48	[illegible]	40	49.3
IRFIELD	MAX	85	88	86	87	88	83	84	87	86	83	84	88	90	82	81	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	[illegible]	87	[illegible]	[illegible]	[illegible]	[illegible]	82	73	[illegible]	[illegible]
	MIN	59	52	49	52	52	47	42	44	45	47	44	43	45	47	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NN RS	MAX	96	95	94	95	99	98	92	94	98	97	83	94	98	[illegible]	88	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	62	58	49	53	57	58	49	54	54	62	55	54	49	[illegible]	52	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
RT HALL IND AGENCY	MAX	87	88	91	90	91	91	84	92	91	[illegible]	86	86	93	92	86	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	57	56	55	55	[illegible]	53	61	47	61	[illegible]	49	50	50	56	47	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
RDEN VALLEY RS	MAX	92	96	98	95	98	93	93	96	97	93	90	95	99	97	87	[illegible]	93	[illegible]	[illegible]	[illegible]	97	[illegible]	95	97	97	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	81	[illegible]
	MIN	61	55	51	51	52	[illegible]	46	48	47	48	47	46	50	55	47	42	42	[illegible]	43	[illegible]	42	46	[illegible]	46	46	44	38	36	43	[illegible]	[illegible]	46.1
ENNS FERRY	MAX	95	97	98	96	98	96	88	98	94	93	91	95	97	89	89	91	94	[illegible]	87	[illegible]						87	[illegible]	89	91	77	[illegible]	91.5
	MIN	67	59	54	65	[illegible]	54	[illegible]	[illegible]	59	[illegible]	[illegible]	[illegible]	[illegible]	63	49	[illegible]	[illegible]	[illegible]	[illegible]	42						43	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]
ODING CAA AP	MAX	91	93	95	94	94	93	86	94	92	91	89	93	95	86	87	88	91	[illegible]	86	88	[illegible]	[illegible]	[illegible]	93	[illegible]	[illegible]	[illegible]	[illegible]	87	72	[illegible]	[illegible]
	MIN	66	61	62	62	[illegible]	63	[illegible]	57	[illegible]	[illegible]	57	57	62	67	57	[illegible]	54	[illegible]	[illegible]	51	[illegible]	62	[illegible]	[illegible]	56	[illegible]	[illegible]	46	[illegible]	[illegible]	49	[illegible]
ACE PH	MAX	[illegible]	83	[illegible]	83	[illegible]	83	79	83	82	[illegible]	[illegible]	[illegible]	87	80	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	82	84	80	[illegible]	[illegible]	81	[illegible]	[illegible]	76	67	69	[illegible]
	MIN	52	50	51	[illegible]	48	55	[illegible]	44	[illegible]	[illegible]	[illegible]	47	48	[illegible]	46	45	42	[illegible]	[illegible]	46	[illegible]	48	[illegible]	[illegible]	[illegible]	47	51	43	[illegible]	47	40	[illegible]
AND VIEW	MAX	97	97	102	102	101	98	94	102	101	97	96	[illegible]	103	99	94	[illegible]	97	[illegible]	97	95	99	[illegible]	98	[illegible]	[illegible]	[illegible]	87	[illegible]	[illegible]	92	87	[illegible]
	MIN	66	60	[illegible]	67	62	57	[illegible]	56	57	[illegible]	63	56	59	67	55	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	[illegible]	51	[illegible]	[illegible]	[illegible]	47	46	49	[illegible]	[illegible]
NGEVILLE	MAX	79	87	88	92	92	96	[illegible]	89	90	[illegible]	77	86	[illegible]	81	81	[illegible]	81	[illegible]	76	[illegible]	90	87	[illegible]	84	71	[illegible]	[illegible]	[illegible]	78	70	[illegible]	[illegible]
	MIN	61	58	[illegible]	56	60	56	53	54	54	[illegible]	51	[illegible]	[illegible]	58	52	40	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	43	42	51	39	34	[illegible]
Y	MAX	78	[illegible]	[illegible]	[illegible]	82	[illegible]	[illegible]	84	[illegible]	80	[illegible]	[illegible]	85	86	87	[illegible]	83	85	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	81	[illegible]	81	78	78	[illegible]	82.2
	MIN	48	[illegible]	50	46	45	45	45	44	43	[illegible]	43	44	47	46	48	46	[illegible]	40	47	39	40	41	[illegible]	40	41	[illegible]	[illegible]	37	37	36	[illegible]	42.0
OSE	MAX	76	77	76	80	[illegible]	79	77	[illegible]	80	[illegible]	77	[illegible]	84	78	76	75	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	[illegible]	81	76	[illegible]	77	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	44	44	41	40	36	[illegible]	40	[illegible]	[illegible]	35	47	42	45	[illegible]	[illegible]	37	30	[illegible]	[illegible]	[illegible]	40	[illegible]	37	37	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]
LEY	MAX	85	85	89	87	[illegible]	87	[illegible]	89	88	[illegible]	82	87	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	89	89	[illegible]	[illegible]	[illegible]	78	[illegible]	[illegible]	78	[illegible]	[illegible]
	MIN	60	[illegible]	[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]	50	[illegible]	[illegible]	47	[illegible]	46	47	43	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	[illegible]	[illegible]	[illegible]	[illegible]	49	41	[illegible]	39	[illegible]

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HAMER 4 NW	MAX	83	85	85	91	90	81	84	87	91	86	82	87	91	87	88	87	86	89	88	86	90	93	89	89	84	87	82	84	81	77	72	85.9
	MIN	58	55	55	53	50	50	44	42	52	52	48	46	46	50	43	39	39	41	41	39	42	49	45	46	47	40	45	34	36	42	34	45.3
HAZELTON	MAX	88	90	91	91	91	91	88	94	94	87	86	91	93	90	85	85	89	90	89	86	93	92	93	93	88	83	82	83	85	81	89	88.5
	MIN	62	58	56	58	55	58	60	50	62	52	53	53	54	62	50	48	47	48	56	52	49	60	56	54	54	44	52	50	46	50	43	53.3
HILL CITY	MAX	86	88	90	89	91	86	83	91	87	85	83	89	91	86	81	84	85	87	83	85	89	90	90	88	79	82	77	83	81	77	74	85.2
	MIN	59	49	50	59	49	43	45	43	46	43	49	41	44	52	41	38	38	40	40	41	39	38	42	41	47	39	37	36	35	38	36	43.2
HOLLISTER	MAX	85	85	86	86	87	87	88	87	91	84	88	89	90		88	84	85	89	88	89	88	88	87	88	87	82	81	84	85	80	75	86.0
	MIN	58	58	61	58	54	59	54	56	63	58	54	52	54		52	52	48	50	49	48	51	61	61	53	56	48	44	46	47	49	43	53.2
IDAHO CITY	MAX	89	89	92	91	91	88	85	92	88	87	85	90	94	84	83	84	87	88	84	87	91	90	90	90	86	80						86.9
	MIN	56	49	45	52	48	43	38	48	40	42	44	41	45	49	41	37	37	36	37	32	40	39	41	40	40	38	0	0	0	0	0	40.6
IDAHO FALLS 6 NE	MAX	82	84	82	84	86	84	84	85	85	85	80	84	88	83	84	82	86	87	86	83	84	89	85	88	85	85	79	87	87	77	67	83.8
	MIN	50	53	48	54	48	53	54	56	58	44	49	46	46	48	43	48	41	42	44	43	47	57	50	58	60	44	45	42	46	47	40	48.5
IDAHO FALLS CAA AP	MAX	86	83	89	89	90	86	84	88	87	82	83	88	91	86	87	84	88	90	84	83	89	90	87	90	83	87	80	83	84	73	71	85.3
	MIN	59	56	56	57	50	52	57	45	54	48	51	48	49	52	47	47	44	46	50	49	47	51	51	50	54	44	52	45	52	47	44	50.1
IRWIN 2 S	MAX	76	75	81	87	87	84	82	87	84	87	82	85	89	83	85	84	87	88	85	84	86	86	85	88	86	84	86	81	72	70	63	82.9
	MIN	57	54	52	56	49	51	58	46	50	49	48	50	48	52	40	45	42	40	42	45	45	51	50	51	55	42	41	39	45	48	35	47.6
ISLAND PARK DAM	MAX	80	75	76	78	77	80	75	79	83	82	73	79	84	77	77	76	81	81	80	79	84	85	83	83	83	80	75	77	74	70	65	78.4
	MIN	52	51	49	48	46	44	38	40	45	45	43	43	41	42	38	38	33	34	35	31	34	34	38	39	40	35	40	34	31	35	28	39.5
JEROME	MAX	91	93	95	94	95	92	90	95	95	91	89	94	95	93	88	89	91	94	88	89	93	91	93	94	81	85	83	85	87	83	78	90.1
	MIN	52	57	55	60	55	56	58	51	60	55	56	50	53	61	51	48	48	47	54	44	47	55	54	51	52	41	46	42	43	52	41	51.5
KELLOGG	MAX	96	89	92	96	96	95	85	85	94	96	97	85	91	95	85	79	78	86	79	77	84	91	86	81	84	73	77	81	82	75	72	85.9
	MIN	65	50	48	53	60	55	49	58	55	60	54	51	54	52	50	48	43	47	42	41	44	49	55	48	54	40	40	40	52	37	47	49.7
KOOSKIA	MAX	89	96	98	99	101	96	90	98	98	94	86	95	99	96	88	85	90	86	82	86	96	92	87	90	83	76	85	89	82	79	82	90.1
	MIN	64	60	49	53	58	60	50	55	51	63	54	52	49	62	54	46	46	46	49	41	44	47	50	50	47	40	40	39	51	40	45	50.2
KUNA 2 NNE	MAX	90	92	93	93	93	89	85	93	90	88	85	90	92	85	84	83									76	77	77	82	85	73	78	85.8
	MIN	58	59	54		54	54	48	50	53	53	53	50	50	56	50	49									48	45	42	38	46	44	39	49.7
LEWISTON WATER PLANT	MAX	95	98	100	102	101	97	93	97	99	96	89	96	100	95	89	85	93	92	82	86	95	93	88	89	81	82	87	91	85	78	82	91.5
	MIN	71	56	58	59	69	63	62	60	61	67	62	56	59	68	58	56	51	53	49	44	50	57	59	57	58	48	48	47	60	44	54	56.9
LEWISTON WB AP	MAX	93	95	97	100	98	90	89	94	97	84	85	93	98	90	87	83	90	81	79	84	92	90	85	85	77	79	82	87	80	75	83	87.8
	MIN	66	55	58	59	66	61	59	59	61	67	60	59	60	71	62	53	49	55	47	46	50	57	57	54	55	44	48	47	58	48	51	56.2
LIFTON PUMPING STA	MAX	82	83	82	79	85	84	81	84	81	73	80	83	85	83	79	81	85	86	84	83	80	81	81	82	79	78	77	75	75	69	70	80.3
	MIN	56	53	55	53	52	56	58	47	58	54	57	49	51	50	47	47	46	47	52	49	51	48	49	49	49	50	49	45	46	44	35	50.1
LOWMAN	MAX	89		92	89	90	87	86	90		86	85	90	92	86	81	80	86	80	84	85	92	89	89	87	84	80	79		81	77	82	85.6
	MIN	58		44	50	50	42	39	40		39	41	41	39	42	40	35	38	33	35	32	36	36	39	41	38	39	31		35	33	29	39.1
MACKAY RS	MAX	77	79	81	84	84	81	81	82	86	83	77	82	82	80	81	81	83	85	84	81	87	89	86	86	81	81	78	81	80	79	72	81.7
	MIN	57	58	50	49	54	50	47	45	48	41	45	44	50	55	42	40	42	43	44	44	46	45	46	45	43	41	43	39	40	40	37	45.6
MALAD	MAX	85	88	88	89	94	90	87	88	89	81	88	90	91	90	89	88	90	92	92	90	88	90	88	90	88	86	86	84	84	77	78	87.7
	MIN	60	56	55	57	53	59	62	51	60	56	54	53	53	60	51	51	50	48	56	54	54	55	52	53	56	52	51	50	51	50	42	53.7
MALAD CAA AP	MAX	88	88	88	89	93	90	86	90	90	82	87	90	93	89	90	89	92	93	93	91	89	91	88	91	90	87	84	86				88.3
	MIN	60	55	52	53	49	56	55	48	55	54	51	47	46	53	44	44	46	43	53	49	50	49	47	49	51	47	47	45	0	0	0	49.1
MAY RS	MAX	85	86	88	87	88	89	82	85	91	86	82	90	90	81	82	85	84	88	84	84	90	90	86	90	84	82	79	82	80	81	70	84.9
	MIN	54	51	50	47	49	46	51	46	47	46	42	41	44	51	43	39	37	39	41	41	36	46	45	51	47	46	37	36	38	38	36	43.9
MC CALL	MAX	82	83	85	85	85	83	81	82	83	81	75	80	85	85	76	75	80	80	79	76	84	82	81	80	80	70	70	76	74	73	69	79.4
	MIN	57	48	47	51	48	45	44	47	47	46	38	42	43	49	43	38	39	38	37	35	37	42	44	41	41	40	33	31	40	33	35	41.9
MC CAMMON	MAX	89	90	92	91	92	90	89	87	88	90	86	91	90	94	91	89	94	94	90	88	92	89	80	90	86	86	82	82	81	77	77	88.0
	MIN	54	54	50	53	43	53	62	43	59	50	49	47	48	45	44	42	42	42	41	46	45	52	50	53	51	45	42	43	43	43	40	47.5
MERIDIAN 1 SSW	MAX	92	93	94	94	94	91	87	94	91	90	87	91	94	86	87	83	89	90	82	85	89	90	91	92	79	79	80	84	89	79	80	87.9
	MIN	57	58	52	66	61	63	52	58	53	60	56	59	60	60	57	53	58	55	49	48	56	57	55	60	53	53	45	47	58	51	47	55.4
MESA	MAX	93	90	93	95	96	92	90	92	93	89	88	90	92	87	86	87	93	90	85	88	94	90	92	90	88	86	90	85	86	82	80	89.4
	MIN	67	65	68	61	62	60	58	60	60	56	60	59	63	67	53	64	53	51	48	55	57	58	60	59	58	54	54	50	51	44	46	57.5
MINIDOKA DAM	MAX	87	89	90	91	91	88	83	94	88	89	88	92	93	83	87	87	90	92	84	84	91	89	90	91	82	83	81	83	83	70	74	86.7
	MIN	63	62	61	60	60	63	63	56	67	68	57	59	61	60	54	52	53	53	56	52	56	66	62	63	57	51	54	51	50	54	47	57.8
MONTPELIER RS	MAX	90	85	83	86	84	90	87	82	86	83	74	83	87	89	84	82		88	90	88	82	85	83	85	87	84	82	83	79	76		84.4
	MIN	51	47	49	50	44	51	53	40	55	47	49	42	45	50	40	41		39	47	44	46	43	43	46	49	49	46	42	39	40		45.8
MOSCOW U OF I	MAX	87	90	92	94	93	90	85	90	91	82	80	93	90	88	81	75	85	73	71	80	87	83	80	78	72	75	78	81	75	69	76	82.7
	MIN	59	47	42	47	51	54	52	54	53	56	55	59	55	60	56	50	41	47	41	37	43	53	49	46	50	37	38	38	55	36	48	48.7
MOUNTAIN HOME	MAX																					100	98	98	98	88	90	86	94	95	87		
	MIN																					53	54	55	56	54	52	50	44	48	49		
MULLAN PASS CAA	MAX		72	80	78	79	69	64	77	78	64	67	71	72	66	66	62	68	65	61	69	76	70	66	71	57	58	62	65	60	50	56	67.3
	MIN		58	58	60	59	54	50	51	59	45	44	55	60	50	47	43	46	45	41	45	52	53	48	47	40	40	44	45	37	33	40	48.3
NAMPA 2 NW	MAX	95	93	96	96	97	95	93	89	95	93	93	90	94	97	90	89	89	91	92	84	89	93	96	94	94	90	82	81	87	90	76	91.1
	MIN	61	60	58	61	59	58	54	54	54	58	55	54	58	60	53	53	50	52	52	45	49	53	62	53	52	48	45	41	47	58	44	53.6
NEW MEADOWS RS	MAX	88	89	90	90	88	84	90	88	78		82		91		81	82	88	92	90	88		87			83							
	MIN	56	42	39	45	41	36	45	43	4		39	37			41	43	34	33	35	31	32				40							
NEZPERCE 2 E	MAX	80	81	86	88	90	83	81	87	88	79	78	84	89	82	80	71	81	75	72	77	87	82	78	82	70	72	75	81	77	68	75	60.0
	MIN	62	55	54	58	60	57	52	55	58	61	52	52	54	62	53	46	48	51	42	43	50	53	50	50	47	41	42	45	54	41	45	51.4
OAKLEY	MAX	85	86	87	87	88	88	83	88	80	89	84	89	92	87	85	83	85	90	85	90	88	89	87	90	87	79	76	81	84	75	75	85.2
	MIN	60	58	57	56	55	63	59	60	58	56	47	52	56	59	55	53	50	52	52	45	47	63	61	60	48	46	44	46	51	46	36	53.3
OBSIDIAN 4 NNE	MAX	75	75	77	78	78	76	76	77	78	75	71	75	78	72	70	72	75	77	73	74	80	80	78	77	70	72	70	72	76	62	64	74.3
	MIN	48	42	39	43	42	36	33	35	34	34	33	32	34	43	34	29	28	29	30	26	30	34	35	36	34	36	25	25	29	30	25	33.6
OLA 4 S	MAX	94	97	99	100	98	95	97	95	94	91	90	97	99	95	88	93	90	91	87	90	95	95	94	94	90	86	84	88	87	84	83	92.3
	MIN	60	58	57	57	52	50	49	51	50	52	54	56	56	59	50	48	46	47	45	43	44	46	52	47	49	49	42	40	43	43	42	49.6
OROFINO	MAX	94	99	99	102	103	91	92	99	100	88	90	97	93	95	87	86	94	85	83	89	96	92	89	90	82	75	88	90			84	91.4
	MIN	64	55	51	52	57	58	50	55	56	60	54	54	53	56	52	46	45	46	44	47	46	48	50	50	47	39	40			38	48	50.4
PARMA EXP STA	MAX	92	95	97	97	99	96	93	98	97	94	89	92	96	92	93	90	92	94	90	89	94	95	94	95	89	84	81	88	88	86	83	92.0
	MIN	61	62	59	60	60	59	54	55	55	61	54	56	59	59	55	54	53	51	52	49	49	54	56	47	50	51	45	43	43	48	42	53.4
PAUL 1 E	MAX	89	91	92	92	92	90	88	82	92	90	86	87	92	92	83	87	87	90	91	82	86	93	87	92	92	80	81	79	84	87	75	87.5
	MIN	58	60	55	56	53	54	61	46	61	52	52	50	51	57	51	49	42	44	50	46	47	56	52	54	55	41	52	43	43	52	40	51.1
PAYETTE	MAX	93	97	98	98	99	97	92	96	95	96	91	96	97	91	90	89	-91	92	87	89	94	93	91	93	80	82	80	88	89	77	83	91.1
	MIN	65	62	60	63	65	60	55	57	58	61	54	58	60	60	57	55	54	50	50	48	50	58	59	55	57	53	48	41	59	53	41	55.7
PIERCE RS	MAX	85	87	90	89	91	91	81	90	91	91	77	86	88	88	80	77	84	81	76	80	89	89	83	83	81	70	76	79	79	69	80	83.3
	MIN	44	47	44	43	50	53	43	49	49	53	47	45	45	51	45	39	37	39	35	34	38	41	42	43	41	32	34	31	46	32	41	42.4
POCATELLO WB AP	MAX	87	90	92	92	93	90	86	90	90	89	86	91	94	88	90	87	91	93	87	87	93	90	87	93	83	86	82	85	86	72	77	88.0
	MIN	60	57	55	58	52	57	60	51	67	57	48	53	55	63	53	52	45	49	54	57	51	57	55	56	56	46	55	48	58	54	50	54.5
PORTHILL	MAX	93	94	92	91	93	91	85	86	94	90	87	90	92	89	82	80	85	82	82	84	88	86	83	83	76	75	79	78	74	72	75	84.9
	MIN	55	49	48	49	53	49	45	50	51	57	44	47	50	52	54	43	40	42	42	40	39	43	50	40	49	35	39	37	50	37	40	45.8
POTLATCH	MAX	86	91	92	93	93	87	84	92	91	85	80	87	90	83	77	75	85	74	72	80	88	83	80	79	70	76	80	80	73	69	76	82.3
	MIN	62	45	43	49	56	52	47	50	52	53	57	50	53	51	53	46	40	45	38	36	40	47	46	45	49	36	35	36	53	32	47	46.6
PRESTON SUG FACT 2 SE	MAX	88	90	85	88	92	92	85	90	88	89	86	89	90	89	87	86	90	91	90	90	87	89	89	89	88	87	83	85	84	78	77	87.5
	MIN	60	57	54	56	50	57	62	50	48	60	52	50	50	56	47	47	47	47	53	50	56	52	51	57	54	50	51	48	51	50	47	52.3
PRIEST RIVER EXP STA	MAX	87	88	90	92	90	89	83	89	91	80	82	89	89	86	80	75	81	80	74	79	85	80	78	78	72	73	77	77	72	69	76	81.6
	MIN	52	45	45	47	52	49	45	55	49	49	44	45	49	47	49	40	37	41	36	36	37	42	50	38	47	33	34	33	49	30	42	43.5
REACTOR TESTING STA	MAX	81	80	88	91	90	91	86	89	90	82	85	89	93	84	86	84	88	90	86	85	91	92	88	81	82	86	82	84	83	74	72	85.6
	MIN	59	52	51	50	49	47	50	48	54	52	47	44	46	50	44	42	40	39	46	46	43	52	50	48	47	39	51	38	43	46	40	46.9
RICHFIELD	MAX	85	88	90	89	89	86	82	89	87	85	84	89	90	84	85	83	87	88	86	84	89	88	89	88	82	82	79	82	82	75	75	85.2
	MIN	60	59	55	57	53	54	51	52	57	54	55	52	53	53	49	44	49	46	51	43	47	56	52	56	50	45	44	42	41	43	42	50.5
RIGGINS RS	MAX	94	94	96	98	101	98	95	96	98	88	86	92	100	99	98	89	90	90	89	88	101	100	96	96	96	85	84	90	90	83	81	92.9
	MIN	70	65	61	69	67	64	61	66	63	64	59	64	60	64	60	56	56	57	55	52	59	68	59	60	59	53	49	52	61	52	51	59.9
ROLAND W PORTAL	MAX	84	83	85	86	85	83	74	80	84	84	73	89	82	81	73	70	79	79	71	77	85	85	75	77	69	69	73	74	69	58	66	77.5
	MIN	52	45	46	48	51	52	43	52	50	50	49	44	47	48	42	41	38	45	35	36	41	44	44	44	46	36	36	36	46	32	39	43.8
RUPERT	MAX	90	92	95	96	95	97	93	87	97	94	91	92	98	100	88	89	91	95	97	93	92	98	95	93	99	85	87	85	90	87		92.7
	MIN	60	59	59	58	58	55	61	49	52	53	54	53	56	59	51	47	44	46	50	46	47	51	53	55	56	44	49	45	45	52		52.2
SAINT ANTHONY	MAX	86	84	85	87	89	85	84	87	88	79	81	85	89	85	84	81	87	88	85	85	90	91	88	89	81	84	83	79	74	70		84.4
	MIN	58	54	55	53	49	49	44	43	50	47	41	45	46	48	43	41	38	38	39	41	42	48	47	47	49	40	39	43	38	34		45.0
SAINT MARIES	MAX	85	93	95	96	94	94	83	92	95	93	84	91	92	91	84	80	87	88	77	84	90	90	96	85	80	89	80	83	82	76	80	87.4
	MIN	61	47	42	48	54	51	47	50	52	56	51	51	51	48	45	43	40	44	37	36	40	45	47	45	50	36	37	35	49	32	49	45.8
SALMON	MAX	84	90	92	92	92	93	90	87	95	73	75	89	92	85	88	90	87	92	88	87	95	96	97	97	90	81	83	88	85	74	70	87.6
	MIN	62	55	52	52	50	48	48	50	47	55	45	44	45	57	45	43	41	41	44	41	40	41	44	43	40	43	38	37	40	41	41	45.6

See reference notes following Station Index.

DAILY TEMPERATURES

able 5 - Continued

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
NDPOINT EXP STA	MAX	87	83	89	93	92	87	81	84	89	82	80	88	90	86	79	76	[illegible]	79	76	[illegible]	81	83	80	82	72	[illegible]	78	[illegible]	75	71	[illegible]	[illegible]
	MIN	50	45	45	47	53	49	47	60	52	60	54	45	50	58	52	53	40	[illegible]	41	[illegible]	36	[illegible]	[illegible]	40	[illegible]	[illegible]	36	[illegible]	[illegible]	40	40	[illegible]
OSHONE	MAX	90	91	92	91	91	89	84	93	89	88	86	91	94	84	84	84	88	89	83	86	92	91	[illegible]	[illegible]	[illegible]	81	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	63	58	60	61	58	60	55	53	59	54	58	54	59	58	52	48	[illegible]	51	[illegible]	44	[illegible]	[illegible]	59	[illegible]	53	46	45	42	[illegible]	[illegible]	42	[illegible]
PENCER RS	MAX	78	83	81	80	83	82	77	81	84	74	75	81	83	80	80	80	81	83	84	81	84	87	[illegible]	84	81	81	[illegible]	79	78	[illegible]	[illegible]	80.4
	MIN	51	56	51	47	47	45	40	41	43	47	46	44	44	51	39	39	41	[illegible]	42	40	[illegible]	42	41	41	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]
PRINGFIELD	MAX	90	90	92	92	93	90	86	93	92	88	88	93	96	88	89	88	[illegible]	[illegible]	88	89	[illegible]	94	90	94	85	[illegible]	85	[illegible]	87	[illegible]	78	[illegible]
	MIN	57	54	52	51	48	50	56	41	54	52	46	46	49	50	44	45	40	[illegible]	49	45	43	[illegible]	48	[illegible]	52	39	[illegible]	39	[illegible]	48	[illegible]	[illegible]
TIBNITE	MAX	85	78	79	81	78	80	78	73	78	80	69	72	76	80	70	72	72	[illegible]	76	74	74	81	79	79	76	67	[illegible]	69	71	68	66	[illegible]
	MIN	49	43	42	41	42	43	36	42	42	43	35	37	38	44	43	38	39	41	39	[illegible]	[illegible]	[illegible]	44	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	34	31	[illegible]
IGAR	MAX	82	85	85	81	87	83	82	86	84	80	79	83	88	84	85	81	86	[illegible]	[illegible]	[illegible]	88	90	88	89	81	86	[illegible]	[illegible]	[illegible]	74	70	[illegible]
	MIN	55	55	52	50	47	48	50	42	44	43	49	45	44	45	45	39	[illegible]	36	[illegible]	41	[illegible]	46	49	[illegible]	[illegible]	[illegible]	46	41	41	42	[illegible]	44.4
N VALLEY	MAX	83	81	83	85	86	84	80	82	85	82	80	85	85	81	79	80	81	83	81	[illegible]	88	[illegible]	[illegible]	[illegible]	[illegible]	78	[illegible]	81	[illegible]	74	[illegible]	[illegible]
	MIN	57	47	44	47	43	37	34	36	38	34	37	35	36	49	35	31	31	30	31	29	[illegible]	36	[illegible]	[illegible]	[illegible]	30	28	28	28	[illegible]	28	36.0
AN FALLS PH	MAX	96	100	100	100	101	98	93	103	100	99	94	100	101	93	91	93	97	96	95	94	93	92	96	97	[illegible]	98	84	[illegible]	91	95	[illegible]	95.7
	MIN	75	66	64	70	68	67	61	62	73	70	65	65	67	67	60	62	61	60	59	58	58	[illegible]	[illegible]	[illegible]	[illegible]	60	[illegible]	60	[illegible]	[illegible]	59	63.2
TONIA EXP STA	MAX	78	76	79	80	84	85	78	82	85	78	78	80	85	81	81	78	83	85	83	[illegible]	85	87	84	86	81	78	77	79	[illegible]	65	[illegible]	[illegible]
	MIN	49	41	49	52	49	41	43	42	43	41	41	42	43	41	42	[illegible]	40	38	43	48	45	[illegible]	[illegible]	44	[illegible]	40	45	47	46	47	29	[illegible]
IN FALLS 2 NNE	MAX	91	96	96	96	95	94	90	97	96	92	88	94	96	94	86	87	91	93	90	[illegible]	[illegible]	94	[illegible]	95	[illegible]	85	[illegible]	85	87	86	78	[illegible]
	MIN	61	60	55	62	54	58	63	50	62	53	54	50	52	64	51	49	45	47	52	49	48	60	[illegible]	56	55	44	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]
IN FALLS 3 SE	MAX	90	91	92	93	94	93	89	87	94	91	89	87	91	94	87	86	85	89	91	85	85	93	90	88	92	80	83	80	84	86	[illegible]	[illegible]
	MIN	58	58	52	60	54	52	60	48	54	48	50	52	52	62	55	48	45	47	[illegible]	[illegible]	47	59	[illegible]	54	[illegible]	[illegible]	[illegible]	49	[illegible]	41	[illegible]	[illegible]
LLACE	MAX	84	86	91	89	90	81	79	88	90	70	80	84	89	80	74	75	82	75	73	81	89	82	79	81	71	71	73	78	72	63	71	79.7
	MIN	59	46	45	47	55	53	45	38	37	56	50	47	49	50	46	44	39	44	39	38	42	41	45	45	44	37	38	36	49	[illegible]	41	44.4
LLACE WOODLAND PARK	MAX	93	83	89	87	89	89	80	79	87	90	72	83	86	80	80-	78	80	82	75	73	79	88	81	[illegible]	78	69	[illegible]	75	77	[illegible]	71	80.5
	MIN	51	46	45	48	52	54	47	48	51	56	53	47	50	47	44	50	49	42	38	39	39	43	48	46	48	38	38	[illegible]	37	34	37	45.2
EISER	MAX	98	99	98	98	98	96	92	98	96	94	93	98	101	93	91	92	93	93	88	92	94	95	94	94	84	86	86	[illegible]	92	83	86	93.1
	MIN	62	59	56	58	57	58	51	58	56	55	58	58	57	57	52	58	50	49	49	46	47	50	[illegible]	51	[illegible]	50	42	40	48	46	42	52.3

EVAPORATION AND WIND

Table 6

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STA	EVAP	.10	.48	.28	.25	.32	.03	.61	.25	.48	.18	.25	.24	.23	.45	.36	.22	.48	.31	.30	.26	.33	.20	.27	.27	.34	.25	.19	.27	.37	.39	.30	9.26
	WIND	22	25	34	39	49	51	139	50	70	12	99	25	22	147	94	117	41	31	106	68	84	53	85	71	120	46	119	73	99	241	127	2359
ARROWROCK DAM	EVAP	.26	.27	.32	.32	.41	.34	.17	.31	.32	.34	.31	.34	.32	.36	.36	.35	.29	.33	.33	.33	.30	.31	.31	.30	.33	.28	.25	.26	.29	.35	.25	9.61
	WIND	26	32	30	33	47	33	26	41	34	37	52	48	35	48	55	58	38	39	43	52	35	29	29	30	41	39	41	37	34	80	46	1248
LIFTON PUMPING STATION	EVAP	.27	.29	.23	.26	.27	.28	.21	.26	.30	.14	.26	.26	.33	.29	.34	.29	.28	.30	.29	.24	.21	.21	.19	.28	.37	.28	.21	.17	.25	.27	.19	8.02
	WIND	59	60	50	83	45	51	64	63	103	110	97	53	43	75	88	60	60	50	60	44	60	76	71	92	120	80	74	37	100	110	60	2198
MINIDOKA DAM	EVAP	.32	.40	.38	.41	.43	.35	.55	.48	.44	.46	.33	.36	.39	.38	.44	.45	.41	.40	.46	.33	.36	.48	.35	.36	.45	.36	.38	.32	.39	.52	.38	12.52
	WIND	80	120	75	105	100	90	150	120	120	105	115	70	80	140	120	85	90	75	110	100	60	140	130	150	130	80	130	60	100	210	150	3390
MOSCOW U OF I	EVAP	.17	.38	.28	.19	.41	.42	.17	.28	.37	.15	.21	.29	.35	.36	.44	.25	.28	.21	.23	.21	.23	.30	.26	.26	.25	.19	.19	.23	.29	.22	.22	8.29
	WIND	19	43	14	28	38	69	30	30	34	32	29	40	53	97	122	67	20	53	58	16	26	53	37	39	72	32	17	30	92	46	49	1385

See reference notes following Station Index.

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5
BOISE WB AP	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMETED SUGAR	2 3 5
BURLEY CAA AP	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	5P	5P	J I LORTON	2 3 5
CASCADE 1 NW	1511	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5
# CLEMENTSVILLE 4 SE	1881	TETON	12	43 51	111 16	5904		MID	SEE NAME CHANGE END OF INDEX	
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D'ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D'ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	5P	5P	DAN GOODMAN	2 3 5
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AP	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	5P	5P	U S BUR RECLAMATION	CLOSED 5/22/52
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AP	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS CAA AP	4457	BONNEVILLE	12	43 31	112 04	4730	[illegible]	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	[illegible]
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
[illegible]	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEP	2 3 5 7
LEWISTON WB AP	5241	NEZ PERCE	3	46 23	117 02	1413	[illegible]	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	[illegible]	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AP	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	[illegible]	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	3P	3P	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	6P	6P	CALVIN E LARSON	CLOSED 5/19/52
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA	9059	TETON	12	43 49	111 10	6040	6P	6P	STATE EXP STATION	CLOSED 5/18/52
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	S
NEW STATIONS										
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
NAME CHANGE										
# TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

ie four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will ; no duplication of numbers within a state.

igures and letters following the station name such as 12 SSW, indicate distance in miles and direction from the post office.

oservation times given in the Station Index are in local standard time.

elayed data and corrections will be carried only in the June and December issues of this bulletin.

onthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

tations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

nless otherwise indicated, - dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in nches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard eather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

leet and hail were included in snowfall averages in Table 1, beginning January 1949.

mounts in Table 3 are from non-recording gage, unless otherwise indicated.

ata in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Staion Index for observation time.

now on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground alues are at 4:30 a.m., PST and 5:30 a.m., MST.

No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

And also on a later date or dates.

Amounts included in following measurements, time distribution unknown.

Gage is equipped with a windshield.

This entry in time of observation column in Station Index means after rain.

Adjusted to a full month.

Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.

Daily precipitation values and monthly total from recording gage.

Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.

This entry in time of observation column in Station Index means sunset.

Trace, an amount too small to measure.

Includes total for previous month.

This entry in time of observation column in Station Index means variable.

ubscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) hecks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding ubscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-100829 1000 10-8-52

IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
○ ● ◑ Precipitation only
Precipitation storage
Precipitation and Temperature
Precipitation Temperature and Evaporation
Section Center
Type of gage ○ Non recording:
● Recording. ◗ Both types
Double circle combinations Complete Meteorological.
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Bonners Fy WB Awy
Benton Dam
Priest Riv Exp Sta
Sandpoint Exp Sta
Clark Fork 1ENE
Bayview Model Basin
Coeur d'Alene CAA AP
Deception Cr
Coeur d'Alene RS
Kellogg
Burke 2NNE
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace
Saint Maries
Plummer 3WSW
Roland W Portal
Avery RS
Clarkia RS
Potlatch
Moscow U of Ida
Bungalow RS
Lolo Pass
Lewiston Wtr Pl
Orofino
Pierce RS
Lewiston WB AP
Winchester 1SE
Craigmont
Kamiah 1NE
Nezperce
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Cottonwood 2SW
Grangeville WB Awy
Elk City
Nez Perce Pass
Riggins RS
Salmon WB Awy
Big Creek 1 S
Yellow Pine
Cobalt Blackbird Mine
New Meadows RS
Stibnite
McCall USFS
Pungo Creek
Council 2NNE
Landmark RS
Leadore
Mesa
May RS
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Cascade RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Weiser
Ola
Crouch 2NNW
Payette
Lowman
Jackson Peak
Obsidian 1NNE
Garden Valley RS
Chilly Barton Flat
Centerville Arbaugh Ranch
Moore Cr Summit
Emmett 2E
Mackay RS
Parma Exp Sta
Idaho City
Atlanta 1E
Vienna
Howe
Bogus Basin
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Arco
Caldwell
Idaho Cy 13SW
Shake Cr RS
Nampa 2NW
Meridian 1SSW
Arrowrock Dam
Dollarhide Summit
Deer Flat Dam
Trinity Lake GS
Hailey
Nampa
Pine 2SSW
Soldier Cr RS
Kuna
Boise Lucky Peak
Prairie
Boise WB AP
Fairfield RS
Anderson Dam
Swan Falls PH
Hill City
Mountain Home 1 SE
Grand View
Glenns Ferry
Richfield
Bliss
Shoshone
Gooding CAA AP
Jerome
Eden Hunt
Minidoka Dam
Paul 1E
Burley 1NW
Rupert
Buhl
Twin Falls 2NNE
Hazelton
Twin Falls 3SE
Burley
Burley CAA AP
Hollister
Albion
Oakley
Bridge
Three Creek
Ida Vada
Strevell WB Awy
Spencer RS
Island Park Dam
Dubois Exp Sta
Dubois CAA AP
Ashton 1S
Hamer 4NW
St Anthony
Clementsville 4SE
Sugar
Tetonia Exp Sta
Driggs
Ririe
Idaho Falls CAA AP
Irwin 2S
Palisades Dam
Blackfoot
Springfield
Putnam Mt
Gray
Fort Hall Ind Agcy
Aberdeen Exp Sta
Blackfoot Dam
Pocatello WB AP
Bancroft
Conda
American Falls 1NW
McCammon
Grace PH
Montpelier RS
Malad
Lifton Pump Sta
Malad CAA AP
Preston 2SE
R.A.W. 8/51

CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

SEPTEMBER 1952
Volume LV No. 9

SAN FRANCISCO: 1952

IDAHO - SEPTEMBER 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

The latter half of September was so persistently warm and dry that average temperatures for the month were well above normal and precipitation totals much below normal throughout the State. Only a few stations in the Northern Division had precipitation totalling more than one inch, although September normals exceed one inch at all but a very few stations in that Division, while several stations in the Southwestern Division reported no rain and others only a trace. The one station in the State reporting precipitation in excess of normal was Payette, where a total of 0.55 inch on the 6th was in itself more than the normal September total for the station.

Almost without exception, daily average temperatures were above normal from the 15th to the end of the month, with clear skies predominating throughout that period. Sunshine was well above normal for the month, totalling 85 percent of possible at Boise and 87 percent at Pocatello. Winds were lighter than usual for September and no damaging storms were reported. Thunderstorms were rather frequent, though scattered, during the first two weeks, while during the latter half of the month very few thunderstorms were reported.

The periods of principal shower and thunderstorm activity were the 3d to 6th, and 10th to 12th, although in the Northern Division numerous showers were reported every day from the 3d to the 13th. Skies began to clear on the 13th, as a cool, dry air mass moved in from the north and northwest. By early morning of the 14th freezing temperatures were recorded over a large part of the State, resulting in the freezing of potato vines and garden vegetables.

From the agricultural standpoint the weather of the month was generally very favorable. Some delay in grain harvesting was experienced early in the month in northern sections because of rains, but by the end of the 3d week the grain harvest had been completed in all but a few late districts. Potato digging was well under way during the latter half of the month, while sugar beets were maturing with digging expected to begin early in October. Third cuttings of hay were made in many areas, pears and peaches were picked, dry bean harvest was completed and seed crops were being harvested under very favorable conditions. Some fall planting was done during the month, but in general the soil was too dry, a condition that also affected pastures and lower ranges. The fire hazard on forest and range lands was unusually high during the latter half of the month, but the number of fires was relatively small, due largely to the absence of lightning.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	SE	22	5.9	37	NW	6	52	32	28	43	4	1	0	0	0	0	5	85	2.1	SEE TABLE 2
LEWISTON WB AIRPORT	-	-	-	-	-	-	64	43	29	-	5	2	2	0	0	0	9	-	3.7	
POCATELLO WB AIRPORT	SW	14	6.3	35	SE	10	56	29	19	38	1	2	0	0	0	0	3	87	2.3	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1893	55.9	100	20	2.54	-	7
1894	54.7	93	15	1.03	-	5
1895	53.9	[illegible]	[illegible]	1.48	-	6
1896	56.0	101	10	.51	-	3
1897	58.1	95	17	1.07	-	4
1898	57.2	100	10	.47	0.0	[illegible]
1899	59.9	104	14	.40	0.0	[illegible]
1900	56.2	101	8	.84	T	3
1901	54.4	97	11	1.03	0.0	6
1902	57.4	99	9	.41	0.1	3
1903	54.3	100	15	1.14	1.2	[illegible]
1904	59.8	101	21	.35	0.0	2
1905	59.3	107	6	.95	T	5
1906	59.5	100	10	.54	T	3
1907	57.2	103	7	.68	0.0	4
1908	58.1	102	8	1.19	0.1	4
1909	58.5	99	9	2.01	T	7
1910	58.2	98	12	1.09	0.0	5
1911	56.1	101	10	.79	0.0	4
1912	52.3	94	10	.96	0.0	5
1913	58.0	100	11	.85	T	4
1914	55.7	100	14	1.59	1.0	7
1915	55.2	97	12	1.35	0.1	5
1916	56.7	105	13	.55	0.1	3
1917	59.5	99	16	1.57	0.0	5
1918	60.0	103	16	1.35	0.0	6
1919	58.5	102	15	1.18	0.0	5
1920	57.1	99	18	1.57	0.4	7
1921	53.1	98	10	.86	0.1	4
1922	60.4	101	11	.27	0.0	2
1923	59.9	104	12	.69	0.3	3
1924	57.8	107	5	.59	0.2	4
1925	57.3	100	18	1.48	T	7
1926	52.3	95	- 1	.98	0.4	4
1927	55.4	100	18	2.40	0.1	9
1928	58.6	103	15	.29	T	2
1929	54.3	99	13	.63	T	4
1930	58.0	100	13	1.15	T	6
1931	57.9	104	18	.95	0.1	5
1932	58.3	103	16	.15	0.0	1
1933	55.7	100	11	.85	0.1	5
1934	55.6	103	10	.58	0.3	3
1935	60.8	102	14	.19	0.0	1
1936	56.3	101	5	.48	T	3
1937	60.1	104	15	.55	0.0	4
1938	63.1	107	20	.45	0.0	3
1939	58.6	102	18	.96	0.0	2
1940	59.1	102	15	3.25	T	13
1941	52.8	91	10	1.33	T	9
1942	58.6	103	11	.46	0.0	2
1943	60.8	102	15	.15	0.0	1
1944	58.6	108	12	.83	T	5
1945	54.4	107	12	1.53	0.3	7
1946	56.1	93	16	1.11	T	6
1947	57.8	104	9	1.31	0.2	5
1948	57.7	101	15	1.16	0.1	4
1949	60.0	100	13	.89	0.1	4
1950	57.9	110	14	1.16	0.3	6
1951	57.8	99	12	.40	T	2
1952	60.6	100	15	.27	T	2

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

TABLE 2

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00
NORTHERN DIVISION																							
AVERY RS	82.5	41.1	61.8M	3.3	95	25	34	14	108	6	0	0	0	.51	- 1.26	.32	5	.0	0		4	0	0
BAYVIEW MODEL BASIN	76.6	42.0	59.3		91	18	30	14	182	1	0	2	0	.40		.26	9	.0	0		4	0	0
BIG CREEK 1 S	77.1	27.9	52.5		87	3	15	14	367	0	0	24	0	.27	- 1.53	.12	6	.0	0		4	0	0
BONNERS FERRY	78.2	43.0	60.6	3.8	89	26	33	13	137	0	0	0	0	.47	- .92	.22	9		0		5	0	0
BUNGALOW RS	82.0	43.8	62.9M	3.0					87		0		0	.53	- 1.32	.23	5	.0	0		9	0	0
BURKE 2 NNE	69.8	39.6	54.7	2.5	80	25+	30	13+	300	0	0	2	0	1.14	- 1.47	.59	12	.0	0		8	1	0
CLARK FORK 1 ENE	78.3	39.3	58.8	4.0	89	3	30	13+	194	0	0	3	0	.81	- 2.06	.55	9	.0	0		3	1	0
COBALT BLACKBIRD	68.4	34.7	51.6M		76	27	23	14		0	0	7	0	.04		.03	7	.0	0		2	0	0
COEUR D ALENE CAA AP	76.0	45.3	60.7		88	25	34	14	145	0	0	0	0	.26		.13	9	.0	0		3	0	0
COEUR D ALENE RS	80.5	45.1	62.8M	4.9	92	25	36	13	99	2	0	0	0	.52	- .86	.31	9	.0	0		5	0	0
COTTONWOOD	76.4	42.3	59.4	2.6	91	26	28	14	172	1	0	2	0	.64	- .86	.28	5	.0	0		8	0	0
DIXIE	74.3	27.8	51.1		84	18	15	14	412	0	0	22	0	.25		.11	6	.0	0		4	0	0
ELK CITY	77.2	29.3	53.3		90	26	19	14+	345	1	0	21	0	.26		.24	12	.0	0		2	0	0
ELK RIVER 1 S	78.9	34.2	56.6		89	26	29	30	250	0	0	7	0	.49		.41	4	.0	0		4	0	0
FENN RS	81.8	43.7	62.8	1.7	93	3	35	14	83	3	0	0	0	.23	- 1.61	.23	12	.0	0		1	0	0
GRANGEVILLE	76.3	44.6	60.5	3.4	92	26	30	14	153	1	0	1	0	.53	- 1.17	.28	3		0		4	0	0
KELLOGG	78.5	44.7	61.6	4.5	90	26+	33	14		2	0	0	0	.85	- .94	.33	13	.0	0		5	0	0
KOOSKIA	87.0	43.4	65.2M	4.0	96	25	30	14	68	13	0	1	0	.42	- 1.10	.12	4	.0	0		5	0	0
LEWISTON WATER PLANT	85.2	49.3	67.3	3.2	96	26	39	14	27	10	0	0	0	.67	- .23	.29	5	.0	0		4	0	0
LEWISTON WB AP F	81.6	49.7	65.7	2.5	92	18+	39	14	53	5	0	0	0	.64	- .32	.32	5	.0	0		4	0	0
MOSCOW U OF I	77.6	45.6	61.6	3.8	90	25	33	13	127	1	0	0	0	1.23	- .04	.60	9	.0	0		5	1	0
MULLAN PASS CAA	62.8	45.5	54.2	5.3	78	25	31	13	321	0	0	1	0	1.07	- 1.24	.58	12	.0	0		5	1	0
NEZPERCE 2 E	75.6	46.7	61.2		87	18+	34	14	134	0	0	0	0	.46		.12	5+	.0	0		8	0	0
OROFINO	86.7	42.0	64.4M	2.1	99	25	33	14+	57	14	0	0	0	.22	- 1.34	.12	5	.0	0		4	0	0
PIERCE RS	75.9	37.8	56.9M	2.1	89	25	27	14	240	0	0	6	0	.49	- 1.50	.16	5	.0	0		6	0	0
PORTHILL	78.2	39.9	59.1	4.6	92	26	29	13	179	1	0	3	0	.42	- 1.10	.37	9	.0	0		2	0	0
POTLATCH	77.1	42.2	59.7	3.3	91	25	32	13	162	2	0	1	0	1.23	- .13	.75	9	.0	0		2	0	0
PRIEST RIVER EXP STA	76.7	38.4	57.6	3.5	89	25	27	13	217	0	0	3	0	.45	- 1.30	.30	9	.0	0		3	0	0
RIGGINS RS	86.9	54.3	70.6M	4.2	100	3	42	14	27	17	0	0	0	.36	- .66	.26	6	.0	0		5	0	0
ROLAND W PORTAL	72.6	41.3	57.0	4.0	85	25	29	14	235	0	0	2	0	.94	- 1.41	.36	12	.0	0		7	0	0
SAINT MARIES	82.2	40.8	61.5	4.1	94	25	30	13	121	5	0	3	0	1.03	- .27	.52	9	.0	0		4	0	0
SALMON	82.6	37.3	60.0	3.9	90	23	25	14	153	1	0	8	0	.07	- .74	.07	12		0		1	0	0
SANDPOINT EXP STA	74.3	40.8	57.6	2.3	86	26	30	16	220	0	0	3	0	.86	- .88	.46	6	T	0		4	0	0
WALLACE	74.8	42.1	58.5	2.0	88	25	31	14	188	0	0	1	0	.81	- 1.28	.34	12	.0	0		6	0	0
WALLACE WOODLAND PK	75.0	41.3	58.2M	2.9	89	26	32	14		0	0	1	0	.91	- .90	.51	13	T	0		6	1	0
WINCHESTER 1 SE	74.9	39.7	57.3	2.3	89	25	28	2+	228	0	0	4	0	.64	- 1.46	.23	9	.0	0		6	0	0
DIVISION			59.6	2.8										.59	- 1.05			T					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	76.2	28.7	52.5	1.6	85	26	19	14	370	0	0	22	0	.28	- .61	.15	6	.0	0		5	0	0
ANDERSON DAM	83.4	49.2	66.3		92	3	41	12+	36	4	0	0	0	T		T	11	.0	0		0	0	0
ARROWROCK DAM	82.6	46.9	64.8	2.6	94	4	36	13		5	0	0	0	.01	- .52	.01	6	.0	0		1	0	0
ATLANTA 1 E	77.2	42.1	59.7	7.6	85	18	29	13	156	0	0	1	0	.04	- .97	.03	6	.0	0		2	0	0
BLISS	85.3	45.9	65.6M	4.4	94	3	35	12	42	9	0	0	0	.00	- .40	.00		.0	0		0	0	0
BOISE LUCKY PEAK DAM			M		97	2	36	13			0	0	0	.00		.00		.0	0		0	0	0
BOISE WB AP //R	80.9	49.8	65.4	4.2	90	3+	37	13	63	2	0	0	0	.05	- .48	.05	6	.0	0		1	0	0
BUHL	81.6	52.2	66.9	6.1	90	3	39	14	37	1	0	0	0	.00	- .44	.00		.0	0		0	0	0
CALDWELL	83.1	43.8	63.5M	2.5	92	19	31	12	63	2	0	1	0	.13	- .34	.13	6	.0	0		1	0	0
CAMBRIDGE	85.1	38.2	61.7	1.0	99	23	31	14	105	7	0	2	0	.33	- .33	.22	6	.0	0		2	0	0
CASCADE 1 NW	75.4	37.3	56.4		85	26	27	14	254	0	0	5	0	.43		.26	6	.0	0		5	0	0
CHALLIS	79.5	41.4	60.5	4.4	87	18	29	14	134	0	0	2	0	.03	- .59	.03	11	.0	0		1	0	0
COUNCIL 1 N	84.2	45.5	64.9	4.7	93	3+	32	14	63	8	0	1	0					.0	0				
DEADWOOD DAM	77.2	30.4	53.8	3.2	86	19+	20	14	328	0	0	18	0	.11	- .88	.06	4	.0	0		3	0	0
DEER FLAT DAM	81.5	45.9	63.7	2.4	90	2+	37	14	62	2	0	0	0	.00	- .38	.00		.0	0		0	0	0
EMMETT 2 E	85.4	42.7	64.1M	0.8	92	3+	35	12+	54	9	0	0	0	.00	- .58	.00		.0	0		0	0	0
FAIRFIELD	81.5	35.3	58.4		88	3	25	14	191	0	0	9	0	.18		.16	5	.0	0		2	0	0
GARDEN VALLEY RS	86.7	39.3	63.0	3.9	95	19	29	15	76	15	0	2	0	.40	- .48	.40	10	T	0		1	0	0
GLENNS FERRY	85.7	42.1	63.9	1.1	95	3+	31	14	62	11	0	1	0	T	- .31	T	4	.0	0		0	0	0
GOODING CAA AP	83.1	48.9	66.0	6.1	95	3	38	12	44	3	0	0	0	T	- .39	T	4	.0	0		0	0	0
GRAND VIEW	87.6	45.0	66.3M	4.8	96	3+	33	15	33	13	0	0	0	.00	- .42	.00		.0	0		0	0	0
HAILEY	80.7	42.2	61.5	4.9	88	3	33	1+	110	0	0	0	0	.05	- .65	.05	3	.0	0		1	0	0
HAZELTON	81.9	43.4	62.7	1.7	95	3	30	14	94	2	0	1	0	.00	- .45	.00		.0	0		0	0	0
HILL CITY	80.0	35.0	57.5	3.6	91	3	22	14	220	1	0	8	0	T	- .42	T	5+	.0	0		0	0	0
IDAHO CITY	83.7	34.0	58.9	2.0	92	24+	24	14	176	7	0	13	0	T	- .66	T	4	.0	0		0	0	0
JEROME	84.1	43.6	63.9	2.4	95	3	33	14	69	6	0	0	0	.02	- .32	.02	5	.0	0		1	0	0
KUNA 2 NNE	80.3	42.3	61.3M	- 0.2	92	3	33	14	114	1	0	0	0	T	- .53	T	3+	.0	0		0	0	0
LOWMAN	80.8	32.9	56.9M	2.0	89	19+	22	14	234	0	0	14	0	.03	- .97	.03	6	.0	0		1	0	0
MC CALL	74.0	37.0	55.5	3.7	84	29	25	14	282	0	0	8	0	.47	- .63	.26	6	.0	0		4	0	0
MERIDIAN 1 SSW	81.2	48.6	64.9	3.7	90	19	35	13	59	1	0	0	0	.00	- .51	.00		.0	0		0	0	0
MESA	84.8	49.3	67.1		93	21	39	13	49	14	0	0	0	.32		.32	6	.0	0		1	0	0
MOUNTAIN HOME	89.9	46.7	68.3	8.4	99	3+	36	12	22	18	0	0	0	T	- .48	T	4+	.0	0		0	0	0
NAMPA 2 NW	83.2	45.1	64.2		93	5	35	14		4	0	0	0	.13		.09	4	.0	0		2	0	0
NEW MEADOWS RS	79.9	30.5	55.2M	2.7	89	18	18	14	297	0	0	21	0	.28	- .83	.15	5	.0	0		2	0	0
OBSIDIAN 4 NNE	71.9	28.0	50.0	2.2	80	18	15	14	444	0	0	25	0	.05	- .88	.03	11	.0	0		2	0	0
OLA 4 S	86.0	42.5	64.3		94	24+	32	13	65	13	0	1	0	.36		.12	6+	.0	0		4	0	
PARMA EXP STA	84.7	45.3	65.0	3.2	93	19	35	14	50	9	0	0	0	.22	- .22	.22	6	.0	0		1	0	
PAYETTE	80.6	45.6	63.1	1.6	91	19	36	14+	76	1	0	0	0	.81	.35	.55	6	.0	0		4	1	
RICHFIELD	80.0	42.2	61.1	3.0	89	3	33	10+	122	0	0	0	0	.04	- .42	.04	5	.0	0		1	0	
SHOSHONE	82.4	44.9	63.7	4.6	93	3	35	14	82	3	0	0	0	.01	- .47	.01	5	.0	0		1	0	
STIBNITE	72.1	37.1	54.6		80	19+	28	14		0	0	3	0	.59		.23	12	.0	0		6	0	
SUN VALLEY	77.8	29.6	53.7	3.7	84	3+	20	14	332	0	0	21	0	.12	- .81	.12	5	.0	0		1	0	
SWAN FALLS PH	87.9	53.1	70.5	3.2	100	3	42	14	14	17	0	0	0	.07	- .35	.04	4	.0	0		2	0	
TWIN FALLS 2 NNE	83.9	43.7	63.4	3.9	95	3	31	14	79	5	0	1	0	T	- .57	T	4+	.0	0		0	0	
TWIN FALLS 3 SE	82.3	44.3	63.3	3.8	93	4	31	14		2	0	1	0	T	- .43	T	6+	.0	0		0	0	
WEISER	85.2	43.7	64.5	1.1	95	19	33	14	45	11	0	0	0	.32	- .11	.32	5	.0	0		1	0	
DIVISION			61.8	3.2										.13	- .56			T					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	81.0	38.8	59.9	2.4	90	3	30	14	145	1	0	2	0	.09	- .58	.09	11	.0	0		1	0	
ALBION	81.4	36.8	59.1	2.6	92	3	20	14	178	1	0	7	0	.00	- .82	.00		.0	0		0	0	

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
AMERICAN FALLS 1 NW	80.9	41.9	61.4	2.9	93	3	29	14	115	2	0	2	0	.28	-.43	.28	11	.0			1		0
ARCO	80.8	37.8	59.3M	4.0	89	3	26	14	168	0	0	3	0	.23	-.33	.20	11	.0	0		2		0
ASHTON 1 S	76.9	38.5	57.7	3.3	87	7	25	14	210	0	0	6	0	.23	-.89	.13	11	.0	0		2	0	
BLACKFOOT	82.2	42.5	62.4	5.3	93	3	30	14	92	2	0	1	0	.10	-.66	.10	11	.0	0		1		0
BLACKFOOT DAM	76.6		M		85	3				0	0		0	.12	-1.21	[illegible]	[illegible]	.0			[illegible]		
BURLEY	84.9	45.8	65.4	5.1	97	4	33	14		6	0	0	0	.00	-.51	.00		.0					
BURLEY FACTORY 1 NW	82.8	44.2	63.5	5.2	97	4	29	14		3	0	2	0	.03	-.51	.03	5	.0	0		1		
BURLEY CAA AP	82.8	41.2	62.0	3.0	97	3	28	14	104	3	0	2	0	T	-.88	T	11	.0	0				
CHILLY BARTON FLAT	74.0	28.9	51.5	0.7	84	23	17	14	400	0	0	27	0	.55	-.36	.45	11	.0			2		
CONDA	77.1	38.0	57.6	4.7	85	4	24	14		0	0	8	0	.40	-1.19	.13	5	.0	0		4		
DRIGGS	75.9	37.9	56.9M	5.3	86	4	24	14		0	0	7	0	.35	-1.08	.28	12	.0			4		
DUBOIS EXP STA	77.7	44.4	61.1	4.8	86	3	32	14	121	0	0	1	0	.07	-.80	.04	12	.0	0		1		
DUBOIS CAA AP	79.3	42.6	61.0	3.2	89	3	33	14	125	0	0	0	0	.10	-.85	.10	11	.0	0		1		
FORT HALL IND AGENCY	81.6	41.8	61.7M	3.9	93	3	28	14	105	2	0	1	0	.10	-.70	.10	11	.0	0		1		
GRACE PH	77.1	39.6	58.4	2.2	84	3	26	14	195	0	0	1	0	.14	-.93	.06	5	.0			3		
GRAY	80.1	37.1	58.6	6.1	88	2	25	14	187	0	0	2	0	.24	-.83	.24	12	.0			1		
GROUSE	74.8	30.7	57.8		83	3	19	14	362	0	0	20	0	.38	-.73	.33	11	.0			2		
HAMER 4 NW	81.0	37.8	59.4	4.3	90	3	24	14	170	1	0	6	0	.12	-.61	.12	11	.0			1		
IDAHO FALLS 6 NE	78.2	41.5	59.9		88	3	29	14	156	0	0	1	0	.04		.04	11	.0			1		
IDAHO FALLS CAA AP	79.1	42.3	60.7	3.7	89	3	29	14	132	0	0	1	0	.20	-.62	.17	11	.0			4		
IRWIN 2 S	80.1	40.9	60.5	6.9	89	3	30	14	146	0	0	2	0	.57	-.61	.22	11	.0			[illegible]		
ISLAND PARK DAM	74.8	33.3	54.1	2.7	82	3+	24	14	321	0	0	16	0	.90	-.80	.45	[illegible]	T			3		
LIFTON PUMPING STA	73.5	40.4	57.0	1.5	84	4	30	14	237	0	0	1	0	.36	-.48	.18	12	.0			3		0
MACKAY RS	76.7	40.4	58.6	2.8	86	3	30	14	186	0	0	1	0	.34	-.46	.32	11	.0			3		0
MALAD	83.4	45.2	64.3	5.6	91	3	35	14	54	2	0	0	0	.43	-.70	.21	4	.0	0		3		
MALAD CAA AP	83.7	39.5	61.6		91	3	27	14	109	1	0	2	0	.24		.13	4	.0	0		3	0	0
MAY RS	78.8	36.0	57.4	1.9	87	18	24	14	219	0	0	8	0	.20	-.49	.14	11	.0	0		2		0
MC CAMMON	83.8	38.0	60.9		94	5	28	14	134	1	0	2	0	.19		.08	10	.0	0		3	0	0
MINIDOKA DAM	81.1	48.2	64.7		93	3	35	14	62	2	0	0	0	.00		.00		.0	0		0	0	0
MONTPELIER RS	79.9	38.0	59.0M	4.3	88	4	23	14		0	0		0	.47	-.59	.30	12	.0	0		3		0
OAKLEY	80.4	45.5	63.0	3.5	92	3	31	12	86	2	0	1	0	.07	-.69	.04	5	.0	0		2		0
PALISADES DAM	79.3	40.8	60.1M		88	3	28	1	156	0	0	2	0	.89		.32	12	.0	0		[illegible]	0	0
POCATELLO WB AP //R	81.4	43.7	62.6	3.3	94	3	32	14	85	1	0	1	0	.06	-.68	.05	11	.0			2	0	0
PRESTON SUG FACT 2SE	83.6	42.7	63.2	5.1	90	3	35	13+	79	1	0	0	0	.15	-.85	.08	13	.0	0		2	0	0
REACTOR TESTING STA	79.7	36.6	58.2		90	3	24	15	201	1	0	6	0	.00		.00		.0	0		0		0
RUPERT	85.9	42.3	64.1M	5.3	97	4	32	14		8	0	1	0	T	-.56	T	11	.0	0		0	0	0
SAINT ANTHONY	79.3	38.0	58.7	4.3	88	3+	26	14	188	0	0	2	0	.23	-.85	.11	12	.0	0		3	0	0
SPENCER RS	75.8	35.3	55.6	3.0	83	4+	23	14	277	0	0	9	0	.38	-.80	.21	12	.0	0		2	0	0
SPRINGFIELD	83.1	39.0	61.1	3.6	95	3	27	14	121	3	0	3	0	.05	-.76	.05	11	.0	0		1	0	0
SUGAR	79.0	36.4	57.7M	3.1	88	3	24	14	216	0	0		0	.15	-.82	.13	10	.0	0		2	0	0
TETONIA EXP STA	76.0	35.5	55.8		85	3	23	14	271	0	0	7	0	.23		.22	11	.0	0		2		
DIVISION			59.7	3.8										.23	-.69			T					
STATE			60.6	3.3										.27	-.72			T					

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.04				T							.04																				
ALBION	.00																															
[illegible]	[illegible]				T	[illegible]	.15			.04		.02	.02																			
AMERICAN FALLS 1 NW	.28				T							.28																				
ANDERSON DAM	T											T																				
ARCO	.23											.20																				
ARROWROCK DAM	[illegible]				[illegible]	T	[illegible]						[illegible]																			
ASHTON 1 S	.23										.10	.13																				
ATLANTA	[illegible]					T	[illegible]					.01																				
AVERY RS	[illegible]					.32		[illegible]	.01				[illegible]																			
BAYVIEW MODEL BASIN	[illegible]					.06	[illegible]	T		.20			.05	T		T																
BIG CREEK	.27			.07	[illegible]		.12						.02																			
BLACKFOOT	.10											.10																				
BLACKFOOT DAM	.12				.02	.03					[illegible]	.02	.02																			
BLISS	.00																															
BOISE LUCKY PEAK DAM	.00																															
BOISE WB AP	.05			T	T		.05			T		T																				
BONNERS FERRY	.47			T			.06		.10	.22	.03		.06																			
BUHL	.00																															
[illegible]	.53			T	[illegible]	[illegible]	[illegible]	[illegible]	T		[illegible]	[illegible]	.08			[illegible]																
BURKE 2 ENE	1.14			T		[illegible]	.03	.02	[illegible]	.04	T	.03	.59	[illegible]																		
BURLEY	.00																															
BURLEY FACTORY 1 NW	.03					[illegible]																										
BURLEY CAA AP	T											T																				
CALDWELL	.13				T		.13	T																								
CAMBRIDGE	.33					.11	.22																									
CASCADE 1 NW	[illegible]				T	[illegible]	[illegible]	[illegible]			T		.06	[illegible]																		
CENTERVILLE ARBAUGH RANCH	.11			T	.01	T	.10					T																				
CHALLIS	.03			T								.03																				
CHILLY BARTON FLAT	.55					[illegible]		T				[illegible]																				
CLARK FORK	.81						.15			.55			.11																			
[illegible]	.04			T				.03					[illegible]																			
[illegible]	.26			T		T	T		.05	.13			[illegible]																			
[illegible]	[illegible]					.06		[illegible]	.03	[illegible]	.07		T																			
CONDA	.40					.13						[illegible]	.09	[illegible]																		
[illegible]	[illegible]			[illegible]	[illegible]	.28	.05			.05	.05	.01	.03																			
[illegible]	-	-			-	-	-		-	-	-		-		-	-	-	-	-	-	-	-	-	-	-	-						
[illegible]	[illegible]						T			[illegible]		.02																				
[illegible]	.11			[illegible]	[illegible]		.03			[illegible]		.02	T																			
DEER FLAT DAM	.00																															
[illegible]	[illegible]			[illegible]	.08		.11						.03																			
DRIGGS	.35					.02			.02			.03	.28																			
DUBOIS EXP STA	.07											.03	[illegible]																			
DUBOIS CAA AP	.10											.10																				
ELK CITY	.26			T	.02																											

DAILY PRECIPITATION

Table 3–Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
[illegible]	[illegible]				[illegible]	[illegible]	[illegible]	[illegible]																								
EMMETT 2 E	[illegible]																															
[illegible]	[illegible]					[illegible]		[illegible]					[illegible]																			
[illegible]	[illegible]							T					[illegible]																			
FORT HALL IND AGENCY	[illegible]										T	[illegible]																				
[illegible]	[illegible]						[illegible]				[illegible]																					
[illegible]	T				[illegible]																											
GOODING CAA AP	T				T																											
[illegible]	[illegible]					[illegible]					[illegible]	[illegible]																				
GRAND VIEW	[illegible]																															
GRANGEVILLE	[illegible]			[illegible]			T			[illegible]	[illegible]	[illegible]																				
[illegible]	[illegible]												.24																			
GROUSE	[illegible]					[illegible]						[illegible]																				
HAILEY	[illegible]			[illegible]	T			T																								
HAMER 4 NW	[illegible]						T					[illegible]																				
[illegible]	[illegible]											[illegible]																				
HILL CITY	T					T																										
HOWE	[illegible]												[illegible]																			
IDAHO CITY	T				T																											
[illegible]	[illegible]				T		[illegible]					.08																				
[illegible]	[illegible]											[illegible]																				
IDAHO FALLS CAA AP	[illegible]				[illegible]						.02	[illegible]																				
IRWIN 2 S	[illegible]				T	.06						[illegible]	[illegible]	[illegible]	[illegible]																	
[illegible]	[illegible]										.45	.28	.17																			
JEROME	[illegible]					[illegible]																										
KAMIAH [illegible]	[illegible]				.03	.17	[illegible]				[illegible]	T																T				
KELLOGG	[illegible]					.15		.05		[illegible]	[illegible]			[illegible]														T				
KOOSKIA	[illegible]			T	.12	.04	[illegible]	T				[illegible]	[illegible]																			
KUNA 2 NNE	T			T	T		T					T																				
LEWISTON WATER PLANT	[illegible]			[illegible]		[illegible]	T	[illegible]		[illegible]																						
LEWISTON WB AP	[illegible]			.1	T	.32	T	[illegible]	T	[illegible]	[illegible]	T																T				
LIFTON PUMPING STA	.30										[illegible]	[illegible]	[illegible]																			
LOWMAN	[illegible]						.03																									
MACKAY RS	.34				[illegible]						[illegible]	[illegible]																				
MALAD	.43				[illegible]		T				.12	[illegible]																				
MALAD CAA AP	[illegible]				[illegible]		T				[illegible]	.06																				
MAY RS	[illegible]					[illegible]						[illegible]																				
MC CALL	[illegible]				[illegible]	[illegible]	.26			[illegible]																						
MC CAMMON	[illegible]				[illegible]		T	T			[illegible]	[illegible]																				
[illegible]	[illegible]																															
MESA	[illegible]						.32																									
MINIDOKA DAM	[illegible]																															
MONTPELIER RS	[illegible]							.04				[illegible]	[illegible]															[illegible]				
MOSCOW U OF I	[illegible]					[illegible]			[illegible]	[illegible]	[illegible]																					
MOUNTAIN HOME	T				T		T																									
MULLAN PASS CAA	[illegible]					[illegible]	[illegible]	[illegible]	[illegible]	T		T	.58																			
NAMPA 2 NW	.13				[illegible]			[illegible]																								
NEW MEADOWS RS	[illegible]					[illegible]	.13																									
NEZPERCE 2 E	[illegible]			.10	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]																			
OAKLEY	[illegible]				.23	[illegible]																										
OBSIDIAN 4 NNE	[illegible]						[illegible]					[illegible]																				
[illegible]	.40					[illegible]	.12				[illegible]	[illegible]																				
OROFINO	[illegible]					[illegible]	T	[illegible]	T	[illegible]		T	[illegible]	T																		
PALISADES DAM	[illegible]				[illegible]	[illegible]					.16	.29	.32																			
PARMA EXP STA	[illegible]						[illegible]					T	T																			
PAUL 1 E	[illegible]					[illegible]																										
PAYETTE	.81				.13		.55			T		.04	[illegible]															[illegible]				
PIERCE RS	.49				.08	[illegible]	[illegible]	T			[illegible]		.07																			
PINE 2 SSW	T			T		T	T						T																			
POCATELLO WB AP	[illegible]				[illegible]							[illegible]																				
PORTHILL	[illegible]							[illegible]	T	[illegible]	T																					
POTLATCH	[illegible]					.48				[illegible]																						
PRESTON SUG FACT 2 SE	[illegible]											[illegible]		[illegible]																		
PRIEST RIVER EXP STA	[illegible]						[illegible]	T		[illegible]	T		[illegible]																			
REACTOR TESTING STA	[illegible]																															
RICHFIELD	[illegible]			T		[illegible]																										
RIGGINS RS	.36			[illegible]	T		.26	.06				[illegible]	[illegible]																			
ROLAND W PORTAL	.44					[illegible]	.30	[illegible]	[illegible]	[illegible]		[illegible]	.30	T																		
RUPERT	T											T																				
SAINT ANTHONY	[illegible]									[illegible]	[illegible]	[illegible]																				
SAINT MARIES	[illegible]					.47			[illegible]	[illegible]			[illegible]																			
SALMON	[illegible]			T								T	.07																			
SANDPOINT EXP STA	[illegible]						.46		.04	[illegible]	T		[illegible]																			
SHOSHONE	[illegible]				T	[illegible]																										
SPENCER RS	[illegible]					T						[illegible]	[illegible]																			
SPRINGFIELD	[illegible]				T							[illegible]																				
STIBNITE	.54			[illegible]	[illegible]	[illegible]		[illegible]	[illegible]			T	[illegible]																			
SUGAR	[illegible]										[illegible]	[illegible]																				
SUN VALLEY	[illegible]					[illegible]		T					T																			
[illegible]	[illegible]				[illegible]					[illegible]																						
TETONIA EXP STA	[illegible]						T				[illegible]	[illegible]	[illegible]																			
TWIN FALLS 2 NNE	T				T	T						T																				
TWIN FALLS 3 SE	T						T																				T	T				
WALLACE	[illegible]					.21	[illegible]	T	.04	.16	[illegible]		[illegible]																			
[illegible]	[illegible]					[illegible]	[illegible]	[illegible]		[illegible]	[illegible]				[illegible]																	
WEISER	[illegible]					.32																										
[illegible]	[illegible]				[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]																				

See reference notes following Station Index

DAILY TEMPERATURES

ble 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
[illegible]	MAX	[illegible]	84	90	84	83	83	82	84	84	81	72	70	68	72	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	83	[illegible]	[illegible]	87	[illegible]	87	[illegible]	[illegible]	78	79		81.0
	MIN	[illegible]	34	41	37	46	40	48	44	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	32	33	35	41	42	43	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		38.8
[illegible]	MAX	[illegible]	82	[illegible]	85	79	78	[illegible]	81	80	[illegible]	78	76	64	77	82	[illegible]	83	86	[illegible]	[illegible]	[illegible]	84	[illegible]	[illegible]	[illegible]	89	[illegible]	[illegible]	77	76		[illegible]
	MIN	42	[illegible]	40	59	47	[illegible]	[illegible]	39	[illegible]	[illegible]	44	28	45	[illegible]	27	30	[illegible]	34	[illegible]	36	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	34	[illegible]		[illegible]
[illegible]	MAX	[illegible]	81	81	81	72	70	[illegible]	[illegible]	66	74	70	60	57	74	[illegible]	[illegible]	[illegible]	83	[illegible]	82	[illegible]	[illegible]	[illegible]	84	84	85	74	75	76	75		[illegible]
	MIN	[illegible]	[illegible]	37	36	[illegible]	[illegible]	34	[illegible]	[illegible]	40	44	41	23	19	22	[illegible]	[illegible]	27	30	[illegible]	[illegible]	27	26	[illegible]	[illegible]	[illegible]	[illegible]	21	[illegible]	[illegible]		28.7
ERICAN FALLS 1 NW	MAX	74	[illegible]	93	90	83	[illegible]	81	83	84	84	76	[illegible]	67	69	[illegible]	80	[illegible]	[illegible]	[illegible]	80	78	[illegible]	85	[illegible]	86	[illegible]	80	77	78	78		80.9
	MIN	42	38	48	59	47	[illegible]	44	46	[illegible]	[illegible]	48	40	44	29	32	34	34	38	44	[illegible]	51	[illegible]	[illegible]	40	39	42	49	45	41	38		41.9
[illegible]	MAX	[illegible]	87	92	[illegible]	[illegible]	79	81	[illegible]	78	[illegible]	72	68	69	[illegible]	[illegible]	88	87	[illegible]	90	[illegible]	86	88	88	87	90	[illegible]	[illegible]	77	[illegible]	80		83.4
	MIN	[illegible]	48	54	[illegible]	[illegible]	52	[illegible]	[illegible]	51	[illegible]	[illegible]	41	41	42	45	47	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	44	[illegible]	46		49.2
[illegible]	MAX	80	[illegible]	[illegible]	[illegible]	88	79	81	79	79	[illegible]	72	67	[illegible]	72	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	[illegible]	88	82		78	78		[illegible]
	MIN	[illegible]	41	[illegible]	47	41	[illegible]	41	[illegible]	[illegible]	34	48	[illegible]	45	[illegible]	30	[illegible]	42	37	[illegible]	[illegible]	36	35	[illegible]	39	[illegible]	[illegible]	[illegible]		[illegible]	40		37.8
[illegible]	MAX	[illegible]	80	89	94	89	84	77	79	83	70	74	70	68	[illegible]	79	84	87	[illegible]	90	90	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	[illegible]	79	78	[illegible]		82.6
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	52	53	47	47	49	[illegible]	48	39	36	[illegible]	40	44	46	[illegible]	[illegible]	[illegible]	[illegible]	49	48	47	[illegible]	48	[illegible]	42	42	44		[illegible]
[illegible]	MAX	69	[illegible]	85	[illegible]	84	[illegible]	87	80	79	[illegible]	[illegible]	66	[illegible]	[illegible]	74	80	79	[illegible]	78	73	[illegible]	[illegible]	84	[illegible]	[illegible]	80	80	72	77	[illegible]		[illegible]
	MIN	31	[illegible]	37	47	[illegible]	46	41	[illegible]	43	41	45	41	36	[illegible]	28	[illegible]	[illegible]	38	43	[illegible]	44	41	40	43	38	39	41	[illegible]	[illegible]	32		[illegible]
[illegible]	MAX	[illegible]	80	84	[illegible]	74	[illegible]	72	74	[illegible]	[illegible]	75	[illegible]	[illegible]	[illegible]	77	81	81	[illegible]	84	[illegible]	[illegible]	[illegible]	83	83	[illegible]	81	[illegible]	[illegible]	76	76		77.2
	MIN	35	39	47	49	44	43	41	41	44	39	45	34	29	34	36	42	43	45	47	47	47	47	46	44	45	45	[illegible]	36	39	[illegible]		42.1
[illegible]	MAX	[illegible]	86	87	[illegible]	83	76	[illegible]	[illegible]	65	[illegible]	79	[illegible]			85		[illegible]	90	89			90	90	91	[illegible]	[illegible]			[illegible]	78		82.5
	MIN	[illegible]	40	45	[illegible]	53	41	46	39	45	39	42	39		34		[illegible]		[illegible]	[illegible]			39	40	41	42	45			37	[illegible]		41.1
[illegible]	MAX	[illegible]	72	87	[illegible]	[illegible]	[illegible]	66	[illegible]	59	63	69	75	[illegible]	[illegible]	72	[illegible]	[illegible]	91	[illegible]	79	[illegible]	78	76	76	76	[illegible]	[illegible]	[illegible]	[illegible]	82		76.6
	MIN	[illegible]	36	[illegible]	47	[illegible]	47	47	34	[illegible]	49	40	[illegible]	33	[illegible]	[illegible]	[illegible]	34	43	46	46	57	41	36	36	40	46	42	42	35	48		42.0
[illegible]	MAX	79	82	87	[illegible]	[illegible]	72	71	74	[illegible]	77	[illegible]	[illegible]	60	73	77	[illegible]	[illegible]	[illegible]	80	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	82	84	76	74	77	76		77.1
	MIN	24	[illegible]	37	[illegible]	36	30	28	30	[illegible]	40	43	41	25	[illegible]	21	[illegible]	24	26	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	22	[illegible]	[illegible]		27.9
[illegible]	MAX	75	[illegible]	93	[illegible]	84	82	83	85	[illegible]	[illegible]	69	70	68	[illegible]	82	[illegible]	85	86	[illegible]	[illegible]	83	84	[illegible]	[illegible]	[illegible]	90	80	77	80	79		82.2
	MIN	37	39	47	[illegible]	50	44	[illegible]	48	45	43	47	37	41	[illegible]	36	37	[illegible]	[illegible]	44	45	[illegible]	[illegible]	[illegible]	40	40	41	46	[illegible]	41	[illegible]		42.5
[illegible]	MAX	[illegible]	78	85	[illegible]	[illegible]	81	[illegible]	82	80	79	62	64	[illegible]	69	77	79	79	81	81	76		80		[illegible]	[illegible]	81	78	73	74			76.6
	MIN	38	27	34	[illegible]	49	[illegible]	39	36																								
[illegible]	MAX		88	94	91	84	83	85	84	83	80	75	[illegible]	71	[illegible]	[illegible]	[illegible]	92	[illegible]	[illegible]	[illegible]	88	91	90	89	92	93	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	44		54	54	[illegible]	49	49	49	[illegible]	[illegible]	52	35	44	39	42	41	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	45	46	44	47	46	[illegible]	[illegible]	40		45.9
[illegible]	MAX	90	[illegible]	[illegible]									[illegible]	68	70		[illegible]	[illegible]	[illegible]	90			[illegible]	90	89	93	93	[illegible]	[illegible]		84		
	MIN	42	56	54									37	36	37	38		[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	48	49	[illegible]	48	42	44			
[illegible]	MAX	77	88	90	[illegible]	83	[illegible]	77	81	69	71	71	68	68	77	81	[illegible]	[illegible]	[illegible]	90	83	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87	79	[illegible]	[illegible]	79		[illegible]
	MIN	46	[illegible]	56	58	53	[illegible]	46	[illegible]	[illegible]	47	46	39	[illegible]	[illegible]	45	49	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	54	[illegible]	54	[illegible]	44	47	[illegible]		49.8
NNER FERRY	MAX	79	[illegible]	[illegible]	84	[illegible]	75	69	60	59	68	78	[illegible]	[illegible]	75	79	81	[illegible]	[illegible]	86	[illegible]	[illegible]	83	[illegible]	84	[illegible]	89	76	76	[illegible]	76		[illegible]
	MIN	41	39	54	44	47	47	43	[illegible]	47	47	43	40	33	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	42	44	39	39	40	42	46	57	[illegible]	[illegible]	42		43.0
[illegible]	MAX	75	[illegible]	90	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76	70	[illegible]	75	[illegible]	[illegible]	87	[illegible]	[illegible]	[illegible]	[illegible]	84	[illegible]	[illegible]	86	[illegible]	83	77	80	[illegible]		[illegible]
	MIN	47	[illegible]	[illegible]	62	[illegible]	[illegible]	52	[illegible]	53	[illegible]	[illegible]	41	44	39	46	50	[illegible]	54	60	57	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	MAX	81	[illegible]	88	[illegible]	[illegible]	89	70	73	70	64	65	66				[illegible]	[illegible]	90	87				[illegible]	91	[illegible]	91	84	[illegible]	[illegible]	[illegible]		82.0
	MIN	[illegible]	44	46	54	[illegible]	47	51	[illegible]	46	[illegible]	[illegible]	52				[illegible]	[illegible]	37	[illegible]				41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36		[illegible]
[illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	59	55	54	[illegible]	67	60	54	[illegible]	71	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	70	67		69.8
	MIN	34	[illegible]	[illegible]	46	47	41	42	[illegible]	[illegible]	43	44	40	[illegible]	[illegible]	36	[illegible]	40	[illegible]	43	[illegible]	[illegible]	38	41	39	[illegible]	[illegible]	[illegible]	34	36	36		39.6
RLEY	MAX	73	[illegible]	89	97	[illegible]	[illegible]	[illegible]	84	87	81	85	77	72	70	77	[illegible]	[illegible]	90	89	89	[illegible]	[illegible]	[illegible]	[illegible]	90	93	94	82	[illegible]	82		84.9
	MIN	48	43	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	47	42	48	40	45	[illegible]	37	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	47	47	45	43	[illegible]	49	44	45		45.8
[illegible]	MAX	72	78	84	[illegible]	[illegible]	81	[illegible]	84	[illegible]	84	82	71	74	74	[illegible]	[illegible]	86	86	[illegible]	[illegible]	[illegible]	84	[illegible]	84	[illegible]	90	91	79	78	79		[illegible]
	MIN	41	[illegible]	49	52	[illegible]	[illegible]	[illegible]	49	48	[illegible]	[illegible]	[illegible]	45	29	[illegible]	[illegible]	36	40	40	[illegible]	[illegible]	40	[illegible]	40	39	39	48	40	[illegible]	[illegible]		44.2
[illegible]	MAX	77	[illegible]	97	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	83	[illegible]	73	70	[illegible]	76	85	[illegible]	87	[illegible]	[illegible]	[illegible]	83	[illegible]	[illegible]	88	91	[illegible]	[illegible]	78	79	79		[illegible]
	MIN	43	[illegible]	47	57	[illegible]	43	41	41	[illegible]	[illegible]	43	[illegible]	35	[illegible]	32	[illegible]	[illegible]	40	43	[illegible]	[illegible]	42	42	39	39	40	[illegible]	44	37	39		41.2
[illegible]	MAX	82	[illegible]	[illegible]	[illegible]	81	76	78	84		77	75	71	70	77	84	[illegible]	[illegible]	[illegible]	92	[illegible]	[illegible]	87	84	[illegible]	[illegible]	88	81	79	84	[illegible]		[illegible]
	MIN	45	43	51	[illegible]	48	50	47	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	43	46	46	45	44	43	44	[illegible]	44	50	[illegible]	38	40		43.8
[illegible]	MAX	83	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	81	79	88	82	79	[illegible]	[illegible]	84	[illegible]	[illegible]	[illegible]	90	92	[illegible]	88	[illegible]	[illegible]	91	[illegible]	[illegible]	79	[illegible]	[illegible]	76		[illegible]
	MIN	43	37	41	[illegible]	[illegible]	44	45	40	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	41	40	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	MAX	73	[illegible]	84	83	74	74	67	73	[illegible]	71	66	62	61	[illegible]	76	79	80	83	82	[illegible]	80	[illegible]	[illegible]	[illegible]	80	[illegible]	71	70	74	73		[illegible]
	MIN	33	34	[illegible]	45	[illegible]	[illegible]	39	34	41	45	47	43	28	[illegible]	32	[illegible]	35	37	[illegible]	37	[illegible]	[illegible]	[illegible]	37	37	[illegible]	41	[illegible]	[illegible]	[illegible]		37.3
[illegible]	MAX	74	84	83	85	81	77	[illegible]	81	[illegible]	79	77	65	[illegible]	[illegible]	[illegible]	81	83	87	84	[illegible]	[illegible]	84	84	[illegible]	84	[illegible]	81	75	79	79		79.5
	MIN	[illegible]	[illegible]	48	51	44	41	[illegible]	40	41	42	[illegible]	42	36	[illegible]	35	[illegible]	[illegible]	43	47	47	44	[illegible]	40	43	[illegible]	41	46	[illegible]	[illegible]	39		41.4
[illegible]	MAX	69	78	[illegible]	82	[illegible]	[illegible]	74	72	[illegible]	71	65	61	[illegible]	[illegible]	[illegible]	74	75	[illegible]	80	78	74	77	84	[illegible]	79	77	[illegible]	71	[illegible]	73		74.0
	MIN	[illegible]	26	32	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	26	[illegible]	30	29	17	21	[illegible]	26	28	[illegible]	[illegible]	31	[illegible]	[illegible]	31	[illegible]	29	32	30	[illegible]	27		28.9
[illegible]	MAX	79	85	89	[illegible]	86	73	69	60	57	[illegible]	78	69	[illegible]	74	79	83	[illegible]	[illegible]	[illegible]	84	[illegible]	[illegible]	[illegible]	[illegible]	83	84	[illegible]	77	79	75		78.3
	MIN	[illegible]	[illegible]	47	47	53	44	45	34	45	[illegible]	40	44	[illegible]	30	32	[illegible]	39	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	37	40	[illegible]	[illegible]	[illegible]	36		39.3
[illegible]	MAX		66	75	74	74	[illegible]	70	71	72	69	70	[illegible]	51	[illegible]	[illegible]	70	71	[illegible]	74	[illegible]	67	[illegible]	71	72	72	74	76	67	[illegible]	68		68.4
	MIN		30	36	41	41	[illegible]	[illegible]	[illegible]	35	37	[illegible]	41	27	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	38	[illegible]	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]		34.7
[illegible]	MAX	[illegible]	[illegible]	87	[illegible]	71	[illegible]	65	[illegible]	[illegible]	66	73	66	[illegible]	73	[illegible]	[illegible]	[illegible]	87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	77	72		[illegible]
	MIN	44	[illegible]	52	57	49	49	[illegible]	38	47	45	43	45	[illegible]	[illegible]	39	[illegible]	[illegible]	47	48	[illegible]	54	46	43	43	46	47	49	[illegible]	37	48		45.3
[illegible]	MAX	80	[illegible]	89	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	77	81	[illegible]	84	[illegible]	[illegible]	87	86	[illegible]	[illegible]	88	92	[illegible]	87		81	77		[illegible]
	MIN	40	[illegible]	54	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	48	46	51	36	37	37	[illegible]	[illegible]	46	47	45	[illegible]	37	[illegible]	43	44	47		45	[illegible]	49		45.1
[illegible]	MAX	65	[illegible]	[illegible]	85	[illegible]	82	[illegible]	81	80	[illegible]	78	63	67	[illegible]	[illegible]	79	80	79	81	[illegible]	[illegible]	[illegible]	[illegible]	81	[illegible]	[illegible]	84	78	73	75		77.1
	MIN	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	49	42	[illegible]	[illegible]	45	37	31	24	31	[illegible]	32	[illegible]	38	46	[illegible]	[illegible]	33	33	[illegible]	[illegible]	38	34	35	31		[illegible]
[illegible]	MAX	77	86	88	[illegible]	70	[illegible]	65	68	[illegible]	[illegible]	67	64	[illegible]	74	82	80	84	[illegible]	83	[illegible]	[illegible]	85	[illegible]	[illegible]	87	91	74	[illegible]	81	73		76.4
	MIN	37	47	52	50	[illegible]	43	44	39	[illegible]	45	44	46	32	28	[illegible]	39	[illegible]	44	49	44	44	[illegible]	43	40	42	44	[illegible]	35	[illegible]	38		42.3
[illegible]	MAX	81	[illegible]	93	[illegible]	[illegible]	76	[illegible]	[illegible]	74	74	70	74	76	78	[illegible]	92	[illegible]	[illegible]	[illegible]	89	89	[illegible]	91	[illegible]	90	89	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	44	[illegible]	55	50	47	42	44	39	51	[illegible]	55	44	44	32	45	42	43	47	[illegible]	59	[illegible]	44	43	[illegible]	[illegible]	43		35	38	38		45.5
[illegible]	MAX	[illegible]	82	[illegible]	[illegible]	75	[illegible]	74	75	66	77	[illegible]	[illegible]	66	76	[illegible]	83	82	84	86	82	81	82	[illegible]	[illegible]	83	86	75	72	76	[illegible]		[illegible]
	MIN	26	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]		[illegible]	[illegible]	30	28	[illegible]	[illegible]	24	[illegible]	[illegible]		30.4
[illegible]	MAX	80	[illegible]	90	87	[illegible]	76	76	[illegible]	76	76	74	70	70	[illegible]	[illegible]	[illegible]	[illegible]	87	88	[illegible]	86	[illegible]	[illegible]	85	[illegible]	86	80	77	81	[illegible]		[illegible]
	MIN	44	45	[illegible]	53	[illegible]	[illegible]	[illegible]	42	48	[illegible]	49	[illegible]	45	[illegible]	40	40	40	46	51	48	47	46	46	46	[illegible]	45	[illegible]	41	[illegible]	44		[illegible]
[illegible]	MAX	71	78	[illegible]	76	72	[illegible]	66	69	[illegible]	[illegible]	66	56	[illegible]	[illegible]	75	78	80	[illegible]	[illegible]	[illegible]	79	82	82	[illegible]	79	82	[illegible]	74	78	[illegible]		74.3
	MIN	22	[illegible]	[illegible]	[illegible]	[illegible]	26	[illegible]	26	33	35	45	36	24	15	21	[illegible]	24	27	30	28	29	27	37	[illegible]	24	25	22	[illegible]	24	[illegible]		27.8
[illegible]	MAX	61	[illegible]	80	86	78	[illegible]	[illegible]	80	[illegible]	[illegible]	75	63	[illegible]	57	[illegible]	77	75	78	78	79	81	76	76	78	[illegible]	[illegible]	[illegible]	81	79			75.9
	MIN	28	[illegible]	39	[illegible]	46	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	39	[illegible]	40	36	[illegible]	36	37	[illegible]	43	[illegible]	32	[illegible]		37.9
[illegible]	MAX	[illegible]	78	[illegible]	85	[illegible]	[illegible]	81	80	[illegible]	[illegible]	70	[illegible]	61	71	75	80	79	81	[illegible]	79	75	[illegible]	[illegible]	81	81	83	[illegible]	[illegible]	73	[illegible]		77.7
	MIN	39	41	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	42	47	[illegible]	[illegible]	48	44	48	36	[illegible]	44	46	43	41	[illegible]		44.4
[illegible]	MAX	72	80	89	86	[illegible]	86	[illegible]	[illegible]	84	80	65	[illegible]	64	74	78	[illegible]	81	[illegible]	84	82	[illegible]	82	[illegible]	[illegible]	[illegible]	84		72	75	77		79.3
	MIN	[illegible]	37	[illegible]	[illegible]	46	44	46	45	49	40	48	[illegible]	[illegible]	33	37	[illegible]	36	43	43	[illegible]	[illegible]	45	[illegible]	44	47	42	43	47	40	38		42.6
[illegible]	MAX	[illegible]	84	[illegible]	84	79	75	[illegible]	[illegible]	[illegible]	60	59	[illegible]	60	78	80	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	82	82	[illegible]	83	87	90	84	71	79	74		77.2
	MIN	24	24	34	46	[illegible]	34	[illegible]	[illegible]	37	47	48	43	35	19	19	21	[illegible]	26	[illegible]	27	29	25	[illegible]	[illegible]		23	24	[illegible]	21	22		29.3
[illegible]	MAX	[illegible]	[illegible]	[illegible]	84	[illegible]	79	[illegible]	[illegible]	65	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	78	[illegible]	84	84	86	[illegible]	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	78		[illegible]
	MIN	34	[illegible]	[illegible]	32	34	34	34	36	35	35	38	36	34	34	33	32	[illegible]	34	[illegible]	44	[illegible]	34	[illegible]	34	34	[illegible]	35	[illegible]	[illegible]	[illegible]		34.2
[illegible]	MAX	82	89	92	90	[illegible]	[illegible]	[illegible]	82			[illegible]			[illegible]	[illegible]	87	91	92	92	[illegible]	[illegible]	89	90	90	90	90	[illegible]	80	85	82		[illegible]
	MIN	[illegible]	[illegible]	51	[illegible]	50	[illegible]	42	42				[illegible]		[illegible]	[illegible]	37	44	42	45	[illegible]	40	44	42	44	44	44	[illegible]	[illegible]	38	[illegible]		[illegible]
[illegible]	MAX	[illegible]	[illegible]	[illegible]	86	84	87	[illegible]	78	[illegible]	78	71	[illegible]	[illegible]	81	81	84	[illegible]	[illegible]	[illegible]	84	[illegible]	84	[illegible]	[illegible]	[illegible]	[illegible]	87	[illegible]	79	[illegible]		81.5
	MIN	31	[illegible]	41	42	41	[illegible]	[illegible]	36	37	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	31	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	30	30	[illegible]		[illegible]
[illegible]	MAX	84	88	93	[illegible]	83	80	73	77	75	[illegible]	66	[illegible]	72	78	[illegible]	[illegible]	86		91	[illegible]	89	89	89	[illegible]	87	[illegible]	[illegible]	80		[illegible]		[illegible]
	MIN	[illegible]	40	[illegible]	[illegible]	54	[illegible]	49	43	49	53	53	56	45	35	38	39	38	40	45	43	43	[illegible]	[illegible]	40	39	[illegible]	48	[illegible]	37	37		[illegible]
[illegible]	MAX	[illegible]	83	[illegible]	[illegible]	[illegible]	82	[illegible]	[illegible]	84	82	[illegible]	67	[illegible]	75		[illegible]	[illegible]	84	87	86	81	[illegible]	[illegible]	87	[illegible]	90	80	76	78	[illegible]		81.6
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		36	42	45	46	[illegible]	39	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]		41.8
[illegible]	MAX	[illegible]	91	90	92	[illegible]	[illegible]	[illegible]	85	81	80	78	[illegible]	73	[illegible]	[illegible]	91	92	92	95	91	90	91	93	94	94	93	90	[illegible]	[illegible]	[illegible]		86.7
	MIN	37	37	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	45	48	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	42	42	41	[illegible]	39	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]		39.3
[illegible]	MAX	82	[illegible]	[illegible]	[illegible]	95	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	73	73	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	[illegible]	[illegible]	90	[illegible]	90	89	[illegible]	[illegible]	81	[illegible]	[illegible]		[illegible]
	MIN	42	38	40	[illegible]	[illegible]	44	[illegible]	44	43	46	49	33	43	31	36	[illegible]	38	40	[illegible]	48	[illegible]	[illegible]	[illegible]	[illegible]	40	42	[illegible]	41	[illegible]	[illegible]		42.1
[illegible]	MAX	77	86	[illegible]	[illegible]	82	82	[illegible]	[illegible]	[illegible]	[illegible]	73	[illegible]	[illegible]	78	84	[illegible]	87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87	[illegible]	[illegible]	[illegible]	[illegible]	80	81		[illegible]
	MIN	47	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	[illegible]	47	[illegible]	42	39	[illegible]	46	49	49	[illegible]	[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	48		48.9
[illegible]	MAX	[illegible]	[illegible]	84	80	81	[illegible]	81	80	80	79	[illegible]	[illegible]	[illegible]	71	[illegible]	79	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	82	82	[illegible]	[illegible]	[illegible]	77	77		77.1
	MIN	[illegible]	[illegible]	41	54	49	[illegible]	47	44	[illegible]	40	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35	[illegible]	40	[illegible]	44	40	[illegible]	[illegible]	40	39	[illegible]	36	36	[illegible]		39.6
[illegible]	MAX	[illegible]	94	[illegible]	[illegible]	88	87	84	88	84	[illegible]	72	[illegible]	[illegible]	[illegible]	86	90	94	94	95	[illegible]	[illegible]	91	92	92	89							[illegible]
	MIN	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	49	[illegible]	36	44	34	33	39	46	42	[illegible]	54	47	45	43	43	41				[illegible]			45.0
[illegible]	MAX	[illegible]	86	[illegible]	80	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	64	[illegible]	64	74	[illegible]	[illegible]	87	87	[illegible]	[illegible]	82	83	84	86	88	[illegible]	71	74	[illegible]	73		76.3
	MIN	[illegible]	[illegible]	[illegible]	48	[illegible]	45	[illegible]	40	[illegible]	45	48	[illegible]	36	[illegible]	39	47	44	48	[illegible]	[illegible]	[illegible]	46	46	48	[illegible]	48	[illegible]	37	43	40		[illegible]

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
GRAY	MAX	79	88	86	86	85	86	87	82	84	77	78	76	70	65	75	76	78	79	79	78	81	80	79	80	81	80	81	82	83	82		80.1
	MIN	38	37	37	36	35	36	35	41	48	45	42	44	42	25	35	35	35	33	32	39	38	34	36	35	37	35	38	36	37	36		37.1
GROUSE	MAX	68	77	83	80	74	76	74	74	74	74	66	61	60	66	74	77	78	79	80	77	74	77	77	80	80	80	80	70	75	78		74.8
	MIN	29	37	34	41	35	28	37	35	30	25	42	29	33	19	22	27	28	31	34	34	32	31	31	32	30	30	33	28	25	29		30.7
HAILEY	MAX	77	84	88	85	78	76	77	77	78	81	78	69	69	72	81	85	86	85	86	84	83	85	84	84	85	86	82	76	79	81		80.7
	MIN	33	40	47	50	45	42	46	43	42	39	47	34	33	33	33	43	42	45	44	48	47	46	45	45	44	45	44	40	39	41		42.2
HAMER 4 NW	MAX	72	83	90	89	84	87	84	84	85	75	71	68	66	76	80	83	83	85	84	83	79	82	84	84	84	87	83	75	81	80		81.0
	MIN	33	34	40	48	44	41	44	44	45	35	51	34	39	24	28	33	31	35	39	52	48	44	30	32	34	37	36	35	35	29		37.8
HAZELTON	MAX	76	82	95	87	80	80	79	82	82	81	71	69	66	75	82	89	85	85	85	85	84	87	88	85	89	90	86	76	78	78		81.9
	MIN	40	41	49	61	50	47	47	44	44	44	40	37	42	30	36	39	41	41	41	48	52	46	44	42	42	41	50	42	39	42		43.4
HILL CITY	MAX	75	83	91	85	77	77	77	77	73	78	66	66	66	72	82	85	85	86	87	84	85	85	86	85	88	88	81	72	78	79		80.0
	MIN	32	32	40	41	38	33	39	39	37	40	39	30	32	22	25	28	33	37	43	40	36	36	35	33	33	34	44	40	26	33		35.0
IDAHO CITY	MAX	80	87	88	84	80	77	78	79	76	78	73	68	72	79	87	90	88	91	91	89	89	89	90	92	91	92	85	80	85	84		83.7
	MIN	31	32	40	44	38	36	34	32	38	43	47	30	27	24	27	30	32	34	37	46	36	36	34	34	32	33	39	27	28	30		34.0
IDAHO FALLS [illegible] NE	MAX	69	78	88	85	78	85	80	80	82	80	77	64	64	69	77	81	80	81	83	79	77	79	78	77	82	84	78	78	74	79		78.2
	MIN	34	38	43	56	52	43	53	46	48	45	41	36	43	29	35	34	35	40	44	43	45	42	43	42	38	40	43	43	36	35		41.5
IDAHO FALLS CAA AP	MAX	72	79	89	83	81	83	82	83	82	77	66	66	67	71	79	84	79	81	85	83	81	83	85	83	83	85	77	74	74	75		79.1
	MIN	41	38	44	59	49	43	48	48	47	45	49	37	40	29	36	36	39	40	44	44	48	41	39	39	39	41	44	45	37	35		42.3
IRWIN 2 S	MAX	72	82	89	80	83	84	83	84	85	79	82	72	62	76	80	80	79	82	82	80	81	81	82	82	84	85	82	77	77	76		80.1
	MIN	32	34	40	60	54	44	51	43	58	50	45	41	40	30	36	35	36	38	38	41	43	45	35	36	38	38	39	39	34	34		40.9
ISLAND PARK DAM	MAX	67	74	82	79	76	82	78	77	79	75	72	60	55	67	72	75	75	79	78	76	75	78	80	80	80	81	77	69	73	73		74.6
	MIN	26	28	32	44	40	33	39	37	35	32	44	36	34	24	30	30	29	33	34	43	42	32	31	32	34	30	31	30	26	28		33.
JEROME	MAX	78	85	95	90	82	81	81	85	82	77	73	71	69	78	85	89	88	88	89	87	89	89	90	88	91	91	90	80	82	81		84.1
	MIN	39	38	50	53	54	48	46	45	41	39	47	34	42	33	44	41	41	41	46	48	48	49	42	44	43	47	49	41	38	38		43.
KELLOGG	MAX	76	80	87	88	86	72	72	67	60	60	70	76	59	66	78	82	82	84	88	88	83	82	88	87	88	90	90	72	75	80		78.
	MIN	40	42	50	56	54	47	49	39	48	51	50	47	38	33	38	38	42	44	47	52	52	40	41	41	42	44	55	40	40	40		44.7
KOOSKIA	MAX	85	91	93	90	84	78	73	78	70	66	72	68	72	82	82	85	92	94	91	90	91	91	92	92	96	93	82	82	85	82		87.
	MIN	39	39	48	52	57	46	49	42	51	54	55	56	49	30	33	37	37	41	45	43	42	40	40	40	39	40	49	36	36	36		43.
KUNA 2 NNE	MAX	78	85	92	84	79	75	75	78			70	68	67	78	82	82	85	85	87		84	86	84	84	87	85	77	75	80	77		80.
	MIN	40	42	52	49	47	52	43	43	47			35	39	33	36	36	40	41	42		46	45	43	44	44	47	46	35	37	37		42.
LEWISTON WATER PLANT	MAX	86	91	88	89	88	80	76	75	67	68	80	78	75	80	86	88	89	93	93	93	91	90	91	91	95	96	88	82	86	82		85.
	MIN	50	50	55	57	59	51	59	59	53	50	52	51	41	39	42	44	44	50	53	49	48	46	47	44	46	48	60	43	43	45		49.
LEWISTON WB AP	MAX	82	90	85	88	76	78	73	69	57	65	76	74	70	79	85	87	87	92	89	90	89	89	89	89	92	92	75	80	82	79		81.
	MIN	47	50	55	55	57	51	52	47	51	51	51	53	43	39	43	46	48	52	55	51	54	49	51	50	50	57	50	44	45	45		49.
LIFTON PUMPING STA	MAX	69	75	83	84	78	76	77	77	76	74	63	60	62	67	76	74	78	79	76	72	67	70	72	72	71	82	73	75	74	73		73.
	MIN	37	36	39	52	49	46	48	47	47	40	47	40	36	30	34	38	36	38	39	53	48	39	37	36	38	37	38	37	37	33		40.
LOWMAN	MAX	79	78	88	85	80	70	77	79	68	78	78	66	68	79	86	86	83	84	89	85		87	88	85	87	89	78		80	82		80.
	MIN	30	33	37	40	37	35	34	31	36	43	41	35	27	22	30	31	30	33	31	35		35	34	32	29	30	37		26	28		32.
MACKAY RS	MAX	68	78	86	83	79	78	78	77	75	71	67	65	63	69	75	76	80	81	83	80	79	81	83	82	82	82	76	71	75	78		76.
	MIN	42	37	45	45	42	39	46	44	37	36	37	36	35	30	33	35	38	44	47	41	42	43	44	43	42	43	43	40	39	43		40.
MALAD	MAX	77	83	91	90	85	85	85	84	85	81	69	70	69	77	84	88	87	87	89	86	83	86	88	89	88	87	82	81	82	83		83.
	MIN	48	40	46	58	54	50	51	50	52	45	50	41	40	35	37	42	40	45	44	47	48	47	42	43	44	44	44	44	44	40		45.
MALAD CAA AP	MAX	77	84	91	88	85	87	87	85	86	82	72	71	69	78	84	87	88	87	87	85	84	85	87	88	89	88	84	81	82	82		83.
	MIN	43	35	40	51	51	46	47	42	47	42	42	36	34	27	33	35	35	39	39	40	42	43	37	37	39	38	37	38	39	32		39.
MAY RS	MAX	76	85	95	80	82	79	82	82	80	80	70	63	63	73	80	84	83	87	85	82	81	85	86	85	81	81	71	67	71	75		78.
	MIN	32	45	42	44	41	36	39	35	40	36	49	39	36	24	27	32	35	36	42	36	32	37	35	37	33	35	42	32	30	32		36.
MC CALL	MAX	72	78	79	78	74	67	63	69	66	62	60	56	62	70	76	80	80	82	80	78	78	82	82	82	80	82	75	70	84	72		74.
	MIN	34	31	48	42	42	36	32	33	41	42	45	42	28	25	32	34	36	38	42	40	42	38	40	36	36	36	44	30	32	32		37.
MC CAMMON	MAX	79	82	88	85	94	87	87	87	85	82	76	70	77	71	68	86	85	89	89	85	86	87	86	86	87	87	87	86	86	84		83.
	MIN	37	33	38	61	54	43	45	42	40	38	38	36	40	28	31	38	33	34	38	38	38	37	36	37	37	36	35	34	33	33		38.
MERIDIAN 1 SSW	MAX	80	87	89	88	80	75	79	80	70	72	74	68	69	78	80	83	86	87	90	88	66	85	87	89	87	86	78	76	81	77		81.
	MIN	50	52	51	52	47	58	55	50	53	48	50	39	35	40	42	46	48	47	52	50	55	51	50	52	51	52	50	42	45	45		48.
MESA	MAX	83	91	90	87	84	74	80	75	73	67	69	69	72	87	85	92	92	92	91	92	93	92	92	91	91	90	89	90	86	84		84.
	MIN	49	53	51	50	52	48	48	40	46	45	44	45	39	42	43	50	51	57	56	55	56	55	52	50	53	50	50	48	43	46		49.
MINIDOKA DAM	MAX	74	81	93	80	83	82	84	84	83	82	70	68	67	69	82	82	83	83	83	87	84	84	85	87	90	89	85	75	77	76		81.
	MIN	50	45	53	63	56	52	48	48	45	42	49	40	46	35	44	47	45	47	48	53	55	51	47	48	50	52	54	46	46	42		48.
MONTPELIER RS	MAX		78	77	88	87	83	83	82	81	80	80	70		69	71	80	82	81	83	83	77	75	80	82	84	80	84	81	78	78		79.
	MIN		31	39	52	46	42	48	40	52	50	42	38		23	31	33	32	34	36	40	40	30	34	33	34	35	35	36	35	31		38.
MOSCOW U OF I	MAX	77	87	84	81	79	71	70	60	55	61	71	67	65	75	81	82	83	86	84	85	85	84	85	89	90	88	78	75	77	73		77.
	MIN	39	44	51	48	52	45	46	42	48	46	44	53	33	37	41	37	41	50	46	46	59	45	45	43	51	59	47	40	49	40		45.
MOUNTAIN HOME	MAX	84	94	99	99	87	86	87	89	82	79	80	79	75	80	91	94	96	96	97	92	92	93	93	94	96	98	93	93	90	88		89.
	MIN	46	46	51	51	53	54	48	46	51	48	50	36	38	38	41	41	44	45	50	51	53	47	47	45	46	53	54	42	40	45		46.
MULLAN PASS CAA	MAX	66	71	72	69	59	60	50	52	45	55	59	47	47	65	66	65	68	72	69	63	66	72	74	70	78	74	55	59	63	59		62.
	MIN	39	50	52	50	44	44	35	38	38	41	44	35	31	39	48	50	52	57	52	46	44	44	54	56	55	49	41	41	46	43		45.
NAMPA 2 NW	MAX	84	80	89	92	93	81	76	78	82	78	74	74	71	70	80	83	85	89	91	91	86	87	86	88	88	89	88	81	79	84		83.
	MIN	45	46	51	52	50	52	41	43	51	50	51	39	45	35	38	40	41	42	47	48	49	47	47	44	[illegible]	45	49	39	38	40		45.
NEW MEADOWS RS	MAX	78	82	86			65		75	69	63	62	65	65	69	85	86	88	89	86	85	85	87	88	87	86	85	85	87	86	82		79.
	MIN	26	26			41	43		32	42	44	42	44	22	18	22	23	26	30	28	23	32	30	30	28	26	28	29	29	28	25		30.
NEZPERCE 2 E	MAX	75	84	85	80	71	70	64	68	53	54	65	64	63	74	80	80	83	87	82	82	82	83	85	85	86	87	74	72	78	72		75.
	MIN	43	44	54	52	52	48	49	42	46	47	48	47	36	34	42	45	47	48	53	52	53	48	50	48	49	49	49	39	43	45		46.
OAKLEY	MAX	76	82	92	80	78	81	77	80	75	82	77	67	64	73	81	83	83	85	85	83	83	83	84	85	89	90	80	77	79	78		80.
	MIN	40	45	53	59	52	51	48	46	42	34	46	31	37	34	43	42	45	49	52	47	45	49	49	41	48	49	52	48	46	43		45.
OBSIDIAN 4 NNE	MAX	69	75	78	74	74	65	68	70	67	69	63	59	57	73	71	73	77	80	79	76	78	76	78	78	76	77	68	68	70	72		71.
	MIN	23	25	37	36	32	28	26	30	35	28	40	28	20	15	22	24	26	28	32	30	32	30	29	28	26	26	39	22	21	21		28.
OLA 4 S	MAX	83	90	91	89	83	76	77	80	77	78	79	73	80	80	87	91	97	91	93	91	88	90	92	94	92	94	91	89	86	83		86.
	MIN	43	42	51	45	43	43	42	40	43	48	54	35	32	35	35	37	44	44	46	46	47	45	44	47	47	42	39	38	40	39		42.
OROFINO	MAX	87	95	93	86	78	77	75	75	68		76	74	74	84	90	92	91	96	93	95	94	96	96	97	99	96	83	83	87	83		86.
	MIN	47	40	42	43	34	47	51	42	51		50	52	44	33	35	33	39	42	45	43	43	40	42	39	40	40	50	37	36	39		42.
PALISADES DAM	MAX	70	80	88	86	84	82	81	84	85	83	71	64	61	73	80	79	79	82	81	81		80	82	84	84	84	82	77	77	76		79.
	MIN	28	44	49	58	53	44	51	45	47	46	47	41	38	30	36	36	36	38	34	47		44	38	38	38	39	40	40	38	35		40.
PARMA EXP STA	MAX	82	84	92	89	83	79	78	82	78	79	77	72	77	79	82	88	92	92	93	90	88	87	90	90	90	90	86	77	85	85		84.
	MIN	48	42	52	53	50	47	46	44	50	49	50	38	41	35	37	42	46	46	50	49	47	49	43	46	43	42	54	42	39	39		45.
PAYETTE	MAX	83	86	88	88	81	76	76	79	67	75	74	67	70	74	79	84	87	87	91	85	84	85	84	87	84	82	80	77	79	80		80.
	MIN	47	42	53	54	50	50	44	45	53	52	54	42	45	36	36	40	43	43	45	50	51	43	43	42	43	43	59	39	37	40		45.
PIERCE RS	MAX	76	84	83	80	79	74	68	70	65	54	59	59	61	77	81	80	80		82	83	84	84	86		89		85	71	78	76		75.
	MIN	33	34	41	45	44	40	45	36	38	47	50	49	34	27	31	31	33		36	40	40	35	34		33		48	29	31	31		37.
POCATELLO WB AP	MAX	74	84	94	82	82	80	82	85	87	85	65	70	67	74	82	84	85	86	85	84	81	83	86	86	87	87	80	78	78	78		81.
	MIN	40	40	45	60	[illegible]	44	47	48	46	40	49	37	42	32	34	36	40	45	47	44	48	42	40	43	42	42	50	51	44	42		43.
PORTHILL	MAX	78	84	84	82	75	74	69	64	57	71	77	74	70	75	80	82	81	82	85	83	83	81	82	81	85	92	81	76	82	77		78.
	MIN	35	38	50	42	41	45	50	34	43	43	41	50	29	30	32	35	43	40	43	40	34	37	36	33	37	45	47	47	38	38		39.
POTLATCH	MAX	78	87	85	83	[illegible]	70	65	60	54	62	70	65	65	73	80	81	82	86	84	85	85	87	88	90	91	87	75	75	77	73		77.
	MIN	36	40	47	47	54	44	43	40	48	47	45	47	32	33	38	35	39	45	45	44	44	40	41	41	44	50	40	38	41	37		42.
PRESTON SUG FACT 2 SE	MAX	78	82	90	89	86	86	85	85	85	85	82	70	69	77	83	87	86	85	86	85	86	87	87	87	88	87	84	80	82	80		83.
	MIN	49	46	42	55	51	49	52	50	50	49	54	40	35	35	35	39	38	40	42	42	41	42	33	37	41	39	41	40	41	36		42
PRIEST RIVER EXP STA	MAX	77	83	78	80	72	70	64	62	56	68	75	71	68	75	77	79	82	85	84	84	82	83	83	86	89	85	80	73	76	73		76
	MIN	34	35	45	38	44	44	[illegible]	33	46	46	40	46	27	28	30	33	40	41	43	39	44	34	33	34	36	43	45	39	36	34		38
REACTOR TESTING STA	MAX	72	82	90	85	81	82	80	82	82	83	63	68	64	69	79	83	84	85	85	83	77	82	85	86	86	84	79	74	78	79		79
	MIN	36	33	39	55	42	36	39	43	37	36	42	33	31	25	24	37	35	39	40	46	50	36	34	36	33	33	37	34	32	32		36
RICHFIELD	MAX	73	82	89	82	79	80	81	80	79	82	74	67	67	73	81	82	82	83	86	84	82	84	85	85	86	86	79	73	76	77		80
	MIN	42	40	48	53	49	44	46	43	42	33	37	35	39	35	37	40	41	43	46	52	49	45	45	43	41	44	43	33	41	38		42
RIGGINS RS	MAX	86	93	100	99	93	85	71	77		63	70	69	70	81	91	90	9	93	93	90	88	91	94	93	94	97	97	82	90	89		86
	MIN	51	53	[illegible]	59	52	56	51	51	55	56	55	56	44	42	50	53	53	54	59	52	53	54	57	56	56	57	65	49	52	50		54
ROLAND W PORTAL	MAX	72	78	79	76	72	66	59	58	56	67	72	66	57	69	75	75	76	81	79	75	73	82	82	82	85	82	76	69	72	67		72
	MIN	39	38	44	46	47	44	42	35	42	43	44	44	30	29	42	37	[illegible]	[illegible]	46	51	[illegible]	44	46	35	41	45	48	34	38	37		41
RUPERT	MAX		81	87	97	86	88	81	84	87	89	85	77	72	70	75	89	91	89	89	89	91	85	91	93	93	96	94	81	80	81		85
	MIN		38	45	50	49	41	44	44	40	38	47	36	43	32	34	34	37	40	44	[illegible]	51	48	40	41	40	40	55	41	38	37		42
SAINT ANTHONY	MAX	[illegible]	79	88	84	82	88	82	82	83	71	65	65	64	74	78	84	82	82	84	83	81	82	84	83	84	86	79	80	76	77		79
	MIN	[illegible]	34	34	52	47	40	44	44	37	39	35	37	41	26	33	33	34	38	39	46	49	34	34	36	38	38	38	36	34	33		38

See reference notes following Station Index.

DAILY TEMPERATURES

able 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
AINT MARIES	MAX	79	86	91	87	87	74	69	66	59	[illegible]	[illegible]	75	79	[illegible]	[illegible]	84	[illegible]	90	89	[illegible]	87	[illegible]	88	[illegible]	94	[illegible]	87	[illegible]	86	[illegible]		[illegible]
	MIN	35	48	45	50	51	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	32		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	37	[illegible]	39	[illegible]	49	47	[illegible]	36		[illegible]
ALMON	MAX	79	88	84	89	87	84	[illegible]	86	85	88	70	[illegible]	65	75	[illegible]	84	[illegible]	[illegible]	89	[illegible]	82	[illegible]	90	[illegible]	87	79	84	78	87	[illegible]		[illegible]
	MIN	34	34	45	47	50	36	[illegible]	[illegible]	[illegible]	40	49	42	[illegible]	25	44	30	46	[illegible]	40	46	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]		37.3
ANDPOINT EXP STA	MAX	74	81	79	81	70	70	65	[illegible]	[illegible]	[illegible]	71	[illegible]	[illegible]	[illegible]	74	79	[illegible]	[illegible]	80	81	76	77	75	76	77	[illegible]	80	75	77	74		[illegible]
	MIN	38	[illegible]	45	41	48	43	49	[illegible]	48	46	[illegible]	50	31	[illegible]	34	[illegible]	[illegible]	40	[illegible]	43	44	37	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40		40.8
HOSHONE	MAX	76	84	93	88	80	81	80	82	80	84	72	[illegible]	[illegible]	[illegible]	83	88	86	[illegible]	[illegible]	[illegible]	[illegible]	87	[illegible]	[illegible]	89	[illegible]	[illegible]	[illegible]	78	79		[illegible]
	MIN	48	42	53	57	51	[illegible]	48	44	42	39	[illegible]	[illegible]	38	[illegible]	42	42	[illegible]	45	[illegible]	54	[illegible]	[illegible]	47	[illegible]	48	[illegible]	46	[illegible]	40	[illegible]		44.9
PENCER RS	MAX	68	75	82	83	79	83	79	78	79	78	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	78	[illegible]	79	76	72	79	80	80	[illegible]	[illegible]	77	74	73	[illegible]		[illegible]
	MIN	30	30	30	31	32	32	43	[illegible]	[illegible]	[illegible]	47	[illegible]	35	[illegible]	28	34	[illegible]	43	[illegible]	44	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]		[illegible]
PRINGFIELD	MAX	75	85	95	84	85	[illegible]	85	87	86	84	65	72	69	74	[illegible]	88	88	88	88	84	83	[illegible]	86	[illegible]	90	91	[illegible]	79	80	[illegible]		[illegible]
	MIN	36	[illegible]	40	50	45	[illegible]	[illegible]	[illegible]	41	[illegible]	46	[illegible]	35	[illegible]	31	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	42	[illegible]	[illegible]	32		[illegible]
TIBNITE	MAX	68	70	76	78	76	68	[illegible]	66	[illegible]	[illegible]	71	[illegible]	65	[illegible]	72	71	73	77	80	76	75	[illegible]	78	[illegible]	75	80	77	70	68	[illegible]		72.1
	MIN	34	32	37	42	40	39	[illegible]	35	39	38	41	39	[illegible]	[illegible]	34	[illegible]	[illegible]	39	42	40	40	40	40	34	39	[illegible]	39	34	31	34		[illegible]
UGAR	MAX	70	79	88	84	[illegible]	86	84	82	84	75	78	[illegible]	[illegible]	[illegible]	78	82	[illegible]	[illegible]	84	[illegible]				83	83	[illegible]	77	[illegible]	76	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	57	47	39	42	46	45	45	[illegible]	[illegible]	29	24	29	[illegible]	30	[illegible]	37	[illegible]				32	[illegible]	31	34	[illegible]	[illegible]	[illegible]		[illegible]
UN VALLEY	MAX	72	80	84	83	[illegible]	75	75	74	[illegible]	76	74	[illegible]	66	71	76	81	82	[illegible]	83	[illegible]	[illegible]	81	[illegible]	82	84	[illegible]	80	76	75	[illegible]		[illegible]
	MIN	28	[illegible]	34	[illegible]	36	[illegible]	35	29	[illegible]	[illegible]	46	26	25	[illegible]	[illegible]	[illegible]	28	[illegible]	34	[illegible]	33	[illegible]	[illegible]	[illegible]	28	28	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
AN FALLS PH	MAX	87	96	100	95	90	[illegible]	81	88	83	75	[illegible]	72	[illegible]	[illegible]	90	[illegible]	94	[illegible]	93	93	87	94	94	93	94	[illegible]	92	81	[illegible]	[illegible]		[illegible]
	MIN	55	54	59	62	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	53	[illegible]	54	[illegible]	[illegible]	62	48	48	[illegible]		[illegible]
ETONIA EXP STA	MAX	65	75	85	82	78	[illegible]	[illegible]	79	81	76	[illegible]	[illegible]	58	67	74	[illegible]	76	78	79	[illegible]	[illegible]	76	79	[illegible]	79	[illegible]	[illegible]	[illegible]	77	[illegible]		[illegible]
	MIN	25	30	[illegible]	40	44	39	[illegible]	44	[illegible]	41	[illegible]	[illegible]	32	[illegible]	26	34	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
WIN FALLS 2 NNE	MAX	78	86	95	90	[illegible]	82	81	[illegible]	[illegible]	74	72	[illegible]	67	77	84	90	[illegible]	[illegible]	87	[illegible]	86	[illegible]	90	[illegible]	89	[illegible]	[illegible]	77	79	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	58	50	45	48	44	44	40	49	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	43	48	48	51	[illegible]	43	42	41	42	[illegible]	46	40	42		[illegible]
WIN FALLS 3 SE	MAX	76	77	85	93	88	81	78	79	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	84	[illegible]	87	87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	[illegible]	81	[illegible]		[illegible]
	MIN	40	42	49	[illegible]	[illegible]	42	[illegible]	44	44	41	47	[illegible]	42	31	34	40	44	[illegible]	[illegible]	49	49	44	46	[illegible]	44	44	41	[illegible]	43	[illegible]		[illegible]
ALLACE	MAX	74	80	83	81	69	69	65	60	[illegible]	[illegible]	[illegible]	[illegible]	70	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	81	[illegible]	[illegible]	82	[illegible]	88	[illegible]	71	72	75	69		74.8
	MIN	[illegible]	[illegible]	46	50	51	43	[illegible]	[illegible]	44	47	[illegible]	46	41	31	37	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	41	40	[illegible]	54	37	[illegible]	38		[illegible]
ALLACE WOODLAND PARK	MAX	71	75	81	83	81	70	67	[illegible]	[illegible]	54	63	74	[illegible]		75	79	78	[illegible]	83	[illegible]	79	79	81	[illegible]	[illegible]	[illegible]	87	67	[illegible]	76		[illegible]
	MIN	36	[illegible]	40	[illegible]	[illegible]	43	45	[illegible]	40	42	[illegible]	46	35	[illegible]		37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	40	40	40	[illegible]	50	[illegible]	[illegible]	[illegible]		[illegible]
EISER	MAX	88	92	92	84	76	[illegible]	79	82	68	78	78	[illegible]	76	[illegible]	86	[illegible]	91	[illegible]	95	[illegible]	[illegible]	91	[illegible]	[illegible]	90	90	[illegible]	80	[illegible]	[illegible]		[illegible]
	MIN	44	38	[illegible]	49	[illegible]	[illegible]	46	[illegible]	56	47	[illegible]	49	52	[illegible]	34	[illegible]	43	[illegible]	45	47	[illegible]	[illegible]	40	42	40	42	50	[illegible]	[illegible]	36		[illegible]
INCHESTER 1 SE	MAX	76	83	83	78	73	68	61	66	57	50	65	64	60	74	81	80	[illegible]	84	[illegible]	[illegible]	80	[illegible]	84	[illegible]	[illegible]	[illegible]	75	[illegible]	78	70		[illegible]
	MIN	32	[illegible]	38	46	49	44	45	[illegible]	42	43	44	45	34	28	35	35	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	44	49	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]

EVAPORATION AND WIND

able 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
BERDEEN EXP STATION	EVAP	.26	.19	.24	.16	.03	.31	.31	.19	.14	.35	.15	.16	.21	.13	.17	.19	.19	.23	.27	.05	.21	.16	.13	.07	.27	.14	.16	.24	.14	-		B 5.64
	WIND	36	95	3	127	45	55	63	50	33	119	76	117	154	50	6	35	25	62	34	12	31	32	9	21	17	28	119	118	49	89		1710
RROWROCK DAM	EVAP	.28	.23	.25	.22	.21	.26	.07	.21	.24	.11	.18	.13	.16	.21	.20	.22	.25	.24	.23	.27	.20	.22	.22	.22	.21	.20	.20	.22	.17	.19		6.22
	WIND	58	27	22	22	30	28	30	31	27	35	45	39	42	46	29	24	27	28	23	38	22	24	22	22	22	17	17	32	24	24		877
IFTON PUMPING STATION	EVAP	.20	.19	.24	.29	.34	.23	.24	.28	.33	.30	.08	.13	.14	.14	.19	.17	.22	.21	.16	.26	.25	.22	.17	.17	.19	.15	.19	.20	.18	.17		6.23
	WIND	68	38	40	107	92	89	86	97	196	222	173	87	55	42	49	35	47	43	54	140	120	103	58	37	54	36	50	62	48	46		2374
INIDOKA DAM	EVAP	.32	.40	.24	.29	.29	.36	.26	.25	.31	.40	.33	.27	.26	.25	.24	.23	.32	.34	.31	.24	.27	.22	.26	.22	.28	.25	.35	.36	.23	.33		8.68
	WIND	140	70	100	100	105	115	80	50	60	180	190	150	190	110	115	75	70	85	65	90	110	90	60	50	70	80	110	115	75	100		3000
OSCOW U OF I	EVAP	.25	.24	.22	.24	.07	.11	.18	.08	.03	.08	.16	.14	.19	.15	.15	.18	.17	.21	.17	.19	.23	.15	.06	.27	.19	.30	.29	.12	.16	.11		5.09
	WIND	30	33	44	38	30	20	88	25	23	37	30	115	47	45	32	9	19	31	16	16	49	24	21	23	38	60	109	22	52	26		1152
ALISADES DAM	EVAP	.03	.33	.26	.28	.17	.13	.29	.21	.25	.35	.07	.10	.17	.13	.10	.35	.13	.33	.22	.22	*	.40	.20	.26	.24	.23	.22	.21	.18	.22		6.28
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 16	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	U S BUR RECLAMATION	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	5P	5P	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D'ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D'ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	5P	5P	DAN GOODMAN	2 3 5
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 02	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	S
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	[illegible]	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	3P	3P	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	ROY POTTER	S
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L F TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

+ And also on a later date or dates.

* Amounts included in following measurements, time distribution unknown.

/ Gage is equipped with a windshield.

This entry in time of observation column in Station Index means after rain.

Adjusted to a full month.

Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.

Daily precipitation values and monthly total from recording gage.

Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.

This entry in time of observation column in Station Index means sunset.

Trace, an amount too small to measure.

Includes total for previous month.

This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-101056 1000 11-5-52


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage ○ Non recording;
● Recording, ◑ Both types
Double circle combinations Complete Meteorological.
Hourly precipitation data from recorder substations are not available.
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry
Benton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 2 NW
Deer Park
Mount Spokane
Bayview Model Basin
Trout Creek 2 W
Coeur d'Alene CAA AP
Deception Cr
Spokane WB AP
Thompson Falls
Coeur d'Alene RS
Kellogg
Burke 2NNE
Mullan Pass CAA Sta
Wallace Woodland PK
Wallace
Saint Maries
Haugan
Roland W Portal
Rosalia
Plummer 3WSW
Avery RS
Tekoa
Superior CAA AP
Clarkia RS
Potlatch
Missoula WB AP
Missoula 2 WNW
Colfax 1 NW
Pullman Exp Sta
Elk River 1 S
Moscow U of Ida
Wawawai
Bungalow RS
Lolo Pass
Pomeroy
Lewiston Wtr Pl
Orofino
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Winchester 1SE
Kamiah 1NE
Hamilton
Nezperce 2 E
Kooskia
Moose Creek RS
Anatone
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Dixie
Wisdom
Riggins RS
Joseph
Jackson
Polaris
Salmon
Big Creek 1 S
Cobalt Blackbird Mine
Cornucopia 5 NNW
New Meadows RS
Yellow Pine
Grant
Halfway
McCall
Stibnite
Hebgen Dam
Pungo Creek
Richland
Council 1 N
Landmark RS
Leadore
Dell
Lima
Lima Dam
West Yellowstone
Mesa
Turkey 3 NNW
May RS
Monida 5 NE
Lakeview
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Dell 19 SW
Island Park Dam
Cascade RS
Huntington
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Spencer RS
Weiser
Dubois Exp Sta
Bechler River
Snake River
Ola 4 S
Crouch 2NNW
Ashton 1S
Grassy Lake Dam
Payette
Lowman
Jackson Peak
Dubois CAA AP
Ontario CAA AP
Obsidian 4NNE
Hamer 4NW
St Anthony
Vale
Garden Valley RS
Chilly Barton Flat
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Tetonia Exp Sta
Moran
Nyssa
Emmett 2E
Mackay RS
Little Valley Exp Sta
Idaho City
Atlanta 1E
Sugar
Alta
Adrian
Bogus Basin
Vienna
Howe
Owyhee Dam
Caldwell
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Arco
Driggs
Moose 3 NW
Nampa 2NW
Idaho Cy 13SW
Arrowrock Dam
Shake Cr RS
Meridian 1SSW
Dollarhide Summit
Idaho Falls 6 NE
Deer Flat Dam
Trinity Lake GS
Hailey
Reactor Testing Sta
Kuna 2 NNE
Boise LP Dam
Soldier Cr RS
Idaho Falls CAA AP
Irwin 2S
Boise WB AP
Pine 2SSW
Jackson
Prairie
Palisades Dam
Fairfield
Anderson Dam
Swan Falls PH
Hill City
Blackfoot
Mountain Home
Springfield
Sheaville
Putnam Mt
Gray
Richfield
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Danner
Rome
Bliss
Shoshone
Aberdeen Exp Sta
Blackfoot Dam
Bedford 2 SE
Gooding 1 E
Pocatello WB AP
Gooding CAA AP
Jerome
Bancroft
Conda
Grover 2 S
Minidoka Dam
American Falls 1NW
Paul 1E
Buhl
Burley 1NW
Rupert
McCammon
Grace PH
Twin Falls 2NNE
Hazelton
Burley CAA AP
Twin Falls 3SE
Burley
Hollister
Albion
Montpelier RS
Oakley
Border 3 N
Bridge
Malad
Lifton Pump Sta
Malad CAA AP
Three Creek
Preston 2SE
Ida Vada
Lewiston
Richmond
Owyhee
Snowville
Jarbidge
Amalga
Laketown
Sage
Contact
Park Valley
Garland
Bothwell
Logan USAC Exp Sta
Logan USAC
Revised 9-52-WRPC

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

OCTOBER 1952
Volume LV No. 10

See note concerning, "Hourly Precipitation Data" on page 117 of this issue.

SAN FRANCISCO: 1952

IDAHO - OCTOBER 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Dry, sunny weather prevailed throughout the State this month; prolonging to six weeks or more the unseasonably warm, dry spell that began in mid-September. This contrasts sharply with October 1951, which was the wettest on record and averaged nearly 7° cooler than October 1952. State-wide average precipitation was the lowest since such records began in 1893. In the Northern and Southwestern Divisions lower averages were recorded in only one October, 1895, but the Southeastern Division average of a trace was the lowest on record, the previous low being 0.07 in 1917. Not one station in the State failed to report subnormal precipitation, while at the same time reporting above-normal temperatures.

Sunshine was far above the mean of all past years of record, winds were generally light and thunderstorms conspicuous by their absence. No damaging storms were reported and only a very few stations reported snowfall - the greatest total being 2.4 inches at Dixie in Idaho County.

The first 18 days of the month were almost wholly without precipitation in the State, while average daily temperatures were almost continuously above normal throughout the month. From the 19th to the 24th a few showers occurred, mostly in the Northern Division. During the last three days of the month two weak storm fronts moved eastward across Idaho, producing general light showers in the north and in the northern half of the Southwestern Division.

Harvesting operations were carried on under nearly ideal conditions throughout the month. Potato and sugar beet digging were more than 80 percent complete by the end of the month, with high yields and good quality reported for both crops. Clover seed harvest was virtually unimpeded this year, in contrast to 1951, when some of the crop was lost because of rains. Most of the apple crop was picked during the month. As for soil preparation and fall seeding, the continued drought was a definite handicap. In northern areas, where early planting had been accomplished, stands of grain were spotty, while in extensive areas in the east fall seeding of wheat was impossible because of dry soils. Pastures and ranges were below normal for the season. Very few spots in the State had not experienced killing frost by the close of the month. The fire hazard on forest and range lands was unusually high but because of the absence of lightning storms there were comparatively few fires, none of which covered any extensive area.

DJS

SUPPLEMENTAL DATA

Station	Wind direction: Prevailing	Wind direction: Percent of time from prevailing	Wind speed m p h: Average	Wind speed m p h: Fastest mile	Wind speed m p h: Direction of fastest mile	Wind speed m p h: Date of fastest mile	Relative humidity averages percent: 5:30A MST	Relative humidity averages percent: 11:30A MST	Relative humidity averages percent: 5 30P MST	Relative humidity averages percent: 11:30P MST	Number of days with precipitation: Trace	Number of days with precipitation: 01–09	Number of days with precipitation: 10–49	Number of days with precipitation: 50–99	Number of days with precipitation: 1 00–1 99	Number of days with precipitation: 2 00 and over	Number of days with precipitation: Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
OISE WB AIRPORT	SE	28	6.8	23+	NW	4	49	33	33	45	2	0	0	0	0	0	2	88	2.4	SEE TABLE 2.
WISTON WB AIRPORT	-	-	-	-	-	-	68	50	30	-	1	2	0	0	0	0	3	-	4.1	
CATELLO WB AIRPORT	SW	16	5.9	26+	W	12	56	32	22	42	0	0	0	0	0	0	0	87	2.7	

COMPARATIVE DATA

ble 1

Year	Temperature: Average	Temperature: Highest	Temperature: Lowest	Precipitation: Average	Precipitation: Average snowfall	Precipitation: No. of days .01 or more
1893	44.3	80	3	1.89	-	7
1894	46.7	88	9	2.30	-	10
1895	49.3	93	3	.09	-	1
1896	47.4	96	8	.84	-	[illegible]
1897	46.9	92	4	1.58	-	5
1898	43.8	88	0	1.08	0.5	[illegible]
1899	43.9	90	4	2.41	4.3	8
1900	47.0	87	5	2.29	0.8	9
1901	51.4	90	10	1.06	T	4
1902	48.7	91	12	.49	0.6	4
1903	49.1	86	7	1.15	1.0	6
1904	49.2	90	7	1.33	0.6	7
1905	42.6	89	- 3	1.12	2.4	6
1906	49.1	92	- 1	.67	0.9	5
1907	52.2	92	16	.98	T	5
1908	44.7	85	3	2.40	2.3	7
1909	47.8	87	5	1.01	1.2	6
1910	49.3	94	7	1.48	T	6
1911	44.6	88	5	1.57	1.3	5
1912	43.7	88	7	2.34	1.5	9
1913	44.0	87	8	1.51	2.2	6
1914	49.0	[illegible]	13	1.81	0.2	9
1915	49.2	91	6	.55	0.2	4
1916	43.8	87	1	1.06	0.9	6
1917	47.0	92	-16	.18	0.7	1
1918	49.0	88	10	2.33	0.6	8
1919	41.0	87	-12	1.58	7.1	8
1920	44.0	92	2	2.54	5.5	11
1921	50.2	91	9	.75	0.3	4
1922	49.8	94	4	.74	0.4	4
1923	45.5	91	- 5	2.38	1.3	8
1924	46.8	85	11	2.06	1.9	8
1925	45.0	80	8	1.23	0.2	5
1926	48.4	90	2	.86	T	4
1927	48.3	97	1	1.69	0.5	8
1928	48.3	88	9	1.32	1.1	7
1929	48.4	89	- 1	.73	0.2	4
1930	45.0	81	6	1.75	0.6	9
1931	47.8	89	12	1.38	0.3	6
1932	45.6	91	0	1.04	0.6	5
1933	50.4	91	0	1.77	0.7	5
1934	49.7	[illegible]	13	1.76	1.0	8
1935	46.4	95	- 9	.80	2.4	5
1936	48.2	89	- 1	.28	0.1	2
1937	49.7	88	10	1.15	T	6
1938	48.6	88	14	2.50	0.4	11
1939	47.5	85	6	1.29	0.9	7
1940	49.8	91	16	2.02	0.3	9
1941	46.0	83	9	1.41	0.8	9
1942	48.4	92	2	1.12	0.6	6
1943	49.1	95	- 3	2.15	2.2	10
1944	52.2	89	8	.67	T	4
1945	50.0	91	- 2	1.04	0.6	6
1946	41.5	85	3	2.48	2.2	10
1947	50.0	90	10	2.48	0.2	11
1948	47.8	87	5	.70	0.2	4
1949	42.5	86	6	1.53	3.9	7
1950	50.1	90	9	2.13	0.5	9
1951	44.7	87	3	2.73	1.7	11
1952	51.5	92	9	.07	T	†

† Less than one half.

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

ANNOUNCING THE RESUMPTION OF PUBLICATION OF HOURLY PRECIPITATION DATA

Hourly precipitation data were published in Climatological Data through September 1951, at which time it was necessary to discontinue publication of hourly amounts, because of withdrawal of fiscal support.

Recent developments make possible the resumption of publication of these data in a new bulletin entitled "Hourly Precipitation Data". There will be one bulletin for each of the 42 climatological sections in the United States and one for Alaska. (Climatological sections correspond to States except that the six New England States comprise a single section and Maryland and Delaware comprise another.)

"Hourly Precipitation Data" will be issued monthly, with an annual summary issue. The first month to be published will be October 1951, and publications thereafter will be as rapid and as regular as funds permit. The price will be 10 cents per copy; $1.00 per year (including the annual). Checks and money orders for subscriptions should be made payable to the "Treasurer of the United States". Remittances and correspondence should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

CLIMATOLOGICAL DATA

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	74.3	33.0	53.7M	4.9	86	7	26	14+	335	0	0	15	0	.38	- 2.44	.25	30	.0	0		3	0	0
BAYVIEW MODEL BASIN	65.1	32.4	48.8		81	2+	22	25+	498	0	0	16	0	.24		.24	31	.0	0		1	0	0
BIG CREEK 1 S	68.4	18.9	43.7		79	1+	11	14+	654	0	0	31	0	.34	- 1.27	.28	31	1.0			2	0	0
BONNERS FERRY			M							0	0		0	.28	- 1.56	.26	30		0		2	0	0
BUNGALOW RS	70.6	31.4	51.0		88	4	25	25+	427	0	0	18	0	.46	- 3.43	.28	31	.0	0		2	0	0
BURKE 2 NNE	62.4	33.1	47.8	5.5	78	7	24	14	529	0	0	11	0	.53	- 3.00	.33	30	.0	0		3	0	0
CLARK FORK 1 ENE	68.1	28.8	48.5	2.3	81	2	21	14+	506	0	0	26	0	.35	- 3.12	.32	30	.0	0		2	0	0
COBALT BLACKBIRD	57.9	28.0	43.0		69	3	19	14+		0	0	26	0	T		T	30	.0	0		0	0	0
COEUR D ALENE CAA AP	66.6	36.8	51.7		79	2	25	14	403	0	0	6	0	.21		.15	29	.0	0		2	0	0
COEUR D ALENE RS	69.5	35.6	52.6	4.5	81	2+	26	26+	378	0	0	9	0	.35	- 1.45	.30	30	.0	0		2	0	0
COTTONWOOD	68.7	34.6	51.7	4.3	82	2+	25	14	405	0	0	9	0	.42	- 1.35	.24	31	.0	0		3	0	0
DIXIE	66.6	19.2	42.9		79	7	10	29	678	0	0	31	0	.27		.24	31	2.4			3	0	0
ELK CITY	70.4	18.9	44.7		85	7	9	14	626	0	0	30	0	.52		.43	31	.6	T	31	3	0	0
ELK RIVER 1 S	72.4	27.8	50.1		82	7	21	18+	455	0	0	27	0	.07		.05	30	.0	0		2	0	0
FENN RS	70.7	34.4	52.6	1.4	83	3	24	15	378	0	0	11	0	.34	- 2.63	.24	31	.0	0		2	0	0
GRANGEVILLE	67.7	36.9	52.3	3.9	82	2	27	14	386	0	0	5	0	.38	- 1.88	.29	31		0		3	0	0
KELLOGG	70.1	34.1	52.1	4.3	83	8	26	26+		0	0	11	0	.20	- 2.48	.12	30	.0	0		3	0	0
KOOSKIA	73.6	31.5	52.6	1.3	86	2	23	15+	376	0	0	17	0	.39	- 1.71	.19	31	.0	0		3	0	0
LEWISTON WATER PLANT	72.8	39.1	56.0	2.8	85	2+	31	25+	273	0	0	4	0	.05	- 1.18	.04	30	.0	0		2	0	0
LEWISTON WB AP	71.0	41.0	56.0	4.1	85	2	33	14+	273	0	0	0	0	.03	- 1.18	.02	30	.0	0		2	0	0
MOSCOW U OF I	70.7	37.3	54.0	5.1	82	7	27	25	335	0	0	4	0	.04	- 1.64	.04	30	.0	0		1	0	0
MULLAN PASS CAA	55.8	40.6	48.2	8.2	70	7	26	31	510	0	1	5	0	.34	- 3.22	.27	30	T	0		3	0	0
NEZPERCE 2 E	66.5	39.1	52.8		79	2+	29	14+	371	0	0	3	0	.24		.17	21	.0	0		3	0	0
OROFINO	74.7	34.4	54.6	3.3	89	2	27	15+	320	0	0	13	0	.10	- 2.00	.07	30	.0	0		3	0	0
PIERCE RS	70.4	30.0	50.2M	3.2	83	2+	21	28	456	0	0		0	.43	- 2.52	.27	31	.0	0		2	0	0
POTLATCH	69.8	32.6	51.2	3.0	84	7	25	24	421	0	0	17	0	.08	- 1.77	.05	30	.0	0		2	0	0
PRIEST RIVER EXP STA	67.4	28.3	47.9	3.5	79	7	20	28	528	0	0	26	0	.47	- 2.17	.24	30	.0	0		4	0	0
ROLAND W PORTAL	65.1	34.8	50.0	5.1	80	7	25	25	459	0	0	6	0	.37	- 3.59	.24	30	.0	0		2	0	0
SAINT MARIES	72.1	31.0	51.6	3.3	85	7	24	14+	410	0	0	19	0	.20	- 1.93	.09	30	.0	0		3	0	0
SALMON	70.9	24.6	47.8M	2.3	85	2	15	29	527	0	0	29	0	T	- .64	T	31		0		0	0	0
SANDPOINT EXP STA	64.1	30.9	47.5	1.3	79	2	21	26	538	0	0	18	0	.48	- 2.08	.40	30	.0	0		3	0	0
WALLACE	65.6	33.3	49.5	2.4	77	3+	26	14+	472	0	0	15	0	.46	- 2.75	.40	30	.0	0		4	0	0
WALLACE WOODLAND PK	68.9	31.6	50.3M	3.0	82	8	24	15+		0	0	17	0	.32	- 2.58	.22	31	.0	0		2	0	0
WINCHESTER 1 SE	68.6	33.5	51.1	4.3	81	7	23	14	424	0	0	12	0	.13	- 2.04	.07	30	.0	0		2	0	0
DIVISION			50.3	2.8										.28	- 1.96			.1					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	69.7	20.2	45.0	1.6	80	7+	12	15+	615	0	0	30	0	.09	- 1.87	.05	30	.0	0		3	0	0
ANDERSON DAM	73.9	41.8	57.9		85	8	34	15	215	0	0	0	0	.00				.0	0		0	0	0
ARROWROCK DAM	72.5	37.7	55.1	4.2	83	3	30	15		0	0	3	0	.00	- 1.24			.0	0		0	0	0
ATLANTA 1 E	70.5	36.1	53.3	10.6	78	1+	24	14	355	0	0	8	0	T	- 1.95	T	19	.0	0		0	0	0
BLISS	76.7	36.8	56.8	6.1	84	2+	26	15	250	0	0	8	0	.00	- .65			.0	0		0	0	0
BOISE LUCKY PEAK DAM			M		86	2+				0	0	0	0	.00				.0	0		0	0	0
BOISE WB AP	71.9	41.9	56.9	6.8	82	2	33	14	247	0	0	0	0	T	- 1.24	T	19+	.0	0		0	0	0
BUHL	73.2	43.6	58.4	7.7	83	8	31	27	198	0	0	1	0	.00	- .89			.0	0		0	0	0
CALDWELL	73.1	35.1	54.1M	2.0	84	1	27	15	332	0	0	13	0	T	- .78	T	30	.0	0		0	0	0
CAMBRIDGE	71.4	30.1	50.8	1.3	83	3	22	15+	433	0	0	22	0	.03	- 1.17	.03	19	.0	0		1	0	0
CASCADE 1 NW	66.3	28.9	47.6		75	1+	20	15	531	0	0	21	0	.16		.08	21	T	0		4	0	0
CHALLIS	68.5	32.3	50.4	4.3	80	2	24	28	446	0	0	18	0	.05	- .52	.05	21	.0	0		1	0	0
COUNCIL 1 N	73.9	32.1	53.0	3.1	87	1	21	16	367	0	0	17	0					.0	0				
DEADWOOD DAM	69.5	23.8	46.7	4.4	81	8	18	14+	561	0	0	31	0	.08	- 2.01	.05	31	T	T	31	3	0	0
DEER FLAT DAM	71.8	36.5	54.2	3.3	80	1+	27	28	328	0	0	9	0	T	- .72	T	29	.0	0		0	0	0
EMMETT 2 E	73.4	34.6	54.0M	1.3	86	2	26	16	335	0	0	12	0	.00	- .90			.0	0		0	0	0
FAIRFIELD	72.1	27.2	49.7M		79	2	16	15	468	0	0	25	0	.00				.0	0		0	0	0
GARDEN VALLEY RS	74.7	30.7	52.7M	4.1	92	1	22	17	372	1	0	18	0	.01	- 1.54	.01	19	.0	0		1	0	0
GLENNS FERRY	76.3	32.3	54.3	3.0	86	8	22	15	323	0	0	14	0	.00	- .59			.0	0		0	0	0
GOODING CAA AP	73.6	41.2	57.4	8.3	85	8	31	14	231	0	0	4	0	.00	- .78			.0	0		0	0	0
GRAND VIEW	76.4	34.6	55.5	4.0	88	3	25	15	288	0	0	11	0	.00	- .79			.0	0		0	0	0
HAZELTON	74.0	35.4	54.7	3.9	88	6+	21	15	312	0	0	10	0	.00	- .86			.0	0		0	0	0
HILL CITY	70.9	27.2	49.1	4.9	79	1+	15	15	486	0	0	25	0	.00	- 1.02			.0	0		0	0	0
HOLLISTER	72.9	37.6	55.3M	6.2			21	15	295	0	0	5	0	.00	- .88			.0	0		0	0	0
IDAHO CITY	76.8	25.5	51.2	3.1	87	8	13	14	422	0	0	29	0	.00	- 1.39			.0	0		0	0	0
JEROME	75.5	35.6	55.6	4.4	86	7+	25	15	284	0	0	10	0	.00	- .68			.0	0		0	0	0
KUNA 2 NNE	71.8	34.4	53.1	1.6	82	2	26	16	358	0	0	11	0	T	- .95	T	30	.0	0		0	0	0
LOWMAN		23.3	M		85	7	18	14+		0	0		0	T	- 1.56	T	31	.0	0		0	0	0
MC CALL	65.3	27.2	46.3	3.5	74	2+	19	15	580	0	0	29	0	.21	- 1.71	.18	31	.0	0		3	0	0
MERIDIAN 1 SSW	72.2	40.6	56.4	4.8	79	2+	32	14+	258	0	0	2	0	.00	- .98			.0	0		0	0	0
MESA	74.5	40.6	57.6		85	2+	29	15	236	0	0	3	0	.03		.03	31	.0	0		1	0	0
MOUNTAIN HOME	79.3	38.0	58.7	8.4	90	2	29	15+	195	1	0	4	0	.00	- .90			.0	0		0	0	0
NAMPA 2 NW	73.8	36.4	55.1		83	4	23	16		0	0	8	0	T		T	30	.0	0		0	0	0
NEW MEADOWS RS	73.3	21.0	47.2M	3.4	84	8	12	15+	546	0	0	30	0	.15	- 1.60	.15	31	.0	0		1	0	0
OBSIDIAN 4 NNE	64.8	18.2	41.5	2.3	74	1+	11	14	721	0	0	31	0	.00	- 1.20			.0	0		0	0	0
OLA 4 S	77.1	33.2	55.2		88	8	25	16	297	0	0	14	0	.00				.0	0		0	0	0
PARMA EXP STA	74.1	35.5	54.8	2.7	87	3	26	15	312	0	0	11	0	.00	- .77			.0	0		0	0	0
PAYETTE	70.4	35.1	52.8	1.8	83	1	26	15	371	0	0	11	0	T	- .89	T	19	.0	0		0	0	0
RICHFIELD	71.0	34.0	52.5	4.6	79	9	24	15	380	0	0	14	0	.00	- .84			.0	0		0	0	0
SHOSHONE	73.1	38.0	55.6	7.1	82	1	28	16	285	0	0	4	0	.00	- .86			.0	0		0	0	0
STIBNITE	66.2	30.0	48.1		75	8	21	14		0	0	23	0	.14		.12	30	.0	0		2	0	0
SUN VALLEY	70.6	20.0	45.3	3.8	79	3	12	22+	600	0	0	31	0	.00	- 1.44			.0	0		0	0	0
SWAN FALLS PH	78.1	43.5	60.8	4.9	89	2+	36	16	144	0	0	0	0	.00	- .58			.0	0		0	0	0
TWIN FALLS 2 NNE	74.3	35.1	54.7	5.0	84	8	24	15+	311	0	0	10	0	.00	- .91			.0	0		0	0	0
TWIN FALLS 3 SE	74.5	36.6	55.6	4.4	83	9	27	15		0	0	7	0	.00	- .74			.0	0		0	0	0
WEISER	76.4	33.0	54.7	2.3	88	1	22	16	316	0	0	14	0	T	- .85	T	19+	.0	0		0	0	0
DIVISION			53.1	4.4										.02	- 1.22			T					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	70.8	29.4	50.1	3.1	81	2+	18	15	453	0	0	23	0	.00	- .94			.0	0		0	0	0
ALBION			M							0	0		0	.00	- 1.23			.0	0		0	0	0
AMERICAN FALLS 1 NW	70.0	32.7	51.4	4.0	80	2	19	15	414	0	0	16	0	.00	- 1.16			.0	0		0	0	0
ARCO	71.5	27.8	49.7M	4.6	81	13	18	15	468	0	0	24	0	.00	- .70			.0	0		0	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

ABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days: .01 or More	.50 or More	1.00 or More
ASHTON 1 S	69.4	27.5	48.5	4.1	81	2	21	14	506	0	0	31	0	.00	-1.28			.0	0		0	0	0
BLACKFOOT	72.6	32.6	52.6	6.2	81	3+	22	15	377	0	0	13	0	.00	-.99			.0	0		0	0	0
BURLEY	75.6	36.0	55.8	5.8	85	3+	26	15		0	0	9	0	.00	-.82			.0	0		0	0	0
BURLEY FACTORY 1 NW	73.4	31.7	52.6	3.5	82	3+	20	15		0	0	17	0	.00	-.77			.0	0		0	0	0
BURLEY CAA AP	73.6	31.9	52.8	3.3	83	2+	21	15+	374	0	0	15	0	.00	-.90			.0	0		0	0	0
CHILLY BARTON FLAT	65.7	22.0	43.9	1.9	74	2	15	15+	650	0	0	31	0	.00	-.68			.0	0		0	0	0
CONDA	69.2	26.0	47.6	3.5	78	3	15	14+		0	0	30	0	.00	-1.49			.0	0		0	0	0
DRIGGS	67.5	26.5	47.0M	4.8	78	3	16	14		0	0		0	.00	-1.23			.0	0		0	0	0
DUBOIS EXP STA	65.5	34.8	50.2	4.9	77	2	21	15	453	0	0	8	0	.00	-1.00			.0	0		0	0	0
DUBOIS CAA AP	67.5	32.9	50.2	3.7	79	2	21	15	450	0	0	15	0	T	-.94	T	31	.0	0		0	0	0
FORT HALL IND AGENCY	72.0	31.9	52.0M	3.7	82	9	19	15	397	0	0	17	0	.00	-.98			.0	0		0	0	0
GRACE PH	69.1	29.0	49.1	3.3	77	1+	16	15	487	0	0	26	0	.00	-1.28			.0	0		0	0	0
GRAY	73.3	29.2	51.3	8.0	84	2	16	15	421	0	0	25	0	.00	-1.44			.0	0		0	0	0
GROUSE	66.7	20.5	43.6		76	2	13	15+	655	0	0	30	0	.00	-.87			.0	0		0	0	0
HAMER 4 NW	70.2	24.5	47.4M	2.2	81	2	15	15+	539	0	0	29	0	.00	-.67			.0	0		0	0	0
IDAHO FALLS 6 NE	67.7	31.2	49.5		78	3	21	14	474	0	0	18	0	.00				.0	0		0	0	0
IDAHO FALLS CAA AP	69.7	31.7	50.7	3.6	80	1	21	15	438	0	0	16	0	.00	-.98			.0	0		0	0	0
IRWIN 2 S	71.4	29.5	50.5	6.4	81	8	18	15	443	0	0	24	0	.00	-1.26			.0	0		0	0	0
ISLAND PARK DAM	65.1	23.7	44.4	1.7	75	1	13	15	629	0	0	31	0	.00	-2.42			.0	0		0	0	0
LIFTON PUMPING STA	65.1	29.6	47.4	2.2	75	3	18	15	540	0	0	27	0	.00	-1.12			.0	0		0	0	0
MACKAY RS	68.4	33.8	51.1	5.5	79	2	24	15	423	0	0	14	0	.00	-.70			.0	0		0	0	0
MALAD	73.4	34.8	54.1	6.2	82	1	22	15	332	0	0	7	0	T	-1.25	T	19	.0	0		0	0	0
MALAD CAA AP	74.4	28.6	51.5		83	1	18	15	413	0	0	26	0	.00				.0	0		0	0	0
MAY RS	70.2	25.9	48.1	1.5	83	3	17	15	517	0	0	26	0	.06	-.54	.06	21	.0	0		1	0	0
MC CAMMON	73.1	26.6	49.9		83	3+	15	14	459	0	0	30	0	.00				.0	0		0	0	0
MINIDOKA DAM	70.6	39.1	54.9		81	9	28	15	310	0	0	2	0	.00				.0	0		0	0	0
MONTPELIER RS	70.9	26.3	48.6M	3.8	79	1+	14	15		0	0	27	0	.00	-1.27			.0	0		0	0	0
OAKLEY	74.5	38.3	56.4	6.5	85	8	24	14	261	0	0	2	0	.00	-.92			.0	0		0	0	0
PALISADES DAM	70.8	30.3	50.6M		81	2	19	14+	440	0	0	21	0	.00				.0	0		0	0	0
PAUL 1 E	72.9	31.5	52.2	2.8	81	9+	20	15		0	0	17	0	.00	-.96			.0	0		0	0	0
POCATELLO WB AP	71.4	33.3	52.4	5.9	81	2	23	15	387	0	0	15	0	.00	-1.68			.0	0		0	0	0
PRESTON SUG FACT 2SE	73.4	31.3	52.4	4.3	80	1+	19	15	385	0	0	18	0	.00	-1.23			.0	0		0	0	0
REACTOR TESTING STA	69.9	26.1	48.0		82	3	16	15	518	0	0	26	0	.00				.0	0		0	0	0
RUPERT	75.0	32.5	53.8M	4.6	87	10	22	15		0	0	17	0	.00	-.94			.0	0		0	0	0
SAINT ANTHONY	69.7	28.1	48.9		79	8+	18	15	490	0	0	29	0	.00	-.80			.0	0		0	0	0
SPENCER RS	65.1	26.9	46.0	4.5	75	1+	14	15	582	0	0	27	0	.00	-1.44			.0	0		0	0	0
SPRINGFIELD	73.2	28.7	51.0	3.7	83	1	16	15	427	0	0	25	0	.00	-1.06			.0	0		0	0	0
SUGAR		24.4	M				13	15		0	0	30	0	.00	-1.01			.0	0		0	0	0
TETONIA EXP STA	65.0	25.8	45.4		76	2	15	14+	598	0	0	29	0	.00				.0	0		0	0	0
DIVISION			50.1	4.5										T	-1.08			.0					
STATE			51.5	4.1										.07	-1.35			T					

DAILY PRECIPITATION

able 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BERDEEN EXP STA	.00																															
LBION	.00																															
LPHA 1 NE	.09																			T		.02									.05	.02
MERICAN FALLS 1 NW	.00																															
NDERSON DAM	.00																															
RCO	.00																															
RROWROCK DAM	.00																															
SHTON 1 S	.00																															
TLANTA 1 E	T																			T												
VERY RS	.38																								.03						.25	.10
AYVIEW MODEL BASIN	.24																															.24
IG CREEK 1 S	.34																			T											.06	.28
LACKFOOT	.00																															
LISS	.00																															
OISE LUCKY PEAK DAM	.00																															
OISE WB AP 7/R	T																			T										T		
ONNERS FERRY	.28																													T	.26	.02
UHL	.00																															
UNGALOW RS	.46																														.18	.28
URKE 2 NNE	.53																								.03						.33	.17
URLEY	.00																															
URLEY FACTORY 1 NW	.00																															
URLEY CAA AP	.00																															
ALDWELL	T																														T	
AMBRIDGE	.03																			.03	T											T
ASCADE 1 NW	.16																			.04	T	.08	T								.02	.02
ENTERVILLE ARBAUGH	.01																			.01											T	
HALLIS	.05																					.05										T
HILLY BARTON FLAT	.00																															
LARK FORK 1 ENE	.35																														.32	.03
OBALT BLACKBIRD MINE	T																														T	
OEUR D ALENE CAA AP	.21																				T	T			T					.15	.06	
OEUR D ALENE RS	.35																								.05						.30	
ONDA	.00																															
TTONWOOD	.42																					.17									.01	.24
OUNCIL 1 N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROUCH 2 NNW	T																			T											T	
ADWOOD DAM	.08										T									.03											[illegible]	.05
ER FLAT DAM	T																													T		
IXIE	.27																					.02									.01	.24
RIGGS	.00																															
UBOIS EXP STA	.00																															
UBOIS CAA AP	T																															T
K CITY	.52																					[illegible]									[illegible]	.43

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3–Continued

Station	Total	Day of month																												
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ELK RIVER 1 S	.07																								T					.02	.05	
EMMETT 2 E	.00																															
FAIRFIELD	.00																															
FENN RS	.34																					.10										.24
FORT HALL IND AGENCY	.00																															
GARDEN VALLEY RS	.01																			.01												
GLENNS FERRY	.00																															
GOODING CAA AP	.00																															
GRACE PH	.00																															
GRAND VIEW	.00																															
GRANGEVILLE	.38																					.08								.01		.29
GRAY	.00																															
GROUSE	.00																															
HAMER 4 NW	.00																															
HAZELTON	.00																															
HILL CITY	.00																															
HOLLISTER	.00																															
HOWE	.00																															
IDAHO CITY	.00																															
IDAHO CITY 13 SW	T										T																				T	
IDAHO FALLS 6 NE	.00																															
IDAHO FALLS CAA AP	.00																															
IRWIN 2 S	.00																															
ISLAND PARK DAM	.00																															
JEROME	.00																															
KELLOGG	.20																					T			.03						.12	.05
KOOSKIA	.39																					.13	T								.07	.19
KUNA 2 NNE	T																														T	
LEWISTON WATER PLANT	.05																					.01									.04	
LEWISTON WB AP	.03																					.01			T						.02	
LIFTON PUMPING STA	.00																															
LOWMAN	T																															T
MACKAY RS	.00																															
MALAD	T																			T												
MALAD CAA AP	.00																															
MAY RS	.06																					.06										
MC CALL	.21																			.01											.02	.18
MC CAMMON	.00																															
MERIDIAN 1 SSW	.00																															
MESA	.03																			T										T		.03
MINIDOKA DAM	.00																															
MONTPELIER RS	.00																															
MOSCOW U OF I	.04																					T								T	.04	
MOUNTAIN HOME	.00																															
MULLAN PASS CAA	.34																								T					.04	.27	.03
NAMPA 2 NW	T																														T	
NEW MEADOWS RS	.15																			T		T										.15
NEZPERCE 2 E	.24																					.17								T	.02	.05
OAKLEY	.00																															
OBSIDIAN 4 NNE	.00																															
OLA 4 S	.00																															
OROFINO	.10																					.01									.07	.02
PALISADES DAM	.00																															
PARMA EXP STA	.00																															
PAUL 1 E	.00																															
PAYETTE	T																			T												
PIERCE RS	.43																														.16	.27
PINE 2 SSW	.00																															
POCATELLO WB AP //R	.00																															
POTLATCH	.08																													.03	.05	
PRESTON SUG FACT 2 SE	.00																															
PRIEST RIVER EXP STA	.47																					T			.02					.20	.24	.01
REACTOR TESTING STA	.00																															
RICHFIELD	.00																															
ROLAND W PORTAL	.37														T																.24	.13
RUPERT	.00																															
SAINT ANTHONY	.00																															
SAINT MARIES	.20																					T			.04						.09	.07
SALMON	T																															T
SANDPOINT EXP STA	.48																								.02					.06	.40	T
SHOSHONE	.00																															
SPENCER RS	.00																															
SPRINGFIELD	.00																															
STIBNITE	.14																				.02										.12	
SUGAR	.00																															
SUN VALLEY	.00																															
SWAN FALLS PH	.00																															
TETONIA EXP STA	.00																															
TWIN FALLS 2 NNE	.00																															
TWIN FALLS 3 SE	.00																															
WALLACE	.46																								.01					.02	.40	.03
WALLACE WOODLAND PARK	.32																														.10	.22
WEISER	T																			T											T	
WINCHESTER 1 SE	.13																					.06									.07	

DAILY TEMPERATURES

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	78	81	81	76	[illegible]	72	77	77	79	76	77	77	69	55	65	69	69	73	62	[illegible]	67	[illegible]	74	69	[illegible]	[illegible]	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	34	32	38	35	32	30	[illegible]	32	32	33	32	30	37	25	18	[illegible]	[illegible]	27	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	22	[illegible]	26	29.4
ALBION	MAX															79	80	[illegible]	[illegible]	[illegible]	67	74	[illegible]	[illegible]	66	[illegible]	[illegible]	[illegible]	[illegible]	71	[illegible]	62	
	MIN															25	[illegible]	[illegible]	[illegible]	44	[illegible]	[illegible]	22	25	[illegible]	[illegible]	23	20	21	22	37	[illegible]	
ALPHA 1 NE	MAX	78	78	76	74	74	75	80	80	75	77	73	70	63	60	65	[illegible]	71	[illegible]	63	64	70	[illegible]	66	68	68	70	70	[illegible]	[illegible]	[illegible]	43	[illegible]
	MIN	24	24	24	22	[illegible]	18	18	21	20	24	23	24	21	14	12	12	17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	15	14	[illegible]	12	20.2
AMERICAN FALLS 1 NW	MAX	75	[illegible]	78	74	73	69	73	74	76	74	75	76	70	65	68	[illegible]	67	70	[illegible]	66	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	70.0
	MIN	35	34	40	41	34	31	31	38	38	35	37	43	44	32	19	29	26	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26	24	[illegible]	[illegible]	[illegible]	[illegible]
ANDERSON DAM	MAX	81	83	80	78	75	80	84	85	79	78	77	75	63	63	69	[illegible]	[illegible]	79	[illegible]	[illegible]	75	[illegible]	77	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	47	40	47	44	45	42	43	40	49	44	44	41	41	41	34	[illegible]	41	44	47	39	42	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ARCO	MAX	79	78	80	75		75	78	78	78	77	76	74	81	64	66	[illegible]	69			62	65	70	[illegible]	[illegible]	66		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	38	32	40	37		25	28	27	28	28	33	41	38	26	18	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ARROWROCK DAM	MAX	80	79	83	80	79	78	78	79	81	78	74	77	75	69	60	69	71	76	79	[illegible]	70	[illegible]	[illegible]	71	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	45	43	44	41	42	39	41	38	43	43	41	40	39	33	30	[illegible]	[illegible]	36	44	37	39	[illegible]	[illegible]	37	34	34	[illegible]	[illegible]	34	[illegible]	36	[illegible]
ASHTON 1 S	MAX	80	81	79	79	71	74	72	71	73	70	68	70	67	63	65	[illegible]	66	68	70	69	67	[illegible]	69	66	70	[illegible]	[illegible]	[illegible]	[illegible]	57	[illegible]	[illegible]
	MIN	31	30	29	29	30	26	29	30	30	28	26	27	24	21	24	25	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26	[illegible]	[illegible]	25	[illegible]
ATLANTA 1 E	MAX	78	76	75	75	73	75	78	78	77	[illegible]	74	71	64	60	65	[illegible]	71	77	72	64	69	78	73	65	69	68	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	40	41	42	[illegible]	36	36	[illegible]	42	45	43	39	35	31	24	27	[illegible]	[illegible]	38	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	36.1
AVERY RS	MAX	83	85	81	80	81	83	86	78	79	83	76	74	69	65	70	70	[illegible]	79			74	75	75	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	[illegible]	37	37	34	32	34	33	32	38	35	30	35	31	26	27	[illegible]	[illegible]			[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	43		[illegible]
BAYVIEW MODEL BASIN	MAX	[illegible]	81	81	74	67	68	67	71	71	75	75	74	64	64	64	[illegible]	[illegible]	[illegible]	61	[illegible]	62	60	62	[illegible]	[illegible]	55	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	31	[illegible]	31	[illegible]	35	34	35	37	40	40	24	26	32	[illegible]	[illegible]	32	32	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BIG CREEK 1 S	MAX	79	[illegible]	75	73	74	76	79	79	74	75	71	69	60	60	68	[illegible]	[illegible]	70	63	60	66	67	71	66	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	23	23	24	21	18	15	15	22	24	22	22	22	19	11	12	14	14	18	[illegible]	[illegible]	[illegible]	17	[illegible]	25	14	14	14	11	14	31	[illegible]	[illegible]
BLACKFOOT	MAX	[illegible]	80	81	75	69	75	80	79	81	79	75	74	71	60	67	[illegible]	[illegible]	74	65	[illegible]	70	[illegible]	74	[illegible]	71	[illegible]	70	[illegible]	69	68	68	72.6
	MIN	38	37	39	38	38	33	33	35	35	34	35	39	39	26	22	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	25	23	25	[illegible]
BLISS	MAX	83	84	[illegible]	78	78	81	82	84	82	80	79	80	78	64	73	74	74	[illegible]	[illegible]	72	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	65	[illegible]	[illegible]
	MIN	41	42	43	42	40	41	34	38	42	40	39	41	34	31	26	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	34	[illegible]	[illegible]	27	[illegible]	30	47	[illegible]
BOISE LUCKY PEAK DAM	MAX	82	86	84	79	82		85	86	80	77	76	75					[illegible]				77	[illegible]	76	70								
	MIN	47	45	44	42	41		42	42	47	42	43		38				[illegible]				[illegible]	[illegible]	[illegible]	[illegible]								
BOISE WB AP	MAX	79	82	80	77	76	77	79	79	73	74	76	74	71	64	65	[illegible]	[illegible]	79	[illegible]	71	71	[illegible]	72	67	70	66	[illegible]	70	67	[illegible]	[illegible]	[illegible]
	MIN	47	[illegible]	[illegible]	43	42	44	44	40	51	45	44	45	40	33	35	[illegible]	[illegible]	45	47	45	43	45	44	40	37	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]
BONNERS FERRY	MAX	79	81	78	75																								60	[illegible]	[illegible]	[illegible]	
	MIN	[illegible]	30	39	33																								[illegible]	30	41	33	
BUHL	MAX	77	80	[illegible]	78	74	75	80	83	79	76	76	76	73	66	66	[illegible]	72	[illegible]	[illegible]	66	73	75	[illegible]	70	68	70	[illegible]	73	69	[illegible]	60	[illegible]
	MIN	[illegible]	49	[illegible]	[illegible]	40	44	[illegible]	40	[illegible]	40	47	50	50	40	34	42	42	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BUNGALOW RS	MAX	85	85	85	88	76	80	80	78	73	78	78	75	65	67	66	70	71	72	66	[illegible]	[illegible]	70	71	58	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]
	MIN	34	33	33	[illegible]	[illegible]	32	33	[illegible]	34	33	36	36	32	27	26	26	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	33	32	[illegible]	[illegible]	27	27	26	[illegible]	[illegible]	[illegible]
BURKE 2 NNE	MAX	68	70	70	65	67	70	78	73	70	71	64	63	58	52	66	57	64	[illegible]	59	[illegible]	[illegible]	65	66	52	[illegible]	59	59	[illegible]	54	50	[illegible]	[illegible]
	MIN	35	36	37	33	32	42	33	39	40	30	36	35	34	24	27	31	29	34	[illegible]	[illegible]	[illegible]	[illegible]	34	34	26	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BURLEY	MAX	81	83	85	82	76	75	72	83	84	85	81	77	76	70	60	[illegible]	74	73	[illegible]	72	73	[illegible]	[illegible]	77	70	73	[illegible]	73	73	76	63	[illegible]
	MIN	42	40	45	40	37	36	35	41	40	38	40	45	45	36	26	35	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	36.0
BURLEY FACTORY 1 NW	MAX	78	80	82	81	74	73	75	80	82	82	78	75	74	68	58	[illegible]	71	[illegible]	77	67	69	[illegible]	[illegible]	75	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	44	35	34	39	37	38	31	31	40	30	34	35	40	34	20	[illegible]	[illegible]	[illegible]	41	31	33	[illegible]	27	24	27	[illegible]	25	22	21	24	29	[illegible]
BURLEY CAA AP	MAX	80	83	81	74	73	75	80	83	82	78	75	75	70	58	70	[illegible]	72	78	68	70	73	79	76	58	71	[illegible]	71	[illegible]	73	63	64	[illegible]
	MIN	36	37	41	37	31	31	31	37	37	33	35	38	37	28	21	[illegible]	[illegible]	[illegible]	36	30	[illegible]	[illegible]	[illegible]	[illegible]	28	26	[illegible]	21	22	[illegible]	[illegible]	31.9
CALDWELL	MAX	84	83	82	79	80	79	78	80	77	78	80	77	74	65	66	[illegible]	72	74	72	72	73	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		73.1
	MIN	43	44	42	41	40	34	34	35	42	40	38	37	36	29	27	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	32		35.1
CAMBRIDGE	MAX	80	82	83	79	81	80	79	78	76	79	70	68	63	62	60	67	69	[illegible]	69	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	69	66	[illegible]	[illegible]	54	[illegible]	60	[illegible]
	MIN	36	34	35	34	32	28	30	32	33	38	37	35	30	31	22	22	26	[illegible]	32	31	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	24	[illegible]	24	26	[illegible]
CASCADE 1 NW	MAX	75	75	74	72	72	73	75	75	73	73	71	69	66	56	63	[illegible]	67	70	67	[illegible]	[illegible]	[illegible]	[illegible]	61	[illegible]	64	64	[illegible]	[illegible]	[illegible]	45	[illegible]
	MIN	34	34	34	33	29	26	26	32	33	35	33	29	29	24	20	22	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	24	25	[illegible]	25	28.9
CHALLIS	MAX	78	80	77	75	73	72	74	75	76	73	72	72	72	58	62	71	67	66	68	63	62	[illegible]	[illegible]	70	[illegible]	66	[illegible]	[illegible]	[illegible]	64	59	68.5
	MIN	40	38	40	39	31	32	31	35	34	38	36	35	32	26	25	30	30	[illegible]	[illegible]	31	37	[illegible]	31	36	[illegible]	[illegible]	[illegible]	24	25	39	[illegible]	[illegible]
CHILLY BARTON FLAT	MAX	73	74	72	69	67	70	73	71	73	72	69	65	61	52	60	67	70	69	61	62	64	64	65	66	62	65	65	66	61	57	51	[illegible]
	MIN	29	27	30	31	25	21	20	22	23	26	25	23	21	20	15	20	20	20	26	[illegible]	26	20	19	27	15	[illegible]	15	15	15	27	23	22.0
CLARK FORK 1 ENE	MAX	77	81	78	73	73	74	74	72	75	75	75	71	68	69	62	68	67	71	68	67	70	67	68	65	62	60	61	63	55	53	50	68.1
	MIN	34	31	34	29	28	27	27	30	31	32	34	31	31	21	24	31	25	[illegible]	30	29	35	27	27	31	[illegible]	24	[illegible]	[illegible]	24	42	32	28.8
COBALT BLACKBIRD MINE	MAX	64	64	69	64	60	58	62	65	64	64	63	59	56	48	45	57	55	[illegible]	64	54	55	52	56	58	54	55	[illegible]	57	[illegible]	58	45	[illegible]
	MIN	33	34	34	31	29	28	29	30	33	34	32	31	29	19	19	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	29	24	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28.0
COEUR D ALENE CAA AP	MAX	76	79	75	72	72	75	77	73	72	74	73	70	61	60	62	66	68	69	64	65	68	67	67	64	[illegible]	60	[illegible]	61	55	[illegible]	48	[illegible]
	MIN	43	39	43	35	34	34	40	42	41	40	48	41	34	25	31	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]
COEUR D ALENE RS	MAX	80	81	78	76	75	80	81	76	74	76	74	73	68	63	65	67	[illegible]	[illegible]	67	66	71	[illegible]	[illegible]	62	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	69.1
	MIN	42	38	43	34	33	33	33	37	39	38	43	43	39	32	30	[illegible]	31	[illegible]	40	[illegible]	43	[illegible]	33	[illegible]	[illegible]	[illegible]	[illegible]	26	34	45	38	[illegible]
CONDA	MAX	75	76	78	75	69	64	68	71	77	75	77	71	70	63	62	[illegible]	66	[illegible]	[illegible]	62	61	67	69	72	71	[illegible]	70	66	73	[illegible]	[illegible]	69.2
	MIN	[illegible]	[illegible]	35	29	26	26	27	28	29	[illegible]	30	30	30	15	15	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21	26.0
COTTONWOOD	MAX	75	82	77	73	73	76	82	80	72	72	76	69	60	60	70	68	68	[illegible]	[illegible]	[illegible]	66	68	[illegible]	[illegible]	[illegible]	[illegible]	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	38	38	42	38	33	33	35	41	40	37	40	[illegible]	36	25	28	[illegible]	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]
OUNCIL 1 N	MAX	87	84	84	82	82	78	81	83	82	80	81	80	73	63	66	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	75	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	70	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	48	38	32	38	31	30	30	34	[illegible]	43	40	33	33	32	22	21	30	[illegible]	[illegible]	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	32.1
DEADWOOD DAM	MAX	[illegible]	77	78	75	74	75	80	81	75	76	74	70	64	59	64	66	71	78	[illegible]	[illegible]	68	[illegible]	68	66	67	67	69	[illegible]	61	[illegible]	42	[illegible]
	MIN	25	26	26	24	[illegible]	21	21	23	29	31	26	26	24	18	18	18	[illegible]	24	24	27	[illegible]	25	23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
DEER FLAT DAM	MAX	[illegible]	[illegible]	80	79	76	78	73	79	77	76	76	76	71	64	65	67	72	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	67	[illegible]	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	45	42	44	44	43	38	35	36	46	43	47	37	40	32	29	[illegible]	[illegible]	36	38	34	[illegible]	32	[illegible]	36	32	[illegible]	[illegible]	27	32	[illegible]	[illegible]	[illegible]
DIXIE	MAX	75	77	72	78	[illegible]	73	79	77	72	75	67	68	59	57	65	61	69	74	63	61	64	68	69	60	62	64	66	67	[illegible]	[illegible]	43	[illegible]
	MIN	23	23	23	[illegible]	[illegible]	21	16	29	23	23	23	23	19	11	11	13	[illegible]	17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17	19.2
RIGGS	MAX			78		66	66	69	71	76	77	77	[illegible]	68	63	49	60	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	66	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN					[illegible]	24	[illegible]	26	31	32	[illegible]	29	29	16	17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	[illegible]
DUBOIS EXP STA	MAX	76	77	76	75	73	69	71	74	72	70	69	65	64	62	55	60	65	71	[illegible]	[illegible]	[illegible]	[illegible]	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]
	MIN	44	43	41	40	38	40	[illegible]	37	[illegible]	33	38	39	33	[illegible]	21	30	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	[illegible]
UBOIS CAA AP	MAX	[illegible]	[illegible]	78	73	69	71	74	76	77	77	72	67	65	53	56	[illegible]	67	73	60	61	[illegible]	70	69	67	64	65	69	69	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	42	[illegible]	34	45	43	[illegible]	36	35	[illegible]	40	35	37	28	25	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
LK CITY	MAX	78	82	77	72	[illegible]	81	85	83	[illegible]	76	74	68	60	60	[illegible]	66	[illegible]	78	[illegible]	65	[illegible]	[illegible]	74	64	65	68	[illegible]	[illegible]	[illegible]	58	51	[illegible]
	MIN	22	22	[illegible]	20	15	12	13	21	[illegible]	20	24	22	20	9	10	[illegible]	[illegible]	[illegible]	22	[illegible]	29	27	22	19	24	[illegible]	15	[illegible]	[illegible]	34	[illegible]	[illegible]
LK RIVER 1 S	MAX	78	78	79	78	79	79	82	81	77	77	75	71	69	70	[illegible]	67	[illegible]	75	[illegible]	68	70	71	71	71	64	64	[illegible]	70	[illegible]	70	60	[illegible]
	MIN	33	32	32	[illegible]	[illegible]	[illegible]	28	34	34	[illegible]	32	32	22	[illegible]	22	23	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MMETT 2 E	MAX	[illegible]	86	84	80	79	[illegible]	78	81	80	79	80	77	73	[illegible]	67	71	77	[illegible]	[illegible]	69	70	[illegible]			68	69	[illegible]	68	61	62	56	[illegible]
	MIN	[illegible]	[illegible]	43	[illegible]	[illegible]	33	[illegible]	[illegible]	34	[illegible]	[illegible]	37	35	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]	37	[illegible]	[illegible]			32	[illegible]	[illegible]	29	31	32	[illegible]	[illegible]
AIRFIELD	MAX	78	79	78	76	73	73	78	78	[illegible]	[illegible]	78	74	71	[illegible]	67	70	69				73	71	71	70	76	72	72	73	67	[illegible]	[illegible]	[illegible]
	MIN	34	[illegible]	[illegible]	33	[illegible]	[illegible]	26	29	[illegible]	[illegible]	31	34	32	[illegible]	16	[illegible]	[illegible]	29			23	[illegible]	24	[illegible]	23	19	[illegible]	24	25	31	19	[illegible]
ENN RS	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76	65	67	67	69	72	73	68	68	70	69	60	[illegible]	63	[illegible]	64	[illegible]	[illegible]	50	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	34	[illegible]	37	35	[illegible]	24	[illegible]	[illegible]	29	34	32	41	41	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	34.4
RT HALL IND AGENCY	MAX	[illegible]	[illegible]	[illegible]	75	[illegible]	72	[illegible]	[illegible]	[illegible]	79	74	[illegible]	[illegible]	[illegible]	67	[illegible]		76	68	64	[illegible]	[illegible]	73	69			[illegible]	72	71	60	60	[illegible]
	MIN	37	35	42	[illegible]	[illegible]	[illegible]	30	33	33	36	[illegible]	40	45	[illegible]	19	29		25	42	30	30	[illegible]	28	[illegible]			[illegible]	[illegible]	[illegible]	40	26	[illegible]
ARDEN VALLEY RS	MAX	92	[illegible]	[illegible]	85	[illegible]	83	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	74	[illegible]	[illegible]	73	74	77	72	67	75	71	65	73	[illegible]	68	[illegible]	69	[illegible]	62	52	[illegible]
	MIN	36	[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	33	39		35	33	[illegible]	30	[illegible]	23	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26	[illegible]
ENNS FERRY	MAX	82	[illegible]	83	79	[illegible]	79	[illegible]	[illegible]	[illegible]	79	78	[illegible]	[illegible]	63	72	[illegible]	76	[illegible]	[illegible]	[illegible]	78	[illegible]	[illegible]	73	72	72	[illegible]	75	72	[illegible]	62	[illegible]
	MIN	37	34	[illegible]	42	35	[illegible]	32	34	37	[illegible]	34	34	[illegible]	[illegible]	22	[illegible]	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26	[illegible]
OODING CAA AP	MAX	80	81	[illegible]	[illegible]	75	[illegible]	[illegible]	85	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	68	71	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	77	74	[illegible]	[illegible]	[illegible]	[illegible]	75	[illegible]	[illegible]	61	[illegible]
	MIN	45	45	48	44	44	43	[illegible]	[illegible]	52	[illegible]	42	41	[illegible]	[illegible]	32	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ACE PH	MAX	[illegible]	76	[illegible]	[illegible]	65	[illegible]	[illegible]	74	74	76	[illegible]	70	65	56	59	[illegible]	71	72	61	62	68	72	70	70	70	71	[illegible]	[illegible]	68	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	33	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	32	[illegible]	[illegible]	16	[illegible]	26	[illegible]	[illegible]	[illegible]	[illegible]	26	30	32	25	27	25	25	24	27	23	29.0
AND VIEW	MAX	[illegible]	[illegible]	[illegible]	84	81	78	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	69	[illegible]	[illegible]	[illegible]	79	74	73	72	73	74	70	[illegible]	[illegible]	67	68	[illegible]	67	76.4
	MIN	46	[illegible]	[illegible]	[illegible]	40	34	[illegible]	[illegible]	45	40	[illegible]	37	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	43	34	34	29	30	39	[illegible]	29	28	26	[illegible]	[illegible]	[illegible]	[illegible]
ANGEVILLE	MAX	[illegible]	82	[illegible]	[illegible]	72	75	[illegible]	[illegible]	71	[illegible]	74	[illegible]	[illegible]	59	71	[illegible]	69	[illegible]	[illegible]	67	65	68	68	[illegible]	59	[illegible]	64	67	[illegible]	61	[illegible]	[illegible]
	MIN	40	42	[illegible]	40	37	37	37	44	40	[illegible]	41	43	[illegible]	27	29	[illegible]	34	37	[illegible]	34	44	37	37	36	29	31	[illegible]	[illegible]	[illegible]	39	[illegible]	[illegible]
AY	MAX	[illegible]	84	82	[illegible]	[illegible]	82	[illegible]	74	74	75	76	[illegible]	[illegible]	61	60	[illegible]	66	70	69	70	[illegible]	74	[illegible]	73	[illegible]	75	77	[illegible]	[illegible]	[illegible]	62	[illegible]
	MIN	[illegible]	39	[illegible]	[illegible]	[illegible]	26	24	30	30	31	30	[illegible]	30	17	[illegible]	[illegible]	22	24	[illegible]	[illegible]	30	[illegible]	31	30	[illegible]	30	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]

See reference notes following Station Index

Table 5 - Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
GROUSE	MAX	74	76	75	72	67	70	73	72	72	70	75	70	66	50	62	66	66	68	61	60	61	64	67	66	66	67	66	66	67	58	56	66.7
	MIN	26	27	33	27	24	20	20	23	23	24	24	23	21	18	13	14	18	19	24	19	27	20	19	15	14	15	17	15	13	20	20	20.5
HAMER 4 NW	MAX	79	81	80	75	70	72	77	79	80	78	75	68	68	68	57	64	68	73	57	63	66	71	70	69		66	68	70	64	64	67	70.2
	MIN	34	29	30	31	35	29	26	26	25	30	28	29	26	27	15	17	18	20	29	20	26	25	24	25		17	19	15	15	25	17	24.5
HAZELTON	MAX	79	80	78	77	76	88	88	83	80	80	74	75	70	64	69	69	73	78	73	69	75	75	76	66	73	70	73	73	70	67	54	74.0
	MIN	38	38	42	40	36	34	34	40	41	36	34	42	41	35	21	31	32	39	47	32	37	35	33	41	29	29	28	30	26	43	32	35.4
HILL CITY	MAX	79	79	77	75	73	75	77	78	78	78	75	73	68	60	66	68	63	74	62	68	71	69	73	70	70	70	70	73	71	60	55	70.9
	MIN	35	29	34	36	32	23	22	28	29	31	30	44	31	19	15	32	29	25	44	22	25	21	21	29	22	22	21	17	19	37	20	27.2
HOLLISTER	MAX	80	78	79	80	75				78	75	76	74	69	66	70	72	70	82	71	70	71	74	69	74	78	79	73	72	68	67	50	72.9
	MIN	44	43	43	43	42				42	42	47	43	41	36	21	38	37	45	35	35	42	36	38	38	34	32	32	33	35	29	28	37.6
IDAHO CITY	MAX	84	85	85	82	80	80	85	87	82	80	82	78	74	66	73	76	77	81	73	67	77	78	77	75	73	78	77	77	71	65	55	76.8
	MIN	31	30	31	28	27	24	25	27	35	31	30	27	25	13	18	20	23	26	39	27	29	24	23	29	22	22	20	20	20	23	23	25.5
IDAHO FALLS 6 NE	MAX	75	76	78	74	64	69	74	73	76	73	69	68	65	56	60	65	66	69	67	64	64	73	70	65	64	66	66	68	66	60	57	67.7
	MIN	36	34	39	36	35	31	30	31	33	36	33	40	42	21	23	30	24	26	41	28	32	33	29	32	29	23	25	24	22	39	29	31.2
IDAHO FALLS CAA AP	MAX	80	77	78	74	71	73	78	78	78	78	71	69	69	56	63	67	69	75	59	63	68	73	71	66	69	66	69	72	66	58	58	69.7
	MIN	35	35	38	34	36	35	32	34	34	36	33	39	37	24	21	30	24	29	37	27	32	30	32	33	29	27	27	28	26	39	29	31.7
IRWIN 2 S	MAX	78	80	78	72	68	73	78	81	79	75	73	70	66	56	65	68	72	74	65	65	67	72	75	70	72	73	72	73	73	71	58	71.4
	MIN	34	33	34	34	30	26	30	31	34	36	32	31	31	22	18	32	23	29	32	28	30	28	36	31	27	26	26	26	27	28	28	29.5
ISLAND PARK DAM	MAX	75	72	74	69	62	69	74	74	74	72	69	63	57	49	53	61	66	72	62	59	64	67	66	63	62	64	66	69	65	57	50	65.1
	MIN	28	31	25	27	23	24	25	27	27	29	30	26	19	16	13	22	22	24	24	25	24	26	26	25	21	20	21	23	19	24	20	23.7
JEROME	MAX	81	82	82	78	76	80	86	86	83	79	76	73	69	67	70	71	77	82	76	71	75	79	77	70	74	72	75	75	72	63	63	75.5
	MIN	37	37	41	38	35	36	37	43	43	35	36	38	40	30	25	30	31	42	47	31	36	44	31	39	31	32	28	36	33	33	28	35.6
KELLOGG	MAX	74	80	80	77	78	77	79	83	74	74	73	74	72	64	63	65	67	71	75	66	69	70	72	72	60	63	63	63	65	56	55	70.1
	MIN	39	38	39	36	33	32	32	36	39	37	39	38	36	27	28	34	30	30	37	35	41	34	35	38	28	26	30	26	30	37	36	34.1
KOOSKIA	MAX	83	86	82	80	79	83	85	84	75	80	77	77	71	69	69	71	75	75	74	72	73	72	74	69	64	66	69	69	61	60	58	73.6
	MIN	36	35	35	35	30	29	28	35	34	33	35	36	32	25	23	26	26	30	29	29	44	36	32	35	28	26	27	23	27	37	42	31.5
KUNA 2 NNE	MAX	78	82	78	75	75	79	79	78	75	73	75	73	70	66	67	69	75	75	69	72	72	70	74	67	70	68	72	67	67	62	55	71.8
	MIN	38	41	40	36	34	33	36	37	43	36	35	35	32	29	28	26	32	40	42	36	35	34	35	36	32	30	31	30	30	31	34	34.4
LEWISTON WATER PLANT	MAX	83	85	85	82	78	80	82	76	78	79	76	78	71	69	69	70	72	72	68	71	77	74	70	71	65	69	67	66	55	59	60	72.8
	MIN	45	44	45	42	38	37	36	43	43	43	43	43	39	33	32	37	34	35	41	43	51	40	40	41	31	32	33	31	36	39	43	39.1
LEWISTON WB AP	MAX	82	85	81	78	79	79	81	75	77	76	77	76	69	66	67	70	71	70	67	70	72	71	70	66	63	63	65	64	54	62	54	71.0
	MIN	46	48	47	45	39	40	43	48	44	44	45	45	41	33	35	37	37	39	44	41	51	43	42	39	33	35	36	33	37	39	42	41.0
LIFTON PUMPING STA	MAX	66	74	75	71	67	68	66	70	70	73	72	68	65	57	60	66	62	63	59	58	64	64	65	61	65	66	59	63	60	60	62	65.1
	MIN	32	35	35	32	31	28	29	30	32	32	34	29	29	22	18	26	28	28	34	32	31	28	31	32	30	29	28	29	26	30	28	29.6
LOWMAN	MAX	84	81	79	80	79	82	85	82			80						68	71	75	69	74	74	70				70	70	66	63	60	
	MIN	26	27	26	25	23	23	26	24			25			18			23	21	26	26	34	26	22				19	18	19	18	18	23.3
MACKAY RS	MAX	78	79	76	73	72	73	72	74	75	73	72	69	65	56	61	69	69	71	62	64	65	66	68	69	64	69	69	69	62	60	55	68.4
	MIN	42	40	41	42	40	39	38	35	33	38	38	38	36	28	24	26	34	31	29	31	31	29	30	34	30	30	32	31	29	36	33	33.8
MALAD	MAX	82	81	80	76	77	77	80	78	80	79	79	74	72	60	64	72	74	73	70	67	70	74	76	72	72	73	73	71	70	66	63	73.4
	MIN	40	39	38	44	36	35	35	36	37	39	35	36	37	31	22	30	36	33	43	37	34	32	34	37	33	33	30	32	29	33	33	34.8
MALAD CAA AP	MAX	83	82	82	79	74	78	79	81	79	81	81	77	73	60	66	74	75	73	70	68	71	74	75	74	73	74	74	72	72	66	65	74.4
	MIN	32	35	34	30	37	30	29	30	30	31	33	29	30	25	18	22	27	25	40	31	30	26	27	31	27	26	24	24	24	26	25	28.6
MAY RS	MAX	79	82	83	81	75	75	72	78	76	77	74	74	67	58	67	72	68	72	70	69	68	68	67	70	64	68	66	64	60	60	52	70.2
	MIN	34	35	33	34	31	28	26	25	28	34	31	28	25	20	17	22	25	23	23	22	22	26	26	30	23	21	20	19	18	31	23	25.9
MC CALL	MAX	72	74	74	70	68	66	70	72	70	65	68	70	68	54	52	62	68	74	62	60	66	66	66	60	62	66	68	70	58	54	48	65.3
	MIN	32	32	32	30	28	24	25	30	32	28	24	28	26	22	19	20	24	26	38	28	40	26	22	32	24	22	24	22	28	30	26	27.2
MC CAMMON	MAX	82	82	83	79	70	73	83	79	80	80	75	75	69	65	72	73	72	75	64	68	70	72	72	70	72	72	72	72	69	63	63	73.1
	MIN	32	32	34	30	31	28	28	31	30	30	30	29	30	15	24	26	25	24	29	27	27	25	25	25	23	25	25	22	20	20	23	26.0
MERIDIAN 1 SSW	MAX	78	79	77	76	77	79	77	77	71	74	75	72	70	64	69	72	77	76	77	75	77	70	72	67	70	69	70	67	64	63	56	72.2
	MIN	47	46	43	43	42	41	41	44	52	48	42	44	40	32	36	35	40	41	42	42	42	40	40	39	38	36	32	38	37	38	38	40.6
MESA	MAX	84	85	84	85	82	80	73	84	82	80	82	80	69	63	68	69	74	76	65	75	80	75	77	72	72	72	72	72	65	64	49	74.5
	MIN	47	48	49	49	47	43	41	44	52	53	52	45	41	35	29	31	36	37	36	39	41	39	38	40	38	36	36	35	34	33	32	40.6
MINIDOKA DAM	MAX	85	79	78	75	75	69	76	76	81	78	75	72	71	54	68	70	68	71	70	67	64	69	76	65	69	72	65	67	70	58	61	70.6
	MIN	44	41	46	44	43	41	42	46	45	40	39	43	40	35	28	38	38	39	48	33	40	38	38	42	33	33	33	36	33	41	31	39.1
MONTPELIER RS	MAX	79	77	79	76			77	76		75	78	74	70	65	58		70	69	70	58	67	68	66	72	71	72	69	69	70	68		70.9
	MIN	34	33	35			30	26	29		29	31	28	27	25	14		22	24	33	25	23	25	24	29	25	24	22	23	23		22	26.3
MOSCOW U OF I	MAX	79	80	74	78	76	79	82	78	73	72	74	75	74	65	67	66	72	76	67	68	72	74	72	60	65	63	70	71	60	56	53	70.7
	MIN	39	41	40	38	35	37	43	43	38	36	38	36	34	35	33	32	35	38	38	42	48	42	37	39	27	31	37	39	32	38	36	37.[illegible]
MOUNTAIN HOME	MAX	87	90	88	80	83	80	86	88	83	84	84	81	76	70	74	80	78	83	79	73	79	80	79	79	76	76	76	76	77	70	62	79.3
	MIN	43	41	45	47	39	39	38	45	46	41	38	39	39	38	29	29	34	40	46	37	41	34	34	42	34	32	34	34	33	35	31	38.0
MULLAN PASS CAA	MAX	61	66	60	58	60	68	70	68	61	64	60	51	45	42	51	51	60	61	55	57	56	58	60	51	50	50	56	62	52	36	31	55.8
	MIN	45	49	47	46	47	45	50	54	50	47	45	40	29	27	33	40	39	44	39	42	42	40	43	34	31	40	38	44	33	31	26	40.6
NAMPA 2 NW	MAX	82	82	82	83	80	79	80	78	81	77	77	79	77	73	65	69	71	75	74	70	73	73	72	72	70	68	67	68	66	60	64	73.8
	MIN	42	43	41	49	41	34	37	39	41	40	38	36	35	31	29	23	32	37	49	37	38	35	35	37	32	32	33	32	32	33	36	36.4
NEW MEADOWS RS	MAX	77	80	81	75	75	77	82	84	78	74	77				65	68	73	77	75	67	74			71	67	71	72	72	64		56	73.3
	MIN	25	25	25	25	19	16	17	22	26	26	25				12	12	15	26	33	23	30		[illegible]		20	16	15	13	18		21	21.0
NEZPERCE 2 E	MAX	75	79	75	72	72	74	79	71	69	70	71	70	61	59	64	61	67	69	69	64	64	68	68	56	58	61	64	65	56	59	51	66.5
	MIN	44	43	46	47	43	38	39	44	44	42	44	42	40	29	29	36	35	38	44	35	46	38	40	40	31	33	36	34	38	38	35	39.1
OAKLEY	MAX	78	81	80	75	73	75	81	85	83	76	77	74	70	70	75	72	78	83	67	68	75	78	78	68	70	72	72	75	74	60	65	74.5
	MIN	44	42	49	43	36	37	41	42	45	40	41	44	40	24	29	38	34	38	37	35	37	35	41	47	34	37	35	35	37	36	34	38.3
OBSIDIAN 4 NNE	MAX	74	74	70	69	68	70	74	73	70	71	67	65	59	52	61	63	68	72	62	57	63	67	64	58	63	64	63	68	59	55	45	64.8
	MIN	20	21	24	21	20	17	18	22	22	27	22	20	17	11	12	12	16	20	27	14	26	16	18	22	12	15	13	12	13	20	14	18.2
OLA 4 S	MAX	85	87	85	82	81	81	83	88	84	82	83	80	78	72	71	75	77	79	80	76	78	72	68	72	73	75	75	72	69	66	60	77.1
	MIN	39	39	39	39	41	39	35	33	36	39	36	35	36	30	26	25	28	30	35	37	33	31	31	31	34	30	28	26	28	30	30	33.2
OROFINO	MAX	84	89	85	83	83	86	86	83	79	82	80	80	75	70	71	74	76	76	62	72	76	78	76	71	67	67	68	68	59	59	50	74.7
	MIN	37	37	37	35	31	30	30	39	41	40	38	39	35	28	27	29	30	31	34	32	44	36	35	39	29	30	30	27	37	41	39	34.4
PALISADES DAM	MAX	78	81	79	74	67	71	76	80	79	77	72	70	66	61	64	67	68	73		66	68	70	73	67	71	69	70	72	70	68	57	70.8
	MIN	35	36	36	34	30	29	31	34	34	35	35	34	31	19	19	30	24	29		30	30	30	32	30	29	29	27	29	27	34	26	30.3
PARMA EXP STA	MAX	86	85	87	86	83	80	78	77	81	79	82	81	74	69	66	72	74	74	73	71	73	69	69	70	67	69	68	67	67	62	58	74.1
	MIN	45	40	40	46	43	36	32	37	43	45	43	36	38	32	26	27	32	34	42	35	37	33	30	36	33	29	29	27	30	33	31	35.5
PAUL 1 E	MAX	75	79	80	76	74	72	75	80	81	81	79	73	72	68	59	71	70	72	79	66	69	73	77	76	66	70	71	70	74	71	60	72.9
	MIN	35	34	39	37	35	31	31	40	36	34	35	39	43	33	20	24	28	31	41	29	29	36	28	30	26	26	23	26	23	28	28	31.5
PAYETTE	MAX	83	81	82	79	78	74	72	74	78	77	78	76	73	64	63	71	71	73	70	65	70	69	66	68	64	64	64	63	57	61	55	70.4
	MIN	42	42	41	42	40	33	32	33	41	39	38	36	35	35	26	31	37	35	45	35	40	35	31	36	32	29	29	27	30	32	30	35.1
PIERCE RS	MAX	78	83	76	74	75	79	83			76	73	68	73	74	75	70	76	74	63							66	70	59	54	54	47	70.4
	MIN	30	32	30	29	27	26	25			29	31	31	27	34	33	32	29	31	36	32				30		28	29	21	24	40	33	30.0
POCATELLO WB AP	MAX	78	81	80	75	69	73	78	80	80	78	75	74	70	56	68	71	69	75	65	63	67	76	74	68	70	70	69	69	71	59	61	71.4
	MIN	39	37	46	41	35	30	33	34	34	37	38	45	38	26	23	31	28	28	44	31	34	28	30	36	30	26	27	26	25	43	29	33.3
POTLATCH	MAX	80	82	75	74	76	81	84	75	74	74	73	70	73	62	66	65	70	76	65	70	70	70	58	63	63	70	68	70	60	56	50	69.8
	MIN	37	38	30	42	31	32	34	36	43	35	29	28	32	26	30	23	31	34	37	38	34	35	37	25	26	29	29	28	30	42	34	32.6
PRESTON SUG FACT 2 SE	MAX	80	80	79	78	77	75	76	78	77	79	79	73	71	70	62	70	73	73	74	69	70	75	75	74	73	73	72	72	69	65	63	73.4
	MIN	35	35	38	[illegible]	35	32	32	31	33	33	34	33	33	32	19	27	30	29	40	31	34	28	33	32	30	30	25	27	25	30	29	31.3
PRIEST RIVER EXP STA	MAX	78	77	77	74	75	78	74	75	74	75	71	71	62	63	62	66	71	72	66	67	70	70	69	60	62	61	63	60	48	49	44	67.4
	MIN	34	31	33	26	26	26	27	31	33	31	33	30	30	21	22	27	26	26	28	30	40	29	29	32	25	21	21	20	29	29	30	28.3
REACTOR TESTING STA	MAX	79	77	82	72	75	79	77	77	78	75	76	73	69	54	63	67	69	70	63	63	63	67	72	69	68	69	67	70	68	58	57	69.9
	MIN	34	32	38	31	35	26	26	27	26	28	33	32	29	26	16	17	23	21	22	21	28	24	23	26	22	22	19	18	17	37	20	26.1
RICHFIELD	MAX	78	78	76	73	72	74	78	78	79	78	71	73	68	62	62	67	69	75	68	66	70	72	72	67	70	70	71	74	69	60	60	71.0
	MIN	34	37	42	35	41	35	36	41	40	40	36	32	29	30	24	24	34	37	44	30	39	36	32	38	30	27	28	25	28	32	25	34.0
ROLAND W PORTAL	MAX	74	75	72	[illegible]	72	75	80	75	75	72	67	66	59	56	59	60	69	66	63	65	63	68	69	54	60	64	58	62	59	49	43	65.1
	MIN	36	37	37	33	33	35	40	42	39	36	36	37	36	26	26	30	30	40	[illegible]	43	40	40	34	34	25	29	34	41	34	39	33	34.8
RUPERT	MAX	81	84	85	79	76	77	79	80	82	87	82	78	76	70	58	75		70	76	70	72	73	77	76	68	70	75	71	72	70	60	75.0
	MIN	47	35	39	37	35	36	31	41	42	34	34	37	39	32	22	26		[illegible]	39	30	31	38	29	31	27	26	24	26	27	30	28	32.5
SAINT ANTHONY	MAX	78	77	77	73	69	71	76	79	79	78	73	70	67	55	60	64	69	74	65	75	66	73	71	68	67	67	69	71	67	57	57	69.7
	MIN	34	33	32	30	32	28	30	29	32	32	30	32	28	20	18	23	26	25	40	24	24	27	32	30	26	25	25	24	25	31	24	28.1
SAINT MARIES	MAX	80	83	83	80	79	82	85	76	76	76	74	75	73	66	71	71	75	74	74	73	73	70	74	65	65	66	65	67	58	55	51	72.1
	MIN	[illegible]	34	35	31	28	28	29	34	35	33	36	32	29	24	25	28	27	27	32	31	43	34	32	36	30	25	24	24	28	39	33	31.6
SALMON	MAX	82	85	82	78	79	76	76	74	72	77	78	76	68	61	64	71	72	72	67	60	69	70	70	69	65	64	66	63	56	66		70.9
	MIN	32	35	30	31	24	26	23	25	24	34	29	30	25	19	17	21	22	21	25	25	25	21	23	26	21	19	18	16	15	34		24.6

See reference notes following Station Index.

DAILY TEMPERATURES

able 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ANDPOINT EXP STA	MAX	[illegible]	79	76	74	68	62	69	69	69	[illegible]	72	73	61	61	[illegible]	61	[illegible]	67	68	[illegible]	61	64	62	62	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	35	32	35	29	30	28	[illegible]	31	34	[illegible]	[illegible]	33	33	23	25	[illegible]	26	[illegible]	40	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	33	[illegible]
HOSHONE	MAX	82	80	78	73	76	77	81	81	79	80	72	76	70	61	[illegible]	[illegible]	[illegible]	78	70	67	74	75	[illegible]	[illegible]	72	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	41	40	44	41	40	38	42	45	45	[illegible]	36	48	33	30	[illegible]	28	[illegible]	43	47	33	40	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	[illegible]
PENCER RS	MAX	75	74	74	69	64	70	72	73	75	71	68	65	61	[illegible]	52	[illegible]	64	72	[illegible]	62	60	[illegible]	[illegible]	64	64	64	[illegible]	[illegible]	[illegible]	54	49	[illegible]
	MIN	39	31	30	39	32	[illegible]	[illegible]	26	28	[illegible]	[illegible]	29	27	[illegible]	14	[illegible]	29	24	25	[illegible]	25	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]	[illegible]	[illegible]	[illegible]	20	[illegible]
PRINGFIELD	MAX	83	80	82	76	75	75	80	80	81	[illegible]	[illegible]	77	74	61	68	73	73	74	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	32	32	36	32	31	30	30	32	31	30	29	36	34	24	16	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	33	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TIBNITE	MAX	72	74	74	71	72	70	70	75	71	71	72	67	64	56	55	[illegible]	64	67	[illegible]	57	61	61	67	68	62	[illegible]	63	[illegible]	67	63	[illegible]	[illegible]
	MIN	[illegible]	34	35	32	32	[illegible]	31	36	37	36	33	30	27	21	22	24	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	[illegible]	24	[illegible]
UGAR	MAX	77	81	78	72													[illegible]	[illegible]	[illegible]													
	MIN	[illegible]	29	30	29	[illegible]	30	24	23	[illegible]	[illegible]	30	[illegible]	[illegible]	17	13	[illegible]	21	20	22	[illegible]	24	[illegible]	25	[illegible]	20	20	20	[illegible]	[illegible]			[illegible]
UN VALLEY	MAX	76	77	79	77	74	69	76	77	74	74	75	74	70	65	63	72	[illegible]	74	[illegible]	69	67	67	[illegible]	67	67	68	70	72	[illegible]	[illegible]	55	70.6
	MIN	28	25	30	26	21	19	20	22	23	26	24	[illegible]	18	18	14	16	20	[illegible]	[illegible]	18	24	[illegible]	[illegible]	24	[illegible]	17	[illegible]	[illegible]	14	[illegible]	[illegible]	[illegible]
AN FALLS PH	MAX	87	89	87	85	83	84	85	87	82	89	82	86	75	68	72	75	[illegible]	[illegible]	75	74	77	79	77	71	[illegible]	74	75	74	[illegible]	[illegible]	69	78.1
	MIN	51	48	51	56	50	46	43	45	45	46	47	45	44	43	40	36	40	46	49	41	42	41	41	46	39	37	38	[illegible]	[illegible]	39	38	[illegible]
TONIA EXP STA	MAX	73	76	75	68	66	68	70	70	74	[illegible]	67	68	65	48	57	61	[illegible]	69	60	61	57	65	67	68	[illegible]	63	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	30	33	34	31	[illegible]	24	26	31	29	[illegible]	30	31	27	15	[illegible]	[illegible]	[illegible]	[illegible]	28	27	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	[illegible]	[illegible]	23	[illegible]	[illegible]
IN FALLS 2 NNE	MAX	79	81	81	77	77	79	83	84	78	75	75	75	75	64	[illegible]	[illegible]	[illegible]	78	[illegible]	75	76	76	75	68	72	70	74	75		[illegible]	[illegible]	[illegible]
	MIN	45	47	42	44	[illegible]	34	32	34	30	34	39	46	43	[illegible]	24	[illegible]	[illegible]	35	[illegible]	33	[illegible]	[illegible]	[illegible]	40	[illegible]	28	27	28	24	[illegible]	[illegible]	35.1
IN FALLS 3 SE	MAX	81	78	81	80	79	75	77	82	83	78	77	77	77	72	61	[illegible]	73	72	79	69	69	74	76	75	[illegible]	71	[illegible]	72	[illegible]	73	[illegible]	[illegible]
	MIN	51	39	42	48	40	35	36	37	36	39	44	49	48	37	27	28	35	[illegible]	[illegible]	[illegible]	[illegible]	33	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
LLACE	MAX	74	75	77	76	71	75	77	70	70	74	69	66	60	57	61	[illegible]	[illegible]	73	[illegible]	67	[illegible]	67	68	[illegible]	[illegible]	59	60	62	55	[illegible]	45	65.6
	MIN	37	36	38	34	32	31	33	30	37	40	38	29	29	26	27	32	29	[illegible]	34	[illegible]	41	[illegible]	35	34	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
LLACE WOODLAND PARK	MAX	71	76	78	75	73	73	78	82	73	74		75	76	59	54	60	[illegible]	75	70	68	70	68	70	70	61	[illegible]	63	[illegible]	[illegible]	57	[illegible]	[illegible]
	MIN	37	36	36	36	32	32	32	33	38	36		36	36	26	24	24	30	29	29	[illegible]	[illegible]	[illegible]	34	[illegible]	25	[illegible]	25	[illegible]	29	29	[illegible]	[illegible]
EISER	MAX	88	87	87	84	84	78	80	84	84	82	84	85	76	69	68	76	76	78	78	[illegible]	76	74	[illegible]	72	70	70	72	70	[illegible]	64	60	[illegible]
	MIN	38	37	37	38	38	32	30	32	40	38	36	34	35	30	24	[illegible]	[illegible]	38	45	38	[illegible]	[illegible]	28	34	31	[illegible]	26	24	[illegible]	34	[illegible]	33.0
NCHESTER 1 SE	MAX	74	80	75	70	72	77	81	79	68	67	73	67	63	60	68	64	71	76	[illegible]	[illegible]	[illegible]	70	[illegible]	[illegible]	[illegible]	64	71	71	[illegible]	55	[illegible]	[illegible]
	MIN	35	35	39	33	29	29	41	42	32	34	35	39	36	23	28	34	30	35	[illegible]	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	32	[illegible]	[illegible]	33	[illegible]

EVAPORATION AND WIND

able 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
RROWROCK DAM	EVAP	.20	.17	.17	.17	.18	.16	.14	.15	.16	.14	.13	.13	.12	.17	.08	.07	.09	.10	.11	.09	.04	.08	.04	.07	.07	.03	.04	.03	.05	.03	.05	3.26
	WIND	28	26	18	24	28	32	20	22	21	25	13	27	28	54	20	11	23	18	31	25	10	15	17	14	22	13	17	14	17	10	27	670
IPTON PUMPING STA	EVAP	.18	.19	.20	.17	.18	.18	.13	.14	.20	.11	.18	.18	.17	.14	.10	.13	.11	.11	.12	.11	.07	.07	.13	.10	.09	.10	.09	.09	.10	.11	.10	4.08
	WIND	58	63	60	66	69	74	57	34	61	40	60	70	80	70	61	61	65	32	63	95	10	20	57	42	36	51	49	47	58	57	61	1727
INIDOKA DAM	EVAP	.19	.26	.28	.28	.21	.13	.20	.26	.25	.19	.24	.26	.31	.24	.16	.24	.16	.22	.22	.10	.11	.18	.17	.17	.12	.10	.16	.13	.17	.15	.11	5.97
	WIND	60	70	90	105	75	80	100	140	120	60	70	90	150	190	80	100	85	185	90	50	80	130	80	65	75	60	70	90	100	110	80	2930
ALISADES DAM	EVAP	.07	.30	.22	.21	.18	.15	.16	.17	.21	.18	.19	.15	.13	.00	.14	.15	.12	.18	*	.15	.20	.13	.17	.14	.11	.12	.12	.13	.14	.09	.07	4.48
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SNOWFALL AND SNOW ON GROUND

ble 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
IG CREEK 1 S	SNOWFALL																															1.0
	SN ON GND																															-
ASCADE 1 NW	SNOWFALL																															T
	SN ON GND																															
EADWOOD DAM	SNOWFALL																															T
	SN ON GND																															T
ULLAN PASS CAA	SNOWFALL																													T	T	T
	SN ON GND																															

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	[illegible]	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	S IDAHO COL EDUCATION	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	[illegible]	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	RAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5
BOISE WB AIRPORT	1022	ADA	[illegible]	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	[illegible]	8A	FRANK A REDFIELD	2 3 5
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	5P	5P	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D'ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D'ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	MRS M D KLAPPRICH	2 3 5 7
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	5P	5P	DAN GOODMAN	2 3 5
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	STAN L SWANGER	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE POWER HOUSE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	[illegible]	2	42 01	115 19	6000		VAR	CHRIS CALLEN	[illegible]
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLBOY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	JACK MCKAY	3
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 02	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIPTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	[illegible]
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	JAMES D CHAPMAN	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	[illegible]	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	[illegible] 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	[illegible] 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	S
MOSCOW U OF I	6152	LATAH	7	46 [illegible]	117 00	2628	[illegible]	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	[illegible]	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	[illegible] 03	114 48	[illegible]	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5386	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	[illegible] 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	3P	3P	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 [illegible]
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	[illegible]	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	[illegible]	[illegible]
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	J L RANDOLPH	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK	8548	CAMAS	12	43 [illegible]	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	[illegible]	6P	6P	E T SHELAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 [illegible]	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	[illegible] 14	116 36	3950	4P	4P	T CENSKY	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will e no duplication of numbers within a state.

igures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

bservation times given in the Station Index are in local standard time.

elayed data and corrections will be carried only in the June and December issues of this bulletin.

onthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

tations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be inluded in this issue.

nless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in nches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard eather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

leet and hail were included in snowfall averages in Table 1, beginning January 1949.

mounts in Table 3 are from non-recording gage, unless otherwise indicated.

ata in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Staion Index for observation time.

now on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground alues are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is easured at selected stations when the depth of snow on the ground is two inches or more.

No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

And also on a later date or dates.

Amounts included in following measurements, time distribution unknown.

Gage is equipped with a windshield.

This entry in time of observation column in Station Index means after rain.

Adjusted to a full month.

Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station,have been adjusted to represent the value for the full month.

Daily precipitation values and monthly total from recording gage.

Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.

This entry in time of observation column in Station Index means sunset.

Trace, an amount too small to measure.

Includes total for previous month.

This entry in time of observation column in Station Index means variable.

ubscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) hecks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding ubscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-101302 1000 12-15-52


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage ○ Non-recording;
● Recording; ◑ Both types
Double circle combinations: Complete Meteorological.
Hourly precipitation data from recorder stations will be available in the publication "Hourly Precipitation Data".
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry
Benton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2 S
Newport
Sandpoint Exp Sta
Clark Fork 1ENE
Heron 2 NW
Deer Park
Mount Spokane
Bayview Model Basin
Trout Creek 2 W
Coeur d'Alene CAA AP
Deception Cr
Spokane WB AP
Thompson Falls
Coeur d'Alene RS
Kellogg
Burke 2NNE
Mullan Pass CAA Sta
Cheney
Wallace Woodland PK
Wallace
Haugan
Saint Maries
Roland W Portal
Rosalia
Plummer 3WSW
Avery RS
Tekoa
Superior CAA AP
Clarkia RS
Potlatch
Missoula WB AP
Missoula 2 WNW
Colfax 1 NW
Pullman Exp Sta
Elk River 1 S
Moscow U of Ida
Wawawai
Bungalow RS
Lolo Pass
Pomeroy
Lewiston Wtr Pl
Orofino
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Winchester 1SE
Kamiah 1NE
Hamilton
Nezperce 2 E
Kooskia
Moose Creek RS
Anatone
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Wisdom
Dixie
Riggins RS
Joseph
Jackson
Polaris
Salmon
Cornucopia 5 NNW
Big Creek 1 S
Cobalt Blackbird Mine
Grant
New Meadows RS
Yellow Pine
Halfway
McCall
Stibnite
Hebgen Dam
Pungo Creek
Richland
Council 1 N
Dell
Leadore
West Yellowstone
Mesa
Landmark RS
Lima
Lima Dam
Durkee 3 NNW
May RS
Lakeview
Monida 5 NE
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Dell 19 SW
Island Park Dam
Cascade RS
Huntington
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Spencer RS
Dubois Exp Sta
Weiser
Bechler River
Snake River
Ola 4 S
Crouch 2NNW
Ashton 1S
Grassy Lake Dam
Payette
Lowman
Jackson Peak
Dubois CAA AP
Ontario CAA AP
Obsidian 4NNE
Hamer 4NW
St Anthony
Vale
Garden Valley RS
Chilly Barton Flat
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Tetonia Exp Sta
Moran
Nyssa
Emmett 2E
Mackay RS
Little Valley Parma Exp Sta
Idaho City
Atlanta 1E
Vienna
Sugar
Howe
Alta
Adrian
Bogus Basin
Owyhee Dam
Caldwell
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Driggs
Idaho Cy 13SW
Arco
Moose 3 NW
Nampa 2NW
Meridian 1SSW
Arrowrock Dam
Shake Cr RS
Dollarhide Summit
Deer Flat Dam
Trinity Lake GS
Idaho Falls 6 NE
Hailey
Reactor Testing Sta
Kuna 2 NNE
Boise LP Dam
Pine 2SSW
Soldier Cr RS
Idaho Falls CAA AP
Boise WB AP
Jackson
Irwin 2S
Prairie
Anderson Dam
Fairfield
Palisades Dam
Swan Falls PH
Hill City
Blackfoot
Mountain Home
Springfield
Gray
Beaville
Richfield
Putnam Mt
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Rome
Danner
Bliss
Shoshone
Aberdeen Exp Sta
Blackfoot Dam
Bedford 2 SE
Gooding 1 E
Pocatello WB AP
Gooding CAA AP
Jerome
Conda
Minidoka Dam
Grover 2 S
Paul 1E
American Falls 1NW
Bancroft
Buhl
Burley 1NW
Rupert
McCammon
Twin Falls 2NNE
Hazelton
Grace PH
Twin Falls 3SE
Burley
Burley CAA AP
Hollister
Albion
Montpelier RS
Oakley
Border 3 N
Malad
Lifton Pump Sta
Bridge
Malad CAA AP
Three Creek
Preston 2SE
Ida Vada
Lewiston
Owyhee
Snowville
Richmond
Jarbridge
Amalga
Laketown
Sage
Park Valley
Garland
Logan USAC Exp Sta
Contact
Bothwell
Logan USAC
Revised 9-52-WRPC

U. S. DEPARTMENT OF COMMERCE
CHARLES SAWYER, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

NOVEMBER 1952
Volume LV No. 11

See note concerning, "Hourly Precipitation Data" on page 129 of this issue.

SAN FRANCISCO: 1953

IDAHO - NOVEMBER 1952

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

With precipitation over the State averaging only 35 percent of the long-period mean, this was among the driest Novembers in 60 years of record in Idaho. The Northern Division, where precipitation averaged only 0.75 inch, has had lower November averages in only two years, 1936 and 1929. The month was also among the coldest on record, averaging 5.4° below the November mean for the State; the Southeastern Division average of 26.8° was the lowest on record. Average snowfall was less than 50 percent of the November mean, but with the persistence of subnormal temperatures, particularly during the latter half of the month, fairly good accumulations of snow were present in mountain areas at the close. Sunshine was unusually abundant, especially in the southwestern portion of the State where Boise recorded 82 percent of possible, against a normal of 51 percent for November.

Drought, which had persisted for six weeks or more prior to November 1st, continued until near mid-month. Before the 12th little precipitation of consequence was reported anywhere in the State, but from that date through the 15th all sections received substantial amounts of rain or snow. During the early part of the month the paths of storm centers were far to the north and storm fronts extending southward from the centers generally dissipated before reachin Idaho. A sudden change in pattern brough storm centers farther south on the 12th an 13th, and finally one center moved southeastward through California and Nevada o the 15th, drawing colder air from the nort into the northwest States. High pressur accompanying this colder air persisted fo the balance of the month, effectively blocking further movement of Pacific storm front in these latitudes. The only storm fron affecting Idaho during this period was on that moved southward and southwestward acros the Continental Divide, bringing light sno to most sections of the State on the 24th an 25th. The persistence of a relatively stagnant air mass, together with several clea nights and a light snow cover in many sections, resulted in temperatures generall 10° to 20° below normal during the last eigh or ten days of the month.

The dry, sunny weather early in the mont permitted rapid completion of potato an sugar beet harvests, but much fall plowin was left undone and in some dryland whea areas no fall planting was possible becaus of the lack of soil moisture. No damagin storms were reported and highways remaine open, except through some of the highe passes which normally are closed throughou the winter.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5.30A MST	11.30A MST	5.30P MST	11.30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	SE	27	7.9	43	W	12	71	55	54	70	1	1	2	0	0	0	4	82	3.7	SEE TABLE 2
LEWISTON WB AIRPORT	-	-	-	-	-	-	84	73	63	-	3	4	1	0	0	0	8	-	7.2	
POCATELLO WB AIRPORT	SW	13	4.9	30	SW	13	77	58	59	69	4	4	2	0	0	0	10	[illegible]	5.0	

COMPARATIVE DATA

able 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
[illegible]	[illegible]	[illegible]	[illegible]	3.00	-	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	.71	-	5
[illegible]	[illegible]	72	-17	.94	-	[illegible]
[illegible]	30.6	[illegible]	[illegible]	3.82		[illegible]
[illegible]	36.9	[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	31.0	[illegible]	[illegible]	2.42	13.9	[illegible]
[illegible]	40.7	[illegible]	[illegible]	2.09	0.8	[illegible]
1900	36.2	[illegible]	[illegible]	1.38	9.2	[illegible]
[illegible]	40.2	[illegible]	[illegible]	1.01	[illegible]	[illegible]
[illegible]	34.6	70	[illegible]	2.51	7.5	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	2.65	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	84	[illegible]	1.29	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	2.21	6.6	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1908	36.7	76	[illegible]	.97	[illegible]	[illegible]
[illegible]	37.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1910	[illegible]	[illegible]	-12	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	2.28	12.5	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	1.78	2.0	8
1913	[illegible]	[illegible]	[illegible]	2.81	[illegible]	11

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1914	37.1	82	-15	.72	1.9	4
[illegible]	[illegible]	[illegible]	-24	2.17	14.0	11
1916	30.0	77	-27	1.60	9.4	[illegible]
1917	39.8	77	[illegible]	1.53	2.1	[illegible]
1918	[illegible]	68	-15	1.00	[illegible]	[illegible]
1919	32.6	70	-30	2.02	10.2	[illegible]
1920	[illegible]	64	-10	[illegible]	3.6	9
[illegible]	38.3	[illegible]	-10	2.75	10.5	[illegible]
1922	32.7	68	- 8	.82	2.2	[illegible]
1923	37.5	68	- 6	1.23	2.7	[illegible]
1924	34.3	78	-11	[illegible]	5.3	9
1925	35.0	73	-10	1.23	2.7	8
[illegible]	39.6	[illegible]	- 1	4.16	4.2	[illegible]
1927	39.3	76	-10	4.47	4.6	[illegible]
1928	35.8	70	-15	1.29	2.5	7
[illegible]	32.1	[illegible]	-12	.15	0.6	[illegible]
1930	30.5	[illegible]	-20	[illegible]	10.6	[illegible]
1931	30.2	81	[illegible]	1.70	15.0	8
1932	37.5	77	-18	2.17	2.9	[illegible]
[illegible]	37.4	76	- 1	.71	1.0	3
[illegible]	40.0	[illegible]	- 2	2.39	[illegible]	[illegible]

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
[illegible]	[illegible]	[illegible]	-15	.86	5.2	6
1936	32.1	70	-13	.15	1.1	[illegible]
1937	38.1	75	- 4	.84	[illegible]	12
1938	29.6	[illegible]	-26	.82	6.1	[illegible]
[illegible]	38.2	73	3	[illegible]	T	[illegible]
[illegible]	31.2	[illegible]	-15	.87	[illegible]	[illegible]
1941	37.1	74	-17	.73	2.3	[illegible]
1942	34.6	74	-15	[illegible]	[illegible]	[illegible]
1943	[illegible]	70	-13	.87	0.8	[illegible]
1944	33.4	[illegible]	-15	.22	5.6	[illegible]
[illegible]	33.8	76	-17	2.68	13.1	[illegible]
[illegible]	33.6	[illegible]	-11	3.18	11.4	11
[illegible]	32.2	78	-15	1.96	9.4	13
1948	[illegible]	70	[illegible]	[illegible]	9.6	[illegible]
[illegible]	40.9	77	1	1.87	1.6	[illegible]
1950	37.1	75	- 7	[illegible]	5.4	[illegible]
1951	33.1	68	-20	1.82	[illegible]	[illegible]
[illegible]	29.9	70	-28	.69	2.9	4
ALL YEARS	35.3			.93		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

ANNOUNCING THE RESUMPTION OF PUBLICATION OF HOURLY PRECIPITATION DATA

Hourly precipitation data were published in Climatological Data through September 1951, at which time it was necessary to discontinue publication of hourly amounts, because of withdrawal of fiscal support.

Recent developments make possible the resumption of publication of these data in a new bulletin entitled "Hourly Precipitation Data". There will be one bulletin for each of the 42 climatological sections in the United States and one for Alaska. (Climatological sections correspond to States except that the six New England States comprise a single section and Maryland and Delaware comprise another.)

"Hourly Precipitation Data" will be issued monthly, with an annual summary issue. The first month to be published will be October 1951, and publications thereafter will be as rapid and as regular as funds permit. The price will be 10 cents per copy; $1.00 per year (including the annual). Checks and money orders for subscriptions should be made payable to the "Treasurer of the United States". Remittances and correspondence should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS			M							0	0			.76	- 2.87	.24	14	.0	0		7	0	0
BAYVIEW MODEL BASIN	42.1	24.6	33.4		54	4	8	30	941	0	5	19	0	.73		.27	13	.0	0		5	0	0
BIG CREEK	39.5	7.7	23.6		55	7	-19	29	1232	0	6	30	8	.73	- 2.26	.33	14		8	14	4	0	0
BONNERS FERRY	40.8	24.1	32.5	- 1.9	58	4	4	30	970	0	6	24	0	.93	- 1.69	.38	14		T	10+	7	0	0
BURKE 2 ENE	36.1	23.0	29.6	- 1.9	53	3	5	28	1058	0	1	28	0	.76	- 5.52	.22	12	1.3	0		8		0
CLARK FORK 1 ENE	43.7	24.1	33.9	- 1.9	60	4	3	29+	927	0	4	21	0	.69	- 3.72	.30	12	.0	0		6		0
COBALT BLACKBIRD	32.1	9.9	21.0		52	12	-11	25		0	14	30	8	.77		.20	15	8.5	7	25+	9	0	0
COEUR D ALENE CAA AP	41.5	25.3	33.4		57	4	13	22+	944	0	7	22	0	.86		.26	14	.0	0				0
COEUR D ALENE RS	43.1	26.8	35.0	- 1.6	57	3	13	22	897	0	6	19	0	.68	- 2.49	.24	15	T	0		4	0	0
COTTONWOOD	42.4	20.6	31.5	- 4.8	52	4	2	28	993	0	7	29	0	.49	- 1.67	.23	12	.0	0		4	0	0
DIXIE	33.4		M		56	7	-17	26		0	6	30	9	.54		.27	12	4.6	2	13+	3		0
ELK RIVER 1 S	46.4	20.0	33.2		60	4+	1	29	946	0	2	27	0	1.10		.36	14	.0	0		7	0	0
FENN RS	44.7	26.7	35.7	- 3.3	55	6+	6	29	873	0	2	22	0	1.12	- 2.36	.56	12	.3	T	24	7	1	0
GRANGEVILLE	40.7	21.8	31.3	- 6.2	57	11	6	28	1005	0	3	29		1.24	- .68	.38	13		0		7		0
KELLOGG	44.2	26.2	35.2	- 1.1	57	7	7	29+		0	4	19	0	.50	- 3.13	.16	13+	.0	0		7	0	0
KOOSKIA	45.2	25.2	35.2	- 4.0	58	11	5	30	885	0	1	21	0	1.20	- 1.19	.31	13	T	0		6	0	0
LEWISTON WATER PLANT	46.6	26.9	36.8	- 4.9	63	4	9	29+	839	0	2	21	0	.46	- 1.04	.26	14	.0	0		4	0	0
LEWISTON WB AP R	44.4	26.4	35.4	- 4.7	63	3	16	29	881	0	5	19	0	.31	- 1.04	.10	13	T	T	26	5	0	0
MOSCOW U OF I	43.9	26.2	35.[illegible]	- 2.7	63	4	12	22+	893	0	3	22	0	.40	- 2.46	.16	14	.0	0		6	0	0
MULLAN PASS CAA	30.7	21.4	26.1	0.0	45	4	7	27	116[illegible]	0	17	27	0	.87	- 4.70	.41	14	8.3	6	16	6	0	0
NEZPERCE 2 E	41.1	24.3	32.7		57	4	9	26	962	0	6	24	0	.60		.21	12	T	0		6	0	0
OROFINO	47.9	26.7	37.3	- 2.1	62	4	9	29+	822	0	1	22	0	.77	- 2.64	.61	14	T	0		3	1	0
PIERCE RS	39.6	19.0	29.3	- 4.5	55	11	0	26+	1065	0	7	28		1.72	- 2.43	.56	12	2.0	2	14	7	1	0
PORTHILL	42.1	21.7	31.9	- 2.1	52	1	6	29+	986	0	3	27	2	.44	- 2.12	.18	14	T	T	24+	5	0	0
POTLATCH	44.2	24.4	34.3	- 2.9	61	4	8	26	913	0	4	24	0	.39	- 2.36	.18	14	.0	0		6	0	0
PRIEST RIVER EXP STA	39.6	22.8	31.2	- 2.0	56	4	5	27	1008	0	4	27		1.25	- 2.35	.41	13	T	0		7	0	0
RIGGINS RS			M				15	28		0	0		0					.0	0				
ROLAND W PORTAL	38.1	23.2	30.7	- 2.5	54	4	4	26	1034	0	9	28		1.18	- 5.25	.34	14	3.[illegible]	1	14+	7	0	0
SAINT MARIES	46.3	21.8	34.1	- 3.3	60	4+	2	29	921	0	2	24	0	.48	- 3.02	.18	12	.0	0		5	0	0
SALMON	41.6	10.8	26.2M	- 5.4	55	11	-12	28	1158	0	6	29	6	.08	- .5[illegible]	.05	15				2	0	0
SANDPOINT EXP STA	41.3	24.3	32.8	- 2.6	58	4	4	26	961	0	5	22	0	.84	- 3.05	.30	14	T	0		7	0	0
WALLACE	40.9	24.1	32.5	- 2.9	55	4	6	28	968	0	6	22	0	.84	- 4.48	.21	12	T	0		8	0	0
WALLACE WOODLAND PK	42.6	24.0	33.3	- 2.4	57	4+	5	29		0	5	22	0	.68	- 3.33	.20	13	.0	0		6	0	0
WINCHESTER 1 SE	43.6	19.6	31.6	- 3.5	62	4	0	28	993	0	5	27	1	.33	- 1.26	.12	12	.0	0		5	0	0
DIVISION			32.1	- 4.0										.75	- [illegible].64			.9					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	40.4	7.8	24.1	- 7.0	61	4+	-11	29	1220	0	11	30	8	.54	- 2.90	.20	14	5.5	4	14	4	0	0
ANDERSON DAM	46.2	25.5	35.9		66	4	10	28	865	0	3	25	0	1.37		.90	14	T	0		5	1	0
ARROWROCK DAM	43.4	22.5	33.0	- 4.4	58	6	10	28+		0	6	27	0	.77	- 1.77	.65	14	.0	0		2	1	0
ATLANTA 1 E	43.7	18.3	31.0	0.3	63	4	1	26	1014	0	4	30	0	.87	- 2.01	.41	14	12.0	7	14	4	0	0
BLISS	48.5	18.9	33.7	- 3.8	68	4	2	28	930	0	1	30	0	.25	- .87	.15	14	T	0		3	0	0
BOISE LUCKY PEAK DAM			M							0				.66		.57	14	.0	0		2	1	0
BOISE WB AP //R	46.4	23.6	35.0	- 4.7	60	11	10	28	894	0	1	26	0	.35	- .93	.14	13+	T	T	12	3	0	0
BUHL	47.2	23.7	35.5M	- 3.4	68	6	7	26+	879	0	3	26	0	.07	- .93	.07	14	T	0		1	0	0
CALDWELL	48.1	21.0	34.6	- 4.2	63	9	9	28+	906	0	0	27	0	.71	- .43	.55	14	.0	0		2	1	0
CAMBRIDGE	45.2	18.3	31.8	- 5.1	56	7	1	30	991	0	3	27	0	1.41	- 1.06	.78	14	.0	0		4	2	0
CASCADE 1 NW	36.3	14.1	25.2		52	6	- 4	29	1187	0	11	29	5	.74		.49	14	6.0	5	14+	3	0	0
CHALLIS	39.7	14.9	27.3	- 4.8	55	10	- 6	26+	1124	0	8	30	5	.27	- .10	.10	15	1.5	1	14+	4	0	0
COUNCIL 1 N	47.2	21.3	34.3	- 3.1	59	4+	3	30	916	0	0	27	0	1.41	- 1.83	1.10	14	1.5	0		3	1	1
DEADWOOD DAM	41.4	11.1	26.3	- 1.5	62	5	-10	30	1154	0	6	30	5	1.33	- 2.10	.80	14	12.0	10	14	4	1	0
DEER FLAT DAM	48.0	22.7	35.4	- 2.8	61	11	6	28	883	0	0	27	0	.42	- .52	.32	14	.0	0		2	0	0
EMMETT 2 E	46.6	21.3	34.0	- 6.3	59	8	8	28	927	0	2	26	0	1.03	- .28	.71	14	.0	0		2	1	0
FAIRFIELD	42.0	7.8	24.9M		63	4	-17	26	1194	0	8	30	7	1.12		.58	14	6.7	3	25	6	1	0
GARDEN VALLEY RS	43.8	17.7	30.8	- 4.3	57	4+	2	29	1023	0	4	28	0	1.15	- 2.01	.72	14	.0	0		4	1	0
GLENNS FERRY	49.4	17.7	33.6	- 6.0	67	4	1	26+	936	0	0	27	0	.49	- .74	.30	14	.0	0		3	0	0
GOODING CAA AP	44.7	22.2	33.5	- 2.7	67	4	6	26+	936	0	4	27	0	.44	- .82	.21	14	.8	1	25	5	0	0
GRAND VIEW	49.9	20.0	35.0M	- 4.7	62	11	3	28	896	0	0	28	0	.25	- .40	.15	13	.0	0		2	0	0
HAILEY	42.2	14.2	28.2	- 5.2	60	4+	- 8	5	1096	0	5	30	4	.47	- .92	.43	14	3.5	3	14+	2	0	0
HAZELTON	43.8	17.7	30.8	- 7.1	65	4	- 8	28	1020	0	7	29	2	.27	- .88	.15	14	1.0	1	25+	4	0	0
HILL CITY	40.2	7.6	23.9	- 6.3	63	4	-19	26	1224	0	11	30	8	.98	- .70	.46	14	9.0	6	14	4	0	0
HOLLISTER	48.8	15.9	32.4	- 5.1	65	5	- 1	26	976	0	2	29	1	.42	- .41	.25	14				3	0	0
IDAHO CITY	49.9	12.7	31.3	- 4.2	65	4+	- 4	29	1002	0	0	30	5	.92	- 1.90	.60	14	2.5	0		4	1	0
JEROME	46.4	18.8	32.6	- 5.6	66	4	- 1	26+	964	0	5	28	2	.29	- .63	.13	13+	.1	0		3	0	0
KUNA 2 NNE	47.0	19.4	33.2M	- 6.1	64	11	7	28	945	0	0	28	0	.36	- .92	.29	14	.0	0		2	0	0
MC CALL	38.4	15.2	26.8	- 3.7	54	4+	- 5	29	1144	0	9	29	4	.93	- 1.94	.52	14	9.0			3	1	0
MERIDIAN 1 SSW	45.2	27.0	36.1M	- 3.1	59	11	12	28	858	0	0		0	.61	- .74	.51	14	.0	0		2	1	0
MOUNTAIN HOME	49.5	21.2	35.4	- 2.8	68	4	9	23+	882	0	0	28	0	.52	- .63	.33	14	.8	T	25	4	0	0
NAMPA 2 NW	48.6	21.8	35.2		60	7+	9	28		0	0	27	0	.58		.33	14	.0	0		3	0	0
NEW MEADOWS RS	44.1	12.1	28.1	- 4.3	56	3	- 8	27	1099	0	0	29	6	1.20	- 1.52	.70	13	.0	0		3	1	0
OBSIDIAN 4 NNE	38.3	4.5	21.4	- 4.9	58	4	-22	29	1301	0	11	29	13	.25	- 1.41	.15	13	8.0	7	14	4	0	0
PARMA EXP STA	48.2	20.8	34.5	- 4.1	58	4+	6	28	907	0	0	27	0	.54	- .44	.38	14	.0	0		2	0	0
PAYETTE	46.6	21.8	34.2	- 4.6	57	8	8	29	915	0	1	26	0	.46	- .18	.64	14	.0	0		4	1	0
RICHFIELD	42.0	16.7	29.4	- 5.0	63	4	- 8	26	1063	0	7	29	2	.63	- .44	.27	14	3.2			5	0	0
SHOSHONE	43.9	19.8	31.9	- 4.2	65	4	2	26+	986	0	6	29	0	.55	- .73	.28	14	1.0	1	24	6	0	0
STIBNITE	38.5	11.9	25.2		59	5	- 6	25+		0	8	30	5	.97		.31	13	9.4	7	15	6	0	0
SUN VALLEY	41.7	3.2	22.5	- 4.6	59	4+	-21	26	1266	0	8	30	9	1.18	- .71	.70	14	17.0	12	14	3	1	0
SWAN FALLS PH	49.7	27.4	38.6	- 2.4	62	4+	12	28	786	0	1	23	0	.16	- .79	.08	13+	.0	0		2	0	0
THREE CREEK	45.6	10.9	28.3		68	4	- 9	28	1096	0	5	30	5										
TWIN FALLS 2 NNE	45.8	18.8	32.3	- 5.4	67	4	0	28	973	0	4	28	1	.27	- .81	.14	13	T	0		5	0	0
TWIN FALLS 3 SE	46.7	19.3	33.0	- 4.7	66	5	2	29		0	4	30	0	.27	- .78	.15	15	T	0		3	0	0
WEISER	49.9	19.5	34.7	- 4.3	62	6+	6	29	902	0	0	27	0	1.17	- .22	.97	14	.0	0		2	1	0
DIVISION			31.2	- 5.3										.69	- 1.22			2.6					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	41.8	13.6	27.7	- 6.3	61	4	- 6	25	1111	0	9	29	5	.46	- .27	.38	15				4	0	0
ALBION	44.1	9.6	26.9	-10.1	65	4	-16	26+	1134	0	7	30	7	.82	- .66	.55	15	8.0			5	1	0
AMERICAN FALLS 1 NW	39.9	16.4	28.2	- 6.7	58	4+	- 2	26+	1099	0	10	30	2	.61	- .55	.51	15	5.5	1	15+	4	1	0
ARCO	42.3	12.0	27.2M	- 4.2	59	1	- 8	26+	1128	0	8	30	5	E .45	- .15			2.5			3		0
ASHTON 1 S	38.2	12.1	25.2	- [illegible]	[illegible]	4	-13	26	1189	0	8	30	6	.85	- .45	.66	15	3.0	2	15+	3	1	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
										90° or Above	32° or Below	32° or Below	0° or Below					Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
[illegible]	[illegible]	[illegible]	28.6	- [illegible]	65	6	- 5	[illegible]	1088		9	[illegible]	4	.65	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	0
[illegible]	[illegible]	17.9	[illegible]	- [illegible]	[illegible]	[illegible]	- 5	[illegible]			[illegible]	[illegible]	4	.75	- [illegible]	.56	[illegible]	2.0			3	1	[illegible]
BURLEY FACTORY 1 NW	[illegible]	[illegible]	[illegible]	- [illegible]	66	[illegible]	-[illegible]	[illegible]		0	[illegible]	30	[illegible]	.50	- .40	.44	[illegible]	1.[illegible]					
[illegible]	[illegible]	[illegible]	28.9	- 7.1	64		-[illegible]	[illegible]	1079		[illegible]	30	[illegible]	1.[illegible]	[illegible]	.66	14	[illegible]	[illegible]	[illegible]	[illegible]	1	
CHILLY BARTON FLAT	[illegible]	7.0	[illegible]	- 5.3	[illegible]	4+	-[illegible]	26+	[illegible]		[illegible]	30	[illegible]	.29	[illegible]	.10	[illegible]		[illegible]	24	[illegible]	0	0
[illegible]	39.8	[illegible]	24.2	- [illegible]	62	[illegible]	-17	26			[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	.27	[illegible]	8.0			[illegible]	0	0
[illegible]	[illegible]	7.3	23.3	- [illegible]	60	4+	-18	[illegible]			10	30	9	[illegible]	- [illegible]	.17	14				[illegible]		0
DUBOIS EXP STA	[illegible]	15.7	25.7	- [illegible]	58	7	- 6	28	1175	[illegible]	[illegible]	30	[illegible]	.92	[illegible]	.79	15		[illegible]	[illegible]		1	[illegible]
[illegible]	[illegible]	[illegible]	26.3	- 4.1	57	6	- 8	28	[illegible]		[illegible]	30	[illegible]	.88	[illegible]	.38	14	[illegible]	3	16	[illegible]	0	0
FORT HALL IND AGENCY	[illegible]	[illegible]	[illegible]M	- 6.4	[illegible]	[illegible]	- 8	26	[illegible]		[illegible]	[illegible]	5	.89	[illegible]	.78	15	[illegible]	[illegible]	15	[illegible]	1	0
GRACE	[illegible]	[illegible]	[illegible]	- 6.4	59	[illegible]	- 9	28	[illegible]	0	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	.18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	0
[illegible]	42.8	9.1	26.0	- [illegible]	[illegible]	[illegible]	-15		[illegible]	0	[illegible]	[illegible]	[illegible]	[illegible]	- 1.02	E .10	[illegible]	3.0	[illegible]	25+	[illegible]	0	
[illegible]	38.9	0.8	[illegible]		[illegible]	[illegible]	-	[illegible]	1347		[illegible]	[illegible]	[illegible]	[illegible]	- .01	.41	[illegible]	[illegible]	[illegible]	13	[illegible]	0	0
HAMER 4 NW	39.9	[illegible]	[illegible]	- [illegible]	[illegible]	6	-17	28	1200	0	12	[illegible]	[illegible]	[illegible]	.47	.71	15	5.0			[illegible]	1	0
[illegible]	39.2	[illegible]	26.3		58	4+	- 9	[illegible]	[illegible]	0	10	[illegible]		.84		.65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	
IDAHO FALLS CAA AP	39.3	[illegible]	26.6	- 6.9	[illegible]	[illegible]	- 9	26+	1146		[illegible]	30	[illegible]	.54	- .25	[illegible]	14	[illegible]	[illegible]	15+	[illegible]		
IRWIN 2 S	40.4	12.9	26.7	- [illegible]	64	[illegible]	-10	[illegible]	[illegible]		[illegible]	30	[illegible]	[illegible]	- .63	.36	[illegible]	7.0			[illegible]		
[illegible]	36.3	[illegible]	21.7	- [illegible]	54	6	-24	26+	1309	[illegible]	[illegible]	[illegible]	[illegible]	1.[illegible]	- 1.97	.48		[illegible]		[illegible]	[illegible]		
LIFTON PUMPING STA	38.3	14.9	[illegible]	- [illegible]	56	[illegible]	-11	26	[illegible]		[illegible]	30	[illegible]	.14	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		
MACKAY RS	39.8	[illegible]	[illegible]	- [illegible]	60	6	-10	29	1133		[illegible]	[illegible]	[illegible]	.66	.15	.30	14	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]	19.3	[illegible]	- [illegible]	60	4+	0	[illegible]	990	0	5	29	1	[illegible]	- .36	.76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	
MALAD CAA AP	43.9	15.8	29.9		62	[illegible]	- 3	28	[illegible]	[illegible]	[illegible]	[illegible]	3	.77		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	25.8	- [illegible]	69	12	-[illegible]	[illegible]	1169	[illegible]	[illegible]	[illegible]		[illegible]	- .07	.10	[illegible]		[illegible]	24	[illegible]		
MC CAMMON	43.2	12.6	27.9		62	[illegible]	- [illegible]	[illegible]	1107	0	[illegible]	[illegible]	[illegible]	.61		.54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	[illegible]
[illegible]	41.1	19.0	30.1		59	[illegible]	- [illegible]	26	1040	0	[illegible]	[illegible]	2	[illegible]		.35	[illegible]	1.0		24+	[illegible]		
MONTPELIER RS	38.9	13.8	26.4M	- [illegible]	61	[illegible]				0	10	30	[illegible]	E [illegible]	- .33	.25	[illegible]	8.3	4	[illegible]	[illegible]		
[illegible]	45.2	19.1	32.2	- [illegible]	70	4	- 4	[illegible]	980	[illegible]	[illegible]	30	[illegible]	1.18	.41	.52	14	[illegible]	[illegible]	25+	[illegible]	1	
PALISADES DAM	38.5	12.1	[illegible]M		[illegible]	4+	-13	26	1182	0	11	30	[illegible]	[illegible]		.38	[illegible]				[illegible]	0	0
PAUL 1 E	[illegible]	14.6	29.7	- [illegible]	[illegible]	[illegible]	- 9	[illegible]		0	[illegible]	30	[illegible]	.63	- .34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	0
POCATELLO WB AP //R	[illegible]	14.2	27.5	- [illegible]	63	[illegible]	- 6	[illegible]	[illegible]	0	10	30	6	.82	- .21	.46	14	6.8	[illegible]	14+	6	0	0
[illegible]	43.6	17.6	[illegible]	- [illegible]	[illegible]	4+	- 2	[illegible]	1024	[illegible]	8	[illegible]	1	.69	- .75	.50	15	6.1	[illegible]	15	4	1	0
[illegible]	[illegible]	9.5	24.0		57	7	-[illegible]	[illegible]	[illegible]	0	10	[illegible]	[illegible]	[illegible]		.21	14	.1	0		4	0	[illegible]
[illegible]	45.0	14.1	29.6	- [illegible]	[illegible]	[illegible]	-10	26		[illegible]	6	[illegible]	4	.68	- .32	.30	[illegible]		[illegible]	[illegible]	[illegible]	0	0
[illegible]	39.9	13.3	26.6		60	6	-11	26	[illegible]	0	11	[illegible]	6	[illegible]	- .56	.63	15		4	15	[illegible]	1	0
[illegible]	35.7	9.8	22.8M	- 5.0	[illegible]	6	-18	28	[illegible]	0	14	[illegible]	[illegible]	1.34	.03	.48	15	[illegible]	[illegible]	[illegible]	5	[illegible]	0
[illegible]	42.3	[illegible]	27.9	- [illegible]	63	4	- 5	[illegible]	[illegible]	0	9	[illegible]	5	[illegible]	- .36	.42	[illegible]	[illegible]	1	15	4		0
SUGAR			[illegible]				-12	26+		0		30	8	.57	- [illegible]	[illegible]	15				3	0	0
TETONIA EXP STA	38.2	3.5	[illegible]		54	7	-16	[illegible]	[illegible]	[illegible]	[illegible]	30	10	.13		.13	[illegible]				1	[illegible]	[illegible]
DIVISION			26.8	- [illegible]										.66	- [illegible]			4.8					
STATE			29.9	- 5.4										.69	- 1.26			[illegible]					

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
[illegible]	[illegible]													[illegible]	[illegible]	[illegible]									.01							.
[illegible]	[illegible]													[illegible]	.10	[illegible]									.06	.04						.
[illegible]	[illegible]										T	.06	.12	.16	[illegible]																	.
[illegible]	[illegible]													.04	[illegible]	.51		T							[illegible]							.
[illegible]	[illegible]												[illegible]	[illegible]	.90	.01										.01						.
[illegible]	[illegible]													T	[illegible]	[illegible]									T	E .05						.
[illegible]	[illegible]											T		.12	[illegible]	T																.
[illegible]	[illegible]	[illegible]												.07	.12	[illegible]																.
[illegible]	.87												[illegible]	[illegible]	.41	[illegible]									T							.
[illegible]	.76											[illegible]	.17	.16	.24	[illegible]	[illegible]	[illegible]	T													.
[illegible]	[illegible]	T									[illegible]	[illegible]	[illegible]	[illegible]	.03	T		T														.
[illegible]	.73	[illegible]											.20	.10	[illegible]	[illegible]									[illegible]	T						.
[illegible]	.65														[illegible]	[illegible]																.
[illegible]	[illegible]													[illegible]	[illegible]	[illegible]																.
[illegible]	.66												T	[illegible]	[illegible]																	.
[illegible]	[illegible]											T	.07	[illegible]	[illegible]																	.
[illegible]	.93				.04	.12					.02	[illegible]	[illegible]	[illegible]	.38																	.
[illegible]	.07														[illegible]																	.
[illegible]	[illegible]	[illegible]										[illegible]	.22	[illegible]	[illegible]	.06	.03								.01							.
[illegible]	[illegible]													[illegible]		[illegible]										[illegible]						.
[illegible]	.50													.06		[illegible]																.
[illegible]	[illegible]												[illegible]	[illegible]	[illegible]	[illegible]									[illegible]							.
[illegible]	.71												T	.16	.55																	.
[illegible]	[illegible]												.08	[illegible]	[illegible]	.05																.
[illegible]	[illegible]											[illegible]	.10	.15	[illegible]																	.
[illegible]	[illegible]												[illegible]	[illegible]	[illegible]	[illegible]																.
[illegible]	[illegible]													[illegible]	[illegible]	.10																.
[illegible]	[illegible]													.10		.10									[illegible]							.
[illegible]	[illegible]					[illegible]						[illegible]	.30	.10	.15	.07																.
[illegible]	[illegible]	.16												.11	.02	[illegible]	[illegible]		[illegible]						[illegible]	.12		.01				.
OEUR D ALENE CAA AP	[illegible]										.06	.13	.24	.17	.26																	.
OEUR D ALENE RS	[illegible]										T		.06	[illegible]	.13	.29									.01	.03						.
[illegible]	[illegible]													.19		[illegible]																.
[illegible]	[illegible]											[illegible]	.23	.12		.11																.
[illegible]	1.[illegible]												.15	.16	[illegible]																	.
[illegible]	[illegible]												.05	.33	.85	[illegible]																.
EADWOOD DAM	1.[illegible]											T	.20	[illegible]	[illegible]	[illegible]																.
[illegible]	.42													.10	.32																	.
[illegible]	[illegible]											T	.27	[illegible]	[illegible]																	.
[illegible]	[illegible]													.02	.17	.04																.
[illegible]	[illegible]													.13		.79																.
[illegible]	[illegible]													.08	.38	.35								.07	T							.
[illegible]	1.10	[illegible]										[illegible]	.21	.15	.36	[illegible]	.04															.

DAILY PRECIPITATION

Table 3–Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
[illegible]	1.03												T	.32	.71																	
[illegible]	1.12												.01	.22	.58	.03									.12	.16						
[illegible]	1.12	.17										.10	.56	.09	.15	.03	.02								T							
[illegible]	.89													T	.07	.78		T				.03			.01							
[illegible]	1.15												.03	.34	.72	.06																
GLENNS FERRY	.49													.11	.30	.08						T				T						
GOODING CAA AP	.44												.13	.04	.21	.04						T			.02	T						
[illegible]	.47													.16	.07	.18		.01							.05	T						
[illegible]	[illegible]													.15	[illegible]																	
[illegible]	1.24											.02	.33	.38	.28	.19	.03					T			.01							
[illegible]	[illegible]														E.10										E.10	E.10						
[illegible]	[illegible]												[illegible]	.41											.15							
[illegible]	.47														.43										.04	T						
HAMER 4 NW	.84													.03	.10	.71																
[illegible]	.27													.04	.15	.04						T			T	.04						
[illegible]	.98												T	.26	.46	.17										.09						
HOLLISTER	.42													.05	.25	.12																
[illegible]	.23													T	.05	.18										T						
IDAHO CITY	.92												.04	.23	.60	.05																
[illegible]	1.15											T	.02	.19	.94																	
IDAHO FALLS 6 NE	.84														.12	.65						T			.07							
IDAHO FALLS CAA AP	.54												T	T	.35	.13			T			.03		T	.03			T				
IRWIN 2 S	[illegible]													.04	T	.36						.06			.06							
ISLAND PARK DAM	1.12													.42	.22	.48																
JEROME	.29												T	.13	.13	.03						T				T						
KAMIAH 1 NE	.84	[illegible]										.09	.04	.42	.08	.04	.02	T			.01				T							
KELLOGG	[illegible]	[illegible]										[illegible]	[illegible]	.16	[illegible]	.16	.07															
[illegible]	1.20											.07	.25	.31	.14	.21	.22								T							
[illegible]	.36											T	T	.07	.29																	
LEWISTON WATER PLANT	.46											.02	.07	.11	.26	T	T															
[illegible]	[illegible]	T										.02	[illegible]	[illegible]	.04	.08	T										T					
LIFTON PUMPING STA	.14													.10		T						T	.01			.03						
[illegible]	.66													.12	.30	.03									.18	.03						
[illegible]	.93												.09	.76				.05				T			.03	T		T				
[illegible]	.77													.08	.31	.32						T			.05	T		.01				
[illegible]	.20													.10											.10							
MC CALL	.93												.26	.15	.52																	
MC CAMMON	.61													T	.07	.54						T			T	T						
[illegible]	.61													.10	.51																	
MINIDOKA DAM	.72													.10	.20	.35						.01			.05	.01						
MONTPELIER RS	.64													.18		.25	T	T	T			T	.01		T	E.20						
MOSCOW U OF I	.40											.08	.07	.05	.16	.03	.01															
[illegible]	.52													.16	.33	.02										.01						
MULLAN PASS CAA	.87	.05										.07	.13	.10	.41	.11	T	T							T	T						
NAMPA 2 NW	.58													.11	.33	.14																
NEW MEADOWS RS	1.20											.37	.13	.70																		
[illegible]	.60											.10	.21	.14	.12	.03									T							
OAKLEY	1.18													.05	.52	.35									.18	.08						
[illegible]	.25	T										T	.02	.15	.05	T									.03			T				
[illegible]	.77	.03										T	.13	T	.61		T	T							T							
[illegible]	.54													.01	.05	.48				T						T						
PARMA EXP STA	.54													.16	.38																	
PAUL 1 E	.63													.06		.43						T				.14						
PAYETTE	.96											.05	.01	.26	.64																	
[illegible]	1.72	[illegible]										.14	.56	.45	.30	.02	.04								T	T						
PINE 2 SSW	1.52												T	.48	1.04										T							
[illegible]	.82												T	.01	.46	.22		.05			T	.05			.03			T	T			
[illegible]	.44	.04				.03							.06	.13	.18										T							
POTLATCH	.39											.02	.08	.05	.18	.02	.04															
PRESTON SUG FACT 2 SE	.69													.16	.02	.50						T			.01							
[illegible]	1.25	-					.04				.04	.10	.15	.41	.30	.21	T								T						-	
REACTOR TESTING STA	.37												.01	.10	.21	.05	T	T							T							
[illegible]	.63													.14	.27	.08									.08	.06						
[illegible]	-	.01									-	-	-	-	-	-	-															
ROLAND W PORTAL	1.18	[illegible]										.12	.26	.20	.34	.02	T	.07	T						T							
[illegible]	.68													.07	.18	.30						T			T	.11	.02		T			
[illegible]	.86													.04	.19	.63																
[illegible]	[illegible]											[illegible]	.18	.02	.09	.13																
SALMON	.08													T	T	.05									.03							
SANDPOINT EXP STA	.84	.01				.02					T	.06	.15	.20	.30	.10										T						
SHOSHONE	[illegible]													[illegible]	.28	.03	.02					.01			.06	T						
SPENCER RS	1.34													[illegible]	.47	.48	.05								.04				T			
SPRINGFIELD	.56													.03	.09	.42						.02			T			T	T			
STIBNITE	.47	[illegible]	[illegible]									T	T	[illegible]	.17	.26	.02									T		T				
[illegible]	.57													.05	.07	.45			T	T					T			T				
SUN VALLEY	1.18												T	[illegible]	[illegible]										.03	T						
SWAN FALLS PH	.16													.08	.08	T																
TETONIA EXP STA	.13															.13																
THREE CREEK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TWIN FALLS 2 NNE	.27												T	.14	.09	.01	.02									.01						
[illegible]	.27													.10	T	.15										.02						
WALLACE	.84	.06										.06	.21	.10	.20	.07	.10	.04							T							
[illegible]	.68	.04											.11	.20	.06	.10	.17															
WEISER	1.17											T	T	[illegible]	[illegible]																	
WINCHESTER 1 SE	[illegible]											[illegible]	.12	.03	.11	.03																

DAILY TEMPERATURES

ble 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ERDEEN EXP STA	MAX	57	49	53	61	54	57	59	52	47	53	57	52	45	49	38	38	34	[illegible]	40	40	37	32	32	28	24	23	23	23	27	[illegible]		41.8
	MIN	26	13	9	14	17	19	17	5	10	8	15	15	2	34	32	[illegible]	[illegible]	26	[illegible]	24	27	[illegible]	[illegible]	13	-6	-5	2	-4	0	-1		13.6
BION	MAX	51	51	62	65	62	58	57	48	50	58	58	55	[illegible]	45	43	42	34	43	45	42	35	27	27	30	26	28	28	31	33	38		44.1
	MIN	29	7	2	14	17	17	14	14	4	[illegible]	18	15	3	3	18	6	20	20	14	19	[illegible]	4	0	[illegible]	-3	-16	-11	-16	[illegible]	-4		9.6
PHA 1 NE	MAX	45	51	57	61	54	61	53	49	48	55	53	51	36	37	36	36	34	41	40	[illegible]	31	30	30	32	30	27	27	27	28	25		40.4
	MIN	13	5	5	8	10	13	10	6	2	4	27	25	28	28	23	8	11	18	16	18	10		-1	[illegible]	-7	[illegible]	-9	-10	-11	-10		7.8
ERICAN FALLS 1 NW	MAX	56	48	49	58	58	52	55	48	44	48	58	50	48	48	34	34	37	35	45	36	34	35	29	28	25	24	22	22	25	27		39.9
	MIN	30	13	10	23	24	21	19	12	[illegible]	15	21	22	32	32	31	15	27	22	17	24	24	11	4	18	3	-2	[illegible]	-2	[illegible]	4		16.4
DERSON DAM	MAX	54	54	61	66	60	63	60	57	54	55	60	[illegible]	45	41	44	42	42	45	45	40	39	38	40	35	33	32	30	28	36	38		46.2
	MIN	30	27	26	31	32	35	31	24	24	26	35	38	34	34	32	23	25	30	18	[illegible]	23	17	16	25	16	[illegible]	17	10	24	13		25.5
CO	MAX	59	52	52	57	54	57	58	50	48	47	52	55	43		42	52	46	37	45	31	35				24	24	22	22	23	25		42.3
	MIN	29	13	8	12	16	20	18	14	6	4	12	14	24		28	28	16	18	21	23	21			4	5	-8	-6	-8	-4	-8		12.0
ROWROCK DAM	MAX	56	50	52	57	57	58	56	53	51	47	49	57	47	46	43	38	39	40	43	43	39	36	32	35	35	30	28	26	27	32		43.4
	MIN	26	24	21	21	24	25	27	25	[illegible]	20	22	35	35	36	30	25	25	28	28	26	23	18	15	19	16	13	13	10	[illegible]	14		22.5
HTON 1 S	MAX	47	48	49	52	50	49	51	38	44	48	53	[illegible]	45	42	36	36	34	32	36	37	37	35	30	25	20	18	21	24	28	33		38.2
	MIN	26	14	12	14	19	20	21	15	6	[illegible]	13	16	31	32	29	16	16	15	[illegible]	20	17	14	10	6	-4	[illegible]	-10	-10	-11	-2		12.1
LANTA 1 E	MAX	48	50	61	63	57	59	57	51	51	56	54	48	40	37	41	42	40	41	41	40	36	34	35	35	28	28	30	30	39	40		43.7
	MIN	23	20	21	31	40	31	22	21	19	24	30	32	26	27	23	14	17	20	21	22	11	[illegible]	[illegible]	11	[illegible]	[illegible]	10	2	8	11		18.3
ERY RS	MAX					55	56	51			52		50	45	42			43	44	51	41	40			43	35							
	MIN						26	28			22		31	35	36			34	34	35	32	23			18	21							
YVIEW MODEL BASIN	MAX	53	49	50	54	52	50	48	46	45	44	50	46	46	43	43	43	45	45	46	41	37	36	36	35	35	32	29	29	28	28		42.1
	MIN	35	19	24	27	40	34	28	18	24	20	33	35	38	33	41	36	34	32	33	[illegible]	10	11	25	14	14	12	18	17	10	8		24.6
G CREEK 1S	MAX	39	39	41	51	49	52	55	48	43	45	50	45	38	36	39	36	44	42	52	45	35	34	38	33	26	24	30	26	24	27		39.5
	MIN	24	3	1	6	11	18	18	5	-2	1	26	28	28	27	21	23	18	23	19	9	8	-5	5	8	-15	-16	[illegible]	-17	-19	-18		7.7
ACKFOOT	MAX	59	48	54	55	64	65	60	60	46	49	40	50	48	48	37	39	35	35	38	36	36	30	29	29	25	23	23	19	24	27		41.2
	MIN	27	15	12	19	24	25	24	18	9	10	18	17	30	34	30	19	25	25	24	24	22	10	6	16	2	-3	[illegible]	-5	-4	-2		15.9
ISS	MAX	57	55	61	68	60	59	56	56	60	60	62	51	50	50	48	48	44	48	49	41	40	39	39	40	40	34	32	33	35	41		48.5
	MIN	27	19	13	21	21	23	20	15	14	16	24	27	30	29	32	21	24	25	20	22	23	10	8	18	17	3	15	[illegible]	16	13		18.9
ISE LUCKY PEAK DAM	MAX					57	62	60							46		47		50	52	44	41				36	38						
	MIN				26	28	29	27							34		17		22	25	24	16				13	10						
ISE WB AP	MAX	52	54	56	57	55	59	54	57	54	51	60	54	48	48	44	44	43	49	51	40	40	37	36	37	34	35	32	34	40	37		46.4
	MIN	26	22	30	26	28	32	29	23	23	23	34	35	37	34	27	22	22	27	29	26	[illegible]	15	16	18	16	[illegible]	16	10	15	12		23.6
NNERS FERRY	MAX	54	47	54	58	52	48	40	45	45	39	47	43	45	36	48	39	42	43	42	48	35	36	36	32	34	29	32	27	27	27		40.8
	MIN	28	21	26	28	32	27	25	22	23	27	32	36	36	34	34	30	34	32	34	26	19	[illegible]	[illegible]	20	17	15	14	11	5	4		24.1
HL	MAX	54	53	60	61	60	68	58	54	52	56	59	54	48	48	49	46		44	48	44	39	37	38	37	32	32	31	34	34	38		47.2
	MIN	33	26	21	30	31	40	32	32	21	23	31	33	29	38	33	27	29		27	22	23	16	16	24	12	7	18	7	10	11		23.7
RKE 2 NNE	MAX	38	38	53	50	48	47	41	41	43	43	46	43	36	37	34	34	35	37	41	37	30	28	27	27	27	26	25	20	22	28		36.1
	MIN	32	20	26	27	32	29	26	20	20	25	34	33	32	31	31	32	31	27	32	29	14	14	16	20	17	7	[illegible]	5	8	9		23.0
RLEY	MAX	66	52	54	60	67	65	59	60	53	52	59	63	51	50	42	45	35	38	48	52	41	36	35	40	34	21	25	26	28	28		46.4
	MIN	34	17	14	14	24	24	26	24	25	14	16	23	24	33	33	22	30	27	23	23	25	12	4	22	9	-5	-5	-4	-4	8		17.9
RLEY FACTORY 1 NW	MAX	65	50	51	59	66	63	58	58	51	50	57	60	51	48	46	44	34	38	45	48	43	34	32	37	31	24	24	23	24	26		44.6
	MIN	31	12	7	11	18	20	20	21	9	8	17	18	21	29	32	19	21	23	18	22	24	4	7	8	10	-11	[illegible]	-4	[illegible]	6		13.5
RLEY CAA AP	MAX	50	51	59	63	64	59	57	50	51	57	61	49	49	46	45	35	36	46	48	41	34	32	37	32	26	25	26	26	27	31		43.8
	MIN	20	13	8	21	19	19	21	18	11	9	17	18	29	32	23	20	24	25	21	22	16	10	7	13	-6	-12	-4	-7	4	6		13.9
LDWELL	MAX	55	53	58	56	54	58	57	60	63	51	58	51	49	50	48	50	47	50	51	45	43	41	42	40	37	34	35	33	37	36		48.1
	MIN	22	19	20	18	20	25	20	20	18	17	33	35	32	39	25	22	28	26	27	24	14	16	13	14	13	12	16	9	14	9		21.0
MBRIDGE	MAX	52	48	50	55	55	54	56	54	55	53	54	54	50	40	47	45	48	47	46	43	40	41	40	38	35	33	34	32	28	29		45.2
	MIN	21	15	15	13	17	18	15	16	14	10	30	35	36	31	37	25	24	22	23	14	25	25	15	15	8	4	8	4	2	[illegible]		18.3
SCADE 1 NW	MAX	42	45	48	46	47	52	50	46	42	47	48	45	36	35	34	36	34	35	34	30	29	32	31	28	27	23	26	22	20	[illegible]		36.3
	MIN	22	14	13	16	17	23	18	15	11	13	33	30	30	30	27	10	11	19	20	20	16	[illegible]	[illegible]	12	[illegible]	-1	-2	-3	-4	[illegible]		14.1
ALLIS	MAX	49	46	46	54	51	52	53	44	48	55	46	46	44	40	40	41	42	45	47	42	34	32	34	30	21	20	23	20	22	23		39.7
	MIN	23	15	13	17	21	24	18	15	13	11	23	24	25	29	26	23	26	29	21	17	14	5	19	20	-4	-6	2	-6	-5	-5		14.9
ILLY BARTON FLAT	MAX	44	45	49	53	53	53	51	39	48	51	42	39	40	34	34	37	36	41	45	[illegible]	29	29	33	27	19	21	[illegible]	20	19	24		37.2
	MIN	22	6	4	5	10	16	9	9	2	2	12	14	24	27	26	7	14	14	12	17	[illegible]	-2	14	16	-15	-17	-5	15	-17	[illegible]		7.0
ARK FORK 1 ENE	MAX	54	47	55	60	52	53	50	50	50	43	51	49	48	45	43	44	43	44	43	44	42	37	33	40	35	32	34	30	28	31		43.7
	MIN	32	20	23	22	35	29	23	19	19	23	33	32	31	35	33	33	33	34	33	34	25	14	15	25	22	16	10	14	5	3		24.1
BALT BLACKBIRD MINE	MAX	37	32	30	38	46	45	44	42	31	33	45	52	44	47	35	32	49	28	33	36	34	21	22	24	18	15	11	11	11	15		32.0
	MIN	20	8	8	12	22	22	19	15	7	8	15	24	13	25	23	18	21	21	17	15	4	0	0	14	-11	-10	-10	-9	-9	-5		9.9
EUR D ALENE CAA AP	MAX	48	45	55	57	50	52	48	48	48	45	52	46	45	41	42	41	43	46	48	39	35	45	31	34	27	28	30	27	29	29		41.5
	MIN	28	22	25	29	38	29	25	25	27	33	32	34	33	34	33	31	33	34	30	23	16	13	14	22	17	12	16	17	15	13		25.3
EUR D ALENE RS	MAX	49	47	57	55	53	54	51	48	48	45	52	50	48	43	42	41	42	45	51	44	39	35	31	37	34	31	30	32	29	30		43.1
	MIN	37	25	27	29	38	30	30	26	28	33	35	35	36	35	33	31	33	35	30	[illegible]	[illegible]	[illegible]	14	15	23	14	16	16	15	14		26.8
NDA	MAX	59	44	53	61	62	60	58	54	41	49	53	56	56	42	41	35	37	27	30	34	35	25	28	23	26	22	22	14	18	29		39.8
	MIN	25	9	10	13	17	18	16	12	3	5	9	18	19	25	27	8	12	23	24	13	23	10	-6	-5	-8	-17	-16	-15	-11	-7		8.5
TTONWOOD	MAX	45	43	54	62	52	53	51	45	49	52	57	55	48	44	39	38	43	42	48	49	32	31	33	32	30	29	23	30	33	39		42.4
	MIN	29	16	25	27	29	24	22	17	17	30	34	30	30	32	29	28	25	24	28	25	13	10	11	16	11	13	7	2	3	2		20.6
UNCIL 1 N	MAX	53	53	50	59	58	59	58	58	52	53	48	48	49	46	42	44	45	50	48	45	45	46	45	46	40	33	36	37	34	35		47.2
	MIN	26	24	15	15	18	26	16	22	11	12	35	43	43	32	30	29	28	28	26	21	24	21	20	22	16	8	15	5	4	3		21.3
ADWOOD DAM	MAX	45	48	56	61	62	58	55	51	51	52	44	36	35	35	39	39	40	42	46	40	36	34	34	34	29	26	30	26	30	28		41.4
	MIN	18	10	10	13	16	19	14	12	6	7	24	26	28	29	24	9	13	18	21	20	4	2	5	11	-2	-4	5	-5	-9	-10		11.1
ER FLAT DAM	MAX	53	53	57	55	54	59	54	56	53	54	61	54	50	47	48	48	47	52	52	41	41	43	42	42	38	35	36	38	39	39		48.0
	MIN	29	22	19	22	28	24	24	22	17	18	32	33	36	38	25	28	29	29	25	25	26	20	14	20	12	15	16	6	15	13		22.7
IE	MAX	38	39	50	52	53	55	56	44	47	52	51	40	36	40	35	37	39	38	46	42	29	33	36	29	24	29	25	29	35	37		39.9
	MIN	23	5	2	5															22	11	4	-3	14	[illegible]	[illegible]	[illegible]	-5	[illegible]	-15	-13		
IGGS	MAX	55	44	47	[illegible]	60	58	57	54	42	46	53	57	58	42	40	31	36	29	39	37	37	34	30	20	22	15	22	20	17	17		39.3
	MIN	29	10	[illegible]	12	16	16	13	13	4	5	5	12	28	27	28	12	7	10	20	10	18	-4	-7	[illegible]	-14	-18	-10	-16	-12	[illegible]		7.3
BOIS EXP STA	MAX	43	48	48	49	51	56	58	50	38	43	47	48	42	37	37	35	34	27	30	33	29	24	24	22	15	15	17	13	24	32		35.6
	MIN	19	19	22	19	21	32	21	20	14	11	24	30	24	29	29	12	22	21	[illegible]	[illegible]	[illegible]	[illegible]	12	8	2	-5	0	-6	1	7		15.7
BOIS CAA AP	MAX	50	46	51	53	54	57	52	42	44	45	49	52	43	41	35	42	35	29	29	35	[illegible]	28	28	25	20	16	22	16	29	33		37.7
	MIN	20	16	12	15	21	29	19	17	6	12	19	22	30	32	24	22	23	24	24	26	[illegible]	13	13	8	[illegible]	-6	-2	-8	-1	-2		14.8
RIVER 1 S	MAX	52	48	58	60	60	55	54	53	54	54	53	53	53	43	43	[illegible]	41	41	52	50	52	41	36	40	36	33	32	34	31	41		46.4
	MIN	22	17	19	20	20	20	19	13	15	18	18	35	34	34	32	32	32	26	21	25	18	12	12	18	20	21	14	[illegible]	1	2		20.0
IETT 2 E	MAX	54	55	55	56	55	55	55	59	51	57	51	53	52	52	42	[illegible]	45	[illegible]	50	42	43	39	38	39	36	32	33	32	33	34		46.6
	MIN	25	19	20	18	22	25	[illegible]	18	17	19	33	36	37	38	26	22	[illegible]	26	28	26	[illegible]	15	[illegible]	[illegible]	14	11	[illegible]	8	11	10		21.3
RFIELD	MAX	48	49	57	63	58	59	61	61	58	54	57	49	40	45	40	36			43	35	36	[illegible]	[illegible]	[illegible]	[illegible]	20	23	20	24	31		42.0
	MIN	19	8	5	12	15	14	15	12	[illegible]	6	12	14	26	31	12	[illegible]	12		11		12	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		7.8
FIN RS	MAX	48	52	52	52	52	55	[illegible]	47	48	55	55	45	48	48	43	43	[illegible]	[illegible]	54	41	39	41	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	31	34		44.7
	MIN	31	30	24	[illegible]	27	[illegible]	[illegible]	32	22	23	33	32	38	36	37	37	[illegible]	34	[illegible]	[illegible]	[illegible]	27	25	23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		26.7
T HALL IND AGENCY	MAX	57	50	55	54	63	57	59	57		53	56		45	48	40	38	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	[illegible]	[illegible]		[illegible]		41.6
	MIN	28	10	19	19	12	17	16	15		14		12	32	37	31	16	27	25	25	20	[illegible]	[illegible]	[illegible]	13	[illegible]	[illegible]	[illegible]	[illegible]		-5		14.9
DEN VALLEY RS	MAX	56	55	51	57	52	[illegible]	55	57	44	[illegible]	55	44	45	40	40	47	39	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30		43.8
	MIN	21	16	14	15	18	21	[illegible]	15	11	13	12	30	35	32	33	[illegible]	[illegible]	[illegible]	24	23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		17.7
NNS FERRY	MAX	58	57	65	67	59	61	60	[illegible]	55	59	62	[illegible]	[illegible]	[illegible]	[illegible]	45	47	[illegible]	51	45	[illegible]	[illegible]	[illegible]	42	[illegible]	35	[illegible]	[illegible]	[illegible]	45		49.4
	MIN	33	[illegible]	[illegible]	[illegible]	13	[illegible]	[illegible]	13	[illegible]	[illegible]	24	25	29	40	32	[illegible]	[illegible]	26	[illegible]	[illegible]	22	7	[illegible]	19	14	[illegible]	[illegible]	1	[illegible]	13		17.7
OING CAA AP	MAX	54	52	60	67	59	[illegible]	52	52	51	57	62	52	45	43	44	45	[illegible]	[illegible]	46	42	[illegible]	44	34	34	29	29	28	29	33	38		44.7
	MIN	27	22	25	[illegible]	29	[illegible]	26	20	[illegible]	26	32	15	30	36	25	[illegible]	26	[illegible]	[illegible]	[illegible]	19	14	11	[illegible]	[illegible]	6	[illegible]	6	[illegible]	14		22.2
CE	MAX	49	50	55	58	58	59	56	44	45	50	56	53	45	41	[illegible]	[illegible]	31	[illegible]	39	[illegible]	[illegible]	[illegible]	[illegible]	28	19	18	[illegible]	19	27	32		39.5
	MIN	28	[illegible]	10	[illegible]	18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	20	10	19	22	[illegible]	18	[illegible]	10	[illegible]	[illegible]	-4	-8	0	-9	-5			12.3
ND VIEW	MAX	59	54	59	59	58	59	59	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	49	[illegible]	[illegible]	47	41	[illegible]	40	[illegible]	[illegible]	36	34	[illegible]	[illegible]			49.9
	MIN	25	[illegible]	[illegible]	17	[illegible]	23	[illegible]	[illegible]	13	[illegible]	29	[illegible]	[illegible]	41	27	24	[illegible]	26	[illegible]	[illegible]	[illegible]	13	7	[illegible]	[illegible]	7	[illegible]	[illegible]	[illegible]			20.0
EVILLE	MAX	45	43	51	[illegible]	[illegible]	50	50	46	48	49	57	[illegible]	45	46	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	32	37		40.7
	MIN	28	[illegible]	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	33	30	[illegible]	[illegible]	29	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	11	7	12	6	[illegible]	7		21.8
[illegible]	MAX	55	54	56	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	48	[illegible]	49	49	[illegible]	[illegible]	54	[illegible]	[illegible]	[illegible]	40	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25	31		42.8
	MIN	[illegible]	[illegible]	24	[illegible]	22	10	[illegible]	[illegible]	[illegible]	18	18	[illegible]	18	18	[illegible]	19	18	[illegible]	[illegible]	7	-6	-4	[illegible]	[illegible]	[illegible]	15	[illegible]	-12	-5	-4		9.1
[illegible]	MAX	44	46	[illegible]	[illegible]	54	[illegible]	[illegible]	[illegible]	47	45	[illegible]	[illegible]	36	[illegible]	[illegible]	40	42	[illegible]	[illegible]	31	32	[illegible]	32	[illegible]	20	19	[illegible]	[illegible]	26	[illegible]		38.9
	MIN	18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	1	11	11	26	[illegible]	[illegible]	-1	[illegible]	[illegible]	[illegible]	14	[illegible]	-11	[illegible]	[illegible]	-28	-27	-14	-25	-22	-20		0.8
LEY	MAX	52	[illegible]	57	60	[illegible]	60	[illegible]	49	50	[illegible]	[illegible]	[illegible]	42	39	44	[illegible]	[illegible]	43	42	[illegible]	[illegible]	34	[illegible]	28	[illegible]	[illegible]	[illegible]	21	33	[illegible]		42.2
	MIN	20	[illegible]	[illegible]	24	[illegible]	29	[illegible]	14	10	[illegible]	[illegible]	22	[illegible]	[illegible]	[illegible]	15	[illegible]	18	[illegible]	[illegible]	15	[illegible]	[illegible]	[illegible]	-8	[illegible]	0	-4	[illegible]	4		14.2

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Day Of Month

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
HAMER 4 NW	MAX	55	50	45	55	54	58	55	50	53	54	55	52	46	42	45	48	41	32	32	35	30	29	25	23	24	16	23	16	27	28	
	MIN	21	9	0	5	9	17	11	10	9	2	15	9	31	31	20	28	18	22	25	25	16	8	6	9	- 6	-16	- 2	-17	-13	-14	
HAZELTON	MAX	49	52	58	65	61	58	55	50	53	59	58	50	47	45	44	35	39	42	48	41	36	36	35	32	27	27	25	26	30	32	
	MIN	29	15	12	23	23	24	20	21	14	16	23	23	29	35	31	19	30	24	22	24	23	9	11	20	7	- 7	6	- 8	8	6	
HILL CITY	MAX	50	55	52	63	60	61	59	49	50	54	59	47	40	41	34	34	39	34	32	30	30	31	31	34	25	13	25	25	23	27	
	MIN	21	8	5	9	14	18	17	21	5	4	18	20	22	26	22	- 1	5	10	7	17	5	- 3	- 6	15	11	-19	- 6	-17	- 7	-12	
HOLLISTER	MAX	50	56	58	58	65	62	60	62	60	60	60	56	54	46	46	54	48	45	48	50	42	32	38	42	34	44	26	33	37	38	
	MIN	28	17	14	29	33	27	22	16	14	6	14	22	26	26	22	12	8	12	22	22	20	8	7	12	5	- 1	8	1	4	18	
IDAHO CITY	MAX	58	54	61	65	61	65	65	60	54	58	61	54	45	38	40	48	47	52	54	47	43	43	45	42	40	38	39	35	40	44	
	MIN	16	11	8	11	15	17	14	13	6	7	24	27	31	31	25	14	14	14	19	16	12	8	5	17	0	- 2	12	- 3	- 4	- 1	
IDAHO FALLS 6 NE	MAX	54	47	52	58	58	58	53	44	42	44	52	53	47	47	39	46	31	34	37	34	33	29	27	26	22	19	21	17	24	29	
	MIN	31	14	11	13	16	22	21	19	6	7	15	13	31	35	30	21	20	25	25	21	18	5	4	14	- 6	- 8	3	- 9	- 7	- 7	
IDAHO FALLS CAA AP	MAX	51	50	56	57	58	60	53	44	45	51	52	53	42	46	33	40	32	33	35	37	31	31	27	26	24	22	25	18	24	24	
	MIN	27	17	13	16	21	24	22	15	11	8	18	18	31	32	21	19	22	25	27	23	16	11	5	4	- 7	- 9	- 1	- 9	- 5	- 2	
IRWIN 2 SE	MAX	52	53	58	64	60	53	57	43	48	54	59	53	49	41	40	40	30	35	35	35	35	32	26	26	23	19	20	16	28	29	
	MIN	28	9	13	17	23	22	20	12	5	9	19	20	30	31	30	15	11	25	27	18	19	5	- 2	6	- 6	-10	- 1	- 8	- 1	2	
ISLAND PARK DAM	MAX	45	46	52	52	53	54	51	46	43	45	48	49	39	34	34	35	39	28	25	29	30	29	29	25	19	15	20	14	29	33	
	MIN	15	11	6	8	14	21	13	12	6	5	9	13	25	20	26	19	8	20	20	23	20	1	- 3	4	-15	-24	- 8	-24	-18	-15	
JEROME	MAX	55	54	61	66	61	61	57	56	53	57	62	54	48	45	46	41	42	44	50	47	36	35	36	31	32	32	29	30	34	38	
	MIN	27	18	16	27	25	24	20	20	17	20	21	35	28	35	28	18	26	24	18	23	21	8	7	18	11	- 1	8	- 1	10	12	
KELLOGG	MAX	48	52	47	56	52	52	57	40	51	53	44	51	51	45	46	41	42	42	45	54	41	38	40	37	42	[illegible]	29	35	31	32	
	MIN	38	22	25	27	30	30	29	23	24	27	34	37	36	37	36	36	37	35	36	33	21	18	17	22	25	10	11	16	7	7	
KOOSKIA	MAX	54	51	56	52	52	52	49	44	46	46	58	52	51	47	47	44	50	44	55	41	42	40	36	37	38	35	30	36	35	36	
	MIN	39	30	22	21	25	25	23	23	19	17	33	39	36	38	36	38	36	30	33	29	28	19	19	19	19	10	24	14	6	5	
KUNA 2 NNE	MAX	52	55	59	56	53	59	55		52	54	64	52	48	48	45	47	44	50	52	44	40	38	38	38	37	37	34	35	39	39	
	MIN	23	17	22	17	20	27	21		17	20	30	22	33	33	21	18	23	25	23	25	24	10	10	14	12	9	14	7	12	14	
LEWISTON WATER PLANT	MAX	61	53	62	63	52	51	51	48	48	47	59	52	53	55	51	51	50	48	48	42	43	36	29	40	33	33	31	40	34	35	
	MIN	37	24	30	34	31	25	23	20	17	30	36	39	38	42	36	40	34	30	30	31	19	17	20	26	21	19	23	18	9	9	
LEWISTON WB AP	MAX	57	50	63	60	51	48	50	46	49	47	57	49	52	51	48	47	48	44	49	39	38	32	25	38	30	27	27	38	34	37	
	MIN	34	27	33	35	33	24	22	22	21	30	35	36	39	36	33	39	43	31	30	26	20	17	20	20	19	19	23	13	10	11	
LIFTON PUMPING STA	MAX	53	46	51	55	54	52	56	45	42	50	49	51	48	43	42	31	31	35	38	37	33	25	25	27	20	15	18	20	27	31	
	MIN	27	18	17	18	20	23	21	18	15	15	19	23	27	25	29	14	19	24	26	19	25	15	5	10	5	-11	- 4	- 9	- 4	- 2	
MACKAY RS	MAX	46	49	51	54	58	60	55	45	48	48	52	47	43	35	36	38	39	38	39	26	32	32	33	29	20	25	37	26	23	31	
	MIN	27	18	15	17	21	25	24	20	15	13	20	20	29	28	28	12	23	12	14	20	14	11	20	12	1	- 8	- 7	- 9	-10	- 5	
MALAD	MAX	53	55	57	60	60	60	60	50	51	53	57	54	46	45	42	39	38	45	45	44	36	34	36	36	29	26	22	25	31	36	
	MIN	31	29	16	19	24	27	23	20	16	15	20	24	30	35	32	24	29	26	25	23	22	16	11	16	10	1	8	0	3	5	
MALAD CAA AP	MAX	52	55	58	62	60	60	60	50	51	54	56	53	46	45	42	38	39	43	45	45	37	35	34	33	26	25	22	25	30	35	
	MIN	27	22	13	13	18	22	18	14	9	9	15	18	26	33	24	20	29	26	25	20	23	17	11	17	5	0	4	- 3	- 1	1	
MAY RS	MAX	50	46	48	55	51	52	51	46	43	49	57	69	45	41	42	43	41	45	46	42	34	30	32	31	22	19	23	20	21	22	
	MIN	20	9	7	10	15	19	13	10	5	4	20	19	27	29	28	21	22	25	18	13	10	2	16	18	- 9	-10	3	-11	-10	-11	
MC CALL	MAX	44	46	46	54	50	54	50	52	40	48	44	46	36	33	34	38	32	38	42	36	32	36	34	28	28	24	28	22	28	30	
	MIN	28	16	16	14	18	24	18	24	10	12	30	32	33	30	24	18	12	18	20	20	16	8	8	12	1	- 2	6	- 2	- 5	- 4	
MC CAMMON	MAX	58	51	56	59	62	60	58	56	50	53	54	60	51	44	41	40	44	40	42	39	30	30	30	39	30	26	22	24	23	25	
	MIN	23	13	9	13	17	16	13	8	11	9	[illegible]	10	10	32	31	30	13	12	14	17	16	11	12	11	4	- 6	9	- 1	8	3	
MERIDIAN 1 SSW	MAX	53						53	57	53	51	59	52	48	48	45	47	44	50	53	43	40	40	38	38	38	37	35	33	39	35	
	MIN	34						28	22	22	21	33	39	40	41	31	30	31	32	32	33	26	21	20	23	20	20	24	12	21	19	
MINIDOKA DAM	MAX	56	51	52	58	59	53	56	45	48	52	58	48	45	47	41	39	33	44	38	37	32	32	34	26	23	23	27	22	26	28	
	MIN	31	19	20	30	28	29	21	19	17	21	26	27	31	32	31	18	28	21	21	25	22	11	10	10	5	- 4	10	- 3	7	7	
MONTPELIER RS	MAX				53	61	59	54	56	45	46	52	56	55	44	42	36	30	32	35	38	37	30	28	27	26	17	19	17	20	34	
	MIN			11	13	16	19	16	12	8	9	12	20	21	23	25	4	18	21	24	12	16	9	2	4	3						
MOSCOW U OF I	MAX	50	46	55	63	55	55	55	51	51	48	54	48	46	44	40	40	47	[illegible]	52	43	34	36	35	34	30	29	22	33	36	38	
	MIN	27	23	32	37	34	22	20	13	25	36	38	41	34	38	32	35	29	28	32	28	19	12	16	20	22	22	17	20	12	21	
MOUNTAIN HOME	MAX	58	55	56	68	62	63	58	55	57	60	65	55	49	46	49	50	46	51	50	45	39	41	40	40	38	39	36	36	38	39	
	MIN	29	21	21	21	25	26	21	19	19	21	31	35	31	38	29	22	23	27	23	27	21	14	9	18	12	10	16	9	9	10	
MULLAN PASS CAA	MAX	32	34	44	45	44	42	35	37	42	39	40	33	30	30	31	28	28	28	33	34	18	23	21	20	20	20	18	21	23	27	
	MIN	23	21	26	36	33	30	26	24	27	33	30	29	25	25	25	23	22	23	25	16	13	14	15	13	12	11	7	9	12	15	
NAMPA 2 NW	MAX	57	54	56	58	58	53	60	55	59	54	54	60	51	47	48	47	48	47	51	51	41	41	42	40	40	37	38	37	37	38	
	MIN	27	18	21	19	22	28	19	19	19	17	32	35	33	40	26	22	29	26	27	26	25	14	13	19	11	11	18	9	14	14	
NEW MEADOWS RS	MAX	45	51	56	52	55	54	55	50	51	52	52	39	39	43	39	42	44	43	51	42	39	39	38	39	35	34	37	38	34	35	
	MIN	20	9	8	9	14	19	10	6	3	7	29	33	32	30	25	16	21	20	22	20	12	8	5	10	- 1	- 3	- 8	- 5	- 6	- 5	
NEZPERCE 2 E	MAX	49	44	50	57	50	51	49	48	46	50	54	47	43	43	38	37	43	40	48	37	33	34	33	32	30	28	23	29	31	35	
	MIN	34	22	24	27	31	30	26	23	22	24	36	34	33	35	32	33	32	23	31	28	19	15	16	20	17	9	15	10	10	11	
OAKLEY	MAX	49	50	65	70	64	58	58	48	49	61	60	55	49	50	41	35	37	44	49	40	35	31	35	30	30	31	25	33	37	36	
	MIN	30	18	19	31	31	29	26	25	17	24	27	28	25	32	26	17	29	22	25	21	24	11	9	17	- 4	0	- 3	- 1	3	14	
OBSIDIAN 4 NNE	MAX	48	46	57	58	56	50	51	48	46	53	48	45	40	34	35	34	32	38	42	42	28	27	30	28	22	23	22	22	25	20	
	MIN	14	- 1	0	9	11	8	10	2	- 2	4	39	25	28	24	16	- 6	15	8	5	- 5	- 2	15	1	10	-18	-19	- 3	-20	-22	-10	
OROFINO	MAX	57	55	59	62	53	52	51	45	49	45	59	55	54	53	45	46	53	54	56	51	44	40	37	40	43	38	33	29	40	39	
	MIN	39	28	28	25	28	28	23	23	19	21	36	42	37	40	36	40	39	30	34	24	25	19	20	23	23	12	22	20	9	9	
PALISADES DAM	MAX	57	51	55	60	60	55	54	47	46	53	56		52	38	39	38	32	32	35	33	33	29	26	24	21	13	16	14	23	25	
	MIN	28	12	14	16	22	24	20	13	9	12	17		30	30	29	14	12	20	24	1	20	4	- 3	6	- 4	-13	- 5	- 7	- 5	- 1	
PARMA EXP STA	MAX	56	55	54	58	52	55	56	58	52	50	57	[illegible]	51	51	48	49	49	53	51	47	43	46	45	41	40	35	37	35	34	34	
	MIN	27	21	17	19	20	24	19	19	14	17	31	33	35	39	27	26	27	26	24	20	23	17	14	17	14	11	14	6	14	8	
PAUL 1 E	MAX	61	49	52	59	66	63	60	57	51	50	55	60	49	48	47	45	34	35	45	48	40	35	34	37	29	26	24	26	25	30	
	MIN	28	13	10	14	18	20	18	17	12	13	18	21	26	26	32	20	22	23	21	23	25	11	10	11	8	- 9	- 7	- 6	- 5	4	
PAYETTE	MAX	55	52	51	52	52	55	53	57	47	49	52	52	49	53	48	49	49	49	47	43	42	41	44	42	40	37	36	35	32	36	
	MIN	25	20	18	18	20	25	19	20	15	16	33	36	34	40	27	29	28	26	24	23	25	23	15	17	15	14	17	14	8	9	
PIERCE RS	MAX	49	54	51	53	39	42	40	41	43	40	55	52	39	40	38	35	35	39	52	36	32	36	35	35	29	32	29	29	28	29	
	MIN	40	25	3	6	14	21	17	16	15	18	31	34	21	32	32	32	28	29	30	24	26	15	17	13	10	0	16	5	0	1	
POCATELLO WB AP	MAX	49	49	54	63	58	58	56	46	45	55	57	50	46	48	41	34	32	37	40	35	34	29	29	31	23	24	23	22	24	28	
	MIN	23	17	11	16	19	21	21	19	10	9	19	18	32	32	21	15	28	23	20	22	14	12	5	11	- 1	- 6	0	- 1	- 3	- 2	
PORTHILL	MAX	52	43	50	51	49	48	43	46	44	42	48	51	45	42	49	44	41	44	41	48	46	37	34	34	37	30	36	34	27	26	
	MIN	28	18	26	25	32	23	18	14	17	23	28	41	34	33	26	26	27	32	32	29	18	15	13	16	17	15	14	12	0	0	
POTLATCH	MAX	47	48	55	60	52	52	52	52	53	50	55	48	47	44	42	40	44	49	52	40	40	35	34	37	33	30	28	32	36	40	
	MIN	32	18	30	30	32	22	21	15	20	32	35	34	34	36	32	36	33	28	29	30	19	10	12	24	20	8	19	18	10	14	
PRESTON SUG FACT 2 SE	MAX	58	55	56	60	60	59	60	56	50	50	55	56	49	45	43	36	37	38	45	44	40	33	32	30	28	25	24	23	30	30	
	MIN	27	20	13	17	21	24	21	18	12	11	16	22	29	34	32	17	24	29	26	23	28	17	12	18	12	1	2	- 2	2	2	
PRIEST RIVER EXP STA	MAX	50	42	52	56	50	50	40	44	48	41	41	45	41	37	41	38	40	43	41	45	37	36	34	33	30	25	29	23	27	28	
	MIN	26	20	25	24	36	23	25	27	23	22	31	37	33	32	31	30	32	28	27	29	13	11	12	20	19	14	5	13	8	7	
REACTOR TESTING STA	MAX	47	46	51	54	52	56	57	42	46	46	54	48	41	39	38	41	38	30	31	33	35	31	33	27	26	24	20	15	23	28	
	MIN	25	6	1	8	13	17	12	8	5	- 1	11	9	26	29	23	21	17	23	25	26	17	4	8	7	- 5	-11	- 3	-13	-13	-11	
RICHFIELD	MAX	52	52	56	63	59	59	54	51	48	53	58	50	49	41	42	35	30	41	42	39	37	35	33	27	24	22	24	23	28	33	
	MIN	21	17	13	20	23	27	16	14	12	12	24	25	29	33	30	19	22	23	23	22	23	10	10	15	7	- 8	7	- 5	8	9	
RIGGINS RS	MAX	55	54	56		58	58	59											49	57	51	49	41	40	39	39	38	36	36	37	39	
	MIN	41	31	31		35	38	33										34	40	35	44	29	23	20	22	22	16	24	15	25	22	
ROLAND W PORTAL	MAX	39	41	52	54	49	49	47	44	50	42	45	42	35	35	35	34	35	38	43	36	31	35	33	30	27	26	27	30	28	30	
	MIN	31	19	23	26	32	36	24	22	24	27	33	32	31	30	31	32	30	30	32	29	17	14	17	17	15	4	10	5	10	13	
RUPERT	MAX	62	50	54	58	68	64	59	59	50	50	58	59	51	48	48	44	34	35	45	46	42	35	35	37	29	25	26	25	27	28	
	MIN	29	14	11	19	19	23	19	18	13	12	17	20	28	29	30	17	20	21	20	20	23	10	10	11	1	-10	- 9	- 9	- 8	5	
SAINT ANTHONY	MAX	50	51	55	58	57	60	54	45	45	50	53	53	47	45	38	39	32	31	32	34	32	33	34	26	23	18	24	17	28	32	
	MIN	30	12	11	17	20	22	16	13	5	9	16	18	30	30	30	20	16	25	25	26	19	6	3	12	- 6	-11	0	-10	- 5	- 1	
SAINT MARIES	MAX	57	52	58	60	59	60	51	51	56	58	55	53	47	46	44	45	43	46	55	45	38	37	37	37	34	32	33	33	31	35	
	MIN	35	19	22	25	24	24	22	20	18	26	28	31	34	36	34	33	33	30	31	26	15	13	11	16	[illegible]	8	8	8	2	4	
SALMON	MAX		47	48	53	51	51	52	51	45	46	55	47	50	46	41	48	50	45	46	47	42	35	33	37	20	22	27	23	25	22	
	MIN		11	9	10	13	13	11	10	7	6	19	19	28	30	30	25	25	28	24	14	14	6	15	1	-10	-10	- 3	-12	-10	- 9	
SANDPOINT EXP STA	MAX	51	44	54	58	50	49	45	46	40	43	47	50	44	40	42	40	41	46	45	45	38	37	35	33	32	28	34	28	27	27	
	MIN	31	20	25	26	41	35	23	20	22	25	33	38	34	34	33	27	30	31	29	34	16	13	15	22	22	14	11	14	6	4	
[illegible] NE	MAX	49	[illegible]	59	65	62	62	54	54	51	58	60	51	48	43	45	37	33	44	45	41	35	34	35	30	26	25	27	25	31	36	
	MIN	20	21	21	26	[illegible]	29	20	15	17	21	27	31	29	35	30	20	23	24	[illegible]	24	[illegible]	[illegible]	[illegible]	17	12	2	[illegible]	[illegible]	10	10	

See reference notes following Station Index.

DAILY TEMPERATURES

le 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
NCER RS	MAX	45	50	51	53	54	56	52	39	41	46	46	[illegible]	41	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	14	13	[illegible]	16	29	29		35.7
	MIN	20	17	5	4	10	25	[illegible]	16	[illegible]	[illegible]	16	14	26	25	18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	12	- 2	[illegible]	-13	- 7	[illegible]	- 9	- 9		9.8
INGFIELD	MAX	53	52	58	63	60	58	58	48	49	54	56	[illegible]	45	47	[illegible]	41	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	28	24	[illegible]	23	[illegible]	26	[illegible]		[illegible]
	MIN	25	11	7	[illegible]	17	17	[illegible]	[illegible]	[illegible]	7	[illegible]	[illegible]	29	[illegible]	31	[illegible]	[illegible]	[illegible]	19	[illegible]	[illegible]	10	[illegible]	[illegible]	- 3	- 5	[illegible]	- 5	- 1	[illegible]		13.4
BNITE	MAX	34	34	[illegible]	55	[illegible]	49	54	[illegible]	[illegible]	[illegible]	[illegible]	42	30	44	[illegible]	36	[illegible]	37	34	[illegible]	[illegible]	30	29	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37		[illegible]
	MIN	26	[illegible]	12	15	22	[illegible]	20	[illegible]	[illegible]	[illegible]	[illegible]	29	26	[illegible]	[illegible]	20	17	11	11	[illegible]	[illegible]	[illegible]	[illegible]	12	- 6	- 6	- 6	- 5	- 2	[illegible]		11.9
AR	MAX												54	[illegible]	46	[illegible]	40	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	19	[illegible]	16	[illegible]	[illegible]		
	MIN												11	29	30	[illegible]	22	[illegible]	[illegible]	22	[illegible]	[illegible]	[illegible]	- 1	-10	- 8	-12	0	[illegible]	[illegible]	[illegible]		
VALLEY	MAX	52	[illegible]	[illegible]	[illegible]	58	[illegible]	59	54	48	51	54	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	39	[illegible]	[illegible]	33	[illegible]	[illegible]	[illegible]	[illegible]	23	24	[illegible]	29	[illegible]		[illegible]
	MIN	15	4	2	8	11	[illegible]	9	[illegible]	2	[illegible]	14	[illegible]	17	26	24	- 5	2	6	[illegible]	2	[illegible]	- 6	- 3	[illegible]	[illegible]	-21	- 6	-19	-16	[illegible]		3.2
N FALLS FM	MAX	[illegible]	[illegible]	[illegible]	62	[illegible]	62	59	60	54	54	61	[illegible]	54	51	[illegible]	49	[illegible]	54	51	44	41	44	42	41	41	[illegible]	[illegible]	[illegible]	39	40		49.7
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17	[illegible]	[illegible]		[illegible]
ONIA EXP STA	MAX	[illegible]	41	[illegible]	51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]	53	41	38	39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30	30	[illegible]	24	[illegible]	[illegible]	19	[illegible]	31		[illegible]
	MIN	[illegible]	[illegible]	6	6	[illegible]	8	[illegible]	8	[illegible]	[illegible]	15	[illegible]	13	[illegible]	[illegible]	[illegible]	[illegible]	20	[illegible]	4	- 5	- 8	- 6	-10	[illegible]	-16	-15	-14	[illegible]	- 5		[illegible]
EE CREEK	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	64	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	30	39	44	49	49	[illegible]	29	[illegible]	33	[illegible]	[illegible]	26	[illegible]	[illegible]	40		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	16	[illegible]	16	12	[illegible]	6	[illegible]	21	[illegible]	19	22	[illegible]	[illegible]	22	21	[illegible]	[illegible]	13	[illegible]	[illegible]	[illegible]	0	- 8	- 1	- 9	- 1	[illegible]		10.9
N FALL[illegible]	MAX	52	[illegible]	60	67	61	59	[illegible]	[illegible]	[illegible]	57	57	[illegible]	49	[illegible]	47	[illegible]	40	[illegible]	49	43	37	[illegible]	36	[illegible]	[illegible]	[illegible]	29	31	[illegible]	36		45.8
	MIN	[illegible]	18	[illegible]	[illegible]	20	[illegible]	20	[illegible]	[illegible]	14	[illegible]	21	29	[illegible]	32	21	29	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		18.8
N FALLS 3 SE	MAX	62	[illegible]	[illegible]	59	66	60	59	[illegible]	53	52	[illegible]	58	[illegible]	[illegible]	[illegible]	48	39	[illegible]	45	49	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	31	33		40.7
	MIN	[illegible]	[illegible]	17	16	[illegible]	25	27	29	[illegible]	[illegible]	[illegible]	[illegible]	28	30	32	24	[illegible]	[illegible]	22	[illegible]	24	[illegible]	[illegible]	18	[illegible]	[illegible]	[illegible]	2	[illegible]	[illegible]		[illegible]
LACE	MAX	[illegible]	[illegible]	55	52	50	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	49	46	44	[illegible]	42	41	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	25	28	36		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	25	[illegible]	20	[illegible]	[illegible]	[illegible]	32	33	[illegible]	[illegible]	34	30	[illegible]	[illegible]	17	17	17	[illegible]	[illegible]	[illegible]	11	[illegible]	[illegible]	[illegible]		24.1
LACE [illegible]	MAX	[illegible]	45	48	[illegible]	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	[illegible]	39	41	44	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	29	[illegible]	26	36		[illegible]
	MIN	36	21	[illegible]	25	[illegible]	31	28	[illegible]	[illegible]	[illegible]	31	34	[illegible]	36	34	[illegible]	[illegible]	31	[illegible]	[illegible]	19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		24.0
NER	MAX	[illegible]	57	57	59	57	[illegible]	60	[illegible]	54	[illegible]	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	[illegible]	[illegible]	[illegible]	45	46	45	[illegible]	[illegible]	38	40	[illegible]	[illegible]	36		49.9
	MIN	[illegible]	[illegible]	16	[illegible]	[illegible]	17	[illegible]	18	12	[illegible]	[illegible]	36	32	38	28	24	22	[illegible]	[illegible]	[illegible]	22	18	[illegible]	[illegible]	[illegible]	[illegible]	14	[illegible]	[illegible]	[illegible]		19.5
CHESTER 1 SE	MAX	46	[illegible]	57	[illegible]	55	52	52	[illegible]	54	[illegible]	54	[illegible]	41	44	42	40	[illegible]	44	[illegible]	45	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	27	[illegible]	[illegible]	42		[illegible]
	MIN	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	11	13	26	35	[illegible]	30	32	34	28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	19	7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]

EVAPORATION AND WIND

ble 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	3[illegible]	3[illegible]	Total or ave
PTON PUMPING STA	EVAP	-	.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
	WIND	86	63	53	52	49	42	50	93	72	55	60	68	90	89	151	85	114	128	110	60	128	173	114	74	135	71	59	65	42	42		2473
NIDOKA DAM	EVAP	.14	.06	.07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
	WIND	140	50	100	150	100	100	50	80	70	150	90	130	130	90	190	100	130	70	100	200	130	70	50	70	130	90	130	70	185	18[illegible]		3330
LISADES DAM	EVAP	.09	.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-

SNOWFALL AND SNOW ON GROUND

le 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
[illegible]	SNOWFALL													T	•	2.0									T	0.5						
	SN ON GND														-																	
ON 1 S	SNOWFALL													1.0		2.0																
	SN ON GND													1		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
NTA 1 E	SNOWFALL												T	4.0	7.0	1.0									T							
	SN ON GND													4	7	4	3	3	2	2	2	2	2	2	2	-	-	-	-	-	-	
CREEK 1 S	SNOWFALL												-	-	-	-									-	-						
	SN ON GND												1	-	8	6	4	4	3	3	2	2	2	2	2	2	2	2	2	2	2	
KFOOT	SNOWFALL															3.0																
	SN ON GND															1	1	1	1													
E WB AP	SNOWFALL												T																			
	SN ON GND																															
ERS FERRY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-			-	-			-	-	-	-	-	-		-	-	-	-	-	
	SN ON GND										T														T	1						
EY CAA AP	SNOWFALL													T	T	T						T			3.0	T		T				
	SN ON GND													T		T							T			3	3	3	3	3	3	
ADE 1 NW	SNOWFALL													T	6.0																	
	SN ON GND														5	5	4	4	3	3	3	3	3	3	3	2	2	2	2	2	2	
ERVILLE ARBAUGH RCH	SNOWFALL													T	9.0	0.2																
	SN ON GND													T	9	9	8	7	6	5	4	3	2	1	1	1	1	1	1	1	1	
OLT BLACKBIRD MINE	SNOWFALL	1.1												1.1	0.2	2.5	0.3		0.3						1.0	2.0						
	SN ON GND	1												3	3	[illegible]	[illegible]	[illegible]	4	4	4	4	4	4	[illegible]	[illegible]	7	7	[illegible]	[illegible]	[illegible]	
OR D ALENE CAA AP	SNOWFALL																									T						
	SN ON GND																															

See reference notes following Station Index

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
		Day of month																														
COEUR D ALENE RS	SNOWFALL																								T							
	SN ON GND																															
DEADWOOD DAM	SNOWFALL											T	1.0	2.0	8.5	0.5				T	T			T				T	T			
	SN ON GND											T	1	2	10	8	8	7	7	6	6	6	5	5	5	5	5	5	5	5	5	
DUBOIS CAA AP	SNOWFALL													0.6	0.8	3.0			T	T		T		0.7	T			T	T			
	SN ON GND													1		T	3	2	2	2	1	1	1		1	T	T	T		T	T	
FENN RS	SNOWFALL																								0.3							
	SN ON GND																								T							
GOODING CAA AP	SNOWFALL																					T			0.8	T						
	SN ON GND																									1	T	T				
GRAY	SNOWFALL														1.0										1.0	1.0						
	SN ON GND																								-	2	2	2	2	2	2	
HAILEY	SNOWFALL														3.0										0.5	T						
	SN ON GND														3	3	3	3	3	3	3	3	2	2	3	3	3	3	2	2	2	
HAMER 4 NW	SNOWFALL													T		5.0																
	SN ON GND															-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HILL CITY	SNOWFALL													1.0	6.0											2.0						
	SN ON GND													1	6	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	
IDAHO CITY	SNOWFALL														2.5																	
	SN ON GND																															
IDAHO CITY 13 SW	SNOWFALL													T	4.0																	
	SN ON GND																															
IDAHO FALLS CAA AP	SNOWFALL													T	1.0	1.4			T			0.6		T	1.0			T				
	SN ON GND															1	1	1	1	1		1			1	1	1	1	1	1	1	
IRWIN 2 S	SNOWFALL															5.0						1.0			1.0							
	SN ON GND															-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ISLAND PARK DAM	SNOWFALL													4.5	3.0	5.0																
	SN ON GND													5	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LEWISTON WB AP	SNOWFALL																										T					
	SN ON GND																															
MACKAY RS	SNOWFALL													0.7	2.0	0.3									3.0	0.2						
	SN ON GND													1	3	3	2	2	2	2	2	1	1	1	4	4	4	4	3	3	3	
MALAD CAA AP	SNOWFALL													T		T						T			T	T		0.2				
	SN ON GND													T		T										T	T	T	T	T	T	
MAY RS	SNOWFALL													-											-							
	SN ON GND													T											1	-	-	-	-	-	-	
MC CALL	SNOWFALL												3.0		6.0																	
	SN ON GND												-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MULLAN PASS CAA	SNOWFALL	1.0										T	1.1	1.0	4.1	1.1	T	T							T	T						
	SN ON GND	1	1	1	T	T						T	1	1	3	5	6	6	6	5	5	4	4	4	4	4	4	4	4	4	4	
NEZPERCE 2 E	SNOWFALL																								T							
	SN ON GND																															
OAKLEY	SNOWFALL														2.0	1.0									3.0	2.5						
	SN ON GND														2	1	1	1	T	T	T	T	T	T	3	4	4	3	3	2	1	
OBSIDIAN 4 NNE	SNOWFALL												1.0	4.0	2.0	T									1.0			T				
	SN ON GND												1	5	7	6	6	6	5	5	4	4	4	4	5	5	5	5	5	5	5	
PIERCE RS	SNOWFALL													2.0											T	T						
	SN ON GND													2											T	T						
PINE 2 SSW	SNOWFALL														2.5																	
	SN ON GND														2	1																
POCATELLO WB AP	SNOWFALL													T	4.1	1.2		0.4			T	0.6			0.5			T	T			
	SN ON GND															4	3	3	3	2	1	1	1	1	1	1	1	1	1	1	1	
	WTR EQUIV															0.5	0.4	0.4	0.4	0.3												
PORTHILL	SNOWFALL																								T							
	SN ON GND																								T	T	T					
PRIEST RIVER EXP STA	SNOWFALL										T				T	T									T							
	SN ON GND																															
ROLAND WEST PORTAL	SNOWFALL	0.8											T	0.4	1.9	0.1	T	T	T						T							
	SN ON GND													T	1	1	T	T	T	T	T	T			T	T	T	T	T	T	T	
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SN ON GND													T	T										-							
SANDPOINT EXP STA	SNOWFALL																									T						
	SN ON GND																															
SPENCER RS	SNOWFALL													3.0	4.5	6.5	1.0								1.0				T			
	SN ON GND													3	7	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
STIBNITE	SNOWFALL	0.9	1.2									T	T	2.7	1.9	2.3	0.4									T		T				
	SN ON GND	1	1									T	T	3	5	7	5	4	3	3	2	2	2	1	1	1	1	1	1	1	1	
SUN VALLEY	SNOWFALL												T	4.0	12.0										1.0							
	SN ON GND													2	12	9	8	8	7	6	6	6	6	6	7	7	7	7	7	7	7	
TWIN FALLS 2 NNE	SNOWFALL														T											T						
	SN ON GND																															
WALLACE	SNOWFALL																								T							
	SN ON GND																															

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	[illegible]	2 3
ALPHA 1 NE	0159	VALLEY	8	44 [illegible]	115 [illegible]	4780	7P	7P	GLENN STRAWN	3
AMERICAN FALLS 1 SW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 7
ARCO	0375	BUTTE	6	43 38	113 19	[illegible]	5P	5P	MRS [illegible]	3 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 [illegible]	[illegible]	8A	8A	U S BUR RECLAMATION	2 3 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	[illegible]	3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 [illegible]	6000	5P	5P	PHILLIP T PETERSON	3
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	[illegible]		VAR	U S SOIL CON SER	5
AVERY RANGER STATION	[illegible]	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	3 7
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 [illegible]	[illegible]	4P	4P	U S NAVY	2 3 5
BIG CREEK 1 S	[illegible]	VALLEY	11	45 06	115 20	[illegible]	6P	6P	RAPIER EDWARDS	7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	[illegible]	6P	6P	[illegible]	2 3 7
BLACKFOOT DAM	[illegible]	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3
BLISS	[illegible]	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	5
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	[illegible]	4P	4P	CORPS OF ENGINEERS	2 3 5
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 7
BONNERS FERRY	[illegible]	BOUNDARY	5	48 [illegible]	116 18	[illegible]	11P	11P	[illegible]	2 3 7
BUHL	[illegible]	TWIN FALLS	12	[illegible]	114 46	[illegible]	5P	5P	WILLIAM [illegible]	2 3
BUNGALOW RANGER STATION	[illegible]	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3
BURKE 2 ENE	[illegible]	SHOSHONE	[illegible]	47 32	115 48	[illegible]	4P	4P	MONTANA POWER CO	2 3
BURLEY	1288	CASSIA	1	42 32	113 47	4180	8A	8A	FRANK [illegible]	2 3
BURLEY 1 NW FACTORY	1298	CASSIA	1	[illegible] 34	113 [illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3
BURLEY CAA AIRPORT	[illegible]	CASSIA	12	42 [illegible]	113 [illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 7
CALDWELL	1380	CANYON	2	43 39	116 [illegible]	2372	SS	SS	HARLEY M TUCKER	2 3
CAMBRIDGE	1408	WASHINGTON	[illegible]	44 34	116 41	[illegible]	5P	5P	[illegible]	3
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 7
CENTERVILLE ARBAUGH RCH	1636	BOISE	[illegible]	43 58	115 [illegible]	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	[illegible]	CUSTER	11	44 30	114 [illegible]	5171	5P	5P	U S FOREST SERVICE	2 3
CHILLY BARTON FLAT	1671	CUSTER	6	44 [illegible]	113 48	[illegible]	[illegible]	6P	GEORGE A MILLER	3 5
CLARK FORK 1 ENE	1810	BONNER	[illegible]	48 [illegible]	116 10	2125	6P	6P	MRS MARY L RALPH	3
COBALT BLACKBIRD MINE	[illegible]	LEMHI	11	45 [illegible]	114 21	[illegible]	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	[illegible]	KOOTENAI	5	47 46	116 49	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 7
COEUR D ALENE RS	[illegible]	KOOTENAI	5	47 41	116 45	2160	[illegible]	5P	U S FOREST SERVICE	2 3 7
CONDA	[illegible]	CARIBOU	1	42 43	111 [illegible]	[illegible]	9A	9A	ANACONDA COPPER CO	3
COTTONWOOD	[illegible]	IDAHO	3	46 [illegible]	116 [illegible]	3411	6P	6P	MRS W [illegible] KLAPPRICH	2 3 7
COUNCIL 1 [illegible]	[illegible]	ADAMS	[illegible]	44 [illegible]	116 [illegible]	2950	5P	5P	[illegible]	3 5
[illegible] 1 NNW	[illegible]	BOISE	8	43 58	[illegible]	[illegible]		6P	HARRY GRAHAM	3
DEADWOOD DAM	[illegible]	VALLEY	8	44 19	115 [illegible]	[illegible]	[illegible]	6P	U S BUR RECLAMATION	3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 [illegible]	115 34	7000		VAR	U S SOIL CON SER	
DEER FLAT DAM	2444	CANYON	12	43 [illegible]	116 44	[illegible]	6P	6P	U S BUR RECLAMATION	2 3
DIXIE	[illegible]	IDAHO	11	45 33	[illegible]	[illegible]	[illegible]	[illegible]	MRS MARGARET [illegible]	3
DRIGGS	[illegible]	TETON	[illegible]	43 41	111 [illegible]	[illegible]	9A	9A	EDITH STEVENS	2 3
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 [illegible]	5462	5P	5P	U S FOREST SERVICE	3 5
DUBOIS CAA AIRPORT	[illegible]	CLARK	6	44 [illegible]	112 [illegible]	5122	MID	MID	U S CIVIL AERO ADM	2 3 7
ELK CITY	[illegible]	IDAHO	3	[illegible]	115 26	3975	4P	4P	MRS LORA [illegible]	2 3
ELK RIVER 1 S	[illegible]	CLEARWATER	3	46 [illegible]	116 [illegible]	2910	5P	5P	GLENN WALKER	3
EMMETT 2 E	2942	GEM	2	43 [illegible]	116 [illegible]	[illegible]	6P	6P	WAYNE F HARPER	2 3 7
FAIRFIELD	[illegible]	CAMAS	12	43 21	114 48	[illegible]	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	[illegible]	IDAHO	3	46 [illegible]	115 [illegible]	[illegible]	[illegible]	5P	U S FOREST SERVICE	2 3 7
FORT HALL INDIAN AGENCY	[illegible]	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3
GARDEN VALLEY RS	3448	BOISE	8	44 [illegible]	115 [illegible]	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	[illegible]	CUSTER	11	44 19	113 [illegible]	6600		VAR	STAN I SWANGER	
GLENNS FERRY	[illegible]	ELMORE	12	42 57	115 19	[illegible]	7P	7P	E D STONE	2 3 7
GOODING CAA AIRPORT	[illegible]	GOODING	12	42 [illegible]	114 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3
GRACE	[illegible]	CARIBOU	[illegible]	42 [illegible]	111 44	5400	[illegible]	[illegible]	[illegible]	3
GRAND VIEW	[illegible]	OWYHEE	12	42 59	116 [illegible]	[illegible]	4P	4P	W BILADEAU	2 3
GRANGEVILLE	3771	IDAHO	3	45 56	116 [illegible]	[illegible]	MID	MID	MRS ALVERA FOSTER	3 7
GRAY	[illegible]	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3
GROUSE	[illegible]	CUSTER	[illegible]	43 42	113 [illegible]	6100	5P	[illegible]	MRS BRYAN TAYLOR	2 3
HAILEY	3942	BLAINE	[illegible]	43 31	114 [illegible]	5347	5P	[illegible]	U S FOREST SERVICE	3 7
HAMER 4 NW	3964	JEFFERSON	[illegible]	[illegible] 59	112 [illegible]	4796	5P	[illegible]	U S F & W SERVICE	2 3
HAZELTON	[illegible]	JEROME	[illegible]	[illegible] 36	114 [illegible]	[illegible]	[illegible]	[illegible]	NORTH SIDE CANAL CO	
HILL CITY	[illegible]	CAMAS	[illegible]	43 18	115 [illegible]	[illegible]	5P	5P	CARROLL DAMMES	2 3 5
HOLLISTER	4295	TWIN FALLS	12	42 [illegible]	114 [illegible]	4550	5P	5P	[illegible]	2 3
HOWE	4384	BUTTE	[illegible]	[illegible] 47	113 [illegible]	[illegible]		7A	CHARLES D COWGILL	3
IDAHO CITY	[illegible]	BOISE	[illegible]	43 [illegible]	115 [illegible]	[illegible]	[illegible]	[illegible]	R JOHN MELLOR	3 7
IDAHO CITY [illegible]	4450	BOISE	2	43 [illegible]	116 01	[illegible]		[illegible]	C M GARDNER	3
IDAHO FALLS [illegible]	4455	BONNEVILLE	12	[illegible] 34	111 [illegible]	4840	[illegible]	[illegible]	CARROLL SECRIST	3
IDAHO FALLS CAA AIRPORT	[illegible]	BONNEVILLE	12	43 31	[illegible]	4730	MID	MID	U S CIVIL AERO ADM	3 5 7
[illegible]	4475	OWYHEE	[illegible]	42 [illegible]	115 [illegible]	[illegible]		VAR	CHRIS CALLEN	
[illegible]	[illegible]	BONNEVILLE	[illegible]	43 [illegible]	111 [illegible]	[illegible]	5P	[illegible]	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	[illegible]	FREMONT	12	44 [illegible]	111 [illegible]	[illegible]	5P	[illegible]	U S BUR RECLAMATION	2 3
JACKSON PEAK	4612	BOISE	8	44 03	115 [illegible]	[illegible]		VAR	U S SOIL CON SER	
JEROME	[illegible]	JEROME	[illegible]	42 44	114 31	[illegible]	5P	[illegible]	O OLIVER	3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1196		7A	MRS MARY E LUNDERS	3
KELLOGG	[illegible]	SHOSHONE	4	47 32	116 [illegible]	[illegible]	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GYLROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 [illegible]	[illegible]	[illegible]	[illegible]	[illegible] GIBSON	3
LANDMARK RANGER STATION	[illegible]	VALLEY	11	44 40	[illegible]	[illegible]		VAR	U S FOREST SERVICE	5
LEWISTON	[illegible]	NEZ PERCE	12	[illegible]	117 [illegible]			7A	JACK MCKAY	3
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 25	117 01	743	5P	[illegible]	LEWISTON WATER DEPT	2 3 7
LEWISTON WB AIRPORT	[illegible]	NEZ PERCE	3	46 23	117 [illegible]	[illegible]	MID	4P	U S WEATHER BUREAU	2 3 7
LIFTON PUMPING STATION	[illegible]	BEAR LAKE	1	[illegible] 07	111 18	[illegible]	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	[illegible]	IDAHO	3	[illegible]	114 33	[illegible]		VAR	U S FOREST SERVICE	5
LOWMAN	5414	BOISE	[illegible]	[illegible]	[illegible]	[illegible]	5P	5P	[illegible]	2 3 5 7
MACKAY RANGER STATION	[illegible]	CUSTER	[illegible]	[illegible]	[illegible]	5900	[illegible]	[illegible]	U S FOREST SERVICE	2 3 7
MALAD	[illegible]	ONEIDA	[illegible]	[illegible]	[illegible] 16	4420	[illegible]	7P	J L CROWTHER	2 3
MALAD CAA AIRPORT	[illegible]	ONEIDA	[illegible]	[illegible] 10	[illegible]	[illegible]	[illegible]	[illegible]	U S CIVIL AERO ADM	2 3 7

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
MAY RANGER STATION	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	112 [illegible]	4774	[illegible]	[illegible]	[illegible]	
MERIDIAN 1 SSW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 24	[illegible]	[illegible]	[illegible]	[illegible]	
MESA	[illegible]	ADAMS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
MINIDOKA DAM	5980	MINIDOKA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	
[illegible] CREEK SUMMIT	[illegible]	[illegible]	[illegible]	43 56	115 40	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	46 44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
MOUNTAIN HOME	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
MULLAN PASS CAA	[illegible]	SHOSHONE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S CIVIL AERO ADM	
NAMPA [illegible] NW	[illegible]	CANYON	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	AMALGAMATED SUGAR	
NEW MEADOWS RANGER STA	[illegible]	[illegible]	11	44 58	[illegible]	[illegible]	[illegible]	5P	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	46 15	[illegible] 12	[illegible]	[illegible]	[illegible]	[illegible]	
NEZ PERCE PASS	[illegible]	[illegible]	[illegible]	45 43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
OAKLEY	[illegible]	[illegible]	[illegible]	42 15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
OBSIDIAN 4 NNE	[illegible]	CUSTER	[illegible]	44 03	[illegible] 48	[illegible]	[illegible]	[illegible]	MARJORIE L SHAW	
OLA 4 S	[illegible]	GEM	[illegible]	44 [illegible]	116 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
OROFINO	[illegible]	CLEARWATER	[illegible]	46 29	116 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
PALISADES DAM	[illegible]	[illegible]	[illegible]	43 22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
PARMA EXPERIMENT STA	[illegible]	CANYON	2	43 47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	6877	MINIDOKA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	44 04	116 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2
PIERCE RANGER STATION	7049	CLEARWATER	[illegible]	46 30	[illegible] 48	[illegible]	3P	3P	U S FOREST SERVICE	3 5
[illegible] SSW	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
POCATELLO WB AIRPORT	[illegible]	BANNOCK	[illegible]	[illegible]	[illegible]	4444	[illegible]	[illegible]	U S WEATHER BUREAU	
[illegible]	7264	BOUNDARY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	R E DENHAM	
[illegible]	[illegible]	[illegible]	[illegible]	46 55	[illegible] 53	[illegible]	7P	7P	[illegible]	
PRESTON SUG FACT 2 SE	[illegible]	FRANKLIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2
PRIEST RIVER EXP STA	[illegible]	BONNER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
PUNGO CREEK	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
PUTNAM MOUNTAIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible] TESTING STA	[illegible]	[illegible]	[illegible]	[illegible]	112 [illegible]	[illegible]	MID	MID	[illegible]	2
[illegible]	[illegible]	[illegible]	[illegible]	43 04	114 [illegible]	[illegible]	5P	[illegible]	[illegible]	2
RIGGINS RANGER STATION	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
ROLAND WEST PORTAL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	2
RUPERT	7968	MINIDOKA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MINIDOKA IR PROJ	
SAINT ANTHONY	[illegible]	[illegible]	12	43 58	111 [illegible]	[illegible]	7P	7P	[illegible]	
SAINT MARIES	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
SANDPOINT EXP STATION	8137	BONNER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	STATE EXP STATION	
SHAKE CREEK RANGER STA	[illegible]	[illegible]	[illegible]	43 37	[illegible] 10	4730	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	12	42 56	[illegible]	[illegible]	[illegible]	7P	LEONARD V BOSE	3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	114 [illegible]	[illegible]	[illegible]	VAR	U S FOREST SERVICE	
[illegible] RANGER STATION	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2
SPRINGFIELD	[illegible]	[illegible]	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3 5
[illegible]	[illegible]	VALLEY	[illegible]	44 54	[illegible]	[illegible]	[illegible]	8A	BRADLEY MINING CO	
[illegible]	[illegible]	[illegible]	[illegible]	43 52	[illegible]	[illegible]	[illegible]	[illegible]	WM C ROBERTS JR	
SUN VALLEY	[illegible]	[illegible]	12	43 41	114 21	[illegible]	[illegible]	[illegible]	[illegible]	
SWAN FALLS POWER HOUSE	[illegible]	ADA	[illegible]	43 15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
TETONIA EXP STATION	[illegible]	TETON	12	43 51	[illegible]	[illegible]	[illegible]	[illegible]	EXPERIMENT STATION	2
[illegible]	9119	OWYHEE	12	42 03	[illegible] 10	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible] LAKE [illegible] STA	[illegible]	[illegible]	2	[illegible]	[illegible]	[illegible]		VAR	U S SOIL CON SER	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3475		VAR	[illegible]	
[illegible]	9294	[illegible]	[illegible]	42 35	114 28	3770	[illegible]	[illegible]	[illegible]	
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	[illegible]	AMALGAMATED SUGAR	
[illegible]	9422	BLAINE	[illegible]	[illegible]	114 [illegible]	[illegible]		VAR	U S SOIL CON SER	
WALLACE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] FEATHERSTONE JR	
WALLACE WOODLAND PARK	9498	[illegible]	[illegible]	47 30	[illegible] 53	[illegible]	8A	[illegible]	[illegible]	3 5
WEISER	[illegible]	WASHINGTON	12	[illegible]	[illegible]	2114	6P	[illegible]	[illegible]	2
WINCHESTER 1 SE	9840	[illegible]	3	46 14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2
[illegible]	[illegible]	[illegible]	11	44 58	[illegible]	4760		VAR	[illegible]	

‡ 1 BEAR. 2 BOISE. 3 CLEARWATER. 4 [illegible]. 5 [illegible]. 6 LOST. 7 [illegible]. 8 [illegible]. 9 PEND OREILLE. 10 ST. JOE. 11 SALMON. 12 SNAKE

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station,have been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-101482 1000 1-8-53

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

DECEMBER 1952
Volume LV No. 12

See note concerning, "Hourly Precipitation Data" on page 141 of this issue.

SAN FRANCISCO: 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Although only 1.6° above the 56-year mean, the average temperature for the month was more than 5° above that of a year ago. Only about 15 percent of the stations reported average temperatures below normal, and they were nearly all in the central part of the State. Precipitation averaged a little above normal for the entire State, in spite of a deficiency in the Northern Division. From Coeur d'Alene northward to Bonners Ferry all stations recorded precipitation in excess of the December mean, but all other stations in the Division were below the mean, with deficiencies especially pronounced in Shoshone County and in the Clearwater River Basin. Other notable deficiencies were apparent in the extreme southeastern counties and along the Snake River from around Burley downstream to the Oregon Border. On the other hand, there were a number of stations where precipitation exceeded the December mean by 75 percent or more. The Lost and Wood Rivers, the Boise, Payette and Weiser Basins all fared well in the matter of precipitation, after an unusually dry autumn. Snowfall averaged about 30 percent above the 55-year mean, but less than half the record-breaking totals of December 1951. Snowfall was generally very light at stations below 3500 feet, particularly in the Southwestern Division, but more than fifty inches fell at a number of stations, such as Hailey, Hill City, Lowman, Atlanta, and McCall. A preponderance of cloudy skies and heavy fog cut sunshine well below normal for the month; at Boise the number of foggy days equalled the all-time record for December.

The first ten days of the month brought frequent occurrences of precipitation to Idaho, as a succession of storm fronts from the Pacific moved across the northwestern States. Winds were stronger than usual during this period, temperatures were generally a little above normal and sunshine broke through only sporadically. Much of the snowfall of the month occurred during the first 10 days, with particularly heavy snow and strong winds in all divisions on the 7th. On that date a storm front moved rapidly eastward from a large, intense storm center that moved in on the coast of British Columbia. Sweeping across all of Idaho in about eight hours, the front brought the stormiest period of the month.

After the 10th, Idaho was generally under the influence of stationary or slow-moving high pressure systems that effectively blocked the eastward movement of Pacific storm fronts for a week or more. During this period, air masses stagnated in the Intermountain Region and heavy blankets of fog covered many of the large valleys in Idaho. Travel by air and highway were delayed by the fog on several days. Precipitation was light during this period, but on the 18th, a temporary breakdown of the high pressure system, and the slow eastward movement of a storm center, resulted in substantial precipitation throughout the State. This continued for three or four days, after which a short period of light scattered precipitation and lower temperatures prevailed until, on the 26th, an approaching storm front brought rising temperatures and more widespread precipitation.

Aside from traffic delays due to fog and occasional drifting snow, December's weather had little direct effect on the economy of Idaho. High winds, such as those reported on the 7th,did little damage and no reports were received of damage due to glaze storms. Livestock apparently came through the month in good condition.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
OISE WB AIRPORT	SE	34	9.7	49	SE	6	83	77	79	85	11	9	5	0	0	0	25	29	8.5	SEE TABLE
EWISTON WB AIRPORT	-	-	-	-	-	-	84	81	76	-	4	11	3	0	0	0	18		8.5	
OCATELLO WB AIRPORT	SW	21	7.6	56	SE	7	84	81	80	83	8	8	2	1	0	0	19	18	8.0	

COMPARATIVE DATA

able 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	30.2	60	-13	1.61	-	6
1894	24.7	64	-22	1.90	-	8
1895	23.7	60	-23	1.79	-	10
1896	31.1	60	-10	2.04	-	[illegible]
1897	26.0	57	-27	2.74	-	9
1898	20.2	54	-29	1.03	8.0	7
1899	26.1	61	-32	1.79	12.1	[illegible]
1900	31.0	58	-34	1.40	4.0	7
1901	29.0	64	-20	1.88	6.7	[illegible]
1902	27.2	65	-25	2.29	15.7	10
1903	27.0	64	-16	1.08	7.4	7
1904	28.1	60	-35	1.91	13.6	8
1905	23.4	60	-22	1.65	13.2	8
1906	32.2	61	-11	2.80	13.3	13
1907	28.7	59	-33	2.55	12.6	11
1908	25.8	56	-31	1.18	9.2	7
1909	20.1	55	-28	1.91	15.0	[illegible]
1910	29.8	63	-12	1.49	5.2	8
1911	24.6	59	-26	1.33	17.0	8
1912	26.0	61	-22	1.61	13.5	9
1913	24.1	58	-21	1.51	15.7	6

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1914	19.4	63	-33	.67	7.1	5
1915	26.3	65	-44	2.40	17.2	12
1916	21.1	58	-42	2.35	24.0	13
1917	36.5	82	- 6	4.06	7.6	13
1918	25.7	65	-32	.94	5.5	5
1919	18.9	66	-50	1.52	14.4	7
1920	27.6	62	-34	2.67	16.6	13
1921	27.6	69	-20	1.92	5.3	9
1922	24.0	60	-28	2.73	22.9	12
1923	25.0	60	-31	1.63	12.0	8
1924	18.6	62	-50	2.18	18.9	10
1925	31.0	64	-18	1.71	5.8	8
1926	25.5	64	-37	1.78	14.6	12
1927	20.2	61	-38	1.74	19.6	9
1928	21.8	67	-28	1.51	13.1	8
1929	32.4	75	-12	2.79	7.6	9
1930	18.5	51	-29	.66	6.8	5
1931	22.1	58	-30	2.61	21.0	12
1932	18.9	65	-34	1.96	19.2	9
1933	34.0	75	-16	4.03	13.3	13
1934	27.4	62	-17	1.89	15.6	11

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1935	24.5	55	-24	1.25	8.0	7
1936	28.1	65	-24	1.61	11.5	9
1937	30.3	64	-16	3.12	14.2	10
1938	28.6	64	-30	1.30	9.1	8
1939	34.1	74	-22	2.10	4.8	11
1940	30.1	64	-26	1.64	6.9	10
1941	29.1	67	-27	3.27	15.5	14
1942	28.2	65	-28	3.37	21.3	14
1943	28.0	65	-35	.98	4.7	6
1944	25.0	58	-25	1.33	9.6	8
1945	25.3	66	-36	2.75	13.3	13
1946	31.3	63	-25	2.04	7.2	10
1947	28.1	61	-22	1.28	8.6	10
1948	19.7	56	-36	2.86	29.3	14
1949	26.3	60	-27	1.72	20.5	10
1950	32.4	61	-18	2.11	10.5	11
1951	22.6	57	-40	3.28	36.0	11
1952	27.9	61	-30	2.08	17.1	12
ALL YEARS	25.9			1.99		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

ANNOUNCING THE RESUMPTION OF PUBLICATION OF HOURLY PRECIPITATION DATA

Hourly precipitation data were published in Climatological Data through September 1951, at which time it was necessary to discontinue publication of hourly amounts, because of withdrawal of fiscal support.

Recent developments make possible the resumption of publication of these data in a new bulletin entitled "Hourly Precipitation Data". There will be one bulletin for each of the 42 climatological sections in the United States and one for Alaska. (Climatological sections correspond to States except that the six New England States comprise a single section and Maryland and Delaware comprise another.)

"Hourly Precipitation Data" will be issued monthly, with an annual summary issue. The first month to be published will be October 1951, and publications thereafter will be as rapid and as regular as funds permit. The price will be 10 cents per copy; $1.00 per year (including the annual). Checks and money orders for subscriptions should be made payable to the "Treasurer of the United States". Remittances and correspondence should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

TABLE 2

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00
NORTHERN DIVISION																							
BAYVIEW MODEL BASIN	37.8	27.6	32.7		48	15	4	25	992	0	4	24	0	3.14		.70	12	7.5	[illegible]	29	16	2	0
BIG CREEK 1 S	32.4	10.5	21.5		41	13	-25	25	1346	0	14	31	8	1.82	- .92	.26	8		25	22	15	0	0
BONNERS FERRY	34.9	26.4	30.7M	3.0	41	8+	6	26	1054	0	5	29	0	3.60	.60	.72	4		9	28+	20	2	0
BURKE 2 NNE	31.9	22.2	27.1	4.1	38	13	5	25+	1169	0	13	31	0	4.11	- 1.59	.69	12	44.9	28	10+	21	4	0
CLARK FORK 1 ENE	36.5	24.5	30.5	1.2	43	4	8	25+	1061	0	6	30	0	4.47	.31	.68	8+				17	4	0
COBALT BLACKBIRD	28.2	11.5	19.9M		36	13	-11	25		0	27	31	5	1.55		.39	8	21.8	18	31	15	0	[illegible]
COEUR D ALENE CAA AP	34.8	27.5	31.2		44	5	14	25+	1043	0	8	27	0	2.93		.71	12	22.0	7	28+	19	1	0
COEUR D ALENE RS	36.2	28.1	32.2	1.4	44	5	14	26	1010	0	6	27	0	4.00	.35	.56	10	15.0	7	29	19	1	0
COTTONWOOD	38.4	22.0	30.2	1.6	48	13	1	25	1072	0	5	31	0	.84	- .94	.14	11	7.4	2	20+	14	0	0
DIXIE	34.8	10.3	22.6		44	16	-25	25	1308	0	9	31	6	2.58		.46	10	35.3	18	29	13	0	0
ELK CITY	38.2	20.1	29.2M		51	30	-12	25	1104	0	4	30	2	1.30				1.5			14		0
ELK RIVER 1 S	37.5	23.9	30.7		45	10+	0	25+	1055	0	2	31	2	6.08		1.61	10	27.9	17	27+	20	3	[illegible]
FENN RS	38.4	27.5	33.0	1.4	45	15	13	25+	985	0	1	31	0	2.01	- 1.95	.45	10	4.2	2	29	14	0	0
GRANGEVILLE	39.3	23.6	31.5M	0.6	51	12	5	25	1035	0	5	29	0	.72	- .96	.24	30		2	20+	12	0	0
KELLOGG	35.3	26.4	30.9	1.7	46	6	6	26		0	8	23	0	3.48	- .16	.73	12	13.8	5	19	20	1	0
KOOSKIA	40.3	27.9	34.1	2.3	50	7	12	25	951	0	2	28	0	1.54	- .45	.35	30	2.0	T	4+	11	0	0
LEWISTON WATER PLANT	43.8	30.5	37.2	1.9	54	13	15	25	856	0	0	18	0	1.00	- .47	.19	30	.5	0		12	0	0
LEWISTON WB AP	41.8	30.6	36.2	2.2	53	13	15	25	886	0	0	19	0	.86	- .44	.20	30	1.2	1	11	14	0	0
MOSCOW U OF I	38.2	29.0	33.6	2.8	49	13	15	25	969	0	4	23	0	2.03	- .71	.52	10		2	22	11	1	0
MULLAN PASS CAA	27.7	20.3	24.0	2.1	45	14	3	26	1263	0	26	28	0	5.03	- .26	.69	7	49.4	36	12	21	3	0
NEZPERCE 2 E	37.0	25.7	31.4		45	13	8	25	1033	0	6	28	0	1.16		.22	11	5.6	2	11	13	0	0
OROFINO	42.0	29.3	35.7M	3.6	51	6	16	25+	902	0	0	23	0	1.74	- 1.32	.50	11				14	1	0
PIERCE RS	33.2	20.5	26.9	- 0.4	38	3	- 3	25	1175	0	6	31	2	3.91	- 1.22	.81	10	31.5	18	30+	14	2	0
PORTHILL	35.5	25.5	30.5	2.9	43	8	[illegible]	26	1062	0	7	30	0	1.84	- .46	.30	7		3	13+	14	0	0
POTLATCH	39.2	26.4	32.8	2.2	52	13	- 9	25	992	0	5	24	2	2.56	- .56	.55	7	9.5	2	20+	13	2	0
PRIEST RIVER EXP STA	32.7	25.4	29.1	2.5	38	10	10	26	1105	0	10	31	0	4.84	.53	.70	4	33.5	19	29+	17	2	0
RIGGINS RS	44.9	31.9	38.4M	0.5	53	13	20	24	818	0	1		0	.89	- .48	.30	7	.0	0		15	0	0
ROLAND W PORTAL	32.2	22.6	27.4	1.0	42	14	5	27	1159	0	14	31	0	5.23	- 3.06	1.11	7	63.4	38	11	21	3	1
SAINT MARIES	37.2	26.6	31.9	1.1	46	6	7	26	1018	0	2	28	0	3.09	- .59	.58	10	5.0			15	1	0
SALMON	33.8	13.9	23.9	2.9	45	8	-15	26	1268	0	12	31	5	.42	- .22	.16	30		4	31	8	0	0
SANDPOINT EXP STA	34.2	26.0	30.1	1.4	42	29	1	26	1073	0	7	29	0	5.74	1.39	1.18	4	27.2	14	27+	18	4	1
WALLACE	35.2	25.0	30.1	0.9	44	5+	10	24+	1072	0	8	30	0	4.56	- 1.18	.99	7	20.0	12	29	17	3	0
WALLACE WOODLAND PK	35.9	23.6	29.8	0.7	45	[illegible]	6	25		0	5	30	0	2.94	- 2.05	.51	8	16.5	10	29	17	[illegible]	0
WINCHESTER 1 SE	38.6	22.5	30.6	0.5	55	13	1	25	1061	0	3	30	0	1.15	- .84	.15	11				14	0	0
DIVISION			30.2	0.9										2.74	- .43			18.6					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	31.5	14.0	22.8	0.9	44	12	-25	25	1303	0	12	31	5	3.48	- .32	.43	10	38.5	15	29	15	0	0
ANDERSON DAM	37.6	24.8	31.2		48	27	4	24	1042	0	5	28	0	3.30		.92	10	3.5	14	10+	14	3	0
ARROWROCK DAM	37.5	24.3	30.9	3.3	47	[illegible]	9	25		0	3	30	0	2.20	- .37	.35	3		2	9+	16	0	0
ATLANTA 1 E	34.8	19.7	27.3	5.2	48	15	- 1	25	1163	0	8	31	1	4.99	1.44	1.90	7	63.0	26	29+	14	[illegible]	1
BLISS	42.5	25.2	33.9	3.8	54	12	11	25	957	0	2	30	0	.80	- .19	.21	20	4.5	1	2	10	0	0
BOISE LUCKY PEAK DAM			M		51	7	6	25		0	2	28	0	1.39							20	0	0
BOISE WB AP	40.4	27.7	34.1	3.8	51	7	13	23+	951	0	3	28	0	1.00	- .57	.17	10	2.5	1	22+	14	0	0
BUHL	43.4	26.4	34.9	5.3	54	12	10	25	926	0	3	26	0	.42	- .39	.19	20	.0	0		4	0	0
CALDWELL	40.4	28.0	34.2	3.8	53	7	14	25	948	0	2	23	0	1.17	.03	.22	10	.4	T	28+	13	0	0
CAMBRIDGE	37.4	19.4	28.4	2.4	45	6	- 3	23	1128	0	4	30	3	3.42	.64	1.00	1	32.4			12	2	1
CASCADE 1 NW	30.8	17.8	24.3		41	12	-16	25	1255	0	16	30	4	2.91		.93	7	39.0	22	29	17	2	0
CHALLIS	29.1	11.7	20.4M	- 0.2	40	13	-14	26	1376	0	18	31	5	.60	- .02	.23	7	8.3	5	28+	7	0	0
COUNCIL 1 N	34.1	22.2	28.2	0.6	43	8	0	24	1136	0	10	31	1	4.58	.69	1.50	1	23.8	6	11	11	3	1
DEADWOOD DAM	29.8	12.9	21.4	1.9	41	13	-28	25	1345	0	18	31	4	6.31	.09	1.49	7	81.5	40	30	19	4	1
DEER FLAT DAM	41.5	27.9	34.7	4.0	54	7	13	25	930	0	2	27	0	1.04	.04	.22	9	.0	0		10	0	0
EMMETT 2 E	40.2	28.8	34.5	2.9	51	7	12	25	940	0	3	21	0	1.93	.54	.45	10	T	0		10	0	0
FAIRFIELD	31.6	8.6	20.1		43	12	-21	25	1386	0	16	31	8	3.88		.87	7	44.5	26	10	12	5	0
GARDEN VALLEY RS			M				13	25		0		31	0	4.00	.69	1.02	2				19		1
GLENNS FERRY	43.8	26.1	35.0M	4.2	55	15	8	25	924	0	0	26	0	.54	-70.45	.17	20	.5	[illegible]		7	0	0
GOODING CAA AP	39.2	24.8	32.0	5.1	51	12	10	25	1016	0	4	29	0	1.16	.14	.28	18	9.6	2	2+	12	0	0
GRAND VIEW	43.2	26.5	34.9M	4.1	54	7+	4	25	930	0	1	22	0	.35	- .38	.24	7	T	0		3	[illegible]	0
HAILEY	31.6	12.0	21.8	- 0.5	40	12+	-16	25	1331	0	13	31	3	5.57	3.49	1.92	7	55.1	28	20	14	3	2
HAZELTON	40.7	24.1	32.4	3.3	51	12	6	25	1003	0	3	28	0	.74	- .42	.22	2	4.3	2	2+	9	0	0
HILL CITY	29.7	9.4	19.6	- 0.6	42	12	-22	26	1403	0	20	31	7	3.07	.81	.70	7	52.0			10	2	0
HOLLISTER	41.7	23.6	32.7M	3.7	57	15	6	25	994	0	2	28	0	1.04	.25	.22	20+	3.5			8	0	0
IDAHO CITY	37.6	17.3	27.5	1.3	48	16	-10	24+	1156	0	5	31	4	3.61	.35	.76	7				17	1	0
JEROME	39.5	22.5	31.0	1.2	52	12	9	4+	1048	0	5	30	0	1.31	.39	.31	2	3.3			14	0	0
KUNA 2 NNE	40.6	26.5	33.6	3.3	53	7	9	25	967	0	2	24	0	.50	- .61	.10	10+	.9	T	23+	9	0	0
LOWMAN			M							0				6.00	2.63			56.1			19		
MC CALL	29.0	17.5	23.3	1.4	34	10+	- 8	24	1293	0	26	31	4	4.62	1.02	.95	2	50.0	31	29	13	4	0
MERIDIAN 1 SSW	41.4	30.0	35.7	5.1	52	6	16	25	901	[illegible]	2	18	0					.0	0				
MESA	35.6	23.5	29.6		42	8	7	24	1088	0	6	31	0	3.68		.73	10	28.5	13	29	11	2	0
MOUNTAIN HOME	45.3	26.6	36.0	6.4	57	12	9	25	890	0	0	24	0	.50	- .61	.17	7	1.9			8	0	0
NAMPA 2 NW	41.0	27.5	34.3		54	8	14	25		0	2	26	0	.72		.18	10	1.3	1	10+	12	0	0
NEW MEADOWS RS	32.8	17.8	25.3M	3.4	39	5	-11	23	1225	0	9	31	4	4.45	1.31	1.02	7	35.2	18	29	18	2	1
OBSIDIAN 4 NNE	27.5	5.7	16.6	0.6	36	10	-29	25	1493	0	24	31	6	1.16	- .76	.28	7	20.0	18	11+	16	0	0
OLA 4 S	40.9	25.6	33.3		48	7	8	25	977	0	1	28	0	2.33		.51	1				14	1	0
PARMA EXP STA	40.2	26.7	33.5	2.9	53	7	10	25	970	0	2	25	0	.91	- .09	.21	7	3.7	T	4+	13	0	0
PAYETTE	38.4	27.6	33.0	2.9	53	7	13	25	988	0	3	24	0	1.12	- .33			4.6			18	0	0
RICHFIELD	33.5	19.6	26.6	1.9	40	12	- 1	25	1185	0	10	30	1	2.09	.90	.58	10	15.5	8	10+	8	2	0
SHOSHONE	36.8	22.6	29.7	3.2	45	29	6	25	1086	0	5	29	0	1.60	.47	.42	10	8.8	4	2+	12	0	0
STIBNITE	33.8	13.8	23.8		48	14+	- 8	24+		0	13	31	4	2.84		.79	7	37.2	20	12	20	1	0
SUN VALLEY	29.6	1.9	15.8	- 5.2	40	12	-26	24	1520	0	18	31	11	3.68	1.28				38	7	14		
SWAN FALLS PH	43.5	29.9	36.7	1.1	52	5+	12	25	869	0	1	21	0	.29	- .39	.10	11	T	0		4	0	0
THREE CREEK	42.8	20.1	31.5		61	15	- 9	24	1032	0	3	29	1										
TWIN FALLS 2 NNE	41.8	24.6	33.2	4.1	52	12	7	25	979	0	4	28	0	.69	- .21	.20	20	2.4	1	31	11	0	0
TWIN FALLS 3 SE	42.4	22.9	32.7	2.4	55	13	7	25		0	4	30	0	.64	- .11	.20	21	2.7	1	29+	12	0	0
WEISER	38.8	26.3	32.6	3.0	51	7	14	25	1001	0	2	26	0	1.88	.28	.38	2	10.5	4	1	10	0	0
DIVISION			29.4	2.2										2.27	[illegible]			18.6					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	33.7	16.5	25.1	0.8	43	19	- 5	25	1 29	0	12	31	3	2.90	2.22	2.41	11		4	2+	7	[illegible]	1
ALBION	40.7	18.7	29.7	- 0.1	54	14+	- 5	25	1087	0	4	30	4	1.07	- .33	.37	20	10.0			7	0	0

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max Depth on Ground	Date	No. of Days .10 or More	.50 or More	1.00 or More
AMERICAN FALLS 1 NW	35.5	20.8	28.2	1.6	47	12	- 1	25+	1142	[illegible]	[illegible]	[illegible]	2	.54	- .46	.18	[illegible]	6.3	3	[illegible]			
ARCO	31.3	5.7	18.5M	- 1.5	45	17	-14	26	1442	0	17	31	[illegible]	1.44	.50	[illegible]	7				[illegible]		
ASHTON 1 S	28.7	12.9	20.8	0.2	43	17	-13	23	[illegible]	0	20	31	6	1.26	- .38	.25	2	[illegible]	[illegible]	31	15		0
BLACKFOOT	34.2	17.0	25.6	1.8	43	19	- 8	25+	1214	0	9	31	[illegible]	.95	.03	.31	[illegible]	[illegible]	3	[illegible]	[illegible]		
BURLEY	40.1	24.1	32.1	2.8	54	13	6	25		0	5	29	0	.94	[illegible]	.34	21	5.8			12		
BURLEY FACTORY 1 NW	38.7	21.7	30.2	2.1	52	13	6	24		0	5	30	0	.77	- .15	[illegible]					11		
BURLEY CAA AP	39.2	22.6	30.9	- 0.2	52	12	5	25	1052	0	4	28	0	1.14	[illegible]	[illegible]	20	9.4	[illegible]	[illegible]	[illegible]		
CHILLY BARTON FLAT	27.8	3.3	15.5	- 4.7	42	15	-29	25	1527	0	21	31	13	1.10	[illegible]	[illegible]	7	12.0	8	31	[illegible]	[illegible]	
CONDA	34.2	12.5	23.4		43	15	-18	24		0	12	31	4	1.57	- .22	.24	3	[illegible]			17		
DRIGGS	34.2	13.4	23.8	4.4	45	13	-20	24		0	9	31	5	1.49	.08	.30	21				11		
DUBOIS EXP STA	28.4	16.4	22.4	0.4	45	17	- 4	25	1313	0	[illegible]	31	2	1.19	.29	[illegible]	20	19.4	14	31	9		
DUBOIS CAA AP	31.2	14.8	23.0	- 0.8	47	17	- 7	25	1293	0	[illegible]	31	5	1.10	.46	.34	[illegible]	[illegible]	[illegible]	31	[illegible]		0
FORT HALL IND AGENCY	34.8	16.5	25.7	0.5	44	12	-12	25	1211	0	6	30	4	1.33	.60	.45	20				11		
GRACE	32.4	17.3	24.9	2.1	41	17	- 8	26	1238	0	15	[illegible]	4	.77	- .30	.14	[illegible]	10.0	5	8+	14		
GRAY	34.5	12.5	23.5	1.6	52	13	-22	24	1276	0	[illegible]	31	4	1.25	- .16	.25	7+	[illegible]	15	[illegible]	[illegible]		
GROUSE	28.5	- 2.0	13.3		40	17	-30	26	[illegible]	0	21	31	16	1.83	.90	.88	7	[illegible]	21	[illegible]	9	1	
HAMER 4 NW	30.5	10.6	20.6	1.1	43	17	-18	25	1372	0	19	31	7	.66	.04	.23	20	8.5	6	[illegible]			
IDAHO FALLS 6 NE	31.8	13.3	22.6		40	17+	-14	25	[illegible]	0	14	31	4	[illegible]				11.7	4	[illegible]	11		0
IDAHO FALLS CAA AP	29.7	13.8	21.8	- 1.4	39	7+	-11	26	1336	0	[illegible]	31	3	1.08	.02	.40	20	8.2	6	29+	12		
IRWIN 2 S	32.2	18.5	25.4	4.6	41	13	-13	24	1222	0	14	[illegible]	3	2.29	1.04	.46	3	36.0			15		
ISLAND PARK DAM	28.4	9.3	18.9	- 0.6	46	17	-29	25	1425	0	24	31	8	5.60	2.68	1.47	7	60.0	35	29+	[illegible]		
LIFTON PUMPING STA	32.7	13.2	23.0	0.2	44	13	- 9	26	1298	0	15	[illegible]	6	.36	- .29	.18	21	5.8	3	24	7		
MACKAY RS	30.3	9.3	19.8	- 0.6	44	12	-15	26	1395	0	20	31	7	1.26	.55	.78	7	17.5	15		7	1	
MALAD	35.7	19.9	27.8	2.4	47	12	3	25	1148	0	6	30	[illegible]	1.01	- .38	.29	10	6.7	3	10+	[illegible]		
MALAD CAA AP	35.7	15.3	25.5		46	7	- 1	25	1219	0	9	31	1	.83		.23	10	5.8	4	11	[illegible]		
MAY RS	30.3	9.3	19.8	- 2.0	40	3+	-21	26	1395	0	15	31	6	.63	.22	.19	28				7		
MC CAMMON	37.1	20.2	28.7		45	13+	- 5	25	1121	0	[illegible]	28	4	1.56		.61	10	[illegible]	[illegible]	10+	[illegible]	1	[illegible]
MINIDOKA DAM	36.7	22.2	29.5		50	12	6	4	1095	0	5	30	0	1.06		.47	20	6.0	4	2+	12	0	0
MONTPELIER RS	34.2	10.2	22.2M	0.1	46	20+	- 7	23		0	13	30	7	.95	- .13	.18	7	14.8	8	[illegible]	10	0	0
OAKLEY	41.1	24.5	32.8	2.9	54	15	5	25	990	0	2	27	0	1.02	.37	.54	20	5.5	3	20+	10	1	[illegible]
PALISADES DAM	30.0	15.7	22.9M		42	13	-12	26	1299	0	16	31	3	3.85		1.90	11				[illegible]	[illegible]	1
PAUL 1 E	39.9	22.2	31.1	- 1.2	51	13	0	26		0	4	29	1	1.03	- .04	.38	2	7.4	7	2	10	0	0
POCATELLO WB AP	34.4	19.2	26.8	1.5	44	12	- 6	26	1176	0	9	31	3	1.34	.19	.53	20	11.2	4	11	11	1	0
PRESTON SUG FACT 2SE	36.1	19.9	28.0	2.1	46	28	2	25	1139	0	7	29	0	.75	- .86	.17	[illegible]	9.4	3	2+	10	0	0
REACTOR TESTING STA	29.5	8.0	18.8		41	19	-18	25	1428	0	20	31	11	.67		.10	7+	7.1			12	0	0
RUPERT	39.3	20.8	30.1	2.4	52	13	6	26		0	5	31	0	1.05	.08	.35	2				12	0	0
SAINT ANTHONY	32.5	15.3	23.9		45	17	-11	26	1265	0	13	31	4	2.18	.73	.53	20		[illegible]	28+	12	1	0
SPENCER RS	29.1	10.5	19.8	1.8	44	17	-18	25	1393	0	22	31	5	2.58	.90	.75	20	32.5			13	2	0
SPRINGFIELD	33.7	16.4	25.1	1.1	44	12	- 7	25	1230	0	8	31	5	.91	.05	.26	7	13.2			8	0	0
SUGAR	30.9	11.7	21.3	1.1	45	17	-21	25	1345	0	15	31	6	1.08	- .02	.45	20				10	0	[illegible]
TETONIA EXP STA	30.8	9.3	20.1		42	18	-18	24	1388	0	17	31	3										
DIVISION			24.3	1.4										1.38	.29								
STATE			27.9	1.6										2.08	.12								

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	[illegible]		.16					[illegible]			[illegible]	2.41									[illegible]			[illegible]								.01
ALBION	1.07		[illegible]					T		[illegible]	[illegible]	.22									.37		.03								.04	
ALPHA 1 NE	3.48	[illegible]	[illegible]				.33	.40	.40		[illegible]	.28							[illegible]		.30	[illegible]					.20	.03	[illegible]	[illegible]	[illegible]	
AMERICAN FALLS 1 NW	.54		[illegible]				T	.05	[illegible]		[illegible]	[illegible]							T		[illegible]	[illegible]	T	[illegible]								.01
ANDERSON DAM	[illegible]	.01	.02	T			[illegible]	[illegible]	.11	[illegible]	.92	.25	.03						T		[illegible]						[illegible]	[illegible]	.23	[illegible]		
ARCO	1.44		T					[illegible]													[illegible]											
ARROWROCK DAM	2.20		.12	[illegible]			[illegible]	.12	[illegible]	.06	.20	.31	.27						[illegible]	T	[illegible]	[illegible]	.05						.07	[illegible]	[illegible]	
ASHTON 1 S	1.26		[illegible]	[illegible]			T	[illegible]			.20	[illegible]	[illegible]	T					T	[illegible]	[illegible]							[illegible]	.22			.11
ATLANTA 1 [illegible]	[illegible]		.14				[illegible]	[illegible]	.48	T	[illegible]	[illegible]	.29						.18		.33		[illegible]					.17	.20	[illegible]	.09	
BAYVIEW MODEL BASIN	3.14		[illegible]	T	.59	.15	[illegible]	[illegible]	.22			.04	.70						.07	[illegible]		.04	.14					.04		[illegible]	.20	.02
BIG CREEK 1 S	1.82		[illegible]		T	.05	[illegible]	.14	.26		.12	.10	[illegible]						.25	[illegible]	[illegible]	.04	.14					.07			[illegible]	
BLACKFOOT	.95		.15				T	.10			.20								.04		.31		.10									[illegible]
BLISS	.80		[illegible]	.01			T	.10	T	T	.10	[illegible]							.14	[illegible]	.21		[illegible]							[illegible]		
BOISE LUCKY PEAK DAM	1.39		.15	.12			[illegible]	[illegible]	.19	[illegible]	.16	.13	.06							.03			[illegible]									.06
BOISE WB AP	[illegible]	T	.14	.02		.03	[illegible]	.09	[illegible]	T	.17	.14					T		T	.01	[illegible]	T	[illegible]		T				.11	.01	[illegible]	
BONNERS FERRY	3.60	[illegible]	.17	.12	.72	.17	[illegible]	.52	.15	.01	.35	[illegible]	[illegible]	.02						T	[illegible]	[illegible]	.09	T	T			.17	[illegible]	[illegible]	.12	
BUHL	.42					T	[illegible]	T	[illegible]	T	.10	[illegible]							[illegible]		[illegible]		T							T		
BURKE 2 NNE	4.11	[illegible]	.11	.06	[illegible]	.08	.40	[illegible]	.54	[illegible]	[illegible]	.12	[illegible]	T					T	.05	.04	.06	[illegible]	[illegible]	T			.05	[illegible]	[illegible]	[illegible]	
BURLEY	.94		.25							.04		.06	[illegible]						.01	.03	.02	.34	[illegible]							[illegible]	.02	[illegible]
BURLEY FACTORY 1 NW	.77		.26	.02						.03		[illegible]								.05	[illegible]	.20	.04							.02	[illegible]	[illegible]
BURLEY CAA AP	1.14		.28						.02		[illegible]	[illegible]						T	[illegible]	[illegible]	[illegible]		.02								.01	.05
CALDWELL	1.17		.04	[illegible]	[illegible]			[illegible]			.22	.21	.07								[illegible]	[illegible]	.03						[illegible]	.05	[illegible]	
CAMBRIDGE	1.42	1.00	.24	[illegible]	[illegible]	[illegible]	[illegible]				.78		[illegible]						T							.01	.02					.40
CASCADE 1 NW	[illegible]	.35	.56	.07	.01		.21	[illegible]	.08		.18	.07	.01						.01	T	[illegible]	T	.05				[illegible]	[illegible]		.09	.04	
CENTERVILLE ARBAUGH	4.92	.34	[illegible]	.10	[illegible]		.23	[illegible]	.15		[illegible]	.22	.11						.03	.14	[illegible]	T	.12					[illegible]	[illegible]	.16	.45	
CHALLIS	[illegible]	.04						.23			[illegible]								.04		.06								.10			.05
CHILLY BARTON FLAT	1.10		T					.50			T								[illegible]		[illegible]											.10
CLARK FORK 1 ENE	4.47	T	.11	.03	.40	[illegible]	[illegible]	.52	.68		.54	[illegible]	[illegible]							T	.05	[illegible]	[illegible]	[illegible]					[illegible]		.28	.05
COBALT BLACKBIRD MINE	1.55		T	.14			T	.11	[illegible]	.03	.11	[illegible]	[illegible]						.05	.03	.01	[illegible]	[illegible]						.01	[illegible]		.20
COEUR D ALENE CAA AP	2.93	.04	.14	[illegible]	.27	[illegible]	.05	[illegible]	T	T	.42	[illegible]	.71							[illegible]	[illegible]	[illegible]	[illegible]					.04	[illegible]	[illegible]	[illegible]	.03
COEUR D ALENE RS	[illegible]	.21	[illegible]	.28	[illegible]	.22	.16	[illegible]	[illegible]		[illegible]	.13	[illegible]			T		T		.11	[illegible]	[illegible]	.20					.15	[illegible]	[illegible]	[illegible]	
CONDA	1.57		[illegible]	.24	.06		[illegible]	.13	.07	[illegible]	.02	.09	.22						T	.06	.11	[illegible]	.05	.13	.03							
COTTONWOOD	.84		.01	.06			.06	[illegible]			.12	.14	.02						.03	[illegible]	.10	[illegible]	.03							[illegible]	[illegible]	
COUNCIL 1 N	4.58	[illegible]	[illegible]	.10	T		[illegible]	[illegible]			.75	.30								T	[illegible]							.30		[illegible]	.20	
CROUCH 2 NNW	4.97	.36	.85	.23	.06		.34	[illegible]	.03		.64	[illegible]	.07						.06	[illegible]	[illegible]		.10				[illegible]	.10	.10	[illegible]	[illegible]	
DEADWOOD DAM	6.31	.37	[illegible]	[illegible]	.09		.42	[illegible]	.18		.68	.26	[illegible]						.19	.12	[illegible]		.15	T			[illegible]	.24	.11	.17	.32	
DEER FLAT DAM	[illegible]	T	.11					[illegible]		.22	[illegible]										[illegible]	.06	.02						.10	.02	[illegible]	
DIXIE	[illegible]		.11	.01			T	[illegible]			[illegible]	[illegible]	.28						.28	.01	.01		[illegible]							[illegible]	[illegible]	
DRIGGS	1.49			[illegible]			.11	[illegible]	.14	[illegible]	[illegible]										[illegible]	.30	.02	[illegible]						[illegible]		
DUBOIS EXP STA	[illegible]		.15	.04				.29			[illegible]								[illegible]	.03	[illegible]								[illegible]			[illegible]
DUBOIS CAA AP	1.10		[illegible]				T	[illegible]			[illegible]		T						.10	[illegible]	[illegible]		.02							T	[illegible]	
ELK CITY	[illegible]		[illegible]	.03				[illegible]	T	.03	[illegible]								.09	[illegible]		.03	.04							.17	[illegible]	

DAILY PRECIPITATION

Table 3–Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ELK RIVER 1 S	6.08	.26	.32	.14	.17	.20	.11	.50	.15	.02	1.61	.39	.96						.21	.02	.03	.05	.23							.49	.18	.04
EMMETT 2 E	1.93		.20					.44			.45	.13	.08								*	*	.10							.28	.25	
FAIRFIELD	3.88		.62				.50	.87	.06		.66	.12							.12	.07	.56							.10		.08	.12	
FENN RS	2.01		.08	.14			.06	.15		.13	.45	.20	.05							.07	.01	.03	.12							.13	.39	
FORT HALL IND AGENCY	1.33		T	.19			.08	.11	T		.04	.17						T	.02		.45	.08	.01	.15					T		T	.03
GARDEN VALLEY RS	4.00	.26	1.02	.09	.06		.20	.82	.05		.51	.18	.12						*	*	*		*				*	*	*	*	.69	
GLENNS FERRY	.54		.05					.02	T		.10								.04	T	.17		T			T			.06	.10		
GOODING CAA AP	1.16	.01	.12	T			.17	.05	T	T	.19	.05						T	.28	.03	.16		.02				T		.03	.05	T	
GRACE	.77		.11	.06			.02	.08	.02		.06	.07							.04	.03	.14	.04	.05	.02						.03		
GRAND VIEW	.35		T					.24			.05									.06			T						T	T	T	
GRANGEVILLE	.72		.13				.02	.06	T	T	.01	.04	.04						.02	.01	.11	.01	.03						T		.24	
GRAY	1.25		.05	.20			.10	.25		.05											.10	.25	.05							.20		
GROUSE	1.83		.23				T	.88			.15									.02	T	.25						.05	.10		.05	.10
HAILEY	5.57		1.15				.31	1.92	.09		.33	.03							.43	.08	.75							.08	.16	.07	.06	.11
HAMER 4 NW	.66		.12					.09			.05								.10		.23				.03				.01			.03
HAZELTON	.74		.22	T			T	.04	.01	.01	T	.15							.02	.05	.21		T						T	.03	T	T
HILL CITY	3.07		.42				.29	.70	.19		.54	.15	T						.11	T	.40						T		.14	.13	T	
HOLLISTER	1.04									.07	.08								.19		.22		.02							.22	.12	.12
HOWE	.75		T					.30	.10		T								.05		.27		T		T							.03
IDAHO CITY	3.61	.12	.44	.16			.23	.76	.07		.43	.22	.17						.04		.31		.05		.02			.07	.12	.15	.25	
IDAHO CITY 13 SW	4.23	.23	.53	.13	.05		.32	.72	.02	T	.77	.23	.15						T	.01	.32		.10	T			.02	.09	.10	.19	.25	
IDAHO FALLS 6 NE	1.31		.17					.14			.06	.07							.07	.04	.02	*	.59		T				.06			.09
IDAHO FALLS CAA AP	1.08		.13	.04		T	.01	.10			.03	.06		T	T				.04	.03	.40	T	.17	T	T		T		.05	T	T	.02
IRWIN 2 S	2.29		.04	.46			.10	.37	.05	T	.05	.32	.06							.10	.07	.39	.11	.05						.08		.04
ISLAND PARK DAM	5.60		.10	.21			.35	1.47			.52			.51					.23	.24	.85	.07	.18					.04	.07	.51		.25
JEROME	1.31		.31				.02	.09	.05	.05	.13	.18							.08	.07	.16	T	.04						.02	.05	T	.06
KAMIAH 1 NE	-		.06	.10						T	.24	T	.52	.02	T				T	-	-	-	-	-	-	-	-	-	-	-	-	-
KELLOGG	3.48	T	.05	.15	.16	.09	.08	.35	.44		.34	.17	.73	.16	.01					.01	.05	.20	.04	.03				.01	T	.18	T	.23
KOOSKIA	1.54		.13	.05			T	.11		T	.14	.14	.28	.03					T	.12	.02	.17									.35	
KUNA 2 NNE	.50		.07	.04			T	T			.10	.10	T									T	.06	.02					.03	.04	.04	
LEWISTON WATER PLANT	1.00	T	.07	.08	T		T	.15	T		.15	.17	.06				T	.02	.01	.06	.02	.02	T								.19	
LEWISTON WB AP R	.86	T	.07	.05	T	T		.17	.01		.03	.17	.05				.01	.01	.02	.04	.01	.02	T							T	.20	
LIFTON PUMPING STA	.36		.01	T			T	.07	T	T	.05	.02								.02	T	.18	.01	T	T	T				T		
LOWMAN	6.00	.30	.40	.10	*		*	*	*		*	*	*						*	*	*		3.97				.20	.30	.21	.32	.20	
MACKAY RS	1.26		.06					.78			.02								.17		.08							T	.08			.07
MALAD	1.01		.23	.02			T	.10	T	T	.29	.08							.08	.04	.06		.05		.06				T			
MALAD CAA AP	.83		.21	T				.06	T	T	.23	.03							.07	.07	.12	T	.03	T	T		T			.01		T
MAY RS	.63							.09			.05								.11		.10		.02						.19			.07
MC CALL	4.62		.95				.45	.85			.58		.35						.28	.10	.20	.10	.05					.04		.50	.17	
MC CAMMON	1.56		.25					.11			.61	.10						T	T	.10	.21	.03	.12				T	T	.03			
MERIDIAN 1 SSW	-		.13								.18	.14	T							-	-	-	-						.02	.06	.02	
MESA	3.68	.42	.64	.20			.12	.22			.73	.32	.05					T	T	T			.30					T		.43	.25	
MINIDOKA DAM	1.06		.20					.05	.01		.13	.09							.02	.03	.47	.01							.01	.01		.03
MONTPELIER RS	.95			.07			.01	.18	.16	.13	.05		.09							.06				.14							.06	
MOSCOW U OF I	2.03	.09	.17		.08		.01	.20	T		.52	.25	.22							T			.13							.18	.18	
MOUNTAIN HOME	.50	T	T					.17	T	.01	.11	.08											.09					.01	.01	.02		
MULLAN PASS CAA	5.03	.12	.13	T	.55	.12	.38	.69	.40	.21	.64	.35	.35						T	.02	.12	.05	.14	.02			T	.22	.09	.19	.17	.07
NAMPA 2 NW	.72		T	.11			T	.03	.02		.18	.09	.05							T	.02		.02	.03					.05	.06	T	.06
NEW MEADOWS RS	4.45	.31	.35	.03	.01		.32	1.02	.02		.74	.13	.03		.13				.23	.12	.17		.13					.11	T	.21	.39	
NEZPERCE 2 E	1.16		.15	.09	T			.04		T	.05	.22	.09	.01					.12	.05	.09	.04	.01							T	.20	
OAKLEY	1.02		.02					.05	.02	.08	.08	.08							.01		.54	.07										.07
OBSIDIAN 4 NNE	1.16	T	T	.03	T		.10	.28	.22	.07	.06	.07	.03						.06		.04		.02					.02	.06	.03	.06	.01
OLA 4 S	2.33	.51	.17		.06		.16	.09		.08	.02	.29							T			T	.18			.11	.05		.06	.19	.36	
OROFINO	1.74		.06	.08		.01	.02	.05	.13	.01	.40	.50	.10							.10		.06	T							.09	.13	
PALISADES DAM	3.85		.20	.34				.60	T	T	.20	1.90	T						T	*	*	*	.46				T		T	.13		.02
PARMA EXP STA	.91	T	.03	T	.07			.21			.16	.04	.05								.05	.06	.04	.03					.03	.07	.07	
PAUL 1 E	1.03		.38					T	.01	T		.12							*	.10	*	.32	.01							.02		.07
PAYETTE	1.12	*	.27	.02	.03		T	.17			.13	.07	.02	.01	.02					.02	.08	.06	.01				.01	.05		.10	.05	
PIERCE RS	3.91	T	.11		.21		.08	.39	.23		.81	.32	.73						.09	T	.08	.09	.10	T						.34	.33	
POCATELLO WB AP //R	1.34		.08	T		T	.04	.11	.03	T	.02	.27						T	.08	T	.53	.01	.09	T					T	T		.08
PORTHILL	1.84	.05	.11	.05	.28	.13	.08	.30	.15		.20			.09									.05	T				.03	.22		.10	
POTLATCH	2.56	.08	.15	.04	.06		.08	.55			.50	.25	.15								.05		.30							.25	.10	
PRESTON SUG FACT 2 SE	.75		.17	.02			T	.10			.09	.11	T						.09	.05	.06		.05	.01						T		
PRIEST RIVER EXP STA	4.84	.37	.18	.05	.70	.13	.46	.54	.42		.34	.12	.36	T	T	T	T			T	.25	.13	.19	T				.17		.20	.23	T
REACTOR TESTING STA	.67		.07				.01	.10	T		.10	.05							.03	.08	.08	.01	T	T	T	.02	T	T	.02	T	T	.10
RICHFIELD	2.09		.41				T	.50	T		.58	.11							T	.06	.27		T						T	.04	T	.12
RIGGINS RS	.89	.03	.11	.01			.04	.30			.01	.05	.05						.04		.04		.03					.01	.01	T	.12	.04
ROLAND W PORTAL	5.23	.06	.08	.14	.39		.18	1.11	.43	.07	.86	.18	.93	.20					T	.01	.02	.01	.01					.14	.01	.27	.09	.04
RUPERT	1.05		.36	.02			T		.01	T		.07	.05						.01	.10	.07	.27	.01						T	.02	T	.06
SAINT ANTHONY	2.18		.24	.13				.23			.13	.02							.28	.10	.53	.05	.16						.15			.16
SAINT MARIES	3.09	.09	.19		.29	.01	.18	.36	.10		.58	.15	.41								.10	.06	.16							.31	.10	
SALMON	.42		.01					.03			.02	.03						T	.11	T	.01		.05						T		.16	
SANDPOINT EXP STA	5.74	.26	.16	T	1.18	.36	.34	.66	.36	.03	.68	.12	.63	.01						T	.17	.05	.12	T				.12	T	.22	.27	T
SHOSHONE	1.60		.35				.02	.25	.01	T	.42	.06							.11	.04	.19		T				T		.03	.06	T	.06
SPENCER RS	2.58		.20	.02				.55		.16						T			.26	.11	.75	.04					.02	.01		.20	.06	.20
SPRINGFIELD	.91		.24	T			T	.26			.15	.08							.04		.03		T	.02			T		T	T		.09
STIBNITE	2.84		.20	.03	T	T	.18	.79	.25	.12	.11	.12	.27	.05					.10	.09	.09	.06	.13		.02			.02	.01	.10	T	.10
SUGAR	1.08							.08			.11	.02	T						.02	.06	.45		.22	T					.03		.02	.07
SUN VALLEY	3.68		.53				*	1.33	.05		.40	.03							.40	.05	.55							.03	.11	.06	.11	.03
SWAN FALLS PH	.29	.04							.06			.10											T	.09		T	T					
TETONIA EXP STA	-		-					.05	.02			.03							.09	.05	.30	.27	.03							.09	.03	
THREE CREEK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.30	-	-
TWIN FALLS 2 NNE	.69		T	T			.03	.04	T	.03	.07	T							.10	.05	.20		.02				T		T	.03	.01	.11
TWIN FALLS 3 SE	.64		T	.01				.01	T	.02		.07							.01	.13	.02	.20	.02					T	T	.02	.03	.10
WALLACE	4.56	.10	.10	T	.46	.07	.17	.99	.51	.02	.57	.19	.45				T		T	.03	.08	T	.08	T				.20		.32	.22	T
WALLACE WOODLAND PARK	2.94		.05	.09	.17	.14	.06	.40	.51	.07	.25	.24	.33	.13								.11	.06						.06	.14		.13
WEISER	1.88	.25	.38		.06			.31			.34	.05								T		.07	T		T		T	.15		.12	.15	
WINCHESTER 1 SE	1.15		.04	.09				.14			.10	.15	.11	.10				.01	.08	.03	.03	.09		.06							.12	

DAILY TEMPERATURES

ble 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ERDEEN EXP STA	MAX	40	35	32	35	29	39	40	38	33	35	37	42	40	32	31	32	36	38	43	39	34	[illegible]	29	24	[illegible]	20	31	32	38	38	34	33.7
	MIN	6	25	24	0	12	21	25	27	16	10	25	26	23	18	10	12	15	[illegible]	29	[illegible]	26	28	3	4	-5	-4	9	10	15	22	[illegible]	16.5
BION	MAX	39	33	36	36	40	42	48	40	39	45	46	51	52	54	54	49	50	41	47	45	43	43	[illegible]	27	31	30	36	44	39	37	34	40.7
	MIN	4	23	23	-1	19	24	31	25	19	17	29	36	22	18	19	25	[illegible]	27	[illegible]	[illegible]	23	22	[illegible]	-2	-5	-2	10	[illegible]	[illegible]	20	24	18.7
PHA 1 NE	MAX	30	30	34	33	35	35	37	35	36	37	37	44	34	30	29	29	[illegible]	41	37	38	32	[illegible]	[illegible]	[illegible]	[illegible]	28	34	36	39	37	36	31.5
	MIN	27	27	20	15	18	26	22	26	15	28	21	30	26	14	2	1	6	18	24	[illegible]	[illegible]	-15	[illegible]	[illegible]	[illegible]	-14	[illegible]	14	[illegible]	[illegible]	27	14.0
ERICAN FALLS 1 NW	MAX	37	35	34	35	37	38	41	39	35	38	39	47	41	32	32	33	35	37	42	41	34	32	[illegible]	25	16	20	38	38	39	42	40	35.5
	MIN	10	26	20	14	[illegible]	28	29	27	20	21	26	33	24	19	17	[illegible]	24	29	31	[illegible]	26	[illegible]	10	6	-1	-1	[illegible]	17	21	27	27	[illegible]
DERSON DAM	MAX	37	35	42	32	39	37	45	41	33	37	40	44	40	38	38	39	38	40	41	40	38	35	31	24	26	27	48	[illegible]	41	39	40	37.6
	MIN	20	31	24	18	28	28	29	28	21	24	26	33	31	26	24	28	27	32	33	[illegible]	[illegible]	27	[illegible]	4	5	13	24	27	22	[illegible]	28	24.8
CO	MAX	32	31	34	30	26	30	35	30	20	29	30	33	31		35	38	45	41	40	38	35	33	26	21	19	15	29	31	33	36	35	31.3
	MIN	-5	20	10	-3	2	12	23	10	-9	-4	-3	-2	9		2	6	[illegible]	25	15	28	4	[illegible]	4	-1	-13	-14	4	[illegible]	6	[illegible]	9	5.7
ROWROCK DAM	MAX	33	39	38	37	41	43	45	47	40	36	37	36	41	37	36	[illegible]	[illegible]	[illegible]	[illegible]	42	40	38	35	25	23	27	37	[illegible]	35	39	41	37.5
	MIN	17	17	31	25	25	28	30	34	23	23	22	23	23	29	26	28	[illegible]	26	26	21	30	29	18	13	[illegible]	12	26	30	29	29	29	24.3
HTON 1 S	MAX	34	32	30	27	29	27	30	29	29	27	30	34	34	33	30	38	43	41	38	33	27	[illegible]	12	11	15	15	24	29	30	34	35	28.7
	MIN	0	10	15	4	4	11	20	21	19	15	21	25	25	17	16	[illegible]	[illegible]	[illegible]	25	[illegible]	13	-10	-13	-11	-10	0	13	11	20	[illegible]	22	12.9
LANTA 1 E	MAX	34	30	30	34	38	35	34	29	33	35	34	38	45	42	48	45	41	38	38	35	32	28	26	26	24	34	35	34	36	35	33	34.8
	MIN	20	22	23	20	14	21	23	21	18	21	12	22	28	27	31	29	26	30	27	29	21	18	1	1	-1	6	21	23	20	23	14	19.7
YVIEW MODEL BASIN	MAX	33	35	43	40	40	41	38	40	40	40	44	40	40	41	48	36	36	39	45	43	35	38	33	33	30	30	31	32	42	41	40	37.8
	MIN	24	30	30	33	33	32	32	32	30	32	25	32	33	38	34	38	[illegible]	28	[illegible]	[illegible]	[illegible]	31	28	[illegible]	4	11	18	18	20	35	30	27.6
G CREEK	MAX	30	33	32	35	40	33	32	30	30	38	38	40	41	36	34	32	30	36	38	32	34	30	26	23	18	14	23	38	36	36	38	32.4
	MIN	-3	24	18	21	16	22	27	17	4	24	11	29	29	18	14	-4	3	22	20	24	14	15	-15	-22	-25	-22	-9	-6	19	24	15	10.5
ACKFOOT	MAX	39	35	30	35	39	38	41	36	38	39	36	40	33	31	30	34	38	39	43	39	35	30	27	23	12	18	32	37	35	41	37	34.2
	MIN	5	23	25	7	7	25	27	25	10	23	28	28	22	12	11	15	[illegible]	29	18	[illegible]	24	24	3	2	-8	-8	6	14	20	25	24	17.0
ISS	MAX	40	43	43	44	46	40	51	47	35	36	40	54	49	49	50	51	38	46	47	43	42	40	33	32	32	33	40	39	47	42	46	42.5
	MIN	21	31	28	17	22	26	30	29	15	30	23	33	30	23	27	[illegible]	24	29	31	39	27	24	24	17	[illegible]	16	25	23	16	32	31	[illegible]
ISE LUCKY PEAK DAM	MAX		43	43	40	49		51				47	49			48	41	36	42	46	43									44	44	42	
	MIN		21	22	23	31			22	21		27	31			21	21	[illegible]	26	28			21			6					31	25	
ISE WB AP	MAX	43	42	42	44	50	45	51	43	41	46	43	50	37	37	42	31	34	36	41	43	38	39	33	27	30	37	38	38	45	44	41	40.4
	MIN	28	32	31	32	35	31	30	26	24	32	32	31	31	27	24	24	29	31	[illegible]	[illegible]	27	21	13	14	[illegible]	22	32	28	[illegible]	31	[illegible]	27.7
NNERS FERRY	MAX	24	33	38	37	40	36	36	41	37	39		33	36	38	36	36	36	40	32	31	36	36	33	33	33	[illegible]	25	35	41	37	39	34.9
	MIN	14	24	26	32	33	31	31	33	31	30	23	28	32	32	32	28	27	25	[illegible]	28	29	31	26	21	15	6	14	20	29	31	31	26.4
HL	MAX	45	43	43	42	51	48	50	45	40	40	47	54	50	47	50	48	48	46	46	44	40	38	34	32	32	32	44	37	41	48	41	43.4
	MIN	19	34	27	17	27	27	34	31	20	28	34	36	29	27	26	[illegible]	22	31	31	37	28	26	24	15	10	13	23	26	20	32	27	26.4
RKE 2 NNE	MAX	36	34	33	35	35	33	35	33	31	31	30	34	38	32	32	32	30	33	33	33	30	30	28	25	15	26	35	33	35	35	33	31.9
	MIN	18	29	28	26	26	25	24	27	26	25	21	29	30	26	24	23	27	23	27	21	25	25	23	[illegible]	5	[illegible]	12	15	18	26	27	22.2
RLEY	MAX	27	40	37	43	38	47	42	47	38	38	42	47	54	40	39	46	42	47	44	49	42	37	35	32	26	28	27	38	44	43	44	40.1
	MIN	10	27	28	19	24	26	29	28	22	24	32	34	27	24	25	25	26	27	32	36	28	28	25	9	6	8	9	24	26	28	31	24.1
RLEY FACTORY 1 NW	MAX	27	40	35	36	37	46	42	46	36	37	42	46	52	34	40	43	40	45	42	48	40	36	34	31	26	27	28	38	42	42	43	38.7
	MIN	7	26	25	13	22	25	28	25	18	19	31	33	25	23	23	24	13	24	29	32	27	27	20	6	7	4	8	22	22	23	29	21.7
RLEY CAA AP	MAX	40	36	37	37	45	41	46	37	36	42	46	52	34	39	44	42	47	43	48	41	36	33	29	27	29	29	38	42	42	42	35	39.2
	MIN	8	26	8	17	21	25	36	23	20	32	33	31	26	24	24	28	24	31	33	31	28	21	13	7	5	7	18	25	25	30	22	22.6
LDWELL	MAX	41	48	43	40	48	47	53	48	41	44	42	41	39	39	39	38	37	37	40	40	39	40	35	30	30	34	38	40	41	41	40	40.4
	MIN	20	36	25	30	33	34	37	31	22	33	30	32	33	32	27	27	31	32	33	34	23	21	19	16	14	22	29	26	26	31	28	[illegible]
MBRIDGE	MAX	36	42	43	40	32	45	44	42	40	42	41	40	37	37	36	33	34	35	40	40	39	41	34	27	22	29	35	35	37	40	41	37.4
	MIN	26	32	33	23	20	26	31	30	9	25	27	29	24	22	21	19	10	11	10	25	24	25	-3	0	0	7	15	19	18	20	22	19.4
SCADE 1 NW	MAX	31	34	32	32	35	35	35	33	32	38	37	41	37	27	24	22	26	34	35	36	32	31	24	17	1	25	34	31	35	37	32	30.8
	MIN	16	27	23	21	22	24	25	25	18	25	23	34	26	17	10	9	13	24	29	14	22	22	-8	-11	-16	-8	18	23	24	29	22	17.8
ALLIS	MAX	34	31			35	35	35	39	30	31	29	38	40	30	23	22	24	32	35	33	30	34	24	15	10	11	18	28	33	32	32	29.1
	MIN	4	20	15	12	12	21	24	18	9	18	9	22	20	20	16	13	7	19	22	21	14	12	-1	-6	-13	-14	-3	9	11	17	16	11.7
ILLY BARTON FLAT	MAX	25	29	34	24	29	29	33	30	23	26	30	40	42	36	35	36	35	35	32	33	31	24	13	4	7	10	25	28	30	28	27	27.8
	MIN	-5	18	9	-4	11	16	20	5	-6	5	0	20	16	3	0	10	6	22	22	24	14	0	-18	-28	-28	-28	-15	-2	-5	8	13	3.3
ARK FORK 1 ENE	MAX	28	30	38	43	40	39	40	40	37	42	35	35	40	38	39	37	36	38	38	34	35	36	34	32	32	30	32	35	40	40	37	36.5
	MIN	13	25	30	32	31	31	31	31	30	31	24	23	31	33	30	26	26	26	26	25	28	29	28	12	8	8	8	9	25	25	25	24.5
BALT BLACKBIRD MINE	MAX	15	31	30	27	31	32	27	28	25	24	34	29	36	32	25	27	29	31	32	35	32	28	22	21			18	30	22	30	34	28.2
	MIN	-2	11	13	8	14	16	18	15	5	11	9	13	25	12	12	13	15	16	19	19	16	11	4	-2	-11			[illegible]	10	19	15	11.5
EUR D ALENE CAA AP	MAX	30	38	39	41	44	38	39	39	38	34	32	40	37	36	34	34	34	37	33	32	35	34	32	26	24	24	28	33	39	37	37	34.8
	MIN	22	29	31	33	33	31	32	33	29	29	26	31	33	32	31	30	28	29	30	28	30	27	24	17	14	14	19	19	30	30	27	27.5
EUR D ALENE RS	MAX	30	36	39	41	44	42	40	40	40	39	36	39	39	38	35	34	35	37	36	35	35	34	34	32	28	27	31	32	38	37	39	36.2
	MIN	18	28	29	32	35	32	32	34	33	32	27	32	34	31	29	31	31	30	32	30	31	31	29	21	16	14	16	17	25	31	27	28.1
NDA	MAX	29	35	32	31	41	36	36	34	32	28	33	36	39	38	43	38	40	38	37	38	38	36	30	25	26	27	30	32	36	32	40	34.2
	MIN	2	12	21	4	14	23	24	23	15	11	24	28	27	12	5	13	18	19	25	31	23	14	[illegible]	-18	-15	-17	-12	12	15	17	13	12.5
TTONWOOD	MAX	40	39	39	41	43	38	44	44	37	40	38	44	48	47	43	42	31	33	37	37	32	37	33	27	24	32	39	39	43	41	38	38.4
	MIN	25	25	26	29	32	21	31	29	19	28	18	32	31	31	26	22	17	24	27	24	15	21	17	6	1	4	10	15	28	29	18	22.0
UNCIL 1 N	MAX	32	38	35	35	33	38	40	43	35	37	38	38	35	34	32	30	30	34	38	38	37	32	30	22	23	26	31	36	37	36	34	34.1
	MIN	22	30	31	25	20	27	28	32	13	29	28	32	23	26	18	15	15	27	30	29	22	24	7	0	5	11	18	25	29	30	18	22.2
ADWOOD DAM	MAX	24	31	30	27	25	28	33	31	30	36	34	37	41	36	34	35	31	35	35	35	30	28	24	11	10	15	28	34	34	32	31	29.8
	MIN	6	22	20	8	8	17	26	22	14	22	16	31	30	17	9	12	[illegible]	24	29	27	16	18	-19	-27	-28	-13	0	21	17	24	14	12.9
ER FLAT DAM	MAX	48	48	41	44	48	50	54	49	44	44	43	40	38	40	41	38	36	38	46	45	39	41	34	33	30	37	39	39	48	44	42	41.5
	MIN	28	36	26	29	31	35	36	28	24	28	30	29	32	32	28	27	[illegible]	[illegible]	32	32	27	24	18	16	13	24	22	27	25	35	28	27.9
IE	MAX	38	38	32	34	41	31	36	29	31	34	31	41	42	37	36	44	40	41	37	37	34	33	28	26	24	26	34	33	37	41	34	34.8
	MIN	6	22	18	15	8	24	24	14	4	14	16	30	24	23	1	-1	5	16	15	18	12	13	17	2	-25	-20	-3	-5	19	14	0	10.3
IGGS	MAX	34	36	34	34	34	41	32	31	35	38	34	34	45	43	39	40	38	40	39	39	40	30	30	12	14	20	34	37	32	31	40	34.2
	MIN	-1	16	12	12	10	23	23	22	4	9	24	26	25	14	10	10	28	24	26	26	25	12	-5	-20	-16	-12	15	15	21	20	17	13.4
BOIS EXP STA	MAX	28	29	27	24	27	27	32	27	20	26	27	29	36	35	40	39	45	35	32	32	31	25	24	18	15	14	23	26	25	30	32	28.4
	MIN	5	23	8	14	15	17	25	15	3	12	18	21	21	21	22	25	[illegible]	31	29	31	18	17	7	0	-4	3	14	19	19	17	15	16.4
BOIS CAA AP	MAX	31	30	28	28	32	30	33	27	19	28	28	34	37	36	44	45	47	34	34	34	32	32	21	21	26	19	30	27	27	34	39	31.2
	MIN	5	23	14	11	11	21	12	0	3	18	21	23	23	15	11	15	25	30	31	31	23	13	-5	0	-7	-3	15	20	19	20	21	14.8
CITY	MAX	45	41	40	41	47	40	44	35	37	36				38	30	36	34	42	36	39	36	37	36	29	29	32	37	42	44	51	36	38.2
	MIN	27	28	26	30	27	27	29	21	21	30	14			14	12	14	18	27	33	29	22	21	20	8	-12	-7	17	14	18	12	22	20.1
RIVER 1 S	MAX	36	36	41	38	40	39	39	38	39	45	34	36	45	42	40	41	34	33	40	38	35	40	36	34	26	30	40	[illegible]	33	45	46	37.5
	MIN	31	32	32	32	32	29	28	30	28	31	28	30	32	21	16	16	28	24	29	23	23	26	27	11	[illegible]	[illegible]	10	[illegible]	26	31	29	[illegible]
METT 2 E	MAX	44	45	44	48	49	44	51	45	43	48	41	40	39	37	40	35	35	37	39	41	40	39	[illegible]	29	28	37	37	37	41	44	38	40.2
	MIN	21	33	30	33	37	35	37	35	27	38	33	30	32	31	25	27	25	31	33	34	26	29	[illegible]	[illegible]	12	21	[illegible]	29	26	[illegible]	29	[illegible]
RFIELD	MAX	32	33	30	27	32	30	40	31	25	33	38	43	36	30	34	34	34	39	35	39	31	27	21	19	12	22	31	34	35	37	32	31.6
	MIN	1	13	14	-10	10	20	25	15	0	13	19	30	10	0	-2	8	5	15	28	25	12	14	-11	-6	[illegible]	-18	[illegible]	11	5	18	6	8.6
FIN RS	MAX	37	35	41	43	41	38	41	40	40	37	33	38	44	43	45	38	35	37	39	41	[illegible]	34	37	35	28	36	[illegible]	36	40	39	41	38.4
	MIN	17	24	30	32	29	30	30	29	30	32	30	30	31	28	32	30	[illegible]	[illegible]	30	[illegible]	31	[illegible]	30	23	13	13	[illegible]	[illegible]	29	29	29	27.5
T HALL IND AGENCY	MAX	39	35	33	37	33	36	39	37	35	37	38	44	40	33	34	36	39	38	42	40	34	[illegible]	27	22	20	16	[illegible]	35	39	42	39	34.8
	MIN	2	27	21	2	2	22	30	22	20	12	26	33	23	17	9	19	20	28	29	31	26	26	-2	-5	-12	-10	4	12	24	28	25	16.5
DEN VALLEY RS	MAX	28	36	37	34	29	34	41	41	37	35	34	38	36	38	36	34	[illegible]															
	MIN	15	27	28	20	17	23	32	29	19	30	31	32	32	29	22	[illegible]	19								13							
NNS FERRY	MAX	45	45	48	41	49	43	53	49	40	40					55	44	[illegible]	[illegible]	[illegible]	48	45	[illegible]	35	37	36	37	43	40	[illegible]	47	46	43.8
	MIN	24	33	30	18	27	28	34	30	15	31					22	[illegible]	26	26	[illegible]	40	28	23	23	15	8	21	[illegible]	23	25	33	[illegible]	26.1
DING CAA AP	MAX	39	38	39	34	40	37	46	40	35	35	40	51	43	46	47	48	39	43	45	40	37	36	28	28	29	30	38	39	43	41	40	39.2
	MIN	21	29	16	15	30	25	34	26	17	25	27	32	28	26	29	32	[illegible]	30	33	31	26	26	17	16	10	15	27	24	21	32	27	24.8
CE	MAX	34	31	30	30	37	35	36	34	28	31	38	38	34	29	32	40	41	36	35	36	34	29	24	16	20	22	32	33	32	38	32	32.4
	MIN	16	20	19	12	16	23	27	22	14	15	30	34	27	20	19	20	[illegible]	30	30	31	19	[illegible]	-3	-6	-7	-8	8	12	19	21	14	[illegible]
ND VIEW	MAX			43	42	52	49	54	54	45	47	44	54	45	42	39	[illegible]	34	37	[illegible]	46	46	45	38	35	32	35	38	37	[illegible]	48	47	43.2
	MIN		34	26	23	34	34	38	[illegible]	18	33	30	27	29	28	25	26	29	31	[illegible]	[illegible]	19	[illegible]	12	7	4	[illegible]	[illegible]	29	27	[illegible]	23	[illegible]
NGEVILLE	MAX	40	[illegible]	42	[illegible]	47	39	45	39	40	[illegible]	45	51	49	45	[illegible]	42	28	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	27	25	28	42	38	46	43	37	[illegible]
	MIN	29	28	30	32	[illegible]	28	31	30	[illegible]	24	23	35	29	24	23	[illegible]	18	[illegible]	27	25	19	[illegible]	21	10	[illegible]	[illegible]	17	21		24	18	[illegible]
Y	MAX	38	39	40	41	39	40	37	35	31	32	30	35	52	[illegible]	43	44	45	44	41	39	38	34	21	8	10	[illegible]	18	35	31	35	34	34.5
	MIN	15	14	13	14	12	13	[illegible]	10	10	13	15	[illegible]	29	28	9	10	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-22	[illegible]	-10	-4	12	14	19	18	12.5
ISE	MAX	27	28	35	26	22	28	33	32	18	28	30	37	35	28	34	37	40	[illegible]	39	37	[illegible]	[illegible]	18	17	15	10	26	26	27	29	30	28.5
	MIN	-9	15	-6	-12	-5	12	21	1	-18	[illegible]	-9	3	6	-6	-5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	10	-9	-20	-26	-28	-30	[illegible]	[illegible]	-4	[illegible]	[illegible]	-2.0
LEY	MAX	32	35	35	27	31	31	36	34	22	[illegible]	33	40	39	35	38	39	37	[illegible]	[illegible]	38	37	26	17	13	[illegible]	21	35	30	27	34	33	31.6
	MIN	10	25	3	5	14	21	[illegible]	[illegible]	[illegible]	[illegible]	9	17	15	11	14	19	[illegible]	[illegible]	27	29	[illegible]	[illegible]	4	-15	-16	-4	16	19	[illegible]	19	16	12.0

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HAMER 4 NW	MAX	[illegible]	30	30	28	24	[illegible]	36	35	16	28	29	30	34	35	37	38	43	35	38	35	33	28	24	33	16	15	32	28	31	31	32	30.5
	MIN	-6	16	[illegible]	-1	-4	13	20	16	-1	11	14	21	20	18	1	6	15	24	11	11	25	16	-5	5	-18	-15	6	17	12	11	18	10.6
HAZELTON	MAX	45	44	45	43	45	44	46	43	41	44	43	51	44	42	45	43	45	44	45	43	36	38	38	24	28	26	45	39	44	44	36	40.
	MIN	14	21	26	19	27	20	34	27	20	25	29	35	26	25	26	15	27	24	24	35	27	25	22	11	6	9	22	23	23	28	25	24.1
HILL CITY	MAX	30	32	34	28	31	39	32	24	23	31	36	42	37	21	31	44	32	37	34	36	32	29	26	11	6	20	28	30	35	34	33	29.3
	MIN	[illegible]	[illegible]	20	-8	[illegible]	[illegible]	22	15	4	9	23	20	11	4	-2	8	3	20	27	[illegible]	19	11	-12	-12	-20	-22	15	16	12	16	10	9.4
HOLLISTER	MAX	[illegible]	42	38	43	46	44	45	46	37	40	49	55	53		57	46	45	46	46	41	37	34	35	25	30	35	30	37	46	43	37	41.7
	MIN	[illegible]	[illegible]	[illegible]	32	30	13	17	[illegible]	[illegible]	20	33	30	23		19	31	4	33	31	[illegible]	24	22	18	7	6	[illegible]	25	25	27	32	25	23.6
IDAHO CITY	MAX	33	36	38	33	29	32	40	41	37	35	36	41	41	46	47	48	42	42	41	38	37	34	32	32	30	35	36	39	42	38	36	37.6
	MIN	[illegible]	[illegible]	23	8	11	11	28	[illegible]	10	28	19	3	16	16	7	10	14	28	30	11	25	25	-2	-10	-10	-10	22	26	22	26	25	17.3
IDAHO FALLS 6 NE	MAX	31	[illegible]	30	24	34	35	38	34	27	35	35	32	30	35	33	35	40	37	40	38	34	30	21	21	16	21	20	31	31	38	36	31.6
	MIN	[illegible]	15	24	3	2	21	30	24	[illegible]	15	25	25	19	3	2	7	16	24	25	[illegible]	2	14	10	-4	-14	-8	1	6	19	18	26	13.3
IDAHO FALLS CAA AP	MAX	[illegible]	33	28	25	33	34	34	41	32	35	34	30	30	31	36	32	36	38	39	38	32	28	17	12	14	17	27	32	31	35	31	29.7
	MIN	3	13	14	[illegible]	[illegible]	[illegible]	24	17	[illegible]	15	24	25	22	11	8	14	18	24	29	[illegible]	20	12	7	-5	-10	-11	[illegible]	14	15	18	24	13.6
IRWIN 2 S	MAX	[illegible]	[illegible]	31	31	35	37	34	34	31	31	37	36	41	40	36	31	38	38	36	39	37	29	26	15	15	9	29	29	35	37	36	32.2
	MIN	[illegible]	24	23	13	13	20	26	[illegible]	13	11	30	30	32	19	19	[illegible]	24	[illegible]	30	[illegible]	[illegible]	3	10	-13	-6	-6	8	16	20	24	25	18.5
ISLAND PARK DAM	MAX	32	24	26	30	25	25	24	28	22	23	28	30	34	34	32	35	46	34	41	33	32	24	20	13	12	23	32	27	26	30	34	28.4
	MIN	-4	14	15	17	-8	6	21	18	[illegible]	[illegible]	21	20	27	8	-4	0	14	23	27	28	18	17	-17	-16	-29	-25	9	7	19	18	24	9.3
JEROME	MAX	4	4	46	41	43	42	38	39	48	47	40	52	46	42	45	45	41	47	49	42	40	37	30	27	23	27	30	38	45	41	39	39.5
	MIN	16	28	25	[illegible]	[illegible]	22	29	[illegible]	22	11	27	32	25	24	26	28	30	28	27	37	25	23	22	13	9	9	14	24	19	28	26	22.5
KELLOGG	MAX	34	34	35	40	43	46	39	40	40	40	37	35	36	36	31	30	32	42	40	36	34	33	35	33	29	24	27	31	36	39	38	35.3
	MIN	32	27	34	35	37	33	33	35	33	32	29	29	33	28	24	24	27	27	31	27	27	29	30	13	8	6	13	22	21	12	30	26.4
KOOSKIA	MAX	42	41	44	44	41	48	51	48	47	43	41	41	43	4	47	44	35	42	41	41	36	40	40	37	32	31	36	38	44	40	45	40.3
	MIN	28	20	32	33	31	32	34	40	31	34	[illegible]	31	36	37	29	24	31	40	42	32	31	30	30	25	12	13	17	18	21	24	31	27.9
KUNA 2 NNE	MAX	44	43	44	43	49	44	53	40	41	46	43	45	37	42	42	34	35	36	40	40	38	41	34	31	30	35	36	38	47	42	41	40.6
	MIN	16	36	27	17	36	30	35	20	19	34	30	30	29	29	22	25	30	31	33	34	20	25	11	12	9	18	28	29	30	36	30	26.5
LEWISTON WATER PLANT	MAX	40	43	45	48	52	52	49	49	43	47	44	47	54	46	42	40	34	38	40	41	40	45	43	38	38	39	42	42	43	43	45	43.8
	MIN	32	35	30	36	36	34	37	36	26	37	28	33	31	27	32	35	35	[illegible]	34	33	28	32	29	27	25	23	25	26	31	32	32	30.5
LEWISTON CAA AP	MAX	41	41	45	46	51	48	49	47	44	45	36	40	53	46	38	[illegible]	35	36	37	38	38	42	40	34	34	35	41	43	47	42	41	41.6
	MIN	34	34	31	37	35	33	37	35	29	24	30	34	35	31	30	33	[illegible]	[illegible]	32	[illegible]	28	32	27	22	15	22	28	25	35	31	30	30.6
LIFTON PUMPING STA	MAX	32	31	31	32	32	39	40	34	34	33	39	40	44	35	30	30	34	38	38	40	37	40	22	22	20	21	27	30	35	34	34	32.7
	MIN	4	[illegible]	12	4	8	17	26	24	18	7	27	33	26	17	21	[illegible]	16	23	26	[illegible]	14	14	1	-4	-8	-9	-4	-1	0	9	14	13.2
LOWMAN	MAX	4	40	44																				31	24	36	39	44	46	45	35	37	
	MIN	[illegible]	26	21																				-12	-10	8	21	22	26	20	19	15	
MACKAY RS	MAX	28	34	35	32	29	30	32	29	26	28	30	44	40	41	39	42	46	38	36	35	31	27	24	6	9	13	26	30	34	29	30	30.3
	MIN	[illegible]	14	12	-1	[illegible]	13	21	18	[illegible]	-2	12	15	22	13	9	14	17	26	24	25	14	11	0	-14	-13	-15	2	9	1	13	19	9.3
MALAD	MAX	36	[illegible]	45	34	36	35	40	47	35	32	40	47	46	43	28	38	34	33	37	34	34	36	31	25	25	23	36	37	40	40	37	35.7
	MIN	11	[illegible]	24	[illegible]	13	17	24	21	18	17	26	31	27	25	20	22	11	24	31	[illegible]	24	31	16	5	3	5	10	15	22	24	21	19.9
MALAD CAA AP	MAX	47	34	34	28	38	35	46	40	35	32	40	45	42	40	28	38	29	32	38	40	37	33	28	25	32	24	35	38	40	40	38	35.7
	MIN	6	25	4	2	8	13	30	22	16	17	22	21	19	16	11	14	11	[illegible]	30	[illegible]	24	19	9	4	-1	1	5	8	15	20	17	15.3
MAY RS	MAX	34	34	40	36	40	40	38	40	32	33	25	37	35	34	28	22	25	32	34	32	28	28	18	18	12	8	17	27	34	37	33	30.3
	MIN	-2	24	15	10	12	20	24	22	16	9	5	19	12	17	17	15	17	19	18	15	[illegible]	10	-7	-11	-20	-21	-11	6	4	14	17	9.3
MC CALL	MAX	32	30	26	28	30	28	30	28	28	34	30	34	32	32	32	32	32	34	34	34	28	28	24	14	12	22	30	30	32	32	28	29.0
	MIN	20	24	22	22	[illegible]	24	28	22	14	18	14	30	30	12	10	[illegible]	14	30	28	16	24	24	-4	-8	-6	0	14	16	26	28	12	17.5
MC CAMMON	MAX	42	35	34	31	34	39	40	37	34	39	41	44	45	41	39	40	42	44	45	42	39	32	30	22	22	30	37	39	39	41	40	37.1
	MIN	4	15	11	21	21	23	13	24	23	23	23	32	30	31	32	34	35	3	34	32	27	25	12	-2	-5	-3	-1	1	22	26	19	20.2
MERIDIAN 1 SSW	MAX	44	43	44	44	49	52	51	46	41	47	44	44	39	38	42	46	45	37	40	40	40	41	34	29	30	35	41	37	46	43	40	41.4
	MIN	16	34	21	34	40	35	37	3	27	33	34	34	35	31	27	29	31	3	33	31	25	26	19	18	16	22	31	33	34	38	32	30.0
MESA	MAX	35	38	36	38	38	37	40	42	36	37	36	34	38	31	32	32	38	40	37	37	37	34	35	30	27	25	34	36	38	37	35	35.6
	MIN	24	31	26	26	25	24	29	30	19	2	27	29	22	20	20	21	26	24	26	40	24	25	12	7	10	10	16	27	25	30	22	23.5
MINIDOKA DAM	MAX	36	34	35	35	38	39	44	45	47	42	41	50	33	33	38	35	38	39	42	42	47	33	27	24	23	25	39	40	40	41	32	36.7
	MIN	12	27	21	6	21	21	26	24	15	24	32	33	22	20	20	25	28	30	30	31	26	26	21	12	7	8	16	22	25	31	26	22.2
MONTPELIER RS	MAX	32		33	31	33	32	38	42	34	40		38	40	45		34	35	37	40	40	46	39	31	3	24	20	20	30	30	32	36	34.2
	MIN	0	11		1	7	4	23	11	14	4	27		28		10	4	15	14	26	4	23	15	-7	-4	-6	-5	-4	-1	2	8	14	10.2
MOSCOW U OF I	MAX	38	40	41	40	46	40	42	43	38	38	35	44	49	48	44	45	37	32	35	34	35	37	36	35	28	31	38	36	40	40	35	38.2
	MIN	28	30	31	34	38	31	35	33	28	32	29	34	37	35	25	29	29	28	24	34	27	31	28	17	15	19	24	25	28	34	26	29.0
MOUNTAIN HOME	MAX	44	44	44	43	49	45	53	49	52	43	43	57	54	51	55	54	44	40	50	45	43	42	35	35	34	38	40	39	48	48	45	45.3
	MIN	25	34	24	22	38	30	34	30	25	33	27	31	27	27	22	24	25	24	33	36	27	20	23	14	9	2	28	26	20	35	32	26.6
MULLAN PASS CAA	MAX	27	27	25	27	30	25	26	27	22	25	31	37	40	45	41	38	32	25	26	26	24	24	20	16	15	16	26	27	26	31	27	27.7
	MIN	21	23	22	22	23	20	20	14	14	14	17	28	35	36	33	30	24	20	21	18	19	17	13	11	5	3	12	19	19	21	21	20.3
NAMPA 2 NW	MAX	38	43	46	45	41	51	49	54	46	41	47	44	40	37	41	44	36	36	37	39	42	40	41	35	31	30	35	38	37	44	43	41.0
	MIN	20	34	20	28	33	32	35	30	23	32	28	31	32	31	25	26	31	32	33	34	22	5	15	16	14	17	27	29	28	31	30	27.5
NEW MEADOWS RS	MAX	34	34	35	34	39	35	38	37	35	37	35	38	36	35	30	28	35	35	35	37	36	32	20	17	24	25	32	33	35	38		32.8
	MIN	11	32	25	25	22	28	30	27	9	27	23	32	25	17	11	11	6	21	29	28	18	18	-11	-4	-9	-1	11	17	27	27		17.8
NEZPERCE 2 E	MAX	41	39	38	42	43	40	43	40	38	38	36	44	45	43	40	34	29	32	35	35	32	34	33	30	26	28	37	38	40	40	35	37.0
	MIN	24	32	30	35	30	30	32	35	29	30	25	35	31	28	27	21	25	26	30	38	21	23	24	14	8	12	18	19	26	27	20	25.7
OAKLEY	MAX	49	38	41	38	42	41	45	40	37	41	45	52	49	42	54	50	45	45	46	42	36	38	35	27	30	35	39	43	44	41	34	41.1
	MIN	16	29	24	18	28	25	34	27	14	27	32	34	30	21	27	35	32	34	32	32	28	21	1	6	5	12	21	23	23	32	24	24.5
OBSIDIAN 4 NNE	MAX	29	3	34	30	30	29	30	27	22	36	34	31	34	26	26	24	26	34	33	32	28	30	17	8	8	14	29	32	28	35	28	27.5
	MIN	10	15	9	2	13	17	18	14	7	15	5	19	17	-2	-4	4	2	14	18	19	5	5	-17	-26	-29	-23	6	8	12	17	8	5.7
OLA 4 S	MAX	47	41	45	39	37	40	48	44	44	44	46	47	44	38	44	43	44	43	45	44	43	36	39	36	32	33	36	38	41	37	39	40.9
	MIN	21	32	31	27	24	4	33	33	32	24	33	31	27	30	24	24	29	29	24	24	26	26	4	12	8	22	26	27	24	27	24	25.6
OROFINO	MAX	36	40	44		50	51	46	40	44	48	41	41	44	45	37	37	40	41	41	43	40	41	42	45	42	42	36	41	36	39	46	42.0
	MIN	13	30	32		35	32	33	30	31	35	31	32	35	31	30	30	32	31	32	33	32	32	33	24	16	16	19	19	29	31	33	29.3
PALISADES DAM	MAX	24	3	32	28	28			34	31	30	37	37	42	38	31	29	35	36	35					15	11	9	26	27	38	34	34	30.0
	MIN	3	16	13	10	[illegible]			26	2	17	28	30	31	19	19	14	23	22	31				10	-7	-11	-12	6	11	18	23	24	15.7
PARMA EXP STA	MAX	42	40	45	41	47	48	53	47	43	41	40	40	40	39	40	37	36	35	38	41	42	38	34	30	30	37	39	38	36	43	41	40.2
	MIN	18	34	22	29	34	31	35	33	24	33	29	28	31	32	28	28	29	30	31	33	23	24	13	14	10	22	29	26	20	29	26	26.7
PAUL 1 E	MAX	33	40	35	36	37	42	42	43	37	38	40	45	51	38	39	42	42	46	43	48	41	36	33	30	32	32	38	50	42	42	43	39.9
	MIN	8	21	26	4	17	24	18	26	21	22	32	33	26	25	24	26	27	27	30	33	27	27	23	12	9	0	10	21	24	24	30	22.2
PAYETTE	MAX	35	47	43	40	40	45	53	47	43	40	38	42	39	38	37	35	33	36	39	40	39	35	33	29	29	32	37	34	34	42	36	38.4
	MIN	[illegible]	31	28	30	33	13	37	31	22	32	30	34	33	32	25	25	28	30	33	34	25	27	16	19	13	22	27	26	24	31	24	27.6
PIERCE RS	MAX	34	35	38	33	33	35	36	33	36	34	33	34	33	34	35	33	33	36	34	36	34	34	32	33	26	25	30	28	35	33	35	33.2
	MIN	14	25	31	[illegible]	32	[illegible]	25	28	27	31	23	32	15	14	13	4	18	26	30	17	23	26	28	6	-3	-2	8	10	21	20	20	20.5
POCATELLO WB AP	MAX	40	35	3	35	38	37	40	34	34	39	39	44	29	33	33	34	40	37	41	41	32	31	26	21	17	20	36	37	37	43	31	34.4
	MIN	[illegible]	28	21	10	11	28	31	24	23	28	27	25	24	20	14	18	21	30	42	41	26	23	4	-3	-4	-6	6	14	28	27	27	19.2
PORTHILL	MAX	37	42	38	37	40	38	36	43	38	38	36	34	37	39	37	39	36	40	33	35	36	37	30	31	33	30	21	30	40	38	40	35.5
	MIN	[illegible]	22	25	32	34	32	32	31	27	31	23	26	30	31	31	29	28	27	22	26	27	29	24	24	22	7	10	21	20	28	30	25.5
POTLATCH	MAX	[illegible]	46	42	40	47	40	44	40	40	39	38	44	52	50	43	32	32	33	38	46	38	35	35	32	27	27	41	42	42	42	38	39.2
	MIN	31	[illegible]	33	34	36	[illegible]	32	34	[illegible]	31	28	33	33	32	23	28	29	28	30	26	28	25	28	12	-9	-6	14	21	30	33	25	26.4
PRESTON [illegible]	MAX	38	46	45	34	28	38	43	37	35	37	38	45	45	44	30	30	33	34	41	43	41	33	33	26	27	25	34	46	38	40	38	36.1
	MIN	9	24	7	5	10	11	26	29	21	[illegible]	28	35	27	23	22	22	22	24	42	33	30	25	13	8	2	3	7	9	16	22	22	19.9
PRIEST RIVER EXP STA	MAX	24	33	34	36	37	34	35	35	34	33	33	33	37	34	33	32	31	34	33	31	33	33	32	30	27	24	26	30	36	34	34	32.7
	MIN	14	27	27	[illegible]	32	[illegible]	31	32	23	30	25	29	32	30	28	28	28	24	25	25	28	30	27	12	12	10	11	17	23	28	31	25.4
REACTOR TESTING STA	MAX	[illegible]	31	30	16	26	28	34	31	19	29	28	31	31	33	35	36	39	35	41	34	30	34	20	16	16	15	28	30	33	31	34	29.5
	MIN	-3	1	0	-2	0	12	26	12	[illegible]	10	7	19	9	10	0	4	11	22	30	30	13	7	-4	-8	-18	-9	0	16	19	10	12	8.0
RICHFIELD	MAX	[illegible]	[illegible]	45	[illegible]	[illegible]	38	38	37	28	31	35	40	30	35	38	38	39	38	37	39	35	35	28	21	21	22	30	35	39	34	31	33.5
	MIN	16	[illegible]	[illegible]	6	[illegible]	16	[illegible]	23	16	16	20	24	20	15	22	23	20	33	29	42	25	21	5	12	-1	2	17	25	14	23	27	19.6
RIGGINS RS	MAX	40	39	46	47	51	44	48	48	46	49	48	43	53	52	52	50	44	41	43	51		48		37	32	35	36	42	46	46	45	44.9
	MIN	32	[illegible]	[illegible]	40	37	36	36	[illegible]	31	37	30	35	34	33	33	32	26	31	33	34		29		20	24	25	30	24	33	36	33	31.9
ROLAND W PORTAL	MAX	34	34	[illegible]	[illegible]	34	34	35	33	31	32	29	35	40	42	38	40	36	28	32	31	30	29	28	24	18	16	33	32	34	34	32	32.2
	MIN	20	26	28	[illegible]	26	[illegible]	25	26	25	24	21	27	31	27	30	23	[illegible]	[illegible]	25	26	25	26	24	8	12	10	5	14	20	25	28	22.6
RUPERT	MAX	41	44	[illegible]	39	42	44	42	44	38	38	43	45	52	33	38	41	39	44	42	48	41	38	33	30	27	25	28	45	42	43	43	39.3
	MIN	[illegible]	14	[illegible]	7	[illegible]	[illegible]	[illegible]	[illegible]	19	21	31	32	24	22	21	23	27	28	27	31	26	27	22	12	7	6	8	19	22	24	28	20.8
SAINT ANTHONY	MAX	[illegible]	34	29	[illegible]	[illegible]	34	35	35	24	31	31	33	41	38	41	4	45	36	38	39	35	33	2	16	16	19	30	30	32	41	35	32.5
	MIN	[illegible]	18	15	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]	16	24	26	26	15	10	15	31	27	32	32	24	17	-6	-7	-10	-11	10	17	24	21	27	15.3
SAINT MARIES	MAX	[illegible]	38	41	41	44	46	45	45	41	[illegible]	35	37	38	39	34	35	34	35	36	37	35	36	34	35	31	25	33	35	40	38	36	37.2
	MIN	23	[illegible]	[illegible]	[illegible]	3	32	33	29	32	31	25	3	33	32	25	27	26	2	30	[illegible]	31	27	27	21	8	7	11	13	27	31	24	26.6

See reference notes following Station Index.

DAILY TEMPERATURES

ble 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
MON	MAX	29	[illegible]	41	41	40	40	42	45	[illegible]	[illegible]	28	[illegible]	44	[illegible]	[illegible]	25	24	34	[illegible]	36	[illegible]	[illegible]	30	27	16		[illegible]	[illegible]	38	[illegible]	40	[illegible]
	MIN	- 1	18	[illegible]	13	[illegible]	15	[illegible]	24	[illegible]	24	[illegible]	22	[illegible]	29	25		18	17	17	17		14		- 7	-11	-15	- 2			21	10	[illegible]
POINT EXP STA	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	35		[illegible]				[illegible]	[illegible]		26	25	25	29	42	[illegible]	37	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	33	32	32	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30		[illegible]	[illegible]	27	30	31	[illegible]		[illegible]	[illegible]	19	[illegible]		32		[illegible]
SHONE	MAX	[illegible]	38	39	[illegible]	34	35	42	40	36	34	38	43	40	[illegible]	40	[illegible]	42	40	[illegible]				[illegible]	26			36	[illegible]	45			[illegible]
	MIN	[illegible]	28	[illegible]	10	[illegible]	19	31	23	[illegible]	21	28	29	23	[illegible]	25		25	[illegible]	[illegible]	34	24	26		14			20	[illegible]	[illegible]	28		22.6
NCER	MAX	[illegible]	30	26	28	[illegible]	[illegible]	30	29	[illegible]	26	[illegible]	[illegible]	37	37	[illegible]	[illegible]	44	34	30	34	34	[illegible]	22	17	18	12	30	22	[illegible]	30	31	[illegible]
	MIN	- 5	21	[illegible]	[illegible]	1	18	[illegible]	[illegible]	- 7	[illegible]	[illegible]	21	[illegible]	11	[illegible]	10	[illegible]	23	21	26	17		[illegible]	-12				12				[illegible]
INGFIELD	MAX	[illegible]	[illegible]	34	35	[illegible]	36	34	36	[illegible]	[illegible]	36	[illegible]	35	32	[illegible]	34	36	[illegible]	42	37				22	14			[illegible]	37	40		33.7
	MIN	[illegible]	22	24	0	10	22	27	[illegible]		15	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		31	29				- 2					17	[illegible]	21		10.4
ANITE	MAX	[illegible]	31	[illegible]	28	[illegible]	[illegible]	[illegible]	27	26	28	34		35	[illegible]	46	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	34						32			37	[illegible]
	MIN	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]		[illegible]		14	13		[illegible]	16	17	19			[illegible]		19		- 5	- 8	- 8	- 7		14	[illegible]	18		13.8
AR	MAX	[illegible]	[illegible]	28	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]	30	30	[illegible]	45	36	[illegible]		[illegible]	32		[illegible]	[illegible]	16	27	29			34	30.9
	MIN	- 3	[illegible]	[illegible]	1	- 1	[illegible]		19		14	22	23	[illegible]	15	[illegible]			[illegible]	29	30	22		- 7	- 4		-18	[illegible]	13		17		11.7
VALLEY	MAX	[illegible]	32	29	[illegible]	[illegible]	26	[illegible]	30	18	[illegible]	34	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	37	39		[illegible]	[illegible]	16	[illegible]	17		[illegible]		[illegible]			[illegible]
	MIN	- 3	17	- 4	-10		[illegible]	[illegible]		-13		- 5		10					[illegible]	[illegible]	23			[illegible]			-24						[illegible]
N FALLS	MAX	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	52	[illegible]	42	[illegible]	44	44	46	48	46	40		[illegible]	[illegible]	47	45	44		34		34	38			47	47	43.5
	MIN	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	32	35	27	[illegible]	[illegible]					20	13		23	29				[illegible]	[illegible]
ONIA EXP STA	MAX	35	27	31	34	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	31	[illegible]	33	37	35	32	39	42	[illegible]	38	[illegible]	[illegible]	[illegible]	12	[illegible]	[illegible]	30		[illegible]	30		30.8
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	1	10	17	[illegible]	7	10	15	16	[illegible]	20	[illegible]	[illegible]		19	24	[illegible]	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	11	10		9.5
EK CREEK	MAX	40	37	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	38	40	48	59	59	[illegible]	61	[illegible]	[illegible]	[illegible]	44	[illegible]	[illegible]	30	[illegible]	30	[illegible]	[illegible]	40	42	49	48	[illegible]	42.8
	MIN	[illegible]	28	[illegible]	4	[illegible]	[illegible]	[illegible]	[illegible]	8	24	[illegible]	25	[illegible]	[illegible]	[illegible]				23	[illegible]	19	25	[illegible]	- 9					27		24	20.1
N FALLS	MAX	45	42	42	35	49	45	[illegible]	[illegible]	41	39	47	[illegible]	48	[illegible]	47	45	40	46	45	45	38	36	32	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]		41.8
	MIN	[illegible]	32	27	[illegible]	[illegible]	29	34	29	[illegible]	[illegible]	[illegible]	33	25	[illegible]	[illegible]	26		30	30	37		20	22	[illegible]		12	19		24	31	29	24.0
N FALLS 3 SE	MAX	35	45	[illegible]	[illegible]	[illegible]	[illegible]	47	49	42	41	45	49	[illegible]	48	45	[illegible]	45	43	47	46	43	40	37	[illegible]		[illegible]	[illegible]	41	40	46	[illegible]	42.4
	MIN	7	[illegible]	24	[illegible]	13	[illegible]	[illegible]	[illegible]	22	[illegible]	30	35	[illegible]	[illegible]	22	24	[illegible]		[illegible]	[illegible]	28	[illegible]	23				14	21		31	30	[illegible]
LLACE	MAX	[illegible]	[illegible]	[illegible]	41	44	[illegible]	38	38	37	36	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	38	37	[illegible]	34	32	24	[illegible]	[illegible]	34	[illegible]	37	[illegible]		[illegible]
	MIN	[illegible]	32	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26	[illegible]	[illegible]	21	21	21	21	[illegible]	[illegible]	26	24	29	24		11	10						[illegible]
LLACE W	MAX	39	40	[illegible]	39	42	45	[illegible]	39	36	37	[illegible]	[illegible]	36	44	[illegible]	34	[illegible]		36	[illegible]	37	[illegible]	34	[illegible]	29	[illegible]	27		[illegible]	[illegible]	37	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	32	34	30	[illegible]	31	29	[illegible]	23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	20		29				27								31	[illegible]
SER	MAX	36	47	42	40	[illegible]	[illegible]	[illegible]	42	[illegible]	38	38	42	40	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	43	40	38	[illegible]	30	[illegible]	[illegible]			[illegible]	38	36	38.8
	MIN	[illegible]	26	22	21	[illegible]	38	[illegible]	[illegible]	20	[illegible]	28	[illegible]	32	[illegible]	24	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]		[illegible]	20	14	22	24		30			[illegible]
NCHESTER 1 SE	MAX	37	40	[illegible]	40	42	40	42	37	34	36	40	48	[illegible]	54	46	[illegible]			33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	[illegible]	40	[illegible]	[illegible]	40	[illegible]	[illegible]
	MIN	[illegible]	28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	[illegible]	15	[illegible]	[illegible]	[illegible]	[illegible]	22	21	[illegible]	[illegible]	26		[illegible]	19					[illegible]			30	18	[illegible]

SNOWFALL AND SNOW ON GROUND

ble 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ERDEEN EXP STA	SNOWFALL		-					-			-	-												-					T			
	SN ON GND	-	4	3	2	2	2	2	2	-	2	4	4	4	4	3	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1
DERSON DAM	SNOWFALL	-	-				3.5	-	-	-	-	-	-								-											
	SN ON GND	-	9	-	-	8	9	7	7	8	14	14	11	8	8	8	8	8	8	7	6	6	6	6	6	6	7	8	10	9	9	[illegible]
CO	SNOWFALL		-					-				-									-											
	SN ON GND		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	10						-	9
ROWROCK DAM	SNOWFALL		-	1.0			0.5	-	-	1.5	1.3	-	-						-				0.5							1.5		
	SN ON GND		-	1	T	T	1	T	T	2	2	1	-	-	-	-	-	-	-	-	-	-	T	T	T	T	T	T	T	2	T	T
HTON 1 S	SNOWFALL		3.0	1.0			T	3.0			2.0	T	T	T					T	2.0	3.0							1.0	4.0			1.0
	SN ON GND	2	5	6	5	5	4	7	6	6	8	7	6	6	6	6	5	5	5	7	10	10	10	10	10	10	10	11	15	15	15	16
ANTA 1 E	SNOWFALL		1.0				3.0	18.0	4.0	1.0	5.0	4.0	3.0						2.0		7.0		2.0					3.0	3.0	6.0	1.0	
	SN ON GND	1	2	2	1	1	4	20	20	19	21	22	19	18	17	15	15	15	14	14	20	20	22	21	20	20	18	20	21	26	26	[illegible]
G CREEK 1 S	SNOWFALL		3.0		-	-	3.0	9.0	4.0		3.0	2.0	2.0						4.0	2.0	3.0	1.0	3.0					2.0			2.0	
	SN ON GND	-	6	4	4	5	9	16	20	18	15	17	15	12	12	12	12	12	16	18	21	22	25	22	20	20	20	22	20	20	22	22
ACKFOOT	SNOWFALL		3.0				T	1.0			3.0										1.0		1.0									1.0
	SN ON GND		2	2	2	2	1	2	2	1	3	3	2	1	1	1							1	1	[illegible]	1	1	1	1	1	1	2
SE WB AP	SNOWFALL	T	T	0.2			T		T		T						T					T	1.4		T		T	T	0.9	T		T
	SN ON GND			T																			T	1	1	1	T	T	T	T		
NERS FERRY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SN ON GND	1	T	2	1	T	T	2	1	T	4	-	6	5	4	3	3	3	3	3	5	5	5	5	5	5	5	8	9	8	9	9
LEY CAA AP	SNOWFALL		6.0				T		2.0	T	T										T		0.1						T	T		1.3
	SN ON GND	3	7	7	6	6	4	3	2	2	1																		T	T		1
DWELL	SNOWFALL																					T	T						0.4	T		
	SN ON GND																												T	T		
CADE 1 NW	SNOWFALL	7.0	6.0	1.0	0.5		4.0	6.5	1.0		3.0	1.5							0.5	T	2.5	T	1.0				1.0	1.5	T	2.0	T	
	SN ON GND	9	14	14	14	13	16	21	20	19	19	20	18	17	16	16	16	15	15	15	17	17	18	18	18	18	19	20	20	22	21	20
TERVILLE ARBAUGH RCH	SNOWFALL	5.5	16.0	5.0	0.6		4.3	5.0	2.0		5.0	2.0							1.0	1.0	2.0	T	2.0				T	2.0	2.0	2.0	3.0	
	SN ON GND	6	22	22	20	18	21	22	21	21	25	25	22	20	20	20	20	20	20	21	21	20	22	22	22	22	22	23	24	26	28	28
CALT BLACKBIRD MINE	SNOWFALL		T	2.1			0.2	1.0	5.0	0.4	2.4	0.3	2.5						1.4	0.5	0.3	0.5	2.0						0.3	0.7		2.2
	SN ON GND	6	6	9	[illegible]	8	8	9	14	14	15	15	17	14	13	13	13	13	14	14	13	14	17	16	16			15	15	16	16	18
UR D ALENE CAA AP	SNOWFALL	2.3	2.0	0.5	T	T	0.6	0.2	T	T	3.5	0.5							T	1.0	3.1	0.6	1.8	T				2.5	1.0	1.8	T	0.6
	SN ON GND		3	2	2	1	1	1			2	4	4	3	2							3	4	5	5	5	5	[illegible]	7	7	6	[illegible]
UR D ALENE RS	SNOWFALL	2.0										4.0				T		T	T	T	3.0	1.0	1.0	T				2.0	0.2	1.8		
	SN ON GND	2	2	2	1	1	T	T	T			4	3	T						T	3	2	3	3	3	3	3	[illegible]	[illegible]	7	6	[illegible]
TONWOOD	SNOWFALL			0.5			1.0	0.2			0.2	0.8							1.8	0.8	1.3	0.5	T							0.3	T	
	SN ON GND						1	T			T	1							1	T	2	2	2	2	2	2	2	2	2	2	2	2
WOOD DAM	SNOWFALL	5.0	9.5	2.5	1.5		8.0	14.0	2.5	T	7.0	3.5	T						2.0	2.0	8.0	T	2.5	T			1.5	3.0	2.0	3.0	4.0	[illegible]
	SN ON GND	10	18	20	20	18	25	34	33	30	35	36	33	30	29	29	28	28	[illegible]	30	34	34	[illegible]	34	34	33	33	[illegible]	37	38	40	39
IS CAA AP	SNOWFALL		3.2	-			T	3.3		T	0.4	T	T						1.0	0.5	1.7	T	0.4	T	T		T		[illegible]	T	[illegible]	1.4
	SN ON GND	T	T	3	3	2	2	[illegible]	5	5	5	4	4	4	3	3	3	3	3	3	4	[illegible]	[illegible]	5	5	5	5	[illegible]	[illegible]	[illegible]	5	[illegible]
TT 2 F	SNOWFALL																					T	T							T		
	SN ON GND																															
RS	SNOWFALL		0.3	0.3						0.3										0.3	T									3.0		
	SN ON GND		T	T																	T									2	1	
EN VALLEY RS	SNOWFALL	6.0	8.0	1.0	1.0		2.0				5.0	2.0																				
	SN ON GND	6	14	11	11	-	13	13	13	13	16	17	14	14	13	13	12	12	-	-												[illegible]
NS FERRY	SNOWFALL								T														T			T			0.2	0.3		
	SN ON GND																															
ING CAA AP	SNOWFALL	0.1	4.6	T			1.8	T	T	T	2.0												T					T	0.4	0.7	T	
	SN ON GND		2	2	2	2	1	1	T	T	T	T											T						T	1		

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND		T				T		T												2	2	1						T			
GRAY	SNOWFALL		1.0	5.0			2.0	4.0		1.0											1.0	6.0	1.0							2.0		
	SN ON GND	2	3	8	8	7	8	8	8	8	8	8	8	8	8	8	7	7	7	7	8	14	14	14	14	14	14	14	14	15	15	15
HAILEY	SNOWFALL		7.0				3.5	17.0	1.5		3.5	0.3							6.0	1.0	9.0							1.0	2.0	1.0	0.8	1.5
	SN ON GND	2	9	7	5	4	7	24	24	23	25	23	22	20	19	19	18	18	22	20	28	26	26	25	25	24	24	24	25	26	26	27
HAMER 4 NW	SNOWFALL		2.0					1.0			1.0								1.0		1.0				1.0				0.5			1.0
	SN ON GND	-	4	-	-	-	-	4	4	4	5	5	5	5	5	5	5	5	6	-	5	5	5	5	6	-	-	-	6	-	-	6
HILL CITY	SNOWFALL		7.0				7.0	10.0	3.0		8.0								3.0	T	6.0						T		4.0	4.0	T	
	SN ON GND	-	7	-	-	-	12	22	25	-	-	22	-	-	-	-	-	-	16	16	22	-	-	-	-	-	-	-	-	26	-	-
IDAHO CITY	SNOWFALL	1.7	6.0	1.0			3.0	4.0	1.0		5.5	1.8									T		0.5		-			0.5	1.0	1.5	1.0	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY 13 SW	SNOWFALL	3.0	5.0	2.0	0.5		5.0	6.0	0.3	T	4.0	1.0								T	0.5		1.5	T			0.5	1.0	1.0	2.0	1.0	
	SN ON GND	7	11	12	12	10	13	17	16	15	16	14	13	13	12	12	12	12	12	11	11	11	11	11	11	11	11	12	13	15	16	16
IDAHO FALLS CAA AP	SNOWFALL		2.5	0.7		T	0.1	0.5			T	0.1							T	T	0.3	T	2.3	T	T		T		0.7	T	T	1.0
	SN ON GND	1	1	5	4	4	4	5	5	5	5	5	5	5	5	5	5	5	5	4	2	2	2	5	5	5	5	5	5	6	6	6
IRWIN 2 S	SNOWFALL		1.0	7.0			2.0	5.0	1.0	T	1.0	4.0	2.0							1.5	1.5	5.0	2.0	1.0						1.0		1.0
	SN ON GND	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ISLAND PARK DAM	SNOWFALL		1.0	2.0			4.0	13.0			9.0			1.0					1.0	5.0	8.0	1.0	2.0					2.0	1.0	7.0		3.0
	SN ON GND	-	8	10	-	-	13	24	-	-	28	-	-	22	-	-	-	-	21	25	32	32	33	-	-	-	-	29	29	35	-	35
LEWISTON WATER PLANT	SNOWFALL	T										0.5																				
	SN ON GND																															
LEWISTON WB AP	SNOWFALL	T										0.7						T	T	0.4	T	0.1	T									
	SN ON GND												T																			
LOWMAN	SNOWFALL	4.0	6.0	2.0	*		*	*	*		*	*	*						*	*	*		27.0				3.1	4.0	3.0	4.0	3.0	
	SN ON GND	5	10	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	17	16	18	19	18	17	18	-
MACKAY RS	SNOWFALL		0.5					12.0			0.3								1.8		0.7							0.1	1.2			0.9
	SN ON GND	3	3	3	2	2	2	15	12	12	11	11	11	10	9	8	8	7	9	9	10	10	10	10	10	10	10	10	11	11	10	11
MALAD CAA AP	SNOWFALL		2.0	T				T	T	T	2.3	T							0.2	0.4		T	0.7	T	T		T			0.2		T
	SN ON GND	T	T	2	2	2	2	2	1	1	1	4	3	1	1	1	1	1	1	1	1	T	T	1	1	1	1	1	1	1	1	1
MAY RANGER STA	SNOWFALL							-			-								-		-		-						-			-
	SN ON GND	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	3	3	2	[illegible]
MC CALL	SNOWFALL		14.0				4.0	7.0			5.0		2.0						2.0	2.0	3.0	2.0	1.0					2.0		6.0		
	SN ON GND	-	16	-	-	-	18	24	-	-	28	-	27	-	-	-	-	-	24	24	26	26	27	27	27	-	26	27	-	31	27	-
MESA	SNOWFALL	4.0	5.5				1.5				6.0	3.0	1.0					0.5	0.5	0.5			1.5					0.5		4.0		
	SN ON GND	4	7	6	5	5	6	5	5	5	10	12	12	11	11	11	11	12	12	12	11	11	11	11	11	11	11	12	11	13	10	10
MULLAN PASS CAA	SNOWFALL	1.3	0.4	T	5.5	1.2	3.8	6.9	4.0	2.1	6.4	3.5	3.4						T	0.2	1.2	0.5	1.4	0.2			T	2.2	0.9	1.9	1.7	0.7
	SN ON GND	4	6	6	9	10	11	14	22	24	27	32	36	35	31	30	25	23	22	22	22	23	23	24	24	24	24	24	26	29	29	31
NEZPERCE 2 E	SNOWFALL		0.3	0.3	T					T	T	2.0							T	0.5	1.0	0.5	T							T	1.0	
	SN ON GND		T							T		2							T	T	1	1	1	1	1	1	1	1		T	1	-
OAKLEY	SNOWFALL		T						T	1.0	T										3.0	0.5										1.0
	SN ON GND	1	1	1	1	T	T		T	1											3	3	3	2	2	2	2	T	T	T	T	1
OBSIDIAN 4 NNE	SNOWFALL	T	T	1.0	T		2.0	10.0	1.0	T	T	1.0	T						1.0		1.0		1.0					T	1.0	T	1.0	T
	SN ON GND	5	5	6	5	4	6	16	17	17	17	18	17	16	16	16	16	16	17	16	17	16	17	17	17	17	16	16	17	17	18	18
PAYETTE	SNOWFALL	*	2.5		T						T											0.5	T				0.5	0.3		0.8		
	SN ON GND	-	3	-																		T	T				1	T	T	T	T	T
PIERCE RS	SNOWFALL		4.0		2.0		1.0		2.0		1.0	5.0								T	1.5	5.0	1.5	T						6.0	2.5	
	SN ON GND		4	3	5	5	6	5	8	7	8	13	9	9	9	9	9	9	9	10	12	12	9	9	9	9	9	9	9	15	18	18
POCATELLO WB AP	SNOWFALL		1.2	T		T	0.8	1.1	0.4	T	0.5	2.8						T			0.6	0.8	1.7	T					T	T		1.3
	SN ON GND	1	1	2	2	2	2	3	3	3	2	1	3	1	1	1	1	1	1	T	T	T	1	2	2	2	2	2	2	2	2	1
	WTR EQUIV			0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.3		0.4											0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
PORTHILL	SNOWFALL	T	1.0					4.0			-			3.0									2.0	T				1.0	3.0		2.0	
	SN ON GND	T	1	T	T			2	-	T	1	T		3	-	-	-	-	-	-	T	T	T	T	T	T	T	1	3	3	3	2
POTLATCH	SNOWFALL	0.5					T	1.5			1.0	2.0									1.5		1.0							2.0		
	SN ON GND	T					T	T			T	1									2	-	2	-	-	-	-	-	-	1	-	-
PRIEST RIVER EXP STA	SNOWFALL	3.9	2.0	0.3	1.5		3.5	2.2	1.9		3.5	1.2	0.8				T			0.2	3.2	1.7	1.9	0.2				2.5		2.0	1.0	T
	SN ON GND	4	6	6	5	5	8	10	11	11	14	15	15	13	12	12	12	11	11	11	14	16	17	17	16	16	16	18	17	19	19	18
ROLAND WEST PORTAL	SNOWFALL	2.3	1.3	1.4	5.3		2.9	10.7	5.9	1.8	9.7	2.5	2.3	T					T	1.1	2.1	1.9	1.3					2.7	0.9	3.9	2.3	1.1
	SN ON GND	2	3	4	8	7	10	20	25	27	36	38	35	32	28	25	24	24	24	25	26	27	28	28	27	27	27	29	29	32	33	33
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND		T								1	T	1						1	2	2	2	2	2	2	2	2	2	2	2	2	4
SANDPOINT EXP STA	SNOWFALL	2.8	2.2		0.8		0.5	4.0		T	3.0	1.1	3.0							0.1	2.1	0.6	1.0	T				4.0	T	2.0	T	T
	SN ON GND	3	4	3	3	2	3	5	4	4	7	8	9	8	7	6	6	6	6	6	8	9	10	10	9	9	9	14	14	13	12	12
SPENCER RS	SNOWFALL		3.0	0.5				8.0		2.0									2.5	1.0	6.0	1.0					1.0	0.5		2.0	1.0	4.0
	SN ON GND	-	-	-	-	-	-	-	20	-	-	-	-	-	-	17	-	-	-	-	-	-	23	-	-	-	-	-	-	25	-	-
STIBNITE	SNOWFALL		2.4	0.5	T	T	2.0	12.0	3.2	2.3	1.6	2.0	1.5						1.5	1.0	0.9	0.8	2.4		0.1			0.2	0.1	1.6	T	1.1
	SN ON GND	-	3	3	3	3	4	15	18	19	18	19	20	17	15	12	12	11	14	15	16	17	19	18	18	18	17	17	17	18	18	19
SUN VALLEY	SNOWFALL		6.0				6.0	26.0	2.0		6.0	1.0							4.0	2.0	7.0							1.0	1.0	-	-	1.0
	SN ON GND	7	13	12	12	12	17	38	35	32	30	30	27	26	24	24	24	23	25	26	30	28	28	28	27	27	27	27	28	27	29	29
SWAN FALLS POWER HOUSE	SNOWFALL																															
	SN ON GND																									T	T					
THREE CREEK	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	-	-
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
TWIN FALLS 2 NNE	SNOWFALL			T			T		T	0.6	T												0.4				0.1		T	0.5		0.8
	SN ON GND									T													T				T					1
WALLACE	SNOWFALL	T	T	T	T	T	2.0	T	1.0	T	2.0	2.0					T		T	T	T	T	1.0	T				5.0		7.0	T	T
	SN ON GND	T	T	T	T	T	2	2	3	3	5	7	5	5	5	4	4	4	4	4	4	4	5	5	5	5	5	7	-	12	8	7

See reference notes following Station Index.

CLIMATOLOGICAL DATA

ABLE 2

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
MAY 1952																							
IERCE RS	63.9	34.6	49.3M	- 3.8	79	27			481	0	0		0	6.00	3.00	1.10	14				19	5	1
JUNE 1952																							
IXIE			M								0		0										
AUGUST 1952																							
UNGALOW RS	88.0	47.9	68.0	- 0.6	96	21	31	30	35	14	0	1	0	.20	- .56	.10	8	.0	0		4	0	0
LK RIVER 1 S	83.0	41.3	62.2		93	2+	29	30	137	6	0	3	0	.00		.00		.0	0		0	0	0
INCHESTER 1 SE	80.5	44.7	62.6	0.2	91	5	34	26+	117	1	0	0	0	.59	.04	.30	5	T	0		4	0	0
OCTOBER 1952																							
ORTHILL	65.9	29.8	47.9	2.7	80	1	20	27+	523	0	0	20	0	.03	- 1.65	.03	30	.0	0		1	0	0
IGGINS RS	75.8	45.7	60.8	5.2	87	2+	37	14	146	0	0	0	0	.34	- .92	.32	31	.0	0		2	0	0
NOVEMBER 1952																							
LK CITY	42.8	14.3	28.6M		59	4	-13	29	1089	0	4	30	4	.52		.15	1	1.1	T	1+	7	0	0
SOUTHWESTERN DIVISION																							
JUNE 1952																							
AILEY	76.0	43.8	59.9	0.9	88	18	31	16	167	0	0	1	0	2.16	1.12	.65	27	.0	0		6	3	0
SEPTEMBER 1952																							
OLLISTER	79.1	45.9	62.5	3.6	90	3	32	14	101	1	0	1	0	.00	.46	.00		.0	0		0	0	0
OCTOBER 1952																							
AILEY	72.2	34.5	53.4	6.6	80	8	20	14	351	0	0	10	0	.00	1.11	.00		.0	0		0	0	0
NOVEMBER 1952																							
OWMAN	46.6	11.7	29.2	- 3.2	61	4	- 5	29	1068	0	[illegible]	29	6	.30	- 2.82	.20	12	4.0	4	13	2	0	0
ESA	45.1	26.4	35.8		60	5	6	26	870	0	0	21	0	1.16		.88	14	T	0		3	1	0
LA 4 S	49.4	19.0	34.2		64	11	4	27+	914	0	1	27	[illegible]	.55		.30	13	.0	0		2	0	0
SOUTHEASTERN DIVISION																							
JULY 1952																							
LACKFOOT DAM	78.1	38.9	58 5	- 3.5	88	23	28	7	193	0	0	4	0	1.10	.13	.67	12	.0	0		3	1	0
DAHO FALLS 6 NE	81.9	48.5	65.2		90	23+	38	2+	63	2	0	0	0	.13		.08	20	.0	0		[illegible]	0	0
AUGUST 1952																							
ONDA	82.1	44.8	63.5	1.6	87	14+	33	31		0	0	0	0	.45	- .57	.10	10+	.0	0		11	0	0
ALISADES DAM	85.1	48.2	66.7M		90	14+	35	31	19	2	0	0	0	.51		.19	1+	.0	0		6	0	[illegible]
NOVEMBER 1952																							
LACKFOOT DAM			M		57	4				0	4			.37	- .98	.30	17		2	17+	2	0	[illegible]

DAILY PRECIPITATION

able 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
MAY 1952																																
AMIAH 1 NE	4.50	.26	.04	.12	.37	.01	.06	.04	.74	.29				T	.73	.74	.12				.28	.36	.01			.29	.04			T		
IERCE RS	6.00	.55	.10	.32	.57	.02	.14	.08	.66	.47				.06	1.10	.84	.30				.33	.20	.05			.18	.02			01		
JUNE 1952																																
IXIE	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	T	.09	T	.47	.04	T	.63	.28	.30	.02	.01	.09	.08	
AILEY	2.16						.52															10			57	.22	.10	.65				
INE 2 SSW	1.67					T	.09				.23		.05							T	T	.17		25	.17	.04	.27	.24	.16			
JULY 1952																																
LACKFOOT DAM	1.10											.42	.67							.01												
DAHO FALLS 6 NE	.13												.05								.08											
AMIAH 1 NE	.21	.21	T											T						T	T				T							
AUGUST 1952																																
UNGALOW RS	.20	T							10		.03		.02														.05					
ONDA	.45		.04			.05				.01	.10	.01	.03										10	.02				01		05	03	
LK RIVER 1 S	.00																															
ALISADES DAM	.51	.19	.19	.01							.03																03			06		
INCHESTER 1 SE	.59					.30					08							.04	.17													
SEPTEMBER 1952																																
OLLISTER	.00																															
OCTOBER 1952																																
AILEY	.00																															
AMIAH 1 NE	21																					11									10	T
ORTHILL	.03																					T			T	T					03	
IGGINS RS	34																					02										32
NOVEMBER 1952																																
LACKFOOT DAM	.37													07				.30														
LK CITY	.52	.15											.10	.05		.11			.04		T				.03	04						
OWMAN	.30												20	10																		
ESA	1.16												.18	.10	.88																	
LA 4 S	.55													30	.25																	

See Reference Notes Following Station Index

PRECIPITATION MEASURED IN STORAGE GAGES

Station	Observation date	Amount since last obs	Snow on ground
LOWMAN	1951		
	AUG. 1		
	OCT. 1	1.58	
	NOV. 1	5.54	
	1952		
	JAN. 1	-	
	FEB. 1	4.38	
	MAR. 1	2.17	
	APR. 1	1.67	
	MAY 1	.73	
TOTAL	. . . .	-	
PUNGO CREEK	1951		
	JUNE 30		
	AUG. 31	2.14	
	OCT. 8	.72	
	31	2.88	
	NOV. 30	1.87	
	DEC. 5	1.30	
	1952		
	JAN. 4	3.09	
	31	2.52	
	FEB. 29	1.51	
	JUNE 30	-	
TOTAL	. . . .	-	

Station	Observation date	Amount since last obs.	Snow on ground
SOLDIER CREEK	1951		
	JUNE 29		
	JULY 31	.00	
	AUG. 31	2.05	
	SEP. 30	.03	
	OCT. 31	4.25	
	1952		
	JUNE 30	-	
TOTAL	. . . .	-	
CORRECTIONS ON DATA PUBLISHED IN JULY 1952.			
DEADWOOD SUMMIT //	1951		
	OCT. 10		
	1952		
	OCT. 9	69.90	
TOTAL	. . . .	69.90	
GILMORE SUMMIT //	1951		
	OCT. 4		
	1952		
	AUG. 5	18.17	
	SEP. 20	1.43	
TOTAL	. . . .	19.60	

Station	Observation date	Amount since last obs.	Snow o
CORRECTIONS CONTINUED			
LOLO PASS //	1951		
	OCT. 2		
	1952		
	FEB. 2	24.99	
	MAY 15	10.30	
	AUG. 4	6.76	
	SEP. 23	2.35	
TOTAL	. . . .	44.40	
NEZ PERCE PASS //	1951		
	OCT. 3		
	1952		
	APR. 16	14.13	
	MAY 1	.93	
	16	1.86	
	JUNE 2	.93	
	AUG. 5	2.97	
	OCT. 3	1.48	
TOTAL	. . . .	22.30	

DAILY TEMPERATURES

Table 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
MAY 1952																																	
PIERCE RS	MAX	51	48	48	44	56	62	55	66	49	65	69	67	74	57	46	60	66	68	74	68	55	68	73	78	75	72	79	78	78	69		63
	MIN	35	35	37	32	33	36	33	40	39	33	33	33	33	33	32	32	32	33	31				34	34	42	40	35	35	39	30		34
JUNE 1952																																	
DIXIE	MAX																		79	70	70	64	55	59	54	56	64	67	71	64	63		
	MIN																		38														
HAILEY	MAX	82	81	81	83	85	80	76	80	87	85	80	72	75	75	71	70	80	88	83	76	75	77	67	58	64	68	62	78	70	71		76
	MIN	40	43	46	49	51	52	45	46	48	51	40	38	33	40	35	31	40	48	57	45	45	40	36	47	43	44	44	49	50	37		43
JULY 1952																																	
BLACKFOOT DAM	MAX	70	69	79	84	80	72	74	80	84	80	72	70	68	72	77	80	78	80	70	77	78	79	88	83	85	77	80	83	84	86	82	78
	MIN	34	34	32	40	43	40	28	31	38	42	50	40	45	33	36	39	35	35	45	30	38	37	39	41	44	47	45	38	38	41	47	38
IDAHO FALLS 6 NE	MAX	74	73	82	89	82	81	81	83	89	89	85	68	72	77	81	81	80	79	75	76	79	80	90	89	86	83	83	86	86	90	89	81
	MIN	43	38	40	50	58	49	38	40	48	53	62	54	47	42	47	51	52	42	41	38	46	49	59	56	50	56	57	47	46	50	55	48
AUGUST 1952																																	
BUNGALOW RS	MAX	89	92	95	94	94	88	87	94	94	93	84	90	93	92	85	83	90	90	83	88	96	94	88	87	87	76	83	85	85	74	76	88
	MIN	61	52	50	51	55	57	48	51	54	56	50	54	51	52	48	44	44	45	41	40	45	45	47	48	53	39	41	38	51	31	44	47
CONDA	MAX	85	81	83	84	85	85	85	79	84	84	77	79	84	87	80	83	82	86	83	83	83	86	87	81	84	84	82	78	80	75	66	82
	MIN	52	47	45	48	45	52	56	38	50	46	50	43	46	53	43	41	37	39	47	41	45	45	43	45	50	43	45	37	40	44	33	44
ELK RIVER 1 S	MAX	93	93	90	89	90	89	81	88	91	90	76	86	89	88	81	76	84	84	76	76	79	86	85	85	72	74	76	80	79	72	74	83
	MIN	40	54	41	45	51	50	42	57	49	50	53	60	45	46	46	39	36	36	33	33	39	35	35	31	34	34	36	34	35	29	32	41
PALISADES DAM	MAX	83	78	82	87	88	88	82				82	85	89	90	85	86	88	90	88	87	89	89	85	88	89	86	80	83	80		70	85
	MIN	56	54	52	54	48	53	57				49	50	48	51	44	46	42	42		44	46	48	49	49	54	44	48	43	47		35	48
WINCHESTER 1 SE	MAX	84	85	87	88	91	87	81	86	87	85	75	83	88	88	85	74	80	72	70	77	83	82	79	77	70	67	74	80	79	77	74	80
	MIN	58	55	50	42	59	50	49	48	49	52	48	47	48	59	46	39	40	42	35	36	42	43	45	52	43	34	34	35	37	35	35	44
SEPTEMBER 1952																																	
HOLLISTER	MAX	75	81	90	87	78	76	75	79	75	73	67	67	64	74	79	82	83	85	84	82	84	83	83	85	87	87	77	76	78	76		79
	MIN	43	42	55	57	54	51	47	45	44	38	45	35	38	32	42	43	47	49	47	46	47	44	49	50	52	49	53	46	43	44		45
OCTOBER 1952																																	
HAILEY	MAX	78	79	79	78	77	73	78	80	79	77	77	76	72	66	67	72	70	77	68	63	69	73	71	70	69	71	71	73	67	62	56	72
	MIN	42	41	42	41	39	34	37	40	40	40	40	39	34	20	26	29	34	36	39	32	37	35	34	39	30	33	32	25	32	25	23	34
PORTHILL	MAX	80	76	75	78	76	78	75	75	74	73	68	7[illegible]	64	60	58	62	61	66	68	64	61	59	65	62	60	56	58	57	50	52	59	65
	MIN	36	33	35	35	30	28	28	31	33	32	33	33	34	22	25	27	26	26	29	29	38	28	25	42	25	24	20	20	26	42	30	29
RIGGINS RS	MAX	82	87	87	82	74	82	84	84	84	77	79	77	75	68	75	74	75	79	74	71	75	76	75	70	69	72	72	71	69	69	63	75
	MIN	58	52	50	49	46	44	49	52	49	45	47	47	46	37	38	40	43	46	50	45	50	46	46	46	40	41	43	41	43	46	41	45
NOVEMBER 1952																																	
BLACKFOOT DAM	MAX	55	45	55	57	56	54	41	46	46	50	54	52					39	30	34	35	34		32	30	18							
	MIN																																
ELK CITY	MAX	43	45	56	59	50	55	54	50	51	50	57	45	43	46	37	44	40	39	39	51	36	35	33	33	27	29	33	30	31	42		42
	MIN	31	19	18	16	20	19	12	12	4	7	6	32		26	29	30	29	27	25	31	25	7	9	10	4	-10	9	- 9	-13	-10		14
LOWMAN	MAX	50	50	56	61	58	60	59	49	52	46	58	60	55	50	46	39	44	46	41	43	40	46	48	38	38	34	36	32	30	34		46
	MIN	17	10	10	10	12	15	12	6	10	12	22	36	31	28	31	22	20	15	11	10	8	6	5	6	- 1	- 1	- 2	- 3	- 5	- 2		11
MESA	MAX	49	52	53	58	60	58	50	45	46	48	50	48	44	40	43	40	40	45	50	48	44	40	38	37	38	39	40	38	36	37		45
	MIN	30	33	30	35	37	36	30	25	21	28	33	39	35	31	29	27	26	31	33	35	30	24	20	15	12	6	10	8	20	23		26
OLA 4 S	MAX	57	54	53	61	63	60	60	59	59	54	64	55	49	46	47	46	47	50	54	48	45	45	46	44	40	36	32	34	35	40		49
	MIN	24	18	18	12	22	25	19	20	22	13	15	34	36	35	25	20	22	23	22	24	23	23	19	14	10	7	4	4	6	11		19

EVAPORATION AND WIND

Table 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or
JUNE 1952																																	
PALISADES DAM	EVAP	*	.68	.31	.28	.27	.20	.19	.28	.36	.24	.35	.25	.35	.82	.23	.20	.30	.33	.33	.24	.16	.12	.13	.09	-	.10	.11	.22	.32	.29		B 8.
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
AUGUST 1952																																	
PALISADES DAM	EVAP	.16	.16	.04	.21	.30	.40	.26	*	*	.90	.16	.34	.28	.31	.29	.32	.32	.34	.33	.19	.30	.29	.19	.40	.31	.28	.11	.20	.29	*	.42	8.1
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	[illegible]	BINGHAM	1[illegible]	4[illegible]	112 50	44[illegible]		5P	[illegible]	2 3 5 6
ALBION	[illegible]	CASSIA	12	42 25	[illegible]	[illegible]			[illegible]	
ALPHA [illegible]	[illegible]	VALLEY	8	44 [illegible]	[illegible]	4780		7P	[illegible]	
AMERICAN FALLS 1 SW	[illegible]	POWER	12	42 46	11[illegible] 52	[illegible]	[illegible]		[illegible]	
ANDERSON DAM	[illegible]	ELMORE	2	43 [illegible]	[illegible]	[illegible]			U S BUR RECLAMATION	
ARCO	[illegible]	BUTTE	6	43 38	113 19	[illegible]	5P	5P	[illegible]	
ARROWROCK DAM	0448	ELMORE	2	43 3[illegible]	[illegible]	[illegible]	8A	[illegible]	[illegible]	
ASHTON 1 S	[illegible]	FREMONT	[illegible]	44 [illegible]	111 [illegible]	[illegible]			GUST STEINMAN	2 3 5 7
ATLANTA 1 E	[illegible]	ELMORE		43 48	11[illegible]	[illegible]	5P		PHILLIP T PETERSON	7
ATLANTA SUMMIT	[illegible]	ELMORE		43 45	115 14	[illegible]		VAR	U S SOIL CON SER	
AVERY RANGER STATION	[illegible]	SHOSHONE	10	47 15	115 48				[illegible]	
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	[illegible]	
BIG CREEK 1 S	[illegible]	VALLEY	11	[illegible]	11[illegible]	[illegible]			[illegible]	2 3 5 7
BLACKFOOT	[illegible]	BINGHAM	12	43 11	112 21	[illegible]			EARL RODGERS	
BLACKFOOT DAM	[illegible]	CARIBOU	12	43 00	111 43	[illegible]			[illegible]	
BLISS	1002	GOODING	12	42 [illegible]	114 57	[illegible]			NORTH SIDE CANAL CO	
BOISE LUCKY PEAK DAM	[illegible]	ADA	2	43 32	116 04	[illegible]	4P	4P	[illegible]	2 3 5
BOISE WB AIRPORT	[illegible]	ADA	2	43 [illegible]	11[illegible]	2842	[illegible]	MID	[illegible]	
BONNERS FERRY	[illegible]	BOUNDARY	5	48 42	[illegible]	[illegible]			[illegible]	7
BUHL	[illegible]	TWIN FALLS	12	42 35	114 4[illegible]	[illegible]			WILLIAM A LOW	
BUNGALOW RANGER STATION	[illegible]	CLEARWATER	3	46 [illegible]	115 30	2250			U S FOREST SERVICE	
BURKE 2 ENE	1272	SHOSHONE	4	47 32	11[illegible] 48	[illegible]	4P	4P	[illegible]	
BURLEY	[illegible]	CASSIA	12	42 [illegible]	113 4[illegible]	4180	[illegible]	[illegible]	[illegible]	
BURLEY 1 NW FACTORY	[illegible]	CASSIA	12	4[illegible]	113 49	[illegible]	8A	8A	AMALGAMATED SUGAR	
BURLEY CAA AIRPORT	[illegible]	CASSIA	12	4[illegible]	113 46	41[illegible]	MID	MID	U S CIVIL AERO ADM	
CALDWELL	[illegible]	CANYON	2	43 [illegible]	116 41	[illegible]	SS	SS	[illegible]	
CAMBRIDGE	[illegible]	WASHINGTON	12	44 34	11[illegible]	[illegible]		[illegible]	J I LORTON	2 3 5
CASCADE 1 NW	[illegible]	VALLEY	8	44 [illegible]	[illegible]	4860		5P	U S BUR RECLAMATION	2 3 5
CENTERVILLE ARBAUGH R[illegible]	[illegible]	BOISE	2	43 [illegible]	[illegible]	[illegible]		4P	[illegible]	
CHALLIS	1663	CUSTER	11	44 30	114 14	[illegible]			U S FOREST SERVICE	2
CHILLY BARTON FLAT	[illegible]	CUSTER	6	44 02	113 48	[illegible]			GEORGE A MILLER	
CLARK FORK 1 ENE	[illegible]	BONNER	9	48 [illegible]	116 10	[illegible]		6P	MRS MARY [illegible]	
COBALT BLACKBIRD MINE	[illegible]	LEMHI	11	45 [illegible]	[illegible]	[illegible]	8A	8A	EDWIN B DOUGLAS	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	[illegible]	MID	MID	U S CIVIL AERO ADM	7
COEUR D ALENE R[illegible]	[illegible]	KOOTENAY	5	47 41	[illegible]	[illegible]			U S FOREST SERVICE	
CONDA	2071	CARIBOU	[illegible]	[illegible]	[illegible]	[illegible]	9A	9A	ANACONDA COPPER CO	
COTTONWOOD	[illegible]	IDAHO	3	46 [illegible]	116 21	3411	6P	6P	MRS M D KLAPPRICH	
COUNCIL [illegible]	[illegible]	ADAMS	[illegible]	44 45	[illegible]	2950	5P		[illegible]	
CROUCH 2 NNW	[illegible]	BOISE	8	44 08	[illegible]	3100			HARRY GRAHAM	
DEADWOOD DAM	[illegible]	VALLEY	8	44 19	[illegible]	[illegible]			U S BUR RECLAMATION	
DEADWOOD SUMMIT	[illegible]	VALLEY	11	44 [illegible]	[illegible]	[illegible]		VAR	U S SOIL CON SER	5
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510		6P	U S BUR RECLAMATION	
DIXIE	[illegible]	IDAHO	11	[illegible]	[illegible]	5610	5P		[illegible]	
DRIGGS	[illegible]	TETON	12	43 43	111 [illegible]	6097	9A	[illegible]	[illegible]	2 3 5
DUBOIS [illegible] STATION	[illegible]	CLARK	6	44 14	112 14	[illegible]			U S FOREST SERVICE	
DUBOIS CAA AIRPORT	[illegible]	CLARK	6	44 [illegible]	[illegible]	[illegible]	M	MID	U S CIVIL AERO ADM	2 3 5
ELK CITY	[illegible]	IDAHO	3	[illegible]	[illegible]	[illegible]	4P		[illegible]	2 3 5
ELK RIVER 1 S	[illegible]	CLEARWATER	3	46 [illegible]	[illegible]	2910			[illegible]	2 3 5
EMMETT 2 E	[illegible]	GEM		43 50	116 [illegible]	[illegible]			[illegible]	2 3 5
FAIRFIELD	[illegible]	CAMAS	12	43 21	114 48	[illegible]	6P		MRS MARIAN WRIGHT	
FENN RANGER STATION	[illegible]	IDAHO	3	46 06	115 33	[illegible]			U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	[illegible]	[illegible]	[illegible]	
GARDEN VALLEY R[illegible]	[illegible]	BOISE	8	44 04	115 55	[illegible]		5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	[illegible]	[illegible]	11	44 19	[illegible]	[illegible]		VAR	STAN L SWANGER	
GLENNS FERRY	[illegible]	ELMORE	12	42 57	115 19	[illegible]	7P	[illegible]	E D STONE	
GOODING CAA AIRPORT	[illegible]	GOODING	12	42 55	114 46	[illegible]	MID	MID	U S CIVIL AERO ADM	7
GRACE	[illegible]	CARIBOU	12	42 35	111 44	5400		[illegible]	H A WESTENFELDER	2 3 5
GRAND VIEW	[illegible]	OWYHEE	12	42 [illegible]	11[illegible]	2600	4P	[illegible]	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	[illegible]	MID	MID	[illegible]	2 3 5
GRAY	[illegible]	BONNEVILLE	12	43	111 22	[illegible]		[illegible]	ROSCOE T SIDDETT	
GROUSE	[illegible]	CUSTER	6	4[illegible]	113 37	6100	[illegible]		MRS BRYAN TAYLOR	
HAILEY	3942	BLAINE	12	43 31	114 19	5347	[illegible]		U S FOREST SERVICE	
HAMER 4 NW	3964	JEFFERSON	6	43 59	11[illegible]	[illegible]	5P	[illegible]	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 [illegible]	[illegible]	[illegible]	[illegible]	NORTH SIDE CANAL CO	2 3 5
HILL CITY	[illegible]	CAMAS	12	43 18	[illegible]	[illegible]	[illegible]	5P	CARROLL DAMMEN	
HOLLISTER	[illegible]	TWIN FALLS	12	42 21	11[illegible]	4550	[illegible]	[illegible]	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	[illegible]		7A	CHARLES D COWGILL	
IDAHO CITY	[illegible]	BOISE	2	43 50	[illegible]	3940	[illegible]	[illegible]	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	[illegible]	BOISE	2	43 42	116 [illegible]	5000		6P	M GARDNER	3 7
IDAHO FALLS [illegible] NE	[illegible]	BONNEVILLE	12	43 34	111 [illegible]	4840	[illegible]	[illegible]	CARROLL SECRIST	
IDAHO FALLS CAA AIRPORT	[illegible]	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	7
IDA VADA	[illegible]	OWYHEE		42 01	11[illegible]	6000		VAR	[illegible] ALLEN	5
IRWIN [illegible]	[illegible]	BONNEVILLE	12	43 [illegible]	111 [illegible]	[illegible]	[illegible]	[illegible]	ANNA FLEMING	2 3 5
ISLAND PARK DAM	[illegible]	FREMONT	12	44	111 24	[illegible]	[illegible]	[illegible]	[illegible] BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 [illegible]	115 27	7050		VAR	U S SOIL CON SER	
JEROME	[illegible]	JEROME	12	42 44	114 31	[illegible]	[illegible]	5P	O OLIVER	
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	
KELLOGG	4831	SHOSHONE	4	47 3[illegible]	116 08	230[illegible]	9A	9A	IRVING H [illegible]	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 [illegible]	1261	4P	4P	[illegible]	2 3 5
KUNA 2 NNE	[illegible]038	ADA	2	43 31	116 24	268[illegible]	5P	5P	HARRY L GIBSON	2 3 5
LANDMARK RANGER STATION	[illegible]	VALLEY	11	44 40	115 32	[illegible]		VAR	U S FOREST SERVICE	5
LEWISTON	[illegible]	NEZ PERCE	3	46 [illegible]	117 02			7A	JACK MCKAY	
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 2[illegible]	117 01	743	[illegible]	[illegible]	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	[illegible]	NEZ PERCE	3	46 23	117 02	1413	MID	4P	U S WEATHER BUREAU	[illegible]
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	[illegible]	[illegible]	[illegible]	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	[illegible]	IDAHO	3	46 38	114 33	[illegible]		VAR	U S FOREST SERVICE	5
LOWMAN	5414	BOISE	8	44 [illegible]	115 [illegible]	[illegible]	[illegible]	5P	ORVILLE L JOINER	2 3 5 7
MACKAY RANGER STATION	[illegible]	CUSTER	6	43 [illegible]	113 17	[illegible]	[illegible]	5P	U S FOREST SERVICE	2 3 [illegible]
MALAD	[illegible]44	ONEIDA	1	42 11	112 16	4420	7P	7P	[illegible]	2 3 5
MALAD CAA AIRPORT	[illegible]	ONEIDA	1	42 10	11[illegible]	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
MAY RANGER STATION	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MC CALL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MC CAMMON	[illegible]	BANNOCK	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	ADAMS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	MINIDOKA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	BOISE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	LATAH	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MULLAN PASS CAA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NAMPA 2 NW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NEW MEADOWS RANGER STA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4600	6P	6P	HERBERT J HARDY	2 3 5
[illegible] 1 NNE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]	
[illegible] DAM	[illegible]	BONNEVILLE	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	CANYON	[illegible]	[illegible]	[illegible]	[illegible]	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	[illegible]	MINIDOKA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	8A	AMALGAMATED SUGAR	2 3 5
[illegible]	[illegible]	PAYETTE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	
PIERCE RANGER STATION	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3P	U S FOREST SERVICE	2 3 5
PINE 2 SSW	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]		5P	GENEVA B SCHRAFT	3
POCATELLO WB AIRPORT	[illegible]	BANNOCK	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	
[illegible]	[illegible]	LATAH	[illegible]	[illegible]	116 53	2550	7P		[illegible]	[illegible]
PRESTON SUG FACT 2 SE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4718	[illegible]	[illegible]	[illegible]	
PRIEST RIVER EXP STA	[illegible]	BONNER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	
[illegible] MOUNTAIN	[illegible]	BINGHAM	[illegible]	[illegible]	[illegible]	6300		VAR	ROY POTTER	
REACTOR TESTING STA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]12 57	4925	MID	MID	A E C WEATHER STA	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4306	5P	5P	LESLIE F BUSBY	
[illegible] RANGER STATION	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
ROLAND WEST PORTAL	[illegible]	[illegible]	[illegible]	47 21	115 40	[illegible]	[illegible]	[illegible]	J L RANDOLPH	2 3 5
[illegible]	7968	MINIDOKA	[illegible]	[illegible]	[illegible]13 41	[illegible]	[illegible]	[illegible]	[illegible]	
SAINT ANTHONY	[illegible]	[illegible]	[illegible]	43 58	[illegible]11 40	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
SAINT MARIES	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]		U S FOREST SERVICE	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible] EXP STATION	[illegible]	BONNER	[illegible]	[illegible]	[illegible]	[illegible]			STATE EXP STATION	[illegible]
[illegible] RANGER STA	[illegible]	[illegible]	[illegible]	43 37	[illegible]	[illegible]		[illegible]	U S FOREST SERVICE	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]14 24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			U S FOREST SERVICE	
[illegible] RANGER STATION	[illegible]	CLARK	[illegible]	[illegible]		[illegible]			U S FOREST SERVICE	
[illegible]	[illegible]	BINGHAM	[illegible]	[illegible]	[illegible] 41	[illegible]	[illegible]	6P	E T SHELAN	
STIBNITE	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	8A	BRADLEY MINING CO	2 3 5
SUGAR	[illegible]	MADISON	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6P	WM C ROBERTS JR	
SUN VALLEY	[illegible]	BLAINE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	
SWAN FALLS POWER HOUSE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	5P	IDAHO POWER COMPANY	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	EXPERIMENT STATION	2 3 5
THREE CREEK	[illegible]	OWYHEE	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	
TRINITY LAKE GUARD STA	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	7400		VAR	U S SOIL CON SER	
TROUTDATE GUARD STATION	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	347[illegible]		VAR	U S SOIL CON SER	
TWIN FALLS 2 NNE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		5P	U S BUR ENTOMOLOGY	2 3 5
[illegible]	[illegible]	TWIN FALLS	[illegible]	[illegible]	[illegible]14 25	3770	[illegible]	[illegible]	AMALGAMATED SUGAR	2 3 5
[illegible]	[illegible]	BLAINE	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	U S SOIL CON SER	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	W FEATHERSTONE JR	
WALLACE WOODLAND PARK	[illegible]	SHOSHONE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	ROBERT J SKANTEL	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

CORRECTED DATA

SEPTEMBER 1952	Reactor Testing Station, precipitation on 11th should be .12, monthly total .12, greatest day .12 on 11th; days with .01 or more, 1.

GPO 86-101661 1000 2-12-53


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation storage
Precipitation and Temperature
Precipitation Temperature and Evaporation
Section Center
Type of gage Non recording:
Recording: Both types
Double circle combinations Complete Meteorological
Hourly precipitation data from recorder stations will be available in the publication Hourly Precipitation Data
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry
Benton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 2 NW
Deer Park
Mount Spokane
Bayview Model Basin
Trout Creek 2 W
Coeur d'Alene CAA AP
Deception Cr
Spokane WB AP
Coeur d'Alene RS, Kellogg
Thompson Falls
Cheney
Burke 2NNE
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace
Saint Maries
Haugan
Rosalia
Plummer 3WSW
Roland W Portal
Tekoa
Avery RS
Superior CAA AP
Clarkia RS
Potlatch
Colfax 1 NW
Missoula WB AP
Pullman Exp Sta
Missoula 2 WNW
Elk River 1 S
Moscow U of Ida
Wawawai
Bungalow RS
Pomeroy
Lolo Pass
Lewiston Wtr Pl
Orofino
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Winchester 1SE
Kamiah 1NE
Hamilton
Anatone
Nezperce 2 F
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Cottonwood 2SW
Darby 2 NNW
Grangeville
Elk City
Nez Perce Pass
Dixie
Wisdom
Riggins RS
Joseph
Jackson
Polaris
Salmon
Cornucopia 5 NNW
Big Creek 1 S
New Meadows RS
Yellow Pine
Cobalt Blackbird Mine
Grant
Halfway
McCall
Stibnite
Hebgen Dam
Richland
Council 1 N
Pungo Creek
Durkee 3 NNW
Mesa
Landmark RS
Leadore
Dell
Lima Dam
West Yellowstone
Lima
Cambridge
Cascade 1NW
May RS
Monida 5 NE
Lakeview
Deadwood Summit
Challis
Dell 19 SW
Island Park Dam
Huntington
Cascade RS
Alpha 1NE
Deadwood Dam
Weiser
Gilmore Summit Rch
Payette
Ola 4 S
Crouch 2NNW
Ashton 1S
Bechler River
Snake River
Grassy Lake Dam
Ontario CAA AP
Lowman
Jackson Peak
Obsidian 4NNE
Dubois CAA AP
Vale
Garden Valley RS
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Chilly Barton Flat
Hamer 4NW
St Anthony
Nyssa
Emmett 2E
Little Valley Parma Exp Sta
Idaho City
Atlanta 1E
Mackay RS
Tetonia Exp Sta
Moran
Bogus Basin
Vienna
Sugar
Adrian
Howe
Alta
Owyhee Dam
Caldwell
Idaho Cy 13SW
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Nampa 2NW
Meridian 1SSW
Arrowrock Dam
Shake Cr RS
Arco
Driggs
Moose 3 NW
Deer Flat Dam
Trinity Lake GS
Dollarhide Summit
Kuna 2 NNE
Boise LP Dam
Pine 2SSW
Soldier Cr RS
Hailey
Reactor Testing Sta
Idaho Falls 6 NE
Boise WB AP
Prairie
Idaho Falls CAA AP
Irwin 2S
Jackson
Fairfield
Anderson Dam
Palisades Dam
Swan Falls PH
Hill City
Blackfoot
Sheaville
Mountain Home
Springfield
Richfield
Putnam Mt
Gray
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Danner
Bliss
Shoshone
Aberdeen Exp Sta
Blackfoot Dam
Rome
Gooding 1 E
Pocatello WB AP
Bedford 2 SE
Gooding CAA AP
Jerome
Minidoka Dam
Paul 1E
American Falls 1NW
Bancroft
Conda
Grover 2 S
Buhl
Burley 1NW
Rupert
McCammon
Twin Falls 2NNE
Hazelton
Grace PH
Twin Falls 3SE
Burley
Burley CAA AP
Hollister
Albion
Montpelier RS
Oakley
Malad
Border 3 N
Bridge
Lifton Pump Sta
Three Creek
Malad CAA AP
Ida Vada
Preston 2SE
Owyhee
Snowville
Lewiston
Richmond
Jarbidge
Amalga
Laketown
Sage
Contact
Park Valley
Garland
Bothwell
Logan USAC Exp Sta
Logan USAC
Revised 9-52-WRPC

AGRICULTURAL REFERENCE DEPARTMEN
CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

ANNUAL SUMMARY 1952
Volume LV No. 13

KANSAS CITY: 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

The cold weather of the first quarter; the exceptionally heavy snowpack; and the unusually warm, dry autumn were the outstanding features of the year's weather in Idaho. Worthy of note also was the general deficiency of precipitation for the year. The average annual total for the Northern Division was only 71 percent of normal, while in the Southwestern and Southeastern Divisions the percentages were 82 and 84, respectively.

Temperatures below normal were reported in all sections of the State during January, February and March. April was the first month since the preceding September with above-normal temperatures. With the rather rapid coming of warmer weather in April, the unusually heavy snowpack quickly melted at lower and intermediate elevations, causing flooding on several streams in the southwestern and south-central portions of the State. On April 29th the Snake River at Weiser reached its highest level since 1910; at Cambridge the Weiser River rose to within 0.6 foot of the previous high; at Carey the Little Wood River went over its banks on the 22d; just below Magic Reservoir the Big Wood River on the 28th rose more than two feet above the previous high stage; and at Gooding on the 29th a crest stage of 10.67 feet surpassed the previous recorded high of 9.8 feet. The Portneuf River at Pocatello began spilling over its banks on April 15th and continued above bankful stage for more than a month, cresting on May 7th and May 8th at a stage of 5.4 feet. Minor flooding also occurred during May on Henrys Fork and on the Snake River north and northeast of Idaho Falls. Estimates of flood damage in southern Idaho indicate losses of approximately one million dollars, with agricultural losses accounting for about 90 percent of the total.

The crop season was better than average for the State. Several spells of rainy weather in May and June retarded planting in some areas, but July and August brought good growing weather with a minimum of destructive hail and windstorms. Harvest operations in all crops suffered very little interference from the weather and all in all crop losses because of weather elements were rather light throughout the season. Snow mold and smothering affected winter wheat in some areas, yet total production for the State was above average. Absence of prolonged hot spells and the unusually favorable harvest weather resulted in a new high average yield per acre of potatoes, with quality the highest in 12 years and far above that of 1951. Yield per acre of sugar beets was above average with no loss from fall rains, such as occurred the previous autumn. Frost damage to fruit was light and spotted. Dry peas suffered some frost damage in June but in spite of this the yield per acre was the second largest of record. One feature of the year's weather that was both favorable and detrimental was the prolonged dry, warm fall. This permitted uninterrupted harvest of late crops, but adversely affected fall seedings. In fact, in some areas, particularly in the Southeastern Division, lack of soil moisture prevented the planting of winter wheat.

Two lives were lost, both by lightning strikes, but the frequency of thunderstorms was, on the whole, below average. Destruction of crops and property by windstorms was relatively light and hail damage was widely scattered.

SNYNOPSIS BY MONTHS

JANUARY: Somewhat colder than usual, although not an exceptionally severe January. Precipitation a little above the long-period mean in Southern Divisions and a little below in the Northern Division. Above-average snowfall brought mountain snowpack to unusual depth in some areas.

FEBRUARY: Fifth consecutive month with below-normal temperatures; Northern Division deficiencies minor. Latter half of month particularly cold in southern portions. Precipitation near the February mean, with snowfall heavier than in the preceding two Februarys. Storm damage light, confined mainly to occasional disruption of telephone and power facilities, but weather described as "tough on livestock and feed". Record-breaking accumulations of snow in many mountain areas of Southwestern Division.

MARCH: Climaxing one of the longest winters in sixty years of record in Idaho, March was among the coldest on record. Six-month snowfall totals exceeded long-period mean for the State by nearly 100%. At the end of month snow had gone from lower elevations, but the high-elevation snowpack had not begun to melt. Fruit trees had not yet begun to produce buds, cattle were still on feed lots in most areas and little field work was accomplished.

APRIL: Temperatures finally rose to above-normal valu precipitation was subnormal and spring arrived rather ruptly in most of Idaho. Flooding occurred on the Sn River near Weiser from the 16th through the 21st, and ag during the last four days, reaching highest stage since 19 Some flooding also on Weiser River. Big and Little W Rivers experienced unprecedented floods with considera damage to canals, diversions, flumes, bridges and roa Portneuf out of its banks for several days in vicinity Pocatello, but only minor damage reported.

MAY: A generally pleasant month. Temperatures a lit above the long-period mean; precipitation about 90% of me Farm work progressed well except in an area of excess rainfall in Nez Perce, Lewis and Idaho Counties, where fi work and planting were delayed. Some storm damage from str winds on the 3rd and the 14th, but damage was scatter Flooding, compared with April, was minor. Portneuf at catello remained out of banks through 18th, Camas Creek Jefferson County, Snake near Heise, and Henrys Fork n Rexburg all experienced some flooding between 5th and 8 Estimates place total spring flood damage in southern Id at approximately one million dollars, with agricultu losses accounting for about 90% of total.

JUNE: A wet month with near normal temperatures. O June 1893 had higher average precipitation in Northern vision, and state-wide average was in upper 20% for 60-y period. Early part of month warm and dry, permitting ra progress in field work. Later rains delayed planting s areas, spoiled cut hay in others, and caused some damage cherries. Lightning strike killed boy and horse near Je ome on 5th. Hail and wind did scattered damage dur month.

JULY: Comparatively cool with deficiency of rainfall the Northern Division, but slightly more than normal ra fall elsewhere. Generally good growing weather with m haying accomplished, wheat harvest well under way, and ap cot picking started. Damaging storms were limited in tent; principal crop damage, estimated at $10,000 result from wind, rain and hail near McCammon at end of month.

AUGUST: Very dry with precipitation above long-peri mean at only a few stations. Temperatures averaged ne normal and sunshine above normal, except in north. Go month for crop growth, haying, and harvesting of grai No frost damage reported, although early morning temper tures dropped into the thirties during last week. One li lost by lightning strike at March Center, near Downey. Ha and other storm damage not extraordinary.

SEPTEMBER: Warm and very dry with sunshine well abo normal. Latter half of month particularly warm and dry wi only scattered very light amounts of rain reported. Gra harvest completed in all but a few late districts, pota digging well under way, pears and peaches picked, dry be harvest completed and harvest of seed crops begun under ve favorable weather conditions. Some fall planting done, b soil generally too dry. Pastures and lower ranges suffer from lack of moisture.

OCTOBER: Drought that began in mid-September contin throughout this month. Precipitation average was lowest 60 years of record. Temperatures well above normal and su shine far above the long-period mean. Potato and sug beet digging progressed very rapidly. Dry soil retard fall seeding; and, where earlier seeding had been acco plished, lack of moisture resulted in spotty stands grain.

NOVEMBER: One of the driest Novembers on record wi only 35% of long-period mean for the whole State. Also amo coldest Novembers on record with latter half particular cold. Sunshine again far above long-period mean. Weath permitted rapid completion of potato and sugar beet harvest but much fall plowing and planting was left undone becau of drought.

DECEMBER: Although much warmer than December 1951, t average temperature for the month was only a little abo the long-period mean. Precipitation for State averaged little above December mean, despite deficiency in Northe Division. Snowfall generally light below 3500 feet, but higher elevations many stations reported heavy snows; stat wide average about 30% above the 55-year mean. Cloudy ski and heavy fog cut sunshine well below normal. Number foggy days near all-time record in some areas. Little sto damage reported.

DJS

AVERAGE TEMPERATURES AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
RDEEN EXP STA	18.0	- 2.2	20.2	- 5.7	27.7	- 7.5	47.3	2.2	55.9	2.4	[illegible]	0.8	67.5	- 2.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ION	22.0M	- 0.1	20.8	- 3.7	30.7	- 7.2	40.9	[illegible]	53.4	1.0	58.4	- 0.1	65.3	- 1.3	[illegible]	[illegible]	[illegible]	[illegible]	M		[illegible]	-10.[illegible]	[illegible]	-	[illegible]	
HA 1 NE	18.7	0.3	17.6	- 5.5	24.1	- 5.9	40.6	1.5	48.8	[illegible]	[illegible]	- 0.8	[illegible]	- 1.5	[illegible]	[illegible]	[illegible]	[illegible]	45.0	[illegible]	[illegible]	- 7.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
RICAN FALLS 1 NW	21.1	- 2.7	21.9	- 5.9	28.0	- 7.7	40.9	1.4	50.0	2.0	63.1	1.0	[illegible]	- 1.4	[illegible]	1.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]
ERSON DAM	22.1		20.8		30.8		46.3		57.0		64.5		72.3		[illegible]		[illegible]		57.9		[illegible]		[illegible]		[illegible]	
D	9.8M	- 5.2	12.4M	- 7.7	23.7M	- 6.8	42.9M	- 0.2	52.0M	[illegible]	60.4	2.[illegible]	64.4M	- 2.4	[illegible]	- 0.6	[illegible]	[illegible]	49.7M	4.[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	40.4	- 1.4
OWROCK DAM	22.9M	- 2.0	24.1	- 6.4	33.5	- 5.5	50.9	2.2	50.7	- 0.4	[illegible]	- 1.3	71.0	- 3.5	72.5	- 0.1	[illegible]	[illegible]	[illegible]	4.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48.[illegible]	[illegible]
TON 1 S	20.2	2.0	17.3	- 4.4	23.0	- 5.5	40.5	- 0.9	53.5	3.3	58.5	1.1	61.2	- 3.6	[illegible]	- 1.0	[illegible]	1.3	48.5	4.[illegible]	25.2	[illegible]	20.[illegible]	0.[illegible]	[illegible]	- 0.[illegible]
ANTA 1 E	20.0	- 1.1	22.5	- 1.6	25.8	- 5.0	41.7	1.5	49.3	2.0	55.1	1.6	62.8	0.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27.[illegible]	[illegible]	[illegible]	[illegible]
RY RS	25.4	- 1.9	32.7	1.2	36.7	- 1.2	50.8	4.5	55.8M	1.7	58.1M	- 2.3	62.8	- 4.7	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	M					
VIEW MODEL BASIN	27.5		30.2		30.4		45.7		53.0		59.3		65.7		[illegible]		[illegible]		48.8		[illegible]		[illegible]		[illegible]	
CREEK 1S	18.9	1.9	19.9	- 1.0	24.9	- 3.6	38.3	1.0	40.4	2.2	52.5	2.1	57.8	- 1.3	57.1	2.2	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
CKFOOT	20.5	- 0.7	21.6	- 4.1	29.2	- 5.7	48.9	3.5	57.5	4.0	[illegible]	2.5	69.4	0.3	[illegible]	3.5	[illegible]	[illegible]	52.6	[illegible]	[illegible]	- [illegible]	25.[illegible]	1.[illegible]	[illegible]	[illegible]
CKFOOT DAM	-		-		-		-		47.3M	0.5	[illegible]	- 1.0	[illegible]	- 1.5	[illegible]	[illegible]	M		-		M		-			
SS	22.1	- 5.0	24.4M	- 8.1	33.8	- 6.1	52.4	3.0	58.3	0.8	65.2	0.0	72.7	- 0.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	- [illegible]
SE LUCKY PEAK DAM	M		31.8M		M		M		60.3M		60.4M		74.2M		M		M		M		M		M		-	
SE WB AP	26.6	- 1.3	30.4	- 3.3	36.8	- 4.0	52.5	3.4	57.6	[illegible]	64.2	- 0.3	[illegible]	1.0	[illegible]	1.9	[illegible]	4.[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NERS FERRY	23.3M	- 0.1	30.7M	2.3	37.1	- 0.3	50.2	3.5	55.8	2.3	60.7M	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3.8	M		[illegible]	- 1.[illegible]	[illegible]	[illegible]		
~	26.6	- 0.7	29.2	- 3.5	35.2M	- 5.[illegible]	53.5M	5.0	59.8M	3.6	65.6	1.7	[illegible]	[illegible]	[illegible]	3.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GALOW RS	-		-		-		-		-		62.3	- 0.[illegible]	68.1	- 2.6	68.0	- 0.6	62.9M	3.9	[illegible]						-	
KE 2 NNE	22.0	- 0.2	26.8	0.4	29.3	- 2.5	40.5	2.0	47.3	2.4	52.8	1.2	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29.[illegible]	- [illegible]	27.[illegible]	[illegible]	[illegible]	[illegible]
LEY	24.3	- 1.7	27.3	- 3.8	33.8	- 5.2	50.7	3.4	53.5	2.4	[illegible]	- [illegible]	71.4	- 1.4	[illegible]	3.3	[illegible]	5.1	55.8	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
LEY FACTORY	[illegible]	- [illegible]	24.3	- 5.5	31.8	- 6.4	48.6	1.4	55.5M	0.3	61.8M	- [illegible]	69.1M	- 2.3	[illegible]	2.1	[illegible]	[illegible]	[illegible]	[illegible]	29.[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	- [illegible]
LEY CAA AP	23.0	- 2.4	25.3	- 5.9	32.8	- 5.0	49.1	1.9	56.6	2.2	61.8	0.5	[illegible]	- [illegible]	[illegible]	1.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- 7.1	[illegible]	[illegible]	[illegible]	- 0.[illegible]
OWELL	26.0	- 2.3	30.6	- 4.1	38.9	- 3.9	53.8	2.9	59.5	1.6	[illegible]	0.0	[illegible]	- 1.5	71.6	1.3	63.5M	2.5	54.1M	2.0	34.6	- 4.[illegible]	34.[illegible]	[illegible]	50.4	- [illegible]
BRIDGE	23.8	[illegible]	19.3	- 8.0	[illegible]	- 6.7	49.7	0.5	54.2	- 2.5	64.0	- 0.7	[illegible]	- [illegible]	[illegible]	- 0.4	61.7	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	- [illegible]
CADE 1 NW	19.0		18.3		25.9		41.8		50.2		55.7		[illegible]		[illegible]		56.4		[illegible]		[illegible]		[illegible]		[illegible]	
LLIS	16.0	- 2.7	19.3	- 5.9	[illegible]	- [illegible]	40.7M	2.4	53.7M	[illegible]	60.4M	1.0	[illegible]	- 0.9	[illegible]	1.1	60.5	[illegible]	[illegible]	4.3	[illegible]	- 4.[illegible]	[illegible]	- [illegible]	[illegible]	- [illegible]
LLY BARTON FLAT	4.4	-10.3	6.2	-12.3	[illegible]	-11.4	38.4	- 1.0	40.9	- 1.5	53.0	- 1.4	[illegible]	- [illegible]	[illegible]	- 3.3	51.5	0.7	43.9	1.9	[illegible]	- 5.[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]
RK FORK 1 ENE	25.7	- 0.3	31.6	1.1	35.8	- [illegible]	47.1	0.2	53.3	- 0.9	57.7	- 1.1	[illegible]	- 1.7	64.2	0.3	58.8	4.0	48.5	2.3	[illegible]	- 1.9	[illegible]	[illegible]	[illegible]	[illegible]
ALT BLACKBIRD MINE	14.1M		16.1		19.6		35.9		43.5M		50.2M		57.1M		[illegible]		51.6M		43.0		[illegible]		[illegible]		[illegible]	
UR D ALENE CAA AP	24.0		29.7M		34.6		48.1		54.9		59.0		[illegible]		[illegible]		60.7		[illegible]		[illegible]		[illegible]		[illegible]	
UR D ALENE RS	26.0	- 0.8	31.5	1.4	35.9	- 2.4	47.1M	0.1	56.5	[illegible]	61.2	[illegible]	[illegible]	0.4	[illegible]	1.9	[illegible]	4.9	[illegible]	4.5	[illegible]	- 1.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
DA	18.5	2.2	17.1	- 3.9	22.5	- 4.4	37.9	- 2.1	49.3	[illegible]	[illegible]	2.4	60.8	- 2.5	[illegible]	1.6	[illegible]	[illegible]	47.6	3.5	[illegible]	- [illegible]	[illegible]		[illegible]	
TONWOOD	23.9	0.3	29.4	- 0.8	31.7	- 4.6	47.3	3.9	51.2M	0.4	55.8	- 1.7	[illegible]	- 2.9	64.0	- 1.5	59.4	2.6	51.7	4.3	[illegible]	- 4.[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]
NCIL 1 N	23.5	- 0.2	21.0	- 8.3	[illegible]	- 6.4	M		57.1	[illegible]	[illegible]	[illegible]	71.3	- [illegible]	[illegible]	- 0.2	64.9	4.7	53.0	[illegible]	[illegible]	[illegible]	28.[illegible]	[illegible]	-	
DWOOD DAM	17.6	[illegible]	18.3	- 3.0	23.9	- 3.3	[illegible]	1.3	45.8M	0.3	51.9	- 0.2	[illegible]	- 2.9	[illegible]	- 0.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- 1.[illegible]	[illegible]	1.9	[illegible]	0.1
FLAT DAM	27.0	0.3	31.4	- 1.5	38.6	- 3.2	53.5	2.9	59.0	0.6	[illegible]	[illegible]	[illegible]	- 1.4	[illegible]	0.7	[illegible]	2.4	[illegible]	[illegible]	[illegible]	- 2.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
E	-		-		-		-		-		M		[illegible]		[illegible]		51.1		[illegible]		M		[illegible]		-	
GS	16.2	- 0.3	15.8	- 3.7	23.4	- 3.2	40.4	2.6	50.4	[illegible]	57.3	3.0	[illegible]	- [illegible]	[illegible]	3.9	56.9M	5.3	47.0M	4.8	[illegible]	- 5.9	[illegible]	[illegible]	40.[illegible]	1.[illegible]
DIS EXP STA	15.2	- 2.4	16.1	- 5.7	22.3	- 6.8	40.9	- 1.8	53.3	[illegible]	60.7	[illegible]	66.0	- 3.9	[illegible]	0.3	61.1	4.8	[illegible]	4.9	[illegible]	- 5.0	[illegible]	[illegible]	41.8	- 1.1
DIS CAA AP	14.4	- 3.4	13.6	- 7.9	23.5	- 6.4	42.2	- 1.7	54.0	2.5	60.0	1.6	[illegible]	- 4.[illegible]	[illegible]	- 0.4	61.0	3.2	[illegible]	[illegible]	[illegible]	- 4.1	[illegible]	- [illegible]	[illegible]	- 1.5
CITY	-		-		-		-		-		-		[illegible]		[illegible]		[illegible]		44.7		[illegible]		[illegible]		-	
RIVER 1 S	26.8		31.4		34.6		46.1		54.3		57.4M		62.8M		[illegible]		[illegible]		50.1		[illegible]		[illegible]		[illegible]	
TT 2 E	27.7	- 1.4	30.5M	- 5.0	38.7M	- 5.4	54.0M	2.1	59.4	0.3	64.2	- 2.4	71.0M	- 4.0	[illegible]	- 2.7	[illegible]	0.8	54.0M	1.3	34.0	- [illegible]	[illegible]	[illegible]	[illegible]	- 1.6
FIELD	8.4M		12.5M		21.6M		40.0M		52.3		57.5		[illegible]		[illegible]		[illegible]		49.7M		24.9M		[illegible]		[illegible]	
RS	27.5	- 2.0	31.6	- 2.8	36.8	- 5.8	51.2	0.7	56.9	- 0.3	63.1M	- 0.5	69.7	- 1.9	[illegible]	0.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	- [illegible]
HALL IND AGENCY	20.6M	- 1.1	22.7	- 4.7	29.1	- [illegible]	45.4M	- 0.2	[illegible]	2.6	63.1M	[illegible]	69.0M	- 1.5	[illegible]	1.9	61.7M	3.9	52.0M	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	- [illegible]
EN VALLEY RS	24.0	[illegible]	26.6	- 2.4	34.6	- 1.9	49.6	3.2	56.6	[illegible]	62.3	[illegible]	[illegible]	- 0.[illegible]	[illegible]	1.2	[illegible]	3.9	[illegible]	4.1	[illegible]	- [illegible]	M		-	
NS FERRY	25.8M	- 3.4	28.3	- 7.1	37.7	- 6.2	53.4	1.8	59.9	0.4	66.0	- 2.0	73.5M	- 4.0	[illegible]	- 2.6	[illegible]	1.1	54.3	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	- 1.[illegible]
ING CAA AP	21.2	- 2.5	22.6	- 6.9	30.7	- 7.6	50.5	3.1	57.6	2.[illegible]	64.4	1.0	[illegible]	0.7	[illegible]	3.8	[illegible]	6.1	[illegible]	[illegible]	[illegible]	- [illegible]	32.[illegible]	[illegible]	[illegible]	[illegible]
E	17.1	- 2.6	16.5	- 7.1	22.4	- 8.7	39.6	- 2.5	[illegible]	[illegible]	57.6	- 1.2	[illegible]	- 4.4	[illegible]	- 0.2	[illegible]	2.2	49.1	[illegible]	[illegible]	6.4	[illegible]	[illegible]	[illegible]	- 2.1
D VIEW	26.5	- 2.5	31.3	- 4.3	[illegible]	- 2.6	56.5	[illegible]	62.5	[illegible]	68.4M	[illegible]	76.7	1.4	[illegible]	3.6	[illegible]	[illegible]	[illegible]	4.0	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	1.[illegible]
GEVILLE	25.9	- 2.[illegible]	29.4	- 2.1	33.0	- [illegible]	[illegible]	2.0	[illegible]	- 0.6	57.0M	- 1.[illegible]	[illegible]	- 2.2	[illegible]	- 1.[illegible]	[illegible]	[illegible]	52.3	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	- [illegible]
	19.4	1.7	19.5	- 2.8	[illegible]	- 6.0	[illegible]	1.4	48.5	0.3	56.4	1.8	[illegible]	- 2.5	[illegible]	1.3	[illegible]	6.1	51.3	[illegible]	26.0	- [illegible]	[illegible]	[illegible]	40.[illegible]	[illegible]
SE	4.9		8.1		19.0		36.2		47.2		52.7		57.4		[illegible]		[illegible]		[illegible]		[illegible]		13.[illegible]		34.[illegible]	
EY	15.6	- 3.9	18.8	- 4.8	26.6	- 4.0	43.5	0.6	53.9	[illegible]	59.9	[illegible]	66.0	- 1.9	[illegible]	- 0.2	61.5	4.9	53.4	[illegible]	[illegible]	- [illegible]	[illegible]	- [illegible]	[illegible]	- [illegible]
R 4 NW	14.2	1.6	11.4M	- 6.9	22.7	- 6.8	43.6	0.9	54.4	[illegible]	60.8	1.0	[illegible]	- 3.4	[illegible]	0.9	[illegible]	4.3	[illegible]	[illegible]	[illegible]	- 5.[illegible]	[illegible]	[illegible]	40.[illegible]	[illegible]
LTON	22.6	- 3.6	24.4	- 6.9	32.1	- 7.3	[illegible]	3.0	57.3	0.2	62.8	- 2.8	70.2	- [illegible]	[illegible]	- 0.6	[illegible]	[illegible]	[illegible]	3.9	[illegible]	- [illegible]	[illegible]	[illegible]	47.[illegible]	- [illegible]
CITY	11.7	- 3.6	13.9	- 5.7	23.0	- 4.1	37.4	- 2.8	52.5	2.0	[illegible]	1.7	[illegible]	- 1.4	[illegible]	2.9	[illegible]	3.6	49.1	4.9	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	- [illegible]
ISTER	24.6M	- 1.9	30.3M	- [illegible]	33.6M	- 3.9	51.3M	5.6	55.9M	[illegible]	[illegible]	- [illegible]	[illegible]	- 1.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32.4	- 5.1	[illegible]	[illegible]	[illegible]	[illegible]
O CITY	20.7	- 3.6	22.2	- 6.6	29.1	- 6.1	44.9	0.7	52.5	- 0.4	[illegible]	- 1.3	[illegible]	- [illegible]	[illegible]	- 2.0	[illegible]	2.0	51.2	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
O FALLS 6 NE	-		-		-		-		M		62.4		[illegible]		[illegible]		[illegible]		[illegible]		26.[illegible]		[illegible]		-	
O FALLS CAA AP	17.1	- 2.2	15.5	- 8.0	[illegible]	- 9.3	46.4	[illegible]	55.7	2.5	61.3	[illegible]	[illegible]	- 1.9	[illegible]	1.1	[illegible]	3.7	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	- 1.4	42.[illegible]	- [illegible]
N 2 S	20.8	1.5	20.7	- 1.8	26.0	- 4.0	44.2	3.7	52.9	[illegible]	59.5	2.0	[illegible]	- 0.4	[illegible]	2.7	60.5	6.9	[illegible]	[illegible]	26.7	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ND PARK DAM	13.6	0.8	12.2	- 4.6	17.8	- 6.0	34.7	- [illegible]	[illegible]	- 0.5	[illegible]	[illegible]	[illegible]	- 3.4	[illegible]	- 0.6	54.1	2.7	[illegible]	[illegible]	21.7	5.0	[illegible]	- [illegible]	[illegible]	- [illegible]
ME	22.7	- 3.8	24.1	- 7.5	31.8	- 7.2	51.0	2.4	58.1	[illegible]	[illegible]	- 0.8	[illegible]	- 2.8	[illegible]	- 0.8	63.9	2.4	[illegible]	4.4	[illegible]	- 5.[illegible]	[illegible]	[illegible]	[illegible]	- 1.[illegible]
OGG	25.1	- 1.8	32.2	1.0	[illegible]	- 2.0	[illegible]	[illegible]	56.4	[illegible]	[illegible]	0.6	[illegible]	[illegible]	67.8	[illegible]	[illegible]	4.5	[illegible]	4.3	35.2	- 1.1	[illegible]	[illegible]	48.0	[illegible]
KIA	27.3	- 1.9	34.9	[illegible]	41.2	- 1.6	54.2	3.6	59.8	[illegible]	64.9	[illegible]	[illegible]	- 1.[illegible]	70.2	- 0.1	[illegible]	4.0	[illegible]	1.3	[illegible]	- 4.0	[illegible]	2.3	[illegible]	[illegible]
2 NNE	25.4	- 2.9	30.5M	- 3.3	36.8M	- 5.1	52.7M	3.4	[illegible]	- [illegible]	[illegible]	- 2.4	[illegible]	- 3.[illegible]	[illegible]	- 3.2	61.3M	- 0.7	[illegible]	1.[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	48.[illegible]	- [illegible]
STON WATER PLANT	30.7	- 2.5	39.8	2.5	44.1M	- [illegible]	56.7	3.7	[illegible]	[illegible]	66.8	- 0.5	[illegible]	- 1.[illegible]	[illegible]	[illegible]	67.3	3.2	[illegible]	[illegible]	[illegible]	- 4.9	37.[illegible]	[illegible]	[illegible]	[illegible]
STON WB AP	28.9	- 1.9	[illegible]	1.6	41.9	- 1.7	[illegible]	2.3	59.4	0.5	63.6	- 2.7	[illegible]	- 2.[illegible]	[illegible]	- 1.1	65.7	2.5	[illegible]	[illegible]	[illegible]	- 4.7	[illegible]	[illegible]	[illegible]	[illegible]
ON PUMPING STA	12.6	- 5.2	[illegible]	-10.2	18.9	- 8.5	38.5	- 1.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- 1.[illegible]	[illegible]	0.3	57.0	1.5	47.4	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	- [illegible]
AN	21.5	- 0.8	23.6	- 4.7	31.0	- 3.6	45.6M	2.5	54.3M	3.6	[illegible]	- 0.6	63.6M	- 2.5	[illegible]	- 1.[illegible]	56.9M	2.0	M		[illegible]	- [illegible]	M		-	
AY RS	11.5	- 5.6	[illegible]	- 6.[illegible]	22.5	- 8.4	[illegible]	- 0.7	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	- [illegible]	[illegible]	- 1.4	58.6	2.8	[illegible]	[illegible]	[illegible]	- 4.[illegible]	[illegible]	- [illegible]	40.[illegible]	[illegible]
D	21.3	- 0.4	22.6	- 4.6	[illegible]	- [illegible]	46.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- 1.[illegible]	[illegible]	2.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40.[illegible]	[illegible]
D CAA AP	16.9		18.3		25.5		45.2		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
RS	[illegible]	- [illegible]	[illegible]	- 7.2	23.5	-10.[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	25.8	[illegible]	[illegible]	- 2.[illegible]	40.[illegible]	- 2.4
ALL	[illegible]	- 1.1	[illegible]	- 4.8	22.6	- [illegible]	M		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- 1.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	1.[illegible]	-	
AMMON	21.5		[illegible]		27.0		46.3		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		27.[illegible]		[illegible]		44.4	
DIAN 1 SSW	23.7	- [illegible]	28.6	- 6.[illegible]	35.4	[illegible]	[illegible]	- [illegible]	[illegible]	- 0.2	63.[illegible]	- [illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5.1	49.[illegible]	- [illegible]
	23.9		23.4		33.6		50.0		58.3		63.[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		49.1	
DOKA DAM	21.3		23.8		30.5		48.9		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		47.[illegible]	
PELIER RS	15.2	- 2.4	[illegible]	- 9.2	20.1	- 8.5	[illegible]	- [illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	M	[illegible]	39.[illegible]	- [illegible]
OW U OF I	26.7	- [illegible]	32.2	[illegible]	37.1	- 1.3	51.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	48.[illegible]	[illegible]
TAIN HOME	25.3	- 2.5	26.9	- 6.5	-		M		-		-		-		M		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.4		
AN PASS DAM	[illegible]	- 2.5	[illegible]	- [illegible]	[illegible]	- 3.4	38.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	57.4M	- [illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]	0.8
M 2 NW	25.6		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]				[illegible]	
MEADOWS RS	[illegible]	[illegible]	[illegible]	- 6.5	[illegible]	- [illegible]	43.0M	0.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]		
RCE 2 E	24.3		30.0		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		32.[illegible]				46.[illegible]	
Y	[illegible]	- 2.2	[illegible]	- 3.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32.[illegible]	[illegible]	[illegible]	[illegible]	48.[illegible]	0.[illegible]
TAN 4 NNE	[illegible]	- [illegible]	16.0	- 2.[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	0.[illegible]	[illegible]	- 1.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21.[illegible]	- 4.9	[illegible]		34.[illegible]	
4 S	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		48.[illegible]	
INO	[illegible]	[illegible]	37.1M	2.[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37.[illegible]	[illegible]			[illegible]	
ADE DAM	19.4M		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]				22.[illegible]		42.[illegible]	
EXP STA	[illegible]	- [illegible]	[illegible]	- [illegible]	[illegible]	- 3.2	54.3M	[illegible]	[illegible]	[illegible]	[illegible]	- 0.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34.[illegible]	4.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
A E	[illegible]	- [illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	61.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29.7	[illegible]	[illegible]	1.[illegible]	46.[illegible]	[illegible]
ATTE	26.6	- 0.6	[illegible]	- 5.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1 W	[illegible]	- [illegible]	[illegible]	- [illegible]	[illegible]	- [illegible]	41.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	62.9	- 0.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OTELLO WB AP	[illegible]	- [illegible]	[illegible]	- [illegible]	[illegible]	- 7.0	47.4	[illegible]	[illegible]	[illegible]	62.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ELL	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48.4	2.6	55.[illegible]	[illegible]	[illegible]	[illegible]	65.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.[illegible]
TCH	26.1	- [illegible]	[illegible]	[illegible]	36.6	- 1.8	49.5M	[illegible]	[illegible]	2.[illegible]	[illegible]	[illegible]	65.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34.[illegible]	[illegible]	[illegible]	[illegible]	47.[illegible]	[illegible]
[illegible]	20.9	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	63.[illegible]	2.[illegible]	69.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45.[illegible]	[illegible]
[illegible] RIVER [illegible] STA	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.[illegible]	44.[illegible]	[illegible]
EOR TESTING STA	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		59.[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		24.[illegible]					

Table 1—Continued

AVERAGE TEMPERATURES AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature
RICHFIELD	[illegible]	- 4.3	18.6	- 5.7	26.3	- 7.9	47.4	2.4	55.5	2.1	61.5	0.9	67.9	- 1.8	67.9	0.7	61.1	3.0	52.5	4.8	29.4	- 5.0	26.6	1.9	44.2
RIGGINS	31.9	- 2.4	36.7	- 3.8	40.5M	- 5.8	56.3	3.7	59.4M	- 1.9	65.3	- 0.3	75.4	- 1.7	76.4	1.4	70.6M	4.2	60.8	5.2	M		38.4M	0.5	-
RIRIE	21.4		21.1		27.5M		46.9		M		-		-		-		-		-		-		-		-
ROLAND W PORTAL	21.3	- 2.2	26.4M	- 0.3	29.8	- 2.3	42.2	2.5	49.4	0.8	53.9	- 1.1	60.9	- 1.9	60.7	- 0.5	57.0	4.0	50.0	5.1	30.7	- 2.5	27.4	1.0	42.5
RUPERT	21.6	- 3.0	23.6	- 6.2	31.0	- 7.3	48.6	1.6	56.1M	0.8	62.7M	- 0.4	70.8	- 1.1	72.5M	3.9	64.1M	5.3	53.8M	4.6	29.6	- 7.3	30.1	2.4	47.0
SAINT ANTHONY	18.0		17.3		24.7		42.9		54.4		60.7	1.7	63.4		64.7M	0.5	58.7	4.3	48.9		26.6		23.9		42.0
SAINT MARIES	26.1	- 2.4	32.9	0.6	36.9	- 2.0	49.9	2.5	55.0	0.4	60.1	- 0.9	66.1	- 1.2	66.6	1.2	61.5	4.1	51.6	3.3	34.1	- 3.3	31.9	1.1	47.7
SALMON	15.6	- 1.8	18.9	- 5.2	26.0	- 9.5	47.9	2.0	56.1M	2.6	61.5	0.9	66.5	- 1.6	66.6	1.2	60.0	3.9	47.8M	2.3	26.2M	- 5.9	23.9	2.4	43.1
SANDPOINT EXP STA	24.1	- 1.4	29.5	0.5	34.6	- 2.6	47.6	1.6	54.4	1.3	58.6	- 0.7	64.5	- 1.0	63.9	0.2	57.6	2.3	47.5	1.3	32.8	- 2.6	30.1	1.4	45.4
SHOSHONE	20.2	- 3.1	22.0	- 5.7	29.6	- 7.5	50.5	3.7	57.7M	3.1	64.0	1.4	70.5	- 1.5	70.1	0.7	63.7	4.0	55.6	7.1	31.9	- 4.2	29.7	3.2	47.1
SPENCER RS	13.2	- 1.3	14.1	- 4.1	21.1	- 3.8	37.5	- 0.3	50.0	1.8	56.4	1.7	60.7	- 3.1	61.5	- 0.7	55.6	3.0	46.0	4.5	22.8M	- 5.0	19.8	1.8	38.3
SPRINGFIELD	18.2	- 2.1	19.3M	- 6.2	26.8	- 8.5	47.3	2.8	55.9	2.8	62.0	0.9	67.3	- 2.7	68.4	1.1	61.1	3.6	51.0	3.7	27.9	- 6.7	25.1	1.1	44.2
STIBNITE	18.0		20.4		21.4		37.7		43.5		49.6		56.8		57.4		54.6		48.1		25.2		23.8		38.0
SUGAR	16.7M	0.1	16.6M	- 3.8	M		42.6	- 0.4	54.2M	2.3	60.2M	0.7	63.2M	- 3.5	63.9	0.8	57.7M	3.1	M		[illegible]		21.3	[illegible]	-
SUN VALLEY	9.7	- 5.6	13.1	- 6.5	19.6	- 6.0	37.0	- 0.8	48.2	2.7	53.8	3.2	58.9	- 0.1	59.0	1.3	53.7	3.7	45.3	3.8	22.5	- 4.6	15.8	- 5.2	36.4
SWAN FALLS PH	27.9	- 3.5	33.3	- 4.7	40.6	- 4.1	57.4	3.4	63.3	1.2	69.1	1.0	79.4	- 0.7	79.6	2.1	70.5	3.2	60.8	4.9	38.6	- 2.4	36.7	1.1	54.8
TETONIA	M		13.8	- 5.5	21.1	- 5.9	36.1	- 3.6	M		-		-		-		-		-		-		-		-
TETONIA EXP STA	-		-		-		-		M		55.1		59.6		61.6		55.8		45.4		20.9		20.1		-
THREE CREEK	24.4		25.5		29.6		45.3		M		56.2		63.5		-		-		-		28.3		31.5		-
TWIN FALLS 2 NNE	24.7	- 2.0	27.2	- 5.0	34.3	- 5.6	51.7	3.6	58.9	3.1	65.1	2.0	72.1	0.7	72.0	3.3	63.4	3.9	54.7	5.0	32.3	- 5.4	33.2	4.1	49.1
TWIN FALLS 3 SE	24.4	- 2.4	26.4	- 6.1	32.7	- 7.6	49.6	0.9	57.8	1.3	63.2	- 0.4	70.2	- 2.7	69.8	0.6	63.3	3.8	55.6	4.4	33.0	- 4.7	32.7	2.4	48.2
WALLACE	24.8	- 2.0	30.6	- 0.4	34.1	- 3.5	47.8	2.0	53.0	0.1	56.9	- 2.4	63.5	- 3.1	62.1	- 2.8	58.5	2.0	49.5	2.4	32.5	- 2.9	30.1	0.9	45.3
WALLACE WOODLAND PARK	22.8	- 3.2	29.5M	- 0.4	32.7M	- 3.7	44.8M	0.6	50.8M	- 0.8	56.1M	- 1.7	62.4	- 2.7	62.9	- 0.6	58.2M	2.9	50.3M	3.0	33.3	- 2.4	29.8	0.7	44.5
WEISER	25.6	- 0.7	26.7	- 7.3	38.1	- 5.3	53.7	1.3	60.9	0.6	66.1M	- 1.8	73.3	- 3.4	72.7	- 1.6	64.5	1.1	54.7	2.3	34.7	- 4.3	32.6	3.0	50.3
WINCHESTER 1 SE	24.9	- 1.3	29.6	- 1.0	30.3	- 4.7	46.5	3.2	49.9	- 0.2	54.4	- 1.7	63.5	0.0	62.6	0.2	57.3	2.3	51.1	4.3	31.6	- 3.5	30.6	0.5	44.4
STATE	21.1	- 2.4	23.4	- 4.8	30.1	- 5.6	[illegible]	1.4	[illegible]	1.3	[illegible]	[illegible]	66.7	- 1.7	[illegible]	[illegible]	[illegible]	[illegible]	51.5	[illegible]	[illegible]	- 5.4	[illegible]	.6	45.0

Table 2

TOTAL PRECIPITATION AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation
ABERDEEN EXP STA	.57-	.11	.73	.11	E .64-	.03	.30-	.69	.12-	.93	[illegible]	.04	.08-	.42	1.23	.81	.09-	.58	.00-	.44	.46-	.27	[illegible]	1.22	E 7.92-
ALBION	.32-	.55	.95-	.36	.74-	.36	1.39-	.08	1.30-	.32	[illegible]	.20	1.01	.45	.05-	.38	.03-	.82	.00-	1.23	.82-	.66	1.07-	.33	9.54-
[illegible] 1 NE	3.00	.30	2.75-	.13	1.68-	1.14	.67-	1.44	2.27	.34	2.03	.25	.22-	.28	.35-	.21	.28-	.61	.03-	1.47	.54-	2.90	3.48-	.42	17.36-
AMERICAN FALLS 1 NW	E .57-	.83	.92-	.21	.76-	.52	1.01-	.31	.42-	1.07	1.20	.18	[illegible]	.61	.15-	.41	.28-	.43	.00-	1.16	.01-	.55	.54-	.40	6.58-
ANDERSON DAM	3.83		8.15		1.75		.64		1.44		1.41		.28		.01		T		.00		1.37		3.30		22.23
ARCO	E2.12	1.10	.63	.07	E2.24	1.43	.05-	.67	.21-	1.05	.82-	.29	1.24	.69	.28	.32	.23-	.33	.00-	.70	.45-	.15	1.44	.50	9.77
ARROWROCK DAM	2.46-	.18	2.82	.43	1.51-	.42	.61-	.98	1.15-	1.10	.92-	.04	.41	.11	.00-	.20	.01-	.52	.00-	1.24	.77-	1.77	[illegible]	.37	12.86-
ASHTON 1 S	1.47	.09	4.99	2.47	2.15	.94	.30-	.86	.75-	.16	2.37	.71	1.71	.07	.86	.27	.23-	.84	.03-	1.28	.85-	.45	1.26-	.38	15.74-
ATLANTA 1 E	4.07	.67	2.35-	.98	2.25-	.13	.91-	.74	1.77	.22	2.49	1.11	.90	.17	.38-	.32	.04-	.97	T -	1.45	.87-	2.01	4.99	1.44	21.02-
AVERY RS	2.51-	1.27	2.09-	.85	2.16-	1.44	.45-	2.00	2.31	.12	4.29	2.15	.27-	.63	.37-	.45	.51-	1.26	.38-	2.44	.76-	2.87	3.54-	.53	19.69-
BAYVIEW MODEL BASIN	2.77		1.14		1.02		.67		1.43		2.30		.09		.45		.41		.24		.73		3.14		4.43
BIG CREEK [illegible]	1.90-	.03	[illegible]	[illegible]	1.70-	.15	.48-	1.14	1.46-	.02	3.24	.00	1.48	.50	[illegible]	.43	.17-	.53	.34-	1.27	.73-	2.26	[illegible]	[illegible]	16.34-
BLACKFOOT [illegible]	.50-	.51	.41-	.43	.68-	.23	.67-	.24	.47-	.65	2.87	1.14	.28-	.38	.24-	.31	.13-	.66	.00-	.99	.65-	.18	[illegible]	[illegible]	7.86-
BLACKFOOT DAM	-		-		-		-		1.75	.12	[illegible]	.09	1.10	.13	[illegible]	.11	.12-	1.21	-		.37-	.98	-		-
BLISS	1.58	.34	.75-	.21	.39-	.45	.48-	.37	.30-	.55	.30-	.10	.14-	.07	[illegible]	.17	.30-	.47	.00-	.65	[illegible]	.87	.80-	.19	5.05-
BOISE LUCKY PEAK DAM	1.22		1.21		1.68		.68		1.27		.97		.10		.00		[illegible]		.03		.66		[illegible]		9.18
BOISE WB AP //R	1.24-	.49	[illegible]	.10	2.05	.73	1.08-	.10	1.08-	.35	1.10	.18	.15-	.04	T -	.19	.05-	.49	T -	.24	.35-	.93	1.00-	.37	9.22-
BONNERS FERRY	3.01	.42	1.17-	.48	1.23-	.45	.94-	[illegible]	.85-	.72	3.24	1.04	.55-	.32	.47-	.41	.47-	.92	[illegible]	1.50	.93-	1.64	[illegible]	[illegible]	17.34-
BUHL	E .57-	.45	1.08	.17	E .36-	.32	1.02	.07	.91-	.27	[illegible]	.17	.65	.29	[illegible]	.27	.00-	.44	.00-	.89	.07-	.93	.42-	.34	6.09-
BURGDORF RS	-		-		-		-		-		[illegible]	.72	.53-	.23	.21-	.50	.53-	1.32	.46-	1.43	-		-		-
BURKE 2 NNE	4.54-	1.72	2.50-	2.60	3.25-	1.60	.72-	1.71	2.59-	.42	5.38	2.61	.12-	1.51	.44-	.51	.14-	1.47	.53-	[illegible]	.70-	[illegible]	[illegible]	[illegible]	26.17-
BURLEY	.04-	.30	[illegible]	.10	.47-	.25	.93-	.20	.59-	.31	.35-	.44	.52	.19	.07-	.41	.30-	.51	[illegible]	.82	.75-	.13	.34	.02	6.33-
BURLEY FACTORY	.52-	.40	.84-	.15	.46-	.30	.98-	.46	.82-	.18	.48-	.44	.52	.14	.08-	.27	.13-	.51	.00-	.77	.53-	.40	.17-	.15	6.05-
BURLEY CAA AP	.79	.14	[illegible]	[illegible]	.44-	.38	[illegible]	.38	.98-	.06	.60-	.18	.15	.33	T -	.23	T -	.88	.00-	.90	.14	.00	.14	.30	8.40-
CALDWELL	1.12-	.14	.06-	.06	1.25	.21	[illegible]	.36	.88-	.10	1.03	.06	.17	.14	.10-	.27	.03-	.34	T -	.78	.71-	.43	[illegible]	.33	9.12-
CAMBRIDGE	7.25	4.27	[illegible]	.59	.88-	.94	.58-	.42	.09-	.61	1.58	.76	.59	[illegible]	.07-	.37	.33-	.33	.04-	1.17	[illegible]	[illegible]	[illegible]	.64	[illegible]
CASCADE 1 NW	2.41		[illegible]		.91		.32		2.10		[illegible]		.03		[illegible]		.43		.10		.74		2.91		[illegible]
CENTERVILLE ARBAUGH	3.86		3.57		2.84		.76		1.70		[illegible]		.74		.3		.11		[illegible]		.23		[illegible]		[illegible]
CHALLIS	.61	.13	.65	.20	.72	.33	[illegible]	[illegible]	[illegible]	.24	[illegible]	[illegible]	.44	.15	.48-	.25	.22-	.54	[illegible]	[illegible]	.27-	[illegible]	.60-	[illegible]	6.07-
CHILLY BARTON FLAT	1.20	.40	.5	.29	[illegible]	.96	.47-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.30	.70	.45-	.59	.55-	.36	.00-	.68	.24	[illegible]	[illegible]	[illegible]	[illegible]
CLARK FORK 1 ENE	4.76	[illegible]	2.26	.40	1.47-	.46	1.03-	1.17	1.43-	.51	[illegible]	[illegible]	.34-	.55	.11-	[illegible]	.61-	2.10	.35-	[illegible]	.64-	[illegible]	4.47	[illegible]	22.71-
COBALT BLACKBIRD [illegible]	[illegible]		1.94		1.02		[illegible]		[illegible]		[illegible]		.50		.86		.04		T		[illegible]		1.55		[illegible]
COEUR D ALENE CAA AP	1.72		1.22		.87		.84		.57		[illegible]		.13		.36		.25		.21		.86		2.93		12.14
COEUR D ALENE RS	1.67	.30	1.54-	[illegible]	[illegible]	[illegible]	.80-	.88	.88-	.91	[illegible]	[illegible]	[illegible]	.28	[illegible]	.55	.52-	.86	.35-	1.45	.68-	[illegible]	[illegible]	.15	16.47-
CONDA	[illegible]	.44	1.07	[illegible]	[illegible]	.75	1.44-	.40	1.49-	.41	[illegible]	[illegible]	[illegible]	.34	[illegible]	[illegible]	[illegible]	1.19	[illegible]	[illegible]	.50	[illegible]	[illegible]	[illegible]	[illegible]
COTTONWOOD	.89-	[illegible]	[illegible]	.61	.40-	.97	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.59-	[illegible]	[illegible]	[illegible]	.64	.80	[illegible]	1.35	[illegible]	[illegible]	.64-	.14	15.40-
COUNCIL 1 N	6.63	3.00	3.57	.45	1.38-	1.20	.75-	[illegible]	1.57-	.19	1.43	[illegible]	[illegible]	[illegible]	.00-	.47	.42-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.59	[illegible]
[illegible] 2 NNW	4.15	.40	3.54	.43	1.87-	.77	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.00	.12-	.07	[illegible]	.43	[illegible]	.82	T -	1.57	.26-	2.55	4.97	[illegible]	[illegible]
DEADWOOD DAM	4.40	[illegible]	2.81-	1.65	1.84-	1.78	.78-	1.18	1.03	.59	[illegible]	[illegible]	.50-	.52	[illegible]	.58	.11-	.88	.08-	[illegible]	.33-	[illegible]	[illegible]	[illegible]	22.74-
DEER FLAT DAM	.37-	.03	.8 -	.01	1.49	.55	.91	.04	.00-	[illegible]	.40	.28	.07-	.17	T -	.19	[illegible]	.38	T -	[illegible]	[illegible]	[illegible]	[illegible]	.14	7.20-
DIXIE	-		-		-		-		-		-		[illegible]		[illegible]		.25		[illegible]		.54		[illegible]		-
DRIGGS	1.17-	.50	1.55	.28	1.69	.59	.00-	[illegible]	1.03-	.30	1.11-	[illegible]	[illegible]	[illegible]	.84-	.40	.15-	[illegible]	[illegible]	.24	.23-	[illegible]	[illegible]	[illegible]	[illegible]
DUBOIS EXP STA	1.85	.30	[illegible]	.75	1.04	.60	[illegible]	.71	.79-	.53	1.60	[illegible]	.16-	.14	.18	[illegible]	.17-	[illegible]	.00-	[illegible]	[illegible]	.11	[illegible]	[illegible]	[illegible]
DUBOIS CAA AP	1.54	.78	[illegible]	1.00	[illegible]	.39	.14-	.71	.15-	.21	[illegible]	[illegible]	[illegible]	[illegible]	.55	.6	[illegible]	.85	T -	.94	.88	[illegible]	[illegible]	[illegible]	1.71
ELK CITY	-		-		-		-		-		-		[illegible]		.71		.25		.52		.62		[illegible]		
ELK RIVER 1 S	[illegible]		2.57		1.64		.45		[illegible]		[illegible]		[illegible]		[illegible]		.19		.07		[illegible]		6.08		[illegible]
EMMETT 2 E	1.55	.17	1.6	.40	[illegible]	.10	.72-	.32	1.35	[illegible]	[illegible]	.06	T -	.28	T -	[illegible]	.00-	.58	.00-	.90	[illegible]	.28	[illegible]	[illegible]	[illegible]
FAIRFIELD	4.76		4.3		[illegible]		.72		.65		[illegible]		[illegible]		.07		.18		.0		.12		4.78		[illegible]
FENN RS	[illegible]	1.26	[illegible]	[illegible]	[illegible]	.65	.03-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.35-	.46	[illegible]	[illegible]	.13-	1.41	.14-	[illegible]	[illegible]	[illegible]	2.01-	1.95	[illegible]
FORT HALL IND AGENCY	.48-	.28	[illegible]	[illegible]	[illegible]	.24	.76-	.15	[illegible]	.44	[illegible]	[illegible]	.41-	.18	.24-	.17	.10-	[illegible]	.00-	.48	.89	[illegible]	[illegible]	[illegible]	[illegible]
[illegible] VALLEY [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.48	[illegible]	.48	[illegible]	1.54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible] FERRY	[illegible]	.91	[illegible]	[illegible]	.76	.07	[illegible]	[illegible]	.76-	[illegible]	[illegible]	[illegible]	T -	[illegible]	T -	.12	T -	[illegible]	.00-	.54	.44-	.74	[illegible]	[illegible]	7.47-
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.71-	.04	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T -	[illegible]	T -	.39	.00-	.78	.44-	[illegible]	[illegible]	[illegible]	7.58-
GRACE	1.49	[illegible]	[illegible]	.15	.84	.72	[illegible]	[illegible]	.73	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.74-	.21	.14-	.43	.00-	[illegible]	.47-	[illegible]	[illegible]	[illegible]	12.18-
GRAND VIEW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T -	[illegible]	[illegible]	.04	[illegible]	.47	.00-	.79	.25-	.40	.35-	.38	7.74
[illegible]	[illegible]	.48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.73-	[illegible]	[illegible]	.19	[illegible]	1.17	[illegible]	1.88	.24-	.08	[illegible]	.46	[illegible]
GRAY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.84	.24-	[illegible]	[illegible]	[illegible]	.30-	[illegible]	[illegible]	[illegible]	[illegible]
GROUSE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.67	.85	[illegible]	[illegible]	[illegible]	.87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	4.44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.10	.35-	.15	[illegible]	.65	.30-	[illegible]	.47-	[illegible]	[illegible]	[illegible]	[illegible]
HAMER 4 NW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.74	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.70	[illegible]	.24	[illegible]	.61	[illegible]	[illegible]	.84	.47	[illegible]	.14	[illegible]
HAZELTON	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.86	[illegible]	.88	[illegible]	[illegible]	[illegible]
HILL CITY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.70	[illegible]	[illegible]	.32	T -	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	18.50
HOLLISTER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.10	1.73	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.88	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.14-	[illegible]	[illegible]	.17	[illegible]	.69	[illegible]	[illegible]	[illegible]	[illegible]	5.90-
[illegible] CITY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.35	16.41-

SEE REFERENCE NOTES FOLLOWING STATION INDEX

TOTAL PRECIPITATION AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T	1.41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]			
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.20-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.00-	[illegible]	[illegible]	[illegible]	1.31	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.21-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.46-	[illegible]	[illegible]	[illegible]	.20-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.07-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	.93-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	9.54-	4.44
[illegible]	[illegible]	[illegible]	.83-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.64-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	10.17-	2.95
TON PUMPING STA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.36-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.57-	3.24
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.03-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.00	2.63	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	.50-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.34-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	13.94	4.61
[illegible]	[illegible]	[illegible]	1.22-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.92-	[illegible]	[illegible]	[illegible]	.43-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	E10.98-	4.03
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		1.94		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	E .49-	1.42	[illegible]	[illegible]	[illegible]	[illegible]	.33-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.29-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	E 6.80-	4.88
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		23.10	
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
[illegible]	1.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	1.07-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	14.74-	6.96
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.84	1.04-	1.24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.60	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]		1.80		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
FIN	[illegible]	[illegible]	[illegible]	[illegible]	2.23-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	E16.57-	9.44
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		E18.47	
MA EXP STA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
L 1 E	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.63-	[illegible]	[illegible]	[illegible]	7.30-	3.04
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.12-	[illegible]	12.62	1.75
RCE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31.10-	7.45
SSW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.58	1.08	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	E22.66	1.18
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.34	[illegible]	8.55-	5.47
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.44-	[illegible]	1.84-	[illegible]	[illegible]	[illegible]
LATCH	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.08-	1.77	[illegible]	[illegible]	[illegible]	[illegible]	17.43-	5.51
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.69-	[illegible]	.75-	[illegible]	12.06-	4.26
EST RIVER EXP STA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.47-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CTOR TESTING STA	[illegible]		[illegible]		.41		[illegible]		.09		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	9.97	.24
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.89-	[illegible]	E13.93-	.87
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		-		-		-		-		-		-		-		-			
[illegible]	5.72-	1.37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ENT	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7.09-	2.86
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NT MARIES	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OPOINT EXP STA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SHONE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	10.26	.03
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	18.51	.58
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.78-	3.43
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-		-		[illegible]		[illegible]		-		[illegible]		[illegible]		[illegible]					
ONIA EXP STA	-		-		-		-		-		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]					
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-						-				-	
N FALLS 2 NNE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.69-	.21	[illegible]	[illegible]
N FALLS 3 SE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.77-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.24-	2.64
LACE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.75	[illegible]	[illegible]	[illegible]	[illegible]	24.22-	13.96
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.94-	2.05	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.28	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.15-	.84	19.78-	3.77
[illegible]	[illegible]	[illegible]	[illegible]	.01	1.41-	[illegible]	[illegible]	[illegible]	[illegible]	.17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.08	[illegible]	[illegible]	[illegible]

Table 3

TEMPERATURE EXTREMES AND FREEZE DATA

Station	Highest	Date	Lowest	Date	Last spring minimum of 24° or below	Last spring minimum of 28° or below	Last spring minimum of 32° or below	First fall minimum of 32° or below	First fall minimum of 28° or below	First fall minimum of 24° or below	No of days between dates 24° or below	No of days between dates 28° or below	No of days between dates 32° or below
ABERDEEN EXP STATION	95	7-23	-18	1- 3	4-22 (24°)	4-23 (28°)	6-13 (32°)	9-14 (30°)	10-14 (25°)	10-15 (18°)	176	170	93
ALBION	94	7-23+	-16	11-26+	4-22 (22°)	6-15 (28°)	6-15 (28°)	9- 2 (31°)	9-10 (28°)	9-14 (20°)	145	87	79
ALPHA 1 NE	90	7- 9	-25	12-25	6-13 (23°)	6-16 (26°)	6-20 (32°)	7- 2 (29°)	8-20 (27°)	8-28 (22°)	76	65	12
AMERICAN FALLS 1 NW	93	7- 4+	-12	1- 3	4- 9 (24°)	4-22 (27°)	5-10 (32°)	9-14 (29°)	10-15 (19°)	10-15 (19°)	189	176	127
ANDERSON DAM	99	7-30	-13	2-22	4- 9 (23°)	4-11 (25°)	4-16 (32°)	11- 1 (30°)	11- 2 (27°)	11- 8 (24°)	213	205	199
ARCO	93	7-30	-27	2-22	4-22 (21°)	4-30 (28°)	6-13 (31°)	9-12 (32°)	9-14 (26°)	10-15 (18°)	176	137	91
ARROWROCK DAM	100	7-31	- 2	2-22+	3-23 (20°)	4- 9 (28°)	4-12 (32°)	10-15 (30°)	11- 1 (26°)	11- 2 (24°)	224	206	186
ASHTON 1 S	87	9- 7	-15	2-24	4-13 (21°)	4-22 (27°)	5-17 (32°)	9- 1 (31°)	9-14 (25°)	10-13 (24°)	183	145	107
ATLANTA 1 E	90	7-30	- 9	2-22	5- 5 (24°)	5-15 (28°)	6-16 (32°)	9-13 (29°)	10-14 (24°)	10-14 (24°)	162	152	89
AVERY RANGER STATION	99	7-30+	- 8	1- 1	4-10 (24°)	6-23 (27°)	6-24 (30°)	7- 2 (31°)	8-30 (24°)	8-30 (24°)	142	68	8
BAYVIEW MODEL BASIN	96	7-15	- 2	2-23	4-10 (24°)	5- 5 (26°)	5-30 (31°)	9-14 (30°)	10-13 (24°)	10-13 (24°)	186	161	107
BIG CREEK 1 S	90	7-31	-25	2-24+	6-13 (21°)	6-20 (28°)	6-23 (29°)	7- 2 (27°)	7- 2 (27°)	9- 1 (24°)	80	12	9
BLACKFOOT	97	7-23	-12	1- 3+	4- 9 (23°)	4-11 (27°)	4-22 (29°)	9-14 (30°)	10-14 (26°)	10-15 (22°)	189	186	145
BLACKFOOT DAM	88	7-23+	-	-	6-16 (22°)	6-30 (28°)	6-30 (28°)	7- 3 (32°)	7- 7 (28°)	-	-	7	[illegible]
BLISS	99	7-30	- 9	1-17	3-23 (20°)	4- 9 (25°)	5- 4 (31°)	10-14 (31°)	10-15 (26°)	11- 2 (19°)	224	189	163
BOISE LUCKY PEAK DAM	-	-	-	-	4- 8 (24°)	4- 8 (24°)	-	-	-	-	-	-	-
BOISE WB AIRPORT	98	6- 9	- 2	1- 3	4- 8 (24°)	4- 8 (24°)	4-12 (32°)	11- 1 (26°)	11- 1 (26°)	11- 2 (22°)	208	207	203
BONNERS FERRY	97	7-30	-12	1- 3	4-10 (24°)	4-21 (27°)	5- 7 (32°)	-	-	10 28 (23°)	201	-	-
BUHL	95	7-29+	0	1- 3	3-22 (20°)	4- 8 (26°)	4-10 (32°)	10-27 (31°)	11- 2 (26°)	11- 3 (21°)	226	208	200
BUNGALOW RANGER STA	100	7- 9+	-	-	-	-	6-10 (29°)	8-30 (31°)	10-14 (27°)	-	-	-	81
BURKE 2 NNE	88	7-10+	-10	1- 1	4-11 (24°)	5- 5 (25°)	6-23 (31°)	7- 6 (30°)	10-14 (24°)	10-14 (24°)	186	162	13
BURLEY	97	7-31+	- 6	1-17	4- 9 (22°)	4- 9 (22°)	4-22 (31°)	10-15 (26°)	10-15 (26°)	11- 2 (17°)	207	207	176
BURLEY FACTORY 1 NW	100	[illegible]-22	-11	11-26	4-11 (24°)	4-22 (25°)	5-10 (32°)	9-14 (29°)	10-15 (20°)	10-15 (20°)	187	176	127
BURLEY CAA AIRPORT	98	7-23	-12	11-26	4-11 (23°)	4-22 (25°)	5-10 (32°)	9-14 (28°)	9-14 (28°)	10-15 (21°)	187	145	127
CALDWELL	99	7-10	- 2	1-18	4- 9 (23°)	4-10 (27°)	4-21 (32°)	9-12 (31°)	10-15 (27°)	11- 1 (22°)	206	188	144
CAMBRIDGE	105	7-30	-15	1- 2	3-31 (18°)	3-31 (18°)	5- 2 (32°)	9-14 (31°)	10- 6 (28°)	10-15 (22°)	198	189	135
CASCADE 1 NW	90	7-30	-19	1- 3+	4-17 (24°)	6-13 (28°)	6-16 (29°)	8-31 (32°)	9-13 (28°)	10-14 (24°)	180	92	76
CHALLIS	93	7-10	-14	1-18+	4-22 (24°)	4-22 (24°)	5-15 (32°)	9-14 (29°)	10-14 (26°)	10-28 (24°)	189	175	122
CHILLY BARTON FLAT	88	7-23	-35	1-18	[illegible]-13 (22°)	6-16 (27°)	6-30 (31°)	7- 7 (30°)	8-27 (28°)	9-14 (17°)	93	72	7
CLARK FORK 1 ENE	97	7-30	-11	1- 3	4-10 (22°)	5- 5 (26°)	6-13 (30°)	8-30 (32°)	10- 5 (28°)	10-14 (21°)	187	153	78
COBALT BLACKBIRD MINE	83	7-10+	-23	2-24	4-23 (19°)	6-16 (27°)	6-23 (31°)	7- 2 (30°)	9-13 (27°)	9-14 (23°)	144	89	9
COEUR D'ALENE CAA AP	97	7-19	-12	1- 1	4- 8 (23°)	5- 5 (28°)	5- 5 (28°)	10-14 (25°)	10-14 (25°)	11- 2 (22°)	208	162	162
COEUR D'ALENE RS	100	7-30	- 4	1- 1	4-10 (22°)	5- 5 (27°)	5- 5 (27°)	10-14 (32°)	10-18 (28°)	11-21 (19°)	225	166	162
CONDA	89	7-24+	-20	1- 3+	5-15 (22°)	5-30 (28°)	6-30 (32°)	9- 1 (28°)	9- 1 (28°)	9-14 (24°)	122	94	63
COTTONWOOD	93	7-30	- 7	1- 1	4- 9 (23°)	4-21 (26°)	6-13 (30°)	9-13 (32°)	9-14 (28°)	11- 2 (16°)	207	146	[illegible]
COUNCIL 1 N	102	7-30	-17	1- 2	4- 1 (19°)	-	4-22 (31°)	9-14 (32°)	10-15 (22°)	10-15 (22°)	197	-	145
DEADWOOD DAM	91	7-30	-28	12-25	6-13 (24°)	6-16 (26°)	6-23 (30°)	7- 2 (28°)	7- 2 (28°)	9-14 (20°)	93	16	9
DEER FLAT DAM	99	7-30	- 3	1- 3	4-10 (24°)	4-10 (24°)	4-11 (30°)	10-14 (32°)	10-28 (27°)	11- 2 (22°)	206	202	186
DIXIE	-	-	-	-	-	-	-	7- 2 (26°)	7- 2 (26°)	9- 1 (22°)	-	-	-
DRIGGS	89	7- 6+	-24	1- 2	4-22 (22°)	5-18 (28°)	6-13 (30°)	9- 1 (28°)	[illegible]- 1 (28°)	9-14 (24°)	145	106	80
DUBOIS EXP STATION	91	7-23+	-10	2-24	4-14 (24°)	4-22 (27°)	6-16 (32°)	9-14 (32°)	10-14 (23°)	10-14 (23°)	183	175	90
DUBOIS CAA AIRPORT	93	7-23	-17	2-24	4-11 (24°)	4-23 (28°)	[illegible]-23 (28°)	10-13 (28°)	10-13 (28°)	10-15 (21°)	187	173	173
ELK CITY	93	7-30	-	-	-	-	-	7- 2 (31°)	7- 6 (27°)	9- 1 (24°)	-	-	-
ELK RIVER 1 S	93	7-30+	-15	1- 1	4-11 (22°)	4-29 (25°)	6-14 (32°)	7- 6 (30°)	10- 7 (28°)	10-13 (22°)	185	161	22
EMMETT 2 E	100	7-10	- 1	1- 3	3-22 (20°)	4- 9 (27°)	4-29 (30°)	10-14 (31°)	10-15 (28°)	11- 2 (19°)	225	189	168
FAIRFIELD	91	7-30	-32	1- 2+	4-13 (20°)	6-13 (27°)	6-16 (30°)	9- 1 (31°)	9-14 (25°)	10-14 (19°)	184	93	77
FENN RANGER STATION	99	7-30+	0	1- 3	3-14 (23°)	4-11 (28°)	4-22 (29°)	10- 5 (32°)	10-14 (27°)	10-15 (24°)	215	186	166
FORT HALL IND AGENCY	97	7-23	-18	1- 3	4-22 (24°)	4-22 (24°)	4-30 (32°)	9-14 (28°)	9-14 (28°)	10-15 (19°)	176	145	137
GARDEN VALLEY RS	100	7-30	-11	1- 3	4-11 (24°)	4-29 (28°)	5- 5 (31°)	9-14 (30°)	10-15 (23°)	10-15 (23°)	187	169	132
GLENNS FERRY	101	7-10	- 8	1-17	4-11 (24°)	4-11 (24°)	4-16 (30°)	9-14 (31°)	10-15 (22°)	10-15 (22°)	187	187	151
GOODING CAA AIRPORT	97	7-30	- 6	1-17	4- 8 (24°)	4- 9 (26°)	4-11 (30°)	10-14 (31°)	11- 1 (27°)	11- 2 (22°)	208	206	186
GRACE POWER HOUSE	87	7-23+	-20	1- 2	4-22 (24°)	5-15 (27°)	6-16 (31°)	9-14 (26°)	9-14 (26°)	10-14 (23°)	175	122	90
GRAND VIEW	105	7- 7	-11	1-18	4- 9 (23°)	4- 9 (23°)	4-11 (32°)	10-14 (32°)	10-15 (25°)	11- 2 (19°)	207	189	186
GRANGEVILLE	93	7-30+	- 8	1- 1	4- 8 (21°)	4-29 (27°)	6-13 (31°)	9-14 (30°)	10-14 (27°)	11- 2 (18°)	208	168	93
GRAY	95	7- 9	-22	12-24	4-19 (19°)	5-19 (25°)	6-23 (30°)	7- 7 (31°)	9-14 (25°)	10- 7 (24°)	171	118	14
GROUSE	84	7-31+	-35	2-22	6-13 (23°)	[illegible]-16 (25°)	6-30 (30°)	7- 7 (28°)	7- 7 (28°)	9-14 (19°)	93	21	7
HAILEY	92	7-28+	-17	1- 2	4-10 (23°)	4-22 (28°)	6-16 (31°)	10-14 (20°)	10-14 (20°)	10-14 (20°)	187	175	120
HAMER 4 NW	93	8-22	-30	2-24	4-13 (23°)	4-23 (28°)	6-22 (32°)	9-14 (24°)	9 14 (24°)	[illegible]-14 (24°)	154	144	84
HAZELTON	96	7-23+	- 8	11-28	4- 9 (23°)	4-11 (28°)	5-10 (32°)	9-14 (30°)	10-15 (21°)	10-15 (21°)	189	187	157
HILL CITY	94	7-30	-28	1- 4+	4-22 (20°)	[illegible]-17 (26°)	6-17 (26°)	9- 1 (32°)	9-14 (22°)	9-14 (22°)	175	119	106
HOLLISTER	98	7-25	- 5	1- 2	4-10 (22°)	4-11 (28°)	5- 5 (31°)	9-14 (32°)	10-15 (21°)	10-15 (21°)	188	187	162
IDAHO CITY	96	7-30	-20	1- 3+	4-21 (23°)	6-16 (28°)	6-16 (28°)	7- 2 (32°)	9-13 (27°)	9-14 (24°)	146	89	16
IDAHO FALLS 6 NE	90	6-23+	-	-	-	-	-	9-14 (29°)	10-14 (21°)	10-14 (21°)	-	-	-
IDAHO FALLS CAA AP	94	7- 9	-14	1- 3+	4- 9 (24°)	4-22 (27°)	5-17 (30°)	9-14 (29°)	10-14 (24°)	10-14 (24°)	188	175	120
IRWIN 2 S	93	7-23	-17	2-24	4-12 (24°)	5-15 (28°)	6-13 (32°)	7- 7 (32°)	10- 6 (26°)	10-14 (22°)	177	144	24
ISLAND PARK DAM	86	7-30	-35	2-24	5-30 (24°)	6-16 (25°)	6-30 (32°)	7- 1 (32°)	8-31 (28°)	9-14 (24°)	107	76	1
JEROME	99	7-30	- 8	1-17	4- 8 (24°)	4-15 (25°)	4-15 (25°)	10-15 (25°)	10-15 (25°)	11- 2 (18°)	208	183	183
KELLOGG	100	7-11	- 9	1- 1	4- 9 (24°)	4-10 (25°)	5- 5 (30°)	10- 6 (32°)	10-14 (28°)	11- 2 (22°)	207	187	154
KOOSKIA	102	7-30	- 2	1- 3	4- 8 (23°)	4-11 (28°)	4-22 (31°)	9-14 (30°)	10- 7 (28°)	10-15 (23°)	190	179	145
KUNA 2 NNE	97	7-10	- 6	1-18	4- 8 (24°)	4-12 (28°)	4-29 (30°)	10-13 (32°)	10-15 (28°)	11- 1 (23°)	207	186	167
LEWISTON WATER PLANT	104	7-30	3	1- 1	3-14 (23°)	4- 8 (26°)	4-10 (32°)	10-13 (32°)	11- 2 (24°)	11- 2 (24°)	233	208	186
LEWISTON WB AIRPORT	102	7-30	1	1- 3	3- 7 (24°)	4- [illegible] (25°)	4-10 (32°)	11- 2 (27°)	11- 2 (27°)	11- 6 (24°)	244	208	206
LIFTON PUMPING STATION	87	7-23	-28	2-25	4-13 (19°)	4-19 (28°)	4-23 (30°)	9-14 (30°)	10 6 (28°)	10-14 (22°)	184	170	144
LOWMAN	96	7-30	-	-	4-21 (24°)	6-13 (28°)	6-16 (30°)	8-20 (32°)	9-13 (27°)	9-14 (22°)	146	92	65
MACKAY RANGER STATION	89	8-22	-15	1- 5+	4-22 (23°)	4-30 (28°)	6-13 (32°)	9-14 (30°)	10-14 (28°)	10-15 (24°)	176	167	93
MALAD	94	8- 5	-12	1- 3	3-28 (22°)	4-10 (28°)	5-15 (32°)	10-14 (31°)	10-15 (22°)	10-15 (22°)	201	188	152
MALAD CAA AIRPORT	95	7-23	-21	1- 4	4- 9 (19°)	4-10 (27°)	6-16 (31°)	9-14 (27°)	9-14 (27°)	10-15 (18°)	189	157	90
MAY RANGER STATION	93	7- 9+	-25	1-18	4-22 (19°)	4-23 (28°)	6-17 (30°)	9- 1 (32°)	9-14 (24°)	9-14 (24°)	145	144	76
MC CALL	89	7-30+	-17	2-18	-	6-13 (27°)	6-16 (30°)	8-28 (31°)	9-13 (28°)	10- 6 (24°)	-	92	53
MC CAMMON	94	7-29+	-19	1- 3	4- 9 (20°)	4-12 (28°)	6-15 (31°)	9-14 (28°)	9-14 (28°)	10-14 (15°)	188	155	91
MERIDIAN 1 SSW	97	7-10	9	1- 3+	4-12 (24°)	4-29 (28°)	4-29 (28°)	10-14 (32°)	-	-	-		168
MESA	100	7-30	- 9	1-18	4- 1 (24°)	4- 8 (25°)	4-11 (29°)	10-15 (29°)	11- 8 (25°)	11- 9 (21°)	222	214	187
MINIDOKA DAM	97	7-23	-12	1-17	3-23 (18°)	4- 9 (28°)	4-22 (32°)	10-15 (28°)	10-15 (28°)	11- 2 (19°)	224	189	176
MONTPELIER RS	92	7-24	-24	2-25	4-13 (21°)	6-16 (28°)	6-16 (28°)	9- 2 (31°)	9-14 (23°)	9-14 (23°)	154	90	78
MOSCOW U OF I	96	7-30	-19	1- 1	4- 8 (21°)	4-20 (28°)	5-30 (31°)	10-16 (32°)	10-25 (27°)	11- 2 (23°)	208	188	138
MOUNTAIN HOME	-	-	-	-	-	-	-	10-15 (29°)	11- 2 (21°)	11- 2 (21°)	-	-	-
MULLAN PASS CAA	-	-	- 8	1- 1	5- 4 (24°)	6-13 (28°)	6-22 (32°)	9-13 (31°)	10-14 (27°)	11- 1 (23°)	181	123	[illegible]
NAMPA 2 NW	99	7-11+	- 1	1-18	4- 9 (24°)	4-11 (28°)	4-21 (29°)	10-14 (31°)	10-16 (23°)	10-16 (23°)	190	188	176
NEW MEADOWS RANGER STA	94	7- 9	-24	1- 3	5-30 (23°)	6-16 (28°)	6-16 (28°)	7- 2 (31°)	-	9-13 (22°)	105		16
NEZPERCE 2 E	92	7-30	- 5	1- 1	4- 8 (23°)	4- 9 (26°)	4-29 (30°)	10-14 (29°)	11- 2 (22°)	11- 2 (22°)	208	207	168
OAKLEY	93	7- 4+	- 6	1- 3	4- 8 (21°)	4-11 (25°)	5- 4 (32°)	9-12 (31°)	10-14 (24°)	10-14 (24°)	189	186	131
OBSIDIAN 4 NNE	82	7- 9+	-29	12-25	6-16 (21°)	6-19 (28°)	6-30 (29°)	7- 1 (29°)	7- 2 (26°)	9- 1 (23°)	77	13	1
OLA 4 S	102	7-30	-11	1-18	4- 8 (23°)	4-10 (27°)	4-17 (29°)	9-13 (32°)	10 15 (26°)	11- 1 (24°)	207	188	149
OROFINO	106	7-30	1	1- 3	3-22 (22°)	4- 9 (26°)	4-21 (32°)	10 5 (31°)	10-14 (28°)	11- 7 (23°)	230	188	167
PALISADES DAM	94	7-24	-18	1- 2	4-11 (24°)	5-15 (25°)	6-16 (32°)	7- 7 (31°)	9- 1 (28°)	10-14 (19°)	186	109	51
PARMA EXP STATION	102	7-10	1	1- 3	4-10 (23°)	4-11 (28°)	4-11 (28°)	10- 7 (32°)	10-15 (26°)	11- 2 (21°)	206	187	179
PAUL 1 E	96	7-24	-12	1-18	4- 9 (21°)	4-22 (26°)	5-10 (31°)	9-14 (29°)	10-15 (20°)	10-15 (20°)	189	176	132
PAYETTE	102	7-30	- 2	2-18	3-22 (23°)	4- 9 (27°)	4-16 (32°)	10- 7 (32°)	10-15 (26°)	11- 2 (20°)	225	189	174

See reference notes following Station Index

—Continued

TEMPERATURE EXTREMES AND FREEZE DATA

Station	Highest	Date	Lowest	Date	Last spring minimum of			First fall minimum of			No. of days between dates		
					24° or below	28° or below	32° or below	32° or below	28° or below	24° or below	24° or below	28° or below	32° or below
E RANGER STATION	95	7-30	-15	1- 2	4-22 (24°)	4-30 (28°)	6-23 (31°)	7-18 (30°)	9-14 (27°)	10-28 (21°)	189	137	25
ELLO WB AIRPORT	95	7-23	-15	1- 3	3-23 (22°)	4-22 (26°)	4-22 (26°)	9-14 (32°)	10-14 (26°)	10-15 (23°)	206	175	145
ILL	96	7-30+	-16	1- 3	4-10 (24°)	4-29 (28°)	6-13 (31°)	9-13 (29°)	10- 6 (28°)	10-14 (22°)	187	160	92
TCH	96	7-10+	-15	1- 1+	4- 9 (22°)	4-20 (28°)	5-30 (32°)	8-30 (32°)	10-12 (28°)	11- 2 (18°)	207	175	91
ON SUG FACTORY 1 SE	94	7-23+	-16	1- 3+	4- 9 (23°)	4-10 (28°)	5-15 (29°)	10- 6 (32°)	10-15 (19°)	10-15 (19°)	189	188	144
T RIVER EXP STA	93	7-30	-15	1- 1	5- 5 (23°)	6-13 (27°)	6-14 (31°)	7- 6 (31°)	9-13 (27°)	10-14 (21°)	162	92	22
OR TESTING STA	94	7-23+	-23	1- 3	4-22 (23°)	4-30 (28°)	6-16 (32°)	9-13 (31°)	9-14 (25°)	9-15 (24°)	146	137	89
IELD	93	7- 9	-15	1-17+	4- 9 (22°)	4-12 (26°)	5-30 (32°)	10-12 (32°)	10-15 (24°)	10-15 (24°)	189	186	189
NS RANGER STA	103	7-30	15	1- 2+	2-25 (18°)	4- 8 (27°)	4- 9 (32°)	11- 2 (31°)	-	11-22 (23°)	271	-	137
	-	-	-		4- 9 (23°)	4-11 (26°)	5-17 (32°)	-	-	-	-	-	-
D W PORTAL	92	7-31	-12	1- 1	4-11 (24°)	6-13 (28°)	6-23 (32°)	7- 6 (32°)	10-14 (26°)	11- 2 (19°)	205	123	13
T	101	7-31	-12	2-22	4- 9 (22°)	4-11 (26°)	4-22 (30°)	9-14 (32°)	10-15 (22°)	10-15 (22°)	189	187	145
ANTHONY	92	7- 9+	-20	1- 1	4-13 (23°)	4-22 (25°)	6-16 (31°)	-	9-14 (26°)	10-14 (20°)	184	145	-
MARIES	98	7-30+	-10	1- 3	4-29 (21°)	4-29 (21°)	5- 5 (30°)	8-30 (32°)	10- 5 (28°)	10-14 (24°)	168	159	95
N	99	7-10	-17	2-24	4-22 (20°)	4-23 (28°)	6-23 (30°)	9-14 (25°)	9-14 (25°)	10- 9 (24°)	170	144	83
OINT EXP STATION	93	8- 4	-15	1- 1	4- 9 (24°)	4-21 (26°)	6-13 (30°)	9-13 (31°)	10- 6 (28°)	10-14 (23°)	186	168	92
ONE	96	7-30	- 7	1-17+	4- 9 (24°)	4-12 (28°)	4-16 (32°)	10-14 (30°)	10-16 (28°)	11- 1 (20°)	206	187	181
ER RANGER STATION	90	7-30	-20	1-17	4-24 (24°)	6-16 (25°)	6-23 (31°)	8-29 (32°)	9-14 (23°)	9-14 (23°)	143	90	68
GFIELD	98	7-23	-18	1- 1	4-22 (24°)	4-22 (24°)	5-10 (31°)	9-14 (27°)	9-14 (27°)	10-14 (24°)	175	145	127
ITE	85	8- 1	-13	2-22	6-13 (23°)	6-16 (26°)	6-30 (30°)	7- 1 (31°)	7- 2 (28°)	10-14 (21°)	123	16	1
	91	7- 9	-31	2-24	4-13 (22°)	5-17 (28°)	6-13 (32°)	7- 7 (32°)	9-14 (24°)	9-14 (24°)	154	120	24
ALLEY	88	7-28+	-31	2-22	6-13 (22°)	6-17 (28°)	6-30 (30°)	7- 2 (30°)	8-27 (28°)	9-14 (20°)	93	71	2
FALLS PH	103	7-10+	0	1-18	3-14 (24°)	3-22 (28°)	4- 9 (32°)	11- 2 (24°)	11- 2 (24°)	11- 2 (24°)	233	235	207
IA	-	-	-26	2-24	5-15 (23°)	-	-	-	-	-	-	-	-
IA EXP STATION	87	7-23+	-	-		6-13 (28°)	6-30 (32°)	7- 1 (32°)	7- 7 (28°)	9-14 (23°)	-	7	1
CREEK	97	7-23	-14	1-17	4- 9 (19°)	6-13 (26°)	6-30 (32°)	7- 7 (32°)	7-13 (26°)		-	30	7
FALLS 2 NNE	99	7-30	- 9	1-17	4- 9 (22°)	4-11 (26°)	4-22 (30°)	9-14 (31°)	10-15 (24°)	10-15 (24°)	189	187	145
FALLS 3 SE	95	7-10+	- 3	1-18	4- 9 (23°)	4-10 (28°)	5-10 (32°)	9-14 (31°)	10-15 (27°)	11- 2 (22°)	207	188	127
CE	94	7-30	- 7	1- 1	4-10 (23°)	5- 5 (28°)	6-13 (30°)	8-30 (32°)	10-14 (26°)	11- 2 (21°)	206	162	78
CE WOODLAND PARK	93	7-11+	-14	1- 1	4-11 (23°)	5- 5 (28°)	6-13 (31°)	9-14 (32°)	10-14 (26°)	10-15 (24°)	187	162	93
R	103	7-10	- 6	1-18	4- 8 (22°)	4-11 (28°)	4-29 (30°)	10- 6 (32°)	10-15 (24°)	10-15 (24°)	190	187	160
ESTER 1 SE	93	7-30	-10	1- 1	4-29 (24°)	4-29 (24°)	6-16 (32°)	9- 1 (32°)	9- 2 (28°)	10-14 (23°)	168	126	77

TOTAL EVAPORATION AND WIND MOVEMENT

ble 4

Station		Jan	Feb	Mar	Apr.	May	June	July	Aug.	Sept.	Oct	Nov	Dec	Annual
ERDEEN EXPERIMENT STATION	EVAP	-	-	-	-	-	B8.54	8.85	9.26	B5.64	-	-	-	-
	DEP	-	-	-	-	-	1.13	- .01	1.42	.51	-	-	-	-
	WIND	2695	2736	3311	2133	B2972	3155	2430	2359	1710	1729	1701	2946	29877
ROWROCK DAM	EVAP	-	-	-	-	6.08	B6.77	9.03	9.61	6.22	3.26	-	-	-
	DEP	-	-	-	-	- .31	- .49	- 1.61	.14	.42	.85	-	-	-
	WIND	-	-	-	-	1351	B1559	1221	1248	877	670	-	-	-
FTON PUMPING STATION	EVAP	-	-	-	-	7.11	8.36	9.08	8.02	6.23	4.08	-	-	-
	DEP	-	-		-	.59	.75	- .19	- .41	.47	1.10	-	-	-
	WIND	999	1460	2040	1910	3130	2659	1947	2198	2374	1727	2473	2085	25002
IDOKA DAM	EVAP	-	-	-	-	8.91	10.30	12.40	12.52	8.68	5.97		-	
	DEP	-	-	-	-	-	-	-	-	-	-	-	-	-
	WIND	4215	4525	4530	3670	4110	3840	3210	3390	3000	2930	3330	4730	45480
SCOW U OF I	EVAP	-	-	-	4.26	4.93	5.48	8.54	8.29	5.09	-	-	-	-
	DEP	-	-	-	1.18	.73	.25	.80	2.18	1.66	-	-	-	-
	WIND	-	-	-	1785	1147	1510	1497	1385	1152	-	-	-	-
.ISADES DAM	EVAP	-	-	-	-	-	7.75	7.88	8.10	6.28	4.48	-	-	-
	DEP	-	-	-	-	-	-	-	-	-	-	-	-	-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-

RELOCATIONS

AIN HOME 1 NE	All equipment moved 1/2 mile S	August 21, 1952	SOLDIER CREEK	Storage gage moved 1 mile N	September 18, 1952
ADES DAM	All equipment moved 3/4 mile SE	November 25, 1952			

NAME CHANGES

CLEMENTSVILLE 4 SE	Changed to	TETONIA EXPERIMENT STATION	May 18, 1952
GRACE POWER HOUSE	Changed to	GRACE	November 24, 1952
MOUNTAIN HOME 1 NE	Changed to	MOUNTAIN HOME	August 21, 1952
SOLDIER CREEK	Changed to	SOLDIER CREEK RANGER STATION	September 18, 1952

STATION INDEX

Station	Index No.	County	Drainage ‡	Latitude	Longitude	Elevation	Years of record Temp.	Years of record Precip	Years of record Evap	Opened or closed during yr Month opened	Opened or closed during yr Month closed	Refer to tables
ABERDEEN EXPERIMENT STATION	0010	BINGHAM	12	42 56	112 50	4400	39	39	18			1 2 3 4
ALBION	0149	CASSIA	12	42 25	113 35	4750	23	23				1 2 3
ALPHA 1 NE	01[illegible]	VALLEY	8	44 24	[illegible]	4780	31	31				1 2 3 C
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	55	55				1 2 3
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3862	11	11				1 2 3
ARCO	0375	BUTTE	6	43 38	113 19	5325	46	46				1 2 3
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3238	11	11	27			1 2 3 4
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	55	55				1 2 3
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	36	36				1 2 3
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		2				S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	38	38				1 2 3
BANCROFT	0563	BANNOCK	12	42 43	111 51	5285		8				C
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	6	6				1 2 3
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		10				C
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	14	14				1 2 3 C
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	56	56				1 2 3
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	11	31	4			1 2 3 4 C
BLISS	1002	GOODING	12	42 56	114 57	3269	37	37				1 2 3
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		-				C
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	2	2				1 2 3 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	88	88				1 2 3 C
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1812	46	46				1 2 3 C
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		8				C
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	45	45				1 2 3
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	-	-				1 2 3
BURKE 2 ENE	1272	SHOSHONE	4	47 32	115 48	4093	16	16				1 2 3
BURLEY	1288	CASSIA	12	42 32	113 47	4180	35	35				1 2 3
BURLEY 1 NW FACTORY	1298	CASSIA	12	42 34	113 49	4200	28	28				1 2 3 C
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	15	15				1 2 3
CALDWELL	1380	CANYON	2	43 39	116 41	2372	48	48				1 2 3
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	57	57				1 2 3
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	11	11				1 2 3
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		10				C
CENTERVILLE ARBAUGH RANCH	1636	BOISE	2	43 58	115 51	4780		5				2
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	43	43				1 2 3
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	16	16				1 2 3
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	16	16				1 2 3 C
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		8				C
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	3800	4	1				1 2 3
COEUR D ALENE CAA AIRPORT	1951	KOOTENAY	4	47 46	116 49	2273	3	10				1 2 3
COEUR D ALENE RANGER STATION	1956	KOOTENAY	4	47 41	116 45	2160	60	60				1 2 3 C
CONDA	2071	CARIBOU	12	42 43	111 33	6200	14	14				1 2 3
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	37	37				1 2 3
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		10				C
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	40	40				1 2 3 C
CRAIGMONT	2246	LEWIS	3	46 14	116 28	2950		5		MAY		C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		53				2
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	23	23				1 2 3 C
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		5				S
DECEPTION CREEK	2422	KOOTENAY	5	47 44	116 29	3000		7				C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	35	35				1 2 3
DIXIE	2575	IDAHO	11	45 33	115 28	5610	1	1		JUN		1 2 3
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		2				C
DRIGGS	2676	TETON	12	43 43	111 07	6097	43	43				1 2 3
DUBOIS EXPERIMENT STATION	2707	CLARK	6	44 14	112 14	5462	31	31				1 2 3
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	14	14				1 2 3 C
EDEN HUNT PROJECT	2823	JEROME	12	42 41	114 15	3958	6	6			MAY	1 2 3
ELK CITY	287[illegible]	IDAHO	3	45 49	115 26	3975	2	2				1 2 3
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	1	1		JAN		1 2 3
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	46	46				1 2 3
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	4	4				1 2 3
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	39	39				1 2 3 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	38	38				1 2 3
GARDEN VALLEY RANGER STATION	3448	BOISE	8	44 04	115 55	3147	42	42				1 2 3
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		5				S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	43	43				1 2 3
GOODING 1 E	3677	GOODING	12	42 56	114 42	3245		9		SEP		C
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	43	43				1 2 3
GRACE	373[illegible]	CARIBOU	1	42 35	111 44	5400	46	46				1 2 3 C
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	38	38				1 2 3
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	38	38				1 2 3
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	34	34				1 2 3
GROUSE	388[illegible]	CUSTER	6	43 42	113 37	6100	20	20				1 2 3
HAILEY	3942	BLAINE	12	43 31	114 19	5347	49	49				1 2 3
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	26	26				1 2 3
HAZELTON	4140	JEROME	12	42 36	114 08	4060	36	36				1 2 3
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	33	33				1 2 3
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	41	41				1 2 3
HOWE	4384	BUTTE	6	43 47	113 00	4820		18				2
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	49	49				1 2 3
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		11				2
IDAHO FALLS 6 NE	44[illegible]	BONNEVILLE	12	43 34	111 55	4840	1	1		MAY		1 2 3 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	58	58				1 2 3
[illegible]	447[illegible]	OWYHEE	2	42 01	115 19	6000		5				S
IRWIN	4588	BONNEVILLE	12	43 24	111 18	5200	51	51				1 2 3
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	16	16				1
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		3				
JEROME	4670	JEROME	12	42 44	114 31	3785	37	37				1
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		31				
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	48	48				1
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	44	44				1
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	45	45				1
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		11				
LEADORE	5169	LEMHI	11	44 41	113 22	6100		9				
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	75	75				1
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 02	1413	6	6				1
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	33	33	18			1
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		5				
LOWMAN	5414	BOISE	8	44 05	115 35	3870	43	43				1
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	45	45				1
MALAD	5544	ONEIDA	1	42 11	112 16	4420	39	39				1
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	8	8				1
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	18	18				1
MC CALL	5708	VALLEY	8	44 54	116 07	5025	42	42				1
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	3	3				1
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	42	42				1
MESA	5859	ADAMS	12	44 37	116 26	3244	9	9				1
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	6	6	6			1
MONTPELIER RANGER STATION	6053	BEAR LAKE	1	42 19	111 18	5943	36	36				1
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		2				
MOOSE CREEK RANGER STATION	6087	IDAHO	3	46 08	114 50	2400		7				
MOSCOW UNIVERSITY OF IDAHO	6152	LATAH	7	46 44	117 00	2628	61	61	14			1
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	47	47				1
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	13	13				1
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	7	7				1
NEW MEADOWS RANGER STATION	6388	ADAMS	11	44 58	116 17	3860	48	48				1
NEZPERCE 3 E	6424	LEWIS	3	46 15	116 12	[illegible]	1	1				1
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		5				
OAKLEY	6542	CASSIA	12	42 14	113 53	4600	59	59				1
OBSIDIAN 4 NNE	6553	CUSTER	12	44 03	114 48	6900	42	42				1
OLA 4 S	6590	GEM	8	44 08	116 17	2975	2	2				1
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	18	18				1
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5393	6	6	6			1
PARMA EXPERIMENT STATION	6844	CANYON	2	43 47	116 57	2224	30	30				1
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	18	18				1
PAYETTE	6891	PAYETTE	8	44 04	116 56	21[illegible]9	59	59				1
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	37	37				1
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		42				
PLUMMER 3 WSW	7188	BENEWAH	1	47 19	116 57	2970		10				
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	52	52				1
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	63	63				1
POTLATCH	7301	LATAH	7	46 55	116 53	2550	38	38				1
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		1				
PRESTON SUGAR FACTORY 2 SE	7353	FRANKLIN	1	42 05	111 [illegible]	4718	31	31				1
PRIEST RIVER EXPERIMENT STA	7386	BONNER	9	48 21	116 50	2380	41	41				1
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		3				
PUTNAM MOUNTAIN	7463	BINGHAM	12	43 02	112 03	6300		4				
REACTOR TESTING STATION	7536	BUTTE	6	43 33	112 57	4925	1	1		JAN		1
RICHFIELD	7673	LINCOLN	12	43 03	114 09	4306	38	38				1
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	38	38				1
RIRIE	7721	JEFFERSON	12	43 38	111 47	4962	9	9			MAY	1
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	32	32				1
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	46	46				1
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	13	13				1
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	2155	53	53				1
SALMON	8076	LEMHI	11	45 11	113 53	3949	45	45				1
SANDPOINT EXPERIMENT STATION	8137	BONNER	9	48 17	116 34	2100	42	42				1
SHAKE CREEK RANGER STATION	8303	ELMORE	2	43 37	115 10	4730		3				
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3968	44	44				1
SOLDIER CREEK RANGER STATION	8548	CAMAS	12	43 30	114 50	[illegible]		4				
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	33	33				1
SPRINGFIELD	8676	BINGHAM	12	43 04	112 41	4420	44	44				1
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	3	3				1
SUGAR	8818	MADISON	12	43 52	111 45	4892	41	41				1
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	16	16				1
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	17	17				1
TETONIA	9059	TETON	12	43 49	111 10	6040	19	19			MAY	1
TETONIA EXPERIMENT STATION	9065	TETON	12	43 51	111 16	5904	1	10				1
THREE CREEK	9119	OWYHEE	12	42 [illegible]	115 10	5400	13	13				1
TRINITY LAKE GUARD STATION	9203	ELMORE	2	43 38	115 26	7400		3				
TROUTDALE GUARD STATION	922[illegible]	ELMORE	2	43 43	115 38	3475		3				
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	47	47				1
TWIN FALLS 3 SE SUG FACTORY	9299	TWIN FALLS	12	42 32	114 25	3770	28	28				1
VIENNA	9422	BLAINE	11	43 49	114 51	8800		3				
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	44	44				1
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	32	32				1
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	41	41				1
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	13	13				1
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		2				

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE. 10 ST JOE, 11 SALMON 12 SNAKE.

REFERENCE NOTES

Unless otherwise indicated dimensional units used in this bulletin are Temperature in °F, precipitation and evaporation in inches, and wind movement in miles Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 4

The four digit identification numbers in the Index are assigned on a state basis There will be no duplication of numbers within a state

Data for recorder stations, denoted by "C", are processed for special purposes and published later in Hourly Precipitation Data.

Figures and letters following the station name such as 12 SSW indicate distance in miles and direction from the post office

Delayed data and corrections will be carried in the June and December issues of Climatological Data

– No record

† Also later date (dates) or months.

• Amount included in following measurement

// Gage is equipped with a windshield.

B Adjusted to full month.

E Amount is wholly or partially estimated.

M Less than a complete month of record available; if average value is entered, less than 10 days of record are missing. See monthly Climatological Data for detailed daily record.

R Data from recording gage.

T Trace, an amount too small to measure.

V Includes total for previous months. V in annual column means total is for a two-year period.

S Storage precipitation station. Data will be published in the July or August or delayed data December issue of Climatological Data.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to Superintendent of Documents, Government Printing Office, Washington 25, D. C.

RELOCATIONS AND NAME CHANGES WILL BE FOUND ON PAGE 161


IDAHO
STATUTE MILES
STATION LEGEND
Precipitation only
Precipitation storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage: Non-recording
Recording
Both type
Double circle combinations: Complete Meteorological
Hourly precipitation data from recorder substations are not available
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
Porthill
Metaline Falls
Bonners Ferry
Libby 1 NE RS
Benton Dam
Priest Riv Exp Sta
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 2 NW
Deer Park
Mount Spokane
Bayview Model Basin
Trout Creek 2 W
Coeur d'Alene CAA AP
Deception Cr
Spokane WB AP
Thompson Falls
Coeur d'Alene RS
Kellogg
Burke 2NNF
Wallace Woodland Pk
Mullan Pass CAA Sta
Wallace
Saint Maries
Rosalia
Plummer 3WSW
Roland W Portal
Tekoa
Avery RS
Superior CAA AP
Clarkia RS
Potlatch
Colfax 1 NW
Missoula WB AP
Missoula 2 WNW
Pullman Exp Sta
Elk River 1
Moscow U of Ida
Bungalow RS
Wawawai
Lolo Pass
Pomeroy
Orofino
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Kamiah 1NF
Hamilton
Anatone
Kooskia
Moose Creek RS
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Riggins RS
Wisdom
Joseph
Jackson
Polaris
Salmon
New Meadows RS
Cobalt Blackbird Mine
Grant
Halfway
Stibnite
Yellow Pine
Big Creek 1
Warren
Landmark RS
Mesa
Cascade 1NW
Cascade RS
Deadwood Summit
Cambridge
Huntington
Weiser
Alpha 1NE
Deadwood Dam
Payette
Lowman
Jackson Peak
Ontario CAA AP
Garden Valley RS
Gilly Barton Flat
Mackay RS
Vienna
Atlanta 1E
Boise WB AP
Nampa 2NW
Deer Flat Dam
Anderson Dam
Swan Falls PH
Gooding 1 E
Pocatello WB AP
Fort Hall Ind Agcy
Lima
Hebgen Dam
Leadore
Malad City
Montpelier RS
Revised

[illegible] COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

JANUARY 1953
Volume LVI No. 1

SAN FRANCISCO: 1953

IDAHO - JANUARY 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

January 1953 should long be remembered in Idaho for its mild, wet weather. In all of the 60 years of weather records no other January has been as warm. All sections of the State were affected, each division average exceeding that of any previous January, and the state-wide average topping previous records by three degrees. Many stations recorded new maximum temperatures for the month, particularly in the large valleys of the southwestern and south-central sections, and the 70° reading at Grand View on the 9th was the highest January temperature in the State since 1901.

Precipitation, averaged for the entire State, was nearly double the long-period mean for January. In 60 years only January 1909 has had more precipitation. The Northern Division in particular received extremely heavy precipitation, the average fall of 7.57 inches exceeding by more than an inch the previous Division high of 6.27 inches in January 1894.

Snowfall averaged close to the long-period mean for January, despite the fact that below an elevation of about 3500 feet amounts were generally small. Depths at higher elevations showed substantial increases during the month in most sections of Idaho, and density of the snow pack was above normal.

Sunshine was far below the January mean. Few Januaries have had so many days with precipitation and at several stations the greatest one-day precipitation amounts were new records for January. Strong winds occurred with more than usual frequency, but damage was comparatively light, being limited mainly to disruption of power and communications with only slight structural damage reported.

The unusually warm weather and abundanc of precipitation in Idaho during January 195 can be attributed to the persistence of lo pressure systems over the Pacific Northwes and over the eastern Pacific at middle an higher latitudes. Cold air masses, and thei attendant high pressure areas, generall moved southward east of the Continental Divide, while winds across Idaho were persistently from the west and southwest. Thu the State was under a maritime influenc throughout the month, except for two or thre minor invasions of continental polar air i the northern part of the State.

Within the almost constant flow of ai from the Pacific, fluctuations in intensit did, of course, occur. Two of the stormies periods during the month were from the 7t to the 9th and from the 16th to the 18th Most of the stations in the State recorde the heaviest precipitation of the month i either one or the other of these periods and in the earlier period a large number o stations reported high winds.

From the standpoint of the agricultura economy of Idaho, this month's weather wa generally beneficial. Rains at lower elevations moistened the soil which had so lon been dry. At intermediate and higher elevations rains served to increase the densit of the snow pack which still lies over dr ground in many areas. Streamflow was wel above normal for January, but reservoirs in general, held more water than usual fo this time of year. Prospects for irrigatio water supplies were good in most section with near-normal runoff indicated for mos of the major irrigation projects.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5 30A MST	11 30A MST	5 30P MST	11·30P MST	Trace	01–09	10–49	50–99	1 00–1 99	2 00 and over	Total			
BOISE WB AIRPORT	SE	39	10.8	35	SW	25	79	71	71	76	6	7	7	1	1	0	22	19	9.3	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-	-	-	-	-	78	71	71	-	9	6	10	0	0	0	25	-	9.3	
POCATELLO WB AIRPORT	SW	26	12.2	44	W	18	81	73	71	77	7	8	5	0	0	0	20	17	8.4	

Table 1

COMPARATIVE DATA

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more
1894	25.8	62	-26	3.08	-	-
1895	22.6	55	-34	2.71	-	10
1896	27.4	62	-25	3.07	-	10
1897	24.0	58	-30	1.06	-	5
1898	17.4	60	-40	1.35	-	8
1899	28.1	60	-19	2.64	20.9	11
1900	30.8	63	-18	1.56	2.9	6
1901	26.7	75	-23	1.87	14.1	8
1902	23.7	61	-34	.78	6.3	6
1903	25.9	60	-19	3.02	17.0	10
1904	24.5	[illegible]	-24	1.44	14.0	8
1905	27.5	61	-18	1.08	6.2	8
1906	25.0	55	-30	2.67	19.7	10
1907	22.5	61	-32	2.52	26.7	12
1908	26.3	63	-36	1.08	9.8	7
1909	28.1	63	-28	4.02	21.4	14
1910	20.3	56	-36	2.05	18.7	10
1911	26.5	59	-39	3.10	17.1	11
1912	24.9	62	-39	2.74	19.4	11
1913	20.8	57	-42	2.42	29.4	11
1914	29.6	62	-27	2.80	18.7	13
1915	22.5	56	-33	1.26	12.8	8
1916	18.0	63	-38	3.20	34.8	15
1917	16.8	56	-44	1.75	19.6	10
1918	28.5	68	-31	2.52	17.1	13
1919	25.9	62	-28	1.55	5.7	6
1920	24.8	63	-31	1.23	2.9	4
1921	27.0	60	-33	2.14	17.5	13
1922	15.5	51	-50	1.48	17.5	[illegible]
1923	28.0	61	-30	2.48	20.3	11
1924	19.9	57	-33	.98	9.8	7
1925	26.0	60	-18	2.82	21.[illegible]	15
1926	23.6	54	-24	1.31	10.3	7
1927	25.6	63	-44	2.01	14.2	11
1928	25.8	57	-29	1.76	11.3	9
1929	15.6	54	-36	2.10	30.6	11
1930	12.9	66	-46	1.49	19.3	10
1931	23.[illegible]	58	-22	1.34	10.2	8
1932	19.2	58	-35	1.73	19.9	12
1933	23.8	58	-25	2.53	31.4	13
1934	32.0	65	-16	2.05	4.8	10
1935	24.8	62	-41	1.74	18.7	8
1936	23.5	56	-35	3.77	26.3	14
1937	8.7	56	-48	1.80	29.4	12
1938	27.6	62	-19	1.72	9.8	9
1939	27.3	61	-27	1.55	14.7	11
1940	26.2	57	-29	2.49	15.3	13
1941	27.2	57	-30	1.57	10.6	10
1942	19.5	58	-45	1.42	11.9	9
1943	23.1	64	-60	2.71	20.6	10
1944	20.8	59	-34	.88	8.7	6
1945	27.2	65	-21	1.40	5.7	9
1946	23.7	60	-23	1.91	17.2	10
1947	19.9	56	-42	1.41	13.8	10
1948	25.5	66	-37	1.73	8.1	7
1949	6.9	45	-42	1.00	15.5	8
1950	18.9	61	-40	3.25	36.9	15
1951	23.4	62	-42	2.13	22.9	12
1952	21.1	52	-35	2.16	28.8	12
1953	35.3	70	- 8	3.98	15.4	15
ALL YEARS	23.6			2.06		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

TABLE 2

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	No. of Days Max. 32° or Below	No. of Days Min. 32° or Below	No. of Days Min. 0° or Below	Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Snow, Sleet, Hail Max. Depth on Ground	Snow, Sleet, Hail Date	No. of Days .01 or More	No. of Days .50 or More	No. of Days 1.00 or More
NORTHERN DIVISION																							
AVERY RS			M		54	9	22	6		0	0		0										
BAYVIEW MODEL BASIN	44.1	32.9	38.5		54	13	25	6	815	0	0	16	0	6.83		1.45	9	3.5	2	2	24	4	1
BIG CREEK 1 S	38.9	22.8	30.9	13.9	50	11	[illegible]	4	1050	0	1	30	0	7.48	5.55	1.26	9	44.2	33	20	21	6	1
BONNERS FERRY	42.2	31.6	36.9	13.5	52	24	16	6	863	0	2	20	0	7.71	5.02	.97	7		19	7	28	4	0
BURKE 2 NNE	34.9	28.4	31.7	9.5	43	9	12	6	1026	0	7	29	0	13.64	7.38	1.71	9	79.2	55	28	28	13	2
CLARK FORK 1 ENE	43.1	30.1	36.6	10.6	57	12	19	6	872	0	1	22	0	13.14	9.77	2.10	9	8.5	6	7	28	9	4
COBALT BLACKBIRD	33.7	18.9	26.3M		48	12	9	4		0		30	0	4.24		.66	19	55.2	37	30	25	1	0
COEUR D ALENE CAA AP	43.1	33.0	38.1		54	11	21	6	828	0	0	15	0	5.70		.75	20	12.2	8	7	24	3	0
COEUR D ALENE RS	44.9	33.7	39.3M	12.5	56	9	17	6	789	0	0	10	0	5.32	2.01	.47	7	10.5	6	2	24	0	0
COTTONWOOD	43.5	31.0	37.3	13.7	57	9	21	2	851	0	0	19	0	4.68	2.58	1.24	17	5.7	4	2	18	2	1
DIXIE	36.8	22.0	29.4		48	11	3	4	1095	0	8	30	0	8.02		1.20	17	95.3	48	30	28	3	2
ELK CITY	41.7	25.2	33.5M		57	11	12	3+	970	0	3	29	0	5.25		1.17	17				24	2	1
ELK RIVER 1 S	41.3	30.0	35.7		51	9	15	6	905	0	0	19	0	12.33		2.01	17		19	28	25	8	1
FENN RS	42.9	32.6	37.8	8.3	63	9	26	6	839	0	0	14	0	9.17	5.57	1.16	17	3.8	2	2	25	7	2
GRANGEVILLE	46.2	32.6	39.4	10.8	59	11	24	6	787	0	0	16	0	3.14	1.41	.67	14		1	2	19	2	0
KELLOGG	44.5	34.2	39.4	12.5	58	12	24	2		0	0	9	0	8.48	5.03	1.35	9	4.2	5	1+	26	4	1
KOOSKIA	48.0	34.4	41.2	12.0	67	9	27	1+	730	0	0	10	0	4.82	2.71	.72	18	2.0	2	2	17	4	0
LEWISTON WATER PLANT	50.8	38.0	44.4	11.2	65	9	30	6	631	0	0	5	0	3.57	2.16	.57	16	.0	0		16	1	0
LEWISTON WB AP R	50.1	38.1	44.1	13.3	66	9	30	5+	637	0	0	6	0	2.88	1.83	.39	20	.9	T	2	16	0	0
MOSCOW U OF I	45.3	34.8	40.1	11.9	56	24	27	6	766	0	0	9	0	7.03	4.25	1.03	17		2	2	23	5	1
MULLAN PASS CAA	31.9	22.9	27.4	7.7	41	11	9	6	1158	0	18	31	0	10.99	7.01	.92	7	91.8	74	31	28	5	0
NEZPERCE 2 E	42.9	32.9	37.9		56	9	19	27	830	0	0	13	0	4.44		.60	17	3.0	2	2	19	2	0
OROFINO	45.8	35.1	40.5	10.8	62	9	29	2+	753	0	0	10	0	8.16	5.30	1.70	17	2.0			25	5	1
PIERCE RS	36.5	28.5	32.5	8.3	53	9	20	2+	998	0	1	30	0	12.11	7.57	2.03	17	15.7	24	28	25	8	2
PORTHILL	43.5	29.6	36.6	12.9	53	9+	10	6	876	0	2	21	0	4.80	2.45	.70	9	16.5	10	7	21	2	0
POTLATCH	46.4	34.6	40.5M	12.4	58	11	22	5	750	0	0	9	0	7.51	4.72	.85	9	2.5	1	28	22	5	0
PRIEST RIVER EXP STA	39.5	30.2	34.9	11.3	49	9+	13	6	929	0	2	23	0	8.31	4.55	1.18	9	20.8	24	7	24	6	1
RIGGINS RS	51.9	38.6	45.3M	[illegible]	64	9+	33	1+	606	0	0	0	0	1.46	.43	.28	14	.0	0		18	0	0
ROLAND W PORTAL	36.2	28.5	32.4	8.9	47	24	15	6	1003	0	7	27	0	14.59	7.50	1.30	7	82.7	62	28	27	13	3
SAINT MARIES	44.5	32.0	38.3	9.8	54	9+	19	6	822	0	0	17	0	9.92	6.66	1.57	9				27	8	1
SALMON	42.9	25.7	34.3	16.9	62	12	7	3+	946	0	6	27	0	1.04	.35	.36	19		7	6	14	0	0
SANDPOINT EXP STA	41.1	32.1	36.6	11.1	51	12	19	6	874	0	1	16	0	10.10	6.43	1.43	9	13.3	17	7	25	7	2
WALLACE	42.0	32.0	37.0	10.2	53	24	18	6	862	0	1	11	0	14.40	9.63	1.82	9	15.0	8	1+	26	12	3
WALLACE WOODLAND PK	41.7	31.2	36.5	10.5	53	25	16	6		0	0	11	0	11.58	7.68	1.70	9	13.0	9	1+	27	10	1
WINCHESTER 1 SE	43.2	29.9	36.6	10.4	54	10	23	1+	875	0	0	25	0	4.49	3.13	.69	18				25	3	0
DIVISION			36.7	10.2										[illegible]	4.58			23.1					
SOUTHERN DIVISION																							
ALPHA 1 NE	39.6	24.3	32.0	13.6	50	11+	7	5	1019	0	3	29	0	9.24	6.00	1.95	18	47.5	26	7	24	6	3
ANDERSON DAM	41.5	30.9	36.2		54	25	18	5	886	0	0	17	0	4.08		1.63	17		15	7	14	2	1
ARROWROCK DAM	41.8	30.7	36.3	11.4	51	10+	24	6+		0	1	19	0	6.94	4.30	2.20	18	9.0	4	7	17	5	3
ATLANTA 1 E	37.4	24.6	31.0	9.9	50	12	10	15	1044	0	4	29	0	9.35	5.95	1.81	18	91.0	48	19+	22	4	2
BLISS	48.9	31.0	40.0	12.9	65	12	19	5	768	0	0	18	0	2.86	1.62	1.02	18	3.5	3	7	13	2	1
BOISE LUCKY PEAK DAM			M		67	9	22	4+		0	0	13	0	4.58							16		
BOISE WB AP R	47.8	34.2	41.0	13.7	63	9	24	27	737	0	2	12	0	3.35	2.02	1.13	18	1.1	T	1+	16	2	1
BUHL	50.3	33.3	41.8	14.5	64	25	21	5	713	0	0	14	0	1.35	.33	.37	18	3.0	0		6	0	0
CALDWELL	50.0	34.2	42.1	13.8	66	9	22	27	703	0	1	15	0	2.78	1.52	1.05	18	.2	0		14	1	1
CAMBRIDGE	45.5	29.4	37.5	15.4	54	8	20	2	845	0	0	18	0	5.92	2.94	1.06	18	11.0			16		
CASCADE 1 NW	38.2	27.3	32.8		48	11	11	4	992	0	6	24	0	5.44		.92	18	37.5	32	8	21	3	0
CHALLIS	42.5	25.3	33.9	15.2	55	23+	8	1	954	0	5	25	0	.83	.35	.31	9	3.2	5	1+	9	0	0
COUNCIL 1 N	42.0	29.6	35.8	12.1	54	31	21	1	897	0	2	24	0	8.83	5.26	1.45	18	12.1	4	1+	15	6	4
DEADWOOD DAM	35.7	22.8	29.3	13.6	45	9+	5	15	1102	0	9	31	0	8.55	3.74	1.12	18	60.0	51	8	24	7	2
DEER FLAT DAM	50.4	34.4	42.4	15.7	67	9	26	27	692	0	0	14	0	1.82	.82	.65	14		0		7	2	0
EMMETT 2 E	48.7	35.0	41.9M	12.8	63	10	25	27	719	0	1	11	0	3.95	2.57	1.29	18	2.0			9		1
FAIRFIELD	36.9	20.1	-28.5		47	12	- 5	5	1121	0	6	31	1	4.12		.98	18	35.4	26	8	19	2	0
GARDEN VALLEY RS	41.0	28.3	34.7	10.9	53	25	13	1	933	0	2	25	0	7.14	3.91	1.79	18	21.5	22	7	20	5	1
GLENNS FERRY			M		63	12	18	27		0	0	15	0	2.33	1.19			.0	0		11		
GOODING CAA AP	44.7	30.5	37.6	13.9	60	12+	17	5	843	0	1	17	0	2.47	1.23	.97	18	4.6	2	8	15	1	0
GRAND VIEW	52.7	33.8	43.3	14.3	70	9	21	27	666	0	1	15	0	.73	.01	.27	18	.0	0		9	0	0
HAILEY	38.8	20.5	29.7	10.2	48	9	6	[illegible]	1089	0	4	30	0	2.99	.76	.55	7	23.1	32	8	13	2	0
HAZELTON	47.4	30.6	39.0	12.8	60	25	18	27	798	0	0	19	0	2.27	1.03	.80	18	2.1	1	2+	13	1	0
HILL CITY	37.3	21.2	29.3	14.0	50	12	- 5	5	1100	0	3	31	1	3.67	1.59	.94	18				11	2	0
HOLLISTER	48.9	31.3	40.1M	13.6	60	12+	17	27	765	0	0	19	0	.97	.10	.29	17	2.0			9	0	0
IDAHO CITY	42.8	22.8	32.8	8.5	56	24	6	27	992	0	1	28	0	7.34	4.20	1.75	18	15.4			19	4	2
JEROME	47.4	28.9	38.2	11.7	61	25	15	5	823	0	1	20	0	2.68	1.61	.53	17	1.3	0		17	1	0
KUNA 2 NNE	48.5	33.8	41.2M	12.9	63	9+	21	27	740	0	1	14	0	3.32	2.12	1.45	18	.2	0		11	3	1
LOWMAN	38.0	24.8	31.4	9.1	46	30	10	1	1034	0	2	31	0	7.60	4.40	.75	7	52.1	31	7	20	6	0
MC CALL	34.0	25.2	29.6	11.5	44	25	16	1+	1097	0	14	29	0	7.63	4.14	1.41	7	51.0	39	8	17	7	2
MERIDIAN 1 SSW	49.[illegible]	34.7	41.9	13.3	64	9	26	5+	709	0	1	10	0	3.32	1.90	1.65	18	.0	0		5	2	1
MESA	41.7	29.8	35.8		53	31	20	6	898	0	2	23	0	8.27		1.53	18	23.0	14	6	16	6	2
MOUNTAIN HOME	51.2	32.1	41.7	13.9	66	9	18	27	715	0	0	16	0	2.38	1.20	1.09	18	T	0		9	2	1
NAMPA 2 NW	49.7	34.4	42.1		66	10	22	27		0	1	12	0	2.15		.81	18	.6	T	1+	13	2	0
NEW MEADOWS RS	39.0	25.1	32.1	12.8	48	9+	10	25	1016	0	3	27	0	6.10	3.12	1.07	17	24.9	27	7	24	6	1
OBSIDIAN 4 NNE	35.1	17.9	26.5	12.1	45	11+	- 1	4+	1186	0	11	31	2	3.17	1.18	.62	9	26.8	28	19+	21	1	0
OLA 4 S	45.9	30.8	38.4		58	10	18	4	820	0	0	19	0	5.53		1.32	18				16	5	1
PARMA EXP STA	49.7	33.1	41.4	13.6	65	9	27	1+	723	0	1	18	0	1.52	.39	.31	17	2.0	T	1+	14	0	0
PAYETTE	47.4	33.2	40.3	13.1	62	9	25	27	757	0	1	18	0	2.23	.68	.40	18	3.5	1	2+	14	0	0
RICHFIELD	40.4	25.5	33.0	12.8	55	25	7	5	986	0	4	24	0	2.31	1.02	.64	18	5.7	7	7	12	1	0
SHOSHONE	43.8	28.2	36.0	12.7	59	25	14	5	892	0	2	20	0	2.74	1.31	.79	18	3.0	2	7	18	1	0
STIBNITE	35.9	20.4	28.2		51	10	10	22		0	10	31	0	7.30		.90	8	66.5	37	30+	26	3	0
SUN VALLEY	37.5	11.9	24.7	9.4	48	31	- 8	27	1243	0	5	31	5	3.09	.98	.75	9	28.0	36	8	11	1	0
SWAN FALLS PH	52.7	36.6	44.7	13.3	67	25	27	27	621	0	1	9	0	1.52	.55	.57	17	.0	0		5	2	0
THREE CREEK	48.9	26.5	37.7		63	11+	15	1+	838	0	0	22	0	.47	- .79	.15	21	3.0	2	1+	5	0	0
TWIN FALLS 2 NNE	49.0	31.7	40.4	13.7	61	9+	20	5	755	0	0	17	0	1.76	.66	.56	18	1.3	T	1+	15	1	0
TWIN FALLS 3 SE	48.0	29.4	39.0	12.2	62	13	20	5		0	1	21	0	1.77	.88	.50	18	2.5	1	27	14	1	0
WEISER	47.6	31.3	39.5M	13.2	65	9	22	27	786	0	0	19	0	2.24	.45	.43	18	3.3	2	1+	10	0	0
DIVISION			[illegible]	[illegible]										4.02	1.93			15.9					
SOUTHEASTERN DIVISION																							
[illegible]	43.0	27.7	35.4	15.2	55	25	15	3	912	0	1	22	0	.62	- .06	.19	17		2	7	11	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
ALBION	47.9	28.0	38.0	9.9	60	9+	15	5	831	0	0	23	0	2.10	.63	.70	18	2.2			14	1	0
AMERICAN FALLS 1 NW	43.8	28.9	36.4	12.6	54	12+	17	3+	882	0	1	22	0	1.84	.44	.39	17		2	7	16	0	0
ARCO	39.2	16.5	27.9	12.9	50	9	- 2	4	1143	0	3	31	0	.61	- .35	.41	7	3.5			2	0	0
ASHTON 1 S	36.3	23.4	29.9	11.7	45	25	7	15	1082	0	7	26	0	1.63	- .25	.36	17	14.5	19	7+	10	0	0
BLACKFOOT	43.3	27.2	35.3	14.1	58	25	12	15	915	0	4	23	0	.99	- .02	.67	14	8.0	7	14	5	1	0
BURLEY	47.4	31.1	39.3	13.3	61	13	18	27+		0	0	19	0	1.83	.89	.40	18	3.5	3	8	12	0	0
BURLEY FACTORY	46.0	28.8	37.4	13.4	59	13	14	27		0	0	23	0	2.00	1.08	.63	19		3	8	12	1	0
BURLEY CAA AP	47.1	30.5	38.8	13.4	59	12+	16	27	806	0	0	19	0	2.14	1.49	.69	18	3.2	1	1+	15	1	0
CHILLY BARTON FLAT	36.5	17.1	26.8	12.1	47	23	- 3	1+	1175	0	9	31	3	.15	- .09	.05	9+				3	0	0
CONDA	38.0	21.9	30.0	13.7	55	11	7	5		0	6	31	0	2.64	1.08	.52	19	24.0			16	1	0
DRIGGS	39.1		M		49	11				0	3			1.79	.12	.48	[illegible]				10	[illegible]	0
DUBOIS EXP STA	32.2	22.1	27.2	7.6	41	25	6	27	1168	0	17	31	0	.55	- .40	.15	14+	5.3	15	7+	6	0	0
DUBOIS CAA AP	35.5	22.2	28.9	11.1	45	11	10	27	1112	0	10	31	0	.40	- .46	.13	20	2.6	9	8+	5	0	0
FORT HALL IND AGENCY	45.2	27.7	36.5M	14.8	56	9	10	15	845	0	4	21	0	1.31	.55	.60	14				8	1	0
GRACE	38.8	26.2	32.[illegible]	12.8	51	11	12	15	999	0	6	27	0	2.55	1.35	.68	14	11.0	5	2+	15	2	0
GRAY	39.7	23.3	31.5	13.8	53	11	14	28	1032	0	7	29	0	2.43	.83	.70	18	23.0	24	31	11	1	0
GROUSE	37.3	11.0	24.2		47	12	- 8	1+	1259	0	5	30	6	.18	- .79	.06	13	5.0	20	8	5	0	0
HAMER 4 NW	37.5	21.6	29.6	17.0	50	25	11	27	1092	0	7	30	0	.46	- .17	.23	14				4	0	0
IDAHO FALLS 6 NE	40.6	27.3	34.0M		55	20	6	15	958	0	5	24	0	E .64		.44	14	3.8	8	7	4	0	0
IDAHO FALLS CAA AP	39.4	26.2	32.8	13.5	53	25	7	15	992	0	6	26	0	.63	- .68	.42	14	6.2	[illegible]	1+	8	0	0
IRWIN 2 S	39.7	25.8	32.8	13.5	51	12	6	15	993	0	[illegible]	25	0	2.03	.61	.58	14	19.5			12	1	0
ISLAND PARK DAM	32.7	18.9	25.8	13.0	46	11	0	27	1208	0	14	31	1	5.25	2.17	.98	17	44.0	45	23+	16	4	0
LIFTON PUMPING STA	38.6	21.7	30.2	12.4	48	10+	8	4	1075	0	3	30	0	1.08	.48	.28	14	7.5	2	1+	10	0	0
MACKAY RS	36.7	16.4	26.6	9.5	48	12	2	5	1183	0	7	31	0	.71	- .12	.25	9	5.5	12	7+	11	0	0
MALAD	42.2	27.6	34.9	13.2	54	25	16	4	923	0	0	23	0	2.35	.93	.86	18		1	14+	13	1	0
MALAD CAA AP	41.7	25.1	33.4		54	25	12	4	971	0	0	30	0	1.81		.67	18	4.7	4	8+	11	1	0
MAY RS	42.4	22.4	32.4	15.0	56	13	1	1	1003	0	4	30	0	.53	.09	.11	19				10	0	0
MC CAMMON	43.4	27.3	35.4		51	12	12	4	913	0	0	24	[illegible]	2.31		.52	18		5	7	11	1	0
MINIDOKA DAM	44.3	29.6	37.0		58	12	19	4	862	0	0	19	0	1.21		.42	14	2.0	1	7	[illegible]	[illegible]	0
MONTPELIER RS	42.5	19.7	31.1	13.5	51	13	6	4		0	2	31	0	2.06	1.06	.45	21	12.[illegible]	11	30+	[illegible]	[illegible]	0
OAKLEY	48.2	31.0	39.6	11.6	59	10+	16	27	780	0	0	16	0	.92	.16	.22	18	1.5	1	7	13	[illegible]	0
PALISADES DAM	39.4	25.4	32.4		54	12	11	15	1001	0	7	28	0	2.84		.60	18		15	7+	16	1	0
PAUL 1 E	47.8	29.5	38.7	12.7	63	11	19	27+		0	0	22	0	1.76	.76			1.5	2	8	13		0
POCATELLO WB AP //R	43.2	29.2	36.2	14.2	55	12	15	15	885	0	4	18	0	1.39	.18	.33	14	7.3	5	14+	14	0	0
PRESTON SUG FACT 2SE	43.9	29.0	36.5	16.0	53	10+	7	16	878	0	0	21	0	3.35	1.95	.68	14	22.6	9	15	14	1	0
REACTOR TESTING STA	37.6	22.4	30.0		49	25	1	1+	1078	0	7	30	0	.54		.10	9+	1.3			[illegible]	0	0
RUPERT	46.1	27.9	37.0M	12.4	61	13	18	27+		0	0	24	0	1.41	.35	.33	18				13		0
SAINT ANTHONY	38.9	25.7	32.3		50	25	10	2+	1066	0	5	29	0	.90	- .19	.14	17		11	7	11	0	0
SPENCER RS	34.6	17.2	25.9	11.4	43	11	- 1	27	1204	0	9	31	2	1.25	- .23	.33	9	13.5			9	[illegible]	0
SPRINGFIELD	42.4	27.2	34.8	14.5	54	12	9	2	928	0	3	20	0	.53	- .48	.16	7	2.4			11	0	0
STREVELL	42.0	27.4	34.7		52	25	17	1+	932	0	0	22	0	.25		.16	21		2	2	5	0	0
SUGAR	39.2	25.2	32.2	15.6	51	20	10	2	1011	0	6	29	0	.25	- .95	.12	17				6	0	0
TETONIA EXP STA	36.9	17.1	27.0		52	12	1	1	1170	0	9	29	0	.89		.13	17				12		0
DIVISION			32.8	12.9										1.43	.22			9.3					
[illegible]			35.3	11.8										3.98	[illegible]			[illegible]					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
											Day of month																					
ABERDEEN EXP STA	.82		.01				T	.09	.02	T				.02	.12			.19	.05	.07	.02	.01						T		.02		
ALBION	2.10	.01	.05					.13	.02		.07			.18		.23		.23	.70		.09	.35					.02	T		.03	.02	
ALPHA 1 NE	9.24	.07	.29				.34	.40	.49	.08		.01	.62	.72	.17	.10	1.10	1.05	1.95	.13	.70		.16			.01	.12	.07	.17	.37	.07	.05
AMERICAN FALLS 1 NW	1.84	.01	.02				T	.21	.05		.12			.03	.22	.01		.39	.19	.20	.02	.27					T	.01		.12	.02	
ANDERSON DAM	4.08	.04	.05				T	.51	.27	.08	.03	.35	.30	.40			.30	1.63	.04	.04	.04	T	T						T			
ARCO	.61							.41		.20					T						T											
ARROWROCK DAM	6.94	.13	.09					.15	.13	.09	.09		.12	.54	.57		.14	1.14	2.20	1.07	.16	.14						T		.16	.02	
ASHTON 1 S	1.63		.12			T	T	.25	.07	.22	T				.06	T		.36	.1		.15	T		.05						.25		
ATLANTA 1 E	9.35	.27	.14				.25	.67	.57	.46	.25		.48	.35	.31		.33	1.07	1.81	.42	.25	.30			.29		.08	.22	T	.49	.27	.07
AVERY RS	-	-	-	-			-	-	.20	.20		•	1.00	.47	.20	.22	.26	•	•	.45	.45	.33	.06	.63	•	•	.59	•	•	.70	.35	.20
BAYVIEW MODEL BASIN	6.83	.08	.06	.17			.02	.85	.06	1.45		.05	.57		.10	.05	.05	.26	.23	.32	.44	.40	.16	.56		.24	.05	.13	.17	T	T	.35
BIG CREEK 1 S	7.48	.04	.14				.03	.47	.66	1.26			.89	.83	.39	.03	.05	.03	.78	.43	.60	.28					.17	.07	[illegible]	.13	.10	
BLACKFOOT	.99						T	.10			T				.67			.11	.05			.06										
BLISS	2.86	T	.06				T	.21	.08	T				.14	.26		.09	.52	1.02	.15	.21		.03							.05	.04	
BOISE LUCKY PEAK DAM	4.58	•	.08	T	.01		.04	.31	.16	.01		T	.01	.23	.97		.20	•	•	2.41	.13	T					.02		T	T		
BOISE WB AP //R	3.35	.06	.04	T	T		.03	.19	.10	T		T	.10	.28	.11		.27	.84	1.13	.05	.11	T	T				.01		.02		.01	
BONNERS FERRY	7.71	.03	.42	.23		T	.19	.97	.83	.58	.04	.66	.17	.06	T	.36	.05	.05	.43	.14	.44	.01	.30	.47	.06	.24	.01	.17	.18	.06	.11	.45
BUHL	1.35							.30						.19	T		.25	.17	.37		.07						T					
BURKE 2 NNE	13.64	.20	.13	.44	T	T	.02	1.04	.32	1.71	.03	.31	.71	.60	.32	.36	.55	.62	.56	.56	.26	.53	.22	.95		.43	.68	.43	.54	.21	.78	.13
BURLEY	1.83	.02	.03					T	.30	.06	.05			.04	.31	T		.16	.40	.31	T	.12						.03		T		
BURLEY FACTORY	2.00	T	.02						.30	.02	.06			.04	.36			.16	.35	.63	T	.01						.04		T	[illegible]	
BURLEY CAA AP	2.14	.01	.03				T	.18	.10	.03	.03		.01	.30	.13		.23	.19	.69	T	.14		T				.06		T	.01	T	
CALDWELL	2.78		.17		.07		.05	.11	.07	T			.15	.13	.48		.12	.25	1.05	•	.08						T		T	.05		
CAMBRIDGE	5.92	•	•				•	1.02	.23			.04	.02	.75	.25		.93	.80	1.06	.46				.20					.02	.10		
CASCADE 1 NW	5.44	.03	.08				.09	.70	.36	.08			.30	.67	.36	T	.30	.47	.92	.28	.46	T	.01	.09			.02	.01	.08	.03	.18	
CENTERVILLE ARBAUGH	8.58	.18	.16				.38	.49	.42	.08			.15	.54	.35	T	.68	.31	2.11	.24	.56	.04	.14	.07		.08	.19		.18	.09	.12	.03
CHALLIS	.83		.01				T		.15	.31	.02				.05			.01		.07	.17	.04										
CHILLY BARTON FLAT	.15							T		.05										T	.05	.05								T		
CLARK FORK 1 ENE	13.14	.19	.13	.53			.04	1.19	.23	2.10	T	1.16	.23	.64	.10	.30	.22	.38	.28	.76	.31	.81	.32	1.08	.02	.24	.19	.09	.43	.12	.10	.95
COBALT BLACKBIRD MINE	4.24		•	•		.12	.07	.12	.37	.36	.28		.07	.05	.13	.05	.03	.28	.48	.68	.16	.21		.20			.07	.05	.03	.21	.23	.01
COEUR D ALENE CAA AP	5.70	.08	.15	.06			.34	.21	.27	.42	.07	.35	.30	.01	.03	.10	.26	.20	.28	.09	.75	T	.52	.41	T	.05	T		.07	.02	T	.66
COEUR D ALENE RS	5.32	.21	.15	.10			.04	.47	.32	.35	T	.23	.11	.28	.16	.05	.33	.40	.10	.05	.35	.16	.25	.30		.22	T	T	.40		.01	.28
CONDA	2.64		.08	.03				.04	.08		.21			.22	.31	.06		.08	.38	.92		.27	.08					.02		.10	.16	
COTTONWOOD	4.68		.21	T		T	T	.07	T	.10	.02		.01	.26	.34	T	.34	1.24	.64	.03	.37		.28	.28		T	.02		.21	.07	.19	T
COUNCIL 1 N	8.83	.10	.15				.13	.72	.45				T	1.30	.42		1.02	1.31	1.45	.30	.85			.25					.31	.07		
CROUCH 2 NNW	10.39	.18	.23				.46	.77	.43	.07		.18	.76	.18			.95	1.60	2.65	.18	.70	.04	.27	.12			.02		.22	.25	.06	.07
DEADWOOD DAM	8.55	.06	.18	.02			.15	1.06	.75	.42	T	T	.41	.82	.22		.32	.64	1.12	.51	.92	.07	.04	.17			.14	.03	.17	.18	.19	.06
DEER FLAT DAM	1.82		.20					.06	.03						.65		.12	.12	.64	T									T			
DIXIE	8.02	.08	.32	.08		.06	.07	.30	.22	.27		.12	.21	.23	.31	.14	.53	1.20	1.19	.25	.47	.17	.10	.24		.02	.01	.23	.37	.27	.47	.09
DRIGGS	1.79		.04				.48	.28	.02	.04						.25		.20	.40											.04	.04	
DUBOIS EXP STA	.55	T						.03	.05	.02					.15			.05			.15											
DUBOIS CAA AP	.40	T	T		T	T		.07	.06	T				T	.10		.04				.13		T	T								
ELK CITY	5.25		.35		.07	.02	.03	.04	.17	.02	.02	[illegible]		.37	.31		.18	1.17	.92	.20	.02	.17	.08	.19		.17	.35	.04			•	.31

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3 -Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ELK RIVER 1 S	12.33	.19	.33	T				.75	.13	.48		.41	.47	.72	.34	.41	.91	2.01	.85	.80	.84	.32	.29	.37		.10	.29	.15	.67	.06	.22	.22
EMMETT 2 E	3.95		T				.09	.84	.29					.20	.43		*	.55	1.29		.28											
FAIRFIELD	4.12		.10				.10	.46	.48	.04	.09	T	.01	.21	.33		.18	.61	.98	.15	.20	.03		.02		.05		.07	T		.01	
FENN RS	9.17		.28	.10		.04		.10	T	.39	.04		.10	.58	.51	.04	.70	1.18	1.00	.49	.44	.20	.68	.44		.48	.07	.08	.49	.09	.59	.08
FORT HALL IND AGENCY	1.31		.02			T	.03	.08	T					.05	.60				.19		T	.14								.20		
GARDEN VALLEY RS	7.14	.50	.30				.23	.57	.46	.06				.49	.27		.45	.75	1.79	.19	.65	.03	.05	.13			.01	T	.08	.12	.01	
GLENNS FERRY	2.33									.05				.06	.22		*	*	1.60	*	.15	.12								.07	.06	
GOODING CAA AP	2.47	T	.04	T	T		.01	.23	.10	.02	T		.05	.17	.07		.35	.25	.97	.10	.07						.01		T	.03	T	
GRACE	2.55		.05				.03	.10	.03		.07			.23	.68			.08	.54	.18	T	.28					.02	.05		.05	.16	
GRAND VIEW	.73		.05					.03		.03					.15		.02	.13	.27			.02									.03	
GRANGEVILLE	3.14		.10			.02		T	T	.28			.01	.55	.67	T	.02	.35	.31	.04	.25		.23	.03		.07	.01		.09	.06	.02	.03
GRAY	2.43		.10					.20	.20		.12			.12	.20			.12	.70			.12									.35	.20
GROUSE	.18							.01	.02	.04				.06							.05											
HAILEY	2.99						.01	.55	.50	.49	.06		.05	.21	.12		.03	.38	.19	.20	.20											
HAMER 4 NW	.46							T	.02	.03					.23	T					.18											
HAZELTON	2.27	.03	.05				T	.21	.08			T	.01	.09	.34		T	.48	.80	.04	.10			T	T	.01	T	T	T	.03	T	
HILL CITY	3.67						.13	.29	.28	T				.28	.18		.12	.91	.94	.31	.16						T		T	.07		
HOLLISTER	.97							.12	.03					.04	.12		.03	.29	.21			.09						.04				
HOWE	.42								.04	.10	T			T	.06			T			T	.22										
IDAHO CITY	7.34	.28	.10	.01			.18	.50	.36	.36			.34	.33			.25	1.60	1.75	*	.23					.60		.04	.10	.20	.11	
IDAHO CITY 13 SW	9.11	.23	.15				.18	.56	.38	.08	.02		.19	.78	.50		.71	1.61	2.68	.11	.61	T	T				.03		.08	.17	.04	
IDAHO FALLS 6 NE	.64		.05			T	T	.08	T						.44			.07	T		T	T				T				T		
IDAHO FALLS CAA AP	.63	T	.02	T	T	T	T	.03	T	.01				T	.42		.01	.01	.05		.08	T	T	T					T	T		
IRWIN 2 S	2.03	.04	.04					.14	T						.58	.05	.10	.05	.46	.20		.08		.10						.19		
ISLAND PARK DAM	5.25			.15		.10	.13	.64	.24	.54				.22			.15	.93	.56	.16	.42	.24		.34						.33	.10	
JEROME	2.68		.05	T	T	T	.02	.23	.07	.05	.12			.07	.31		.02	.53	.49	.38	.06	.20	T				T	.01		.05	.02	
KAMIAH 1 NE	-		-				T	T		.04	.08		.03	T	1.03	.02	T	*	*	1.50	.22	.24	T	.61	T		.06	T	T	.16	.14	.01
KELLOGG	8.48	.19	T	.20				.29	.39	1.35		.28	.49	.82	.35	.05	.18	.48	.60	.26	.13	.42	.04	.79	.03	.02	.49	.19	.08	.10	.08	.18
KOOSKIA	4.82		.22			T				.21	T		.03	.41	.62	.03	.27	.39	.72	.18	.55	.03	.02	.68		.06	T	T	.19		.21	T
KUNA 2 NNE	3.32	T	.09				.02	.15	.09				T	.09	.56		.14	.63	1.45	.03	.07						T	T	T			
LEWISTON WATER PLANT	3.57	T	.11	.02				T	T	.08		T	.13	.22	.21	T	.57	.41	.34	.10	.44		.34	.35		.04	.03	T	.18	T	T	T
LEWISTON WB AP R	2.88	T	.09				T	T	T	.15		T	.07	.10	.29	T	.34	.36	.28	.09	.39	T	.10	.31		.07	.04	.02	.18		T	T
LIFTON PUMPING STA	1.08	T	T				.03	.01	.07					.10	.28			.03	.18	.11		.20						T		T	.07	
LOWMAN	7.60	.20	.19				.60	.75	*	.20		.31	.50	.35	.15		.45	.53	.48	.51	.60	.31					.35	.41	.30	.41		
MACKAY RS	.71						T	.12	.07	.25	T			.03	.01			.01	.01	.05	.11	.02								.03		
MALAD	2.35	.03	.13				.03	.24	.09	.04			T	.24	.32	.03		.23	.86			.06								.05		
MALAD CAA AP	1.81	.01	.05				T	.39	.09	T				.24	.15		.04	.04	.67	T	.06	T		T			T			.07		
MAY RS	.53		.02						.05	.02					.07			T	.10	.11	.04	.08		.02							.02	
MC CALL	7.63		.30	T				1.41	.62	T		.16	T	.63	.70	T	.23	.62	1.10	.23	.59	.14		.25	T		.03			.41	.16	.05
MC CAMMON	2.31	T	.31	T				.31	.03	T				T	.26	.11		.40	.52	.13	.06	.09					T		T	.09		T
MERIDIAN 1 SSW	3.32						T		.28						.47		.20	.72	1.65													
MESA	8.27	T	.38				.17	.47	.41				.10	.98	.65		.95	1.05	1.53	.05	.63	T	.15	.25					.42	.08		
MINIDOKA DAM	1.21		.01				T	.07	.11		.01			.02	.32			.23	.23	.14	.02						T			.05	T	
MONTPELIER RS	2.06							.13	.14					.28	.29	.18		.02		.38		.45								.04	.15	
MOSCOW U OF I	7.03	.06	.23	.01			T	.21	.06	.55		.16	.49	.40	.24	.02	.67	1.03	.36	.32	.53	.15	.18	.69		.08	.07	T	.35		T	.17
MOUNTAIN HOME	2.38	.05					T		.05	T	T			.08	.35	T	.10	.53	1.09	.06	.07	T					T	T				
MULLAN PASS CAA	10.99	.15	.20	.30			.26	.92	.56	.44	.20	.67	.59	.37	.38	.43	.43	.36	.37	.39	.47	.21	.45	.26		.18	.39	.45	.53	.47	.20	.36
NAMPA 2 NW	2.15	.02	.11	T	T	T		.10		.04			T	.02	.30	.01	.02	.08	.81	.52	.10	T								.02		
NEW MEADOWS RS	6.10	.08	.15	.06			.11	.63	.50	.05	.03		.18	.68	.40	.01	.62	1.07	.32	.66	.03	.16			.01		.19	.02		.06	.07	.01
NEZPERCE 2 E	4.44		.23			T		.03	T	.34			.08	.28	.47	T	.30	.60	.53	.14	.48		.21	.29		.07	.02	.02	.14		.19	.02
OAKLEY	.92	.02	.02					.11	.11					.05	.17			.07	.22			.02					.02	.04	T	.02	.05	
OBSIDIAN 4 NNE	3.17	.03	.01	T			T	.19	.18	.62	.05	.18	.18	.08	.08		.01	.25	.35	.26	.16	.21		.02			.09	.04	T	.06	.11	
OLA 4 S	5.53	.06	.03				.19	.55	.23	.06		T	.04	.47	.59		.68	.72	1.32	.02	.45		.03				T	T	.09			
OROFINO	8.16	.01	.33	.02				T	.02	.42	T	.06	.16	.40	.39	.07	.60	1.70	.73	.38	.70	.15	.39	.72	T	.10	.14	.13	.26	.02	.14	.12
PALISADES DAM	2.84	T	.07	T			.02	.10	.10	.10				.10	.40		.15	.10	.60	.40	.10	.20		T			T	.10	.10	.20	T	
PARMA EXP STA	1.52	.01	.21	.03	.01		.02	.10	.06				.05	.07	.17		.09	.31	.29		.10								T			
PAUL 1 E	1.76		.02						.18	.06	.02			.03	.32			*	*	.98	*	.12						T		.02	.01	
PAYETTE	2.23	.04	.22	T			.06	.30	.18				.08	.21	.20		.14	.27	.40	.01	.10		T				T		.02			
PIERCE RS	12.11	T	.34	.13		T	T	.16	.17	.44		.16	.30	.83	.48	.22	.71	2.03	1.20	.82	.85	.25	.28	.91		.23	.27	.15	.54	.06	.25	.28
POCATELLO WB AP //R	1.39	.03	T				.03	.05	.01	.02	T		T	.15	.33		.01	.23	.27		.13	.06				T	T		T	.07	T	
PORTHILL	4.80		.06	.35			.04	.65	T	.70	T	.40	.20	.14		.08	.09		.04	.32	.17	.14	.20	.39	T	.15		.15	.25	.03	T	.25
POTLATCH	7.51		.25	.06			T	.35	.07	.85		.43	.70	.27	.35	.10	.73	.83	.28	.33	.44	.10	.22	.53		.15	.05		.32			.10
PRESTON SUG FACT 2 SE	3.35		.03	.01			.03	.17	.23					.12	.68	.34		.09	.61	.19		.65								.07	.13	
PRIEST RIVER EXP STA	8.31	.20	.20	.48			.13	.66	.18	1.18	T	.53	T	.40		.27	.33	.12	.19	.41	.65	.13	.59	.72		.15	.04	.03	.27	T	.10	.35
REACTOR TESTING STA	.54	T	T			T	T	.05	.08	.10			T	.07	.05		.02	.02	.03	.02	.10					T	T					
RICHFIELD	2.31		T				.04	.38	.29	.05	.12			.05	.16		.04	.34	.64	.13	.07									T		
RIGGINS RS	1.46	.04	.06	.02				.22	.02			.09		.12	.28	T		.04	.18	.07	.16	.04	T			.01		.01	.01	.02	.07	
ROLAND W PORTAL	14.59	.22	.17	.75	T		T	1.30	.30	.46	.01	.45	.42	.65	.01	.44	.47	.94	.50	.60	1.05	.44	.20	.66		.18	.60	1.01	.82	.65	.97	.32
RUPERT	1.41	T	.02	.01				.01	.08	.08	.05		T	.02	.31			.12	.33	.28	T	.03		T		T		T		.01	T	
SAINT ANTHONY	.90		.02	T	T		.04	.09	.04	.06					.13			.14	.11		.12			.13						.02		
SAINT MARIES	9.92	.14	.20	.09			.36	.34	.21	1.57		.51	.68	.57	.27	.19	.36	.81	.58	.25	.53	.24	.31	.13	.23	.04	.06	.15	.61	.09	.40	
SALMON	1.04		.04	.01		T	.14		.02	.04				.05	.02		T	T	.09	.36	.11		.08	.05		.01	T	T	T	.02		
SANDPOINT EXP STA	10.10	.17	.19	.48	T		.08	1.33	.23	1.43	T	.57	T	.46		.23	.36	.18	.27	.43	.56	.21	.59	.81	T	.18	.05	.01	.26	.12	.18	.72
SHOSHONE	2.74		.04	.01	T		.05	.26	.20	.02	.15			.09	.22		.04	.48	.79	.14	.12	.03		.02			T			.07	.01	
SPENCER RS	1.25	T	.05					.19	.12	.33					.19				.03		.28	.01	.05									
SPRINGFIELD	.53		T				.01	.16	.06	T	.03			.01	.05			.14		.01	.01	T						.02		.03		
STIBNITE	7.30	.05	.15	.13			.01	.28	.90	.09	.38	.33	.41	.35	.50	.05	.07	.48	.42	.63	.25	.44		.25		T	.12	.17	.06	.33	.35	.10
STREVELL	.25	T	T					T	T					.01	.01			.03	.04			.16						T			T	
SUGAR	.25		.02		T	.04		.05	.01	.01								.12														
SUN VALLEY	3.09	T					T	.31	.45	.75	.15	T	.03	.25	.12		T	.35	.18	.42	.08					T	T	T			T	
SWAN FALLS PH	1.52	.06	.07												.32			.57	.50	T	T											
TETONIA EXP STA	.89					.03	.05	.08		.07				T	.07	T	.09	.13	.08		.07	T		.09					T	.10		.03
THREE CREEK	.47							T						.04	.12				.12		.04	.15								T		
TWIN FALLS 2 NNE	1.76	T	.03				T	.20	.03		T		T	.02	.33		T	.41	.56	.02	.02	.07		T		.01	.02	.01	T	.02	.01	
TWIN FALLS 3 SE	1.77		.02					T	.15	T			T	.02	.30	.02		.30	.50	.20	.02	.14				.01		.03		.02	.04	
WALLACE	14.40	.07	.06	.56		T	T	1.08	.80	1.82	T	1.19	.77	.65	.37	.23	.56	.42	.33	.74	.66	.26	.24	.65		.43	.57	.37	.43	.27	.41	.46
WALLACE WOODLAND PARK	11.58	.12		.37	.09			.30	.66	1.70	.70	.06	.99	.70	.34	.12	.45	.40	.59	.54	.21	.59	.05	.60	.05		.61	.32	.17	.27	.35	.23
WEISER	2.24	.05	.16				.28	T	.15					.37	.22		.25	.18	.43		.15								T			
WINCHESTER 1 SE	4.49		.03			.01		.05	.03	.49	.06	.02		.10	.39	.01	.25	.61	.69	.21	.33	.06	.12	.55	.05	.11		.03	.15	.01	.08	.05

See reference notes following Station Index

ble 5

DAILY TEMPERATURES

Station		Day Of Month																															Average
		1	2	3	[illegible]	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	[illegible]	21	22	23	24	25	26	[illegible]	28	29	30	31	
RDEEN EXP STA	MAX	35	29	37	34	33	33	37	41	48	[illegible]	45	54	50	42	35	36	38	45	45	54	47	40	51	51	55	48	35	40	49	44	52	43.0
	MIN	19	18	15	10	20	18	[illegible]	26	34	36	28	34	33	32	22	27	31	35	35	34	32	27	[illegible]	27	30	28	18	28	33	32	31	27.7
ION	MAX	34	42	43	46	42	41	43	51	60	58	52	58	52	46	36	45	43	46	48	60	49	44	[illegible]	54	59	59	35	40	49	43	58	47.9
	MIN	21	27	24	17	[illegible]	19	30	31	44	35	26	35	35	28	26	[illegible]	34	37	37	[illegible]	29	27	34	[illegible]	[illegible]	25	20	25	29	30	26	28.0
HA 1 NE	MAX	36	36	45	28	29	33	36	38	49	49	50	50	40	36	36	34	36	39	40	42	36	34	48	46	48	34	30	34	43	44	49	39.6
	MIN	18	18	22	12	7	11	27	28	33	17	31	35	32	23	26	24	[illegible]	31	28	[illegible]	27	18	28	31	31	23	10	22	31	29	31	24.3
RICAN FALLS 1 NW	MAX	35	32	41	36	35	37	38	43	[illegible]	53	46	54	51	45	36	35	39	45	44	51	49	[illegible]	49	51	54	52	35	42	49	44	50	43.8
	MIN	24	19	17	17	20	19	30	31	41	38	28	33	39	30	24	26	30	35	34	39	31	27	34	29	32	28	21	28	33	32	32	28.9
ERSON DAM	MAX	40	36	47	41	36	34	44	45	42	42	40	44	43	39	38	37	38	40	47	42	42	37	42	39	54	48	37	35	49	46	46	[illegible]
	MIN	23	27	33	26	18	26	28	30	36	34	32	38	37	37	34	33	34	41	36	39	36	[illegible]	[illegible]	29	41	34	[illegible]	22	26	32	36	31	30.9
O	MAX	33	34	41	23	25	31	33	37	50	46	39	49	44	37	35	36	37	41	44	41	39	34	41	47	46	44	41	36	43	42	46	39.2
	MIN	5	3	2	-2	1	14	20	23	31	25	14	[illegible]	28	31	20	12	17	19	14	26	28	14	11	11	10	11	9	9	14	25	27	16.5
OWROCK DAM	MAX	36	30	37	35	35	32	35	46	50	51	46	45	49	44	41	38	35	36	44	47	44	41	37	46	47	51	40	38	36	51	47	41.8
	MIN	28	29	27	26	25	24	26	31	35	33	33	37	39	38	26	26	31	37	33	36	36	27	30	31	35	31	25	24	32	34	35	[illegible]
TON 1	MAX	27	27	28	27	26	27	29	35	43	41	41	43	44	42	33	41	35	41	42	43	40	41	39	37	45	35	35	37	35	34	33	[illegible]
	MIN	20	15	13	11	10	13	17	24	32	33	33	32	33	41	7	22	32	33	33	32	28	18	27	24	30	19	20	21	29	12	20	23.4
ANTA 1 E	MAX	35	35	42	32	40	33	31	33	45	41	48	50	38	37	33	35	35	35	48	40	35	33	43	40	43	34	28	32	35	39	42	37.4
	MIN	18	16	27	19	19	21	24	28	31	25	35	33	32	27	10	24	30	31	28	27	[illegible]	[illegible]	27	25	42	22	15	18	28	28	27	24.6
RY RS	MAX						34	42	38	54			52	44	45	40	40			41	39	37	36	37						46	40		
	MIN					28	22	28	32	35				35	35	32	33	32			34	32	32	32			[illegible]	28			34		
VIEW MODEL BASIN	MAX	36	34	44	45	39	38	43	45	53	52	50	49	54	44	41	44	37	39	44	45	41	41	51	53	44	38	39	39	48	46	51	44.1
	MIN	31	26	32	31	30	25	28	39	33	29	28	32	29	36	35	34	32	42	38	38	35	33	[illegible]	33	33	32	[illegible]	33	36	40	41	32.9
CREEK 1S	MAX	33	34	40	35	30	35	33	38	46	47	50	47	40	36	33	35	36	36	40	37	36	33	47	46	45	39	27	36	43	[illegible]	46	38.9
	MIN	13	10	23	8	9	12	26	26	31	20	34	32	31	28	12	25	33	31	28	[illegible]	25	[illegible]	28	18	31	21	14	21	25	28	31	22.8
CKFOOT	MAX	32	30	37	31	32	36	38	45	51	51	47	55	50	45	35	34	38	44	45	52	47	39	50	50	58	50	33	41	48	40	53	[illegible]
	MIN	17	15	22	23	20	18	28	31	36	36	27	31	34	30	12	24	28	34	33	[illegible]	30	26	33	27	27	27	17	26	32	31	33	[illegible]
SS	MAX	43	38	36	37	36	38	44	42	57	55	50	65	53	54	48	44	44	44	52	53	51	42	48	59	61	56	55	46	56	53	57	48.9
	MIN	26	28	24	25	19	23	29	35	38	47	35	38	39	35	29	28	28	40	38	[illegible]	34	25	26	28	34	29	[illegible]	28	32	36	27	31.0
SE LUCKY PEAK DAM	MAX		42	39			35	52	51	67			58	53	46	43	42			54	53	49	43	56		60			41	56	55		
	MIN	25			22		22	[illegible]	33	39				42	32	26	32	36			[illegible]	43	[illegible]	37				25	33	36	[illegible]		
SE WB AP	MAX	39	40	35	31	31	40	52	55	63	56	54	59	50	41	44	42	45	45	52	57	44	43	57	53	59	45	40	43	55	53	59	47.8
	MIN	31	32	29	27	28	27	33	39	46	34	38	45	39	31	27	34	39	40	39	39	40	30	35	35	35	28	24	34	30	36	40	34.2
NERS FERRY	MAX	39	31	42	43	45	23	42	45	51	45	49	51	47	42	40	45	35	35	47	38	43	36	35	52	42	41	39	40	47	48	50	42.2
	MIN	26	25	29	29	22	[illegible]	22	35	42	30	32	41	34	30	30	35	29	31	32	34	32	32	32	31	34	32	30	34	39	40	41	31.6
L	MAX	40	40	47	43	34	43	46	49	53	60	51	62	57	45	44	44	45	49	50	59	54	44	56	52	64	59	47	46	54	51	[illegible]	[illegible]
	MIN	30	31	30	22	21	24	31	39	39	42	36	40	42	33	29	32	37	41	40	38	34	29	36	32	37	[illegible]	24	30	35	35	34	[illegible]
KE 2 NNE	MAX	30	31	34	34	32	30	35	35	43	40	39	40	39	39	33	35	35	35	35	35	35	33	34	36	36	31	28	32	36	36	37	34.9
	MIN	26	18	30	25	22	12	26	30	32	31	31	34	33	32	31	31	32	32	32	32	[illegible]	28	30	30	30	28	23	28	30	31	32	28.4
LEY	MAX	34	39	40	46	40	41	40	44	48	56	57	54	61	56	41	44	45	46	46	49	50	42	45	56	55	58	46	40	46	53	46	47.4
	MIN	26	30	26	22	21	22	26	32	35	41	31	39	41	32	30	31	34	38	39	38	42	28	29	37	38	32	14	18	30	34	33	[illegible]
LEY FACTORY	MAX	35	36	38	43	40	40	40	43	48	54	56	53	59	53	35	42	44	44	46	47	56	40	44	54	55	58	42	41	45	51	45	[illegible]
	MIN	22	27	23	26	[illegible]	[illegible]	24	31	33	38	29	32	38	31	29	29	32	37	38	37	32	25	27	34	37	29	14	16	[illegible]	31	29	[illegible]
LEY CAA AP	MAX	37	38	44	38	39	39	41	47	55	56	53	59	55	38	42	45	45	46	47	56	40	45	55	55	58	43	38	47	55	45	54	47.0
	MIN	23	25	24	22	20	23	32	35	43	31	29	39	36	31	30	32	37	39	38	37	24	25	34	30	35	23	16	26	37	33	[illegible]	[illegible]
DWELL	MAX	38	40	38	35	32	34	50	53	66	62	52	64	63	48	46	48	46	50	53	56	49	47	57	50	62	48	41	45	58	58	61	50.0
	MIN	30	32	33	30	29	28	30	39	47	32	36	39	41	38	26	33	39	43	40	42	35	28	32	34	32	32	22	32	32	38	37	34.2
BRIDGE	MAX	40	45	46	48	40	45	42	54	48	45	47	48	44	40	41	42	41	45	47	49	48	46	45	51	52	50	40	39	40	49	52	45.5
	MIN	25	20	23	24	25	26	33	32	23	24	28	28	33	34	33	35	33	33	33	34	32	33	32	34	33	27	22	27	27	32	34	29.4
CADE 1 NW	MAX	30	35	39	34	36	31	37	38	47	45	48	47	43	35	31	32	35	35	41	41	36	32	42	40	45	41	29	34	39	41	44	38.2
	MIN	23	20	29	11	13	13	27	31	30	38	37	36	33	30	13	27	31	32	32	31	29	22	30	24	35	24	18	24	32	31	33	[illegible]
LLIS	MAX	27	30	44	32	30	31	36	36	50	50	52	54	47	42	38	43	45	45	45	43	43	34	55	44	51	43	33	41	50	47	[illegible]	[illegible]
	MIN	8	15	13	9	9	18	27	29	33	27	29	39	34	33	23	29	[illegible]	[illegible]	28	31	24	[illegible]	27	26	31	25	17	27	26	28	34	[illegible]
LLY BARTON FLAT	MAX	27	30	36	30	35	31	28	31	42	42	41	46	42	34	34	32	34	39	36	40	37	30	47	38	46	34	29	39	42	37	43	[illegible]
	MIN	-3	6	3	-3	0	16	18	14	10	18	13	31	28	27	17	18	[illegible]	28	[illegible]	[illegible]	21	[illegible]	[illegible]	16	26	[illegible]	10	16	15	28	26	17.1
RK FORK 1 ENE	MAX	37	34	41	45	43	28	45	46	53	51	51	57	47	44	41	45	39	39	42	41	40	38	39	46	43	38	41	40	45	[illegible]	46	43.1
	MIN	25	24	24	24	24	19	20	20	36	29	29	43	38	35	32	32	31	31	[illegible]	36	28	32	31	31	33	31	29	31	32	32	37	[illegible]
ALT BLACKBIRD MINE	MAX						31	29	27	39	40	37	48	40	36	29	27	33	35	34	31	36	29	31	38	40	40	24	22	31	35	34	33.7
	MIN				9		16	22	23	25	18	18	30	28	20	13	14	15	27	12	13	14	10	17	18	20	17	9	11	18	20	22	18.9
UR D ALENE CAA AP	MAX	35	37	40	37	36	37	42	48	53	45	54	51	49	41	42	45	45	44	44	41	40	37	50	50	41	39	39	40	47	47	[illegible]	43.1
	MIN	26	26	35	24	22	21	32	37	37	29	36	43	40	33	34	32	32	32	36	35	35	32	32	37	[illegible]	[illegible]	[illegible]	32	[illegible]	37	44	[illegible]
UR D ALENE RS	MAX	35	35	42	44	38	44	41	47	56	52	49	51	50	49	41	45	37		45	45	40	40	50	49	49	[illegible]	39	39	[illegible]	46	49	44.9
	MIN	32	25	33	28	27	17	30	39	39	33	35	46	40	36	33	34	[illegible]	[illegible]		35	[illegible]	[illegible]	[illegible]	34		[illegible]	[illegible]	[illegible]	44	40	43	[illegible]
DA	MAX	28	27	35	35	40	38	35	35	42	46	55	52	49	42	30	34	30	34	39	36	46	32	33	44	49	45	36	27	33	36	34	38.0
	MIN	15	15	22	9	7	25	27	29	32	34	24	24	32	29	10	11	24	29	41	24	27	14	15	20	20	24	13	14	17	27	[illegible]	[illegible]
TONWOOD	MAX	37	38	44	45	38	34	38	47	57	49	55	51	47	39	37	37	40	43	44	45	40	37	53	52	48	38	36	36	44	46	51	[illegible]
	MIN	23	21	31	28	27	23	31	34	42	29	38	37	33	30	31	32	32	36	34	32	30	28	31	34	33	26	25	28	33	33	37	[illegible]
NCIL 1 N	MAX	40	33	40	35	30	29	39	42	52	48	39	46	43	42	40	34	40	44	45	47	47	41	51	43	50	42	37	35	45	[illegible]	54	42.0
	MIN	21	25	28	22	22	22	27	32	33	24	24	33	36	32	24	32	32	41	38	45	32	28	32	31	30	[illegible]	28	29	32	33	38	[illegible]
DWOOD DAM	MAX	31	27	40	36	30	30	33	34	45	45	40	42	40	33	30	32	34	34	38	38	34	30	42	35	42	37	28	28	38	39	41	35.7
	MIN	13	15	23	16	13	15	25	30	32	20	26	26	32	29	5	25	[illegible]	32	30	23	25	14	27	23	23	21	9	15	26	28	29	22.8
FLAT DAM	MAX	39	39	35	33	35	37	57	57	67	60	57	63	50	45	46	45	55	49	50	49	49	47	57	51	54	52	45	46	61	60	63	50.4
	MIN	28	30	31	30	28	28	30	37	45	32	40	40	40	37	29	36	38	42	41	42	[illegible]	35	29	31	34	[illegible]	26	34	34	39	40	34.4
E	MAX	32	34	41	43	33	32	32	37	42	44	48	44	40	34	33	32	34	45	36	37	34	30	43	40	41	32	26	29	41	39	42	[illegible]
	MIN	10	11	24	3	11	11	26	26	35	18	31	32	31	27	14	25	30	32	29	27	26	9	28	17	22	22	10	19	21	29	27	22.0
GGS	MAX	32	25	34	35	35	35	36	35	42	46	49	45	45	40	40	40	38	40	38	38	40	44	45	44	45	45	39	41	34	39	39	[illegible]
	MIN																																
IS EXP STA	MAX	25	23	22	25	25	25	30	32	40	38	40	38	37	36	32	27	32	34	34	36	35	31	31	35	41	37	29	28	32	32	37	[illegible]
	MIN	19	13	18	19	20	16	22	20	31	29	31	30	31	30	17	21	26	24	24	26	27	17	24	24	28	13	6	[illegible]	20	20	25	[illegible]
IS CAA AP	MAX	29	28	26	25	28	29	33	36	44	35	45	42	38	39	30	30	35	36	43	41	41	29	34	39	43	35	31	34	38	41	42	[illegible]
	MIN	18	17	17	21	18	18	28	16	[illegible]	24	27	29	32	25	17	23	25	25	22	31	19	24	25	22	26	14	10	13	17	21	27	[illegible]
LCITY	MAX	34	33	47	38	30	29	41	43	55	51	57	54	46	36	36	33	49	55	40	41	38	35	44	36	49	32	36	45	43	46		41.7
	MIN	24	15	12	17	19	17	24	20	38	27	31	32	30	30	22	25	31	32	29	31	31	35	31	27	23	13	12	25	32	32		[illegible]
RIVER 1 S	MAX	35	36	38	41	37	40	42	41	51	49	[illegible]	43	43	41	40	36	37	40	41	39	42	37	41	44	41	41	39	40	50	51	45	41.3
	MIN	27	23	24	23	20	15	28	30	35	32	34	34	32	33	32	32	32	33	33	33	34	31	33	28	31	29	27	28	33	35	35	30.0
MTT 2 E	MAX	36	38	35	35	31	43	51	56	54	63	54	62	55	47	45		49	51		58	47	45	55	48	62	48	40	45	55	55	59	48.7
	MIN	32	31	32	30	30	28	42	40	[illegible]	33	35	42	43	38	27	36		[illegible]	40		44	41	41	41	36	41	25	34	35	35	34	35.0
AFIELD	MAX	29	37	40	31	20	31	34	34	46	43	40	47	42	35	33	35	38	36	37	44	34	32	42	39	44	36	29	36	40	38	42	36.9
	MIN	5	11	15	2	-5	8	19	29	12	[illegible]	21	32	31	28	14	11	27	31	10	29	24	17	26	19	29	13	7	14	29	27	21	20.1
E RS	MAX	35	34	38	45	34	33	44	46	63	45	50	43	44	42	42	39	[illegible]	41	43	42	43	41	46	44	49	40	39	36	50	45	48	42.9
	MIN	29	28	30	31	29	28	30	28	35	34	34	33	39	33	34	34	34	36	35	36	36	32	32	35	33	30	30	30	32	35	38	32.6
O HALL IND AGENCY	MAX	32		42	36	32	35	35	45	56	53	46	55	53	45		35	38	44		54	51	40	50	53	54	50		40	49		51	45.2
	MIN		16	[illegible]	23	21	19	29	30	38	38	27	32	31		[illegible]	23	31	35		34	30	[illegible]	35	26	28	29	20		35	32		27.7
A N VALLEY R	MAX	39	39	38	40	32	[illegible]	38	45	51	44	38	50	40	[illegible]	36	33	34	34	47	39	40	36	40	38	53	50	46	47	44	45	45	41.0
	MIN	13	21	20	23	28	25	[illegible]	33	32	24	28	34	34	33	29	29	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	16	27	[illegible]	32	38	28.3
L FERRY	MAX	46	40	40	40	34	40	50					63	55	51							[illegible]		57	53	61	48	44	45	58	55	[illegible]	
	MIN	27	31	[illegible]	29	23	26	[illegible]					38	38	37							[illegible]	24		32	[illegible]	[illegible]	18	28	29	35	29	
NG CAA AP	MAX	40	35	33	33	30	37	42	41	55	53	48	60	51	40	42	40	41	45	49	50	41	41	53	48	60	40	38	44	52	48	55	44.7
	MIN	27	26	29	21	17	21	27	35	39	36	36	38	37	31	25	28	35	38	38	36	28	25	30	33	36	26	21	26	35	34	30	30.5
R	MAX	30	31	42	34	35	35	32	39	44	50	51	47	43	37	31	28	32	37	40	45	36	32	40	45	48	41	39	37	39	40	42	38.8
	MIN	15	15	20	14	28	[illegible]	[illegible]	[illegible]	[illegible]	32	30	36	32	28	12	14	23	[illegible]	31	32	28	18	28	31	35	22	22	25	24	24	28	[illegible]
R VIEW	MAX	45	[illegible]	40	37	32	43	57	55	70	66	55	67	59	49	48	47	52	55	56	62	48	46	59	58	58	58	42	44	62	58	60	52.7
	MIN	29	33	27	[illegible]	[illegible]	28	[illegible]	45	46	[illegible]	35	38	42	39	25	31	43	42	41	42	36	[illegible]	28	32	42	24	21	29	29	30	30	33.6
RSEVILLE	MAX	38	42	46	44	35	41	43	45	58	53	53	55	45	38	42	42	45	45	45	47	40	42	54	54	53	40	36	44	46	48	56	46.2
	MIN	25	25	40	27	27	24	33	34	[illegible]	31	43	45	32	30	31	34	36	37	34	34	[illegible]	30	38	37	40	27	26	30	34	34	42	32.6
R	MAX	35	29	30	31	32	29	45	45	51	44	53	47	40	38	39	38	32	49	39	42	45	42	44	47	43	45	44	40	30	34	33	39.7
	MIN	19	14	15	17	18	17	20	[illegible]	25	34	30	38	32	25	24	26	[illegible]	29	28	25	26	[illegible]	22	20	[illegible]	24	24	13	18	25	26	23.3
R E	MAX	24	27	40	28	38	32	34	35	42	43	46	47	45	35	44	37	38	40	39	40	37	35	40	35	42	33	29	36	42	39	44	37.3
	MIN	-8	-7	-1	-8	-2	[illegible]	10	18	29	14	10	13	28	22	14	8	4	20	18	14	20	5	4	2	15	[illegible]	-1	2	6	22	14	11.0

See reference notes following Station Index

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
		Day Of Month																															
HAILEY	MAX	30	29	38	34	28	34	34	36	48	47	42	47	45	40	37	34	41	41	41	40	41	34	43	40	43	43	27	37	44	42	43	38
	MIN	11	8	10	6	9	14	26	30	32	30	29	34	31	28	17	17	20	28	25	28	20	13	17	22	31	17	7	12	19	23	20	20
HAMER 4 NW	MAX	24	28	30	29	28	26	33	36	44	40	43	46	40	39	35	31	37	37	46	40	43	36	36	42	50	41	34	35	42	45	45	37
	MIN	18	14	13	20	20	17	25	27	33	22	20	26	27	30	14	19	29	25	25	30	28	17	27	17	24	19	11	13	14	19	26	21
HAZELTON	MAX	36	36	42	43	33	40	42	43	59	58	50	58	53	45	41	44	45	47	48	58	48	44	49	55	60	56	36	43	52	47	57	47
	MIN	23	28	23	19	19	22	31	36	40	40	32	37	40	32	27	26	35	39	39	36	32	27	32	30	37	29	18	26	35	33	27	30
HILL CITY	MAX	29	36	37	34	33	32	34	36	44	42	36	50	40	36	33	33	36	36	38	37	39	36	42	40	45	42	30	35	40	38	38	37
	MIN	16	20	19	7	-5	8	20	30	31	25	17	31	32	28	16	18	25	31	31	30	28	14	26	17	28	13	13	17	22	30	18	21
HOLLISTER	MAX	37	42	46	43	48	46	46	53	57	56		60		39	39	42	44	48	50	59	48	41	57	59	60	51	39	47	54	47	59	48
	MIN	22	29	30	20	26	29	31	35	41	38		52		31	25	29	35	38	39	38	24	26	32	30	41	27	17	26	32	33	31	31
IDAHO CITY	MAX	41	35	48	45	36	32	36	39	40	46	48	50	38	36	36	38	38	38	46	46	47	44	53	56	48	46	38	35	51	47	50	42
	MIN	20	22	14	10	10	17	24	30	33	18	24	18	25	18	8	22	30	34	35	30	32	24	28	22	22	18	6	23	31	30	29	22
IDAHO FALLS 6 NE	MAX	29	26	34	31	27	33	36	39	48	45	42	49	45	42	35	34	36	41	43	55	43	45	44	45	53	45	31		46	46	49	40
	MIN	17	15	22	23	18	17	31	30	35	33	27	32	30	31	6	24	30	34	35	35		32	27	30	39	27	18	26	0	32	31	27
IDAHO FALLS CAA AP	MAX	30	25	32	26	26	35	36	39	47	45	44	48	44	35	30	33	38	41	42	51	44	35	46	46	53	38	33	38	47	45	48	39
	MIN	15	9	22	22	20	16	29	30	36	31	27	31	33	25	7	19	30	35	34	35	29	27	29	26	29	26	18	27	32	31	31	26
IRWIN 2 S	MAX	31	27	39	38	36	41	35	40	50	48	48	51	43	40	34	30	40	41	43	44	43	34	35	44	47	47	30	32	42	39	40	39
	MIN	24	12	25	18	16	25	31	31	33	35	34	33	34	31	6	14	28	32	33	30	30	25	24	24	26	23	15	18	28	31	30	25
ISLAND PARK DAM	MAX	29	24	24	24	25	27	27	30	37	40	46	40	39	38	31	25	30	33	36	35	36	33	32	41	40	38	25	24	33	39	34	32
	MIN	13	11	20	19	16	10	20	25	19	30	30	30	31	28	3	19	23	29	26	25	23	8	21	9	24	2	0	6	21	23	23	18
JEROME	MAX	39	37	44	40	27	42	44	42	60	55	49	60	55	47	43	43	43	45	48	55	51	43	56	49	61	51	39	45	53	47	56	47
	MIN	25	28	22	21	15	20	27	34	33	38	31	37	38	28	25	27	34	34	35	38	30	23	29	31	37	28	16	23	34	31	25	28
KELLOGG	MAX	36	36	42	41	33	35	42	46	57	55	51	58	54	50	44	44	45	40	45	44	44	40	40	46	46	40	38	40	48	48	50	44
	MIN	31	24	28	30	28	25	26	36	40	38	37	45	42	35	35	37	32	34	38	37	37	35	33	34	35	33	29	33	33	38	41	34
KOOSKIA	MAX	42	35	45	40	36	36	53	52	67	64	48	52	51	45	43	44	44	44	49	47	45	43	55	48	44	48	47	48	59	59	56	48
	MIN	27	28	29	30	30	31	33	34	42	31	37	40	40	33	36	37	38	39	36	35	37	30	37	36	34	30	27	36	34	38	42	34
KUNA 2 NNE	MAX	39	46	37	33	30	36	52	53	63	58	53	63	54	44	44	41	43	46	52	57	45	43	59	52	60	48	40	56			60	48
	MIN	29	31	31	28	29	28	32	37	46	30	37	43	40	37	25	31	38	41	38	42	33	29	32	33	41	27	21	34	36			33
LEWISTON WATER PLANT	MAX	48	42	54	50	41	38	53	52	65	60	52	51	50	49	50	51	47	47	53	51	51	47	52	52	47	50	47	49	57	56	63	50
	MIN	32	33	34	33	32	30	36	44	44	39	43	39	41	39	36	40	39	40	39	41	43	39	38	41	38	36	32	31	39	41	46	38
LEWISTON WB AP	MAX	48	43	54	46	37	45	51	53	66	50	57	53	49	48	47	48	47	50	53	50	49	42	62	49	45	46	46	48	56	57	59	50
	MIN	31	32	36	32	30	30	38	43	45	37	43	40	40	39	36	40	42	40	40	40	36	37	41	40	36	32	33	39	40	43	51	38
LIFTON PUMPING STA	MAX	31	35	39	34	42	39	33	40	41	48	38	48	41	35	30	30	38	40	39	40	35	33	44	39	45	45	34	36	42	40	42	38
	MIN	15	21	25	8	17	19	27	29	13	26	17	22	25	27	17	12	25	33	31	27	25	12	24	16	17	23	19	20	31	29	20	21
LOWMAN	MAX	33	31	38	33	32	35	38	34	38	34	43	44	42	40	42	43	40	36	38	40	41	36	34	36	38	40	37	40	35	46	42	38
	MIN	10	21	20	16	24	20	28	26	15	19	22	24	30	22	28	28	29	26	29	29	30	26	27	22	24	26	29	25	30	31	30	24
MACKAY RS	MAX	29	28	39	32	33	28	27	33	47	44	43	48	42	35	36	33	36	39	39	36	36	31	40	40	45	33	28	36	43	38	41	36
	MIN	8	9	5	4	2	14	15	17	30	25	16	29	26	16	15	12	9	27	23	22	27	15	13	12	21	8	9	9	14	28	28	16
MALAD	MAX	33	34	46	35	39	37	35	40	48	50	45	53	44	37	40	34	34	43	46	49	41	37	46	49	54	44	40	42	44	45	44	42
	MIN	18	27	26	16	21	23	28	31	32	33	26	34	33	32	19	19	28	33	33	34	31	21	31	26	33	27	25	26	31	32	26	27
MALAD CAA AP	MAX	34	35	45	35	37	37	36	40	42	47	39	47	42	36	39	35	37	44	46	50	41	38	47	49	54	44	38	39	44	45	50	41
	MIN	15	26	15	12	18	21	25	28	25	24	22	31	31	31	21	17	29	34	31	32	27	21	28	24	30	24	25	26	31	28	25	25
MAY RS	MAX	33	30	37	32	27	30	41	40	55	48	51	55	56	46	40	42	45	42	45	41	40	34	55	45	51	38	34	40	47	44	51	42
	MIN	1	9	8	5	2	15	23	25	34	24	27	30	32	29	21	25	29	32	29	29	26	20	25	24	28	22	16	25	25	24	31	22
MC CALL	MAX	28	28	38	32	30	30	32	34	42	40	38	40	36	32	30	30	32	36	34	36	34	28	40	38	44	30	26	28	34	36	38	34
	MIN	16	16	24	16	16	28	28	30	38	18	28	36	32	30	20	24	30	30	30	30	28	18	28	20	26	20	18	20	28	26	30	25
MC CAMMON	MAX	36	33	45	40	43	40	42	42	45	50	50	51	47	42	39	36	39	41	44	44	48	42	47	50	46	42	38	45	45	44	48	43
	MIN	22	23	21	12	22	21	22	23	34	36	26	37	36	34	22	21	23	27	31	34	25	31	32	30	35	29	22	22	31	31	30	27
MERIDIAN 1 SSW	MAX	38	40	37	33	31	35	53	62	64	59	55	62	52	46	43	46	43	45	52	57	46	44	59	53	60	49	40	44	57	56	59	49
	MIN	31	32	29	28	26	28	34	42	45	36	39	38	37	35	29	37	38	40	39	41	35	30	35	35	39	29	26	34	35	36	39	34
MESA	MAX	35	33	38	34	32	29	43	41	52	48	44	47	43	41	38	36	42	42	45	47	44	39	49	44	50	38	36	35	46	50	53	41
	MIN	26	24	25	26	23	20	25	33	34	28	31	34	35	31	24	31	32	36	37	34	32	28	31	31	32	29	25	28	31	32	37	29
MINIDOKA DAM	MAX	36	36	43	42	35	36	40	42	55	55	50	58	48	36	39	40	41	45	46	54	38	41	52	51	56	39	36	43	49	42	50	44
	MIN	24	26	21	19	20	23	29	31	38	35	31	34	36	30	28	28	34	37	36	38	30	26	33	34	36	28	20	25	33	28	27	29
MONTPELIER RS	MAX	32	37	48	40	35	38	40	36	41	48	50	48	51	44	45	42	49	41	47	48	43	34	47	43	43	50	38	31	48	42	37	42
	MIN	12	13	23	6	10	20	23	26	18	20	20	25	28	29	15	10	14	31	30	25	26	10	14	18	17	23	12	17	29	27	20	19.
MOSCOW U OF I	MAX	42	36	44	43	37	33	45	45	55	50	55	53	47	43	41	45	43	46	45	45	43	38	55	56	54	41	41	38	47	46	52	45.
	MIN	29	30	35	33	32	27	32	39	42	32	41	40	40	35	34	33	36	34	37	37	35	33	35	39	33	31	29	32	34	39	42	34.
MOUNTAIN HOME	MAX	45	39	47	37	33	40	51	51	66	58	58	65	58	47	48	42	44	45	57	60	47	56	62	57	62	55	41	46	58	54	59	51.
	MIN	28	31	25	26	25	25	33	37	44	35	36	44	39	34	24	32	37	36	38	41	33	25	29	36	29	25	18	30	32	32	36	32.
MULLAN PASS CAA	MAX	25	32	32	30	27	27	27	37	38	40	41	37	33	30	27	30	33	33	33	31	26	28	36	38	37	30	22	30	30	32	37	31.
	MIN	16	18	26	25	12	9	22	24	27	24	29	31	27	24	23	22	26	28	26	25	21	21	27	32	19	15	15	18	26	26	27	22.
NAMPA 2 NW	MAX	42	39	44	36	34	32	41	54	62	66	61	51	64	51	45	46	46	48	50	54	57	47	44	61	55	61	47	41	45	58	58	49.
	MIN	30	32	34	30	28	28	28	32	39	43	38	41	42	38	26	32	37	43	42	43	35	29	34	33	34	31	22	33	35	35	39	34.
NEW MEADOWS RS	MAX	39	33	37	34	31	28	39	38	48	48	37	47	41	37	34	39	38	42	42	39	43	34	44	39	32	33	36	38	46	46	48	39.
	MIN	17	19	23	11	11	17	23	32	32	15	30	33	34	32	18	31	32	33	32	29	31	20	22	16	10	23	28	29	30	31	33	25.
NEZPERCE 2 E	MAX	35	37	44	42	33	35	40	46	56	50	53	52	45	38	38	40	40	43	45	46	40	38	43	45	45	37	35	35	48	48	49	42.
	MIN	28	26	32	28	28	26	33	35	44	33	40	40	35	33	32	35	37	38	33	35	32	30	33	38	32	27	19	31	35	33	40	32.
OAKLEY	MAX	37	42	47	45	43	45	41	50	57	59	50	59	51	43	40	45	43	46	47	55	43	42	55	50	58	51	40	46	55	53	55	48.
	MIN	21	29	32	25	22	25	30	33	38	36	36	39	37	32	26	27	34	37	37	35	30	24	34	36	40	25	16	25	36	34	30	31.
OBSIDIAN 4 NNE	MAX	29	28	37	29	33	28	28	34	42	42	45	45	37	32	31	33	33	35	34	39	32	32	45	42	42	34	21	31	37	36	42	35.
	MIN	6	8	15	-1	8	17	22	24	31	16	32	32	28	22	3	13	28	29	24	24	11	-1	18	10	31	12	11	14	24	22	21	17.
OLA 4 S	MAX	40	39	37	39	35	33	42	47	55	58	46	54	49	42	45	47	45	47	47	50	46	47	55	56	56	49	41	38	38	49	51	45.
	MIN	24	29	25	18	27	25	29	30	31	30	32	37	39	34	26	32	33	34	35	37	34	33	34	34	32	30	25	30	30	32	34	30.
OROFINO	MAX	44	35	45	39	39	37	55	52	62	54	44	49	49	46	42	44	42	45	47	47	47	46	52	45	44	47	39	39	46	49	48	45.
	MIN	31	29	31	32	32	29	32	32	37	33	37	40	42	39	37	36	36	38	40	36	37	36	38	36	34	32	29	35	34	37	41	35.
PALISADES DAM	MAX	32	25	36	36	32	38	35	39	49	47	47	54	47	39	32	28	38	42	45	39	49	35	40	40	44	47	32	30	43	42	39	39.
	MIN	21	13	24	18	20	26	30	30	32	36	33	31	33	30	11	14	27	31	32	28	30	21	27	21	21	27	13	23	28	31	24	25.
PARMA EXP STA	MAX	40	37	35	35	32	33	55	52	65	62	49	60	53	49	46	44	51	54	55	57	50	45	58	51	60	47	42	45	58	59	63	49.
	MIN	27	30	29	28	27	27	28	36	48	31	32	36	40	38	27	34	40	42	41	42	34	39	30	31	28	28	28	30	28	31	37	33.
PAUL 1 E	MAX	46	37	47	46	38	39	39	43	48	60	63	51	59	53	35	40	47	53	45	48	57	40	44	60	60	57	43	38	45	52	50	47.
	MIN	23	29	22	23	22	21	24	31	34	39	30	34	38	32	29	30	32	38	38	37	32	27	27	31	33	30	19	19	28	33	30	29.
PAYETTE	MAX	39	37	36	35	32	33	52	47	62	54	45	52	51	46	44	43	50	52	53	56	49	44	52	48	59	48	46	43	50	56	56	47.
	MIN	30	31	32	30	28	28	27	40	41	30	32	34	41	38	27	34	40	44	41	40	35	28	31	32	29	29	25	32	29	35	37	33.
PIERCE RS	MAX	33	35	36	34	33	31	39	36	53	40	35	39	38	35	35	35	33	35	35	37	35	35	47	36	36	35	35	34	37	38	38	36.
	MIN	22	20	31	23	21	20	29	29	32	28	31	32	32	31	30	30	31	32	29	30	30	29	32	28	28	25	24	27	32	32	33	28.
POCATELLO WB AP	MAX	32	29	41	30	33	38	42	48	54	54	46	55	52	38	34	37	42	44	45	53	40	39	48	52	54	40	35	41	48	44	50	43.
	MIN	24	20	19	22	23	20	32	34	41	35	28	35	37	25	15	24	33	35	34	44	31	27	36	28	30	27	22	32	36	33	33	29.
PORTHILL	MAX	38	36	42	44	43	30	28	44	53	49	50	53	47	47	38	47	42	35	45	42	44	42	37	52	45	42	45	40	46	51	52	43.
	MIN	28	24	27	25	27	10	20	26	33	25	28	30	32	26	27	35	30	29	31	34	31	34	32	30	35	33	34	29	34	39	39	29.
POTLATCH	MAX	39	39	45	50	45	34	45	52	55	55	58	53	50	43	40	45	43	46	46	44	42	38	53	55	55		40	38	45	47	53	46.
	MIN	26	29	36	37	22	26	32	38	42	40	35	44	39	36	37	33	33	36	36	36	35	33	33	34	32		29	32	35	40	41	34.
PRESTON SUG FACT 2 SE	MAX	34	34	44	42	39	38	35	43	46	53	52	52	50	45	34	33	37	40	48	52	51	39	47	48	53	52	44	37	45	45	49	43.
	MIN	29	28	30	29	28	27	26	33	31	36	37	34	34	32	14	7	24	33	38	33	31	19	32	26	31	27	25	27	33	35	29	29.
PRIEST RIVER EXP STA	MAX	33	30	36	38	41	28	41	43	49	48	47	49	44	39	36	41	34	34	38	38	36	37	33	37	40	39	38	38	47	43	48	39.
	MIN	27	23	29	31	27	13	22	36	37	22	30	37	35	31	30	33	30	31	31	32	31	31	31	31	32	31	28	32	33	34	35	30.
REACTOR TESTING STA	MAX	28	27	34	23	26	32	35	38	43	41	36	47	43	37	31	33	36	41	42	47	42	34	43	41	49	34	30	40	45	41	47	37.
	MIN	1	1	16	16	15	12	26	27	32	29	18	32	31	31	20	20	29	33	31	31	28	18	26	17	28	22	14	15	26	23	25	22.
RICHFIELD	MAX	36	30	33	29	27	32	37	39	43	40	40	51	42	37	37	36	37	41	44	46	42	37	50	44	55	47	35	41	49	44	51	40.
	MIN	13	20	14	15	7	16	18	26	34	31	32	34	33	31	18	21	32	34	32	33	30	24	28	30	36	25	12	19	33	32	27	25.
RIGGINS RS	MAX	48	56	47	44	44	41	48	52	64		64		53	58	50	48	54	45	54	50	51	49	58	60	62	50	44	46	46	58	60	51.
	MIN	33	33	35	33	34	34	37	38	46		36		44	48	34	43	40	41	40	41	39	36	40	44	40	36	33	38	37	39	48	38.
ROLAND W PORTAL	MAX	30	31	35	38	33	28	35	37	45	44	44	43	38	36	33	36	36	37	35	35	34	31	39	47	40	30	29	31	36	35	41	36.
	MIN	25	16	31	25	23	15	25	30	34	30	31	36	34	30	30	30	31	31	32	31	30	28	29	30	29	26	22	26	30	32	33	28.
RUPERT	MAX	33	39	37	46	39	40	40	42	49	56		55	61	53	35	41	43	45	45	48	57	41	45	55	56	57	42	40	45	52	45	46.
	MIN	23	27	20	19	19	20	23	30	33	38		33	37	30	28	28	31	37	37	36	30	25	26	28	30	26	18	18	30	31	26	27.
SAINT ANTHONY	MAX	29	28	29	29	27	33	35	38	48	43	44	49	43	37	37	35	36	40	43	48	39	38	39	44	50	40	33	37	43	45	46	38.
	MIN	19	10	23	23	19	19	30	25	33	32	29	31	32	32	10	24	28	33	32	31	29	24	27	23	28	24	18	18	29	31	32	25.

See reference notes following Station Index.

DAILY TEMPERATURES

le 5 - Continued

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
T MARIES	MAX	41	39	39	43	38	33	41	44	54	51	51	53	54	52	50	43	43	41	45	43	42	41	42	[illegible]	48	[illegible]	[illegible]	39	44	48	50	[illegible]
	MIN	29	30	28	26	26	19	27	37	37	[illegible]	34	37	38	36	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ON	MAX	29	29	32	19	24	28	40	41	56	53	57	62	50	40	47	45	44	43	42	46	48	35	43	38	57	44	41	41	47	51	59	[illegible]
	MIN	9	11	7	7	8	19	22	26	39	31	28	38	30	28	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30	28	31	35	[illegible]
POINT EXP STA	MAX	34	34	39	43	39	29	41	42	49	48	47	51	46	44	39	[illegible]	[illegible]	[illegible]	40	40	39	39	40	43	40	39	38	38	46	43	48	41.1
	MIN	31	25	31	32	25	19	22	34	35	25	33	43	40	35	32	[illegible]	[illegible]	[illegible]	33	35	33	32	32	30	33	33	30	37	34	39	39	32.1
SHONE	MAX	38	33	32	32	34	35	42	39	54	46	44	57	51	42	41	38	40	43	47	51	45	39	54	46	[illegible]	[illegible]	[illegible]	41	50	45	54	[illegible]
	MIN	22	24	20	18	14	18	24	33	30	32	33	31	35	33	22	[illegible]	[illegible]	[illegible]	35	35	31	24	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CER RS	MAX	24	25	27	23	26	25	30	33	38	37	43	39	37	34	34	34	34	42	35	36	41	[illegible]	[illegible]	[illegible]	41	37	26	31	38	40	42	34.6
	MIN	9	0	12	11	16	12	20	12	31	22	28	29	31	27	12	19	24	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4	22	16	18	17.2
NGFIELD	MAX	33	31	38	30	31	33	35	40	48	51	45	54	44	45	40	34	36	45	[illegible]	[illegible]	[illegible]	38	49	53	53	48	34	39	49	46	50	[illegible]
	MIN	13	9	20	23	19	18	24	27	35	33	35	33	33	34	20	25	30	34	35	35	30	26	34	26	[illegible]	[illegible]	[illegible]	25	33	32	30	[illegible]
NITE	MAX	36	28	33	44	44	35	30	30	43	51	47	48	43	35	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	30	42	43	38	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	15	16	18	12	18	17	23	24	28	21	20	30	31	26	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	10	18	15	19	19	12	13	23	26	26	[illegible]
EVELL	MAX	33	33	43	35	34	38	42	42	47	50	45	51	45	39	37	[illegible]	[illegible]	[illegible]	45	48	41	35	41	45	[illegible]	[illegible]	[illegible]	37	50	41	[illegible]	[illegible]
	MIN	17	23	19	17	20	22	23	33	36	33	37	36	32	29	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	22	28	29	23	[illegible]
R	MAX	30	26	31	28	26	28	34	38	45	44	43	47	48	39	34	[illegible]	[illegible]	[illegible]	43	51	41	34	38	43	[illegible]	[illegible]	[illegible]	38	46	46	50	[illegible]
	MIN	18	10	21	22	18	14	20	27	35	31	28	29	30	31	16	20	28	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	20	30	31	29	[illegible]
VALLEY	MAX	28	31	40	33	35	31	31	35	41	42	41	46	40	37	34	[illegible]	[illegible]	[illegible]	38	40	41	34	41	[illegible]	43	40	25	34	44	43	48	[illegible]
	MIN	- 2	3	6	[illegible]	[illegible]	[illegible]	12	27	30	17	15	14	31	25	6	[illegible]	[illegible]	[illegible]	17	20	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
FALLS PH	MAX	45	41	41	35	32	37	57	57	66	64	63	63	62	50	49	47	50	51	[illegible]	[illegible]	[illegible]	50	58	55	67	50	46	47	62	61	62	[illegible]
	MIN	32	34	30	29	28	28	34	47	47	41	40	39	46	39	30	37	42	43	[illegible]	[illegible]	[illegible]	35	30	35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NIA EXP STA	MAX	31	30	35	28	33	29	27	34	45	46	50	52	40	38	30	[illegible]	[illegible]	[illegible]	36	42	40	[illegible]	[illegible]	[illegible]	44	41	31	29	37	36	38	[illegible]
	MIN	1	4	7	15	17	14	14	16	18	[illegible]	31	33	32	25	8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	11	24	16	[illegible]	[illegible]	[illegible]	9	14	22	24	17.1
E CREEK	MAX	34	45	41	52	50	40	45	57	57	60	63	58	[illegible]	40	38	[illegible]	[illegible]	[illegible]	47	57	48	[illegible]	[illegible]	[illegible]	58	48	42	45	51	45	59	[illegible]
	MIN	15	24	20	17	18	23	24	35	38	38	27	34	32	27	17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	17	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
FALLS 2 NNE	MAX	39	38	45	42	34	42	46	53	61	57	48	61	54	46	42	[illegible]	[illegible]	[illegible]	49	60	52	45	55	51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	28	30	24	22	20	23	32	37	38	42	30	37	40	33	29	[illegible]	[illegible]	[illegible]	40	38	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	33	34	[illegible]	[illegible]
FALLS 3 SE	MAX	40	40	40	46	44	29	43	47	53	60	57	51	62	55	37	[illegible]	[illegible]	[illegible]	49	50	59	42	45	55	56	60	44	39	45	54	[illegible]	[illegible]
	MIN	21	30	26	22	20	21	26	32	37	32	30	31	42	33	29	29	33	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	32	21	23	35	35	[illegible]	[illegible]
ACE	MAX	33	36	39	37	35	32	42	46	50	45	50	50	45	40	40	[illegible]	[illegible]	[illegible]	41	40	39	[illegible]	[illegible]	[illegible]	46	37	36	43	46	44	52	[illegible]
	MIN	23	23	34	29	27	18	28	35	40	35	34	39	37	33	35	[illegible]	[illegible]	[illegible]	35	35	33	32	32	33	[illegible]	[illegible]	[illegible]	31	34	33	37	[illegible]
ACE WOODLAND PARK	MAX	38	33	38	37	39	36	36	42	51	50	46	52	51	45	40	39	42	36	40	41	41	37	37	49	53	40	35	36	43	44	[illegible]	[illegible]
	MIN	29	19	25	27	25	16	24	34	37	34	34	38	38	33	33	[illegible]	[illegible]	[illegible]	34	35	34	[illegible]	[illegible]	[illegible]	36	31	23	28	31	34	[illegible]	[illegible]
ER	MAX	42	38	37	36	34	35	48	44	65	55	47		46	48	49	42	45	48	52	54	50	52	56	48	60	48	40	40	54	60	55	[illegible]
	MIN	28	30	28	29	28	30	27	35	36	34	33		40	40	28	[illegible]	[illegible]	[illegible]	35	38	30	28	30	28	28	26	22	28	28	30	36	[illegible]
HESTER 1 SE	MAX	38	41	45	43	36	37	40	44	50	54	51	49	48	39	36	37	43	42	45	46	41	36	53	48	46	42	35	35	44	45	49	[illegible]
	MIN	23	26	27	28	27	25	30	34	40	27	30	34	33	31	30	31	32	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

SNOWFALL AND SNOW ON GROUND

e 7

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
RDEEN EXP STA	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	1	1	1	1	1	1	2	1	T																						
ERSON DAM	SNOWFALL	0.5	1.0				T	6.0									-						T									
	SN ON GND	9	10	10	9	9	8	15	12	9	8	7	4	3	3	3	8	6	6	6	6	6	5	4	4	4	4	4	3	3	3	2
)	SNOWFALL							3.5		T					T						T											
	SN ON GND	-	-	-	-	10	10	-	12	-	7	7	7	6	6	6	6	6	6	5	5	5	5	5	-	-	-	3	3	2	2	-
WROCK DAM	SNOWFALL	2.0	1.0					3.0									2.0	1.0										T				
	SN ON GND	2	3	2	1	1	1	4	2								2	3	2									T				
ON 1 S	SNOWFALL		2.0			T	T	3.0	0.5						0.5	T		3.0	1.5		2.0			0.5						1.5		
	SN ON GND	16	17	17	16	16	16	19	19	15	12	11	10	9	9	9	9	12	10	10	11	10	9	9	9	9	9	9	9	10	9	9
NTA 1 E	SNOWFALL	5.0					6.0	10.0	8.0						5.0		5.0	13.0	12.0	2.0	2.0	4.0			3.0		2.0	3.0	T	6.0	4.0	1.0
	SN ON GND	29	28	28	27	26	31	34	37	25	24	23	21	19	23	22	26	37	47	48	46	48	46	44	40	38	38	39	36	40	42	40
CREEK 1 S	SNOWFALL	1.0	2.1				1.0	6.1	4.0					2.0	5.0	1.0	1.1	3.0	2.1	2.0	4.1	1.0					2.1	1.0	1.5	2.1	2.0	
	SN ON GND	23	25	20	17	17	18	24	28	14	14	14	13	15	20	21	22	25	27	29	33	31	28	24	24	24	26	27	28	30	32	24
[illegible]	SNOWFALL						T	1.0							7.0																	
	SN ON GND	2	2	2	2	2	1	2	1						7	6	4															
E WB AP	SNOWFALL	0.6	0.1				T	0.4	T								T										T					
	SN ON GND	T	T																													
ERS FERRY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-		-
	SN ON GND	9	12	11	10	10	13	19	11	6	6	2	T	T	T	T	T	1	4	T	T	T	T	T				T				
EY CAA AP	SNOWFALL	0.2	T				T	2.0							T												1.0					
	SN ON GND	1	1						1																			1	T			
WELL	SNOWFALL		0.2				T																				T					
	SN ON GND																															
ADE 1 NW	SNOWFALL	0.5	1.5				3.0	8.0	4.5						3.5	T	5.5	3.5	2.5	T	T	T	0.5	T			1.0	T	2.0	T	1.7	
	SN ON GND	20	21	20	20	20	23	30	32	20	18	16	14	12	15	15	20	22	23	20	18	18	18	18	17	17	18	18	20	19	19	18
ERVILLE ARBAUGH RCH	SNOWFALL	3.2	1.0				6.0	5.0	2.0				T		2.5	T	7.6	2.0	0.6	T	2.5	0.5	1.6	T		1.4	2.6		1.4	0.5	0.5	T
	SN ON GND	28	29	28	27	26	31	36	35	30	28	26	25	23	24	24	31	32	29	29	29	29	29	28	28	29	31	30	29	28	28	27
LT BLACKBIRD MINE	SNOWFALL		•	•		1.2	1.0	2.5	5.2					0.5	3.4	1.0	1.0	4.5	7.8	9.3	2.0	2.2		3.0			1.2	0.5	0.7	4.5	3.5	0.2
	SN ON GND	-	-	-	-	17	18	20	25	22	20	20	18	19	21	18	19	23	30	36	36	35	33	34	33	32	33	32	32	35	37	36
D'ALENE CAA AP	SNOWFALL	0.8	1.0				6.0	T		T							1.2	1.3					0.4			T	T		1.5			
	SN ON GND	6	6	5	5	5	5	8	4										1													
D'ALENE RS	SNOWFALL		4.0	T			0.5	6.0															T				T					
	SN ON GND	2	6	2	1			1																								
NWOOD	SNOWFALL		1.5																				1.8				0.4		2.0			
	SN ON GND	2	4	2	1	1	1	1	1														2				T		2			
OOD DAM	SNOWFALL	1.5	2.5	T			3.5	12.0	8.0	T	T			T	2.5		5.5	6.0	2.5	0.5	5.0	0.5	0.5	1.0			2.5	0.5	2.5	0.5	2.0	0.5
	SN ON GND	39	40	38	37	37	39	47	51	42	40	39	36	33	35	34	38	40	41	39	43	43	42	42	42	41	43	42	43	43	44	43
ES CAA AP	SNOWFALL	T	T		T	T		0.8	T					T	T		0.4				1.4		T	T								
	SN ON GND	6	6	6	6	6	6	8	9	9	6	6	4	4	4	4	4	4	1	4	4	[illegible]	4	4	4	4	4	4	4	4	4	4
MT 2 E	SNOWFALL		T				2.0																									
	SN ON GND		T																													

See reference notes following Station Index

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
FENN RS	SNOWFALL		3.0			0.8		T	T																							
	SN ON GND		2	1	T	T		T	T																							
GARDEN VALLEY RS	SNOWFALL	6.0	1.5				3.0	6.0									3.0												1.0	1.0		
	SN ON GND	16	17	16	16	16	19	22	19	18	17	16	16	14	13	13	16	15	15	13	13	13	13	13	12	12	12	12	13	14	13	1
GOODING CAA AP	SNOWFALL	T	0.6				T	4.0									T										T					
	SN ON GND		T	T					2																							
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND		1			-									T	-																
GRAY	SNOWFALL		1.0					2.0	2.0					1.0	4.0			1.0	5.0			1.0									4.0	2.
	SN ON GND	14	14	14	14	14	14	16	16	12	12	12	10	11	12	12	12	13	18	18	18	18	18	18	18	18	18	18	18	18	22	2
HAILEY	SNOWFALL							6.0	5.5	2.0					1.0		0.1	4.0	1.5	1.0	2.0											
	SN ON GND	27	26	25	25	24	24	28	32	29	28	24	22	20	19	19	19	22	20	20	21	20	20	20	20	20	20	20	20	19	19	1
HAMER 4 NW	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	-	-	-	-	-	-	5	-	-	-	-	-	-	-	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY	SNOWFALL	3.0	1.0				2.8	6.0	1.0	0.3									1.3													
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY 13 SW	SNOWFALL	3.0	1.0				2.0	6.5	2.5						2.0		7.0	4.5			0.5	T	T				0.5		0.7	0.5	T	
	SN ON GND	19	20	20	20	20	22	28	30	26	24	24	22	20	20	18	24	27	26	25	24	24	24	24	24	24	24	24	24	23	23	2
IDAHO FALLS CAA AP	SNOWFALL	T	0.2	T		T	T	0.4							5.3		0.2	0.1	T		T	T	T	T					T	T		
	SN ON GND	7	7	7	7	7	7	7	7	4	2	1	1	1	1	5	5	5	[illegible]	T												
IRWIN 2 S	SNOWFALL	1.0	0.5					2.0							7.0	1.0	2.0					2.0		2.0						2.0		
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ISLAND PARK DAM	SNOWFALL			1.0		1.0	2.0	8.0	2.5	3.5				T			1.0	7.0	4.0	1.0	4.0	1.0		3.0						3.0	2.0	
	SN ON GND	-	-	-	-	30	32	38	38	39	-	-	-	31	-	-	31	38	42	41	44	44	-	45	-	-	-	-	-	44	45	4
LEWISTON WB AP	SNOWFALL		0.9																								T	T				
	SN ON GND		T																													
LOWMAN	SNOWFALL	3.0	4.0				6.0	8.0	*	3.0					1.0		3.0	3.0	4.0	3.0	1.0	2.0					3.0	3.1	2.0	3.0		
	SN ON GND	20	24	-	-	-	29	31	-	20	-	18	17	15	15	-	18	20	24	25	24	25	-	-	-	-	24	24	24	24	-	-
MACKAY RANGER STA	SNOWFALL						T	2.0	0.8	0.8	T			0.2	0.2			0.1	0.2	0.3	0.3	0.1								0.5		
	SN ON GND	11	11	10	10	10	10	12	12	10	8	8	[illegible]	8	7	7	7	7	[illegible]	6	6	6	6	[illegible]	6	6	6	6	6	6	6	
MALAD CAA AP	SNOWFALL	0.2	0.6				T	3.0							0.2		0.4	0.3				T		T			T			T		
	SN ON GND	1	1	1	1	1	1	1	4	4	3	3	3	1	1	1	1	1	T											T		
MC CALL	SNOWFALL		4.0	T				16.0	4.0	T					4.0	T	4.0	2.0	4.0		7.0	1.0					1.0			2.0	2.0	
	SN ON GND	27	34	-	-	-	-	38	39	-	-	25	25	23	26	25	26	28	30	30	31	30	30	30	-	-	30	-	-	31	33	3.
MESA	SNOWFALL	1.0	4.5				3.0	3.0							1.0		4.0						2.0	2.0					2.5			
	SN ON GND	11	13	12	12	12	14	13	11	9	[illegible]	8	6	4	4	3	7	4	3	2	1	T	2	2	1	T			3	1		
MULLAN PASS CAA	SNOWFALL	1.5	2.0	3.0			2.6	9.2	3.0	T	2.0	2.2	3.1	3.7	3.8	4.3	4.3	3.6	3.7	3.9	4.7	2.1	4.5	2.4		1.8	3.9	4.5	5.3	4.7	2.0	T
	SN ON GND	33	33	36	38	38	38	42	50	36	35	38	28	31	34	37	41	44	48	49	52	56	56	62	56	55	57	60	66	69	73	7
NEZPERCE 2 E	SNOWFALL		3.0			T																	T			T	T	T	T			
	SN ON GND	-	2	T		T	T																				T	T	T			
OAKLEY	SNOWFALL	T	T					1.5																				T				
	SN ON GND	T	T	T				1																				T				
OBSIDIAN 4 NNE	SNOWFALL	T	0.8	T			T	2.0	5.0		T			T	2.0		1.0	4.0	5.0	2.0		2.0		T			T	1.0	T	1.0	1.0	
	SN ON GND	18	18	18	18	18	18	20	25	18	17	16	15	15	17	16	17	21	26	28	27	28	27	26	26	26	26	27	26	27	28	2
PAYETTE	SNOWFALL	0.5	2.0				1.0																				T					
	SN ON GND	T	1	T	T	T	1																									
PIERCE RS	SNOWFALL	T	2.0			0.1	T	0.2							2.0	0.5	1.5	2.0			T	T	1.5			T	0.3	2.1	3.5			
	SN ON GND	19	19	18	18	18	18	18	18	16	15	14	8	8	13	13	15	17	16	16	15	15	16	16	16	17	18	21	24	21	20	2
POCATELLO WB AP	SNOWFALL	0.4	T				0.4	0.4							5.0		0.1	T				1.0					T		T		T	
	SN ON GND	2	2	2	1	1	1	1	T	T					T	5	4	4	T	T	T	T	T					T			T	
	WTR EQUIV	0.2	0.2	0.2												0.7	0.7	0.6														
PORTHILL	SNOWFALL		1.0	6.0			1.5	8.0																								
	SN ON GND	2	3	4	2	[illegible]	4	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
POTLATCH	SNOWFALL		T				T										T										1.0		1.5			
	SN ON GND																T										T		1			
PRIEST RIVER EXP STA	SNOWFALL	2.5	1.7	0.3			1.6	4.0								0.5	T	1.0	0.3		0.3		4.0	2.4			0.5	0.4	1.3			
	SN ON GND	20	22	20	19	19	20	24	18	11	11	10	5	4	4	3	[illegible]	4	4	3	[illegible]	3	7	8	5	5	5	5	[illegible]	5	4	
ROLAND WEST PORTAL	SNOWFALL	3.2	2.7	1.2	T		T	8.7	4.2	T	T				1.1	4.3	4.7	4.6	T	1.9	2.9	2.7	4.8	4.3		3.9	8.3	8.7	6.1	2.3	2.1	
	SN ON GND	34	36	33	32	31	32	40	41	30	28	26	24	23	22	26	30	34	32	33	35	37	42	41	36	40	48	56	62	58	54	5
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	4	4	5	5	5	7	6	4	1														2	1							
SANDPOINT EXP STA	SNOWFALL	1.5	2.0	T			1.1	6.7											T	T			1.0	1.0		T	T	T	T			
	SN ON GND	13	14	11	10	10	11	17	11	5	3	2											1	1	1	T	T	T				
SPENCER RS	SNOWFALL	T	2.0					2.5	2.0	2.0					1.0						4.0	T	T									
	SN ON GND	-	-	-	-	24	-	-	-	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STIBNITE	SNOWFALL	0.9	1.2	1.4			0.2	4.2	12.1	1.0	0.5			0.4	6.2	0.4	0.6	5.0	4.7	6.7	2.9	4.3		1.7			1.3	2.0	0.7	3.0	4.1	1.(
	SN ON GND	20	21	21	19	19	19	21	29	20	18	17	15	15	20	20	20	24	28	33	35	35	34	35	34	31	31	32	32	34	37	37
SUN VALLEY	SNOWFALL	T					T	7.0	6.0	4.0		T	T		1.0		T	4.0	1.0	5.0						T	T	T			T	
	SN ON GND	28	28	26	26	26	25	31	36	31	29	29	26	25	25	25	24	28	29	32	31	30	30	30	29	29	29	29	29	29	29	26
THREE CREEK	SNOWFALL														2.0							1.0								T		
	SN ON GND	2	-	-	-	-	-	T							2	1						T										
TWIN FALLS 2 NNE	SNOWFALL	T	T				T	1.0							T		T										T	0.3				
	SN ON GND	T																									T	T				
WALLACE	SNOWFALL	1.0	T			T	T									T	T	T	T				T	T		2.0	4.0	4.0	4.0			
	SN ON GND	8	4	3	3	3	3	3	2	1	1	1	T	T	T	T	T	T	T				T	T	T	2	[illegible]	8	7	4	2	T

See reference notes following Station Index.

STATION INDEX

Station	Index No.	County	Drainage†	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	[illegible]	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP J PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2500	5P	5P	U S FOREST SERVICE	2 3 5 7
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	284[illegible]	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	184[illegible]	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK [illegible]	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	41[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	237[illegible]	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	5P	5P	J I LORTON	2 3
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 0[illegible]	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 1[illegible]	212[illegible]	6P	6P	MRS MARY I RALPH	2 3 5
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	[illegible]	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D'ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	[illegible]	2 3 5 7
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	5P	5P	DAN GOODMAN	2 3 5
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	314[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 1[illegible]	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 08	2600	4P	4P	W [illegible]	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T [illegible]	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 1[illegible]	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL TAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES [illegible]	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	[illegible]00		6P	M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY C GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEWISTON	5230	NEZ PERCE	12	46 25	117 02			7A	RIVER STATION	
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	[illegible]	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 17	5900	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4426	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 [illegible]	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	571[illegible]	BANNOCK	12	42 39	112 1[illegible]	4774	5P	5P	H FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 [illegible]	3244	8P	8P	MESA [illegible]	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	60[illegible]3	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	[illegible]990		VAR	U S SOIL CON SER	S
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3184	6P	6P	KENNETH J NEWMAN	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	60[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6406	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN [illegible]	2 3 5 7
NEZ PERCE PASS	6436	LEMHI	11	45 43	114 30	6175		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 05	114 48	6900	5P	5P	MARJORIE [illegible] SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
OROFINO	6681	CLEARWATER	3	46 29	116 1[illegible]	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	[illegible]	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	3P	3P	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 1[illegible]	422[illegible]		5P	GENEVA B SCHRAFT	3 7
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R F DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2560	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON SUG FACT 2 SE	73[illegible]	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 0[illegible]	112 03	6300		VAR	FORT HALL PROJECT	S
REACTOR TESTING STA	7536	BUTTE	6	43 31	112 57	492[illegible]	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F [illegible]	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	[illegible]	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 33	215[illegible]	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	86[illegible]4	CLARK	6	44 [illegible]	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8626	BINGHAM	12	43 04	112 41	442[illegible]	6P	6P	E T [illegible]	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	489[illegible]	6P	6P	WM [illegible] ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	582[illegible]	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 1[illegible]	5904	5P	5P	EXPERIMENT STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	92[illegible]	ELMORE	2	43 38	115 [illegible]	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	5475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 3[illegible]	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 5[illegible]	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J [illegible]	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	R LANE HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	[illegible] HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	
REACTIVATED										
STREVELL	8786	CASSIA	12	4[illegible] 01	113 13	5280	5P	5P	IDAHO STATE POLICE	2 3 5

† 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-101857 900 3-16-53

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

FEBRUARY 1953
Volume LVI No. 2

SAN FRANCISCO: 1953

IDAHO - FEBRUARY 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Extremely mild weather, which had characterized the entire month of January, continued through the first week or more of February in Idaho. Much of the precipitation of the month occurred in this early period also, and as might be expected, percentage of possible sunshine was generally low during the first week or ten days. Averaging 8° warmer than a year ago, this February was the mildest since 1947, despite several days of subnormal temperature during the latter half. Individual station averages were, with one exception, above normal, with departures of 5° or more at a number of stations. Less precipitation was recorded, on the average, than in any February since 1947, yet the state-wide average was 89% of normal. Only the Southeastern Division showed a marked deficiency in precipitation, 56% of normal, although there were small areas in the other divisions where the total fall was also much below normal. The Wood River and Lost River drainage systems showed deficiencies, as did the Pend Oreille, the Weiser, part of the Coeur d'Alene Basin, and the Snake River drainage downstream to Grand View. Average snowfall for the State was little more than half as much as a year ago and about 75% of the long-period mean for February. In the principal valleys there was little snow cover at any time during the month, most of it melting within a day or two after it fell. No unusually severe storms occurred during the month, although strong winds were reported on several days.

The maritime influence on Idaho's weather, so predominant during January, persisted through the first week of February. Storm fronts moving eastward, crossed the State at intervals of about 36 hours, resulting in much cloudiness and rather prolonged periods of precipitation. Average daily temperatures ranged generally between 10° and 20° above normal until a storm center, forming on the final storm front in a long series, developed over Nevada and moved eastward. In its wake a ridge of high pressur developed along the Pacific Coast, extendin into western Canada and turning winds t northerly over Idaho on the 8th. Temperatures fell 10° to 20° generally, with man stations reporting even greater lowering o minimum temperatures within a two-day period Clearing skies contributed to this drop i nighttime temperatures and a number of stations in the southern divisions recorded th lowest temperatures of the month on the 10t and 11th. On the 9th and 10th the State wa almost entirely free from precipitation fo the first time in two weeks or more, but o the 11th light precipitation began again a a weak storm front moved across the Pacifi Northwest. The 15th through the 18th brough more widespread precipitation as anothe series of storm fronts from the Pacific swep eastward across the State. During the remainder of the month precipitation was generally very light and scattered. There was however, one final storm front that swep across the State on the last day of the month With it there was a general drop in temperature and widespread precipitation. In th Northern Division several stations reporte more than 3/4 inch of precipitation on th 28th, while in all sections there was snowfall at a number of stations.

Perhaps the most important features o the February weather, at least from the agricultural standpoint, were the appreciabl increase in the snowpack at higher elevation and the lowering of average temperatures during the latter half of the month. The coole weather served to retard development of vegetation, which had shown unseasonable activity during the extremely mild weather o several preceding weeks. Prospects were goo for adequate water supplies on most irrigation projects.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	01–09	10–49	50–99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	31	11.7	49	W	3	80	61	59	79	2	6	7	0	0	0	15	53	6.4	SEE TABLE 2
LEWISTON WB AIRPORT	-	-	-	-	-	-	76	65	53	-	5	4	4	0	0	0	13		8.4	
POCATELLO WB AIRPORT	SW	28	11.7	44	W	15	72	64	57	69	6	9	2	0	0	0	17	38	6.9	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more
1894	20.4	58	-31	1.80	-	7
1895	26.0	64	-34	.67	-	4
1896	31.0	76	-17	.90	-	6
1897	28.8	67	-22	2.51	-	9
1898	30.7	69	-18	1.41	-	8
1899	23.0	58	-41	1.85	15.6	8
1900	29.4	76	-29	1.48	10.4	7
1901	28.3	69	-28	1.93	6.8	9
1902	33.1	63	-35	2.62	10.5	11
1903	18.2	58	-37	.55	5.0	3
1904	30.1	73	-31	3.14	19.2	12
1905	26.4	70	-48	.60	4.8	4
1906	29.3	60	-22	1.93	9.8	9
1907	36.3	65	- 9	2.00	8.7	8
1908	29.7	69	-42	.97	8.8	7
1909	31.7	60	-19	2.30	14.4	11
1910	22.9	60	-30	2.49	21.4	11
1911	22.8	56	-31	1.02	11.7	7
1912	30.7	61	-29	1.93	8.6	9
1913	22.9	61	-33	.59	5.2	4
1914	28.1	64	-43	1.51	9.8	9
1915	33.6	67	-19	1.68	5.9	10
1916	29.8	63	-29	2.76	23.9	10
1917	24.2	60	-34	2.08	19.8	9
1918	30.1	69	-28	1.67	13.8	9
1919	28.4	56	-28	2.94	27.6	13
1920	30.6	66	-25	.45	3.8	3
1921	28.8	66	-33	1.68	13.5	9
1922	22.8	56	-34	1.71	19.4	10
1923	22.1	63	-28	.66	9.5	4
1924	36.1	67	- 9	1.52	3.1	8
1925	34.1	64	-23	2.18	6.0	10
1926	33.9	71	-21	2.19	9.2	11
1927	30.3	63	-33	3.35	13.8	12
1928	27.2	57	-33	.45	3.8	5
1929	19.4	57	-44	.89	8.6	6
1930	34.7	70	-15	2.18	10.0	11
1931	15.3	74	-18	1.00	4.9	6
1932	22.8	66	-34	1.62	14.8	9
1933	15.6	58	-57	1.70	21.2	8
1934	38.0	69	-11	.97	2.0	7
1935	28.4	61	-27	.70	5.6	5
1936	21.2	61	-37	2.80	27.4	13
1937	23.2	66	-34	2.37	24.8	10
1938	31.4	69	-29	1.71	15.5	9
1939	22.4	60	-31	1.82	19.7	10
1940	32.6	71	-27	3.42	13.1	15
1941	32.7	67	-18	1.24	4.0	8
1942	23.3	59	-47	1.60	11.9	11
1943	29.1	65	-25	1.39	11.5	6
1944	28.7	60	-34	1.44	13.5	10
1945	31.9	65	-21	2.32	8.5	12
1946	27.2	64	-24	1.71	14.0	10
1947	32.5	67	-30	.95	3.8	5
1948	28.1	69	-37	2.27	11.4	9
1949	23.6	60	-45	2.91	29.8	11
1950	29.0	74	-46	1.67	9.1	9
1951	30.1	69	-46	2.19	11.7	10
1952	23.4	62	-35	1.71	16.7	9
1953	31.5	72	-32	1.53	9.0	9
ALL YEARS	27.8			1.72		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
[illegible]																							
CLARK FORK 1 ENE	42.3	25.8	34.1	3.6	55	7	17	20	860	0	1	25	0	2.39	-.35	.48	1	3.0	0		12	0	0
COBALT BLACKBIRD	28.9	8.7	18.8		43	28	-10	24		0	18	28	7	2.84		.51	18	36.1	46	18	15	1	0
COEUR D ALENE CAA AP	41.0	27.7	34.4		52	7	15	19	851	0	0	23	0	1.67		.50	3	8.1	2	6	13	1	0
COEUR D ALENE RS	43.4	28.7	36.1	6.0	54	7	19	19	805	0	0	22	0	1.91	-.48	.40	3	2.8	1	16	15	0	0
COTTONWOOD	40.8	23.3	32.1	1.9	51	7+	9	20	917	0	2	26	0	E 1.69	-.03	.31	1	4.5	1	17+	13	0	0
DIXIE	36.3	10.8	23.6		46	27	-18	24	1156	0	7	28	5	3.49		.50	17	54.1	62	19	12	1	0
ELK CITY			M							0													
ELK RIVER 1 S	43.5	23.6	33.6		54	26	5	20	876	0	0	24	0	4.60		1.12	3	11.8	15	22	14	2	1
FENN RS	43.9	29.9	36.9	2.5	52	26	20	24	779	0	0	21	0	5.43	2.05	1.20	3	6.0			17	5	2
GRANGEVILLE	41.2	25.6	33.4	1.9	53	26	12	20	879	0	1	23	0	2.17	.57	.56	28		1	11+	16	2	0
KELLOGG	43.1	28.1	35.6	4.4	54	1	15	20		0	0	23	0	2.73	.04	.55	28	8.0	4	17	15	1	0
KOOSKIA	48.6	30.5	39.6	4.7	57	26+	20	20	704	0	0	18	0	2.56	.75	.69	3	T	0		11	2	0
LEWISTON WATER PLANT	51.6	33.0	42.3	5.0	62	7	23	24	628	0	0	12	0	.97	-.25	.27	6	T	0		8	0	0
LEWISTON WB AP	48.3	31.2	39.8	3.9	61	7	22	20	700	0	0	17	0	.84	-.16	.22	3	T	T	22	8	0	0
MOSCOW U OF I	43.5	29.3	36.4	4.7	52	7	20	20	793	0	0	22	0	2.63	.52	.71	28	4.0	2	16	14	2	0
MULLAN PASS CAA	26.8	18.1	22.5	1.3	34	1	10	19+	1184	0	26	28	0	4.08	-.08	.41	16	40.4	92	23	19	0	0
NEZPERCE 2 E	40.8	26.9	33.9		52	26	13	20	866	0	1	22	0	1.82		.36	28	2.8	T	11+	11	0	0
OROFINO	49.8	31.5	40.7M	5.6	61	26	20	20	675	0	0	13	0	3.48	.82	.78	28				17	2	0
PIERCE RS	38.7	21.6	30.2	1.6	49	27	3	20	966	0	4	26	0	6.01	2.03	1.06	3		30	17	15	4	2
PORTHILL	42.4	24.6	33.5	6.1	53	1	12	20	876	0	0	24	0	1.29	-.29	.28	3		6	14	11	0	0
POTLATCH	43.7	27.5	35.6M	4.0	51	26	16	19	812	0	0	21	0	2.04	-.19	.50	3		3	16	11	1	0
PRIEST RIVER EXP STA	40.8	23.1	32.0	4.7	48	1+	7	19	918	0	0	26	0	2.23	-.56	.51	3	10.4	6	22+	12	1	0
RIGGINS RS	51.5	33.7	42.6M	2.1	63	27	22	20	620	0	0		0	1.63	.33	.36	18	.0	0		12	0	0
ROLAND W PORTAL	34.9	21.6	28.3	1.6	41	26	4	20	1020	0	6	27	0	5.65	-.19	1.40	28	54.1	72	17+	15	3	1
SAINT MARIES	44.1	25.9	35.0	2.7	51	6+	11	20	833	0	0	24	0	2.92	.53	.66	3				16	1	0
SALMON	41.4	20.0	30.7	6.6	54	13	4	19	951	0	1	26	0	.79	.37	.28	17		3	18	5	0	0
SANDPOINT EXP STA	41.1	26.0	33.6	4.6	49	1	11	20	874	0	0	25	0	2.45	-.37	.66	3	11.9	4	18+	13	1	0
WALLACE	40.3	26.4	33.4	2.4	47	1+	[illegible]	20	879	0	1	22	0	5.25	1.51	.87	18	12.0	8	18	15	4	0
WALLACE WOODLAND PK	40.4	23.8	32.1	2.2	50	1	[illegible]	18+		0	1	23	0	3.19	-.29	.63	1	14.5	8	18	16	1	0
WINCHESTER 1 SE	41.6	22.4	32.0	1.4	49	2+	7	20+	918	0	2	27	0	2.57	.90	.52	28				13	1	0
DIVISION			[illegible]	[illegible]										2.76	.33			14.8					
[illegible]																							
ALPHA 1 NE	38.3	9.7	24.0	1.1	52	27	-23	20	1141	0	5	28	9	3.13	.25	.63	3	23.5	21	18+	11	1	0
ANDERSON DAM		23.8	M				9	20		0		24	0	1.63							10		0
ARROWROCK DAM	43.8	25.7	34.8	4.3	56	27+	13	20+		0	0	24	0	1.79	-.60	.55	3	1.5	1	18	10	1	0
ATLANTA 1 E	38.5	14.2	26.4	2.3	50	26	-9	20	1074	0	3	27	4	3.87	.54	1.37	3	42.0	58	18	10	2	1
BLISS	49.9	24.0	37.0	4.5	65	3	12	20	778	0	0	24	0	.81	-.15	.30	6	1.0	0		8	0	0
BOISE LUCKY PEAK DAM	49.3	28.7	39.0M		61	27	15	20	731	0	0		0	1.40							11	0	0
BOISE WB AP /R	45.9	26.9	36.4	2.4	60	3	14	20	796	0	0	24	0	1.49	.14	.32	8	1.2	1	15+	13	0	0
BUHL	49.6	28.2	38.9	6.2	69	3	16	20+	722	0	0	18	0	.67	-.24	.48	6				4	0	0
CALDWELL	50.4	28.1	39.3	4.6	62	3+	18	24	713	0	0	20	0	1.86	.72	.95	8	T	0		11	1	0
CAMBRIDGE	44.4	24.7	34.6	7.3	51	1	11	20	849	0	0	23	0	1.68	-.66	.58	1	2.0	0		6	1	0
CASCADE 1 NW	36.3	15.3	25.8		47	27	-18	20	1092	0	6	27	5	1.56		.62	3	12.5	17	1+	12	1	0
CHALLIS	38.5	16.7	27.6	2.4	56	3	-1	20	1039	0	8	27	1	.79	.31	.31	8	9.5	4	18	11	0	0
COUNCIL 1 N	45.5	27.1	36.3M	7.0	55	27	11	20	797	0	0	24	0	2.01	-1.21	.85	3				8	1	0
DEADWOOD DAM	37.5	7.3	22.4	1.1	50	26+	-25	20	1185	0	5	28	9	3.78	-.68	1.13	3	27.0	58	18	14	3	1
DEER FLAT DAM	48.3	28.0	38.2	5.3	64	1	16	20	745	0	0	22	0	1.70	.89	1.03	8	.0	0		6	1	1
EMMETT 2 E	49.5	28.7	39.1	3.6	62	3	15	20	718	0	0	20	0	2.25	1.05	1.10	8	.0	0		7	1	1
FAIRFIELD	35.1	11.1	23.1		48	3	-7	20+	1163	0	9	28	8	.60		.18	6	7.1	17	18	10	0	0
GARDEN VALLEY RS	43.1	21.1	32.1	3.1	56	27	1	20	915	0	0	25	0	3.45	.92	1.05	3	7.0	13	18	13	2	1
GLENNS FERRY	51.1	24.1	37.6	2.2	67	3+	12	21+	760	0	0	22	0	.82	-.15	.35	6	T	T	16	9	0	0
GOODING CAA AP	45.0	24.2	34.6	5.1	66	3	12	21	844	0	2	25	0	.69	-.33	.19	8	4.3	T	6+	9	0	0
GRAND VIEW	53.0	25.8	39.4	4.1	70	3	15	20+	709	0	0	24	0	.47	-.25	.18	5	T	0		4	0	0
HAILEY	37.4	14.1	25.8	2.2	46	1+	1	20	1093	0	5	28	0	.23	-1.75	.07	18	3.2	18	1+	8	0	0
HAZELTON	47.0	24.1	35.6	4.3	65	3	9	10	819	0	1	24	0	.52	-.72	.35	6	1.0	1	8+	3	0	0
HILL CITY	34.6	11.8	23.2	3.6	43	3+	-10	11	1164	0	10	28	8	.82	-1.05	.26	6				5	0	0
HOLLISTER	46.9	23.3	35.1M	4.0	65	3	10	10	831	0	0	23	0	.69	-.16	.32	6				4	0	0
IDAHO CITY	44.8	14.8	29.8	1.0	58	26+	-7	20	978	0	0	28	4	2.91	-.11	.91	3	6.4			12	1	0
JEROME	48.0	22.0	35.0	3.4	67	3	9	23	833	0	0	27	0	.75	-.26	.32	6	T	0		6	0	0
KUNA 2 NNE	47.5	25.8	36.7M	2.9	60	27	15	20	786	0	0	23	0	1.00	.00	.50	8	T	0		8	1	0
LOWMAN			M		46	27				0				4.06	1.47			14.0			12		
MC CALL	32.7	13.6	23.2	1.1	42	27	-11	20	1171	0	15	28	5	2.56	-.56	.68	3	28.0	40	18+	12	1	0
MERIDIAN 1 SSW	48.4	28.5	38.5	3.9	61	27	17	20	737	0	0	20	0	1.41	.16	.41	3	.0	0		5	0	0
MESA	43.0	26.4	34.7		54	27	12	20	841	0	0	24	0	2.50		.87	3	4.5	4	16	9	2	0
MOUNTAIN HOME	50.7	25.8	38.3	4.9	72	3	9	20	743	0	0	22	0	.36	-.75	.21	8	T	0		5	0	0
NAMPA 2 NW	49.7	27.7	38.7		63	4+	17	20+		0	0	20	0	1.54		.90	8	T	0		8	1	0
NEW MEADOWS RS	38.6	14.2	26.4	1.5	51	27	-16	20	1073	0	2	28	6	2.08	-.42	.67	3		19	17+	15	1	0
OBSIDIAN 4 NNE	34.7	6.1	20.4	2.1	49	27	-23	19	1241	0	11	28	10	1.58	-.07	.42	17	13.0	34	17	10	0	0
OLA 4 S	46.4	28.0	37.		58	3	13	20	770	0	2	23	0	1.82		.59	3				8	2	0
PARMA EXP STA	49.8	26.7	38.3	3.6	64	27	16	20	743	0	0	23	0	1.92	1.03	.71	8	T	0		11	1	0
PAYETTE	47.6	28.3	38.0	5.0	59	27	17	20	751	0	0	21	0	1.94	.72	.83	8	.3	0		12	1	0
RICHFIELD	43.2	20.7	32.0	7.7	59	3	7	9	919	0	1	27	0	.52	-.49	.33	8	3.5	3	8+	4	0	0
SHOSHONE	45.5	22.3	33.9	6.2	62	3	10	20+	863	0	0	26	0	.70	-.48	.25	8	4.3	1	8	8	0	0
STIBNITE	33.9	9.6	21.8		48	28	-11	20		0	13	28	7	4.72		1.04	18	45.3	50	18	17	4	1
SUN VALLEY	36.6	4.8	20.7	1.1	48	27	-18	20	1235	0	8	28	11	E .44	-2.31	.19	8	7.5	30	8	7	0	0
SWAN FALLS PH	51.9	31.6	41.8	3.8	70	3	22	20	646	0	0	15	0	.92	.12	.55	8	.0	0		5	1	0
THREE CREEK	43.9	18.3	31.1		64	3	0	10	944	0	3	24	1	.98	.08	.22	7	29.7	10	8+	11	0	0
TWIN FALLS 2 NNE	48.5	25.7	37.1	4.9	67	3	14	23+	774	0	0	23	0	.43	-.45	.28	6	.5	T	6	4	0	0
TWIN FALLS 3 SE	47.3	25.0	36.2	3.7	68	4	11	21		0	2	21	0	.50	-.34	.38	6	3.2	1	9+	6	0	0
WEISER	48.9	27.6	38.3	4.3	62	27	16	20	745	0	0	20	0	1.37	-.13	.31	3	1.0	T	18	7	0	0
DIVISION			[illegible]	3.2										1.58	-.28			7.6					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	43.8	22.0	32.9	7.0	60	3	6	20	893	0	2	25	0	.35	-.33	.14	6				7	0	0
ALBION	43.5	19.6	31.6	1.1	59	3	-4	10	930	0	3	24	2	.70	-.61	.23	6	17.0			9	0	0
AMERICAN FALLS 1 NW	42.7	24.7	33.7	6.3	59	3	9	20	869	0	3	21	0	.48	-.65				1	8+	7	0	0
ARCO	39.5	15.1	27.3	7.2	51	1	2	23	1048	0	2	28	0	.08	-.54	.08	20		5	20	1	0	0
ASHTON 1 S	34.1	18.5	26.3	4.6	41	27	-7	20	1076	0	9	28	2	.71	-.81	.28	6	8.5	12	18+	6	0	0
BLACKFOOT	43.6	22.6	33.1	7.4	59	3+	3	20	887	0	2	24	0	.15	-.68	.10	18	4.5	2	18+	2	0	0

CLIMATOLOGICAL DATA

ABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days: .10 or More	.50 or More	1.00 or More
BURLEY	46.6	24.3	35.5	4.4	69	4	9	10+		[illegible]	2	23	0	.67	- .28	.24	9	4.0			6	0	0
BURLEY FACTORY	45.1	21.4	33.3M	3.5	65	4	7	10		0	2	26	0	.53	- .51	.36	6				4	0	0
BURLEY CAA AP	44.9	23.3	34.1	2.9	67	3	7	10	857	0	2	24	0	.96	.14	.25	[illegible]	6.1	1	9+	9	0	0
CHILLY BARTON FLAT	34.9	10.8	22.9	4.4	48	26	- 9	10	1173	0	13	28	8	.55	.34	.25	8	12.0			5	[illegible]	0
CONDA	35.7	9.9	22.8	1.8	59	1	-18	20		0	8	27	9	.70	- .74	.15	3+	16.7			11	0	[illegible]
DRIGGS			M				-16	20		0			5	.70	- .57	.20	18				8	0	0
DUBOIS EXP STA	29.0	15.1	22.1	0.3	39	3	3	20+	1195	0	18	28	0	.59	- .18	.20	23	11.5	16	23	6	0	[illegible]
DUBOIS CAA AP	33.2	13.5	23.4	1.9	42	3+	- 2	21	1155	0	13	28	2	.56	- .18	.12	8	11.1	11	23+	8	0	0
FORT HALL IND AGENCY	42.9	23.1	33.0M	5.6	60	3	0	20	893	[illegible]	2	22	1	.36	- .36	.14	6				5	0	0
GRACE	36.3	17.0	26.7	3.1	51	3	- 6	21	1068	0	10	25	3	.47	- .63	.14	6	6.5	3	18	9	0	0
GRAY	34.6	9.4	22.0	- 0.3	47	3+	-17	20	1197	0	15	28	7	.70	- .88	.40	3	4.0	24	18+	3	0	[illegible]
GROUSE	36.3	5.6	21.0		46	3+	-14	20	1226	0	9	28	8	.02	- .98	.02	8	.5			1	0	0
HAMER [illegible] NW	35.5	13.7	24.6M	6.3	44	3+	0	10+	1131	0	9	27	2	[illegible]	[illegible]	.06		T	0			0	0
IDAHO FALLS [illegible] NE	40.2	21.4	30.8		55	3	1	20	954	0	4	24	0	.19		.17	15	.8	1	18	2	[illegible]	[illegible]
IDAHO FALLS CAA AP	40.3	20.7	30.5	7.0	54	3	1	20	959	0	3	25	0	.11	- .86	.04	6	2.0	1	6+	4	0	0
IRWIN [illegible]	37.6	16.9	27.3	4.8	50	28	- 7	20	1051	0	6	25	3	.65	- .50	.23	3	5.0			6	0	[illegible]
ISLAND PARK DAM	30.9	3.0	17.0	0.2	40	27+	-32	20	1339	[illegible]	16	28	12	2.32	- .92	.52	3	31.0	53	18+	10	1	0
LIFTON PUMPING STA	35.3	9.9	22.6	2.1	51	3	-12	21	1183	0	11	28	9	.92	.23	.32	9	12.5	[illegible]	9+	7	0	0
MACKAY RS	35.6	15.0	25.3	4.1	46	3	2	20	1104	0	8	28	0	.24	- .53	.06	8	3.8	6	1+	7	0	0
MALAD	42.6	22.9	32.8	5.6	59	3	8	21	896	0	2	26	0	.54	- .78	.25	8	3.0	2	10+	4	[illegible]	0
MALAD CAA AP	43.1	21.6	32.4		60	3	8	21	907	0	1	27	0	.55		.19	6	2.4	1	9+	7	0	0
MAY RS	39.2	14.8	27.0	3.5	53	3+	- 1	20+	1056	0	5	27	2	.42	.10	.14	3				6	0	0
MC CAMMON	42.5	23.5	33.0		59	28	3	21	889	0	3	23	0	.22		.07	6+		1	19	6	0	0
MINIDOKA DAM	43.4	23.3	33.4		63	3	11	10	881	0	3	26	0	.52		.26	8	3.0	2	8	4	0	0
MONTPELIER RS	37.4	11.7	24.6	2.9	52	4	- 7	21+		0	10	28	6	.93	- .39	.48	9	9.0	10	1+	7	0	0
OAKLEY	45.4	23.6	34.5	2.9	61	3+	8	24	848	0	1	23	0	.63	- .13	.24	6	2.0	T	8+	8	0	0
PALISADES DAM	37.4	13.0	25.2M		51	27	-11	20+	1111	0	7	25	5	1.63		.70	3		14	18	8	1	0
PAUL 1 [illegible]	45.9	21.3	33.6	2.2	67	1	4	10		0	1	[illegible]	0	.56	- .53	.27	6	2.5	2	9+	4	0	0
POCATELLO WB AP //R	42.3	24.4	33.4	4.9	59	3	5	21	879	0	4	22	0	.51	- .42	.11	6+	4.6	[illegible]	18+	11	0	0
PRESTON SUG FACT 2SE	43.1	22.9	33.0	6.8	59	1+	8	21	888	[illegible]	4	25	0	.65	- .77	.23	6	5.2	1	9	10	0	0
REACTOR TESTING STA	38.6	14.9	26.8		53	3	- 2	20	1064	[illegible]	5	28	2	.25		.08	18	1.4	T	6+	6	[illegible]	0
RUPERT	45.2	20.0	32.6	2.8	63	4	4	10		0	2	27	0	.60	- .35	.26	6+	2.8	2	9+	5	[illegible]	0
SAINT ANTHONY	38.1	17.6	27.9		48	3	- 2	20	1033	[illegible]	6	27	2	.52	- .72	.22	[illegible]				5	0	0
SPENCER RS	30.2	10.7	20.5	2.3	42	27	- 4	10+	1241	0	17	28	4	.85	- .71	.23	8	17.5			[illegible]	0	0
SPRINGFIELD	42.6	21.4	32.0	6.5	57	27	3	12	916	0	1	23	0	.37	- .45	.20	6	2.8	T	6+	4	0	0
STREVELL	40.0	18.9	29.5		56	27	1	20	991	[illegible]	6	26	0	.65		.32	8		3	12	7	0	[illegible]
SUGAR	38.9	18.1	28.5	8.1	54	3	- 1	20+	1017	0	5	27	2	.41	- .51	.24	15				3	0	0
TETONIA EXP STA	33.4	10.9	22.2		43	4	-14	20	1196	0	14	28	6	.79		.25	15				8	0	0
[illegible]			[illegible]	4.5										.58	- .45			6.9					
STATE			31.5	3.5										[illegible]	- .19			9.0					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.35				.03	.01	.14		.09				.02			.02			.04				T									
ALBION	.70					[illegible]	.23		.18	.02			.05			.15			.01	[illegible]			[illegible]									
ALPHA 1 NE	3.13	.29	.48	.63	.05		.22		.04			T				.03	[illegible]	.39	[illegible]										.32			
AMERICAN FALLS 1 NW	.48			.02	[illegible]	T	.15	.02	.27				T		T				.03	T			[illegible]									
ANDERSON DAM	1.63		•	.90	.03	.02	.37	.02	.15							.11	T	.01	.02													
ARCO	.08						T		T	T									T	T	[illegible]											
ARROWROCK DAM	1.79	.12		.55	.07	.03	.44	T	.24							.07	[illegible]	.03	.21													
ASHTON 1 S	.71		.12	T			.28		.08					.07				[illegible]	.10										T			
ATLANTA 1 E	3.87	T	T	1.37	.35	T	.39	T	.21			.05				.41	.04	[illegible]	[illegible]				.07									
AVERY RS	2.80	•	•	.22	.50	.25	.31	•	[illegible]			[illegible]		.02		•	.50	.39	[illegible]					.15					[illegible]			
BAYVIEW MODEL BASIN	1.23	T		.22	.39	.09	T	.16				.02			.03	.10	.05	[illegible]					[illegible]	[illegible]				.06	.03			
BIG CREEK 1 S	3.60	.13	.13	1.34	.22	.03	.03	.10	[illegible]			T			T	.32	[illegible]	.60	.41	[illegible]			[illegible]						.07			
BLACKFOOT	.15			T			.05		T										[illegible]													
BLISS	.81	.05		.05	.11	.04	.30	.02	.17							.07	T	T														
BOISE LUCKY PEAK DAM	1.40	•	.11	.15	.17	.03	.30	•	.42							•	.10	T	.12													
BOISE WB AP //R	1.49	.12	.14	.16	.02	.26	.01	[illegible]	.32			T			.06	.03		.11	.01				T						.04			
BONNERS FERRY	1.54	T		.24	[illegible]	.03	.14	.24				.07			.33	.01	.22	[illegible]					.05					T	[illegible]			
BUHL	.67			T		.06	.48		.07							.06			T													
BURKE 2 NNE	3.28	T	.16	.29	.23	.26	.21	.18	.01			.01		.02	.03	.34	[illegible]	[illegible]	.02	.11			[illegible]					[illegible]	.65			
BURLEY	.67	.01		T			.26			.24			.04			.04			.08	T												
BURLEY FACTORY	.53			T			.36			.14			.02			T			T	.01												
BURLEY CAA AP	.96	.01	T	T	T	.16	.16	T	.25			[illegible]			T	.08	T	[illegible]	[illegible]	T									[illegible]			
CALDWELL	1.86	.06	.07	.24	.14	.06	.25	.03	.95			T				.01	T	[illegible]	T										[illegible]			
CAMBRIDGE	1.68	.58	.30	.10			.34					.01						.35														
CASCADE 1 NW	1.56	.20	.06	.62	[illegible]		.05		.02			.01				.08	[illegible]	.11	.24				T	T					[illegible]			
CENTERVILLE ARBAUGH	4.09	.19	.44	1.05	.10	.02	.33	.01	.18			.02				.21	[illegible]	.45	.17				.03						.06			
CHALLIS	.79	.01	.01	.02	.10	.01	.05		.31							.10		.01	.10	.01												
HILLY BARTON FLAT	.55	T			.05		.10		.25							.05			[illegible]				T	T								
LARK FORK 1 ENE	2.39	.48	.04	.21	.11	.08	.10	.32								.18	[illegible]	.13					.20						[illegible]			
OBALT BLACKBIRD MINE	2.84	.05		.30	.18	.16	.10		.15	.38			.01			.20	T	.35	.51	[illegible]	.06	.01	T	.05								
OEUR D ALENE CAA AP	1.67	T	[illegible]	.50	.14	.11	.08	.02				.02	T		.13	T	[illegible]	[illegible]	T				[illegible]					.30	.04			
OEUR D ALENE RS	1.91	.06	[illegible]	.40	.12	.03	.23	.09				[illegible]		T	.02	.14	[illegible]	.14					.01					.02	[illegible]			
ONDA	[illegible]			.15		.07	.15	T		.09			.04		.02	.04	.07	.01	[illegible]	[illegible]												
TTONWOOD	[illegible]	.31	.28	.30	.03	T	.15		[illegible]			[illegible]			.05	T	.03	.10	.08				[illegible]					[illegible]	[illegible]			
OUNCIL 1 N	[illegible]	T	.26	.85	.06		.21					[illegible]					.19	.11	[illegible]										T			
ROUCH 2 NNW	[illegible]	[illegible]	.50	1.35	.06	.31	T	.60				[illegible]					[illegible]	[illegible]	[illegible]				[illegible]									
EADWOOD DAM	[illegible]	.27	.22	[illegible]	[illegible]		.19	.02	.44			[illegible]				.11	[illegible]	.50	.53	T			[illegible]						[illegible]			
EER FLAT DAM	[illegible]		.22	.18		[illegible]		.15	1.03							[illegible]	T															
IXIE	[illegible]	.13	.34	.44	.28		T		[illegible]					[illegible]	[illegible]	[illegible]	[illegible]	.50	.44	.08									.30			
RIGGS	[illegible]		[illegible]	.03		[illegible]	.14	.10		[illegible]						.04			.20													
UBOIS EXP STA	.59	T	T		T		.05		.14			T		.03		.05			[illegible]				T	.20								
UBOIS CAA AP	.56	T	T	T	.01	T	.05		[illegible]			.04			T	[illegible]		T	.11				.11						[illegible]			
K CITY	-		.20	.82			.15	.07	.45					.03	.02	.22	[illegible]	.53	.15	-	-	-	-	-	-			-	-			

DAILY PRECIPITATION

Table 3 Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ELK RIVER 1 S	4.60	.25	.17	1.12	.23	.01	.35	.34				.09		T	T	.18	.41	.37		T			.15	.02				T	.91			
EMMETT 2 E	2.25		.31	.28	.05		.30		1.10									.16	.05													
FAIRFIELD	.60	.04	.01	.16	.06	.04	.18		.02							.03		.01	.05				T									
FENN RS	5.43	.53	.28	1.20	.21	.12	.55	.13	.03			.01			.20	.10	.20	.53	.08	.08			.18						1.00			
FORT HALL IND AGENCY	.36			.08		.02	.14		.08				T			T			.04													
GARDEN VALLEY RS	3.45	.22	.35	1.05	.19		.26		.67			.01				.08	.13	.28	.17				.02						.02			
GLENNS FERRY	.82	.06		.05	.11	.08	.35	T	.09							.02	.02		.04													
GOODING CAA AP	.69	.01	.01	.02	.02	.14	.17		.19						T	.04		T	T										.09			
GRACE	.47			.10	.03		.14	.04	.02	.02						.02	.03		.07													
GRAND VIEW	.47				.08	.18	.15	.06									T															
GRANGEVILLE	2.17	.04	.27	.50	.10	.02	.03	.10	.07			.19			.03		.02	.14	.03				.06	T				.01	.56			
GRAY	.70			.40			.10												.20													
GROUSE	.02				T		T		.02							T																
HAILEY	.23	.01	.02	.04	.02		.05		.01									.01	.07													
HAMER 4 NW	[illegible]					.06	.02					T				T			T				T									
HAZELTON	.52				T	.02	.35		.15			T				T	T		T				T									
HILL CITY	.82		T	.25	.06	T	.26									.17		T	.08													
HOLLISTER	.69	.03				.16	.32		.18																							
HOWE	.13				.01	T			T	T			.04			T			.08					T								
IDAHO CITY	2.91	.12	.19	.91	.37	.01	.34		.35							.12	.11	.17	.20				.02									
IDAHO CITY 13 SW	2.96	.04	.30	.90	.07	.03	.46	.01	.46			T				.18	.20	.19	.12				T									
IDAHO FALLS 6 NE	.19					T	T					T				.17			.02				T									
IDAHO FALLS CAA AP	.11	T	T	T	T	T	.04	.01	T			T	T	T		T		T	.03				T						.03			
IRWIN 2 S	.65		.03	.23	.02		.08		T					T			.16		.13													
ISLAND PARK DAM	2.32		.17	.52			.27		.10					.11		.33		.26	.35				.17	.09								
JEROME	.75			.02		.05	.32		.12	.18							.06															
KAMIAH 1 NE	2.30	.26	T	.47	.25	.19	.29	T	T			T	.06			T		.16		.03			.23						.42			
KELLOGG	2.73	.42	.01	.18	.22	.18	.18	.14				T		.04		.13	.07	.43	.14	.02			.02						.55			
KOOSKIA	2.56	.34	.13	.69	.13		.29	T	.02			.13						.22	T	.02			.06	T					.53			
KUNA 2 NNE	1.00	.05	.04	T	.04	.08	.19	T	.50			T				T	T	T	.08										.02			
LEWISTON WATER PLANT	.97	.04	.06	.26			.27	.05				.01			T		T	.05										T	.23			
LEWISTON WB AP R	.84	.08	.11	.22	T		.20	.01				.01				T	T	.01					T					T	.20			
LIFTON PUMPING STA	.92			T	.09	T	.08		.30	.32						.07			.02		.04											
LOWMAN	4.06	•	•	•	•		•		•			•				1.72	•	1.03	.68				.63									
MACKAY RS	.24	T	T		.02		.05		.06			.01				.05			.03				.02									
MALAD	.54						.05		.25		.19								.05	T												
MALAD CAA AP	[illegible]			T	.10	.04	.19		.15	.04		T				.01	T		.02													
MAY RS	.42		.05	.14	.05		.06	T	.07			T				T		T	.05													
MC CALL	2.56	.01	.19	.68	.13		.28					.06				.09	.20	.30	.40				.02						.20			
MC CAMMON	.22				[illegible]		.07		.02	T			T	.02	[illegible]				T	.07												
MERIDIAN 1 SSW	1.41			.41		.16	.28	T								.25	.31	T														
ME[illegible]	[illegible]		.53	[illegible]	.09	.06	.39		T			T					.26		.15			.1							.15			
MINIDOKA DAM	.52			T		.03	.21		.26							T			T	.02												
MONTPELIER RS	.93			.05		.06	.16			.48	.03						.12		.03													
MOSCOW U OF I	2.63	.17	.06	.67	.03	.02	.25	.16				.02			T	.11	.33	.05					.02					.03	.71			
MOUNTAIN HOME	.36	.01		T	.08	.05	.21	.01	T														T									
MULLAN PASS CAA	4.08	.06	.14	.40	.32	.13	.34	.40			T	.08	.05	T	.29	.18	.41	.34	.19	.05	T	.01	.11					.29	.29			
NAMPA 2 NW	1.54	.06		.15	.08	.05	.24		.90							.01	T		.05													
NEW MEADOWS RS	[illegible]	.07	.15	.67	.16	.01	[illegible]	[illegible]				.05				.18	.09	.22	.19	.02			.03						.03			
[illegible]	[illegible]	.23	.20	[illegible]	[illegible]		.23					.15	T		[illegible]	T	.02	.13	T				.07					T	.36			
OAKLEY	.63				.05	.07	.24	.02	.14				.01			.05			.05													
OBSIDIAN 4 NNE	1.58	.05	.01	.25	.12		.10		.35	T		.01				.12	T	.42	.15	T			T									
OLA 4 S	1.82		.51	.59	.24				T			.09					.11	.12	.10										.06			
OROFINO	[illegible]	.26	.19	.63	.12	.03	.31	.40				.02	T	[illegible]	T	.15	.11	.37	.01	.04			.04	.01					.78			
PALISADES DAM	[illegible]		T	.70	.10	[illegible]	.15			.15				T		•	.20	.20	T													
PARMA EXP STA	[illegible]	.06	.08	[illegible]	.04	.08	[illegible]	.08	.71	[illegible]								.18	.06													
PA[illegible]	[illegible]			T			.27			.24			.03			T				.02												
PAYETTE	1.94	.07	.15	.24	.05	.08	.27	.01	.83			T				.03	.04	.10	.07				T						T			
PIERCE RS	[illegible]	.45	[illegible]	1.06	.22	.05	.45	.17	T			.09				.35	.14	.80	.02				.15	.08					.78			
POCATELLO WB AP R	[illegible]	.01	.01	[illegible]	[illegible]	.07	.11	T	.11			.04	T			.05	T		.07		T		T	T					.02			
PORTHILL	[illegible]	.04		[illegible]	.05		.07	[illegible]	.02			.05			.26	.09	[illegible]	.07														
POTLATCH	[illegible]	.18	.15	.50			•	.38				T				.08	.36	.02		T			.02					.05	.30			
PRESTON SUG FACT 2 SE	[illegible]			.02	.09	.05	[illegible]		.15	.07			.01				.01		.01	.01												
PRIEST RIVER EXP STA	2.23	.11	.11	.51	.01	T	.19	.21						T	.20	.02	.24	.18					.21						.24			
REACTOR TESTING STA	.25	.01		T	T		.06	.01	T			.06	T					T	.08										.03			
RICHFIELD	[illegible]			.05	T	.03	.11		[illegible]								T															
RIGGINS RS	[illegible]		.01	.23	.05	.05	T	.14	.32			.08				.07		[illegible]	.36	.01									[illegible]			
ROLAND W PORTAL	[illegible]	.33	.02	[illegible]	.30	[illegible]	[illegible]	.45	T			.14	T		.04	.28	.47	[illegible]	.03	T	T	T	.26					T	1.40			
RUPERT	[illegible]	.01		T			.26			.26			.03			T	T		.04	T												
SAINT ANTHONY	.52	T			.02		.22					T				.17			.05				.06						T			
SAINT MARIES	[illegible]	.19	.11	.66	.11	.15	.34	.19	.02			[illegible]		.01		.08	[illegible]	.33	.14					.15					[illegible]			
SALMON	.79		.13	[illegible]	T		.12		T							T		[illegible]	[illegible]				T						T			
SANDPOINT EXP STA	2.45	.12	.11	.66	.03	T	.20	.22				T			.14	.05	.35	.08	.01				.27					T	.21			
SHOSHONE	.70	.03		.08	.05	.05	.20	.01	.25							.03	T		T										T			
SPENCER RS	.85		.04		.10	T	.07		.23			.06		.02				T	.21				.07	.05								
SPRINGFIELD	.37	T				T	.20		.10			T	.05						.02				T									
STIBNITE	4.72	[illegible]	[illegible]	.72	.63	.17	.13	.01	.31	.04		.03	T	T		.79	.04	.48	1.04	[illegible]			.04	[illegible]								
STREVELL	.65				T	.04	.16		.32	.01		.04	.05			T	T		.01	T				T								
SUGAR	.41						.15									.24							.02									
SUN VALLEY	.44	T	.05	.05	.05	T	.07		.19									.01	.02				T									
SWAN FALLS PH	.92	T	.05		.05	.07	.20	T	.55								T															
TETONIA EXP STA	.79		.09	.04	[illegible]	T	.21		.10			.03				.25		.04					T									
THREE CREEK	.98	.07				.16		.22	.10					.05	.05	.05	.04	.16	.04	.04									T			
TWIN FALLS 2 NNE	.43	T	T	T	T	.08	.28		.05							.02	T		T													
TWIN FALLS 3 SE	[illegible]			.02	T		.38		[illegible]	.04						.03	T		[illegible]													
WALLACE	[illegible]	.67	.15	.66	[illegible]	.13	.54	.47	T			T			T	.46	.21	.19	.87	.12			.07					.18	.33			
WALLACE WOODLAND PARK	3.19	.63		.15	[illegible]	[illegible]	.10	[illegible]	[illegible]					.05		.04	.03	.33	.14	.08			[illegible]	.07					.46			
WEISER	[illegible]	.02	[illegible]	.31		.17	.24		.23								T	T	.22													
WINCHESTER 1 SE	[illegible]		[illegible]	.46	[illegible]	[illegible]	.14					.21			.03	.04	.08	.17	.09				.40						.52			

DAILY TEMPERATURES

able 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ERDEEN EXP STA	MAX	52	52	60	52	41	47	54	43	36	37	35	35	43	46	43	40	48	41	32	29	35	36	40	42	41	54	57	55				43.8
	MIN	26	32	38	35	27	31	34	28	26	10	15	8	18	22	23	23	32	25	12	6	8	[illegible]	16	9	15	19	[illegible]	28				22.0
LBION	MAX	48	56	59	58	40	46	55	43	32	35	31	36	41	48	46	45	45	41	33	28	37	36	37	38	42	53	56	54				43.5
	MIN	27	25	38	30	28	30	37	26	3	-4	6	17	8	29	17	20	17	21	17	8	0	[illegible]	11	8	22	33	30	24				19.6
PHA 1 NE	MAX	45	37	44	40	39	44	46	36	35	35	34	36	41	44	42	32	34	31	26	30	31	34	37	35	40	50	52	42				38.3
	MIN	31	27	31	28	21	19	29	23	12	-3	7	-1	15	10	11	17	24	18	-12	-23	[illegible]	3	-10	-13	-10	0	8	25				9.7
ERICAN FALLS 1 NW	MAX	50	50	59	55	40	47	52	45	36	35	34	32	43	43	43	39	46	41	30	[illegible]	33	34	36	40	41	53	55	54				42.7
	MIN	33	33	37	36	28	32	36	29	27	12	18	18	23	28	23	24	13	24	18	[illegible]	11	24	13	12	24	21	26	34				24.7
DERSON DAM	MAX	51	42	49	46	39	47	44	52	42	36	40	40	48	43	40	34																
	MIN	33	31	33	34	29	31	32	38	22	14	19	17	23	28	26	24	30	27	16	9	11	14	12	15	19	24	26	31				23.8
CO	MAX	51	47	49	48	40	46	47	43	34	34	34	37	41	36	35	35	40	34	29	26	34	35	34	38	40	43	49	48				39.5
	MIN	17	18	22	22	22	16	22	26	22	10	7	12	14	13	12	4	20	20	17	4	9	6	2	10	14	13	14	22				15.1
ROWROCK DAM	MAX	54	49	49	50	42	38	47	46	42	42	40	38	40	47	49	36	36	45	47	34	33	37	40	45	41	47	56	56				43.8
	MIN	35	32	36	35	30	31	32	34	30	21	21	23	23	29	28	25	25	27	20	13	13	18	21	22	20	21	26	26				25.7
HTON 1 S	MAX	37	40	39	33	34	37	40	37	32	33	35	33	35	31	32	34	39	32	26	24	24	28	34	33	32	39	41	40				34.1
	MIN	28	29	29	18	21	25	27	22	18	17	19	17	19	16	21	23	25	21	13	-7	-5	22	[illegible]	6	12	23	26	27				18.5
LANTA 1 E	MAX	40	39	42	42	33	43	38	36	35	40	35	40	42	41	39	37	33	30	28	27	37	35	35	40	44	50	49	49				38.5
	MIN	32	33	31	28	18	21	29	27	11	3	10	7	15	15	12	12	25	15	-6	-9	[illegible]	6	0	3	7	16	17	21				14.2
ERY RS	MAX			42	41	37	40			52	46	44	45	47			42	40	39						48	49	53	53					
	MIN			32	32	26	32			22	20	31	27	30			25	25	25						11	15	23	34					
YVIEW MODEL BASIN	MAX	52	54	47	46	36	40	42	40	43	36	39	42	48	41	41	42	43	38	37	36	44	45	46	48	49	48	48	40				43.3
	MIN	42	46	37	35	25	32	33	32	19	17	28	24	31	25	31	31	32	23	18	18	24	31	[illegible]	20	19	28	28	15				[illegible]
G CREEK 1S	MAX	45	39	42	46	39	44	41	40	32	36	30	44	45	40	40	31	31	30	24	27	37	34	33	43	47	[illegible]	50	40				38.6
	MIN	31	26	31	25	19	26	31	26	12	-9	5	1	17	6	15	8	24	18	2	-8	-14	0	[illegible]	-20	[illegible]	3	24	[illegible]				11.3
ACKFOOT	MAX	51	50	59	53	41	48	53	45	35	39	35	38	42	40	43	39	47	41	32	30	34	35	39	45	42	53	59	55				43.6
	MIN	32	34	37	35	25	29	35	29	22	11	17	15	23	19	23	20	31	23	15	4	10	21	14	11	22	21	29	28				22.6
ISS	MAX	56	50	65	52	42	53	58	52	53	45	44	45	52	49	45	47	54	46	44	36	43	45	46	47	50	60	63	56				[illegible]
	MIN	34	30	40	32	29	30	33	34	24	16	20	18	20	29	26	22	28	21	19	12	14	14	14	15	18	23	[illegible]	29				[illegible]
ISE LUCKY PEAK DAM	MAX			58	54	41	55	54			46		45	47	51	51		48	44	39	39		49	49		47	[illegible]	61					49.3
	MIN	36		40	36	32	32			29	24		24	30	33	25		36	29	19	15		22			21	31	[illegible]					28.7
ISE WB AP	MAX	52	51	60	44	41	52	55	44	44	43	40	42	48	53	39	42	49	36	37	34	40	42	47	43	47	56	59	44				45.4
	MIN	37	35	36	32	32	32	39	31	26	23	26	23	30	28	22	21	30	26	21	14	17	24	19	20	21	27	30	30				26.9
NNERS FERRY	MAX	50	43	44	44	38	40	54	46	37	33	41	42	48	38	42	40	44	40	41	37	44	40	45	44	46	44	44	38				42.6
	MIN	38	38	37	34	27	32	32	29	22	21	29	30	30	27	31	28	25	21	19	16	20	24	[illegible]	19	25	31	28	[illegible]				[illegible]
HL	MAX	56	53	69	67	53	50	55	53	43	43	41	42	49	54	52	46	50	46	38	34	41	38	42	46	48	59	62	59				49.6
	MIN	47	34	42	36	31	34	40	30	21	19	25	23	26	33	23	23	35	27	20	16	17	25	16	[illegible]	27	31	34	36				28.2
RKE 2 NNE	MAX	38	35	36	35	35	35	40	39	35	38	35	36	38	39	37	31	32	30	29	26	29	30	39	37	38	[illegible]	[illegible]	[illegible]				[illegible]
	MIN	32	30	32	29	21	30	32	29	12	12	25	24	26	17	22	22	26	16	17	[illegible]	19	22	[illegible]	10	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
RLEY	MAX	61	54	56	69	50	41	50	59	37	37	40	37	41	48	50	36	44	51	30	40	32	42	40	44	47	46	60	62				[illegible]
	MIN	35	32	34	34	30	33	35	32	21	9	9	21	24	30	22	24	25	25	20	17	14	14	[illegible]	16	16	21	[illegible]	31				[illegible]
RLEY FACTORY	MAX	57	52	55	65	48	48	48	56	36	33	45		37	45	50	34	41	48	30	37	30	39	38	41	44	45	58	59				[illegible]
	MIN	33	28	32	31	27	25	35	32	19	7	8	15	21	28	22	21	22	24	19	14	4	11	15	11	14	26	26	25				21.4
RLEY CAA AP	MAX	53	56	67	47	42	48	58	42	33	36	35	37	45	50	44	42	49	31	36	29	39	38	42	43	45	[illegible]	54	54				[illegible]
	MIN	34	29	39	29	29	35	34	25	14	7	15	22	20	30	22	23	29	25	19	13	10	19	16	17	20	28	26	28				23.3
LDWELL	MAX	58	50	62	50	43	51	54	54	47	40	45	50	53	55	53	49	53	48	40	38	46	47	52	52	53	56	62	45				50.4
	MIN	37	33	42	35	32	34	35	36	29	21	26	25	29	30	26	22	35	30	24	14	20	23	26	18	24	22	24	30				28.1
MBRIDGE	MAX	51	48	48	45	44	41	49	47	40	45	40	46	47	49	45	38	45	43	36	35	40	34	41	45	48	50	49	48				44.4
	MIN	33	35	31	30	31	30	35	34	32	15	16	22	28	33	23	24	25	24	22	11	16	17	19	18	19	20	[illegible]	[illegible]				24.7
SCADE 1 NW	MAX	43	39	45	38	36	40	42	40	34	33	31	33	40	40	40	39	35	28	24	24	25	31	35	34	37	40	47	44				[illegible]
	MIN	33	30	32	28	24	25	32	27	2	7	14	8	20	18	20	20	23	20	[illegible]	-18	-7	11	6	-10	[illegible]	[illegible]	12	26				[illegible]
ALLIS	MAX	52	42	56	44	39	49	51	42	34	26	31	34	45	35	37	38	42	30	30	24	30	32	35	29	[illegible]	[illegible]	49	47				38.5
	MIN	33	28	31	28	22	19	29	29	10	1	8	13	17	16	19	11	26	20	9	-1	5	6	[illegible]	5	4	14	26	[illegible]				16.7
ILLY BARTON FLAT	MAX	43	42	45	45	32	39	44	36	28	28	27	32	38	33	28	33	41	30	23	19	30	26	26	31	41	[illegible]	46	[illegible]				34.4
	MIN	22	23	28	24	20	17	21	25	12	-9	-4	0	5	14	14	11	10	17	9	-5	-3	[illegible]	-4	-5	4	14	[illegible]	[illegible]				[illegible]
ARK FORK 1 ENE	MAX	50	41	45	45	39	40	55	47	40	38	40	41	47	37	42	36	43	40	38	32	44	40	45	45	43	45	43	[illegible]				42.1
	MIN	32	32	39	35	27	31	34	27	19	19	20	20	20	25	32	29	31	25	21	[illegible]	25	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31				[illegible]
BALT BLACKBIRD MINE	MAX	41	37	32	42	29	31	35	39	28	18	22	23	25	33	34	22	27	28	17	16	15	21	26	[illegible]	[illegible]	[illegible]	42	43				[illegible]
	MIN	25	20	20	24	13	17	21	23	2	[illegible]	-5	10	13	6	12	3	9	14	2	-7	0	3	[illegible]	[illegible]	[illegible]	4	14	25				[illegible]
EUR D ALENE CAA AP	MAX	49	39	47	41	35	40	52	42	40	36	38	40	40	40	37	42	41	37	36	35	40	38	41	42	45	49	45	40				[illegible]
	MIN	34	35	36	27	27	32	33	29	24	23	25	25	27	29	29	31	29	25	15	[illegible]	28	29	24	20	27	[illegible]	[illegible]	27				[illegible]
EUR D ALENE RS	MAX	49	42	47	45	38	40	54	51	42	41	38	41	44	43	42	38	44	41	40	39	41	39	44	44	46	49	47	45				43.4
	MIN	37	36	38	34	28	32	34	26	21	22	26	23	31	27	29	32	32	28	19	[illegible]	27	31	24	[illegible]	26	28	[illegible]	[illegible]				[illegible]
NDA	MAX	59	42	42	48	36	33	40	43	35	32	25	34	31	37	34	33	34	36	30	[illegible]	16	24	33	40	30	35	47	[illegible]				35.7
	MIN	21	32	33	28	17	20	23	31	16	-5	0	0	0	3	4	11	20	18	-5	-18	-15	-5	11	1	[illegible]	[illegible]	4	25				[illegible]
TTONWOOD	MAX	46	39	47	39	45	47	51	42	36	43	37	38	43	46	36	35	36	30	40	35	40	37	38	39	45	51	49	41				42.8
	MIN	31	30	34	30	28	31	35	27	19	17	22	14	25	25	25	23	25	20	13	9	17	[illegible]	18	15	15	27	24	27				23.3
UNCIL 1 N	MAX	49	45	48	46	40	42	49	46	44	42				48	42					41	37	42	43	45	48	[illegible]	[illegible]	51				[illegible]
	MIN	35	32	36	32	32	32	35	31	29	21				30	28					11	14	16	24	20	[illegible]	24	28	[illegible]				[illegible]
ADWOOD DAM	MAX	42	37	37	35	34	42	40	39	34	38	34	43	45	40	39	28	32	26	27	29	35	33	38	40	46	50	[illegible]	38				[illegible]
	MIN	31	23	31	28	12	23	27	27	7	-11	1	-6	14	9	10	12	26	17	-17	-25	-18	-1	-19	-14	-8	1	5	18				[illegible]
ER FLAT DAM	MAX	64	53	47	41	45	50	55	44	45	43	45	49	51	55	45	55	45	44	41	36	45	45	49	45	52	[illegible]	61	44				48.3
	MIN	36	32	36	36	32	34	34	31	30	21	26	27	29	29	27	24	34	27	24	16	21	23	[illegible]	30	25	23	[illegible]	28				[illegible]
XIE	MAX	39	34	39	33	39	42	39	39	35	38	32	40	44	37	35	27	31	29	26	29	29	35	37	39	41	[illegible]	[illegible]	[illegible]				[illegible]
	MIN	26	24	32	25	18	24	23	21	3	13	6	5	14	1	16	10	23	16	14	-9	-1	-4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23				[illegible]
IGGS	MAX																			34	32	32	36	34	35	37	35	37	[illegible]				
	MIN																			-10	-16	-4	[illegible]	-1	[illegible]	[illegible]	[illegible]	[illegible]	28				
BOIS EXP STA	MAX	37	33	39	38	31	34	32	33	25	23	23	30	26	27	28	26	36	27	21	20	19	22	21	[illegible]	[illegible]	[illegible]	35	36				[illegible]
	MIN	26	28	26	28	14	20	22	25	16	4	10	13	17	9	15	7	12	19	12	[illegible]	3	8	10	[illegible]	[illegible]	[illegible]	[illegible]	25				[illegible]
BOIS CAA AP	MAX	39	35	42	36	36	40	42	35	26	29	25	33	29	30	31	36	41	29	25	27	23	30	27	33	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
	MIN	24	26	25	15	13	24	24	24	17	1	10	8	10	5	10	6	16	20	11	[illegible]	-2	[illegible]	[illegible]	[illegible]	[illegible]	13	[illegible]	[illegible]				[illegible]
K CITY	MAX	42	41	37			41	40	35	31	40	34	39	46	40	42	33	36															
	MIN	30	30	32			30	30	30	13	2	20	19	21	9	23	15	27	23														
K RIVER 1 S	MAX	41	37	44	41	41	48	49	42	43	45	45	43	45	45	53	37	46	41	39	33	40	40	44	46	[illegible]	54	[illegible]	[illegible]				[illegible]
	MIN	33	31	34	31	31	33	34	25	15	15	29	21	25	25	29	29	30	[illegible]	16	[illegible]	24	18	[illegible]	[illegible]	16	[illegible]	[illegible]	[illegible]				[illegible]
METT 2 E	MAX	60	49	62	48	42	52	57	53	47	45	43	46	49	56	53	54	52	43	38	46	42	44	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
	MIN	36	36	41	37	32	33	35	37	31	24	27	24	31	31	26	24	39	29	[illegible]	15	19	24	24	20	[illegible]	25	[illegible]	31				[illegible]
IRFIELD	MAX	40	37	48	38	34	38	45	39	34	27	27	33	38	35	31	33	38	32	31	24	28	32	34	29	34	42	[illegible]	[illegible]				[illegible]
	MIN	19	21	31	27	19	24	24	28	21	-5	-4	-2	3	16	12	9	16	17	[illegible]	-7	-7	-4	-1	[illegible]	[illegible]	[illegible]	20	[illegible]				[illegible]
NN RS	MAX	48	41	43	42	48	48	48	43	46	45	39	47	51	42	38	40	40	36	37	39	43	41	44	44	[illegible]	52	[illegible]	43				[illegible]
	MIN	37	36	38	34	32	31	38	36	28	23	29	28	29	27	31	31	31	31	[illegible]	[illegible]	27	26	[illegible]	20	23	[illegible]	[illegible]	35				[illegible]
IT HALL IND AGENCY	MAX	51	51	60	55	40	41	52		35	37	35	34	42	42	43	38	48	41	29	[illegible]	34	35	[illegible]	43	42	[illegible]	[illegible]	55				[illegible]
	MIN		34	38	35	27	32	39		23	10	15	23	23	24	23	[illegible]	33	[illegible]	19	[illegible]	4	23	17	[illegible]	[illegible]	22	[illegible]	[illegible]				[illegible]
DEN VALLEY RS	MAX	46	40	40	40	38	40	41	42	47	41	40	48	47	48	41	33	[illegible]	[illegible]	[illegible]	39	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	56	50				[illegible]
	MIN	34	30	32	33	29	30	33	32	20	13	19	15	24	24	26	[illegible]	31	26	[illegible]	1	[illegible]	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
NNS FERRY	MAX	57	53	67	67	43	55	59	50	49	44	46	44	52	50	48	49	[illegible]	[illegible]	[illegible]	39	45	47	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
	MIN	35	29	33	34	29	36	34	34	23	17	19	18	22	29	25	22	26	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
DING CAA AP	MAX	52	49	66	45	40	49	55	44	42	41	41	39	48	46	36	43	50	32	41	[illegible]	39	40	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
	MIN	34	30	39	31	29	32	33	27	20	19	19	18	22	30	25	21	29	26	18	13	12	18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
CE	MAX	40	43	51	46	34	42	40	38	[illegible]	29	30	29	29	34	35	32	41	38	24	[illegible]	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
	MIN	31	33	33	32	24	27	28	25	18	3	5	7	7	11	19	15	26	19	-2	-5	-6	[illegible]	17	[illegible]	[illegible]	23	[illegible]	34				[illegible]
ND VIEW	MAX	60	54	70	68	45	54	53	51	48	46	46	48	55	55	52	51	57	47	42	41	47	47	[illegible]	[illegible]	[illegible]	63	66	61				[illegible]
	MIN	30	32	35	34	32	32	36	35	32	18	21	22	23	26	27	[illegible]	31	[illegible]	[illegible]	15	18	[illegible]	21	[illegible]	[illegible]	20	21	[illegible]				[illegible]
NGEVILLE	MAX	46	42	48	39	43	49	52	39	38	38	38	37	42	47	36	40	37	[illegible]	34	[illegible]	40	39	[illegible]	40	[illegible]	[illegible]	49	37				[illegible]
	MIN	32	30	35	31	28	35	35	29	20	17	25	13	33	25	26	28	[illegible]	23	[illegible]	17	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
Y	MAX	45	46	47	42	41	37	37	35	41	27	31	27	30	31	30	30	32	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	40	40	47				[illegible]
	MIN	22	21	23	25	24	17	16	15	10	-2	0	0	4	2	3	4	13	[illegible]	[illegible]	-17	-11	12	[illegible]	10	-3	10	24	[illegible]				[illegible]
USE	MAX	45	38	46	45	35	43	44	35	30	31	28	37	39	35	32	34	34	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	35	40	45	46	44				[illegible]
	MIN	11	10	16	16	12	9	15	24	16	-13	-8	2	1	10	15	[illegible]	17	17	[illegible]	-14	-12	-8	-4	-11	-8	4	14	[illegible]				[illegible]

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HAILEY	MAX	46	46	45	43	37	42	45	40	36	30	33	35	37	37	37	33	36	36	28	27	27	31	36	35	38	42	45	45				37
	MIN	20	19	28	25	18	11	21	30	21	3	8	8	9	14	13	3	20	18	14	1	2	5	10	10	6	14	22	21				14
HAMER 4 NW	MAX	43	38	44	41	37	44	42	34	29	32	29	36	34	29	34	39	39	33	27	26	27	30	31	41	36	41		42				35
	MIN	23	24	27	25	18	18	25	28	20	0	7	2	11	4	20	4	15	21	17	0	3	7	5	12	6	13	16					13
HAZELTON	MAX	58	54	65	61	41	49	55	51	38	41	38	38	46	50	46	47	47	45	37	32	38	39	43	41	45	57	58	55				47
	MIN	28	30	37	33	28	33	35	30	20	9	14	24	23	30	23	20	32	25	19	17	15	15	15	14	26	24	30	27				24
HILL CITY	MAX	39	35	43	40	33	36	40	42	36	26	31	31	37	36	32	33	36	32	29	21	24	30	33	31	36	43	40	43				34
	MIN	22	26	32	28	23	25	28	30	8	-9	-10	-3	6	19	18	10	20	20	10	-9	-8	-3	-7	-3	8	12	22	16				11
HOLLISTER	MAX	52	55	65		45	57	57	49	37	41		43	48	45	46	47	45	36	36	39		36	38	38	41	59	60	57				46
	MIN	28	29	44		35	34	35	27	15	10		20	29	13	18	27	22	16	13	18		19	15	14	12	26	32	31				23
IDAHO CITY	MAX	49	48	48	44	36	48	47	44	43	44	44	48	53	48	45	34	40	34	33	35	41	40	48	49	49	58	58	46				44
	MIN	30	24	31	29	24	21	29	31	12	3	10	7	18	16	12	18	28	24	-2	-7	-1	5	0	2	6	11	14	20				14
IDAHO FALLS 6 NE	MAX	46	44	55	50	39	42	49	41	32	35	34	36	39	38	39	35	45	36	29	27	30	34	39	40	39	48	51	53				40
	MIN	34	34	37	35	23	32	22	31	24	9	19	12	24	18	21	18	32	24	14	1	8	22	8	7	17	20	23	29				21
IDAHO FALLS CAA AP	MAX	47	44	54	44	35	48	49	38	34	36	34	38	39	39	39	37	45	38	29	27	30	35	37	42	38	48	53	51				40
	MIN	29	33	37	28	26	27	35	28	18	10	15	13	20	19	22	19	30	20	10	1	6	18	13	11	17	21	22	31				20
IRWIN 2 S	MAX	44	40	45	48	37	43	42	40	36	33	28	35	29	34	35	32	42	38	30	26	26	34	39	36	37	45	49	50				37
	MIN	26	33	33	30	18	27	30	30	19	6	7	10	15	12	20	17	25	22	0	-7	-4	18	3	7	6	13	22	34				16
ISLAND PARK DAM	MAX	34	32	35	36	30	37	36	32	27	25	29	37	34	25	26	23	37	28	23	19	23	23	30	35	32	38	40	40				30.
	MIN	23	25	28	28	4	10	12	23	15	-20	-9	-6	8	-13	15	-13	18	18	-5	-32	-31	14	-10	-20	-18	-8	7	22				3
JEROME	MAX	54	52	67	63	41	50	55	53	42	41	40	41	47	51	48	44	50	44	40	33	39	40	43	44	47	58	61	56				48.
	MIN	29	29	38	31	25	30	32	29	18	14	17	22	22	28	21	20	28	19	16	11	13	16	9	12	20	20	25	23				22
KELLOGG	MAX	54	44	41	46	41	37	47	52	45	45	42	41	43	46	41	39	40	41	40	39	34	37	38	47	44	48	51	44				43.
	MIN	40	36	38	38	27	30	37	32	24	22	25	25	28	29	30	30	32	24	21	15	18	30	26	19	24	26	30	32				28.
KOOSKIA	MAX	49	43	45	44	51	54	55	50	47	47	42	47	50	48	49	48	49	43	41	42	50	43	51	51	54	57	57	55				48.
	MIN	39	37	30	37	34	37	39	43	24	21	32	26	29	29	30	31	32	32	27	20	31	25	33	21	21	25	33	37				30.
KUNA 2 NNE	MAX	54	51	48		40	51	54	58	44	44	41	44	49	53	48	45	52	40	38	36	42	43	48		50	58	60	45				47.
	MIN	39	31		34	31	32	36	32	27	21	24	20	27	27	25	19	33	30	22	15	16	23		16	20	20	23	28				25.
LEWISTON WATER PLANT	MAX	58	48	52	50	50	58	62	55	49	47	44	55	50	52	50	48	50	46	45	47	53	48	50	51	54	58	59	55				51.
	MIN	41	39	42	40	35	41	45	38	26	26	35	26	30	36	38	29	37	34	28	24	27	34	26	23	24	26	34	40				33.
LEWISTON WB AP	MAX	51	47	50	50	48	57	61	47	46	47	39	43	50	51	48	48	49	41	43	41	47	44	46	47	51	58	56	45				48.
	MIN	40	37	43	35	33	39	44	32	24	26	28	27	30	36	31	29	35	33	26	22	25	32	26	23	25	27	35	30				31.
LIFTON PUMPING STA	MAX	44	47	51	43	33	39	45	41	31	28	26	24	34	35	30	34	38	37	22	20	27	31	34	31	31	37	48	48				35.
	MIN	15	26	31	29	17	26	22	25	19	-9	-8	-5	-4	3	14	12	14	17	-2	-6	-12	-5	7	13	-3	7	12	22				9.
LOWMAN	MAX																	36	35	41	43	42	38	32	33	37	38	46	40				
	MIN																	28	26	23	22	20	18	6	8	12	16	20	21				
MACKAY R	MAX	43	38	46	43	35	41	43	35	28	31	30	33	39	37	30	34	40	34	25	20	33	30	28	34	43	40	42	42				35.
	MIN	18	17	21	26	19	16	21	25	18	3	4	19	14	19	15	17	11	19	15	2	7	3	10	5	18	15	23	20				15.
MALAD	MAX	49	47	59	54	39	47	49	44	36	35	37	36	36	40	36	38	48	38	31	29	35	38	42	43	45	48	57	58				42.
	MIN	28	31	37	33	30	31	31	30	24	15	15	18	16	19	23	23	31	24	17	11	8	15	27	15	16	20	24	29				22.
MALAD CAA AP	MAX	51	48	60	44	37	47	53	40	37	38	39	37	39	40	35	41	48	35	35	28	35	39	43	43	46	52	58	59				43.
	MIN	24	28	36	32	30	29	30	27	23	16	16	18	16	19	24	22	31	21	17	11	8	14	25	13	14	16	19	25				21.
MAY RS	MAX	50	40	53	50	39	45	49	40	35	33	34	37	46	42	35	37	42	29	31	25	31	30	36	34	36	40	53	46				39.
	MIN	33	25	30	26	20	20	19	24	17	3	8	12	16	13	13	15	26	19	8	-1	6	5	1	-1	2	11	20	25				14.
MC CALL	MAX	38	32	38	34	32	36	38	32	32	32	28	36	38	34	32	28	30	22	20	24	28	30	32	34	38	40	42	36				32.
	MIN	30	24	30	28	22	22	28	26	18	2	8	0	16	14	14	18	28	14	2	-11	-4	4	4	-2	0	6	12	28				13.
MC CAMMON	MAX	48	53	56	49	42	45	50	45	38	34	36	32	34	45	40	38	48	41	30	32	33	33	40	40	44	50	55	59				42.
	MIN	33	37	38	35	27	32	30	28	23	12	16	14	16	18	29	21	30	28	17	7	3	21	12	14	18	31	32	36				23.
MERIDIAN 1 SSW	MAX	58	52	60	47	46	52	57	52	45	44	41	44	50	53	49	42	50	41	39	37	42	39	48	45	49	56	61	55				48.
	MIN	41	34	36	35	32	33	35	34	30	25	30	27	29	30	26	23	36	30	23	17	20	26	20	20	23	26	27	30				28.
MESA	MAX	49	42	45	45	38	39	49	40	38	42	39	46	47	46	44	38	37	36	38	36	40	42	40	44	48	52	54	50				43.
	MIN	33	34	35	32	31	28	34	30	28	21	22	26	29	30	31	29	20	21	15	12	20	21	26	23	24	24	30	31				26.4
MINIDOKA DAM	MAX	50	53	63	47	40	47	52	51	31	33	33	34	44	42	46	40	47	32	34	32	37	38	39	42	42	54	56	55				43.4
	MIN	32	31	35	28	28	31	35	29	14	11	18	22	18	29	23	22	32	23	16	15	12	20	18	14	17	22	27	29				23.3
MONTPELIER RS	MAX	47	48	48	52	48	38	48	48	38	35	29	31	30	30	38	27	32	40	39	31	20	28	35	35	32	34	39	48				37.4
	MIN	18	24	31	28	17	22	22	26	18	-4	-4	2	0	11	14	13	17	19	2	-2	-7	-7	12	3	3	9	16	25				11.7
MOSCOW U OF I	MAX	50	42	46	41	41	49	52	46	43	40	40	40	45	47	44	41	41	37	37	37	42	40	44	44	47	51	48	44				43.5
	MIN	36	35	39	36	29	35	41	30	21	25	30	25	28	32	29	26	32	27	22	20	26	29	27	22	25	30	30	32				29.3
MOUNTAIN HOME	MAX	58	57	72	51	42	55	57	53	49	47	43	48	52	50	49	47	50	45	39	37	44	45	49	49	50	60	63	58				50.7
	MIN	36	31	43	34	31	31	36	33	26	21	24	19	25	32	24	19	34	28	21	9	14	20	14	17	24	22	24	30				25.8
MULLAN PASS CAA	MAX	34	30	32	27	26	32	32	32	23	30	26	26	26	30	23	26	24	20	22	21	20	21	26	24	27	33	29	28				26.8
	MIN	23	24	26	18	17	23	26	17	14	16	18	18	19	17	14	17	17	15	10	10	13	18	16	18	19	24	25	14				18.1
NAMPA 2 NW	MAX	62	60	52	63	42	41	52	57	55	46	46	43	49	51	55	42	46	53	40	40	38	44	44	50	47	51	60	63				49.7
	MIN	39	34	38	36	32	33	35	34	29	20	27	24	29	35	29	21	28	30	23	17	22	27	23	17	22	20	23	28				27.7
NEW MEADOWS RS	MAX	42	36	43	42	40	38	43	38	35	37	36	41	46	40	34	33	39	32	28	33	35	37	35	41	40	46	51	40				38.6
	MIN	32	27	32	29	25	23	32	31	25	3	10	2	18	16	13	23	29	23	-3	-16	-7	2	-2	-7	-4	1	11	30				14.2
NEZPERCE 2 E	MAX	48	38	45	38	41	46	51	41	40	40	36	37	45	44	43	35	38	33	32	33	40	36	38	40	45	52	47	41				40.8
	MIN	33	34	33	32	29	33	38	31	23	20	24	18	28	30	29	27	29	24	15	13	24	26	26	19	23	27	34	30				26.9
OAKLEY	MAX	53	56	61	49	40	50	56	47	34	38	37	35	48	48	39	45	50	38	34	30	39	42	38	40	46	58	61	60				45.4
	MIN	36	30	28	33	30	34	37	29	16	15	22	20	21	24	23	21	24	22	17	10	11	28	17	8	18	26	29	33				23.6
OBSIDIAN 4 NNE	MAX	46	35	44	41	35	40	41	36	26	29	27	35	38	38	34	28	28	26	22	18	31	31	31	33	40	47	49	43				34.7
	MIN	28	16	31	22	15	21	21	20	9	-18	-6	-10	4	3	18	0	21	14	-8	-23	-12	14	-18	-14	-8	3	7	22				6.1
OLA 4 S	MAX	55	49	58	46	50	51	53	49	51	50	49	51	54	49	49	53	35	36	31	30	37	39	44	45	47	49	47	41				46.4
	MIN	35	32	33	34	33	30	32	35	31	32	31	22	31	32	30	27	29	27	20	13	20	24	25	24	22	27	24	31				28.0
OROFINO	MAX	45	42	47	48	47	58	55	50	52	52	45	50	58	47	45	53	50	42		43	49	42	47	51	56	61	57	53				49.8
	MIN	36	35	40	34	33	36	41	36	25	23	33	28	28	31	36	33	34	33		20	30	27	33	25	23	26	32	39				31.5
PALISADES DAM	MAX		40	43	46	37	40		40	38	33	29	32	30			33	41	49	29	27	25	32	35	37	38	43	51	50				37.4
	MIN		33	33	29	20	26		27	14	1	3	8	12			11	23	21	-1	-11	-11	11	0	1	0	10	17	34				13.0
PARMA EXP STA	MAX	59	51	53	50	47	44	52	52	46	47	45	51	52	56	53	46	53	40	40	38	46	45	50	48	54	58	64	54				49.8
	MIN	33	33	39	33	30	32	31	35	29	21	26	23	29	29	26	23	31	29	25	16	18	21	20	20	23	20	22	30				26.7
PAUL 1 E	MAX	67	53	55	66	48	39	50	64	36	33	37	34	37	52	58	33	42	45	29	36	35	41	43	42	44	44	57	66				45.9
	MIN	34	29	30	32	28	31	35	31	13	4	5	14	20	27	23	21	24	25	17	17	12	14	13	12	12	24	25	23				21.3
PAYETTE	MAX	55	49	50	46	42	46	51	46	47	45	44	48	49	55	52	41	46	40	40	38	43	45	49	48	51	55	59	54				47.6
	MIN	33	35	40	34	31	35	35	36	32	23	27	26	31	30	28	21	30	30	23	17	20	24	26	22	22	23	26	31				28.3
PIERCE RS	MAX	38	34	40	38	37	40	40	37	41	46	43	32	43	43	37	35	33	40	32	32	31	36	33	43	43	44	49	43				38.7
	MIN	31	32	33	31	26	31	33	31	14	12	31	21	21	22	27	27	28	25	21	3	[illegible]	14	20	4	4	12	12	32				21.6
POCATELLO WB AP	MAX	51	51	59	46	39	46	53	44	36	35	34	32	41	44	44	38	48	37	30	27	32	35	38	41	41	53	56	53				42.3
	MIN	37	35	40	30	28	32	39	30	22	14	20	8	24	28	25	25	35	24	12	6	5	22	17	9	24	24	36	32				24.4
PORTHILL	MAX	53	46	43	46	45	40	50	45	49	33	40	38	47	38	42	37	44	40	39	37	38	40	42	38	41	52	45	38				42.4
	MIN	38	38	35	34	27	30	30	28	19	18	27	25	24	24	28	20	28	20	14	12	13	20	22	15	17	25	27	31				24.6
POTLATCH	MAX	50	45	47	42	41	47	50	50		44	37	43	45	48	47	45	41	36	35	34	38	40	40	45	50	51	47	41				43.7
	MIN	35	33	35	35	30	33	39	23	21		30	24	26	35	28	30	28	28	16	17	20	20	17	22	28	29	29	31				27.5
PRESTON [illegible] FACT 2 [illegible]	MAX	59	49	59	57	42	46	49	47	34	32	36	36	35	37	37	37	46	46	29	30	32	39	44	44	43	49	55	59				43.1
	MIN	27	33	40	35	29	32	32	30	24	12	14	17	16	18	19	25	30	25	15	11	8	14	25	17	17	20	25	32				22.9
PRIEST RIVER EXP STA	MAX	48	48	42	41	33	37	48	44	41	36	41	38	46	36	39	37	40	40	40	40	41	36	44	44	44	40	40	39				40.8
	MIN	29	33	33	30	23	29	31	23	15	16	25	23	27	24	23	28	26	15	7	11	13	29	24	18	17	20	24	30				23.1
REACTOR TESTING STA	MAX	44	42	53	44	37	48	48	38	34	35	26	38	41	29	33	36	44	28	29	27	33	35	37	40	40	46	[illegible]	47				38.6
	MIN	23	25	29	23	18	23	26	28	14	1	6	1	14	14	21	12	27	20	15	-2	-1	[illegible]	10	4	10	13	14	22				14.9
RICHFIELD	MAX	51	45	59	52	39	46	52	47	36	35	35	39	44	42	38	40	45	39	35	32	36	38	42	42	43	53	57	47				43.2
	MIN	30	27	35	30	27	28	32	30	7	9	14	18	18	23	22	21	26	24	21	11	8	12	13	12	15	20	23	24				20.7
RIGGINS R	MAX	60	50	51	49	57	62	52	48	46	46		49	55	54	51	48	51	46	41	44	47	46		49	54	61	63	58				51.5
	MIN	45	41	42	39	37	40	43	39	31	28		26	34	33	36	32	35	31	29	22	27	32		28	26	30	35	36				33.7
ROLAND W PORTAL	MAX	39	34	37	34	33	35	40	35	35	38	34	35	38	38	35	29	33	32	29	26	28	32	36	37	39	41	39	37				34.9
	MIN	32	29	31	29	20	30	32	25	12	12	24	19	27	17	21	22	25	15	14	4	18	21	13	10	24	20	33	26				21.6
RUPERT	MAX	59	54	55	63	49	41	50	55	36	36	38	35	40	48	50	34	42	50	30	35	31	41	38	42	47	46	60	61				45.2
	MIN	27	28	29	32	27	29	34	29	12	4	5	14	18	24	21	20	23	23	16	15	10	12	13	11	14	22	25	24				20.0
SAINT ANTHONY	MAX	42	39	48	47	40	44	40	37	36	33	30	44	44	34	36	35	42	32	31	25	29	30	38	41	35	44	46	46				38.1
	MIN	28	30	35	30	20	24	25	29	21	5	10	10	20	8	21	7	29	24	15	-2	-1	20	1	6	10	17	21	29				17.6

See reference notes following Station Index.

DAILY TEMPERATURES

le 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
NT MARIES	MAX	49	49	46	42	41	51	49	48	50	46	49	43	44	44	43	41	44	[illegible]	40	[illegible]	34	36	44	43	48	[illegible]	[illegible]	45				44.1
	MIN	33	34	36	31	27	31	36	28	19	20	26	22	24	26	27	30	29	25	15	11	[illegible]	24	[illegible]	16	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
ON	MAX	51	41	48	40	43	52	45	44	43	38	40	44	54	35	42	42	42	36	47	29	37	[illegible]	[illegible]	34	36	39	[illegible]	41				41.4
	MIN	34	40	[illegible]	26	27	25	28	31	19	[illegible]	19	[illegible]	24	18	24	24	27	18	4	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	14	23	[illegible]				[illegible]
DPOINT EXP STA	MAX	49	40	45	43	34	37	48	43	39	30	[illegible]	34	45	40	39	38	44	40	38	34	42	38	45	43	48	44	43	[illegible]				41.1
	MIN	36	36	36	31	26	31	32	29	25	20	27	23	32	27	30	30	27	15	18	[illegible]	16	31	17	14	23	[illegible]	[illegible]	[illegible]				26.0
SHONE	MAX	52	46	62	54	40	48	54	49	39	39	37	39	48	44	40	42	48	40	38	35	38	[illegible]	[illegible]	43	[illegible]	57	[illegible]	[illegible]				45.5
	MIN	31	28	37	33	28	30	31	31	12	14	18	19	20	25	24	23	26	25	[illegible]	10	[illegible]	16	15	13	[illegible]	20	26	27				[illegible]
NCER RS	MAX	37	33	40	39	32	33	36	34	23	[illegible]	27	[illegible]	27	27	31	29	39	[illegible]	21	19	23	25	22	24	[illegible]	36	42	38				30.2
	MIN	25	24	28	25	8	11	19	20	14	-4	-2	8	14	[illegible]	10	[illegible]	19	17	[illegible]	-4	1	8	8	4	4	4	9	[illegible]				10.7
NGFIELD	MAX	51	49	51	49	39	49	53	41	36	40	39	36	39	43	40	40	40	39	[illegible]	28	35	35	39	44	41	[illegible]	[illegible]	55				[illegible]
	MIN	28	33	38	34	24	29	34	24	25	10	15	3	19	20	24	20	33	25	18	5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	18	23	29				[illegible]
ANITE	MAX	44	40	33	40	[illegible]	37	42	36	27	29	42	28	39	41	36	25	29	[illegible]	[illegible]	18	23	29	[illegible]	[illegible]	[illegible]	[illegible]	47	48				[illegible]
	MIN	28	19	22	27	[illegible]	[illegible]	19	25	9	[illegible]	[illegible]	3	9	8	8	11	[illegible]	16	[illegible]	-11	-8	-3	3	-1	[illegible]	[illegible]	11	[illegible]				9.6
EVELL	MAX	51	47	54	50	39	47	46	43	30	32	32	28	35	35	42	36	45	40	26	25	37	37	33	34	41	44	[illegible]	55				40.0
	MIN	31	28	36	[illegible]	[illegible]	[illegible]	33	29	19	6	[illegible]	18	5	14	19	15	11	21	11	1	2	[illegible]	19	[illegible]	[illegible]	22	[illegible]	29				[illegible]
AR	MAX	41	41	54	48	38	44	44	40	37	35	32	38	35	36	37	33	43	34	30	25	28	31	38	41	[illegible]	[illegible]	[illegible]	[illegible]				38.9
	MIN	28	30	35	29	23	22	30	28	22	[illegible]	11	17	21	10	15	9	24	[illegible]	14	[illegible]	-1	19	1	11	10	[illegible]	[illegible]	28				18.1
VALLEY	MAX	43	39	43	44	36	44	42	39	31	32	30	[illegible]	43	39	36	34	36	34	29	23	26	29	29	37	36	44	48	42				36.6
	MIN	15	5	20	15	9	8	14	27	17	-15	-8	-1	0	5	16	-6	16	15	6	-18	-8	-10	4	-3	-2	[illegible]	10	10				4.8
N FALLS PH	MAX	57	55	70	55	41	56	52	52	46	47	44	50	52	54	52	50	58	45	42	38	47	45	50	50	52	63	67	63				[illegible]
	MIN	40	36	43	37	35	34	40	30	32	25	26	30	30	34	34	24	[illegible]	28	23	[illegible]	34	[illegible]	37	25	[illegible]	27	[illegible]	34				31.6
ONIA EXP STA	MAX	39	36	42	43	32	35	40	39	29	30	28	31	32	32	30	32	34	30	28	21	20	26	36	33	[illegible]	[illegible]	41	41				33.4
	MIN	29	30	31	25	14	23	19	17	15	-2	3	[illegible]	8	4	14	12	[illegible]	11	8	-14	-11	-11	-4	-1	5	[illegible]	19	30				[illegible]
EE CREEK	MAX	50	57	64	52	40	49	55	47	39	39	41	37	50	43	44	40	44	40	32	28	37	34	32	40	43	53	55	[illegible]				[illegible]
	MIN	26	25	44	33	28	33	30	23	10	0	5	14	24	9	10	8	20	18	14	4	9	5	14	11	15	20	27	33				18.3
N FALLS 2 NNE	MAX	54	50	67	66	41	49	57	52	40	40	39	40	48	53	50	45	50	46	39	34	40	39	44	44	48	[illegible]	[illegible]	58				48.5
	MIN	30	30	40	36	30	35	35	31	20	15	19	24	27	32	23	22	33	27	19	17	18	18	14	14	27	29	29	26				25.7
N FALLS 3 SE	MAX	58	53	57	68	48	41	51	58	44	39	41	38	41	50	58	46	46	51	31	37	31	40	40	44	43	48	[illegible]	[illegible]				47.3
	MIN	31	34	34	36	31	33	37	33	21	16	17	24	25	24	22	22	23	27	20	17	11	20	17	16	[illegible]	28	34	31				[illegible]
LACE	MAX	47	40	45	42	38	39	45	40	39	41	38	40	42	44	44	38	38	[illegible]	37	31	30	35	42	39	43	47	44	38				40.3
	MIN	36	34	39	34	25	33	34	31	20	20	30	20	28	25	28	27	29	23	20	9	25	26	[illegible]	14	25	26	[illegible]	27				26.4
LACE WOODLAND PARK	MAX	50	40	40	45	38	39	40	46	40	40	43	38	40	43	45	48	38	38	35	34	32	35	34	43	41	43	40	44				40.4
	MIN	36	34	36	34	21	22	33	32	21	20	20	27	27	25	28	28	23	19	17	6	6	22	19	12	[illegible]	24	25	30				23.8
SER	MAX	58	45	50	50	40	45	48	48	52	48	47	52	50	54	48	42	42	42	42	42	40	50	52	52	55	58	62	56				48.9
	MIN	33	33	38	32	34	35	33	35	26	33	25	22	30	30	22	28	28	28	20	16	20	22	25	22	20	22	28	32				27.6
CHESTER 1 SE	MAX	45	49	46	37	43	45	46	47	38	40	42	43	45	44	42	40	37	32	30	37	38	35	38	44	45	49	48	41				41.6
	MIN	27	32	33	29	25	31	32	31	16	18	23	11	29	28	20	23	20	22	17	7	13	21	25	7	12	24	26	24				22.4

SNOWFALL AND SNOW ON GROUND

7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ERSON DAM	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	SN ON GND	-	-	-	-	-	1	T	T	T	T	T	T	T	T	T	T	T	T	T	T											
O	SNOWFALL						T		T	T									-	-	3.0											
	SN ON GND	-																	3	3	5	-	-	-								
OWROCK DAM	SNOWFALL						0.5										T		1.0													
	SN ON GND						T										T		1	T												
TON 1 S	SNOWFALL		1.5				3.0		1.0					0.5				1.5	1.0										T			
	SN ON GND	9	10	10	9	8	11	11	11	10	9	9	[illegible]	9	9	9	9	11	12	12	12	12	12	12	12	12	11	11	11			
ANTA 1 E	SNOWFALL	T	T	5.0	4.0		5.0		3.0			1.0				5.0	3.0	10.0	4.0				2.0									
	SN ON GND	[illegible]	37	40	42	41	43	42	42	42	41	42	42	41	41	44	46	55	58	57	57	54	54	52	50	47	44	44	43			
CREEK 1 S	SNOWFALL		2.1		2.5	1.0	1.0	T	1.0			T			T	4.1	1.0	5.0	7.1	4.0			1.0						2.1			
	SN ON GND	22	24	22	24	21	22	20	21	20	20	20	20	20	20	24	25	30	37	41	36	36	37	36	34	34	32	30	32			
CKFOOT	SNOWFALL						0.5		T										4.0													
	SN ON GND																		2	2	1	1										
SE WB AP	SNOWFALL			T	T	T			T			T				0.6		0.2	0.1				T						0.3			
	SN ON GND																1		T													
ERS FERRY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	SN ON GND					T						T	T		4	2	2	2	2	1	1	1	T	T	T	T	T	T	T			
LEY CAA AIRPORT	SNOWFALL					T			2.0			1.1				0.5	T	0.4	0.1	T									2.0			
	SN ON GND									1	1	T	1	T		T			T	T	T	T	T	T								
WELL	SNOWFALL											T					T												T			
	SN ON GND																															
ADE 1 NW	SNOWFALL		T		1.0		1.0		0.5			0.5				1.0	1.5	2.0	4.0				T	T					1.0			
	SN ON GND	17	16	14	15	14	13	12	12	12	12	11	10	10	9	10	11	13	17	17	17	17	16	16	16	15	14	13	14			
ERVILLE ARBAUGH RCH	SNOWFALL		0.8	0.5	0.3	0.1	3.5	0.1	5.0			0.2				1.0	3.4	7.2	1.7				0.6						0.9			
	SN ON GND	27	27	27	27	27	29	28	32	31	30	30	30	30	30	31	33	39	39	38	37	36	36	35	35	35	34	33	33			
LT BLACKBIRD MINE	SNOWFALL	0.5		4.3	0.3	1.2	1.5		2.5	3.7			0.3			1.0	T	7.0	5.0	6.0	1.0	1.0	0.1	0.7								
	SN ON GND	33	33	36	32	33	34	33	36	39	38	37	36	35	35	36	35	42	46	42	41	39	39	39	38	38	38	38	37			
R D'ALENE CAA AP	SNOWFALL		T		T	1.8	0.4					1.0	T		0.5	T	T	1.9	T				2.5									
	SN ON GND					T	2																1									
R D'ALENE RS	SNOWFALL				T		1.0					0.3		T	T	T	1.0						0.5									
	SN ON GND																1	T	T				T									
ONWOOD	SNOWFALL											1.5					0.2	1.3	0.8				0.7									
	SN ON GND											T					T	1	1	1	1		1									
WOOD DAM	SNOWFALL	T	1.5	3.0	1.0		2.0	T	3.5			T				1.0	2.5	5.0	6.0	T			1.0						0.5			
	SN ON GND	42	43	45	46	45	46	45	48	48	48	48	47	47	47	47	49	54	58	57	56	55	55	54	53	52	52	51	51			
UIS CAA AIRPORT	SNOWFALL	T	T	T	0.3	T	0.6		2.0			1.0		T	T	1.0		T	2.6				2.4						1.2			
	SN ON GND	4	4	3	3	3	4	3	3	5	5	5	6	6	6	7	7	6	6	9	9	9	9	11	11	11	10	8	7			
E RS	SNOWFALL																	3.0					3.0									
	SN ON GND																	2						T								
N VALLEY RS	SNOWFALL		1.0				1.0					T					1.0	2.0	2.0				T									
	SN ON GND	11	12	11	11	10	10	10	9	9	9	9	9	9	9	9	10	11	13	12	11	11	10	10	10	10	10	10	10			

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GLENNS FERRY	SNOWFALL																T															
	SN ON GND																T															
GOODING CAA AIRPORT	SNOWFALL					1.3	T		2.0						T	T		T	T										1.0			
	SN ON GND						T			T							T		T													
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	SN ON GND											1						1	1				T	1					T			
GRAY	SNOWFALL						2.0												2.0													
	SN ON GND	20	20	20	20	20	22	22	22	22	22	22	22	22	22	22	22	22	24	24	24	24	24	24	24	24	22	22	22			
HAILEY	SNOWFALL	0.2	0.2	0.3			1.0											0.3	1.2													
	SN ON GND	18	18	17	17	17	17	17	17	16	16	16	16	15	15	15	14	14	14	14	14	13	13	13	13	13	12	11	11			
HAMER 4 NW	SNOWFALL					T						T				T			T				T									
	SN ON GND																															
HILL CITY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	SN ON GND	-	-	18	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20			
IDAHO CITY	SNOWFALL						2.5										1.5	1.0	1.4													
	SN ON GND	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IDAHO CITY 13 SW	SNOWFALL		0.5		0.5	T	3.0					T				T	2.0	1.0	2.0				T									
	SN ON GND	22	22	22	22	22	25	25	24	24	24	24	24	24	24	23	25	26	28	28	27	27	27	26	26	25	24	23	22			
IDAHO FALLS CAA AIRPORT	SNOWFALL		T		T	T	0.6		T			T	T	T		T		T	1.4				T						T			
	SN ON GND						1						T	T		T				1	T	T		T								
IRWIN 2 S	SNOWFALL				T		1.0										2.0		2.0													
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
ISLAND PARK DAM	SNOWFALL		1.0	1.0			4.5		1.0					2.0		4.5		3.0	6.0				5.5	2.5								
	SN ON GND	44	45	45	-	-	48	-	44	-	-	-	-	43	-	45	45	48	53	-	-	-	53	52	-	-	-	-	46			
LEWISTON WATER PLANT	SNOWFALL																												T			
	SN ON GND																															
LEWISTON WB AIRPORT	SNOWFALL											T											T									
	SN ON GND																															
LOWMAN	SNOWFALL	*	*	*	*		*		*			*				3.0	*	5.0	4.0				2.0									
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	25	24	22	20	20	22	22	21	20	20	20	20			
MACKAY RANGER STATION	SNOWFALL	T	T				0.8		0.8			0.3				0.9			0.6				0.4									
	SN ON GND	6	6	6	6	5	6	5	6	5	5	5	5	4	4	5	4	4	4	4	4	4	4	4	3	3	3	3	3			
MALAD CAA AIRPORT	SNOWFALL					T	1.0		1.0	0.4		T				T	T		T													
	SN ON GND									1	1					T	T			T												
MC CALL	SNOWFALL		2.0		2.0		4.0					1.0				3.0	3.0	4.0	6.0				1.0						2.0			
	SN ON GND	30	30	30	33	33	33	33	33	33	33	34	-	-	-	34	36	39	40	-	-	-	40	-	39	39	37	37	37			
MESA	SNOWFALL											1.0					3.5															
	SN ON GND											1					4	3	3	2	2											
MULLAN PASS CAA	SNOWFALL	0.2	1.4	4.0	3.2	1.3	3.4	4.0			T	0.8	0.5	T	2.9	1.8	4.1	3.4	1.9	0.5	T	0.1	1.1					2.9	2.9			
	SN ON GND	68	68	68	72	72	75	78	81	81	81	78	78	78	78	82	84	88	90	91	91	91	91	92	90	85	81	80	85			
NEZPERCE 2 E	SNOWFALL						T					1.0	T					1.0	T				0.8									
	SN ON GND											T	T					T	T	T	T	T	T									
OAKLEY	SNOWFALL								1.0				T			0.5			0.5													
	SN ON GND								T	T						T																
OBSIDIAN 4 NNE	SNOWFALL	T	1.0	T	T		1.0		4.0	T		T				1.0	T	6.0	T	T			T									
	SN ON GND	25	26	24	24	23	24	24	28	28	27	27	27	27	27	28	28	34	33	32	32	31	31	31	31	31	31	30	30			
PAYETTE	SNOWFALL											T					0.3	T	T				T									
	SN ON GND																															
PIERCE RS	SNOWFALL				1.2		1.0					0.5				1.0	2.5	9.5					-	-					-			
	SN ON GND	19	18	17	18	18	19	19	19	19	19	20	20	19	19	19	20	30	26	26	25	25	26	27	27	25	24	23	25			
POCATELLO WB AIRPORT	SNOWFALL					T	0.8		0.7			1.0	T			0.4	T		1.6		T		0.1	T					T			
	SN ON GND						T			T			1	T		T	T		T	2	1	T	T	T	T	T	T					
	WTR EQUIV																			0.1												
PORTHILL	SNOWFALL						-					0.5			6.0		2.0	0.2														
	SN ON GND						1								6	2	3	2	2	2	2	1	1	1	1	1						
POTLATCH	SNOWFALL											T					-	T		T			T									
	SN ON GND																3	T		T			T									
PRIEST RIVER EXP STA	SNOWFALL					T	1.5							T	1.7	T	2.5	1.2					1.5						2.0			
	SN ON GND						2	T	T	T	T	T	T	T	2	2	5	5	4	4	4	4	6	5	4	4	4	4	6			
ROLAND WEST PORTAL	SNOWFALL		1.3	1.9	6.4	2.2	2.9	T	T			1.9	T	T	1.9	4.9	6.6	8.3	1.4	T	T	T	4.5	T				T	9.9			
	SN ON GND	48	48	48	54	54	56	52	52	52	52	54	53	52	53	58	64	72	72	70	68	68	70	70	68	65	63	63	72			
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	SN ON GND						2											2	3	2	2	2	2									
SANDPOINT EXP STA	SNOWFALL				T	T	1.5					T			0.6		2.7	0.8	1.0				3.9						1.4			
	SN ON GND					T	T								1	T	3	3	4	3	3	2	4	4	3	1	1	T	1			
SPENCER RS	SNOWFALL		0.5		0.5	T	1.0		6.0			1.0		0.5				T	6.0					2.0								
	SN ON GND	-	23	-	-	-	-	-	-	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
STIBNITE	SNOWFALL	1.1	0.5	6.0	1.4	3.2	1.3	0.2	2.7	0.5		0.5	T	T		6.5	0.5	4.5	15.0	0.4			0.5	0.5								
	SN ON GND	33	33	38	35	37	36	34	37	36	35	35	35	35	34	39	39	41	50	47	45	44	44	43	43	43	43	41	40			
SUN VALLEY	SNOWFALL	T	0.5	T	T	T	1.0		4.0									2.0	T				T									
	SN ON GND	28	29	28	27	27	28	28	30	29	28	28	28	28	28	28	27	29	29	29	29	28	28	28	27	27	26	26	26			
THREE CREEK	SNOWFALL	T				T			4.7					2.0	10.0	2.0	1.0	4.0	4.0	2.0									T			
	SN ON GND					-	-	-	10	10	8	7	5	2	5	5	3	3	4	4	4	3	3	3	3	-	-	-	T			
TWIN FALLS 2 NNE	SNOWFALL				T	T			0.5							T	T		T													
	SN ON GND								T																							
WALLACE	SNOWFALL	T		T	T	T	T		T			T			T	2.0			6.0	2.0			1.0					T	1.0			
	SN ON GND				T	T			T	T	T	T	T	T		2	2	2	8	7	7	6	7	6	5	5	4	4	4			

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	[illegible]	BINGHAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	EXPERIMENT STATION	[illegible]
[illegible]	[illegible]	[illegible]	12	42 25	[illegible]	[illegible]	[illegible]	[illegible]	DELL ROWE	[illegible]
ALPHA 1 NE	[illegible]	VALLEY	8	44 24	[illegible]	4780	7P	[illegible]	[illegible]	[illegible]
AMERICAN FALLS 1 SW	[illegible]	POWER	[illegible]	42 46	112 52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ANDERSON DAM	[illegible]	ELMORE	[illegible]	43 21	115 28	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	43 38	[illegible]	[illegible]	[illegible]	[illegible]	MRS HAZEL CLENDENIN	2 3 5
ARROWROCK DAM	[illegible]	ELMORE	2	[illegible]	[illegible]	[illegible]	8A	8A	U S BUR RECLAMATION	[illegible]
ASHTON 1 S	[illegible]	FREMONT	1	44 05	111	[illegible]	5P	[illegible]	[illegible]	[illegible]
ATLANTA 1 E	[illegible]	ELMORE		43 48	115 07	[illegible]	[illegible]	5P	PHILLIP T PETERSON	[illegible]
ATLANTA SUMMIT	[illegible]	ELMORE	[illegible]	43 45	115 14	[illegible]		VAR	[illegible]	[illegible]
AVERY RANGER STATION	[illegible]	SHOSHONE	10	47 15	115 48	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
BAYVIEW MODEL BASIN	[illegible]	KOOTENAI	9	[illegible]	[illegible]	[illegible]	4P	[illegible]	U S NAVY	2 3 5
BIG CREEK [illegible]	[illegible]	VALLEY	11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
BLACKFOOT [illegible]	[illegible]	BINGHAM	1	[illegible]	112 21	[illegible]	6P	[illegible]	[illegible]	2 3 5 7
BLACKFOOT DAM	[illegible]	[illegible]	1	43 00	111 43	[illegible]	[illegible]	[illegible]	FORT HALL IR PROJ	[illegible]
BLISS	[illegible]	GOODING	1	42 56	114 57	3269	5P	[illegible]	NORTH SIDE CANAL CO	[illegible]
BOISE LUCKY PEAK DAM	[illegible]	ADA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	CORPS OF ENGINEERS	[illegible]
BOISE WB AIRPORT	[illegible]	ADA	[illegible]	[illegible]	[illegible]	2842	MID	MID	U S WEATHER BUREAU	[illegible]
BONNERS FERRY	[illegible]	BOUNDARY		48 42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
BUHL	1217	TWIN FALLS	1	42 35	114 46	[illegible]	5P	[illegible]	WILLIAM A LOW	
BUNGALOW RANGER STATION	[illegible]	CLEARWATER	[illegible]	46 38	115 30	[illegible]	3P	3P	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4093	[illegible]	[illegible]	MONTANA POWER CO	[illegible]
[illegible]	[illegible]	CASSIA	12	[illegible]	113 47	[illegible]	8A	[illegible]	[illegible]	[illegible]
BURLEY FACTORY	[illegible]	CASSIA	1	[illegible]	113 49	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AIRPORT	1303	CASSIA	1	42 32	113 46	[illegible]	MID	MID	U S CIVIL AERO ADM	7
CALDWELL	[illegible]	CANYON		[illegible]	116 41	2372	[illegible]	[illegible]	[illegible]	[illegible]
CAMBRIDGE	[illegible]	WASHINGTON	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	J I LORTON	[illegible]
CASCADE 1 SW	[illegible]	VALLEY	8	[illegible]	[illegible]	4860	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	BOISE		43 58	[illegible]	4780		[illegible]	[illegible]	[illegible]
CHALLIS	[illegible]	CUSTER	11	44 30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	[illegible]	44 02	113 48	[illegible]	[illegible]	[illegible]	GEORGE A MILLER	[illegible]
CLARK FORK [illegible]	[illegible]	BONNER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MRS MARY L RALPH	[illegible]
[illegible]	[illegible]	[illegible]	11	45 07	114 21	[illegible]	8A	8A	[illegible]	[illegible]
COEUR D'ALENE CAA AP	[illegible]	KOOTENAI		47 46	116 49	[illegible]	MID	MID	U S CIVIL AERO ADM	[illegible]
COEUR D'ALENE RS	[illegible]	KOOTENAI		47 41	[illegible]	2160	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	2071	[illegible]	12	[illegible]	111 33	6200	9A	[illegible]	ANACONDA COPPER CO	[illegible]
[illegible]	2154	[illegible]	3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
COUNCIL 1 N	[illegible]	ADAMS	12	[illegible]	[illegible]	[illegible]	5P	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	BOISE	8	44 08	[illegible]	[illegible]		6P	[illegible]	[illegible]
[illegible]	2385	VALLEY	8	44 19	115 38	[illegible]	[illegible]	6P	[illegible]	2 3 5
[illegible]	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	
DEER FLAT DAM	2444	CANYON	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
[illegible]	[illegible]	IDAHO	11	45 33	115 28	[illegible]	[illegible]	[illegible]	MRS MARGARET E STOUT	[illegible]
DRIGGS	[illegible]	TETON	1	[illegible]	111 07	[illegible]	9A	[illegible]	EDITH STEVENS	[illegible]
DUBOIS EXP STATION	[illegible]	CLARK	[illegible]	44 14	112 14	5462	[illegible]	5P	U S FOREST SERVICE	[illegible]
DUBOIS CAA AIRPORT	2717	CLARK	[illegible]	44 10	[illegible]	5122	MID	MID	U S CIVIL AERO ADM	[illegible]
ELK CITY	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	3975	4P	[illegible]	[illegible]	[illegible]
ELK RIVER 1 S	[illegible]	CLEARWATER	[illegible]	46 47	116 10	[illegible]	[illegible]	[illegible]	GLENN WALKER	[illegible]
EMMETT 2 E	2942	GEM		43 50	116 32	[illegible]	[illegible]	6P	[illegible]	[illegible]
FAIRFIELD	[illegible]	CAMAS	1	[illegible]	114 48	[illegible]	[illegible]	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	[illegible]	IDAHO		46 06	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
FORT HALL INDIAN AGENCY	[illegible]	BINGHAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	FORT HALL IR PROJ	[illegible]
[illegible]	[illegible]	BOISE	[illegible]	44 04	[illegible]	3147	5P	5P	U S FOREST SERVICE	[illegible]
GILMORE SUMMIT RANCH	[illegible]	CUSTER	11	44 19	[illegible]	[illegible]		VAR	U S WEATHER BUREAU	[illegible]
GLENNS FERRY	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	2569	[illegible]	[illegible]	E D STONE	2 3 5
GOODING CAA AIRPORT	[illegible]	[illegible]	[illegible]	[illegible]	114 46	[illegible]	MID	MID	U S CIVIL AERO ADM	[illegible]
GRACE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	[illegible]	1	42 59	[illegible]	[illegible]	4P	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3409	MID	MID	[illegible]	2 3 5
[illegible]	[illegible]	BONNEVILLE	[illegible]	43 03	[illegible]	[illegible]	6P	[illegible]	ROSCOE T SIDDETT	[illegible]
[illegible]	[illegible]	[illegible]		43 42	[illegible]	[illegible]	5P	5P	MRS BRYAN TAYLOR	[illegible]
[illegible]	3942	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	3964	[illegible]		43 59	[illegible]	4796	[illegible]	[illegible]	[illegible]	[illegible]
HAZELTON	4140	JEROME	1	42 36	114 08	[illegible]	5P	[illegible]	NORTH SIDE CANAL CO	[illegible]
HILL CITY	[illegible]	CAMAS	1	[illegible]	[illegible]	5000	[illegible]	[illegible]	[illegible]	7
HOLLISTER	[illegible]	TWIN FALLS	1	42 21	114 35	[illegible]	[illegible]	[illegible]	SALMON R CANAL CO	2 3 5
HOWE	[illegible]	BUTTE	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	CHARLES D COWGILL	[illegible]
[illegible]	4442	[illegible]	[illegible]	[illegible]	115 50	[illegible]	[illegible]	[illegible]	R JOHN MELLOR	2 3 5
[illegible]	[illegible]	BOISE		43 42	[illegible]	[illegible]		[illegible]	C M GARDNER	[illegible]
[illegible]	4455	[illegible]	1	43 34	[illegible]	[illegible]	[illegible]	[illegible]	CARROLL SECRIST	[illegible]
IDAHO FALLS CAA AIRPORT	[illegible]	BONNEVILLE	[illegible]	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	[illegible]
IDA VADA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	CHRIS CALLEN	[illegible]
IRWIN 2 S	[illegible]	BONNEVILLE	1	43 24	[illegible]	5200	[illegible]	[illegible]	[illegible]	[illegible]
ISLAND PARK DAM	[illegible]	FREMONT	1	44 25	111 24	6300	5P	[illegible]	U S BUR RECLAMATION	[illegible] 7
JACKSON PEAK	[illegible]	BOISE	8	44 03	[illegible]	7050		[illegible]	[illegible]	[illegible]
JEROME	[illegible]	JEROME	1	42 44	114 31	3785	[illegible]	[illegible]	O OLIVER	[illegible]
KAMIAH [illegible]	4793	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
KELLOGG	[illegible]	SHOSHONE	4	47 32	[illegible]	[illegible]	[illegible]	9A	IRVING H LASKEY	
KOOSKIA	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	1261	4P	4P	E T GILROY	2 3 5
KUNA [illegible]	[illegible]	ADA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	[illegible]	VALLEY	11	[illegible]	[illegible]	[illegible]		VAR	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	[illegible]	46 25	[illegible]	743	[illegible]	[illegible]	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	[illegible]	[illegible]	117 01	1413	MID	4P	U S WEATHER BUREAU	[illegible]
LIFTON PUMPING STATION	[illegible]	BEAR LAKE	[illegible]	42 07	[illegible]	5926	[illegible]	6P	UTAH P & L COMPANY	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	46 38	114 33	5700		VAR	U S FOREST SERVICE	
LOWMAN	[illegible]	BOISE	8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	ORVILLE L JOINER	2 3 5 7
MACKAY RANGER STATION	[illegible]	CUSTER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	U S FOREST SERVICE	2 3 5
MALAD	[illegible]	ONEIDA	1	[illegible]	112 16	4420	[illegible]	7P	[illegible]	2 3 5
MALAD CAA AIRPORT	[illegible]	ONEIDA	1	[illegible]	[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	7

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
MAY RANGER STATION	[illegible]	LEMHI	[illegible]	44 36	[illegible]	[illegible]	[illegible]	6P	U S FOREST SERVICE	3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 07	[illegible]	[illegible]	4P	[illegible]	3 5
McCAMMON	[illegible]	BANNOCK	[illegible]	42 39	112 [illegible]	4774	5P	[illegible]	[illegible]	3 5
MERIDIAN 1 SSW	[illegible]	ADA	[illegible]	43 36	[illegible]	[illegible]	[illegible]	[illegible]	L A ROSS	[illegible]
MESA	[illegible]	ADAMS	[illegible]	44 37	116 [illegible]	3244	[illegible]	[illegible]	MESA CO	3 5
MINIDOKA DAM	[illegible]	MINIDOKA	[illegible]	42 40	113 [illegible]	4280	[illegible]	[illegible]	U S BUR RECLAMATION	2 [illegible]
[illegible] RANGER STA	[illegible]	BEAR LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3 5
MORES CREEK SUMMIT	[illegible]	BOISE	2	43 56	115 [illegible]	[illegible]		[illegible]	U S SOIL CON SER	[illegible]
MOSCOW U OF I	[illegible]	LATAH		46 44	[illegible]	[illegible]		[illegible]	UNIVERSITY OF IDAHO	[illegible]
MOUNTAIN HOME	[illegible]	ELMORE	1	43 08	[illegible] 42	3164	[illegible]	6P	KENNETH J NEWMAN	[illegible]
MULLAN PASS CAA	[illegible]	SHOSHONE	4	47 27	[illegible] 41	[illegible]	MID	MID	U S CIVIL AERO ADM	7
NAMPA [illegible]	[illegible]	CANYON	[illegible]	[illegible]	[illegible] 35	[illegible]	8A	8A	AMALGAMATED SUGAR	3 5
NEW MEADOWS RANGER STA	[illegible]	ADAMS	11	44 58	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NEZPERCE 2 E	6424	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NEZ PERCE PASS	6430	LEMHI	11	[illegible]	[illegible]	[illegible]		[illegible]	U S FOREST SERVICE	[illegible]
OAKLEY	[illegible]	CASSIA	1	42 15	[illegible]	[illegible]	[illegible]	[illegible]	HERBERT J HARDY	[illegible] 7
[illegible]	[illegible]	CUSTER	11	[illegible]	114 48	[illegible]	5P	[illegible]	[illegible]	2 [illegible] 7
[illegible]	[illegible]	GEM	8	44 08	[illegible]	[illegible]	[illegible]	[illegible]	VINCENT A NALLY	[illegible]
OROFINO	[illegible]	CLEARWATER		46 29	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
PALISADES DAM	6764	BONNEVILLE	12	[illegible]	[illegible] 14		4P	[illegible]	U S BUR RECLAMATION	2
PARMA EXPERIMENT STA	[illegible]	CANYON	2	[illegible]	116 [illegible]	2224	[illegible]	[illegible]	STATE EXP STATION	2
PAUL [illegible]	6877	MINIDOKA	1	[illegible]	113 [illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	[illegible]	PAYETTE	8	44 04	116 [illegible]	2159		[illegible]	MICHAEL HARRI	3 5
PIERCE RANGER STATION	7049	CLEARWATER	[illegible]	46 30	[illegible]	[illegible]	3P	3P	U S FOREST SERVICE	3 5
[illegible]	7079	ELMORE	[illegible]	43 28	115 [illegible]	4225		[illegible]	GENEVA B SCHRAFT	3
POCATELLO WB AIRPORT	[illegible]	BANNOCK	12	42 55	[illegible]	4444	MID	MID	U S WEATHER BUREA	3 5
PORTHILL	[illegible]	BOUNDARY	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	7
POTLATCH	[illegible]	LATAH	[illegible]	[illegible]	[illegible]	[illegible]	7P	[illegible]	POTLATCH FOREST INC	7
PRESTON [illegible]	[illegible]	FRANKLIN	1	[illegible]	[illegible]	4718	[illegible]	4P	C M CRABTREE	[illegible]
PRIEST RIVER EXP STA	7386	BONNER	[illegible]	48 21	[illegible]	2380	[illegible]	5P	[illegible]	3 5 7
[illegible]	7433	VALLEY	11	[illegible]	[illegible] 04	[illegible]		VAR	W EDWARD BUDELL	[illegible]
[illegible]	[illegible]	BINGHAM	1	[illegible]	112 [illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	BUTTE	[illegible]	43 33	112 [illegible]	4925	MID	[illegible]	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	1	43 04	[illegible]	[illegible]	[illegible]	[illegible]	LESLIE F BUSBY	
RIGGINS RANGER STATION	[illegible]	IDAHO	11	45 25	[illegible] 19	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2
ROLAND WEST PORTAL	[illegible]	SHOSHONE	10	47 21	115 40	[illegible]	[illegible]	[illegible]	[illegible]	
RUPERT	[illegible]	MINIDOKA	1	[illegible]	113 11	[illegible]	[illegible]	8A	[illegible]	2
SAINT ANTHONY	[illegible]	FREMONT	1	43 58	[illegible] 40	[illegible]		[illegible]	[illegible]	
SAINT MARIES	8062	BENEWAH	1	47 19	116 34	[illegible]		[illegible]	U S FOREST SERVICE	
[illegible]	[illegible]	LEMHI	11	[illegible]	[illegible]	3949	MID	MID	[illegible]	2
SANDPOINT EXP STATION	[illegible]	BONNER		48 17	116 [illegible]	[illegible]		[illegible]	[illegible]	2 3 5 7
[illegible] RANGER STA	[illegible]	ELMORE	[illegible]	[illegible]	[illegible] 16	[illegible]		VAR	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	12	42 56	[illegible]	[illegible]	7P		LEONARD V BOND	
SOLDIER CREEK RS	8548	CAMAS	12	43 30	[illegible]			VAR	[illegible]	
[illegible] RANGER STATION	[illegible]	CLARK	[illegible]	44 21	112 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 7
SPRINGFIELD	[illegible]	BINGHAM	1	43 04	112 41	[illegible]	6P	[illegible]	E T SHELMAN	3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 20	[illegible]	8A	8A	[illegible]	3 5 7
[illegible]	[illegible]	[illegible]	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	WM C ROBERTS JR	2 [illegible]
SUN VALLEY	[illegible]	BLAINE	1	43 41	114 21	[illegible]	[illegible]	[illegible]	EDWARD F SEAGLE	[illegible] 7
SWAN FALLS POWER HOUSE	8928	ADA	1	43 15	[illegible]	[illegible]	[illegible]	[illegible]	IDAHO POWER COMPANY	7
[illegible]	[illegible]	[illegible]	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	EXPERIMENT STATION	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	42 03	[illegible] 10	[illegible]		6P	[illegible]	2 3 5 7
TRINITY LAKE GUARD STA	[illegible]	ELMORE	2	[illegible]	[illegible]	[illegible]		VAR	U S SOIL CON SER	
[illegible] GUARD STATION	[illegible]	ELMORE	2	[illegible]	[illegible]	3475		VAR	U S SOIL CON SER	
TWIN FALLS 2 NNE	9294	TWIN FALLS	[illegible]	42 35	114 28	3770			U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	[illegible]	TWIN FALLS	12	42 32	114 25	[illegible]	[illegible]	[illegible]	[illegible]	2
[illegible]	[illegible]	BLAINE	[illegible]	43 49	114 [illegible]	8800		VAR	U S SOIL CON SER	
WALLACE	9493	SHOSHONE	4	47 28	[illegible]	[illegible]	6P	[illegible]	W FEATHERSTONE JR	3 5
WALLACE WOODLAND PARK	[illegible]	SHOSHONE	4	47 30	115 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
WEISER	9638	WASHINGTON	[illegible]	44 15	116 [illegible]	2114		6P	[illegible]	
WINCHESTER 1 SE	9840	LEWIS	3	46 14	[illegible]	[illegible]	4P	4P	[illegible]	2 3 5
YELLOW PINE	[illegible]	VALLEY	11	44 58	115 [illegible]	4760		VAR	L J MILLER	

NEW STATION

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
[illegible]	[illegible]	CASSIA	1[illegible]	42 01	113 [illegible]	[illegible]	5P		IDAHO STATE POLICE	

‡ 1 BEAR [illegible] 2 [illegible] 3 CLEARWATER 4 [illegible] 5 KOOTENAI [illegible] 8 PAYETTE 9 PEND OREILLE [illegible] 11 SALMON 12 SNAKE

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-102106 900 4-3-53

CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

MARCH 1953
Volume LVI No. 3

SAN FRANCISCO: 1953

IDAHO - MARCH 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Temperatures continued above normal this month with individual station averages above normal for March at all but two or three points in the State. Positive temperature departures were particularly noticeable in the southeast where the division average was higher than in any March since 1947, and individual station averages were more than 5° above normal in several cases. Precipitation was below normal in all divisions, averaging 82% of normal in the Northern Division, 71% in the Southwestern, and only 57% in the Southeastern where the average March precipitation was the lowest since 1944. Despite the general deficiency of precipitation, however, cloudiness was more prevalent than usual for March and total sunshine was a little below the long-period mean. Snowfall, averaged on a statewide basis, was well below that of the past three years, but still a little above the 55-year mean for March.

Under the influence of a cold air mass that had moved into the State at the end of February, the weather remained cool and precipitation was widespread, though light, during the opening days of March. By the 4th temperatures had risen above normal and remained so for a week, reaching a peak on the 8th, 9th and 10th when afternoon readings from the middle fifties to the lower seventies were common. During the next ten days precipitation occurred rather frequently and temperatures were mostly a little below normal, as a series of storm fronts moved in from the Pacific and crossed Idaho. Most of the month's precipitation fell during this period and snow was reported even down to the lowest elevations between the 20th and 22d. The remainder of the month brought no unusual variations in weather and precipitation was light and scattered.

Agricultural activities were about normal for the season with considerable planting accomplished in lower valleys, but little field work done at higher elevations where the ground remained snow-covered until near the close of the month. Fruit was not damaged by freezing during March, although at the end of the month apricots were in bloom and cherry buds were swelling. Ranges and pastures showed little growth and cattle generally remained on feed lots, except in the warmer valleys. The outlook for sufficient irrigation water was good on nearly all projects.

No damaging storms were reported.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	01–09	10–49	50–99	1 00–1.99	2 00 and over	Total			
BOISE WB AIRPORT	SE	32	11.9	45	W	16	71	48	40	62	8	3	5	0	0	0	16	54	7.2	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-	-	-	-	-	74	56	44	-	8	6	1	1	0	0	16	-	8.2	
POCATELLO WB AIRPORT	SW	31	10.2	43	W	20	79	53	42	62	5	4	2	0	0	0	11	54	6.0	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation			Year	Temperature			Precipitation			Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more		Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more		Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more
1894	34.0	78	-22	2.80	-	17	1915	40.7	78	-13	.97	1.1	6	1936	32.8	74	-24	1.31	10.4	9
1895	33.2	78	-20	1.10	-	7	1916	39.7	80	-20	2.39	11.0	10	1937	35.4	74	-15	1.31	4.8	8
1896	33.9	80	-33	1.80	-	11	1917	25.2	74	-34	1.99	21.4	11	1938	35.3	67	-28	3.47	12.4	16
1897	29.4	67	-30	3.08	-	12	1918	38.9	76	-20	1.71	4.6	8	1939	36.7	82	-24	1.13	9.2	7
1898	31.8	74	-26	.96	-	7	1919	35.7	90	-18	1.83	10.0	7	1940	40.0	79	-22	2.31	1.9	11
1899	34.4	68	-14	1.56	11.1	9	1920	34.8	78	-18	2.07	8.2	10	1941	39.6	81	-13	.68	1.5	5
1900	42.7	86	- 2	1.18	3.4	5	1921	39.0	89	-10	1.53	3.3	8	1942	32.5	79	-24	.70	3.3	6
1901	36.5	72	-16	1.26	8.0	7	1922	30.4	69	-35	1.84	11.1	10	1943	32.1	81	-35	1.84	6.2	8
1902	33.5	72	-14	1.43	9.9	8	1923	32.2	85	-22	.90	6.6	6	1944	32.1	73	-35	.93	7.6	7
1903	34.7	79	-27	1.74	9.4	9	1924	33.6	66	-20	.83	6.9	7	1945	32.6	69	-25	2.14	9.3	12
1904	34.4	63	-14	4.35	21.0	17	1925	38.3	78	-11	1.32	3.6	8	1946	38.0	77	-11	2.18	6.1	12
1905	41.0	76	- 1	2.16	7.3	11	1926	39.3	80	-11	.52	2.0	4	1947	39.9	78	-30	1.66	5.3	9
1906	31.2	71	-35	2.31	13.9	10	1927	35.5	79	-19	1.16	4.1	8	1948	32.1	72	-28	1.57	11.3	10
1907	37.9	75	- 2	3.40	15.1	15	1928	38.1	81	-27	2.65	4.0	11	1949	36.8	74	-20	1.03	4.1	8
1908	34.9	78	-12	1.39	7.6	8	1929	35.8	75	-12	1.38	4.0	8	1950	34.0	80	-25	2.83	11.7	14
1909	37.5	74	-22	.97	4.0	6	1930	37.8	79	-28	1.28	3.0	6	1951	31.5	70	-34	1.39	14.3	9
1910	43.2	81	- 2	1.04	2.2	5	1931	35.8	77	-20	2.22	6.5	11	1952	30.1	74	-28	1.41	13.8	10
1911	38.0	82	-21	.84	2.1	5	1932	33.1	78	-27	2.97	10.5	12	1953	37.3	79	-23	1.20	8.3	8
1912	33.7	78	-24	1.50	9.7	8	1933	33.2	72	-14	1.07	4.0	7							
1913	33.1	78	-27	1.94	7.8	10	1934	44.3	82	- 2	1.70	0.6	7							
1914	39.1	75	-12	.62	3.3	5	1935	34.0	78	-17	1.50	12.2	9	ALL YEARS	35.5			1.67		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS			M		72	24	19	2		0	0		0	2.28	- 1.31						16		0
BAYVIEW MODEL BASIN	48.2	28.8	38.5		58	25	20	3	812	0	0	28	0	1.72		.43	16	.0	0		12	0	0
BIG CREEK 1 S	44.4	16.4	30.4	1.9	61	24	- 6	14	1066	0	2	31	1	2.23	.38	.50	19	27.9	43	22	13	1	0
BONNERS FERRY	50.4	29.6	40.0M	2.6	67	9	16	2	769	0	0	23	0										
BURKE 2 NNE	40.7	24.0	32.4	0.6	57	10	7	2	1002	0	3	31	0	2.16	- 2.67	.40	16	23.9	63	22	15	0	0
CLARK FORK 1 ENE	48.8	28.6	38.7	1.2	66	24	18	2+	806	0	0	28	0	2.00	- 1.23	.50	16	1.0	0		11	1	0
COBALT BLACKBIRD	37.5	12.5	25.0		52	28	0	2+		0	9	31	2	2.07		.66	1	20.3	45	22	13	1	0
COEUR D ALENE CAA AP	47.5	29.9	38.7		65	9	24	1+	807	0	0	26	0	1.36		.27	16	3.5	2	20	12	0	0
COEUR D ALENE RS	49.7	30.1	39.9M	1.6	69	8	23	2	772	0	0	24	0	1.91	- .38	.43	16	.5	T	18	14	0	0
COTTONWOOD	46.8	25.9	36.4	0.1	65	24	16	2+	878	0	2	30	0	1.41	- .52	.43	20	7.9	4	12	10	0	0
DIXIE	43.8	13.5	28.7		59	24	- 7	14	1119	0	2	31	3	2.96		.58	20	37.9	57	22	15	1	0
ELK CITY			M		64	24				0				V 4.29							16		
ELK RIVER 1 S	48.0	27.3	37.7		69	24	15	2	841	0	0	29	0	2.38		.47	19	4.8	12	2+	16	0	0
FENN RS	51.1	31.2	41.2	- 1.4	72	9	26	14	732	0	0	19	0	3.21	- .81	.47	20	2.0	0		16	0	0
GRANGEVILLE	48.0	26.9	37.5M	0.1	65	9+	14	14	845	0	2	29	0	2.34	- .01	.80	19		0		13	1	[illegible]
KELLOGG	49.8	30.8	40.3	1.6	71	25	20	2+		0	1	22	0	2.03	- .96	.44	16	1.8	2	21	13	0	0
KOOSKIA	56.3	31.8	44.1	1.3	73	24	24	26	643	0	0	16	0	1.50	- .88	.58	19	T	0		12	1	0
LEWISTON WATER PLANT	58.1	33.7	45.9	0.4	77	24	24	2	584	0	0	12	0	1.12	- .10	.57	20	.0	0		9	1	0
LEWISTON WB AP R	54.4	33.6	44.0	0.4	73	[illegible]	24	2	644	0	0	13	0	1.13	- .01	.53	20	.4	T	20	8	1	0
MOSCOW U OF I	49.7	31.7	40.7	2.3	67	24	22	2	744	0	0	18	0	1.76	- .40	.36	20	6.0	1	20	13	0	0
MULLAN PASS CAA	32.4	20.9	26.7	0.3	50	8+	[illegible]	1+	1181	0	19	29	0	2.52	- 1.05	.41	16	24.8	87	3+	16	0	0
NEZPERCE 2 E	47.0	29.5	38.3		66	24	20	3	821	0	2	24	0	1.24		.39	20	7.5	T	2+	13	0	0
OROFINO	57.1	31.9	44.5	1.5	75	9	17	6	628	0	0	17	0	1.91	- .84	.48	20				13	0	[illegible]
PIERCE RS	45.4	24.6	35.0	0.5	60	10+	18	2+		0	0	31	0	4.10	- .66	.67	19		30	22	16	3	0
PORTHILL	51.0	27.9	39.5	3.7	63	24	13	2	785	0	0	25	0	.94	- .47	.36	19	.0	0		7	0	0
POTLATCH	48.8	30.2	39.5M	1.1	70	24	20	1+	790	0	0	23	0	1.81	- .68	.40	16	2.0	0		12	0	0
PRIEST RIVER EXP STA	47.1	25.5	36.3	1.5	64	24	10	2	882	0	0	28	0	2.32	- .23	.45	16	.6	5	1	14	0	0
RIGGINS RS	58.7	34.8	46.8M	0.5	79	24	27	3+	560	0	0	9	0	2.56	1.11	.68	20	.0	0		15	1	[illegible]
ROLAND W PORTAL	41.4	24.9	33.2	1.1	58	8	7	2	980	0	3	30	0	4.22	- 1.21	1.17	6	40.1	74	2+	14	3	1
SAINT MARIES	52.3	28.2	40.3	0.8	72	24	19	1+	757	0	0	26	0	1.69	- .83	.32	16				12	0	[illegible]
SALMON	53.4	24.4	38.9	3.4	69	27	12	30	808	0	1	29	0	.29	- .22	.11	20		0		5	0	[illegible]
SANDPOINT EXP STA	47.2	28.9	38.1	0.9	62	24	19	2+	828	0	0	23	0	2.55	- .09	.69	16	4.0	2	20	14	1	0
WALLACE	46.6	28.4	37.5	- 0.1	65	24	15	2	845	0	2	28	0	2.99	- .96	.52	16	2.0	4	1+	14	1	[illegible]
WALLACE WOODLAND PK	46.0	26.9	36.5	0.1	70	9	12	2+		0	2	26	0	2.06	- 1.62	.40	17	1.0	1	1+	13	0	[illegible]
WINCHESTER 1 SE	46.8	25.9	36.4	1.4	64	9	9	2	883	0	1	29	0	1.43	- .47	.35	19				11	0	0
DIVISION			37.8	0.1										2.07	- .46			8.5					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	44.6	15.7	30.2M	0.2	60	9+	- 4	2	1074	0	2	31	2	1.98	- .84	.60	19	24.5	21	1+	9	1	[illegible]
ANDERSON DAM	50.5	29.3	39.9M		61	27	19	3	750	0	0	24	0	.90		.30	19		2	1+	6	0	0
ARROWROCK DAM	50.9	29.7	40.3	1.3	69	28	22	14		0	0	25	0	2.32	.39	.83	21	9.4	7	21	9	1	0
ATLANTA 1 E	43.8	19.5	31.7	0.9	55	24	3	14	1024	0	3	30	0	2.80	.42	.50	22	32.0	50	22	12	1	[illegible]
BLISS	57.2	29.1	43.2	3.3	74	24	18	3	670	0	0	24	0	.56	- .28	.20	20	5.0	3	1	6	0	0
BOISE LUCKY PEAK DAM	58.5	31.8	45.2M		74	27	20	14		0	0		0	1.27		.36	13		[illegible]		9	0	0
BOISE WB AP //R	53.9	30.8	42.4	0.6	71	27	21	2	695	0	0	20	0	.92	- .42	.21	21+	4.9	2	20+	8	0	[illegible]
BUHL	56.5	31.9	44.2	3.9	73	27	21	2+	638	0	1	18	0	.30	- .38	.30	1				1	0	0
CALDWELL	59.1	30.3	44.7	1.9	74	27	20	14	620	0	0	19	0	.53	- .51	.22	12	T	T	12	6	0	0
CAMBRIDGE	55.6	27.4	41.5	3.5	68	24+	18	14	719	0	0	23	0	1.37	- .45	1.02	19	.0	0		4	1	1
CASCADE 1 NW	43.4	20.3	31.9		59	24	3	14	1022	0	2	31	0	1.42		.43	20	21.0	20	21+	11	0	0
CHALLIS	49.3	23.6	36.5	1.8	64	27	7	2	878	0	1	28	0	.31	- .08	.19	20		3	1	3	0	0
DEADWOOD DAM	44.2	14.8	29.5	2.3	61	24	- 4	2	1094	0	2	31	2	2.80	- .82	.71	19	21.5	56	20+	13	2	[illegible]
DEER FLAT DAM	57.4	30.8	44.1	2.3	72	24+	19	14	640	0	0	17	0	.43	- .51	.30	12	.0	0		2	0	0
EMMETT 2 E	58.0	31.5	44.8	0.7	74	24	21	2	621	0	0	19	0	.73	- .47	.28	13	.0	0		4	0	[illegible]
FAIRFIELD	41.5	18.5	30.0		57	27	- 2	3	1074	0	3	31	1	.78		.30	1	11.8	20	1	8	0	0
GARDEN VALLEY RS	53.3	27.1	40.2	3.7	69	24+	18	14	761	0	0	26	0	1.79	- .64	.50	19	4.0	9	1+	10	1	0
GLENNS FERRY	59.6	29.9	44.8M	0.9	74	24+			622	0	0	22	0	.33	- .36	.12	21+	.0	0		4	0	0
GOODING CAA AP	52.9	29.4	41.2	2.9	72	24	18	3+	731	0	1	22	0	.51	- .24	.26	1	4.3	4	2	6	0	0
GRAND VIEW	61.6	29.6	45.6M	2.2	75	25+	16	14	595	0	0	24	0	.25	- .47	.16	22	.0	0		3	0	0
HAILEY	46.0	20.5	33.3	2.1	60	27	- 6	3	975	0	1	29	1	1.23	- .06	.49	1	10.7	14	1+	7	0	0
HAZELTON	54.4	28.4	41.4	2.0	73	27	5	3	726	0	1	25	0	.17	- .83	.11	1	8.0	7	1	4	0	0
HILL CITY	40.1	18.2	29.2	2.1	52	27	4	14	1104	0	3	31	0	.80	- .45	.28	22				5	0	0
HOLLISTER	55.4	27.9	41.7	4.2	72	27	5	3	717	0	0	24	0	.74	.04	.40	1				3	0	0
IDAHO CITY	51.8	21.0	36.4	1.2	68	24+	8	2	882	0	1	31	0	2.42	.15	.54	20	11.5			10	2	0
KUNA 2 NNE			M		72	27				0	0		0					T	0				
LOWMAN	48.1	22.3	35.2	0.6	68	26+	12	3	919	0	2	31	0	2.00	- .18	.60	21		20	1+	7	1	0
MC CALL	37.8	17.2	27.5	- 1.2	50	9+	2	14	1163	0	10	31	0	2.66	.12	.62	20	29.0			11	2	0
MERIDIAN 1 SSW	56.6	30.5	43.6	0.9	72	27	22	22	657	0	0	18	0	.70	- .51	.36	13	.0	0		3	0	0
MESA	51.5	29.2	40.4		65	24	20	1+	756	0	1	24	0	1.68		.70	19	T	0		7	1	0
NAMPA 2 NW	57.4	30.6	44.0		74	28	20	5+		0	0	16	0	.27		.14	13	T	0		5	0	0
NEW MEADOWS RS	46.2	21.2	33.7	1.6	61	24	4	14	963	0	0	31	0	2.56	.49	.68	19	8.7	14	1+	15	1	0
OBSIDIAN 4 NNE	39.8	12.0	25.9	1.3	55	7+	- 9	14	1205	0	8	31	4	.83	- .57	.20	17	10.0	36	20+	7	0	0
OLA 4 S	56.4	27.1	41.8		71	24	20	1+	715	0	0	25	0	1.28		.55	19				7	1	0
PARMA EXP STA	58.8	29.3	44.1	1.2	70	24	20	5	642	0	0	21	0	.64	- .10	.22	12	.0	0		6	0	0
PAYETTE	56.7	30.6	43.7	1.2	74	24	20	14	654	0	0	18	0	.82	- .26	.43	12	.0	0		9	0	0
RICHFIELD	51.3	25.1	38.2	4.0	68	27	- 2	3	823	0	2	28	1	.88	.16	.52	1	5.0	4	2+	4	1	0
SHOSHONE	54.5	27.3	40.9	3.9	71	27	1	3	741	0	0	24	0	1.06	.28	.53	1	8.5	4	1+	7	1	0
STIBNITE	40.3	14.3	27.3		57	25	- 4	14		0	6	31	1	3.82		1.23	20	39.3	49	23	18	2	1
SUN VALLEY	42.3	12.5	27.4	1.8	50	8+	- 2	14	1159	0	2	31	2	.97	- .75	.45	19	13.0	26	1+	8	0	0
SWAN FALLS PH	61.3	34.8	48.1	3.4	75	27	28	2	518	0	0	8	0	.27	- .72	.27	13	.0	0		1	0	[illegible]
THREE CREEK	50.7	21.6	36.2		69	27	3	14	887	0	1	30	0	.95	- .25	.62	1	16.0	12	1+	4	1	0
TWIN FALLS 2 NNE	55.4	28.9	42.2	2.3	74	27	11	3	703	0	1	23	0	.52	- .33	.46	1	5.7	4	1+	3	0	0
TWIN FALLS 3 SE	53.9	28.1	41.0	0.7	75	28	17	3		0	2	25	0	.45	- .40	.25	2	6.0	6	2	4	0	0
WEISER	58.1	30.3	44.2M	0.8	75	24	20	2+	642	0	0	20	0	.95	- .07	.38	12	.0	0		6	0	0
DIVISION			38.6	1.3										1.16	- .47			[illegible]					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	52.5	24.4	38.5	3.3	69	27	- 2	3	813	0	2	26	1	.46	- .21	.25	1				5	0	0
ALBION	51.4	24.7	38.1	0.2	69	27	11	3	827	0	0	25	0	.44	- .66	.24	20		7	2	5	0	0
AMERICAN FALLS 1 NW	51.2	26.8	39.0	3.3	68	27	8	3	798	0	1	25	0	.42	- .86	.24	1		6	2	5	0	0
ARCO	48.6	21.6	35.1	4.6	63	27	- 1	3	921	0	0	30	1	.42	- .39	.32	1	4.0	4	1+	2	0	0

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
ASHTON 1 S	[illegible]	[illegible]	32.5	4.0	65	28	-4	3	1003	[illegible]	3	[illegible]	[illegible]	.91	-[illegible]	[illegible]	13	[illegible]	16	[illegible]	6	0	0
BLACKFOOT	53.5	[illegible]	39.4	4.5	[illegible]	27	4	3	[illegible]	0	[illegible]	27	0	.46	-.45	.30	1	5.0	3	1	4	0	0
BURLEY	54.6	[illegible]	41.1	[illegible]	76	28	[illegible]	3		0	2	25	0	.65	-.07	.46	1	4.0			4	0	0
BURLEY FACTORY	52.6	25.4	[illegible]	0.8	74	28	7	3		0	[illegible]	28	0	.28	-.54	.18	1				4	[illegible]	0
BURLEY CAA AP	52.8	[illegible]	[illegible]	[illegible]	74	[illegible]	6	3	774	0	2	[illegible]	0	.39	-.43	.28	1	2.9	4	1+	5	0	0
CHILLY BARTON FLAT	43.6	14.1	31.4	[illegible]	57	27+	6	2	1034	0	[illegible]	30	0	.20	-.24	.10	1+	5.0			2	0	0
CONDA	44.3	17.3	31.8	4.9	63	28	[illegible]	3		0	[illegible]	[illegible]	[illegible]	1.03	-.23	.41	20	15.5			6	0	0
DRIGGS	43.8	18.6	31.2	[illegible]	63	24	-4	3		[illegible]	3	[illegible]	2	1.03	-.07	.35	19				[illegible]	[illegible]	[illegible]
DUBOIS EXP STA	40.7	21.2	31.0	1.4	60	27+	1	3	1049	0	[illegible]	30	0	.34	-.30	.17	1	3.5	14	1+	[illegible]	0	0
DUBOIS CAA AP	44.9	21.3	33.1	[illegible]	65	28	-6	3	[illegible]	0	[illegible]	30	1	.38	-[illegible]	.19	1	4.0	11	2	3	0	0
FORT HALL IND AGENCY	52.6	[illegible]	38.4M	2.6	70	27	3	3	808	0	[illegible]	24	0	.55	-.26	.29	1				5	[illegible]	0
GRACE	47.2	23.5	35.4	4.3	[illegible]	[illegible]	-2	3	[illegible]	[illegible]	[illegible]	28	1	.62	-[illegible]	[illegible]	21	9.5	3	22	6	0	0
GRAY	44.2	16.5	30.4	3.0	60	26	-[illegible]	3	1068	[illegible]	4	31	1	1.[illegible]	-.22	[illegible]	20	[illegible]	24	[illegible]	5	1	0
GROUSE	41.9	16.4	26.4		53	27	-14	3	1189	0	3	31	4	[illegible]	-.36	.25	1	9.0	16	1	5	[illegible]	0
HAMER 4 NW	48.5	17.7	34.1	4.6	68	28	-6	3	950	[illegible]	[illegible]	31	1	.16	-.24						2	[illegible]	0
IDAHO FALLS 6 NE	49.4	24.5	37.0M		70	28	3	2	[illegible]	0	2	[illegible]	0	.37		.17	1	4.6	3	1+	3	[illegible]	[illegible]
IDAHO FALLS CAA AP	48.7	24.6	36.7	4.1	67	28	6	3	870	0	2	28	0	.25	-.83	.16	1	3.9	2	1+	4	[illegible]	0
IRWIN 2 S	47.3	[illegible]	35.8	5.2	64	27+	1	3	[illegible]	0	[illegible]	29	[illegible]	1.[illegible]	.06	.44	20	15.0			6	[illegible]	0
ISLAND PARK DAM	41.1	[illegible]	24.2	[illegible]	59	[illegible]	-23	3	[illegible]	0	4	31	11	2.01	-.47	.55	1	27.0	33	1	9	1	0
LIFTON PUMPING STA	44.7	21.0	32.9	5.5	59	[illegible]	5	3	[illegible]	0	3	31	0	.32	-.51	.09	1+	[illegible]	1	22	[illegible]	0	0
MACKAY RS	45.9	21.9	33.9	3.0	59	28	6	3	958	0	[illegible]	31	0	.33	.02	.30	[illegible]	[illegible]	4	1+	[illegible]	[illegible]	0
MALAD	51.1	27.8	39.5	4.1	70	28	7	3	783	[illegible]	2	24	[illegible]	.88	-.38	.38	1	8.2	4	1	6	0	0
MALAD CAA AP	52.6	24.1	38.4		71	28	2	3	818	0	[illegible]	28	[illegible]	.61		.26	1	5.3	3	1+	[illegible]	[illegible]	0
MAY RS	50.3	19.9	35.1	1.6	66	26	10	2	918	0	[illegible]	28	[illegible]	.20	-.17	.10	1+				2	0	0
MC CAMMON	52.4	26.5	39.5		69	27+	7	3	[illegible]	0	[illegible]	23	0	.62		.27	20	[illegible]	1	1	6	0	[illegible]
MINIDOKA DAM	50.4	27.7	39.1		67	27+	3	3	798	0	[illegible]	25	0	.37		.15	1	8.0	4	1	4	0	[illegible]
MONTPELIER RS	45.4	[illegible]	32.4M	3.8	64	28	-8	3		[illegible]	1	31	1	1.26	.05	.39	20	12.5	6	23	8	[illegible]	[illegible]
OAKLEY	54.5	27.8	41.[illegible]	2.4	71	27	[illegible]	3	730	[illegible]	0	24	[illegible]	1.1[illegible]	[illegible]	1.[illegible]	1	11.5	1[illegible]	1	5	[illegible]	1
PALISADES DAM	45.4	22.0	[illegible]M		60	27	3	3	[illegible]	[illegible]	[illegible]	[illegible]	0	1.6[illegible]		.50	21		12	1+	7	1	[illegible]
PAUL 1 E	[illegible]	[illegible]	39.6	1.3	75	28	-1	3		[illegible]	2	27	1	.50	-.31			5.0	5	2+	4	0	0
POCATELLO WB AP //R	50.1	26.8	[illegible]	1.9	69	27	5	3	815	[illegible]	2	23	0	.52	-.61	.19	1	[illegible]	4	1+	[illegible]	[illegible]	[illegible]
PRESTON [illegible]	53.6	26.4	40.0	5.7	70	27	2	3	767	0	2	26	[illegible]	.81	-.73	[illegible]	13	12.3	5	2	[illegible]	[illegible]	[illegible]
REACTOR TESTING STA	[illegible]	[illegible]	33.4		[illegible]	27	-5	3	973	[illegible]	3	[illegible]	2	.40		.29	1	[illegible]	[illegible]	1+	5	[illegible]	[illegible]
RUPERT	[illegible]	24.4	[illegible]M	1.0	73	28	0	3+		[illegible]	2	28	2	[illegible]	-.03	[illegible]	1	8.0	[illegible]	[illegible]	4	0	0
SAINT ANTHONY	46.5	22.2	34.4		68	28	3	3	943	[illegible]	2	[illegible]	0	.83	-[illegible]	.53	1		6	1+	7	1	[illegible]
SPENCER RS	40.2	14.3	27.3	2.4	51	28	-5	3	1164	[illegible]	[illegible]	[illegible]	1	.67	-.73	.21	[illegible]	14.0			6	[illegible]	0
SPRINGFIELD	[illegible]	24.8	[illegible]	3.0	70	[illegible]	-5	3	[illegible]	[illegible]	1	27	1	.60	-[illegible]	[illegible]	1	7.5	5	2	4	0	0
STREVELL	49.8	25.5	37.7		65	27+	[illegible]	3	840	[illegible]	1	25	1	.40		[illegible]	1		12	1+	6	0	0
SUGAR	48.6	[illegible]	34.7M	4.7	[illegible]	27	-4	3	[illegible]	[illegible]	[illegible]	29	2	.53	-.15	.36	1		6	1	3	[illegible]	[illegible]
TETONIA EXP STA	41.5	14.7	28.1		61	[illegible]	-8	3	[illegible]	[illegible]	2	[illegible]	2	1.30		.48	13				5	[illegible]	0
[illegible]			[illegible]	3.2										.66	-.50			8.0					
STATE			37.3	[illegible]										1.20	-.48			8.3					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.46	.25	.12											.03							.05	.01										
ALBION	.44	.11	.05											.02							.24	.02	T									
ALPHA 1 NE	1.98	.02										.05	.11				.31		.10	.60	.40	.30	.09									
AMERICAN FALLS 1 NW	.42	.24	.05							T				.03				T			.08	.02	T									
ANDERSON DAM	.90	.15	.08											T				T		[illegible]	.16	.13	.08									
ARCO	.42	.32																			.10	T										
ARROWROCK DAM	2.32											.03	.03	.25						.36	.39	.83	.34	.06								.01
ASHTON 1 S	.91	.20	.23	.06								T	T	.26		T				.11	T	.05								T		T
ATLANTA 1 E	2.80	.29	.08	T								.08	T	.25			.07	.29	T	.28	.43	.41	.50	.09		T	.03					
AVERY RS	2.28		.07	.06								.28	.01	.01		•	.28	.24	.03	•	.60	•	.48		T	•				.15		[illegible]
BAYVIEW MODEL BASIN	1.72											.18	.10			.02	.43	.21		.25	.21	.07	T	T		.05				.04	.04	.12
BIG CREEK 1 S	2.23	T	.13	.11								.05	.05	.17			.10	.27		.53	.26	.20	.12	.14		.13				T	T	T
BLACKFOOT	.46	.30	.05											.07							.04											
BLISS	.56	.07	.01										T							.08	.20	.10	.10	T								
BOISE LUCKY PEAK DAM	1.27		T									T	.05	.36			.03	T		•	.25	.30	•	.24								.05
BOISE WB AP //R	.92		T							T	T	T	.17	.01			T	T	.01	.13	.14	.21	.21		T	T					.04	
BONNERS FERRY	-	-										.06	.14			.04	.27	.01	.11	-	.16	-			T	.08			[illegible]		.15	
BUHL	.30	.30																														
BURKE 2 NNE	2.16	T	.01	.02	T		T					.16	.13	T	T	.05	.40	.10	.01	[illegible]	.22	.20	.20	T	T	.15				.07		.03
BURLEY	.65	.46	.10																		.04	.05	T									
BURLEY FACTORY	.28	.18	.05											T				T			.02	.03										
BURLEY CAA AP	.39	.28	T									T	.01	T				T		T	[illegible]	.03	.01									
CALDWELL	.53												.22					.03		.06	[illegible]		.13	[illegible]	T							T
CAMBRIDGE	1.37												.20					.10	.05	1.02												
CASCADE 1 NW	1.42	T		.01								.02	.03	.12		T	.03	.12	T	.39	.43	.23	.13			.01						T
CENTERVILLE ARBAUGH	2.34	.05		T								.04	.16	.23			.10	.11		.46	.53	.45	.16	.02								.03
CHALLIS	.31	.11																		.01	.19	T										
CHILLY BARTON FLAT	.20	.10												T				T			.10	T										
CLARK FORK 1 ENE	2.00	.07										.15	.13				[illegible]	.19		.20	.30	T				.13		T	[illegible]	.03		.16
COBALT BLACKBIRD MINE	2.07	.66	.19	.04	.04							.05		.23	T			.13	[illegible]	.04	.31	.12	.10	T								.13
COEUR D ALENE CAA AP	1.36										[illegible]	.10	.09	T		.24	[illegible]	.01	.11	.09	.07	.05			T	.01			.12		[illegible]	T
COEUR D ALENE RS	1.91											.05	.19	.02		.16	.43	.11	.16	.21	.27	.03	T	T		[illegible]			[illegible]		.04	.21
CONDA	1.03		.15	.03										.16							.41	.08	T	.20								
COTTONWOOD	1.41	T										.06	.28	T			.02		T	.31	.41	.16	.08			.02			.01		T	.06
CROUCH 2 NNW	1.74											.15	.18	.08			.05	.12		.54	.34	.23	.05									T
DEADWOOD DAM	2.80	.05	T	T							T	.10	.31	[illegible]			.31	.28	T	[illegible]	.52	[illegible]	.06	.03		.04						.05
DEER FLAT DAM	.43	T											.30						T	T	T	T	.13									
DIXIE	2.96	.08	.05	.14	.02	T						.18	.11	.11			T	.26	T	.25	.58	.18	.44	.12		.34				.10		T
DRIGGS	1.03	.22	.11											.22					.02	.35	T			.11								
DUBOIS EXP STA	.34	.17											T	.02						.02	.12	.01										
DUBOIS CAA AP	.38	.19	T	T								T	T	.06				T		T	.13	T										
ELK CITY	V4.29	•	•	•	•							•	•	•			•	•		•	•	•	•	•	1.21	.13			T	T		

DAILY PRECIPITATION

Table 3–Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ELK RIVER 1 S	2.38	T	.09	.04								.11	.07	T		.10	.20	.19	.03	.47	.41	.20	.15	.12		.06			.03	T	T	.11
EMMETT 2 E	.73													.28							.19	.21										.05
FAIRFIELD	.78	.30	.10									.01	T	.03			T	T		.16	.09	.05	.04									
FENN RS	3.21	.12	T	.13	T							.15	.14	.07	.03			.34		.23	.47	.21	.23	.20	.30	.05				.16		.38
FORT HALL IND AGENCY	.55	.29	.14	T										.03	.01						.08	T										
GARDEN VALLEY RS	1.79											.05	.11	.17			.10	.20		.50	.19	.14	.16									.07
GLENNS FERRY	.33	.03																		T	.06	.12	.12	T								
GOODING CAA AP	.51	.26	.03									T	.02					T		.06	T	.08	.06									
GRACE	.62	.07	.03											.11							.20	.11	.10									
GRAND VIEW	.25												.05							.04	T		.16									
GRANGEVILLE	2.34	.02	.02									.05	.46	.03			.07	.01		.80	.03				.32	.03			.33		.17	T
GRAY	1.20																				.60	.20	.40									
GROUSE	.53	.25										T					.02	.04		.04	.18											
HAILEY	1.23	.49	.04											.04			.01	.08		.30	.27											
HAMER 4 NW	.16	*	.16											T						T												
HAZELTON	.17	.11	.02									T		T				T		T	.03	.01	T									
HILL CITY	.80	.21	.07											T					T	.18	.06	T	.28									
HOLLISTER	.74	.40	.18																			.16										
HOWE	.32	.15	.04																		.13											
IDAHO CITY	2.42											.07	.27	.23			.03	.07		.50	.54	.40	.28									.03
IDAHO CITY 13 SW	2.52	T								T		.07	.26	.12			T	.08	T	.81	.50	.42	.25	T								.01
IDAHO FALLS 6 NE	.37	.17	.04											.16						T	T											
IDAHO FALLS CAA AP	.25	.16	.02							T	T		T	.04			T	T		T	.03											
IRWIN 2 S	1.20	.29	.11											.14							.44	.14	T	.08								
ISLAND PARK DAM	2.01	.55	.09		.11							.10	T	.31				.09		.14	.42	.20										
KELLOGG	2.03	.06		T	T							.27	.14	.09			.44	.19	.02	.26	.17	.17	.04	T		.16						.02
KOOSKIA	1.50	T	.03	.02								.07	.18	.05		T		.08		.58	.23	.02	T			T			.02	.06		.16
KUNA 2 NNE	-	T												-					T	T	T	T	.14	.02								.07
LEWISTON WATER PLANT	1.12	T										.01	.08				.01			.32	.57	.02		.05		.05	T		.01		T	T
LEWISTON WB AP R	1.13										T	T	.06			T	T	.01		.33	.53	.01	T	.06		.07			T	T	T	.06
LIFTON PUMPING STA	.32	T	T									.03		.09	T			T			.05	.01	.09	T							.05	
LOWMAN	2.00	.23											.40				.13	.23		.31		.60	.10									
MACKAY RS	.53	.10	.01											.02				.02		.07	.30	.01										
MALAD	.88	.38		T								T		.11	.01						.23	.07	.08									
MALAD CAA AP	.61	.26	.04									T	.07	.03						T	.08	.03	.10									
MAY RS	.20	.10	T											T			T	T			.10	T										
MC CALL	2.66			.02								.02	.16	.16				.37		.57	.62	.32	.20	.10		.12						
MC CAMMON	.62	.04	.03											.12	.06						.27	.10	T	T								
MERIDIAN 1 SSW	.70													.36								.18	.16									
MESA	1.68			T								T	.25	.05			.10		.10	.70	.33	.15										T
MINIDOKA DAM	.37	.15	.06											.03							.13											
MONTPELIER RS	1.28		.29									.02		.21	.02						.39	.09	.08	.18							T	
MOSCOW U OF I	1.76										T	.07	.04	.13		.13	.32	.02	T	.35	.36	.06		.05		.06			T		.04	.13
MULLAN PASS CAA	2.52	T	.06	.04	T		T			T	T	.21	.08	T		.35	.41	.16	.31	.30	.16	.21	.03	.03	.04	.05			T	T	.08	T
NAMPA 2 NW	.27	T												.14					T	T	.01		.09	.02								.01
NEW MEADOWS RS	2.56			.04								.13	.09	.21		.01	.14	.06	.04	.68	.43	.27	.14	.10		.20						.02
NEZPERCE 2 E	1.24	T	T	.04								.08	.08				.04	.05		.30	.39	.06	.03	.05		.05			.05	T		.02
OAKLEY	1.15	1.00	.01									T	T					T			.08	.02	.04									
OBSIDIAN 4 NNE	.83	.17									T		T	.03	T		T	.20		.12	.16	.09	.06									
OLA 4 S	1.28										T	.03	T	.22			.02		T	.55	.19	.13	.14									
OROFINO	1.91	T	.03	T								.28	.13			.01	.10	.06		.27	.48	.23	.12	.08	T	T			.02	T		.10
PALISADES DAM	1.60	.10	.20	T	T							T		.20				T		T	.40	.50	.10	.10								
PARMA EXP STA	.64		.02									T	.22	.03					T	.21	.11		.05									
PAUL 1 E	.50	*	.42											.03				T			T	.05	T									
PAYETTE	.82										T	T	.43				.01		.03	.25	.03	.02	.01	.01								.03
PIERCE RS	4.10	.10		.18	.07							T	.25	.14			.10	.23	.04	.67	.60	.59	.28	.15	T	.45				.15		.10
POCATELLO WB AP //R	.52	.19	.14								.01		T	.08			T	T		T	.08	.02	T									
PORTHILL	.94											T	.06				.03	.07	T	.36	.14					T			.20		T	.08
POTLATCH	1.81										.05	.07	.12			.15	.40		.10	*	.37	.20				.18			.02		.15	
PRESTON SUG FACT 2 SE	.81	.07	.17	T								.01		.30	T						.20	.02	.04									
PRIEST RIVER EXP STA	2.32	.02										.18	.20	T		.05	.45	.27	.10	.20	.15	T	T			.16			.12	.07	.08	.27
REACTOR TESTING STA	.40	.29	.04											.02			T	T		.04	.01											
RICHFIELD	.88	.52	.07											.14						T	.15		T									
RIGGINS RS	2.56	.07		.01								.17	.29	.03			T	.12		.11	.68	.11	.28	.42		.12			.03	.06		.06
ROLAND W PORTAL	4.22	T	.15	.08	T	T	T				.01	.22	.17	T	T	.22	1.17	.57	.30	.60	.33	.32	T	T		.03				.05	T	T
RUPERT	.75	.49	.08											T				T			.10	.08	T									
SAINT ANTHONY	.83	.53	.06	.03								T	T	.11				.03		.02	.05											
SAINT MARIES	1.69										.09	.14				.30	.32	.08	.13	.23	.06	.06				.09				.16		.03
SALMON	.29	T	T	T	T								.09	.06			T	.02		.01	.11											
SANDPOINT EXP STA	2.55	T				T						.14	.20	T	T	.03	.69	.33	.12	.16	.26	.14	T	T		.11			.08	.01	.13	.15
SHOSHONE	1.06	.53	.09										T	.11						.01	.22	.06	.04									
SPENCER RS	.67	.20	T	.06								T	T	.14						.03	.21	.03										
SPRINGFIELD	.60	.32	.14											.06							.08	T										
STIBNITE	3.82	.29	.01	.10	.01							.08	.08	.51	.03		.01	.39	.06	.33	1.23	.15	.15	.15		.19	T					.05
STREVELL	.46	.30	T	.02									T	.02							.08	.01	.03									
SUGAR	.53	.36												.04							.13	T										
SUN VALLEY	.97	.07	T										.03	.08			T	.04	T	.45	.25	.04	.01									
SWAN FALLS PH	.27	T												.27																		
TETONIA EXP STA	1.30		.42									T		.48					.25	T	*	.15										
THREE CREEK	.95	.62										T		.16							T	.11	.06									
TWIN FALLS 2 NNE	.52	.46	.05									T	T	T				T		T	.01	T	T									T
TWIN FALLS 3 SE	.45	.15	.25											.02							.03		T	T								
WALLACE	2.99		.02	.01	T						T	.32	.20	T	T	.08	.52	.15	.31	.29	.40	.12	.13	T		.37					T	.07
WALLACE WOODLAND PARK	2.06	.07										.04	.05	.17			.32	.40	.07	.30	.22	.13	.13			.13						.03
WEISER	.95											T	.38						.07	.32	.10	.05	T									.03
WINCHESTER 1 SE	1.43												.20	.03				.05		.35	.26	.07	.07			.12			.07	.05		.16

DAILY TEMPERATURES

5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
DEEN EXP STA	MAX	49	25	30	40	45	48	53	59	61	56	55	52	45	43	51	59	53	48	56	51	43	50	58	[illegible]	62	60	69	67	62	56	54	52.5
	MIN	23	15	- 2	20	22	17	23	25	26	29	32	25	30	14	22	20	28	18	28	28	26	27	33	25	37	19	22	33	35	21	35	24.4
ON	MAX	48	33	34	42	47	49	55	59	63	60	49	49	39	45	53	59	53	47	53	50	34	42	54	65	59	60	69	65	54	54	51	51.4
	MIN	18	15	11	28	34	24	23	18	22	35	30	22	27	12	19	18	23	12	25	20	25	31	35	19	38	20	33	49	31	18	31	24.7
A 1 NE	MAX	28	30	42	43	45	45	49	49	60	54	41	44	34	39	44	42	38	40	40	39	40	40	52	60	52	51	58			51	43	44.6
	MIN	17	- 4	10	17	6	5	9	10	9	19	26	30	16	- 1	10	19	19	8	29	24	23	20	22	19	26	12	18			13	23	15.7
ICAN FALLS 1 NW	MAX	46	26	33	41	45	48	49	48	60	59	58	49	45	43	51	58	54	47	54	51	39	46	54	64	63	53	68	67	60	55	52	51.2
	MIN	21	17	8	25	21	25	25	26	27	30	30	30	28	20	26	24	26	21	35	27	26	27	34	30	41	23	27	38	34	25	35	26.8
RSON DAM	MAX							52	54	55	56	52	49	45	40	48	45	44	43	43	46	39	42	56	57	53	55	61	59	59	56	54	50.5
	MIN	29	22	19	26	27	23	27	27	28	32	30	35	32	27	26	30	29	25	32	28	29	31	33	34	33	28	32	36	33	30	36	29.3
	MAX	42	33	34	42	41	48	49	51	54	54	46	53	41	42	45	50	43	38	45	45	39	47	55	60	61	55	63	62	59	55	55	48.6
	MIN	12	12	- 1	10	13	12	23	20	22	24	27	28	26	28	29	20	21	16	26	22	21	21	25	22	28	23	23	28	36	27	26	21.6
WROCK DAM	MAX	44	36	33	44	50	53	54	60	60	64	59	47	49	41	46	50	50	43	47	47	43	41	43	57	64	52	60	69	59	57	56	50.9
	MIN	29	24	23	23	27	26	26	28	28	31	32	34	32	22	23	32	30	30	32	30	29	29	32	32	36	29	32	35	37	33	36	29.7
ON 1 S	MAX	33	27	23	24	33	35	44	48	48	50	45	45	35	38	37	40	42	38	35	40	41	40	46	50	52	57	60	65	57	52	52	43.0
	MIN	25	9	- 4	7	14	18	24	20	24	28	32	31	28	4	15	20	23	21	17	23	20	22	18	27	32	31	32	33	28	29	28	21.9
NTA 1 E	MAX	35	29	33	41	44	44	54	54	53	52	48	45	32	40	44	44	34	38	38	38	30	34	49	55	51	50	54	54	49	48	45	43.8
	MIN	22	6	9	18	12	13	14	12	24	25	26	29	22	3	15	19	19	9	28	21	19	22	20	25	28	15	26	35	24	20	25	19.5
Y RS	MAX		41	36	50	47				71	64	52	41	42			48	43	45		49			55	72							49	
	MIN		19	20	31	30					32	35	32	31	26			31	23		31			29	31							31	
EW MODEL BASIN	MAX	45	49	46	52	54	53	53	56	57	57	50	45	43	43	43	42	44	44	42	41	45	48	46	57	58	46	47	49	50	47	43	48.2
	MIN	28	23	20	32	32	30	28	27	28	28	28	28	29	24	30	32	31	30	25	33	32	28	31	32	38	23	28	33	29	24	29	28.8
CREEK 1S	MAX	29	23	34	45	47	42	58	58	55	48	41	44	36	41	39	40	40	40	41	38	34	35	50	61	52	51	56	52	48	53	45	44.4
	MIN	18	9	15	18	7	8	12	7	8	12	27	28	22	- 6	9	15	17	4	27	22	16	20	28	18	29	10	18	25	30	9	26	16.4
KFOOT	MAX	47	30	34	40	45	49	55	62	64	63	55	54	47	43	52	60	54	50	56	50	43	50	58	65	60	60	71	70	61	57	53	53.5
	MIN	20	11	4	24	23	22	22	22	23	32	31	29	23	20	24	24	27	22	34	29	25	25	31	28	37	22	27	39	34	24	27	25.3
S	MAX	42	35	44	54	55	58	61	64	68	67	58	59	47	49	58	57	53	50	55	56	45	51	62	74	70	64	73	70	60	59	56	57.2
	MIN	24	20	18	32	23	23	25	27	30	41	27	34	32	19	31	28	31	22	37	32	29	32	32	35	41	24	30	34	23	30	35	29.1
E LUCKY PEAK DAM	MAX			49	53	55	56	63		72	65	57	55	50	50		55	52	53	53		44		63	70	66	63	74	70	60		57	58.5
	MIN		22	22	28	30	30	34	34		36	34	39	32	20	32		31	33		31	31		32	40	36	32	37	41		26	31	31.8
E WB AP	MAX	39	37	47	52	54	55	61	65	69	63	52	52	43	49	53	57	44	52	53	45	42	47	61	69	54	61	71	62	57	57	49	53.9
	MIN	25	21	22	27	26	28	31	33	34	36	37	32	26	23	32	35	29	34	38	31	30	32	31	40	34	29	35	38	31	25	30	30.8
ERS FERRY	MAX	41	39	44	53	54	53	60	62	67	57	48	47	47	48	46	44	44	41		38		51	49	64	49	55	57	53	53	53	45	50.4
	MIN	24	16	20	37	36	37	30	27	28	30	33	31	28	27	28	35	30	26		30		27	27	28	37	27	28	35	35	30	30	29.6
	MAX	50	32	44	52	54	56	59	63	65	64	55	54	48	51	55	58	55	49	59	57	43	51	60	71	68	61	73	70	60	58	57	56.5
	MIN	24	21	21	32	32	31	33	32	33	43	36	38	31	23	28	31	28	27	35	31	28	29	34	37	40	29	36	47	34	30	34	31.9
E 2 NNE	MAX	30	24	29	40	37	38	48	55	55	57	41	35	33	35	35	38	37	36	38	38	33	35	43	56	47	46	49	48	42	44	39	40.7
	MIN	15	7	11	28	29	30	24	26	27	28	30	26	24	20	22	31	24	15	30	25	24	22	27	28	29	12	26	29	31	21	24	24.0
EY	MAX	56	29	32	42	49	50	55	61	63	65	62	55	53	43	48	56	61	44	52	58	48	42	51	62	72	60	64	76	66	59	59	54.6
	MIN	22	20	14	16	29	27	27	29	31	33	32	30	30	22	27	24	26	22	28	30	28	30	35	30	35	26	30	34	35	31	35	28.0
EY FACTORY	MAX	53	27	27	36	45	48	52	57	63	64	64	52	51	42	47	55	61	43	50	56	44	42	50	59	71	57	62	74	65	57	57	52.6
	MIN	21	19	7	10	25	24	24	28	29	31	29	26	29	18	24	22	26	18	27	27	26	28	31	28	34	21	24	32	34	30	34	25.4
EY CAA AP	MAX	29	27	38	48	50	53	58	64	64	64	52	52	43	48	55	61	42	49	56	44	41	49	58	71	58	61	74	64	57	56	52	52.8
	MIN	22	19	6	32	27	25	25	29	30	31	30	27	26	19	25	22	17	17	32	28	28	30	31	27	35	23	27	40	35	29	33	26.7
WELL	MAX	44	44	54	59	60	61	65	66	70	67	57	56	49	52	59	63	60	53	53	51	53	53	64	71	59	63	74	70	60	62	60	59.1
	MIN	28	22	23	28	21	22	24	29	31	38	33	33	34	20	34	31	28	28	40	35	31	34	28	36	38	24	30	39	35	30	32	30.3
RIDGE	MAX	49	45	48	50	52	55	58	59	49	58	60	61	50	48	47	54	55	50	54	51	50	49	62	68	65	59	63	62	65	68	60	55.6
	MIN	20	22	23	29	20	23	20	24	23	29	33	33	29	18	25	27	23	33	34	33	29	31	35	28	39	24	28	33	30	31	21	27.4
ADE 1 NW	MAX	30	26	36	41	44	46	47	45	50	50	41	40	35	37	39	40	39	39	38	36	35	38	50	59	56	48	56	55	46	58	46	43.4
	MIN	19	8	16	22	12	10	10	13	13	20	29	31	23	3	14	26	21	15	30	24	23	25	28	21	30	16	24	31	27	19	27	20.3
LIS	MAX	36	25	35	49	48	49	50	51	50	51	54	50	46	41	47	49	45	44	53	44	43	45	57	62	55	52	64	63	58	56	56	49.3
	MIN	18	7	13	18	23	23	24	22	23	21	21	29	29	16	20	23	25	18	33	21	21	25	32	26	36	22	26	31	32	21	34	23.6
LY BARTON FLAT	MAX	36	22	28	42	45	45	48	48	51	48	43	40	37	35	44	43	36	35	45	36	34	39	51	52	54	48	57	57	52	53	49	43.6
	MIN	15	5	10	25	17	15	20	18	17	21	26	28	22	10	13	16	18	12	27	12	18	20	22	18	33	15	18	29	27	15	30	19.1
K FORK 1 ENE	MAX	38	41	38	50	51	51	52	58	61	60	51	45	46	48	40	46	45	43	42	40	46	47	45	66	59	54	54	51	50	51	45	48.8
	MIN	22	18	18	33	32	32	26	26	26	28	36	28	28	27	26	32	32	29	32	31	31	27	31	29	37	24	27	32	31	25	32	28.6
LT BLACKBIRD MINE	MAX	30	16	19	27	36	37	39	45	47	47	45	36	37	27	32	36	37	39	37	38	31	29	31	42	50	40	45	52	49	38	47	37.5
	MIN	9	0	4	10	10	9	13	13	14	15	20	19	18	0	6	14	12	2	11	11	9	14	17	20	22	10	13	24	25	11	13	12.5
R D ALENE CAA AP	MAX	35	38	41	47	47	52	57	61	65	59	45	43	43	46	39	44	42	42	43	39	42	49	49	62	44	53	57	47	50	49	43	47.5
	MIN	24	24	25	34	30	32	32	30	30	32	29	29	29	29	31	34	29	26	32	32	30	30	34	34	32	26	31	33	29	29	26	29.9
R D ALENE RS	MAX	39	39	43	47	49	51	60	69	65	61	50	44	44	50	42	43	46	43	47	42	43	48	53	68	45	56	58		51	48	46	49.7
	MIN	24	23	27	37	35	35	30	27	28	31	38	29	29	27	28	33	31	27	32	32	32	31	33	31		26	28	33	29	28	29	30.1
	MAX	47	37	38	33	35	44	44	40	43	54	50	39	47	36	39	42	50	32	40	48	37	38	35	49	54	54	52	63	62	47	45	44.3
	MIN	23	10	1	9	20	17	14	12	15	18	28	28	24	5	12	21	24	14	23	15	20	20	23	20	27	18	20	30	33	27	26	19.3
NWOOD	MAX	30	30	40	42	47	47	59	62	64	59	48	37	38	39	45	49	40	45	38	39	41	38	55	65	55	50	59	49	45	54	43	46.8
	MIN	22	16	20	31	24	26	32	31	30	31	29	26	21	16	27	30	24	20	29	25	16	26	30	30	30	22	30	34	28	22	25	25.9
OOD DAM	MAX	31	28	37	41	45	46	56	55	59	50	39	40	36	41	40	37	35	40	38	38	34	39	50	61	51	51	58	50	50	51	42	44.2
	MIN	18	- 4	5	21	2	1	6	7	8	16	25	29	21	- 3	7	15	17	2	28	22	21	20	26	20	30	8	18	24	18	12	20	14.8
FLAT DAM	MAX	44	41	54	60	58	60	61	65	68	64	54	53	49	54	57	65	50	53	54	51	52	47	62	72	57	62	72	65	58	65	52	57.4
	MIN	30	23	21	28	23	28	24	26	28	34	33	36	33	19	34	35	31	33	43	34	31	33	29	39	39	25	32	40	35	27	28	30.8
	MAX	26	26	35	43	46	40	55	57	57	50	41	42	37	37	38	40	43	40	40	36	33	36	49	59	52	57	55	52	45	50	42	43.8
	MIN	15	8	15	13	- 1	3	11	6	7	14	23	21	20	- 7	2	10	10	6	27	21	14	26	27	12	31	3	19	25	27	6	17	13.5
IS	MAX	45	25	19	30	35	45	40	34	45	49	53	45	47	35	37	45	51	42	43	43	40	45	40	45	53	53	53	57	63	49	53	43.8
	MIN	22	8	- 4	12	22	12	14	12	14	19	24	24	27	0	9	25	25	10	19	21	22	20	10	23	33	24	26	25	32	21	27	18.6
ES EXP STA	MAX	35	19	23	31	31	31	35	41	39	45	42	38	34	30	38	45	43	33	42	40	35	35	44	47	54	53	60	60	55	51	53	40.7
	MIN	17	4	1	12	14	15	17	21	20	27	26	24	27	11	19	21	23	10	28	22	19	17	27	27	31	26	28	32	36	27	28	21.2
BS CAA AP	MAX	29	22	26	37	38	38	40	46	46	53	48	45	35	33	43	53	39	40	46	43	40	43	51	55	58	52	64	65	54	55	55	44.9
	MIN	11	2	- 6	12	16	13	17	20	24	28	27	27	18	13	23	24	18	16	30	26	23	19	28	27	29	26	28	33	32	29	27	21.3
KITY	MAX					48	42	59	60	56	58	52													64	47	54	62	60	44	54	47	
	MIN					5	13	19	18	12	17	23													7	33	18	24	26	30	13	24	
KIVER 1 S	MAX	39	35	39	46	45	46	55	59	62	59	53	43	45	45	45	46	49	45	41	41	40	44	49	69	68	52	47	48	43	46	44	48.0
	MIN	24	15	18	29	35	23	25	23	23	27	32	29	28	21	25	32	28	23	32	30	29	31	32	29	34	24	31	32	29	26	28	27.3
MT 2 E	MAX	42	40	49	50	56	58	63	63	67	65	55	55	52	50	57	61	59	54	53	53	52	52	63	74	70	62	73	70	63	60	58	58.0
	MIN	32	21	22	28	29	26	28	29	31	37	36	37	32	23	33	34	37	32	42	35	32	34	32	32	34	26	35	42	32	25	30	31.5
IELD	MAX	30	29	31	36	40	39	45	45	47	51	43	43	39	34	41	43	36	36	40	34	34	38	43	49	50	39	57	55	49	44	47	41.5
	MIN	23	6	- 2	19	20	10	10	6	11	26	21	29	23	5	14	15	19	13	29	25	18	21	26	20	31	12	21	29	28	25	21	18.5
IS	MAX	40	35	42	51	56	44	64	64	72	58	53	46	43	53	50	48	48	48	48	44	44	42	44	50	48	60	61	62	54	62	50	51.1
	MIN	30	27	29	34	27	28	33	30	27	29	36	33	32	26	28	32	31	28	35	32	33	32	34	33	32	30	33	34	38	28	33	31.2
R HALL IND AGENCY	MAX	46	31	34	42	45	47	53	60	62	60	56	54	47	42	50	59	54	46	54	54	41	49	56	64	60	61	70	67	62		53	52.0
	MIN	21	8	3	22	28	23	23	23	22	29	33	27	29	20	22	23	20	20	35	24	27	27	34	26	43	23	24	34		22	36	25.0
RI VALLEY RS	MAX	40	34	45	46	52	55	60	62	64	57	48	50	47	48	49	49	47	49	45	44	43	45	61	69	65	68	69	66	59	60	57	53.3
	MIN	30	19	24	26	20	20	23	22	24	37	30	35	27	18	24	27	30	25	33	30	30	31	35	28	28	24	24	33	30	24	30	27.1
EI FERRY	MAX	43	39	50	57	58	60	63	67	70	70	58	59				58	53	53	58	55	47	53	64	74	67	65	74	70	63	63	57	59.6
	MIN	27	23	23	30	18	21	24	28	28	43	29	39				28	29	22	38	33	28	31	32	37	39	23	30	38	35	26	34	29.9
OG CAA AP	MAX	32	33	41	50	52	54	57	61	65	62	53	54	44	48	55	56	44	47	53	44	40	48	59	72	56	63	70	61	59	57	50	52.9
	MIN	24	19	18	30	26	26	29	33	34	38	31	32	26	18	29	29	27	26	37	31	27	29	32	35	35	26	36	38	32	26	33	29.4
AC	MAX	37	25	31	35	44	47	51	55	56	56	48	51	40	36	43	54	45	41	47	45	36	37	48	56	56	57	64	66	55	53	49	47.2
	MIN	14	13	- 2	20	25	28	24	23	25	27	30	28	25	9	20	27	22	18	27	14	22	22	28	25	34	23	27	35	35	29	31	23.5
AP VIEW	MAX	43	45	55	63	62	63	64	65	72	70	63	58	52	53	62	60	56	57	58	54		54	66	67	75	64	75	74	69	66	64	61.6
	MIN	32	22	23	26	20	20	22	23	24	40	30	46	32	16	31	31	28	31	32	32		36	27	31	36	24	30	40	39	30	34	29.6
AN VILLE	MAX	30	30	40	45	51	50	58	62	65	60	49	42	39	47	48	52	39	45	40	39				65	48	51	59	52	47	55	42	48.0
	MIN	21	16	26	33	30	27	30	29	32	32	30	25	23	14	28	29	25	22	29	28				34	28	23	31	31	28	25	25	26.9
AY	MAX	40	30	26	25	28	40	41	48	48	53	52	45	44	44	45	50	41	40	42	44	45	40	47	49	48	60	55	56	59	44	41	44.2
	MIN	25	10	- 7	5	10	14	15	13	14	19	18	23	22	21	10	7	19	18	19	12	10	15	17	19	18	22	22	24	30	20	[illegible]	16.5
OL	MAX	33	25	32	42	44	47	46	44	48	49	39	41	36	37	39	42	35	32	39	34	36	41	49	48	48	47	53	49	52	48	[illegible]	41.9
	MIN	18	- 3	-14	14	1	5	1	0	4	11	22	22	23	- 3	3	6	20	2	22	19	8	10	27	14	13	8	12	22	24	9	[illegible]	10.9
IL	MAX	37	28	35	47	41	45	48	48	52	53	44	45	42	42	45	44	37	37	44	38	38	45	52	59	53	52	60	59	54	51	51	46.0
	MIN	21	7	- 6	9	9	17	21	23	24	28	25	30	25	11	16	14	23	10	27	24	12	16	22	26	34	21	27	35	32	23	30	20.5

See reference notes following Station Index.

Table 5 Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
HAMER 4 NW	MAX	38	23	26	37	35	41	43	47	51	57	53	46	44	40	45	55	50	42	54	48	44	46	58	61	60	55	66	68	59	55	56
	MIN	18	6	- 6	10	11	7	13	19	21	25	28	27	28	13	20	19	27	13	29	26	27	15	28	20	28	18	23	31	29	19	20
HAZELTON	MAX	43	28	38	44	49	57	58	64	67	64	51	51	45	48	53	60	51	50	56	52	41	49	58	70	68	62	73	72	57	56	50
	MIN	23	20	6	27	27	28	27	28	30	33	32	32	31	19	25	24	27	22	32	30	27	30	35	32	38	24	30	42	33	31	35
HILL CITY	MAX	35	26	43	37	40	41	41	41	41	45	45	40	36	31	38	38	40	34	36	38	32	36	45	43	43	46	52	50	48	48	43
	MIN	22	[illegible]	9	23	20	13	10	5	12	25	20	27	23	4	13	13	20	9	27	18	22	21	26	18	32	10	13	28	31	18	21
HOLLISTER	MAX	41	41	39	48	47	52	56	59	63	60	54	50	47	55	57	58	57	55	56	52	50	58	56	64	67	69	72	68	55	58	52
	MIN	21	18	5	24	23	28	29	28	30	40	33	32	20	28	31	28	25	19	23	26	29	31	34	35	36	23	28	45	32	27	34
IDAHO CITY	MAX	34	42	44	47	53	54	60	63	65	61	50	47	47	44	49	48	44	46	42	43	39	40	59	68	65	59	68	64	58	58	54
	MIN	14	8	16	21	13	14	17	17	18	22	29	31	25	10	10	22	23	18	31	27	26	25	29	22	26	17	23	28	22	18	28
IDAHO FALLS 6 NE	MAX	40	27	28	37	41	45	52	56	60	59		53	44	40	45	57	52	45	41	42	34	44	53	61	59	59	62	70	62	58	51
	MIN	19	3	6	25	26	18	22	20	22	22		35	28	16	24	30	28	20	24	25	24	28	30	29	34	22	23	42	35	19	35
IDAHO FALLS CAA AP	MAX	33	25	29	37	40	45	53	57	60	59	47	52	36	41	47	57	40	43	54	44	40	45	53	64	57	60	66	67	58	52	48
	MIN	13	10	6	26	27	20	21	23	24	24	32	29	27	20	22	26	21	21	30	25	26	23	30	27	33	22	27	32	33	22	35
IRWIN 2 S	MAX	[illegible]	25	27	40	44	44	50	55	52	53	48	50	42	35	45	55	52	41	48	48	36	38	45	56	55	55	64	64	56	55	47
	MIN	22	13	1	21	18	16	28	22	22	29	33	30	28	21	18	25	27	20	28	22	24	20	28	28	32	25	29	35	32	24	29
ISLAND PARK DAM	MAX	34	19	16	30	37	33	45	51	49	52	46	43	33	31	38	45	42	35	41	34	34	33	38	49	51	51	55	59	55	54	40
	MIN	12	- 6	-23	14	- 1	- 6	- 9	- 3	- 4	2	25	24	25	-16	- 5	- 1	19	8	25	20	16	5	10	3	15	8	11	21	20	18	14
KELLOGG	MAX	45	44	32	39	51	49	52	60	67	69	61	49	44	42	49	44	47	40	44	47	44	45	45	55	71	44	57	59	51	54	54
	MIN	26	20	20	24	35	32	30	29	29	32	38	32	31	30	30	34	33	28	32	35	30	30	35	31	38	28	31	34	37	28	32
KOOSKIA	MAX	41	35	45	56	56	47	67	71	72	68	60	46	43	57	55	48	51	53	48	50	50	49	66	73	64	59	68	60	61	64	61
	MIN	31	28	29	34	25	26	28	27	27	31	35	34	31	28	29	37	30	26	33	34	35	35	38	34	44	24	34	38	39	26	35
KUNA 2 NNE	MAX	40													50	55	60	55	52	55	52	50	49	61	70	65	62	72	64	58	59	56
	MIN	28													18	28	30	24	23	39	35	32	31	29	33	31	22	29	37	33	21	31
LEWISTON WATER PLANT	MAX	46	45	49	55	61	60	69	72	75	68	58	51	50	51	55	56	51	50	49	50	51	52	67	77	72	61	63	64	60	56	56
	MIN	26	24	26	38	33	29	32	33	36	38	37	33	31	25	38	40	29	30	36	33	32	36	40	40	45	29	37	38	34	30	38
LEWISTON WB AP	MAX	40	45	52	52	57	60	63	69	73	60	53	47	46	52	52	53	51	47	45	48	51	50	62	72	52	59	62	54	57	54	49
	MIN	26	24	26	40	31	27	35	37	39	43	35	34	30	26	37	37	31	32	35	33	30	36	39	41	32	30	37	41	33	30	34
LIFTON PUMPING STA	MAX	44	29	29	38	42	43	45	42	47	48	46	47	44	36	42	49	49	38	45	43	31	34	46	49	58	54	59	58	57	47	48
	MIN	21	14	5	14	20	15	18	18	18	23	23	23	25	12	14	17	26	14	23	21	19	22	30	21	26	24	26	29	30	31	29
LOWMAN	MAX	34	42	32	43	40	41	42	43	48	48	46	40	47	46	47	44	46	46	48	42	42	45	58	55	60	68	68	62	60	60	58
	MIN	24	16	12	16	17	19	20	26	22	29	26	26	21	12	21	22	21	22	19	30	29	28	32	30	24	18	22	24	26	23	14
MACKAY RS	MAX	38	25	32	42	50	45	51	49	51	51	48	44	40	38	44	47	40	37	44	38	36	39	53	55	54	50	58	59	53	55	53
	MIN	17	9	6	31	23	20	24	21	22	23	29	27	25	14	16	17	22	16	26	14	18	25	25	23	22	23	27	28	32	24	31
MALAD	MAX	39	28	31	43	48	48	56	59	60	60	50	57	41	40	50	59	51	38	51	38	38	43	54	62	65	61	69	70	60	59	56
	MIN	29	15	7	24	24	25	27	26	27	29	33	29	30	17	21	25	28	24	28	24	25	29	36	29	36	31	31	39	41	35	38
MALAD CAA AP	MAX	39	31	34	44	51	54	57	60	60	63	53	58	38	41	52	60	50	50	54	40	41	45	54	63	64	63	70	71	60	58	54
	MIN	18	16	2	26	19	23	23	22	23	25	28	26	26	16	18	20	18	18	27	22	27	30	31	25	30	25	27	34	39	33	31
MAY RS	MAX	35	27	38	47	50	47	53	55	57	47	56	58	50	35	48	51	44	53	54	44	39	43	54	64	55	66	65	55	61	57	52
	MIN	11	10	15	20	17	16	20	19	19	32	37	34	27	12	12	18	20	11	12	20	21	21	18	23	20	15	22	26	20	15	33
MC CALL	MAX	22	26	32	36	38	38	46	48	50	46	36	34	28	32	32	34	33	36	32	30	30	32	44	50	48	42	48	46	38	44	40
	MIN	16	8	14	12	6	8	14	12	14	20	26	26	18	2	12	18	16	8	28	22	20	14	28	20	26	14	20	26	26	16	22
MC CAMMON	MAX	45	24	31	44	48	49	55	60	61	60	51	55	46	41	50	58	57	56	51	52	49	49	45	60	59	61	69	69	57	55	56
	MIN	20	17	7	11	28	27	32	25	24	33	33	28	30	15	13	24	26	20	29	31	22	23	30	36	36	36	33	35	34	31	31
MERIDIAN 1 SSW	MAX	40	39	49	54	56	58	64	68	67	66	53	55	45	50	57	60	50	52	59	52	44	51	62	70	68	62	72	63	58	60	52
	MIN	28	23	24	28	25	25	27	33	35	34	34	33	33	23	31	33	28	29	39	34	32	22	31	37	36	27	33	39	32	25	31
MESA	MAX	42	45	46	46	52	55	59	64	61	59	49	46	39	45	53	51	50	41	45	43	46	50	58	65	56	61	62	60	58	55	55
	MIN	20	25	24	27	24	25	30	29	32	33	32	29	25	20	26	33	27	29	31	30	27	31	33	35	29	35	32	39	35	27	30
MINIDOKA DAM	MAX	47	28	36	43	47	49	55	54	60	57	50	49	40	42	51	57	40	48	51	40	46	47	55	62	58	56	67	67	60	53	48
	MIN	21	17	3	23	27	23	27	29	30	36	32	30	28	19	29	27	26	22	33	26	30	30	30	32	36	26	31	44	33	26	34
MONTPELIER RS	MAX	53	39	22	35	35	41	43	45	48	52	54	46	49	35	36	44	53		41	50	40	33	37	45	55	57	58	64		57	50
	MIN	23	11	- 8	10	17	16	15	18	20	25	24	24	25	10	16	19	25	13		17	20	21	22	20	28	23	25		29	30	25
MOSCOW U OF I	MAX	38	37	43	45	47	53	59	64	66	61	51	42	40	46	44	45	41	41	44	42	44	45	58	67	63	54	59	59	50	48	45
	MIN	24	22	26	27	31	28	31	39	40	44	33	33	29	27	34	36	30	28	32	29	31	33	37	41	33	31	34	35	28	29	29
MULLAN PASS CAA	MAX	15	16	28	28	28	32	44	50	50	44	32	29	25	32	28	30	20	26	30	27	23	24	37	50	35	41	44	38	35	37	25
	MIN	8	8	15	22	21	22	28	34	34	28	24	20	17	16	21	20	15	15	23	19	18	18	22	28	20	18	29	27	23	22	14
NAMPA 2 NW	MAX	45	43	42	52	56	58	60	64	69	69	66	54	53	47	51	58	64	50	53	54	51	52	51	63	73	57	64	74	65	59	61
	MIN	29	22	21	25	20	20	23	33	35	39	33	40	33	21	34	33	31	27	36	36	31	35	29	38	37	22	30	40	36	28	32
NEW MEADOWS RS	MAX	38	36	42	42	46	43	53	52	54	52	43	42	33	40	44	43	40	43	40	39	39	40	52	61	50	54	60	58	48	55	50
	MIN	31	14	12	21	6	14	8	14	16	19	32	30	14	4	15	23	24	19	31	28	31	23	31	25	30	16	22	31	27	18	28
NEZPERCE 2 E	MAX	32	30	37	44	48	45	57	61	64	60	47	35	38	43	44	51	38	45	38	41	41	40	56	66	55	51	59	50	47	53	40
	MIN	25	23	20	32	30	28	32	32	31	35	32	32	26	22	30	33	28	24	32	30	27	30	34	34	34	25	34	38	31	26	25
OAKLEY	MAX	52	34	39	49	52	53	57	61	63	66	54	51	41	53	55	59	53	54	56	50	45	47	58	66	59	63	71	65	55	57	53
	MIN	22	18	9	24	25	26	28	29	32	33	32	31	30	23	18	29	25	21	29	27	25	27	29	36	36	24	36	45	35	22	36
OBSIDIAN 4 NNE	MAX	31	25	31	38	45	45	55	53	46	42	34	34	30	40	34	32	30	32	35	33	30	38	55	48	40	48	51	44	42	50	43
	MIN	16	- 3	3	17	4	0	2	3	6	21	23	26	18	- 9	1	15	15	0	20	15	14	16	22	14	26	5	15	25	16	8	17
OLA 4 S	MAX	36	39	49	44	49	58	65	64	68	69	64	50	51	52	54	51	57	46	48	47	54	56	60	71	69	60	69	68	65	59	56
	MIN	20	22	24	23	22	24	25	25	27	27	27	27	27	20	25	29	20	22	34	35	30	34	32	31	27	22	32	33	33	35	26
OROFINO	MAX	44	47	40	58	59	54	70	74	75	70	52	47	46	55	54	48	51	52	49	47	48	52	67	74	66	63	67	66	59	63	52
	MIN	30	28	26	32	27	17	30	29	29	35	35	33	34	29	31	39	32	27	36	32	34	32	38	33	45	24	35	38	36	29	34
PALISADES DAM	MAX	45	27	26	37	45	47	46	47	48	51	50	46	47	36	44	50	50	38	45	43	38	39	43	53	55		60		52	52	53
	MIN	24	12	3	21	14	13	16	18	18	20	31	27	28	19	16	21	26	17	27	21	24	21	28	26	30	24			33	25	28
PARMA EXP STA	MAX	45	44	55	56	60	63	64	66	67	65	62	[illegible]	47	53	58	65	52	51	51	50	59	53	64	70	69	63	69	67	58	62	60
	MIN	29	24	24	27	20	21	24	26	24	31	29	35	34	20	33	33	26	28	37	33	31	33	27	32	35	30	30	39	36	28	30
PAUL [illegible]	MAX	50	27	27	48	44	49	57	67	62	64	63	52	51	47	54	54	61	44	50	56	46	47	49	58	69	57	61	75	71	56	55
	MIN	22	19	- 1	2	28	26	24	28	29	32	29	27	30	18	23	21	26	19	27	29	26	28	32	27	48	22	24	38	33	27	34
PAYETTE	MAX	46	43	53	49	55	59	60	62	63	62	54	55	49	51	55	60	56	53	50	50	52	56	61	74	68	61	68	63	59	61	57
	MIN	32	23	24	27	21	22	25	28	24	34	29	30	34	20	33	36	28	29	36	35	34	36	30	35	41	27	31	39	37	27	32
PIERCE RS	MAX	45	33	35	38	47	49	42	53	51	60	53	44	36	38	46	43	40	39	45	42	41	49	39	53	56	42	54	48	46	60	50
	MIN	23	16	20	30	26	32	25	20	20	20	30	26	28	19	20	28	29	18	20	30	30	31	31	25	26	19	24	31	21	20	22
POCATELLO WB AP	MAX	33	26	32	41	46	49	51	57	59	60	49	52	37	41	50	58	43	47	55	46	40	48	55	63	59	58	69	66	57	55	50
	MIN	12	15	5	29	8	25	26	24	25	34	33	30	25	16	24	25	24	22	37	27	28	28	35	28	37	25	26	41	35	26	37
PORTHILL	MAX	40	37	45	55	55	58	60	60	62	59	48	47	48	47	43	44	49	42	45	42	52	51	52	63	57	55	55	55	53	58	45
	MIN	19	13	17	30	37	31	26	26	25	28	34	30	27	24	26	34	31	22	31	30	31	23	24	27	40	27	26	37	35	26	28
POTLATCH	MAX	43		40	45	48	52	60	66		54	47	43	42	47	44	40	45	42	45	41	43	45		70	60	58	55	55	50	45	50
	MIN	[illegible]	20		36	35	28	30	32	32		35	32	32	25	31	31	32	27	32	30	31	33	34		35	27	29	32	28	30	27
PRESTON SUG FACT 2 SE	MAX	55	42	30	40	48	52	54	59	59	62	60	55	56	42	47	59	58	46	55	55	39	39	51	62	65	63	70	69	61	60	59
	MIN	29	17	2	21	25	27	25	24	25	20	32	25	30	28	20	23	29	18	25	26	26	29	35	26	26	25	27	36	36	37	39
PRIEST RIVER EXP STA	MAX	40	40	39	49	47	50	57	62	63	55	44	42	43	44	39	38	42	38	45	41	45	45	41	64	52	51	55	52	48	46	42
	MIN	15	10	11	26	24	[illegible]	23	24	25	27	33	27	24	23	25	31	27	23	31	30	30	24	25	27	33	23	25	33	32	24	26
REACTOR TESTING STA	MAX	31	26	30	37	40	43	49	50	53	57	45	43	34	38	47	55	39	41	50	40	39	47	54	62	56	56	66	62	56	53	50
	MIN	14	0	- 5	22	[illegible]	11	16	18	19	20	24	25	22	18	21	22	21	17	26	23	24	20	25	19	29	17	18	30	33	16	31
RICHFIELD	MAX	38	32	29	43	45	49	52	57	60	61	54	49	42	43	52	55	44	49	51	49	42	47	58	67	63	59	68	64	59	56	52
	MIN	22	15	- 2	24	22	22	26	27	28	34	26	32	27	12	26	24	26	19	29	27	26	25	31	31	34	21	27	40	28	21	29
RIGGINS RS	MAX	47	42	52	57	61	63	71	72	74	67	56	54	[illegible]	54		56	64	55	46	48	50	45	66	79	67	60	73	62	56	68	60
	MIN	30	28	27	35	31	30	34	34	30	34	39	36	35	27		34	35	32	38	33	34	35	38	39	41	30	42	44	40	30	37
ROLAND W PORTAL	MAX	28	23	29	39	36	37	53	58	57	50	43	36	34	41	39	38	35	35	40	37	34	39	45	54	49	46	54	47	45	46	36
	MIN	15	7	13	28	30	28	24	28	29	33	32	27	23	17	22	30	23	15	30	26	24	25	28	32	30	19	28	31	31	21	23
RUPERT	MAX	53	29	30	44	48	51	54	60	63	68	64	55	52	43	47	58	61	42		57	43	43	50	60	72	56	62	73	64	60	58
	MIN	20	18	0	0	27	23	23	27	29	29	30	27	28	14	21	21	25	19		25	25	28	33	26	38	23	26	[illegible]	32	27	31
SAINT ANTHONY	MAX	[illegible]	[illegible]	30	38	39	42	44	51	53	57	49	49	36	36	47	54	46	41	48	45	39	41	50	58	49	51	64	68	52	52	52
	MIN	17	8	[illegible]	20	[illegible]	12	18	20	19	27	32	30	29	12	20	22	24	15	31	25	26	22	31	26	30	21	28	24	33	22	30
SAINT MARIES	MAX	40	41	38	52	49	54	59	67	68	62	58	46	47	45	50	48	45	46	44	46	46	49	58	72	62	58	60	59	56	52	45
	MIN	19	21	19	33	28	26	26	24	[illegible]	24	33	33	26	29	31	33	30	25	30	31	29	28	30	32	34	24	28	30	27	25	27
SALMON	MAX	31	31	37	55	57	51	54	58	61	65	52	52	45	51	54	55	43	52	54	49	45	43	59	67	60	56	69	62	57	62	53
	MIN	[illegible]	[illegible]	21	30	23	22	25	20	[illegible]	23	32	28	28	20	26	22	22	18	32	29	23	23	30	22	34	19	21	26	33	12	37
SANDPOINT EXP STA	MAX	36	37	43	49	50	49	56	57	58	54	50	45	44	45	43	41	43	40	45	40	40	45	45	62	54	52	53	47	50	47	45
	MIN	25	19	19	33	32	35	26	25	28	24	38	30	26	24	30	33	28	26	32	[illegible]	32	27	28	33	34	25	27	34	33	25	30

See reference notes following Station Index.

DAILY TEMPERATURES

e 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HONE	MAX	41	33	41	45	51	55	57	61	63	64	55	57	45	47	55	57	51	48	55	51	43	[illegible]	61	69	62	63	71	67	60	58	53	54.5
	MIN	23	18	[illegible]	27	23	23	27	28	31	36	27	33	30	17	28	27	27	22	[illegible]	28	26	27	41	44	35	24	34	40	30	[illegible]	32	27.3
CER RS	MAX	34	16	24	35	34	36	41	47	47	49	43	42	33	33	39	42	42	35	39	38	37	36	41	49	50	44	[illegible]	[illegible]	42	48	49	40.2
	MIN	10	1	- 5	9	8	7	9	9	9	17	24	20	22	2	14	9	[illegible]	3	25	20	14	6	14	14	[illegible]	22	18	27	27	21	21	14.3
NGFIELD	MAX	42	24	30	39	44	47	54	60	62	60	55	53	43	44	51	60	48	49	53	48	44	50	54	55	60	[illegible]	70	69	61	56	49	[illegible]
	MIN	22	18	- 5	20	26	14	23	23	26	29	33	21	30	19	21	22	28	30	32	28	27	26	24	25	30	14	28	33	35	22	38	24.8
NITE	MAX	[illegible]	19	21	29	40	43	41	53	55	51	46	37	40	33	35	39	45	29	37	39	33	29	32	45	57	[illegible]	49	53	55	42	51	40.3
	MIN	15	1	6	16	7	[illegible]	13	14	18	20	25	26	18	- 4	1	10	17	4	12	19	14	[illegible]	18	25	26	11	18	28	27	11	14	14.3
VELL	MAX	43	24	33	42	45	48	54	55	55	56	52	49	37	39	50	54	51	45	51	48	35	41	54	58	60	60	65	65	61	56	57	49.8
	MIN	20	6	0	17	22	26	23	23	31	34	31	32	28	13	28	26	25	17	32	17	23	26	33	35	[illegible]	23	27	42	32	22	35	25.5
R	MAX	43	28	30	37	40	44	44	52	55	56	58	51	36	37	47	53		43			39	44	[illegible]	60	61	55	68	66	57	55	52	48.6
	MIN	18	- 1	- 4	20	17	14	18	20	23	26	31	31	27	13	20	22		19		24		22	30	23	26	19	23	27		18	33	20.7
VALLEY	MAX	37	27	31	45	45	43	47	50	48	48	42	39	39	35	40	39	38	34	38	37	36	42	48	50	48	46	49	[illegible]	48	47	46	42.3
	MIN	21	8	- 1	7	7	5	8	1	6	15	15	26	23	- 2	3	10	10	5	24	19	5	12	14	12	28	8	13	24	27	12	22	12.5
FALLS PH	MAX	46	42	52	61	62	63	65	65	70	68	68	65	52	56	60	63	63	54	55	55	53	52	[illegible]	74	74	64	75	70	62	65	62	[illegible]
	MIN	30	28	30	33	30	30	32	34	34	40	40	40	33	29	34	36	35	33	40	37	35	37	34	34	40	31	37	46	37	34	37	34.8
NIA EXP STA	MAX	36	28	24	37	42	38	43	45	41	40	38	42	34	35	41	43	46	41	42	40	39	35	42	51	52	50	61	55	47	39	38	41.5
	MIN	8	5	- 8	6	11	10	18	20	19	20	21	19	18	0	7	9	7	5	25	19	16	18	14	24	21	19	25	24	14	16	15	14.7
E CREEK	MAX	42	32	34	44	47	50	55	59	59	56	47	48	39	44	50	58	50	45	54	46	35	42	58	64	63	60	69	63	51	55	54	50.7
	MIN	12	13	4	21	16	14	17	19	31	32	28	28	13	3	20	24	11	13	31	25	24	27	30	28	26	20	26	35	29	21	29	21.6
FALLS 2 NNE	MAX	44	30	39	47	51	54	57	62	67	65	54	53	46	49	55	59	52	50	57	54	43	52	60	73	66	67	74	73	59	57	54	55.4
	MIN	23	20	11	30	33	30	27	29	29	35	34	32	31	20	24	23	28	22	31	31	29	30	35	29	36	25	26	40	33	31	36	28.9
FALLS 3 SE	MAX	51	29	32	41	51	53	56	58	62	67	64	53	52	47	50	55	59	44	49	51	45	42	51	61	71	58	63	75	65	58	58	53.9
	MIN	23	20	17	25	30	32	23	21	26	29	36	31	31	22	24	25	28	22	35	31	31	29	33	28	37	25	29	35	28	31	35	28.1
ACE	MAX	32	30	40	46	45	52	55	61	62	54	45	40	40	45	42	42	40	41	44	40	39	40	51	65	49	53	59	48	48	53	43	46.6
	MIN	19	15	16	37	32	29	33	28	30	31	32	30	28	28	27	32	25	20	32	31	29	28	30	31	35	25	30	31	30	25	30	28.4
ACE WOODLAND PARK	MAX	38	30	30	39	46	43	43	57	70	65	56	45	40	38	45	42	43	37	40	43	38	40	40	50	65	48	53	50	50	50	51	46.0
	MIN	16	12	13	12	36	33	28	29	30	30	35	30	28	27	28	34	29	20	20	31	28	25	28	30	38	24	25	32	32	25	26	26.9
ER	MAX	46	38	56	52	58	64	64	65	67	60	55	52	52	50	56	62	52	53	52	54	54	56	65	75		63	70	68	62	66	56	[illegible]
	MIN	32	20	22	30	20	22	25	25	25	34	30	38	34	22	28	30	36	30	34	32	38	32	38	44		29	32	36	38	20	28	[illegible]
HESTER 1 SE	MAX	34	31	39	41	46	45	59	61	64	55	47	36	36	42	45	47	43	40	42	39	39	38	54	63	62	[illegible]	[illegible]	55	45	51	42	46.8
	MIN	24	9	17	27	22	25	31	33	31	33	31	28	23	16	28	30	23	24	28	26	21	27	31	30	32	21	30	31	25	23	23	25.9

SNOWFALL AND SNOW ON GROUND

le 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
DERSON DAM	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	2	2	1										T								2										
CO	SNOWFALL	4.0																				T										
	SN ON GND	4	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ROWROCK DAM	SNOWFALL																				2.5	5.0	1.9									
	SN ON GND																				3	7	4	3								
HTON 1 S	SNOWFALL	2.0	2.5	1.5										2.5						1.0		0.5										
	SN ON GND	13	15	16	16	15	14	12	10	9	7	4	3	4	1	1	1	1	1	2	1	1	T	T	T	T	T	T	T			
LANTA 1 E	SNOWFALL	3.0	1.0	T								1.0	T	3.0			0.5	2.5	T	3.0	4.0	5.0	8.0	1.0		T	T					
	SN ON GND	46	45	44	43	41	40	40	39	39	38	39	38	41	39	38	38	39	38	39	40	42	50	46	44	43	42	39	37	34	29	27
CREEK 1 S	SNOWFALL	T	1.0	3.1								1.1	1.0	2.0			T	6.1		6.0	4.1	2.0	1.0	T		T				T	T	0.5
	SN ON GND	32	33	36	34	32	32	30	29	29	28	28	26	28	26	25	25	31	30	36	40	42	43	41	36	34	32	30	28	26	26	26
CKFOOT	SNOWFALL	3.0	1.0											T							1.0											
	SN ON GND	2	3	2	1																											
SE WB AIRPORT	SNOWFALL		T										0.4	T				T			1.5	1.8	1.2									
	SN ON GND	T																				2	T									
	WTR EQUIV																					0.2										
LEY CAA AIRPORT	SNOWFALL	2.1	0.1									T	T	T				T		T	0.3	0.4	T									
	SN ON GND	3	4	4	4	2	T	T										T			T	T										
DWELL	SNOWFALL												T					T														
	SN ON GND												T																			
CADE 1 NW	SNOWFALL	T		0.5								T	1.0	1.5		T	1.0	2.0	T	6.5	3.5	3.0	2.0									T
	SN ON GND	14	13	13	12	12	11	11	10	10	10	9	10	11	11	10	10	11	10	16	18	20	20	18	16	15	13	11	9	7	7	6
TERVILLE ARBAUGH RCH	SNOWFALL	0.3		T								T	T	1.7			1.0	0.8		6.0	2.0	5.8	3.0									
	SN ON GND	33	33	32	32	31	31	30	30	28	27	27	27	28	28	27	27	28	28	29	30	34	33	29	26	26	26	24	22	21	20	19
CALT BLACKBIRD MINE	SNOWFALL	7.0	0.5	0.8	0.5							0.5		2.0				2.0		0.6	4.0	0.8	0.6	T								1.0
	SN ON GND	37	40	39	39	38	38	37	37	37	36	37	37	37	36	35	36	38	38	40	44	44	45	44	42	39	39	39	36	35	35	34
CUR D'ALENE CAA AP	SNOWFALL											T	T	T		T		T	T	T	3.0	0.5									T	T
	SN ON GND																				[illegible]	1										
CUR D'ALENE RS	SNOWFALL																		T		0.5											T
	SN ON GND																		T													
CTONWOOD	SNOWFALL												4.5				0.2			0.3	1.7	1.2										
	SN ON GND												4	1			T			T	2	3	2									
DWOOD DAM	SNOWFALL	0.5	T	T							T	1.0	1.0	1.0			2.0	2.0	T	7.5	3.5	1.5	1.0	T		T						0.5
	SN ON GND	51	51	51	50	50	49	49	47	46	46	46	47	48	47	47	49	51	50	54	56	56	56	53	50	49	48	47	46	46	45	45
DIS CAA AIRPORT	SNOWFALL	2.7	0.1	T								T	T	1.0				T		T	1.0	T										
	SN ON GND	10	11	10	6	5	5	4	4	4	2				T							T										
FI RS	SNOWFALL			2.0	T									T																		
	SN ON GND																															
GEN VALLEY RS	SNOWFALL																1.0				1.0	1.0	1.0									
	SN ON GND	9	9	9	9	8	7	7	4																							
GING CAA AIRPORT	SNOWFALL	2.2	1.1										T					T			T	1.0	T									
	SN ON GND	2	4	3	2	1								T								1										

See reference notes following Station Index

SNOWFALL AND SNOW ON GROUND

Station		Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
GRAY	SNOWFALL																				6.0	2.0	2.0								
	SN ON GND	22	22	22	22	22	22	20	20	20	20	20	20	20	20	18	18	18	18	18	22	24	24	24	22	22	22	18	18	15	12
HAILEY	SNOWFALL	4.5	0.5											0.5			0.2	0.5		4.0	0.5										
	SN ON GND	14	14	14	13	13	12	11	10	8	5	4	3	3	3	2	2	2	2	3	2	1	1								
HAMER 4 NW	SNOWFALL	-	-											T						T											
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY	SNOWFALL												1.0	T						2.5	2.0	3.0	3.0								
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY 13 SW	SNOWFALL	T											2.0	1.0			T	1.0	T	7.0	4.0	7.0	2.0								
	SN ON GND	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	29	28	33	30	27	24	21	18	18	17	16	15
IDAHO FALLS CAA AIRPORT	SNOWFALL	2.2	0.1										T	0.6				T		T	1.0										
	SN ON GND	1	2	2	2	T	T								T						1										
IRWIN 2 S	SNOWFALL	4.0	2.0											2.0							4.0	2.0	T	1.0							
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ISLAND PARK DAM	SNOWFALL	8.0	1.0		2.5							1.0	T	3.5				1.0		2.5	5.0	2.5									
	SN ON GND	51	52	-	52	-	-	-	-	-	-	44	44	47	-	-	-	43	-	46	49	48	-	-	-	-	-	-	-	-	-
LEWISTON WB AIRPORT	SNOWFALL																				0.4										
	SN ON GND																				T										
LOWMAN	SNOWFALL	-											1.2				2.0	1.0		1.0		4.0	-								
	SN ON GND	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	19	18	18	16	15	14	13
MACKAY RANGER STATION	SNOWFALL	1.0	0.2											0.3				0.3		0.5	1.2	T									
	SN ON GND	[illegible]	4	3	3	2	2	1	1												1	1									
MALAD CAA AIRPORT	SNOWFALL	2.7	0.6											T							2.0	T	T								
	SN ON GND		3	3	2	T									T						2	1									
MAY RANGER STATION	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	T	-	-	-	T	-	-	T	T	-	-	-	-	-	-	-	-	-
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MC CALL	SNOWFALL			1.0								1.0	2.0	2.0				4.0		10.0	2.0	2.0	3.0	2.0							
	SN ON GND	-	-	-	-	-	-	-	-	-	-	33	33	34	-	-	-	38	-	42	42	-	42	44	-	37	-	-	-	-	30
MESA	SNOWFALL																T					T									
	SN ON GND																														
MULLAN PASS CAA	SNOWFALL	T	0.6	0.4	T		T			T	T	2.1	0.8	T		3.5	4.1	1.6	3.1	3.0	1.6	2.1	0.3	0.3	T	0.5			T	T	0.8
	SN ON GND	86	86	87	87	85	85	84	80	74	72	69	70	71	71	71	76	81	81	83	85	85	86	86	86	80	80	79	76	75	75
NEZPERCE 2 E	SNOWFALL	T	T	T									T				T			3.0	4.5	T	T								
	SN ON GND		T																	T	T										
OAKLEY	SNOWFALL	11.5	T									T						T			T										
	SN ON GND	10	9	7	4	2	1	T																							
OBSIDIAN 4 NNE	SNOWFALL	1.0									T		T	T	T		T	5.0		1.0	3.0	T	T								
	SN ON GND	31	31	31	30	30	30	29	29	29	28	28	28	28	28	28	28	33	32	33	36	36	36	34	32	31	31	30	29	29	28
PIERCE RS	SNOWFALL	-	-	2.0	-	-	-	-	-	-	-	-	-	-	-	-	5.0	-	-	5.5	-	2.0	-	-	-	-	-	-	-	-	-
	SN ON GND	24	24	28	27	24	23	23	22	21	20	20	20	21	21	20	20	21	21	22	28	28	30	28	28	21	20	19	16	14	11
POCATELLO WB AIRPORT	SNOWFALL	2.0	2.0											1.2				T			1.3	0.4	T								
	SN ON GND	1	3	4	4	T	T								1			T			1	T									
	WTR EQUIV		0.4	0.4	0.4																										
POTLATCH	SNOWFALL																			*	2.0										
	SN ON GND																														
PRIEST RIVER EXP STA	SNOWFALL	T										T	T	T		T		T	0.4	T	0.2	T	T			T					
	SN ON GND	5	4	4	4	3	2	1					T																		
ROLAND WEST PORTAL	SNOWFALL	T	2.3	1.7	T	T	T					1.9	2.3	T	T	2.3	9.1	6.3	2.5	6.2	2.6	2.9	T	T		T				T	T
	SN ON GND	72	74	74	68	68	66	64	62	60	57	58	60	60	60	62	64	70	68	70	72	72	70	68	65	64	63	60	58	57	57
SANDPOINT EXP STATION	SNOWFALL	T												T	T	T		1.2	T		2.8	.	T	T							
	SN ON GND	T	T	T	T	T	T	T							T				T		2	T									
SPENCER RS	SNOWFALL	6.0	T	1.0								T	T	2.0						T	3.0	2.0									
	SN ON GND	-	26	-	-	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	21	-	-	-	-	-	-	12
STIBNITE	SNOWFALL	3.0	0.2	1.7	0.2							1.2	1.0	4.2	0.5		T	4.0	0.5	3.5	12.0	2.0	2.3	2.2		T	T				
	SN ON GND	42	42	43	42	41	40	39	38	36	35	36	36	39	39	38	37	41	41	44	48	48	48	49	43	40	38	37	36	35	35
SUN VALLEY	SNOWFALL	2.0	T										T	1.0			T	T	T	7.0	2.0	1.0	T								
	SN ON GND	26	26	26	26	26	25	24	22	21	19	19	19	19	19	19	19	19	19	24	26	26	25	20	20	18	17	15	13	12	11
THREE CREEK	SNOWFALL	12.0										T		3.0							T	1.0									
	SN ON GND	12	12	10	6	3	2							3	1							1									
TWIN FALLS 2 NNE	SNOWFALL	4.5	1.2											T				T			T	T									
	SN ON GND	4	4	2	T																										
WALLACE	SNOWFALL		T	T	T							T	T	T	T	T	T	T	2.0	T	T	T	T	T		T					T
	SN ON GND	4	4	3	T								T	T	T	T	T	T	T	T	T	T	T	T		T					T

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp.	Precip.		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	[illegible]	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BAYVIEW MODEL BASIN	0667	KOOTENAY	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOISE LUCKY PEAK DAM	1018	ADA	8	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK C [illegible]	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD W TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	5P	5P	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL W ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY I RALPH	2 3 5
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAY	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAY	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COUNCIL 1 N	2187	ADAMS	12	44 45	116 26	2950	5P	5P	IAN GOODMAN	2 3 5
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET F STOUT	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	[illegible]	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	[illegible]	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	[illegible]	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	RIVER STATION	
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	[illegible]	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	[illegible]	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 36	5897	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5718	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	C A ROSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA [illegible]	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	S
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN [illegible]	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	5P	5P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	[illegible] A SALLY	2 3 5
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	[illegible]	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	7A	7A	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R F DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD [illegible]	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL PROJECT	S
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	[illegible]	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	MRS [illegible]	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD [illegible]	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD	8628	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELMAN	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM [illegible] ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F [illegible]	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	8P	8P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	[illegible] 43	115 [illegible]	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	[illegible]	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	[illegible] JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT [illegible]	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	[illegible] HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	[illegible] WARD LBR [illegible]	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	[illegible] MILLER	S
REACTIVATED										
STREVELL	8786	CASSIA	12	42 01	113 15	5280	5P	5P	IDAHO STATE POLICE	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station,have been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-102364 900 5-8-53

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

APRIL 1953
Volume LVI No. 4

SAN FRANCISCO: 1953

IDAHO - APRIL 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

For the first time since November monthly mean temperatures were below normal in Idaho. The statewide average temperature was 4° below that of April 1952, and damage from frost was more extensive than usual for the month. Precipitation was above normal in each of the three divisions of the State, in contrast to the deficiencies in March. The average precipitation for the State was more than double that of April 1952, yet it was only 120% of normal.

While all stations recorded average temperatures below the April normal, precipitation totals produced a rather erratic pattern of departures from normal. In the Northern Division all but a few stations reported totals in excess of normal and in the Salmon River drainage positive departures were general also. The principal negative departures occurred in the Weiser River Basin and in the easternmost counties of the State.

Snowfall was unusually heavy for April, averaging 222% of the 60-year mean for the State. Not since 1929 has the average snowfall exceeded five inches in April and only six times in 60 years has this month's average of 5.1 inches been exceeded. Sunshine over most of the State was below normal, as the number of rainy days for all stations averaged above the 60-year mean for April.

No damage from severe storms was reported in Idaho and no flooding occurred with the winter snowpack showing little sign of melting during the month.

Frost damage to fruits was extensive, particularly in the Southwestern Division. Nearly all apricots, which had reached full bloom early in the month, were killed; and damage to cherries was widespread in unheated orchards. Peaches in the Emmett and Sunnyslope areas were damaged to the extent of 50% or more of the potential crop. Some sugar beet fields in the Southwestern Division were thinned by frosts, necessitating replanting.

The cool weather retarded plant growth through much of the month and many raw, windy days hampered field work. Pastures and ranges were generally retarded; but during the third week of the month, and part of the fourth, generally dry and relatively warm weather brought a rapid increase in growth, as well as an increase in field work. Consequently, by the end of the month small grains had been planted in nearly all areas, except for high elevation areas in the east and in the wheat-growing lands of Nez Perce, Lewis and Idaho Counties. Sugar beets were growing well in southwestern counties and planting was well along farther east. Range forage was not up to normal and many cattle were still on feed lots, although at lower elevations they had generally been put on early pasture.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5 30A MST	11 30A MST	5 30P MST	11 30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	26	10.5	37	NW	22	77	48	41	66	7	5	5	0	0	0	17	57	7.4	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-	-		-	-	71	47	38	-	6	8	4	0	0	0	18	-	8.6	
POCATELLO WB AIRPORT	SW	25	12.2	53	W	23	70	44	35	61	9	3	2	1	0	0	15	62	6.1	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1894	44.1	97	6	1.73	-	8
1895	46.5	95	0	.67	-	3
1896	41.5	80	-10	1.59	-	9
1897	45.1	90	6	1.03	-	6
1898	48.3	94	4	.77	-	4
1899	43.0	84	3	1.38	3.3	6
1900	47.6	89	20	1.94	3.2	9
1901	43.2	84	-10	1.01	6.6	6
1902	44.2	87	6	1.20	1.5	8
1903	42.3	86	- 4	1.24	6.3	7
1904	46.2	91	0	1.22	3.0	6
1905	47.1	83	8	1.20	1.1	6
1906	46.5	96	0	1.14	2.5	5
1907	45.2	81	10	1.32	4.0	7
1908	47.1	92	- 6	.75	0.7	5
1909	41.6	80	- 9	.54	1.9	4
1910	50.8	100	7	1.44	1.3	6
1911	42.8	85	-11	1.20	4.9	7
1912	43.8	84	- 7	2.14	4.2	11
1913	46.2	87	0	1.00	0.9	6
1914	47.2	84	- 2	1.62	0.5	9
1915	51.3	95	18	1.43	1.5	8
1916	46.3	90	5	.94	0.8	7
1917	39.0	76	-10	2.14	7.2	10
1918	43.9	85	- 6	.84	1.3	4
1919	46.4	95	4	1.37	1.0	7
1920	40.4	78	-18	2.00	6.7	10
1921	41.8	[illegible]	-10	1.97	4.9	10
1922	39.8	79	-14	1.72	6.8	9
1923	44.0	88	0	1.89	0.9	10
1924	44.5	84	- 4	.52	1.1	4
1925	47.3	86	6	1.80	1.4	8
1926	50.6	96	-11	1.08	1.3	7
1927	43.1	95	-10	1.20	4.0	7
1928	42.4	86	-16	1.24	3.6	9
1929	41.5	80	-11	1.87	5.5	10
1930	50.8	89	10	1.55	0.1	8
1931	45.9	85	- 1	.89	1.0	5
1932	44.8	86	- 5	1.78	2.5	10
1933	42.4	86	-12	.85	2.3	6
1934	52.5	96	- 2	.75	0.5	5
1935	43.6	80	- 2	2.37	2.3	10
1936	46.8	96	-21	.98	2.2	7
1937	41.8	87	- 6	2.19	3.4	11
1938	45.6	86	-11	1.31	0.7	8
1939	47.9	98	- 1	.64	0.7	4
1940	46.6	87	8	2.09	0.4	11
1941	45.6	89	3	1.69	1.6	9
1942	46.6	89	- 3	1.39	1.7	8
1943	49.3	90	14	1.47	0.6	8
1944	44.0	85	1	2.26	3.6	11
1945	41.3	89	-11	1.05	4.4	6
1946	47.8	99	2	.86	1.1	7
1947	45.4	90	- 2	1.04	1.5	8
1948	43.4	87	- 9	2.01	4.4	12
1949	48.5	90	- 2	.54	0.2	4
1950	42.9	85	- 3	.94	1.6	7
1951	46.3	85	2	1.06	0.8	4
1952	46.6	94	- 6	.76	0.6	4
1953	42.6	87	-10	1.64	5.1	9
ALL YEARS	45.9			1.34		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	55.7	35.0	45.4	- 0.9	77	20	21	10	[illegible]	0	0	9	0	3.30	.85	.96	28				18		0
BAYVIEW MODEL BASIN	53.9	32.1	43.0		71	20	19	1+	653	0	0	16	0	1.67		.85	28	.0	0		8	1	0
BIG CREEK 1 S	48.7	20.4	34.6	- 2.1	66	25	0	2	908	0	0	29	1	2.64	1.02	.57	23	21.1	31	14	10	2	0
BONNERS FERRY	57.5	35.7	46.6M	- 0.1	73	20	23	2	546	0	0	10	0	1.71	.65	.63	28		0		11		0
BURKE 2 NNE	44.7	27.2	36.0	- 2.5	58	19+	15	1+	862	0	0	24	0	4.50	2.06	1.32	23	27.9	68	13	12	4	1
CLARK FORK 1 ENE	55.3	31.7	43.5	- 3.4	70	20	21	1+	639	0	0	19	0	3.14	.94	1.18	28	1.0	0		9	2	1
COBALT BLACKBIRD	42.4	18.1	30.3		61	23	2	9+		0	6	28	0	2.97		.56	28	23.6	38	14	16	2	0
COEUR D ALENE CAA AP	53.6	34.2	43.9		69	19+	24	1+	625	0	0	13	0	1.71		.68	28	.1	0		9	1	0
COEUR D ALENE RS	57.7	34.0	45.9M	- 1.1	73	19	22	2	576	0	0	12	0	2.12	.36	1.05	28	T	0		10	1	1
COTTONWOOD	52.9	30.1	41.5	- 1.9	72	25	18	1+	698	0	0	21	0	1.71	- .39	.70	28	.1	T	6	11	1	0
DIXIE	47.5	18.6	33.1		64	25	- 3	2+	949	0	0	29	3	2.71		.68	28	27.6	43	14	11	1	0
ELK CITY	54.2	25.5	39.9		74	25	7	15	747	0	0	26	0	3.27		1.03	28	15.5	3	14	13	2	1
ELK RIVER 1 S	55.2	31.2	43.2		74	25+	21	3	646	0	0	20	0	3.93		1.48	28	T	0		16	1	1
FENN RS	60.1	34.6	47.4	- 3.1	80	25	24	2	523	0	0	11	0	4.29	.85	1.30	23	.0	0		12	3	2
GRANGEVILLE	53.6	31.0	42.3	- 2.6	73	25	19	1	675	0	0	17	0	3.62	1.01	.69	28		0		15	2	0
KELLOGG	55.3	34.6	45.0	- 1.4	75	20	24	1+		0	0	10	0	2.92	.75	1.01	28	T	T	13	14	2	1
KOOSKIA	64.1	36.9	50.5	- 0.1	82	25	23	2	427	0	0	7	0	3.72	1.05	1.27	28	T	0		9	3	1
LEWISTON WATER PLANT	64.4	39.6	52.0	- 1.0	85	25	25	2	383	0	0	6	0	.86	- .26	.26	30	T	0		9	0	0
LEWISTON WB AP	61.2	38.9	50.1	- 1.3	79	20+	25	2	439	0	0	4	0	.90	- .24	.21	30	.1	T	1+	12	0	0
MOSCOW U OF I	56.1	36.0	46.1	- 0.1	76	25	25	2	561	0	0	10	0	1.44	- .15	.31	27	.0	0		12	0	0
MULLAN PASS CAA	36.8	24.7	30.8	- 4.7	60	25	13	10	1020	0	13	26	0	2.28	.06	.48	13	20.6	80	14+	16	0	0
NEZPERCE 2 E	53.3	33.5	43.4		74	25	22	1+	644	0	0	16	0	2.38		.94	28	4.0	T	6	11	2	0
OROFINO	64.1	36.6	50.4M	- 1.0	83	25	25	2	441	0	0	7	0	2.13	.01	.84	28				13	1	0
PIERCE RS	50.6	28.2	39.4M	- 2.9	73	25	12	1+		0	0	23	0	3.72	.34	1.39	28		11	1	10	1	1
PORTHILL	56.6	32.1	44.4	- 1.4	68	19+	21	14	613	0	0	16	0	2.00	1.06	.65	13	10.0	3	13	10	2	0
PRIEST RIVER EXP STA	54.1	31.1	42.6	- 1.3	68	19+	19	2+	663	0	0	17	0	2.47	.56	1.16	28	1.0	0		12	1	1
RIGGINS RS	65.5	38.6	52.1	- 0.5	85	22	27	1	382	0	0	[illegible]	0	2.06	.55	.60	23	.0	0		12	1	0
ROLAND W PORTAL	46.0	27.7	36.9	- 2.8	58	19+	15	1	838	0	1	22	0	3.86	.63	.95	23	27.0	71	14	14	3	0
SAINT MARIES	57.3	31.7	44.5	- 2.9	73	19	20	2	609	0	0	19	0	2.51	.81	1.06	28				12	1	1
SALMON	58.4	27.9	43.2	- 2.7	80	22+	13	2	648	0	0	20	0	1.13	.48	.64	28		2	7	6	1	0
SANDPOINT EXP STA	53.2	33.0	43.1	- 2.9	65	22	22	1+	649	0	0	17	0	3.27	1.38	1.51	28	2.2	1	13	14	2	1
WALLACE	53.7	31.8	42.8	- 3.0	72	25	20	1+	663	0	0	18	0	4.25	1.76	1.07	23		3	13	13	4	1
WALLACE WOODLAND PK	51.3	30.2	40.8M	- 3.4	70	26	20	1+		0	0	20	0	3.44	1.04	.82	23	12.0	6	13	12	2	0
DIVISION														2.69	.71			7.8					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	50.3	22.7	36.5	- 2.6	70	22	7	2	847	0	0	27	0	2.42	.31	.58	28	11.5	12	13+	13	1	0
ANDERSON DAM	57.8	33.8	45.8		78	22+	22	8	569	0	0	13	0	.96		.48	28		0		4	0	0
ARROWROCK DAM	57.1	33.4	45.3	- 3.4	79	23+	23	11		0	0	17	0	1.25	- .34	.55	28	1.0	1	12	12	1	0
ATLANTA 1 E	48.9	24.1	36.5	- 3.7	67	25	6	8	847	0	1	25	0	3.01	1.36	.75	28	26.0	29	9	12	1	0
BLISS	63.0	31.2	47.1M	- 1.7	80	22+	18	3	530	0	0	18	0	1.01	.16	.70	28	1.0	0		7	1	0
BOISE LUCKY PEAK DAM	61.8	34.5	48.2M		81	25	22	1	488	0	0	15	0	1.55		.45	28		0		13	0	0
BOISE WB AP	58.1	34.1	46.1	- 3.8	78	22+	21	1	561	0	0	13	0	1.52	.42	.49	17	.9	T	6+	10	0	0
CALDWELL	63.3	35.2	49.3	- 1.6	80	22	20	2	474	0	0	10	0	1.04	.10	.27	17	T	0		9	0	0
CAMBRIDGE	62.6	30.6	46.6	- 2.6	82	22	19	2	547	0	0	18	0	.69	- .81	.28	28	T	0		6	0	0
CASCADE 1 NW	49.2	26.4	37.8		67	22+	12	2	809	0	0	27	0	1.63		.54	28	9.5	7	6	13	1	0
CHALLIS	55.6	28.6	42.1	- 2.2	83	22	15	2	680	0	0	22	0	1.10	.52	.47	28		1	6	8	0	0
COUNCIL	60.9	33.5	47.2	- 0.4	77	22+	22	15	525	0	0	16	0	1.40	- .86	.34	28	.0	0		7	0	0
DEER FLAT DAM	61.0	35.7	48.4	- 2.2	78	25+	21	2	493	0	0	10	0	.55	- .27	.20	27	.0	0		4	0	0
EMMETT 2 E	62.2	35.0	48.6M	- 3.3	82	26	23	2+	485	0	0	12	0	2.24	1.20	.69	17	.0	0		6	1	0
FAIRFIELD	53.2	26.7	40.0		72	22	11	10	750	0	0	23	0	1.42		.80	28	8.2	2	9	[illegible]	1	0
GARDEN VALLEY RS	61.0	30.7	45.9	- 0.5	78	21	18	2	571	0	0	19	0	1.61	- .17	.54	28	.0	0		9	1	0
GLENNS FERRY	63.9	32.7	48.3	- 3.3	83	22	16	3	494	0	0	16	0	1.12	.36	.43	27+	T	0		8	0	0
GOODING CAA AP	58.0	32.9	45.5	- 1.9	78	22	19	2	578	0	0	15	0	1.05	.11	.74	27	T	T	7+	8	1	0
GRAND VIEW	67.6	34.7	51.2M	- 1.1	85	22+	19	2	414	0	0	13	0	.71	- .17	.47	27	T	0		5	0	0
HAILEY	55.2	27.9	41.6	- 1.3	76	22	15	1+	697	0	0	19	0	1.01	- .14	.40	28	7.0	0		7	0	0
HAZELTON	58.2	32.6	45.4	- 2.4	76	22+	16	2	579	0	0	16	0	.69	- .58	.42	28	1.5	T	7+	6	0	0
HILL CITY	52.	27.6	39.8	- 0.	73	22+	13	2+	[illegible]	0	0	21	0	1.11	.05	.70	28				4	1	0
HOLLISTER	57.1	29.5	43.3	- 2.4	77	27	11	3	666	0	0	17	0	1.05	- .13	.47	28	4.5	1	7	9	0	0
IDAHO CITY	57.6	25.5	41.6	- 2.6	78	22	12	2+	697	0	0	24	0	1.68	.17	.47	28	1.0			12	0	0
JEROME	59.	30.1	44.7	- 3.	78	22+	17	2	600	0	0	20	0	1.42	.44	.66	28	.5	0		6	1	0
KUNA 2 NNE	60.2	32.6	46.4	- 2.9	79	22+	15	2	550	0	0	15	0	1.53	.48	.63	27	.3	0		6	1	0
LOWMAN	64.5	29.1	46.8M	3.7	75	26	18	7	553	0	0	20	0	1.51	- .11	.36	7	9.8			7	0	0
MC CALL	43.1	21.6	32.4	- 5.2	58	20+	[illegible]	2	979	0	4	28	0	3.11	1.20	.59	23		28	1	10		0
MERIDIAN 1 SSW	60.7	35.5	48.1	- 2.3	79	25	23	8+	499	0	0	11	0	1.72	.61	.72	27	.0	0		5	2	0
MESA	58.1	33.5	45.8		76	22	22	1	572	0	0	14	0	2.00		.52	27	T	0		10	1	0
MOUNTAIN HOME	63.6	32.7	48.2	- 0.4	83	26	20	2	503	0	0	16	0	1.09	.15	.38	28	T	0		5	0	0
NAMPA 2 NW	61.2	35.4	48.3		81	26	19	2		0	0	13	0	1.01		.24	28	T	0		9	0	0
NEW MEADOWS RS	54.9	27.5	41.2	- 1.	73	22	14	1+	708	0	0	24	0	2.03	.34	.56	28	3.0	0		11	1	0
OBSIDIAN 4 NNE	43.2	16.0	29.6	- 4.1	60	25	- 3	9	1054	0	2	29	5	1.43	.22	.53	28	5.0	28	1+	11	1	0
OLA 4 S	60.8	30.8	45.8		81	25	18	15	568	0	0	20	0	1.96		.64	28				10	1	0
PARMA EXP STA	62.3	34.4	48.4	- 3.4	79	22+	18	2	494	0	0	10	0	.78	- .05	.24	17	T	0		6	0	0
PAYETTE	62.4	36.0	49.2	- 2.1	80	26	23	2	467	0	0	9	0	1.62	.82	.43	27	T	0		9	0	0
RICHFIELD	56.8	28.9	42.9	- 2.1	75	22	17	2	654	0	0	21	0	1.13	.23	.47	28	.0	0		7	0	0
SHOSHONE	58.9	31.2	45.1	- 1.7	78	22	19	2	588	0	0	17	0	.73	- .23	.16	5	1.5	0		11	0	0
STIBNITE	44.5	19.5	32.0		62	23	4	2+		0	4	27	0	3.37		.54	28	30.3	39	14	15	2	0
SUN VALLEY	51.2	21.0	36.1	- 1.7	71	22	6	2	859	0	0	27	0	.79	- .30	.45	28	.1	8	1+	6	0	0
SWAN FALLS PH	65.7	38.6	52.2	- 1.8	87	22	28	2+	391	0	0	7	0	.64	- .21	.20	27+	.0	0		5	0	0
THREE CREEK	55.5	24.4	40.0M		74	25	9	11+	743	0	0	26	0	2.47	1.13	.65	17	22.0	4	11	11	1	0
TWIN FALLS 2 NNE	60.4	32.9	46.7	- 1.4	78	25+	15	2	544	0	0	14	0	.89	- .22	.49	28	2.5	T	7	5	0	0
TWIN FALLS 3 SE	58.7	32.6	45.7	- 3.0	78	22+	18	3		0	0	18	0	1.14	.07	.55	28	4.6	5	7	5	1	0
WEISER	64.3	34.6	49.5M	- 2.9	82	22+	22	1+	458	0	0	12	0	.92	- .07	.43	27	.0	0		6	0	0
DIVISION														1.42	.20			3.8					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	58.0	27.7	42.9	- 2.2	79	26	11	2	657	0	0	21	0	.56	- .43	.32	5				5	0	0
ALBION	54.5	28.0	41.3	- 3.9	75	25	11	3	705	0	0	22	0	2.84	1.37	.76	17	21.0			9	2	0
AMERICAN FALLS 1 NW	55.9	30.5	43.2	- 2.3	76	26	16	11	646	0	0	18	0	1.37	.05	.39	28	.5	0		7	0	0
ARCO	54.9	27.0	41.0M	- 2.1	75	22	9	3	719	0	0	20	0	1.17	.45	.51	6	T	T	6+	5	1	0
ASHTON 1 S	52.4	26.7	39.6	- 1.4	75	26	[illegible]	8	758	0	0	25	0	.78	- .38	.35	6	2.5	1	6+	3	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
BLACKFOOT	58.9	29.6	44.3	-1.1	79	22+	15	11	616	0	0	21	0	.25	-.71	.18	28	T	0		2	0	0
BURLEY	58.6	33.7	46.2	-1.1	83	27	20	3		0	0	15	0	1.01	-.14	.39	28	2.5	0		10	0	0
BURLEY FACTORY	56.9	30.7	43.8	-3.4	81	27	15	3		0	0	19	0	.88	-.56	.44	28				10	0	[illegible]
BURLEY CAA AP	56.9	31.4	44.2	-3.0	82	26	16	3	619	0	0	18	0	1.57	.76	.51	27	7.8	3	11	11	1	0
CHILLY BARTON FLAT	49.3	22.8	36.1	-3.9	70	26	4	8	863	0	1	26	0	1.60	1.05	.50	7	10.0			6	1	0
CONDA	48.3	24.1	36.2	-3.8	73	27	8	8		0	1	23	0	1.22	-.73	.35	28	12.0			13	0	0
DRIGGS	49.6	22.9	36.3	-1.5	72	27	0	8		0	0	27	1	1.49	.31	.30	7				9	0	0
DUBOIS EXP STA	50.1	26.7	38.4	-4.3	71	22+	15	11	789	0	1	23	0	1.06	.13	.30	28	.0	0		8	0	[illegible]
DUBOIS CAA AP	51.7	26.1	38.9	-5.0	75	26	15	1+	775	0	0	26	0	.92	.02	.39	6	4.7	2	7+	6	0	0
FORT HALL IND AGENCY	57.1	28.1	42.6M	-3.0	78	26	13	3	680	0	0	21	0	1.59	.48	.55	28	T	0		6	[illegible]	0
GRACE	50.7	26.9	38.8	-3.3	73	26	15	2+	780	0	0	22	0	.79	-.59	.30	28	1.5	T	6+	8	0	0
GRAY	48.8	22.3	35.6	-2.3	69	26	2	8	876	0	0	27	0	1.28	-.35	.40	6	14.0	12	1+	6	[illegible]	0
GROUSE	48.5	21.4	35.0		68	22+	-2	8	891	0	1	26	1	1.31	.27	.33	28	10.1	6	7	7	0	0
HAMER 4 NW	55.3	24.1	39.7	-3.0	78	26	10	2	753	0	0	27	0	.53	-.18	.41	6	T			4	0	0
IDAHO FALLS 6 NE	55.5	29.2	42.4		79	26	9	2	673	0	0	18	0	1.35		.75	6	1.5	2	6	5	1	0
IDAHO FALLS CAA AP	54.1	28.4	41.3	-3.6	75	22+	14	2	705	0	0	18	0	1.05	.11	.54	6	6.7	2	6	6	1	0
IRWIN 2 S	53.6	27.3	40.5	0.0	75	22	10	2	729	0	0	21	0	.80	-.26	.39	6				4	0	[illegible]
ISLAND PARK DAM	44.7	15.9	30.3	-6.2	63	26	-10	11	1034	0	1	29	4	1.92	.11	.52	7	14.0			8	[illegible]	0
LIFTON PUMPING STA	47.7	27.4	37.6	-2.5	68	21	17	3+	818	0	3	24	0	1.59	.39	.68	17	6.9	2	9	11	1	0
MACKAY RS	50.7	25.8	38.3	-4.1	72	22	10	8	797	0	0	23	0	1.33	.67	.61	7	7.0	5	7	9	1	0
MALAD	56.1	31.4	43.8	-1.5	78	21	20	3	630	0	0	16	0	1.16	-.39	.45	17	T	T	12	11	0	0
MALAD CAA AP	56.4	28.2	42.3		78	21+	15	3	676	0	0	22	0	.93		.34	17	T	T	7+	12	0	0
MAY RS	54.8	25.6	40.2	-4.3	75	22+	11	2+	735	0	0	22	0	1.44	.92	.48	28	4.4	1	10+	5	0	0
MC CAMMON	57.3	27.8	42.6		79	26	16	1	667	0	0	24	0	.73		.26	17	T	T	6+	6	0	0
MINIDOKA DAM	54.8	32.1	43.5		78	27	21	2	640	0	0	16	0	1.18		.41	28	4.0	0		8	0	0
MONTPELIER RS	53.3	23.0	38.2	-2.7	79	21	12	11	798	0	0	27	0	2.40	.79	.80	17	12.5			12	2	0
OAKLEY	56.9	31.9	44.4	-2.4	77	26	15	2	611	0	0	17	0	1.44	.29	.39	28	4.5	0		13	0	0
PALISADES DAM	51.4	26.3	38.9M		75	26	13	2+	805	0	0	21	0	1.36		.33	28		0		7	0	0
PAUL 1 E	57.7	30.3	44.0	-2.3	77	27	14	3		0	0	20	0	1.04	-.11	.44	28	2.0	0		7	0	[illegible]
POCATELLO WB AP	55.2	31.1	43.2	-3.1	77	26	18	3+	649	0	0	17	0	1.23	-.09	.50	5	1.3	T	7+	6	1	0
PRESTON SUG FACT 2SE	57.4	29.9	43.7	-1.7	77	26	18	3	635	0	[illegible]	18	0	1.86	-.07	.48	28	15.4	T	5+	13	0	0
REACTOR TESTING STA	54.1	25.6	39.9		75	22+	6	2	747	0	0	23	0	.64		.34	5	T	T	1	6	0	0
RUPERT	58.6	30.0	44.3	-2.7	82	27	16	3		0	0	20	0	1.28	.26	.37	28	4.5	3	9	11	[illegible]	0
SAINT ANTHONY	54.2	25.6	39.9		78	26	10	2	745	0	0	24	0	.83	-.23	.30	6		3	6+	6	[illegible]	0
SPENCER RS	48.7	21.2	35.0	-2.8	71	22	7	11	895	0	3	28	[illegible]	1.51	.01	.48	7	T			8	0	0
SPRINGFIELD	56.5	28.4	42.5	-2.0	78	26	10	2	669	0	0	20	0	1.10	.01	.61	5	T	T	T	5	1	0
STREVELL	54.9	29.3	42.1		75	21	12	2	679	0	0	19	0	1.82		.60			6	9	8	2	0
SUGAR	54.8	24.0	39.4M	-3.6	80	26	10	3	762	0	0	26	[illegible]	.43	-.36	.21	28	3.0	2	6+	4	[illegible]	0
TETONIA EXP STA	48.1	21.0	34.6		72	25	10	12	908	0	2	25	0	.45		.22	12				4	0	0
[illegible]			[illegible]	[illegible]										[illegible]	.08			4.8					
[illegible]			[illegible]	[illegible]										1.64	[illegible]			5.1					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.56					.32	.12	.01										[illegible]											[illegible]			•
ALBION	2.84					.18		.10		.32		.35	.01					.76	.24									.67			[illegible]	•
ALPHA 1 NE	2.42					.22	.20	.07	.08	.05		.01	.15	.16	.07									.20				.42	.58		[illegible]	•
AMERICAN FALLS 1 NW	1.37					.25		.02					.03					.24	[illegible]										[illegible]		[illegible]	•
ANDERSON DAM	.96					.03		T							.15													[illegible]	[illegible]		T	•
ARCO	1.17						.51	.07		.02	T							[illegible]											.13			•
ARROWROCK DAM	1.25					.08	.01	.02	T	.08	T		.11		.05			.01	[illegible]					.02				.17	.55	T	[illegible]	•
ASHTON 1 S	.78					.15	.35						T																[illegible]	T		•
ATLANTA 1 E	3.01					.18		.26	.20	.32	.06		.27		.13			[illegible]						[illegible]				[illegible]	[illegible]		.24	•
AVERY RS	3.30					•	.24	.07	.01			•	•	.64	.06	.01						[illegible]	.02	[illegible]	.06		•	.05	[illegible]	.02	[illegible]	•
BAYVIEW MODEL BASIN	1.67			T				.12					.05						.02			.11		.38			T	.12	[illegible]	.02		•
BIG CREEK 1 S	2.64	T				.10		.28	.12	T	.21		.10	.30	.14									[illegible]				T	[illegible]		[illegible]	•
BLACKFOOT	.25					T	.07																						.18			•
BLISS	1.01					.12		.02	T	T	T	.03			.02													.06	.70	T	[illegible]	•
BOISE LUCKY PEAK DAM	1.55					•	.15	.09		.08	T		•	.06	.10			[illegible]						[illegible]				.11	[illegible]	.13	.02	•
BOISE WB AP //R	1.52					.18	T	.01	.02	.14	T	T	.02	.08	T		T	.49					.04				T	.40		.14	T	•
BONNERS FERRY	1.71						.02					•	•	.52	.01							.13		.15			[illegible]	.19	[illegible]	[illegible]		•
BURKE 2 NNE	4.50			T		.05	.01	T				.07	.64	.71	.29	T			T			.26	T	[illegible]			[illegible]	.14	[illegible]	T	.10	•
BURLEY	1.01						.05	.04		.05	.09	.18	.01	.01					.10										.39		.09	•
BURLEY FACTORY	.88					.01	.07	.02	T	.01	.04	.15	.01						[illegible]					•					.44	T	[illegible]	•
BURLEY CAA AP	1.57					.14	T	.03		.17	.10	.11	.02	T	T			[illegible]	.16					T				.51	.12	[illegible]		•
CALDWELL	1.04					.26		T			.02				.02			.27	[illegible]					T				.20	.12	[illegible]	[illegible]	•
CAMBRIDGE	.69								.01		.02							[illegible]										.25	[illegible]		[illegible]	•
CASCADE 1 NW	1.63					.24	.16	.01	.01	.02			.10	.07	.03									[illegible]				.15	[illegible]	.01	[illegible]	•
CENTERVILLE ARBAUGH	2.31					.30	.01	.18	T	.34	.04		.14	.01	.10		T	.01	T					[illegible]				[illegible]	.56		.18	•
CHALLIS	1.10					.10	.08	.05	.05	T	.18		T		T									[illegible]					[illegible]		[illegible]	•
CHILLY BARTON FLAT	1.60					.10	.25	.50																T					.49	[illegible]	[illegible]	•
CLARK FORK 1 ENE	3.14						.25	.20				.05		.32								[illegible]		[illegible]				[illegible]	[illegible]	.05		•
COBALT BLACKBIRD MINE	2.97	T				.09	.06	.50	.46	.22		.05	.10	.08	.20			.12	•					[illegible]	[illegible]				[illegible]	.06	[illegible]	•
COEUR D ALENE CAA AP	1.71	T		T	T	.02	.07	T				T	T	T					T			[illegible]	[illegible]	[illegible]			.04	[illegible]	[illegible]		[illegible]	•
COEUR D ALENE RS	2.12					.11	.03	.07					T	T	.01							[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	.07	[illegible]	•
CONDA	1.22		T		T		.13	.10	.23	.06	.02		.01	.04	.05			[illegible]	.09										.35	[illegible]	.02	•
COTTONWOOD	1.71					.05	.16	.06	T			T	T	[illegible]	.02			[illegible]				[illegible]		.23			[illegible]	.04	.70		[illegible]	•
COUNCIL	1.40					.25	T	T	T	T	T		T	.01	.05									.28				[illegible]	[illegible]		[illegible]	•
CROUCH 2 NNW	1.64					.18							[illegible]											.35				[illegible]	[illegible]		•	•
DEER FLAT DAM	.55																		[illegible]									[illegible]	.10	[illegible]		•
DIXIE	2.71	T				.17	.08	.12	[illegible]		T	.06	.35	.16	[illegible]			T				T		.22					[illegible]		.28	•
DRIGGS	1.49					.16	.23	.30					.05	.23	.05														.18	[illegible]	[illegible]	•
DUBOIS EXP STA	1.06					.13	.24	.25	.01				[illegible]											.09					[illegible]		[illegible]	•
DUBOIS CAA AP	.92			T	T	.05	.39	.19	T	T	T	T	T											.09				T	.12	T	[illegible]	•
ELK CITY	3.27		T			.12	.06	.22				.01	.18	[illegible]	.29			[illegible]				.02		[illegible]		.02			[illegible]		.28	•

DAILY PRECIPITATION

Table 3–Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ELK RIVER 1 S	3.93	.11	.06			.26	.08	.09				.08	.27	.39	.22	.02						.07		.43	.02		T	.06	1.48		.31	
EMMETT 2 E	2.24					.31				.46								.69						.12				.35	.31			
FAIRFIELD	1.42					.02		.06		.42	T	T	T	T	.04			T	.02					.01				.05	.80			
FENN RS	4.29	T				.40	.15	.18				.10	.10	.07	.20							.07		1.30	.04				1.07	T	.61	
FORT HALL IND AGENCY	1.59					.35	.51	.03					T					.10	.05										.55			
GARDEN VALLEY RS	1.61					.25	.05		.13	T		.02		.06										.15				.23	.54		.18	
GLENNS FERRY	1.12					.06		[illegible]	T		.04													.03				.43	.43	.03	.04	
GOODING CAA AP	1.05					.10	T	.08		T	T	T	.03	T	T			.01	T									.74	.06	.02	.01	
GRACE	.79					.08	.06			.10	.04	T	T		.02			.18	T									T	.30		.01	
GRAND VIEW	.71					.12		T										T						.03				.47	T	.02	.07	
GRANGEVILLE	3.62	T			T	.24	.63	.47	.01			T	.02	.03	.02		T	.19					.25	.34			.01	.38	.69	.01	.33	
GRAY	1.28					.08	.40	.20	.10	.20																			.30			
GROUSE	1.31						.29	.25		T	.04	.01						.21											.33	.18		
HAILEY	1.01					.13		.28		.09								.07	T									.01	.40		.03	
HAMER 4 NW	.53					.02	.41	.07				T	T														T	.03				
HAZELTON	.69					.11		.04	T	T	T	.01	T	T				T	.03									T	.42		.08	
HILL CITY	1.11					T				.08	T	T	T		.07									T				.26	.70		T	
HOLLISTER	1.05					.11		.11		.04		.08		.04				.05										.03	.47		.12	
HOWE	.95						.82	.05	T		T								T										.08	T		
IDAHO CITY	1.68					.18	.03	.17	.02	.12		.02	.12		.14									.06				.23	.47		.12	
IDAHO CITY 13 SW	.87					.06	T	T	T	T	T	T	.17	T	.06			T										.39	.18	T	.01	
IDAHO FALLS 6 NE	1.35		T			.30	.75	.07					T																.16		.07	
IDAHO FALLS CAA AP	1.05	T				.23	.54	.03			T	T	T	T	T													.02	.20	T	.03	
IRWIN 2 S	.80					T	.39	.18		.08																		.15			T	
ISLAND PARK DAM	1.92					.13	.50	.52					.10											.21					.28	.14	.04	
JEROME	1.42					.18		.23		T	T	T	.05					T	.11									T	.66		.19	
KAMIAH 1 NE	2.43					.25	.02	.18	.06				.01	.01	.07	T		.04					.02	.39	.04	T			.94	.12	.28	
KELLOGG	2.92					.08	.08	.09					.03	.20	.18								.20	.56	.16		.03	.09	1.01	.18	.03	
KOOSKIA	3.72			T		.25	.31	.50	T				.06		.04			T				.03		.93					1.27		.33	
KUNA 2 NNE	1.53					.18		T					T		.15			.38						T			T	.63	.10	.09	T	
LEWISTON WATER PLANT	.86	T				.06		.14	.02				T									.02		.12			T	.11	.07	.06	.26	
LEWISTON WB AP R	.90	.02				.05	T	.09	.05			.02	.02		T		T	.01				.05	T	.14			T	.10	.14	T	.21	
LIFTON PUMPING STA	1.59					T	.03	.10	.15	.30	T	.04	.03	T	.04			.68	.07					T					.12		.03	
LOWMAN	1.51					.18		.36	.25	.28	.08																	.16			.20	
MACKAY RS	1.33	.01					.07	.61										.03	.09					.06					.40	.05	.01	
MALAD	1.16					.18	.08	.06	.06	.02	T	T	.05	.03	T			.45	.03										.19		.01	
MALAD CAA AP	.93					.12	.10	.05	.01	T			.09	.01	.01			.34	.01									.08	.10		.01	
MAY RS	1.44						T	.09	T		.29		T					.25						T				T	.48		.33	
MC CALL	3.11					.23			.02	*	.54			.47	.32									.59				.08	.52		.34	
MC CAMMON	.73					.16	T	T						.04				.26	.15										.09	.03	T	
MERIDIAN 1 SSW	1.72					.25												.58										.72	.11	.06		
MESA	2.00					.26		.10	.10	.09	.05		T	T	.09									.20				.52	.37	T	.22	
MINIDOKA DAM	1.18					.17		.02		.20	.02							.15	.01										.41		.20	
MONTPELIER RS	2.40					.02	.50			.32	.01	.02	.08	.02	.03			.80	.22										.33		.05	
MOSCOW U OF I	1.44	.02				.04		.14	.02			T	.09	T	.04								.02	.22			.06	.31	.27	T	.21	
MOUNTAIN HOME	1.09					.02		.07		T			T															.35	.38		.27	
MULLAN PASS CAA	2.28	T		.01	T	.11	.13	.04				.16	.27	.48	.05		T	T	T			.04	.26	.25			.03	.05	.37	.01	.02	
NAMPA 2 NW	1.01					.21		T	.01	T	T		T		.03			.06	.16					.03				.20	.24		.07	
NEW MEADOWS RS	2.03					.19		.02	.07		.27		.04	.11	.07									.33				.11	.56		.26	
NEZPERCE 2 E	2.38	.01				.20	.14	.13					T	.05	.05			.05				.03		.24			T	T	.94	T	.54	
OAKLEY	1.44					.14		.05	.04	.22	.04	.05	.02	.02	.10			.16	.07										.39		.14	
OBSIDIAN 4 NNE	1.43					.08		.17	.10	.01	T	T	.06		.05			.12						.11				.01	.53		.19	
OLA 4 S	1.96					.19	.06	.04	T	.49				T				.10	.01									.36	.64	.02	.05	
OROFINO	2.13	.03	T	T	.16	.03	.07	T				T	.18	.13	.12								.03	.13				.03	.84	.02	.36	
PALISADES DAM	1.36					.25	.32	.15	T	.07			.07	T	T			.17											.33	T	T	
PARMA EXP STA	.78					.23					.05							[illegible]						T				.11	.12	.03		
PAUL 1 E	1.04						.10		.02		.19	T	.04						.15										.44		.10	
PAYETTE	1.62					.31		T		.14					.04			.36						.24			.02	.43	.07	.01		
PIERCE RS	3.72					.30		.17				.25	.13	.35	.35									.41					1.39	.20	.17	
PINE 2 SSW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.27				.53	.52		.03	
POCATELLO WB AP //R	1.23				T	.50	T	.07	T			T	T	T	T			.05	T									.41	.14	T	.06	
PORTHILL	2.00						T	T				.07	.03	.65	.08								.05	.14			.10	.08	.60	.20		
PRESTON SUG FACT 2 SE	1.86					.14	.02	.17		.23	.01	T	.06	.04	.05			.38	.17					.01					.48		.10	
PRIEST RIVER EXP STA	2.47	T		T		.09	.08	.01				T	.05	.01	.10					T		T		.48			.04	.36	1.16	.06	.03	
REACTOR TESTING STA	.64	T				.34	.14	T		.02					T			T										.02	.11		.01	
RICHFIELD	1.13					.07		.03		.23		.10						.09	.14										.47			
RIGGINS RS	2.06					.13	.09	.20	.23			.04	.24	.09	.04									.60				.01	.22		.17	
ROLAND W PORTAL	3.86	T		T	T	.15	.03	.10				.02	.31	.70	.21	T			T			.07	.03	.95	.20		T	.10	.93	.06	T	
RUPERT	1.28						.06	.02	.02	.20	.05	.15	.03	.02					.20										.37		.16	
SAINT ANTHONY	.83					.14	.30	.15					.02																.20	.02		
SAINT MARIES	2.51					T	.08	.13				.03	.04	.12	T							.06	.12	.34			.07	.30	1.06		.16	
SALMON	1.13					T	T	.30						T	.02		.01	.09						.07					.64		T	
SANDPOINT EXP STA	3.27	T			T	.06	.27	.02				T	.05	.11	.01				.02			.05		.83			.03	.19	1.51	.10	.02	
SHOSHONE	.73					.16		.04	T	.04	.06	T	.02		.09			T	.06									.02	.13	.01	.10	
SPENCER RS	1.51				.10	.15	.10	.48	.07																				.42	.02	.17	
SPRINGFIELD	1.10					.61	.15	.02																					.30		.02	
STIBNITE	3.37					.09	.06	.10	.21	.04	.48	.01	.20	.33	.37	T								.51	.06			T	.54	.09	.28	
STREVELL	1.82					.23	.03	T	.01	.25		T			.04			.60	T										.60		.06	
SUGAR	.43		T			.13	.04	.05					T																.21			
SUN VALLEY	.79					.04	T	.17		T	T	T	T					.02	T					T				T	.45	.08	.03	
SWAN FALLS PH	.64					.09	T	T		T								.05										.20	.20	.10	T	
TETONIA EXP STA	.45											.07	.22																.13		.03	
THREE CREEK	2.47					.15	.15	.46	.10		.26	.14		.03	.03			.65											.39		.11	
TWIN FALLS 2 NNE	.89					.08		.15	T	T	T		T		T			T	.06									T	.49	T	.11	
TWIN FALLS 3 SE	1.14					.11		.40	T	.01	T		T																.55		.07	
WALLACE	4.25	T		T		.20	.08	.10	T			.02	.51	.64	.27							.09	T	1.07			.07	.22	.86	.12		
WALLACE WOODLAND PARK	3.44					.10	.05	.10					.28	.35	.32								.15	.82	.28			.11	.78	.10		
WEISER	.92					.16				.23				T										.04				.43	.04	.02		

DAILY TEMPERATURES

able 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ERDEEN EXP STA	MAX	49	46	60	61	57	42	37	46	43	45	43	45	48	48	55	64	59	56	65	74	77	78	75	67	72	79	74	64	56	54		58.0
	MIN	21	11	13	28	33	29	27	22	28	24	15	24	20	29	16	33	41	29	25	28	39	35	43	24	25	34	37	38	27	32		27.7
RION	MAX	46	49	59	58	51	44	35	37	41	38	36	36	49	47	58	62	59	63	71	71	71	69	61	71	75	66	57	54	50	50		54.5
	MIN	23	12	11	29	24	28	22	17	22	16	21	23	29	28	20	28	39	30	28	31	37	40	48	26	37	37	38	34	32	30		28.0
PHA 1 NE	MAX	38	44	51	51	45	39	36	40	38	37	38	39	40	40	52	57	49	57	64	68	67	70	60	[illegible]	69	68	55	47	49	40		50.3
	MIN	10	7	12	16	31	30	22	11	20	19	14	23	25	13	11	27	28	22	22	23	27	28	36	24	24	34	40	32	22	29		22.7
ERICAN FALLS 1 NW	MAX	47	44	59	59	55	44	37	42	43	42	41	40	48	47	54	62	57	54	62	70	72	73	71	63	72	76	70	65	54	53		55.9
	MIN	27	19	19	27	33	29	26	23	28	24	16	27	27	29	21	36	36	33	31	33	36	40	47	35	32	41	43	34	32	30		30.5
DERSON DAM	MAX	47	49	62	61	55	50	39	46	46	46	45	47	45	44	59	61	58	63	68	76	73	78	74	66	78	72	[illegible]	56	55	48		57.8
	MIN	26	24	25	32	41	30	31	22	37	37	25	34	32	36	26	24	39	38	38	34	39	40	48	37	36	45	45	38	31	23		33.8
CO	MAX	47	45	57	57	54		37	42	40	36	37	40	44	47	53	59	54	55	64	70	72	75	74	65	71	72	63	60	51	50		54.9
	MIN	17	15	9	31		30	24	21	22	18	17	16	15	23	19	35	34	27	26	33	38	43	38	36	26	34	36	39	29	31		27.0
ROWROCK DAM	MAX	49	46	52	61	61	61	40	40	40	47	48	45	45	48	49	59	65	50	65	70	75	74	79	60	67	79	75	60	50	53		57.1
	MIN	25	25	27	30	30	31	32	27	31	27	23	29	30	32	26	32	38	33	35	39	41	42	45	34	41	41	47	41	30	38		33.4
HTON 1 S	MAX	44	42	52	50	45	40	43	40	46	43	51	39	46	45	52	51	53	55	59	63	63	64	59	59	66	75	70	59	48	49		52.4
	MIN	18	17	18	28	29	30	27	8	15	23	27	25	27	26	19	32	33	28	32	33	32	29	25	27	28	34	33	32	32	33		26.7
LANTA 1 E	MAX	39	41	51	50	51	48	32	40	39	41	37	38	35	39	50	53	48	50	55	64	64	65	65	58	67	65	51	46	41	44		48.9
	MIN	14	10	16	21	27	27	21	6	18	10	10	19	19	15	14	30	29	26	31	32	36	35	37	28	31	40	38	32	24	27		24.1
ERY RS	MAX	48	54	48	58	47	40	[illegible]	45	47	52	46	46	42	44	57	59	58	58	64	77	72	[illegible]	58	65	66	62	71	[illegible]	56	56		55.7
	MIN	29	30	32	32	41	37	33	35	27	21	36	36	37	29	28	34	40	32	33	40	43	40	42	36	42	46	33	35	35	35		35.0
YVIEW MODEL BASIN	MAX	43	44	45	50	54	53	49	48	45	46	47	54	49	48	57	56	54	56	60	71	69	63	60	62	61	60	[illegible]	50	51	52		53.9
	MIN	19	21	23	26	40	33	33	41	38	28	28	32	21	19	22	29	40	31	31	41	43	46	42	37	30	31	30	39	34	34		32.1
G CREEK 1S	MAX	36	43	51	54	46	44	36	35	38	37	39	37	37	41	51	52	47	53	60	62	62	64	50	58	66	64	56	52	46	44		48.7
	MIN	8	0	7	20	31	26	23	21	6	12	11	21	22	19	7	27	29	23	15	19	25	24	32	21	20	27	34	32	23	26		20.4
ACKFOOT	MAX	53	47	60	60	59	56	38	46	45	45	45	45	49	49	56	65	56	57	67	75	76	79	74	67	73	79	72	65	57	52		58.9
	MIN	26	16	17	30	31	30	26	21	24	22	15	26	26	28	20	35	36	27	26	31	38	41	46	29	32	44	44	36	31	33		29.6
ISS	MAX	50	53	67	64	59	50	44	51	54	50	52	56	54	56	61	68	65	66	72	78	79	80	77	69	80	79	73	59	60			63.0
	MIN	27	21	18	28	37	28	30	26	23	20	25	22	28	22	21	29	44	31	41	36	37	39	42	37	30	50	43	40	31			31.2
ISE LUCKY PEAK DAM	MAX	49	58	63	61	60		42	49	53	47	49		52	51	63	68	62	65		78	80	80	78	[illegible]	81	78		63	59	53		61.8
	MIN	22	27	32	28				26	32	26	23	31		32	30	39	39	34	43		45	46	41	36	41	48		40	31	35		34.5
ISE WB AP	MAX	48	54	61	61	55	43	42	48	48	46	48	48	51	51	59	65	50	63	71	75	72	78	62	64	78	77	62	53	58	52		58.1
	MIN	21	22	33	28	35	29	28	22	32	27	23	31	33	32	27	37	40	33	44	39	44	44	46	35	40	52	44	36	31	35		34.1
NNERS FERRY	MAX	49	55	50	58	58	46	49	54	54					48	57	63	61	60	72	73	59	64	60	[illegible]	64	55	57	51	58	54		57.5
	MIN	24	23	24	26	39	35	38	36	30					28	27	37	34	34	30	42	46	43	45	49	34	45	47	40	39	33		35.7
RKE 2 NNE	MAX	37	41	40	48	47	37	39	38	36	39	37	33	33	36	43	51	49	47	58	57	56	52	45	[illegible]	58	56	[illegible]	45	43	42		44.7
	MIN	15	16	20	22	32	29	27	31	25	15	24	26	25	23	16	25	31	25	27	32	35	33	34	[illegible]	28	35	35	32	32	37		27.2
RLEY	MAX	54	50	55	67	63	50	40	44	43	43	46	45	43	51	51	60	66	53	61	68	78	78	79	63	69	78	83	70	51	57		58.6
	MIN	32	21	20	27	38	31	26	26	29	27	26	28	29	31	26	35	39	39	34	35	44	45	50	38	37	49	46	39	30	33		33.7
RLEY FACTORY	MAX	52	48	51	64	60	50	39	41	42	41	44	43	44	49	49	58	65	53	60	68	76	76	78	62	66	71	81	71	49	56		56.9
	MIN	28	17	15	24	34	29	25	24	28	25	25	26	24	30	21	31	39	38	30	32	38	40	48	34	34	44	41	37	27	32		30.7
RLEY CAA AP	MAX	49	51	64	59	50	40	40	42	42	44	43	43	49	49	58	65	53	58	67	75	75	77	62	65	76	82	70	[illegible]	58	50		56.9
	MIN	24	17	16	31	38	29	26	26	28	26	25	26	26	30	21	33	40	38	32	32	38	42	47	38	35	39	44	34	30	32		31.4
LDWELL	MAX	53	59	66	65	61	53	47	53	53	53	54	55	59	53	62	68	63	67	74	79	79	80	76	70	79	78	[illegible]	[illegible]	60	56		63.3
	MIN	26	20	25	33	45	32	33	24	34	27	30	33	34	37	23	32	42	36	45	37	38	42	47	40	35	49	51	41	30	35		35.2
MBRIDGE	MAX	50	53	63	60	57	51	49	50	51	50	52	51	56	57	59	67	63	73	77	80	81	82	80	79	69	63	75	60	59	62		62.6
	MIN	20	19	22	25	24	25	22	23	28	31	22	27	30	21	30	36	42	30	32	39	38	39	39	40	37	38	40	38	26	34		30.6
SCADE 1 NW	MAX	37	42	49	50	50	41	33	36	38	37	37	38	39	38	48	50	47	52	63	64	63	67	[illegible]	57	67	66	56	49	48	47		49.2
	MIN	17	12	23	25	32	25	26	16	19	22	18	24	26	24	16	30	32	26	27	27	31	32	39	27	29	37	43	32	25	30		26.4
ALLIS	MAX	50	45	59	58	53	48	39	41	43	38	40	41	45	48	55	56	53	54	64	70	73	83	72	62	71	77	68	59	53	51		55.6
	MIN	20	15	20	28	32	32	27	21	20	21	17	25	24	21	20	34	37	29	27	30	35	35	45	[illegible]	30	39	43	37	32	31		28.6
ILLY BARTON FLAT	MAX	44	40	53	51	46	40	30	36	33	34	37	36	42	40	51	53	50	51	55	66	68	69	60	58	65	70	[illegible]	52	46	43		49.3
	MIN	12	8	12	24	28	26	21	4	14	16	16	18	16	22	18	33	32	27	23	20	27	26	37	27	20	28	33	37	30	28		22.8
ARK FORK 1 ENE	MAX	48	51	46	56	55	54	51	48	48	49	47	45	45	45	55	63	59	56	69	70	66	63	54	62	65	62	61	55	57	54		55.3
	MIN	21	22	22	24	26	31	31	34	28	21	28	33	31	29	25	30	29	32	27	39	47	40	42	36	29	43	46	39	35	31		31.7
BALT BLACKBIRD MINE	MAX	40	30	37	48	46	37	32	31	26	31	30	34	33	34	34	47	45	41	44	52	59	58	61	45	49	58	[illegible]	52	35	42		42.4
	MIN	9	3	8	16	25	22	18	17	2	2	6	12	14	14	4	12	24	22	21	24	30	29	32	22	24	33	33	26	20	20		18.1
EUR D ALENE CAA AP	MAX	45	50	47	57	54	41	47	46	46	47	47	44	45	48	55	61	56	55	[illegible]	69	59	62	59	61	65	61	59	51	57	[illegible]		53.6
	MIN	24	24	27	27	41	32	32	34	29	26	32	32	33	25	25	33	36	35	33	42	48	45	43	36	32	46	47	34	37	36		34.2
EUR D ALENE RS	MAX	48	53	50	58		50	49	47	52	52	50	46	48	49	58	66	62	64	73	72	67	65	59	61	70	67	[illegible]	59	60	58		57.7
	MIN	23	22	23	28	41	33	33	33	31	24	31	33	34	28	25	30	40		30	43	42	47	45		31	47	[illegible]	35	36	37		34.0
NDA	MAX	46	44	39	53	47	40	40	37	38	35	37	34	33	39	32	48	52	44	47	55	[illegible]	70	71	59	57	65	73	61	41	43		48.3
	MIN	24	10	13	19	19	27	19	8	22	14	10	20	24	25	15	27	32	29	20	33	33	34	38	24	25	33	39	36	22	28		24.1
TTONWOOD	MAX	40	48	53	57	49	43	33	43	44	43	43	42	42	43	50	58	54	61	69	70	62	67	55	60	72	69	[illegible]	49	54	49		52.9
	MIN	18	18	24	24	36	28	27	25	24	22	25	27	27	27	25	35	35	32	29	41	42	34	40	30	31	45	41	31	28	31		30.1
UNCIL	MAX	59	52	68	63	63	57	54	49	47	51	49	47	50	51	58	63	60	70	72	75	75	77	77	87	73	75	66	55	54	51		60.9
	MIN	29	23	24	32	42	31	34	24	30	29	25	31	33	32	22	39	43	32	32	36	38	38	46	33	34	45	50	40	27	32		33.5
ER FLAT DAM	MAX	50	55	65	63	57	48	44	48	53	53	56	55	60	55	61	65	57	63	75	76	74	77	65	66	78	78	62	56	58	56		61.0
	MIN	28	21	23	32	44	32	34	25	32	27	36	35	36	36	25	33	43	37	43	35	37	46	48	41	36	50	52	41	29	35		35.7
KIE	MAX	36	40	51	51	46	35	36	42	39	39	39	37	39	38	46	53	45	52	60	61	60	62	54	54	64	61	55	47	45	38		47.5
	MIN	0	- 3	5	13	32	25	23	12	7	1	12	22	20	21	- 3	26	30	21	14	20	26	23	33	23	19	28	31	31	22	25		18.6
IGGS	MAX	49	40	39	53	49	45	42	35	41	45	36	35	38	33	38	48	53	49	51	57	67	69	70	56	56	65	72	66	46	45		49.6
	MIN	19	7	9	26	24	24	21	0	16	16	12	22	23	23	12	32	29	21	20	20	38	32	38	23	24	32	35	28	30	30		22.9
OIS EXP STA	MAX	46	39	49	49	48	36	32	33	33	33	35	35	43	42	51	53	50	47	56	66	70	71	70	[illegible]	64	71	69	57	[illegible]	47		50.1
	MIN	20	16	18	28	31	29	23	16	17	18	15	21	21	20	22	28	31	25	25	30	37	36	39	29	33	37	43	37	29	28		26.7
OIS CAA AP	MAX	40	43	52	52	41	37	36	39	36	36	41	40	48	47	53	58	48	50	61	69	73	73	61	63	67	75	65	50	51	45		51.7
	MIN	15	17	15	28	31	28	24	15	21	21	17	21	19	23	18	27	30	27	25	29	32	32	39	30	30	35	42	38	28	26		26.1
CITY	MAX	38	48	53	57	53	40	36	42	44	43	48	41	42	39	52	55	57	60	69	71	67	70	69	59	74	71	67	59	55	48		54.2
	MIN	10	10	14	21	34	29	28	25	17	15	21	27	28	27	7	30	32	29	20	25	34	35	31	27	26	31	39	32	31	30		25.5
RIVER 1 S	MAX	44	51	52	55	51	41	44	46	47	45	43	40	45	45	55	58	60	63	70	70	66	67	60	60	74	74	62	60	55	54		55.2
	MIN	23	25	21	34	33	31	30	37	31	31	25	31	25	25	25	29	31	31	31	29	41	37	42	31	30	37	[illegible]	33	31	33		31.2
ETT 2 E	MAX	52	58	62	64	61	54	45	53	49	50	53	52	56		63	66	52	66	75	77	76	79	76	68	80	82	65	58	60	52		62.2
	MIN	25	23	27	28	45	31	33	23	32	31	28	34	25		26	33	43	34	38	39	42	44	47	35	38	52	52	42	31	33		35.0
RFIELD	MAX	39	41	54	54	51	44	37	40	39	39	40	39	43	42	51	58	55	56	62	70	70	72	70	65	70	71	70	[illegible]	50	45		53.2
	MIN	18	14	15	14	33	28	25	18	24	11	20	22	24	21	21	30	35	29	30	30	34	36	42	[illegible]	28	41	40	31	[illegible]	29		26.7
N RS	MAX	48	55	59	65	50	46	43	53	54	54	50	45	51	48	61	65	63	70	77	75	66	74	62	67	80	76	71	59	64	52		60.1
	MIN	25	24	25	30	38	36	34	32	26	26	28	34	33	32	30	37	40	38	31	35	42	45	44	41	36	41	46	38	36	35		34.6
T HALL IND AGENCY	MAX	49	46	59	59	45	41	37	45		44	43	44	49	47	55	62	59	57	67	73	75	78	74		71	78	74	65	54	52		57.1
	MIN	23	14	13	31	33	31	26	20		22	16	27	28	29	19	36	37	[illegible]	24	28	34	37		28	29	36	41	31	32	33		28.1
DEN VALLEY RS	MAX	49	55	63	65	62	50	49	46	48	49	46	53	49	62	66	60	65	73	76	75	78	76	63	[illegible]	77	75	68	56	55	52		61.0
	MIN	20	18	21	25	38	30	22	31	27	24	30	34	27	21	[illegible]	29	34	29	30	34	26	43	44	[illegible]	30	40	[illegible]	41	28	[illegible]		30.7
NNS FERRY	MAX	52	57	69	67	60	52	47	50	54	53	53	57	60	54	63	70	65	68	74	78	80	83	74	72	80	[illegible]	70	56	62	55		63.9
	MIN	29	21	16	32	40	31	31	24	24	23	23	21	24	33	21	29	44	36	46	40	34	38	51	39	30	[illegible]	47	42	29	36		32.7
IDING CAA AP	MAX	46	50	63	60	55	42	40	47	47	48	45	[illegible]	52	48	58	65	53	62	75	75	76	78	62	[illegible]	76	77	67	51	58	50		58.0
	MIN	26	19	26	30	38	28	25	25	27	25	24	28	26	31	25	35	42	33	39	42	42	45	44	36	33	49	[illegible]	35	31	33		32.9
CE	MAX	47	44	56	50	43	42	36	41	34	38	35	41	35	42	51	57	46	49	58	69	70	71	[illegible]	59	66	73	68	[illegible]	49	45		50.7
	MIN	27	15	17	27	26	25	20	16	20	16	15	27	24	27	19	33	34	31	24	29	34	35	39	30	28	35	[illegible]	36	[illegible]	31		26.9
ND VIEW	MAX	57	58	68	68	69	60	44	54		55	54	55	59	59	66	73	72	69	75	82	83	85	84	79	84	85	82	58	61	61		67.6
	MIN	27	19	21	35	44	32	35	24		24	[illegible]	36	27	31	22	32	42	36	36	38	40	41	49	42	33	50	51	43	32	37		34.7
NGEVILLE	MAX	41	49	55	58	50	40	42	45	45	45	45	42	42	41	[illegible]	57	52	62	68	72	65	68	55	[illegible]	73	68	[illegible]	47	55	[illegible]		53.6
	MIN	19	20	26	26	35	27	26	25	24	22	27	27	27	27	24	37	34	34	33	39	43	40	37	38	33	44	43	31	31	31		31.0
	MAX	36	40	47	48	44	44	45	44	37	35	34	34	35	35	36	52	54	52	53	64	65	65	64	[illegible]	62	69	60	55	50	44		48.8
	MIN	8	12	20	22	25	26	26	[illegible]	16	10	5	8	20	22	25	10	25	26	22	32	35	33	32	25	30	30	35	31	30	27		22.3
USE	MAX	40	37	52	51	50	39	37	40	33	39	[illegible]	32	36	39	46	51	44	49	56	63	67	[illegible]	58	61	65	68	57	50	47	45		48.5
	MIN	7	3	7	29	30	25	21	- 2	[illegible]	17	9	11	20	20	14	30	33	22	21	22	25	27	35	24	24	29	34	37	30	30		21.4
LEY	MAX	45	43	58	54	52	49	38	43	39	41	42	37	43	48	53	57	57	55	62	71	70	76	74	68	72	73	67	67	52	49		55.2
	MIN	15	15	18	29	35	23	24	15	22	19	19	20	19	22	21	35	37	36	20	32	37	37	42	31	34	40	40	40	32	29		27.9
R 4 NW	MAX	50	45	54	55	48	40	37	42	42	39	44	43	51	50	55	59	55	50	62	71	77	76	74	65	70	78	[illegible]	55	59	52		55.3
	MIN	15	10	11	26	24	32	26	20	17	23	12	19	21	21	14	30	35	22	20	20	22	31	42	25	24	30	41	32	29	[illegible]		24.1

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
HAZELTON	MAX	47	52	63	61	56	50	39	40	45	43	45	46	49	49	57	65	61	59	68	75	75	76	70	65	75	76	71	58	55	55	
	MIN	28	16	20	32	37	28	26	25	26	26	27	27	27	29	25	33	38	38	34	35	36	47	49	35	32	43	45	46	28	40	
HILL CITY	MAX	38	41	51	[illegible]	48	37	35	40	37	43	40	39	43	42	52	58	54	57	61	72	72	73	57	65	72	73	60	52	50	44	
	MIN	20	13	13	23	33	22	24	18	25	18	21	24	27	25	23	28	36	27	30	28	35	37	43	33	30	41	39	35	28	29	
HOLLISTER	MAX	48	44	49	64	56	48	45	35	41	41	42	45	47	49	58	64	56	60	68	74	71	75	69	71	74	76	77	64	55	48	
	MIN	22	14	11	24	32	24	24	20	28	23	24	22	23	29	23	34	37	38	33	38	41	42	33	37	36	34	42	38	27	31	
IDAHO CITY	MAX	46	52	62	63	58	46	40	48	45	42	44	42	46	46	59	60	58	63	68	75	73	78	75	68	75	75	65	56	53	48	
	MIN	15	12	16	20	34	23	28	14	27	22	12	22	26	21	16	28	31	24	24	27	30	31	38	24	26	37	43	37	23	33	
IDAHO FALLS 6 NE	MAX	[illegible]	44	55	54	54	38	35	42	41	42	42	42	47	49	53	60	56	55	63	71	75	75	73	64	70	79	72	62	53	52	
	MIN	23	9	18	28	33	31	21	19	23	21	13	27	29	25	17	35	37	23	29	35	40	35	49	26	30	47	48	38	33	34	
IDAHO FALLS CAA AP	MAX	47	47	55	59	43	39	35	43	42	41	40	42	46	48	52	61	55	55	65	72	74	75	64	65	70	75	65	47	53	48	
	MIN	20	14	16	29	33	28	26	20	23	22	15	26	28	23	20	37	34	29	24	29	39	39	38	29	33	35	41	35	33	34	
IRWIN 2 S	MAX	46	43	55	54	46	43	37	46	40	42	38	39	44	43	51	58	53	52	65	71	72	75	61	61	69	72	68	60	53	50	
	MIN	25	10	16	33	28	32	22	15	22	16	14	25	27	27	19	32	36	23	25	25	35	35	41	25	29	35	41	39	32	35	
ISLAND PARK DAM	MAX	43	34	42	45	42	38	29	39	39	35	33	33	40	40	41	46	45	41	50	56	59	60	56	50	57	63	60	46	40	40	
	MIN	5	- 1	- 2	20	20	28	20	9	9	12	-10	17	6	11	- 1	24	22	15	11	14	23	24	27	21	18	23	28	33	26	26	
JEROME	MAX	49	[illegible]	64	61	57	42	38	43	46	47	48	48	53	50	58	68	64	62	70	76	73	78	75	67	78	78	70	54	57	53	
	MIN	26	17	19	30	32	26	19	24	28	23	24	26	23	27	21	36	26	36	33	38	37	41	46	36	32	44	43	27	32	32	
KELLOGG	MAX	45	48	55	48	62	48	41	49	48	50	52	46	41	44	47	57	64	63	65	75	73	54	66	52	63	74	70	62	43	59	
	MIN	24	24	25	27	35	37	33	36	34	28	30	34	33	30	27	31	38	35	31	42	50	45	44	35	33	40	48	36	35	39	
KOOSKIA	MAX	50	59	57	67	64	60	42	56	58	56	56	53	55	52	65	66	67	73	79	78	72	75	74	69	82	73	74	67	65	59	
	MIN	24	23	25	28	44	37	33	35	29	26	31	38	37	36	42	41	44	43	33	41	44	44	48	40	35	45	45	41	37	38	
KUNA 2 NNE	MAX	49	55	63	62	59	53	45	50	50	50	51	51	52	52	60	66	62	64	73	77	74	79	65	61	79	77	60	55	59	54	
	MIN	20	15	23	29	42	30	31	18	30	23	22	30	33	34	21	30	41	32	38	37	38	39	45	38	34	50	51	41	29	34	
LEWISTON WATER PLANT	MAX	50	59	61	70	63	58	49	56	59	57	54	53	54	55	67	68	65	73	81	80	74	75	66	70	85	79	67	60	67	58	
	MIN	28	25	31	33	46	42	38	34	31	26	31	36	33	42	34	43	49	41	38	46	54	48	47	43	39	54	52	46	36	42	
LEWISTON WB AP	MAX	48	56	59	65	59	51	41	53	54	56	52	52	54	54	63	66	63	69	76	79	70	72	65	67	79	73	64	57	63	57	
	MIN	27	25	30	34	44	39	35	33	35	26	34	36	35	39	33	41	44	40	40	46	52	47	48	42	42	54	47	43	35	41	
LIFTON PUMPING STA	MAX	46	41	51	49	46	43	32	39	32	35	32	33	36	39	42	53	49	45	51	57	68	65	58	58	60	66	62	50	47	45	
	MIN	28	18	17	30	24	28	19	17	22	19	20	23	23	27	22	30	31	29	26	29	34	41	32	33	31	35	39	38	27	30	
LOWMAN	MAX	50	52	62	61	64	58	60	56	54								68	74	72	74	68	70	70	73	72	75	70	68	58	54	
	MIN	20	22	30	33	32	28	18	20	24	23	29	33	30	34	34	35	35	30	35	30	28	31	33	34	32	37	28	26	26	22	
MACKAY RS	MAX	41	43	55	55	52	38	40	38	37	38	39	40	44	43	51	54	53	53	52	58	62	72	57	63	67	71	62	52	49	43	
	MIN	18	15	17	23	32	22	22	10	17	17	17	18	17	24	20	32	35	30	22	33	35	33	39	30	31	31	38	38	29	29	
MALAD	MAX	54	49	60	58	42	48	41	44	40	43	42	40	50	47	54	62	52	57	64	73	78	77	65	67	71	77	69	53	53	52	
	MIN	35	22	20	35	28	27	23	24	26	25	21	24	27	32	26	33	38	37	30	34	38	43	42	34	32	36	43	42	30	35	
MALAD CAA AP	MAX	56	49	61	58	43	47	38	45	40	42	43	38	51	48	57	64	51	56	65	75	78	77	65	66	72	78	71	52	55	50	
	MIN	28	21	15	30	22	27	21	24	24	23	21	21	24	24	21	31	38	33	27	31	36	39	39	31	28	31	37	36	27	35	
MAY RS	MAX	49	50	42	51	50	46	39	41	45	44	43	42	45	46	55	59	56	58	63	72	74	75	70	63	71	75	64	57	53	47	
	MIN	18	11	21	22	29	34	25	18	14	13	11	24	24	19	17	34	30	34	27	26	33	33	31	28	25	35	39	34	31	29	
MC CALL	MAX	30	36	44	46	44	38	30	36	32	34	36	32	34	36	42	48	44	46	54	58	56	58	56	52	58	58	50	34	38	34	
	MIN	10	8	12	18	30	24	22	16	14	16	14	20	24	10	10	26	28	20	20	24	26	26	34	22	24	32	36	30	26	26	
MC CAMMON	MAX	50	59	59	62	53	42	38	45	43	42	44	43	49	54	59	62	51	56	64	74	67	70	69	75	73	79	71	64	51	52	
	MIN	16	26	16	22	32	25	25	25	23	22	18	23	29	26	21	22	22	32	31	30	34	31	30	28	33	39	38	39	31	34	
MERIDIAN 1 SSW	MAX	49	56	63	62	57	49	45	50	51	49	52	50	53	53	69	66	58	65	70	75	74	78	75	65	79	77	63	54	57	56	
	MIN	24	25	30	34	42	32	28	23	33	34	23	30	32	33	24	38	42	40	50	39	44	43	44	34	39	50	49	40	31	35	
MESA	MAX	48	52	60	62	56	51	39	48	44	47	48	48	45	49	58	63	58	64	70	74	73	76	71	66	75	72	66	56	53	50	
	MIN	22	25	28	33	33	29	31	23	28	27	24	30	30	29	26	39	42	33	36	36	43	42	44	37	37	48	48	37	29	35	
MINIDOKA DAM	MAX	45	45	61	61	56	38	37	42	38	43	39	42	46	46	55	60	49	51	59	74	73	75	74	63	71	76	78	47	54	47	
	MIN	28	21	24	33	35	28	25	26	26	27	25	27	25	29	25	36	39	29	29	35	36	40	46	41	31	51	43	37	33	33	
MONTPELIER RS	MAX	49	43	53	50	40	47	49	43	38	36	37	35	39	42	49	58	55	48	55	68	79	75	73	70	69	74	66	64	50	46	
	MIN	13	14	19	21	20	24	13	14	19	15	12	18	21	21	19	29	27	28	22	25	31	32	34	26	25	30	34	36	24	24	
MOSCOW U OF I	MAX	44	52	54	60	57	50	38	50	50	55	45	44	46	48	58	60	57	63	70	68	64	62	58	62	76	68	61	54	59	51	
	MIN	27	25	33	36	34	31	30	28	33	33	27	32	32	31	30	39	41	38	44	41	51	43	46	38	39	39	50	36	35	37	
MOUNTAIN HOME	MAX	49	56	69	66	62	53	45	58	51	51	51	53	56	54	63	71	67	68	72	70	82	79	80	72	81	83	67	66	57	55	
	MIN	23	20	23	30	41	29	29	24	27	22	23	28	27	31	22	33	41	33	42	36	40	35	50	36	32	53	52	39	27	34	
MULLAN PASS CAA	MAX	27	35	32	40	31	26	27	25	26	28	26	25	24	24	35	43	42	46	54	50	41	46	35	44	60	54	50	38	38	31	
	MIN	15	17	25	24	26	20	21	18	15	13	20	18	18	17	17	27	22	25	31	41	35	31	31	29	32	40	39	24	25	26	
NAMPA 2 NW	MAX	52	51	58	64	65	60	45	46	50	53	53	52	52	55	56	63	68	54	65	75	78	76	78	66	67	81	77	62	56	57	
	MIN	25	19	24	33	46	32	32	24	31	27	29	32	35	35	23	32	42	37	45	38	43	44	48	39	36	52	52	42	30	36	
NEW MEADOWS RS	MAX	43	48	55	60	55	49	38	42	44	44	44	43	43	46	55	60	55	62	69	71	70	73	69	64	71	69	58	54	51	41	
	MIN	14	14	21	22	37	29	30	26	22	23	24	26	29	25	18	31	35	23	23	25	30	30	42	24	26	38	45	39	25	29	
NEZPERCE 2 E	MAX	42	49	50	57	49	40	34	45	46	45	45	43	45	42	55	57	56	62	71	70	63	65	54	59	74	65	65	50	53	48	
	MIN	22	22	27	29	39	30	29	30	29	25	29	30	31	28	25	37	38	38	35	40	47	43	43	37	36	43	45	33	32	32	
OAKLEY	MAX	49	52	64	58	51	45	40	37	40	38	42	47	50	49	58	66	57	56	65	73	75	75	70	65	74	77	72	59	54	48	
	MIN	24	15	25	32	32	29	26	22	27	23	26	26	29	31	24	36	38	36	33	38	41	42	41	36	36	47	44	38	28	32	
OBSIDIAN 4 NNE	MAX	35	38	50	49	45	39	28	33	38	35	33	32	34	36	49	46	43	47	47	54	54	56	46	52	60	57	46	39	39	36	
	MIN	[illegible]	- 2	3	16	25	11	14	6	- 3	0	[illegible]	16	18	10	[illegible]	25	27	21	20	18	25	26	35	17	18	28	32	23	21	25	
OLA 4 S	MAX	51	50	[illegible]	61	57	43	44	45	47	49	50	49	50	51	57	62	59	65	78	79	74	79	75	78	81	78	75	64	58	50	
	MIN	22	20	19	23	29	30	32	24	31	32	28	31	31	32	18	23	42	31	36	36	37	39	37	32	32	37	37	40	29	33	
OROFINO	MAX	52	61	60	70	65	47	49	56	57	56	53	51	52	55				76	81	80	76	69	70	73	83	75	69	65	68	61	
	MIN	27	25	26	29	44	37	33	34	30	26	31	36	36	36					35	40	49	43	48	39	36	47	49	42	35	38	
PALISADES DAM	MAX	46	42	51	52	50	42	41	44	42	40	37	38	43	40	48	57	54	50	57		72	73	72	60		75		61	51	50	
	MIN	27	13	15	33	26	32	30	13	21	15	14	24	26	26	19	30	36	21	24	30		35	39	25	30			39	32	35	
PARMA EXP STA	MAX	51	58	63	64	62	56	46	51	54	53	50	52	55	56	63	63	63	65	74	76	76	79	77	68	79	78	65	59	56	56	
	MIN	22	18	22	34	44	30	34	23	34	28	33	30	34	33	24	30	43	35	38	36	44	45	45	38	35	47	52	40	28	34	
PAUL 1 E	MAX	50	48	58	70	66	59	40	40	42	41	46	45	44	48	48	57	64	55	65	67	74	74	76	61	[illegible]	75	77	68	50	56	
	MIN	27	17	14	26	33	29	26	24	28	25	26	26	24	29	22	31	40	37	34	32	35	39	47	30	30	40	39	38	29	32	
PAYETTE	MAX	53	56	61	64	59	58	44	55	48	54	55	55	59	55	61	66	60	65	75	77	78	78	65	67	78	80	65	56	67	59	
	MIN	25	23	25	35	45	34	35	25	34	30	32	34	35	31	25	36	43	36	39	38	45	44	46	41	37	49	52	42	30	33	
PIERCE RS	MAX	37	42	49	49	55	44	33	39	44	44		44	40	41	41		55	55		68	[illegible]	55	63		73	68	57	61	40		
	MIN	12	12	18	22	28	30	31	32	27	25	25		30	29	28		34	30	26		34	33	[illegible]		28	33	39	32	30		
POCATELLO WB AP	MAX	48	45	59	57	45	41	37	46	42	45	42	43	48	48	55	61	52	55	66	73	75	75	63	64	71	77	67	51	55	50	
	MIN	26	19	18	34	34	29	25	24	28	24	18	28	27	30	23	39	38	31	28	32	39	43	44	33	34	42	43	36	33	32	
PORTHILL	MAX	48	52	49	56	58	55	49	50	49	54	50	49	43	48	54	62	61	62	68	[illegible]	60	63	62	66	66	60	60	60	58	58	
	MIN	22	22	22	22	35	35	34	38	28	27	33	35	29	21	24	31	29	28	28	40	43	36	43	30	32	43	45	38	38	31	
PRESTON SUG FACT 2 SE	MAX	55	51	59	59	57	48	40	43	38	42	40	39	49	49	54	64	63	52	64	73	76	75	75	65	70	77	75	68	51	50	
	MIN	33	20	18	34	26	30	21	21	24	24	21	25	25	31	24	33	38	37	28	33	36	38	41	31	30	30	40	40	31	33	
PRIEST RIVER EXP STA	MAX	45	50	49	54	53	44	47	48	47	49	47	41	46	45	55	60	59	57	[illegible]	68	65	62	58	61	64	63	57	53	56	53	
	MIN	21	19	20	24	36	32	33	38	30	22	25	26	31	19	24	30	33	32	26	36	44	37	43	34	29	43	44	37	35	31	
REACTOR TESTING STA	MAX	47	45	58	58	46	40	36	42	39	40	39	42	46	48	54	62	51	57	62	72	74	75	63	64	70	75	64	50	53	50	
	MIN	19	6	9	34	32	28	23	18	21	21	10	25	27	22	15	35	34	29	23	25	32	35	37	23	22	30	37	35	29	31	
RICHFIELD	MAX	46	48	62	59	54	54	37	45	40	42	42	45	49	47	56	63	58	57	65	74	74	75	72	65	72	74	69	57	54	50	
	MIN	22	17	18	23	35	19	28	22	27	21	25	24	24	26	21	29	40	30	35	34	36	40	44	28	29	43	40	29	28	31	
RIGGINS RS	MAX	50	62	67	69	68	64	44	51	50	54	54	51	54	53	65	69	[illegible]	74	80	83	77	85	78	70	82	79	74	63	65	64	
	MIN	27	28	32	35	45	38	36	35	30	30	31	35	34	39	32	44	46	39	46	45	47	45	46	40	43	48	53	32	36	41	
ROLAND W PORTAL	MAX	39	44	42	50	47	35	38	38	38	38	36	34	32	36	45	53	50	50	[illegible]	58	57	55	44	54	58	57	57	45	47	46	
	MIN	15	16	21	22	33	28	27	30	24	20	22	25	25	24	17	27	30	27	34	34	38	36	34	31	30	36	37	30	29	30	
RUPERT	MAX	52	49	54	63	62	52	40	43	42	42	46	44	45	50	50	60	68	57	62	69	79	78	80	62	[illegible]	80	82	71	51	58	
	MIN	27	17	16	27	33	28	24	24	25	24	24	26	23	28	22	32	38	34	32	34	35	39	47	31	31	42	42	36	28	31	
SAINT ANTHONY	MAX	45	43	54	53	46	38	36	43	39	40	40	39	46	47	53	58	55	51	63	70	75	75	68	65	69	78	71	69	50	48	
	MIN	21	10	14	27	26	31	25	12	21	20	13	25	27	21	16	33	35	23	24	25	32	30	40	24	27	33	34	37	31	30	
SAINT MARIES	MAX	47	56	50	60	54	51	49	47	52	49	50	51	47	49	59	62	66	64	73	65	62	64	61	63	72	65	61	55	59	56	
	MIN	25	20	24	23	30	31	31	32	22	30	29	27	25	29	25	29	32	34	33	47	41	42	42	31	31	42	40	33	34	37	
SALMON	MAX	48	52	61	62	52	51	42	44	48	47	48	45	48	50	60	57	58	62	70	76	77	80	63	68	76	80	70	55	55	47	
	MIN	20	13	14	28	40	24	31	27	20	22	21	27	24	24	18	33	33	29	23	27	34	33	39	34	26	36	41	36	30	29	
SANDPOINT EXP STA	MAX	47	48	46	54	54	47	49	48	47	50	45	46	44	47	53	59	58	53	51	64	64	65	54	61	63	60	57	56	55	51	
	MIN	22	22	23	24	40	32	32	40	35	32	29	30	31	28	26	28	38	34	28	35	46	39	44	32	31	31	48	37	38	35	

See reference notes following Station Index.

DAILY TEMPERATURES

5 · Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HONE	MAX	48	52	64	61	56	46	42	44	43	49	47	47	52	49	58	65	57	61	69	77	77	78	68	68	76	77	69	56	58	52		58.9
	MIN	23	19	25	26	36	26	28	24	30	24	22	26	22	26	22	34	42	38	36	39	39	39	44	34	31	44	42	37	29	31		31.2
CER RS	MAX	43	38	40	45	41	40	32	35	32	29	38	38	42	42	47	51	47	45	57	64	70	71	63	57	65	70	68	54	46	45		48.7
	MIN	15	9	14	25	25	21	20	14	12	12	7	20	14	19	17	29	21	21	17	20	29	29	32	25	25	25	34	35	27	24		21.2
NGFIELD	MAX	49	48	60	59	50	40	37	46	40	42	43	44	50	48	56	65	56	56	69	73	77	77	67	67	63	78	68	58	56	54		56.5
	MIN	25	10	13	31	33	31	27	22	24	21	14	27	22	26	26	35	42	26	25	30	37	34	42	26	25	35	42	38	29	35		28.4
NITE	MAX	39	32	41	49	51	43	28	33	37	32	33	35	32	33	34	48	48	45	49	58	61	61	62	47	51	61	59	52	38	43		44.5
	MIN	7	4	11	17	29	19	19	14	6	10	4	19	20	14	4	19	28	20	22	25	29	27	33	20	25	33	36	29	19	24		19.5
VELL	MAX	51	49	62	55	55	45	35	34	40	34	35	39	48	49	52	62	57	53	[illegible]	69	75	72	73	63	69	73	72	58	53	58		54.9
	MIN	28	12	16	32	26	28	24	22	24	15	21	20	26	28	22	34	33	35	33	31	36	38	43	37	31	50	41	34	29	31		29.3
R	MAX	48	44	55	54	49	39	35	41	40	40	42	40	48	48	53	59			62	72	75	76	66	64	70	80	70	62	53	49		54.8
	MIN	18	12	10	29	26	30	23	13	20	20	13	24	28	23	15	33			18	22	32	30	41	22	22	28	33	29	30	29		24.0
VALLEY	MAX	45	38	51	52	50	45	33	40	39	38	34	36	41	44	48	52	51	51	56	64	68	71	70	65	67	70	69	50	49	48		51.2
	MIN	8	6	7	26	30	20	20	7	18	10	11	14	12	21	13	27	32	37	21	21	25	26	33	21	20	22	29	36	29	27		21.0
FALLS PH	MAX	54	60	68	66	60	60	54	52	51	52	53	54	57	57	67	73	61	70	77	84	86	87	83	71	85	82	71	58	61	56		65.7
	MIN	31	28	31	41	35	34	34	28	32	30	33	36	40	37	30	38	41	38	44	43	46	49	52	46	41	56	47	43	35	38		38.6
IA EXP STA	MAX	48	42	39	41	42	48	46	51	52	43	36	31	33	36	30	38	39	43	55	58	68	67	57	61	72	63	59	55	45	44		48.1
	MIN	19	15	13	17	16	18	18	20	19	16	12	10	11	14	11	15	15	17	17	26	32	33	36	34	37	26	22	33	29	28		21.0
CREEK	MAX	55	52	65	56	54	44	40	37	40	39	40	41	48	45	55	62	53	55	65	70	73	73	70	63	74	73	68	50	50			55.5
	MIN	19	10	14	20	26	22	20	20	15	10	9	9	17	27	17	31	31	40	30	30	30	32	40	27	27	48	33	32	23			24.4
FALLS 2 NNE	MAX	48	53	65	64	59	52	46	41	47	45	46	47	52	50	59	68	63	61	72	76	76	77	76	66	78	78	75	59	58	55		60.4
	MIN	30	15	19	32	40	29	27	26	29	24	26	35	24	31	26	35	41	39	35	34	36	44	48	36	36	43	47	36	32	33		32.9
FALLS 3 SE	MAX	57	49	53	65	61	53	41	42	41	47	46	47	48	53	51	59	66	55	62	72	77	78	78	63	69	76	78	69	53	57		58.7
	MIN	31	22	18	25	31	29	27	27	29	25	28	27	29	31	29	35	40	30	32	32	42	49	49	38	35	37	47	39	33	33		32.6
CE	MAX	44	51	44	58	52	43	45	44	45	49	43	41	40	44	54	60	61	59	71	67	58	65	56	61	72	67	63	50	58	45		53.7
	MIN	20	20	24	26	38	33	31	31	27	22	27	31	30	26	24	28	35	30	32	38	45	41	40	32	31	41	44	36	35	35		31.8
CE WOODLAND PARK	MAX	41	44	50	46	57	45	37	45	43	45		45	39	39	41	52	58	56	57	69	67	54	60	52	58	70	65	60	40	54		51.3
	MIN	20	20	21	25	25	33	32	32	27	23	23		30	23	21	23	30	29	30	34	42	44	41	32	31	34	45	37	35	35		30.2
ER	MAX	56	62	65	68	60	52	45	52		54	53	56	54	58	64	68	64	68	77	80	79	82	72	76	82	78	63	58	60	59		64.3
	MIN	22	24	22	28	48	38	35	22	36		32	29	38	30	25	38	36	34	35	34	43	41	40	38	35	48	50	42	29	30		34.6

EVAPORATION AND WIND

6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ROCK DAM	EVAP	-	-	-	-	-		-	-	-	-	-	-	-	-	-	.05	.12	.05	.16	.25	.23	.21	.22	.27	.18	.21	.20	.05	.14	.12		-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42	55	22	60	42	45	67	54	58	12	41	53	100	37		-
ON PUMPING STATION	EVAP	.14	.13	.12	.19	.04	.01	.06	.04	-	-	-	-	-	-	.13	.14	.00	.03	.12	.17	.23	.23	.27	.24	.20	.24	.18	.05	.19	.12		B 4.09
	WIND	94	121	60	171	46	88	121	51	216	65	140	110	95	144	93	80	97	108	93	57	66	69	120	125	70	70	95	180	123	94		3062
DOKA DAM	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.28	.31	.41	.32	.21	.32	.25	.22	.24	.24		-
	WIND	195	125	90	130	110	280	280	170	100	80	110	200	160	260	120	90	170	110	110	110	90	90	205	160	60	105	90	290	220	260		4570

SNOWFALL AND SNOW ON GROUND

7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
)	SNOWFALL						T	T			T																					
	SN ON GND						T	T	T																							
ROCK DAM	SNOWFALL							T		T			1.0																			
	SN ON GND							T		T			1																			
ON 1 S	SNOWFALL						2.5						T																	T		
	SN ON GND						1	1					T																	T		
NTA 1 E	SNOWFALL					3.0		4.0	3.0	6.0	1.0		4.0		2.0			T													3.0	
	SN ON GND	-	-	-	-	26	25	25	25	29	26	24	25	24	23	22	21	20	18	16	14	12	6	4								
CREEK 1 S	SNOWFALL							3.0	2.0	1.0	1.1		1.0	3.5	3.5									T					T		6.0	
	SN ON GND	26	26	24	20	20	20	23	25	26	27	25	25	28	31	24	22	20	18	16	14	12	10	8	6	3					6	
KFOOT	SNOWFALL						T																									
	SN ON GND																															
E WB AIRPORT	SNOWFALL						T	0.1	T	0.6	T	T	0.2	T	T																T	
	SN ON GND							T		T	T		T																			
EY CAA AIRPORT	SNOWFALL						T	1.5		1.9	1.0	3.2	0.2	T	T																	
	SN ON GND							T		1		3	T																			
WELL	SNOWFALL							T			T																				T	
	SN ON GND																															
ADE 1 NW	SNOWFALL					1.5	4.5	0.5	T	T			1.5	1.5	T														T		T	
	SN ON GND	6	5	4	3	4	7	6	6	5	4	2	3	3	2	1															T	
ERVILLE ARBAUGH RCH	SNOWFALL					T	0.1	1.0	T	4.5	0.5		2.0	0.1	1.0																0.2	
	SN ON GND	18	17	16	15	13	13	12	12	13	12	12	12	11	10	8	7	6	3	1												
CLT BLACKBIRD MINE	SNOWFALL	0.5				1.0	1.0	4.0	5.0	2.1		0.5	1.5	1.0	2.0			1.5	0.5										2.0		1.0	
	SN ON GND	33	33	33	30	28	28	31	36	37	34	33	34	35	38	36	32	33	31	30	28	25	22	18	16	15	12	7	8	6	6	

See reference notes following Station Index

Table 7 - Continued

SNOWFALL AND SNOW ON GROUND

APRIL

Station		Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
COEUR D'ALENE CAA AP	SNOWFALL	T		T			0.1					T	T	T															T		
	SN ON GND																														
COEUR D ALENE RS	SNOWFALL						T						T	T																	
	SN ON GND																														
COTTONWOOD	SNOWFALL						0.1					T	T	T	T																
	SN ON GND						T																								
DUBOIS CAA AIRPORT	SNOWFALL			T	T	T	2.8	1.9	T	T	T	T	T											T						T	T
	SN ON GND						T	2	2		T																			T	
GLENNS FERRY	SNOWFALL							T	T																						
	SN ON GND																														
GOODING CAA AIRPORT	SNOWFALL						T	T		T	T	T	T																		
	SN ON GND							T		T	T																				
GRAY	SNOWFALL						6.0	2.0	2.0	4.0																			T		
	SN ON GND	12	12	10	8	8	8	8	8	10	8	8	8	8	8	8	8	6	6	6	4	3									
HAILEY	SNOWFALL							3.0		4.0																					
	SN ON GND																														
HAMER 4 NW	SNOWFALL											T	T																		
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY	SNOWFALL														1.0																
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY 13 SW	SNOWFALL						T						3.0	T	1.0																T
	SN ON GND	13	12	10	9	8	6	4	3	2			T																		
IDAHO FALLS CAA AIRPORT	SNOWFALL	T				T	6.2	0.5			T	T	T	T	T														T	T	T
	SN ON GND						2	1	T																						
ISLAND PARK DAM	SNOWFALL						5.5	6.5					1.0											T						1.0	
	SN ON GND	-	-	-	-	28	31	37	-	-	-	-	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	12	12
LEWISTON WATER PLANT	SNOWFALL	T																													
	SN ON GND																														
LEWISTON WB AIRPORT	SNOWFALL	0.1						T				T																			
	SN ON GND																														
LOWMAN	SNOWFALL					2.0		2.0	1.0	2.0	1.0																	0.8			1.0
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MACKAY RANGER STATION	SNOWFALL							7.0																							
	SN ON GND							5	-	-																					
MALAD CAA AIRPORT	SNOWFALL						T	T	T	T			T		T																
	SN ON GND							T		T				T																	
MAY RANGER STATION	SNOWFALL						T	T	T		2.1		T					T						T				T	T		2.3
	SN ON GND						T				1																				1
MC CALL	SNOWFALL					2.0			1.0		3.0			4.0	4.0																-
	SN ON GND	28	26	26	26	22	22	20	19	19	19	19	18	19	22	20	15	12	8	4	3										3
MESA	SNOWFALL												T	T																	
	SN ON GND																														
MULLAN PASS CAA	SNOWFALL	T		0.1	T	1.1	1.3	0.4				1.6	2.7	4.8	0.5		T	T	T				2.6	2.5					2.7	0.1	0.2
	SN ON GND	75	74	74	70	67	68	69	69	69	69	69	72	76	80	80	79	75	74	73	70	66	64	65	67	65	61	60	55	58	55
NEZPERCE 2 E	SNOWFALL	T					T	T					T		T														T		4.0
	SN ON GND						T																								
OAKLEY	SNOWFALL							0.5	T	4.0	T	T	T		T																
	SN ON GND																														
OBSIDIAN 4 NNE	SNOWFALL					T		2.0	T	T	T		T		1.0			T													2.0
	SN ON GND	28	28	26	26	25	25	27	27	26	26	26	27	26	27	26	25	25	24	22	21	18	16	14	13	11	9	7	7	6	8
PAYETTE	SNOWFALL							T							T																
	SN ON GND																														
PIERCE RANGER STATION	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	3.0	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	11	10	9	9	8	8	8	8	3	-	-	[illegible]	9	[illegible]	5	-	1													
POCATELLO WB AIRPORT	SNOWFALL				T	T	T	0.9	T			T	T	T	T															T	0.4
	SN ON GND							T					T																		
PORTHILL	SNOWFALL													10.0																	
	SN ON GND													3																	
PRIEST RIVER EXP STA	SNOWFALL	T		T			T						T	T	1.0																
	SN ON GND																														
ROLAND WEST PORTAL	SNOWFALL	T		T	T	T	T	1.2				1.1	7.7	7.8	3.7	T			T										4.3	1.2	T
	SN ON GND	56	56	56	55	53	54	55	54	54	54	55	61	69	71	66	60	58	56	54	50	47	44	42	40	38	35	32	34	32	31
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND							2																							
SANDPOINT EXP STATION	SNOWFALL						1.7					T	T	0.5	T																
	SN ON GND						T							1																	
SPENCER RANGER STATION	SNOWFALL																														T
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STIBNITE	SNOWFALL					0.5	T	2.0	2.5	0.5	5.5	T	3.5	5.0	5.0	T													1.8	T	4.0
	SN ON GND	34	33	32	31	29	28	29	31	30	35	33	35	37	39	37	34	31	30	29	26	24	21	18	17	14	11	10	10	9	11
SUN VALLEY	SNOWFALL					T	T			T	T	T	0.1					T													
	SN ON GND	8	8	[illegible]	3	2																									
THREE CREEK	SNOWFALL						2.0	6.0	3.0		6.0	2.0						3.0													
	SN ON GND							3	3		3	4																			
TWIN FALLS 2 NNE	SNOWFALL							2.5	T	T	T		T																		
	SN ON GND							T																							
WALLACE	SNOWFALL	T		T			T	T	T			T	1.0	-	T														T		
	SN ON GND													3	1																

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	[illegible]	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 [illegible]	6200	5P	5P	FORT HALL IR PROJ	2 3 5 6
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 ENE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK C REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	5P	5P	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D ALENE CAA AP	1951	KOOTENAI	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAI	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COUNCIL	2187	ADAMS	12	44 44	116 26	2916	5P	5P	LYMAN MATHISON	2 3 5
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDDETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY	3942	BLAINE	12	43 31	114 19	5347	5P	5P	U S FOREST SERVICE	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
[illegible]	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 SE	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY L GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEWISTON	5230	NEZ PERCE	12	46 25	117 02			7A	RIVER STATION	
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
[illegible]	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	[illegible] JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 36	5897	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 3[illegible]	113 [illegible]	[illegible]	5P	[illegible]	U S FOREST SERVICE	[illegible] 3 [illegible] 7
MC CALL	[illegible]	VALLEY	8	44 54	116 07	[illegible]	4P	[illegible]	[illegible]	[illegible] 3 5 7
MC CAMMON	[illegible]	BANNOCK	1	42 39	[illegible]	4774	5P	[illegible]	[illegible]	2 3 5
MERIDIAN 1 SSW	5841	ADA	[illegible]	43 36	116 24	[illegible]	[illegible]	[illegible]	L A ROSS	[illegible]
MESA	[illegible]	ADAMS	12	44 37	[illegible]	3244	6P	[illegible]	MESA CO	2 3 [illegible]
MINIDOKA DAM	[illegible]	MINIDOKA	12	42 40	[illegible]	[illegible]	5P	[illegible]	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	1	42 19	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 [illegible]
MOORE CREEK SUMMIT	[illegible]	BOISE	[illegible]	43 [illegible]	[illegible]	[illegible]		VAR	[illegible]	[illegible]
MOSCOW U OF I	[illegible]	LATAH	7	46 44	117 00	[illegible]	5P	5P	[illegible]	[illegible]
MOUNTAIN HOME	[illegible]	ELMORE	12	43 08	[illegible]	3164	6P	[illegible]	KENNETH J NEWMAN	[illegible]
MULLAN PASS CAA	[illegible]	SHOSHONE	4	47 27	115 41	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	[illegible]	CANYON	[illegible]	43 37	[illegible]	2470	8A	8A	AMALGAMATED SUGAR	[illegible]
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NEZPERCE 2 E	[illegible]	LEWIS	3	46 15	116 12	[illegible]	[illegible]	6P	JOHN KOFPL	[illegible]
NEZ PERCE PASS	[illegible]	LEMHI	11	45 43	114 30	[illegible]		VAR	[illegible]	
OAKLEY	[illegible]	CASSIA	[illegible]	42 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	[illegible]	CUSTER	11	44 03	114 48	[illegible]	[illegible]	[illegible]	MARJORIE L SHAW	[illegible]
OLA 4 S	6590	GEM	8	44 08	[illegible]	[illegible]	5P	[illegible]	VINCENT A NALLY	[illegible]
OROFINO	[illegible]	CLEARWATER	3	46 [illegible]	[illegible]	1027	[illegible]	[illegible]	[illegible]	[illegible]
PALISADES DAM	[illegible]	BONNEVILLE	12	43 22	111 [illegible]	[illegible]	4P	[illegible]	[illegible]	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	[illegible]	[illegible]	STATE EXP STATION	[illegible]
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	[illegible]	[illegible]
PAYETTE	[illegible]	PAYETTE	8	44 04	[illegible]	[illegible]	6P	6P	MICHAEL HARRIS	[illegible]
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 46	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
PINE 2 SSW	7079	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 [illegible]	[illegible]	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
POTLATCH	[illegible]	LATAH	[illegible]	[illegible]	[illegible]	[illegible]	7P	[illegible]	[illegible]	[illegible]
PRESTON [illegible]	[illegible]	FRANKLIN	1	42 05	111 52	[illegible]	4P	4P	C M CRABTREE	[illegible]
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	[illegible]	[illegible]	[illegible]	5P	[illegible]	2 3 [illegible]
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	[illegible]	
PUTNAM MOUNTAIN	[illegible]	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL PROJECT	
REACTOR TESTING STA	[illegible]	BUTTE	6	43 [illegible]	[illegible]	[illegible]	MID	MID	A E C WEATHER STA	[illegible]
RICHFIELD	[illegible]	LINCOLN	12	43 04	114 09	4306	[illegible]	[illegible]	[illegible]	[illegible]
RIGGINS RANGER STATION	[illegible]	IDAHO	11	45 [illegible]	116 19	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	[illegible]	5P	5P	[illegible]	2 3 5 7
RUPERT	[illegible]	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	[illegible]	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	[illegible]	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 [illegible]
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 [illegible]
SANDPOINT EXP STATION	[illegible]	BONNER	9	48 17	[illegible]	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	[illegible]	ELMORE	2	43 [illegible]	[illegible]	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	[illegible]	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BONE	2 3 5
SOLDIER CREEK RS	[illegible]	CAMAS	12	43 [illegible]	114 50	[illegible]		VAR	[illegible]	
SPENCER RANGER STATION	[illegible]	CLARK	6	44 21	[illegible] 11	[illegible]	5P	5P	U S FOREST SERVICE	[illegible] 7
SPRINGFIELD	[illegible]	BINGHAM	12	43 04	112 41	4420	6P	6P	E T SHELMAN	[illegible]
STIBNITE	8738	VALLEY	11	44 54	[illegible]	[illegible]	8A	8A	BRADLEY MINING CO	2 3 [illegible] 7
SUGAR	[illegible]	MADISON	12	43 [illegible]	111 [illegible]	[illegible]	[illegible]	6P	WM C ROBERTS JR	2 3 [illegible]
SUN VALLEY	[illegible]	BLAINE	12	43 41	114 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SWAN FALLS POWER HOUSE	[illegible]	ADA	12	43 15	116 [illegible]	[illegible]	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 [illegible]	[illegible]	[illegible]	5P	EXPERIMENT STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	[illegible]	[illegible]	6P	6P	MRS L E TANNER	[illegible]
TRINITY LAKE GUARD STA	[illegible]	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	[illegible]	ELMORE		43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	[illegible]	[illegible]	[illegible]	[illegible]
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 [illegible]	3770	8A	8A	AMALGAMATED SUGAR	[illegible]
VIENNA	[illegible]	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	[illegible]	SHOSHONE	4	47 28	115 [illegible]	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	[illegible]	[illegible]	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	[illegible]	2114	6P	6P	ROLAND HEMENWAY	[illegible]
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	[illegible] HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	
REACTIVATED										
STREVELL	8786	CASSIA	12	42 [illegible]	113 13	5280	5P	5P	IDAHO STATE POLICE	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station,have been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-102569 900 6-9-53

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

MAY 1953
Volume LVI No. 5

SAN FRANCISCO: 1953

IDAHO - MAY 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Unseasonably cool weather, which had begun in April, carried over through the month of May. The state-wide monthly average temperature of 48.6° was the lowest since 1933, and among the four lowest averages for May since 1893. Precipitation, although averaging 157% of normal for the State, has been heavier during May in a number of years. The number of days with measurable rain averaged higher than usual, while the state-wide snowfall average was also a little above the May mean. Sunshine appears to have been close to the seasonal normal in the extreme northern part of the State, but definitely below normal in the southern divisions where Boise recorded only 54% of possible and Pocatello 55%.

Positive departures from normal precipitation were recorded at all but a few stations in the State. The most notable exceptions were Porthill and Bonners Ferry where negative departures of approximately 3/4 inch appeared. Departures of +1.50 inches or more occurred at many stations in the Boise and Payette River Basins, with a few of similar magnitude scattered along the Snake.

During the first half of the month precipitation was comparatively light throughout the State, but even then temperatures were below normal on all but a few days. In the latter half of the month precipitation was both frequent and abundant while temperatures remained depressed below normal levels almost continuously throughout the period. The stormiest periods came between the 18th and 24th and again on the 28th and 29th. During these periods nearly every station in the State recorded its maximum daily precipitation for the month. At more than 20 stations the maximum daily amounts exceeded one inch, with a few approaching two inches.

The cool, wet weather hampered field work, delaying planting of spring grains in the Northern Division, planting of potatoes and thinning of beets in southern counties. The moisture was generally welcome on dryland grain fields and on ranges, which were in very good condition at the close of the month. Crop growth was generally considered slow and most crops were reported as not having attained normal development for the season. Nevertheless crop prospects appeared good despite some losses from frost during May. During the second week freezing weather struck particularly hard in south-central and southeastern districts where early fruits were hard hit; new alfalfa suffered as much as 50% damage and some sugar beets were lost.

Although May is normally a rather stormy month, storm damage during this month was not extensive. Hail on the 19th marked the prune crop in the Fruitland-New Plymouth area, and on the 21st and 22d, brief hailstorms near Mesa in Adams County did slight damage to pears which were in an early stage of development. Strong winds on the 21st uprooted some trees and did minor structural damage near McCammon, while a small whirlwind did similar damage near Shoshone during the final week.

The snowpack remained unusually heavy at the close of May and little increase in streamflow from snowmelt was observed by the end of the month. Irrigation practically ceased with the copious rains of late May and on most projects reservoir storage was high with prospects of more than ample water supplies for the summer.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	22	10.9	42	S	7	78	51	41	69	5	6	4	2	0	0	17	54	6.4	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-	-	-	-	-	79	52	43	-	7	5	5	1	0	0	18		6.4	
POCATELLO WB AIRPORT	SW	22	10.0	61	W	21	77	47	39	65	1	7	6	0	0	0	14	[illegible]	6.1	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	50.[illegible]	91	12	1.42	-	7
1894	54.7	95	21	1.19	-	6
1895	52.3	92	14	2.04	-	8
1896	47.2	93	11	3.09	-	13
1897	60.[illegible]	100	13	.95	-	5
1898	52.[illegible]	96	20	2.26	-	10
1899	49.0	[illegible]	6	1.59	2.0	8
1900	55.6	100	18	1.78	0.2	7
1901	57.[illegible]	99	19	1.32	0.0	6
1902	53.4	103	16	1.69	1.6	9
1903	51.6	102	18	1.46	1.8	7
1904	53.5	90	12	.62	0.1	4
1905	51.2	94	11	2.24	1.6	11
1906	51.9	93	14	3.03	1.1	11
1907	53.0	95	16	.94	0.2	5
1908	48.9	92	20	2.26	2.1	12
1909	50.2	96	8	1.54	1.1	8
1910	55.4	107	19	1.37	0.1	6
1911	51.4	92	12	2.47	0.7	10
1912	53.0	90	12	2.05	0.3	9
1913	55.0	99	11	1.49	T	8
1914	56.3	100	16	1.20	0.2	7
1915	51.2	91	18	4.02	1.9	17
1916	48.3	89	3	1.55	1.6	9
1917	49.6	92	12	2.23	0.8	11
1918	50.6	98	12	1.19	0.3	6
1919	54.6	105	12	.75	0.1	4
1920	50.8	89	12	1.10	0.2	6
1921	53.4	97	15	2.51	0.1	10
1922	51.9	93	10	1.25	0.7	7
1923	52.8	93	10	2.00	0.1	10
1924	57.5	102	10	.27	0.1	2
1925	56.8	95	18	1.37	0.1	7
1926	54.3	95	14	1.31	0.0	7
1927	49.9	102	9	2.17	1.2	11
1928	58.5	104	11	.56	T	4
1929	52.6	99	10	.51	0.2	4
1930	52.0	97	16	2.04	0.8	10
1931	55.4	100	12	.67	0.2	4
1932	53.4	98	18	1.83	0.1	9
1933	48.5	96	11	1.65	0.8	10
1934	59.5	105	14	.55	T	4
1935	51.3	92	15	1.30	0.1	6
1936	57.6	105	17	.85	0.2	5
1937	55.2	95	18	.73	0.2	4
1938	51.7	96	6	1.54	0.7	8
1939	56.2	100	12	.72	0.0	5
1940	57.1	100	12	.43	0.0	4
1941	54.4	97	18	2.69	0.1	13
1942	49.6	95	10	2.99	1.7	15
1943	50.4	94	12	1.25	0.7	9
1944	54.1	95	1	1.14	0.2	8
1945	53.3	91	21	2.65	0.2	14
1946	52.8	91	12	1.53	0.1	7
1947	57.4	99	20	1.39	T	6
1948	52.9	100	9	2.14	0.9	10
1949	56.5	97	17	2.02	0.1	10
1950	50.0	90	8	.90	1.3	6
1951	53.4	96	16	1.29	0.7	7
1952	54.5	93	20	1.42	0.3	8
1953	48.6	93	10	2.49	0.8	11
ALL YEARS	54.0			1.59		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation								
										No. of Days								Snow, Sleet, Hail			No. of Days	
										Max.		Min.										
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More
NORTHERN DIVISION																						
AVERY RS	65.7	36.9	51.3	- 2.8	88	6	28	12	418	0	0	8	0	3.95	1.76	1.48	24				16	1
BAYVIEW MODEL BASIN	62.5	37.9	50.2		74	15	28	3	453	0	0	9	0	2.43		.50	24	.0	0		15	1
BIG CREEK 1 S	55.1	26.5	40.8	- 3.4	78	31	16	3	745	0	0	27	0	3.40	1.40	.48	19				16	0
BONNERS FERRY	68.7	39.4	54.1	0.6	87	6	30	21	340	0	0	5	0	.81	- .76	.33	26		0		8	0
BUNGALOW RS	67.8	37.1	52.5M	- 4.6	87	6			378	0	0	10	0	4.57	1.93	1.31	24	T	0		19	2
BURKE 2 NNE	56.2	31.7	44.0	- 0.9	73	6	25	2+	647	0	0	18	0	3.06	.05	.96	24	4.7	30	1	15	1
CLARK FORK 1 ENE	66.5	36.9	51.7	- 2.5	80	5+	27	3	405	0	0	9	0	2.41	.16	.64	30	.0	0		12	2
COBALT BLACKBIRD	40.4	25.6	36.0M		65	7	15	3		0	2	27	0	2.29		.45	20	10.3	6	1+	11	0
COEUR D ALENE CAA AP	63.9	38.8	51.4		85	6	30	3	416	0	0	3	0	2.18		.83	24	T	0		16	1
COEUR D ALENE RS	67.5	39.6	53.6	- 1.4	87	6	29	21	347	0	0	5	0	2.29	.50	1.22	24	T	0		15	1
COTTONWOOD	59.5	33.6	46.6	- 4.2	78	5	26	11	563	0	0	14	0	2.58	- .04	.64	19	.0	0		12	2
DIXIE	54.6	25.4	40.0		70	5	12	3	768	0	0	29	0	3.61		.60	19	3.7	14	1+	17	1
ELK RIVER 1 S	62.7	33.6	48.2		82	6	25	12	516	0	0	14	0	4.27		.96	19	.6	1	24	16	3
FENN RS	67.4	39.4	53.4	- 3.8	89	6	30	5	354	0	0	2	0	4.53	1.54	.86	19	.0	0		16	3
GRANGEVILLE	60.2	34.9	47.6	- 4.3	81	6	30	3+	533	0	0	14	0	3.21	.06	1.08	19		0		14	1
KELLOGG	65.4	39.0	52.2	- 1.4	90	7	30	3		1	0	4	0	3.52	1.03	.78	25	.0	0		17	2
KOOSKIA	70.2	39.9	55.1	- 2.5	88	6	30	3	300	0	0	1	0	4.67	1.90	1.38	19	.0	0		15	4
LEWISTON WATER PLANT	72.3	42.8	57.6	- 2.4	89	6	35	2+	230	0	0	0	0	1.62	.13	.40	19	T	0		10	0
LEWISTON WB AP	67.1	42.4	54.8	- 4.1	86	6	35	9+	310	0	0	0	0	1.93	.51	.54	19	T	T	8+	11	1
MOSCOW U OF I	63.6	38.5	51.1	- 1.9	82	6	28	11	427	0	0	3	0	1.77	- .10	.35	19	.0	0		14	0
MULLAN PASS CAA	48.3	31.5	39.9	- 3.5	70	5+	23	9	771	0	2	20	0	2.41	.13	.75	24	15.4	55	1+	15	1
NEZPERCE 2 E	60.0	37.1	48.6		80	6	30	11	503	0	0	7	0	3.37		.77	19	T	0		14	3
OROFINO	71.8	40.6	56.2	- 2.2	93	6	32	2+	267	2	0	2	0	3.07	.83	.98	19				17	2
PIERCE RS	58.1	32.0	45.1M	- 8.0	84	6	25	3+		0	0		0	2.73	- .27	1.27	24		0		11	2
PORTHILL	69.6	37.8	53.7	0.1	84	6	27	3	344	0	0	10	0	.87	- .78	.36	27	.0	0		5	0
PRIEST RIVER EXP STA	65.7	36.1	50.9	- 0.5	82	6	26	3	428	0	0	10	0	2.33	.23	.58	27	.0	0		16	1
RIGGINS RS	71.8	40.4	56.1M	- 5.2	89	6	34	11+	275	0	0	0	0	2.85	.90	.61	19	.0	0		13	3
ROLAND W PORTAL	56.4	32.8	44.6	- 4.0	76	6	25	2+	624	0	0	14	0	4.85	2.52	1.03	[illegible]	4.3	28	1	16	4
SAINT MARIES	65.7	35.1	50.4M	- 4.2	87	6	26	26	446	0	0	10	0	2.78	.84	1.14	24				11	1
SALMON	64.4	34.5	49.5	- 4.0	84	6	21	3	474	0	0	11	0	1.36	.24				0		10	
WALLACE	63.6	35.7	49.7	- 3.2	85	6	27	12	468	0	0	8	0	4.50	1.86	1.32	24	T	0		19	2
WALLACE WOODLAND PK	60.6	35.1	47.9	- 3.7	82	7	27	12		0	0	9	0	3.28	.89	1.10	25	.0	0		14	1
WINCHESTER 1 SE	59.1	33.5	46.3	- 3.8	77	6	27	3	574	0	0	15	0	3.35	.04	.87	19	.0	0		13	2
DIVISION			49.4	- 4.0										2.93	.61			1.6				
SOUTHWESTERN DIVISION																						
ALPHA 1 NE	57.1	28.6	42.9	- 4.8	74	6	19	2	680	0	0	25	0	3.69	1.76	1.08	21	T	0		13	2
ANDERSON DAM	64.6	38.3	51.5		80	6	22	3	412	0	0	4	0	3.22		.73	28	.0	0		12	1
ARROWROCK DAM	62.3	39.6	51.0	- 6.1	82	7	28	2		0	0	4	0	2.96	1.71	.80	29	.0	0		16	2
ATLANTA 1 E	55.6	30.1	42.9	- 4.4	70	5+	19	2	679	0	0	19	0	2.94	1.39	.53	28	T	0		12	1
BLISS	67.8	37.0	52.4	- 5.1	84	6	25	10	383	0	0	5	0	2.59	1.68	1.26	29	.0	0		6	2
BOISE LUCKY PEAK DAM	67.3	39.3	53.3M		84	6	26	11	369	0	0	6	0	2.43		.71	19		0		13	2
BOISE WB AP	64.1	40.2	52.2	- 5.9	84	6	28	1	395	0	0	4	0	2.59	1.50	.82	28	T	T	7+	12	2
BUHL	64.6	39.3	52.0M	- 4.2	83	6	31	11+	399	0	0	4	0	3.36	2.28	1.90	28	.0	0		6	3
CALDWELL	68.2	40.5	54.4	- 3.5	87	6	31	1	327	0	0	3	0	2.90	1.92	.90	19	T	0		12	2
CAMBRIDGE	70.3	36.1	53.2	- 3.5	85	6	25	1	360	0	0	6	0	2.66	1.36	.79	29	.0	0		10	2
CASCADE 1 NW	57.1	32.9	45.0		74	5+	23	2	611	0	0	16	0	3.04		.75	19	T	0		12	1
CHALLIS	61.6	34.1	47.9	- 4.3	77	6	26	3+	525	0	0	13	0	.83	- .19	.31	29		0		11	0
COUNCIL	66.4	38.7	52.6	- 3.2	82	6	26	1	380	0	0	8	0	2.70	.94	.89	19	.0	0		12	1
DEADWOOD DAM	55.1	27.1	41.1	- 4.4	71	6	15	2	733	0	0	27	0	3.13	1.15	.69	21	4.5	22	1	16	2
DEER FLAT DAM	66.4	41.8	54.1	- 4.3	87	6	35	1+	333	0	0	0	0	2.40	1.63	.98	19	.0	0		11	2
EMMETT 2 E	68.9	40.0	54.5	- 4.6	88	6	28	1+	321	0	0	4	0	3.41	2.39	1.27	19	T	0		8	2
FAIRFIELD	59.6	31.8	45.7M		74	6	23	25	587	0	0	19	0	1.90		.88	29	T	0		11	1
GARDEN VALLEY RS	67.0	35.9	51.5M	- 3.2	80	5+	25	2+	413	0	0		0	2.90	1.48	.72	19	.0	0		14	2
GLENNS FERRY	69.5	39.0	54.3	- 5.2	87	6	27	11	325	0	0	4	0	1.98	1.12	.64	29	T	0		8	1
GOODING CAA AP	64.1	37.5	50.8	- 4.6	82	6	29	25	434	0	0	8	0	1.97	1.21	1.03	28	T	0		7	1
GRAND VIEW	71.9	41.9	56.9	- 2.9	89	6+	33	1+	254	0	0	0	0	2.11	1.20	.82	29	T	0		8	1
HAZELTON	64.5	36.8	50.7	- 6.4	77	31	27	13	439	0	0	10	0	1.67	.63	.71	29	T	T	29	11	1
HILL CITY	60.1	31.3	45.7	- 4.2	75	6	20	11	593	0		17	0	2.57	1.48	1.20	29				9	1
HOLLISTER	61.4	33.7	47.6M	- 6.1			25	25	515	0	0		0	1.66	.53	.53	28	.0	0		9	1
IDAHO CITY	62.7	32.0	47.4	- 5.5	78	6	20	10	540	0	0	16	0	3.75	2.19	1.02	19	.0	0		18	2
JEROME	66.0	34.1	50.1M	- 7.3	83	6	19	1	448	0	0	11	0	2.07	1.27	.84	29	T	0		10	1
KUNA 2 NNE	64.5	38.2	51.4	- 5.3	84	6	29	1+	415	0	0	7	0	3.12	1.95	.96	19	T	0		9	3
MC CALL	53.8	31.6	42.7	- 4.4	70	5	20	2	691	0	0	18	0	3.14	1.20	.68	19+				13	2
MERIDIAN 1 SSW	66.3	40.3	53.3	- 4.4	85	6	29	10	359	0	0	3	0	3.12	1.95	1.02	19	.0	0		6	3
MESA	64.7	38.3	51.5		81	6	29	1+	411	0	0	5	0	3.15		1.10	19	T	0		10	1
MOUNTAIN HOME	69.7	37.3	53.5M	- 2.5	85	6	28	11	351	0	0	8	0					T	0			
NAMPA 2 NW	66.8	41.0	53.9		88	7	31	2		0	0	2	0	2.30		.95	29	.0	0		10	2
NEW MEADOWS RS	61.9	32.4	47.2M	- 2.1	77	5	20	2	546	0	0	17	0	3.29	1.57	1.02	9	T	0		14	2
OBSIDIAN 4 NNE	50.2	24.6	37.4	- 5.5	63	5+	10	2	847	0	0	29	0	1.25	- .14	.41	29	T	7	1+	9	0
OLA 4 S	66.1	35.8	51.0		79	6	26	1+	429	0	0	7	0	4.46		1.68	19				14	2
PARMA EXP STA	66.5	39.8	53.2	- 6.3	84	6	32	1+	360	0	0	2	0	2.85	2.16	.99	19	T	0		13	2
PAYETTE	68.6	40.7	54.7	- 4.1	87	6	32	1	314	0	0	1	0	2.20	1.20	.78	19	T	0		11	2
RICHFIELD	63.6	34.7	49.2	- 4.2	78	6	25	2+	482	0	0	11	0	.91	- .03	.31	29	.0	0		6	0
SHOSHONE	65.3	36.4	50.9	- 3.7	81	6	26	2	430	0	0	8	0	2.40	1.43	1.07	28	T	0		11	2
STIBNITE	49.3	26.3	37.8		69	6	14	2		0	0	27	0	3.12		.69	20	14.0	10	1	14	1
SUN VALLEY	57.6	27.4	42.5M	- 3.0	71	5+	16	22	690	0	0	26	0	1.10	- .33	.55	29	T	0		5	1
SWAN FALLS PH	70.7	45.1	57.9	- 4.2	86	7	37	2	219	0	0	0	0	1.70	.75	.79	29	.0	0		6	1
THREE CREEK	58.0	28.8	43.4		75	6	17	2	660	0	0	23	0	2.26	- .01	.45	29	3.0	2	8	16	0
TWIN FALLS 2 NNE	65.8	37.1	51.5	- 4.3	83	6	29	2+	413	0	0	9	0	1.90	.87	.69	29	T	0		9	1
TWIN FALLS 3 SE	63.9	37.8	50.9	- 5.6	83	7	29	2+		0	0	5	0	2.06	1.12	.48	29	.0	0		11	0
WEISER	69.6	39.1	54.4	- 5.9	87	6	29	2	324	0	0	5	0	1.93	1.11	.68	19+	T	0		10	2
DIVISION			49.8	4.6										2.53	1.21			.5				
SOUTHEASTERN DIVISION																						
ABERDEEN EXP STA	63.4	33.7	48.6	- 5.1	77	6	21	2	502	0	0	15	0	1.75	.70	.56	24				10	1
ALBION	60.1	31.3	45.7	- 6.7	73	6+	21	4+	591	0	0	19	0	2.37	.75	.71	24	.0			10	1
AMERICAN FALLS 1 NW	62.0	34.9	48.5	- 5.5	77	6	26	4	504	0	0	14	0	2.17	.68	.74	24	T	0		12	1
ARCO			M		75	5+	23	22		0	0		0									
ASHTON 1 S	60.7	33.2	47.0	- 3.2	76	6	27	22	552	0	0	12	0	1.55	- .16	.50	19	.5	■		6	1

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days: .01 or More	.50 or More	1.00 or More
BLACKFOOT	64.3	[illegible]	[illegible]	- 3.3	[illegible]	6	25	4	453	0	0	11	0	[illegible]	1.25	.96	24	T	0		9	1	0
BLACKFOOT DAM	[illegible]	[illegible]	41.4M	- .4	73	6	13	10	[illegible]	0	0	25	0	3.45	1.82	.96	24				13	2	0
BURLEY	64.2	38.5	51.4	- 4.[illegible]	80	7	19	3+		0	0	6	0	1.79	.89	.44	24	.0	0		8	0	0
BURLEY FACTORY	[illegible]	[illegible]	49.5	- 5.0	79	7	24	3			0	12		1.9[illegible]	.90	.50	[illegible]				11	1	0
BURLEY CAA AP	64.[illegible]	34.9	49.5	- 4.4	[illegible]	6	24	3	473	0	0	12	0	2.[illegible]	1.32	.54	19	T	0		9	1	0
CHILLY BARTON FLAT	56.1	28.1	42.1	- 6.3	71	5	17	4	702	0	0	28	0	1.[illegible]	.32	.60	28	T			7	1	0
CONDA	55.[illegible]	30.4	43.0	- 5.4	73	7	18	10		0	0	19	[illegible]	3.73	1.[illegible]	1.05	19	3.5			17	2	1
DRIGGS	55.[illegible]	[illegible]	42.7	- 4.0	74	7	20	2			0	28	0	2.37	.41	.43	23				15	0	0
DUBOIS EXP STA	58.4	34.[illegible]	46.4	- [illegible]	74	6	24	12	570	0	0	13	0	2.00	.68	.35	24	.0	0		11	0	0
DUBOIS CAA AP	6[illegible]	33.5	47.0	- 4.5	77	6	24	[illegible]	549	0		15	0	2.01	.75	.59	23	T	0		8	1	0
FORT HALL IND AGENCY	64.[illegible]	34.9	49.7M	- 4.8	79	6	21	4	468	0		14	0	2.23	1.10	1.09	24	T	0		11	1	1
GRACE	57.[illegible]	32.6	45.0	- 5.6	77	6	23	2	614	0	0	15	0	2.[illegible]	1.21	.60	23	T	T	[illegible]	14	1	0
GRAY	53.7	29.5	41.6	- 6.6	74	6	20	1+	754	0	0	19	0	3.63	1.76	.80	18	T	0		10	1	0
GROUSE	55.6	28.1	41.9		78	6	18	4	712	0	0	24	0	1.04	.01	.37	24	T	0		8	0	0
HAMER 4 NW	63.1	31.6	47.4	- 5.3	78	6	23	5+	540	0	0	19	0	1.11	.16	.51	24	T	0		7	1	0
IDAHO FALLS [illegible] NE	62.2	34.[illegible]	48.5M		78	6	24	12	501	0		10	0	2.29		.43	24	T	0		9	1	0
IDAHO FALLS CAA AP	61.5	[illegible]	48.4	- 4.8	77	6	24	12	[illegible]	0	0	10	0	2.15	.91	.53	24	1.5	T	1	9	1	0
IRWIN 2 [illegible]	59.5	32.7	46.[illegible]	- 5.4	78	[illegible]	14	3	578	0	0	16	0	[illegible]	.60	.52	24				12	1	0
ISLAND PARK DAM	54.1	27.8	41.0	- 5.4	70	5+	10	2	736	0	0	25	[illegible]	5.[illegible]	2.70	.85	14	11.0	12	1	12	5	0
LIFTON PUMPING STA	55.[illegible]	33.1	44.[illegible]	- 7.1	70	27	25	3	635	0	0	14	0	1.51	.56	.24	[illegible]	[illegible]			14	0	0
MACKAY RS	57.[illegible]	[illegible]	45.[illegible]M	- 5.9	73	5	[illegible]	22	615	0	0	15	0	.84	- .22	.35	[illegible]	.0	0		6	0	0
MALAD	62.1	36.4	49.3	- 4.8	75	6	28	4+	484	0	0	9	0	1.9[illegible]	.6[illegible]	.69	24	T	0		7	1	0
MALAD CAA AP	62.8	32.7	47.8		77	6	23	3+	529	0	0	13	0	1.86		.47	29	.0	0		7	[illegible]	0
MAY RS	61.[illegible]	[illegible]	46.3	- 6.0	77	6	22	2	[illegible]	0	0	16	0	1.57	.47	.44	28	.0	[illegible]		7	0	0
MC CAMMON	[illegible]	[illegible]	48.5		77	6	25	3+	503	0	0	13	0	2.52		1.34	24	T	0		13	1	1
MINIDOKA DAM	60.8	36.5	48.8		74	6	29	2+	444	0	0	10	0	[illegible]		.77	24	.0	0		11	1	0
MONTPELIER RS	58.[illegible]	30.4	44.[illegible]M	- 5.1	77	27	20	3	634	0	0	17	0	1.73	.46	.50	[illegible]	T	0		16	1	0
OAKLEY	61.2	[illegible]	48.1	- 6.1	78	6	26	4+	515	0	0	12	0	2.20	.90	.64	24	T	0		13	1	0
PALISADES DAM	60.3	33.9	47.1M		77	6	24	3		0	0	14	0	2.57		.69	24		0		13	1	0
PAUL 1 E	63.0	35.[illegible]	49.[illegible]	- 6.0	79	7	25	3+		0	0	12	0	1.92	1.[illegible]	.57	20	T	0		8	2	0
POCATELLO WB AP //R	61.7	35.9	48.8	- 6.5	77	6	28	2	494	0	0	9	0	1.57	.36	.49	24	.3	T	1+	13	0	0
PRESTON SUG FACT 2SE	63.0	[illegible]	49.4	- 4.5	75	6	25	4	479	0	0	8	0	2.38	.87	.82	24	1.2	0		13	2	0
REACTOR TESTING STA	60.5	30.2	45.4		76	6	19	2+	6[illegible]2	0	0	20	0	1.78		.70	24	T	0		[illegible]	[illegible]	0
RUPERT	64.2	34.7	49.5M	- 5.8	[illegible]	7	27	2+		0	0	11	0	1.50	.49	.50	24	[illegible]	0		9	1	0
SAINT ANTHONY	60.7	32.[illegible]	46.8		78	6	22	2+	557	0	0	14	0	1.[illegible]	.12	.59	24				10	1	0
SPENCER RS	59.4	31.3	45.4	- 2.8	73	7+	20	12	599	0	0	18	0	3.11	.83	1.[illegible]	24	T	0		13	3	1
STREVELL	61.1	32.4	46.8		74	6	21	3	560	0	0	18	0	1.50		.88	24	.0	0		9	1	0
SUGAR	59.5	28.8	44.2M	- 7.7	79	6	22	10	575	0	0		0	1.62	.37	.83	24	[illegible]	0		7	1	0
TETONIA EXP STA	57.0	25.8	41.4M		73	31	18	1	712	0	0	27	0	1.84		.45	28				1[illegible]	[illegible]	0
[illegible]			[illegible]	- 5.1										2.[illegible]	.72			.5					
STATE			48.6	- 4.6										2.[illegible]	.90			.8					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	1.75							.03		.11	.05							.12		.14		.18		.05	.56				.15	.36		
ALBION	2.37							.21	.05										.02	.34	.22	.17		.22	.71				.23	.20		
ALPHA 1 NE	3.69							.31	.06		.04					T				.60		1.08	.17	.11	.04	.01	.30		.30	.33		.34
AMERICAN FALLS 1 NW	2.17	T						.07	T	.18		.03						.32	.01	.15	.11	.14		.02	.74				.10	.30		
ANDERSON DAM	3.22							.23	.04							.19				.28	.34	.34		.05	.15	.01	T		.73	.47		.39
ARCO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARROWROCK DAM	2.96	T						.10	.12			.03					.12	T		.60	.35	.20	.25	T	.06	.02	.01	.02	.09	.80	.04	.15
ASHTON 1 S	1.55	.20							.01	T								T	T	.50	T	.35		T	.48				.01			
ATLANTA 1 E	2.94							.41	.04	T							.04	T		.49	.26	.21	.06	.12	.08	T	T		.53	.48	T	.16
AVERY RS	3.95	.01	.02					.11	.03	.09	T							.15	T	.31	.36	.12	.09	T	1.48	.47	.43	.01		.05		.22
BAYVIEW MODEL BASIN	2.43							.05	.07	.40						.05	.01		.16	.17	.08	T	.01		.50	.04	.26	.46		.07	.10	
BIG CREEK 1 S	3.40	.10						.10	.40	.10	.07					T	T			.48	.34	.46	.13	.25	.25	.05	.10		.14	.34		.09
BLACKFOOT	2.57							.04		.14								.05		.21		.27		.12	.96				.48	.30		
BLACKFOOT DAM	3.45	.22						T	.02	.03	.08					.14		.85	.18	.39	.13	.20			.96				.02	.23		
BLISS	2.59							.14												.35	.17	.05		T	T	T	T		.62	1.26	T	T
BOISE LUCKY PEAK DAM	2.43	T						.17	T							.01				.71	.13	.24	T	.04	[illegible]	.05	.01		.60	[illegible]	[illegible]	.47
BOISE WB AP //R	2.59							.19		T	T				.08				.23	.65	T	.16	T	.01	.01	.02	.07		.82	.29	T	.06
BONNERS FERRY	.81	T						T	.05	T							T		.05			T	T		.07	.03	.33	.18			.06	.04
BUHL	3.36							.04			T					T				.64		.03		.10	T				1.90	.65		
BUNGALOW RS	4.57	.05						.27	.30	.08	.08	.01					.03	.14		.53	.45	.48	.23	.05	1.31	.25	.13	.02	T	.11	.05	T
BURKE 2 NNE	3.06	T	T					.16	.24	.01	.01				.02	T	T	.03		.43	.29	.14	.09	T	.98	.11	.05	.12			.40	
BURLEY	1.79								.04										T	.15	.42	.05	.23		.44					.04	.42	
BURLEY FACTORY	1.90								.06			.02								.15	.50	.04	.18		.44	.01			.03	.07	.40	
BURLEY CAA AP	2.36							.10			.04				T			T		.54	.09	.29		.33	.26				.22	.49		
CALDWELL	2.90							T	.10								T			.90	.03	.14	.02	.10	.20	.02	.32		.10	.82	.15	
CAMBRIDGE	2.66																			.77	.32	.43	.03	.05		.02	.15		.09	.79		.01
CASCADE 1 NW	3.04							.13	.12		T									.75	.26	.40	.29	.04	.08	T	.24		.31	.37	T	.05
CEN ERVILLE ARBAUGH	3.58	.07						.45	.09	.02	T					.01		.04	T	.85	.32	.47	.07	.15	.02	.01	.11		.50	.14	.08	.18
CHALLIS	.83								T	.03	.03							.03	.04	.19	T	.04	.03	.08	.02				.03	.31		
CHILLY BARTON FLAT	1.60	T						T		.05									T	.10		.20		.20	.35				.60	.10		
CLARK FORK 1 ENE	2.41	.09						.14	.05	.21											.18	.12	.08		.13		.55	.15		.07	.64	
COBALT BLACKBIRD MINE	2.29	.16	T						.12				.11							.22	.45	.06	.22	T	.22	.30			.01	.42	T	
COEUR D ALENE CAA AP	2.18	T	T					.12	.09	.04	.06				.05	.01	T	T	.22	.02	T	.17		.08	.83	.05	.19	T		.14	.01	.10
COEUR D ALENE RS	2.29	.08	T					.10	.07	.06	.03					.15	.01	T		.07	T	.06	T		1.72	.16	.16	.11		.02	.06	
CONDA	3.73	.13	.06						.07	.01	.20	.01			.04		T			1.05	.11	.39	.04	.12		.90	.18		.06	.10	.26	
COTTONWOOD	2.58	T	T					.32	.01	T	T						.08	.01	T	.64	.29	.09	.40		.04		.06		.01	.63		T
COUNCIL	2.70							.20	.01									.03		.89	.38	.31	.14		.05	T	.06		.14	.44	T	.05
CROUCH 2 NNW	3.27							.21										.06		.75	.38	.78	.03	.12	.06		.14		.35	.23		.16
DEADWOOD DAM	3.13	.02	T					.31	.07	.01	T					.01	T	T	T	.67	.25	.69	.10	.17	.11	.07	.01		.30	.09	T	.30
DEER FLAT DAM	2.40																	T		.98	.06	.02	.02	.18	.04	T	.23		.10	.72	.02	.03
DIXIE	3.61	.16	.04					.24	.24	.06	.02	T					T	.30		.40	.30	.22	.18	T	.35	.15	.07		T	.45	.02	.21
DRIGGS	2.37	.11	.29					.20	.07	.11	.01								.04	.04	.20	.22	.35	.43	.10					.17	.33	
DUBOIS EXP STA	2.00	.02																	.16	.33	.19	[illegible]	.02	.33	.35	.04			.23	.03		
DUBOIS CAA AP	2.01	T						T		T		T			T	T		T	.16	.30	.12	.20	T	.59	.43				.19	.02		
ELK RIVER 1 S	4.27							.39	.03	T	.13	.04						.65		.96	.15	.40	.05		.94	T	.02	.06	.12	.28	.02	.03

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3 -Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	3.41																			1.27	.16	.20	.05				.40		.27	.94		.12
FAIRFIELD	1.90							T			T				.04	.02	.02	.15		.33	.08	.10		.05					.22	.88	.01	
FENN RS	4.53	.17						.55	.36		.12	.01						.29	.02	.86	.27	.38	.50	.30	.22		.09			.36	.13	
FORT HALL IND AGENCY	2.24	.11						.06	.04	.13									.04	.12		.16		.05	1.09				.25	.18		
GARDEN VALLEY RS	2.90	.05						.17		.08							T			.72	.22	.60	.10	.09		.02	.18		.41	.13	.05	.08
GLENNS FERRY	1.94							T									T			.41	.10	.15				T	.15		.42	.64	.05	.06
GOODING CAA AP	1.47							.06	.01		T					T			T	.41		. 9		.02	T		T		1.03	.35		T
GRACE	2.83	.04								.13	.03				.03			.07	.38	.41	.20	.10	.01	.60	.45				.11	.26	T	
GRAND VIEW	2.11							.05								T				.45	.24	T		.05		.06			.21	.82		.23
GRANGEVILLE	3.21	T						.38	.06	.07		T						T	.19	1.08	.06	.32	.16	.04	.24	.10	.05		.01	.45		T
GRAY	3.44	.05																	.80	.34		.40		.45	.40	.39	.45		.15	.20		
GROUSE	1.04								.04									.12	.03	.11		.15			.37				.16	.06		
HAMER 4 NW	1.11	.13									T					T				.14		.10		.04	.51				.16	.03		
HAZELTON	1.67							.10								.03	.02	T		.29	.15	.07		T	.16	.02			.10	.71	.02	
HILL CITY	2.57							.06							T	.25	T		T	.29	.14	.18	T			.02	T		.37	1.20		.06
HOLLISTER	1.66							.03	.16	.04										.25	.23		.14	.19	.09				.53	T		
HOWE	1.48	T								.07									.08		.03		.08		.43				.06	.39	.04	
IDAHO CITY	3.75							.24	.16	.09	.01					.34	.02		.02	1.02	.49	.26	.02	.10	.06	.02	.03		.57	.05		.25
IDAHO CITY 13 [illegible]	3.04							.51	T	T	T					T				.63	.15	.42	T	.03	.03	T	T		.58	.38	.01	.30
IDAHO FALLS [illegible]	[illegible]	.34	.03						T	.21								T	T	.08		.41			.93				.01	.27	.01	
IDAHO FALLS CAA AP	2.15	.16						T	T	.07	T	T						.14	T	.11	T	.36		.45	.53				.12	.21		
IRWIN 2 S	2.27	.08						.17			.10							T	.16	.25	.04	.44	.03		.52				.31	.11	.04	
ISLAND PARK DAM	5.07	.65						T	.13										.22	.85	.75	.40	.11		.57	.70			.45	.04	.15	
JEROME	2.07							.04			T					.05	.01			.36	.28	.04		.04	T	.09			.27	.84	T	
KELLOGG	3.52	.14	.03						.21	.12	.04	.01				.14		.15	.06	.42	.13		.09	T	.67	.78	.05	.21		T	.27	
KOOSKIA	4.67	.21						.64	.13	.35	.04	T			T					1.38	.47	.50	.29	.02	.51		.08	.07		.25		.03
KUNA [illegible] NNE	3.12							.22			T									.96	.04	.10		.50	T	T	.07		.33	.86	T	.04
LEWISTON WATER PLANT	1.62							.28	T											.40	.14	.21	T	.05	.11	T	.34	.01	T	.06	T	.02
LEWISTON WB AP	1.93							.36	T	T	T								T	.54	.11	.21	.01	.05	.20	T	.34	T	T	.08	.02	.01
LIFTON PUMPING STA	1.5[illegible]									T	.01	T			T	.01	.04	T	.05	.22	.29	.10	T	.22	.19	.01	.01	.02	.08	.26	T	
MACKAY RS	.84																	.08		.06		.12		.09	.25	T				.24		
MALAD	1.[illegible]	T							T	T								T	.25	.12	T	.09		.04	.69				.22	.49		
MALAD CAA AP	1.86							T		T					T		T	T		.30	.02	.04		.22	.39				.42	.47		
MAY RS	1.[illegible]7	T						T								.08		T		.37	T	.1	T	.05	.28				.44	.18		
MC CALL	3.14							.07	.28											.68	.68	.16	.45	.09	.09	.02	.35		.20	.03		.04
MC CAMMON	2.6[illegible]	T						.05	.03	T	.08						T	.08	.11	.15	.08	.05	.05	T	1.39	.04			.10	.31		T
MERIDIAN [illegible]	3.[illegible]2																.55			1.02	T	.18		.25					.70	.92	T	T
MESA	3.15							.21	T								T			1.10	.35	.33	.20	.06			.19		.22	.41		.08
MINIDOKA DAM	2.19	.01						.10											.16	.33	.03	.2[illegible]		.20	.77				.03	.35	.01	
MONTPELIER RS	1.73	.[illegible]6									.02	.01	.04	.04	.01			.01	.18	.04	.50	.12	.02	.18	.22				.12	.16		
MOSCOW U OF I	1.77	.[illegible]2						.40	T											.35	.08	.25	.04	.04	.13	.04	.07	.22		.08	.09	.06
MOUNTAIN HOME	-																	.15		.45	.25	.07	T	T		T			.53	.34		-
MULLAN PASS CAA	2.41	T	T					.11	.05	.08	.01	T			T		.39		.19	.06	.18	.06			.75	.15	.10		T	.10	.03	.15
NAMPA 2 NW	2.30							T		T							T			.65	.12	.02	.02	.01	.11		T	.24		.95	.06	.12
NEW MEADOWS RS	3.[illegible]							.14	.33											1.02	.35	.55	.09	.06	.04		.36	.03	.01	.18	.02	.11
NEZPERCE 2 E	3.37	T	.02					.[illegible]	.06	T	T	.01							T	.77	.32	.55	.06		.45	.01	.02	.02		.41	.01	T
OAKLEY	[illegible]							.05	.17		.02					.13	T	.23	.07	.26	.02	.03		.21	.64				.17	.20		
OBSIDIAN 4 NNE	1.25	T						.03		T						.08				.04	.21	.19	.09			.05	T		.15	.41		
OLA 4 S	4.46							.10	T	.01	.03						.20			1.68	.44	.27	.06	.07	.03	T	.12		.37	1.00	.08	
OROFINO	3.07	.01	.03						.53	T	.02	.05	T			[illegible]	T	.01		.98	.37	.24	.10	T	.26	.02	.06	.03	T	.14	T	.02
PALISADES DAM	2.57	.12										.06		.02				.02	.20	.32	.07	.47	.02		.69	.01			.46	.15		
PARMA EXP STA	2.85							.14	T									.02		.49	.04	.12	.09	.10		.02	.43	.02	.06	.76	.06	
PAUL 1 E	1.3[illegible]								.08										.08		.57		.18		.50				.04	.13	.34	
PAYETTE	[illegible]							T										.02		.78	.10	.15	.10	.04	.02		.21		.18	.58		.02
PIERCE RS	[illegible]	.13							.56	.17	.12	.05												.01	1.27	.10		.18		.11	.03	
PINE [illegible]	2.63	T	T					.25		T					.04	T	.[illegible]1	T	T	.54	.04	.27	T	.05	.01	T	T		.70	.36	T	.36
POCATELLO WB AP	1.57	.01						.03	.01	.05	.01	T						.11	.01	.11		.07		.35	.49				.11	.21		
PORTHILL	.87								.10	.08													.14		T		.19	.36				
PRESTON SUG FACT 2 SE	2.3[illegible]									.07	.02	.01		.01	T		.01			.40	.33	.02		.03	.82				.02	.59	.05	
PRIEST RIVER EXP STA	2.33	.[illegible]	T					.19	.12	.07	.04	T			.01	T	T		.13	.24	.01	.05	.16		.23	T	.26	.58	T	.05	.15	T
REACTOR TESTING STA	1.78	T						T						T				.07	T	.17		.03		.53	.70				.24	.04		
RICHFIELD	.91							.06										T		.26	.03	.18							.07	.31		
RIGGINS RS	2.85							.12	.10	.04			.01					.12		.61	.33	.59	.12				.23		.05	.52		.01
ROLAND W PORTAL	4.85	.03	T					.10	.30	.13	.10						.60	.10		.51	.37	.2[illegible]	.10		1.03	.69	.15				.16	.26
RUPERT	1.50								.04										.02	.09	.27	.0[illegible]	.13		.50				T	.05	.38	
SAINT ANTHONY	1.66	.17						T	.04	.07									.03	.25		.37		T	.59				.10	.02		.02
SAINT MARIES	[illegible]	.[illegible]1						.[illegible]	.02	.3[illegible]	T					.[illegible]			T	.16		.19			1.14	.49	.31	.09				
SALMON	1.36	T							.02									.01	.01	.10	.08	.1[illegible]			.57				.45	.02		
SHOSHONE	[illegible]							.03	.02							.[illegible]	.09			.27	.08	.11		.07	.02				1.07	.58		
SPENCER RS	3.11	.[illegible]7											.02					.06	.04	.53	.42	.50	.10		1.10	.03			.17	.05	.02	
STIBNITE	3.1[illegible]	.08							.30	.11	.06	T				T				.40	.69	.12	.24	.31	.29	.15		.02		.29	T	.07
STREVELL	1.50								.14	T						.01		.08		.07	.1	.02		.02	.88				T	.18		
[illegible]AR	1.[illegible]							.04	.01	.06								T	T	.14		.42			.83					.12		T
SUN VALLEY	1.10							.02			T						T	T	T	.25	T	.18	T	.[illegible]0		T			T	.55	T	
SWAN FALLS PH	1.70							.0[illegible]												.40	.23	T	T			T			.10	.79	T	.13
TETONIA EXP STA	1.84							T	.06	.16								.22	.12	.10		.30		.20	.17				.45		.06	
THREE CREEK	2.26							.05	.04		.03				T	.06	.08	.11	.11	.21	.2[illegible]	.15		.23	.10		.03		.33	.45	T	.08
TWIN FALLS 2 NNE	1.90							.05											T	.33	.20	21		.03	.07				.30	.69	.02	
TWIN FALLS 3 SE	2.66							.06	.01										T	.33	.40	.01	.02		.14				.24	.48	.30	.07
WALLACE	4.50	.03						.10	.13	.22	.06	T			.23		.97	.09	.02	.36	.08	.09	.11	T	1.32	.22	.17	T	.03		.12	.15
WALLACE WOODLAND PARK	3.28	.11							.14	.20	.09					.16		.38		.27	.12		.11		.26	1.10	.08	.15			.11	
WEISER	1.93																			.68		.08	.10	.04	.03	.02	.16		.10	.68	T	.04
WINCHESTER 1 SE	3.35							.42		.02										.87	.09	.50	.09	.28	.27	.18	.17	.03		.29		.14

See reference notes following Station Index

DAILY TEMPERATURES

able 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
BERDEEN EXP STA	MAX	[illegible]	50	59	65	73	77	58	55	47	53	56	54	64	69	70	73	76	[illegible]	70	58	61	59	[illegible]	53	67	70	[illegible]	[illegible]	57	[illegible]	[illegible]	63.4
	MIN	29	[illegible]	26	[illegible]	[illegible]	31	39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30	39	33	39	42	48	[illegible]	34	30	[illegible]	36	[illegible]	38	[illegible]	48	[illegible]	42	40	[illegible]
LBION	MAX	54	50	[illegible]	68	72	73	70	58	[illegible]	49	51	[illegible]	61	66	[illegible]	[illegible]	58	66	64	[illegible]	[illegible]	57	[illegible]	47	[illegible]	66	[illegible]	[illegible]	[illegible]	[illegible]	73	60.1
	MIN	[illegible]	28	[illegible]	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	23	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	42	42	[illegible]	26	[illegible]	33	25	[illegible]	30	42	36	40	[illegible]	31.3
LPHA 1 NE	MAX	48	49	58	[illegible]	73	74	68	46	45	46	55	59	[illegible]	[illegible]	55	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]	46	52	[illegible]	60	[illegible]	[illegible]	57	[illegible]	57.1
	MIN	21	19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	30	26	24	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	[illegible]	[illegible]	41	36	41	[illegible]	28.6
MERICAN FALLS 1 NW	MAX	48	54	57	60	73	77	73	54	[illegible]	[illegible]	53	[illegible]	62	66	66	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	59	65	[illegible]	[illegible]	67	65	67	59	[illegible]	75	62.0
	MIN	29	29	27	26	[illegible]	[illegible]	40	[illegible]	[illegible]	29	[illegible]	[illegible]	28	38	39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	32	30	[illegible]	37	47	[illegible]	[illegible]	[illegible]	[illegible]
NDERSON DAM	MAX	[illegible]	58	67	69	[illegible]	80	[illegible]	[illegible]	[illegible]	55	54	64	69	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	70	71	64.6
	MIN	29	29	[illegible]	30	39	43	[illegible]	[illegible]	[illegible]	33	[illegible]	41	41	38	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	40	39	[illegible]	41	33	42	40	42	43	38.3
RCO	MAX	50	51	60	66	75	75	73	54	52	50	52	56	61	69	58	70			65	[illegible]	55	60	[illegible]									
	MIN	32	29	31	25	30	31	40	28	31	29	33	27	27	30	35			[illegible]	42	41	[illegible]	[illegible]	[illegible]									
RROWROCK DAM	MAX	50	52	58	65	72	80	82	60	55	[illegible]	54	62	60	68	73	[illegible]	[illegible]	[illegible]	72	58	58	49	[illegible]	[illegible]	[illegible]	63	[illegible]	67	63	55	[illegible]	62.3
	MIN	29	25	32	37	40	44	45	34	37	30	37	41	40	41	45	[illegible]	42	[illegible]	48	40	43	[illegible]	41	41	[illegible]	42	[illegible]	[illegible]	[illegible]	44	47	[illegible]
SHTON 1 S	MAX	47	54	58	66	72	76	71	62	58	61	55	55	57	60	65	67	65	[illegible]	55	54	49	57	64	[illegible]	64	[illegible]	61	[illegible]	[illegible]	[illegible]	71	60.7
	MIN	31	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	32	32	[illegible]	32	33	34	[illegible]	[illegible]	35	35	[illegible]	[illegible]	27	34	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	33.2
TLANTA	MAX	43	48	55	65	70	70	68	43	42	46	52	56	56	63	52	66	[illegible]	[illegible]	58	[illegible]	46	45	49	44	[illegible]	[illegible]	64	63	[illegible]	59	64	[illegible]
	MIN	22	19	[illegible]	29	34	39	33	27	24	20	23	34	33	31	36	[illegible]	[illegible]	[illegible]	40	30	30	22	31	[illegible]	25	34	28	[illegible]	[illegible]	[illegible]	[illegible]	30.1
VERY RS	MAX	48	54	62	80	85	88	83	50	50	54	63	68	74	74	75	[illegible]	[illegible]	[illegible]	62	57	55	56	[illegible]	[illegible]	54	67	68	74	69	64	74	[illegible]
	MIN	36	32	30	29	36	40	41	37	30	35	32	28	31	38	40	43	[illegible]	[illegible]	49	[illegible]	[illegible]	34	[illegible]	34	32	37	39	36	44	[illegible]	42	[illegible]
AYVIEW MODEL BASIN	MAX	55	58	58	67	69	73	61	52	54	52	56	59	66	[illegible]	74	65	[illegible]	[illegible]	[illegible]	[illegible]	55	56	58	56	60	62	63	61	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	33	35	[illegible]	[illegible]	35	36	42	39	34	35	32	[illegible]	30	42	48	[illegible]	48	44	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	43	43	[illegible]	[illegible]	47	[illegible]	37.9
IG CREEK RS	MAX	40	46	[illegible]	[illegible]	73	72	52	46	40	39	45	[illegible]	59	62	62	65	64	[illegible]	[illegible]	[illegible]	44	[illegible]	44	42	[illegible]	[illegible]	63	61	[illegible]	61	[illegible]	[illegible]
	MIN	24	19	[illegible]	[illegible]	[illegible]	24	[illegible]	25	[illegible]	23	29	27	24	22	26	25	27	27	[illegible]	29	27	[illegible]	26	[illegible]	[illegible]	[illegible]	[illegible]	27	36	39	[illegible]	[illegible]
LACKFOOT	MAX	45	60	[illegible]	68	[illegible]	[illegible]	72	[illegible]	49	55	[illegible]	56	65	[illegible]	69	[illegible]	70	71	66	[illegible]	55	60	65	[illegible]	68	73	71	72	[illegible]	[illegible]	[illegible]	64.3
	MIN	30	29	32	[illegible]	29	38	42	37	32	30	33	[illegible]	35	36	40	[illegible]	40	44	48	39	[illegible]	30	[illegible]	[illegible]	32	41	[illegible]	44	38	41	[illegible]	36.0
LACKFOOT DAM	MAX	[illegible]	41	[illegible]	58	[illegible]	[illegible]		48	42	45	48	50	55	[illegible]	63	63	[illegible]	[illegible]	[illegible]	[illegible]	46	50	54	[illegible]	60	66	68	64	[illegible]	60	[illegible]	[illegible]
	MIN	23	20	[illegible]	24	27		22	19	[illegible]	13	19	21	27	24	26	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	22	[illegible]	31	21	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26.9
LISS	MAX	[illegible]	[illegible]	[illegible]	[illegible]	78	84	79	60	60	60	60	64	71	75	74	75	75	75	70	61	57	[illegible]	[illegible]	[illegible]	[illegible]	65	70	[illegible]	58	[illegible]	[illegible]	67.8
	MIN	[illegible]	28	[illegible]	32	35	[illegible]	41	[illegible]	34	25	34	34	36	37	37	41	41	[illegible]	40	41	41	[illegible]	41	[illegible]	30	41	[illegible]	44	42	41	42	37.0
OISE LUCKY PEAK DAM	MAX	54	58		[illegible]	[illegible]	84	80	[illegible]	57	64	60	[illegible]	[illegible]	72	74	74	75	75	75	61	58	61	61		60	[illegible]	65	[illegible]			71	67.3
	MIN	29	42	[illegible]		[illegible]	47	45	32	[illegible]	[illegible]	26	41	41	45	47	47	46	46		37	40	[illegible]	43		37	44	37	40	44			[illegible]
ISE WB AP	MAX	55	58	65	73	80	84	62	57	54	56	63	63	[illegible]	71	[illegible]	72	74	73	60	[illegible]	55	[illegible]	[illegible]	58	60	[illegible]	65	[illegible]	56	68	[illegible]	[illegible]
	MIN	28	29	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	34	29	31	40	[illegible]	43	44	[illegible]	44	[illegible]	46	[illegible]	40	38	43	[illegible]	35	43	[illegible]	42	[illegible]	47	[illegible]	[illegible]
NNERS FERRY	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	61	57	[illegible]	61	69	[illegible]	[illegible]	77	76	[illegible]	[illegible]	75	62	59	67	61	65	[illegible]	61	68	[illegible]	77	77	[illegible]	76	[illegible]
	MIN	41	34	[illegible]	34	37	39	45	[illegible]	[illegible]	32	32	36	35	42	48	40	[illegible]	[illegible]	50	[illegible]	30	42	[illegible]	45	44	45	[illegible]	[illegible]	48	42	[illegible]	[illegible]
UHL	MAX	[illegible]	[illegible]	63	68		[illegible]	79	62	53	54	59	[illegible]	[illegible]	69	[illegible]	[illegible]	[illegible]	72	70	[illegible]	[illegible]	61	59	54	67	66	66	66	[illegible]	70	[illegible]	[illegible]
	MIN	[illegible]	33	34	[illegible]		42	43	38	[illegible]	[illegible]	[illegible]	[illegible]	37	45	44	42	[illegible]	47	49	39	39	37	[illegible]	[illegible]	31	41	39	44	[illegible]	44	45	[illegible]
NGALOW RS	MAX	[illegible]			81	86	87	85	50	54	54	62	69	72	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	56	58	66	61	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	79	67.8
	MIN	[illegible]			29	31	40	41	37	[illegible]	[illegible]	31	[illegible]	[illegible]	30	38	[illegible]	[illegible]	[illegible]	[illegible]	39	34	[illegible]	[illegible]	[illegible]	36	40	42	36	46	48	[illegible]	37.1
RKE 2 NNE	MAX	43	45	55	60	69	[illegible]	68	41	40	44	52	[illegible]	[illegible]	[illegible]	64	60	60	63	59	47	50	[illegible]	55	56	[illegible]	[illegible]	[illegible]	64	[illegible]	[illegible]	[illegible]	56.2
	MIN	31	[illegible]	25	28	[illegible]	[illegible]	34	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	34	33	[illegible]	[illegible]	[illegible]	38	33	27	[illegible]	[illegible]	[illegible]	[illegible]	37	32	[illegible]	[illegible]	39	[illegible]	31.7
RLEY	MAX	50	[illegible]	[illegible]	[illegible]	74	75	80	60	55	54	56	59	59	70	73	[illegible]	[illegible]	72	75	[illegible]	58	51	62	66	[illegible]	68	[illegible]	54	70	68	[illegible]	64.2
	MIN	[illegible]	[illegible]	29	[illegible]	34	39	45	45	[illegible]	[illegible]	33	35	31	39	44	[illegible]	[illegible]	[illegible]	[illegible]	40	42	[illegible]	42	[illegible]	[illegible]	42	[illegible]	49	45	48	[illegible]	38.5
RLEY FACTORY	MAX	50	54	56	62	[illegible]	75	79	59	59	[illegible]	55	58	[illegible]	[illegible]	74	72	[illegible]	[illegible]	[illegible]	[illegible]	57	[illegible]	62	66	[illegible]	67	68	71	[illegible]	54	[illegible]	63.9
	MIN	[illegible]	29	24	30	[illegible]	34	45	[illegible]	[illegible]	[illegible]	29	33	[illegible]	[illegible]	39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]	28	39	34	43	36	38	45	35.2
RLEY CAA AP	MAX	54	[illegible]	62	69	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	57	[illegible]	[illegible]	[illegible]	76	[illegible]	[illegible]	[illegible]	[illegible]	57	52	61	68	53	[illegible]	64	68	65	52	[illegible]	77	[illegible]
	MIN	32	31	24	28	[illegible]	[illegible]	42	[illegible]	[illegible]	33	31	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	32	[illegible]	[illegible]	34	28	[illegible]	36	42	[illegible]	39	42	34.9
LDWELL	MAX	60	62	70	76	[illegible]	[illegible]	[illegible]	58	55	58	67	68	75	75	79	78	[illegible]	[illegible]	[illegible]	61	60	62	61	63	65	61	65	64	60	70	70	68.2
	MIN	31	32	36	34	32	48	49	37	35	34	34	40	35	42	49	45	[illegible]	47	[illegible]	37	41	39	[illegible]	41	35	45	36	46	43	47	52	40.5
MBRIDGE	MAX	58	60	64	74	[illegible]	85	80	76	69	68	70	78	76	78	77	82	[illegible]	78	72	63	59	55	[illegible]	59	65	68	64	63	[illegible]	71	78	70.3
	MIN	25	35	31	33	31	35	34	32	33	34	35	36	34	42	50	40	39	37	38	35	39	31	38	30	33	35	34	35	40	48	47	36.1
SCADE 1 NW	MAX	43	48	56	63	74	74	73	45	44	45	53	56	60	64	63	67	65	65	60	47	47	45	52	52	53	53	59	60	59	60	65	57.1
	MIN	25	23	26	28	30	30	38	31	40	30	32	36	31	29	39	35	34	33	40	33	32	34	31	35	28	35	28	41	40	41	42	32.9
ALLIS	MAX	49	50	56	67	75	77	74	52	50	49	52	50	61	62	65	71	68	68	68	57	57	52	56	53	59	66	68	67	60	69	69	61.6
	MIN	24	29	26	28	31	32	41	31	29	29	27	33	33	33	43	37	42	34	43	37	37	26	[illegible]	39	[illegible]	[illegible]	34	49	34	41	40	34.1
ILLY BARTON FLAT	MAX	41	45	53	63	71	70	55	48	49	45	48	54	56	63	61	64	59	62	59	54	48	50	52	[illegible]	53	60	65	65	51	60	65	[illegible]
	MIN	27	22	23	17	21	40	35	20	[illegible]	23	25	30	33	23	27	[illegible]	28	[illegible]	42	33	32	[illegible]	23	33	26	34	29	40	34	31	32	28.1
ARK FORK 1 ENE	MAX	53	58	66	73	80	80	77	56	[illegible]	59	63	70	71	72	73	72	74	71	66	59	59	57	67	65	55	70	63	75	73	59	73	66.5
	MIN	38	30	27	30	34	35	45	38	35	35	29	29	31	41	40	35	43	40	50	41	28	37	29	45	43	38	42	33	47	45	32	36.9
BALT BLACKBIRD MINE	MAX	29	33	39	46	56	64	65	48	34	34	32	30	44	49	54	55	58	54	59	44	42	35	34	46	42	46	53	57	51	49		46.4
	MIN	19	18	15	21	26	31	33	22	21	23	22	22	23	26	29	[illegible]	31	29	31	26	[illegible]	16	[illegible]	30	[illegible]	26	28	35	29	34		25.6
EUR D ALENE CAA AP	MAX	55	57	65	75	79	85	59	54	52	56	64	66	72	72	72	72	71	72	60	57	54	56	52	46	53	65	62	72	67	57	71	63.9
	MIN	35	35	30	34	40	44	42	37	35	33	32	36	33	46	47	40	42	48	46	[illegible]	34	34	32	39	[illegible]	43	[illegible]	39	49	42	38	[illegible]
EUR D ALENE RS	MAX	54	56	67	78	83	87	82	54	55	58	67	72	73	72	75	75	75	70	67	61	57	58	66	62	[illegible]	66	64	75	74	64	[illegible]	[illegible]
	MIN	36	37	30	33	37	39	40	41	38	34	32	31	33	44	47	[illegible]	41	47	[illegible]	[illegible]	29	41	31	44	[illegible]	42	46	40	[illegible]	[illegible]	34	39.6
NDA	MAX	40	38	45	52	61	68	73	63	46	42	43	48	51	56	64	[illegible]	61	64	63	[illegible]	51	51	54	[illegible]	42	62	61	71	70	48	62	[illegible]
	MIN	26	26	20	22	24	30	45	27	[illegible]	18	24	21	31	27	35	[illegible]	32	[illegible]	40	[illegible]	36	20	34	32	23	[illegible]	33	[illegible]	30	[illegible]	31	30.4
TTONWOOD	MAX	48	52	60	72	78	77	69	49	49	43	57	66	65	65	67	[illegible]	67	[illegible]	56	55	[illegible]	47	55	[illegible]	55	60	60	60	57	58	71	[illegible]
	MIN	30	30	27	30	33	38	34	34	[illegible]	31	26	30	30	34	40	38	[illegible]	[illegible]	40	29	30	29	29	36	[illegible]	42	29	[illegible]	40	[illegible]	36	[illegible]
NCIL	MAX	57	65	70	72	79	82	80	58	54	50	63	66	73	78	76	77	[illegible]	74	68	56	55	[illegible]	[illegible]	62	[illegible]	54	69	[illegible]	59	67	[illegible]	66.4
	MIN	26	27	31	44	32	38	40	35	30	31	35	42	32	38	50	[illegible]	[illegible]	37	48	[illegible]	41	33	40	40	[illegible]	46	31	[illegible]	[illegible]	44	44	[illegible]
ADWOOD DAM	MAX	41	48	56	65	68	71	58	47	43	45	53	58	59	65	64	60	65	62	57	49	41	43	43	44	56	52	63	57	54	61	61	[illegible]
	MIN	17	15	18	19	23	24	32	29	[illegible]	20	[illegible]	29	26	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	24	29	24	[illegible]	36	37	36	[illegible]
ER FLAT DAM	MAX	57	62	68	75	81	87	68	59	56	59	65	66	75	72	74	78	76	[illegible]	62	[illegible]	[illegible]	60	62	61	64	56	65	[illegible]	[illegible]	[illegible]	60	[illegible]
	MIN	35	37	35	35	39	48	52	37	[illegible]	38	36	42	37	42	50	46	[illegible]	46	[illegible]	[illegible]	42	39	43	42	[illegible]	47	36	47	42	47	43	41.6
XIE	MAX	47	43	53	64	70	69	58	42	40	36	47	[illegible]	60	52	64	[illegible]	60	62	56	44	43	42	49	45	54	[illegible]	[illegible]	59	[illegible]	[illegible]	[illegible]	54.6
	MIN	22	14	12	17	20	23	29	28	25	[illegible]	23	24	20	[illegible]	28	[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	22	[illegible]	31	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	32	25.4
IGGS	MAX	46	37	46	52	60	68	74	61	40	37	41	[illegible]	53	54	63	64	66	64	[illegible]	51	52	45	[illegible]	[illegible]	[illegible]	61	64	70	64	59	64	[illegible]
	MIN	29	[illegible]	22	24	27	31	37	[illegible]	30	26	28	24	32	34	29	30	34	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	36	[illegible]	[illegible]	30	36	[illegible]	30.1
BOIS EXP STA	MAX	43	46	53	63	71	74	64	55	44	46	48	[illegible]	58	62	[illegible]	67	64	62	58	55	[illegible]	[illegible]	56	[illegible]	[illegible]	66	67	67	58	[illegible]	[illegible]	58.4
	MIN	30	26	28	31	36	37	42	28	34	30	32	24	31	34	39	39	[illegible]	[illegible]	[illegible]	[illegible]	33	25	[illegible]	[illegible]	28	40	35	[illegible]	37	[illegible]	[illegible]	34.4
BOIS CAA AP	MAX	44	50	56	66	73	77	60	49	46	48	49	56	62	67	68	[illegible]	65	[illegible]	61	57	52	[illegible]	[illegible]	[illegible]	[illegible]	68	72	[illegible]	52	63	[illegible]	60.4
	MIN	31	30	24	31	29	36	33	26	[illegible]	[illegible]	31	26	33	32	41	36	42	[illegible]	43	36	[illegible]	27	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	37	38	[illegible]	33.6
RIVER 1 S	MAX	48	54	61	75	80	82	72	[illegible]	47	48	59	65	69	68	71	71	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	62	64	71	[illegible]	61	74	62.7
	MIN	31	28	26	29	30	29	42	36	31	32	27	25	29	35	37	32	44	[illegible]	44	[illegible]	35	[illegible]	[illegible]	[illegible]	34	44	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]
ETT 2 E	MAX	59	62	69	74	[illegible]	88	85	62	[illegible]	62	68	[illegible]	75	76	[illegible]	[illegible]	[illegible]	78	62	61	60	59	[illegible]	60	66	[illegible]	[illegible]	[illegible]	[illegible]	70	71	[illegible]
	MIN	28	28	34	35	39	44	48	[illegible]	[illegible]	30	32	41	36	37	49	47	[illegible]	47	46	[illegible]	42	[illegible]	[illegible]	42	[illegible]	45	[illegible]	44	45	47	51	40.0
RFIELD	MAX	42		59	64	70	74	71	54	51	[illegible]	[illegible]	55	61	65	66	[illegible]	66	65	[illegible]	53	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	27	25	29	26	30	36	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	30	36	34	34	[illegible]	44	[illegible]	32	[illegible]	26	30	[illegible]	[illegible]	[illegible]	42	34	[illegible]	[illegible]	31.8
NN RS	MAX	48	53	71	79	86	89	78	53	52	52	63	[illegible]	74	75	76	77	77	75	[illegible]	[illegible]	[illegible]	47	64	[illegible]	[illegible]	65	73	[illegible]	[illegible]	[illegible]	[illegible]	67.4
	MIN	37	42	33	32	30	39	42	38	42	[illegible]	35	[illegible]	33	35	40	[illegible]	[illegible]	47	[illegible]	40	35	37	38	42	40	41	40	40	46	[illegible]	[illegible]	39.4
RT HALL IND AGENCY	MAX	48	54	57	65	74	79	77	66		64	54	55	62	69	70	72	[illegible]	[illegible]	[illegible]	51	56	[illegible]	65	[illegible]	[illegible]	72	69	[illegible]	54	66	[illegible]	64.4
	MIN	31	26	31	21	30	31	41	35		30	31	[illegible]	32	34	34	34	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	32	29	[illegible]	37	46	37	40	38	34.9
RDEN VALLEY RS	MAX	55	66	68	74	80	80	79		55	57	68	[illegible]	[illegible]	74	74	[illegible]	76	72	70	[illegible]	56	[illegible]	54	[illegible]	61	59	70	[illegible]	[illegible]	[illegible]	[illegible]	67.0
	MIN	31	25	27	29	33	34	[illegible]		28	25	27	34	32	32	42	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	38	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NNS FERRY	MAX	59	63	70	74	80	87	75	63	58	61	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	77	[illegible]	67	[illegible]	58	[illegible]	[illegible]	61	70	68	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	69.5
	MIN	[illegible]	34	29	32	35	39	[illegible]	39	36	33	27	38	33	35	42	42	44	[illegible]	50	42	43	33	49	44	[illegible]	42	[illegible]	44	43	[illegible]	[illegible]	39.0
ING CAA AP	MAX	54	56	52	68	76	82	61	57	53	[illegible]	59	[illegible]	69	72	75	73	72	[illegible]	60	[illegible]	52	60	[illegible]	57	70	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	30	30	32	37	38	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	33	38	42	42	43	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	29	40	37	43	39	40	46	37.5
LE	MAX	42	48	52	60	59	72	63	48	42	45	50	53	54	64	[illegible]	64	[illegible]	62	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43	64	[illegible]	[illegible]	68	47	60	71	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	24	28	33	38	[illegible]	[illegible]	27	26	24	34	32	32	[illegible]	[illegible]	40	43	[illegible]	[illegible]	29	[illegible]	[illegible]	27	[illegible]	36	45	32	36	[illegible]	32.6
ND VIEW	MAX	61	65	72	78	83	89	89	62	[illegible]	62	69	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	72	68	[illegible]	67	66	[illegible]	[illegible]	[illegible]	70	69	63	75	[illegible]	71.9
	MIN	33	35	36	[illegible]	37	[illegible]	51	38	40	[illegible]	[illegible]	44	35	45	[illegible]	46	46	[illegible]	47	42	45	[illegible]	[illegible]	[illegible]	[illegible]	44	37	42	43	49	52	41.9
NGEVILLE	MAX	49	57	62	70	76	[illegible]	54	[illegible]	[illegible]	[illegible]	57	61	66	66	69	70	70	[illegible]	52	[illegible]	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]	62	60	61	69	[illegible]
	MIN	32	31	[illegible]	32	[illegible]	43	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	35	[illegible]	[illegible]	[illegible]	[illegible]	35	[illegible]	30	[illegible]	30	[illegible]	34	37	[illegible]	38	42	41	40	34.9
Y	MAX	40	44	48	56	68	74	66	44	42	41	42	46	49	[illegible]	60	[illegible]	[illegible]	60	52	54	[illegible]	[illegible]	46	[illegible]	43	46	70	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	20	23	27	34	35	[illegible]	[illegible]	29	[illegible]	[illegible]	[illegible]	[illegible]	23	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	25	24	23	22	24	[illegible]	44	31	33	37	[illegible]

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GROUSE	MAX	45	49	55	62	70	78	52	47	47	44	48	50	56	63	62	64	59	61	56	51	48	49	49	48	53	58	64	65	48	59	65
	MIN	28	25	25	18	22	25	34	24	30	25	29	24	26	23	28	26	33	29	42	33	34	19	24	26	19	39	32	42	27	28	31
HAMER 4 NW	MAX	45	53	57	67	74	78	74	55	48	52	51	57	65	69	70	72	69	68	65	58	55	57	64	54	66	70	70	70	60	65	77
	MIN	31	24	25	25	23	29	39	26	36	26	32	23	30	29	30	34	32	35	42	34	38	24	29	34	26	42	32	41	32	39	38
HAZELTON	MAX	53	55	61	68	75	76	75	60	57	54	58	59	67	71	73	70	69	71	69	56	58	60	62	53	68	68	66	66	55	69	77
	MIN	31	30	29	28	32	38	43	37	33	30	32	33	27	39	40	38	49	42	49	40	37	32	38	38	28	41	38	49	37	40	44
HILL CITY	MAX	48	54	61	65	72	75	65	50	47	51	57	57	62	69	68	68	65	66	64	51	46	54	54	52	59	56	66	67	58	68	[illegible]
	MIN	28	28	24	25	28	31	35	30	30	25	20	30	34	29	36	35	35	33	44	33	37	25	34	35	23	32	30	29	35	37	40
HOLLISTER	MAX	51	54	59				78	71	48	50	56	58	66	68	66	67	68	67	67	61	52	66	49	47		63	62	60	66	67	72
	MIN	26	29	32				35	32	29	31	27	27	29	39	34	36	41	40	39	37	34	31	37		25	32	36	40	38	36	39
IDAHO CITY	MAX	52	58	65	71	77	78	74	54	52	55	61	61	67	72	65	68	72	69	66	55	53	54	51	52	58	58	68	64	58	67	[illegible]
	MIN	21	30	22	25	27	28	40	29	23	20	22	34	31	28	39	37	36	32	46	36	39	28	33	38	25	35	26	35	41	41	44
IDAHO FALLS 6 NE	MAX	42	52	57	64	73	78	75	55	48	49	50	57	60	68	67	71	70	67	65	54	53	57	62	58	64	69	70	73	62	63	75
	MIN	31	26	26	25	27	35	43	34	33	28	28	24		39	33	37	39	40	48	39	38	30	38	33	32	39	36	44	35	39	44
IDAHO FALLS CAA AP	MAX	43	53	59	66	74	77	57	51	48	49	52	57	62	70	70	73	70	67	56	55	54	56	64	51	66	70	73	71	55	63	75
	MIN	31	30	30	30	31	35	37	34	33	29	29	24	35	37	38	36	40	41	45	39	34	30	36	33	30	41	39	45	38	42	40
IRWIN 2 S	MAX	41	49	56	64	74	78	66	46	44	46	43	50	59	66	66	70	66	61	52	55	48	56	57	56	63	75	72	70	58	60	76
	MIN	30	30	24	25	28	33	40	31	28	29	28	29	28	36	32	31	34	31	43	40	35	28	35	36	30	35	35	43	33	38	35
ISLAND PARK DAM	MAX	40	43	48	57	70	69	62	43	40	40	42	48	52	60	62	64	61	56	51	44	44	45	57	52	57	65	68	65	51	51	70
	MIN	28	10	14	18	22	28	29	23	29	21	28	18	24	25	32	31	29	39	32	32	33	20	25	31	27	42	35	43	30	34	31
JEROME	MAX	56	58	65	70	77	83	78	60	55	60	60	63	69	72	75	74	72	72	67	59	53	63	65	52	68	65	67	65	58	70	76
	MIN	19	28	25	29	32	36	42	35	29	28	28	35	31	33	41	37	43	38	38	37	34	31	33		27	39	36	42	38	38	41
KELLOGG	MAX	47	53	60	69	80	86	90	53	53	53	57	64	70	75	74	76	75	74	75	61	57	55	55	66	48	60	69	66	78	68	60
	MIN	38	32	30	34	38	40	47	41	35	38	32	34	34	42	44	40	42	44	51	43	31	38	34	40	36	43	41	37	47	48	36
KOOSKIA	MAX	54	64	72	80	86	88	85	57	52	55	65	74	76	77	79	79	79	79	72	63	58	61	65	64	69	69	71	70	69	68	75
	MIN	39	34	30	33	37	40	44	40	38	35	36	34	33	38	42	45	45	42	50	43	35	38	38	46	42	42	39	41	48	46	44
KUNA 2 NNE	MAX	55	58	65	74	80	84	70	57	55	56	63	65	71	71	75	74	74	73	60	59	57	59	58	57	60	53	63	62	57	66	[illegible]
	MIN	29	29	31	34	39	41	44	33	36	31	31	38	37	36	41	40	40	42	49	36	41	36	42	41	32	44	31	44	42	45	50
LEWISTON WATER PLANT	MAX	60	70	76	83	88	89	85	62	61	61	70	75	80	80	77	78	80	81	74	64	59	60	70	64	70	70	71	72	70	71	70
	MIN	36	35	37	40	43	46	51	42	35	39	35	38	36	42	46	46	47	48	53	45	39	40	40	46	40	49	44	43	54	49	43
LEWISTON WB AP	MAX	61	63	70	79	84	86	63	56	58	61	67	72	75	73	75	76	77	75	62	60	59	56	65	49	63	62	68	71	61	66	68
	MIN	36	36	37	42	46	49	46	40	35	40	35	42	38	42	46	47	50	48	49	41	39	39	39	42	40	45	42	42	54	46	40
LIFTON PUMPING STA	MAX	44	45	51	59	60	69	67	53	43	43	49	46	48	59	57	56	61	61	59	48	51	53	50	45	61	61	70	69	55	59	69
	MIN	29	29	25	28	31	35	40	33	32	29	29	29	32	33	38	40	36	39	38	40	33	28	34	33	27	36	38	39	27	35	32
MACKAY RS	MAX	44	49	56	65	73	71	56	48	49	46	48	57	58	64	64	[illegible]						52	52	49	56	62	62	70	50	63	67
	MIN	29	25	28	28	29	32	34	34	28	28	28	32	31	34	37	38	39	38	37	37	36	22	25	34	27	41	48	45	32	34	34
MALAD	MAX	54	56	59	62	74	75	62	51	50	51	58	58	61	67	70	70	69	72	55	55	57	60	56	50	67	69	73	70	54	65	74
	MIN	31	29	29	28	32	35	43	39	35	31	28	32	39	38	38	36	37	43	44	42	41	34	38	36	30	43	41	44	37	35	39
MALAD CAA AP	MAX	53	55	58	65	74	77	62	50	47	52	59	58	63	68	71	70	71	70	55	61	55	62	65	54	68	70	72	71	50	65	75
	MIN	29	25	23	23	27	31	38	36	29	27	23	32	37	34	33	33	33	40	40	41	37	32	32	33	29	38	40	38	33	33	36
MAY RS	MAX	44	50	57	67	76	77	69	52	53	49	51	61	63	67	68	70	68	66	65	55	57	54	49	53	60	66	68	64	58	66	72
	MIN	28	22	27	25	27	32	34	28	27	27	25	30	34	33	31	34	38	31	35	36	33	23	30	33	24	34	33	45	34	42	38
MC CALL	MAX	38	46	52	64	70	68	66	42	40	44	52	56	58	60	62	64	62	60	56	44	42	42	48	46	56	48	58	56	50	56	62
	MIN	22	20	24	24	30	30	36	28	28	26	34	34	30	28	38	33	34	32	40	32	32	28	32	34	28	36	30	40	38	38	40
MC CAMMON	MAX	49	51	55	54	75	77	70	57	50	51	54	55	57	69	76	69	69	69	62	60	54	60	55	52	60	68	70	70	70	66	71
	MIN	26	26	25	25	27	40	52	34	34	30	31	29	29	30	32	36	36	43	49	41	42	31	36	35	28	34	37	39	46	41	37
MERIDIAN 1 SSW	MAX	55	59	67	75	80	85	73	57	56	56	64	68	71	71	76	77	75	75	68	59	59	62	60	60	62	59	65	63	59	[illegible]	70
	MIN	34	30	37	40	45	53	46	34	33	29	30	39	42	42	43	43	45	44	48	35	39	37	42	42	33	44	35	42	44	46	52
MESA	MAX	53	59	67	72	77	81	78	56	54	55	63	65	70	75	73	76	74	73	63	56	55	53	60	65	60	56	67	60	57	65	[illegible]
	MIN	29	29	33	42	38	43	41	33	31	29	33	40	35	43	50	44	45	43	45	34	36	34	39	38	36	43	32	38	43	42	45
MINIDOKA DAM	MAX	52	55	59	60	68	74	72	50	51	50	57	56	63	66	62	69	68	69	67	55	48	58	62	50	63	65	68	64	47	65	72
	MIN	31	29	31	30	33	42	41	34	32	31	30	29	34	37	42	46	39	41	47	39	29	32	40	38	33	40	38	46	40	42	45
MONTPELIER RS	MAX	47	47	54	60	72	75	64	52	42	46	51	51	50	63	61		65	61	60	59	51	55	47	46	64	72	77	70	52		73
	MIN	26	25	20	23	25	31	40	27	30	25	27	25	31	27	31		33	37	39	34	34	26	34	33	24	35	35	45	28		33
MOSCOW U OF I	MAX	52	58	65	74	79	82	75	54	52	56	62	68	71	69	70	70	71	71	62	55	53	53	60	53	60	59	61	68	62	60	68
	MIN	33	30	35	39	42	55	43	38	33	33	28	37	38	40	40	39	47	43	38	37	42	31	37	38	37	45	38	34	49	40	35
MOUNTAIN HOME	MAX	58	61	68	75	81	85	81	70	57	57	67	72	75	78	81	80	78	78	70	60	59	62	65	60	67	75	72	68	60	72	
	MIN	30	29	30	37	37	49	38	34	33	29	28	39	32	39	42	43	42	44	43	37	39	33	40	41	31	41	31	43	42	42	
MULLAN PASS CAA	MAX	31	38	50	63	70	70	54	33	32	35	41	[illegible]	52	56	58	56	55	54	42	38	42	39	48	38	36	49	51	58	51	48	60
	MIN	24	24	30	37	44	51	29	26	23	26	28	25	30	40	38	38	35	38	31	25	26	25	27	27	28	29	32	35	38	31	36
NAMPA 2 NW	MAX	57	56	61	[illegible]	76	83	88	67	61	57	60	67	67	75	74	78	78	78	76	62	60	59	59	61	61	63	58	67	64	59	70
	MIN	32	31	36	36	37	51	49	37	36	35	33	38	36	39	47	46	47	48	49	38	42	38	44	43	34	46	34	46	44	47	53
NEW MEADOWS RS	MAX	49	55	65	70	77	76	73	47				65	67	68	70	70	70	68	58	51	50	49	53	54	60	54	65	62	56	65	67
	MIN	22	20	21	26	25	28	42	32				30	25	25	34	33	33	28	44	35	35	28	28	45	28	40	30	40	43	43	43
NEZPERCE 2 E	MAX	48	52	61	71	77	80	65	50	48	47	56	63	67	66	69	70	69	70	55	50	48	49	59	45	57	61	60	61	59	57	[illegible]
	MIN	32	32	32	31	40	44	39	36	31	33	30	34	38	39	41	42	47	41	43	38	34	33	32	38	36	36	34	38	43	42	42
OAKLEY	MAX	49	52	58	64	74	78	70	55	49	48	54	55	65	69	67	69	65	67	67	55	52	[illegible]	62	52	67	61	65	65	50	69	75
	MIN	28	28	26	32	34	39	42	30	32	33	26	33	32	42	36	36	40	42	47	39	37	32	32	35	28	37	30	42	35	39	40
OBSIDIAN 4 NNE	MAX	34	41	48	59	63	63	52	41	38	40	44	53	51	59	56	57	57	57	48	42	40	42	42	42	50	51	60	58	50	56	62
	MIN	16	10	13	16	20	25	32	22	24	22	14	27	30	22	30	28	30	26	39	25	28	18	25	31	18	28	23	30	28	33	30
OLA 4 S	MAX	55	61	69	75	76	79	64	59	60	63	65	67	71	76	76	72	73	73	67	58	56	50	60	60	68	61	68	63	64	70	70
	MIN	26	27	31	29	35	35	35	35	34	26	28	31	34	34	35	37	41	41	48	40	40	34	34	41	34	37	39	37	42	45	45
OROFINO	MAX	61	68	76	86	91	93	82	61	60	60	68	69	77	74	72	79	82	80	71	64	63	60	71	59	71	72	71	69	70	71	76
	MIN	36	32	32	37	35	42	43	41	35	36	33	35	33	38	45	47	49	45	52	44	39	37	36	45	40	47	45	40	49	48	43
PALISADES DAM	MAX	44	46		62		77	74	47		45	46	54	56	65	67	69		59	57	65	54	52	56		62	73	71	71	60		75
	MIN	30	29	24		25		40	31	29		29	31	36	35	36		37	38	43	40	34	29		34	30	37	38	44	32	37	
PARMA EXP STA	MAX	57	62	67	75	81	84	77	56	55	57	62	65	72	79	73	76	78	73	70	57	59	58	59	59	64	60	67	66	59	68	68
	MIN	32	32	36	35	36	41	45	35	33	33	33	37	35	43	50	46	37	49	48	36	42	38	43	41	34	45	33	47	44	46	48
PAUL 1 E	MAX	49	55	62	61	67	74	79	58	55	54	53	56	57	66	70	73	76	69	70	56	56	50	65	75	52	68	62	69	65	57	73
	MIN	30	27	25	25	33	32	43	34	32	31	29	34	27	32	38	36	39	38	49	40	41	31	40	39	30	39	36	35	36	39	44
PAYETTE	MAX	60	63	69	77	81	87	71	61	61	62	69	68	77	77	79	80	80	79	67	61	59	59	64	61	65	57	[illegible]	62	60	71	70
	MIN	32	33	39	35	37	42	49	35	39	35	34	39	34	43	50	45	43	47	49	37	43	37	39	41	36	46	34	50	45	45	50
PIERCE RS	MAX	46	47	53	64	73	84	82	46	49	42	47				68	67	70		66	48		60		55	38	58	60	53	56	60	60
	MIN	32	26	25	27	29	25	25	35	33	33	27	25				34		39	48	37		29		33	27	38	33	32	34	37	[illegible]
POCATELLO WB AP	MAX	46	54	59	65	74	77	63	53	47	50	55	56	63	70	67	72	70	70	58	57	51	60	66	51	67	70	67	66	50	65	75
	MIN	30	28	33	29	33	36	40	36	31	30	31	30	32	36	39	36	45	45	44	41	34	33	37	34	31	39	39	41	39	43	39
PORTHILL	MAX	55	62	69	72	82	84	79	52	59	60	72	73	73	77	74	74	77	75	75	74	66	63	68	65	65	60	62	75	76	68	72
	MIN	32	33	27	32	35	47	41	40	37	29	30	30	32	39	46	39	40	50	48	40	28	41	29	49	42	47	42	36	44	34	32
PRESTON SUG FACT 2 SE	MAX	48	53	57	65	73	75	74	59	49	47	55	57	58	68	70	69	69	68	65	55	55	60	62	[illegible]	67	67	74	72	66	65	74
	MIN	33	27	26	25	30	35	40	36	36	31	30	33	35	34	36	37	36	44	44	43	41	32	37	36	29	41	40	49	36	38	36
PRIEST RIVER EXP STA	MAX	51	57	66	75	80	82	78	54	51	63	64	69	72	70	71	70	73	71	60	57	60	55	65	60	53	59	61	75	75	67	72
	MIN	36	29	26	30	33	34	43	34	33	30	27	29	30	40	40	35	41	41	49	40	29	36	30	45	41	42	42	33	46	44	31
REACTOR TESTING STA	MAX	47	52	58	65	75	76	58	49	45	51	52	54	63	67	70	72	66	66	58	55	52	56	60	51	62	69	71	67	50	65	74
	MIN	28	19	30	20	26	26	32	29	25	19	22	26	28	26	37	34	38	33	36	42	31	22	27	32	29	39	29	41	33	37	39
RICHFIELD	MAX	57	56	61	69	74	78	69	54	54	53	58	58	67	70	73	70	69	71	67	56	54	59	63	55	66	63	69	68	52	68	71
	MIN	27	25	27	28	31	40	42	33	27	25	26	35	36	32	39	40	39	40	46	36	33	29	38	37	26	38	36	43	35	39	48
RIGGINS RS	MAX	60	65	72	84	88	89	84	85	63	57	66	70	77	75	77	79		85	74	64	55	58	66		65	65	71	70	70	72	77
	MIN	41	37	39	43	45	49	41	42	40	40	34	34	34	34	34	35		46	46	44	42	38	38		43	44	39	40	40	40	51
ROLAND W PORTAL	MAX	42	51	56	64	72	76	57	43	43	46	52	57	61	64	64	65	63	65	54	49	46	48	53	53	44	54	60	65	59	56	67
	MIN	32	25	25	30	34	38	36	32	30	33	27	27	31	35	35	35	35	35	40	34	29	32	29	32	31	38	33	33	38	39	35
RUPERT	MAX	50	55	59	65	68	77	80	62	54	53	56	60	59	70	72	74	75		74	58	59	51	65	67	55	[illegible]	66	73	68	69	
	MIN	29	27	27	27	31	37	44	33	30	30	29	33	28	34	38	36		39	47	38	40	31	39	38	30	37	35	43	38	37	
SAINT ANTHONY	MAX	43	51	57	58	74	78	64	50	45	49	50	56	62	69	69	72	63	67	56	55	52	56	62	51	63	70	72	68	59	64	76
	MIN	31	22	22	24	23	34	39	27	34	26	33	25	30	30	31	39	32	39	41	39	37	36	32	33	27	39	37	42	36	39	37
SAINT MARIES	MAX	56	57		79	85	87	82	56	56	58	67	69	72	68	63	73	70	67	61	59	57	55	54	53	58	65	69	67	67	72	69
	MIN	33	30		28	36	38	44	37	32	35	29	31	30	33	35	41	38	39	49	39	29	31	34	34	36	26	37	36	41	35	36
SALMON	MAX	53	56	65	73	81	84	63	54	53	50	55	60	68	72	75	75	70	70	60	58	53	50	62	48	64	71	74	68	65	71	76
	MIN	33	26	21	24	27	31	35	33	36	29	28	36	29	29	34	34	42	34	48	41	37	28	37	40	32	40	38	44	37	48	39

See reference notes following Station Index.

DAILY TEMPERATURES

able 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HOSHONE	MAX	56	59	63	69	76	81	70	58	55	56	60	59	68	73	74	73	73	74	65	59	53	[illegible]	[illegible]	56	69	65	70	68	54	[illegible]	[illegible]	[illegible]
	MIN	28	26	27	34	35	40	43	35	30	28	27	35	33	39	40	[illegible]	48	39	49	38	35	31	40	40	30	[illegible]	[illegible]	[illegible]	[illegible]	37	48	36.4
PENCER RS	MAX	41	47	52	63	71	72	73	52	43	47	48	49	58	67	71	72	[illegible]	64	69	67	46	50	[illegible]	[illegible]	[illegible]	64	[illegible]	73	57	[illegible]	[illegible]	59.4
	MIN	28	24	25	24	29	28	32	23	29	26	30	20	27	32	36	[illegible]	[illegible]	39	[illegible]	36	33	[illegible]	39	[illegible]	[illegible]	43	31	44	33	[illegible]	34	31.3
TIBNITE	MAX	36	38	41	50	60	69	66	45	38	37	36	42	53	54	57	57	61	60	60	47	40	37	40	40	40	50	[illegible]	59	55	[illegible]	57	49.3
	MIN	18	14	17	23	27	31	33	23	23	21	27	20	27	26	32	[illegible]	30	[illegible]	35	27	[illegible]	15	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	[illegible]	34	26.3
TREVELL	MAX	49	51	55	61	72	73	71	59	50	49	54	55	59	65	68	68	64	[illegible]	62	[illegible]	58	58	64	51	64	[illegible]	[illegible]	67	[illegible]	64	72	61.1
	MIN	29	29	21	25	28	40	42	31	32	27	24	30	26	36	32	31	[illegible]	33	43	37	37	28	[illegible]	[illegible]	26	[illegible]	28	42	[illegible]	[illegible]	[illegible]	32.4
UGAR	MAX		52	57	66	74	79	63	47	46	51	49	56	62	69	68	70	[illegible]	[illegible]	60	57	57	56			65				68	65	72	[illegible]
	MIN		25	24	25	25	28	42	30	33	22	30	24	30	30		[illegible]	[illegible]	[illegible]			32	27			28				34	[illegible]	34	[illegible]
UN VALLEY	MAX	48	50	56	66	71	71	69	48	48	45	52	56	57	64	63	[illegible]	65	64	62	57	51	48	49	[illegible]	56	57	64	[illegible]	55	58		57.6
	MIN	28	23	19	18	20	23	37	22	21	32	27	32	29	26	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]		[illegible]
WAN FALLS PH	MAX	57	67	72	78	78	83	86	82	77	60	65	69	68	74	81	80	79	77	75	62	62	64	66	62	[illegible]	[illegible]	[illegible]	68	[illegible]	[illegible]	[illegible]	70.7
	MIN	41	37	40	43	45	46	50	50	40	40	41	45	41	47	49	49	51	52	51	40	46	44	46	[illegible]	40	47	[illegible]	46	44	50	[illegible]	[illegible]
ETONIA EXP STA	MAX	39	45	50	57	61	72	65	50	39	40	43	56	67	65	60									51	[illegible]	68	65	62	[illegible]	[illegible]	73	57.0
	MIN	18	21	21	20	21	25	24	25	21	24	29	25	26	28	28	25	[illegible]	[illegible]	[illegible]	[illegible]	22	23	22	19	[illegible]	[illegible]	30	41	37	32	[illegible]	25.8
HREE CREEK	MAX	42	51	56	63	72	75	70	55	42	40	51	55	62	63	64	67	62	65	61	[illegible]	50	59	62	48	[illegible]	57	[illegible]	[illegible]	[illegible]	[illegible]	70	58.0
	MIN	19	17	22	19	23	36	35	28	32	21	21	23	22	26	35	32	31	38	42	30	[illegible]	[illegible]	37	[illegible]	22	30	25	32	[illegible]	[illegible]	[illegible]	[illegible]
WIN FALLS 2 NNE	MAX	54	57	63	70	78	83	77	63	53	55	58	60	68	71	73	74	72	73	72	58	54	62	54	[illegible]	70	[illegible]	67	[illegible]	55	68	77	[illegible]
	MIN	31	29	29	29	33	33	44	30	33	31	31	30	30	39	40	37	47	44	49	40	[illegible]	[illegible]	40	40	[illegible]	42	[illegible]	43	40	42	45	[illegible]
WIN FALLS 3 SE	MAX	51	57	58	63	69	78	83	65	55	54	55	60	59	69	72	74	74	72	75	[illegible]	56	54	[illegible]	65	[illegible]	[illegible]	[illegible]	67	62	[illegible]	[illegible]	[illegible]
	MIN	32	29	34	33	35	34	43	38	34	32	32	36	34	40	41	40	41	45	48	40	43	35	42	39	29	42	40	43	40	38	40	37.8
ALLACE	MAX	50	55	66	77	82	85	76	50	52	53	50	67	70	69	70	71	71	72	58	53	53	[illegible]	61	50	50	[illegible]	[illegible]	73	[illegible]	[illegible]	75	63.6
	MIN	42	30	28	31	35	38	42	31	34	36	29	27	35	39	38	[illegible]	[illegible]	41	42	[illegible]	30	[illegible]	.30	35	34	[illegible]	38	33	46	40	[illegible]	35.7
ALLACE WOODLAND PARK	MAX	44	48	53	63	74	80	82	51	48	50	53	59	64	68	70	69	[illegible]	[illegible]	69	58	51	54	52	61	44	50	[illegible]	[illegible]	74	[illegible]	[illegible]	[illegible]
	MIN	34	30	28	29	32	38	43	38	35	36	29	27	28	39	40	36	39	40	44	39	29	33	30	34	34	[illegible]	[illegible]	34	37	45	34	[illegible]
EISER	MAX	64	66	72	78	86	87	68	63	60	61	68	68	78	78	80	82	[illegible]	67	65	[illegible]	63	62	66	64	69	59	[illegible]	68	60	[illegible]	[illegible]	[illegible]
	MIN	30	29	35	36	38	38	46	32	32	31	34	38	38	38	47	45	44	[illegible]	44	[illegible]	[illegible]	[illegible]	44	42	34	45	33	46	44	40	48	39.1
INCHESTER 1 SE	MAX	46	54	60	70	76	77	71	46	46	50	57	60	65	65	65	66	66	66	[illegible]	51	50	46	54	55	[illegible]	58	58	60	56	57	[illegible]	59.1
	MIN	30	28	27	30	36	41	33	33	30	28	28	28	28	32	39	[illegible]	40	39	40	[illegible]	[illegible]	[illegible]	29	30	[illegible]	40	[illegible]	33	44	39	[illegible]	33.5

EVAPORATION AND WIND

Table 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STATION	EVAP	-	-	-	-	-	-	-	.07	.05	.11	.15	.18	.08	.26	.20	.15	.29	.19	.12	.22	.12	.10	.13	.28	.10	.17	.18	.31	.04	.13	.34	B 5.13
	WIND	123	79	96	9	14	74	-	112	117	160	76	170	53	52	69	54	133	82	207	271	170	135	123	207	314	111	112	118	128	117	125	B 3731
ARROWROCK DAM	EVAP	-	-	-	.24	.21	.24	.39	.05	.18	.19	.19	.18	.15	.23	.21	.16	.14	.11	.20	.19	.24	.12	.11	.05	.06	.11	.09	.22	.16	.10	.10	B 5.12
	WIND	80	87	67	43	21	38	67	27	101	135	49	100	37	54	31	29	5	63	26	54	31	61	30	50	51	34	55	42	60	42	47	1617
LIFTON PUMPING STATION	EVAP	.11	.13	.16	.20	.21	.25	.26	.17	.12	.10	.13	.16	.16	.14	.15	.14	.14	.14	.10	.10	.05	.14	.08	.15	.14	.22	.17	.24	.23	.12	.16	4.77
	WIND	127	172	85	55	55	53	106	135	150	110	117	82	104	49	68	90	52	62	71	72	63	45	70	95	40	40	43	90	129	77	23	2530
MINIDOKA DAM	EVAP	.25	.15	.20	.24	.23	.35	.32	.20	.16	.20	.19	.20	.19	.24	.29	.20	.25	.36	.20	.20	.13	.14	.21	.22	.23	.21	.25	.25	.05	.14	.35	6.80
	WIND	240	130	70	85	55	[illegible]	170	140	220	210	135	155	75	60	125	60	160	90	160	220	160	115	130	235	170	100	120	90	130	115	165	4180
MOSCOW U OF I	EVAP	-	.03	.24	.12	.25	.29	.20	.05	.28	.11	.18	.22	.14	.19	.14	.17	.22	.22	.17	.05	.16	.04	.04	.02	.15	.09	.06	.27	.08	.15	.02	B 4.50
	WIND	134	51	44	51	94	27	90	63	226	104	64	53	61	31	58	42	50	49	51	149	111	41	55	59	104	44	54	52	26	134	31	2203

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	3
ASHTON 1 S	SNOWFALL	0.5							T													T			T							
	SN ON GND																															
ATLANTA 1 E	SNOWFALL							T	T												T											
	SN ON GND																															
BIG CREEK 1 S	SNOWFALL	-							3.5	3.0	3.0					T					1.5	4.5	T	T	T	T	T					
	SN ON GND	-	-	-	-	-	-	-														3										
BLACKFOOT	SNOWFALL																								T				T			
	SN ON GND																															
BOISE WB AIRPORT	SNOWFALL							T		T												T					T					
	SN ON GND																															
BURLEY CAA AIRPORT	SNOWFALL										T											T										
	SN ON GND																															
CALDWELL	SNOWFALL																					T										
	SN ON GND																															
CASCADE 1 NW	SNOWFALL							T	T		T										T	T	T	T	T	T	T		T	T		
	SN ON GND																															
CENTERVILLE ARBAUGH RCH	SNOWFALL	T						0.2	0.1	T	T								T		T	T	T				T					
	SN ON GND							T																								
COBALT BLACKBIRD MINE	SNOWFALL	2.0	0.5						0.5				0.3								2.0	1.0	1.5		1.5	1.0						
	SN ON GND	6	6	6	5	-	-	-	1				T																			
COEUR D'ALENE CAA AIRPORT	SNOWFALL		T						T																							
	SN ON GND																															
COEUR D'ALENE RS	SNOWFALL																										T					
	SN ON GND																															
DEADWOOD DAM	SNOWFALL	T	T					0.5	T	T	T										T	4.0	T	T	T							
	SN ON GND	22	21	19	16	13	10	9	8	7	5	4	2	1							T	2	T	T	T							
DUBOIS CAA AIRPORT	SNOWFALL	T								T		T									T	T			T				T	T		
	SN ON GND																															
EMMETT 2 E	SNOWFALL																					T										
	SN ON GND																															
GLENNS FERRY	SNOWFALL																					T					T					
	SN ON GND																															
GOODING CAA AIRPORT	SNOWFALL																					T										
	SN ON GND																															
GRAY	SNOWFALL																							T	T							
	SN ON GND																															
HAMER 4 NW	SNOWFALL	T									T																		T			
	SN ON GND																															
IDAHO CITY 13 SW	SNOWFALL								T	T	T											0.7										
	SN ON GND																															
IDAHO FALLS CAA AIRPORT	SNOWFALL	1.5								T	T	T										T			T				T	T		
	SN ON GND	T																														
ISLAND PARK DAM	SNOWFALL	8.0																			T				T	3.0						
	SN ON GND	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LEWISTON WATER PLANT	SNOWFALL																					T					T					
	SN ON GND																															
LEWISTON WB AIRPORT	SNOWFALL								T																		T					
	SN ON GND																															
MESA	SNOWFALL								T													T	T									
	SN ON GND																															
MULLAN PASS CAA	SNOWFALL	T	T					0.3	1.0	1.6	T	T								T	1.8	0.6			8.6	1.5					T	
	SN ON GND	55	55	54	50	47	40	39	39	39	40	40	39	39	34	32	30	25	22	20	22	21	21	21	20	30	30	28	26	15	13	
NEZPERCE 2 E	SNOWFALL								T													T										
	SN ON GND																															
OAKLEY	SNOWFALL								T																				T			
	SN ON GND																															
OBSIDIAN 4 NNE	SNOWFALL	T								T												T										
	SN ON GND	7	7	6	5	4	T	T	T	T	T	T	T	T	T	T						T										
PAYETTE	SNOWFALL																			T	T											
	SN ON GND																															
PINE 2 SSW	SNOWFALL							T																								
	SN ON GND																															
POCATELLO WB AIRPORT	SNOWFALL	0.1								T	T											0.2		T	T							
	SN ON GND	T								T	T																					
ROLAND WEST PORTAL	SNOWFALL	T	T						T	T	T										T	T	T		4.3	T	T					
	SN ON GND	28	26	24	22	18	12	8	7	6	5	3	T	T	T	T	T	T	T	T	T	T	T	T	3	T	T					
SPENCER RS	SNOWFALL	T																														
	SN ON GND																															
STIBNITE	SNOWFALL	0.5							2.0	1.0		T									5.0	1.0		2.0	1.5	1.0						
	SN ON GND	10	9	7	6	5	3	1	2	2											5	1	1	2	2	1						
SUN VALLEY	SNOWFALL										T											T										
	SN ON GND																															
THREE CREEK	SNOWFALL								2.0						T							1.0										
	SN ON GND								2																							
TWIN FALLS 2 NNE	SNOWFALL																					T										
	SN ON GND																															
WALLACE	SNOWFALL								T	T																						
	SN ON GND																															

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	[illegible]	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	5P	5P	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY I RALPH	2 3 5
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D'ALENE CAA AP	1951	KOOTENAI	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAI	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COUNCIL	2187	ADAMS	12	44 14	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA D VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE I SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4168	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMI	2 3 5 7
HOLLISTER	4195	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	461	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING B LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	F T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEWISTON	5230	NEZ PERCE	12	46 25	117 02			7A	RIVER STATION	
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	ORILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 36	5897	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	[illegible]	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	5859	ADAMS	11	44 37	116 [illegible]	3244	8P	8P	MESA [illegible]	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	5P	5P	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6073	BOISE	2	43 [illegible]	115 40	[illegible]		VAR	U S SOIL CON SER	S
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	[illegible]	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH [illegible] NEWMAN	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 7
NAMPA 2 NW	6305	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 1 E	6424	LEWIS	3	46 14	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	[illegible]		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	[illegible]	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	[illegible]	5P	5P	VINCENT A NALLY	2 3 5
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 [illegible]	111 14	[illegible]	4P	4P	U S BUR RECLAMATION	2 3 5
PARMA EXPERIMENT STA	6844	CANYON	[illegible]	43 47	116 57	[illegible]	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	[illegible]	6P	6P	MICHAEL HARRIS	2 3 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	7A	7A	U S FOREST SERVICE	2 3 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	[illegible]		5P	GENEVA B SCHRAFT	3 7
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	[illegible]	5P	[illegible]	R [illegible] DENHAM	2 3 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 0[illegible]	111 52	[illegible]	4P	4P	C M CRABTREE	3
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	[illegible]	5P	5P	U S FOREST SERVICE	2 3 7
PUNGO CREEK	7433	VALLEY	11	44 47	115 04	4800		VAR	M I WATT [illegible]	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 0[illegible]	112 03	6300		VAR	FORT HALL PROJECT	S
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	[illegible]	MID	MID	A E C WEATHER STA	2 3
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	[illegible]	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1865	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	MRS HOMER WALTON	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	[illegible]	7P	7P	E M [illegible]	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	[illegible]	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	[illegible]		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	8676	BINGHAM	1[illegible]	43 04	112 41	[illegible]	5P	5P	MRS [illegible]	2 3
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 7
SUGAR	8818	MADISON	1[illegible]	43 52	111 47	[illegible]	6P	6P	WM C ROBERTS JR	3
SUN VALLEY	8960	BLAINE	12	43 41	114 21	[illegible]	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	[illegible]	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9067	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 07	115 10	5400	6P	6P	MRS [illegible] TANNER	2 3 5 7
TRINITY LAKE GUARD STA	[illegible]	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	[illegible]	ELMORE	2	43 42	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	[illegible]	TWIN FALLS	12	[illegible]	114 [illegible]	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	[illegible]	TWIN FALLS	12	42 32	114 [illegible]	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	[illegible]	BLAINE	11	43 49	114 51	[illegible]		VAR	U S SOIL CON SER	S
WALLACE	[illegible]	SHOSHONE	4	47 28	115 56	[illegible]	6P	6P	A FEATHERSTONE	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 [illegible]	[illegible]	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 [illegible]	[illegible]	6P	6P	[illegible]	2 3
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	HALLACK-HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 [illegible]	4760		VAR	[illegible] MILLER	
REACTIVATED										
STREVELL	8786	CASSIA	12	42 01	113 13	[illegible]	5P	5P	IDAHO STATE POLICE	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this letin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be cluded in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporatio inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the stan Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the tion Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on gr values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It measured at selected stations when the depth of snow on the ground is two inches or more.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summar Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regard subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

GPO 86-102695 900 7-7-53

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

JUNE 1953
Volume LVI No. 6

CHATTANOOGA: 1953

IDAHO - JUNE 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Temperatures averaged much below normal in the Northern and Southwestern Divisions, placing this among the three or four coolest Junes since 1893. In the Southeastern Division negative temperature departures were not so pronounced and a few stations in that Division recorded average temperatures slightly above the long-period mean. In all divisions subnormal temperatures persisted throughout the month, except for an occasional day or two with above normal readings.

Precipitation, as in June of 1952, was well above normal this month. In fact, in the Southwestern and Southeastern Divisions, averages were nearly identical for the two months. The Northern Division with 110% of normal dropped well below the near-record average of 186% of normal a year ago. Frequency of occurrence of measurable rain was just about average for June, but most of the rain fell in the first half of the month; stations in the Southwestern and Southeastern Divisions reported little or none after the 16th. No station reported more than a trace of snow, and although hail did occur on several days, most of it was small and did little damage.

Outstanding rainy periods during the month occurred on the 1st and 2d, and on the 6th and 7th. A majority of the stations in the State recorded the greatest daily rainfall on either the 2d or the 7th and numerous thunderstorms were reported on those dates, particularly in the Northern and Southwestern Divisions. Another day of widespread showers and thunderstorms was the 12th, and on that date the only storm damage of the month was reported. In several southwestern counti high winds were reported with numerous tre damaged or uprooted and minor damage to roo from falling trees. No damage to crops w reported from the high winds.

Wet, cool weather during the first ha of June retarded farm work and general slowed crop growth, but range vegetati benefited from the moisture. Haying, bee thinning, cultivating, and the planting beans and potatoes were all hampered by w weather. In some spots in the Northern a Southeastern Divisions the seeding of spri grains was not completed until well alo in the month. During the latter half of t month field work increased considerably a vegetation began growing rapidly. By t final week of June irrigation had been r sumed in most areas, intermediate and high ranges had good feed, and cattle and shee were making good gains. Prospective fru production was below average with heavy da age from spring freezes to peaches, aprico and cherries, and minor damage to pears a early blooming varieties of apples. Co weather permitted grains to stool well a the rains of May and early June increas yield prospects.

Although much snow remained in the mou tains early in June, no serious floodi occurred despite above-normal rains. Absen of prolonged hot spells permitted gradu runoff from melting snow and streams gene ally remained well within their banks. I rigation water supplies were plentiful all projects.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
OISE WB AIRPORT	NW	29	10.2	38	W	12	81	51	42	69	4	4	4	0	0	0	12	70	4.1	SEE TABLE 2.
EWISTON WB AIRPORT	-	-	-	-	-	-	82	51	40	-	8	6	2	1	0	0	17	-	6.6	
OCATELLO WB AIRPORT	SW	25	10.5	37	SW	26	83	37	20	53	2	4	2	0	0	0	8	76	3.7	

COMPARATIVE DATA

able 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	57.4	97	20	.34	-	2
1894	58.8	96	26	1.19	-	8
1895	58.3	103	19	.57	-	4
1896	62.9	103	25	1.16	-	5
1897	59.9	100	17	1.29	-	7
1898	61.4	102	18	.98	-	6
1899	58.6	103	17	.69	0.6	5
1900	65.8	109	24	.51	0.0	3
1901	56.7	101	17	.89	T	6
1902	60.3	106	21	.66	0.3	4
1903	63.7	99	28	1.31	0.0	7
1904	59.5	102	15	.94	T	5
1905	59.0	96	25	1.77	0.0	10
1906	56.8	96	16	1.62	T	6
1907	57.0	98	24	2.35	0.4	11
1908	56.0	101	23	2.60	1.2	11
1909	61.8	106	26	.72	0.0	4
1910	62.4	107	20	.25	0.0	2
1911	61.5	101	24	2.54	0.0	11
1912	62.3	103	25	1.43	T	6
1913	61.1	99	24	2.90	0.0	12

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1914	58.8	106	14	2.24	0.5	10
1915	56.8	100	21	.96	0.1	6
1916	57.3	106	19	1.40	0.4	6
1917	56.9	105	20	.66	0.8	4
1918	67.0	110	14	.90	0.0	4
1919	62.5	109	15	.06	0.0	0
1920	59.1	102	15	.98	0.0	6
1921	64.0	108	25	.89	0.0	5
1922	64.5	107	26	.88	0.0	4
1923	57.9	104	12	2.66	0.0	12
1924	60.9	110	16	.57	0.2	4
1925	60.9	113	21	1.76	0.0	9
1926	64.2	113	18	.77	0.0	3
1927	61.9	104	25	1.06	0.0	5
1928	58.2	103	20	1.17	0.1	7
1929	59 5	102	18	1.59	0.1	7
1930	59.7	101	20	.85	T	5
1931	63.8	103	23	.58	T	4
1932	61.7	105	24	1.43	0.1	6
1933	63.7	107	26	.89	0.0	4
1934	60.7	102	21	1.45	T	8

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1935	61.1	100	21	.40	0.0	3
1936	63.4	110	22	1.99	T	9
1937	59.5	106	17	1.46	T	8
1938	62.2	100	17	1.35	0.0	7
1939	57.9	110	16	1.12	T	8
1940	64.8	110	19	.66	T	4
1941	59.8	103	16	2.32	0.0	11
1942	57.0	100	18	1.32	T	8
1943	56.8	101	21	1.96	T	10
1944	57.3	104	18	2.14	T	13
1945	56.7	105	19	2.24	0.0	11
1946	60.1	99	21	.98	T	6
1947	57.1	97	21	2.48	T	12
1948	62.6	103	27	2.17	0.0	10
1949	60.3	103	15	.65	T	4
1950	58.8	108	20	1.72	0.1	7
1951	57.1	97	17	.92	T	5
1952	60.2	101	18	2.04	T	9
1953	57.1	96	24	1.67	T	7
ALL YEARS	60.1			1.31		

EMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More
NORTHERN DIVISION																						
AVERY RS	72.6	43.2	57.9M	- 2.5	90	11	34	19	215	1	0	0	0	1.24	- .90	.39	8				9	0
BAYVIEW MODEL BASIN	67.8	43.3	55.6		79	17	34	26	277	0	0	0	0	1.20		.45	7	.0	0		10	0
BIG CREEK 1 S	65.2	31.7	48.5	- 1.9	80	11	24	26	490	0	0	20	0					T	0			
BONNERS FERRY			M		79	11				0	0	0	0						0			
BUNGALOW RS	74.7	43.2	59.0M	- 3.4	91	11	35	20	182	1	0	0	0	2.46	- .25	.63	2	.0	0		11	2
BURKE 2 NNE	62.8	36.9	49.9	- 1.7	79	11	31	19	445	0	0	3	0	2.38	- .39	.50	13	T	0		13	1
CLARK FORK 1 ENE	68.2	42.6	55.4	- 3.4	76	16	35	26	280	0	0	0	0	2.26	- .05	.45	7	.0	0		11	0
COBALT BLACKBIRD	59.4	33.8	46.6		75	12	28	24		0	0	15	0	3.46		1.03	5	T	0		12	3
COEUR D ALENE CAA AP	67.2	45.2	56.2		81	11	40	9+	258	0	0	0	0	1.94		.83	7	T	0		11	1
COEUR D ALENE RS	69.7	46.3	58.0	- 3.2	80	11	40	8+	202	0	0	0	0	1.66	.10	.80	7	.0	0		10	1
COTTONWOOD	64.2	39.3	51.8	- 5.7	78	11	33	8	389	0	0	0	0	2.84	.26	1.01	7	.0	0		16	2
DIXIE	64.3	32.7	48.5		79	11	26	26	487	0	0	17	0	2.17		.85	5	T	0		12	2
ELK RIVER 1 S	68.8	39.5	54.2M		81	11	30	2	320	0	0	1	0	1.36		.83	7	T	0		15	1
FENN RS	74.3	45.9	60.1	- 3.5	89	11	36	5	145	0	0	0	0	2.89	.43	.56	7	T	0		15	1
GRANGEVILLE	65.9	42.6	54.3	- 3.7	80	11	35	3	312	0	0	0	0	3.16	.12	.68	7		0		11	2
KELLOGG	69.5	45.7	57.6	- 2.7	85	11+	39	9+		0	0	0	0	2.48	.42	.67	13	.0	0		13	1
KOOSKIA	75.3	47.1	61.2	- 3.3	89	11	40	26	117	0	0	0	0	2.53	.33	.89	7	.0	0		10	2
LEWISTON WATER PLANT	76.6	49.1	62.9	- 4.4	85	11	40	10	80	0	0	0	0	1.07	- .39	.50	7	.0	0		8	1
LEWISTON WB AP R	72.1	47.7	59.9	- 6.4	82	11+	40	8	152	0	0	0	0	1.68	- .07	.63	7	.0	0		10	1
MULLAN PASS CAA	52.8	37.3	45.1	- 3.5	75	11	30	23	590	0	0	6	0	1.97	- .92	.51	7	T	12	1	14	1
NEZPERCE 2 E	64.5	43.6	54.1		78	11	36	3	323	0	0	0	0	2.52		1.27	7	.0	0		12	1
OROFINO	77.8	47.0	62.4	- 2.8	89	11	38	3	90	0	0	0	0	2.16	.15	.79	7				11	1
PIERCE RS	67.9	39.3	53.6M	- 4.1	84	12	25	4	336	0	0	4	0	2.13	- .37	.70	7		0		13	2
PORTHILL	70.0	44.3	57.2	- 2.3	78	10	39	1+	228	0	0	0	0	2.81	1.22	.60	7	.0	0		18	1
PRIEST RIVER EXP STA	67.4	43.2	55.3	- 2.7	80	11	35	18	284	0	0	0	0	2.88	.90	.66	13	T	0		14	1
RIGGINS RS	77.1	48.3	62.7M	- 2.9	91	11+	40	20	96	2	0	0	0	2.00	.28	.73	2	.0	0		9	2
ROLAND W PORTAL	63.3	38.9	51.1	- 3.9	81	11	31	19	410	0	0	2	0	2.07	- .73	.55	2	T	0		14	1
SAINT MARIES	76.1	42.1	59.1	- 1.9	85	12	35	3+	176	0	0	0	0	1.79	.19	.78	7				10	1
SALMON	74.5	41.7	58.1	- 2.5	89	11+	32	26	202	0	0	1	0	2.24	.95	1.10	2		0		7	2
SANDPOINT EXP STA	67.3	45.4	56.4	- 2.9	75	10+	39	9+	249	0	0	0	0	1.79	- .08	.62	13	T	0		17	1
WALLACE	65.6	41.8	53.7	- 5.6	84	11	35	18+	331	0	0	0	0	3.15	.79	.71	7	T	0		9	3
WALLACE WOODLAND PK	65.5	40.5	53.0	- 4.8	84	12	28	6		0	0	1	0	2.39	- .02	.45	7	.0	0		11	0
WINCHESTER 1 SE	63.3	38.8	51.1	- 5.0	73	11	32	3	411	0	0	1	0	2.73	- .14	.73	7	.0	0		12	2
DIVISION			55.3	- 4.4										2.24	.21			T				
SOUTHWESTERN DIVISION																						
ALPHA 1 NE	66.5	35.1	50.8	- 3.9	81	11	25	24	419	0	0	8	0	2.63	.85	.80	2	T	0		11	2
ANDERSON DAM	74.4	45.8	60.1		91	11	34	1	168	1	0	0	0	1.78		.56	7	.0	0		7	1
ARROWROCK DAM	71.5	46.2	58.9	- 5.7	90	12	38	24		1	0	0	0	1.79	.83	.49	2	.0	0		9	0
ATLANTA 1 E	66.7	38.2	52.5	- 1.2	78	11+	28	8	370	0	0	4	0	2.14	.76	.64	7	T	0		8	1
BLISS	76.7	45.8	61.3	- 3.9	90	11	36	8	133	1	0	0	0	.66	.20	.38	7	.0	0		5	0
BOISE LUCKY PEAK DAM	75.7	45.2	60.5M		89	11+	35	24	154	0	0	0	0	1.53		.69	2		0		7	
BOISE WB AP //R	72.4	46.3	59.4	- 5.7	85	29	38	20	170	0	0	0	0	1.22	.38	.40	2	.0	0		8	0
BUHL	75.0	48.1	61.6	- 2.3	91	11	39	8	125	2	0	0	0	.89	- .05	.47	6	.0	0		5	0
CALDWELL	75.4	46.9	61.2	- 4.0	85	22	38	8	117	0	0	0	0	1.37	.60	.85	2	.0	0		8	1
CAMBRIDGE	76.7	41.6	59.2	- 5.5	96	29	32	8+	174	1	0	2	0	1.51	.39	.67	7	.0	0		6	2
CASCADE 1 NW	66.8	39.0	52.9		80	11	30	24	356	0	0	2	0	2.14		.87	2	.0	0		10	1
CHALLIS	72.3	44.7	58.5	- 0.9	84	11+	32	8	198	0	0	1	0	1.70	.65	.81	2		0		6	1
COUNCIL	73.6	46.3	60.0	- 3.2	82	12	32	24	150	0	0	1	0	2.31	.71	1.10	2	.0	0		8	2
DEADWOOD DAM	66.6	33.3	50.0	- 2.1	81	11	25	24	444	0	0	13	0	2.09	.25	.75	7	.0	0		9	1
DEER FLAT DAM	73.4	48.8	61.1	- 3.8	84	22	37	8	123	0	0	0	0	1.43	.75	.85	2	.0	0		6	1
EMMETT 2 E	75.1	45.0	60.1M	- 6.5	84	22+	35	24	146	0	0	0	0	1.90	.96	.94	2	T	0		4	2
FAIRFIELD	69.3	38.7	54.0		83	11	29	8+	324	0	0	5	0	.76		.44	7	.0	0		7	0
GARDEN VALLEY RS	73.9	41.8	57.9	- 3.5	88	11	33	24	207	0	0	0	0	1.51	.45	.62	2	.0	0		7	1
GLENNS FERRY	81.0	46.8	63.9M	- 4.1	94	11			73	2	0	0	0	.37	- .24			.0	0		5	0
GOODING CAA AP	74.7	46.1	60.4	- 3.0	90	11	39	4+	153	1	0	0	0	.74	.13	.42	6	.0	0		4	0
GRAND VIEW	81.4	49.7	65.6	- 1.9	92	30	40	8	54	5	0	0	0	1.05	.35	.56	7	T	0		6	1
HAILEY AP	71.6	39.7	55.7	- 3.3	83	11	29	8	275	0	0	5	0	.86	- .18	.33	2	.0	0		5	0
HAZELTON	74.6	44.9	59.8	- 5.8	91	11	33	25	174	2	0	0	0	.98	.22	.56	7	.0	0		4	1
HILL CITY	69.7	38.3	54.0	- 1.8	82	11	30	25	321	0	0	3	0	.81	.03	.64	7				2	1
HOLLISTER	72.5	41.1	56.8	- 5.0	88	11	32	8	249	0	0	1	0	1.58	.67	.70	7	.0	0		6	1
IDAHO CITY	72.8	37.1	55.0	- 4.2	86	11	27	24	295	0	0	7	0	2.21	1.21	.76	2	.0	0		8	2
JEROME	76.3	44.0	60.2	- 4.6	93	11	30	8	154	2	0	1	0	1.01	.48	.55	7	.0	0		5	1
KUNA 2 NNE	72.2	43.7	58.0	- 6.4	82	11+	35	24	204	0	0	0	0	1.90	1.10	.65	2	.0	0		7	2
MC CALL	63.4	37.8	50.6	- 3.5	76	11+	28	24	432	0	0	4	0	3.63	1.81	1.52	2				11	3
MERIDIAN 1 SSW	73.7	45.3	59.5M	- 5.5	83	29	36	8	167	0	0	0	0	1.32	.45	.88	2	.0	0		6	1
MESA	72.9	45.4	59.2		81	29+	34	24	175	0	0	0	0	2.06		.94	7	.0	0		6	2
MOUNTAIN HOME	79.2	46.1	62.7	- 0.6	93	11	34	8	106	3	0	0	0	1.29	.59	.35	1	.0	0		7	0
NAMPA 2 NW	74.5	45.3	59.9		85	30	32	13		0	0	1	0	1.30		.72	2	.0	0		9	1
NEW MEADOWS RS	70.2	37.4	53.8M	- 1.7	79	11			320	0	0	6	0	3.00	1.32			T	0		13	
OBSIDIAN 4 NNE	61.7	31.3	46.5	- 2.9	72	11	24	8+	549	0	0	20	0	1.76	.40	.54	2	.0	0		5	1
OLA 4 S	77.1	41.0	59.1		88	11	34	8+	171	0	0	0	0	1.80		.96	2				4	1
PARMA EXP STA	74.3	45.5	59.9	- 5.9	85	30	38	8+	154	0	0	0	0	1.39	.60	.54	2	.0	0		8	1
PAYETTE	75.8	47.1	61.5	- 4.2	87	22+	38	8	123	0	0	0	0	1.84	1.06	.67	7	T	0		8	2
RICHFIELD	73.8	42.8	58.3	- 2.3	86	11	33	25	207	0	0	0	0	.83	.07	.67	7	.0	0		4	1
SHOSHONE	75.0	44.4	59.7	- 2.9	91	11	36	8	165	1	0	0	0	1.27	.61	.98	7	T	0		4	1
STIBNITE	60.7	33.9	47.3		75	12	28	3		0	0	14	0	1.42		.35	13	.0	0		13	0
SUN VALLEY	68.9	31.3	50.1	- 0.5	78	11+	24	8+	438	0	0	17	0	1.40	- .30	.52	6	.0	0		5	1
SWAN FALLS PH	79.0	52.2	65.6	- 3.1	93	29	43	8	55	2	0	0	0	1.49	.20	.58	2	.0	0		9	1
THREE CREEK	71.5	33.8	52.7		85	22	26	20+	362	0	0	13	0	1.33	- .48	.86	6	.0	0		5	1
TWIN FALLS 2 NNE	77.3	45.7	61.5	- 1.6	93	11	37	8+	128	2	0	0	0	1.55	.74	.88	7	.0	0		5	1
TWIN FALLS 3 SE	75.7	46.0	60.9	- 2.7	94	12	39	8		1	0	0	0	1.27	.48	.34	2	.0	0		6	0
WEISER	77.1	46.9	62.0	- 5.9	88	22	38	3+	107	0	0	0	0	1.14	.24	.56	2	.0	0		5	1
DIVISION			57.9	- 3.7										1.53	.51			T				
SOUTHEASTERN DIVISION																						
ABERDEEN EXP STA	77.0	42.3	59.7	- 1.5	89	30	35	6+	166	0	0	0	0	.86	.08	.32	5				4	0
ALBION	74.1	38.3	56.2	- 2.7	86	11	28	25	266	0	0	6	0	1.57	.54	.90	2	.0			3	1
AMERICAN FALLS 1 NW	75.2	42.6	58.9	- 2.6	87	11	33	25	183	0	0	0	0	1.11	.09	.39	7	.0	0		3	0
ARCO	76.8	40.1	58.5M	0.4	84	11			192	0	0		0	2.41	1.30			.0	0		8	

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
ASHTON 1 S	72.8	39.2	56.0	- 2.4	83	12	29	24	294	0	0	5	0	1.91	.25	.75	5	.0	0		4	2	0
BLACKFOOT	77.6	46.5	62.1	[illegible]	90	11	38	25	127	1	0	0	0	1.87	.44	.85	2	.0	0		4	1	0
BLACKFOOT DAM	70.8	35.1	53.0M	- 1.7	83	30	25	25	358	0	0	7	0	2.06	.25	.68	7				5	2	0
BURLEY	75.9	45.9	60.9	- 3.1	91	12	38	4+		1	0	0	0	1.33	.54	.55	7	.0	0		5	1	0
BURLEY FACTORY	74.7	42.8	58.8	- 3.4	90	12	34	8		1	0	0	0	1.30	.38	.51	7				5	1	0
BURLEY CAA AP	75.8	42.3	59.1	- 2.2	90	11	35	4	180	1	0	0	0	1.71	.77	.47	6	.0	0		7	0	0
CHILLY BARTON FLAT	67.6	35.6	51.6	- 2.8	79	12	29	8	395	0	0	7	0	2.40	1.30	1.15	2	.0			6	2	1
CONDA	72.0	38.0	55.0M	[illegible]	85	12+	27	25		0	0	7	0	1.39	- .99	.35	7	.0			7	0	0
DRIGGS	71.8	39.3	55.6	1.3	83	12+	31	25		0	0	1	0	1.70	- .33	.47	3				7	0	0
DUBOIS EXP STA	72.8	40.9	56.9	- 3.0	83	30	34	20	240	0	0	0	0	2.16	.55	1.20	2	.0	0		7	2	1
DUBOIS CAA AP	72.8	42.4	57.6	- 0.8	84	11+	32	20+	219	0	0	2	0	1.50	- .51	.95	2	.0	0		4	1	0
FORT HALL IND AGENCY	76.0	43.2	59.6M	- 2.[illegible]	88	11	27	4	176	0	0	1	0	1.61	.69	.62	2	.0	0		6	2	0
GRACE	70.6	41.3	56.0	- 2.8	85	30	33	25	266	0	0	0	0	1.63	.34	.53	7	.0	0		6	1	0
GRAY	71.6	37.8	54.7	0.1	85	18+	30	4+	313	0	0	7	0	1.65	- .01	.70	2	.0	0		3	2	0
GROUSE	65.0	34.9	50.0		77	11	26	8+	445	0	0	11	0	.95	- .43	.44	2	.0	0		5	0	0
HAMER 4 NW	77.0	40.1	58.6	- 1.2	89	11	29	20	198	0	0	2	0	1.55	.52	.76	2	.0			5	2	0
IDAHO FALLS [illegible] NE	73.7	42.4	58.1M		84	11+	33	26	213	0	0	0	0	1.35		.80	2	.0			4	1	0
IDAHO FALLS CAA AP	73.0	44.2	58.6	- 1.9	87	11	36	6	198	0	0	0	0	1.09	- .12	.56	2	T	0		5	1	0
IRWIN 2 S	75.2	40.6	57.9	1.0	87	11+	34	3+	216	0	0	0	0	1.70	.17	.65	2				4	2	0
ISLAND PARK DAM	68.4	35.2	51.8	- 0.8	80	11	25	20	389	0	0	5	0	2.11	- 1.45	.73	2	T			5	3	0
LIFTON PUMPING STA	72.9	42.2	57.6	- 1.7	83	11+	33	3	216	0	0	[illegible]	0	.69	- .12	.38	2	.0	0		6	0	0
MACKAY RS	74.6	34.9	54.8	- 3.9	81	11+	32	8	298	0	0	1	0	1.64	.49	.85	2	.0	0		7	1	0
MALAD	77.1	44.2	60.7	- 1.2	91	30	35	3+	152	1	0	0	0	1.06	- .10	.50	7	.0	0		5	1	0
MALAD CAA AP	77.6	41.2	59.4		93	30	32	3	172	2	0	1	0	.96		.46	6	.0	0		5	0	0
MAY RS	71.1	37.7	54.4	- 3.1	84	11	31	24	310	0	0	3	0	2.06	.79	1.45	2	.0	0		5	1	1
MC CAMMON	77.5	41.3	59.4		91	30	31	25	172	1	0	1	0	.74		.23	6	.0	0		6	0	0
MINIDOKA DAM	74.1	47.7	60.9		87	11	39	25	143	0	0	0	0	1.87		.84	2	.0			4	2	0
MONTPELIER RS	73.2	38.3	55.8M	- 2.7	85	30	30	25+		0	0	5	0	1.21	- .03	.37	1	.0			6	0	0
OAKLEY	76.1	43.1	59.6	- 2.7	89	11+	35	3+	175	0	0	0	0	1.00	- .10	.66	7	.0	0		5	1	0
PALISADES DAM	76.3	41.7	59.0M		87	11	33	25	174	0	0	0	0	2.01		.61	2	.0	0		7	1	0
PAUL 1 E	74.6	43.1	58.9	- 2.7	89	12+	34	4		0	0	0	0	1.52	.61	.47	2	.0	0		5	0	0
POCATELLO WB AP //R	75.1	45.2	60.2	- 2.8	90	29	38	6	168	1	0	0	0	.77	- .25	.38	5	.0	0		6	0	0
PRESTON SUG FACT 2SE	79.2	42.4	60.8	- 0.5	90	30	33	25	139	1	0	0	0	1.25	- .03	.45	5	T			6	0	0
REACTOR TESTING STA	73.2	40.8	57.0		88	11	32	6+	235	0	0	2	0	.80		.30	5	.0	0		6	0	0
RUPERT	77.0	43.2	60.1M	- 3.0	92	30	36	4+		2	0	0	0	1.39	.55	.51	2	T	0		5	1	0
SAINT ANTHONY	74.3	39.7	57.0	- 2.0	88	11	30	25+	234	0	0	3	0	1.30	- .72	.49	5				6	0	0
SPENCER RS	70.6	38.1	54.4	- 0.8	81	15	30	25	313	0	0	3	0	2.64	.71	1.53	2	T	0		8	1	1
SPRINGFIELD 1 SE	74.0	41.0	57.5	- 3.6	87	29	31	24	220	0	0	1	0	1.15	.34	.41	2	.0	0		7	[illegible]	0
STREVELL	78.9	37.5	58.2		90	30	28	4	217	1	0	3	0	.51		.24	5	T	0		3	0	0
SUGAR	75.2	39.6	57.4	- 2.1	84	11	30	25	225	0	0	4	0	1.37	.11	.69	2	.0	0		6	1	0
TETONIA EXP STA	71.1	37.9	54.5		85	10	30	25	314	0	0	6	0	1.37		.50	5				7	1	0
DIVISION			57.4	- 1.6										1.[illegible]	.24			T					
STATE			[illegible].1	- 3.2										1.67	.[illegible]			T					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.86		.29			.32		.24					.01																			
ALBION	1.57		.90			.37		.30																								
ALPHA 1 NE	2.63		.80		.23	.24	.05	.60	.01	.05				.47	T	.05	.07												.06			
AMERICAN FALLS 1 NW	1.11		.37			.35		.39												T												
ANDERSON DAM	1.78	.10	.24		.35	.02	.08	.56		T			.43																			
ARCO	2.41		•		•	•	•	2.21					.10	.05						.05												
ARROWROCK DAM	1.79	.04	.49	.12	.01			.47	.34	.04	T			.24			.04															
ASHTON 1 S	1.91		.73	.10	T	.75	T	.33												T												
ATLANTA 1 E	2.14		.26	T	T	.46	T	.64	.07	.03			.41	.20		.07	T															
AVERY RS	1.24	.01	.24	T	.21				.39	T			T								.17				T	.06	.05	.04			.07	
BAYVIEW MODEL BASIN	1.20	.02	.04		.25	T	.05	.45	.02					.10							.15			T					.04	.08		
BIG CREEK 1 S	-		-	T	.40	.10	T	.10	.02	.05			.42	.02			.04									.04	.03	.02	.08			
BLACKFOOT	1.87		.85	.12		.48		.42																								
BLACKFOOT DAM	2.06	.07	.56	.36		.39	T	.68					T														T					
BLISS	.66	T	.14	T		.02	.05	.38					.07				T															
BOISE LUCKY PEAK DAM	1.53		.69	T		T	.01	•	.62	.07			.12				.02															
BOISE WB AP //R	1.22	.21	.40		T	T	.18	.28	.04	.02			.04			T	.05			T												
BONNERS FERRY	-	-	.17	.15	.02	.06	T	.06	.37	.04	.04			-	-	-	-	-	-	-	-	-	-	-	-	-	-			.03	.01	
BUHL	.89		.20		.15		.47	.02	.05																		T					
BUNGALOW RS	2.46	.56	.63		.03	.09		.35	.21				T	.16		T					.03					.36		.02	.02			
BURKE 2 NNE	2.88	.24	.70		.17	T	.09	.21	.14	T	T			.50		.03					.16			T	.38	.08	T	T	T	.16	.02	
BURLEY	1.33		.42	.05		.20		.55	.11											T												
BURLEY FACTORY	1.30		.42	.07		.17	T	.51	.13	T																						
BURLEY CAA AP	1.71	.24	.38		.03	16	.47	.41					T							.02												
CALDWELL	1.37	.04	.85				.04	.20	.02	.11			.09			T	.02															
CAMBRIDGE	1.51		.55					.67	.12	.05			.10				.02															
CASCADE 1 NW	2.14		.87	T	.12	.40	.02	.34	.06	.06			.22	T	T		.03												.02			
CENTERVILLE ARBAUGH	2.68		1.09		.25	.16	.11	.53	.12	.14			.21				.07									T		T				
CHALLIS	1.70		.81		T	.40	.12	.25	T				.05			T	.07	T								T						
CHILLY BARTON FLAT	2.40		1.15		T	.60	.10	.40		.10			.05																			
CLARK FORK 1 ENE	2.24	.17	.34		.09			.45					T	.39		.02					.18		.05		.30	.07				.20		
COBALT BLACKBIRD MINE	3.46	.16	.92	.73		1.03	.09	.12	.15	.04				.17			T	.07										.01		.07		
COEUR D ALENE CAA AP	1.94	.01		.05	.43		.02	.83		.03		T	.23	T		T				.17	T	T		.03	T			T	.11	.03		
COEUR D ALENE RS	1.66		.02		.40		.05	.80		.03				.18		T				T	.09	T			.02	T			.03	T	.04	
CONDA	1.39		.16	.28		.27	.02	.35	.28																			.03				
COTTONWOOD	2.84	.03	.01	.01	.01	.66		1.01	T	.01			.13	.41		.13				.05	.03					.23		.07	.02		.03	
COUNCIL	2.31		1.12			.11	.07	.88	.02	.06			.05				.02															
CROUCH 2 NNW	1.54		.35		.06	T	.03	.48	.09	.06			.15	.12																		
DEADWOOD DAM	2.09		.42		.14	.32	.03	.75	.05	.04			.30				.04									T						
DEER FLAT DAM	1.43		.85				.18	.19	.12				.05				.04															
DIXIE	2.17		.12		.09	.85	.01	.53	.02	.03			.18	.03								.07				T	.14		.10			
DRIGGS	1.70		.06	.47		.36	.29	.25	.23					.04																		
DUBOIS EXP STA	2.16		1.20	.03		.58	.04	.27					.01							.03												
DUBOIS CAA AP	1.50	T	.95	T		.33	T	.21					T						T	.01					T		T					
ELK RIVER 1 S	1.36	.28	.02	.03	.04	.03	.02	.83	.07	T	T	T	.03	.01	.05	.01										T		.02	.09		.05	

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3–Continued

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
EMMETT 2 E	1.90		.94					.53		.12			.31																		
FAIRFIELD	.76	.01	.02		.01	.09	.07	.44	T				.12																		
FENN RS	2.89	.27	.23		.33	.31	.08	.56	.11	.10			.04	.17		.01					.32				T	T	.09	T	.23	.04	
FORT HALL IND AGENCY	1.61		.62	.02		.52	.02	.32	T				T			.11															
GARDEN VALLEY RS	1.51		.62	T	T	T	.23	.38	.03	.05			.18	.02												T					
GLENNS FERRY	.37		.03			•	•	•	.34																						
GOODING CAA AP	.74		.07		.13	T	.42	.12					T			T				T											
GRACE	1.63	.06	.45	.02		.46	.11	.53																							
GRAND VIEW	1.05		.35		T	.05	.02	.56	.05	.02			T																		
GRANGEVILLE	3.16		.23		.41	.65	.08	.68		T			.42	.26		.29				.02						T		.07	.05		T
GRAY	1.65		.70			.45		.50																							
GROUSE	.95		.44		.16	.12	.03	.20																							
HAILEY AP	.86	.01	.33			.20	.03	.29					T																		
HAMER 4 NW	1.55		.76	.03		.55	.06	.15					T														T				
HAZELTON	.98	T	.35			.05	.02	.56					T							T											
MILL CITY	.81						.17	.64																							
HOLLISTER	1.58		.37		.26	.16	.07	.70		.02																					
HOWE	1.20		.11	.12		.41	.20	.28	T					.06							.02										
IDAHO CITY	2.21	.02	.76		.15	.19	.02	.72		.13			.22																		
IDAHO CITY 13 SW	1.37		.28			T	.03	.58		.04			.43	T	T	T	.01														
IDAHO FALLS 6 NE	1.35	T	.80			.28	.01	.26																							
IDAHO FALLS CAA AP	1.09	.01	.56	T		.24	T	.26					T							.02					T		T				
IRWIN 2 S	1.70		.60	.04		.49		.57					T														T				
ISLAND PARK DAM	2.11		.73	.08	T	.70	T	.54												.06											
JEROME	1.01	T	.25			.13	.02	.55	.06											T											
KAMIAH 1 NE	2.15	.02	.02			.47	.02	.70	.37		T			.37			.08				.02						T	.02		.06	
KELLOGG	2.48	.12	.25		.21	.06	T	.32	.29					.67			.06				.07	.01			.12	.03				.27	T
KOOSKIA	2.53	.04	.03			.68		.89	.19					.48		.03					.10							.02	.07		
KUNA 2 NNE	1.90		.65		T	T	.56	.30	.16	.07			.10			T	.06														
LEWISTON WATER PLANT	1.07	.04	T		T	.04	T	.50	T				T	.25						.11					T			.05	.05		.03
LEWISTON WB AP R	1.68	.05	T		T	.46	.02	.63		T			T	.29		T				.03	.02	T		T		T		.06	.05		.07
LIFTON PUMPING STA	.69	.05	.38			.05		.16	.01				.04																		
MACKAY RS	1.64		.85			.29	.05	.28	.01				.15		.01											T					
MALAD	1.06	.05	.25		.19		.07	.50					T																		
MALAD CAA AP	.96	.25	.06			.11	.46	.08					T																		
MAY RS	2.06		1.45		.25	.03	.02	.31	T				T		T																
MC CALL	3.63		1.52		.50	.10	.11	.99	.08	.06			.11	.09		T	.02												.05		
MC CAMMON	.74	.19	.05		.08	.13	.23	.06												T							T				
MERIDIAN 1 SSW	1.32		.88				.25			.11			.01			.02	.05														
MESA	2.06		.75			.02	.05	.94		.07			.23																		
MINIDOKA DAM	1.87		.84			.20		.67					.16																		
MONTPELIER RS	1.21	.37	.20			.27		.20	.02				.15			T															
MOUNTAIN HOME	1.29	.35	.01	.30		.02	.09	.34		T			.18																		
MULLAN PASS CAA	1.97	.26		.05	.05	.18	.02	.51	.02		T		.37	.07		T				T	.09			T	.14		T	.03	.13	.05	
NAMPA 2 NW	1.30	.05	.72	.01		T	.03	.10	.24	.09				.03			.03														
NEW MEADOWS RS	3.00		.55		.18	.40	•	.82	.12	.10			.08			.10	.01			.02						.53	.09				
NEZPERCE 2 E	2.52	.18	.01		.10	.25	T	1.27	.03	T			.08	.49		.02				.04	T			T				.02	.03		T
OAKLEY	1.00		.09		.05	.17	.03	.66																							
OBSIDIAN 4 NNE	1.76		.54			.25	.40	.35					.22																		
OLA 4 S	1.80		.96			T		.42		.18			.24																		
OROFINO	2.16	.06	T			.27	.13	.79	.19				.20	.29						T	.10						.04	.04	.05		
PALISADES DAM	2.01		.61	.32		.43		.44	.15				T	.04														.02			
PARMA EXP STA	1.39	.03	.54		T		.06	.22	.03	.28			.08			T	.15														
PAUL 1 E	1.52		.47	.11		.17		.43	.34																						
PAYETTE	1.84	.15	.65		T		.09	.67	.02	.22			.03				.01														
PIERCE RS	2.13	.09	.04		.01	.37		.70	.52				.04	.23		.05					.01							.02	.01	.04	
PINE 2 SSW	1.51		.03		.04	.61	.02	.57	T	.04			.20							T					T						
POCATELLO WB AP //R	.77	.08	.13		.01	.38	.08	.09					T							T											
PORTHILL	2.81	.30	.24	T	.19	T	.14	.60	.25	.05				.15		T		T		.10	.07	T		.02	.10	.10	.12	.10	.03	.15	.10
PRESTON SUG FACT 2 SE	1.25	.03	.42			.45	.04	.29	T							.02															
PRIEST RIVER EXP STA	2.88	.24	.17	T	.40	T	T	.41	.08					.66	T	T				.07	.07	T		.03	.08	.10	.20	T	.19	.18	
REACTOR TESTING STA	.80	.05	.22		.03	30	T	.16					.04							T							T				
RICHFIELD	.83		.03			.09	.04	.67																							
RIGGINS RS	2.00		.73	.01			.01	.61	.01	.13			T	.32												.02			.16		
ROLAND W PORTAL	2.07	.04	.55		.09	.04	.17	.26	.12				T	.12		.05					.23				.26	.02	T	.01	.11	T	
RUPERT	1.39		.51	.05		.13		.47	.29					T							T										
SAINT ANTHONY	1.30		.42	.04		.49	.10	.22					.03																		
SAINT MARIES	1.79		.10		.17	T	.17	.78	.04	T			T		.38						T			T	T	.07			.02	.01	.05
SALMON	2.24		1.10		T	.24	.07	.59					.04			.15										.05					
SANDPOINT EXP STA	1.79	.13	.07	T	.18	.01	.02	.36	.15	.02	T		.03	.62		T				.02	.05			T	.04	.02	T	.01	.04	.02	T
SHOSHONE	1.27		.20		T	.06	.03	[illegible]					T				T														
SPENCER RS	2.64		1.53	.02	T	.35	.10	.32	T				.03			T				.10					T		.19				
SPRINGFIELD 1 SE	1.15		.41	.01		.32	.07	.23	.02				.09																		
STIBNITE	1.42	.07	.21	.11		.10	.02	.19	.20	.03	.03			.35			.05												.05	.01	
STREVELL	.51		.09			.24	T	.18																							
SUGAR	1.37		.69	.03		.40	.02	.21					.02																		
SUN VALLEY	1.40		.34			.24	.52	.27	T				.03																		
SWAN FALLS PH	1.49		.58			.25	.07	.18	.06	.06			.17			.07	.05														
TETONIA EXP STA	1.37		.49		.02	.50	.06	.20					[illegible]							T					.05						
THREE CREEK	1.33		.21	.07		.08	.86						.11																		
TWIN FALLS 2 NNE	1.55	T	.28		.03	.32	.04	.88		T			T														T				
TWIN FALLS 3 SE	1.27		.34	.04		.26	.13	.27	.23	T																					
WALLACE	3.15	.11	.44		T	.63	.04	.71		T			T	.57		T					T			T	.19	.06			.40		
WALLACE WOODLAND PARK	2.39	.20	.36		.12	.09		.45	.16					.44			.03								.16					.32	.06
WEISER	1.14	.07	.56				.06	.29	.16																						
WINCHESTER 1 SE	2.73	.21	.07			.61		.73	.13	.02				.46			.02			.04					.09				.28		.07

MONTHLY AND SEASONAL SNOWFALL

Season of 1952 - 1953

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total
ABERDEEN EXP STA					-	-	-	-	-		-	-	[illegible]
ALBION					8.0	[illegible]	2.2	[illegible]	-	21.0			-
ALPHA 1 NE		T			5.5	35.5	47.6	[illegible]	[illegible]	11.5	T	T	151.6
AMERICAN FALLS 1 NW					5.5	0.3	-	-	-	[illegible]	T		-
ANDERSON DAM					T	3.5	-	-	-	-			-
ARCO					2.5	-	3.5	-	[illegible]	T	-		-
ARROWROCK DAM						-	[illegible]	1.5	[illegible]	[illegible]			-
ASHTON 1 S					3.0	20.0	14.5	8.5	[illegible]	[illegible]	[illegible]		[illegible]
ATLANTA 1 E					12.0	63.0	[illegible]	[illegible]	[illegible]	[illegible]	T	T	266.0
AVERY RS						-	-	-	-	-	-	-	-
BAYVIEW MODEL BASIN						8.5	3.5						12.0
BIG CREEK 1 S				1.0	-	-	44.2	31.9	27.9	21.1	-	T	-
BLACKFOOT					3.0	10.0	8.0	4.5	5.0	T	T		30.5
BLACKFOOT DAM				-	-	-	-	-	-	-	-	-	-
BLISS					T	4.5	3.5	1.0	[illegible]	[illegible]			15.0
BOISE LUCKY PEAK DAM						-	-	-	-	-	-	-	-
BOISE WB AP					T	2.5	1.1	1.2	[illegible]	[illegible]	T		10.6
BONNERS FERRY	-	-	-	-	-	-	-	-	-	-	-	-	-
BUHL					T		3.0	-	-	-			-
BUNGALOW RS					-	-	-	-	-	-	T		-
BURKE 2 NNE		T			1.3	44.9	79.2	38.2	23.9	[illegible]	4.7	T	[illegible]
BURLEY					2.0	5.8	3.5	4.0	[illegible]	2.5			21.8
BURLEY FACTORY					1.0	-	-	-	-	-	-	-	-
BURLEY CAA AP	T				3.0	9.4	3.2	6.1	2.9	[illegible]	T		[illegible]
CALDWELL						0.4	0.2	T	T	T	T		[illegible]
CAMBRIDGE						32.4	[illegible]	2.0		T			[illegible]
CASCADE 1 NW				T	6.0	39.0	37.5	12.5	21.0	[illegible]	T		[illegible]
CENTERVILLE ARBAUGH					9.2	60.4	40.9	25.3	20.6	9.4	[illegible]	T	166.1
CHALLIS					1.5	8.3	3.2	9.5	-	-	-	-	-
CHILLY BARTON FLAT					-	12.0	-	12.0	5.0	[illegible]	T		-
CLARK FORK 1 ENE						-	8.5	3.0	1.0	1.0			-
COBALT BLACKBIRD MINE					8.5	21.8	[illegible]	36.1	20.3	23.6	[illegible]	T	[illegible]
COEUR D ALENE CAA AP					T	22.0	12.2	8.1	3.5	0.1	T	T	45.9
COEUR D ALENE RS					T	15.0	10.5	2.8	0.5	T	T		28.8
CONDA					8.0	30.2	[illegible]	[illegible]	15.5	12.0	3.5		109.9
COTTONWOOD						[illegible]	5.7	4.5	7.9	0.1			[illegible]
COUNCIL					1.5	23.8	17.1	-	-				-
CROUCH 2 NNW						53.0	35.0	9.5	1.1	T			98.6
DEADWOOD DAM	T			T	12.0	81.5	[illegible]	27.0	21.5	10.5	4.5		217.0
DEER FLAT DAM							-						-
DIXIE	T	T		2.4	4.0	35.3	95.3	54.1	37.9	27.6	3.7	T	260.9
DRIGGS					-	-	-	-	-	-	-	-	-
DUBOIS EXP STA					-	19.4	5.3	11.5	3.5				-
DUBOIS CAA AP					5.1	11.9	2.6	11.1	4.8	4.7	T		40.2
ELK CITY		T		0.6	1.1	1.5	-	-	-	15.5	-	-	-
ELK RIVER 1 S						27.9	-	11.8	4.8	T	0.6	T	-
EMMETT 2 E						T	2.0				T	T	2.0
FAIRFIELD					6.7	44.5	35.4	[illegible]	11.8	8.2	T		113.7
FENN RS					0.3	4.2	3.8	6.0	2.0			T	16.3
FORT HALL IND AGENCY					5.0	-	-	-	-	T	T		-
GARDEN VALLEY RS			T			-	21.5	7.0	[illegible]				-
GLENNS FERRY						0.5		T		T	T		0.5
GOODING CAA AP					0.8	9.6	4.6	4.3	4.3	T	T		23.6
GRACE					4.5	10.0	[illegible]	6.5	4.5	1.5	T		[illegible]
GRAND VIEW						T		T		T	T	T	T
GRANGEVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-
GRAY					3.0	[illegible]	23.0	4.0	10.0	[illegible]	T		77.0
ROUSE					10.5	30.0	[illegible]	0.5	[illegible]	10.1	T		65.1
HAILEY AP					3.5	55.1	23.1	3.2	10.7	[illegible]	-		-
AMER 4 NW		T			5.0	8.5	-	T	-	T	T		-
AZELTON					1.0	4.3	2.1	1.0	[illegible]	1.5	T		[illegible]
ILL CITY					9.0	52.0	-	-	-	-	-	-	-
OLLISTER					-	3.5	2.0	-	-	4.5			-
OWE					0.5	-	-	-	-	-	-	-	-
DAHO CITY					2.5	-	15.4	6.4	11.5	[illegible]			-
DAHO CITY 13 SW					4.0	34.3	[illegible]	9.0	24.0	[illegible]	[illegible]		[illegible]
DAHO FALLS 6 NE		T			3.5	11.7	3.8	0.8	4.6	[illegible]	T		[illegible]
DAHO FALLS CAA AP					4.0	8.2	6.2	2.0	3.9	[illegible]	1.5	T	32.5
RWIN 2 S					7.0	36.0	[illegible]	5.0	[illegible]	-	-	-	-
SLAND PARK DAM		T	T		12.5	60.0	44.0	31.0	[illegible]	14.0	11.0	T	199.5
EROME					0.1	3.3	1.3	T	[illegible]	0.5	T		10.5
AMIAH 1 NE					T	-	-	T	[illegible]		-		-
ELLOGG						13.8	4.2	9.0	[illegible]	T			[illegible]
OOSKIA					T	2.0	[illegible]	T	T	T			[illegible]
UNA 2 NNE						0.9	0.2	T	T	[illegible]	T		1.4
EWISTON WATER PLANT						0.5		T		T	T		0.5
EWISTON WB AP					T	1.2	[illegible]	T	[illegible]	[illegible]	T		2.6
IFTON PUMPING STA					2.5	5.8	7.5	12.5	3.1	[illegible]	T		[illegible]
OWMAN					4.0	56.1	52.1	14.6	-	[illegible]	-	-	-
CKAY RS					6.2	17.5	5.5	3.8	3.5	7.0			43.5
LAD					0.5	6.7	-	3.0	8.2	T	T		-
LAD CAA AP	T				0.2	5.8	[illegible]	2.4	[illegible]	T			[illegible]
Y RS					-	-	-	-	-	4.4			-
CALL					9.0	50.0	[illegible]	[illegible]	[illegible]	-	-	-	-
CAMMON		T			2.0	[illegible]	-	-	3.6		T		-
RIDIAN 1 SSW									-				[illegible]
SA		T			T	28.5	[illegible]	4.5					56.0
NIDOKA DAM					[illegible]	5.0	[illegible]	[illegible]	[illegible]	[illegible]			24.0
NTPELIER RS		T			8.3	14.8	[illegible]	[illegible]	12.5	[illegible]			69.1
SCOW U OF I						-	-	[illegible]	6.0			-	-
UNTAIN HOME	-	-			0.8	[illegible]	T	T		[illegible]	-		-
LLAN PASS CAA					8.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T	250.7
PA 2 NW						[illegible]	[illegible]	T	-	[illegible]			1.9
MEADOWS RS						35.2	[illegible]	-	[illegible]	[illegible]			-
ZPERCE 2 E					[illegible]	5.6	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]
XLEY	T				[illegible]	5.5	[illegible]	[illegible]	[illegible]	[illegible]	T		33.5
SIDIAN 4 NNE					[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			82.8
4 S						-	-	-	-	-			-

See reference notes following Station Index

MONTHLY AND SEASONAL SNOWFALL

Season of 1952 - 1953

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total
OROFINO					T	-	2.0	-	-	-	-	-	-
PALISADES DAM					-	-	-	-	-	-	-		-
PARMA EXP STA						3.7	2.0	T		T	T		5.7
PAUL 1 E					2.0	7.4	1.5	2.5	5.0	2.0	T		20.4
PAYETTE						4.6	3.5	0.3		T	T	T	8.4
PIERCE RS					2.0	31.5	15.7	-	-	-	-	-	-
PINE 2 SSW					2.5	-	-	-	-	-	T		-
POCATELLO WB AP					6.8	11.2	7.3	4.6	6.9	1.3	0.3		38.4
PORTHILL					T	-	16.5	-		10.0			-
POTLATCH						9.5	2.5	-	2.0	-	-	-	-
PRESTON SUG FACT 2 SE		T			6.1	9.4	22.6	5.2	12.3	15.4	1.2	T	72.2
PRIEST RIVER EXP STA	T				T	33.5	20.8	10.4	0.6	1.0		T	66.3
REACTOR TESTING STA		T			0.1	7.1	1.3	1.4	3.8	T	T		13.7
RICHFIELD					3.2	15.5	5.7	3.5	5.0				32.9
RIGGINS RS													0.0
ROLAND W PORTAL					3.2	63.4	82.7	54.1	40.1	27.0	4.3	T	274.8
RUPERT					-	-	-	2.8	8.0	4.5	T	T	-
SAINT ANTHONY	T				-	-	-	-	-	-	-	-	-
SAINT MARIES						5.0	-	-	-	-	-	-	-
SALMON	-	-	-	-	-	-	-	-	-	-	-	-	-
SANDPOINT EXP STA			T		T	27.2	13.3	11.9	4.0	2.2	T	T	58.6
SHOSHONE					1.0	8.8	3.0	4.3	8.5	1.5	T	T	27.1
SPENCER RS		T			16.0	32.5	13.5	17.5	14.0	T	T	T	93.5
SPRINGFIELD 1 SE					2.8	13.2	2.4	2.8	7.5	T	-		-
STIBNITE	T	T			9.4	37.2	66.5	45.3	39.3	30.3	14.0		242.0
STREVELL	-				-	-	-	-	-	-		T	-
SUGAR					-	-	-	-	-	3.0	T		-
SUN VALLEY		T			17.0	-	28.0	7.5	13.0	0.1	T		-
SWAN FALLS PH						T							T
TETONIA EXP STA					-	-	-	-	-	-	-	-	-
THREE CREEK		-	-	-	-	-	3.0	29.7	16.0	22.0	3.0		-
TWIN FALLS 2 NNE					T	2.4	1.3	0.5	5.7	2.5	T		12.4
TWIN FALLS 3 SE					T	2.7	2.5	3.2	6.0	4.6			19.0
WALLACE					T	20.0	15.0	12.0	2.0	-	T	T	-
WALLACE WOODLAND PARK			T			16.5	13.0	14.5	1.0	12.0			57.0
WEISER						10.5	3.3	1.0			T		14.8
WINCHESTER 1 SE		T				-	-	-	-	-			-

See reference notes following Station Index.

DAILY TEMPERATURES

ble 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ERDEEN EXP STA	MAX	71	63	64	69	66	63	63	65	77	82	88	85	80	76	77	[illegible]	81	85	83	70	80	87	85	77	75	78	79	87	88	89		77.0
	MIN	41	43	37	37	44	35	46	37	43	43	42	51	42	43	45	45	47	47	48	40	39	40	45	41	38	38	35	45	45	46		42.3
BION	MAX	71	64	60	[illegible]	62	61	64	65	76	81	86	85	75	68	75	74	77	76	75	75	80	82	80	72	72	72	78	81	85	83		74.1
	MIN	40	40	42	29	41	35	32	33	40	37	37	54	37	36	45	42	45	42	43	30	32	37	38	42	28	31	34	51	37	38		38.3
PHA 1 NE	MAX	68	61	61	63	55	57	52	57	64	70	81	70	64	66	65	71	74	69	65	61	70	74	70	62	66	68	71	75	74	72		66.5
	MIN	33	43	31	30	40	35	38	28	37	34	34	43	32	38	34	42	39	37	33	36	29	34	36	25	30	28	35	45	39	34		35.1
ERICAN FALLS 1 NW	MAX	72	64	62	63	64	61	62	62	77	83	87	85	83	74	75	74	78	81	81	69	80	83	81	75	74	75	79	86	81	86		75.2
	MIN	42	43	38	34	43	37	45	39	46	41	43	55	45	44	45	45	51	45	48	38	36	37	43	42	33	40	36	51	48	44		42.6
DERSON DAM	MAX	69	63	66	[illegible]	61	62	59	67	69	85	91	87	70	71	70	74	80	81	75	69	82	83	79	69	75	76	81	80	86	83		74.4
	MIN	34	41	35	42	41	44	49	36	47	47	50	60	41	45	42	54	51	49	49	42	44	56	49	42	42	46	46	54	45	50		45.8
CO	MAX									71	79	84	83	74	74	71	80	80	80	78	74	74	80	77	71	67	74	75	79	82	82		76.8
	MIN									42	38	39	49	42	37	43	55	42	39	46	31	32	42	36	42	30	43	34	40	37	44		40.1
ROWROCK DAM	MAX	67	70	60	66	65	64	66	57	65	69	72	90	7	70	70	67	75	75	75	64	67	77	82	69	67	77	75	82	78	86		71.5
	MIN	46	48	42	44	45	47	48	40	45	47	49	53	41	47	47	50	49	48	45	41	45	[illegible]	47	38	43	46	47	53	49	48		46.2
HTON 1 S	MAX	73	64	56	64	62	60	61	65	73	77	81	83	78	80	79	80	75	73	64	67	70	69	66	61	65	67	71	80	81	78		70.8
	MIN	40	36	37	36	41	40	38	36	34	43	45	47	44	43	46	44	41	43	41	35	32	36	35	29	32	37	39	43	42	40		39.2
LANTA 1 E	MAX	63	60	61	61	53	54	55	54	62	71	78	78	66	66	64	73	74	74	72	60	70	75	73	65	63	67	70	71	74	74		66.7
	MIN	37	40	33	34	36	36	38	28	36	40	48	50	32	36	35	42	43	41	40	31	36	41	42	29	33	38	38	47	41	45		38.2
ERY RS	MAX	79	74	60	67	69	68	58	70	70	85	90	85	74			80	78	75	69	60	71	72	72	60	70	77	67		78	82		72.6
	MIN	35	51	35	46	46	50	50	42	36	39	48	49				47	45	39	34	44	43	46	41	43	40	41	43		45	46		43.2
YVIEW MODEL BASIN	MAX	70	70	65	58	65	62	63	57	61	70	72	72	70	70	70	76	79	70	69	63	71	70	69	63	65	70	72	66	66	71		67.8
	MIN	48	51	46	48	46	42	49	44	37	38	49	51	50	39	[illegible]	38	43	40	42	41	38	42	40	41	45	34	43	44	43	49		43.3
G CREEK 1S	MAX	69	47	60	62	50	55	55	55	63	73	80	71	64	66	65	71	73	71	61	59	70	75	68	60	59	65	67	71	75	75		65.2
	MIN	39	41	27	27	38	38	40	33	29	29	29	34	32	31	29	39	37	31	29	30	26	28	29	29	27	24	30	39	28	29		31.7
ACKFOOT	MAX	71	69	65	70	67	63	65	67	80	85	90	86	80	75	77	78	82	85	82	70	80	86	81	76	75	78	80	88	88	89		77.6
	MIN	45	43	40	39	43	40	45	39	45	47	53	61	47	45	49	52	55	54	51	42	41	46	49	44	38	41	43	53	53	53		46.5
ACKFOOT DAM	MAX	72	65	58	63	52	57	55		71	76	81	81	73	69		78	76	79	69	70	71	78	75	63	67	71	70	79	80	83		70.8
	MIN	34	37	34	28	33	29	37		34	38	39	45	40	36	35		43	39	40	31	31	35	36	36	25	31	30	36	33	39		35.1
ISS	MAX	71	68	70	72	66	64	60	68	70	86	[illegible]	85	73	75	77	76	82	82	80	72	83	83	82	75	78	77	83	83	85	84		76.7
	MIN	45	49	44	49	45	47	44	36	43	44	60	63	43	43	42	52	52	47	52	37	42	42	42	42	38	40	45	53	46	48		45.8
ISE LUCKY PEAK DAM	MAX		69	67	66	65	[illegible]		69	69	73	89	82	70	75		75	78	78	78	69		83	83	73	78	78	84		89	87		75.7
	MIN		45	42	45	44	48		39	47	44	49	55	42	46		49	45	46	42	40	46		45	35	44	49	49		47	48		45.2
ISE WB AP	MAX	68	61	66	64	65	66	59	65	67	74	84	81	68	73	72	75	78	73	[illegible]	69	79	83	72	68	76	78	81	75	85	81		72.4
	MIN	46	46	41	43	43	51	44	39	47	45	49	50	42	47	48	51	50	47	43	38	49	51	47	39	45	47	53	53	46	48		46.3
NNERS FERRY	MAX	75		65	60	63	73	73	65	59	71	79	78																71	75	77		
	MIN	51		54	50	48	43	51	49	48	46	41	50																45	45	52		
HL	MAX	72	70	66	65	64	64	62	64	66	75	91	90	86	71	74	73	79	79	78	71	80	84	83	71	75	75	80	79	81	82		75.0
	MIN	48	46	42	44	42	48	48	39	45	49	51	51	44	46	48	50	52	52	52	42	47	52	54	44	45	50	52	54	50	55		48.1
NGALOW RS	MAX	79	76	61	71	68	70	66	67	77	82	91	89	72		67	81	81	76	75	66	78	76	77	65	64	78	76	74	81	83		74.7
	MIN	44	50	37	46	48	44	47	44	36	40	47	48	48		40	49	39	41	44	35	44	44	49	43	37	41	42	39	43	44		43.2
RKE 2 NNE	MAX	69	67	53	55	60	63	55	54	59	72	79	76	68	60	61	70	76	62	58	51	60	61	61	48	58	65	66	62	67	67		62.8
	MIN	36	41	34	40	35	36	40	39	32	34	40	43	42	35	38	40	41	33	31	36	35	41	33	32	33	33	39	38	36	41		36.9
RLEY	MAX	78	70	58	66	75	65	65	65	66	[illegible]	[illegible]	91	86	75	74	78	71	81	81	71	72	83	86	78	70	76	77	82	84	86		75.9
	MIN	48	45	39	38	43	45	47	38	45	45	48	54	43	46	48	50	49	52	52	40	41	46	51	42	41	46	46	50	47	53		45.9
RLEY FACTORY	MAX	72	71	59	66	70	65	64	64	[illegible]	78	[illegible]	90	85	74	72	79	70	81	80	70	72	85	87	78	71	60	71	82	84	88		74.7
	MIN	41	44	37	35	42	42	46	34	42	42	42	60	39	41	44	49	45	47	51	35	40	45	45	42	36	41	41	47	44	46		42.8
RLEY CAA AP	MAX	72	58	[illegible]	73	63	65	64	65	80	86	90	86	73	75	79	70	80	80	69	72	82	86	78	68	78	75	84	84	88	86		75.8
	MIN	44	45	37	35	43	42	43	36	42	42	44	50	40	39	45	49	46	49	43	37	37	41	42	40	37	40	42	48	42	48		42.3
LDWELL	MAX	72	68	72	68	70	70	63	67	70	75	84	78	72	77	73	78	82	80	74	72	81	85	75	72	78	81	82	77	83	83		75.4
	MIN	46	48	43	47	43	52	49	38	47	44	46	50	42	50	46	52	53	51	47	44	42	47	50	40	42	47	49	53	47	53		46.9
MBRIDGE	MAX	77	74	70	[illegible]	72	65	64	66	67	78	82	83	80	73	71	75	83	80	79	71	79	82	80	72	79	82	83	85	96	85		76.7
	MIN	42	45	36	40	43	45	39	32	39	40	43	[illegible]	39	45	42	41	48	49	46	38	35	39	50	32	38	45	43	44	45	46		41.6
SCADE 1 NW	MAX	70	69	61	61	55	55	55	56	61	70	80	78	61	66	63	70	72	72	67	61	72	75	72	61	65	68	71	68	75	75		66.8
	MIN	[illegible]	43	33	36	41	41	41	31	40	39	39	46	37	44	38	46	44	44	37	38	34	34	40	30	35	34	41	47	39	40		39.0
ALLIS	MAX	73	64	61	64	61	59	59	58	61	79	[illegible]	82	74	71	73	77	81	81	60	67	76	80	76	71	66	71	74	79	82	84		72.3
	MIN	39	41	35	37	42	44	45	32	41	47	43	47	39	44	53	53	51	52	51	39	37	49	50	43	48	51	39	44	51	54		44.7
ILLY BARTON FLAT	MAX	65	60	58	58	55	53	56	55	65	72	78	79	69	66	65	72	78	77	76	63	71	76	74	66	61	64	74	70	74	75		67.5
	MIN	30	34	33	35	38	38	40	29	37	45	40	42	37	33	35	43	39	36	49	33	31	33	34	33	30	36	30	32	33	30		35.6
ARK FORK 1 ENE	MAX	70	69	60	64	66	69	70	60	66	75	74	75	68	71	65	76	74	67	[illegible]	60	68	68	66	59	67	72	69	69	74	71		68.2
	MIN	45	50	40	45	40	42	43	45	36	36	46	45	50	44	46	37	48	46	38	50	36	43	36	42	45	35	41	40	42	45		42.6
ALT BLACKBIRD MINE	MAX	[illegible]	62	39	49	51	44	49	51	46	58	66	75	70	62	56	57	64	69	68	59	57	64	70	66	51	56	58	67	67	73		59.4
	MIN	32	32	31	31	31	34	36	31	31	36	37	42	31	35	32	36	37	37	35	29	31	36	38	28	31	29	32	39	35	38		33.8
UR D ALENE CAA AP	MAX	72	[illegible]	62	58	[illegible]	[illegible]	55	62	64	74	81	74	64	71	65	76	74	65	62	62	68	68	62	61	66	75	62	70	76	67		67.2
	MIN	46	49	42	47	49	44	47	43	40	41	52	51	47	40	47	43	49	43	43	44	41	48	40	44	45	41	48	46	47	50		45.2
UR D ALENE RS	MAX	73	72	64	59	61	66	60	63	68	76	[illegible]	78	75	69	67	77	77	71	66	64	70	70	69	62	70	75	74	72	72	70		69.7
	MIN	50	52	46	50	54	44	50	40	40	42	50	48	50	42	48	42	53	45	41	45	43	46	46	45	43	40	48	45	46	56		46.3
IDA	MAX		76	55	58	66	55	60	55	62	74	81	85	80	77	78	70	85	78	83	66	65	75	82	78	61	70	75	74	80	83		72.0
	MIN		38	31	32	[illegible]	30	40	36	38	44	44	56	42	38	37	41	46	42	42	31	32	35	39	39	27	33	31	38	37	50		38.0
TONWOOD	MAX	65	57	61	60	53	63	54	56	63	71	78	69	63	65	63	68	75	68	55	62	67	65	60	63	62	69	65	62	70	75		64.2
	MIN	39	39	34	42	43	36	40	33	34	39	37	48	41	38	40	42	44	35	41	34	38	38	42	39	35	36	44	43	39	45		39.3
NCIL	MAX	73	74	70	71	67	[illegible]	62	66	66	73	81	82	65	75	73	77	78	78	74	68	77	80	80	70	74	78	77	76	80	79		73.6
	MIN	44	49	39	46	47	45	47	35	45	47	47	53	45	50	46	53	49	49	45	35	37	47	51	32	45	46	51	56	51	53		46.3
OWOOD DAM	MAX	68	59	61	61	56	55	50	55	65	69	81	73	65	68	65	71	73	73	62	61	71	75	67	63	66	67	72	73	77	75		66.6
	MIN	34	41	33	28	37	35	36	30	34	31	32	43	32	33	32	43	38	34	31	34	27	31	33	25	27	27	33	41	32	33		33.3
R FLAT DAM	MAX	74	62	69	68	68	68	64	65	66	73	81	74	70	75	72	75	82	72	70	71	81	84	73	71	74	79	82	76	82	80		73.4
	MIN	43	48	46	50	45	55	49	37	47	50	49	53	40	52	50	52	54	52	50	44	40	50	52	43	47	50	52	54	53	57		48.8
IE	MAX	69	58	60	60	48	53	51	55	62	73	79	73	73	65	63	69	71	67	[illegible]	56	68	73	67	56	60	65	67	68	73	72		64.3
	MIN	29	38	30	33	38	34	41	31	29	31	30	38	34	32	29	37	37	31	34	31	28	29	36	27	30	26	32	43	30	33		32.7
GGS	MAX	72	70	50	58	63	52	59	60	68	75	79	83	79	72	78	71	83	78	80	78	78	80	78	76	[illegible]	67	70	70	83	83		71.6
	MIN	37	40	39	38	38	33	43	36	34	34	44	46	45	39	45	40	40	48	41	40	40	41	39	42	31	36	37	34	43	35		39.3
OIS EXP STA	MAX	67	58	55	61	60	56	58	57	71	77	82	79	73	72	69	78	79	78	78	65	72	80	77	71	66	69	71	81	81	83		70.8
	MIN	43	39	36	41	42	40	43	35	42	43	51	54	42	44	46	50	46	43	50	34	39	45	44	37	35	42	38	48	47	48		42.9
OIS CAA AP	MAX	69	51	61	68	51	62	61	62	75	[illegible]	84	80	73	79	72	80	81	81	71	68	75	83	79	67	70	75	76	84	83	84		72.8
	MIN	42	42	35	41	43	38	42	33	43	45	47	54	42	45	45	52	46	44	47	32	38	43	44	38	32	43	36	48	46	46		42.4
RIVER 1 S	MAX	72	69	68	66	59	70	55	62	65	78	81	72	70	67	66	74	72	65	65			70	68	65	68	72	72	62	66	76		68.8
	MIN	41	30	33	46	45	37	48	40	33	46	45	45	41	34	38	40	41	35	34				38	37	40	35	42	43	38	41		39.5
ETT 2 E	MAX	71	64	70	69		68	62	68	70	75	83	83	71	76	73	78	82	80	67	69	80	84	72	76	78	82	84	83	76	83		75.1
	MIN	45	46	40	43		50	47	37	47	43	46	55	42	47	46	51	46	48	44	40	50	45	48	35	40	42	45	49	45	44		45.0
RFIELD	MAX	62	61	62	65	58	55	56	59	62	77	83	78	72	73	68	74	75	76	68	63	73	78	70	67	69	71	74	75	78	77		69.3
	MIN	38	41	33	37	38	38	42	29	29	47	45	56	33	35	38	50	42	39	49	32	34	37	37	32	30	42	35	45	37	40		38.7
N RS	MAX	78	64	68	72	60	70	62	69	74	81	[illegible]	80	75	76	73	78	80	77	72	68	77	77	77	68	71	79	78	73	81	82		74.3
	MIN	42	48	44	45	36	48	49	44	41	45	46	51	51	45	44	49	52	43	45	43	41	48	50	45	41	46	46	52	49	49		45.9
T HALL IND AGENCY	MAX	74	65	62	69	[illegible]	60	63	63	78	84	88	86	80	73	75	75	78	82				85	83	77	74	76		86	87	87		76.0
	MIN	43	43	40	27	42	36	46	40	43	45	43	56	45	43	49	47	51	49				39	43	43	36	38	39		45	51		43.2
DEN VALLEY RS	MAX	73	60	69	67	63	72	65	68	70	74	88	76	70	75	74	78	[illegible]	78	73	67	78	81	80	70	74	76	78	76	82	81		73.9
	MIN	41	49	39	37	45	42	46	39	45	40	41	50	41	42	41	52	46	44	46	41	36	40	42	33	36	35	41	48	41	42		41.8
NS FERRY	MAX	73	67	72	75					75	89	94	87	75	79	82	78	84	83	72	76	[illegible]	90	83	74	82	82	86	86	88	87		81.0
	MIN	49	50	40	40					45	48	50	59	44	46	47	53	54	46	51	41	40	45	51	40	35	49	46	51	47	50		46.8
DING CAA AP	MAX	[illegible]	60	68	69	63	63	62	66	67	85	90	80	71	73	75	74	81	81	67	71	82	87	76	70	78	79	81	83	85	84		74.7
	MIN	45	46	41	39	43	46	43	39	46	50	47	51	44	45	49	49	51	47	48	42	41	48	51	40	41	47	45	55	50	53		46.1
E	MAX	72	51	59	65	57	57	58	60	73	77	82	76	74	73	67	80	78	78	66	67	73	80	78	61	68	71	71	80	82	85		70.6
	MIN	[illegible]	[illegible]	34	34	40	35	43	41	38	44	45	53	49	42	43	41	45	45	45	37	40	40	41	43	33	38	35	41	42	55		41.3
D VIEW	MAX	74	72	73	71	72	71	67	70	[illegible]	84	90	91	88	80	82	85	87	86	81	77	87	90	89	77	84	85	88	87	91	92		81.4
	MIN	50	52	44	47	43	55	52	40	51	46	51	57	44	52	50	54	55	54	54	46	45	47	58	44	43	46	47	58	50	56		49.7
GEVILLE	MAX	[illegible]	57	62	63	53	62	54	60	62	77	80	69	[illegible]	67	67	70	75	65	57	62	70	68	66	66	68	71	70	62	73	71		65.9
	MIN	40	43	35	41	42	39	38	36	37	38	47	50	47	43	43	[illegible]	50	41	46	41	41	44	43	43	41	40	49	45	43	47		42.6
	MAX	68	55	67	65	58	57	52	53	58	70	80	80	79	79	80	78	80	85	79	76	74	75	75	72	71	75	72	74	77	85		71.6
	MIN	44	35	37	30	32	33	39	38	40	40	40	39	40	39	42	40	43	55	39	34	32	34	36	31	30	34	31	32	39	57		37.8

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
GROUSE	MAX	61	55	57	57	51	48	53	55	65	73	77	71	64	68	64	72	73	73	66	60	67	73	69	62	63	67	67	72	74	74		65.0
	MIN	31	39	31	37	40	31	40	26	38	47	35	41	38	31	33	44	35	35	46	29	27	31	34	36	26	35	29	35	32	35		34.9
HAILEY AP	MAX	71	65	62	65	62	55	58	59	69	78	83	81	75	74	69	71	77	77	75	70	74	75	78	77	68	72	74	74	80	79		71.6
	MIN	35	44	35	32	41	36	31	29	42	48	46	54	35	38	42	49	42	43	47	32	32	42	34	36	36	39	39	45	42	46		39.7
HAMER 4 NW	MAX	70	70	65	69	68	63	64	63	77	82	89	85	78	81	75	85	84	80	84	70	80	86	81	75	74	76	78	85	85	87		77.0
	MIN	40	43	30	39	38	37	46	33	41	44	42	51	43	39	42	54	41	42	49	29	34	36	40	39	34	40	35	45	38	40		40.1
HAZELTON	MAX	69	64	65	70	68	64	62	66	73	87	91	90	88	74	75	72	75	76	74	66	78	80	79	69	73	73	80	78	80	79		74.6
	MIN	47	45	42	36	43	43	47	43	53	57	55	58	42	43	44	48	51	46	48	40	36	42	50	38	33	41	39	45	47	46		44.9
HILL CITY	MAX	61	57	62	59	65	55	54	61	66	79	82	81	79	70	72	72	74	75	67	62	74	78	77	66	68	70	75	75	78	78		69.7
	MIN	35	43	35	35	35	38	42	31	31	44	46	44	36	36	41	41	45	43	47	36	33	39	41	33	30	38	36	36	41	39		38.3
HOLLISTER	MAX	71	66	63	66	60	60	62	62	68	83	88	86	68	64	76	69	76	74	74	70	79	82	75	69	74	76	79	77	78	79		72.5
	MIN	43	42	37	38	38	44	48	32	39	40	44	59	34	41	42	45	37	37	36	37	38	43	48	37	37	41	39	43	45	49		41.1
IDAHO CITY	MAX	71	70	67	66	57	61	61	61	68	82	86	81	69	71	71	74	79	78	75	67	77	81	78	69	74	75	79	77	80	78		72.8
	MIN	36	46	30	31	43	39	45	30	42	36	37	49	33	37	36	48	41	39	37	31	31	36	37	27	30	34	36	44	36	37		37.1
IDAHO FALLS 6 NE	MAX	71	61	61	67	67	63	60	61	75	81	84	82	78	71	74	82		79	79	67	74	80	79	74	69	77	73	82	84	83		73.7
	MIN	43	42	39	35	42	41	45	36	39	44	44	56	44	38	45		49	48	50	38	38	41	44	42	38	33	40	51	43	43		42.4
IDAHO FALLS CAA AP	MAX	69	49	62	71	52	62	61	62	77	82	87	82	73	73	72	79	78	81	69	67	76	83	79	65	71	77	75	85	86	86		73.0
	MIN	43	42	40	39	42	36	44	38	43	47	45	53	45	43	46	51	50	52	50	40	40	44	46	45	38	40	39	47	48	51		44.2
IRWIN 2 S	MAX	72	62	66	67	65	59	55	60	77	83	87	83	79	76	75	83	81	84	85	62	76	83	80	78	70	75	75	85	85	87		75.2
	MIN	40	40	34	36	37	35	40	37	35	47	49	55	40	39	38	44	40	46	44	38	38	42	45	44	34	35	36	43	40	48		40.6
ISLAND PARK DAM	MAX	69	64	47	60	56	58	55	55	70	75	80	78	72	74	71	77	74	74	72	59	67	75	66	75	63	66	68	77	77	79		68.4
	MIN	33	32	33	34	35	36	36	34	35	37	39	44	40	35	42	44	38	36	43	25	28	33	34	33	26	36	28	34	37	36		35.2
JEROME	MAX	70	65	67	70	64	63	65	65	70	86	93	90	76	72	77	73	80	80	78	72	82	86	83	73	79	77	83	81	85	85		76.3
	MIN	46	46	41	37	41	43	47	30	43	49	45	51	42	46	42	48	50	45	49	39	41	45	49	40	37	46	41	46	47	48		44.0
KELLOGG	MAX	78	75	63	60	65	65	69	55	65	68	85	85	74	66	71	66	80	75	68	62	62	71	72	61	58	68	76	70	74	78		69.5
	MIN	47	51	42	48	48	45	51	47	39	41	50	52	51	45	47	46	48	41	39	46	44	48	39	44	41	39	47	47	46	51		45.7
KOOSKIA	MAX	74	71	72	71	66	72	64	71	73	82	89	87	74	76	73	80	80	78	71	70	78	76	75	70	75	80	76	73	82	81		75.3
	MIN	47	54	42	50	51	48	45	46	41	43	49	54	47	44	45	51	51	45	49	45	44	45	52	47	41	40	49	53	48	47		47.1
KUNA 2 NNE	MAX	69	64	66	63	65	66	66	63	66	73	82	79	67	72	70	73	77	75	67	68	77	80	70	78	75	77	79	77	82	80		72.2
	MIN	43	47	39	43	38	47	47	37	47	42	46	53	37	48	44	50	47	46	44	37	39	44	47	35	37	42	45	52	42	47		43.7
LEWISTON WATER PLANT	MAX	72	70	74	72	65	70	70	72	76	82	85	82	74	80	80	81	84	80	72	75	78	76	76	75	77	83	80	73	82	81		76.6
	MIN	47	56	43	52	51	48	52	43	44	40	54	54	50	46	51	51	52	51	44	43	52	49	55	45	46	47	55	51	47	53		49.1
LEWISTON WB AP	MAX	73	69	71	65	62	68	64	68	71	79	82	76	71	75	68	80	82	70	65	70	75	74	69	71	73	78	72	68	79	76		72.1
	MIN	46	47	43	50	49	46	48	40	45	45	54	52	50	44	48	51	53	47	43	46	49	47	52	46	46	45	53	48	46	51		47.7
LIFTON PUMPING STA	MAX	73	59	59	65	62	55	58	62	73	78	83	83	80	75	71	83	78	80	78	68	74	80	81	75	69	75	72	76	81	81		72.9
	MIN	40	36	33	34	38	34	42	38	42	45	47	47	47	43	44	44	47	45	50	41	42	43	46	47	35	40	39	42	45	50		42.2
MACKAY RS	MAX	67	58	61	58	55	52	56	55	67	75	81	72	71	67	70	75	81	78	79	66	74	80	76	73	66	66	72	78	80	80		69.6
	MIN	36	37	37	38	39	39	41	32	37	49	38	43	43	39	40	49	43	45	50	33	36	38	43	38	34	39	39	37	41	45		39.9
MALAD	MAX	77	57	67	71	61	59	64	67	79	83	87	81	80	78	73	86	85	85	77	74	80	87	87	70	75	80	77	86	88	91		77.1
	MIN	41	43	35	35	44	39	46	42	40	48	48	55	48	50	42	44	52	49	50	40	41	44	45	39	37	42	39	45	49	55		44.2
MALAD CAA AP	MAX	74	60	65	71	62	59	65	67	80	83	88	81	81	79	75	88	85	86	74	73	81	88	86	70	77	80	78	88	90	93		77.6
	MIN	37	40	32	33	42	37	47	42	38	41	41	51	46	46	39	40	49	44	49	40	39	41	42	43	33	38	35	41	44	46		41.2
MAY RS	MAX	71	60	62	64	60	59	58	61	65	72	84	75	74	70	74	72	79	81	73	66	76	80	75	65	63	71	82	78	82	82		71.1
	MIN	35	37	33	35	37	44	32	33	40	42	42	43	41	38	39	42	43	40	48	35	34	36	37	31	34	32	34	35	38	41		37.7
MC CALL	MAX	66	62	58	60	50	50	50	56	60	68	76	76	60	64	62	67	70	68	62	56	66	70	68	60	60	64	66	64	72	70		63.4
	MIN	38	42	32	34	40	36	42	38	38	38	38	46	36	40	36	46	40	38	34	30	32	36	38	28	38	34	42	46	40	38		37.8
MC CAMMON	MAX	74	66	63	69	64	60	59	64	79	80	85	83	82	80	81	82	84	86	80	72	80	87	87	79	76	79	79	86	89	91		77.5
	MIN	42	38	35	34	36	36	46	36	39	42	44	51	47	40	41	49	44	44	48	36	37	40	48	47	31	38	40	41	43	47		41.3
MERIDIAN 1 SSW	MAX	70	63	67	66	67	67	61	66	68		82	78	69	73	73	74	79	77	72	69	78	82	79	79	76	77	80	80	83	81		73.7
	MIN	45	47	40	43	39	50	47	36	47	47		54	39	47	44	51	49	46	45	39	45	46	49	38	41	42	49	53	45	51		45.3
MESA	MAX	72	70	69	68	63	63	60	65	64	72	79	78	69	73	70	76	79	78	73	67	77	80	76	70	75	78	80	80	81	81		72.9
	MIN	45	46	38	43	44	45	43	35	44	48	47	53	41	49	48	50	49	49	44	38	41	48	48	34	44	46	48	50	51	52		45.4
MINIDOKA DAM	MAX	70	64	62	68	60	60	60	64	76	78	87	84	72	80	75	67	77	79	79	70	81	84	75	66	74	75	80	82	86	85		74.0
	MIN	48	45	40	42	44	45	49	40	49	48	52	60	51	48	50	49	51	50	53	43	43	49	51	43	39	47	45	54	50	52		47.7
MONTPELIER RS	MAX	63	73	51	61	73	55	58	60	63	76	82	82	80	79	80		81	84	83	70			82	83	64	76	74	76	83	85		73.2
	MIN	37	36	31	31	38	32	37	38	36	42	44	49	44	39	38	40		41	43	35			41	41	30	30	34	37	40	49		38.3
MOUNTAIN HOME	MAX	73	70	67	71	74	68	69	68	70	86	93	90	75	79	80	77	85	83	76	75	85	90	86	74	82	83	85	84	89	88		79.2
	MIN	49	47	47	38	40	50	48	34	49	47	50	60	38	45	43	51	49	49	48	40	42	50	52	38	40	47	46	45	48	53		46.1
MULLAN PASS CAA	MAX	59	42	41	51	56	56	44	45	53	65	75	65	50	51	52	60	55	48	44	45	55	56	45	44	49	57	52	53	60	55		52.8
	MIN	39	37	32	38	38	39	33	31	34	41	50	41	34	38	41	41	43	33	32	31	37	41	30	31	35	39	39	39	39	44		37.3
NAMPA 2 NW	MAX	70	68	65	70	64	69	68	71	64	69	76	83	77	73	77	74	78	82	77	70	72	83	84	73	72	78	82	84	78	85		74.5
	MIN	46	48	43	46	42	42	41	38	43	44	48	54	32	42	46	52	51	49	47	41	42	46	51	37	39	47	49	54	46	53		45.3
NEW MEADOWS RS	MAX	71	69	67	68	68		58	61	65	73	79	75				72	75	72	65	64	72	75	72	67		72	72	75	74	75		70.2
	MIN	36	49	31	31	43	37		38	36	38	37	35				43	48	36	39	29	30	33	38		42	31	39	40	40	37		37.4
NEZPERCE 2 E	MAX	65	59	61	62	54	62	57	60	64	73	78	88	66	65	62	72	72	62	55	60	69	68	58	60	65	71	65	61	72	69		64.5
	MIN	43	47	36	47	45	42	44	38	40	43	51	52	44	41	45	48	48	40	45	38	43	42	43	40	41	40	48	46	43	44		43.6
OAKLEY	MAX	74	60	67	69	64	64	65	65	67	84	89	86	83	75	78	76	79	79	75	69	81	83	79	77	78	75	81	85	89	87		76.1
	MIN	43	46	35	36	41	42	46	35	38	42	44	59	36	45	48	44	45	49	44	37	43	48	42	42	38	38	43	50	48	45		43.1
OBSIDIAN 4 NNE	MAX	52	52	56	55	50	52	51	52	58	67	72	66	61	60	61	70	70	68	62	65	63	68	68	66	57	62	63	68	69	68		61.7
	MIN	27	36	30	29	32	32	32	24	32	37	33	42	28	30	28	42	36	35	34	33	26	30	30	24	27	28	28	33	30	32		31.3
OLA 4 S	MAX	72	68	70	70	68	69	68	70	70	73	88	87	83	86	83	77	82	77	78	79	81	84	82	72	75	79	75	79	83	82		77.1
	MIN	39	43	44	43	42	44	43	34	39	42	43	42	45	43	40	40	39	46	40	42	39	41	42	35	34	39	42	43	39	42		41.0
OROFINO	MAX	77	72	73	75	69	76	65	75	76	81	89	83	85	77	74	82	82	81	77	73	78	77	75	74	77	81	88	82	85	85		77.8
	MIN	46	55	38	52	52	39	53	45	40	42	53	52	56	42	45	51	47	46	47	43	48	46	51	44	41	45	51	50	49	40		47.0
PALISADES DAM	MAX	74	65		64	64	59		60	76	82	87	85	78	77	74	85	83	85	83	68	77	83	83	80	70	71	73	81	84	86		76.3
	MIN	41	42	37		36	35		40	36	46	46	53	41	43	45	46	44	46	47	40	39	40	41	46	33	39	37	41	42	45		41.7
PARMA EXP STA	MAX	69	67	69	68	66	66	63	63	66	70	80	79	70	74	73	77	81	81	74	72	81	84	83	72	73	79	82	81	81	85		74.3
	MIN	43	48	41	46	42	50	46	38	45	45	50	53	39	46	46	51	50	47	47	40	40	47	50	38	40	42	51	51	47	47		45.5
PAUL 1 E	MAX	76	68	57	63	70	70	67	64	65	78	85	89	89	75	70	77	68	77	77	74	74	80	82	75	67	74	75	86	80	86		74.6
	MIN	44	44	38	34	42	45	48	36	42	44	45	55	42	41	44	48	48	48	49	37	36	43	45	40	37	40	42	45	45	47		43.1
PAYETTE	MAX	73	65	72	69	71	67	63	65	67	72	80	78	72	78	74	78	84	80	73	74	82	87	75	75	79	80	84	84	85	87		75.8
	MIN	44	47	42	45	45	50	46	38	47	45	50	54	42	48	47	47	52	51	49	48	40	48	51	43	42	46	53	48	52	52		47.1
PIERCE RS	MAX	70	56	58	64	53	63	54	62	64	77	80	84	70	67	68		73	70	65	61	72	70	71	59	68	74	73	68	76	77		67.9
	MIN	41	39	32	25	40	31	31	40	34	35	41	45	46	36	36		43	38	41	41	42	38	45	40	59	33	41	46	40	40		39.3
POCATELLO WB AP	MAX	72	53	63	69	60	58	63	65	79	83	88	84	74	73	76	76	81	83	71	70	82	87	80	68	73	76	80	88	90	87		75.1
	MIN	43	44	41	39	43	38	46	40	42	42	49	55	46	45	51	46	54	57	49	42	42	44	47	44	41	40	40	49	47	51		45.2
PORTHILL	MAX	75	72	68	64	64	73	70	58	68	78	76	75	68	70	68	76	74	68	64	62	65	73	72	64	71	74	70	73	74	74		70.0
	MIN	39	52	50	49	43	39	45	47	47	42	40	48	50	45	43	42	52	40	41	45	39	41	41	44	41	40	42	46	51	45		44.3
PRESTON SUG FACT 2 SE	MAX	76	65	64	70	70	59	66	66	80	84	88	88	83	80	77	88	87	85	85	75	80	87	88	87	76	78	80	88	87	90		79.2
	MIN	40	41	35	36	44	37	47	43	40	46	45	54	46	42	40	42	46	44	47	42	39	41	44	46	33	39	37	40	43	52		42.4
PRIEST RIVER EXP STA	MAX	72	71	61	60	67	68	60	59	69	75	80	74	70	66	64	76	72	69	59	60	67	68	65	61	64	69	64	71	71	70		67.4
	MIN	48	50	40	48	44	44	47	45	37	36	47	48	47	43	46	38	47	35	39	43	37	41	37	43	45	41	40	42	50	47		43.2
REACTOR TESTING STA	MAX	69	50	64	66	56	56	61	63	77	83	88	80	73	76	73	81	81	82	70	67	77	83	79	67	72	75	76	83	84	85		73.2
	MIN	46	42	33	37	40	32	40	35	44	43	41	51	46	36	41	53	46	44	50	36	33	38	43	40	32	37	33	46	44	43		40.8
RICHFIELD	MAX	68	60	65	70	61	60	59	63	73	84	86	85	78	72	74	71	78	79	73	68	78	83	80	73	74	74	79	80	83	82		73.8
	MIN	43	46	34	38	41	40	46	34	45	50	46	57	38	39	40	47	45	43	46	38	38	44	45	36	33	46	43	52	40	51		42.8
RIGGINS RS	MAX	75	74	70	71	66	69	70	68	68	78	91	91			74	76	89	88	79	78	84	84	77	74	73	79	79	75	80	80		77.1
	MIN	50	51	43	44	51	48	52	44	46	45	50		55		49	41	42	51	51	40	48	50	59	48	47	46	41	56	53	52		48.3
ROLAND W PORTAL	MAX	68	67	51	59	59	61	54	55	61	72	81	78	64	62	59	72	67	63	61	53	65	65	64	50	61	66	62	62	69	68		63.3
	MIN	39	42	35	41	38	38	44	38	36	36	49	48	42	34	38	42	45	34	31	37	36	43	36	37	32	33	39	40	42	41		38.9
RUPERT	MAX	77	73	58	68	75	66	62	65	67	80	87	90	87	78	74	80	73	83	84	72		86	88	79	71		78		85	92		77.0
	MIN	43	43	38	36	41	42	45	36	41	44	46	58	42	41	47	46	47	48	48	40	39		47	40	36		40		45	47		43.2
SAINT ANTHONY	MAX	70	62	60	68	66	61	61	62	68	83	88	80	75	74	76	84	85	81	79	68	75	83	79	66	70	74	75	84	85	87		74.3
	MIN	40	41	41	37	42	36	40	38	38	40	44	48	47	46	39	44	44	40	39	37	31	38	40	42	30	34	30	44	41	41		39.7
SAINT MARIES	MAX	70	75	74	68	66	70	69	68	71	81	83	85	77	71	66	77	82	81	76	78	78	81	79	77	79	79	80	79	82	82		76.1
	MIN	43	49	35	47	48	42	41	42	37	39	48	50	43	41	39	43	44	37	35	44	41	43	35	42	39	39	42	42	44	48		42.1
SALMON	MAX	55	57	63	70	65	68	63	63	72	79	89	77	76	75	76	82	85	83	76	69	81	87	82	69	69	74	75	82	85	89		74.5
	MIN	38	43	44	41	47	49	43	41	40	49	40	44	45	40	41	45	45	43	49	43	34	35	39	35	37	32	36	43	42	49		41.7

See reference notes following Station Index.

DAILY TEMPERATURES

ble 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
NDPOINT EXP STA	MAX	72	72	62	63	69	71	59	59	66	75	75	72	66	68	64	75	73	65	62	60	67	69	65	60	63	72	66	70	71	68		67.3
	MIN	49	53	45	48	50	48	49	46	39	40	50	50	49	41	48	41	54	43	41	41	39	45	39	45	46	40	43	43	52	46		45.4
OSHONE	MAX	65	60	67	71	63	64	61	65	73	86	91	84	71	75	78	74	81	80	75	70	80	84	80	70	76	77	81	82	85	82		75.0
	MIN	45	47	38	37	43	43	47	36	45	50	46	56	39	39	39	47	48	44	48	38	41	46	47	37	49	52	41	50	45	48		44.4
ENCER RS	MAX	77	66	55	64	59	56	57	[illegible]	71	75	80	79	67	73	81	77	76	77	75	64	70	79	75	70	65	68	70	77	73	80		70.6
	MIN	35	35	39	38	41	39	41	38	37	45	39	43	39	35	44	46	38	36	47	33	32	35	36	33	30	38	31	40	42	37		38.1
RINGFIELD 1 SE	MAX	67	63	64	69	56	61	64	65	76	81	78	78	72	74	75	73	78	83	72	69	77	85	82	74	73	77	77	85	87	85		74.0
	MIN	41	41	35	37	44	34	34	37	44	43	52	51	42	39	42	44	48	46	49	39	36	40	41	31	33	38	34	43	45	48		41.0
IBNITE	MAX	62	64	43	54	58	48	51	42	54	60	67	75	66	59	62	64	66	69	67	56	55	65	70	63	58	57	62	64	68	71		60.7
	MIN	32	37	28	30	37	32	35	32	32	33	37	44	31	33	32	38	38	37	32	29	31	35	35	29	31	31	35	39	34	37		33.9
REVELL	MAX	73	62	63	67	63	60	62	63	79	84	88	87	82	76	72	73	84	87	85	74	80	88	83	76	76	76	76	86	88	90		76.8
	MIN	39	41	35	28	39	38	43	31	35	36	45	63	38	38	42	42	40	45	42	35	34	34	43	41	29	39	34	46	40	44		39.5
GAR	MAX	71	62	62	68	66	63	61	63	78	83	89	81	76	77	74	85	77	80	78	69	75	83	79	78	70	75	76	85	86	87		75.2
	MIN	36	40	39	37	41	36	45	38	40	41	41	46	46	35	46	50	47	47	52	39	35	35	39	39	30	31	31	37	32	37		39.6
N VALLEY	MAX	64	63	58	64	60	56	54	55	63	74	78	78	72	76	75	73	74	75	64	70	70	75	75	75	64	70	70	73	74	75		68.9
	MIN	29	40	27	33	36	34	39	24	36	41	32	39	27	33	31	38	24	29	24	33	27	29	30	29	24	33	27	33	28	31		31.3
AN FALLS PH	MAX	76	70	71	70	70	70	65	72	70	79	89	86	73	77	77	77	84	84	78	75	87	88	86	75	82	82	88	86	93	90		79.0
	MIN	51	49	47	53	45	55	52	43	49	51	54	60	46	56	53	54	58	58	55	46	50	55	55	47	49	56	52	51	55	60		52.2
TONIA EXP STA	MAX	67	62	57	61	59	60	58	67	71	85	84	78	81	74	65	78	75	78	65	62	69	76	75	69	64	70	79	76	84	83		71.1
	MIN	33	34	33	34	35	34	31	31	34	45	47	42	45	36	32	41	39	38	49	37	39	40	41	37	30	32	31	44	47	45		37.9
REE CREEK	MAX	68	64	60	64	60	62	59	60	67	80	83	80	68	65	70	66	76	75	72	70	80	85	80	65	75	69	78	80	81	83		71.5
	MIN	35	31	30	31	31	40	41	28	36	33	34	51	29	31	34	41	39	38	37	26	31	35	34	26	27	34	29	36	30	37		33.8
IN FALLS 2 NNE	MAX	74	66	65	71	63	63	62	65	68	88	93	91	85	71	78	74	80	80	79	74	84	87	87	73	79	79	85	84	86	86		77.3
	MIN	48	47	41	39	44	45	48	37	44	49	45	51	45	47	50	48	52	47	52	41	39	46	51	41	37	46	44	49	47	50		45.7
IN FALLS 3 SE	MAX	77	73	60	67	71	66	63	63	66	70	88	94	88	71	74	79	75	82	80	71	72	81	86	78	71	78	75	84	83	84		75.7
	MIN	44	45	42	40	43	44	48	39	44	48	48	52	45	47	50	48	53	48	51	43	42	45	53	41	40	47	43	51	49	48		46.0
LLACE	MAX	70	64	56	62	65	67	52	60	65	79	84	75	64	66	61	74	70	61	58	56	67	69	60	55	62	71	69	68	72	67		65.6
	MIN	42	52	39	45	46	41	46	43	43	37	47	38	47	39	42	42	46	35	35	44	40	45	37	42	36	40	36	43	42	45		41.8
LLACE WOODLAND PARK	MAX	72	71	58	56	63	65	67	52	60	64	77	84	76	63	66	62	75	69	63	58	57	67	67	57	54	64	71	65	69	73		65.5
	MIN	40	44	40	34	35	28	42	43	35	38	43	47	47	40	43	44	46	40	35	39	40	47	39	42	37	36	39	42	43	46		40.5
ISER	MAX	72	68	74	72	74	72	64	68	72	75	85	80	75	80	75	82	86	80	72	75	85	88	74	76	80	76	84	80	82	86		77.1
	MIN	46	46	38	44	46	50	42	39	44	42	38	51	51	45	45	52	49	50	49	45	50	45	50	42	52	50	49	56	52	49		46.9
NCHESTER 1 SE	MAX	61	59	61	60	55	59	54	59	61	68	73	72	60	64	64	68	70	68	59	56	65	64	63	60	63	67	67	61	69	68		63.3
	MIN	38	41	32	42	41	40	39	33	33	37	44	42	41	36	42	41	43	35	39	35	41	38	39	36	35	36	42	39	40	45		38.8

EVAPORATION AND WIND

able 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
BERDEEN EXP STATION	EVAP	.09	.07	.17	.18	.22	.09	.14	.24	.32	.33	.32	.10	.44	.25	.31	.27	.32	.40	.37	.30	.37	.34	.44	.42	.32	.26	.29	.30	.32	.31		8.30
	WIND	52	204	167	54	174	46	182	123	129	148	75	47	174	144	154	68	179	158	188	208	70	28	142	178	92	65	61	53	85	101		3529
ARROWROCK DAM	EVAP	.11	.11	.04	.21	.17	.07	.08	.06	.17	.15	.17	.25	.09	.19	.24	.12	.11	.19	.23	.22	.17	.20	.26	.34	.21	.25	.32	.26	.27	.28		5.54
	WIND	44	32	8	86	56	14	14	53	17	47	89	14	21	31	56	58	49	39	49	71	50	31	41	93	14	85	39	25	38	39		1303
LIFTON PUMPING STATION	EVAP	.35	.17	.18	.20	.26	.10	.17	.09	.27	.30	.29	.27	.33	.37	.26	.30	.31	.31	.35	.31	.26	.33	.39	.38	.22	.31	.29	.26	.34	.34		8.31
	WIND	63	94	69	32	106	38	105	98	60	42	31	60	80	50	49	39	37	35	60	60	30	35	55	77	26	51	37	39	48	51		1657
INIDOKA DAM	EVAP	.15	.07	.22	.21	.29	.20	.21	.16	.41	.28	.33	.34	.29	.40	.32	.30	.28	.36	.38	.42	.33	.35	.44	.48	.25	.31	.24	.40	.30	.44		9.16
	WIND	110	195	165	65	195	70	150	100	175	110	145	60	160	150	140	120	120	110	180	145	85	50	110	220	65	75	80	105	65	90		3610
PALISADES DAM	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.20	*	.60	.46	.35	.18	.23	.12	-	.23	.36		-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-

SNOWFALL AND SNOW ON GROUND

ble 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
IG CREEK 1 S	SNOWFALL									T																						
	SN ON GND																															
SLAND PARK DAM	SNOWFALL		T		T																											
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ULLAN PASS CAA	SNOWFALL																			T	T			T	T							
	SN ON GND	12	10	9	8	8	8	6	T											T												
NDPOINT EXP STATION	SNOWFALL			T																				T								
	SN ON GND																															

See reference notes following Station Index

MONTHLY AND SEASONAL HEATING DEGREE DAYS

Season of 1952 - 1953

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total	Normal July-June
ABERDEEN EXP STA	26	7	145	453	1111	1229	912	893	813	657	502	166	6914	
ALBION	49	38	178		1136	1087	831	930	827	705	591	266		
ALPHA 1 NE	178	237	370	615	1220	1303	1019	1141	1074	847	680	419	9103	
AMERICAN FALLS 1 NW	29	4	115	414	1099	1132	882	869	798	646	504	183	6675	
ANDERSON DAM	9	3	36	215	865	1042	886		750	569	412	168		
ARCO	74	61	168	468	1128	1432	1143	1048	921	719		192		
ASHTON 1 S	124	94	210	506	1189	1362	1082	1076	1003	758	552	294	8250	
ATLANTA 1 E	103	80	156	355	1014	1163	1044	1074	1024	847	679	370	7909	
AVERY RS	99	98	108	335						583	418	215		
BAYVIEW MODEL BASIN	60	87	182	498	941	992	815	824	812	653	453	277	6594	
BIG CREEK 1 S	237	242	367	654	1232	1346	1050	1115	1066	908	745	490	9452	
BLACKFOOT	13	6	92	377	1088	1214	915	887	785	616	453	127	6573	
BLACKFOOT DAM	193	139									733	358		
BLISS	4	6	42	250	930	957	768	778	670	530	383	133	5451	
BOISE LUCKY PEAK DAM	9							731		488	369	154		
BOISE WB AP	13	8	63	247	894	951	737	796	695	561	395	170	5530	5900
BONNERS FERRY	37	45	137		970	1054	863	830	769	546	330			
BUHL	7	1	37	198	879	926	713	722	638	502	399	125	5147	
BUNGALOW RS	27	35	87	427							378	182		
BURKE 2 NNE	175	187	300	529	1058	1169	1026	1011	1002	862	647	445	8411	
BURLEY CAA AP	11	10	104	374	1079	1052	806	857	774	619	473	180	6339	
CALDWELL	5	4	63	332	906	948	703	713	620	474	327	117	5212	
CAMBRIDGE	8	9	105	433	991	1128	845	849	719	547	360	174	6168	
CASCADE 1 NW	91	103	254	531	1187	1255	992	1092	1022	809	611	356	8303	
CHALLIS	39	35	134	446	1124	1376	954	1039	878	680	525	198	7428	
CHILLY BARTON FLAT	211	256	400	650	1280	1527	1175	1173	1034	863	702	395	9666	
CLARK FORK 1 ENE	94	80	194	506	927	1061	872	860	806	639	405	280	6724	
COEUR D ALENE CAA AP	45	67	145	403	944	1043	828	851	807	625	416	258	6432	
COEUR D ALENE RS	28	25	99	378	897	1010	789	805	772	576	347	202	5928	
COTTONWOOD	92	84	172	405	999	1072	851	917	878	698	563	389	7120	
COUNCIL	15	7	63	367	916	1136	897	797		525	380	150		
DEADWOOD DAM	213	206	328	561	1154	1345	1102	1185	1094	916	733	444	9281	
DEER FLAT DAM	6	3	62	328	883	930	692	745	640	493	333	123	5238	
DIXIE	282	277	412	678		1308	1095	1156	1119	949	768	487		
DUBOIS EXP STA	47	18	121	453	1175	1313	1168	1195	1049	789	570	240	8138	
DUBOIS CAA AP	57	17	125	450	1155	1293	1112	1155	983	775	549	219	7890	
ELK CITY	166	179	345	626	1089	1104	970			747				
ELK RIVER 1 S	93	137	250	455	946	1055	905	876	841	646	516	320	7040	
EMMETT 2 E	16	12	54	335	927	940	719	718	621	485	321	146	5294	
FAIRFIELD	96	64	191	468	1194	1386	1121	1163	1074	750	587	324	8418	
FENN RS	12	12	83	378	873	985	839	779	732	523	354	145	5715	
FORT HALL IND AGENCY	19	3	105	397	1101	1211	845	893	808	680	468	176	6706	
GARDEN VALLEY RS	12	19	76	372	1023		933	915	761	571	413	207		
GLENNS FERRY	3	[illegible]	62	323	936	924		760	622	494	325	73		
GOODING CAA AP	6	4	44	231	936	1016	843	844	731	578	434	153	5820	
GRACE	86	36	195	487	1164	1238	999	1068	909	780	614	266	7842	
GRAND VIEW	0	0	33	288	896	930	666	709	595	414	254	54	4839	
GRANGEVILLE	73	57	153	386	1005	1035	787	879	845	675	533	312	6740	
GRAY	150	79	187	421	1164	1276	1032	1197	1068	876	754	313	8517	
GROUSE	238	223	362	655	1347	1598	1259	1226	1189	891	712	445	10145	
HAILEY AP	55	31	110	351	1096	1331	1089	1093	975	697		275		
HAMER 4 NW	61	38	170	539	1200	1372	1092	1131	950	753	540	198	8044	
HAZELTON	11	4	94	312	1020	1003	798	819	726	579	439	174	5979	
HILL CITY	70	64	220	486	1224	1403	1100	1164	1104	749	593	321	8498	
HOLLISTER	9	9	101	295	976	994	765	831	717	666	515	249	6127	
IDAHO CITY	71	73	176	422	1002	1156	992	978	882	697	540	295	7284	
IDAHO FALLS 6 NE	63	21	156	474	1152	1310	958	954	862	673	501	213	7337	
IDAHO FALLS CAA AP	31	13	132	438	1146	1336	992	959	870	705	508	198	7328	
IRWIN 2 S	57	40	146	443	1140	1222	993	1051	902	729	578	216	7517	
ISLAND PARK DAM	216	179	321	629	1309	1425	1208	1339	1261	1034	736	389	10046	
JEROME	11	8	69	284	964	1048	823	833	743	600	448	154	5985	
KOOSKIA	9	17	68	376	885	951	730	704	643	427	300	117	5227	
KUNA 2 NNE	18	40	114	358	945	967	740	786		550	415	204		
LEWISTON WATER PLANT	3	4	27	273	839	856	631	628	584	383	230	80	4538	
LEWISTON WB AP	8	8	53	273	881	886	637	700	644	439	310	152	4991	5496
LIFTON PUMPING STA	32	37	237	540	1144	1298	1075	1183	990	818	635	216	8205	
LOWMAN	78	99	234		1068		1034		919	553				
MACKAY RS	70	60	186	423	1133	1395	1183	1104	958	797	615	298	8222	
MALAD	4	6	54	332	990	1148	923	896	783	630	484	152	6402	
MALAD CAA AP	6	13	109	413	1048	1219	971	907	818	676	529	172	6881	
MAY RS	94	56	219	517	1169	1395	1003	1056	918	735	575	310	8047	
MC CALL	128	141	282	580	1144	1293	1097	1171	1163	979	691	432	9101	
MC CAMMON	27	19	134	459	1107	1121	913	889	785	667	503	172	6796	
MERIDIAN 1 SSW	18	3	59	258	858	901	709	737	657	499	359	167	5225	
MESA	7	4	49	236	870	1088	898	841	756	572	411	175	5907	
MINIDOKA DAM	4	7	62	310	1040	1095	862	881	798	640	494	143	6336	
MONTPELIER RS										798	634			
MOSCOW U OF I	45	67	127	335	893	969	766	793	744	561	427			
MOUNTAIN HOME			22	195	882	890	715	743	638	503	351	106		
MULLAN PASS CAA	245	236	321	510	1160	1263	1158	1184	1181	1020	771	590	9639	
NEW MEADOWS RS	115		297	546	1099	1225	1016	1073	963	708	546	320		
NEZPERCE 2 E	77	59	134	371	962	1033	830	866	821	644	503	323	6623	
OAKLEY	19	21	86	261	980	990	780	848	730	611	515	175	6016	
OBSIDIAN 4 NNE	301	334	444	721	1301	1493	1186	1241	1205	1054	847	549	10676	
OLA 4 S	1	6	65	297	914	977	820	770	715	568	429	171	5733	
OROFINO	6	12	57	320	822	902	753	675	628	441	267	90	4973	
PALISADES DAM	62	19	156	440	1182	1299	1001	1111	970	805		174		
PARMA EXP STA	8	4	50	312	907	970	723	743	642	494	360	154	5367	
PAYETTE	4	4	76	371	915	988	757	751	654	467	314	123	5424	
PIERCE RS	100	104	240	456	1065	1175	998	966				336		
POCATELLO WB AP	12	3	85	387	1121	1176	885	879	815	649	494	168	6674	6998
PORTHILL	46	63	179	523	936	1062	876	876	785	613	344	228	6581	
POTLATCH	49	81	162	421	913	992	750	812	790					
PRESTON SUG FACT 2 SE	11	4	79	385	1024	1139	878	888	767	635	479	139	6428	
PRIEST RIVER EXP STA	84	114	217	528	1008	1105	929	918	882	663	428	284	7160	
REACTOR TESTING STA	57	25	201	518	1223	1428	1078	1064	973	747	602	235	8151	
RICHFIELD	18	24	122	380	1063	1185	986	919	823	654	482	207	6863	
RIGGINS RS	2	0	27	146		818	606	620	560	382	275	96		

See reference notes following Station Index.

MONTHLY AND SEASONAL HEATING DEGREE DAYS

Season of [illegible] - [illegible]

NTINUED

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total	Normal July-June
LAND W PORTAL	148	145	235	459	1024	1159	1003	1020	980	838	624	410	8045	
INT ANTHONY	79	56	188	490	1144	1265	1006	1033	943	745	557	234	7740	
INT MARIES	40	42	121	410	921	1018	822	833	757	609	446	176	6195	
LMON	35	35	153	527	1158	1268	946	951	808	648	474	202	7205	
NDPOINT EXP STA	66	89	220	538	961	1073	874	874	828	649	413	249	6834	
OSHONE	11	13	82	285	986	1086	897	863	741	588	430	165	6142	
ENCER RS	137	107	277	582	1263	1393	1204	1241	1164	895	599	313	9175	
RINGFIELD 1 SE	25	12	121	427	1106	1230	928	916	822	669		220		
REVELL		10	111	389	1141	1116	932	991	840	679	560	217		
GAR	81	55	216			1345	1011	1017	934	762	575	225		
N VALLEY	194	185	332	600	1266	1520	1243	1235	1159	859	690	438	9721	
AN FALLS PH	0	0	14	144	786	869	621	646	518	391	219	55	4263	
TONIA EXP STA	160	101	271	598	1315	1388	1170	1196	1135	908	712	314	9268	
REE CREEK	103				1096	1032	838	944	887	743	660	362		
IN FALLS 2 NNE	6	6	79	311	973	979	755	774	703	544	413	128	5671	
LLACE	86	114	188	472	968	1072	862	879	845	663	468	331	6948	
ISER	7	2	45	316	902	1001	786	745	642	458	324	107	5335	
NCHESTER 1 SE	89	117	228	424	993	1061	875	918	883	711	574	411	7284	

GREE DAY NORMALS IN THIS TABLE ARE DERIVED FROM THE PERIOD 1921-1950.

See reference notes following Station index

TABLE 2

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	No. of Days Max. 32° or Below	No. of Days Min. 32° or Below	No. of Days Min. 0° or Below	Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Snow, Sleet, Hail Max. Depth on Ground	Snow, Sleet, Hail Date	No. of Days .01 or More	No. of Days .50 or More	No. of Days 1.00 or More
NORTHERN DIVISION																							
JUNE 1951																							
SALMON	73.3	40.9	57.1	- 3.5	90	15	28	3	233	1	0	1	0	.65	- .64	.42	5		0		4	0	0
DECEMBER 1952																							
AVERY RS			M				9	26		0			0										
APRIL 1953																							
WINCHESTER 1 SE	52.1	30.0	41.1	- 2.2	73	25	18	2	711	0	1	21	0	2.51	.00	.85	28				11	1	0
MAY 1953																							
SANDPOINT EXP STA	64.2	38.5	51.4	- 1.7	78	6	28	3	413	0	0	8	0	2.85	.77	.87	29	T	0		15	1	0
SOUTHWESTERN DIVISION																							
MARCH 1953																							
JEROME	55.2	26.4	40.8	1.8	73	27	11	3	743	0	1	26	0	.91	.11	.56	2	5.3			5	1	0
MOUNTAIN HOME	58.6	29.8	44.2	3.6	74	27	17	14	638	0	0	24	0	.36	- .65	.16	22	.0	0		4	0	0
APRIL 1953																							
BUHL	60.2	35.8	48.0	- 0.6	78	22	24	2	502	0	0	14	0	1.09	.14	.54	27				4	1	0
DEADWOOD DAM	48.7	19.8	34.3	- 2.5	67	25	3	2	916	0	0	29	0	1.74	- .22	.40	28	10.5	45	1+	15	0	0
SOUTHEASTERN DIVISION																							
JANUARY 1952																							
REACTOR TESTING STA	23.5	- 0.2	11.7		36	12	-23	3	1650	0	27	31	15	.61		.17	15				17	0	0
AUGUST 1952																							
STREVELL	87.1	49.7	68.4M		92	6+	42	31	10	11	0	0	0					.0	0				
SEPTEMBER 1952																							
PAUL 1 E	81.9	40.8	61.4	2.5	95	4	29	14		2	0	2	0	.02	- .68	.02	5	.0	0		1	0	0
STREVELL	81.3	42.0	61.7		90	4	24	14	111	1	0	1	0	.06		.05	11	.0	0		2	0	0
OCTOBER 1952																							
STREVELL	71.0	33.5	52.3		82	3	24	14+	389	0	0	14	0	T		T	19	.0	0		0	0	0
NOVEMBER 1952																							
STREVELL	39.4	14.1	26.8		60	6	-10	26+	1141	0	10	29	6	.74		.50	15				6	1	0
DECEMBER 1952																							
STREVELL	35.5	20.8	28.2M		45	13	- 3	25	1116	0	8	31	3						5	1+			

DAILY PRECIPITATION

Table 3

Station	Total	Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
JUNE 1951																																
SALMON	.65					.42	.02	.17	T		T	T	.04	T											T							
JANUARY 1952																																
REACTOR TESTING STATION	.61				.01	.01	T			.01	.03	.03	T	.02	.05	.17				.01	.12	.01	.05	.01	.01		.03				.01	.03
AUGUST 1952																																
STREVELL	-	-	.05	T	.14		-				.06													T	.14							
SEPTEMBER 1952																																
PAUL 1 E	.02					.02																										
STREVELL	06					.01						.05																				
OCTOBER 1952																																
STREVELL	T																			T												
NOVEMBER 1952																																
STREVELL	.74													.01	.11	.50									.08	.01		.03	T			
DECEMBER 1952																																
AVERY RANGER STATION	-	.10	.08	.10	.04	T			.72	.02	.42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.03	
STREVELL	-		-				-	-				T									-	-	T	T	-						T	.01
MARCH 1953																																
JEROME	.91		.56							T			T	.12						T	.13	.06	.04									
KAMIAH 1 NE	1.39	.02		.06								.13	.02	.12	T		T	T	T	.31	.42	.04	.03	.07		.02			.11			.04
MOUNTAIN HOME	.36	T									T			.01							.09	.10	.16									
APRIL 1953																																
BUHL	1.09					.30		.15																				.54		.10		
DEADWOOD DAM	1.74					.19	T	.05	.05	.04	.01	T	.20	.10	.10			.06	.01					.20				.15	.40	.01	.17	
WINCHESTER 1 SE	2.51					.29	.08	.31					.05		.10							.02		.20			.02	.27	.85		.32	
MAY 1953																																
SANDPOINT EXP STATION	2.85	.07	T					.10	.23	.04	T				.03	.10	T			.20	.02	.06	.08		.07	T	.11	.49		.87	.38	

DAILY TEMPERATURES

ble 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
JUNE 1951																																	
LMON	MAX	53	59	68	68	60	53	61	65	75	74	72	67	78	85	90	85	83	80	82	77	77	71	80	72	72	73	80	79	79	82		73.3
	MIN	40	34	28	45	46	34	38	38	34	37	40	51	50	42	48	46	42	39	39	43	44	38	38	50	48	37	42	36	44	35		40.9
JANUARY 1952																																	
ACTOR TESTING STATION	MAX	8	8	11	13	12	17	26	23	15	29	29	36	30	29	34	34	14	25	18	29	15	14	31	33	32	27	25	26	30	28	29	23.5
	MIN	-21	-20	-23	-20	-14	-11	-10	-11	-15	8	14	12	18	17	26	10	-18	-19	- 5	9	0	-12	7	25	8	13	13	7	1	- 6	12	- 0.2
AUGUST 1952																																	
REVELL	MAX	81		88	88	90	92	90	82	88	86	80	85	91	87	90	90	92	92	88	89	89	91	91	90	88	84	85	81	84	86	75	87.1
	MIN		53	51	52	52	52	59	50	50	52	48	48	51	49	44	43	43	48	50	51	51	59	56	56	53	45	44	45	45	50	42	49.7
SEPTEMBER 1952																																	
L 1 E	MAX	76	76	83	95	84	83	81	79	82	82	84	73	74	74	75	84	86	84	83	85	85	82	85	87	87	89	90	77	75	78		81.9
	MIN	38	36	44	57	47	41	41	44	39	38	46	36	45	29	32	34	39	38	43	45	50	42	40	39	38	39	49	42	37	37		40.8
REVELL	MAX	78	77	83	90	84	84	84	84	85	83	82	67	65	68	75	82	84	85	81	87	87	82	83	84	85	85	85	85	78	77		81.3
	MIN	39	39	43	61	53	44	47	42	42	34	46	33	42	24	35	40	40	45	46	42	42	39	42	42	43	44	44	49	39	38		42.0
OCTOBER 1952																																	
REVELL	MAX	77	80	82	75	71	74	74	75	76	77	76	75	70	63	64	71	71	72	64	67	67	69	69	72	69	71	72	67	64	63	64	71.0
	MIN	35	35	41	47	33	33	31	30	42	35	37	35	32	24	24	32	29	38	36	31	30	33	39	39	30	29	28	28	37	35	29	33.5
NOVEMBER 1952																																	
REVELL	MAX	52	41	54	54	55	60	55	45	52	49	54	49	42	45	35	27	33	42	40	40	35	24	28	28	23	25	19	22	25	29		39,4
	MIN	29	14	12	25	26	24	19	19	11	31	24	23	26	33	19	9	20	6	15	21	21	10	0	0	- 7	-10	-10	-10	12	12		14.1
DECEMBER 1952																																	
ERY RANGER STATION	MAX	41	39	40	38	40			41	37	36	35					34	37	38	37			36	34	30					38	36		
	MIN		31	32	32	32			30	31	31	27				25	24	23	26	31			27	24	14		9				30		
REVELL	MAX	29	34	34	30	36	37	44	35	36	30	44	43	45	39	40	38	38	35	33	39	33	30	30	26		25	33	36	37	39	36	35.5
	MIN	16	24	15	8	21	18	29	27	16	23	23	32	26	25	27	23	25	26	28	31	23	20	19	0	- 3		19	16	15	28	23	20.8
MARCH 1953																																	
ROME	MAX	45	32	39	48	50	54	58	64	61	65	54	55	45	49	55	57	52	50	54	54	44	51	60	72	66	64	73	68	60	59	54	55.2
	MIN	17	23	11	21	25	27	25	30	18	33	30	31	22	13	27	26	23	20	33	28	30	27	32	31	37	21	34	38	30	26	28	26.4
UNTAIN HOME	MAX	39	37	49	56	58	59	64	67	70	71	58	58	58	49	68	57	57	50	54	54	45	49	63	69	67	64	74	68	60	62	62	58.6
	MIN	27	19	18	29	20	21	27	32	32	43	30	41	31	17	30	30	28	27	39	32	29	31	31	36	35	26	36	44	32	25	27	29.8
APRIL 1953																																	
IL	MAX	48	52	60	62	59	53	49	42	48	46	47	48	53	50	58	67	64	62	71	76	77	78	77	67	75	77	73	59	57	50		60.2
	MIN	31	24	25	36	39	30	27	27	31	27	29	31	27	31	28	38	41	37	37	40	46	49	49	41	40	50	48	49	32	33		35.8
ADWOOD DAM	MAX	39	42	53	53	46	39	35	39	40	40	39	36	40	39	51	53	48	53	62	63	61	65	53	57	67	65	52	43	47	40		48.7
	MIN	7	3	8	14	30	20	23	10	15	10	[illegible]	21	23	19	5	26	26	27	18	21	24	25	33	19	20	27	32	32	24	23		19.8
NCHESTER 1 SE	MAX	38	47	49	56	49	42	35	42	42	42	41	41	40	37	54	54	66	63	66	66	65	63	57	60	73	67	59	51	52	47		52.1
	MIN	20	18	27	21	35	27	25	24	25	19	23	27	28	26	27	36	35	28	30	37	41	40	39	30	32	46	42	31	29	31		30.0
MAY 1953																																	
DPOINT EXP STATION	MAX	50	57	62	70	74	78	70	53	52	58	65	67	71	70	71	68	70	72	63	57	61	55	67	61	53	64	60	74	72	55	70	64.2
	MIN	39	32	28	32	35	39	45	39	36	31	30	33	32	45	43	37	47	42	52	40	29	37	29	44	42	49	43	35	51	45	34	38.5

SNOWFALL AND SNOW ON GROUND

ble 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
APRIL 1953 ADWOOD DAM	SNOWFALL					1.5	T	0.5	0.5	0.5	T	T	2.5	2.0	1.0			T						T					T	T	2.0	
	SN ON GND	45	44	44	43	43	43	43	43	43	43	42	44	45	45	44	43	42	41	40	39	38	35	33	31	29	27	25	24	22	23	

STATION INDEX

Station	Index No.	County	Drainage†	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp.	Precip.		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	DELL ROWE	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 [illegible]	3682	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BAYVIEW MODEL BASIN	0867	KOOTENAI	9	47 59	116 33	2070	[illegible]	4P	U S NAVY	2 3 5
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	[illegible]	[illegible]	4P	MONTANA POWER CO	2 3 5
BURLEY	1258	CASSIA	12	42 32	113 47	4180	8A	[illegible]	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	5P	5P	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 2 5
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D'ALENE CAA AP	1951	KOOTENAI	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D'ALENE RS	1956	KOOTENAI	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2164	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2335	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	[illegible]	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 [illegible]
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEWISTON	5230	NEZ PERCE	12	46 25	117 02	-		7A	RIVER STATION	
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 35	3870	5P	5P	ORILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 36	5897	5P	5P	U S FOREST SERVICE	2 3 5 7
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 SSW	5841	ADA	2	43 36	116 24	2607	5P	5P	L A ROSS	2 3 5
MESA	[illegible]	ADAMS	12	[illegible]	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	S
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	[illegible]	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	[illegible]	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	[illegible] 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	[illegible]	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	7A	7A	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R F DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL PROJECT	S
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	MRS HOMER WALTON	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	[illegible]	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		[illegible]	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	5P	5P	MRS RAYMOND RUFF	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	WM C ROBERTS JR	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDATE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FAC	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3930	4P	4P	HALLACK-HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
REACTIVATED										
STREVELL	8786	CASSIA	12	42 01	113 13	5280	5P	5P	IDAHO STATE POLICE	2 3 5

† 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAY, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

e four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will no duplication of numbers within a state.

gures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

servation times given in the Station Index are in local standard time.

layed data and corrections will be carried only in the June and December issues of this bulletin.

nthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bultin.

ations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be inuded in this issue.

less otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in ches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard ather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

eet and hail were included in snowfall averages in Table 1, beginning January 1949.

ounts in Table 3 are from non-recording gage, unless otherwise indicated.

ta in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Staon Index for observation time.

ow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground lues are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is asured at selected stations when the depth of snow on the ground is two inches or more.

No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

And also on a later date or dates.

Amounts included in following measurements, time distribution unknown.

Gage is equipped with a windshield.

This entry in time of observation column in Station Index means after rain.

Adjusted to a full month.

Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.

Daily precipitation values and monthly total from recording gage.

Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.

This entry in time of observation column in Station Index means sunset.

Trace, an amount too small to measure.

Includes total for previous month.

This entry in time of observation column in Station Index means variable.

scription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) cks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding scriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

CORRECTED DATA

UARY 1952	SAINT ANTHONY:	Delete precipitation departure.
UARY 1952	ELK CITY:	Delete no record 19th through 28th. Add accumulation (*) on 22nd and 28th. Monthly total should be accumulation (*) and days with .01 or more 13.
P L 1952	COEUR D'ALENE RS:	Total snowfall should be Trace.
UST 1952	KUNA 2 NNE:	Highest temperature for month should be 93° on 3rd and other days.
EMBER 1952	HOLLISTER:	Precipitation departure should be -.46
	PAUL 1 E:	See Delayed Data for Table 2 and 5. Record was omitted from the monthly Climatological Data.
C'BER 1952:	HAILEY:	Precipitation departure should be -1.11.
O'MBER 1952	HILL CITY:	Precipitation departure should be -.62.
MBER 1952	GLENNS FERRY:	Precipitation departure should be -.45.

W.R.P.C. Chattanooga--8-7-53--900--


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage ○ Non-recording;
● Recording; ◑ Both types
Double circle combinations Complete Meteorological.
Hourly precipitation data from recorder stations will be available in the publication "Hourly Precipitation Data".
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry
Benton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 2 NW
Deer Park
Bayview Model Basin
Mount Spokane
Trout Creek 2 W
Coeur d'Alene CAA AP
Deception Cr
Spokane WB AP
Thompson Falls
Coeur d'Alene RS
Kellogg
Burke 2NNE
Cheney
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace
Saint Maries
Haugan
Rosalia
Plummer 3WSW
Roland W Portal
Tekoa
Avery RS
Superior CAA AP
Clarkia RS
Potlatch
Colfax 1 NW
Missoula WB AP
Missoula 2 WNW
Pullman Exp Sta
Elk River 1 S
Moscow U of Ida
Wawawai
Bungalow RS
Lolo Pass
Pomeroy
Orofino
Lewiston Wtr Pl
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Winchester 1SE
Kamiah 1NE
Hamilton
Anatone
Nezperce 2 E
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Dixie
Wisdom
Riggins RS
Joseph
Jackson
Polaris
Salmon
Big Creek 1 S
Cobalt Blackbird Mine
Cornucopia 5 NNW
New Meadows RS
Yellow Pine
Grant
McCall
Stibnite
Halfway
Pungo Creek
Hebgen Dam
Richland
Council 1 N
Leadore
Dell
West Yellowstone
Landmark RS
Lima
Lima Dam
Mesa
Lakeview
Durkee 3 NNW
May RS
Monida 5 NE
Cambridge
Deadwood Summit
Cascade 1NW
Challis
Dell 19 SW
Island Park Dam
Cascade RS
Huntington
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Spencer RS
Dubois Exp Sta
Weiser
Bechler River
Snake River
Ola 4 S
Crouch 2NNW
Ashton 1S
Payette
Lowman
Jackson Peak
Dubois CAA AP
Grassy Lake Dam
Ontario CAA AP
Garden Valley RS
Obsidian 4NNE
Hamer 4NW
St Anthony
Vale
Centerville Arbaugh Ranch
Moore Cr Summit
Chilly Barton Flat
Malheur Br Exp Sta
Emmett 2E
Mackay RS
Tetonia Exp Sta
Moran
Nyssa
Little Valley Parma Exp Sta
Idaho City
Atlanta 1E
Sugar
Vienna
Howe
Alta
Adrian
Bogus Basin
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Owyhee Dam
Caldwell
Idaho Cy 13SW
Shake Cr RS
Arco
Driggs
Moose 3 NW
Nampa 2NW
Meridian 1SSW
Arrowrock Dam
Dollarhide Summit
Idaho Falls 6 NE
Deer Flat Dam
Trinity Lake GS
Hailey
Reactor Testing Sta
Kuna 2 NNE
Boise LP Dam
Pine 2SSW
Soldier Cr RS
Idaho Falls CAA AP
Irwin 2S
Boise WB AP
Prairie
Jackson
Palisades Dam
Fairfield
Anderson Dam
Hill City
Blackfoot
Swan Falls PH
Mountain Home
Springfield
Putnam Mt
Gray
Sheaville
Richfield
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Danner
Bliss
Shoshone
Aberdeen Exp Sta
Blackfoot Dam
Bedford 2 SE
Rome
Gooding 1 E
Pocatello WB AP
Gooding CAA AP
Jerome
Conda
Grover 2 S
Minidoka Dam
Bancroft
American Falls 1NW
Paul 1E
Buhl
Burley 1NW
Rupert
McCammon
Twin Falls 2NNE
Hazelton
Burley CAA AP
Grace PH
Twin Falls 3SE
Burley
Hollister
Albion
Montpelier RS
Oakley
Border 3 N
Malad
Bridge
Lifton Pump Sta
Three Creek
Malad CAA AP
Preston 2SE
Ida Vada
Lewiston
Owyhee
Richmond
Snowville
Amalga
Laketown
Sage
Jarbidge
Logan USAC Exp Sta
Park Valley
Garland
Contact
Bothwell
Logan USAC
Revised 9-52-WRPC

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

JULY 1953
Volume LVI No. 7

CHATTANOOGA: 1953

IDAHO - JULY 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

With precipitation averaging only 20% of normal for the State as a whole, this July was the driest in the 61 years of record for Idaho. Only twice has the Northern Division average been lower in July, while in the Southeastern Division this month has been drier in only five years. No previous year since 1893 brought such light July precipitation to the Southwestern Division, where this year the average monthly total for 47 stations was only 0.02 inch. In all of the State there were only five stations where showers produced above-normal totals for the month, and 42 stations in the State reported no rain at all.

Temperatures averaged above normal in the Southeastern and Southwestern Divisions and below normal in the Northern Division, but departures were relatively small. The extreme temperatures of 111° at Kooskia on the 12th, and 27° at two stations on the 16th, were not extraordinary for July, but the persistence of high temperatures for several days in the first half of the month produced a rather uncomfortable spell.

Sunshine, nearly always abundant during July, exceeded normal, as all stations in the State averaged only one day during the month with measurable rain.

The dry weather was a boon to farmers in putting up hay crops, harvesting of early grains, peas and fruits. Lack of moisture, however, adversely affected grains on dryland farms and the hot spell early in the month diminished the potential yield of spring grains in the Northern Division. In some areas growers were unable to irrigate potatoes sufficiently and rough potatoes were expected as a result. Summer ranges suffered from lack of moisture, and forest and range lands generally reached a critical burning stage during the month. The relatively small number of thunderstorms, however, kept fires at a minimum, although several small fires did start from lightning and one burned about 1,000 acres in the Challis National Forest. Sugar beet thinning and cultivation were completed early in the month and some summer-fallow plowing was accomplished, despite drying topsoils.

No severe storm damage was reported in the State, either from wind or from hail.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation									
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days
BOISE WB AIRPORT	NW	29	9.0	27	SE	13	53	33	20	37	1	0	0	0	0	0	1	97	0.6	See Table [illegible]
LEWISTON WB AIRPORT	-	-	-	-	-	-	[illegible]	29	17	-	1	0	0	0	0	0	1	-	0.5	
POCATELLO WB AIRPORT	SW	23	9.0	34	W	28	19	25	18	33	1	2	0	[illegible]	[illegible]	0	6	84	2.5	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation			Year	Temperature			Precipitation			Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more		Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more		Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	66.8	106	22	.39	-	2	1914	69.5	111	25	.87	0.0	4	1935	69.1	116	22	.25	0.0	2
1894	69.3	107	31	.25	-	2	1915	65.0	110	23	1.31	0.0	7	1936	71.5	112	29	.72	0.0	[illegible]
1895	66.4	105	23	.57		3	1916	66.3	107	19	1.11	0.0	5	1937	69.8	111	28	.93	0.0	5
1896	71.6	107	31	.76	-	4	1917	69.2	111	20	.30	0.0	1	1938	68.1	113	28	1.18	0.0	7
1897	65.3	108	27	.72		4	1918	68.3	111	15	1.02	0.0	5	1939	69.1	117	21	.69	0.0	1
1898	67.4	105	28	.78	-	3	1919	70.1	111	23	.23	0.0	1	1940	69.3	111	24	.64	0.0	4
1899	68.6	111	26	.30	0.0	2	1920	69.9	111	26	.33	0.0	2	1941	69.4	112	24	.72	0.0	3
1900	67.3	115	24	.19	0.0	2	1921	68.4	109	22	.38	0.1	2	1942	69.6	110	25	.42	0.0	[illegible]
1901	70.0	113	18	.23	0.0	1	1922	68.7	113	25	.53	0.0	3	1943	67.9	112	21	.17	0.0	3
1902	63.4	105	26	1.33	T	4	1923	70.3	110	26	.95	0.0	5	1944	66.5	107	19	.38	0.0	3
1903	63.5	105	27	.72	0.0	5	1924	67.8	115	17	.52	0.0	3	1945	68.4	106	21	.30	0.0	2
1904	66.6	109	26	.88	0.0	5	1925	71.1	115	30	.77	0.0	4	1946	69.0	110	27	.62	0.0	1
1905	69.0	113	30	.30	0.0	2	1926	70.2	109	27	.61	0.0	3	1947	69.2	107	24	.16	0.0	2
1906	70.6	108	34	.20	0.0	2	1927	68.3	107	26	.24	0.0	2	1948	65.8	106	22	.87	T	1
1907	66.7	105	28	.77	T	5	1928	69.1	114	25	.46	0.0	3	1949	67.8	110	24	.30	T	2
1908	69.2	110	27	.50	0.0	3	1929	69.5	112	24	.16	0.0	1	1950	66.8	105	25	.64	T	1
1909	66.7	110	28	1.26	0.0	4	1930	70.0	110	28	.40	0.0	2	1951	69.0	110	26	.62	T	3
1910	70.7	110	25	.36	0.0	2	1931	71.3	116	25	.34	0.0	2	1952	66.7	106	26	.55	T	3
1911	67.4	106	24	.20	0.0	2	1932	67.1	107	25	.98	0.0	4	1953	69.2	111	27	.12	T	1
1912	64.7	106	22	1.28	T	5	1933	70.1	115	24	.17	0.0	1							
1913	65.5	105	22	2.01	0.0	7	1934	70.1	118	24	.31	0.0	2	ALL YEARS	68.3			.60		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	[illegible]	[illegible]	67.4	- [illegible]	106	12	40	24	21	15	0	0	0	T	- .90	T	15				0	0	0
BAYVIEW MODEL BASIN	[illegible]	[illegible].7	65.3		[illegible]	31	38	24	47	1	0	0	0	.00		.00		.0	0		0	0	0
BIG CREEK	84.7	[illegible]	58.9	[illegible].3	[illegible]	12+	27	[illegible]	192	4	0	19	0	.02	- .96	.02	12	.0	0		1	0	0
BONNERS FERRY	[illegible]	[illegible]	67.0	[illegible].5	[illegible]	11+	42	21	17	8	0	0	0	.04	- .82	.03	15		0		2	0	0
[illegible]	[illegible]	46.7	69.4	- 1.3	[illegible]	11+	[illegible]	24	5	23	0	0	0	.09	- .67	.09	25	.0	0		1	0	0
[illegible]	77.4	[illegible]	[illegible]	[illegible]	[illegible]	12	37	24	173	2	0	[illegible]	0	.10	- 1.53	.08	13	.0	0		2	0	0
CLARK FORK 1 ENE	[illegible]	41.9	[illegible]	- 1.2	[illegible]	11+	33	6	65	4	0	0	0	.00	- .94	.00		.0	0		0	0	0
COBALT BLACKBIRD	79.[illegible]	43.3	61.3M		[illegible]	[illegible]	33	21		0	0	0	0	.19		.14	13	.0	0		2	0	0
COEUR D ALENE CAA AP	[illegible]	[illegible]	[illegible]		[illegible]	12	43	16+	32	4	0	0	0	.00		.00		.0	0		0	0	0
COEUR D ALENE RS	87.0	49.2	68.1	- 0.3	97	11	41	5	8	9	0	0	0	T	- .60	T	1	.0	0		0	0	0
COTTONWOOD	[illegible]	[illegible]	64.7	- 2.0	99	12	39	24	60	2	0	0	0	.16	- .79	.16	1	.0	0		1	0	0
DIXIE	[illegible]	[illegible]	[illegible]		92	12	27	16+	229	2	0	16	0	.03		.03	13	.0	0		1	0	0
ELK CITY	84.2	[illegible]	[illegible]		[illegible]	12	28	21	172	6	0	13	0	.54		.54	13	.0	0		1	1	0
ELK RIVER 1 S	84.7	[illegible]	62.[illegible]		[illegible]	13	34	22+	99	4	0	0	0	.00		.00		.0	0		0	0	0
FENN RS	91.5	[illegible]	70.3M	- [illegible]	[illegible]	12	43	3+	1	22	0	0	0	.20	- .51	.17	1	.0	0		2	0	0
GRANGEVILLE	84.1	[illegible]	67.9	[illegible]	[illegible]	12	43	1	21	4	0	0	0	T	- .79	T	12+		0		0	0	0
KELLOGG	[illegible]	48.3	67.4	0.0	[illegible]	13	43	6+		11	0	0	0	.00	- .82	.00		.0	0		0	0	0
KOOSKIA	[illegible]	49.1	[illegible]	- 1.7	[illegible]	12	42	24	0	20	0	0	0	.15	- .65	.15	1	.0	0		1	0	0
LEWISTON WATER PLANT	93.0	[illegible]	74.6	- 1.5	104	11	49	1+	0	21	0	0	0	T	- .48	T	13	.0	0		0	0	0
LEWISTON WB AP	[illegible]	56.2	[illegible]	- 2.4	101	12	48	24	0	14	0	0	0	T	- .42	T	13	.0	0		0	0	0
MOSCOW U OF I	84.6	45.7	65.[illegible]	- 2.0	96	11	37	24	47	6	0	0	0	T	- .56	T	13	.0	0		0	0	0
MULLAN PASS CAA	69.6	51.2	60.4	[illegible].7	88	12	41	1+	161	0	0	0	0	T	- 1.06	T	1+	.0	0		0	0	0
NEZPERCE 2 E	81.[illegible]	[illegible]	66.1		97	12	43	24	42	2	0	0	0	.38		.26	25	.0	0		2	0	0
OROFINO	[illegible]	51.6	72.8	- [illegible].5	106	11	45	24	0	24	0	0	0	.09	- .56	.09	1				1	0	0
PIERCE RS	[illegible]	[illegible]	64.3	- 1.2	[illegible]	12+	[illegible]	24	69	10	0	0	0	.27	- .58	.20	1		0		2	0	0
PORTHILL	[illegible]	47.9	[illegible]	1.0	99	12	42	5+	27	10	0	0	0	.27	- .62	.22	27	.0	0		2	0	0
PRIEST RIVER EXP STA	[illegible]	44.3	63.2	- 1.2	92	11+	37	5+	81	2	0	0	0	.09	- .75	.09	1	.0	0		1	0	0
RIGGINS RS	[illegible]	[illegible]	77.6	1.0	110	13	50	1+	0	27	0	0	0	.09	- .45	.09	1	.0	0		1	0	0
ROLAND W PORTAL	[illegible]	[illegible]	61.7	- 1.1	[illegible]	12	36	24	128	3	0	0	0	T	- .74	T	15	.0	0		0	0	0
SAINT MARIES	[illegible]	43.9	66.1	- 1.2	95	14+	37	25	32	11	0	0	0	.00	- .73	.00					0	0	0
SALMON	92.0	[illegible]	64.6	1.5	100	12	37	21	9	23	0	0	0	.05	- .79	.05	13		0		1	0	0
SANDPOINT EXP STA	81.[illegible]	46.5	64.1	- 1.[illegible]	92	12	38	24	57	1	0	0	0	T	- .66	T	5+	.0	0		0	0	0
WALLACE	[illegible]	[illegible]	[illegible]	- 3.3	101	12	30	24	87	4	0	1	0	T	- .89	T	13+	.0	0		0	0	0
WALLACE WOODLAND PARK	81.5	44.0	62.8	- 2.3	[illegible]	13	38	24		3	0	0	0	.00	- .72	.00		.0	0		0	0	0
WINCHESTER 1 SE	[illegible]	[illegible]	63.2	- 0.3	93	12	37	24	90	2	0	0	0	.04	- .79	.04	1	.0	0		1	0	0
DIVISION			65.8	- 1.2										.08	- .77			.0					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	83.5	37.5	60.5	- 1.1	94	12	30	21	149	4	0	3	0	.00	- .50	.00		.0	0		0	0	0
ANDERSON DAM	93.1	[illegible]	74.6		103	12	46	2	0	23	0	0	0	.00		.00		.0	0		0	0	0
ARROWROCK DAM	91.[illegible]	[illegible]	73.6M	- 0.9	104	13	46	1		21	0	0	0	.00	- .40	.00		.0	0		0	0	0
ATLANTA 1 E	83.3	[illegible]	66.5	4.2	89	12+	40	1+	29	0	0	0	0	.53	- .20	.32	10	.0	0		5	0	0
[illegible]	94.0	[illegible]	75.4M	2.0	101	13	43	2	0	24	0	0	0	.00	- .21	.00		.0	0		0	0	0
BOISE LUCKY PEAK DAM	94.9	[illegible]	75.5[illegible]		106	12	45	1+	1	21	0	0	0	.00		.00			0		0	0	0
BOISE WB AP //R	91.[illegible]	57.0	74.1	- 0.7	105	12	47	16+	2	19	0	0	0	T	- .18	T	28	.0	0		0	0	0
BUHL	90.[illegible]	[illegible]	75.[illegible]M	2.7	[illegible]	7+	53	2+	0	24	0	0	0	.00	- .36	.00		.0	0		0	0	0
CALDWELL	91.9	[illegible]	73.[illegible]	- [illegible].2	104	12	48	2+	0	23	0	0	0	.00	- .33	.00		.0	0		0	0	0
CAMBRIDGE	[illegible]	50.5	72.9	- 1.1	107	12	40	2	0	27	0	0	0	T	- .37	T	10	.0	0		0	[illegible]	0
CASCADE 1 NW	84.7	45.3	[illegible]		97	12	38	2+	59	5	0	0	0	.00		.00		.0	0		0	0	0
CHALLIS	[illegible]	[illegible]	69.7	2.5	95	30	45	2+	5	15	0	0	0	.09	- .50	.09	14		0		1	0	0
COUNCIL	[illegible]	[illegible]	74.4	2.0	103	12	44	1+	3	26	0	0	0	.00	- .50	.00		.0	0		0	0	0
DEADWOOD DAM	84.3	[illegible]	[illegible]	[illegible].2	95	12	30	2+	137	5	0	4	0	.01	- .80	.01	31	.0	0		1	0	0
DEER FLAT DAM	[illegible]	[illegible]	74.0	0.2	103	12	49	2+	0	15	0	0	0	.00	- .19	.00		.0	0		0	0	0
EMMETT 2 E	92.0	[illegible]	72.2	- 2.8	105	12	44	15	0	24	0	0	0	.00	- .28	.00		.0	0		0	0	0
FAIRFIELD	[illegible]	[illegible].7	65.6		94	13	33	2	44	10	0	0	0	T		T	24	.0	0		0	0	0
GARDEN VALLEY RS	94.0	46.4	70.2	0.0	105	12	39	2	4	24	0	0	0	.00	- .28	.00		.0	0		0	0	0
GLENNS FERRY	[illegible]	[illegible].1	75.3M	- 2.2	104	12	42	2	0	27	0	0	0	.00	- .31	.00		.0	0		0	0	0
GOODING CAA AP	93.0	[illegible]	76.0	3.8	102	12	44	2	0	24	0	0	0	.00	- .30	.00		.0	0		0	0	0
GRAND VIEW	99.8	58.9	79.4M	4.1	110	12	48	2	0	29	0	0	0	.13	- .12	.13	13	.0	0		1	0	0
HAILEY AP	88.2	[illegible]	68.9	1.[illegible]	95	12+	41	1+	13	11	0	0	0	T	- .53	T	10	.0	0		0	0	0
HAZELTON	87.0	[illegible].4	70.2M	- 5.0	95	7+	43	2+	6	10	0	0	0	.00	- .22	.00		.0	0		0	0	0
HILL CITY	[illegible]	44.1	66.0	0.2	96	12	33	2	45	13	0	0	0	.00	- .29	.00					0	0	0
HOLLISTER	[illegible]	[illegible]	72.2M	[illegible].9	97	7+			5	12	0	0	0	.00	- .37	.00		.0	0		0	0	0
IDAHO CITY	90.5	[illegible]	[illegible]	- 1.3	99	12	34	2+	38	19	0	0	0	.00	- .44	.00		.0	0		0	0	0
JEROME	[illegible]	[illegible].1	73.7	- 0.7	[illegible]	12	44	2	0	25	0	0	0	.05	- .15	.05	13	.0	0		1	0	0
KUNA 2 NNE	[illegible]	[illegible]	69.5M	- [illegible].7	[illegible]	12	42	2	6	11	0	0	0	.00	- .33	.00		.0	0		0	0	0
MC CALL	81.5	[illegible]	62.6	- 0.2	91	12	32	21	97	1	0	1	0	.00	- .54	.00					0	0	0
MERIDIAN 1 W	91.[illegible]	[illegible].7	72.4	- 0.7	103	12	45	2+	1	16	0	0	0	.00	- .27	.00		.0	0		0	0	0
MESA	[illegible]	[illegible]	75.6		104	12	48	1	0	25	0	0	0	.00		.00		.0	0		0	0	0
MOUNTAIN HOME	99.4	[illegible]	78.6	6.4	107	12	48	2	0	29	0	0	0	.00	- .37	.00		.0	0		0	0	0
NAMPA 2 NW	92.4	[illegible]	[illegible]		103	13	46	2		23	0	0	0	.00		.00		.0	0		0	0	0
NEW MEADOWS RS	[illegible].1	[illegible]	[illegible].5	[illegible].9	97	12	34	21+	80	12	0	0	0	.02	- .58	.02	10	.0	0		1	0	0
OBSIDIAN 4 NNE	[illegible]	[illegible].9	56.6	- 0.7	85	12	28	21	253	0	0	11	0	.02	- .65	.02	10	.0	0		1	0	0
OLA 4 S	[illegible]	49.0	72.5		107	12	43	1+	1	29	0	0	0	.00		.00					0	0	0
PARMA EXP STA	[illegible]	[illegible].5	[illegible]	- 0.6	99	11	46	2+	0	23	0	0	0	.00	- .13	.00		.0	0		0	0	0
PAYETTE	[illegible].9	[illegible]	75.9	1.8	107	12	47	22	0	28	0	0	0	.00	- .30	.00		.0	0		0	0	0
RICHFIELD	89.7	[illegible]	71.2	1.7	[illegible]	12	41	2	5	16	0	0	0	.05	- .25	.05	10	.0	0		1	0	0
SHOSHONE	[illegible]	[illegible].3	74.1	1.1	99	12+	43	21	2	19	0	0	0	T	- .23	T	10	.0	0		0	0	0
[illegible]	[illegible].5	41.8	60.2		[illegible]	13	34	16+		0	0	0	0	.03		.03	13	.0	0		1	0	0
SUN VALLEY	[illegible]	36.2	60.8	[illegible]	[illegible]	30	28	2	133	3	0	8	0	T	- .71	T	10+	.0	0		0	0	0
SWAN FALLS PH	98.5	[illegible]	[illegible]	[illegible]	[illegible]	13+	54	2	0	30	0	0	0	.00	- .24			.0	0		0	0	0
THREE CREEK	[illegible].9	41.5	66.2		97	12	32	16+	37	23	0	2	0	.05	- .24	.03	11	.0	0		2	0	0
TWIN FALLS 2 NNE	92.5	55.4	[illegible]	2.6	[illegible]	7+	45	26	0	24	0	0	0	T	- .35	T	15+	.0	0		0	0	0
TWIN FALLS 3 SE	[illegible]	[illegible]	73.9	1.0	[illegible]	8	48	17		20	[illegible]	0	0	.00	- .30	.00		.0	0		0	0	0
WEISER	[illegible]	[illegible]	[illegible]	- 1.7	[illegible]	12	45	21+	0	28	0	0	0	.00	- .17	.00		.0	0		0	0	0
DIVISION			70.[illegible]	0.8										.02	- .38			.0					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	91.2	[illegible]	71.1	1.1	98	13	42	21	1	21	0	0	0	.05	- .45	.05	28				1	0	0
ALBION	[illegible]	[illegible].7	[illegible].3	1.7	95	7+	38	2+	20	12	0	0	0	.19	- .37	.15	30	.0	0		2	0	0
AMERICAN FALLS 1 NW	[illegible]	[illegible]	70.7	0.[illegible]	95	[illegible]	43	3+	2	12	0	0	0	.51	- .12	.32	14	.0	0		3	0	0

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max		No. of Days Min		Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Max Depth on Ground	Date	No. of Days .10 or More	.50 or More	1.00 or More
ARCO	[illegible]	[illegible]	[illegible]	1.9	[illegible]	12+	39	[illegible]	11	[illegible]				[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
ASHTON 1 S	[illegible]	47.3	64.9	[illegible]	[illegible]	[illegible]	[illegible]	21	47			0		.02	- .92	[illegible]	[illegible]	[illegible]	0		[illegible]	[illegible]	[illegible]
BLACKFOOT	[illegible]	50.6	74.1	[illegible]	[illegible]	[illegible]	46	17	0	[illegible]	0	0	0	[illegible]	- .48	.18	12	[illegible]			[illegible]	[illegible]	0
BLACKFOOT DAM	[illegible]	42.0	62.6	0.8	92	13	30	[illegible]	[illegible]	1	0	1	0	.12	.85	.08	[illegible]				2	0	[illegible]
BURLEY	[illegible]	58.5	[illegible]	2.0	[illegible]	[illegible]	49			24				[illegible]	[illegible]	.55	31	[illegible]	[illegible]		1	[illegible]	[illegible]
BURLEY FACTORY	[illegible]	53.6	72.8	[illegible]	99	[illegible]	45	[illegible]		22	[illegible]			.41	.03	.41	31				[illegible]	0	[illegible]
BURLEY CAA AP	[illegible]	53.7	72.8	[illegible]	[illegible]	14	43	[illegible]					0	.38	.16	.38		[illegible]			[illegible]		0
CHILLY BARTON FLAT	[illegible]	[illegible]	60.6	- 0.9	[illegible]	[illegible]	[illegible]	2+	132		0			[illegible]	- [illegible]	[illegible]	13	.0			1		
CONDA	[illegible]	46.0	66.2	[illegible]	92	[illegible]	[illegible]						[illegible]	.54	- [illegible]	[illegible]		[illegible]				0	
DRIGGS	85.9	[illegible]	[illegible]	[illegible]	[illegible]	13	36	[illegible]					0	.04	- 1.17	[illegible]	11+						
DUBOIS EXP STA	[illegible]	[illegible]	71.6	1.7	[illegible]	[illegible]	[illegible]							.33	- .40	[illegible]	[illegible]	[illegible]			[illegible]		
DUBOIS CAA AP	90.0	[illegible]	71.5	1.2	[illegible]	[illegible]	42	1+				0		.07	- [illegible]	.07	13	[illegible]			[illegible]		
FORT HALL IND AGENCY	[illegible]	[illegible]	72.5M	[illegible]	99	[illegible]	45	[illegible]							- [illegible]	T	28	.0	[illegible]		[illegible]		
GRACE	[illegible]	49.5	66.5	- 0.8	89	[illegible]	[illegible]	21	24	0		0		.40	- .58	.36	[illegible]	[illegible]			[illegible]		
GRAY	87.3	48.5	67.9	4.8	[illegible]	30	39	[illegible]	19	12	0	0			- 1.02		[illegible]	[illegible]					
GROUSE	81.4	[illegible]	60.5			30		2+	[illegible]		0	3		[illegible]	- [illegible]	.02	[illegible]	[illegible]			[illegible]		
HAMER 4 NW	[illegible]	[illegible]	[illegible]	2.3	[illegible]	[illegible]	[illegible]	2+	[illegible]	[illegible]	0	0		.00	- .47	.00		[illegible]			0		
IDAHO FALLS 6 NE	[illegible]	51.8	[illegible]		[illegible]		[illegible]	3+	9	[illegible]				[illegible]		[illegible]	28				2		
IDAHO FALLS CAA AP	[illegible]	52.9	70.7	[illegible]	98		45	17+	[illegible]	13	0		0	.09	- .53	.09	13	.0			[illegible]		
IRWIN [illegible]	87.5	48.9	68.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	13	8		0		.31	- .66	.19	[illegible]				[illegible]		
ISLAND PARK DAM	[illegible]	42.5	62.7	1.5	[illegible]	[illegible]	[illegible]	[illegible]	89	0	0	0		[illegible]	- .42	.12	10	.0			[illegible]	0	
LIFTON PUMPING STA	[illegible]	51.3	[illegible]	0.7	[illegible]	8+	41	[illegible]	[illegible]			0		[illegible]	- .17	.31	[illegible]	.0	0		[illegible]		
MACKAY RS	86.6	49.4	68.0	0.4	[illegible]	[illegible]	43	1+	10					.05	- .80	[illegible]	[illegible]	[illegible]			[illegible]		
MALAD	90.9	54.3	72.6	2.3	95	7+	46	19			0		0	.11	- .88	[illegible]	[illegible]	[illegible]	0		[illegible]	0	
MALAD CAA AP	92.2	50.6	[illegible]		97	[illegible]	41	[illegible]			0		0	.02		.02	[illegible]	.0	0		[illegible]	0	
MAY RS	87.7	46.5	67.1	[illegible]	93	27	[illegible]	[illegible]	27	11	[illegible]		0	.15	- .63	[illegible]	13	.0			2		
MC CAMMON	91.5	[illegible]	70.2		[illegible]	[illegible]	[illegible]	1+	2	26	[illegible]		0	[illegible]		.16	28	[illegible]	0		[illegible]	0	
MINIDOKA DAM	[illegible]	59.1	74.1		97	[illegible]	49	[illegible]	0	[illegible]	[illegible]	0	[illegible]	[illegible]		.07		[illegible]	0		2		
MONTPELIER RS	87.3	46.5	66.9M	[illegible]	93	[illegible]	[illegible]	[illegible]		[illegible]	0	0	[illegible]	[illegible]	.60	.20	11	[illegible]			4	0	0
OAKLEY	88.9	55.4	72.2	1.2	96	13	44	1+	[illegible]	[illegible]	0	0		.40	- [illegible]	[illegible]	[illegible]	[illegible]			[illegible]	0	0
PALISADES DAM	86.2	49.4	67.8M		92	[illegible]	40	[illegible]	15	[illegible]	0		0	[illegible]		[illegible]	[illegible]	.0	[illegible]		4		
PAUL 1 E	[illegible]	[illegible]	71.3	0.6	101	[illegible]	42	21		[illegible]	0	0	0	[illegible]	- .48	[illegible]	[illegible]	.0	[illegible]		[illegible]	0	
POCATELLO WB AP /R	91.0	[illegible]	73.4	0.7	97	[illegible]	47	[illegible]			[illegible]		[illegible]	.04	- [illegible]	.03	[illegible]		[illegible]	[illegible]	[illegible]	0	0
PRESTON [illegible]	92.3	[illegible]	71.9	[illegible]	[illegible]	7+	39	[illegible]	1	[illegible]	[illegible]	0	[illegible]	.65	- .31	.33	[illegible]	[illegible]	[illegible]		[illegible]		
REACTOR TESTING STA	90.7	48.8	[illegible]		[illegible]	[illegible]	38	[illegible]	[illegible]	20	0	0	[illegible]	.00		.00		[illegible]	0		0	0	
RUPERT	93.5	54.3	73.9	[illegible]	102	[illegible]	43	[illegible]		26	0		[illegible]	[illegible]	- .41	.00		[illegible]	0		0		0
SAINT ANTHONY	88.6	[illegible]	67.6		95	12+		[illegible]		[illegible]	0	0	0	.60	.17	.38	[illegible]						
SPENCER RS	85.7	46.1	[illegible]	[illegible]	[illegible]	13	36	19	28	3			[illegible]	[illegible]	- [illegible]	[illegible]	14	[illegible]			6	0	
SPRINGFIELD 1 SE	88.9	48.3	68.6	- 1.4	97	12	[illegible]	2+	11	[illegible]	[illegible]			[illegible]	- [illegible]	T	[illegible]	.0	[illegible]		0	0	[illegible]
STREVELL	[illegible]	[illegible]	71.4		96	7+	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	0	[illegible]		[illegible]	30	.0			[illegible]		
SUGAR	87.5		[illegible]		95	[illegible]						0	[illegible]	.04	- .59	.04	11	[illegible]	[illegible]		1	[illegible]	[illegible]
TETONIA EXP STA	84.6	[illegible]	[illegible]		[illegible]	13	[illegible]	1	[illegible]		[illegible]	0	0	.44		.16	30				[illegible]		
DIVISION			[illegible]	2.1										.27	[illegible]			T					
STATE			[illegible]	0.8										.12	.49								

DAILY PRECIPITATION

Table 3

Station	Total	Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	[illegible]																															
ALBION	[illegible]														T																	
[illegible]	[illegible]																															
AMERICAN FALLS [illegible]	[illegible]												[illegible]		[illegible]																	
ANDERSON DAM	[illegible]																															
ARCO	[illegible]										[illegible]																					
ARROWROCK DAM	[illegible]																															
ASHTON 1 S	.02										[illegible]																					
ATLANTA [illegible]	.53										.32	[illegible]	[illegible]		[illegible]																	
AVERY RS	T																															
BAYVIEW MODEL BASIN	[illegible]																															
BIG CREEK [illegible]	[illegible]																															
BLACKFOOT	[illegible]												[illegible]																			
BLACKFOOT DAM	.12										[illegible]																		[illegible]			
BLISS	[illegible]																															
BOISE LUCKY PEAK DAM	[illegible]																															
BOISE WB AP	T																															
BONNERS FERRY	[illegible]																															
[illegible]	[illegible]																															
[illegible]	[illegible]														[illegible]	[illegible]										[illegible]						
[illegible] 2 NNE	[illegible]													.08	.02	T																
BURLEY	[illegible]																															
BURLEY FACTORY	[illegible]																															
BURLEY CAA AP	.38																															
CALDWELL	[illegible]																															
CAMBRIDGE	[illegible]																															
CASCADE 1 NW	[illegible]																															
[illegible]	T																															
CHALLIS	[illegible]														[illegible]																	
CHILLY BARTON FLAT	[illegible]													[illegible]																		
[illegible]	[illegible]																															
[illegible]	[illegible]													[illegible]																		
COEUR D ALENE CAA AP	[illegible]																															
COEUR D ALENE RS	[illegible]																															
CONDA	[illegible]													[illegible]			[illegible]												[illegible]	[illegible]		
COTTONWOOD	[illegible]	[illegible]																														
[illegible]	[illegible]																															
[illegible] 2 NNW	[illegible]																															
[illegible]	[illegible]																															
[illegible]	[illegible]																															
[illegible]	[illegible]																															
DRIGGS	[illegible]																															
DUBOIS EXP STA	[illegible]																															
DUBOIS CAA AP	[illegible]																															
[illegible] CITY	[illegible]																															

DAILY PRECIPITATION

Table 3—Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
[illegible]	[illegible]																															
EMMETT 2 E	[illegible]																															
[illegible]	T																								T							
[illegible]	[illegible]	.17									T			.03												T						T
[illegible]	T																												T			
[illegible]	.00																															
[illegible]	[illegible]																															
GOODING CAA AP	[illegible]																															
GRACE	[illegible]													.36														.01	.03			
GRAND VIEW	[illegible]													.13																		
[illegible]	-												T													T						
[illegible]	T										T																					
GROUSE	[illegible]										.02																					
[illegible]	T										T																					
[illegible]	.00																															
[illegible]	[illegible]																															
[illegible]	[illegible]																															
[illegible]	.00																															
HOWE	.30											[illegible]			[illegible]																	
[illegible]	[illegible]																															
[illegible]	.00																															
[illegible]	[illegible]											[illegible]																	.11		T	
[illegible]	.09													[illegible]															T			
[illegible]	.31										[illegible]																		T			.12
[illegible]	[illegible]										.12									T										.11	.07	.05
[illegible]	.05													[illegible]																		
[illegible]	[illegible]	.33																								T						
[illegible]	.00																															
[illegible]	[illegible]	[illegible]																								T						
[illegible]	[illegible]																															
[illegible]	T													T																		
[illegible]	T													T																		
[illegible]	.56										.05	[illegible]				.31												.17	T			.01
MACKAY RS	.05										T			.05											T				T	T	T	T
MALAD	.11															.11												T				T
[illegible] CAA AP	.02										T					.02																
[illegible]	[illegible]			T				T	T					.10	.05															T	T	
MC CALL	.00																															
[illegible]	[illegible]									T	T																		.16	.05		
[illegible]	[illegible]																															
MESA	.00																															
[illegible]	[illegible]																												[illegible]		.06	
[illegible]	.28											.20					[illegible]												.01	T	.02	T
[illegible]	T													T																		
[illegible]	[illegible]																															
[illegible]	T	T											-																			
[illegible]	[illegible]																															
NEW MEADOWS RS	.02										.02																					
[illegible]	[illegible]	[illegible]																								.26						
[illegible]	[illegible]																												.06	.09	.19	.06
[illegible]	.02										[illegible]	-		T																		
[illegible]	[illegible]																															
[illegible]	.09	.09																														
[illegible]	.22										[illegible]	[illegible]																	[illegible]	[illegible]		.12
[illegible]	[illegible]																															
[illegible]	[illegible]																														.01	
[illegible]	[illegible]																															
[illegible]	[illegible]	[illegible]																								.07						
[illegible]	T														T																T	
[illegible]	[illegible]										T		T	.03	T														.01		T	
[illegible]	[illegible]	[illegible]																										[illegible]				
[illegible]	[illegible]										.11					T													[illegible]			.21
[illegible]	[illegible]	[illegible]													T													T				
REACTOR TESTING STA	[illegible]																															
[illegible]	[illegible]										[illegible]																					
[illegible]	.09	[illegible]																														
[illegible]	T															T																
RUPERT	.00																															
[illegible]	[illegible]										[illegible]	[illegible]																	[illegible]			
[illegible]	[illegible]																															
[illegible]	.05			T										.05																		
SANDPOINT EXP STA	T					T									T		-															
SHOSHONE	T										T																					
[illegible]	.67								.01						.30					.01	.01				-						.05	.29
[illegible]	T																												T			
[illegible]	.03											T		[illegible]																		T
[illegible]	[illegible]										.03																	.50		.01	.85	[illegible]
[illegible]	[illegible]											.04																				
[illegible]	T										T	T													T							
[illegible]	[illegible]																															
TETONIA EXP STA	.44											[illegible]									1									.14	.16	
[illegible]	.05											.03		.02	T																T	
[illegible]	T															T													T		T	
TWIN FALLS 3 SE	.00																															
WALLACE	[illegible]													T	T																	
[illegible]	.00																															
WEISER	.00																															
[illegible]	.04	[illegible]																														

PRECIPITATION MEASURED IN STORAGE GAGES

Station	Observation date	Amount since last obs	Snow on ground
[illegible]	1952		
	MAY 1		
	NOV. 1	-	
	1953		
	JAN. 1	6.25	
	FEB. 1	7.83	
	MAR. 1	4.10	
	APR. 1	2.00	
	MAY 1	1.59	
	JUL. 7	5.67	
[illegible]			

Station	Observation date	Amount since last obs	Snow on ground
PUNGO CREEK	1952		
	JUN. 30		
	AUG. 1	.05	
	14	.25	
	SEP. 6	.05	
	DEC. 2	.82	4
	14	2.25	16
	1953		
	APR. 11	11.32	6
	MAY 16	2.14	
	JUN. 15	3.36	
TOTAL		20.24	

Station	Observation date	Amount since last obs.	Snow on ground
PUTNAM MTN	1952		
	JUL. 10		
	30	.50	
	1953		
	MAY 1	-	
	25	1.10	
	JUN. 5	2.65	
	JUL. 1	.85	
TOTAL		-	

All storage gage precipitation reports for this section were not received in time for publication in this issue. Additional storage gage reports, if received, will be published in the August issue.

See reference notes following station index

DAILY TEMPERATURES

ble 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ERDEEN EXP STA	MAX	87	86	90	90	90	92	94	93	95	89	94	95	98	96	89	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	85	[illegible]	[illegible]	91	[illegible]	95	94	92	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	49	43	46	50	50	47	47	53	49	64	52	53	54	58	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
LBION	MAX	77	86	85	85	85	89	95	92	90	94	93	95	95	95	83	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	82	[illegible]	[illegible]	[illegible]	81	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	[illegible]
	MIN	40	38	41	43	48	44	43	57	49	65	49	50	50	54	69	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
LPHA 1 NE	MAX	72	77	81	79	80	84	90	83	88	88	92	94	91	87	82	[illegible]	83	[illegible]	82	77	[illegible]	85	85	[illegible]	77	[illegible]	83	85	88	87	83	[illegible]
	MIN	33	34	31	35	37	39	41	44	35	41	44	46	49	49	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MERICAN FALLS 1 NW	MAX	84	84	87	87	87	89	94	95	92	89	87	89	95	93	85	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	84	[illegible]	94	94	89	90	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	51	49	43	47	47	50	47	54	51	68	56	51	53	59	64	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NDERSON DAM	MAX	80	85	90	89	90	95	98	91	99	99	101	103	101	99	95	[illegible]	91	91	92	95	89	[illegible]	94	[illegible]	[illegible]	97	92	96	97	97	[illegible]	[illegible]
	MIN	49	46	50	53	56	54	53	58	55	55	63	64	66	65	63	51	[illegible]	51	[illegible]	54	51	[illegible]	[illegible]	[illegible]	[illegible]	54	55	55	58	[illegible]	62	[illegible]
RCO	MAX	78	81	85	84	86	90	93	90	93	90	90	94	94	93	91	[illegible]	[illegible]	[illegible]	89	[illegible]	84	[illegible]	87	85	93		90	[illegible]	[illegible]	92	89	[illegible]
	MIN	45	39	45	43	53	53	54	53	53	62	52	53	52	57	56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	[illegible]	54	45		42	[illegible]	[illegible]	[illegible]	[illegible]	49.4
RROWROCK DAM	MAX	81	81	87		90	90	95	101	91	98	98	100	104	103	98	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	89	95	92	[illegible]	86	94	[illegible]	94	97	97	[illegible]
	MIN	46	48	54		55	57	58	62	56	62	63	64	65	65	57	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]	[illegible]	53	56	[illegible]	58	[illegible]
SHTON 1 S	MAX	73	75	77	78	80	79	81	84	87	86	87	89	88	89	83	[illegible]	83	81	83	83	82	86	84	82	83	84	78	81	84	85	87	[illegible]
	MIN	39	38	40	42	43	43	45	46	44	47	46	48	53	57	57	[illegible]	[illegible]	[illegible]	47	46	35	[illegible]	[illegible]	[illegible]	[illegible]	53	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]
TLANTA 1 E	MAX	73	76	79	79	80	83	88	87	85	88	87	89	89	87	85	[illegible]	[illegible]	83	82	80	80	85	[illegible]	82	81	85	[illegible]	[illegible]	85	87	[illegible]	[illegible]
	MIN	40	40	46	46	47	48	50	55	49	55	53	56	58	57	53	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	51	[illegible]	51	55	54	[illegible]
VERY RS	MAX	78	82	82	80	85	90	94	95	92	97	98	106	105	93	78	[illegible]	[illegible]	90	[illegible]	[illegible]	86	[illegible]	[illegible]	84	83	88	87	91	92	93	89	[illegible]
	MIN	44	42	45	41	42	41	45	48	45	47	50	56	59	52	54	[illegible]	48	47	44	[illegible]	[illegible]	[illegible]	41	[illegible]	45	45	44	42	45	46	44	45.5
AYVIEW MODEL BASIN	MAX	78	82	82	81	78	79	85	87	87	89	85	87	89	89	79	84	89	88	[illegible]	81	84	[illegible]	[illegible]	77	[illegible]	80	81	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	46	39	49	45	41	42	47	55	42	50	51	55	62	55	51	39	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	[illegible]
G CREEK 1S	MAX	73	77	79	79	80	84	87	86	88	87	91	95	95	89	79	81	57	[illegible]	84	74	83	86	[illegible]	83	84	80	85	[illegible]	89	92	95	[illegible]
	MIN	31	28	31	30	32	32	34	37	30	36	39	41	41	42	39	28	29	[illegible]	[illegible]	30	27	[illegible]	[illegible]	30	[illegible]	28	[illegible]	[illegible]	33	34	42	[illegible]
ACKFOOT	MAX	83	86	90	90	90	92	95	92	95	89	95	97	98	97	88	86	90	91	92	91	87	95	95	91	90	86	94	92	94	94	91	[illegible]
	MIN	53	51	48	54	53	54	55	57	56	60	55	59	59	60	69	52	46	[illegible]	64	64	48	[illegible]	54	60	57	50	60	58	61	61	[illegible]	56.6
ACKFOOT DAM	MAX	73	78	81	81	80	82	85	84	87	76	84	87	92	89	78	78	83	85	[illegible]	79	81	[illegible]	[illegible]	87	[illegible]	[illegible]	80	87	[illegible]	[illegible]	84	[illegible]
	MIN	38	33	36	37	30	39	39	44	42	57	42	45	49	48	50	37	38	[illegible]	[illegible]	[illegible]	30	[illegible]	41	44	[illegible]	[illegible]	50	46	[illegible]	44	54	[illegible]
LISS	MAX	83	88	92	91	92					98	100	100	101	100	96	88	93	94	95	89	89	96	91	89	89	94	97	98	100	100	94	[illegible]
	MIN	53	43	50	50	50					63	60	65	72	72	65	50	[illegible]	56	60	52	60	[illegible]	56	52	[illegible]	[illegible]	54	56	[illegible]	[illegible]	59	56.8
ISE LUCKY PEAK DAM	MAX	82		89			96	103	100	[illegible]	99	105	106	103	101	101	86	89	92	92	86	84	97	96	90	90	93		95	97	95	94	[illegible]
	MIN	[illegible]	45		[illegible]			61	61	60	66	64	68	69	65	55	48	[illegible]	[illegible]	[illegible]	46	[illegible]	55	51	44	51		55	58	[illegible]	[illegible]	[illegible]	[illegible]
ISE WB AP	MAX	78	85	89	90	89	95	101	90	96	93	102	105	101	99	84	84	88	[illegible]	90	81	86	95	90	90	85	90	89	[illegible]	93	94	89	[illegible]
	MIN	48	50	57	50	53	59	63	66	60	68	65	67	72	70	57	47	52	[illegible]	54	[illegible]	47	58	55	52	51	57	53	52	50	61	58	[illegible]
NNERS FERRY	MAX	77	83	83	73	84	89	92	78	88	95	98	98	90	85	73	84	89	91	81	80	84	88	77	83	79	86	82	87	91	[illegible]	80	[illegible]
	MIN	44	44	48	52	43	43	49	50	46	50	52	54	65	58	57	44	47	51	48	50	42	46	50	43	[illegible]	[illegible]	55	[illegible]	45	46	[illegible]	[illegible]
HL	MAX	81	84	90	90	90	91	96	96	92	93	94	96	94	94	90	83	86	90	91	95	85	93	92	88	90		92	[illegible]	[illegible]	[illegible]	88	[illegible]
	MIN	54	53	57	59	60	61	61	66	62	68	64	67	71	66	65	54	55	61	61	59	53	58	60	58	57		[illegible]	[illegible]	61	64	61	60.6
NGALOW RS	MAX	80	84	85	84	86	92	96	94	96	100	102	102	100	99	91	90	93	93	91	86	91	93	91	87	88	92	92	94	97	95	92	[illegible]
	MIN	48	42	45	43	43	44	44	49	48	48	51	55	59	55	50	42	46	51	[illegible]	45	42	44	44	40	48	45	46	43	47	[illegible]	48	[illegible]
RKE 2 NNE	MAX	66	75	69	70	73	78	81	82	80	84	87	94	92	82	70	73	78	79	76	71	73	78	78	73	73	76	75	78	[illegible]	79	77	77.4
	MIN	38	38	41	39	38	39	44	45	42	45	46	53	52	49	42	38	40	45	43	41	38	42	38	37	38	43	44	38	41	40	[illegible]	42.1
RLEY	MAX	86	82	87	93	92	92	95	97	94	96	91	95	97	97	96	87	86	90	91	95	92	88	98	94	92	90	98	[illegible]	92	[illegible]	96	[illegible]
	MIN	55	54	52	56	57	56	56	65	60	69	60	60	64	65	70	54	50	58	58	60	49	51	57	[illegible]	[illegible]	[illegible]	53	58	63	61	61	[illegible]
RLEY FACTORY	MAX	87	82	90	90	94	92	92	96	99	96	91	97	99	99	98	86	86	89	89	92	81	86	97	92	90	89	99	[illegible]	92	93	96	[illegible]
	MIN	53	45	47	47	49	50	52	51	60	66	58	56	61	63	68	50	45	50	50	53	52	46	51	57	55	46	56	[illegible]	60	58	57	53.6
RLEY CAA AP	MAX	82	86	92	91	91	94	98	93	96	94	98	99	98	100	86	85	90	90	95	82	86	96	93	90	88	96	92	89	92	96	87	91.8
	MIN	53	45	45	49	52	52	50	60	54	65	58	58	61	64	62	49	45	54	54	54	43	47	51	56	53	45	57	51	60	59	58	53.7
LDWELL	MAX	81	88	92	90	90	95	98	92	96	96	99	104	100	97	85	86	91	93	91	82	87	94	90	90	87	91	91	95	94	95	89	91.9
	MIN	50	48	50	50	57	56	55	62	53	59	60	62	62	61	58	51	53	52	59	57	51	48	54	55	49	48	54	53	52	57	59	54.7
MBRIDGE	MAX	82	90	91	88	93	96	101	97	96	100	102	107	104	100	92	93	97	96	88	82	90	100	97	94	95	94	96	98	99	99	95	95.2
	MIN	49	40	41	43	53	50	50	52	50	45	52	[illegible]	58	[illegible]	59	46	44	50	55	50	45	43	44	48	45	46	52	[illegible]	[illegible]	52	52	[illegible]
SCADE 1 NW	MAX	71	76	79	79	80	84	89	87	89	89	92	97	95	90	85	80	82	84	83	73	81	87	85	80	82	87	87	90	88	88	88	84.7
	MIN	40	38	41	41	44	46	47	52	44	49	52	53	57	56	52	44	44	44	46	41	38	38	45	44	[illegible]	38	42	43	46	45	52	45.3
ALLIS	MAX	78	83	83	85	86	89	91	91	91	90	90	92	91	93	90	82	87	87	89	83	84	90	88	89	86	91	91	89	91	95	90	88.2
	MIN	46	45	47	53	49	50	60	56	49	53	55	56	56	56	56	46	48	54	51	[illegible]	45	49	51	50	47	47	49	48	51	54	58	51.1
ILLY BARTON FLAT	MAX	74	77	79	79	81	81	82	84	84	82	83	82	82	84	82	76	78	81	[illegible]	76	75	85	84	82	81	83	86	[illegible]	85	87	83	[illegible]
	MIN	39	34	35	34	37	40	39	48	36	42	44	41	45	48	49	45	35	41	43	40	37	35	38	42	34	34	36	37	41	[illegible]	46	[illegible]
ARK FORK 1 ENE	MAX	74	80	79	75	78	86	88	86	88	92	93	93	88	85	76	82	87	89	84	79	85	91	86	86	83	85	83	84				[illegible]
	MIN	45	39	42	43	37	33	38	40	35	41	37	40	45	40	45	40	41	[illegible]	40	44	[illegible]	41		42	[illegible]	47	[illegible]	46				[illegible]
BALT BLACKBIRD MINE	MAX	74	67	74			77	80	82	84	84	78	84	87	85	85	77	[illegible]	80	80	81	68	74	81	78	76	76	83	81	81	85	86	[illegible]
	MIN	36	38	40			40	44	48	43	47	48	51	50	50	48	34	40	44	44	41	[illegible]	40	43	42	[illegible]	41	45	42	44	49	50	43.3
EUR D ALENE CAA AP	MAX	74	80	79	78	80	86	87	86	87	92	93	95	93	81	74	79	86	[illegible]	80	78	82	87	76	78	78	82	79	85	[illegible]	86	78	[illegible]
	MIN	46	44	52	46	47	44	49	55	51	52	53	59	63	58	51	43	49	[illegible]	55	49	44	49	47	[illegible]	[illegible]	53	58	43	47	52	48	49.9
EUR D ALENE RS	MAX	79	82	83	81	83	88	91	90	88	94	97	96	95	88	78	84	90	[illegible]	[illegible]	[illegible]	85	90	88	84	82	85	84	87	91	89	86	[illegible]
	MIN	50	45	48	44	41	44	47	51	48	52	53	55	61	56	54	45	46	54	52	50	40	[illegible]	52	44	45	50	[illegible]	43	45	50	53	49.2
NDA	MAX	88	80	81	84	85	82	83	85	89	89	79	87	91	92	90	84	91	85	84	[illegible]	83	84	88	89	90	[illegible]	[illegible]	90	91	89	90	[illegible]
	MIN	41	36	39	41	44	42	42	48	48	60	46	48	49	51	59	51	40	[illegible]	41	46	[illegible]	[illegible]	43	[illegible]	45	43	58	50	51	[illegible]	55	[illegible]
TTONWOOD	MAX	71	75	77	80	78	85	85	85	88	87	90	99	86	82	71	79	83	87	82	72	80	85	74	75	77	82	77	85	88	84	77	[illegible]
	MIN	40	43	49	43	44	45	47	51	49	54	55	57	54	58	50	41	46	54	45	45	45	44	43	39	52	46	51	45	50	52	48	[illegible]
UNCIL	MAX	80	86	90	91	90	95	99	98	96	96	99	103	100	97	94	92	91	94	[illegible]	88	89	94	92	90	89	97	91	96	97	96	90	[illegible]
	MIN	44	[illegible]	46	44	53	53	[illegible]	52	53	[illegible]	62	62	63	56	61	56	58	47	[illegible]	51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	53	56	58	64	63	65	[illegible]
ADWOOD DAM	MAX	72	72	81	81	80	84	89	85	89	86	90	95	92	89	79	82	83	83	84	75	82	86	[illegible]	82	80	87	84	89	91	91	84	[illegible]
	MIN	31	30	34	33	36	39	39	41	36	40	46	46	49	48	46	34	35	[illegible]	37	34	30	34	38	37	35	32	[illegible]	34	30	[illegible]	44	[illegible]
ER FLAT DAM	MAX	80	86	89	89	89	92	96	90	93	94	96	103	98	95	82	85	[illegible]	90	87	80	86	92	86	87	85	91	87	91	92	92	86	[illegible]
	MIN	52	49	50	55	60	63	60	70	59	63	64	66	66	61	59	52	[illegible]	[illegible]	[illegible]	56	[illegible]	[illegible]	54	54	60	52	[illegible]	58	60	[illegible]	61	58.3
KIE	MAX	71	74	77	76	78	81	84	83	85	85	87	92	90	87	80	77	83	83	80	72	78	84	80	78	77	83	82	85	87	88	78	[illegible]
	MIN	31	31	33	30	32	33	34	38	37	39	41	42	44	44	40	27	[illegible]	[illegible]	34	[illegible]	27	29	31	29	[illegible]	30	32	32	33	[illegible]	37	33.7
IGGS	MAX	85	83	82	83	83	83	83	85	86	90	82	85	93	92	92	85	83	85	87	85	83	86	86	87	87	86	91	87	85	87	87	85.9
	MIN	37	40	43	43	45	47	46	47	45	47	46	51	55	52	58	47	46	47	45	51	36	40	40	54	44	44	50	51	45	50	45	46.5
BOIS EXP STA	MAX	81	80	83	86	85	86	88	87	91	90	90	93	94	93	92	84	86	87	89	87	82	90	91	89	87	92	93	91	91	94	90	[illegible]
	MIN	52	46	51	53	52	55	58	60	55	60	52	59	58	57	62	56	[illegible]	[illegible]	57	52	[illegible]	50	[illegible]	[illegible]	52	53	[illegible]	58	54	54	55	[illegible]
BOIS CAA AP	MAX	80	83	85	87	87	88	91	90	94	89	93	97	96	96	90	86	[illegible]	[illegible]	91	89	85	[illegible]	92	89	87	93	93	91	91	96	93	[illegible]
	MIN	42	45	42	49	49	53	57	61	51	59	50	58	58	58	62	54	[illegible]	50	56	[illegible]	49	[illegible]	[illegible]	56	54	53	[illegible]	[illegible]	54	55	58	[illegible]
CITY	MAX	71	77	77	79	79	84	87	85	87	91	93	99	92	88	80	88	83	85	85	77	[illegible]	86	81	76	77	85	84	[illegible]	[illegible]	[illegible]	82	[illegible]
	MIN	42	31	35	31	32	34	34	37	38	40	41	42	53	46	53	33	[illegible]	[illegible]	34	[illegible]	28	[illegible]	32	30	33	[illegible]	[illegible]	31	34	35	38	35.0
RIVER 1 S	MAX	77	78	79	77	80	84	89	89	88	93	93	98	99	89	78	80	84	86	85	83	81	85	84	78	79	82	[illegible]	86	[illegible]	88	86	[illegible]
	MIN	39	35	39	35	40	37	41	48	41	44	46	51	53	49	53	37	39	[illegible]	[illegible]	[illegible]	[illegible]	34	37	34	43	[illegible]	[illegible]	38	41	38	[illegible]	[illegible]
METT 2 E	MAX	84	87	90	89	90	94	97	91	95	96	98	105	98	96	92	87	[illegible]	91	93	[illegible]	86	[illegible]	91	87	85	90	90	94	95	95	92	[illegible]
	MIN	45	45	50	46	50	54	57	53	52	56	65	67	64	62	56	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	52	[illegible]	56	52.3
RFIELD	MAX	76	78	83	81	82	85	90	90	89	90	89	91	94	91	90	[illegible]	84	[illegible]	85	81	82	[illegible]	87	85	87	[illegible]	86	[illegible]	[illegible]	92	88	86.5
	MIN	38	33	40	41	41	46	46	56	43	53	49	50	51	53	55	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NN RS	MAX	8	83	84	85	86	90	92	[illegible]	95	95	97	98	97	95	91	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	95	89	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	52	46	43	45	46	47	47	50	52	52	54	56	59	57	61	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
T HALL IND AGENCY	MAX	85	84	87	87	87	89	93	93	93	92	94	97	99	96	88	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	85	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	52	50	50	51	54	60	59	62	62	67	55	55	56	57	55	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
DEN VALLEY RS	MAX	88	83	83	86	88	94	99	96	98	98	100	105	101	101	96	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	99	87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	41	39	44	43	45	48	[illegible]	[illegible]	46	51	49	54	56	56	52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NNS FERRY	MAX	93	90	94	94	93	97	100	94	[illegible]	100	101	104	103	101	92	[illegible]	[illegible]	[illegible]	95	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	53	42	47	55	56	52	[illegible]	[illegible]	[illegible]	63	65	64	68	65	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
DING CAA AP	MAX	80	87	92	92	91	96	99	93	95	98	100	102	100	100	86	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	51	44	55	58	60	60	61	68	59	66	64	67	69	68	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CE	MAX	76	80	[illegible]	83	81	83	85	85	86	76	85	[illegible]	88	86	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	45	41	44	45	47	46	46	53	[illegible]	64	[illegible]	52	52	56	59	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ND VIEW	MAX	96	95	98	98	98	103	105	98	[illegible]	104	[illegible]	[illegible]	[illegible]	[illegible]	96						[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	55	48	58	[illegible]	60	58	[illegible]	[illegible]	[illegible]	63	[illegible]	[illegible]	65	[illegible]	64						[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NGEVILLE	MAX	73	79	78	81	81	84	83	88	[illegible]	89	[illegible]	102	89	85	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	43	47	50	47	44	50	52	58	55	57	58	51	61	58	52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
GRAY	MAX	80	85	78	79	81	85	90	87	81	87	86	88	89	90	86	85	83	84	83	86	90	95	91	90	91	90	92	94	95	96	88	87.
	MIN	40	42	39	40	45	55	56	55	50	49	48	50	50	52	48	50	48	46	48	49	42	45	48	52	53	52	54	56	45	46	50	48.
GROUSE	MAX	71	74	77	78	79	81	84	82	84	81	82	86	87	83	79	77	79	82	81	79	77	83	82	80	84	83	85	84	85	88	85	81.
	MIN	35	32	33	34	38	37	37	45	38	46	43	43	45	50	52	35	35	39	41	43	52	[illegible]	37	43	32	36	40	38	43	44	45	39.
HAILEY AP	MAX	75	78	84	83	85	89	91	89	90	89	93	95	95	92	91	89	89	89	88	87	84	86	88	87	88	89	91	88	91	92	90	88.
	MIN	41	41	46	45	49	49	49	51	51	51	50	53	59	58	57	49	49	49	48	46	47	47	48	47	46	46	47	50	55	54	55	49.
HAMER 4 NW	MAX	84	85	90	90	90	91	93	91	94	89	91	97	97	95	93	85	90	92	91	86	86	92	93	91	89	95	95	95	92	95	94	91.
	MIN	40	39	39	43	44	48	46	53	57	58	47	52	58	54	58	48	44	46	49	46	44	45	44	56	49	56	53	46	51	52	56	49.
HAZELTON	MAX	78	80	85	85	84	88	95	94	91	90	93	94	95	92	86	78	82	85	86	85	84	90	88	83	82	90	88	88	87	88	83	87.
	MIN		43	43	55	53	53	51	59	56	63	55	55	60	62	64	48	47	50	54	56	47	47	54	54	51	46	55	52	59	56	53	53.
HILL CITY	MAX	73	79	83	83	84	87	91	87	91	93	94	96	95	93	87	82	87	87	87	80	85	90	89	87	82	91	91	92	93	93	89	87.
	MIN	38	33	39	37	39	46	43	[illegible]	43	50	49	49	52	54	51	40	40	42	52	53	37	40	46	48	37	36	42	41	40	48	48	44.
HOLLISTER	MAX						90	97	86	93	92	94	97	95	94	91	80	80	85	87	79	82	90	86	85	82	89	86	89	91	89	92	88.
	MIN						54	55	62	55	69	63	63	60	66	66	51	46	42	54	54	46	[illegible]	57	55	56	48	58	54	53	56	58	55.
IDAHO CITY	MAX	78	84	88	87	88	92	95	92	94	94	97	99	98	95	92	86	89	92	89	95	87	93	90	88	84	91	91	91	95	95	90	90.
	MIN	35	34	38	39	40	44	44	47	40	42	50	50	53	52	47	37	39	39	41	37	34	38	[illegible]	40	37	37	39	37	40	43	46	41.
IDAHO FALLS 6 NE	MAX	82	77	83	84	84	83	89	86	88	88	90	94	93	91	87	84	86	84	86	82	81	88	87	85	82	88	86	89	89	88	80	86.
	MIN	48	44	42	48	46	49	46	52	49	62	49	58	59	56	63	48	42	57	50	61	44	[illegible]	49	56	[illegible]	[illegible]	60	52	55	61	59	51.
IDAHO FALLS CAA AP	MAX	79	81	87	87	88	88	90	89	91	89	94	98	95	94	84	86	89	85	88	85	82	90	90	87	84	92	90	90	91	92	88	88.
	MIN	50	47	51	50	50	48	49	53	53	61	53	55	57	57	63	52	45	55	54	56	45	46	51	59	51	48	63	55	54	52	58	52.
IRWIN 2 S	MAX	80	82	84	86	85	87	88	92	91	84	89	93	93	92	84	84	87	86	88	88	85	89	88	90	86	93	89	91	87	88	83	87.
	MIN	43	39	44	43	43	45	47	52	48	58	48	50	56	58	58	45	[illegible]	45	45	50	37	40	45	54	55	43	49	52	55	55	60	48.
ISLAND PARK DAM	MAX	78	74	78	80	80	81	83	82	86	84	84	89	89	88	85	78	82	83	82	80	78	84	84	82	81	86	85	85	85	88	84	82.
	MIN	35	34	35	40	37	44	40	49	42	47	45	50	50	52	50	43	42	37	41	39	45	34	38	50	43	40	45	41	45	46	48	42.
JEROME	MAX	80	86	91	90	91	95	99	96	97	97	98	100	98	99	95	85	9[illegible]	91	92	87	86	94	92	90	87	95	91	90	96	93	91	92.
	MIN	52	44	48	56	52	52	54	61	54	63	64	63	61	64	64	51	47	55	55	47	46	47	55	57	54	47	52	53	54	63	58	55.
KELLOGG	MAX	73	77	83	81	80	86	90	96	89	92	96	99	101	93	85	75	86	90	88	83	79	85	90	78	84	82	86	83	90	93	88	86.
	MIN	46	45	47	47	44	43	49	54	48	51	53	56	61	56	50	43	47	50	48	48	44	46	46	43	46	47	50	43	45	50	48	48.
KOOSKIA	MAX	80	88	85	85	89	93	97	94	97	100	102	111	104	94	81	90	93	95	92	88	91	94	84	87	87	91	88	94	96	95	91	92.
	MIN	54	46	49	45	46	46	47	51	50	54	54	56	61	57	62	45	44	47	48	47	43	44	47	42	50	47	47	45	48	50	50	49.
KUNA 2 NNE	MAX	78	85	88	88		93	95	88	92	92	96	101	95	95	81	82	86	89	88	78	84	91	86	85	83	89	87	89	91	92	85	88.
	MIN	48	42	47	48	51		54	59	50	58	60	60	64	57	56	45	45	46	52	49	44	46	50	49	48	45	47	45	49	51	53	50.
LEWISTON WATER PLANT	MAX	83	90	89	86	91	95	100	99	96	100	104	102	99	98	85	91	96	97	92	88	91	94	90	88	88	89	87	94	98	96	88	93.
	MIN	49	53	52	52	52	50	54	60	55	61	61	66	69	64	63	52	55	59	58	60	52	54	51	49	57	53	56	51	57	58	57	56.
LEWISTON WB AP	MAX	80	88	86	86	88	92	95	94	95	97	100	101	95	86	79	88	93	94	87	80	89	93	80	85	85	86	85	92	95	90	83	89.
	MIN	51	51	54	52	50	52	55	62	53	61	62	65	67	66	60	52	55	60	55	58	52	56	56	48	57	54	56	51	57	60	56	56.
LIFTON PUMPING STA	MAX	81	82	82	84	85	86	86	90	88	82	82	86	86	88	86	81	80	84	85	84	84	86	89	86	85	90	85	80	84	89	83	84.
	MIN	49	45	44	48	51	47	47	54	59	62	52	56	56	58	55	48	50	50	41	50	43	48	50	55	51	50	54	54	54	51	59	51.
MACKAY RS	MAX	79	80	82	85	86	85	88	86	90	87	89	90	90	92	90	83	85	87	88	82	80	90	88	85	87	86	90	88	87	92	89	86.
	MIN	43	43	45	43	49	53	52	54	50	52	49	55	53	52	55	50	46	51	50	51	48	47	49	49	50	49	46	50	49	49	48	49.
MALAD	MAX	84	88	90	92	89	91	95	94	94	83	93	95	94	93	84	86	90	89	91	89	89	91	95	94	92	91	95	93	92	93	90	90.
	MIN	52	47	49	52	52	52	52	58	61	68	54	57	55	59	64	52	50	52	46	54	49	47	52	54	55	55	56	58	57	55	59	54.
MALAD CAA AP	MAX	85	88	91	93	92	94	96	96	94	80	95	97	96	96	86	88	92	90	92	89	90	94	96	95	92	94	95	94	94	93	92	92.
	MIN	51	43	45	47	47	45	47	55	56	59	52	53	52	57	61	50	46	49	42	50	42	41	47	56	48	51	59	54	57	52	54	50.
MAY RS	MAX	79	83	81	83	85	86	89	91	91	89	92	92	92	92	87	81	89	90	88	80	85	89	87	87	86	91	93	89	90	92	89	87.
	MIN	41	40	39	42	44	45	44	50	43.	45	53	52	53	52	52	41	41	43	48	40	38	41	43	51	50	50	51	50	51	54	53	46.
MC CALL	MAX	68	74	76	76	78	87	86	80	85	86	87	91	89	85	80	78	80	83	81	78	78	85	79	79	75	82	81	86	86	87	79	81.
	MIN	40	38	42	38	44	44	48	47	41	48	49	51	52	52	48	47	42	41	42	40	32	38	44	41	44	38	40	41	45	45	49	43.
MC CAMMON	MAX	91	86	90	90	90	91	96	92	96	81	94	97	97	97	94	87	90	90	90	85	88	96	96	91	90	92	92	92	90	92	92	91.
	MIN	39	39	42	45	41	42	44	54	51	68	54	52	52	58	59	45	45	45	43	49	42	41	47	50	43	49	52	54	57	54	59	48.
MERIDIAN 1 W	MAX	79	86	89	89	89	94	98	94	95	95	99	103	99	97	92	84	87	91	89	89	87	92	89	87	85	89	88	91	94	93	91	91.
	MIN	49	45	51	50	54	54	57	62	55	61	62	65	66	66	58	49	47	47	54	53	45	50	55	50	48	48	54	47	51	54	58	53.
MESA	MAX	83	86	86	90	90	92	98	94	96	98	100	104	101	96	86	90	92	95	92	86	90	96	92	90	89	92	92	94	95	97	95	92.
	MIN	48	50	52	53	56	60	63	66	68	63	65	66	64	60	59	52	60	60	61	54	52	54	59	55	58	57	57	59	59	61	60	58.
MINIDOKA DAM	MAX	79	84	90	89	87	91	97	89	92	84	92	92	97	96	83	82	87	85	87	78	81	93	93	93	88	97	88	92	93	97	84	89.
	MIN	55	49	51	57	58	57	56	66	60	71	61	62	63	67	67	55	57	57	61	59	50	52	58	61	55	53	65	62	65	62	61	59.
MONTPELIER RS	MAX	86	80	84	86	87	86	85	89	89			86	90	91	93	82	83	86	90		85	84	88	90	89	88	91	89	88	90	90	87.
	MIN	46	40	41	42	44	43	41	51			47	51	55	54	54	41	46	46	41		36	41	44	53	42	46	53	51	51	47	56	46.
MOSCOW U OF I	MAX	73	81	81	78	85	89	90	89	90	92	96	94	93	87	77	82	86	86	82	84	82	85	81	79	78	82	80	87	89	85	80	84.
	MIN	42	42	45	42	42	39	48	58	46	42	51	57	55	52	48	40	43	49	49	50	43	45	44	37	47	42	43	38	43	48	47	45.
MOUNTAIN HOME	MAX	85	92	98	96	97	102	105	102	102	104	106	107	106	105	101	92	98	98	97	89	94	103	98	98	96	102	98	99	103	104	103	99.
	MIN	49	48	52	56	58	57	59	69	57	70	65	67	68	72	61	51	53	54	58	58	51	53	58	55	53	52	52	54	59	63	61	57.
MULLAN PASS CAA	MAX	62	67	64	64	67	70	80	73	74	77	80	88	77	72	55	66	70	72	65	57	67	74	63	64	67	73	65	74	75	71	65	69.
	MIN	41	46	51	48	46	53	57	58	55	61	61	62	58	51	43	45	53	57	51	41	48	52	44	48	48	49	52	48	55	56	49	51.
NAMPA 2 NW	MAX	84	82	87	91	90	92	96	99	93	97	98	100	103	100	98	86	87	91	92	92	83	89	94	91	90	88	93	91	93	97	97	92.
	MIN	49	46	51	53	56	56	56	61	51	58	62	63	64	60	57	51	52	50	53	55	49	49	54	56	52	47	52	49	53	54	59	54.
NEW MEADOWS RS	MAX	76	76	83	83	84	89	92	90	92	92	95	97	96	90	86	81	86	88	88	83	85	88	88	83	80	83	85	90	90	91	90	87.
	MIN	35	35	38	35	40	40	43	42	37	46	47	48	54	48	47	36	35	38	39	35	34	34	40	38	41	34	34	37	40	40	45	39.
NEZPERCE 2 E	MAX	72	78	75	75	80	82	85	83	85	89	92	97	85	80	71	79	83	85	80	73	81	84	74	77	78	82	79	85	88	84	78	81.
	MIN	46	47	51	48	48	50	52	57	51	57	58	60	57	55	53	44	48	53	59	46	45	50	44	43	50	54	47	49	53	53	49	50.
OAKLEY	MAX	78	85	87	87	87	90	95	89	90	90	93	94	96	93	88	86	85	87	90	85	85	92	86	85	90	95	88	88	92	95	84	88.
	MIN	44	45	46	52	54	56	55	59	58	68	59	59	64	66	68	44	49	55	56	52	44	52	54	55	52	54	63	54	60	61	58	55.
OBSIDIAN 4 NNE	MAX	70	70	72	72	74	76	82	81	80	82	83	8	84	82	81	77	80	79	76	70	77	79	78	76	78	80	78	78	82	81	83	78.
	MIN	29	30	32	32	33	34	36	41	33	39	40	42	45	50	35	31	35	36	36	34	28	32	32	33	32	31	32	33	35	34	38	34.
OLA 4 S	MAX	85	88	91	90	96	98	101	99	97	101	102	107	103	99	96	90	93	95	93	92	91	97	95	98	90	95	96	97	101	100	100	96.
	MIN	43	45	43	44	47	47	48	47	45	49	57	58	63	59	59	50	50	48	47	47	47	46	47	51	47	45	45	49	47	50	48	49.
OROFINO	MAX	85	86	87	89	90	96	101	96	99	101	106	104	98	96	82	92	96	95	98	95	93	95	92	90	89	91	89	96	98	98	90	94.
	MIN	52	49	46	51	49	46	49	55	50	54	55	57	57	59	59	47	49	51	62	50	47	49	52	45	55	55	47	48	51	52	52	51.
PALISADES DAM	MAX	86	81	83	83	83	83	85	85	88	84	86	92	91	92	91	81	85	85		85	82	87	88	88	89	90	86	89	87	88	83	86.
	MIN	44	41	43	43	45	46	47	51	50	59	49	52	56	55	57	45	47	49	46	49	40	42	47	53	53	48	57	50	54	53	61	49.
PARMA EXP STA	MAX	83	86	89	98	88	92	98	97	94	95	99	98	96	96	94	86	90	95	91	90	87	97	94	88	88	91	90	95	94	95	94	92.
	MIN	49	46	50	52	56	54	59	68	53	59	58	61	65	61	57	48	50	55	53	57	46	46	54	52	53	49	53	52	57	59	57	54.
PAUL 1 E	MAX	82	79	83	90	90	92	92	101	93	96	90	95	96	98	95	82	83	90	90	88	77	83	94	91	90	90	95	89	88	92	96	90.
	MIN	51	43	45	52	52	45	46	51	55	60	57	54	60	61	67	46	48	53	54	56	42	45	50	58	51	46	57	54	57	57	57	52.
PAYETTE	MAX	82	92	90	90	91	98	101	96	101	101	102	107	105	100	88	92	95	98	95	88	90	98	92	92	90	94	92	96	98	98	90	94.
	MIN	50	56	50	49	58	58	60	67	52	61	61	62	68	61	60	51	53	52	59	59	50	47	57	55	56	52	58	55	60	62	62	56.
PIERCE RS	MAX	73	78	79	79	81	85	90	90	90	95	97	102	102	91	84	83	86	86	86	81	83	87	86	80	80	85	85	88	90	90	87	86.
	MIN	45	37	41	38	40	38	40	47	40	45	48	51	55	48	54	37	39	40	41	39	39	38	39	35	45	40	41	38	43	44	43	42.
POCATELLO WB AP	MAX	81	86	90	90	90	92	96	92	94	[illegible]	95	97	97	94	88	85	89	91	92	84	87	95	94	91	88	96	94	91	91	93	91	91.
	MIN	53	47	51	55	51	55	50	54	54	65	56	56	58	59	63	52	47	58	59	59	53	48	53	62	57	48	70	58	59	58	61	55.
PORTHILL	MAX	75	83	84	73	80	85	88	89	90	93	96	98	95	92	90	92	88	90	89	82	84	89	85	85	75	82	82	79	88	93	88	86.
	MIN	43	44	50	50	42	44	50	47	49	52	51	52	61	61	57	51	46	50	48	45	43	45	43	42	44	46	52	44	44	44	46	47.
PRESTON SUG FACT 2 SE	MAX	91	88	89	91	91	91	95	95	94	97	93	95	95	94	93	88	90	90	92	91	89	92	95	95	92	93	93	92	95	94	92	92.
	MIN	47	43	43	46	48	46	46	57	59	64	53	53	53	59	61	48	49	49	49	50	39	45	49	53	51	52	57	56	57	53	58	51.
PRIEST RIVER EXP STA	MAX	72	78	78	72	79	84	88	86	85	89	92	92	86	84	73	80	84	85	84	78	80	84	83	78	78	80	78	83	86	84	83	82.
	MIN	43	40	44	46	37	41	46	48	42	48	48	51	55	57	45	39	43	45	42	47	40	42	43	37	40	47	53	38	41	44	40	44.
REACTOR TESTING STA	MAX	80	84	88	88	90	92	94	92	94	87	92	96	98	97	88	85	90	92	92	86	86	93	92	89	88	94	93	91	94	94	92	90.
	MIN	44	38	43	45	48	49	47	54	48	60	47	51	54	54	66	41	38	49	46	56	39	42	53	55	46	40	55	47	53	53	52	48.
RICHFIELD	MAX	81	82	87	87	86	90	97	94	93	92	94	98	96	93	93	84	86	87	89	83	84	91	89	88	86	94	92	92	93	93	86	89.
	MIN	48	41	48	48	47	49	54	62	54	61	56	56	62	64	61	43	49	49	52	51	43	47	52	55	50	48	51	53	57	60	59	52.
RIGGINS RS	MAX	81	89	92	94	92	95	96	98	100	99	102	108	110	102	101	88	93	96	98	93	90	96	96	85	90	92	93	94	96	96	96	95.
	MIN	50	53	57	55	55	57	63	64	60	67	70	[illegible]	69	69	68	62	59	59	60	55	54	58	59	50	59	56	58	56	63	61	63	59.
ROLAND W PORTAL	MAX	69	75	73	72	78	82	84	81	84	88	91	96	94	86	69	76	82	80	79	74	78	81	79	76	76	81	81	81	85	85	81	80.
	MIN	39	38	42	39	40	39	44	55	43	45	49	53	54	51	46	37	40	45	43	39	37	41	38	36	43	42	43	38	41	46	41	42.
RUPERT	MAX	88	83	91	93	93	92	95	100	93	97	93	101	100	99	97	87	90	91	92	96	82	90	99	96	91	93	102	95	89	93	96	93.
	MIN	51	43	48	52	51	52	52	59	55	66	58	58	60	65	66	49	47	51	54	56	45	47	52	52	53	48	59	54	61	61	57	54.
SAINT ANTHONY	MAX	84	83	85	87	88	88	89	89	94	87	91	95	95	93	84	85	89	87	88	84	83	90	89	87	85	91	90	90	90	92	94	88.
	MIN	36	38	39	40	42	45	45	53	47	55	50	53	52	55	57	47	41	46	46	47	37	41	44	56	47	44	44	41	50	51	57	46.

See reference notes following Station Index

DAILY TEMPERATURES

ble 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
INT MARIES	MAX	84	81	79	78	83	89	94	94	92	93	93	93	94	95	94	95	[illegible]	[illegible]	[illegible]	[illegible]	84	88	88	86	87	85	84	87	89	90	87	88.2
	MIN	42	41	45	42	40	39	44	49	46	53	49	51	54	52	46	40	42	[illegible]	44	42	[illegible]	43	40	38	37	[illegible]	45	38	41	46	41	43.9
LMON	MAX	81	86	87	92	90	93	95	98	93	92	97	100	96	99	91	[illegible]	[illegible]	94	94	[illegible]	[illegible]	[illegible]	94	86	89	[illegible]	97	94	95	97	94	92.0
	MIN	46	40	43	46	49	44	45	48	46	48	53	52	53	55	59	[illegible]	42	46	[illegible]	51	37	[illegible]	47	46	45	44	43	49	46	49	56	47.1
NDPOINT EXP STA	MAX	74	79	79	73	79	84	88	85	86	88	86	92	87	80	74	[illegible]	84	[illegible]	79	[illegible]	80	86	[illegible]	78	79	82	82	[illegible]	92	86	78	81.7
	MIN	43	42	45	54	47	42	46	54	43	44	49	52	62	54	53	41	43	47	45	51	41	42	53	[illegible]	43	45	39	42	42	44	51	46.5
OSHONE	MAX	79	85	89	89	90	93	97	91	95	96	98	99	99	95	86	[illegible]	88	90	[illegible]	86	86	[illegible]	90	[illegible]	84	[illegible]	[illegible]	94	94	95	88	90.9
	MIN	46	50	48	58	59	54	55	61	54	64	60	64	65	64	64	46	48	51	57	[illegible]	43	49	53	54	52	[illegible]	54	54	[illegible]	[illegible]	61	55.3
ENCER RS	MAX	78	77	81	84	84	85	86	86	89	89	87	91	93	89	88	[illegible]	[illegible]	86	[illegible]	[illegible]	79	87	88	[illegible]	[illegible]	[illegible]	90	[illegible]	86	89	84	85.7
	MIN	45	38	42	49		46	51				48	47	48	50		[illegible]	42	42	36	43			45	55	[illegible]	46	52	[illegible]	47	[illegible]	[illegible]	46.1
RINGFIELD 1 SE	MAX	79	82	85	81	85	89	90	87	91	91	92	97	96	95	85	[illegible]	88	[illegible]	[illegible]	86	[illegible]	92	[illegible]	88	[illegible]	[illegible]	[illegible]	[illegible]	92	94	89	[illegible]
	MIN	52	38	45	46	40	44	46	51	49	50	52	51	53	56	53	50	45	46	47	[illegible]		41	42	45	50	43	64	[illegible]	55	53	54	48.3
IBNITE	MAX	71	70	73	69	73	75	77	82	79	82	82	86	89	88	88	74	[illegible]	[illegible]	81	77	76	[illegible]	[illegible]	76	[illegible]	72	[illegible]	[illegible]	[illegible]	[illegible]	84	78.5
	MIN	35	35	39	37	37	41	43	48	41	48	48	51	51	47	46	34	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	41	41	[illegible]	40	43	41	42	46	48	[illegible]
TREVELL	MAX	83	87	90	91	90	93	96	95	92	84	91	94	95	95	89	85	[illegible]	[illegible]	92	88	89	[illegible]	96	94	91	[illegible]	91	[illegible]	91	90	85	90.8
	MIN	47	43	43	46	48	48	49	65	55	62	53	56	56	57	66	53	43	45	47	[illegible]	41	45	48	[illegible]	[illegible]	46	64	59	[illegible]	61	[illegible]	[illegible]
GAR	MAX	85	81	86	87	85	86	[illegible]	88	94	87	91	94	95	92	82	85	87	[illegible]	[illegible]	81	[illegible]	90	[illegible]	86	[illegible]	[illegible]	88	91	[illegible]	[illegible]	89	87.5
	MIN											48	52	54	52	56	[illegible]	40	46	46	46	37	[illegible]	41	[illegible]	45	[illegible]	51	48	48	[illegible]	54	
N VALLEY	MAX	75	78	82	81	84	85	87	87	88	87	88	89	90	89	87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	29	28	31	32	34	35	34	45	33	39	40	42	44	46	44	[illegible]	34	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	39	40	42	36.2
AN FALLS PH	MAX	85	94	94	95	94	100	105	104	105	103	106	107	108	108	103	92	94	[illegible]	96	[illegible]	[illegible]	[illegible]	[illegible]	95	92	97	96	[illegible]	100	[illegible]	94	[illegible]
	MIN	58	54	60	64	66	65	65	77	61	67	69	72	71	70	65	[illegible]	[illegible]	[illegible]	70	[illegible]	60	[illegible]	66	65	64	[illegible]	64	[illegible]	68	69	[illegible]	64.9
TONIA EXP STA	MAX	79	75	78	81	84	93	85	83	88	84	86	89	93	91	86	[illegible]	84	[illegible]	[illegible]	85	[illegible]	[illegible]	89	[illegible]	85	88	89	86	[illegible]	[illegible]	[illegible]	84.6
	MIN	34	35	37	42	45	43	45	43	48	45	46	48	49	48	45	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
REE CREEK	MAX	77	85	90	90	89	93	96	90	90	93	95	97	95	95	89	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	91	90	96	92	94	[illegible]	[illegible]	[illegible]	90.9
	MIN	36	35	37	38	37	41	40	47	43	57	50	55	53	59	52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	45	41.5
IN FALLS 2 NNE	MAX	84	86	92	92	90	94	101	96	98	99	100	101	96	99	91	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	91	[illegible]	[illegible]	94	[illegible]	[illegible]	93	[illegible]	92.5
	MIN	52	48	49	57	55	53	52	64	56	65	58	58	60	62	65	[illegible]	[illegible]	[illegible]	[illegible]	58	51	46	[illegible]	56	[illegible]	45	55	[illegible]	[illegible]	57	[illegible]	[illegible]
IN FALLS 3 SE	MAX	83	81	85	92	89	90	94	100	92	96	97	96	98	96	98	[illegible]	[illegible]	89	[illegible]	[illegible]	[illegible]	[illegible]	93	[illegible]	88	86	[illegible]	[illegible]	[illegible]	95	90	[illegible]
	MIN	52	50	53	58	61	55	54	65	59	64	57	60	61	62	66	53	[illegible]	62	[illegible]	57	51	49	59	56	[illegible]	50	[illegible]	[illegible]	61	58	57	56.9
LLACE	MAX	73	78	78	77	81	85	91	87	87	92	94	101	88	83	70	82	[illegible]	[illegible]	80	74	[illegible]	[illegible]	74	[illegible]	77	83	79	[illegible]	86	83	77	82.7
	MIN	43	45	44	41	41	38	43	52	44	46	49	52	57	51	43	40	44	47	[illegible]	42	40	42	41	[illegible]	[illegible]	44	44	39	41	46	43	43.9
LLACE WOODLAND PARK	MAX	71	73	78	76	76	80	82	88	84	87	90	93	98	89	81	69	79	[illegible]	85	[illegible]	72	80	85	73	78	78	84	82	85	87	85	81.5
	MIN	40	41	41	42	42	40	44	46	44	47	49	53	58	52	46	40	42	46	45	45	41	43	42	38	41	44	45	41	39	43	44	44.0
EISER	MAX	85	91	93	93	94	98	101	95	99	101	101	106	103	99	85	92	95	98	96	87	92	97	93	98	90	95	93	97	99	99	96	95.5
	MIN	58	54	60	54	58	56	60	58	52	62	64	61	68	58	60	56	[illegible]	[illegible]	52	52	45	45	48	48	52	48	48	50	53	56	52	54.5
NCHESTER 1 SE	MAX	70	76	76	74	77	81	85	85	87	89	92	93	87	85	72	79	83	85	[illegible]	76	83	86	83	77	81	80	78	84	87	89	83	[illegible]
	MIN	40	42	46	44	43	44	45	52	45	51	50	55	52	52	48	[illegible]	41	47	42	42	40	43	41	[illegible]	39	41	42	40	44	46	42	44.3

EVAPORATION AND WIND

able 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STATION	EVAP	.49	.44	.34	.56	.49	.47	.36	.27	.38	.21	.26	.30	.34	*	.77	.47	.12	.43	.16	.48	.36	.35	.41	.34	.43	.28	.39	.25	.25	.25	.34	10.99
	WIND	119	121	57	127	122	113	47	71	49	50	22	29	34	71	154	97	14	197	47	164	105	34	96	86	85	33	122	12	26	60	105	2469
ARROWROCK DAM	EVAP	.35	.29	.30	.35	.36	.33	.34	.33	.37	.35	.34	.34	.38	.32	.40	.35	.27	.33	.33	.33	.30	.28	.32	.32	.33	.30	.32	.42	.27	.32	.34	10.28
	WIND	47	14	4	72	42	29	55	43	14	35	32	16	37	30	45	49	24	34	45	30	60	29	28	29	43	23	40	35	6	45	30	1065
IFTON PUMPING STATION	EVAP	.36	.34	.35	.38	.32	.35	.34	.33	.27	.34	.23	.31	.30	.26	.25	.27	.30	.29	.32	.34	.32	.30	.32	.35	.42	.29	.27	.23	.27	.25	.37	9.64
	WIND	75	43	26	37	34	32	32	34	38	46	24	36	16	26	47	25	35	20	25	30	32	22	26	79	71	32	34	52	35	36	75	1175
INIDOKA DAM	EVAP	.45	.40	.36	.47	.52	.46	.36	.48	.35	.42	.36	.46	.43	.39	.48	.40	.40	.56	.54	.57	.85	.39	.42	.48	.48	.34	.46	.42	.38	.40	.36	13.84
	WIND	140	80	60	80	100	100	40	100	60	120	80	90	110	100	180	130	85	95	160	170	130	65	85	95	100	55	100	60	100	150	190	3210
OSCOW U OF I	EVAP	.15	.23	.40	.32	.28	.26	.28	.43	.20	.37	.28	.31	.35	.30	.26	.24	.28	.40	.30	.29	.24	.37	.25	.15	.16	.22	.20	.25	.24	.30	-	B 8.59
	WIND	25	26	73	52	29	34	29	71	21	24	19	23	29	48	86	26	28	68	46	102	38	53	64	27	34	30	46	27	22	41	60	1301

See reference notes following Station index

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp.	Precip.		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0119	CASSIA	12	42 25	113 35	4750	6P	6P	DELL ROWE	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 SW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	[illegible]	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3249	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 18	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	[illegible]	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	C
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	0845	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7 C
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 C
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	C
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7 C
BRIDGE	[illegible]	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	C
BUHL	1217	TWIN FALLS	12	43 25	114 46	3500	[illegible]	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 ENE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	5P	5P	J I LORTON	2 3 5
CASCADE 1 NW	1511	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	C
CENTERVILLE ARBAUGH RCH	[illegible]	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	[illegible]	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	[illegible]	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5 C
CLARKIA RANGER STATION	[illegible]	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	C
COBALT BLACKBIRD MINE	[illegible]	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D'ALENE CAA AP	[illegible]	KOOTENAI	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D'ALENE RS	1956	KOOTENAI	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7 C
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	[illegible]	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5 C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	[illegible]	VALLEY	8	44 19	115 38	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	[illegible]	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAI	5	47 44	116 29	3000		MID	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	[illegible]	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	C
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 11	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	[illegible]	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING 1 E	3677	GOODING	12	42 56	114 42	3245		MID	DALE W KNIGHT	C
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3742	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 1 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E I GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	[illegible]	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	[illegible]	46 23	117 01	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 36	3870	5P	5P	ORVILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	[illegible]	CUSTER	6	43 55	113 36	5897	5P	5P	U S FOREST SERVICE	2 3 5 7 C
MALAD	[illegible]	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	5841	ADA	2	43 37	116 25	2620	5P	[illegible]	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 [illegible]	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	C S
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	C
MOSCOW U OF I	6152	LATAH	7	46 44	117 [illegible]	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 [illegible]
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 [illegible]	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5 C
OROFINO	6681	CLEARWATER	[illegible]	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	4P	4P	U S FOREST SERVICE	2 3 5 7 C
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	C
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	C
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL IR PROJ	S
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	MRS HOMER WALTON	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7 C
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	5P	5P	MRS RAYMOND RUFF	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL	8786	CASSIA	12	42 01	113 13	5280	5P	5P	IDAHO STATE POLICE	2 3 5
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	KAY JOHNSON	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7 C
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5 C
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	[illegible]	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FACT	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5 C
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	HALLACK-HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

e four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will
no duplication of numbers within a state.

igures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

servation times given in the Station Index are in local standard time.

layed data and corrections will be carried only in the June and December issues of this bulletin.

nthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bul-
tin.

ations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be in-
uded in this issue.

less otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in
ches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard
ather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

eet and hail were included in snowfall averages in Table 1, beginning January 1949.

ounts in Table 3 are from non-recording gage, unless otherwise indicated.

ta in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Sta-
on Index for observation time.

ow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground
lues are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is
asured at selected stations when the depth of snow on the ground is two inches or more.

ter equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; conse-
ently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

Nc record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

And also on a later date or dates.

Amounts included in following measurements, time distribution unknown.

Gage is equipped with a windshield.

This entry in time of observation column in Station Index means after rain.

Adjusted to a full month.

In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.

Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.

Daily precipitation values and monthly total from recording gage.

Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.

This entry in time of observation column in Station Index means sunset.

Trace, an amount too small to measure.

Includes total for previous month.

This entry in time of observation column in Station Index means variable.

scription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.)
cks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding
scriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

W.R.P.C. Chattanooga--9-3-53--850--


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
● ◗ Precipitation only
Precipitation, storage
● ◗ Precipitation and Temperature
◆ ◗ Precipitation, Temperature and Evaporation
Section Center
Type of gage Non recording;
● Recording, ◗ Both types
Double circle combinations: Complete Meteorological.
Hourly precipitation data from recorder stations will be available in the publication Hourly Precipitation Data
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
Porthill
Metaline Falls
Bonners Ferry
Libby 1 NE RS
Benton Dam
Priest Riv Exp Sta
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1FNF
Heron 2 NW
Deer Park
Mount Spokane
Bayview Model Basin
Trout Creek 2 W
Coeur d'Alene CAA AP
Deception Cr
Spokane WB AP
Thompson Falls
Coeur d'Alene RS
Kellogg
Burke 2NNE
Wallace Woodland Pk
Mullan Pass CAA Sta
Wallace
Saint Maries
Haugan
Rosalia
Plummer 3WSW
Roland W Portal
Tekoa
Avery RS
Superior CAA AP
Clarkia RS
Potlatch
Colfax 1 NW
Missoula WB AP
Missoula 2 WNW
Pullman Exp Sta
Elk River 1 S
Moscow U of Id
Bungalow RS
Waawai
Lolo Pass
Orofino
Pomeroy
Lewiston Wtr Plt
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Kamiah 1NE
Winchester 1SE
Hamilton
Nezperce
Kooskia
Moose Creek RS
Anatone
Cottonwood
Fenn RS
Darby 1 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Wisdom
Dixie
Riggins RS
Joseph
Jackson
Polaris
Salmon
Big Creek 1 S
Cobalt Blackbird Mine
Cornucopia 5 NNW
New Meadows RS
Yellow Pine
Grant
McCall
Stibnite
Halfway
Hebgen Dam
Pungo Creek
Richland
Council 1 N
Landmark RS
Leadore
Dell
West Yellowstone
Lima
Lima Dam
Lakeview
Mesa
Durkee 3 NNW
May RS
Monida 5 NE
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Dell 19 SW
Island Park Dam
Cascade RS
Huntington
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Weiser
Bechler River
Snake River
Ola
Crouch 2NNW
Ashton 1S
Grassy Lake Dam
Payette
Lowman
Jackson Peak
Dubois CAA AP
Ontario CAA AP
Obsidian 1NNE
Hamer 1NW
St Anthony
Garden Valley RS
Chilly Barton Flat
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Tetonia Exp Sta
Moran
Nyssa
Emmett 2E
Mackay RS
Sugar
Little Valley
Idaho City
Atlanta 1E
Vienna
Howe
Alta
Bogus Basin
Driggs
Adrian
Owyhee Dam
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Arco
Moose 3 NW
Caldwell
Idaho City 13SW
Shake Cr RS
Idaho Falls 6 NE
Nampa 2NW
Trinity Lake GS
Dollarhide Summit
Reactor Testing Sta
Deer Flat Dam
Kuna
Boise LP Dam
Pine 2SSW
Hailey
Idaho Falls CAA AP
Irwin 2S
Jackson
Boise WB AP
Prairie
Soldier Cr RS
Palisades Dam
Fairfield
Anderson Dam
Blackfoot
Hill City
Swan Falls PH
Gray
Springfield
Putnam Mt
Mountain Home
Richfield
Fort Hall Ind Agcy
Blackfoot Dam
Bedford 2 SE
Glenns Ferry
Grand View
Aberdeen Exp Sta
Bliss
Shoshone
Danner
Gooding 1 E
Pocatello WB AP
Gooding CAA AP
Conda
Jerome
Bancroft
Grover 2 S
Minidoka Dam
American Falls 1NW
Paul 1E
Burley 1NW
McCammon
Buhl
Rupert
Grace PH
Hazelton
Twin Falls 2NNE
Burley
Burley CAA AP
Twin Falls 3SE
Montpelier RS
Albion
Hollister
Border 3 N
Oakley
Lifton Pump Sta
Bridge
Malad
Malad CAA AP
Preston 2SE
Three Creek
Lewiston
Richmond
Ida Vada
Snowville
Amalga
Laketown
Sage
Jarbidge
Garland
Logan USAC Exp Sta
Contact
Park Valley
Bothwell
Logan USAC
Revised 9-52-WRPC
117 116 115 114 113 112 111
48 47 46 45 44 43 42

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

AUGUST 1953
Volume LVI No. 8

CHATTANOOGA: 1953

IDAHO - AUGUST 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Although state-wide average precipitation this month was considerably higher than in August 1952, it was still a little below normal. The Northern Division average was far above that of a year ago, but in the Southeastern Division the average was below 1952, and only 52% of normal. Temperatures averaged near normal in all divisions and the extremes (109° at Grand View on the 12th and 22° at Three Creek on the 25th) were rather typical of August. Although there was no long period of extremely hot weather during the month, temperatures ran rather consistently above normal from the 12th through the 19th. On the other hand, the week from the 24th through the 30th brought below-normal temperatures to the Northern and Southwestern Divisions.

On the basis of available records, sunshine appears to have been generally below the August mean in the north and southwest, but above average in the southeast. The average number of rainy days per station throughout the State was four, a little above normal, but not up to numbers of such days reported in August 1951 (6) and August 1941 (9).

As is typical of August weather in Idaho, few storm fronts crossed the State and they were generally weak. Two fronts during the last week, however, served both to lowe the temperatures and to increase shower activity, particularly in the Northern and Southwestern Divisions. Neither of these stor fronts was accompanied by destructive wind or hail, but some damage to crops, tree and roads did occur between the 1st and 3 in thunderstorms at such widely separate places as Grand View, Oakley and McCammon.

Lightning storms in forested areas occurred with sufficient frequency to create som problems in fire control, but most fires wer suppressed before covering more than a smal area. Several did, however, burn from 100 t 800 acres. There were also numerous rang fires, several covering more than 1,00 acres.

For the most part the weather was favorable for plant growth and for all agricultural activities during the month. Grai and hay harvesting progressed rapidly wit only minor delays from showers, mostly i the Northern Division. Sugar beets and potatoes grew well, peas and beans mature nicely through most of the month and peache were nearly ready for harvesting by the en of the month. Lack of sufficient rainfal adversely affected grains on dryland farm of the Eastern Division and resulted in extremely dry conditions on summer ranges.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation									
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
OISE WB AIRPORT	NW	22	9.1	43	SE	2	55	37	28	42	3	4	0	0	0	0	7	74	3.5	SEE TABLE 2.
EWISTON WB AIRPORT	-	-	-	-	-	-	65	42	28	-	2	6	2	1	0	0	11	-	4.7	
OCATELLO WB AIRPORT	SW	17	8.8	35	W	24	55	30	19	40	2	1	3	0	0	0	6	88	2.7	

COMPARATIVE DATA

ble 1

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more
1893	66.3	108	37	.13	-	2
1894	69.7	110	30	.50		3
1895	66.4	106	24	.27	-	2
1896	67.5	103	28	1.02	-	4
1897	69.2	111	20	.25	-	1
1898	69.6	110	31	.52	-	2
1899	61.3	111	19	1.20	0.0	6
1900	63.5	105	25	.55	0.0	4
1901	70.0	108	29	.41	0.0	4
1902	66.5	105	21	.43	0.0	3
1903	66.3	110	25	.60	0.0	2
1904	68.0	110	21	.42	0.0	3
1905	68.5	112	25	.33	0.0	3
1906	66.7	107	25	.91	0.0	4
1907	63.0	113	22	1.12	T	6
1908	65.1	110	18	.75	T	5
1909	67.6	107	22	.54	0.0	3
1910	64.3	106	11	.10	0.0	1
1911	64.3	103	22	.24	0.0	1
1912	63.4	105	17	1.27	0.0	6
1913	68.2	109	22	.58	0.0	3
1914	66.9	109	24	.18	0.0	1
1915	70.5	111	26	.25	0.0	2
1916	64.8	106	10	.71	0.1	3
1917	66.0	108	20	.20	0.0	2
1918	62.8	103	21	1.07	T	6
1919	68.5	106	24	.28	0.0	2
1920	66.8	111	19	.94	0.0	5
1921	67.5	108	22	.61	0.0	4
1922	68.8	108	23	1.56	0.0	8
1923	65.6	110	21	.91	0.0	4
1924	65.5	109	12	.41	0.0	2
1925	65.0	106	21	1.03	0.0	5
1926	66.9	112	22	1.30	0.0	5
1927	65.2	105	22	.73	0.0	5
1928	64.8	108	18	.25	0.0	2
1929	70.6	110	28	.39	0.0	3
1930	68.8	111	22	1.41	0.0	6
1931	68.7	109	25	.24	0.0	2
1932	65.2	111	20	.61	T	3
1933	66.2	109	24	.38	0.0	3
1934	68.9	110	27	.24	0.0	2
1935	66.4	111	16	.18	0.0	1
1936	67.6	107	18	.87	0.0	4
1937	65.5	108	18	.26	0.0	2
1938	65.7	105	23	.48	0.0	4
1939	67.9	107	22	.17	0.0	2
1940	68.4	113	26	.10	0.0	1
1941	65.8	105	22	1.68	0.0	9
1942	67.1	108	20	.21	0.0	2
1943	65.7	108	19	.40	0.0	3
1944	64.6	106	16	.23	0.0	2
1945	67.2	106	20	.75	0.0	4
1946	67.1	108	19	.58	0.0	4
1947	65.7	105	23	.54	0.0	4
1948	65.5	104	24	.43	0.0	4
1949	68.1	109	27	.35	T	3
1950	66.3	105	23	.52	T	3
1951	65.4	109	19	1.37	T	6
1952	66.9	103	22	.30	T	2
1953	66.7	109	22	.54	T	4
ALL YEARS	66.6			.59		

PERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	87.9	47.6	67.8	1.9	102	19	39	1	36	14	0	0	0	2.38	1.56	.92	4				8	2	0
BAYVIEW MODEL BASIN	81.4	47.7	64.6		92	12	38	24	59	6	0	0	0	.91		.38	24	.0	0		5	0	0
BIG CREEK 1 S	79.7	33.2	56.5	- 0.4	91	19	27	25	257	3	0	14	0	1.32	.59	.76	3	T	0		5	1	0
BUNGALOW RS	89.7	48.2	68.5	- 0.1	104	19	40	1	22	18	0	0	0	1.32	.56	.70	4	.0	0		6	1	0
BURKE 2 NNE	75.4	43.9	59.7	1.4	91	20	36	1	179	1	0	0	0	1.06	.06	.26	4	.0	0		10	0	0
CLARK FORK 1 ENE	84.6	45.9	65.3M	2.0	94	6+			55	10	0	0	0	1.37	.19	.52	24	.0	0		5	1	0
COBALT BLACKBIRD	73.8	41.6	57.7		84	8+	29	25		0	0	1	0	.82		.38	17	.0	0		5	0	0
COEUR D ALENE CAA AP	80.6	51.5	66.1		95	15	41	22	56	7	0	0	0	1.11		.46	24	.0	0		6	0	0
COEUR D ALENE RS	86.3	51.1	68.7	1.3	100	15	44	1+	22	11	0	0	0	1.22	.57	.67	24	.0	0		8	1	0
COTTONWOOD	81.2	47.8	64.5	- 1.0	97	19	40	28+	85	7	0	0	0	1.23	.34	.39	26	.0	0		8	0	0
DIXIE	78.3	34.7	56.5		90	19	27	1+	255	1	0	9	0	.95		.43	3	T	0		11	0	0
ELK CITY	80.6	38.1	59.4M		97	19	26	1	179	6	0	4	0	1.19		.51	3	T	0		5	1	0
ELK RIVER 1 S	81.9	43.5	62.7		95	15+	33	23	124	10	0	0	0	1.25		.68	24	T	0		8	1	0
FENN RS	89.0	50.5	69.8	- 0.5	99	18	42	1	12	16	0	0	0	.89	.20	.33	4	.0	0		6	0	0
GRANGEVILLE	82.5	51.7	67.1M	0.0	98	19	44	28+	62	7	0	0	0	.73	- .04	.30	24		0		7	0	0
KELLOGG	83.7	50.5	67.1	2.0	100	16+	41	1		10	0	0	0	1.21	.30	.46	25	.0	0		9	0	0
KOOSKIA	91.1	51.1	71.1	0.8	106	19	41	1	7	17	0	0	0	.78	.09	.46	24	T	0		5	0	0
LEWISTON WATER PLANT	90.6	57.8	74.2	0.1	105	15	49	1	0	17	0	0	0	.92	.44	.56	24	.0	0		6	1	0
LEWISTON WB AP R	86.4	56.8	71.6	- 1.5	104	15	49	30	18	12	0	0	0	1.00	.62	.64	24	.0	0		9	1	0
MOSCOW U OF I	81.6	49.6	65.6	- 0.5	97	15	40	22	61	5	0	0	0	1.27	.66	.58	24	.0	0		6	1	0
MULLAN PASS CAA	68.1	49.3	58.7	0.8	86	19	34	24	225	0	0	0	0	1.86	1.01	.58	24	T	0		12	1	0
NEZPERCE 2 E	80.8	50.9	65.9		97	19	43	29	68	6	0	0	0	1.38		.62	24	.0	0		9	1	0
OROFINO	91.2	53.4	72.3	0.9	106	15	45	1	1	17	0	0	0	1.06	.47	.57	24				8	1	0
PIERCE RS	83.5	44.1	63.8	0.6	100	19	34	1	88	11	0	0	0	1.61	.79	.60	24		0		8	1	0
PORTHILL	84.1	47.5	65.8	1.9	92	7+	39	1+	36	7	0	0	0	2.44	1.62	.60	28	.0	0		7	3	0
PRIEST RIVER EXP STA	81.0	46.1	63.6	1.0	94	15	35	1	92	6	0	0	0	2.42	1.46	.81	27	T	0		7	3	0
RIGGINS RS	91.9	58.1	75.0	0.0	106	19	44	24	1	17	0	0	0	.79	.32	.37	24	.0	0		4	0	0
SAINT MARIES	87.2	46.9	67.1	1.7	97	6+	37	1	41	15	0	0	0	1.05	.32	.37	24				9	0	0
SALMON	86.9	44.7	65.8	0.4	101	7	35	25+	49	15	0	0	0	.33	- .27	.15	2		0		4	0	0
SANDPOINT EXP STA	79.7	48.2	64.0	0.3	90	6+	37	1	70	3	0	0	0	1.33	.40	.60	24	.0	0		8	1	0
WALLACE	80.2	46.1	63.2	- 1.7	96	18	37	1	93	5	0	0	0	1.35	.37	.81	24	.0	0		6	1	0
WALLACE WOODLAND PK	78.9	45.8	62.4M	- 1.1	96	20	37	1		5	0	0	0	1.49	.65	.72	25	.0	0		9	1	0
WINCHESTER 1 SE	80.1	45.3	62.7	0.3	95	15	37	1	115	6	0	0	0	.85	.30	.48	24	.0	0		5	0	0
DIVISION			65.3	- 0.2										1.24	.45			T					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	80.1	36.8	58.5	- 0.4	90	19	26	25	195	1	0	6	0	.35	- .21	.10	3	.0	0		6	0	
ANDERSON DAM	89.2	55.6	72.4		101	19	47	25	6	15	0	0	0	.18		.13	30	.0	0		2	0	
ARROWROCK DAM	88.1	53.8	71.0	- 1.6	103	20	43	25		14	0	0	0	.26	.00	.19	31	.0	0		3	0	
ATLANTA 1 E	79.5	48.1	63.8	3.9	87	13+	37	25	82	0	0	0	0	.90	.20	.74	3	T	0		5	1	
BLISS	90.1	53.5	71.8	0.2	100	12	40	25	4	18	0	0	0	.00	- .17	.00		.0	0		0	0	
BOISE LUCKY PEAK DAM	91.5	55.1	73.3M		106	19	46	9+	0	16	0	0	0	.19		.07	16		0		5	0	
BOISE WB AP //p	86.8	56.2	71.5	- 1.0	100	19	46	27	14	12	0	0	0	.12	- .09	.06	2	.0	0		4	0	
BUHL	85.9	57.2	71.6	1.2	95	12	47	25	9	9	0	0	0	.00	- .27	.00		.0	0		0	0	
CALDWELL	88.1	54.4	71.3	1.0	98	15	40	25	7	15	0	0	0	.33	.11	.16	30	.0	0		4	0	
CAMBRIDGE	89.7	44.6	67.2	- 4.7	98	13+	37	7+	39	19	0	0	0	.17	- .18	.09	3	T	0		2	0	
CASCADE 1 NW	80.8	44.0	62.4		93	19	32	25	108	4	0	1	0	.47		.21	3	.0	0		7	0	
CHALLIS	82.5	48.3	65.4	0.2	92	7+	39	25	48	2	0	0	0	.44	- .09	.08	14+		0		8	0	
COUNCIL	89.6	54.5	72.1	1.7	99	18+	43	26	14	17	0	0	0	.35	- .07	.23	24	.0	0		3	0	
DEADWOOD DAM	81.2	37.5	59.4	0.9	93	19	27	25	173	4	0	3	0	.47	- .19	.32	2	.0	0		5	0	
DEER FLAT DAM	85.4	56.8	71.1	- 0.3	97	15	42	25	12	9	0	0	0	.21	.03	.09	2	.0	0		3	0	
EMMETT 2 E	88.4	52.0	70.2	- 2.4	100	19	43	25	7	16	0	0	0	.10	- .11	.10	2	.0	0		1	0	
FAIRFIELD	84.3	42.9	63.6		93	13	32	25	70	7	0	1	0	T		T	18+	.0	0		0	0	
GARDEN VALLEY RS	90.7	46.6	68.7	0.7	102	19	35	25	20	18	0	0	0	.16	- .35	.12	30	.0	0		4	0	
GLENNS FERRY	89.0	51.3	70.2M	- 3.8	100	12	39	24	13		0	0	0	T	- .12	T	28	.0	0		0	0	
GOODING CAA AP	88.4	56.4	72.4	3.1	102	19	42	25	4	14	0	0	0	.03	- .17	.02	18	.0	0		2	0	
GRAND VIEW	95.0	55.3	75.2	2.8	109	12	42	25	0	24	0	0	0	.05	- .12	.05	3	T	0		1	0	
HAILEY AP	84.8	48.7	66.8	0.5	100	19	35	24	42	5	0	0	0	T	- .50	T	4+	.0	0		0	0	
HAZELTON	85.5	49.2	67.4	- 4.1	95	7	37	25	26	10	0	0	0	.11	- .22	.09	1	.0	0		2	0	
HILL CITY	86.2	42.8	64.5	3.2	95	19	30	25	61	10	0	1	0	.00	- .37	.00					0	0	
HOLLISTER	84.9	51.5	68.2	- 1.0	94	12+	39	25	31	9	0	0	0	.26	- .12	.26	1	.0	0		1	0	
IDAHO CITY	87.3	42.0	64.7	- 1.1	98	12	29	25	66	14	0	1	0	.55	.14	.26	30	.0	0		4	0	
JEROME	88.6	52.4	70.5	- 1.1	98	19	40	25	13	16	0	0	0	.01	- .21	.01	31	.0	0		1	0	
KUNA 2 NNE	85.5	50.1	67.8M	- 3.2	97	15+	38	25	32		0	0	0	T	- .19	T	2+	.0	0		0	0	
MC CALL	76.6	43.3	60.0	- 0.3	89	19	35	25	161	0	0	0	0	2.01	1.41	1.31	3				6	1	
MERIDIAN 1 W	86.1	52.9	69.5	- 1.2	97	15	40	25	20	12	0	0	0	.05	- .15	.04	2	.0	0		2	0	
MESA	90.5	52.8	71.7		100	13	45	25	17	22	0	0	0	.32		.20	16	.0	0		2	0	
MOUNTAIN HOME	94.8	54.9	74.9	5.4	105	12+	44	25+	5	24	0	0	0	.09	- .08	.08	3	.0	0		2	0	
NAMPA 2 NW	88.0	53.1	70.6		98	13	39	25		15	0	0	0	.07		.06	25	.0	0		2	0	
NEW MEADOWS RS	82.3	40.7	61.5M	0.8			33	10+	124		0	0	0	1.47	.93	1.18	3	T	0		4	1	
OBSIDIAN 4 NNE	73.5	36.0	54.8	- 0.7	83	13	24	25	310	0	0	8	0	1.11	.39	.56	3	.0	0		4	1	
OLA 4 S	89.9	46.5	68.2		101	1+	41	24+	16	16	0	0	0	.09		.06	4				3	0	
PARMA EXP STA	88.5	53.3	70.9	- 0.5	100	18	41	25	8	14	0	0	0	.09	- .14	.09	24	.0	0		1	0	
PAYETTE	89.0	55.7	72.4	0.3	100	13	43	25	5	14	0	0	0	.11	- .09	.08	24	.0	0		2	0	
RICHFIELD	84.9	50.3	67.6	0.4	93	19	39	25	28	9	0	0	0	.05	- .20	.05	18	.0	0		1	0	
SHOSHONE	86.3	53.1	69.7M	0.3	96	19	41	25	17	11	0	0	0	.04	- .23	.02	3	.0	0		3	0	
STIBNITE	75.9	40.7	58.3		85	8+	29	25		0	0	2	0	1.00		.58	3	.0	0		5	1	
SUN VALLEY	81.4	35.3	58.4	0.7	89	12+	28	25+	201	0	0	10	0	.04	- .67	.04	3	.0	0		1	0	
SWAN FALLS PH	93.7	62.2	78.0M	0.6	105	12+	50	25	0	25	0	0	0	.32	.24	.32	3	.0	0		1	0	
THREE CREEK	87.8	36.1	62.0M		96	19	22	25	118	12	0		0					.0	0				
TWIN FALLS 2 NNE	88.3	52.0	70.2	1.5	99	12	41	25	8	14	0	0	0	.13	- .09	.08	1	.0	0		2	0	
TWIN FALLS 3 SE	86.0	52.7	69.4	0.2	97	7+	43	25		10	0	0	0	.09	- .14	.08	2	.0	0		2	0	
WEISER	90.2	51.9	71.1	- 3.2	100	13	46	4+	10	21	0	0	0	.07	- .21	.07	24	.0	0		1	0	
DIVISION			67.9	- 0.3										.28	- .08			T					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	87.5	48.0	67.8	0.5	95	13	39	12+	11	9	0	0	0	.21	- .21	.11	15				2	0	
AMERICAN FALLS 1 NW	86.9	51.2	69.1	0.5	95	13	41	25	5	7	0	0	0	.05	- .51	.05	17	.0	0		1	0	
ARCO	84.7	44.3	64.5M	- 0.3	91	13+	35	25	40	4	0	0	0	.16	- .44	.16	2	.0	0		1	0	
ASHTON 1 S	80.8	49.3	65.1	1.9	88	4	42	13	36	0	0	0	0	.29	- .50	.14	18	T	0		3	0	
BLACKFOOT	88.2	52.4	70.3	3.5	97	13	43	25	1	13	0	0	0	.36	- .28	.21	15	.0	0		2	0	

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max 90° or Above	32° or Below	Min. 32° or Below	0° or Below	Precipitation Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Max Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
BLACKFOOT DAM	81.7	40.8	61.3M	1.5	90	[illegible]	33	25	115	1	0	0	0	.36	- .64	[illegible]	2				4	0	0
BURLEY	89.8	[illegible]	72.2	1.9	99	14	43	[illegible]		16	0	0	[illegible]	.05	- .43	[illegible]	[illegible]	.0	0		2	0	0
BURLEY FACTORY	87.5	49.9	68.7	[illegible]	96	14	37	[illegible]		14	0	[illegible]	[illegible]	[illegible]	- .29	.05	3				2	0	0
BURLEY CAA AP	[illegible]	50.4	69.2	0.9	[illegible]	[illegible]	37	25	16	15	0	[illegible]	[illegible]	[illegible]	- [illegible]	.15	16	.0	0		2	[illegible]	[illegible]
CHILLY BARTON FLAT	77.2	37.6	57.4	- 2.5	84	14	28	25	[illegible]	0	0	4	0	.36	- .59	.21	2	[illegible]	0		3	[illegible]	[illegible]
CONDA	[illegible]	44.3	64.3M	[illegible]	91	[illegible]	36	11		2	0	0	[illegible]	[illegible]	- .54	.34	3	.0			[illegible]	0	0
DRIGGS	84.1	44.1	64.1	[illegible]	[illegible]	8+	36	24+		2	0	[illegible]	0	.35	- .97	.31	2				3	[illegible]	0
DUBOIS EXP STA	[illegible]	[illegible]	67.9	[illegible]	[illegible]	7+	45	11+	10	4	[illegible]	0	0	.14	- .73	.05	[illegible]	.0	0		4	0	0
DUBOIS CAA AP	85.6	50.6	68.1	[illegible]	95	7	40	[illegible]	13	[illegible]	[illegible]	0	0	[illegible]	- [illegible]	[illegible]	2+	.0	0		2	0	0
FORT HALL IND AGENCY	[illegible]	49.6	[illegible]M	[illegible]	[illegible]	13	40	[illegible]	6	13	0	[illegible]	[illegible]	[illegible]	- .31	.25	15	.0	[illegible]		3	[illegible]	0
GRACE	80.8	47.6	64.2	- 0.9	[illegible]	[illegible]	41	11+	[illegible]	0	0	0	0	.41	- .54	.21	[illegible]	.0	0		3	0	0
GRAY	78.4	48.6	63.5	2.4	[illegible]	14	36	[illegible]	94	0	0	0	[illegible]	.05	- [illegible]	[illegible]	[illegible]	.0			1	0	[illegible]
GROUSE	78.6	37.7	58.2		88	[illegible]	27	24	204	0	0	4	[illegible]	[illegible]	- .15	.37	14	.0	0		4	0	[illegible]
HAMER 4 NW	87.5	45.5	66.5	1.7	95	[illegible]	34	[illegible]	[illegible]	12	0	0	[illegible]	.01	- .79	.01	[illegible]	.0			1	0	[illegible]
IDAHO FALLS 6 NE	[illegible]	[illegible]	66.7		91	7+	33	25	[illegible]	[illegible]	0	[illegible]	0	.08		.06	2	.0	0		[illegible]	[illegible]	[illegible]
IDAHO FALLS CAA AP	86.0	50.4	68.2	1.6	94	6	42	26	6	8	0	0	[illegible]	.05	- .54	.04	14	.0	0		2	0	0
IRWIN [illegible] S	83.9	46.8	[illegible]	2.8	[illegible]	13	[illegible]	[illegible]	30	[illegible]	0	0	0	1.16	.29	.35	21				7	0	0
ISLAND PARK DAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7+	[illegible]	26	[illegible]	[illegible]	0	[illegible]	0	.81	- [illegible]	.34	14	.0	0		5	0	[illegible]
LIFTON PUMPING STA	79.9	47.6	63.8	- 1.1	87	13	[illegible]	11+	51	[illegible]	[illegible]	0	0	.84	.09	.44	[illegible]	.0	0		7	0	0
MACKAY RS	81.4	45.5	63.5	- 1.6	88	1	35	25	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- [illegible]			[illegible]	0		4	0	0
MALAD	88.1	[illegible]	70.4	2.3	94	[illegible]	[illegible]	11+	[illegible]	13	[illegible]	[illegible]	0	[illegible]	- .69	.13	[illegible]	[illegible]	0		3	0	[illegible]
MALAD CAA AP	89.4	[illegible]	68.7		95	8+	39	11+	3	15	[illegible]	[illegible]	0	.15		.08	[illegible]	.0	0		2	[illegible]	0
MAY RS	[illegible]	[illegible]	62.5	- 2.1	91	7	34	[illegible]	89	3	[illegible]	0	[illegible]	[illegible]	.36	[illegible]	2	[illegible]			4	1	0
MC CAMMON	88.3	48.6	68.5		95	13	41	25	[illegible]	13	0	[illegible]	[illegible]	.15		.12	14	.0			[illegible]		0
MINIDOKA DAM	[illegible]	55.7	70.6		94	6+	45	25	[illegible]	10	0	[illegible]	0	.04		.04	16	.0	0		[illegible]	0	0
MONTPELIER RS	[illegible]	[illegible]	[illegible]M	[illegible]	91	14	[illegible]	25		1	0	0	[illegible]	.73	- [illegible]	[illegible]	2	[illegible]			4	1	
OAKLEY	85.5	49.9	67.7	- 1.6	93	[illegible]	40	30	26	[illegible]	0	0	0	.91	[illegible]	[illegible]	2	[illegible]	0		4	[illegible]	0
PALISADES DAM	83.8	48.2	66.0M		91	13	42	25	17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		.37	[illegible]	T			6	0	[illegible]
PAUL 1 E	87.3	[illegible]	68.7	0.3	97	8	[illegible]	[illegible]		[illegible]	0	0	0	[illegible]	- .35	[illegible]	3	[illegible]	0		[illegible]	[illegible]	0
POCATELLO WB AP	87.1	53.0	70.1	[illegible]	96	[illegible]	44	[illegible]	1	[illegible]	[illegible]	[illegible]	[illegible]	.78	[illegible]	[illegible]	[illegible]	.0	0		4		[illegible]
PRESTON SUG FACT 2SE	87.7	50.4	[illegible]	1.2	[illegible]	19	[illegible]	11	1	11	0	0	0	1.35	[illegible]	.47	1	T			[illegible]	[illegible]	0
REACTOR TESTING STA	85.8	45.6	65.7		95	13	[illegible]	[illegible]	34	[illegible]	[illegible]	0	[illegible]	.18		.15	2	.0			[illegible]	[illegible]	0
RUPERT	89.7	50.9	70.3	1.7	98	14	[illegible]	25		[illegible]	[illegible]	0	0	.01	- .40	[illegible]	[illegible]	.0	0		1	0	0
SAINT ANTHONY	85.6	44.4	65.0	0.8	94	7	37	[illegible]	33	[illegible]	[illegible]	[illegible]	[illegible]	.08	- .48	[illegible]	[illegible]				[illegible]	[illegible]	[illegible]
SPENCER RS	81.5	43.6	62.6	[illegible]	89	[illegible]	35	[illegible]	[illegible]	0	0	[illegible]	0	[illegible]	- .90	[illegible]	[illegible]	[illegible]	0		[illegible]	[illegible]	[illegible]
SPRINGFIELD 1 SE	87.6	45.8	[illegible]	- 0.6	97	[illegible]	[illegible]	[illegible]	22	12	0	0	0	T	- .50	T	[illegible]	.0	[illegible]		[illegible]	0	0
STREVELL	85.7	48.1	66.9		91	[illegible]	38	[illegible]	[illegible]	[illegible]	0	[illegible]	[illegible]	1.38		[illegible]	2	[illegible]	0		4	1	[illegible]
SUGAR	85.0	[illegible]	64.9	1.8	93	13	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	0	.40	- .12	[illegible]	18	[illegible]	[illegible]		3	[illegible]	[illegible]
TETONIA EXP STA	81.5	41.3	61.4		89	13	34	29+	110	[illegible]	[illegible]	0	0	.30		.25	2				2	[illegible]	0
DIVISION			66.2	1.0										.38	.35			T					
STATE			66.7	0.1										.54	- .04			T					

DAILY PRECIPITATION

Table 3

Station	Total	Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.21															.11	.10	T														
ALPHA 1 NE	.35		.03	.10													.03								.08		.08					[illegible]
AMERICAN FALLS 1 NW	[illegible]																	.05														
ANDERSON DAM	.18																[illegible]														.13	
ARCO	.16		.16																													
ARROWROCK DAM	.26			.02													[illegible]															[illegible]
ASHTON 1 S	.29		[illegible]								.10					T	T	T	.14													
ATLANTA 1 E	.90			.74												[illegible]	[illegible]	.07	.02													
AVERY RS	2.38			.04	.92				.47																.71	.10	.01	T	.11	.02		
BAYVIEW MODEL BASIN	.91									.20															.38		.03	.25	.05			
BIG CREEK 1 S	1.32		.11	.76	T												.10		T						.30		.05					
BLACKFOOT	.36															.21		.15														
BLACKFOOT DAM	.30		.19								T					[illegible]	.02	.06				T										
BLISS	[illegible]																															
BOISE LUCKY PEAK DAM	.19			.06	[illegible]												[illegible]								.03		.02				[illegible]	
BOISE WB AP [illegible]	.12		[illegible]	.02																					.03		T			[illegible]	[illegible]	[illegible]
[illegible]	[illegible]																															
[illegible]ALOW [illegible]	1.32				.70				.05																.24	[illegible]	[illegible]		[illegible]			
[illegible] 2 [illegible]	[illegible]			T	.26	T			.21	.05	.02														[illegible]	[illegible]	.01	[illegible]	[illegible]	.03		
[illegible]	[illegible]			.03														.02														
[illegible] FACTORY	.06	T	T	[illegible]														[illegible]														
BURLEY CAA AP	.16	T	[illegible]	T													[illegible]		T													
[illegible]	.33		T	.06																					[illegible]		.05				[illegible]	
[illegible]	[illegible]		[illegible]	[illegible]	T																			T	.08		[illegible]					
[illegible]	[illegible]		.01	.21	[illegible]	T											[illegible]								[illegible]		.08				T	.03
[illegible]	.53	[illegible]	[illegible]	.12													T								[illegible]		[illegible]				[illegible]	[illegible]
[illegible]	.44		[illegible]	[illegible]									[illegible]	[illegible]	[illegible]	.07	[illegible]							[illegible]						[illegible]		
[illegible]	.30		.21	.10										.05	T		T	[illegible]														
[illegible]	1.37				.32				.33																[illegible]		[illegible]	.15				
[illegible]	.82			.17	.19													[illegible]			[illegible]		[illegible]			[illegible]						
[illegible] CAA [illegible]	1.11			[illegible]	.06				.14	[illegible]						T	T							[illegible]	[illegible]	[illegible]	.09	[illegible]				
[illegible]	[illegible]				[illegible]				.12	[illegible]												[illegible]			.67	.01	.03	[illegible]		[illegible]		
[illegible]	[illegible]		[illegible]	.34												[illegible]	[illegible]															
[illegible]	1.23			[illegible]	[illegible]				[illegible]								[illegible]								.38		.39	.01	.26	.01		
[illegible]	.35			.09	T												[illegible]								[illegible]		T					
[illegible]OUCH 2 NNW	[illegible]																								.10				[illegible]		[illegible]	
[illegible]ADWOOD DAM	[illegible]		.32	[illegible]													.03		T						.07		.02					
[illegible]	.21		.09	[illegible]																					.07							
[illegible]	.95		.03	[illegible]	[illegible]		[illegible]			.01	.03						.03							[illegible]	.27		.02	.06	.03	.01		
[illegible]	.35		.31	.02															.02													
[illegible]BOIS EXP STA	.14		.01		[illegible]				T							.05	T	.04					[illegible]									
[illegible]	[illegible]		[illegible]		T				T								.04															
[illegible]	1.19		T	[illegible]	[illegible]	[illegible]	[illegible]																		[illegible]				.01	.16		

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3—Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	3
ELK RIVER 1 S	1.25				.21				.13																.68	.03	.04	.01	.07	.08		
EMMETT 2 E	.10		.10																													
FAIRFIELD	T																		T						T				T	T		T
FENN RS	.89			.16	.33					T															.21		T	.12	.01	.06		
FORT HALL IND AGENCY	.35		T													.25	.02	.08														
GARDEN VALLEY RS	.16		.02	.01													T										.01				.12	
GLENNS FERRY	T																												T			
GOODING CAA AP	.03																		.02													.0
GRACE	.41		.10	.21					.10																							
GRAND VIEW	.05			.05																												
GRANGEVILLE	.73		.05	.07	T																				.30		.06	.03	.17	.05		
GRAY	.05		.05																													
GROUSE	.67		.24	.04											.37		.02															
HAILEY AP	T				T											T																
HAMER 4 NW	.01		.01		T																											
HAZELTON	.11	.09	.02														T	T														
HILL CITY	.00																															
HOLLISTER	.26	.26	T																													
HOWE	.20			.20	T													T														
IDAHO CITY	.55		.03	.12	.14																										.26	
IDAHO CITY 13 SW	.14		T	T													.02								.04				.05		.03	
IDAHO FALLS 6 NE	.08		.06														T	T		.02												
IDAHO FALLS CAA AP	.05		T												T	T	T		.04									.01				
IRWIN 2 S	1.16		.34			T										.08		.10	.21			.35	.05				.03	T				
ISLAND PARK DAM	.81	.10	.19		.02										.34														.16			
JEROME	.01			T													T		T													.0
KAMIAH 1 NE	.77			T	.27	T			T																.32		.04	.07	T	.07		
KELLOGG	1.21			.02	.05				.15	.07	.02														.38	.46	T	.03	.03	T		
KOOSKIA	.78			T	.07												.03								.46		T	.19	.03	T		
KUNA 2 NNE	T		T	T												T									T						T	T
LEWISTON WATER PLANT	.92			T	.05				.03															T	.56	T	.20	.01	.07	T		
LEWISTON WB AP R	1.00			T	.02	.04			.01															T	.64	.01	.15	.02	.10	.01		
LIFTON PUMPING STA	.84	.07	.44	.15					T	.05	T				.05	.06		.02														
MACKAY RS	.55		•	.40		T									.13			.02												T		
MALAD	.26	T	.09	T					T						.13	.04													T			T
MALAD CAA AP	.15	T	.08	T				T	T							.07																T
MAY RS	1.08		.60	T	.28												.19					T								.01		
MC CALL	2.01		T	1.31	.14											.05									.43		.07					.0
MC CAMMON	.15			.03											.12		T															
MERIDIAN 1 W	.05		.04	.01																					T							
MESA	.32																.20								.12		T					
MINIDOKA DAM	.04																.04		T													
MONTPELIER RS	.73		.55	.08	T						.09					.01																
MOSCOW U OF I	1.27				.07				.40		.02											T			.58		.19	T	.01			
MOUNTAIN HOME	.09			.08																											.01	
MULLAN PASS CAA	1.86		.04	.41	T				.37	.20	.02						.15			T		T		.01	.58	.01	.01	.01	.05			
NAMPA 2 NW	.07			T	.01																					.06						
NEW MEADOWS RS	1.47			1.18	.05																				.21		.03					
NEZPERCE 2 E	1.38			.18	.12				.03								T							.01	.62		.19	.01	.21	.01		
OAKLEY	.91	.40	.47	.02											.02																	
OBSIDIAN 4 NNE	1.11		T	.56													.37	.08												.10	T	
OLA 4 S	.09				.06																				.02		.01					
OROFINO	1.06			.06	.13	.03			.02				T												.57		.09		.06	.10		
PALISADES DAM	.84		.37			T			.01			T				.32	.06		.06				.02		T							
PARMA EXP STA	.09		T	T																					.09		T					
PAUL 1 E	.04			.03																.01												
PAYETTE	.11			T																					.08		T					.0
PIERCE RS	1.61			.09	.40				.05								T							T	.60		.14	.25	.04	.04		
PINE 2 SSW	T		T	T													T	T							T					T	T	
POCATELLO WB AP //R	.78	T	T												.10	.31	.34															.0
PORTHILL	2.44								.40	.50										T					.59	.10	.10	.15	.60			
PRESTON SUG FACT 2 SE	1.35	.47	.40	.21							.04					.13	.10															
PRIEST RIVER EXP STA	2.42				.23				.57	.18	T									T	T				.58		.02	.81	.03			
REACTOR TESTING STA	.18		.15															.03														
RICHFIELD	.05																		.05													
RIGGINS RS	.79			.15	.11																				.37					.16		
RUPERT	.01	T		.01																												
SAINT ANTHONY	.08		.05								.03								T													
SAINT MARIES	1.05				.15			.02	.31	.04															.37	.07	.03	.02	.04			
SALMON	.33		.15	T	.11	T											.03	T				T		T	.04							
SANDPOINT EXP STA	1.33				.13				.38	.03							T								.60	.02	.02	.10	.05			
SHOSHONE	.04			.02	T												.01		T											T		.0
SPENCER RS	.09	T	T													.06		T					[illegible]									
SPRINGFIELD 1 SE	T		T												T		T															
STIBNITE	1.00		T	.58	.06													.08								.25		.03				
STREVELL	1.38	.10	1.14	.02											.12																	
SUGAR	.40		T								.14					.03		T	.23													
SUN VALLEY	.04			.04												T														T		
SWAN FALLS PH	.32			.32																												
TETONIA EXP STA	.30		.25												T				T			.05				T			T	T		
THREE CREEK	-	.02	.02											T	T	.09														-	-	-
TWIN FALLS 2 NNE	.13	.08	T	T													T	.05												T		T
TWIN FALLS 3 SE	.09		.08	T											T				.01												T	
WALLACE	1.35		T	.06	.17		T			.06												T		T	.81		T	.17	.08			
WALLACE WOODLAND PARK	1.49				.19	.02				.16	.05														.17	.72	.02		.13	.03		
WEISER	.07																								.07		T				T	
WINCHESTER 1 SE	.85				.05																				.48		.05	.10	.17			

PRECIPITATION STORAGE GAGE TABLE WILL BE FOUND ON PAGE 99.

DAILY TEMPERATURES

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	[illegible]	24	25	26	[illegible]	28	29	30	31	
ABERDEEN EXP STA	MAX	89	80	84	83	89	91	92	89	89	86	84	93	95	89	89	87	91	90	90	91	91	88	89	84	85	85	84	84	82	84	84	87.5
	MIN	53	60	49	53	44	45	45	50	[illegible]	52	43	39	47	54	52	51	50	49	48	47	49	51	45	42	39	40	40	47	49	49	52	48.0
ALPHA 1 N	MAX	83	83	81	76	86	88	86	79	77	76	86	89	87	86	88	82	81	89	90	81	81	77	80	75	70	66	70	67	68	76	78	80.1
	MIN	43	47	40	36	35	35	35	49	[illegible]	30	32	32	41	40	39	41	40	35	39	41	34	34	37	36	26	37	32	35	37	38	38	36.8
AMERICAN FALLS 1 NW	MAX	85	84	86	85	90	93	93	92	87	85	86	[illegible]	95	91	86	85	87	89	85	89	89	85	88	82	84	84	84	84	80	84	83	86.9
	MIN	64	59	47	52	47	52	47	60	56	55	43	46	54	58	53	53	[illegible]	50	44	48	49	[illegible]	46	47	41	43	42	52	53	46	54	51.2
ANDERSON DAM	MAX	95	86	87	86	94	100	98	95	87	87	90	99	95	93	97	93	96	98	101	95	87	85	89	82	84	77	80	75	70	79	86	89.2
	MIN	57	63	56	53	54	57	55	59	52	57	53	53	59	64	61	62	56	60	61	60	[illegible]	54	54	54	47	49	49	51	56	51	53	55.0
ARCO	MAX	87	76	82	81	86	89	90	88		82	82	89	91	86	86		91	87	90	89	87	86	87	85	77	77	87	77	77	81	82	84.7
	MIN	49	57	45	49	44	46	41	48		44	41	39	46	49	47		45	48	43	41	40	[illegible]	38	39	45	36	40	48	51	46	47	44.3
ARROWROCK DAM	MAX	90	94	89	87	85	94	97	95	83	85	83	90	99	95	94	98	94	95	97	103	88	86	84	88	69	84	75	80	78	73	78	88.1
	MIN	56	59	56	50	54	[illegible]	54	54	53	50	52	52	55	62	62	58	55	56	60	54	52	52	51	52	43	51	50	51	53	52	50	53.8
ASHTON 1 N	MAX	81	74	87	88	83	80	79	78	81	81	79	78	82	84	87	87	85	77	79	85	84	85	83	81	80	79	78	74	75	76	76	[illegible]0.8
	MIN	52	55	55	55	50	48	49	47	50	48	49	46	42	50	54	44	51	50	50	52	53	55	51	52	50	49	47	43	45	43	44	49.3
ATLANTA 1 E	MAX	84	82	78	75	80	83	85	84	76	80	81	80	87	83	83	80	84	85	87	85	81	85	80	77	70	70	70	67	65	75	77	79.5
	MIN	49	57	44	43	45	52	51	54	41	42	44	48	55	55	53	52	48	51	44	[illegible]	44	46	47	50	37	46	42	42	47	41	45	48.1
AVERY RS	MAX	87	90	96	92	89	96	97	90	78	82	89	93	97	97	100	94	89	100	102	[illegible]	83	54	88	87	75	73	68	70	75	80	80	87.9
	MIN	39	43	43	56	51	49	50	52	47	46	46	47	42	47	47	54	48	49	51	57	52	43	46	48	44	50	47	44	50	44	45	47.6
BAYVIEW MODEL BASIN	MAX	82	78	82	81	80	84	90	91	81	78	90	92	91	91	90	86	86	87	85	85	88	65	78	74	65	65	68	71	74	76	78	81.4
	MIN	43	42	47	48	47	51	54	57	44	45	44	44	44	47	45	44	48	45	50	[illegible]	51	50	51	38	42	52	52	44	49	51	50	47.7
BIG CREEK 1S	MAX	86	78	76	73	81	88	90	85	77	71	83	89	90	86	89	81	85	83	91	83	83	81	83	57	69	59	70	71	69	82	82	79.7
	MIN	29	44	40	36	33	33	33	34	31	33	28	30	35	39	34	41	32	33	34	38	31	33	36	31	27	30	29	32	32	30	32	33.2
BLACKFOOT	MAX	88	93	88	84	91	94	96	89	89	82	85	94	97	93	90	87	91	91	92	90	90	85	91	84	85	85	84	84	83	85	85	88.2
	MIN	56	60	52	56	47	48	52	65	53	53	45	47	55	57	55	52	53	52	52	57	55	57	50	52	43	46	45	53	52	51	52	52.4
BLACKFOOT DAM	MAX	83	69	79	76		86	88	85	82	73	78	85	90	83	82	80	86	84	86	86	87	79	85	81	81	80	79	79	79	80	81	81.7
	MIN	47	54	38	44		36	38	52	39	45	34	36	39	43	49	40	42	41	41	39	44	41	37	42	33	42	39	36	41	38	34	40.8
BLISS	MAX	92	81	91	87	94	98	97	93	90	85	90	100	97	95	95	95	97	95	99	90	88	88	93	86	85	86	83	80	75	80	87	90.1
	MIN	54	64	58	48	49	58	53	64	49	52	53	51	60	65	59	61	54	56	60	54	52	50	51	50	40	45	42	50	55	44	48	53.5
BOISE LUCKY PEAK DAM	MAX	94	96		86	96	99	96	92	88		92	104	99	95	100	99		101	106	101	88	86	88		87	86	79	79	76	77	80	91.5
	MIN	52		57	51	56	60	57	55	46		55	56	61	64	62		55	62	62	56	52	51	54		46	54	51	53	53	53	52	55.1
BOISE WB AP	MAX	93	93	85	84	91	95	92	86	86	83	89	99	94	94	99	92	89	96	100	87	84	84	86	68	83	78	77	78	72	74	80	86.8
	MIN	51	63	56	51	56	59	57	59	51	52	54	64	61	62	69	64	58	54	67	63	52	[illegible]	55	50	47	53	46	52	52	51	53	56.2
BUHL	MAX	89	79	90	85	88	94	92	90	86	86	84	95	92	89	89	89	90	89	94	94	85	85	84	88	79	80	79	77	71	71	79	85.9
	MIN	59	64	56	52	55	61	59	61	56	56	54	57	63	65	61	64	61	60	62	64	57	57	55	55	47	54	50	53	53	50	56	57.2
BUNGALOW RS	MAX	91	95	95	91	92	96	96	94	82	79	93	94	95	98	102	97	93	102	104	98	84	85	85	81	74	72	72	71	74	82	83	88.7
	MIN	40	46	53	56	43	41	52	46	47	49	46	47	46	45	46	57	51	48	51	55	49	46	50	47	46	49	51	46	52	47	47	48.[illegible]
BURKE 2 NNE	MAX	74	80	79	74	76	84	84	79	60	70	76	80	79	82	88	86	76	86	89	91	88	72	74	74	61	58	56	62	63	68	68	75.4
	MIN	36	43	51	50	44	47	49	49	42	43	42	43	44	44	47	54	44	44	43	54	[illegible]	39	42	43	34	46	41	38	41	39	41	43.9
BURLEY	MAX	89	88	80	88	87	94	96	98	90	92	82	91	96	99	94	92	95	92	91	96	93	86	89	94	82	86	88	86	86	78	87	89.[illegible]
	MIN	60	62	51	54	52	60	53	62	52	57	48	50	56	61	57	60	59	56	58	54	56	54	51	55	43	52	50	49	55	48	55	54.5
BURLEY FACTORY	MAX	88	90	78	84	84	92	93	95	88	90	80	88	95	96	91	92	93	88	92	94	90	89	85	92	78	82	85	82	82	73	83	87.5
	MIN	56	59	49	50	46	58	46	54	48	55	43	45	52	55	55	57	56	52	56	49	51	50	46	49	37	44	44	44	50	42	50	49.9
BURLEY CAA AP	MAX	91	80	89	83	92	96	98	90	91	80	86	97	96	94	94	94	90	93	96	88	84	85	92	80	84	85	81	80	73	83	80	87.9
	MIN	58	57	50	49	48	59	47	56	48	56	44	47	53	58	54	57	57	53	57	49	50	48	47	46	37	47	43	43	51	44	49	50.4
CALDWELL	MAX	92	91	85	84	92	95	93	86	87	89	96	95	95	96	98	92	91	96	96	91	85	87	87	74	82	78	79	79	77	81	83	88.1
	MIN	54	60	56	49	52	51	50	60	52	50	50	55	60	60	59	58	52	51	62	66	64	62	48	53	40	53	48	49	53	52	51	54.4
CAMBRIDGE	MAX	95	97	91	84	94	97	95	95	87	88	95	95	98	98	97	95	92	98	97	90	92	90	86	82	80	75	80	75	76	83	84	89.7
	MIN	43	49	42	47	42	50	37	43	45	45	43	42	50	51	48	46	49	52	50	48	48	46	44	42	42	43	40	42	37	40	38	44.6
CASCADE 1 NW	MAX	84	85	78	78	83	90	88	84	77	73	83	91	87	86	90	87	85	88	93	88	79	78	82	78	70	65	66	68	68	75	77	80.8
	MIN	41	55	45	41	42	45	45	41	40	49	39	41	46	50	46	49	41	45	50	50	45	44	43	43	32	44	39	41	44	43	44	44.0
CHALLIS	MAX	87	82	82	79	81	89	92	85	81	74	83	92	86	85	83	85	82	85	88	89	85	82	86	81	77	75	77	74	69	80	83	82.5
	MIN	50	63	48	49	47	49	50	53	41	48	44	46	52	61	52	56	45	50	48	50	47	51	49	46	39	42	44	43	49	42	42	48.3
CHILLY BARTON FLAT	MAX	80	70	73	75	78	81	81	82	79	75	76	83	82	84	77	79	80	80	82	82	80	79	78	69	73	75	72	71	68	74	75	77.2
	MIN	40	53	40	46	37	34	33	44	34	42	34	33	38	47	40	47	38	36	35	39	34	35	35	32	28	29	33	40	43	35	32	37.6
CLARK FORK 1 ENE	MAX					88	94	90	87	78	80	87	92	90	91	94	88	87	91	94	90	86	84	85	84	76	73	70	71	75	78	78	84.[illegible]
	MIN					56	55	54	51	49	40	42	42	42	41	43	53	45	42	46	53	47	38	45	43	40	49	50	45	49	38	42	45.9
COBALT BLACKBIRD MINE	MAX	79	78	62	71	68	71	80	84	76	72	65	79	84	82	79	80	76	77	77	81	82	79	76	75	64	67	60	68	63	60	74	73.6
	MIN	41	50	41	40	40	44	45	46	39	39	36	41	46	51	46	48	40	43	44	48	42	44	43	43	29	34	35	36	39	36	40	41.6
COEUR D ALENE CAA AP	MAX	82	87	91	75	85	92	87	74	76	80	85	91	89	90	95	83	86	91	92	78	75	79	81	62	70	64	68	68	71	75	76	80.6
	MIN	44	49	51	56	51	56	60	56	50	48	48	48	55	53	55	58	53	51	62	56	52	41	50	50	46	52	48	47	49	48	53	51.5
COEUR D ALENE RS	MAX	85	89	93	88	89	99	97	88	76	82	89	93	92	96	100	98	87	97	97	94	78	82	85	82	74	72	71	70	73	79	79	86.3
	MIN	44	44	51	58	51	51	61	52	52	46	49	51	52	48	48	66	52	47	55	52	54	45	54	50	47	54	53	49	51	47	51	51.1
CONDA	MAX		86	66	80	78	86	89	91	88	84	71	81	88	91	86	84	85	89	88	88	89	88	81	86	82	87	86	80	83	79	85	84.2
	MIN		53	45	42	39	38	41	56	42	47	36	37	40	47	51	43	48	46	43	44	53	47	40	55	37	55	45	39	40	41	40	44.3
COTTONWOOD	MAX	82	87	85	77	85	94	85	75	76	78	88	94	90	91	96	82	85	94	97	84	75	82	78	69	70	74	67	61	64	73	78	81.2
	MIN	41	55	47	48	49	50	55	54	46	46	43	50	48	50	48	57	46	49	54	58	49	45	52	43	44	47	43	40	40	41	45	47.8
COUNCIL	MAX	95	93	88	84	93	96	95	94	87	85	90	92	92	97	97	97	95	99	99	98	90	89	89	88	75	74	80	75	77	86	88	89.6
	MIN	55	62	53	47	57	62	62	63	52	52	49	46	61	65	52	57	57	57	55	56	62	56	59	49	45	43	46	52	53	52	54	54.5
DEADWOOD DAM	MAX	85	85	78	74	82	92	90	80	79	77	82	91	87	87	89	84	87	89	93	82	82	81	83	76	73	65	72	66	71	76	80	81.2
	MIN	39	46	41	38	35	29	38	41	33	36	33	34	40	46	43	43	38	39	42	41	35	36	37	37	27	35	32	35	39	36	37	37.5
DEER FLAT DAM	MAX	89	92	84	82	89	94	89	83	84	81	88	93	95	93	97	92	87	93	96	86	81	83	85	70	79	73	76	76	73	84	80	85.4
	MIN	57	66	58	51	56	54	66	60	58	56	54	51	64	66	65	66	55	52	63	60	59	56	55	53	42	55	49	52	55	55	53	56.8
DIXIE	MAX	82	79	80	70	79	89	88	77	75	68	81	87	87	88	86	80	85	89	90	80	77	78	79	70	67	61	67	68	67	76	78	78.3
	MIN	27	41	37	41	34	35	37	39	31	32	27	30	35	41	32	43	33	35	35	39	34	35	37	34	31	37	31	33	33	37	31	34.7
DRIGGS	MAX	85	87	87	87	87	88	86	91	85	82	70	79	88	91	85	82	81	82	84	88	89	81	82	86	86	82	83	82	80	80	80	84.1
	MIN	45	50	45	45	41	42	45	53	55	45	39	41	45	49	47	42	46	46	41	46	47	44	40	36	36	44	45	45	44	39	39	44.1
DUBOIS EXP STA	MAX	87	68	83	81	85	88	92	90	86	84	80	89	92	88	84	86	87	88	87	90	86	85	84	86	80	81	81	79	79	80	82	84.5
	MIN	56	56	47	48	51	55	54	53	50	56	45	50	52	58	55	50	50	50	53	52	53	54	52	50	51	45	48	48	51	53	45	45	51.2
DUBOIS CAA AP	MAX	89	70	85	82	88	90	95	90	87	79	82	89	94	87	87	88	90	91	88	90	88	85	87	80	80	82	82	80	83	82	83	85.6
	MIN	56	56	48	49	53	57	55	57	49	50	47	47	49	58	55	49	52	54	52	55	55	49	48	50	40	43	46	50	52	45	42	50.6
ELK CITY	MAX	82	86	83	74	82	94	84	81	75	76	86	92	87	89	92				97	90	77	80	80	76	71	70	66	67	67	75	77	80.6
	MIN	26	46	40	50	45	36	39	43	39	33	32	32	34	36	30					41	33	37	37	43	40	41	36	36	43	44	37	38.1
ELK RIVER 1 S	MAX	82	83	87	88	85	92	94	86	75	79	84	90	90	91	95	94	84	94	95	95	77	78	80	56	69	68	67	67	65	73	76	81.[illegible]
	MIN	34	41	47	52	51	50	48	51	45	41	40	41	40	41	42	55	42	42	41	56	47	39	33	34	37	49	46	41	38	42	44	43.5
EMMETT 2 E	MAX	93	93	85	84	91	94	92	86	87	85	90	97	95	95	99	91	92	96	100	92	87	87	90	80	83	80	80	78	75	78	85	88.4
	MIN	45	58	59	50	48	56	52	57	50	48	49	49	54	58	57	61	48	53	62	58	52	48	48	51	43	53	47	49	52	47	50	52.0
FAIRFIELD	MAX	86	79	83	78	87	90	90	88	83	80	83	91	93	87	90	87	89	89	91	95	92	88	87	81	77	78	78	77	71	75	81	84.3
	MIN	45	51	43	41	39	45	40	45	37	39	40	35	44	55	48	55	41	45	45	42	42	44	37	38	42	35	35	44	47	52	49	42.9
FENN RS	MAX	89	92	88	96	93	96	96	93	85	85	92	95	96	97	97	96	92	99	96	92	86	88	88	85	77	78	76	73	73	82	87	89.0
	MIN	42	50	56	46	54	51	56	56	52	50	47	47	49	49	47	52	52	50	51	57	53	49	52	51	49	50	50	49	50	49	50	50.5
FORT HALL IND AGENCY	MAX	88		87	83	90	94	94	93	86	85	84	94	97	95	90	88	90	91	89	92	90	87	90	87	85	84	84	82	82	84	84	88.3
	MIN	55		49	52	47	46	48	66	51	51	44	44	53	52	55	48	50	50	47	49	52	47	48	51	40	43	42	47	50	51	51	49.6
GARDEN VALLEY RS	MAX	96	93	90	86	95	101	95	94	88	85	90	101	98	96	97	94	95	99	102	99	88	86	91	87	82	81	78	78	76	83	88	90.7
	MIN	44	55	51	46	44	44	46	48	43	47	44	44	49	51	51	53	46	47	51	49	45	[illegible]	[illegible]	44	35	45	40	44	49	49	46	46.6
GLENNS FERRY	MAX	94	87	94	87	94	99	97	91	90	84	90	100	95	95	97									82	85	83	85	80	71	81	87	89.0
	MIN	52	66	58	48	46	56	48	51	52	55	50	45	52	61	60									39	43	41	45	50	55	51	56	51.3
GOODING CAA AP	MAX	90	83	93	84	94	98	96	87	89	82	88	98	95	93	95	92	95	96	102	89	87	85	91	74	83	82	81	79	72	83	84	88.4
	MIN	58	62	56	52	56	62	54	60	55	53	49	55	64	67	62	66	61	63	64	44	57	54	51	52	42	49	48	53	54	47	53	56.4
GRACE	MAX	78	69	79	78	81	84	86	85	82	72	78	84	88	80	79	83	85	81	85	86	83	79	82	82	82	79	79	78	78	80	79	80.8
	MIN	58	56	45	46	43	42	45	58	45	52	41	43	46	53	53	45	49	47	45	46	51	47	44	57	41	55	47	45	46	43	43	47.6
GRAND VIEW	MAX	100	99	91	91	98	104	104	99	94	90	96	109	104	103	104	102	99	102	106	95	91	94	97	85	91	85	86	82	80	80	85	95.0
	MIN	62	65	57	49	53	52	56	59	56	55	52	50	60	63	61	62	54	57	60	58	60	60	51	56	42	45	50	48	57	53	51	55.3
GRANGEVILLE	MAX	84	88	86	78	86	95	87	78			89	95	91	93	97	84	86	94	98	81		82	80	62	73	70	69	66	64	75	80	82.5
	MIN	45	55	51	51	52	50	59	58			49	56	55	55	53	63	54	51	60	[illegible]		50	54	45	47	48	47	44	44	44	48	51.7
GRAY	MAX	80	70	75	76	78	78	79	80	81	82	84	85	84	86	84	85	82	80	81	82	84	78	75	72	70	71	70	72	74	75	76	78.4
	MIN	55	45	50	51	54	52	54	55	55	56	58	56	54	56	52	53	[illegible]	49	50	51	56	45	42	40	40	39	38	40	38	36	38	48.6
GROUSE	MAX	81	72	76	74	81	82	83	81	78	74	86	87	88	80	78	79	82	81	83	82	81	79	81	71	72	74	74	71	71	76	78	78.6
	MIN	45	55	40	47	35	35	35	43	[illegible]	37	33	38	40	47	40	44	37	39	[illegible]	[illegible]	45	45	33	27	29	29	36	40	44	34	35	37.7

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HAILEY AP	MAX	88	84	82	83	85	89	89	84	84	82	85	91	91	86	89	92	94	88	100	95	88	84	86	80	77	77	78	75	76	78	80	84.8
	MIN	54	57	55	57	48	49	48	51	50	40	43	44	53	59	56	52	51	54	52	51	[illegible]	43	46	35	[illegible]	41	43	47	45	44	50	48.7
HAMER 4 NW	MAX	90	82	86	87	88	92	92	91	88	78	82	91	95	93	87	92	92	89	90	92	90	86	89	82	87	87	84	83	82	84	85	87.5
	MIN	48	50	46	43	46	48	50	54	40	48	42	42	52	48	50	45	50	44	44	49	54	46	42	43	40	34	40	42	46	[illegible]	39	45.5
HAZELTON	MAX	86	76	84	78	89	92	95	94	84	82	84	94	92	88	90	90	90	89	94	90	85	81	87	86	82	81	77	76	76	72	79	85.5
	MIN	51	57	49	48	47	51	47	54	50	51	43	43	54	54	52	57	57	[illegible]	52	51	[illegible]	51	46	46	37	46	42	44	46	42	50	49.2
HILL CITY	MAX	93	84	81	79	89	94	93	86	83	83	86	94	94	89	92	91	93	93	95	89	87	85	88	87	78	76	76	76	72	78	83	86.2
	MIN	44	46	44	43	48	45	39	47	45	44	39	34	43	50	49	36	40	39	47	47	45	42	42	38	40	30	34	34	46	48	51	42.0
HOLLISTER	MAX	85	78	87	88	92	91	92	87	93	79	84	94	91	90	88	[illegible]	84	91	94	92	89	90	86	82	79	81	74	73	76	77	74	84.9
	MIN	56	59	[illegible]	46	49	55	56	55	51	54	49	54	66	57	56	[illegible]	[illegible]	50	57	[illegible]	52	54	[illegible]	48	[illegible]	47	44	47	42	43	52	51.5
IDAHO CITY	MAX	93	88	86	87	90	96	93	90	85	83	87	98	97	94	95	91	93	95	97	92	85	84	86	81	80	77	77	72	70	80	85	87.3
	MIN	39	52	45	41	40	41	42	46	38	39	39	37	45	51	47	52	41	43	45	43	40	40	39	41	[illegible]	39	37	37	45	47	42	42.0
IDAHO FALLS 6 NE	MAX	85	82	84	81	86	88	91	87	82	79	78	85	91	88	85	86	88	88	87	85	85	84	87	83	79	80	79	80	79	80	80	83.9
	MIN	51	58	52	51	[illegible]	44	58	61	49	44	42	46	47	53	53	51	[illegible]	54	[illegible]	62	52	46	46	56	[illegible]	40	41	47	51	46	45	49.5
IDAHO FALLS CAA AP	MAX	88	73	85	79	90	94	93	89	85	80	82	88	93	88	86	91	93	87	92	86	92	84	86	80	82	87	82	81	81	84	86	86.0
	MIN	56	56	50	54	43	49	50	63	50	49	47	45	50	58	54	49	52	51	48	49	55	54	47	50	[illegible]	42	46	[illegible]	52	49	47	50.4
IRWIN 2 [illegible]	MAX	85	76	[illegible]	81	81	86	91	88	86	82	82	84	93	87	83	80	81	81	87	84	85	82	86	82	83	81	82	80	82	83	82	83.9
	MIN	49	45	[illegible]	47	43	44	46	47	46	40	42	43	47	50	53	45	50	50	47	50	51	53	43	47	40	47	43	42	46	41	40	46.8
ISLAND PARK DAM	MAX	[illegible]	70	72	73	79	84	86	85	81	78	76	82	88	85	81	82	83	83	83	84	82	79	81	76	76	77	77	75	76	80	80	79.9
	MIN	45	51	41	41	41	[illegible]	55	51	48	45	44	50	55	49	54	50	50	51	50	51	49	48	49	44	36	33	36	42	35	36	34	45.8
JEROME	MAX	90	86	91	85	92	97	95	92	88	86	88	97	94	92	95	90	93	95	98	94	86	85	90	82	84	84	81	80	75	81	82	88.6
	MIN	57	59	[illegible]	48	[illegible]	[illegible]	[illegible]	[illegible]	50	55	48	50	55	64	52	64	56	60	62	[illegible]	52	55	44	48	40	44	43	46	51	45	50	52.4
KELLOGG	MAX	80	87	92	95	76	89	99	90	75	78	83	[illegible]	93	92	95	100	84	87	100	98	80	78	82	85	61	64	65	69	71	75	80	83.7
	MIN	41	47	57	58	52	51	54	57	48	50	48	47	47	47	49	[illegible]	51	49	52	63	54	44	49	52	46	50	51	46	50	51	43	50.5
KOOSKIA	MAX	91	98	91	88	95	103	101	91	86	87	96	99	98	100	105	99	94	105	106	101	95	88	[illegible]	79	78	78	82	72	74	83	96	91.1
	MIN	41	50	[illegible]	[illegible]	55	51	56	57	48	48	45	47	46	48	45	61	50	50	[illegible]	62	54	47	54	52	51	54	52	48	51	54	47	51.1
KUNA 2 NNE	MAX	90	90	82	83	90	93						95	93	93	97	91	87	93	97	95	83	85	80	89	81	77	77	78	72	77	80	85.5
	MIN	46	54	52	47	47	50						50	53	55	52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	51	49	47	51	[illegible]	46	44	44	52	48	47	50.1
LEWISTON WATER PLANT	MAX	92	96	90	85	95	100	95	91	84	89	97	100	98	101	105	96	95	103	102	94	84	98	[illegible]	81	79	75	80	77	76	87	87	90.6
	MIN	49	57	61	60	54	61	66	65	55	55	54	53	57	55	58	71	56	56	[illegible]	67	60	[illegible]	61	54	[illegible]	59	56	55	54	51	54	57.8
LEWISTON WB AP	MAX	89	94	88	83	95	97	91	81	83	86	93	97	95	99	104	87	91	102	99	93	81	85	85	68	77	69	74	64	74	81	84	86.4
	MIN	50	55	60	57	57	62	[illegible]	62	54	52	56	62	58	57	60	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	51	51	55	53	[illegible]	52	49	53	58.8
LIFTON PUMPING STA	MAX	81	68	77	78	81	84	85	84	84	81	78	82	87	81	79	76	[illegible]	75	80	85	81	80	81	79	76	76	76	77	77	[illegible]	83	79.9
	MIN	55	[illegible]	47	46	[illegible]	46	48	53	50	48	42	42	45	52	51	46	50	[illegible]	44	46	49	[illegible]	44	42	44	[illegible]	48	46	46	45	44	47.6
MACKAY RS	MAX	84	83	78	84	[illegible]	86	87	85	82	75	83	87	86	78	76	[illegible]	[illegible]	81	86	87	83	[illegible]	83	80	76	78	78	75	70	77	79	81.4
	MIN	49	50	44	50	48	47	44	49	46	47	45	44	49	53	49	46	47	[illegible]	46	42	[illegible]	45	41	[illegible]	[illegible]	40	44	42	45	44	46	45.5
MALAD	MAX	85	78	86	86	89	92	93	91	92	86	85	90	92	86	90	91	93	92	94	92	90	89	[illegible]	88	87	85	86	84	82	85	86	88.1
	MIN	57	57	[illegible]	50	46	46	49	51	51	52	45	45	46	58	53	51	55	57	52	51	54	[illegible]	49	62	45	51	60	51	54	52	54	52.6
MALAD CAA AP	MAX	87	90	87	88	92	93	94	95	94	91	96	91	95	89	88	92	94	91	93	93	[illegible]	88	91	90	89	86	87	86	83	85	87	89.4
	MIN	54	56	49	49	40	41	43	57	47	47	39	39	40	53	55	45	[illegible]	[illegible]	48	44	47	47	44	55	41	58	47	46	45	52	50	47.9
MAY RS	MAX	85	77	81	76	87	89	91	85	81	79	85	89	87	89	83	85	85	84	90	90	85	83	83	76	76	75	79	71	67	80	82	82.4
	MIN	44	55	44	48	42	44	44	48	42	38	39	44	41	45	46	46	43	44	44	48	45	44	41	40	34	35	39	40	44	37	40	42.5
MC CALL	MAX	80	80	74	73	81	86	85	75	74	72	78	88	83	84	85	[illegible]	82	77	89	78	76	78	78	55	65	61	65	64	66	73	74	76.6
	MIN	40	50	45	43	42	44	43	47	40	42	39	41	45	49	44	49	42	45	47	40	44	44	42	45	45	43	41	39	42	41	44	43.3
MC CAMMON	MAX	85	80	85	86	90	91	93	90	90	84	85	92	95	88	85	89	90	89	94	91	93	92	90	85	88	86	80	85	87	87	85	88.3
	MIN	55	58	52	45	43	43	44	52	46	60	44	42	46	53	54	49	54	57	53	46	50	48	44	54	41	46	46	46	49	46	46	48.6
MERIDIAN 1 W	MAX	91	89	82	82	91	96	92	88	85	82	92	95	93	94	97	90	88	94	95	98	82	84	84	82	79	76	76	77	72	74	80	86.1
	MIN	49	62	55	48	49	53	54	55	49	53	52	54	55	58	65	61	50	55	62	67	52	51	49	51	40	49	45	47	51	50	49	52.9
MESA	MAX	92	91	94	93	91	94	96	98	97	98	98	99	100	97	98	93	96	99	96	93	92	90	88	78	72	77	76	74	78	81	85	90.5
	MIN	54	54	51	52	50	51	52	54	53	53	55	56	57	64	57	58	60	61	56	51	50	50	49	46	45	46	49	49	50	50	51	52.8
MINIDOKA DAM	MAX	87	74	83	81	91	94	92	91	86	76	85	93	93	87	92	88	89	90	94	88	81	84	91	78	83	84	81	79	78	80	77	85.5
	MIN	62	61	52	54	52	58	57	61	56	56	51	57	60	64	61	54	60	59	58	57	57	57	54	53	45	51	48	50	53	50	54	55.7
MONTPELIER RS	MAX	87	82	71	82	80	85	82	89	87	85	75	81	87	91	86	83	86	88	85	88	89	87	84	85	84	84	83	81	82		82	84.0
	MIN	54	53	48	42	41	41	44	56	45	45	38	40	41	48	51	43	49	51	42	43	48	46	40	56	37	57	54	48	45		41	46.2
MOSCOW U OF I	MAX	84	89	86	79	87	93	85	83	76	79	87	89	88	93	97	82	85	96	93	86	75	80	80	59	71	68	68	68	72	76	77	81.6
	MIN	47	49	60	56	53	51	55	53	50	43	48	48	48	45	49	57	45	46	55	58	54	40	53	47	48	54	49	47	43	42	46	49.6
MOUNTAIN HOME	MAX	99	90	94	89	98	104	100	98	95	91	94	105	105	100	102	99	101	102	105	101	92	93	95	91	88	88	87	85	76	82	90	94.8
	MIN	56	70	56	49	52	62	53	61	54	52	50	54	57	63	63	64	56	61	60	60	54	54	54	53	44	45	45	49	44	52	55	54.9
MULLAN PASS CAA	MAX	70	76	75	59	71	80	77	63	60	68	72	75	76	76	84	71	72	82	86	70	60	67	71	51	58	53	53	57	57	60	60	68.1
	MIN	49	54	47	47	47	57	58	45	45	45	50	58	58	58	63	56	52	58	63	49	43	47	48	34	38	44	42	41	41	44	47	49.3
NAMPA 2 NW	MAX	92	95	90	84	85	94	96	94	88	88	85	90	98	97	95	97	92	90	96	96	88	85	86	88	70	82	80	79	77	73	79	88.0
	MIN	50	64	56	50	50	52	55	58	52	55	49	51	57	59	63	60	51	53	62	56	55	53	49	53	39	51	46	48	51	49	49	53.1
NEW MEADOWS RS	MAX	86	88	83	78	87	93	90	88	80	76	85	92	91	90	93									77	76	70	72	70	68	77		82.3
	MIN	35	50	44	48	45	43	42	47	38	33	34	33	41	45	38									42	34	43	41	40	41	39		40.7
NEZPERCE 2 E	MAX	81	88	86	78	85	95	85	72	76	79	86	92	89	90	96	80	84	94	97	80	79	79	78	69	70	69	69	63	65	73	77	80.8
	MIN	45	53	53	50	52	55	54	54	47	46	48	52	53	55	54	63	52	54	61	58	50	48	54	46	45	51	46	44	43	44	47	50.9
OAKLEY	MAX	85	85	84	80	87	90	92	88	86	85	84	92	90	92	89	90	91	90	93	85	83	81	91	88	80	80	81	78	71	82	77	85.5
	MIN	54	56	50	48	51	47	49	60	52	54	50	47	49	48	55	50	54	51	53	59	52	49	51	49	41	42	41	45	50	40	49	49.9
OBSIDIAN 4 NNE	MAX	82	73	73	70	76	78	81	75	70	69	78	80	83	78	78	75	79	80	82	76	77	73	75	60	66	64	66	62	58	70	71	73.5
	MIN	42	52	36	36	34	34	36	40	29	31	31	31	37	45	44	43	34	38	36	45	32	33	34	41	24	35	29	29	38	33	33	36.0
OLA 4 S	MAX	101	97	85	82	87	98	97	101	96	93	95	90	87	91	94	95	96	91	88	84	90	91	87	84	85	81	80	82	85	88	87	89.9
	MIN	50	58	46	46	47	46	46	52	52	45	45	47	45	46	49	46	45	49	46	42	[illegible]	48	46	41	42	41	42	43	46	46	45	46.5
OROFINO	MAX	93	95	97	89	96	103	100	92	85	88	93	100	99	103	106	90	95	105	103	88	34	88	90	87	78	77	79	76	76	85	88	91.2
	MIN	45	51	53	57	57	55	59	62	51	50	50	50	50	52	51	63	52	53	56	67	50	51	55	53	51	57	54	51	53	46	49	53.4
PALISADES DAM	MAX	82	81	81	80	82	86	90	90	85	72	79	87	91	90	81	83		84	84	89	89	83	85	81	83	81	82	81	82	84	85	83.8
	MIN	52	56	49	48	44	46	48	55	45	49	43	43	46	51	55	49	51	50	47	48	51	52	45	50	42	50	48	46	48	44	43	48.2
PARMA EXP STA	MAX	89	92	82	83	92	93	93	93	85	83	87	92	96	97	99	94	93	100	98	89	87	88	91	76	85	80	78	77	78	85	87	88.5
	MIN	50	58	57	50	52	51	50	60	52	53	50	47	58	63	57	62	54	53	61	58	55	52	49	50	41	54	48	48	52	51	57	53.3
PAUL 1 E	MAX	90	92	79	88	83	90	93	97	85	87	80	86	94	94	91	94	90	87	92	93	87	85	85	91	75	84	83	80	84	85	83	87.3
	MIN	58	59	48	51	45	53	46	53	50	52	49	42	50	51	54	53	54	54	55	49	50	60	44	48	39	46	43	45	52	46	50	50.0
PAYETTE	MAX	93	97	87	88	95	96	96	88	87	88	91	98	100	99	99	92	92	97	98	89	86	87	89	71	79	77	80	77	77	82	85	89.0
	MIN	55	63	58	50	54	55	60	63	55	55	52	50	59	63	58	60	56	58	58	62	59	55	53	62	43	57	50	50	53	52	50	55.7
PIERCE RS	MAX	87	88	90	75	87	96	94	86	76	78	87	91	90	92	98	95	85	96	100	92	77	80	79	75	70	70	67	67	67	75	78	83.5
	MIN	34	42	46	50	49	46	48	51	41	43	39	41	40	40	40	53	45	43	45	54	46	40	46	44	42	47	45	43	45	40	41	44.1
POCATELLO WB AP	MAX	90	73	88	83	90	93	95	90	88	80	86	94	96	89	91	88	88	90	92	90	88	85	90	81	83	83	84	84	82	85	82	87.1
	MIN	59	59	50	52	48	46	51	67	60	56	48	48	56	61	56	51	51	53	50	52	54	61	49	53	44	48	45	52	55	53	54	53.0
PORTHILL	MAX	82	87	83	78	85	91	92	87	70	81	87	90	89	88	92	90	89	91	90	89	85	83	85	80	72	79	80	74	77	80	80	84.1
	MIN	39	44	46	59	48	46	57	52	50	49	45	48	46	48	49	54	47	46	48	47	44	43	45	53	39	42	47	51	40	44	56	47.5
PRESTON SUG FACT 2 SE	MAX	87	84	84	83	88	92	92	92	90	88	85	89	92	92	87	90	90	90	93	92	89	88	86	87	86	85	83	83	83	84	86	87.7
	MIN	58	59	51	49	44	45	48	57	49	55	42	43	43	57	55	49	53	54	49	47	51	53	45	55	43	60	54	49	48	49	47	50.4
PRIEST RIVER EXP STA	MAX	81	85	88	84	83	93	90	85	70	78	83	84	87	90	94	88	92	93	91	87	74	77	83	78	66	61	65	66	75	75	76	81.0
	MIN	35	38	45	57	46	45	53	55	50	48	43	45	41	43	46	54	45	44	53	55	42	38	45	50	36	47	51	48	44	42	45	46.1
REACTOR TESTING STA	MAX	89	67	85	81	89	92	93	90	87	80	85	92	95	89	90	88	91	89	91	90	89	84	84	78	81	81	81	80	79	83	84	85.8
	MIN	49	50	46	54	42	45	42	59	44	42	43	40	47	50	46	48	40	45	46	[illegible]	44	46	41	41	36	37	41	48	50	48	43	45.6
RICHFIELD	MAX	85	78	86	81	89	91	92	89	84	80	85	92	91	88	91	89	91	90	93	92	83	81	87	78	79	79	80	76	73	[illegible]	77	84.9
	MIN	51	51	56	48	49	59	51	52	47	46	44	45	51	61	59	63	55	54	55	55	50	46	47	45	39	43	46	45	50	44	51	50.3
RIGGINS RS	MAX	89	95	91	93	94	103	102	86	88	84	96	103	98	99	104	101	93	99	[illegible]	104	84	89	90	90	86	89	87	72	75	87	87	91.9
	MIN	54	64	59	50	52	[illegible]	61	56	57	56	56	62	65	66	62	62	59	60	[illegible]	61	63	48	54	44	50	67	53	55	55	54	56	58.1
RUPERT	MAX	88	89	78	87	94	96	97	96	90	91	82	[illegible]	96	98	95	93	94	[illegible]	95	95	94	87	87	97	78	89	90	86	79	77	85	89.7
	MIN	57	56	50	48	47	57	48	57	54	53	45	45	54	57	55	56	56	57	54	50	52	[illegible]	47	49	40	47	44	45	50	44	50	50.9
SAINT ANTHONY	MAX	89	72	85	79	87	89	94	89	87	79	[illegible]	[illegible]	92	87	85	87	91	91	88	85	90	92	87	81	83	83	84	[illegible]	82	84	83	85.6
	MIN	48	48	45	49	41	42	44	41	[illegible]	40	38	41	44	49	55	46	[illegible]	45	44	47	47	47	[illegible]	46	[illegible]	41	40	46	47	41	40	44.4
SAINT MARIES	MAX	86	87	92	91	89	97	97	90	83	81	88	92	[illegible]	93	97	96	96	95	97	95	92	87	85	82	79	72	71	70	74	78	79	87.2
	MIN	47	42	[illegible]	[illegible]	50	48	[illegible]	51	45	46	44	44	[illegible]	[illegible]	45	52	45	54	50	57	50	40	42	46	44	53	50	42	50	42	43	46.9
SALMON	MAX	91	76	87	82	[illegible]	93	101	93	[illegible]	77	88	[illegible]	92	[illegible]	[illegible]	89	89	90	95	96	91	87	90	76	78	70	79	79	75	90	90	86.9
	MIN	[illegible]	56	51	[illegible]	45	46	44	46	48	45	39	[illegible]	45	51	47	57	44	46	43	45	47	45	48	39	35	35	35	[illegible]	48	[illegible]	45	44.7
SANDPOINT EXP STA	MAX	80	82	89	74	[illegible]	90	88	74	73	79	84	90	87	[illegible]	84	83	85	87	80	78	75	80	81	76	62	58	68	69	74	76	77	79.7
	MIN	37	40	48	[illegible]	51	48	56	[illegible]	50	45	45	46	42	44	47	54	48	44	54	[illegible]	49	40	43	[illegible]	41	51	52	[illegible]	49	44	50	48.2

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SHOSHONE	MAX	91	78	89	82	92	94	95	85	85	[illegible]	87	95	92	89	[illegible]	91	94	[illegible]	96	86	84	[illegible]	89	74	[illegible]	82	80	76	72	82	82	[illegible]
	MIN	53	62	[illegible]	49	53	61	51	54			47	52	57	55	58	[illegible]	[illegible]	62	63	[illegible]	52	[illegible]	[illegible]		41	41	[illegible]	[illegible]	51	[illegible]	54	[illegible]
SPENCER RS	MAX	83	73	79	78	82	86	89	86	82	72	78	84	89	84	[illegible]	[illegible]	[illegible]	[illegible]	84	86	84	[illegible]	83	80	77	[illegible]	[illegible]	76	79	78	[illegible]	[illegible]
	MIN	48	50	41	44	49	48	42	44	45	50	40	[illegible]	42	52	46	41	[illegible]	45	[illegible]	42	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	50	[illegible]	[illegible]	43.6
SPRINGFIELD 1 SE	MAX	90	81	86	81	90	88	95	[illegible]	[illegible]	[illegible]	85	[illegible]	85	89	[illegible]	[illegible]	[illegible]	90	87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	83	84	[illegible]	86	84	[illegible]	87.6
	MIN	52	53	42	43	43	44	42	44	48	46	44	40	45	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	[illegible]	49	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	47	47	45.8
STIBNITE	MAX	79	74	76	79	67	75	83	[illegible]	74	73	60	78	84	75	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	75	77	70	66	[illegible]	65	66	65	75	75.9
	MIN	39	47	40	[illegible]	40	44	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40.7
STREVELL	MAX	84	78	81	82	86	88	90	[illegible]	88	[illegible]	85	[illegible]	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	85.7
	MIN	54	50	47	44	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	48	56	57	50	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]
SUGAR	MAX	85	72	85	78	[illegible]	90	92	86	[illegible]	79	[illegible]	[illegible]	93	87	[illegible]	[illegible]	90	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87	82	82	83	[illegible]	[illegible]	[illegible]	84	84	85.0
	MIN	[illegible]	[illegible]	47	[illegible]	[illegible]	44	[illegible]	50	42	[illegible]	42	[illegible]	41	49	56	45	49	[illegible]	[illegible]	44	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	40	47	42	42	44.7
SUN VALLEY	MAX	87	79	85	79	84	86	[illegible]	[illegible]	81	[illegible]	[illegible]	59	89	87	[illegible]	[illegible]	[illegible]	86	[illegible]	[illegible]	[illegible]	81	81	[illegible]	[illegible]	74	[illegible]	[illegible]	67	76	80	81.4
	MIN	37	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	[illegible]	32	[illegible]	34	[illegible]	45	43	36	36	[illegible]	35	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	39	[illegible]
SWAN FALLS PH	MAX	97	97	89	90	98	99	99	90	[illegible]	[illegible]	98	105	[illegible]	102	103	[illegible]	[illegible]	[illegible]	105	102	[illegible]	[illegible]	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	75	[illegible]	[illegible]	93.7
	MIN	67	[illegible]	[illegible]	[illegible]	[illegible]	62	[illegible]	66	64	[illegible]	[illegible]	[illegible]	72	65	64	[illegible]	[illegible]	[illegible]	64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TETONIA EXP STA	MAX	85	70	[illegible]	83	[illegible]	79	[illegible]	86	[illegible]	82	75	[illegible]	89	80	82	84	84	[illegible]	[illegible]	84	[illegible]	[illegible]	[illegible]	82	79	[illegible]	[illegible]	[illegible]	78	81	77	[illegible]
	MIN	[illegible]	[illegible]	44	41	43	[illegible]	40	44	[illegible]	[illegible]	[illegible]	39	43	[illegible]	41	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41.3
THREE CREEK	MAX	86	84	[illegible]	84	[illegible]	91	95	[illegible]	90	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	90	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
	MIN	[illegible]	44	40	[illegible]	[illegible]	30	[illegible]	39	[illegible]	[illegible]	[illegible]	37	54	45	35	[illegible]	34	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]				36.1
TWIN FALLS 2 NNE	MAX	89	[illegible]	91	[illegible]	[illegible]	98	[illegible]	92	[illegible]	[illegible]	86	[illegible]	95	91	94	90	93	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	56	60	[illegible]	[illegible]	46	54	[illegible]	56	[illegible]	52	[illegible]	45	52	60	55	60	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	50	41	47	45	46	[illegible]	46	[illegible]	[illegible]
TWIN FALLS 3 SE	MAX	99	85	[illegible]	91	[illegible]	92	97	[illegible]	[illegible]	86	[illegible]	86	97	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	[illegible]	[illegible]	[illegible]	[illegible]	74	[illegible]	[illegible]	[illegible]	78	70	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	53	[illegible]	55	[illegible]	56	[illegible]	[illegible]	63	[illegible]		50	[illegible]	43	[illegible]	48	48	[illegible]	[illegible]	[illegible]	52.7
WALLACE	MAX	80	87	88	72	[illegible]	92	86	75	[illegible]	[illegible]	84	[illegible]	88	[illegible]	[illegible]	78	84	96	[illegible]	75	[illegible]	79	[illegible]	69	71	[illegible]	[illegible]	68	[illegible]	[illegible]	[illegible]	80.2
	MIN	37	[illegible]	[illegible]	49	49	[illegible]	51	[illegible]	45	40	44	45	46	43	46	[illegible]	49	[illegible]	[illegible]	57	[illegible]	[illegible]	[illegible]	46	43	40	46	[illegible]	44	40	44	[illegible]
WALLACE WOODLAND PARK	MAX	75		87	[illegible]	[illegible]	83	92	87	86	[illegible]	72	76	83	89	[illegible]	94	77	83	[illegible]	96	75	[illegible]	[illegible]	81	[illegible]	69	[illegible]	[illegible]	[illegible]	70	75	[illegible]
	MIN	37	40		[illegible]	[illegible]	47	[illegible]	47	[illegible]	45	45	47	44	46	[illegible]	57	[illegible]	45	46	[illegible]	[illegible]	[illegible]	40	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	44	45.8
WEISER	MAX	93	95	84	88	95	97	97	90	[illegible]	92	[illegible]	[illegible]	100	99	[illegible]	[illegible]	[illegible]	98	[illegible]	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	80	[illegible]	76	76	[illegible]	[illegible]	90.2
	MIN	[illegible]	[illegible]	54	46	[illegible]	52	54	[illegible]	[illegible]	47	[illegible]	46	50	62	66	63	[illegible]	[illegible]	[illegible]	60	52	[illegible]	52	[illegible]	46	46	48	50	[illegible]	[illegible]	52	[illegible]
WINCHESTER 1 SE	MAX	81	84	[illegible]	[illegible]	84	91	86	82	75	78	86	[illegible]	83	91	95	[illegible]	82	93	93	85	72	78	79	76	67	65	[illegible]	[illegible]	[illegible]	72	75	[illegible]
	MIN	[illegible]	[illegible]	47	48	49	47	50	52	42	42	42	[illegible]	45	45	46	54	[illegible]	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	42	[illegible]	49	[illegible]	[illegible]	41	42	42	45.3

EVAPORATION AND WIND

Table 6

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STA	EVAP	.26	.24	.30	.39	.24	.27	.33	.49	.37	.41	.24	.34	.31	.33	.21	.26	.24	.27	.26	.33	.34	.45	.24	.43	.35	.16	.30	.28	.24	.28	.26	9.42
	WIND	71	121	82	161	44	33	51	120	140	114	54	38	33	78	29	44	69	73	84	45	59	130	68	106	66	59	71	89	61	89	89	2371
ARROWROCK DAM	EVAP	.39	.33	.26	.26	.25	.34	.33	.33	.34	.33	.31	.30	.30	.33	.30	.33	.22	.31	.30	.33	.30	.27	.29	.26	.22	.17	.10	.27	.18	.12	.24	8.61
	WIND	33	56	36	41	40	32	50	30	55	35	48	32	28	30	26	31	36	27	17	36	27	45	30	31	61	40	20	17	17	43	36	1086
LIFTON PUMPING STA	EVAP	.30	.09	.31	.30	.26	.27	.31	.31	.34	.28	.28	.25	.28	.26	.23	.20	.22	.26	.25	.32	.31	.29	.27	.49	.37	.35	.26	.30	.31	.22	.25	8.74
	WIND	59	45	56	53	19	34	28	84	48	35	27	24	29	30	55	50	45	65	51	39	56	64	43	137	73	122	68	62	65	25	26	1617
MINIDOKA DAM	EVAP	.34	.25	.37	.44	.37	.47	.46	.51	.43	.53	.34	.43	.52	.40	.43	.33	.33	.36	.40	.57	.40	.44	.30	.47	.29	.37	.38	.34	.35	.38	.29	12.29
	WIND	90	220	190	170	70	130	110	170	120	150	100	70	110	100	100	140	120	150	120	160	100	155	100	95	90	70	80	80	110	150	130	3750
MOSCOW U OF I	EVAP	.32	.42	.16	.16	.22	.25	.29	.23	.19	.27	.22	.26	.35	.22	.28	.24	.24	.21	.25	.28	.23	.19	.25	.06	.07	.18	.10	.03	.09	.19	.14	6.59
	WIND	22	25	57	38	33	33	35	62	50	31	44	39	31	31	25	41	31	8	20	74	48	22	34	60	44	25	43	32	21	23	43	1125

PRECIPITATION MEASURED IN STORAGE GAGES

Station	Observation date	Amount since last obs.	Snow on ground
ATLANTA SUMMIT //	1952 SEP. 8		
	1953 AUG. 20	46.60	
TOTAL	. . . .	46.60	
DEADWOOD SUMMIT //	1952 AUG. 15		
	1953 AUG. 6	61.10	
TOTAL	. . . .	61.10	
JACKSON PEAK //	1952 SEP. 3		
	1953 AUG. 17	45.60	
TOTAL	. . . .	45.60	
SHAKE CREEK RS //	1952 SEP. 5		
	1953 AUG. 20	20.40	
TOTAL	. . . .	20.40	
SOLDIER CREEK RS	1952 SEP. 30		
	OCT. 31	.00	
	DEC. 13	7.75	36
	1953 JAN. 11	4.95	42
	FEB. 2	3.40	42
	APR. 2	1.45	
	MAY 6	2.20	
	JULY 10	3.80	
	29	.00	
TOTAL		23.55	
TRINITY LAKE GS //	1952 SEP. 9		
	1953 AUG. 27	50.00	
TOTAL	. . . .	50.00	
TROUTDALE GS //	1952 SEP. 9		
	1953 AUG. 26	23.60	
TOTAL	. . . .	23.60	
VIENNA //	1952 SEP. 4		
	1953 AUG. 18	44.80	
TOTAL	. . . .	44.80	

See reference notes following Station Index

STATION INDEX

Station	Index No	County	Drainage‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp.	Precip.		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	DELL ROWE	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0418	ELMORE	2	43 36	115 55	3239	[illegible]	[illegible]	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	C
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7 C
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 C
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	P H KUHN	C
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
BONNERS FERRY	1079	BOUNDARY	5	48 42	116 18	1842	11P	11P	GOLDIE L NEUMAYER	2 3 5 7 C
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN H BOOTH	C
BUHL	1217	TWIN FALLS	12	43 25	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2651	5P	5P	J I LORTON	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	C
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		[illegible]	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5 C
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	C
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D'ALENE CAA AP	1951	KOOTENAI	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D'ALENE RS	1956	KOOTENAI	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7 C
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5 C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAI	5	47 44	116 29	3000		MID	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2576	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	C
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING 1 E	3677	GOODING	12	42 56	114 42	3245		MID	DALE W KNIGHT	C
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5 [illegible]
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	[illegible]	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	[illegible]	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	[illegible]
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 36	3870	5P	5P	ORVILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 36	5897	5P	5P	U S FOREST SERVICE	2 3 5 7 C
MALAD	5544	ONEIDA	1	42 11	112 16	4420	[illegible]	7P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	5841	ADA	2	43 37	116 25	2620	5P	5P	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	[illegible]	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	C S
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	C
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN [illegible]	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 08	116 17	2975	5P	5P	VINCENT A NALLY	2 3 5 C
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	[illegible]	[illegible]	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	4P	4P	U S FOREST SERVICE	2 3 5 7 C
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	C
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH	7301	LATAH	7	46 55	116 53	2550	7P	7P	POTLATCH FOREST INC	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	C
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL IR PROJ	S
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	MRS HOMER WALTON	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	[illegible]	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7 C
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	5P	5P	MRS RAYMOND RUFF	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL	8786	CASSIA	12	42 01	113 13	5280	5P	5P	IDAHO STATE POLICE	2 3 5
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	KAY JOHNSON	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7 C
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5 C
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	[illegible]	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9207	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FACT	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5 C
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	[illegible]	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	HALLACK-HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

And also on a later date or dates.

Amounts included in following measurements, time distribution unknown.

Gage is equipped with a windshield.

This entry in time of observation column in Station Index means after rain.

Adjusted to a full month.

In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.

Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.

Daily precipitation values and monthly total from recording gage.

Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.

This entry in time of observation column in Station Index means sunset.

Trace, an amount too small to measure.

Includes total for previous month.

This entry in time of observation column in Station Index means variable.

ubscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) hecks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding ubscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

W.R.P.C. Chattanooga--10-5-53--850--


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage Non-recording
Recording Both types
Double circle combinations Complete Meteorological
Hourly precipitation data from recorder stations will be available in the publication Hourly Precipitation Data
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry
Benton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 1 NW
Deer Park
Mount Spokane
Bayview Model Basin
Coeur d'Alene CAA AP
Trout Creek 2 W
Deception Cr
Spokane WB AP
Thompson Falls
Coeur d'Alene RS
Kellogg
Burke 2NNE
Cheney
Wallace Woodland Pk
Mullan Pass CAA Sta
Wallace
Haugan
Saint Maries
Roland W Portal
Rosalia
Plummer 3WSW
Avery RS
Tekoa
Superior CAA AP
Clarkia RS
Potlatch
Missoula WB AP
Colfax 1 NW
Missoula 2 WNW
Pullman Exp Sta
Elk River 1 S
Moscow U of Ida
Wawawai
Bungalow RS
Lolo Pass
Pomeroy
Lewiston Wtr Pl
Orofino
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Winchester 1SE
Kamiah 1NE
Hamilton
Nezperce 2 E
Kooskia
Anatone
Moose Creek RS
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Wisdom
Dixie
Riggins RS
Joseph
Jackson
Polaris
Salmon
Big Creek 1 S
Cobalt Blackbird Mine
Cornucopia 5 NNW
New Meadows RS
Yellow Pine
Grant
Halfway
McCall
Stibnite
Hebgen Dam
Pungo Creek
Richland
Council 1 S
Leadore
West Yellowstone
Landmark RS
Dell
Lima
Lima Dam
Durkee 3 NNW
Mesa
May RS
Lakeview
Monida 5 NE
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Dell 19 SW
Island Park Dam
Cascade RS
Huntington
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Weiser
Bechler River
Snake R
Ola 4 S
Crouch 2NNW
Ashton 1S
Grassy Lake Dam
Payette
Lowman
Jackson Peak
Dubois CAA AP
Ontario CAA AP
Garden Valley RS
Obsidian 4NNE
Chilly Barton Flat
Hamer 1NW
St Anthony
Vale
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Tetonia Exp Sta
Moran
Nyssa
Emmett 2E
Mackay RS
Sugar
Little Valley
Idaho City
Atlanta 1E
Vienna
Howe
Alta
Adrian
Bogus Basin
Owyhee Dam
Caldwell
Troutdale GS
Atlanta Summit
Sun Valley
Arco
SOUTHEASTERN
Driggs
Moose 3 NW
Nampa 2NW
Idaho Cy 13SW
Shake Cr RS
Dollarhide Summit
Meridian 1SSW
Arrowrock Dam
Trinity Lake GS
Hailey
Idaho Falls 6 NE
Deer Flat Dam
Boise 11 Dam
Pine 2SSW
Soldier Cr RS
Reactor Testing Sta
Idaho Falls CAA AP
Kuna 2 NNE
Jackson
Boise WB AP
Prairie
Irwin 2S
Anderson Dam
Fairfield
Palisades Dam
Hill City
Blackfoot
Swan Falls PH
Mountain Home
Springfield
Putnam Mt
Gray
Sheaville
Richfield
Fort Hall Ind Agcy
Grand View
Glenns Ferry
Aberdeen Exp Sta
Blackfoot Dam
Bedford 2 SE
Danner
Bliss
Shoshone
Pocatello WB AP
Rome
Gooding 1 E
Gooding CAA AP
Conda
Jerome
Bancroft
Grover 2 S
Minidoka Dam
American Falls 1NW
Paul 1E
Buhl
Burley 1NW
Rupert
McCammon
Twin Falls 2NNE
Hazelton
Burley CAA AP
Grace PH
Twin Falls 3SE
Burley
Montpelier RS
Hollister
Albion
Oakley
Border 3 N
Malad
Lifton Pump Sta
Bridge
Three Creek
Malad CAA AP
Preston 2SE
Ida Vada
Lewiston
Owyhee
Richmond
Snowville
Amalga
Laketown
Sage
Tarbidge
Contact
Park Valley
Garland
Bothwell
Logan USAC Exp Sta
Logan USAC
Revised 9-52-WRPC

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

SEPTEMBER 1953
Volume LVI No. 9

CHATTANOOGA: 1953

IDAHO - SEPTEMBER 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

For the second successive year September was a warm, dry month in Idaho. The state-wide average temperature, as in 1952, was 3.3° above normal while precipitation averaged even lower than last year. With a state-wide average of only 0.18 inch this September was drier than all but two in the 61 years for which we have records; in 1943 and 1932 the average was 0.15 inch. About one-third of the Southwestern Division stations reported no rain or only traces for the month, and the same was true of several stations in the Southeastern Division. Only one station in the State recorded above-normal precipitation, and that was Grand View, in Owyhee County, where a shower on the afternoon of the 16th produced 0.67 inch of rain.

The relatively cool weather of the final week in August carried over into the first few days of September. Thereafter, however, for ten days or more, the daily temperatures ran consistently above normal while precipitation was confined to light, scattered showers. Few storm fronts crossed the State during the first half of the month and they were weak and generally dissipating as they moved into Idaho. Several significant storm fronts passed across the State during the latter half of the month, beginning with a cold front that moved from northwest to southeast on the 16th and 17th, accompanied by rather widespread showers in southern sections and temperature drops of some 20° in all areas. A cold front that moved across the State on the 19th was weak and affected Idaho's weather but slightly. Another on the 23d and 24th brought cooler weather lasting about four days. A cold front, moving rapidly from the extreme north to the southeast corner of the State in about 18 hours on the 28th, brought showers and lower temperatures to the Northern and Southwestern Divisions, but its effect on the weather of the Southeastern Division was slight. Aft two days of cooler weather temperatures ro rapidly to well above normal on the 30t That evening, however, another cold fro entered the northwest corner of the Sta and by midnight it had progressed to a li approximately from Missoula to Boise. Thu as the month drew to a close, cooler ai accompanied by showers, was again invadi the State.

The effect of September's weather on t agricultural economy of the State was, the whole, fairly beneficial. Harvesti of grains progressed with little delay fr rains, final hay cuttings were made, bea were permitted to mature and threshing b gan under favorable, dry conditions. Fro on the morning of the 4th, and again on t 18th, did little damage except to garde in higher valleys. Many stations did n report subfreezing temperatures until t final week and even then most of the lowe elevation areas remained unaffected. La of moisture was a deterrent to fall plowi and seeding, yet some grain was planted spite of the dry soil. Potato harvesti had started in some areas by the end of t month, but in many fields digging awaited freeze to kill the vines. Sugar beet di ging began late in the month and factori were in operation. Ranges were general very dry, particularly at higher elevation and some cattle were moved to lower pastur during the month. Fire hazard on forest a range lands remained high for the seaso but because of the relatively small numb of lightning storms fire damage was rath low. At one time, however, the Boise Natio al Forest had 12 fires, following the thu derstorm activity that accompanied the co front of the 16th and 17th, but the follo ing cool spell helped in bringing the fir under control rather quickly.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	SE	28	8.4	36	S	16	54	36	29	42	4	1	0	0	0	0	5	81	3.0	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-	-	-	-	-	58	36	21	-	4	1	0	0	0	0	5	-	3.8	
POCATELLO WB AIRPORT	SW	25	10.1	43	W	19	56	30	22	36	1	3	0	0	0	0	4	87	2.4	

COMPARATIVE DATA

Table 1

SEPTEMBER

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	55.9	100	20	2.54	-	7
[illegible]	54.7	93	15	1.03	-	5
1895	53.9	96	8	1.48	-	6
1896	56.0	101	10	.51	-	3
1897	58.1	95	17	1.07	-	4
[illegible]	57.2	100	10	.47	0.0	3
[illegible]	59.9	104	14	.40	0.0	2
1900	56.2	101	8	.84	T	3
1901	54.4	97	11	1.03	0.0	6
1902	57.4	99	9	.41	0.1	3
1903	54.3	100	15	1.14	1.2	6
1904	59.8	101	21	.35	0.0	[illegible]
1905	59.3	107	6	.95	T	5
1906	59.5	100	10	.54	T	3
1907	57.2	103	7	.68	0.0	4
1908	58.1	102	8	1.19	0.1	4
1909	58.5	[illegible]	9	2.01	T	7
1910	58.2	98	12	1.09	0.0	5
1911	56.1	101	10	.79	0.0	4
1912	52.3	[illegible]	10	.96	0.0	5
1913	58.0	100	11	.85	T	[illegible]
1914	55.7	100	14	1.59	1.0	7
1915	55.2	97	12	1.35	0.1	5
1916	56.7	105	13	.55	0.1	3
1917	59.5	99	16	1.57	0.0	5
1918	60.0	103	16	1.35	0.0	6
1919	58.5	102	15	1.18	0.0	5
1920	57.1	99	18	1.57	0.4	7
1921	53.1	98	10	.86	0.1	4
1922	60.4	101	11	.27	0.0	2
1923	59.9	104	12	.69	0.3	3
1924	57.8	107	5	.59	0.2	4
1925	57.3	100	18	1.48	T	7
1926	52.3	95	- 1	.98	0.4	4
1927	55.4	100	18	2.40	0.1	[illegible]
1928	58.6	103	15	.29	T	2
1929	54.3	99	13	.63	T	4
1930	58.0	100	13	1.15	T	6
1931	57.9	104	18	.95	0.1	5
1932	58.3	103	16	.15	0.0	1
1933	55.7	100	11	.85	0.1	5
1934	55.6	103	10	.58	0.3	3
1935	60.8	102	14	.19	0.0	1
1936	56.3	101	5	.48	T	3
1937	60.1	104	15	.55	0.0	4
1938	63.1	107	20	.45	0.0	3
1939	58.6	102	18	.96	0.0	2
1940	59.1	102	15	3.25	T	13
1941	52.8	91	10	1.33	T	9
1942	58.6	103	11	.46	0.0	2
1943	60.8	102	15	.15	0.0	1
1944	58.6	108	12	.83	T	5
1945	54.4	107	12	1.53	0.3	7
1946	56.1	93	16	1.11	T	6
1947	57.8	104	9	1.31	0.2	5
1948	57.7	101	15	1.16	0.1	4
1949	60.0	100	13	.89	0.1	4
1950	57.9	110	14	1.16	0.3	6
1951	57.8	99	12	.40	T	2
1952	60.6	100	15	.27	T	2
1953	60.6	103	16	.18	T	2
ALL YEARS	57.4			.95		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation								
										No. of Days								Snow, Sleet, Hail			No. of Da	
										Max		Min										
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More
NORTHERN DIVISION																						
AVERY RS	83.4	41.9	62.7M	4.2	98	11			100	11	0		0	.65	- 1.12	.28	27				6	0
BAYVIEW MODEL BASIN	74.3	40.6	57.5		88	14	27	21	223	0	0	2	0	.63		.38	26	.0	0		2	0
BIG CREEK 1 S	76.2	27.8	52.0		89	11	18	29	383	0	0	24	0	.09	- 1.71	.04	21	.0	0		3	0
BONNERS FERRY 1 SW			M																			
BUNGALOW RS	80.3	42.1	61.2	1.3	92	8+	30	29	129	5	0	2	0	.66	- 1.19	.23	27	.0	0		4	0
BURKE 2 NNE	67.6	39.0	53.3	1.1	83	11	29	20	341	0	0	4	0	.92	- 1.69	.41	28	.0	0		6	0
CLARK FORK 1 ENE	78.0	38.1	58.1	3.3	90	12	26	20	202	1	0	2	0	.95	- 1.92	.40	27	.0	0		3	0
COBALT BLACKBIRD	68.5	34.9	51.7M		79	14	24	29		0	0	11	0	.22		.07	2	.0	0		4	0
COEUR D ALENE CAA AP	74.3	44.3	59.3		90	11	30	24	183	1	0	1	0	.73		.48	26	.0	0		4	0
COEUR D ALENE RS	78.7	44.0	61.4M	3.5	95	11	31	17+	141	7	0	2	0	.38	- 1.00	.30	26	.0	0		3	0
COTTONWOOD	77.9	42.1	60.0	3.2	92	11+	27	29	164	3	0	1	0	.09	- 1.41	.06	7	.0	0		3	0
DIXIE	75.0	27.9	51.5		88	11	16	29	396	0	0	23	0	.15		.10	28	T	0		4	0
ELK CITY	78.4	30.4	54.4		92	11	17	26	310	3	0	19	0	.32		.20	2	.0	0		5	0
ELK RIVER 1 S	77.2	34.4	55.8		93	11	25	18	271	2	0	12	0	.52		.14	27	.0	0		6	0
FENN RS	83.5	44.2	63.9	2.8	92	11+	33	26	71	6	0	0	0	.29	- 1.55	.18	28	.0	0		4	0
GRANGEVILLE	78.4	46.0	62.2	5.1	93	15	32	29	118	2	0	1	0	.02	- 1.68	.02	28		0		1	0
KELLOGG	77.8	43.4	60.6	3.5	97	12	32	20		5	0	1	0	.53	- 1.26	.25	27	.0	0		5	0
KOOSKIA	85.5	43.0	64.3M	3.1	99	11	30	29	82	12	0	3	0	.03	- 1.49	.03	28	.0	0		1	0
LEWISTON WATER PLANT	85.7	50.2	68.0	3.9	101	11	40	25+	40	12	0	0	0	.02	- .88	.02	27	.0	0		1	0
LEWISTON WB AP R	82.8	49.7	66.3	3.1	99	11	38	29	62	9	0	0	0	.04	- .92	.04	27	.0	0		1	0
MOSCOW U OF I	77.7	42.8	60.3	2.5	95	11	28	24	164	3	0	3	0	.29	- .98	.16	28	.0	0		2	0
MULLAN PASS CAA	61.4	44.0	52.7	3.8	83	11	29	29	368	0	0	3	0	.65	- 1.66	.22	28	T	0		6	0
NEZPERCE 2 E	77.0	45.4	61.2		92	11	33	29	147	1	0	0	0	.11		.07	27	.0	0		2	0
OROFINO	86.0	44.3	65.2	2.9	103	11	34	29	72	12	0	0	0	.12	- 1.44	.08	27				2	0
PIERCE RS	78.7	36.6	57.7	2.9	94	11	27	26+	211	3	0	6	0	.40	- 1.59	.23	27		0		4	0
PORTHILL	73.8	40.8	57.3	2.8	87	12	30	21	229	0	0	2	0	.48	- 1.04	.20	28	.0	0		4	0
POTLATCH 1 SE			M				25	24			0		0									
PRIEST RIVER EXP STA	72.7	38.6	55.7	1.6	89	11	26	20	276	0	0	4	0	.38	- 1.37	.25	23	T	0		4	0
RIGGINS RS	89.3	52.1	70.7	4.3	101	11+	40	30	17	14	0	0	0	.33	- .69	.18	7	.0	0		4	0
SAINT MARIES	81.7	38.3	60.0M	2.6	97	11+	29	20+	153	6	0	4	0	.38	- .92	.19	27				3	0
SALMON	81.6	37.8	59.7	3.6	92	13	27	25	159	2	0	6	0	.18	- .63	.09	8		0		4	0
SANDPOINT EXP STA	72.6	41.8	57.2	1.9	86	12	30	20	230	0	0	1	0	.30	- 1.44	.17	23	T	0		3	0
WALLACE	74.1	40.8	57.5	1.0	90	11	25	19	225	1	0	3	0	.90	- 1.19	.30	26+	.0	0		5	0
WALLACE WOODLAND PK	74.3	39.7	57.0	1.7	93	12	29	20+		1	0	2	0	.78	- 1.03	.17	27	T	0		6	0
WINCHESTER 1 SE	76.7	39.3	58.0	3.0	94	11	28	29	213	2	0	3	0	.24	- 1.86	.20	28	.0	0		2	0
DIVISION			59.2	2.4										.39	- 1.25			T				
SOUTHWESTERN DIVISION																						
ALPHA 1 NE	75.7	28.6	52.2	1.3	88	11	19	26+	378	0	0	22	0	.05	- .84	.05	22	.0	0		1	0
ANDERSON DAM	82.5	49.2	65.9		95	11	40	29	61	9	0	0	0	.11		.09	1	.0	0		2	0
ARROWROCK DAM	82.7	47.9	65.3M	3.1	95	12	39	24+		10	0	0	0	.05	- .48	.03	17	.0	0		3	0
ATLANTA 1 E	77.1	42.9	60.0	7.9	85	10	30	29	159	0	0	1	0	.26	- .75	.16	1	T	0		2	0
BLISS	85.5	46.8	66.2	5.0	96	15	35	26	57	12	0	0	0	.00	- .40	.00		.0	0		0	0
BOISE LUCKY PEAK DAM	86.5	51.4	69.0M		100	11	40	17	36	12	0	0	0	.02		.02	22		0		1	0
BOISE WB AP //R	81.6	50.3	66.0	3.6	96	11	37	24+	78	6	0	0	0	.02	- .44	.02	16	.0	0		1	0
BUHL	81.1	52.5	66.8	6.0	90	12+	44	25+	42	2	0	0	0	.00	- .44	.00		.0	0		0	0
CALDWELL	82.9	45.5	64.2	3.2	93	11	35	25+	82	9	0	0	0	T	- .47	T	1+	.0	0		0	0
CAMBRIDGE	84.6	37.1	60.9	0.2	93	14	26	29	122	7	0	4	0	.00	- .66	.00		.0	0		0	0
CASCADE 1 NW	76.1	38.7	57.4		90	11	24	29	231	1	0	6	0	.02		.02	22	.0	0		1	0
CHALLIS	77.8	42.1	60.0	3.9	87	13	31	29	152	0	0	1	0	.10	- .52	.05	16		0		3	1
COUNCIL	86.4	44.6	65.5	5.3	96	10	28	29	78	13	0	3	0	.00	- .93	.00		.0	0		0	0
DEADWOOD DAM	76.7	31.1	53.9	3.3	89	11	23	25+	325	0	0	19	0	.07	- .92	.05	1	.0	0		3	0
DEER FLAT DAM	80.7	48.2	64.5	3.2	91	15	36	25+	86	5	0	0	0	.06	- .32	.06	16	.0	0		1	0
EMMETT 2 E	85.0	46.3	65.7M	2.4	93	10+			69	10	0		0	.00	- .58	.00		.0	0		0	0
FAIRFIELD	80.0	37.2	58.6		92	12	22	29	196	1	0	7	0	.26		.20	17	.0	0		2	0
GARDEN VALLEY RS	87.4	40.4	63.9M	4.8	99	11	30	26	88	12	0	3	0	.02	- .86	.02	16	.0	0		1	0
GLENNS FERRY	85.3	44.2	64.8	2.0	95	11+	33	26+	61	11	0	0	0	T	- .31	T	1+	.0	0		0	0
GOODING CAA AP	82.3	50.1	66.2	6.3	94	11	38	29	61	8	0	0	0	T	- .39	T	1+	.0	0		0	0
GRAND VIEW	89.3	46.3	67.8M	6.3	99	13	36	25+	37	14	0	0	0	.67	.25	.67	17	.0	0		1	1
HAILEY AP	79.1	41.9	60.5	3.9	89	13	33	24+	146	0	0	0	0	.11	- .59	.06	17	.0	0		4	0
HAZELTON	79.4	42.9	61.2	0.2	90	6+	33	27	133	2	0	0	0	.12	- .33	.09	1	.0	0		2	0
HILL CITY	80.0	37.7	58.9	5.0	93	12	23	21	197	2	0	9	0	.36	- .06	.36	16				1	0
HOLLISTER	78.6	46.5	62.6	3.7	92	14	37	4	110	1	0	0	0	.32	- .14	.26	1	.0	0		2	0
IDAHO CITY	83.0	35.5	59.3	2.4	93	11+	25	26	175	8	0	12	0	.11	- .55	.08	17	.0	0		4	0
JEROME	83.4	44.5	64.0	2.5	95	11+	36	26+	81	6	0	0	0	.00	- .34	.00		.0	0		0	0
KUNA 2 NNE	80.7	43.6	62.2	0.7	92	11	32	26+	122	5	0	2	0	.24	- .29	.24	17	.0	0		1	0
MC CALL	73.5	36.5	55.0	3.2	86	11+	24	29	291	0	0	9	0	.00	- 1.10	.00					0	0
MERIDIAN 1 W	80.9	45.5	63.2	2.0	91	11	34	29	101	3	0	0	0	T	- .51	T	16+	.0	0		0	0
MOUNTAIN HOME	89.7	47.4	68.6	8.7	102	12	34	29	31	15	0	0	0	.30	- .18	.30	17	.0	0		1	0
NAMPA 2 NW	83.2	45.1	64.2		94	13	33	26		8	0	0	0	.02		.02	17	.0	0		1	0
NEW MEADOWS RS	80.7	30.5	55.6M	3.1	91	10+	19	29	276	5	0	19	0	.39	- .72	.36	22	.0	0		2	0
OBSIDIAN 4 NNE	70.3	29.1	49.7	1.9	81	11	19	26+	452	0	0	21	0	.09	- .84	.07	16	.0	0		2	0
OLA 5 S	84.2	40.0	62.1		96	14	28	29+	127	10	0	6	0	T		T	28				0	0
PARMA EXP STA	85.6	45.4	65.5	3.7	95	13	33	29	60	11	0	0	0	T	- .44	T	28	.0	0		0	0
PAYETTE	82.2	45.9	64.1	2.6	92	14	32	29	84	4	0	1	0	T	- .46	T	16+	.0	0		0	0
RICHFIELD	79.5	42.7	61.1	3.0	91	12	32	26	138	1	0	1	0	.00	- .46	.00		.0	0		0	0
SHOSHONE	81.3	45.3	63.3M	4.2	94	12	34	29	100	3	0	0	0	.02	- .46	.01	1+	.0	0		2	0
STIBNITE	71.0	34.4	52.7		83	12	23	29		0	0	14	0	.15		.06	29	.0	0		[illegible]	0
SUN VALLEY	77.3	29.8	53.6	3.6	86	11+	18	29	334	0	0	21	0	.19	- .74	.14	1	.0	0		2	0
SWAN FALLS PH	88.7	54.0	71.4	4.1	99	10	44	29	12	14	0	0	0	.00	- .42	.00		.0	0		0	0
THREE CREEK	81.0	28.2	54.6M		95	5	20	4+	308	2	0		0	.10	- .76	.10	22	.0	0		1	0
TWIN FALLS 2 NNE	82.0	44.7	63.4	3.9	93	11	34	25	86	6	0	0	0	.03	- .54	.02	1	.0	0		2	0
TWIN FALLS 3 SE	81.7	46.6	64.2	4.7	92	13	36	25		5	0	0	0	.05	- .38	.04	2	.0	0		2	0
WEISER	86.4	43.8	65.1M	1.7	97	14	32	24+	79	14	0	3	0	.00	- .43	.00		.0	0		0	0
DIVISION			62.0	3.4										.09	- .60			T				
SOUTHEASTERN DIVISION																						
ABERDEEN EXP STA	82.2	41.1	61.7	4.2	95	12	31	25	122	3	0	2	0	.23	- .44	.18	1				2	0
AMERICAN FALLS 1 NW	80.9	44.0	62.5	4.0	91	12	33	26	98	1	0	0	0	.14	- .57	.07	1	.0	0		3	0
ARCO	79.1	38.2	58.7	3.4	89	13	19	25	193	0	0	8	0	.00	- .56	.00		.0	0		0	0
ASHTON 1 S	73.8	38.6	56.2	1.8	85	11	30	18	256	0	0	4	0	T	- 1.12	T	2	.0	0		0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days: .01 or More	.50 or More	1.00 or More
BLACKFOOT	80.8	44.9	62.9	5.8	93	12	36	4+	96	2	0	0	0	.00	- .76	.00		.0	0		0	0	0
BLACKFOOT DAM	76.0	32.5	54.3M	3.1	87	12	23	18	316	0	0	16	0	.05	- 1.28	.04	7				2	0	0
BURLEY	84.5	48.3	66.4	6.1	98	13	37	25		10	0	0	0	.19	- .32	.10	1	.0	0		2	0	0
BURLEY FACTORY	81.5	43.5	62.5	4.2	95	13	31	25		6	0	1	0	.23	- .31	.10	2				3	0	0
BURLEY CAA AP	82.1	43.8	63.0	4.0	95	12	33	25	95	6	0	0	0	.41	- .47	.21	16	.0	0		2	0	0
CHILLY BARTON FLAT	73.1	30.7	51.9	1.1	83	12	21	23	387	0	0	22	0	.30	- .61	.20	1	.0	0		2	0	0
CONDA	79.5	36.6	58.1	5.2	92	10	27	18		2	0	7	0	.33	- 1.26	.15	16	.0	0		4	0	0
DRIGGS	75.9	39.1	57.5	5.9	84	11	29	4		0	0	3	0	.06	- 1.37	.06	3				1	0	0
DUBOIS EXP STA	77.9	44.9	61.4	5.1	89	12	34	29	133	0	0	0	0	.06	- .81	.05	2	.0	0		2	0	0
DUBOIS CAA AP	79.0	42.8	60.9	3.1	90	12	30	25	143	1	0	2	[illegible]	.03	- .92	.02	21	.0	0		[illegible]	0	0
FORT HALL IND AGENCY	80.9	43.5	62.2M	4.4	94	12	34	4+	113	3	0	0	0	.15	- .65	.15	1	.0	0		1	0	0
GRACE	75.8	40.9	58.4	2.2	87	12	32	18	194	0	0	1	0	.19	- .88	.06	16	.0	0		5	0	0
GRAY	75.7	33.2	54.5	2.0	85	12+	25	18+	309	0	0	17	0	.00	- 1.07	.00		.0	0		0	0	0
GROUSE	75.1	30.2	52.7		85	13	17	26	364	0	0	21	0	.04	- .57	.04	16	.0	0		1	0	0
HAMER 4 NW	81.3	36.6	59.0	3.9	94	12	23	29	179	3	0	11	0	.02	- .71	.02	16	.0	0		1	0	0
IDAHO FALLS 6 NE	76.9	42.3	59.6		89	12	34	3+	167	0	0	0	0	T		T	1+	.0	0		0	0	0
IDAHO FALLS CAA AP	78.9	43.2	61.1	4.1	90	12	36	21+	129	1	0	0	0	.07	- .75	.04	2	.0	0		2	0	0
IRWIN 2 S	77.9	40.0	59.0	5.4	89	12	30	18	177	0	0	1	0	.39	- .79	.19	1				3	0	0
ISLAND PARK DAM	74.5	32.0	53.3	1.9	85	11+	22	26	346	0	0	15	0	.25	- 1.45	.20	17	.0	0		2	0	0
LIFTON PUMPING STA	75.0	40.2	57.6	2.1	84	13	32	25	216	0	0	1	0	.13	- .71	.05	1+	.0	0		3	0	0
MACKAY RS	76.5	40.8	58.7	2.9	86	12	30	29	189	0	0	2	0	.17	- .63	.09	1	.0	0		2	0	0
MALAD	82.8	44.4	63.6	4.9	91	12+	34	22	84	5	0	0	0	.24	- .89	.20	15	.0	0		2	0	0
MALAD CAA AP	82.7	39.4	61.1		92	12	31	25+	132	6	0	4	0	.12		.08	15	.0	0		3	0	0
MAY RS	77.6	36.0	56.8	1.3	87	11	24	26	238	0	0	9	0	.32	- .37	.09	1+	.0	0		4	0	0
MC CAMMON	81.6	40.7	61.2		91	12	31	26	123	2	0	2	0	.12		.07	7	.0	0		3	0	0
MINIDOKA DAM	79.8	48.5	64.2		93	12	38	26	83	2	0	0	0	T		T	7+	.0	0		0	0	0
MONTPELIER RS	77.9	36.7	57.3M	2.6	88	13	28	18+		0	0	6	0	.09	- .97	.07	17	.0	0		2	0	0
OAKLEY	80.1	47.9	64.0	4.5	93	12	38	3+	[illegible]	2	0	0	0	.30	- .46	.27	1	.0	0		2	0	0
PALISADES DAM	77.3	40.3	58.8		86	11	32	18	178	0	0	1	0	.63		.21	2	T	0		6	0	0
PAUL 1 E	80.9	43.3	62.1	3.2	95	13	32	25		3	0	1	0	.15	- .55	.14	2	.0	0		2	0	0
POCATELLO WB AP R	80.7	46.3	63.5	3.7	94	12	35	21	87	2	0	0	0	.06	- .84	.02	1+	.0	0		3	0	0
PRESTON SUG FACT 2SE	82.3	41.3	61.8	3.7	92	13	33	25	110	3	0	0	0	.22	- .78	.11	16+	.0	0		2	0	0
REACTOR TESTING STA	79.8	38.4	59.1		92	12	26	25	187	2	0	8	0	.01		.01	22	.0	0		1	0	0
RUPERT	84.1	43.2	63.7	4.9	99	13	32	25		9	0	1	0	.08	- .48	.08	[illegible]	.0	0		1	0	0
SAINT ANTHONY	78.6	37.6	58.1	3.7	88	12	28	25+	203	0	0	9	0	.04	- 1.04	.03	2				2	0	0
SPENCER RS	75.0	37.0	56.0	3.4	86	12	26	25	263	0	0	10	0	.08	- 1.10	.08	2	.0	0		1	0	0
SPRINGFIELD 1 SE	81.2	39.2	60.2	2.7	94	12	29	25	154	2	0	5	0	T	- .81	T	1+	.0	0		0	0	0
STREVELL	80.5	43.3	61.9		90	12	33	3+	112	1	0	0	0	.22		.17	1	.0	0		2	0	0
SUGAR	78.2	37.4	57.8	3.2	88	12	27	25	210	0	0	6	0	.00	- .97	.00		.0	0		0	0	0
TETONIA EXP STA	74.8	36.0	55.4		85	11+	27	3	283	0	0	8	0	.68		.39	2				5	0	0
DIVISION			[illegible]	3.7										.15	- .77			T					
STATE			60.6	3.3										.18	- .81			T					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	[illegible]	.18																					.05									
ALPHA 1 NE	[illegible]																						[illegible]									
AMERICAN FALLS 1 NW	.14	[illegible]															.06						.01									
ANDERSON DAM	.11	.09																T											.02			
ARCO	[illegible]																															
ARROWROCK DAM	[illegible]	[illegible]																[illegible]					[illegible]									
ASHTON 1 S	T		T																													
ATLANTA 1 E	[illegible]	.15																[illegible]														
AVERY RS	[illegible]		.14	[illegible]																				.04	[illegible]			[illegible]	[illegible]			
BAYVIEW MODEL BASIN	[illegible]																										[illegible]		.25			
BIG CREEK 1	[illegible]		T						.02													[illegible]	T						[illegible]			
BLACKFOOT	.00																															
BLACKFOOT DAM	[illegible]							[illegible]															[illegible]									
BLISS	.00																															
BOISE LUCKY PEAK DAM	.02																	T					[illegible]						[illegible]			
BOISE WB AP	.02	-						T									.02					[illegible]							[illegible]			
BONNERS FERRY [illegible]	-	-		-	-	-	-	-	-						-	-	-	-	-	-	-		-				-	T	[illegible]	-	-	
[illegible]	[illegible]																															
BUNGALOW R S	[illegible]		[illegible]	[illegible]																								.23	[illegible]			
BURKE 2 NNE	[illegible]		.10																					.11	[illegible]		.11	.10	.41		[illegible]	
BURLEY	[illegible]	[illegible]	[illegible]																													
BURLEY FACTORY	[illegible]	[illegible]	.10														T	.07														
BURLEY CAA AP	[illegible]	.20															[illegible]															
CALDWELL	[illegible]	-																														
CAMBRIDGE	[illegible]																															
CASCADE 1 NW	[illegible]	-																					.02									
[illegible]	.05	.03																														
CHALLIS	[illegible]		.02													[illegible]	[illegible]	T					[illegible]									
CHILLY BARTON FLAT	.30	.20															[illegible]															
[illegible]	[illegible]																							[illegible]				.40	[illegible]			
[illegible]	[illegible]		.07							[illegible]														.05					[illegible]			
[illegible]	[illegible]	-																					[illegible]	.09			.48	.03			.13	
[illegible]	[illegible]		-					T															T	[illegible]	[illegible]		[illegible]		[illegible]			
CONDA	[illegible]			.06													[illegible]	.10					.02									
[illegible]	[illegible]							[illegible]																				.01	[illegible]			
[illegible]	[illegible]																															
[illegible]	.02																												.02			
[illegible]	[illegible]	[illegible]																					.01						.01			
DEER FLAT DAM	[illegible]																[illegible]	T														
DIXIE	[illegible]	[illegible]						[illegible]	.02	T						[illegible]							[illegible]						.10			
DRIGGS	[illegible]			[illegible]														[illegible]														
DUBOIS EXP STA	[illegible]		[illegible]															[illegible]														
DUBOIS CAA AP	.03	T	.01														[illegible]					.02										
ELK CITY	[illegible]		.20	.01				[illegible]	[illegible]														[illegible]	[illegible]					.06			

DAILY PRECIPITATION

Table 3--Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	3
ELK RIVER 1 S	.52		.13	.03	T																			.08	.01			.14	.13	T		
EMMETT 2 E	.00																															
FAIRFIELD	.26	T							T							T	T	.20				T	.06						T			
FENN RS	.29		.07	.03																			T	.01	T				.18		T	
FORT HALL IND AGENCY	.15	.15	T														T															
GARDEN VALLEY R	.02	T															.02															
GLENNS FERRY	T	T																				T										
GOODING CAA AP	T	T															T					T										
GRACE	.19	.03	.03					.05									.06	.02														
GRAND VIEW	.67																T	.67					T						T			
GRANGEVILLE	.02																												.02			
GRAY	.01																															
GROUSE	.04	T														T	.04															
HAILEY AP	.11	.03														.01		.06					.01									
HAMER 4 NW	.02																.02	T														
HAZELTON	.12	.09															T	.03														
HILL CITY	.36															T	.36															
HOLLISTER	.32	.26															.06															
HOWE	.04																	.04														
IDAHO CITY	.11	.01																.08				.01							.01			
IDAHO CITY 13 SW	.22																.07					.04	.02						.09			
IDAHO FALLS 6 NE	T	T															T						T									
IDAHO FALLS CAA AP	.07		.04						T							.03		T				T										
IRWIN 2 S	.39	.19	.16					T	T								.04						T									
ISLAND PARK DAM	.25																.05	.20														
JEROME	.00																															
KAMIAH 1 NE	.04		T																						T			.03		.01		
KELLOGG	.53		.04																					.02	.08			.25	.14	T		
KOOSKIA	.03																											T	.03			
KUNA 2 NNE	.24	T							T									.24											T			
LEWISTON WATER PLANT	.02																											.02	T			
LEWISTON WB AP R	.04							T															T	T				.04	T			
CLIFTON PUMPING STA	.13	.05						.03	T									.05					T						T			
MACKAY RS	.17	.09														.08	T															
MALAD	.24	T						T								.20	.04															
MALAD CAA AP	.12	.01														.08	T	.03				T										
MAY RS	.32	.09	.09					T	T								.06						.08									
MC CALL	.00																															
MC CAMMON	.12		T					.07								.03	.02															
MERIDIAN 1 W	T																T	T														
MINIDOKA DAM	T							T															T									
MONTPELIER RS	.09	T	.02															.07					T									
MOSCOW U OF I	.29		T																									.13	.16			
MOUNTAIN HOME	.30																	.30														
MULLAN PASS CAA	.65	.01	.14																				T	.11			.16	.01	.22			
NAMPA 2 NW	.02	T							T									.02														
NEW MEADOWS RS	.39																						.36						.03			
NEZPERCE 2 E	.11		T																									.07	.04			
OAKLEY	.30	.27														.03	T												T			
OBSIDIAN 4 NNE	.09																.07												.02			
OLA 5 S	T																												T			
OROFINO	.12		.04																									.08				
PALISADES DAM	.63	.18	.21													.02	.05	.14					.03									
PARMA EXP STA	T																												T			
PAUL 1 E	.15	.01	.14														T															
PAYETTE	T																T															
PIERCE RS	.40		.07	.01	T																							.23	.09			
PINE 2 SSW	.41	.31																.10											T			
POCATELLO WB AP //R	.06	.02	.02													.02						T										
PORTHILL	.48	T	.10														T			.08			.10						.20		T	
POTLATCH 1 SE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	T			.22	T	.12			
PRESTON SUG FACT 2 SE	.22		T														.11	.11														
PRIEST RIVER EXP STA	.38	T																T	T	T			.03	.25	T		.04	T	.06			
REACTOR TESTING STA	.01	T																T					.01									
RICHFIELD	.00																															
RIGGINS RS	.33							.18															.05	.01					.09			
RUPERT	.08	T	.08																													
SAINT ANTHONY	.04		.03																.01													
SAINT MARIES	.38		T																					.01	T			.19	.18			
SALMON	.18	T	.09					.07	T														.01						.01			
SANDPOINT EXP STA	.30	T																T		T			T	.17	T		.07		.06			
SHOSHONE	.02	.01														.01	T					T										
SPENCER RS	.08		.08															T					T									
SPRINGFIELD 1 SE	T	T																					T									
STIBNITE	.15		.05						.04								T						T	T						.06		
STREVELL	.22	.17															.05															
SUGAR	.00																															
SUN VALLEY	.19	.14						T							T	T	T	.05														
SWAN FALLS PH	.00																															
TETONIA EXP STA	.68		.39					T									.06	.08					T		.06	.09						
THREE CREEK	.10																						.10									
TWIN FALLS 2 NNE	.03	.02															T	.01														
TWIN FALLS 3 SE	.05	T	.04														T	.01														
WALLACE	.90	T	.15															T	T				T	.11	T		.30	.04	.30			
WALLACE WOODLAND PARK	.78		.06	.16																					.07			.17	.04	.28	T	
WEISER	.00																															
WINCHESTER 1 SE	.24																											.04	.20			

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
		Day Of Month																															
ABERDEEN EXP STA	MAX	84	69	70	79	85	89	88	89	87	88	89	95	91	88	90	85	75	75	83	80	86	84	75	71	80	80	80	78	72	80		82.2
	MIN	52	48	39	35	34	35	50	47	46	39	38	39	49	46	45	52	49	36	42	36	33	42	40	39	31	32	37	42	41	38		41.1
ALPHA 1 NE	MAX	76	65	70	75	81	84	84	82	81	84	88	85	84	85	84	80	65	72	77	75	70	72	68	69	70	73	70	63	63	75		75.7
	MIN	42	34	25	25	26	27	34	37	31	25	27	30	35	32	34	44	39	23	27	26	23	32	22	21	20	19	22	32	19	26		28.6
AMERICAN FALLS 1 NW	MAX	79	71	70	80	83	89	86	89	85	86	85	91	88	86	88	87	76	73	82	78	84	82	75	71	79	79	79	74	70	82		[illegible]
	MIN	54	54	43	34	37	38	54	49	52	44	42	42	48	51	45	48	49	45	42	44	38	44	40	44	37	33	40	44	44	41		44.0
ANDERSON DAM	MAX	78	72	75	82	87	91	90	90	89	91	95	92	90	92	91	86	74	77	84	80	88	75	75	73	76	80	77	69	74	[illegible]		82.5
	MIN	56	49	46	47	47	50	59	58	51	49	52	54	55	55	57	58	47	45	48	46	48	52	46	43	42	41	44	45	40	45		49.2
ARCO	MAX	82	71	71	77	82	86	83	83	84	85	86	87	89	86	84	81	77	74	83	76	80	78	71	70	75	75	75	76	67	78		79.1
	MIN	57	42	38	31	35	36	47	44	42	38	37	38	42	53	42	50	44	45	42	36	32	40	32	37	19	35	26	27	30	30		38.2
ARROWROCK DAM	MAX	82	80	74	75	84	89	91	94	87	91	93	95	93	92	93	92	86	70	78	83	78	90	75	73	71	76	81	75	66	75		82.7
	MIN	54	52	47	48	48	50	54	57	50	49	50		56	56	56	57	45	44	47	45	46	49	44	39	40	39	41	44	40	42		47.9
ASHTON 1 S	MAX	72	66	65	71	75	80	78	81	80	81	85	81	79	78	77	79	74	71	68	65	69	73	72	75	74	71	70	65	68	71		73.8
	MIN	41	40	31	33	39	38	39	44	45	43	47	43	44	41	41	44	39	30	31	32	34	43	41	39	38	36	37	34	37	35		38.6
ATLANTA 1 E	MAX	74	68	70	76	79	82	79	80	84	85	84	83	84	83	82	75	75	73	76	78	80	84	78	76	70	73	71	72	64	74		77.1
	MIN	50	44	35	39	42	45	52	45	45	50	51	51	50	50	51	50	39	35	43	40	45	49	38	34	34	35	35	39	30	41		42.9
AVERY RS	MAX	81	81	81	85	87	92	91	91	89	92	98	95	90	91	92	91	71	79		80	92	89	71	68	70	78		60	68			83.4
	MIN	47	51	42	41	42	43	41	47	43	41	43	47	43	39	44	40	38	38		40	39	47	53	40	33	33		46	31			41.9
BAYVIEW MODEL BASIN	MAX	80	82	74	75	[illegible]	77	75	84	85	83	76	77	79	88	80	80	68	75	75	72	[illegible]	73	73	60	70	70	69	70	58	60		[illegible]
	MIN	41	48	33	40	40	41	49	49	45	42	44	46	45	37	41	52	38	38	56	40	27	45	48	33	36	36	33	35	36	34		[illegible]
BIG CREEK 1S	MAX	82	72	70	78	79	84	81	73	82	84	89	86	85	84	83	78	65	72	77	74	83	74	68	70	70	73	72	62	62	73		76.2
	MIN	36	44	24	23	26	25	34	35	27	27	25	29	33	29	32	31	27	23	29	24	22	30	29	23	20	19	25	39	18	25		27.8
BLACKFOOT	MAX	80	70	70	79	85	80	88	87	81	88	89	93	91	87	89	84	75	75	82	77	87	82	73	71	79	78	79	72	72	82		80.8
	MIN	55	47	40	36	40	41	52	49	51	46	41	43	43	55	52	55	50	39	50	39	39	49	44	42	36	43	37	52	42	38		44.9
BLACKFOOT DAM	MAX	69	63	65	73	78	82	83	81	80	82	84	87	82	81	82	79		69	78	80		76	67	65	74	74	76	73	68	76		76.0
	MIN	39	36	33	25	30	30	42	41	40	32	31	35	39	35	36	40		23	31	27		37	28	30	26	25	28	28	30	33		32.5
BLISS	MAX	83	77	78	84	93	92	90	92	93	95	94	94	94	95	96	90	80	79	88	83	89	77	77	76	80	83	80	75	74	84		85.5
	MIN	68	54	46	44	41	47	63	63	47	46	47	47	47	53	52	52	49	50	45	43	40	53	40	42	36	35	36	43	36	40		[illegible]
BOISE LUCKY PEAK DAM	MAX	83	81	78	85	89	93	95	93	92	94	100	99	95		94	90	85	75	85		93	84	75	73	77	81	80		78	89		86.5
	MIN	59	51	49	50	53	57	53	61	56	55	56	57	60		61	62	40	46	52	44		54	46	43	45	44	45		42	47		51.4
BOISE WB AP	MAX	82	75	75	81	86	89	92	83	88	91	96	91	90	89	91	87	70	75	84	78	84	74	74	70	74	77	75	70	72	86		81.6
	MIN	56	53	41	50	51	53	60	60	52	56	58	55	59	60	63	55	42	44	54	41	53	53	43	37	44	42	44	45	37	47		50.3
BONNERS FERRY 1 SW	MAX																											60	63	60	65		
	MIN																											44	47	44	42		
BUHL	MAX	78	74	72	77	85	87	85	85	84	89	89	90	90	88	86	87	77	76	85	83	83	80	74	72	76	77	77	74	71	83		81.1
	MIN	59	56	45	45	51	54	65	56	55	56	54	58	62	61	62	59	48	49	54	50	49	54	50	47	44	46	46	51	44	46		52.5
BUNGALOW RS	MAX	83	82	74	82	83	83	88	92	91	85	92	91	91	89	88	88	79	75	77	76	76	74	74	75	70	77	68	62	61	83		80.3
	MIN	46	51	46	40	44	42	45	47	45	41	42	45	41	46	42	42	42	42	41	36	35	50	53	37	32	33	40	46	30	41		42.1
BURKE 2 NNE	MAX	68	64	65	70	72	75	77	74	74	77	83	77	74	76	81	78	60	62	64	62	74	72	59	55	57	55	52	53	52	66		67.6
	MIN	42	45	36	37	39	41	46	46	41	41	42	48	42	39	42	41	34	35	31	29	34	46	46	33	32	32	40	40	33	38		39.0
BURLEY	MAX	83	76	75	76	85	89	93	90	90	92	91	94	98	93	94	92	88	70	78	87	82	87	85	77	75	82	80	82	75	75		84.5
	MIN	56	54	44	41	44	44	57	53	53	49	45	48	58	55	55	56	50	48	53	49	41	51	48	46	37	43	43	44	44	41		48.3
BURLEY FACTORY	MAX	81	67	71	74	81	85	90	88	87	87	87	90	95	90	91	90	85	68	74	84	80	86	82	74	73	81	80	78	73	73		81.5
	MIN	56	52	37	35	40	40	51	50	47	43	39	40	50	51	49	49	47	44	46	44	36	47	44	41	31	37	37	40	46	37		43.5
BURLEY CAA AP	MAX	68	73	73	81	86	91	88	[illegible]	88	88	91	95	90	92	90	85	68	76	85	78	89	82	76	72	80	[illegible]	79	73	73	86		82.1
	MIN	50	45	38	37	40	42	53	50	47	43	39	42	52	50	49	51	47	47	50	43	38	48	43	41	33	37	38	40	43	38		43.8
CALDWELL	MAX	81	77	78	85	88	85	92	85	90	92	93	90	92	90	91	90	77	80	86	81	83	75	78	73	77	78	78	72	68	81		82.9
	MIN	58	56	42	40	41	45	52	51	47	45	44	49	53	58	54	56	47	40	43	46	40	46	44	44	35	35	37	44	35	38		45.5
CAMBRIDGE	MAX	85	87	84	82	84	84	89	90	91	92	90	89	91	93	88	89	82	82	88	85	90	85	75	77	79	80	80	74	69	83		84.6
	MIN	40	36	40	34	38	37	37	35	41	37	38	36	39	38	38	40	34	34	39	49	35	46	50	36	29	30	36	32	26	34		37.1
CASCADE 1 NW	MAX	75	76	69	74	81	81	83	81	80	84	90	85	83	84	84	83	74	71	74	74	82	77	66	66	65	73	68	65	60	74		76.1
	MIN	51	50	35	32	35	35	44	45	40	35	37	48	45	42	43	57	43	30	38	41	34	41	35	30	38	27	30	41	24	34		38.7
CHALLIS	MAX	80	69	70	78	80	83	78	77	82	85	85	84	87	84	79	80	75	75	81	75	81	75	76	68	74	78	77	73	64	80		77.8
	MIN	54	48	37	38	42	43	50	45	43	42	41	45	50	47	47	47	45	37	44	41	38	47	39	36	34	34	36	46	31	36		42.1
CHILLY BARTON FLAT	MAX	71	62	65	72	74	78	75	74	75	80	81	83	76	78	78	73	67	70	76	74	70	70	72	70	75	69	75	68	67	74		73.1
	MIN	42	39	31	27	30	30	36	32	30	30	30	29	34	37	35	40	36	30	32	26	32	28	21	22	23	30	24	30	29	25		30.7
CLARK FORK 1 ENE	MAX	78	77	75	78	82	85	84	84	84	86	85	90	88	88	84	81	78	77	75	71	77	74	71	70	72	73	69	67	65	71		78.0
	MIN	41	46	39	34	36	35	42	44	41	38	38	40	36	34	34	40	35	38	40	26	27	40	49	35	35	38	35	49	36	43		38.1
COBALT BLACKBIRD MINE	MAX	74	74	57	61	69	72	78		69	75	75	77	78	79	77	77	72	56	65	71	63	72	67	61	56	65	68	65	60	54		68.5
	MIN	41	42	30	31	33	37	41		35	36	37	40	44	42	42	43	32	30	32	33	34	35	36	29	29	30	32	36	24	25		34.9
COEUR D ALENE CAA AP	MAX	77	73	74	77	82	86	[illegible]	80	83	85	90	87	81	82	87	73	67	74	72	70	78	72	59	61	66	53	59	60	60	74		74.3
	MIN	52	46	43	43	45	46	54	52	47	45	49	55	49	41	47	49	39	39	43	37	40	51	43	30	37	38	44	42	39	45		44.3
COEUR D ALENE RS	MAX	80	77	78	83	86	91	90	84	86	91	95	91		90	90	86	70	75	74	75	82	79	66	65	70	67	60	61	63	76		78.7
	MIN	51	47	40	40	44	40	51	52	49	45	41	54		44	42	55	31	40	52	33	31	50	52	36	39	40	44	51	39	44		44.0
CONDA	MAX	84	73	67	68	78	82	86	87	82	92	91	85	87	88	84	84	81	73	73	79	77	83	78	70	69	77	77	80	79	72		79.5
	MIN	45	42	31	28	33	32	45	41	43	35	34	38	43	41	40	44	43	27	35	33	31	41	35	35	30	29	34	33	36	41		36.6
COTTONWOOD	MAX	80	68	68	80	81	[illegible]	86	82	85	86	92	92	85	84	92	78	67	78	76	73	83	78	73	68	70	76	70	61	58	78		77.9
	MIN	47	47	37	38	41	41	51	51	45	41	45	51	47	46	46	47	39	39	43	37	35	50	45	33	33	34	44	40	27	44		42.1
COUNCIL	MAX	89	88	81	89	90	88	93	92	91	96	95	95	94	95	93	90	90	80	86	85	90	85	80	75	77	79	[illegible]	78	[illegible]	81		86.4
	MIN	60	54	49	45	38	45	54	61	47	41	50	44	53	57	50	49	49	37	39	51	39	45	44	43	32	30	34	37	28	34		44.6
DEADWOOD DAM	MAX	75	67	71	78	80	83	82	81	83	85	89	86	87	87	84	81	68	72	79	78	81	72	68	68	72	73	74	59	61	76		76.7
	MIN	36	40	29	27	29	30	35	40	33	29	31	33	39	37	38	42	32	25	30	26	26	35	30	26	23	23	24	32	27	27		31.1
DEER FLAT DAM	MAX	85	78	77	82	83	85	88	[illegible]	88	88	90	90	90	90	91	87	71	70	82	77	82	77	76	70	73	76	66	70	70	82		80.7
	MIN	55	57	47	43	44	47	53	55	53	47	48	56	59	57	57	55	49	42	46	53	42	46	46	45	36	36	43	50	36	43		48.2
DIXIE	MAX	79	65	68	76	79	82	81	80	[illegible]	83	88	85	83	82	84	79	65	71	76	79	81	74	66	[illegible]	67	70	69	61	58	74		75.0
	MIN	32	42	24	24	26	25	38	33	28	25	27	30	33	28	33	32	26	24	28	29	22	33	31	20	18	17	38	28	16	27		27.9
DRIGGS	MAX	80	70	60	65	75	78	81	80	82	82	84	82	82	81	80	80	79	75	70	75	71	83	76	70	68	75	75	77	70	72		75.9
	MIN	43	43	30	29	35	37	43	43	44	40	40	44	41	43	44	45	40	40	43	35	31	41	33	36	33	36	42	39	40	39		39.1
DUBOIS EXP STA	MAX	80	71	66	71	80	82	82	82	81	84	87	89	87	85	85	80	72	72	80	80	80	78	70	67	75	78	75	74	67	78		77.9
	MIN	53	47	36	38	44	48	48	50	49	48	52	50	54	57	[illegible]	54	48	37	41	45	41	46	42	37	36	40	37	40	34	44		44.9
DUBOIS CAA AP	MAX	78	65	68	73	81	85	84	85	83	85	87	90	88	86	86	83	75	74	84	75	81	80	73	69	77	75	80	74	66	79		79.0
	MIN	53	47	38	37	42	49	50	51	45	48	48	46	47	47	50	50	51	35	38	43	44	48	38	33	30	31	36	38	33	38		42.8
ELK CITY	MAX	77	72	69	80	81	88	82	82	88	88	92	91	86	86	91	82	68	76	71	73	88	82	67	68	69	76	71	68	61	79		78.4
	MIN	37	47	37	27	21	24	38	40	33	25	25	30	32	28	29	33	34	27	32	26	20	38	44	24	18	17	40	29	24	32		30.4
ELK RIVER 1 S	MAX	76	75	71	77	80	85	86	86	86	86	93	92	86	88	89	86	68	72	74	69	68	74	71	70	[illegible]	78	64	65	56	78		77.2
	MIN	43	43	36	36	35	39	37	38	38	35	36	44	41	38	36	37	30	25	28	30	30	30	28	28	29	28	30	40	27	37		34.4
EMMETT 2 E	MAX	87	83	79	84	90	87	90	92	88	93	90	92	93	93	92	93	74	79	86	82	84	79	75	76	77	79	78					85.0
	MIN	55	52	39	40	44	47	53	59	52	46	47	51	52	51	55	54	44	34	44	42	41	52	45	42	37	35	38					46.3
FAIRFIELD	MAX	81	74	72	79	83	89	85	85	86	89	88	92	89	89	85	83	73	76	80	77	82	77	71	71	75	78	77	68	68	79		80.0
	MIN	52	44	35	33	31	33	54	44	36	36	37	37	45	48	43	46	41	37	39	34	32	39	33	34	26	27	30	39	22	28		37.2
ENN RS	MAX	86	84	[illegible]	84	89	90	87	89	89	91	92	92	91	89	90	89	82	85	83	80	86	83	77	73	75	80	77	76	63	73		83.5
	MIN	50	55	41	42	41	41	50	52	46	41	42	46	47	44	43	47	49	43	44	41	35	53	54	40	35	33	[illegible]	46	37	40		44.2
ORT HALL IND AGENCY	MAX	83	70	70	78	84	89	88	90	85		91	94	88	[illegible]	88	82	72	73	80	77	87	82	75	69	79	77	78	71	74	[illegible]		80.9
	MIN	53	53	49	34	39	41	53	49	48	39		40	54	51	47	49	50	38	44	40	34	46	40	40	34	37	35	49	39	37		[illegible]
ARDEN VALLEY RS	MAX	85	81	79	87	92	94	93	92		97	99	98	95	96	96	98	87	82	86	88	87	83	77	78	77	83		77	73	87		87.4
	MIN	55	47	36	36	38	40	46	49		39	39	41	47	45	46	51	44	35	39	38	36	44	38	33	31	30		41	32	35		40.4
LENNS FERRY	MAX	79	77	80	85	91	91	92	86	89	94	95	94	94	94	95	91	82	80	88	82	90	78	78	77	80	[illegible]	80	75	75	85		85.3
	MIN	51	57	45	41	38	42	60	57	42	40	42	46	47	49	51	50	49	45	40	45	38	49	44	43	34	33	33	43	34	39		44.2
OODING CAA AP	MAX	76	74	75	81	[illegible]	91	88	90	88	90	94	93	92	91	92	85	68	76	86	77	89	75	74	72	78	80	78	72	72	83		[illegible]
	MIN	55	53	44	46	44	53	62	61	54	49	56	59	58	59	55	52	47	48	48	47	52	56	47	45	43	39	39	46	38	49		50.1
RACE	MAX	67	65	66	74	78	81	81	81	80	80	83	87	83	81	81	76	69	71	78	74	80	76	71	69	75	75	77	68	70	77		75.8
	MIN	50	47	36	33	36	37	49	43	52	40	40	42	48	48	44	47	47	32	40	38	35	42	36	38	35	34	36	37	43	41		40.9
RAND VIEW	MAX	88	88	83	88	94	95	98	96	97	98	98	97	99	98	98	95	87	83	91	85	92	87	80	77	[illegible]	81	82	79	75			89.3
	MIN	58	57	46	41	43	45	48	50	46	47	44	46	54	54	52	52	51	42	43	51	41	48	46	45	36	36	38	46	36			46.3
RANGEVILLE	MAX	79	70	74	80	84	87	86	84	87	87	91	88	87	85	93	79	68	76	78	74	83	78	69	67	71	77	72	63	58	78		78.4
	MIN	49	49	42	42	45	46	51	56	47	46	51	55	51	51	52	51	41	43	51	41	42	50	50	37	37	38	49	41	32	45		46.0
RAY	MAX	[illegible]	65	66	68	70	68	70	72	80	82	84	[illegible]	84	85	80	80	75	70	70	72	72	73	75	76	78	80	81	82	80	84		75.7
	MIN	35	32	31	32	32	32	31	30	41	40	40	42	40	41	35	31	26	25	28	30	32	34	35	36	38	35	32	30	26	25		[illegible]

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
GROUSE	MAX	72	68	67	72	81	78	80	77	79	81	83	81	85	83	80	78	69	80	72	78	69	66	72	75	71	64	74	73	71	74		7
	MIN	48	35	26	28	27	30	35	37	32	32	32	32	40	40	36	42	38	32	28	26	26	22	22	19	31	17	24	23	22	24		3
HAILEY AP	MAX	80	78	75	77	78	86	82	83	85	86	88	88	89	86	86	84	80	72	82	75	81	75	70	70	74	75	74	76	68	70		7
	MIN	49	47	35	38	39	43	53	48	45	43	48	48	47	51	51	42	45	41	42	40	42	42	34	33	35	33	34	33	39	38		4
HAMER 4 NW	MAX	78	72	70	75	83	88	85	86	87	87	90	93	90	87	88	86	76	75	85	76	84	84	75	71	79	78	82	78	69	82		8
	MIN	46	43	36	30	37	39	39	41	45	41	37	36	42	44	44	47	49	31	32	37	31	42	34	28	26	28	30	29	23	32		3
HAZELTON	MAX	75	71	72	77	82	90	86	85	84	84	89	90	88	86	87	80	71	72	81	78	85	76	70	69	75	76	75	71	72	85		7
	MIN	52	46	36	37	36	42	51	50	50	43	43	46	48	52	47	46	43	42	42	45	38	41	42	41	34	34	33	44	41	41		4
HILL CITY	MAX	80	72	72	79	83	89	86	87	88	89	90	93	88	88	86	82	78	73	79	78	84	73	70	73	73	77	75	65	69	80		8
	MIN	51	46	29	29	34	31	49	46	37	34	33	36	50	50	55	48	45	38	43	34	23	41	38	38	25	29	35	31	26	28		3
HOLLISTER	MAX	70	69	70	73	78	81	85	82	84	63	88	89	88	92	88	80	69	74	82	75	87	84	77	78	77	78	75	68	69	66		7
	MIN	55	53	39	37	42	48	51	51	47	49	48	58	57	55	53	53	46	43	48	47	42	46	43	42	39	43	41	38	41	40		4
IDAHO CITY	MAX	79	76	77	83	88	90	90	85	89	92	93	92	90	93	90	86	71	80	83	84	88	81	74	75	77	80	79	74	70	82		8
	MIN	51	43	31	32	33	35	43	45	37	34	35	37	43	42	42	45	38	30	35	30	32	39	32	28	27	25	27	35	28	30		3
IDAHO FALLS 6 NE	MAX	78	68	65	73	79	83	82	85	82	83	83	89	86	84	83	80	72	69	78	74	81	79	70	67	74	71	73	69	68	79		7
	MIN	52	46	34	35	38	39	44	51	46	42	41	39	46	50	47	55	50	40	38	34	40	54	36	40	35	38	37	46	41	34		4
IDAHO FALLS CAA AP	MAX	71	68	71	77	80	87	86	85	83	84	89	90	87	89	85	82	69	71	82	77	83	81	72	68	78	75	77	71	68	80		7
	MIN	53	50	37	38	39	41	47	48	47	44	41	42	54	46	46	57	48	40	43	39	36	46	41	39	36	37	38	46	41	37		4
IRWIN 2 S	MAX	75	64	68	74	79	84	82	79	83	86	88	89	86	85	81	81	70	81	79	75	84	77	69	68	76	78	80	71	66	80		7
	MIN	45	44	42	33	38	39	45	50	50	40	37	42	42	48	45	51	45	30	36	34	33	50	35	35	35	33	33	35	35	40		4
ISLAND PARK DAM	MAX	78	64	60	74	76	80	77	81	78	82	85	85	83	81	81	77	68	69	77	72	79	75	68	65	70	70	71	72	61	75		7
	MIN	39	40	28	27	31	32	34	40	38	34	36	35	35	36	36	40	35	25	29	30	31	38	33	27	23	22	25	26	25	30		3
JEROME	MAX	76	74	76	80	89	91	88	89	89	89	95	95	91	92	91	86	80	77	85	82	88	78	74	73	77	81	80	74	73	88		8
	MIN	55	52	42	38	39	44	49	51	45	44	45	52	51	52	53	50	46	45	43	39	43	43	43	39	39	36	37	41	36	43		44
KELLOGG	MAX	79	80	77	78	83	82	90	90	85	85	91	97	88	85	88	91	75	69	76	74	77	89	74	62	65	68	53	62	59	63		77
	MIN	47	52	41	41	43	43	48	50	46	43	42	51	46	41	42	45	42	37	44	32	34	42	53	40	38	38	44	50	42	44		4
KOOSKIA	MAX	86	84	82	88	91	95	97	91	93	96	99	95	92	93	95	89	75		81	81	90	83	76	76	76	80	75	69	66	88		8
	MIN	43	58	42	40	40	40	51	53	45	41	41	47	46	43	42	47	40		42	38	33	52	58	37	32	32	49	46	30	39		4
KUNA 2 NNE	MAX	83	74	75	82	85	85	89	81	87	91	92	90	90	88	90	85	68	75	83	77	83	74	74	69	74	77	75	69	71	84		8
	MIN	55	49	37	40	40	44	52	57	44	44	43	49	50	50	53	52	45	37	44	39	42	44	41	39	37	32	34	42	32	41		4
LEWISTON WATER PLANT	MAX	87	82	85	90	94	93	94	89	93	94	101	97	94	95	97	91	78	86	83	83	86	79	75	77	78	71	75	72	67	85		8
	MIN	55	60	49	46	50	50	52	60	58	48	50	62	53	53	52	55	47	45	52	45	41	53	58	43	40	40	48	53	40	48		5
LEWISTON WB AP	MAX	85	77	81	85	90	92	91	87	91	93	99	95	89	92	94	79	74	84	80	79	86	78	71	71	76	77	72	67	64	84		8
	MIN	53	56	49	50	52	51	57	58	52	50	55	62	52	53	55	54	45	44	49	43	43	54	55	41	39	41	46	46	38	48		4
LIFTON PUMPING STA	MAX	75	67	68	74	78	80	81	80	76	79	83	83	84	82	75	77	70	69	75	74	72	73	75	69	72	74	74	68	69	74		7
	MIN	48	43	37	34	37	38	43	43	42	41	43	44	45	45	45	45	46	34	38	41	38	43	37	39	32	37	34	38	41	36		4
MACKAY RS	MAX	78	67	70	74	80	83	79	78	82	84	85	86	85	83	77	77	70	74	79	78	76	72	69	67	75	75	78	7	66	78		7
	MIN	52	45	32	33	38	42	48	44	42	44	44	43	51	51	49	45	42	38	41	37	39	39	39	38	36	34	38	36	30	33		4
MALAD	MAX	85	74	76	79	84	87	90	89	87	88	90	91	91	89	90	83	77	78	82	81	84	86	77	75	79	79	81	75	75	82		8
	MIN	52	48	46	38	40	41	51	48	57	45	45	46	53	53	50	50	52	37	41	45	40	34	42	40	37	38	39	46	39	40		44
MALAD CAA AP	MAX	74	73	75	80	86	89	90	90	87	89	90	92	91	91	89	85	76	77	82	82	85	82	77	75	80	79	82	75	76	83		8
	MIN	45	44	43	32	36	36	47	41	53	41	39	39	48	46	43	47	40	33	36	41	34	41	35	35	31	31	31	38	44	33		3
MAY RS	MAX	80	67	69	78	85	85	79	77	84	85	87	86	86	85	79	79	68	75	79	80	76	76	71	69	74	78	79	70	65	78		7
	MIN	51	47	32	32	36	41	40	38	35	37	34	37	42	39	40	41	41	33	37	31	33	42	34	32	26	24	29	39	26	31		3
MC CALL	MAX	77	65	70	74	79	80	80	79	80	82	86	86	81	84	82	77	64	70	74	71	79	69	65	65	65	68	68	56	59	70		7
	MIN	45	48	35	32	30	36	45	47	39	35	37	40	41	40	42	44	43	29	35	36	31	40	38	32	27	26	31	34	24	33		3
MC CAMMON	MAX	79	70	71	80	85	87	88	86	87	88	88	91	90	87	84	81	79	75	84	80	82	81	77	74	80	79	82	76	75	82		81
	MIN	53	48	41	32	36	41	47	44	52	39	38	41	41	46	44	44	49	33	37	38	36	45	37	38	33	31	33	37	48	38		4
MERIDIAN 1 W	MAX	81	74	74	81	86	84	88	84	86	89	91	90	88	90	89	84	77	76	82	79	79	76	74	73	74	78	74	74	69	84		8
	MIN	56	53	39	41	44	49	54	53	48	48	48	51	51	51	54	55	45	39	45	42	42	49	40	39	38	36	36	44	34	40		4
MINIDOKA DAM	MAX	66	71	74	76	80	91	86	85	84	84	87	93	89	86	89	82	67	73	84	74	82	82	72	70	77	79	78	76	71	85		7
	MIN	53	54	44	45	43	51	55	54	55	50	52	53	55	57	52	53	49	45	56	49	45	49	46	43	41	38	39	43	41	46		4
MONTPELIER RS	MAX	86	72	68	69	76	80	84	85	84		84	87	88	86	84	84	81	71	69	76	77	80	78	73	71	76	76	72	70	71		7
	MIN	45	41	31	30	33	34	39	40		39	38	39	43	43	41	43	47	28	33	37	33	41	33	36	28	31	32	36	37	33		3
MOSCOW U OF I	MAX	77	70	76	82	85	90	87	79	85	91	95	88	83	89	87	82	66	76	74	76	87	75	66	68	67	67	64	62	58	78		7
	MIN	46	42	47	44	40	47	50	49	45	42	51	58	43	40	49	50	33	36	43	31	40	46	51	28	33	30	44	45	33	49		4
MOUNTAIN HOME	MAX	82	79	82	88	95	94	96	91	96	99	100	102	100	99	100	93	90	85	93	85	94	89	81	78	85	87	83	80	77	89		8
	MIN	55	55	42	43	44	48	50	52	46	48	51	56	53	55	58	58	48	43	46	48	45	51	44	43	39	37	36	47	34	47		4
MULLAN PASS CAA	MAX	63	52	58	67	66	73	74	70	70	75	83	73	69	71	75	60	49	57	55	61	74	61	44	51	49	45	44	45	48	60		61
	MIN	43	40	39	45	51	52	58	53	50	52	58	57	53	53	56	41	34	40	40	39	43	44	35	32	39	34	39	32	29	38		44
NAMPA 2 NW	MAX	83	84	78	78	84	89	89	92	87	90	93	93	94	93	92	92	87	72	79	86	79	82	76	77	72	76	80	78	72	70		8
	MIN	54	55	39	41	42	46	52	52	49	44	46	50	52	52	52	55	47	39	45	46	43	45	43	41	36	33	37	45	35	38		4
NEW MEADOWS RS	MAX			81	80	86	85	88	86	86	91	91	91	91	90	88	82	78	78	80	76	82	81	70	72	72	72	74	70	64	75		8
	MIN			29	28	29	30	42	44	34	29	30	31	30	34	36	42	33	24	30	29	25	37	34	27	21	20	27	30	19	29		3
NEZPERCE 2 E	MAX	78	79	72	77	81	87	85	82	83	87	92	87	84	85	89	74	72	74	73	72	85	75	66	66	68	72	66	61	57	80		7
	MIN	49	49	42	44	45	47	55	56	49	47	50	55	53	48	50	48	36	44	49	40	42	49	51	34	37	37	37	43	33	42		4
OAKLEY	MAX	68	70	72	79	82	90	85	87	84	85	87	93	83	86	89	81	70	77	86	76	86	83	71	70	81	77	77	72	72	83		8
	MIN	57	57	38	47	47	50	55	52	51	52	47	54	55	56	55	52	48	38	48	42	46	52	43	41	40	40	42	43	42	48		4
OBSIDIAN 4 NNE	MAX	66	64	66	76	74	78	68	74	76	78	81	78	76	78	72	73	66	69	65	74	75	67	63	65	65	69	63	53	57	79		7
	MIN	42	32	24	34	23	26	36	38	28	28	28	32	37	33	33	40	31	24	30	24	25	31	26	22	22	19	23	36	19	28		2
OLA 5 S	MAX	87	86	87	89	86	91	94	92	91	94	95	92	91	96	91	86	83	77	84	82	86	77	73	73	75	77	72	70	70	80		84
	MIN	45	45	46	46	45	45	44	45	49	41	41	41	45	45	47	50	44	35	39	45	35	35	38	33	31	31	29	29	28	28		4
OROFINO	MAX	87	79	85	89	93	96	97	91	94	97	103	9	92	96	97	84	76	83	83	84	94	82	76	75	76	76	77	67	65	88		8
	MIN	51	55	45	44	44	43	50	54	47	44	45	52	47	46	45	46	43	44	44	40	36	50	38	45	36	37	35	47	34	41		44
PALISADES DAM	MAX	78	61	65	72	77	83	82	81	81	83	86	85	84	80	83	79	77	70	78	76	82	78	76	68	76	77	79	77	67	79		77
	MIN	45	43	36	34	38	38	44	49	50	40	40	41	45	46	43	50	47	32	36	36	37	50	39	37	33	35	36	36	36	38		4
PARMA EXP STA	MAX	88	82	81	85	90	87	92	90	94	92	91	90	95	94	94	91	84	83	83	84	82	84	81	81	80	78	82	77	70	84		8
	MIN	54	54	41	38	43	46	49	53	50	45	44	48	54	53	52	57	46	43	43	47	38	48	45	41	34	35	41	49	33	37		4
PAUL 1 E	MAX	79	69	70	73	86	87	92	88	88	87	86	92	95	86	88	88	81	66	80	79	77	87	80	73	70	80	81	78	71	71		8
	MIN	56	52	37	35	36	40	51	46	47	40	38	42	49	47	46	50	47	43	47	43	37	45	45	41	32	42	43	41	44	36		4
PAYETTE	MAX	86	77	79	82	87	84	90	88	88	88	90	89	91	92	89	89	74	79	84	79	81	81	77	73	75	76	78	73	68	80		8
	MIN	58	57	44	41	42	46	52	54	47	45	45	49	59	51	53	54	48	40	43	48	37	48	49	41	33	34	39	49	32	39		4
PIERCE RS	MAX	76	75	73	79	83	88	88	84	85	89	94	87	87	87	91	92	73	70	74	74	89	82	68	68	65	71	68	64	59	78		7
	MIN	41	46	38	34	35	35	42	46	37	35	35	41	38	36	36	37	33	35	35	30	28	45	50	30	28	27	43	41	27	35		3
POCATELLO WB AP	MAX	73	69	70	78	84	89	87	88	86	87	88	94	90	87	88	85	71	74	83	75	85	82	74	71	80	79	79	72	70	83		8
	MIN	53	53	42	37	39	42	55	52	53	45	44	45	57	55	50	53	51	46	45	43	35	47	50	45	38	40	40	52	46	37		4
PORTHILL	MAX	77	74	76	78	81	84	85	82	82	81	80	87	82	79	84	80	74	68	72	71	75	63	65	62	63	57	64	63	58	68		73
	MIN	45	49	40	38	41	42	44	51	45	45	42	47	45	44	38	42	34	36	42	33	30	50	31	36	37	34	41	39	41	42		4
POTLATCH 1 SE	MAX																							75	70	67	68	63	63	60	78		
	MIN																							54	25	30	32	42	46	30	44		
PRESTON SUG FACT 2 SE	MAX	85	75	75	78	83	87	85	87	87	88	91	88	92	90	89	82	80	75	78	81	82	83	79	74	77	78	85	79	74	81		82
	MIN	54	42	40	35	36	37	44	43	53	43	42	41	47	45	44	49	51	34	38	40	37	44	37	37	33	34	35	42	45	38		41
PRIEST RIVER EXP STA	MAX	74	73	74	79	82	85	83	80	80	79	89	85	81	83	83	72	63	72	70	72	79	69	57	61	62	57	57	59	57	65		72
	MIN	44	41	34	35	38	39	45	47	45	40	40	48	48	36	36	40	30	34	42	26	27	40	43	35	34	33	37	48	32	40		38
REACTOR TESTING STA	MAX	73	72	72	77	83	87	84	87	85	86	87	92	90	87	87	84	72	73	83	76	83	80	72	70	77	77	78	72	68	80		79
	MIN	53	47	37	36	32	36	48	44	42	37	35	34	55	45	41	57	44	29	37	33	29	42	35	32	26	29	32	41	35	28		38
RICHFIELD	MAX	76	73	73	78	83	88	84	84	85	86	88	91	86	88	86	81	77	73	81	78	83	79	70	69	75	77	75	71	70	78		79
	MIN	56	45	40	43	37	42	52	51	47	43	51	45	51	52	51	50	41	35	42	38	41	46	38	38	34	32	34	36	33	38		42
RIGGINS RS	MAX	86	85	82	89	91	95	96	91	94	97	101	101	101	93	98	98	85	69	98	88	92	91	82	75	79	85	85	83	73	85		8
	MIN	57	56	48	48	55	55	68	61	56	50	59	61	52	57	63	60	52	45	41	50	51	57	55	54	46	44	41	41	41	40		52
RUPERT	MAX	83	70	75	79	85	88	96	91	90	91	91	93	99	92	91	89	86	70	77	86	80	88	82	76	76	81	84	84	75	74		84
	MIN	55	50	39	38	39	40	51	52	50	43	40	48	49	51	48	49	42	39	42	42	38	45	42	42	32	35	35	40	42	39		43
SAINT ANTHONY	MAX	73	67	69	74	80	85	84	86	84	84	87	88	87	86	85	80	70	70	82	83	84	79	72	67	76	73	75	74	76	77		78
	MIN	44	45	29	32	37	38	40	45	43	40	38	40	43	43	43	46	42	30	35	35	34	45	32	30	28	28	31	32	35	45		37
SAINT MARIES	MAX	78	77	78	83	87	90	89	87	87	91	97	97	88	90	93	89	70	76	76	76	87	86	81	74	69	67		62	64	79		81
	MIN	45	43	39	38	38	35	42	46	42	38	48	47	40	37	39	41	33	35	40	29	29	46	35	29	33	33	40		31	40		38
SALMON	MAX	87	69	78	81	86	89	78	83	85	90	89	87	92	89	81	87	74	80	87	77	85	79	75	73	80	78	83	76	66	85		81
	MIN	49	55	36	34	34	34	38	40	38	33	33	35	44	37	37	42	48	35	45	38	30	50	41	39	27	28	32	44	30	29		37

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SANDPOINT EXP STA	MAX	77	73	72	74	74	80	82	82	81	83	81	86	83	79	79	68	67	73	72	68	75	74	63	73	66	57	54	60	58	65		72.6
	MIN	45	49	37	37	40	40	46	50	45	43	42	48	43	38	38	48	33	39	56	40	33	45	50	33	33	38	43	50	39	44		41.8
SHOSHONE	MAX	77	74	75	79	84	91	87	89	86	88	92	94	89	89	88	84	75	74	-	79	86	77	72	70	76	78	75	71	73	85		81.3
	MIN	56	48	46	43	42	46	55	55	48	48	52	54		49	51	50	45	38	42	42	44	49	43	39	41	35	36	40	34	44		45.3
SPENCER RS	MAX	78	68	62	69	76	80	79	81	79	83	85	86	84	82	82	79	72	69	78	76	78	75	67	65	72	68	74	68	62	74		75.0
	MIN	50	45	31	31	34	36	39	40	41	41	41	37	44	50	42	44	45	31	34	41	33	39	36	32	26	29	29	27	31	31		37.0
SPRINGFIELD 1 SE	MAX	77	71	73	79	83	89	88	89	85	88	89	94	90	89	89	84	71	75	82	79	88	85	73	72	79	78	70	72	74	81		81.2
	MIN	51	48	39	35	34	35	49	47	47	37	37	38	46	44	46	48	48	31	39	34	34	42	35	35	29	32	33	41	31	32		39.2
STIBNITE	MAX	72	75	62	66	71	75	79	78	73	72	79	83	78	79	79	80	74	61	68	71	72	78	68	62	64	66	65	67	56	56		71.0
	MIN	41	39	30	32	35	32	41	41	31	35	40	42	41	42	43	42	29	29	32	34	32	37	37	27	28	26	32	34	23	26		34.4
STREVELL	MAX	75	71	72	78	83	87	85	85	85	86	88	90	89	87	86	82	74	76	84	80	81	79	75	72	81	77	80	76	72	79		80.5
	MIN	48	46	33	35	41	45	49	46	49	47	44	49	52	50	51	48	48	41	42	45	38	48	42	42	37	36	36	38	33	41		43.3
SUGAR	MAX	73	67	68	74	79	84	83	87	83	84	87	88	87	85	84	79	80	68	81	81	82	79	71	68	76	72	75	75	64	81		78.2
	MIN	47	46	31	31	33	34	36	44	45	36	35	40	41	40	40	50	49	35	35	43	40	43	35	33	27	38	30	34	40	32		37.4
SUN VALLEY	MAX	71	72	71	74	81	84	80	79	83	84	86	86	86	84	79	80	75	74	80	78	79	74	71	70	74	75	77	74	65	74		77.3
	MIN	48	35	27	27	28	30	38	34	28	30	29	31	38	36	34	40	34	28	31	26	26	31	25	26	21	20	23	29	18	24		29.8
SWAN FALLS PH	MAX	90	82	84	90	93	94	98	98	96	99	97	98	96	97	96	94	88	82	89	86	88	86	87	81	80	85	83	78	76	76		88.7
	MIN	67	60	51	51	51	55	62	58	56	53	55	55	62	64	62	60	54	49	51	56	51	55	53	50	46	45	45	52	44	46		54.0
TETONIA EXP STA	MAX	64	59	61	73	80	78	80	81	80	82	85	84	81	84	85	69	65	70	72	79	80	75	77	74	70	71	75	72	68	69		74.8
	MIN	32	33	27	33	35	34	37	36	38	42	39	38	40	43	46	44	45	43	41	36	34	31	33	31	30	29	31	34	31	34		36.0
THREE CREEK	MAX				81	95	70	88	86					92	89	84	83	72	76	84	80	85	80	75	74	80	80	78	74	75	82		81.0
	MIN				20	26	31	41	33						38	36	36	31	23	29	25	26	37	25	23	21	20	25	26	25	23		28.2
TWIN FALLS 2 NNE	MAX	80	75	75	79	87	90	90	87	88	88	93	92	89	91	90	85	73	74	82	78	85	80	73	72	75	79	77	71	75	88		82.0
	MIN	57	54	41	37	39	42	53	47	49	47	39	44	50	54	49	51	46	49	44	50	39	45	46	46	34	37	36	40	40	37		44.7
TWIN FALLS 3 SE	MAX	81	76	75	75	80	86	89	87	87	88	89	90	92	90	91	90	84	70	78	85	77	86	78	75	72	77	78	76	74	74		81.7
	MIN	57	55	40	38	43	45	51	48	50	47	44	45	49	58	54	53	46	48	46	47	40	46	50	47	36	41	42	48	45	38		46.6
WALLACE	MAX	77	70	72	77	80	84	86	83	83	85	90	88	82	83	87	72	64	70	69	74	83	72	60	61	65	55	59	58	60	74		74.1
	MIN	44	49	39	39	39	38	46	47	43	41	41	48	43	39	40	43	37	43	25	31	35	46	48	34	32	35	43	46	48	41		40.8
WALLACE WOODLAND PARK	MAX	74	74	68	71	78	85	84	85	82	82	85	93	86	81	84	88	71	65	70	69	72	85	72	60	62	65	54	60	66	59		74.3
	MIN	44	45	38	38	39	40	48	48	42	40	41	42	42	39	39	42	38	36	38	29	29	36	49	36	34	35	44	47	37	37		39.7
WEISER	MAX	93	80	86	83	91	90	95	93	93	93	95	94	96	97	93	90	78	83	90	83	86	83	80	80	80	82	82	70	68	84		86.4
	MIN	52	56	42	39	38	44	52	53	49	50	46	43	52	52	50	52	49	40	40		38	45	44	32	34	32	36	42	32	35		43.8
WINCHESTER 1 SE	MAX	75	70	73	79	80	81	84	87	83	84	94	88	89	87	88	83	66	73	70	72	90	80	65	65	66	68	67	62	58	75		76.7
	MIN	43	42	41	37	40	43	45	39	40	40	45	42	44	42	49	40	35	37	32	37	35	44	46	30	34	33	35	40	28	42		39.3

Table 6

EVAPORATION AND WIND

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STA	EVAP	.35	.12	.15	.19	.23	.25	.22	.11	.36	.13	.22	.25	.34	.30	.25	.35	.29	.32	.33	.26	.19	.30	.29	.25	.26	.28	.19	.30	.11	.21		7.40
	WIND	134	91	70	33	40	26	52	27	67	18	24	37	82	70	44	127	194	141	160	77	30	86	131	167	88	118	79	188	128	60		2587
ARROWROCK DAM	EVAP	.20	.18	.32	.22	.22	.26	.21	.22	.19	.33	.17	.26	.19	.27	.24	.22	.26	.25	.19	.26	.20	.18	.14	.18	.17	.22	.16	.16	.15	.13		6.35
	WIND	19	36	69	29	23	4	20	36	13	21	34	11	16	28	21	22	36	43	29	41	27	29	24	29	36	25	16	25	63	6		831
LIFTON PUMPING STA	EVAP	.26	.22	.20	.20	.21	.24	.21	.19	.22	.21	.20	.24	.27	.22	.20	.26	.20	.19	.26	.21	.19	.28	.19	.23	.25	.19	.20	.16	.17	.29		6.56
	WIND	45	72	22	34	26	30	64	20	25	21	20	26	39	31	24	59	99	33	53	18	33	66	49	49	44	33	37	56	36	39		1203
MINIDOKA DAM	EVAP	.19	.32	.24	.31	.33	.31	.38	.30	.37	.34	.27	.40	.39	.30	.35	.36	.34	.34	.31	.27	.32	.28	.34	.28	.32	.23	.25	.30	.19	.27		9.20
	WIND	160	200	100	90	100	80	100	60	90	70	90	90	90	80	60	110	170	160	90	100	140	110	140	105	95	80	60	140	100	100		3160
MOSCOW U OF I	EVAP	.21	.02	.15	.08	.29	.10	.32	.22	.17	.20	.27	.29	.23	.20	.27	.11	.36	.19	.20	.16	.19	.22	.19	*	.29	.11	.10	.16	.08	.15		5.53
	WIND	42	71	39	30	26	34	28	35	34	30	42	56	51	15	62	124	56	53	75	20	42	77	153	60	32	41	74	153	62	61		1678
PALISADES DAM	EVAP	.17	.13	.14	.17	.21	.25	.24	.19	.20	.22	.21	.23	.33	-	.18	.17	.23	.16	.18	*	.37	.19	.19	.15	.11	.26	*	.37	-	.18		B 5.82
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp.	Precip.		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0119	CASSIA	12	42 25	113 35	4750	6P	6P	DELL ROWE	2 3 5
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 11	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	C
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7 C
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 C
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	C
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
BONNERS FERRY 1 SW	1079	BOUNDARY	5	48 41	116 19	1812	5P	5P	CHARLES G HOWARD JR	2 3 5 7 C
BRIDGE	1156	CASSIA	12	42 08	113 21	4700		MID	MARLIN E BOOTH	C
BUHL	1217	TWIN FALLS	12	43 25	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	5	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 34	113 49	4200	8A	8A	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2650	5P	5P	STUART DOPF	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	5P	5P	U S BUR RECLAMATION	2 3 5 7 C
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740		MID	U S FOREST SERVICE	CLOSED 9/15/53
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		4P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5 C
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	C
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D'ALENE CAA AP	1951	KOOTENAI	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	2 3 5 7
COEUR D'ALENE RS	1956	KOOTENAI	5	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7 C
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5 C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAI	5	47 44	116 29	3000		MID	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	C
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 11	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 1 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	3108	CAMAS	12	43 21	114 48	5065	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING 1 E	3677	GOODING	12	42 56	114 42	3245		MID	DALE W KNIGHT	C
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY L GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	4P	U S WEATHER BUREAU	2 3 5 7
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	[illegible]	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 36	3870	5P	5P	ORVILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 36	5897	5P	5P	U S FOREST SERVICE	2 3 5 7 C
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	5841	ADA	2	43 37	116 25	2620	5P	5P	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 5 S	6590	GEM	8	44 07	116 17	2962	5P	5P	VINCENT A NALLY	2 3 5
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	4P	4P	U S FOREST SERVICE	2 3 5 7
PINE 2 SSW	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH 1 SE	7301	LATAH	7	46 54	116 52	2586	6P	6P	HENRY J FITCH	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650		MID	VICTOR J ACARREGUI	
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL IR PROJ	
REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	MRS HOMER WALTON	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	5P	5P	MRS RAYMOND RUFF	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL	8786	CASSIA	12	42 01	113 13	5280	5P	5P	IDAHO STATE POLICE	2 3 5
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	KAY JOHNSON	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	5P	5P	EXPERIMENT STATION	2 3 5
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FACT	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	HALLACK-HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

he four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will e no duplication of numbers within a state.

igures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

bservation times given in the Station Index are in local standard time.

elayed data and corrections will be carried only in the June and December issues of this bulletin.

onthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bul-etin.

tations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be in-luded in this issue.

nless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation in nches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard eather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

leet and hail were included in snowfall averages in Table 1, beginning January 1949.

mounts in Table 3 are from non-recording gage, unless otherwise indicated.

ata in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Sta-ion Index for observation time.

now on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground alues are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is easured at selected stations when the depth of snow on the ground is two inches or more.

ater equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; conse-uently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

And also on a later date or dates.

Amounts included in following measurements, time distribution unknown.

Gage is equipped with a windshield.

This entry in time of observation column in Station Index means after rain.

Adjusted to a full month.

In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.

Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.

Daily precipitation values and monthly total from recording gage.

Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.

This entry in time of observation column in Station Index means sunset.

Trace, an amount too small to measure.

Includes total for previous month.

This entry in time of observation column in Station Index means variable.

ubscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) hecks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regarding ubscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

W.R.P.C. Chattanooga--10-30-53--850--


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage ○ Non-recording;
● Recording; ◑ Both types
Double circle combinations Complete Meteorological.
Hourly precipitation data from recorder stations will be available in the publication 'Hourly Precipitation Data'
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry
Benton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 2 NW
Deer Park
Mount Spokane
Bayview Model Basin
Trout Creek 2 W
Coeur d'Alene CAA AP
Deception Cr
Spokane WB AP
Thompson Falls
Coeur d'Alene RS
Kellogg
Burke 2NNE
Cheney
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace
Saint Maries
Haugan
Rosalia
Roland W Portal
Plummer 3WSW
Avery RS
Tekoa
Superior CAA AP
Clarkia RS
Potlatch
Missoula WB AP
Missoula 2 WNW
Colfax 1 NW
Pullman Exp Sta
Elk River 1 S
Moscow U of Ida
Wawawai
Bungalow RS
Lolo Pass
Pomeroy
Lewiston Wtr Pl
Orofino
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Kamiah 1NE
Winchester 1SE
Hamilton
Nezperce 2 E
Kooskia
Moose Creek RS
Anatone
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Wisdom
Dixie
Riggins RS
Jackson
Polaris
Joseph
Salmon
Big Creek 1 S
Cobalt Blackbird Mine
Grant
Cornucopia 5 NNW
New Meadows RS
Yellow Pine
Stibnite
Hebgen Dam
Halfway
McCall
Pungo Creek
Richland
Council 1 N
Dell
Lima Dam
West Yellowstone
Mesa
Landmark RS
Leadore
Lima
Monida 5 NE
Lakeview
Durkee 3 NNW
May RS
Cambridge
Cascade 1NW
Challis
Dell 19 SW
Island Park Dam
Deadwood Summit
Cascade RS
Huntington
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Weiser
Bechler River
Snake R
Ashton 1S
Grassy Lake Dam
Ola 4 S
Crouch 2NNW
Dubois CAA AP
Payette
Lowman
Jackson Peak
Hamer 4NW
St Anthony
Ontario CAA AP
Obsidian 4NNE
Chilly Barton Flat
Vale
Garden Valley RS
Tetonia Exp Sta
Moran
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Mackay RS
Nyssa
Emmett 2E
Sugar
Alta
Little Valley
Idaho City
Atlanta 1E
Vienna
Howe
Bogus Basin
Grouse
Arco
Driggs
Adrian
Troutdale GS
Atlanta Summit
Sun Valley
Moose 3 NW
Owyhee Dam
Caldwell
Idaho City 13SW
Shake Cr RS
Nampa 2NW
Meridian 1SSW
Arrowrock Dam
Dollarhide Summit
Idaho Falls 6 NE
Trinity Lake GS
Hailey
Reactor Testing Sta
Deer Flat Dam
Boise LP Dam
Idaho Falls CAA AP
Irwin 2S
Kuna 2 NNE
Pine 2SSW
Soldier Cr RS
Jackson
Boise WB AP
Prairie
Palisades Dam
Fairfield
Anderson Dam
Blackfoot
Hill City
Swan Falls PH
Springfield
Gray
Mountain Home
Putnam Mt
Sheaville
Richfield
Fort Hall Ind Agcy
Grand View
Glenns Ferry
Bedford 2 SE
Aberdeen Exp Sta
Blackfoot Dam
Danner
Bliss
Shoshone
Rome
Pocatello WB AP
Gooding 1 E
Gooding CAA AP
Conda
Jerome
Bancroft
Grover 2 S
Minidoka Dam
American Falls 1NW
Paul 1E
Buhl
Burley 1NW
Rupert
McCammon
Twin Falls 2NNE
Hazelton
Grace PH
Twin Falls 3SE
Burley
Burley CAA AP
Hollister
Montpelier RS
Albion
Border 3 N
Oakley
Malad
Lifton Pump Sta
Bridge
Malad CAA AP
Three Creek
Preston 2SE
Ida Vada
Lewiston
Richmond
Snowville
Owyhee
Amalga
Laketown
Sage
Jarbidge
Garland
Logan USAC Exp Sta
Contact
Park Valley
Bothwell
Logan USAC
Revised 9-52-WRP

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

OCTOBER 1953
Volume LVI No. 10

CHATTANOOGA: 1953

IDAHO - OCTOBER 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Although neither as warm nor as dry as October 1952, this month again had above normal temperatures and marked deficiencies in precipitation. Aside from 1952, only three other Octobers were drier than this month which had state-wide average precipitation of only 0.48 inch, as compared to a 61-year mean of 1.41 inches. Of particular interest, also, is the repetition of two successive dry months, as in 1952. This combination of a dry September and a dry October for the whole State has occurred only a few times since 1893.

With few exceptions, stations throughout the State reported average temperatures above the October mean for the period of record. Precipitation totals at individual stations were generally well below the October mean, except at a half-dozen stations in the south central part of the State. Sunshine was well above normal for the month, although not as abundant as in October 1952, when an estimated 85% of possible was observed.

A cold front, which on the evening of September 30th had moved through the Northern Division and part of the Southwestern Division, continued rather slowly southeastward on October 1st, finally passing beyond Idaho's eastern boundary about midnight. The invasion of colder air was accompanied by showers and, when skies cleared, a hard freeze resulted in most areas by the morning of the 3d. Thereafter, for a week, a large area of high pressure dominated the weather pattern over the western states, blocking eastward movement of Pacific storm fronts as temperatures rose to levels some 8° or 10° above normal. On the 10th a fast-moving front did cross the State, but no precipitation of consequence occurred, although temperatures dropped several degrees. Between the 14th and 24th several showery periods occurred, particularly in the Southwestern and Southeastern Divisions, and temperatures were generally below normal. The final week of October brought warmer weather with precipitation limited to the Northern Division, where showers occurred on the last three days of the month.

Agricultural activities were generally favored by the warm, dry weather. The dry weather of September, coupled with the fine weather of this month, permitted full development of potatoes, sugar beets and beans. Following the hard freeze early in the month, potato digging went forward rapidly and beans were threshed under favorable conditions with yields better than anticipated. Quality of late potatoes was good, although still below the high quality crop of 1952. Dry beans included more than the usual amount of dirt due to the condition of the soil at harvest time, but quality was generally very good. Sugar beets ranked high both in tonnage and sugar content. There were, nevertheless, some unfavorable aspects of the warm dry autumn. Pastures were far below average for the season and fall seedings were delayed because of the dry soil conditions, with some seeding done in soils that were literally dust.

The season of moderate fire hazard in forest and range lands continued well into October and numerous man-caused fires were reported. Nearly all of these were suppressed before they could spread over more than a few acres.

No severe storms were reported during the month and extreme winds, as reported by first-order Weather Bureau stations, were unusually light for October.

DJS

SUPPLEMENTAL DATA

IDAHO
OCTOBER 1953

Station	Wind direction		Wind speed m. p. h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5 30A MST	11 30A MST	5 30P MST	11 30P MST	Trace	01–09	10–49	50–99	1 00–1.99	2 00 and over	Total			
BOISE WB AIRPORT	SE	30	9.5	34	W	19	65	44	41	57	4	3	0	0	0	0	7	69	5.2	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-			-	-	77	58	40	-	1	2	2	0	0	0	8	-	5.6	
POCATELLO WB AIRPORT	SW	20	8.6	33	SW	20	72	49	39	58	1	3	1	1	0	0	6	74	4.3	

COMPARATIVE DATA

Table 1

OCTOBER

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days 01 or more
1893	44.3	80	3	1.89	-	7
1894	46 7	88	9	2.30	-	10
1895	49.3	93	3	.09	-	1
1896	47.4	96	8	.84	-	3
1897	46.9	92	4	1.58	-	5
1898	43.8	88	0	1.08	0.5	6
1899	43.9	90	4	2.41	4.3	8
1900	47.0	87	5	2.29	0.8	9
1901	51.4	90	10	1.06	T	4
1902	48.7	91	12	.49	0.6	4
1903	49.1	86	7	1.15	1.0	6
1904	49.2	90	7	1.33	0.6	7
1905	42.6	89	- 3	1.12	2.4	6
1906	49.1	92	- 1	.67	0.9	5
1907	52.2	92	16	.98	T	5
1908	44.7	85	3	2.40	2.3	7
1909	47.8	87	5	1.01	1.2	6
1910	49.3	94	7	1.48	T	6
1911	44.6	88	5	1.57	1.3	5
1912	43.7	88	7	2.34	1.5	9
1913	44.0	87	8	1.51	2.2	6
1914	49.0	93	13	1.81	0.2	9
1915	49.2	91	6	.55	0.2	4
1916	43.8	87	1	1.06	0.9	6
1917	47.0	92	-16	.18	0.7	1
1918	49.0	88	10	2.33	0.6	8
1919	41.0	87	-12	1.58	7.1	8
1920	44.0	92	2	2.54	5.5	11
1921	50.2	91	9	.75	0.3	4
1922	49.8	94	4	.74	0.4	4
1923	45.5	91	- 5	2.38	1.3	8
1924	46.8	85	11	2.06	1.9	8
1925	45.0	80	8	1.23	0.2	5
1926	48.4	90	2	.86	T	4
1927	48.3	97	1	1.69	0.5	8
1928	48.3	88	9	1.32	1.1	7
1929	48.4	89	- 1	.73	0.2	4
1930	45.0	81	6	1.75	0.6	9
1931	47.8	89	12	1.38	0.3	6
1932	45.6	91	0	1.04	0.6	5
1933	50.4	91	0	1.77	0.7	5
1934	49.7	98	13	1.76	1.0	8
1935	46.4	95	- 9	.80	2.4	5
1936	48.2	89	- 1	.28	0.1	2
1937	49.7	88	10	1.15	T	6
1938	48.6	88	14	2.50	0.4	11
1939	47.5	85	6	1.29	0.9	7
1940	49.8	91	16	2.02	0.3	9
1941	46.0	83	9	1.41	0.8	9
1942	48.4	92	[illegible]	1.12	0.6	6
1943	49.1	95	- 3	2.15	2.2	10
1944	52.2	89	8	.67	T	4
1945	50.0	91	- 2	1.04	0.6	6
1946	41.5	85	3	2.48	2.2	10
1947	50.0	90	10	2.48	0.2	11
1948	47.8	87	5	.70	0.2	4
1949	42.5	86	6	1.53	3.9	7
1950	50.1	90	9	2.13	0.5	9
1951	44.7	87	3	2.73	1.7	11
1952	51.5	92	9	.07	T	†
1953	49.4	93	12	.48	0.6	3
† Less than one half.						
ALL YEARS	47.4			1.41		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max 90° or Above	No. of Days Max 32° or Below	No. of Days Min 32° or Below	No. of Days Min 0° or Below	Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00
NORTHERN DIVISION																							
AVERY RS			M		82	7				0	0		0	[illegible]	- 2.02						[illegible]	0	
BAYVIEW MODEL BASIN	60.5	35.5	48.0		72	1	[illegible]	22	[illegible]	0	0	11	0	.94		.25	1	.0			7		
BIG CREEK 1 S	63.1	21.5	42.3		77	7+	12	23+	693	0	0	29	0	.35	- 1.26	[illegible]	[illegible]	1.0			[illegible]	0	
BONNERS FERRY 1 SW	62.6	34.4	48.5	2.4	75	6	23	23+	506	0	0	15	0	.43	- 1.41	[illegible]	1	.0			5	0	
BURKE 2 ENE	56.2	33.7	45.0	2.7	71	9	24	24	616	0	0	[illegible]	0	1.87	- 1.66	.57	1	T			8	1	
CLARK FORK 1 ENE	64.8	[illegible]	48.0	2.4	71	5+	[illegible]	23+	[illegible]	0	0	16	0	.85	- 2.62	.44	30	.0	0		4	0	
COBALT BLACKBIRD	52.8	27.7	[illegible]		70	10	19	24				24	0	.41		[illegible]	[illegible]	3.0	[illegible]	2	[illegible]		
COEUR D ALENE CAA AP	61.1	38.0	49.6		74	8	30	3	474	0	0	2	0	.38		.18	[illegible]	.0	0		5	0	
COEUR D ALENE RS	65.3	[illegible]	51.4	3.3	77	7+	26	24	415	0	0	6	0	.52	- 1.28	.19	[illegible]	.0	0		5		
COTTONWOOD	63.5	34.5	49.0	1.6	80	7	23	24	491	0	0	12	0	.40	- 1.37	.22		.0			[illegible]	0	
DIXIE	59.5	23.0	41.3		76	7	13	24	727	0		28	0	.58		.22	1	[illegible]	T	[illegible]	5	0	
ELK CITY	65.0	26.0	45.5		80	5+	14	24	598	0	0	27	0	1.02		[illegible]	[illegible]	T	T	[illegible]	5	0	
ELK RIVER 1 S	65.7	29.4	47.6		79	7+	[illegible]	24	532	0	0	[illegible]	0	1.26		.36	18	.0	0		7		
FENN RS	66.3	37.2	51.8	0.6	83	13	23	26	404	0	0	6	0	.36	- 2.61	.17	[illegible]	.0			4		
GRANGEVILLE	62.6	37.3	50.0	1.6	78	9	26	22+	460	0	0	7	0	.65	- 1.61	[illegible]	[illegible]				[illegible]	0	
KELLOGG	64.6	36.1	50.4	2.6	79	1	26	24		0	0	9	0	.82	- 1.86	.32	1	.0			7	0	
KOOSKIA	69.0	34.7	51.9	0.6	82	5	24	12	399	0	0	10	0	.46	- 1.64	.23	19	.0	0		3	0	
LEWISTON WATER PLANT	69.5	40.3	54.9	1.7	80	7	29	24+	304	0	0	4	0	.34	- .89	.16	[illegible]	.0	0		4	0	
LEWISTON WB AP R	66.8	39.7	53.3	1.4	80	7	28	24	355	0		4	0	.40	- .81	.17	1	.0	[illegible]		4	0	
MOSCOW U OF I	66.1	37.8	52.0	3.1	82	7	23	24	395	0	0	7	0	.26	- 1.42	.14	18	.0			3	0	
MULLAN PASS CAA	49.9	36.6	43.3	3.3	68	7+	24	21	666	0	1	11	0	.79	- 2.77	.24	1+	3.5	2	21	7	0	
NEZPERCE 2 E	63.1	37.9	50.5		78	5+	27	22+	441	0	0	5	0	.46		.28	1	T	0		4	0	
OROFINO	69.0	37.3	53.2M	1.9	84	7	27	24	361	0	0	5	0	.27	- 1.83	.25	2				2	0	
PIERCE RS	63.5	31.0	47.3M	0.3	83	5	21	24	541	0	0	23	0	.94	- 2.01	.37	19		0		6	0	
PORTHILL	62.6	33.2	47.9M	2.7	70	11	23	23+	524	0	0	18	0	.43	- 1.25	.15	1	.0	0		5	0	
POTLATCH 1 SE	66.5	34.5	50.5	2.3	84	7	21	23	444	0	0	12	0	.47	- 1.38	.20	[illegible]	.0			4	0	
PRIEST RIVER EXP STA	61.0	32.1	46.6	2.2	75	7+	22	23+	566	0	0	19	0	.89	- 1.75	.37	20	.0	0		7	0	
RIGGINS RS			M		85	7				0	0		0	.15	- 1.11	.14	19	.0			2	0	
SAINT MARIES	69.0	33.3	51.2M	2.9	81	7	21	23	423	0	0	16	0	.52	- 1.61	.23	1				6	0	
SALMON	67.3	27.2	47.3	1.8	81	9	18	24	544	0	0	26	0	.07	- .57	.06	1		0		2	0	
SANDPOINT EXP STA	59.8	34.8	47.3	1.1	69	10	23	24	540	0	0	14	0	1.02	- 1.54	.36	1	.0	0		7	0	
WALLACE	62.4	34.5	48.5	1.4	77	11	24	24	504	0	0	10	0	1.06	- 2.15	.37	1	.0	[illegible]		6	0	
WALLACE WOODLAND PK	64.1	33.0	48.6	1.3	79	10	20	22		0	0	16	0	.97	- 1.93	.35	1	.0	0		5	0	
WINCHESTER 1 SE	64.3	33.5	48.9	2.1	82	9	22	3+	490	0	0	14	0	.38	- 1.79	.17	1	.0	[illegible]		5	0	
DIVISION			48.5	1.0										.63	- 1.61			.3					
SOUTHWESTERN DIVISION																							
ALPHA 1 NE	65.1	22.2	43.7	0.3	80	7+	13	23+	657	0	0	29	0	.10	- 1.86	.07	18	.0	0		3	0	
ANDERSON DAM	68.9	41.2	55.1		85	8	32	22	304	0	0	1	0	.22		.17	15	.0	0		2	0	
ARROWROCK DAM	67.5	37.0	52.3	1.4	85	8+	27	21		0	0	9	0	.16	- 1.08	.11	19	.0	0		3	0	
ATLANTA 1 E	64.7	36.0	50.4	7.7	77	8	26	3+	449	0	0	13	0	.47	- 1.48	.32	16	T	0		4	0	
BLISS	71.3	38.6	55.0	4.3	88	8	28	26	304	0	0	5	0	.27	- .38	.22	15	.0	0		3	0	
BOISE LUCKY PEAK DAM	72.5	41.7	57.1M		90	9	30	20+	235	1	0	3	0	.11					0		3	0	
BOISE WB AP //R	66.5	39.2	52.9	0.3	86	9	27	20	372	0	0	7	0	.11	- .83	.05	1+	.0	0		3	0	
BUHL	69.1	43.0	56.1	5.4	83	9+	33	3	285	0	0	0	0	.65	- .24	.38	23	.0	0		3	0	
CALDWELL	67.7	36.9	52.3	0.2	83	9	26	23	386	0	0	11	0	.28	- .50	.13	15	.0	[illegible]		3	0	
CAMBRIDGE	70.5	33.0	51.8	2.3	85	9	23	3+	403	0	0	19	0	.41	- .79	.20	18	.0	0		3	0	
CASCADE 1 NW	62.6	30.1	46.4		79	9	21	3+	570	0	0	21	0	.11		.08	18	T	0		2	0	
CHALLIS	66.2	31.5	48.9M	2.8	80	9	21	26		0	0		0	.00	- .57	.00			0		0	0	
COUNCIL	70.0	33.8	51.9	2.0	83	9	22	24	397	0	0	16	0	.29	- 1.46	.21	18	.0	0		2	0	
DEADWOOD DAM	64.1	25.8	45.0	2.7	80	9	17	24	611	0	0	28	0	.24	- 1.85	.10	1	.0	0		4	0	
DEER FLAT DAM	67.6	38.5	53.1	2.2	84	8	29	22	365	0	0	6	0	.24	- .48	.15	18	.0	0		2	0	
EMMETT 2 E			M							0	0		0	.48	- .42	.35	15	.0	0		2	0	
FAIRFIELD	66.5	28.0	47.3M		82	8	19	4+	536	0	0	28	0	.19		.12	15	.0	0		2	0	
GARDEN VALLEY RS	71.7	32.1	51.9M	3.3	84	1+	23	26	401	0	0	21	0	.20	- 1.35	.09	2	.0	0		4	0	
GLENNS FERRY	74.6	37.6	56.1M	4.8	87	8+			273	0	0		0	.01	- .56	.01	15	.0	0		1	0	
GOODING CAA AP	68.1	40.3	54.2	5.1	88	5	29	26	340	0	0	4	0	.22	- .56	.14	21	.0	0		3	0	
GRAND VIEW	71.6	36.0	53.8M	2.3	88	9	27	26	342	0	0	10	0	.12	- .67	.09	15	.0	0		2	0	
HAILEY AP	66.4	34.1	50.3	3.5	81	8	25	26	447	0	0	13	0	.06	- 1.05	.05	15	.0	0		2	0	
HAZELTON	66.5	34.0	50.3	- 0.5	86	8	21	3	450	0	0	11	0	[illegible]	- .19	.21	23	T	0		6	0	
HILL CITY	65.9	27.5	46.7	2.5	84	8	15	3	559	0	0	24	0	.18	- .84	.18	15				1	0	
HOLLISTER	68.6	37.9	53.3M	4.2	86	8	24	3	358	0	0	5	0	.58	- .30	.18	24	.0	0		5	0	
IDAHO CITY	70.8	28.3	49.6	1.5	85	8+	20	24	471	0	0	25	0	.40	- .99	.22	2	.0	0		5	0	
JEROME	69.5	37.0	53.3	2.1	89	9	28	3+	359	0	0	6	0	.17	- .51	.07	24	.0	0		4	0	
KUNA 2 NNE	66.8	36.0	51.4M	- 0.1	84	8+	24	23	412	0	0	9	0	.10	- .85	.05	15+	.0	0		2	0	
LOWMAN	58.7	33.5	46.1	- 0.2	75	1	22	21+	574	0	0	13	0	T	- 1.56	T	1+	.0	0		0	0	
MC CALL	60.7	31.8	46.3	3.5	76	9	24	3+	579	0	0	22	0	.48	- 1.44	.33	18				3	0	
MERIDIAN 1 W	66.8	36.9	51.9	0.3	83	9	25	20	400	0	0	10	0	.27	- .71	.13	18	.0	0		3	0	
MOUNTAIN HOME	74.3	38.9	56.6	6.3	93	9	28	26	272	3	0	6	0	.05	- .85	.03	15	.0	0		2	0	
NAMPA 2 NW	68.4	36.1	52.3		85	9	25	23		0	0	9	0	.31		.24	19	.0	0		2	0	
NEW MEADOWS RS	65.0	24.5	44.8M	1.0			13	24	620	0	0		0	.37	- 1.38	.20	18	.0	0		5	0	
OBSIDIAN 4 NNE	59.2	22.5	40.9	1.7	72	7	12	3	742	0	0	28	0	.01	- 1.19	.01	18	.0	0		1	0	
OLA 5 S	69.2	29.3	49.3		84	8	21	24+	482	0	0	24	0	.32		.15	2				4	0	
PARMA EXP STA	69.6	35.9	52.8M	0.7	84	9	27	3	380	0	0	12	0	.37	- .40	.17	18	.0	0		3	0	
PAYETTE	66.0	36.4	51.2	0.2	78	8+	27	3+	422	0	0	12	0	.45	- .44	.25	18	.0	0		4	0	
RICHFIELD	66.0	34.7	50.4	2.5	83	8	25	20	446	0	0	12	0	.33	- .51	.16	21	.0	0		3	0	
SHOSHONE	68.4	37.7	53.1	4.6	87	8	27	25+	368	0	0	8	0	.34	- .52	.13	22	T	0		4	0	
STIBNITE	58.8	28.1	43.5		73	9+	18	24		0	0	25	0	.25		.15	2	1.8	2	21	3	0	
SUN VALLEY	64.6	23.9	44.3	2.8	78	7+	14	3	634	0	0	27	0	.04	- 1.40	.03	15	T	0		2	0	
SWAN FALLS PH	73.2	43.8	58.5	2.6	90	9	35	22	209	1	0	0	0	.27	- .31	.15	15	.0	0		2	0	
THREE CREEK	65.5		M		83	9				0	0			1.29	.01	.75	19	4.5	0		6	1	
TWIN FALLS 2 NNE	68.9	36.3	52.6	2.9	88	8+	26	3	376	0	0	6	0	.86	- .03	.45	23	T	0		6	0	
TWIN FALLS 3 SE	68.2	37.0	52.6	1.4	88	10	28	3		0	0	3	0	.62	- .12	.30	24	T	0		5	0	
WEISER	70.6	35.0	52.8M	0.4	84	7	25	24	374		0	14	0	.18	- .67	.18	18	.0	0		1	0	
DIVISION			50.9	[illegible]										.30	- .94			.2					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	66.9	33.0	50.0	3.0	84	9	23	3	460	0	0	14	0	.97	.03	.68	21				3	1	
AMERICAN FALLS 1 NW	65.5	34.3	50.1	2.7	83	9	25	4+	457	0	0	11	0	1.15	- .01	1.01	21	8.0	5	21	3	1	
ARCO	65.7	30.4	48.1	3.0	80	8	19	26	519	0	0	20	0	.29	- .41	.19	15	.0	0		2	0	
ASHTON 1 S	61.2	30.7	46.0	1.6	72	9+	20	3	583	0	0	21	0	1.48	.20	.65	15	T	0		5	2	

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature													Precipitation									
										No of Days								Snow, Sleet, Hail			No. of Days		
										Max		Min											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	[illegible]	[illegible]	[illegible]	[illegible]	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More	1.00 or More
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		26	429	[illegible]			[illegible]	[illegible]	- .19	[illegible]	[illegible]	.0	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			14	[illegible]	645	0		26	[illegible]	[illegible]	- .61	.34	24		1	24	3	[illegible]	0
[illegible]	[illegible]	38.2	[illegible]	[illegible]	89		29	[illegible]				0	0	[illegible]	- [illegible]	[illegible]	[illegible]	[illegible]			5	0	[illegible]
[illegible]	[illegible]	34.9	[illegible]	[illegible]			[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	1.64	[illegible]	.40	15				[illegible]	[illegible]	[illegible]
BURLEY CAA AP	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	23	[illegible]	[illegible]	0		[illegible]	0	.75	- .15	.30	21	T	T	[illegible]	[illegible]		0
[illegible]	[illegible]	[illegible]	42.2	[illegible]		8	[illegible]		[illegible]			[illegible]	[illegible]	.10	- [illegible]	.10	[illegible]	T	0		[illegible]	0	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	1.8	81	[illegible]	16	5		0	0	[illegible]	0	.74	- [illegible]	.24	24	3.5	[illegible]		[illegible]	0	[illegible]
[illegible]	[illegible]	28.9	[illegible]	[illegible]	79	6	19	3			[illegible]	26	[illegible]	.65	- [illegible]	.22	[illegible]				[illegible]	0	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76	8+	[illegible]	[illegible]	[illegible]	0	0	[illegible]	0	.22	- .78	.21	15	.0	[illegible]		2	0	0
[illegible]	[illegible]	32.5	[illegible]	[illegible]	78	[illegible]		[illegible]	[illegible]			[illegible]	0	.17	- [illegible]	[illegible]		T	0		1	0	[illegible]
[illegible]	68.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]	433			10	[illegible]	[illegible]	.27	.91	[illegible]		2	21	3	1	[illegible]
[illegible]	[illegible]	32.5	47.3	[illegible]	[illegible]	[illegible]	[illegible]	3+	540	0		17	[illegible]	.64	- .64	[illegible]	[illegible]	[illegible]	0		3	0	0
[illegible]	[illegible]	27.7	[illegible]	- 0.1	[illegible]	5+	17	22	672			[illegible]	[illegible]	[illegible]	- .89	[illegible]	24	[illegible]	[illegible]	[illegible]	3	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	14	[illegible]	700			[illegible]	[illegible]	[illegible]	- .71	.16	[illegible]	[illegible]	0		[illegible]	0	0
[illegible]	[illegible]	29.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	0	[illegible]	[illegible]	.22	- .45	[illegible]	[illegible]	T	[illegible]		2	0	[illegible]
[illegible]	63.3	34.5	[illegible]			[illegible]	[illegible]	[illegible]	489		[illegible]	12	[illegible]	[illegible]		.17	[illegible]	T	0		[illegible]	0	0
[illegible]	63.9	33.4	[illegible]	1.6	[illegible]	[illegible]	[illegible]	[illegible]	497	[illegible]		[illegible]	[illegible]	.29	- .69	[illegible]	15	[illegible]	[illegible]		3	0	[illegible]
[illegible]	63.8	[illegible]	48.1	[illegible]	[illegible]	[illegible]	[illegible]	3	[illegible]	0		[illegible]	[illegible]	[illegible]	- [illegible]	.45	[illegible]	1.0	[illegible]		2	0	[illegible]
[illegible]	[illegible]	[illegible]	44.3	1.6	75	8+	[illegible]	3	[illegible]	0		26		.54	- 1.88	.30	[illegible]	2.0	0		2	[illegible]	[illegible]
[illegible]	60.0	[illegible]	45.3	0.1	[illegible]	7	[illegible]	26	605	0	[illegible]	[illegible]	[illegible]	.21	- .91	.13	15	.2	0		3	0	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	78	9	3	[illegible]	537	0	[illegible]	[illegible]	0	.19	- .51	.14	[illegible]	T	0		2	[illegible]	[illegible]
[illegible]	66.9	36.0	51.5	3.6	82	8+	29	[illegible]	[illegible]	0	0	10	0	.61	- [illegible]	.51	[illegible]	T	[illegible]		3	[illegible]	[illegible]
[illegible]	66.5	31.6	[illegible]		[illegible]	8+	[illegible]	4+	486		[illegible]	21	0	.77		.41	24	T	0		4	[illegible]	0
[illegible]	65.8	26.4	46.1	- 0.5	[illegible]	9	12	2	577	0	0	25		.07	- .53	.04	[illegible]	T	[illegible]		2	[illegible]	[illegible]
[illegible]	67.4	[illegible]	[illegible]		81	[illegible]	23	5	467	0			[illegible]	.75		.37	21		[illegible]		3	[illegible]	[illegible]
[illegible]	[illegible]	38.4	51.9		[illegible]	[illegible]	[illegible]	26	395	0	[illegible]	[illegible]		1.02		[illegible]	21	[illegible]	3	21	4	1	0
MONTPELIER RS	65.3	29.0	[illegible]	2.4	[illegible]	[illegible]	19	[illegible]			0	[illegible]		.47	- [illegible]	.21	24	[illegible]	[illegible]		[illegible]		[illegible]
[illegible]	[illegible]	38.3	53.2	3.3	[illegible]	10	[illegible]	3	[illegible]		0	6	[illegible]	[illegible]	- .25	.30	[illegible]	1.0	[illegible]	21	4	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	3	488			13	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]		[illegible]		[illegible]
PAUL [illegible]	66.9	34.4	50.7	1.3	[illegible]	1+	24	3		0	0	9	[illegible]	[illegible]	.11	[illegible]	15	2.0	[illegible]	[illegible]	6	[illegible]	0
POCATELLO [illegible]	65.0	35.6	[illegible]	1.0	[illegible]	9	[illegible]	4	448	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.12	.73	[illegible]	[illegible]	4	21	5	[illegible]	[illegible]
PRESTON [illegible]	[illegible]	33.0	50.1	2.0	[illegible]	[illegible]	[illegible]	[illegible]	458	[illegible]	[illegible]	[illegible]	0	.62	- .61	.42	24	T	[illegible]		5	0	0
[illegible]	[illegible]	27.7	46.1		[illegible]	8+	[illegible]	4+	[illegible]	[illegible]	[illegible]	26	0	.41		[illegible]	[illegible]	T	0		2	[illegible]	[illegible]
RUPERT	68.8	[illegible]	[illegible]	2.5	89	[illegible]	[illegible]	[illegible]		0		[illegible]	[illegible]	.92	- .02	.29	[illegible]	4.0	4	21	5	0	0
SAINT ANTHONY	64.9	[illegible]	[illegible]		81	[illegible]	20	[illegible]	524	0		[illegible]		.61	- .19	.22	15				5	0	0
SPENCER RS	60.5	[illegible]	45.1	3.6	75	8	[illegible]	[illegible]	[illegible]	[illegible]		22	[illegible]	.12	- 1.32	.09	[illegible]	T	0		2	[illegible]	0
SPRINGFIELD [illegible]	[illegible]	[illegible]	49.9	2.6	81	[illegible]	[illegible]	5+	[illegible]	0	0	18	[illegible]	[illegible]	- .91	.15	[illegible]	.0	[illegible]		1	0	0
STREVELL	[illegible]	35.0	[illegible]		78	1+	[illegible]	3	[illegible]	0	0	13	[illegible]	.50		.25	15	[illegible]	2	21	3	[illegible]	0
[illegible]	63.9	29.6	46.8	2.3	[illegible]	[illegible]	[illegible]	3	[illegible]	0	0	[illegible]	0	[illegible]	- .53	.27	24	.0	[illegible]		3	0	0
TETONIA [illegible]	[illegible]	[illegible]	43.1		[illegible]	11	18	3	[illegible]	0	[illegible]	[illegible]	[illegible]	1.11		.72	15				5	1	0
DIVISION			[illegible]	2.6										.61	- [illegible]			[illegible]					
STATE			[illegible]	2.0										[illegible]	- .94			[illegible]					

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
[illegible]	[illegible]															.27						.08			[illegible]							
[illegible]	.10		[illegible]													.02			.07													
[illegible]	[illegible]															[illegible]						1.01			.05							
[illegible]	[illegible]															.17			[illegible]	T												
[illegible]	[illegible]															[illegible]	T					[illegible]										
[illegible]	.16		.04									T				[illegible]				.11		[illegible]										
[illegible]	1.48		.09													.65	.13					.11			[illegible]							
[illegible]	.47		.03														[illegible]		[illegible]	.07		T										
[illegible]	.80	[illegible]	[illegible]																	[illegible]	.01	[illegible]								[illegible]	.37	
[illegible]	[illegible]	[illegible]																	[illegible]	[illegible]	[illegible]	.02									.10	.17
[illegible]	.35	[illegible]	[illegible]																		[illegible]	[illegible]										
[illegible]	.80															.22						[illegible]			.05							
[illegible]	[illegible]															.22						.28			[illegible]							
[illegible]	[illegible]															[illegible]						[illegible]	.03	T								
[illegible]	.11		[illegible]													T			[illegible]	[illegible]	[illegible]											
[illegible]	.11	[illegible]	[illegible]												[illegible]	[illegible]			.05		[illegible]	T										
[illegible]	.43	[illegible]	[illegible]																.06	T	[illegible]										[illegible]	[illegible]
[illegible]	.65															.08						[illegible]		.38								
BURKE 2 NNE	1.87	[illegible]		[illegible]														[illegible]	.24	[illegible]	.16	[illegible]			T					.03	.31	[illegible]
[illegible]	[illegible]															.10				.01		.12	[illegible]		.23							
[illegible]	[illegible]															[illegible]	.01			.02		[illegible]	.12		[illegible]							
[illegible]	[illegible]															.16			T	.03		[illegible]		.23	[illegible]							
[illegible]	[illegible]		[illegible]													[illegible]			.10													
[illegible]	.41															[illegible]			[illegible]	.17												
[illegible]	[illegible]		[illegible]													[illegible]	T		[illegible]		T	[illegible]										
[illegible]	.69		[illegible]													.27			[illegible]		.03											
[illegible]	[illegible]																															
[illegible]	[illegible]															.10																
[illegible]	[illegible]	[illegible]																	.10		[illegible]										[illegible]	
[illegible]	.41		.39																				.02									
[illegible]	.38	[illegible]									T							T	.18	[illegible]	.08	[illegible]								[illegible]	[illegible]	[illegible]
[illegible]	.52	[illegible]																	.07	.19	[illegible]										[illegible]	
[illegible]	[illegible]															.20	[illegible]					[illegible]			[illegible]							
[illegible]	[illegible]	.22	[illegible]	[illegible]															[illegible]	.12	[illegible]											
[illegible]	[illegible]	[illegible]														[illegible]			[illegible]	[illegible]		T										
[illegible]	[illegible]		[illegible]													.02																
[illegible]	[illegible]	[illegible]	[illegible]																[illegible]		.01											
[illegible]	[illegible]															[illegible]			[illegible]													
[illegible]	.58	[illegible]	[illegible]																[illegible]	[illegible]	.04	.12										
[illegible]	[illegible]															.01	.22					.14			[illegible]	.06						
[illegible]	[illegible]															.21	[illegible]								T							
[illegible]	.17		T													[illegible]									T							
[illegible]	1.02	[illegible]	[illegible]																		[illegible]	[illegible]									[illegible]	

DAILY PRECIPITATION

Table 3 Continued

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
ELK RIVER 1 S	1.06	.27	.10																.36	.12	.17	.03								.01	
EMMETT 2 E	.48															.35			.13												
FAIRFIELD	.19															.12	.07		T	T					T						
FENN RS	.40	.17	.16																		.04	.03									
FORT HALL IND AGENCY	1.25	T	T													.22						.91			.12						
GARDEN VALLEY RS	.20		.09													T			.06	.01	.04		T								
GLENNS FERRY	.01															.01						T									
GOODING CAA AP	.22															.02						.14		.06							
GRACE	.64															.11						.21			.32						
GRAND VIEW	.12															.09			.03												
GRANGEVILLE	.65	.23	.18																.08	.10	.06										
GRAY	.55															.05						.20			.30						
GROUSE	.16															.16															
HAILEY CAA AP	.06															.05	.01														
HAMER 4 NW	.22		T													.15	.07					T									
HAZELTON	.67															.12				.03		.16	.07	.21	.08						
HILL CITY	.18															.18			T												
HOLLISTER	.58															.10				.10		.08		.12	.18						
HOWE	.14															.06	.08					T	T								
IDAHO CITY	.40		.22													.06			.09	.02				.01							
IDAHO CITY 13 SW	.28		.11												.02	.02			.10	.03											
IDAHO FALLS 6 NE	.39															.17	.04					.08			.10						
IDAHO FALLS CAA AP	.29															.18					T	.03			.08						
[illegible]	.55															.10						.45									
[illegible]	.54															.36									.18						
[illegible]	.17															.01				T			.04	.05	.07						
[illegible]	.43	.14		.08															T	.08	.03	.07								T	.03
KELLOGG	.62	.32	.01																.07	.11		.16									.06
KOOSKIA	.46	.19	T																T	.23	.04									T	T
[illegible]	.10	T	T												T	.05			.05												
LEWISTON WATER PLANT	.34	.16										T							.07	.07	.04									T	
LEWISTON CAA AP	.40	.17										T							.08	.11	.04	T								T	T
LIFTON PUMPING STA	.21															.13	T					T		.06	.02						
LOWMAN	T	T																		T		T	T								
MACKAY RS	.19															.14						.05									
MALAD	.61															.04				T		.06		T	.51						
MALAD CAA AP	.77															.21						.02		.13	.41						
MAY RS	.07		.04													T			T	.03											
MC CALL	.48	.13																	.33			.02									
MC CAMMON	.75															.17						.37	T		.21						
MERIDIAN 1 W	.27	T	.02												T	.12			.13	T											
MINIDOKA DAM	1.02															.34				.01		.55		T	.12						
MONTPELIER RS	.47															.12	.10			.01		.03		T	.21						
MOSCOW U OF I	.26																		.14	.05	.07									T	
MOUNTAIN HOME	.05															.03			.02	T											
MULLAN PASS CAA	.79	.24										T						T	.24	.14	.10	.02								.02	.03
NAMPA 2 NW	.31		T													.07				.24											
NEW MEADOWS RS	.37	.11	.02														.02		.20		.02										
NEZPERCE 2 E	.46	.28																	.01	.07	.10									T	
OAKLEY	.67															.14						.30	.06	T	.17						
OBSIDIAN 4 NNE	.01																		.01												
OLA 5 S	.32		.15													.06			.02	.09											
OROFINO	.27		.25																											.02	
PALISADES DAM	.71															.10	.08					.20	T	T	.33						
PARMA EXP STA	.37		T													.04			.17	.16											
PAUL 1 E	1.07															.40	.07			.04		.10	.23		.23						
PAYETTE	.45	T	.02													.05			.25	.13	T	T									
PIERCE RS	.94	.25	.03																.09	.37	.18									.02	
PINE 2 SSW	.24															.13			.08	.03	T										
POCATELLO WB AP //R	1.16		T													.28					.01	.73		.07	.07						
PORTHILL	.43	.15	.07																		.08										.05
POTLATCH 1 SE	.47	.20																	.07	.15	.05										
PRESTON SUG FACT 2 SE	.62															.15	.01					T		.03	.42	.01					
PRIEST RIVER EXP STA	.89	.24		T															.08	.01	.37	.01								T	.13
REACTOR TESTING STA	.41		T													.35					.06	T		T							
RICHFIELD	.33															.10						.16	.07								
RIGGINS RS	.15																			.14	.01										
RUPERT	.92															.15	.09			T		.20	.29			.19					
SAINT ANTHONY	.61		.09									T				.22	.02					.09			.19						
SAINT MARIES	.52	.23																	.08	.06	.08	.02								T	.05
SALMON	.07	.06	.01													T															
SANDPOINT EXP STA	[illegible]	.36																	.10	.03	.23	.01								T	.26
SHOSHONE	.34															.11						.06	.13	.04							
SPENCER RS	.12		T													.09	.03				T				T						
SPRINGFIELD 1 SE	.15															.15															
STIBNITE	.25	T	.15																	.03	T	.07	T								
STREVELL	.50															.25						.23			.02						
SUGAR	.48															.16						.05			.27						
SUN VALLEY	.04															.03						.01									
SWAN FALLS PH	.27															.15			.12												
TETONIA EXP STA	1.11		.05													.72	.03					.18			.13						
THREE CREEK	1.29															.05	.03			.75	.23	.03			.20						
TWIN FALLS 2 NNE	.88															.06				.08		.07	.11	.45	.11						
TWIN FALLS 3 SE	.62															.01	.05			.06			.20		.30						
WALLACE	1.06	.37																	.20	.11	.21									.02	.15
WALLACE WOODLAND PARK	[illegible]	.35																	.05	.23		.21									T
WARREN	.18	T														T			.18												
WINCHESTER 1 SE	.38	.17												.04					.05	.10		.02									

DAILY TEMPERATURES

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	75	70	64	70	70	82	81	82	84	78	69	70	74	75	68	65	68	70	63	55	50	54	52	52	53	55	62	65	69	62	62	66.9
	MIN	48	38	23	24	26	31	33	33	33	33	45	30	33	35	47	35	35	33	40	31	32	31	34	37	26	24	26	29		32	27	33.0
ALPHA 1 NE	MAX	59	54	64	72	[illegible]	[illegible]	[illegible]	77	[illegible]	73	70	[illegible]	[illegible]	73	64	64	66	65	59	46	47	55	55	53	56	60	62	69	64	64	63	65.1
	MIN	49	26	14	16	[illegible]	[illegible]	[illegible]	[illegible]	16	24	23	21	22	22	22	20	20	29	34	26	22	29	13	13	18	16	19	20	20	16	25	22.2
AMERICAN FALLS 1 SW	MAX	74	72	60	68	[illegible]	[illegible]	82	78	83	74	73	69	[illegible]	73	71	63	67	70	68	55	48	46	49	50	54	55	58	63	68	55	62	65.8
	MIN	44	41	26	[illegible]	[illegible]	[illegible]	33	30	33	39	46	35	35	35	45	33	35	41	44	34	30	29	32	35	34	25	28	29	32	37	30	34.3
ANDERSON DAM	MAX	72	54	64	77	81	82	85	85	81	75	73	73	77	77	71	66	72	63	63	57	54	59	53	56	60	60	67	71	67	62	67	68.9
	MIN	50	43	45	38	43	44	45	47	47	40	50	44	44	46	50	43	42	47	41	35	36	32	34	33	36	34	37	39	41	34	40	41.2
ARCO	MAX	75	63	61	72	75	74	78	80	78	75	79	74	72	70	65	59	66	67	65	61	53	51	48	54	56	56	63	60	65	59	59	65.7
	MIN	27	38	[illegible]	20	[illegible]	29	35	33	32	20	35	32	28	29	37	37	40	41	45	35	41	36	30	32	40	19	28	25	22	33	22	30.4
ARROWROCK DAM	MAX	84	70	58	60	70	81	81	85	85	[illegible]	74	69	66	75	80	62	72	72	60	63	55	55	59	52	54	52	59	63	65	65	65	67.5
	MIN	40	39	33	34	36	37	[illegible]	[illegible]	[illegible]	40	44	34	39	40	46	39	40	41	43	31	27	30	30	30	29	30	31	34	35	32	37	37.0
ASHTON 1	MAX	71	64	61	65	69	71	70	70	72	71	72	67	70	71	63	51	61	56	51	49	50	53	55	51	54	51	55	61	64	53	55	61.2
	MIN	38	39	20	23	29	34	36	34	35	37	35	27	30	32	40	42	31	30	27	26	25	31	30	28	30	25	26	29	30	28	25	30.7
ATLANTA 1 E	MAX	72	57	65	73	74	73	75	77	76	73	72	72	73	70	68	60	62	55	60	53	45	52	51	53	58	60	69	69	63	64	61	64.7
	MIN	49	32	20	31	34	43	43	45	44	44	41	42	41	44	45	38	32	40	34	28	29	32	27	26	27	28	33	37	38	30	32	36.0
AVERY RS	MAX	[illegible]	55		78	75		82						75	79	70	72	70			48	58							67		55		
	MIN	43	35	32		35	34						34	32	35	34	37	34			34	36							35		34		
BAYVIEW MODEL BASIN	MAX	74	58	60	64	64	65	70	66	64	52	63	69	65	62	59	61	62	55	56	54	57	58	53	55	56	57	57	59	58	57	57	60.5
	MIN	45	37	41	34	32	34	45	35	43	41	37	31	29	38	35	36	38	45	45	33	33	22	43	29	29	25	30	29	31	45	49	35.5
BIG CREEK 1 S	MAX	61	48	58	69	74	75	77	75	77	74	62	73	73	73	71	64	65	67	66	44	38	48	45	51	55	62	66	69	62	52	62	63.1
	MIN	41	29	15	19	19	20	20	23	24	24	32	21	22	22	36	23	21	34	31	13	13	13	12	12	17	17	19	18	20	17	25	21.5
BLACKFOOT	MAX	77	64	64	76	80	80	81	83	82	80	65	[illegible]	73	78	65	63	69	74	59	56	49	55	54	54	55	55	62	68	69	59	60	67.1
	MIN	53	39	27	28	35	36	36	35	37	30	45	38	36	37	36	41	34	36	38	33	30	31	30	35	30	25	29	29	32	36	31	34.7
BLACKFOOT DAM	MAX	73	51	57	69	74	74	75	77	76	72	70	70	68	69	67	56	64	65	56	50	42	50	45	48	44	47	61		61	53	56	61.4
	MIN	36	34	24	17	22	27	28	27	28	27	28	24	27	28	34	18	26	28	34	26	27	25	27	26	19	20	22	26		26	22	26.4
BLISS	MAX	78	68	67	87	83	86	87	88	87	80	71	72	80	80	72	68	76	65	64	59	50	60	53	58	62	63	65	71	73	70	68	71.3
	MIN	45	43	32	45	47	37	41	42	43	39	48	36	37	48	50	37	46	44	42	29	36	35	39	34	30	28	31	34	34	33	33	38.6
BOISE LUCKY PEAK DAM	MAX	86	62	72		83	83	87	85	90	81	73		80	81	71	74	77	72		58	53	60	60	56		60	70	74	72	65	73	72.5
	MIN	54	35	36	39		47	49	51	52	51		37	46	50	50	43	44		40	30		34	37	32	30		38	41	42	35	42	41.7
BOISE WB AP	MAX	58	58	69	67	72	75	80	82	86	76	68	67	74	73	64	71	72	59	59	54	57	60	55	56	59	60	66	69	65	55	69	66.5
	MIN	47	38	34	37	46	45	46	48	50	49	41	37	44	46	46	41	41	42	36	27	32	30	29	29	32	35	36	40	40	32	40	39.2
BONNERS FERRY 1 SW	MAX	60	64	64	62	65	64	69	75	66	73	68	67	66	66	67	66	69	60	59	58	59	56	58	55	56	61	61	60	59	53	56	62.6
	MIN	45	32	32	33	30	33	38	34	38	39	48	30	30	31	32	36	39	46	41	48	31	24	23	23	24	39	27	28	31	43	48	34.4
BUHL	MAX	80	71	65	72	80	81	80	82	83	80	73	68	77	83	76	72	70	67	60	55	49	55	54	54	58	61	64	71	69	65	66	69.1
	MIN	58	47	33	38	43	51	50	51	50	52	47	44	45	50	49	42	44	49	41	37	35	35	38	39	38	36	38	38	41	39	42	43.0
BURKE 2 NNE	MAX	62	43	55	63	68	66	68	68	71	67	57	61	66	67	63	60	53	46	41	43	39	50	55	47	47	53	57	62	51	44	48	56.2
	MIN	37	31	27	30	39	35	38	38	39	39	41	31	32	37	36	33	36	39	28	32	35	25	29	24	25	29	30	34	35	40	40	33.7
BURLEY	MAX	86	78	60	66	73	83	86	87	87	89	84	70	72	79	79	59	67	72	68	57	57	39	53	44	54	58	61	65	70	75	60	69.0
	MIN	48	42	29	32	34	42	39	40	42	48	48	37	39	36	46	39	39	42	41	37	32	32	35	38	38	33	32	32	38	39	36	38.2
BURLEY FACTORY	MAX	84	75	57	66	74	83	83	85	85	86	81	64	72	77	77	55	67	70	68	55	56	38	52	42	52	54	57	64	69	72	57	67.0
	MIN	45	40	24	28	28	37	35	35	37	41	46	33	36	34	43	36	36	40	40	35	31	31	34	36	35	28	28	28	34	36	32	34.9
BURLEY CAA AP	MAX	75	58	65	73	84	83	84	84	85	80	65	71	77	77	61	67	71	69	55	56	40	52	43	52	53	58	64	70	71	58	67	66.7
	MIN	47	33	23	28	28	36	35	35	37	43	43	32	37	34	44	36	38	42	41	35	32	33	35	36	33	29	28	29	39	35	33	35.1
CALDWELL	MAX	71	62	68	70	74	76	80	82	83	72	68	69	72	78	68	70	70	63	60	58	52	64	60	62	62	62	65	66	67	61	65	67.7
	MIN	51	43	29	29	33	34	36	40	41	47	45	39	35	39	49	36	37	49	43	30	33	30	26	28	38	29	31	32	32	31	49	36.9
CAMBRIDGE	MAX	77	65	69	78	80	82	81	82	85	79	72	74	79	80	70	70	67	62	60	59	55	63	65	61	66	65	70	74	69	60	65	70.5
	MIN	48	40	23	24	27	27	28	33	34	32	45	32	29	31	51	32	31	49	44	27	36	44	35	23	34	25	25	27	28	26	32	33.0
CASCADE 1 NW	MAX	72	51	62	71	77	73	77	75	79	74	62	69	70	73	64	62	63	55	51	48	44	52	53	51	55	57	65	64	59	52	60	62.6
	MIN	45	30	21	25	27	28	28	33	35	37	39	28	29	31	45	33	27	42	37	25	30	35	23	22	21	23	26	26	27	23	32	30.1
CHALLIS	MAX	74	72	60	73	70	76	78	79	80			75						73	58	55	44	49		56	55		65	65	70	60	69	66.2
	MIN	41	36	24	28	30	34	37	38	35			35						33	41	26	32	30		23	30	21		28	31	29	31	31.5
CHILLY BARTON FLAT	MAX	73	50	58	68	69	71	74	75	74	70	69	69	66	64	58	51	60	61	55	57	42	49	48	49	50	57	62	60	60	54	55	60.6
	MIN	38	33	14	16	16	22	24	26	28	23	35	25	23	23	35	22	24	30	30	21	28	25	13	23	29	15	20	17	19	23	19	23.8
CLARK FORK 1 ENE	MAX	68	67	65	66	71	69	69	71	71	71	69	70	67	67	65	65	67	67	65	63	60	60	60	56	57	61	61	63	60	60	58	64.8
	MIN	44	35	30	29	27	30	38	34	38	36	33	28	29	30	32	34	36	41	40	40	33	23	22	22	25	34	27	27	30	31	44	32.3
COBALT BLACKBIRD MINE	MAX	69	55	38	47	59	63	64	65	66	70	65	52	60	60	60	51	55	56	55	42	41	31	36	41	40	41	45	53	56	54	47	52.8
	MIN	36	28	20	21	28	32	32	33	36	35	32	30	31	33	34	29	29	31	36	20	22	21	20	19	20	23	23	28	28	25	25	27.7
COEUR D ALENE CAA AP	MAX	56	56	64	63	67	68	72	74	73	67	62	63	66	70	63	65	65	54	52	46	55	55	58	52	53	58	62	65	57	54	58	61.1
	MIN	39	33	30	38	45	38	46	40	47	45	37	36	33	42	40	35	41	45	34	34	33	33	37	31	34	36	34	34	35	44	48	38.0
COEUR D ALENE RS	MAX	72	58	66	69	70	70	77	77	75	74	65	67	69	74	70	66	66	63	54	53	57	60	61	61	56	61	66	69	63	56	58	65.3
	MIN	47	39	33	31	35	35	40	39	41	42	48	33	35	34	42	40	39	46	44	35	34	28	27	26	33	35	31	32	38	47	51	37.4
CONDA	MAX	78	81	54	64	71	75	76	77	81	80	75	75	72	72	63	58	64	67	66	61	56	39	55	47	37	46	50	60	63	64	55	63.9
	MIN	39	34	16	20	20	23	29	30	32	35	36	28	28	29	25	38	29	33	36	30	28	23	28	31	20	20	23	21	28	28	25	27.9
COTTONWOOD	MAX	65	49	61	69	76	76	80	75	79	63	59	67	70	77	66	67	70	58	51	48	49	53	54	57	52	63	66	70	59	52	66	63.5
	MIN	41	35	27	28	34	36	36	41	44	47	42	32	32	37	43	34	36	45	32	24	33	24	26	23	26	29	30	39	35	35	44	34.5
COUNCIL	MAX	76	65	66	78	76	80	82	80	83	78	77	72	79	79	74	69	72	67	60	56	58	60	62	59	60	66	69	71	68	64	65	70.0
	MIN	48	36	25	27	28	28	33	33	40	31	48	33	32	40	51	33	31	47	44	26	38	43	31	22	32	25	28	27	28	26	33	33.8
DEADWOOD DAM	MAX	61	55	62	74	77	77	78	79	80	70	68	71	75	75	65	67	67	53	58	48	52	56	54	52	56	58	69	66	62	51	56	64.1
	MIN	32	31	21	22	23	24	25	26	29	27	25	26	27	26	42	33	28	36	26	23	24	25	21	17	22	20	20	26	26	23	25	25.8
DEER FLAT DAM	MAX	72	64	70	66	74	74	76	84	82	72	67	68	77	75	67	71	67	65	57	59	52	61	60	57	65	67	67	66	67	61	66	67.6
	MIN	46	43	31	32	43	36	43	44	45	46	43	41	36	41	51	39	41	51	41	30	36	29	31	33	37	31	34	35	34	33	36	38.5
DIXIE	MAX	64	45	58	70	74	72	76	75	75	68	52	70	71	72	55	62	63	52	45	37	39	49	50	48	52	57	65	65	59	47	57	59.5
	MIN	36	30	17	20	21	21	23	24	32	26	33	19	22	22	34	26	23	30	32	14	22	16	16	13	19	18	19	20	21	18	25	23.0
DRIGGS	MAX	75	75	65	62	70	79	73	75	77	75	79	68	68	75	72	62	54	60	63	65	60	53	60	55	50	55	60	65	67	68	60	66.0
	MIN	50	39	19	23	22	32	32	33	35	32	34	28	29	30	29	22	30	30	29	29	29	25	29	32	20	23	25	27	28	24	26	[illegible]
UBOIS EXP STA	MAX	68	64	57	72	73	73	74	76	76	74	72	69	67	67	66	50	60	67	62	54	50	51	49	50	51	48	57	60	60	55	50	62.0
	MIN	42	40	25	36	41	39	39	41	44	44	45	41	40	38	42	44	37	40	43	32	34	33	31	33	29	26	29	32	36	31	34	36.8
UBOIS CAA AP	MAX	70	57	60	73	75	75	75	78	78	76	75	70	69	70	52	53	64	70	64	55	43	54	51	51	52	48	59	61	62	51	54	62.7
	MIN	40	27	20	29	43	37	31	33	40	40	40	35	33	35	33	41	34	34	32	29	36	35	33	28	25	24	30	28	23	28	31	32.5
LK CITY	MAX	72	49	61	75	80	78	80	76	80	66	60	72	75	77	69	66	68	67	58	45	45	53	55	54	55	61	64	68	[illegible]	52	64	65.0
	MIN	36	32	26	25	23	24	23	24	32	34	30	30	21	23	32	32	25	28	36	28	[illegible]	29	15	14	17	20	22	23	21	26	33	26.0
ELK RIVER 1 S	MAX	76	54	65	72	75	73	79	78	68	73	79	78	72	65	59	65	67	63	48	48	55	58	61	54	54	62	69	[illegible]	68	61	68	65.7
	MIN	42	31	27	28	25	30	31	27	25	29	33	29	29	30	31	33	32	40	41	29	31	24	26	21	26	21	27	29	26	26	27	29.4
MMETT 2 E	MAX													75	76	68	71	71	60	57	54	64	60	59	61	60		67	68	69	59	67	
	MIN													37	38	50	40	41	50	29	32	32	27	28	[illegible]	40		31	35	36	[illegible]	35	
FAIRFIELD	MAX	70	62	62	71	76	79	80	82	80	77	70	70	73	71	66	59	65	61	64	61	61	55	51	57	56	62	64	67	65	62	64	66.5
	MIN	33	27	20	19	29	30	29	31	30	29	32	29	29	28	45	31	32	32	33	23		24	24	28	24	19	24	26	22	29	30	28.0
ENN RS	MAX	72	69	67	68	74	73	76	73	72	71	68	70	83	73	71	70	68	64	58	52	53	56	60	59	61	61	64	74	59	52	64	[illegible]
	MIN	47	43	34	32	37	38	37	37	41	42	46	37	37	36	41	41	38	46	46	35	35	45	28	24	29	23	32	34	34	40	43	[illegible]
FORT HALL IND AGENCY	MAX	76	70	64	74	82	79	82	85	85	79		69		78	[illegible]	65	69	73	64	54	51	48	55		54	55	62	69	69	61		68.2
	MIN	55	41	25	22	27	33	36	35	35	34		38	34		47	39	33	34	40	33	31	[illegible]	36		[illegible]	25	36	23	[illegible]	32		[illegible]
ARDEN VALLEY RS	MAX	84	78	81	80	77	84	78	79	83	78	71			81	73	71	72	65	65	59	55	61	58			66		71	[illegible]	63	62	[illegible]
	MIN	32	35	27	28	[illegible]	31	32	34	37	34	36			32	49	39	32	34	39	27	[illegible]	[illegible]	24			23		37	[illegible]	26	[illegible]	[illegible]
GLENNS FERRY	MAX	77	63	69	80	85	85	85	87	87	76	71	72	80	83	77	70	76	65	70	[illegible]	55										69	74.6
	MIN	45	42	29	26	[illegible]	32	35	40	33	38	43	35	33	53	51	34	38	43	38	31	[illegible]										37	[illegible]
OODING CAA AP	MAX	75	59	67	78	58	83	85	87	85	74	67	69	76	79	59	66	[illegible]	64	59	56	44	48	52	55	57	59	64	70	69	60	58	[illegible]
	MIN	48	37	30	40	[illegible]	51	46	49	50	49	45	38	42	47	43	37	46	44	40	31	34	44	39	[illegible]	[illegible]	29	35	39	43	[illegible]	36	40.3
ACE	MAX	76	54	64	74	75	75	76	79	77	71	67	70	69	69	53	66	66	67	57	55	[illegible]	[illegible]	49	[illegible]	47	[illegible]	58	63	62	54	56	62.1
	MIN	50	33	23	23	27	33	34	35	36	35	40	32	33	33	43	39	30	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28	[illegible]	32	28	[illegible]	[illegible]	27	[illegible]
AND VIEW	MAX			70	72	82	81	82	84	88	80	72	73	76	[illegible]	[illegible]	[illegible]	76	[illegible]	62	62	55	61	59	64	64	66	67	72	73	[illegible]	58	[illegible]
	MIN			32	29	32	36	36	38	39	44	50	39	36	35	53	[illegible]	[illegible]	48	46	[illegible]	40	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	41	33	[illegible]	[illegible]
ANGEVILLE	MAX	51	51	59	70	77	73	76	71	78	67	60	66	70	75	64	[illegible]	70	58	48	48	47	[illegible]	[illegible]	[illegible]	55	[illegible]	64	73	[illegible]	[illegible]	67	[illegible]
	MIN	39	34	40	33	38	[illegible]	44	44	46	47	40	35	37	43	45	[illegible]	40	47	34	27	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	37	44	[illegible]
AY	MAX	65	62	56	70	72	68	65	66	65	69	70	72	70	72	70	[illegible]	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	45	[illegible]	[illegible]	45	[illegible]	44	42	[illegible]
	MIN	40	38	30	32	30	36	35	36	[illegible]	32	35	34	32	[illegible]	[illegible]	[illegible]	[illegible]		24	22	24	17		[illegible]	[illegible]	24	[illegible]	[illegible]	24	[illegible]		27.7
OUSE	MAX	65	58	58	68	71	75	75	76	75	70	68	68	68	[illegible]	54	[illegible]	[illegible]	[illegible]	57	[illegible]	49	48	44	54	[illegible]	[illegible]	[illegible]	61	[illegible]	[illegible]	[illegible]	61.4
	MIN	39	18	14	16	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	35	23	24	24	33	[illegible]	[illegible]	[illegible]	[illegible]	19	[illegible]	[illegible]	16	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	19	[illegible]

See reference notes following Station Index

Table 5 · Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
HAILEY AP	MAX	77	70	63	65	77	78	80	81	78	78	76	80	74	70	71	69	68	60	60	55	48	55	50	57	54	55	63	60	60	65	62
	MIN	36	32	28	32	32	39	39	40	43	43	40	39	35	36	45	34	33	37	35	33	28	32	31	30	26	25	26	34	34	31	30
HAMER 4 NW	MAX	76	67	61	75	78	78	78	82	82	78	72	69	72	73	65	58	65	71	64	59	51	56	52	54	54	48	61	64	66	57	55
	MIN	32	40	16	21	25	29	27	29	30	34	35	29	30	28	42	37	30	31	35	28	31	36	31	34	22	18	26	21	24	25	25
HAZELTON	MAX	78	68	62	71	81	80	81	86	83	77	72	68	76	75	68	65	70	65	59	54	46	51	50	50	52	55	62	65	66	59	65
	MIN	42	38	21	32	33	38	35	36	34	34	42	34	33	36	45	32	37	37	39	27	30	32	35	35	35	26	28	30	32	35	31
HILL CITY	MAX	69	68	61	61	71	79	81	84	81	73	72	72	74	72	64	65	68	68	62	56	47	55	52	55	58	59	62	65	65	60	65
	MIN	42	33	15	17	18	19	30	29	28	27	38	29	27	36	45	31	29	33	28	26	25	24	20	32	27	18	22	20	22	28	33
HOLLISTER	MAX	74	65	62	73	83	83	83	86	85	79	77	79	75	76	67	71	68	67	69	62	45	44	47	54	55	61	66	62	68		71
	MIN	46	37	24	34	44	48	46	43	48	43	39	38	43	43	42	37	39	41	39	32	33	34	31	33	30	30	35	36		35	34
IDAHO CITY	MAX	78	60	68	79	83	83	84	85	85	79	76	72	77	78	75	68	72	64	64	60	55	63	60	58	61	65	66	74	70	63	69
	MIN	38	30	23	24	25	28	29	31	33	33	31	30	29	29	46	31	29	39	36	25	25	23	21	20	22	22	26	25	26	21	28
IDAHO FALLS 6 NE	MAX	71	62	58	69	77	74	77	78	80	78	66	67	69	71	62	59	65	70	60	53	48	53	49	45	52	51	58	63	66	57	55
	MIN	42	41	23	27	36	33	34	35	39	43	43	32	34	37	45	46	37	40	38	33	32	31	29	35	27	28	28	28	29	35	30
IDAHO FALLS CAA AP	MAX	71	59	61	73	79	76	78	80	81	80	68	68	72	74	52	62	66	70	59	53	43	57	49	46	53	51	60	57	65	51	56
	MIN	46	33	24	28	30	35	34	36	36	35	41	34	35	35	45	38	33	34	38	32	32	34	30	31	29	27	30	28	30	31	32
IRWIN 2 S	MAX	75	60	65	76	79	77	74	79	80	79	70	73	73	72	60	57	65	72	60	56	45	52	48	40	49	51	56	60	67	53	56
	MIN	50	32	19	26	30	35	34	35	37	38	35	28	30	32	38	41	38	35	34	27	32	25	32	32	28	29	31	32	29	29	28
ISLAND PARK DAM	MAX	74	56	58	70	74	72	73	75	75	74	72	73	70	70	54	47	60	64	63	60	49	46	49	44	47	46	57	60	59	52	50
	MIN	32	30	18	26	30	26	26	26	26	25	30	37	36	26	34	40	29	26	24	26	30	29	33	24	27	19	23	23	24	23	25
JEROME	MAX	85	70	65	75	86	83	81	88	89	80	72	71	80	80	74	71	72	66	58	57	47	55	50	51	57	58	66	70	69	62	67
	MIN	43	38	28	35	41	38	42	43	39	41	43	35	38	42	43	35	42	38	40	32	32	34	38	37	34	28	28	36	36	36	31
KELLOGG	MAX	79	58	52	66	73	78	73	78	75	75	76	67	67	71	76	63	68	67	53	51	51	56	60	64	54	55	62	65	67	49	55
	MIN	45	37	32	32	37	35	42	38	43	41	47	33	33	35	40	38	36	38	45	33	35	29	27	26	29	32	30	32	34	38	46
KOOSKIA	MAX	72	65	68	75	82	78	81	76	78	75	71	73	77	79	73	72	70	65	61	51	60	52	60	60	64	64	70	75	64	60	69
	MIN	48	44	30	30	31	32	34	36	41	39	42	24	32	33	43	36	35	48	48	31	38	32	29	25	28	28	28	30	31	30	40
KUNA 2 NNE	MAX	65	59	69	69	72	75	79	84	84	75	67	67	72	74	65	75	72	60	59	57	52	62	57	58	60	60	67			57	66
	MIN	51	38	29	28	35	34	38	42	41	48	42	35	37	41	50	39	39	47	35	27	34	25	24	27	35	29	31			28	34
LEWISTON WATER PLANT	MAX	77	68	74	75	75	77	80	75	77	71	72	72	73	76	74	75	69	59	67	60	63	65	61	58	63	64	68	75	66	60	67
	MIN	50	42	39	37	38	39	42	44	48	49	53	38	39	41	47	40	44	50	46	36	45	30	30	29	29	35	34	35	39	38	42
LEWISTON WB AP	MAX	64	62	68	73	74	77	80	75	76	71	67	70	71	73	71	71	68	58	62	58	59	62	59	56	60	62	65	72	63	57	68
	MIN	47	40	37	36	41	39	43	45	51	50	45	38	39	42	46	42	43	47	38	35	37	29	29	28	32	36	36	38	40	39	44
LIFTON PUMPING STA	MAX	72	72	60	64	70	70	74	72	71	70	65	63	62	70	57	59	60	65	58	51	44	45	40	40	47	50	58	57	60	58	55
	MIN	40	42	23	27	29	29	31	33	35	33	37	32	32	32	39	36	30	30	29	32	28	28	32	30	23	22	32	25	26	26	25
LOWMAN	MAX	75	61	51	55	64	62	64	63	70	73	69	60	61	66	70	55	64	63	55	53	47	46	50	46	47	50	54	57	61	57	50
	MIN	40	42	32	26	40	40	39	41	43	42	44	35	32	38	36	40	35	36	36	32	22	25	23	24	22	25	27	28	34	35	26
MACKAY RS	MAX	70	59	60	72	71	77	77	77	78	71	70	70	68	66	57	51	63	61	58	61	37	52	50	51	54	60	63	63	62	55	55
	MIN	40	37	24	31	31	37	39	40	42	35	32	38	35	32	35	33	31	31	39	32	29	26	28	30	33	23	27	30	29	32	25
MALAD	MAX	80	63	68	74	80	80	81	82	82	77	69	71	71	75	61	63	69	70	60	58	64	55	48	48	55	56	57	64	68	61	63
	MIN	48	47	32	29	32	35	38	39	39	37	48	39	36	35	46	35	33	34	44	39	32	34	34	32	33	29	30	31	32	33	30
MALAD CAA AP	MAX	81	60	67	75	80	80	80	82	82	77	68	72	72	74	63	64	70	71	62	59	42	56	51	42	55	55	64	67	68	60	63
	MIN	42	33	30	24	25	31	32	33	33	29	43	34	32	31	35	33	30	27	46	40	32	30	30	32	31	24	28	27	27	30	26
MAY RS	MAX	76	69	70	70	72	78	78	79	81	74	69	70	74	74	65	63	67	68	60	55	43	48	49	54	57	56	63	68	69	57	64
	MIN	28	12	15	21	21	26	29	30	35	34	36	28	28	29	34	28	30	35	38	19	29	29	15	16	30	19	26	21	26	24	26
MC CALL	MAX	56	52	58	70	72	72	74	74	76	66	60	68	72	72	62	62	60	50	56	52	46	54	52	53	52	54	66	62	56	46	58
	MIN	48	32	24	26	30	32	30	34	38	34	38	30	30	32	52	32	30	40	42	26	32	39	24	24	26	26	26	27	28	24	30
MC CAMMON	MAX	76	65	66	74	80	81	81	80	81	81	75	73	71	71	72	70	69	69	61	49	55	55	56	53	57	61	62	64	65	58	58
	MIN	41	42	25	24	23	26	31	32	36	31	33	33	33	32	33	36	35	39	30	31	32	32	31	32	31	32	31	30	28	38	28
MERIDIAN 1 W	MAX	80	67	67	67	71	75	78	80	83	73	67	78	71	72	65	69	69	63	58	55	53	60	56	57	59	59	64	66	66	60	64
	MIN	54	41	30	31	38	36	37	44	44	49	41	35	39	42	50	39	38	48	41	25	32	27	26	29	35	29	31	35	35	29	35
MINIDOKA DAM	MAX	78	56	61	69	79	80	82	79	83	82	82	69	70	72	52	64	75	78	53	54	35	51	45	50	52	55	61	62	68	65	65
	MIN	51	41	30	36	37	47	45	44	44	47	44	38	43	46	46	29	34	39	39	35	30	31	38	35	33	28	35	36	41	33	36
MONTPELIER RS	MAX	80	73	57	62	70	73	75	77	78	79	75	72	70	71	73	59	60	67	69	58	50	42	48				45	59	65	65	55
	MIN	41	37	19	21	24	29	32	31	29	28	34	29	28	30	38	34	25	26	37	32	29	28	29				30	23	25	24	21
MOSCOW U OF I	MAX	67	56	64	77	76	76	82	78	77	66	70	69	75	74	63	70	69	58	55	51	56	62	63	56	58	63	68	72	60	56	62
	MIN	42	33	37	40	40	33	43	47	51	44	44	30	32	40	41	42	36	46	36	36	34	32	28	23	27	32	41	46	37	35	44
MOUNTAIN HOME	MAX	86	64	70	78	85	89	90	91	93	87	76	75	84	87	76	74	80	66	63	58	61	63	60	58	66	67	69	75	76	63	74
	MIN	48	37	32	32	37	42	43	48	47	49	41	35	43	46	50	38	41	49	40	31	33	34	32	34	35	28	31	39	42	34	35
MULLAN PASS CAA	MAX	41	35	51	57	57	62	68	64	65	59	49	59	62	68	49	53	54	41	38	31	34	41	46	39	39	44	55	58	47	37	43
	MIN	31	28	28	39	42	50	49	51	50	38	38	39	44	47	39	38	39	35	29	27	24	29	29	28	27	31	38	43	35	33	36
NAMPA 2 NW	MAX	82	67	61	69	70	75	77	82	85	83	75	69	71	72	76	68	70	74	55	59	58	52	61	61	60	61	62	68	70	69	59
	MIN	44	42	30	30	37	35	37	39	43	45	45	40	39	39	46	37	38	40	43	29	35	28	25	30	35	29	30	33	33	29	33
NEW MEADOWS RS	MAX	65	58	65	72	74	74	80					72	76	77	66	65			51	48	45			61	58	63	71	71	63	53	68
	MIN	43	29	16	18	19	14	20					23	21	23	44	33			38	20	30			13	22	17	20	21	21	28	31
NEZPERCE 2 E	MAX	62	50	60	70	78	73	78	72	74	69	60	65	71	74	63	68	68	56	50	48	52	56	54	53	54	59	65	73	57	55	69
	MIN	43	39	31	34	40	40	41	45	48	47	46	36	37	42	44	38	39	45	39	29	33	27	33	27	33	30	33	37	41	35	43
OAKLEY	MAX	75	71	75	72	79	81	82	83	83	84	64	68	76	74	63	70	73	72	56	58	47	49	47	53	54	59	62	71	72	66	69
	MIN	50	36	28	34	40	44	45	45	46	45	38	35	41	42	46	37	42	46	40	29	32	32	34	35	31	31	34	34	40	36	38
OBSIDIAN 4 NNE	MAX	55	55	66	70	70	69	72	68	71	68	64	67	68	68	66	58	59	53	52	50	36	44	47	48	52	57	55	65	55	49	58
	MIN	38	25	12	16	17	22	24	28	27	24	34	22	23	22	38	26	21	31	27	17	21	22	14	18	18	16	19	20	21	18	17
OLA 5 S	MAX	74	65	70	74	73	79	82	84	82	78	72	76	73	72	64	69	70	63	63	55	64	63	60	59	63	65	63	70	67	67	67
	MIN	28	29	26	26	28	31	32	31	31	34	34	31	30	32	35	33	32	33	34	25	32	36	27	21	23	21	26	27	27	25	29
OROFINO	MAX	80	79	71	76	79	78	84	76	77	75	72	73	78			70	73	57	58	61	63	56	62	60	62	65	68	70	58	55	66
	MIN	40	39	33	32	35	35	40	35	43	43	52	[illegible]	36			36	37	47	45	36	40	29	28	27	33	32	33	42	39	39	40
PALISADES DAM	MAX	75	64	64	74	78	76	75	78	80	77	69	70	69	73	71	56	64	70	68	58	50	53	51	45	47	57	58	63	66	64	55
	MIN	50	34	23	27	31	35	33	35	35	35		31	33	34	43	42	35	35	35	29	32	25	35	33	29	27	35	31	32	29	29
PARMA EXP STA	MAX	79	64	69	72	74	80	83	79	84	77	72	74	75	77		70	70	63	62	61	54	63	63	64	66	68	69	70	63	67	56
	MIN	52	40	27	29	32	32	36	37	40	46	45	37	35	36	46	35	34	48	43	31	36	29	28	32	36	30	31	30	31	33	36
PAUL 1 E	MAX	85	74	58	70	73	83	82	83	84	85	81	64	70	77	77	55	67	70	69	55	55	39	53	44	52	54	58	63	68	71	56
	MIN	49	40	24	30	30	35	34	37	35	33	38	33	34	35	41	35	37	40	40	35	31	32	37	37	34	26	28	29	33	34	30
PAYETTE	MAX	67	61	66	69	70	74	76	78	78	75	68	68	72	75	69	68	69	58	58	57	55	61	61	60	63	60	63	64	63	59	60
	MIN	53	41	27	28	31	32	34	38	41	42	48	35	34	37	50	36	35	50	45	29	41	41	31	27	37	29	31	30	31	30	35
PIERCE RS	MAX	58	51	66	75	83		80	72	74	70	62	68	73	75	62	67	68	54	49	42		57	61	54	54		61	69	48		62
	MIN	42	32	25	25	28		31	31	36	35	46	30	28	30	38	32	29	41	41	31		23	22	21	27		27	27	28		31
POCATELLO WB AP	MAX	74	56	63	75	81	80	81	82	83	79	66	69	71	75	61	65	68	71	51	55	38	50	52	50	53	54	60	68	68	54	62
	MIN	48	40	27	24	28	36	39	38	38	37	48	40	37	37	46	41	35	37	41	33	32	31	33	35	34	27	29	31	32	38	33
PORTHILL	MAX	64	60	57	61	66	65	68	69	65	65	70	65	66	65	66	65	66	57	62	54	61	58	58	49							
	MIN	45	32	31	30	28	31	36	32	36	37	49	28	27	29	28	35	36	47	37	38	30	28	23	23	25	34	26	26	30	42	50
POTLATCH 1 SE	MAX	60	56	65	78	76	75	84	76	78	68	64	68	76	75	64	70	70	55	55	52	58	62	64	56	64	72	71	77	56	55	62
	MIN	42	32	32	30	36	33	42	40	43	42	40	29	29	35	42	36	33	44	38	30	31	22	21	26	28	32	37	35	36	33	42
PRESTON SUG FACT 2 SE	MAX	80	75	65	75	78	77	79	80	81	76	73	70	70	75	73	64	70	71	70	60	53	54	52	45	50	52	60	62	65	63	61
	MIN	46	43	26	26	25	34	33	34	34	34	41	35	33	32	43	34	32	31	43	26	33	33	38	32	30	25	30	28	29	31	28
PRIEST RIVER EXP STA	MAX	58	55	60	70	70	68	75	75	70	66	65	65	68	73	63	65	64	52	54	43	57	58	60	49	52	58	62	62	51	48	54
	MIN	42	27	28	25	27	29	38	33	38	38	48	31	30	29	29	37	35	44	40	29	31	25	22	22	27	32	28	29	31	35	37
REACTOR TESTING STA	MAX	71	57	62	72	79	78	79	80	80	78	71	72	72	71	55	57	64	68	64	55	42	52	51	52	55	56	62	65	65	54	56
	MIN	45	28	18	17	21	26	29	29	28	25	38	29	26	27	42	38	32	31	36	28	30	32	29	25	23	17	21	20	21	22	25
RICHFIELD	MAX	72	66	62	72	78	79	80	83	82	77	73	69	73	74	69	62	69	65	58	55	46	54	51	52	55	56	61	65	66	57	64
	MIN	42	35	27	28	37	36	39	41	42	43	40	34	35	41	46	33	37	40	36	25	31	31	37	32	30	26	30	31	34	27	31
RIGGINS RS	MAX	83	61			76	83	85	84	80			72	79	81	81	74			60	55	55	58	60			65	70	72	70		
	MIN	40	43			38	38	47	52	51			42	45	49	59	45			49	36	43	35	33			32	41	42	45		
RUPERT	MAX	86	79	59	65	75	85	85	89	89	89	81	69	75	78	79			72	70	57	55	40	52	40	53	55	59	65	67	70	57
	MIN	48	39	26	31	36	42	34	36	38	36	44	34	35	34	44	34			34	34	29	30	33	35	31	25	27	29	37	35	33
SAINT ANTHONY	MAX	80	60	62	75	78	75	77	78	81	79	78	71	71	72	52	54	67	72	63	55	47	57	56	50	52	51	60	63	66	53	57
	MIN	46	39	20	25	28	32	31	34	35	33	34	27	30	32	40	42	32	32	29	25	32	35	29	30	26	24	28	27	29	24	30
SAINT MARIES	MAX	74	76	79	76	73	75	81	79	78	76	68	69	74	76	73	70	70	69	53	51	58	62	64	62	65	69	64	66	65	54	
	MIN	44	40	38	31	28	33	36	33	39	50	46	31	31	31	40	36	32	39	43	31	31	25	21	23	23	24	25	25	29	40	
SALMON	MAX	77	58	64	71	74	75	76	77	81	79	73	72	75	77	67	69	72	69	63	54	48	57	57	59	61	59	66	66	68	54	68
	MIN	38	31	22	24	24	25	25	27	35	29	31	28	27	27	35	30	31	30	33	22	37	27	21	18	24	22	22	21	23	26	28

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SANDPOINT EXP STA	MAX	59	56	60	66	67	67	67	68	66	64	65	61	61	65	64	63	62	56	55	45	55	54	56	53	55	59	59	55	55	57	54	59.8
	MIN	46	30	30	32	42	30	42	34	39	38	49	28	28	32	33	36	34	46	45	46	33	25	34	23	26	41	27	28	31	44	48	34.8
SHOSHONE	MAX	75	59	66	76	82	83	83	87	86	79	69	71	77	78	69	67	73	65	58	57	46	56	53	55	58	58	65	70	71	61	68	68.4
	MIN	45	36	29	33	34	43	49	51	44	41	43	35	38	44	48	35	43	40	40	31	34	31	41	34	27	27	31	36	38	32	32	37.7
SPENCER R	MAX	71	62	57	73	71	71	73	75	73	71	70	68	66	67	59	47	60	64	59	53	46	50	44	48	51	47	57	59	58	49	51	60.5
	MIN	33	36	18	28	30	29	29	31	42	30	35	42	29	30	34	35	33	29	41	33	30	30	27	29	25	19	23	23	25	27	26	29.7
SPRINGFIELD 1 SE	MAX	83	64	65	74	83	82	82	85	87	80	69	72	77	76	65	69	72	74	66	58	50	54	59	55	54	56	64	70	69	60	60	68.8
	MIN	31	35	22	23	26	32	33	32	33	33	34	40	32	30	34	35	33	30	39	30	42	33	34	34	26	22	25	28	30	31	25	31.0
STIBNITE	MAX	69	50	55	57	67	71	70	72	73	71	68	61	64	68	68	57	60	60	55	44	44	33	43	48	49	50	57	62	65	60	50	58.8
	MIN	41	28	28	29	32	31	31	35	36	35	28	31	31	31	34	29	27	28	34	20	22	25	19	18	22	21	24	27	27	22	24	28.1
STREVELL	MAX	78	67	63	68	74	77	76	78	78	73	67	68	69	69	63	63	57	63	52	58	49	46	44	48	52	53	62	60	63	59	62	63.2
	MIN	43	39	20	27	36	45	43	41	46	45	40	31	30	45	42	32	39	44	39	29	29	22	27	33	27	24	27	33	38	32	31	35.0
SUGAR	MAX	70	56	60	74	77	76	78	80	80	79	69	70	70	72	58	55	66	71	63	54	47	56	54	45	50	51	60	63	65	55	57	63.9
	MIN	45	38	16	20	23	26	28	29	40	26	34	29	27	28	36	46	29	28	30	28	32	35	29	36	26	22	28	23	25	35	31	29.6
SUN VALLEY	MAX	65	62	62	72	74	77	78	78	77	75	70	69	70	71	69	59	64	60	59	59	51	49	51	57	54	55	62	66	65	67	60	64.6
	MIN	34	24	14	18	17	22	24	25	25	22	33	24	23	35	30	27	23	23	36	19	27	31	20	21	21	16	21	20	20	22	25	23.9
SWAN FALLS PH	MAX	89	60	69	76	83	84	87	85	90	72	72	76	82	84	75	69	78	75	78	60	55	65	60	62	64	64	71	73	74	67	70	73.2
	MIN	57	48	36	37	45	43	45	48	50	51	52	45	45	49	53	48	43	50	45	37	42	35	37	39	44	36	38	39	41	40	41	43.8
TETONIA EXP STA	MAX	58	53	54	61	76	68	71	75	69	74	78	74	68	57	54	48	53	59	65	58	54	59	54	43	50	48	46	54	60	53	59	59.8
	MIN	31	33	18	24	27	25	27	29	24	28	29	24	29	30	31	29	24	35	36	27	25	26	25	23	22	24	21	25	23	19	22	26.3
THREE CREEK	MAX	76	55	65	78	80	81	78	80	83	77	66	70	73	73	64	63	72	67	50	51	40	48	48	50	52	60	60	71	68	62	68	65.5
	MIN																																
TWIN FALLS 2 NNE	MAX	76	66	67	74	87	83	82	88	88	81	68	70	80	80	72	69	73	69	56	56	48	55	53	53	56	58	64	70	67	60	67	68.9
	MIN	50	39	26	31	34	37	36	37	36	39	45	38	35	38	48	33	38	38	41	37	34	34	34	38	36	28	29	32	32	38	35	36.3
TWIN FALLS 3 SE	MAX	87	75	50	65	74	84	83	82	85	88	81	66	70	76	80	57	68	72	70	58	58	40	55	48	55	57	60	64	68	68	59	68.2
	MIN	43	40	28	31	34	38	40	39	40	41	40	42	37	37	40	37	38	39	42	38	35	33	33	37	37	32	36	33	33	38	36	37.0
WALLACE	MAX	65	62	51	69	70	71	69	68	70	74	77	70	73	64	72	74	65	60	48	43	51	56	58	50	52	58	65	63	51	51	53	62.4
	MIN	37	33	31	34	32	36	39	37	40	41	43	36	36	33	34	37	34	42	37	28	36	25	27	24	27	31	30	31	34	42	42	34.5
WALLACE WOODLAND PARK	MAX	75	68	60	63	71	70	69	77	73	79	72	71	65	70	75	61	66	66	66	51	42	51	58	60	52	55	59	64	67	58	54	64.1
	MIN	42	34	30	30	31	34	34	38	39	39	43	30	30	32	36	35	34	38	42	30	31	20	21	23	26	31	30	30	34	31	44	33.0
WEISER	MAX	69	68	72	77	76	80	84	80	83	77	76	74	78	80	74	76	68	60	62	57		64	62	65	68	68	62	68	68	58	66	70.6
	MIN	48	36	26	27	28	28	32	33	40	44	38	40	30	34	42	48	40	46	35	38		46	28	25	30	28	38	30	31	30	32	35.0
WINCHESTER 1 SE	MAX	72	53	55	65	80	73	79	74	82	75	68	66	70	76	64	67	67	63	49	50	50	54	57	55	55	58	70	70	65	52	60	64.3
	MIN	40	32	22	28	40	33	40	41	45	41	40	30	32	37	41	36	34	32	37	27	27	23	29	22	25	26	31	40	36	35	36	33.5

EVAPORATION AND WIND

Table 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ABERDEEN EXP STA	EVAP	.31	.16	.11	*	.27	.18	.17	.10	*	.37	.15	*	.13	.21	.08	.09	.03	.09	.26	.13	.09	.04	.08	.07	.09	*	.09	.05	.09	.13	.19	3.76
	WIND	132	115	31	44	32	48	23	22	21	68	*	*	219	32	79	106	26	33	166	156	120	215	119	128	87	46	16	23	50	146	66	2369
ARROWROCK DAM	EVAP	.19	.17	.12	.12	.13	.12	.13	.14	.13	.18	.12	.14	.09	.11	.14	.06	.10	.09	.03	.07	.12	.09	.06	.04	.05	.04	.04	.02	.03	.04	.04	2.95
	WIND	31	63	24	21	30	22	15	11	12	23	17	63	23	7	35	27	2	2	57	56	116	74	23	8	35	25	6	24	7	26	14	899
LIFTON PUMPING STA	EVAP	.18	.20	.10	.12	.12	.15	.16	.15	.15	.17	.13	.12	.13	.10	.11	.08	.06	.10	.11	.08	.04	.11	.02	.01	.02	.05	.07	.07	.06	.07	.08	3.12
	WIND	76	75	25	17	33	36	26	28	28	40	22	30	40	11	34	23	18	35	41	50	42	143	143	42	38	25	31	26	35	23	20	1256
MINIDOKA DAM	EVAP	.32	.29	.15	.16	.22	.30	.23	.21	.27	.28	.28	.12	.13	.27	.11	.04	.13	.17	.13	.14	.00	.04	.10	.00	.00	.08	.12	.13	.14	.15	.06	4.77
	WIND	110	210	90	130	130	100	70	70	90	90	150	60	60	140	115	45	120	90	180	160	200	205	185	120	110	60	40	90	110	130	50	3510
PALISADES DAM	EVAP	.25	.11	.11	.15	-	-	.20	*	.34	.20	*	.30	.15	.09	.06	.02	.06	.12	.10	.08	-	-	-	-	-	-	-	-	-	-	-	-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SNOWFALL AND SNOW ON GROUND

Station		Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
ASHTON 1 S	SNOWFALL																					T			T						
	SN ON GND																														
ATLANTA 1 E	SNOWFALL																					T									
	SN ON GND																														
BIG CREEK 1 S	SNOWFALL																				T	1.0									
	SN ON GND																														
BURLEY CAA AP	SNOWFALL																					T									
	SN ON GND																					T									
CASCADE 1 NW	SNOWFALL																					T									
	SN ON GND																														
COBALT BLACKBIRD MINE	SNOWFALL		3.0																				T								
	SN ON GND		3																				T								
DUBOIS CAA AP	SNOWFALL																								T						
	SN ON GND																														
GRAY	SNOWFALL																					4.0			4.0						
	SN ON GND																					4			4	[illegible]					
HAMER 4 NW	SNOWFALL																					T									
	SN ON GND																														
IDAHO FALLS CAA AP	SNOWFALL																				T	T									
	SN ON GND																														
IRWIN 2 S	SNOWFALL																					1.0									
	SN ON GND																														
ISLAND PARK DAM	SNOWFALL																								2.0						
	SN ON GND																														
MACKAY RS	SNOWFALL																					T									
	SN ON GND																														
MALAD CAA AP	SNOWFALL																					T			T						
	SN ON GND																														
MAY RS	SNOWFALL		T																												
	SN ON GND																														
MULLAN PASS CAA	SNOWFALL	1.0																			2.0	0.5									T
	SN ON GND	1																				2	1	T	T	T					
NEZPERCE 2 E	SNOWFALL																				T										
	SN ON GND																														
OAKLEY	SNOWFALL																					1.0									
	SN ON GND																					1									
POCATELLO WB AP	SNOWFALL																				T	6.5									
	SN ON GND																					T	1	T							
SPENCER RS	SNOWFALL																				T				T						
	SN ON GND																														
STIBNITE	SNOWFALL		T																		T	1.8	T								
	SN ON GND		T																		T	2	T								
SUN VALLEY	SNOWFALL																					T									
	SN ON GND																														
THREE CREEK	SNOWFALL																			1.0	3.5				T						
	SN ON GND																														
TWIN FALLS 2 NNE	SNOWFALL																					T									
	SN ON GND																														

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	[illegible]	BINGHAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	EXPERIMENT STATION	[illegible]
ALBION	[illegible]	CASSIA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6P	DELL ROWE	[illegible]
[illegible] 1 NE	[illegible]	[illegible]	8	44 24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
AMERICAN FALLS 1 NW	[illegible]	POWER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
ANDERSON DAM	[illegible]	ELMORE	[illegible]	[illegible]	115 28	[illegible]	[illegible]	6P	U S BUR RECLAMATION	[illegible]
ARCO	[illegible]	BUTTE	6	43 38	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ARROWROCK DAM	[illegible]	ELMORE	2	43 36	[illegible]	[illegible]	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
[illegible]	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
[illegible]	[illegible]	ELMORE	2	43 48	115 07	6000	[illegible]	[illegible]	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	[illegible]	ELMORE	2	43 45	[illegible]	[illegible]		[illegible]	U S SOIL CON SER	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	115 48	2192	[illegible]	5P	U S FOREST SERVICE	[illegible] 7
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		MID	KENNETH E [illegible]	C
[illegible]	0667	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1P	[illegible]	[illegible]	[illegible]
[illegible] DAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		MID	[illegible] SERVICE	C
BIG CREEK 1 S	[illegible]	VALLEY	[illegible]	[illegible]	115 20	[illegible]	[illegible]	6P	NAPIER EDWARDS	2 3 5 7 C
[illegible]	[illegible]	BINGHAM	12	43 11	112 21	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	111 43	[illegible]	[illegible]	[illegible]	FORT HALL IR PROJ	2 3 5 C
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	NORTH SIDE CANAL CO	[illegible]
[illegible]	[illegible]	BOISE	[illegible]	[illegible]	[illegible]	[illegible]		MID	[illegible]	C
[illegible]	1019	ADA	[illegible]	[illegible]	[illegible]	[illegible]	4P	4P	[illegible] ENGINEERS	2 3 5 C
[illegible]	[illegible]	ADA	[illegible]	[illegible]	116 13	2842	MID	MID	[illegible]	[illegible]
BONNERS FERRY [illegible]	[illegible]	BOUNDARY	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	CHARLES G HOWARD JR	2 3 5 7 C
[illegible]	[illegible]	CASSIA	[illegible]	[illegible]	[illegible]	[illegible]		MID	MARLIN H BOOTH	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	114 46	[illegible]	[illegible]	[illegible]	WILLIAM A LOW	2 3 5
[illegible] RANGER STATION	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	2250	4P	4P	U S FOREST SERVICE	2 3 5
[illegible]	[illegible]	[illegible]	5	47 32	115 48	[illegible]	1P	4P	MONTANA POWER CO	[illegible]
[illegible]	[illegible]	CASSIA	12	[illegible]	113 47	[illegible]	[illegible]	[illegible]	FRANK [illegible]	[illegible]
[illegible]	1298	CASSIA	12	42 34	[illegible]	[illegible]	[illegible]	[illegible]	AMALGAMATED SUGAR	2 3 5 C
[illegible] CAA AIRPORT	[illegible]	CASSIA	12	42 32	[illegible]	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	[illegible]	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	3
CAMBRIDGE	[illegible]	WASHINGTON	12	44 34	[illegible]	2650	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	8	44 31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] RECLAMATION	2 3 5 7 C
[illegible]	1524	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]		MID	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	BOISE	2	43 58	[illegible]	4780		[illegible]	[illegible]	3 7
CHALLIS	[illegible]	CUSTER	11	44 30	114 14	[illegible]	[illegible]	5P	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	6	44 02	113 48	[illegible]	P	[illegible]	GEORGE A MILLER	[illegible]
[illegible]	[illegible]	[illegible]	9	48 09	116 10	[illegible]	6P	[illegible]	MRS MARY L RALPH	2 3 5 C
[illegible]	[illegible]	SHOSHONE	10	47 00	[illegible]	[illegible]		MID	U S FOREST SERVICE	C
[illegible]	[illegible]	[illegible]	11	45 07	[illegible]	[illegible]	8A	8A	[illegible]	2 3
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
[illegible]	[illegible]	[illegible]	3	47 41	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5 7 C
CONDA	[illegible]	CARIBOU	12	42 43	[illegible]	[illegible]	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	LOUIS KLAPPRICH	2 3 5 7
[illegible] SW	[illegible]	IDAHO	3	46 02	[illegible]	[illegible]		MID	SABI FREI	C
[illegible]	[illegible]	ADAMS	[illegible]	[illegible]	[illegible]	2936	[illegible]	[illegible]	LYMAN MATTISON	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3100		6P	[illegible] GRAHAM	[illegible]
[illegible] DAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6P	6P	[illegible] RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	[illegible]	VALLEY	11	44 32	[illegible]	[illegible]		VAR	[illegible]	
[illegible]	[illegible]	KOOTENAI	[illegible]	[illegible]	[illegible]	[illegible]		MID	[illegible] SERVICE	[illegible]
DEER FLAT DAM	[illegible]	CANYON	[illegible]	[illegible]	116 44	[illegible]	6P	6P	[illegible] RECLAMATION	2 3 5
DIXIE	[illegible]	IDAHO	11	45 33	[illegible]	[illegible]	[illegible]	5P	[illegible]	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	C
DRIGGS	[illegible]	TETON	12	43 43	111 07	[illegible]	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	[illegible]	CLARK	6	44 14	112 14	[illegible]	[illegible]	P	U S FOREST SERVICE	2 3
DUBOIS CAA AIRPORT	[illegible]	CLARK	6	44 10	112 13	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	2875	IDAHO	3	45 49	115 26	[illegible]	4P	4P	[illegible]	[illegible]
ELK RIVER 1 S	[illegible]	CLEARWATER	3	46 47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] WALKER	2 3 5
EMMETT 2 E	[illegible]	GEM	[illegible]	[illegible]	[illegible]	[illegible]	P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD	[illegible]	CAMAS	12	43 21	114 48	[illegible]	6P	6P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	[illegible]	IDAHO	3	46 06	115 33	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	[illegible]	5P	FORT HALL IR PROJ	[illegible]
GARDEN VALLEY RS	[illegible]	BOISE	8	44 04	[illegible]	3147	5P	[illegible]	[illegible] FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	[illegible]	[illegible]	11	[illegible]	[illegible]	[illegible]		VAR	[illegible] WEATHER BUREAU	S
GLENNS FERRY	[illegible]	ELMORE	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 7
GOODING 1 E	3677	GOODING	12	42 56	[illegible]	3245		MID	[illegible] KNIGHT	C
GOODING CAA AIRPORT	[illegible]	GOODING	[illegible]	[illegible]	114 46	[illegible]	MID	MID	U S CIVIL AERO ADM	[illegible]
GRACE	[illegible]	CARIBOU	12	[illegible]	111 44	[illegible]	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	3760	OWYHEE	12	42 59	[illegible]	[illegible]	[illegible]	1P	[illegible]	2 3 5
GRANGEVILLE	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	3409	MID	MID	MRS ALVERA FOSTER	[illegible]
GRAY	[illegible]	BONNEVILLE	12	43 03	111 22	6450	[illegible]	[illegible]	ROSCOE T SIDBETT	2 3 5 7
GROUSE	[illegible]	CUSTER	6	43 42	[illegible]	[illegible]	[illegible]	[illegible]	MRS BRYAN TAYLOR	[illegible]
HAILEY AIRPORT	[illegible]	BLAINE	12	[illegible]	114 18	[illegible]	[illegible]	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	[illegible]	JEFFERSON	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S F & W SERVICE	[illegible] 7
HAZELTON	[illegible]	JEROME	12	[illegible]	114 08	4060	5P	[illegible]	NORTH SIDE CANAL CO	2 3 5
HILL CITY	1268	CAMAS	12	[illegible]	[illegible]	5000	[illegible]	[illegible]	CARROLL DAMMEN	[illegible]
HOLLISTER	[illegible]	TWIN FALLS	12	42 21	114 35	[illegible]	[illegible]	[illegible]	SALMON R CANAL CO	[illegible]
HOWE	[illegible]	BUTTE	[illegible]	[illegible]	[illegible]	4820		[illegible]	CHARLES D COWGILL	3
IDAHO CITY	[illegible]	BOISE	[illegible]	[illegible]	[illegible]	3940	[illegible]	[illegible]	R JOHN MELLOR	2 3 5 7
IDAHO CITY [illegible] SW	[illegible]	BOISE	[illegible]	[illegible]	116 01	5000		6P	[illegible]	[illegible]
IDAHO FALLS [illegible]	[illegible]	BONNEVILLE	12	[illegible]	[illegible]	4840	5P	5P	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	[illegible]	BONNEVILLE	12	[illegible]	112 04	4730	MID	MID	U S CIVIL AERO ADM	[illegible]
IDA VADA	[illegible]	OWYHEE	[illegible]	[illegible]	[illegible]	[illegible]		VAR	CHRIS CALLEN	S
[illegible]	[illegible]	BONNEVILLE	12	43 24	111 18	[illegible]	[illegible]	[illegible]	ANNA FLEMING	[illegible] 7
ISLAND PARK DAM	[illegible]	FREMONT	12	[illegible]	111 24	[illegible]	P	[illegible]	[illegible] RECLAMATION	2 3 5 7
[illegible] PEAK	[illegible]	BOISE	8	[illegible]	[illegible]	7050		VAR	[illegible]	S
JEROME	[illegible]	JEROME	12	42 44	[illegible]	3785	[illegible]	[illegible]	O OLIVER	2 3 5
KAMIAH 1 NE	[illegible]	LEWIS	3	46 14	[illegible]	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	[illegible]	SHOSHONE	4	47 32	[illegible]	2305	9A	9A	IRVING H LASKEY	[illegible]
KOOSKIA	[illegible]	IDAHO	3	46 09	[illegible]	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	[illegible]	ADA	2	43 31	116 24	[illegible]	[illegible]	[illegible]	HARRY U GIBSON	[illegible]
LANDMARK RANGER STATION	[illegible]	VALLEY	11	44 40	[illegible]	[illegible]		VAR	U S FOREST SERVICE	S
LEADORE	[illegible]	LEMHI	11	44 41	113 22	[illegible]		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 25	117 01	743	[illegible]	[illegible]	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	[illegible]	NEZ PERCE	3	46 23	117 01	[illegible]	MID	4P	[illegible] WEATHER BUREAU	[illegible] 7
[illegible] PUMPING STATION	[illegible]	BEAR LAKE	1	42 07	111 18	[illegible]	6P	6P	UTAH P & L COMPANY	[illegible]
[illegible] PASS	[illegible]	IDAHO	3	46 38	114 33	[illegible]		VAR	U S FOREST SERVICE	S
[illegible]	5414	BOISE	8	44 05	[illegible]	[illegible]	5P	[illegible]	[illegible]	[illegible] 7 S
[illegible] RANGER STATION	[illegible]	CUSTER	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5 7 C
MALAD	[illegible]	ONEIDA	1	[illegible]	112 16	[illegible]	7P	7P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	[illegible]	ONEIDA	1	42 10	112 19	4480	MID	MID	[illegible]	2 3 5 7
[illegible] RANGER STATION	[illegible]	LEMHI	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 07	[illegible]	[illegible]	4P	[illegible]	7
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	5P	[illegible]	[illegible]
MERIDIAN 1 W	5841	ADA	[illegible]	43 37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MESA	[illegible]	ADAMS	[illegible]	44 37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible] DAM	[illegible]	[illegible]	[illegible]	42 40	113 [illegible]	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	2 3 [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	8A	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	C S
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
MOSCOW U OF I	[illegible]	LATAH	[illegible]	46 44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MOUNTAIN HOME	6174	ELMORE	[illegible]	43 08	115 [illegible]	[illegible]	6P	6P	[illegible]	[illegible]
MULLAN PASS CAA	[illegible]	SHOSHONE	4	47 27	115 41	[illegible]	MID	MID	[illegible]	[illegible] 7 C
[illegible]	[illegible]	CANYON	[illegible]	[illegible]	[illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	[illegible]
NEW [illegible] RANGER STA	[illegible]	ADAMS	11	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	[illegible]
NEZPERCE 2 E	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 7
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	U S FOREST SERVICE	S
[illegible]	6547	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6P	[illegible]	[illegible]	[illegible]
OBSIDIAN 4 NNE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	GEM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
PALISADES DAM	[illegible]	BONNEVILLE	12	43 22	111 [illegible]	[illegible]	4P	[illegible]	[illegible]	[illegible]
PARMA EXPERIMENT STA	[illegible]	CANYON	[illegible]	43 47	[illegible]	[illegible]	[illegible]	[illegible]	STATE EXP STATION	
[illegible]	[illegible]	MINIDOKA	1	[illegible]	[illegible]	[illegible]	8A	8A	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MICHAEL HARRIS	[illegible]
PIERCE RANGER STATION	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PINE 2 SSW	[illegible]	ELMORE	[illegible]	43 28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PLUMMER 3 WSW	[illegible]	BENEWAH	4	47 19	[illegible]	[illegible]		MID	[illegible]	C
POCATELLO WB AIRPORT	[illegible]	BANNOCK	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	[illegible]	2 3 7 C
[illegible]	[illegible]	BOUNDARY	[illegible]	[illegible]	[illegible] 30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6P	[illegible]	2 3
PRAIRIE	[illegible]	ELMORE	2	43 30	[illegible]	[illegible]		MID	[illegible]	[illegible]
PRESTON SUG FACT 2 SE	7353	FRANKLIN	[illegible]	42 05	[illegible]	[illegible]	4P	4P	C M CRABTREE	5
PRIEST RIVER EXP STA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 7
PUNGO CREEK	[illegible]	[illegible]	11	[illegible]	[illegible] 04	[illegible]		[illegible]	[illegible]	[illegible]
[illegible] MOUNTAIN	[illegible]	BINGHAM	[illegible]	[illegible]	[illegible]	[illegible]		VAR	FORT HALL IR PROJ	
REACTOR TESTING STA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 57	[illegible]	MID	MID	A E C WEATHER STA	[illegible]
[illegible]	[illegible]	LINCOLN	[illegible]	43 04	114 [illegible]	[illegible]	[illegible]	[illegible]	LESLIE F BUSBY	[illegible]
[illegible] RANGER STATION	[illegible]	IDAHO	[illegible]	[illegible]	116 [illegible]	[illegible]	[illegible]	5P	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	47 21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
RUPERT	[illegible]	MINIDOKA	[illegible]	42 37	113 [illegible]	[illegible]	[illegible]	[illegible]	MINIDOKA IR PROJ	[illegible]
[illegible]	[illegible]	FREMONT	12	43 58	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SAINT MARIES	[illegible]	BENEWAH	[illegible]	47 19	[illegible] 34	[illegible]	5P	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	8076	LEMHI	[illegible]	45 11	113 [illegible]	[illegible]	MID	[illegible]	[illegible]	7
SANDPOINT EXP STATION	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	[illegible]	[illegible]
SNAKE CREEK RANGER STA	[illegible]	ELMORE	[illegible]	[illegible]	115 [illegible]	[illegible]		VAR	U S FOREST SERVICE	[illegible]
SHOSHONE	[illegible]	LINCOLN	[illegible]	42 56	114 [illegible]	3970	7P	[illegible]	LEONARD V BOND	[illegible]
[illegible] CREEK RS	[illegible]	CAMAS	[illegible]	[illegible]	[illegible] 50	[illegible]		VAR	[illegible]	S
[illegible] RANGER STATION	[illegible]	CLARK	[illegible]	[illegible]	112 11	[illegible]	5P	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	BINGHAM	[illegible]	43 04	[illegible] 41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	VALLEY	11	44 54	[illegible]	[illegible]	8A	8A	BRADLEY MINING CO	2 3
[illegible]	[illegible]	CASSIA	12	42 01	[illegible] 13	5280	[illegible]	[illegible]	IDAHO STATE POLICE	[illegible]
SUGAR	8818	MADISON	[illegible]	43 52	111 45	[illegible]	6P	6P	KAY JOHNSON	5
[illegible]	[illegible]	BLAINE	[illegible]	[illegible]	[illegible] 21	[illegible]	[illegible]	[illegible]	EDWARD F SEAGLE	2 3 7 C
[illegible] POWER HOUSE	[illegible]	ADA	[illegible]	[illegible]	[illegible] 23	[illegible]	5P	[illegible]	IDAHO POWER COMPANY	[illegible]
TETONIA EXP STATION	[illegible]	TETON	[illegible]	[illegible]	[illegible]	[illegible]	5P	5P	[illegible]	[illegible] 5 C
THREE CREEK	[illegible]	OWYHEE	12	42 03	[illegible] 10	5400	6P	[illegible]	[illegible]	[illegible] 7
[illegible] GUARD STA	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	7400		VAR	U S SOIL CON SER	S
[illegible] GUARD STATION	[illegible]	ELMORE	[illegible]	43 43	[illegible]	[illegible]		VAR	[illegible]	S
TWIN FALLS 2 NNE	[illegible]	TWIN FALLS	12	42 35	[illegible] 28	3770	5P	[illegible]	[illegible]	[illegible]
TWIN FALLS 3 SE SUG FACT	9299	TWIN FALLS	12	[illegible]	114 [illegible]	[illegible]	8A	8A	[illegible]	2 3 [illegible]
[illegible]	9422	BLAINE	11	[illegible]	[illegible]	8800		VAR	[illegible]	S
WALLACE	9493	SHOSHONE	4	47 28	115 [illegible]	[illegible]	6P	[illegible]	[illegible]	2 3 7
WALLACE WOODLAND PARK	[illegible]	SHOSHONE	4	47 30	[illegible]	2950	[illegible]	[illegible]	[illegible]	[illegible] C
WEISER	[illegible]	WASHINGTON	[illegible]	44 15	116 [illegible]	[illegible]	6P	6P	[illegible]	2 3 [illegible]
WINCHESTER 1 SE	[illegible]	LEWIS	[illegible]	46 14	[illegible]	[illegible]	4P	[illegible]	[illegible]	[illegible]
YELLOW PINE	[illegible]	VALLEY	11	44 58	[illegible]	[illegible]		VAR	[illegible]	S

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There
be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this
letin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be
cluded in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporatio
inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the stanc
Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the S
tion Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on gro
values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It
measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; co
quently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the rec

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are proce ed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summar
Checks and money orders should be made payable to the Treasurer of the United States. Remittances and correspondence regard
subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

W.R.P.C. Chattanooga--12-4-53--

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

NOVEMBER 1953
Volume LVI No. 11

CHATTANOOGA: 1954

IDAHO - NOVEMBER 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

In contrast to November 1952, which was unusually dry and cold, this month showed relatively slight precipitation deficiencies in most sections of the State while temperatures averaged 10° higher than last year. The average precipitation was 96% of normal in the Northern Division, 86% in the Southwestern Division and 52% in the Southeastern Division. In November 1952 the respective Divisions recorded average precipitation of 22%, 36% and 65% of normal. The statewide average in November 1952 was 35%, compared to 85% in the current month. Average temperatures this month at individual stations ran from 2° to 8° above normal, placing this among the warmest Novembers on record for Idaho and a full 10° warmer than a year ago.

As might be expected with above-normal temperatures, much of this month's precipitation fell as rain, giving us a statewide snowfall average of little more than 50% of normal. One point of particular interest here is, that although the snowfall was somewhat heavier than in the extremely dry November of 1952, the contrast in temperatures resulted in a smaller mountain snowpack at month's end than a year ago. Sunshine was somewhat less than normal, while winds averaged above the mean of past years.

Precipitation occurred with about normal frequency, although during the first half of the month the Southeastern Division had only one two-day spell of widespread showers. Storm-front systems had comparatively little effect on Idaho weather during the first half of the month, although a cold front did sweep southeastward across the State between noon of the 1st and early morning of the 2d, and another weak cold front moved more slowly eastward on the 5th and 6th. Temperatures fluctuated about the normal during the first few days of the month, but were continuously above normal in all divisions from the 7th through the 16th. The persistence of a high pressure cell over Utah and Colorado, while low pressure centers moved northward just off the Pacific Coast, resulted in a predominance of southerly winds aloft, and hence the importation of warm air into the State.

A cold front that moved eastward across the Pacific Northwest on the 16th and 17th, was the first of a series of fronts that ushered in a change of pattern. For the remainder of the month the more normal westerly winds persisted over our region and storm fronts from the Pacific passed across the State with considerable regularity. Each frontal system brought its period of precipitation; yet, except for a few cool days following the first front in the series, temperatures remained above normal until the end of the month.

The warm weather was generally favorable to the agricultural economy of Idaho, permitting completion of sugar beet and potato digging, and improving range and pasture conditions where rains were sufficient. Grain which had been sown in very dry soil in the Southeastern Division, responded to the warmth when moisture came, and reports from the Northern Division indicated good stands of winter wheat. Cattle and sheep were in somewhat better condition than at the end of October, but still a little below average for this time of year.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation									
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11 30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
BOISE WB AIRPORT	SE	32	10.0	57	NW	23	75	61	59	72	4	[illegible]	2	1	0	0	18	28	7.8	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-	-	-	-	-	83	74	69	-	7	6	5	0	0	0	18	-	8.3	
POCATELLO WB AIRPORT	SW	18	10.8	42	W	23	78	63	58	71	5	5	2	0	0	0	12	44	6.8	

COMPARATIVE DATA

Table 1

NOVEMBER

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1893	32.9	[illegible]	[illegible]	1.00	-	11
1894	40.1	71	[illegible]	.71	-	[illegible]
1895	[illegible]	[illegible]	[illegible]	.94	-	6
1896	[illegible]	80	8	3.82	-	[illegible]
1897	[illegible]	[illegible]	[illegible]	2.87	-	10
1898	41.0	79	11	2.42	13.9	10
1899	40.7	[illegible]	8	2.09	0.8	9
1900	36.2	73	-20	1.48	4.2	8
1901	40.2	78	5	1.01	1.3	6
1902	34.6	70	-10	2.51	7.5	11
1903	36.[illegible]	73	-18	2.65	13.1	11
1904	41.[illegible]	75	1	.59	0.7	4
1905	35.8	84	-12	1.29	10.4	6
1906	33.[illegible]	73	-13	2.21	6.6	10
1907	36.9	69	- 3	1.12	3.8	6
1908	36.7	76	-13	.97	4.3	4
1909	37.8	81	- 7	5.14	5.9	12
1910	37.7	76	-12	3.45	8.2	11
1911	32.2	72	-24	2.28	12.5	10
1912	37.7	72	- 1	1.78	2.0	8
1913	38.3	70	- 6	2.81	6.0	11

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No of days .01 or more
1914	37.1	[illegible]	-15	.72	1.9	4
1915	33.7	78	- 4	2.17	14.0	11
1916	30.0	77	-27	1.60	9.4	6
1917	39.8	77	3	1.53	2.1	6
1918	34.0	68	-15	1.00	2.8	5
1919	32.6	70	-30	2.02	10.2	8
1920	34.5	64	-10	[illegible]	3.6	[illegible]
1921	38.3	77	-10	2.75	10.5	9
1922	32.7	68	- 8	.82	2.2	5
1923	37.5	68	- 6	1.23	2.7	6
1924	34.3	78	-11	1.91	5.3	9
1925	35.0	73	-10	1.23	2.7	8
1926	39.6	73	- 1	4.16	4.2	15
1927	39.3	76	-10	4.47	4.6	16
1928	35.8	70	-15	1.29	2.5	7
1929	32.1	68	-12	.15	0.6	1
1930	30.5	76	-20	1.45	10.6	5
1931	30.2	81	-27	1.70	15.0	8
1932	37.5	77	-18	2.17	2.3	9
1933	37.4	76	- 1	.71	1.0	3
1934	40.0	75	- 2	2.39	7.2	13

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1935	29.3	[illegible]	-15	.86	5.2	6
1936	32.1	70	-13	.15	1.1	2
1937	38.1	[illegible]	- 4	2.84	3.4	12
1938	29.6	66	-26	1.82	6.1	9
1939	38.2	73	[illegible]	.25	T	2
1940	31.2	68	-15	1.87	7.4	11
1941	37.1	74	-17	1.73	2.3	8
1942	34.6	74	-15	3.94	12.5	14
1943	36.6	70	13	.87	0.8	5
1944	33.4	65	-15	2.22	5.6	11
1945	33.8	76	-17	2.68	13.1	14
1946	33.6	66	-11	3.18	11.4	11
1947	[illegible]	78	-15	1.96	9.4	13
1948	32.3	70	-23	2.41	9.6	13
1949	40.9	77	1	1.87	1.6	7
1950	37.1	75	- 7	1.95	5.4	11
1951	33.1	68	-20	1.82	7.8	9
1952	29.9	70	-28	.69	2.9	4
1953	40.0	74	- 6	1.65	3.6	8
ALL YEARS	35.3			1.93		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index.

TABLE 2

Station	Temperature													Precipitation								
										No. of Days								Snow, Sleet, Hail			No. of	
										Max		Min.										
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.01 or More	.50 or More
NORTHERN DIVISION																						
AVERY RS	46.0	32.5	39.3M	3.2	58	10	23	3	767	0	0	14	0	4.92	1.29						16	
BAYVIEW MODEL BASIN	47.9	32.4	40.2		62	1	24	3	739	0	0	18	0	3.24		.70	16	.0	0		15	3
BIG CREEK 1 S	44.9	22.1	33.5		56	11	-6	19	937	0	3	28	1	2.44	-.55	.65	23	16.0	10	23	13	1
BONNERS FERRY 1 SW	46.5	30.4	38.5	4.1	58	12	19	18	791	0	0	20	0	2.95	.33	.80	16	7.4	3	16	14	2
BURKE 2 NNE	41.0	28.8	34.9	3.4	50	4	18	19	895	0	1	26	0	6.91	.63	1.72	16		9	23	21	2
CLARK FORK 1 ENE	50.9	31.1	41.0	5.2	59	10	19	3	713	0	0	19	0	3.87	-.54	.90	16	1.0	0		14	2
COBALT BLACKBIRD	39.3M	20.5M	29.9M		54	2	-1	19+		0	6	30	2	1.98		.90	23	14.4	15	23	11	1
COEUR D ALENE CAA AP	M	M	M							0	0		0									
COEUR D ALENE RS	48.8M	33.2M	41.0M	4.4	58	1	18	3	712	0	0	14	0	3.73	.56	1.46	22	T	T	20	14	2
COTTONWOOD	49.1	28.9	39.0	2.7	62	11	12	18	771	0	0	21	0	1.88	-.28	.78	22	2.0	2	18	10	1
DIXIE	45.3M	20.2M	32.8M		57	8+	-6	19	958	0	2	28	1	3.00		1.10	22	26.2	11	22+	13	3
ELK CITY	50.0M	24.4M	37.2M		69	16	2	19	826	0	1	25	0									
ELK RIVER 1 S	49.4	29.2	39.3		60	11	17	3	761	0	0	25	0	2.47		.38	16		4	22	16	0
FENN RS	47.5M	33.5M	40.5M	1.5	58	11	26	19	728	0	0	11	0	4.70	.62	1.42	22	.0	0		14	4
GRANGEVILLE	50.0	31.5	40.8	3.3	64	1+	17	18+	719	0	0	16	0	2.38	.46	.67	16		1	17+	14	1
KELLOGG	48.6	33.0	40.8	4.5	60	11	22	3		0	0	14	0	4.24	.61	.92	17	1.0	1	18	22	3
KOOSKIA	51.3	31.8	41.6	2.4	65	1	20	3	695	0	0	13	0	2.86	.47	.98	17	.0	0		11	2
LEWISTON WATER PLANT	54.1	36.0	45.1	3.4	65	15	24	3	591	0	0	8	0	1.66	.16	.43	22	.0	0		11	0
LEWISTON WB AP R	52.1	35.5	43.8	3.7	63	15	25	3	628	0	0	8	0	1.56	.21	.36	22+	T	0		11	0
MOSCOW U OF I	50.0	35.8	42.9	5.2	62	4	20	2+	656	0	0	8	0	3.40	.54	1.30	22	T	0		20	2
MULLAN PASS CAA	36.2	26.0	31.1	5.0	48	10	14	19	1008	0	10	27	0	4.57	-1.00	1.05	16	43.8	18	24+	20	2
NEZPERCE 2 E	48.6	28.2	38.4		60	1+	6	19	793	0	1	21	0	2.50		.90	22	T	0		12	0
OROFINO	50.7M	35.1M	42.9M	3.5	68	1	23	3	651	0	0	9	0	3.01	-.40	1.04	22				16	2
PIERCE RS	44.2M	28.6M	36.4M	2.6			18	3+	849	0	0	26	0	4.92	.27	1.52	22		3	23	19	2
PORTHILL	M	29.9	M				20	18		0	0	22	0	2.13	-.43	.45	16	T	T	16	13	0
POTLATCH 1 SE	49.6	33.0	41.3	4.1	65	10	17	2	703	0	0	12	0	3.06	.31	.85	22		1	18	16	2
PRIEST RIVER EXP STA	43.8	29.3	36.6	3.4	55	12	16	2+	843	0	1	26	0	3.10	-.50	.88	16	3.1	2	20+	16	3
RIGGINS RS	M	M	M		69	11				0	0		0	.93	-.25			.0	0		10	
SAINT MARIES	52.1	31.1	41.6	4.2	64	10	16	3	695	0	0	16	0	4.18	.68	1.14	22				19	2
SALMON	50.5M	22.9M	36.7M	4.6	68	16	5	19	839	0	0	30	0	.72	.14	.28	23		1	23+	6	0
SANDPOINT EXP STA	45.8	31.9	38.9	3.5	55	12	22	3+	775	0	0	17	0	2.14	-1.75	.87	22	.5	T	16+	14	1
WALLACE	46.7	32.3	39.5	4.1	58	10	22	3	758	0	0	16	0	6.33	1.01	1.73	16	T	T	17+	17	4
WALLACE WOODLAND PK	47.5	31.2	39.4	3.7	59	11	21	3+		0	0	17	0	5.60	1.59	1.28	17	1.0	1	20+	15	5
WINCHESTER 1 SE	49.4	29.2	39.3	4.2	65	10	15	19	766	0	0	18	0	2.16	-.13	.43	6		0		9	0
DIVISION			38.8	2.7										3.24	-.15			5.3				
SOUTHWESTERN DIVISION																						
ALPHA 1 NE	M	M	M							0	0		0									
ANDERSON DAM	56.1M	35.5	45.8M		64	4	19	19	566	0	0	9	0	2.48		1.65	23	3.2	0		10	1
ARROWROCK DAM	52.5	33.2	42.9	5.5	64	5+	19	19+		0	0	10	0	3.31	.77	1.83	23	2.0	2	22	11	2
ATLANTA 1 E	48.8M	28.0M	38.4M	7.7	59	11	8	18	790	0	0		0	4.04	1.16	1.53	23	16.9			15	2
BLISS	M	36.9M	M		69	11+				0	0		0	1.20	.08	1.05	22	3.0	0		2	1
BOISE LUCKY PEAK DAM	60.4M	36.0M	48.2M		70	4+	22	18	483	0	0	6	0	1.75					0		9	
BOISE WB AP //R	55.7	34.9	45.3	5.7	68	11	19	19	583	0	0	6	0	1.31	-.04	.69	22	T	T	21+	14	1
BUHL	57.6	36.1	46.9	8.0	71	16	18	19	537	0	0	8	0	.34	-.66	.13	21	T	0		4	0
CALDWELL	55.6	34.4	45.0	6.2	67	14+	19	19	593	0	0	11	0	1.60	.46	.50	22	.0	0		11	1
CAMBRIDGE	53.3	29.1	41.2	4.3	64	4	17	19	703	0	0	20	0	1.94	-.53	1.10	22	4.0	2	22	11	1
CASCADE 1 NW	46.1	28.8	37.5		57	1	9	19	817	0	1	22	0	2.89		.95	22	10.5	5	22	14	2
CHALLIS	48.7	25.4	37.1	5.0	64	16	5	19	831	0	3	28	0	.30	-.07	.25	23	2.0	T	23+	4	0
COUNCIL	52.9	30.6	41.8	4.4	67	13	19	19	690	0	0	19	0	4.03	.79	2.30	22	3.0	3	22	13	1
DEADWOOD DAM	44.6	26.9	35.8	8.0	58	1	19	20	872	0	1	29	0	4.34	.91	1.64	22	13.3	8	22+	15	2
DEER FLAT DAM	56.2	35.5	45.9	7.7	70	16	20	19	567	0	0	7	0	.97	.03	.24	2+	.0	0		7	0
EMMETT 2 E	56.4	34.6	45.5	5.2	70	14	18	18	578	0	0	12	0	1.47	.16	.65	22	.0	0		6	1
FAIRFIELD	49.5M	23.3M	36.4M		60	13	0	19+	853	0	0	27	2	2.05		1.01	23	7.2	6	22	6	2
GARDEN VALLEY RS	49.1	31.0	40.1	5.0	61	10	15	19+	744	0	0	15	0	3.64	.48	1.33	22	6.0			13	2
GLENNS FERRY	60.1M	34.5M	47.3M	7.7	70	11+	11	19	528	0	0		0	.85	-.33	.50	22	.0	0		5	1
GOODING CAA AP	54.6	33.3	44.0	7.8	68	11	10	19	625	0	0	9	0	1.23	-.03	.72	22	3.0	2	22	5	1
GRAND VIEW	60.3M	31.8M	46.1M	6.4	74	16	12	19	563	0	0	17	0	.44	-.21	.18	24	.0	0		5	0
HAILEY AP	50.3	25.6	38.0	4.6	65	8	9	21	803	0	0	25	0	.82	-.57			4.0			6	
HAZELTON	54.5	30.6	42.6	4.7	67	16	10	19	668	0	0	17	0	.46	-.69	.36	22	.5	0		5	0
HILL CITY	50.3	24.3	37.3	7.1	60	3+	0	19	823	0	0	26	1	1.89	.29	.92	23				5	2
HOLLISTER	55.9M	31.8M	43.9M	6.4	68	1+	14	20	623	0	0	14	0					.0	0			
IDAHO CITY	54.2	26.9	40.6	5.1	66	11	11	19	726	0	0	24	0	4.77	1.95	1.72	23	8.0			16	2
JEROME	57.0	31.2	44.1	5.9	70	11	9	19	620	0	0	15	0	.57	-.35	.30	23	.0	0		5	0
KUNA 2 NNE	56.9	33.3	45.1	5.8	68	16	14	19	591	0	0	15	0	1.13	-.15	.65	22	.0	0		9	1
MC CALL	43.5	27.9	35.7	5.2	54	3+	10	19	879	0	3	24	0	2.12	-.75	.63	23	11.0	6	22+	10	1
MERIDIAN 1 W	55.4	33.9	44.7	5.5	67	14+	15	19	602	0	0	14	0	1.13	-.22	.54	22	.0	0		9	1
MESA	M	M	M				21	19		0	0		0									
MOUNTAIN HOME	59.7M	33.4	46.6M	8.4	71	15	15	19	561	0	0	11	0	.66	-.49	.50	22	T	0		4	1
NAMPA 2 NW	55.7	33.2	44.5		69	17	16	19		0	0	14	0	1.02		.30	22	.0	0		8	0
NEW MEADOWS RS	50.1M	23.8M	37.0M	4.6	62	4	10	19	835	0	0	24	0	2.42	-.30	1.15	22	7.0	7	22	15	1
OBSIDIAN 4 NNE	42.3	20.3	31.3	5.0	54	1	-5	19	1007	0	2	29	2	1.97	.31	.67	23	12.0	8	23	10	1
OLA 5 S	54.3	30.0	42.2		67	15	17	18+	677	0	0	18	0	3.03		.93	22				9	2
PARMA EXP STA	55.7	32.9	44.3	5.7	68	14	17	19	614	0	0	14	0	1.26	.28	.40	2	.0	0		10	0
PAYETTE	53.4	32.7	43.1	4.3	66	14	19	19	649	0	0	14	0	.63	-.51	.27	22	.0	0		11	0
RICHFIELD	51.8	27.7	39.8	5.4	63	11+	6	19	752	0	0	20	0	.65	-.42	.46	22				4	0
SHOSHONE	54.7	31.0	42.9	6.8	67	11	9	19	658	0	0	16	0	.97	-.31	.52	22	2.0	1	22	5	1
STIBNITE	43.7	22.0	32.9		58	1	1	19		0	3	28	0	2.50		.74	23	19.8	13	23	12	1
SUN VALLEY	48.9	17.8	33.4	6.3	59	11	-3	19	943	0	0	30	2	.96	-.93	.60	22	9.0	8	23	6	1
SWAN FALLS PH	60.0M	38.4M	49.2M	8.2	73	16	21	19	468	0	0	5	0	.68	-.27	.20	24	.0	0		7	0
THREE CREEK	55.3	27.3	41.3		68	1	9	19	703	0	0	26	0	.76	-.37	.23	22	6.5	2	22+	5	0
TWIN FALLS 2 NNE	56.9	31.5	44.2	6.5	69	10+	15	19	616	0	0	17	0	.40	-.68	.27	22	T	0		7	0
TWIN FALLS 3 SE	57.1	31.8	44.5	6.8	68	12+	17	20		0	0	14	0	.39	-.66	.17	23	.1	T	17	6	0
WEISER	55.1	30.9	43.0	4.0	68	12+	10	17	656	0	0	16	0	1.36	-.03	.46	22	.0	0		6	0
DIVISION			41.9	5.4										1.65	-.26			3.8				
SOUTHEASTERN DIVISION																						
ABERDEEN EXP STA	53.6	28.4	41.0	7.0	67	11	6	19	714	0	0	20	0	.29	-.44	.08	6				5	0
AMERICAN FALLS 1 NW	52.9	30.2	41.6	6.7	65	12	13	20	698	0	0	17	0	.48	-.68	.24	6	1.5	T	17	6	0
ARCO	51.8M	20.5M	36.2M	4.8	69	3	4	20	860	0	0	30	0	T	-.60	T	18+	T	0		0	0
ASHTON 1 S	47.4	26.1	36.8	5.0	62	12	6	18	839	0	2	26	0	1.53	.23	.80	6	4.5	2	22	3	

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

	Temperature													Precipitation									
Station	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Max. Depth on Ground	Date	No. of Days .01 or More	.50 or More	1.00 or More
BLACKFOOT	[illegible]	[illegible]	40.9	[illegible]	[illegible]	[illegible]	8	[illegible]	714	0	0	[illegible]	0	[illegible]	-.54	.20	[illegible]		0		3	0	0
BLACKFOOT DAM	[illegible]	[illegible]M	36.5M	[illegible]	60	14	-2	[illegible]	849	0		[illegible]	2	[illegible]	-1.[illegible]	.22	[illegible]		[illegible]	21	3	0	0
BURLEY	[illegible]	31.8	44.0	7.3	[illegible]	1+	13	[illegible]				[illegible]		[illegible]	-.57	[illegible]	23	T	0		4	0	0
BURLEY FACTORY	[illegible]	28.7	42.2	6.5	[illegible]	13	[illegible]	[illegible]				[illegible]		.28	-.62	.25	[illegible]				[illegible]	0	0
BURLEY CAA AP	[illegible]	29.8	43.0	[illegible]	[illegible]	11	[illegible]	19	656	0	0	[illegible]	0	[illegible]	-.80	[illegible]	[illegible]	T	0		4	0	0
CHILLY BARTON FLAT	[illegible]	[illegible]	33.3	[illegible]	57	11	-2	[illegible]	947	[illegible]	0	[illegible]	1	.15	-[illegible]	.10	23		0		2	0	0
CONDA	51.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	19+		0	0	23	0	.94	-1.08	.33		8.0			[illegible]	0	0
DRIGGS	50.1	24.7	37.4	[illegible]	[illegible]	1	4	[illegible]		0		[illegible]	0	.30	-.88						[illegible]	0	0
DUBOIS EXP STA	[illegible]	27.8	[illegible]	[illegible]	[illegible]	3+	4	[illegible]	[illegible]	0		[illegible]	0	[illegible]	-.34	[illegible]		[illegible]	2	22+	4	0	0
DUBOIS CAA AP	[illegible]	[illegible]	36.6	6.2	[illegible]	[illegible]	3	[illegible]	[illegible]	0		[illegible]	0	.41	-.28	.20	30	2.5	[illegible]	22+	3	0	0
FORT HALL IND AGENCY	[illegible]	[illegible]	[illegible]M	[illegible]	[illegible]	11	[illegible]	[illegible]	764	0		[illegible]	0	.45	-[illegible]	.18	6		0		[illegible]	0	0
GRACE	[illegible]	[illegible]	38.5	[illegible]	[illegible]	14	3	[illegible]	[illegible]	0		[illegible]	0	.84	-.33	.26		[illegible]	0	22	[illegible]	0	0
GRAY	[illegible]	[illegible]	30.1	0.2	[illegible]	4	-3	[illegible]	[illegible]	0	[illegible]	[illegible]	[illegible]	.87	-[illegible]	.30	[illegible]	[illegible]	4	22	4	0	0
GROUSE	45.[illegible]	16.[illegible]	32.1		[illegible]	11	-6	19	[illegible]	0		[illegible]		.05	-.58	.03	[illegible]	[illegible]	0		2	0	0
HAMER 4 NW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-[illegible]	[illegible]	[illegible]			[illegible]	2	[illegible]	-.27	[illegible]			0		3	0	0
IDAHO FALLS [illegible] NE	[illegible]	29.4M	40.4M		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			18	[illegible]	.28		.26	[illegible]	[illegible]	0		[illegible]	0	0
IDAHO FALLS CAA AP	51.5	27.7	39.6	[illegible]	65	14	8	20	[illegible]			[illegible]	[illegible]	.27	-[illegible]	.17	[illegible]	[illegible]	0		4	0	0
IRWIN [illegible]	[illegible]	29.7	[illegible]	[illegible]	[illegible]	11+	8	20	745			[illegible]	0	.63	-.52	.20		[illegible]	2	22	6	0	0
ISLAND PARK DAM	[illegible]	[illegible]	32.7	[illegible]	[illegible]	14	-3	20	[illegible]	0		28	[illegible]	[illegible]	-1.15	.93	[illegible]	[illegible]	12	22	5	2	0
LIFTON PUMPING STA	[illegible]	25.2	[illegible]	4.5	[illegible]	11	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	0	.56	-[illegible]	.37	6	[illegible]		[illegible]	[illegible]	[illegible]	0
MACKAY RS	[illegible]	[illegible]	35.9	[illegible]	58	3+	4	[illegible]	[illegible]			[illegible]	0	.23	-[illegible]	.14		.4		[illegible]	3	0	0
MALAD	[illegible]	30.0	41.6	[illegible]	[illegible]	11	10	[illegible]	[illegible]	0		[illegible]		.78	-.51	.38	[illegible]	.0	0		3	[illegible]	0
MALAD CAA AP	[illegible]	26.4	40.0		67	11+	9	20	[illegible]	0		[illegible]	0	[illegible]		.30	22		0		4	[illegible]	0
MAY RS	[illegible]	[illegible]	34.9	[illegible]	[illegible]	1	-1	19	899	0		[illegible]		[illegible]	.39	.50	23	2.5	2	23	4	1	0
MC CAMMON	[illegible]	[illegible]	40.1		65	11+	[illegible]	[illegible]	740			23		.95		.30	6+	2.0	[illegible]	21+	5	0	0
MINIDOKA DAM	53.4	32.7	[illegible]		[illegible]	1+	12	19	651	0		[illegible]	0	.36		.22	[illegible]	.0	0		2	0	0
MONTPELIER RS	[illegible]	23.0M	30.5M	[illegible]	[illegible]	[illegible]	2	20		0	[illegible]	[illegible]	0	.74	-[illegible]	.35	[illegible]	T	0		[illegible]	0	0
OAKLEY	56.1	33.7	[illegible]	6.4	[illegible]	[illegible]	12	20	596	0		11	0	.81	.04	.46	[illegible]	.5	[illegible]		[illegible]	0	0
PALISADES DAM	[illegible]	28.6	38.9		[illegible]	11+	[illegible]	[illegible]	775	0		21	0	.87		.35	[illegible]	6.0	[illegible]	[illegible]	[illegible]	0	0
PAUL 1 E	56.0	29.4	42.7	5.4	[illegible]	12	[illegible]	19		0	0	19	0	.26	[illegible]	.21	23		T	17+	3	0	0
POCATELLO WB AP	53.2	31.2	42.2	[illegible]	[illegible]	1+	[illegible]	20	678	0		14	0	.81	-.25	.31		[illegible]	1	17	7	0	0
PRESTON SUG FACT 2SE	53.7	[illegible]	[illegible]	6.5	67	11+	9	[illegible]	710	0	0	21	[illegible]	.58	-.86	.20	6+	3.1	2	[illegible]	[illegible]	0	0
REACTOR TESTING STA	50.0	20.0	35.0		[illegible]	[illegible]	-5	[illegible]	[illegible]	0	0	[illegible]	2	.08		.05	23	.1	0		3	0	0
RUPERT	55.9M	[illegible].6M	43.3M	6.4	[illegible]	12	11	19		0	[illegible]	13	[illegible]	.19	-.81			T	0		3	0	0
SAINT ANTHONY	50.7	27.1	[illegible]		64	3+	3	19	778	0	0	24	0	.64	-.78	.24	22		2	22	4	0	0
SPENCER RS	[illegible]	[illegible]	[illegible]	5.2	[illegible]	3	-5	19	[illegible]	0	[illegible]	[illegible]	2	.81	-.50	.36	22	[illegible]			6	0	0
SPRINGFIELD 1 SE	55.0	26.9	41.0	6.4	70	11	[illegible]	19	712	0	0	24	0	.21	-.71	.11	[illegible]	.0	0		3	0	0
STREVELL	[illegible]	28.6	39.0		[illegible]	11+	-2	19	[illegible]	0	[illegible]	18	[illegible]	.41		.23	6	.0	0		3	0	0
SUGAR	50.6	26.4	[illegible]	6.8	65	12	5	[illegible]	787	0	0	25	0	.99	[illegible]	.56	[illegible]				5	1	0
TETONIA EXP STA	[illegible]	[illegible].0	32.1		60	12+	3	20+	981	[illegible]	[illegible]	[illegible]	0	.37		.18	6				4	0	0
[illegible]			38.5	[illegible].4										.53	-[illegible]			2.1					
STATE			40.0	4.7										[illegible]	-.30			3.6					

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.29					.03	.08																.06	.07			[illegible]					
[illegible]	-	.20	[illegible]			.36	.13				.01	.10		.04				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
[illegible]	.48					[illegible]	.24											.02					.12	.07			.01					
[illegible]	[illegible]		T			.06	.05					T	T				.02	T					.42	1.65	.12	.05	.04	.06			[illegible]	
[illegible]	T																		T													
[illegible]	[illegible].31		[illegible]				.20	[illegible]	[illegible]			T	T		T	.01		.04					.42	1.83	[illegible]			.04	.05			
[illegible]	1.[illegible]					[illegible]	[illegible]						T									T	.5[illegible]				[illegible]	.23				
[illegible]	[illegible]		.35			.2[illegible]	.31					[illegible]	[illegible]	.06	[illegible]			.07					.88	1.53	.06		.14	.19		.03	.08	
[illegible]	[illegible]	[illegible]				.15	.	.43					.15	[illegible]		.	1.05	.50			T	.	.	1.2[illegible]	T	.05		.83	.	.	.29	
[illegible]	[illegible]	[illegible]					[illegible]						.01		.01	.55	.70	.12			.13	.26	.50	.10		.13		.30		.06	.02	
[illegible]	.44	.14	[illegible]			.05	T	[illegible]				.05	[illegible]	[illegible]				.44					.34	.65	.05		.02	[illegible]			T	
[illegible]	[illegible]					[illegible]	.20										T	T					[illegible]				T					
[illegible]	[illegible]					T	[illegible]									T		[illegible]	.06			.04										
[illegible]	1.20	T					.15						[illegible]	[illegible]	T								1.[illegible]									
[illegible]	[illegible].75		.04			[illegible]								.06			.02	.1[illegible]					.	[illegible]	[illegible]			.05				
[illegible]	1.31	[illegible]	[illegible]			.10	[illegible]				[illegible]	[illegible]	[illegible]	T	[illegible]		[illegible]	[illegible]				.05	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]			.01	
[illegible]	[illegible]	.14					.18	.17			[illegible]	[illegible]			.01	[illegible]	[illegible]				[illegible]	T	[illegible]			[illegible]		[illegible]	.01	.12	T	
[illegible]	.34					.02							T					T				[illegible]	.11	[illegible]							T	
[illegible]	[illegible]	.71	[illegible]			[illegible]	[illegible]	[illegible]				[illegible]	[illegible]	[illegible]	.10	[illegible]	[illegible]	.42	.3[illegible]		.10	T	[illegible]	.42	[illegible]	.07	.32	.32	[illegible]	[illegible]	[illegible]	
[illegible]	.31						.03											.02					[illegible]	.24								
[illegible]	[illegible]						.03											T	T					.2[illegible]								
[illegible]	[illegible]		T			.05	.01				T							[illegible]	T				.2[illegible]	T							[illegible]	
[illegible]	1.[illegible]0		.44			.10	.08							.05	[illegible]								.50	.09	[illegible]	[illegible]		[illegible]	.03		.10	
[illegible]	1.[illegible]					[illegible]						[illegible]		[illegible]	[illegible]			[illegible]					1.10	.11	.03		[illegible]	[illegible]			.01	
[illegible]	[illegible]	[illegible]	.25			[illegible]	.12					[illegible]	[illegible]	.02	.01			.21					[illegible]	.70	.01		.14	[illegible]				
[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	.33					.02	[illegible]		.02			.2[illegible]					[illegible]	[illegible]	.10		[illegible]	[illegible]			.05	
[illegible]	.30						.03						[illegible]			.01								[illegible]			.01	[illegible]				
[illegible]	.15					.05												T						.10				T				
[illegible]	[illegible]87	[illegible]					.41					.10				.12	.90	[illegible]			.14	.04	[illegible]	.08		[illegible]	T	[illegible]		.06	[illegible]	
[illegible]	[illegible]		.12				[illegible]	[illegible]					.03	.09				[illegible]	.03				.14	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]		T	
[illegible]	-	T					[illegible]				[illegible]		.07	-		-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	
[illegible]	3.73	T					.30	.02				.16	.05	.01	[illegible]		1.26	.04			[illegible]	.0[illegible]	1.46			[illegible]		[illegible]			.01	
[illegible]	[illegible]						.33	[illegible]										[illegible]	[illegible]	T		.01	.03	[illegible]	[illegible]	[illegible]	.01	.				
[illegible]	1.[illegible]	[illegible]				[illegible]	.16				T		T				[illegible]	[illegible]	.15		T	.	.78	[illegible]		.08		.18	[illegible]		.	
[illegible]	[illegible]	.03	[illegible]			[illegible]	.02					.05		.03	.01			.49					2.30	[illegible]	.18		[illegible]	.44			[illegible]	
[illegible]	.53	[illegible]	.46			[illegible]	[illegible]				T	[illegible]		[illegible]	.03			.					[illegible]	[illegible]	[illegible]		.10	.35			[illegible]	
[illegible]	[illegible].34	.22	[illegible]			.08	.17					[illegible]	.05	.02	[illegible]			.10					1.64	[illegible]	[illegible]		[illegible]	.37			[illegible]	
[illegible]	[illegible]		[illegible]			[illegible]												[illegible]					[illegible]	[illegible]	.12			.12				
[illegible]	3.00	[illegible]				[illegible]	.10	[illegible]				T	T				[illegible]	[illegible]	[illegible]		.07	.04	1.10	[illegible]	.08		.13	.12		[illegible]	.12	
[illegible]	[illegible]						.04	[illegible]								.01	[illegible]					.	[illegible]				.02					
[illegible]	[illegible]						[illegible]											[illegible]	[illegible]				.17									
[illegible]	.41					T	.02											.04	[illegible]				.10	[illegible]							[illegible]	
[illegible]			[illegible]			.10	.02					[illegible]					[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.05	.38	.74	[illegible]	-		-		-		

DAILY PRECIPITATION

Table 3—Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
ELK RIVER 1 S	2.47	.27				.20	.31	.13	T			.21			.01	.02	.38	.34			.02		.32	.05			.03	.07	.01		.10
EMMETT 2 E	1.47		.35				.09																.65	.14	.08			.16			
FAIRFIELD RS	2.05					T	.04	T				.02	T	T	.02	T							.93	1.01	T		T	.03			T
FENN RS	4.70	*	*			.17	.38									.05	.58	.15	.05				1.42	.54		.24	.24	.76			.12
FORT HALL IND AGENCY	.45					.06	.18											.04					.04	.09			*	.04			
GARDEN VALLEY RS	3.64		.43			.17	.14		.06			T	.07	T	.02			.08					1.33	.93	.11		.07	.22	.01		T
GLENNS FERRY	.85					T	.08								T		T						.50	.21		.04					.02
GOODING CAA AP	1.23		.02			T	.16				T		T		.01			T					.72	.32	T			T			T
GRACE	.94					.02	.26											.20				.06	.04	.12			.14				
GRAND VIEW	.44		.03			.05											.06						T	.12	.18						
GRANGEVILLE	2.38	.08				.14	.10	.02									.67	.17	.02		.07		.43	.28		.04	.07	.26			.03
GRAY	.87						.28											.04					.25			.30					
GROUSE	.05												.03															.02			
HAILEY AP	.82					.04						.03			.02	.08							*	.65							
HAMER 4 NW	.10					.05												T					.01	.04							
HAZELTON	.46		T				.03											.01	T				.36	.03							.03
HILL CITY	1.89						T						.07	.11									.70	.92			T	.09			T
HOLLISTER	-																						.36		-						-
HOWE	.09					T	.09	T											T										T		
IDAHO CITY	4.77		.27			.19	.23	.02					.12	.02	.01	.17	.01		.09				1.44	1.72	.20		.03	.22			.03
IDAHO CITY 13 SW	4.85	T	.21			.06	.30					.03	.05	.02	T	.05		T					2.15	1.55	.08		.08	.27			T
IDAHO FALLS [illegible]	.28					T	.26									T		T					.02								
IDAHO FALLS CAA AP	.27		T			.17	.03								T			T	T				.02	T							.05
IRWIN	.63						.20									.15		.05					.18	.03			.02				
ISLAND PARK DAM	1.94						.55											.22					.93	.14			.10				
JEROME	.57		T			T	.03					T						.01					.19	.30	T						.04
KAMIAH 1 NE	2.76	.03	.05			.09	.12	.14									.42	.54	.02				.33	.58	.03		.09	.31	.01		
KELLOGG	4.24		.15				.27	.27		.02	T	.26	.01	.08	.02	.05	.89	.92	.02		.07	.03	.26	.50	.06	.02	.13	.10	.10	.01	T
KOOSKIA	2.86	.05	.03			.15	.12					T					.11	.98	T		T	.03	.71	.19	T		.24	.25			T
KUNA 2 NNE	1.13		.08			.05	.05						T	.03	T			.06					.65	.07	.07		T	.07			T
LEWISTON WATER PLANT	1.66					.14	.11				T	T	.06	T	T	T	.18	.25	.02		T	.01	.43	.07	T		.02	.37			
LEWISTON WB AP R	1.56					.02	.17				T		.02	T	T		.14	.34	.03		.03	T	.36	.06			.03	.36	T	T	T
LIFTON PUMPING STA	.56			.04		.02	.37											.01				T	.02	.05			.05				
MACKAY RS	.23					.14													.01					.08							
[illegible]	.78					T	.36											.04					.38								
[illegible] CAA AP	.61					.22	.05						T					.04				T	.30	T	T						T
MAY RS	.66					.13	T						.01	T				.02						.50				T			T
MC CALL	2.12	.12				.10	.12				.03			.03				.30					.42	.63			.25	.12			
MC CAMMON	.95					T	.30											.05	T		T	.20	.10	.30	T	T			T		
[illegible] 1 W	1.13		.11			.10	.06					T	.03	.02	T		T						.54	.10	.07		T	.10			
MESA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.39					1.43		.25		.12	.30			T
[illegible]	.36						.22																.14					T			
[illegible]	.74						.35	.03										.03	T			.01	T	.02	.11			.19			
MOSCOW U OF I	3.40	.02				.04	.19	.01			.03	.20	.12	T	.03	.02	.55	.07	T	T	.08	.06	1.30	.17	.03	.03	.02	.38			.05
MOUNTAIN HOME	.66					T	.01						T	T			.03						.50	.12							
MULLAN PASS CAA	4.57	.18				.18	.46	T			.18	.03	.03	T	T	.25	1.05	.13	.02	.03	.09	.17	.57	.26	.13	.16		.29	.06	T	.30
[illegible]	1.02		.20				.11							T	T			.06					.30	.20	.07			.07	.01		
[illegible]	2.42	.02	.04			.02	.04					.02	.02	.01		.01		.41					1.15	.26	.08		*	.31			.03
NEZPERCE 2 E	2.50	.02				.20	.08				T		.01				.25	.33	.15		.02		.90			T	.26	.25			.03
OAKLEY	.81					.13	.46											.06					.11		.05						
OBSIDIAN 4 NNE	1.97		.26			.26	.32	T				.01	.02			.03		T					.25	.67			.04	.11			T
OLA 5 S	3.03		.23			.22	.36						.06					.28					.93	.72			.11	.12			
OROFINO	3.01	.08				.24	.20	.03					.03				.16	.34	.15		.01	.02	1.04	.14	.05	.01		.50	.01		
[illegible]	.87		.01				.16							.02		.13		.03	T			.01	.35	.11	T		.02	.03			
PARMA EXP STA	1.26	T	.40			.06	.03				T		T	T	.03			.04				T	.34	.10	.07		.06	.13			
PAUL 1 E	.26						.01											T					.04	.21							
PAYETTE	.63	T	.08			.04	.01				T	T	T	T	.02			.02				.02	.27	.02	.03	.02		.10	T		T
[illegible]	4.42	.26	.01			.18	.37	.04				.07		.06	.01	.02	.46	.76	.01			.08	1.52	.26	.07		.25	.43			.06
POCATELLO WB AP //R	.81			T		.31									T			.05	.01			T	.07	.06	T		.23	T			.08
PORTHILL	2.14	.35	.05				.05	.04				.15	T		T	.25	.45	.03			T	.15	.20			.23		.08	T	.10	T
POTLATCH 1 SE	3.06	T				.07	.11				.08	.13	.10	T	T	T	.80	.10	.13		.08	.08	.85	.16	.04	T	.01	.28	T		.04
PRESTON SUG FACT 2 SE	.58					.01	.20							T				.20	.02			T	.04	.10	.01						
PRIEST RIVER EXP STA	3.10	T				T	.53	.01				.24	.03	T	.03	.07	.88	.05		T	.11	.02	.58	.03		.19		.20	T	.11	.02
REACTOR TESTING STA	.08					.02												T					.01	.05							T
RICHFIELD	.65						.02								T								.46	.14			T				.03
RIGGINS RS	.93	.01				.02	.02				.05						*	*	*		*		*	.83							
RUPERT	.19						.06											T					*	.13				T			
SAINT ANTHONY	.64			T		.15	.23											T					.24	.02				T			
SAINT MARIES	4.18	.05				.07	.29	.03				.27			.16	.21	1.03	.10	T		.09	.14	1.14	.15	.11	.09		.08	.07	.04	.06
SALMON	.72												.09		T	.01		.04					.24	.28				.06			
SANDPOINT EXP STA	2.14	.04				T	.27						.01		.05	T	.13	.06		T	.06	.01	.87	.03		.11		.34	T	.10	.06
SHOSHONE	.97		T				.15						T	.01	T								.52	.26							.03
SPENCER RS	.81					.03	.17											.18	.05				.36	.02							
SPRINGFIELD 1 [illegible]	.21		T			T	.09																.01	T			.11				
STIBNITE	2.50		.34				.10	.02				.02	.13	.09				.40	.02			T	.30	.74	T			.22	.12	T	
STREVELL	.41						.23											.13	T	T	T	T	.05								T
SUGAR	.99					.09	.56																.13	.01							.20
SUN VALLEY	.96					.05	.06					T	.02	T	T				T				.60	.13				.10			T
SWAN FALLS PH	.68						.08																.18	.18	.20	.02		.01	.01		
TETONIA EXP STA	.37		T			T	.18										.03	T					.13				.03				
THREE CREEK	.76			T														.15					.23	*	.22						.16
TWIN FALLS 2 NNE	.40		.01			.03	.06					T						.01					.27	.01	T						.01
TWIN FALLS 3 [illegible]	.39		T	.01			.05											.03					.11	.17	.02			T			
WALLACE	6.33	.53				.17	.61	.02				.35	.18		T	.26	1.73	.29	T		.07	T	1.08	.26	.12	.19		.36	T	.09	.02
WALLACE WOODLAND PARK	5.60		.32				.56	.35				.26	T	.24		T	.75	1.28	.07		.02	.05	.59	.60	.19		.11	T	.21	T	
WEISER	1.36					.31							T	T			T						.46	.34	.04		.06	.15	T		
WINCHESTER [illegible]	2.16						.43					.03					.30	.40	.30				.10	.35		.10	.15				

See reference notes following Station Index

DAILY TEMPERATURES

Table 5

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
BERDEEN EXP STA	MAX	[illegible]	55	59	[illegible]	60	49	[illegible]	[illegible]	56	59	67	65	[illegible]	62	[illegible]	[illegible]	[illegible]	43	36	[illegible]	[illegible]	37	45	50	54	[illegible]	55	[illegible]	55	47		[illegible]
	MIN	24	43	27	[illegible]	[illegible]	33	[illegible]	24	[illegible]	29	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21	6	10	[illegible]	[illegible]	[illegible]	[illegible]		40	[illegible]	34	27	26		[illegible]
LPHA 1 NE	MAX	[illegible]	56	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	60	57	[illegible]	57	[illegible]	[illegible]	37	34														
	MIN	24	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	18	[illegible]	[illegible]	23	20	22	20	24	[illegible]	16	6														
MERICAN [illegible]	MAX	[illegible]	[illegible]	[illegible]	57	[illegible]	48	[illegible]	[illegible]	[illegible]	[illegible]	60	[illegible]	61	59	60	60	[illegible]	36	37	36	39	37	48	44	54	[illegible]	55	[illegible]	55	[illegible]		52.9
	MIN	31	44	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	36	29	21	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	35	24	[illegible]		30.2
NDERSON DAM	MAX	58	57	[illegible]	64	59	48	56	[illegible]	62	62	[illegible]	[illegible]	[illegible]	61	60	63	53	41	42	43	48											56.1
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	34	[illegible]	[illegible]	[illegible]	43	40	[illegible]	[illegible]	39	[illegible]	20	19	[illegible]	26	[illegible]	[illegible]	34	[illegible]	[illegible]	41	32	[illegible]	[illegible]		[illegible]
RCO	MAX	59	58	64	[illegible]	[illegible]	51	[illegible]	51	54	[illegible]	62	61	[illegible]	[illegible]	[illegible]	[illegible]	48	34	36	40	37		46	52	50	45	55	[illegible]	48	49		[illegible]
	MIN	[illegible]	[illegible]	23	[illegible]	[illegible]	24	[illegible]	14	14	23	22	32	[illegible]	[illegible]	21	20	29	22	7	[illegible]	18		[illegible]	12	[illegible]	[illegible]	28	21	14	16		[illegible]
RROWROCK DAM	MAX	57	58	52	[illegible]	64	55	45	[illegible]	55	[illegible]	63	[illegible]	59	[illegible]	63	[illegible]	62	[illegible]	38	42	42	42	45	46	48	51	50	54	48	55		52.5
	MIN	[illegible]	[illegible]	[illegible]	32	[illegible]	36	31	32	33	34	37	39	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	34		33.2
SHTON 1 S	MAX	[illegible]	47	55	59	60	54	45	51	[illegible]	[illegible]	[illegible]	62	60	[illegible]	55	49	40	[illegible]	29	[illegible]	34	40	45	43	41	40	41	[illegible]	45	46		47.4
	MIN	26	28	25	20	[illegible]	[illegible]	22	[illegible]	27	[illegible]	31	32	29	30	30	24	[illegible]	[illegible]	7	12	26	31	34	29	[illegible]	34	[illegible]	[illegible]	[illegible]	29		26.1
TLANTA 1 E	MAX	58	51	55	57	[illegible]	37	40	[illegible]		57	[illegible]	51	[illegible]	51	[illegible]	57	[illegible]	43	40	40	36	[illegible]	[illegible]									[illegible]
	MIN	[illegible]	34	[illegible]	31	[illegible]	30	[illegible]	[illegible]		34	29	[illegible]	32	41	[illegible]	[illegible]	[illegible]	[illegible]	9	[illegible]	19	26	[illegible]									[illegible]
VERY R	MAX		[illegible]	[illegible]	49	[illegible]				54	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]	[illegible]	46	45	39	39	40	36	43	50	42	40	41	[illegible]	38	45		[illegible]
	MIN		28	[illegible]	[illegible]	[illegible]				[illegible]	[illegible]	[illegible]	[illegible]	36	36	[illegible]	38	32	27	25	[illegible]	[illegible]	[illegible]	32	34	34	[illegible]	[illegible]	[illegible]	36	36		[illegible]
AYVIEW MODEL BASIN	MAX	62	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	59	51	[illegible]	51	52	52	50	58	54	[illegible]	[illegible]	41	42	39	46	43	46	[illegible]	41	41	44	44	44		47.9
	MIN	[illegible]	27	24	29	32	34	[illegible]	[illegible]	[illegible]	32	31	40	34	37	[illegible]	36	[illegible]	26	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	29	[illegible]	35	[illegible]	35	[illegible]		32.4
IG CREEK 1	MAX	51	[illegible]	49	[illegible]	[illegible]	[illegible]	42	44	43	41	[illegible]	[illegible]	51	[illegible]	[illegible]	52	51	34	[illegible]	30	[illegible]	37	42	48	45	48	42	45	46	45		44.9
	MIN	[illegible]	29	14	[illegible]	22	30	24	14	18	15	25	[illegible]	30	25	38	[illegible]	[illegible]	[illegible]	- 6	[illegible]	15	[illegible]	[illegible]	[illegible]	19	31	[illegible]	19	25	24		22.1
LACKFOOT	MAX	63	55	59	63	61	47	53	55	55	58	65	[illegible]	65	64	59	63	[illegible]	39	[illegible]	37	[illegible]	41	44	40	50	48	54	[illegible]	51	[illegible]		52.6
	MIN	21	44	[illegible]	[illegible]	[illegible]	33	24	[illegible]	21	28	33	[illegible]	35	40	40	30	[illegible]	[illegible]	[illegible]	8	24	28	33	[illegible]	33	[illegible]	[illegible]	35	27	28		29.2
LACKFOOT DAM	MAX	56	49	54	55	51	39		51	55	54	54	[illegible]	59	[illegible]	54		55	50	32	[illegible]								47	49	46		50.8
	MIN	22	38	23	[illegible]	[illegible]	[illegible]		15	16	22	27	[illegible]	29	[illegible]	33		[illegible]	14	- 2	0								23	22	[illegible]		22.2
LISS	MAX	65	60	63	65	66	56	57	61	63	64	64	66	65	63	65	68	65	47	42	44	45	43	47	59	58	59	60	63	69	56		
	MIN	43	42	40	35	31	34	24	36	37	45	35	41	37	45	29																	
OISE LUCKY PEAK DAM	MAX			60	70	69	59	64	68		68	69	67	68	69		70	66	42	49	46	47		48		60		60	55		55		60.4
	MIN		27	36	37	[illegible]	38	34		39	40	43	47	45	43		[illegible]	[illegible]	22	22	28	28	34			38		42	37				36.0
OISE WB AP	MAX	65	53	55	66	[illegible]	48	60	64	60	65	68	[illegible]	66	67	61	67	41	40	45	43	43	47	51	49	60	[illegible]	58	53	53	56		55.7
	MIN	41	34	34	33	36	36	35	31	33	37	38	43	40	49	38	37	24	20	19	28	27	34	39	38	37	41	40	34	34	38		34.9
ONNERS FERRY 1 SW	MAX	55	51	48	45	45	45	52	47	45	51	57	58	50	50	56	52	42	40	36	36	38	44	45	50	47	40	42	43	40	44		46.5
	MIN	43	27	20	22	24	33	34	29	29	28	36	34	33	32	40	32	24	19	25	[illegible]	32	42	37	33	32	28	28	30	32	36		30.4
UHL	MAX	63	58	57	64	60	52	60	60	63	67	70	64	62	63	64	71	63	39	46	[illegible]	45	49	51	54	61	55	60	56	58	53		57.6
	MIN	40	42	36	35	41	39	30	32	33	34	44	46	42	51	40	35	31	24	18	[illegible]	30	32	40	33	40	38	39	36	37	38		36.1
URKE 2 NNE	MAX	47	44	48	50	46	38	40	41	47	48	44	45	45	48	47	43	41	30	34	33	35	35	35	37	38	41	38	35	38	38		41.0
	MIN	38	21	21	26	29	31	32	28	29	30	30	33	30	33	39	32	23	23	18	28	27	30	30	32	24	28	28	23	32	32		28.8
URLEY	MAX	69	67	53	59	62	62	53	57	59	62	66	69	69	64	62	67	66	39	40	44	40	42	51	48	54	63	55	59	60	59		57.3
	MIN	38	40	29	29	31	36	27	29	29	24	37	46	37	38	40	30	32	24	13	14	17	[illegible]	38	34	32	33	36	33	33	32		31.8
URLEY FACTORY	MAX	65	67	51	57	60	61	53	55	59	62	64	67	68	65	61	62	64	38	37	40	37	48	50	47	50	60	55	56	57	57		55.7
	MIN	35	37	28	26	28	34	23	26	28	28	35	38	33	34	37	27	31	24	10	11	16	[illegible]	29	30	29	29	33	30	30	31		28.7
URLEY CAA AP	MAX	67	53	59	61	61	49	57	60	64	65	70	69	66	63	63	65	51	37	41	37	42	47	51	51	60	54	57	57	57	49		56.1
	MIN	35	42	29	26	34	29	24	26	26	35	35	37	34	35	30	28	29	23	10	15	29	33	35	32	40	36	34	32	31	29		29.8
ALDWELL	MAX	58	56	55	61	55	50	57	59	58	56	60	64	66	67	62	67	64	43	45	47	46	48	55	50	50	53	60	53	50	54		55.6
	MIN	36	39	29	29	31	40	30	30	32	29	39	35	37	47	35	[illegible]	[illegible]	28	[illegible]	6	27	[illegible]	41	49	[illegible]	42	44	33	31	37		34.4
AMBRIDGE	MAX	62	60	60	54	56	55	60	53	53	51	57	56	63	62	61	58	56	45	44	47	42	37	48	47	48	46	58	53	50	48		53.3
	MIN	32	35	20	25	25	34	24	20	20	20	26	35	32	33	30	31	33	20	17	25	26	32	33	38	35	38	42	31	30	30		29.1
ASCADE 1 NW	MAX	57	47	47	55	50	38	47	45	49	50	56	56	52	52	50	52	49	40	35	35	33	41	42	40	46	45	45	45	47	47		46.1
	MIN	30	32	26	27	30	31	25	24	24	24	31	38	33	32	35	37	26	16	9	25	23	27	33	31	28	36	36	40	30	36		28.8
HALLIS	MAX	63	57	53	51	53	47	49	50	47	46	60	54	47	56	60	64	52	30	29	32	39	46	46	50	41	47	51	47	50	45		48.7
	MIN	29	39	30	22	30	30	20	19	21	21	30	29	29	27	30	29	18	12	5	9	27	30	31	20	25	30	34	27	29	29		25.4
HILLY BARTON FLAT	MAX	56	55	53	50	46	44	44	50	49	53	57	53	51	49	52	54	47	38	33	34	35	34	38	44	44	44	50	49	48	42		46.5
	MIN	18	35	15	14	34	27	11	11	11	16	17	37	21	34	20	20	20	14	- 2	1	21	24	22	18	16	28	28	25	19	25		20.0
LARK FORK 1 ENE	MAX	57	55	54	53	51	49	58	55	52	59	57	55	55	50	54	54	48	49	51	50	47	46	45	51	49	50	43	43	45	41		50.9
	MIN	28	22	19	23	25	33	32	27	27	27	33	32	32	44	47	39	36	34	34	24	31	33	36	31	32	27	31	27	35	32		31.1
OBALT BLACKBIRD MINE	MAX	52	54	38	43	46	44	35	37	41	44	47	49	42	45	47	45	51	23	20	19	26	31	34	31	36		41	39	40	41		39.3
	MIN	30	29	20	20	25	23	17	19	21	23	23	28	29	30	32	30	22	5	- 1	- 1	10	19	28	13	17		22	17	17	27		20.5
OEUR D ALENE CAA AP	MAX	54	47	48	50	47	44	53	49	49	54	52	54	50																			
	MIN	31	24	27	30	31	35	34	35	35	30	35	37	35																			
OEUR D ALENE RS	MAX	58	51	51	55	51	44	57	52	52	53	51	54	51	50	55	53	43	39		40	40	45	47	49	50	50	44	44	43	44		48.8
	MIN	44	26	18	23	28	38	34	32	32	31	35	36	32	35	41	37	31	28		31	33	[illegible]	35	40	38	[illegible]	35	31	36	36		33.2
ONDA	MAX	59	59	52	60	56	53	42	49	52	59	63	65	67	62	69	60	62	44	41	33	35	37	38	42	44	47	44	49	50	57		51.7
	MIN	26	30	28	29	37	30	20	18	19	23	30	35	37	35	40	26	20	19	1	1	8	14	22	24	23	[illegible]	33	34	27	27		24.9
OTTONWOOD	MAX	61	49	52	57	54	42	52	50	53	55	62	53	55	59	55	53	37	37	37	35	38	45	44	48	52	48	48	42	49	50		49.1
	MIN	38	21	18	26	29	31	27	28	30	24	24	34	30	36	34	35	23	12	14	25	22	32	31	33	35	39	32	28	31	35		28.9
OUNCIL	MAX	59	60	59	63	55	46	58	55	57	54	59	59	67	59	58	60	57	43	41	46	40	40	49	45	47	46	52	51	52	51		52.9
	MIN	32	35	21	24	28	38	24	22	23	22	30	30	33	33	32	41	32	24	19	29	28	32	35	35	35	39	40	31	32	29		30.6
EADWOOD DAM	MAX	58	49	52	48	46	36	49	48	46	49	48	56	54	51	48	52	49	32	33	37	33	35	38	41	40	39	46	42	43	40		44.6
	MIN	24	34	26	27	25	25	28	24	25	23	32	31	28	27	29	28	25	28	23	19	21	26	31	27	30	31	32	25	26	26		26.9
EER FLAT DAM	MAX	60	56	62	66	51	54	54	66	61	60	64	58	65	67	63	70	47	45	46	47	46	57	49	51	52	53	63	50	53	51		56.2
	MIN	40	39	36	31	35	37	32	38	33	38	43	34	36	43	35	43	35	29	20	26	29	36	40	39	35	37	43	34	32	38		35.5
IXIE	MAX	56	46	53	56	50	42	45	47	46	47	56	53	47	51	49	57	46	38	33	29	30	34	40	42	44	42	41	45	49			45.3
	MIN	24	25	11	15	21	27	15	15	18	19	22	26	26	24	34	36	18	7	- 6	16	20	22	23	15	21	31	28	11	22			20.2
RIGGS	MAX	68	65	50	59	60	57	39	47	50	53	55	60	65	60	64	58	55	35	31	28	25	38	40	46	50	49	50	50	46	49		50.1
	MIN	26	26	26	26	27	27	19	18	20	25	25	29	25	35	40	25	21	20	6	4	19	19	25	23	32	32	30	32	35	24		24.7
UBOIS EXP STA	MAX	55	55	59	55	50	47	43	52	52	55	56	59	57	59	54	56	51	30	28	35	34	32	41	39	36	39	45	41	46	42		46.8
	MIN	36	42	31	32	36	32	21	25	28	31	34	40	37	36	31	33	30	21	4	5	13	23	29	16	22	27	36	22	28	32		27.8
UBOIS CAA AP	MAX	58	56	62	57	55	49	46	55	55	57	59	62	60	60	56	58	39	33	31	39	39	37	45	42	37	42	47	42	50	44		49.1
	MIN	30	32	30	29	34	23	19	23	21	28	30	36	33	30	28	27	26	18	3	6	11	25	17	17	22	27	26	24	23	25		24.1
LK CITY	MAX	58	52	59	60	46	42	55	52	50	58	64	58	49	59	52	69	55	38	30	34	37	42	43	38								50.0
	MIN	25	30	18	20	23	24	23	20	20	21	29	26	26	26	24	34	26	18	2	24	32	31	32	32								24.4
LK RIVER 1 S	MAX	58	58	56	57	53	47	54	54	54	55	60	54	56	53	54	44	44	42	44	39	40	42	45	44	44	46	45	43	49	47		49.4
	MIN	25	23	17	23	26	36	30	31	27	25	33	27	31	30	33	33	31	30	26	29	30	32	30	30	37	31	31	26	32	32		29.2
MMETT 2 E	MAX	56	55	56	61	51	51	58	60	58	58	65	67	66	70	65	69	65	45	49	47	45	52	54	51	55	50	60	52	50	50		56.4
	MIN	38	38	29	31	31	39	30	32	32	31	32	37	37	42	40	45	[illegible]	18	22	27	26	38	42	40	38	42	41	35	33	36		34.6
AIRFIELD	MAX				58	55	44	50	56	57	58	59	56	60	56	56	59	50	38	35	39	39	35	39	43	48	47	51	51	52	46		49.5
	MIN	29			22	32	26	13	22	21	27	21	37	30	28	22	26	[illegible]	11	[illegible]	[illegible]	[illegible]	26	32	25	22	32	35	29	27	32		23.3
NN RS	MAX			52	54	50	48	53	50	47	54	58	55	50	52	48	53	41	43	42	37	43	41	48	46	45	45	46	39	46	43		47.5
	MIN			29	28	31	38	35	30	30	24	37	35	35	36	35	38	35	32	26	29	33	38	36	33	34	39	38	32	34	36		33.5
ORT HALL IND AGENCY	MAX	65		59	62	60	47	57	58	55	61	68		64			64	56	48	32	37	37	38	46	49	54		53	51	52			52.6
	MIN		47	30	34	30	35	22	20	20	26		33	34			29	30	24	10	8	25	29	32	33	34		36	32		25		28.3
RDEN VALLEY RS	MAX	52	56	58	58	49	46	47	47	48	61	56	57	54	54	55	50	[illegible]	41	45	42	41	36	45	43	49	46	51	46	43	42		49.1
	MIN	30	30	30	29	29	36	37	33	37	33	28	38	34	35	31	31	33	17	15	25	23	30	34	34	35	37	39	36	36	31		31.0
ENNS FERRY	MAX	66	59	67	68	64	57	61	65	68	67	70	66	66	66	67	70	55	45	45	47	50	53	53	51	62	55	64					60.1
	MIN	36	45	31	29	38	37	21	41	40	43	32	43	38	55	29	30	34	24	[illegible]	25	28	33	41	33	39	41	42					34.5
OODING CAA AP	MAX	63	52	58	65	61	50	55	60	50	64	68	62	63	62	61	67	42	40	40	40	42	43	45	51	55	54	57	54	55	49		54.6
	MIN	43	36	34	35	41	33	27	36	36	41	37	42	42	47	35	34	[illegible]	20	10	22	14	28	[illegible]	34	34	38	40	31	31	34		33.3
ACE	MAX	58	54	58	58	52	43	48	53	58	59	61	61	63	64	58	57	41	30	29	32	30	32	41	45	45	43	48	49	50	50		49.0
	MIN	27	41	30	30	30	32	22	25	22	28	33	35	34	35	38	40	20	19	6	3	20	20	30	28	30	[illegible]	35	36	29	26		27.6
AND VIEW	MAX	66	60	60	68	61	56	62	64	67	65	70	64	67	71	65	74	68	44	[illegible]	48	45	50	[illegible]	52								60.3
	MIN	34	44	31	26	29	35	20	[illegible]	[illegible]	35	30	39	34	31	31	31	[illegible]	28	12	28	26	34	42	33								31.8
ANGEVILLE	MAX	64	45	52	55	48	49	50	[illegible]	54	[illegible]	[illegible]	57	[illegible]	64	56	58	[illegible]	34	34	[illegible]	[illegible]	45	46	[illegible]	54	46	[illegible]	48	49	[illegible]		50.0
	MIN	42	27	22	28	[illegible]	32	31	[illegible]	32	[illegible]	[illegible]	[illegible]	34	39	45	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	37	[illegible]	36	34	29	30	35		31.5
AY	MAX	56	54	55	57	56	55	48	49	50	51	[illegible]	[illegible]	46	[illegible]	46	[illegible]	46	[illegible]	30	[illegible]	[illegible]	28	[illegible]	[illegible]	35	36	[illegible]	36	37	[illegible]		[illegible]
	MIN	24	25	[illegible]	27	24	20	[illegible]	14	[illegible]	[illegible]	[illegible]	[illegible]	8	19	16	[illegible]	[illegible]	14	- 3	- 1	0	[illegible]	15	16	[illegible]	19	[illegible]	20	22	[illegible]		[illegible]
[illegible]	MAX	56	[illegible]	[illegible]	[illegible]	47	47	44	51	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	54	[illegible]	46	[illegible]	[illegible]	40	39	41	[illegible]	[illegible]	49	48	52	48	[illegible]	42		48.1
	MIN	[illegible]	31	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	9	[illegible]	19	22	[illegible]	[illegible]	19	22	[illegible]	16	- 6	- 3		20	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	11	[illegible]		[illegible]

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HAI[illegible] AP	MAX	[illegible]	55	57	[illegible]	[illegible]	48	50	55	58	54	60	54	58	55	52	57	46	[illegible]	[illegible]	37	38	39	41	[illegible]	45	47	49	49	52	47		50
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	10	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	26		25
HAMER 4 NW	MAX	[illegible]	[illegible]	62	[illegible]	56	[illegible]	47	[illegible]	54	[illegible]	[illegible]	64	[illegible]	[illegible]	58	[illegible]	[illegible]	36	[illegible]	37	[illegible]	[illegible]	[illegible]	42	[illegible]	41	[illegible]	[illegible]	46	44		50
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	26	28	12	1	[illegible]	[illegible]	[illegible]	34	31	23	32	24	[illegible]	[illegible]	- 5	- 1	[illegible]	[illegible]	[illegible]	9	15	20	[illegible]	[illegible]	[illegible]	[illegible]		20
[illegible]	MAX	[illegible]	61	[illegible]	[illegible]	59	[illegible]	[illegible]	54	[illegible]	66	65	[illegible]	62	[illegible]	64	67	57	[illegible]	[illegible]	[illegible]	[illegible]	45	48	46	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]		54
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]		[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	27	27	[illegible]	[illegible]	[illegible]	23	[illegible]	38	[illegible]	[illegible]	[illegible]	30	[illegible]	27	30		30
[illegible]	MAX	[illegible]	58	[illegible]	[illegible]	57	[illegible]	[illegible]	[illegible]	56	57	[illegible]	56	[illegible]	[illegible]	57	[illegible]	[illegible]	41	[illegible]	[illegible]	37	37	[illegible]	44	42	47	50	[illegible]	49	44		50
	MIN	[illegible]	[illegible]	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17	27	[illegible]	34	[illegible]	[illegible]	[illegible]	20	[illegible]	13	[illegible]	[illegible]	[illegible]	17	32	24	[illegible]	[illegible]	33	31	[illegible]	[illegible]		[illegible]
[illegible]	MAX	[illegible]	[illegible]	[illegible]	64	[illegible]	58	[illegible]	58	[illegible]		68	[illegible]	[illegible]						41	36	42	49	[illegible]	42	62	[illegible]	[illegible]	[illegible]	57	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	28	[illegible]	[illegible]	36	[illegible]	36	[illegible]		[illegible]	47	[illegible]					22	[illegible]	[illegible]	28	[illegible]		34	33	[illegible]	[illegible]	[illegible]	[illegible]	33		[illegible]
IDAHO CITY	MAX	[illegible]	61	60	65	60	[illegible]	58	60	[illegible]	60	[illegible]	[illegible]	64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	45	[illegible]	[illegible]	41	45	[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	32	31	26	[illegible]	[illegible]	25	25	[illegible]		[illegible]
IDAHO FALLS 6 NE	MAX	60	[illegible]	[illegible]	[illegible]	57	[illegible]	48	[illegible]	54	57	63	66	64	[illegible]	57	62	54	[illegible]	34	33	[illegible]	37	41	[illegible]		48	[illegible]	48	51	[illegible]		[illegible]
	MIN	[illegible]	45	27	27		[illegible]	[illegible]	24	20	[illegible]	[illegible]	40	39	43	[illegible]	[illegible]	31	19	9	7	21	[illegible]	[illegible]	31		[illegible]	34	34	[illegible]			[illegible]
IDAHO FALLS CAA AP	MAX	60	[illegible]	[illegible]	[illegible]	59	[illegible]	[illegible]	[illegible]	[illegible]	62	[illegible]	63	[illegible]	65	[illegible]	61	[illegible]	36	37	37	[illegible]	43	42	49	43	46	52	49	52	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	17	9	[illegible]	19	31	[illegible]	32	[illegible]	[illegible]	34	34	[illegible]	[illegible]		[illegible]
[illegible]	MAX	60	[illegible]	53	59	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	65	59	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	34	43	[illegible]	40	44	[illegible]	47	53	52		[illegible]
	MIN	30	[illegible]	29	[illegible]	39	[illegible]	21	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	40	38	30	30	[illegible]	9	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	36	37	[illegible]	28	[illegible]		[illegible]
ISLAND PARK DAM	MAX	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]		49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	28	[illegible]	[illegible]	29	[illegible]	35	[illegible]	37	37	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	24	[illegible]	26	[illegible]	[illegible]			16	16	23	27	[illegible]	27	[illegible]	39	24	24	14	- 2	- 3	7	20	28	15	30	[illegible]	26	27	[illegible]			[illegible]
[illegible]	MAX	[illegible]	[illegible]	59	[illegible]	61	[illegible]	58	59	62	[illegible]	70	66	[illegible]	61	62	[illegible]	[illegible]	[illegible]	43	34	[illegible]	[illegible]	44	[illegible]	[illegible]	56	[illegible]	[illegible]	54	[illegible]		57
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30	29	18	[illegible]	20	[illegible]		34	31	30	[illegible]	37		27	[illegible]		[illegible]
KELLOGG	MAX	[illegible]	[illegible]	[illegible]	54	56	[illegible]	43	[illegible]	49	50	60	[illegible]	[illegible]	[illegible]	54	[illegible]	50	43	41	41	37	46	[illegible]	47	49	[illegible]	41	[illegible]	40	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	30	[illegible]	37	[illegible]	36	38	39	[illegible]	[illegible]	30	[illegible]	[illegible]	34	[illegible]	[illegible]	37	[illegible]	35	30	31	[illegible]		[illegible]
[illegible]	MAX	65	57	[illegible]	54	52	52	[illegible]	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	42	41	[illegible]	[illegible]	57	53	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]		[illegible]
	MIN	[illegible]	27	20	[illegible]	27	[illegible]	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	40	[illegible]	[illegible]	21	[illegible]	34	[illegible]	[illegible]	[illegible]	37	43	43	30	[illegible]	[illegible]		[illegible]
[illegible]	MAX	64	[illegible]	[illegible]	65	[illegible]	[illegible]	60	[illegible]	58	[illegible]	[illegible]	63	65	67	63	68	[illegible]	[illegible]	46	45	45	[illegible]	58	[illegible]	60	[illegible]	61	[illegible]	[illegible]	51		56
	MIN	[illegible]	[illegible]	[illegible]	29	[illegible]	36		[illegible]	32	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	20	14	[illegible]	[illegible]	36	40	[illegible]	[illegible]	42	41	[illegible]	32	[illegible]		[illegible]
LEWISTON WATER PLANT	MAX	[illegible]	[illegible]	53	[illegible]	[illegible]	56	61	[illegible]	[illegible]	57	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	45	45	[illegible]	[illegible]	[illegible]	57	[illegible]	58	57	[illegible]	[illegible]			[illegible]
	MIN	[illegible]	29	24		[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	37	41	[illegible]	40	39	46	33	31	30	37	33	40		39	44	[illegible]	40	37	[illegible]	39		[illegible]
[illegible]	MAX	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	58	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	55	[illegible]	[illegible]	45	41	[illegible]	39	[illegible]	54	[illegible]	[illegible]	57	[illegible]	57	44	[illegible]	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	MAX		[illegible]	57	[illegible]	49	43	[illegible]	48	53	[illegible]	[illegible]		59	59	57	[illegible]	50	[illegible]	[illegible]	[illegible]	30	37	41	41	47	47	48			[illegible]		47.
	MIN	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	21	[illegible]	35	31	30	[illegible]	34	24	[illegible]	[illegible]	11	[illegible]	16	[illegible]	[illegible]	29	23		28	[illegible]	[illegible]			[illegible]
MACKAY RS	MAX	57	[illegible]	[illegible]	49	45	[illegible]	[illegible]	[illegible]	53	56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	40	44	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	25	[illegible]	[illegible]	30	[illegible]	[illegible]	20	[illegible]	[illegible]	32	30	24	[illegible]	20	[illegible]	20	4	[illegible]	21		[illegible]	21	[illegible]	[illegible]	27	[illegible]	21	[illegible]		[illegible]
MALAD	MAX	60	63	[illegible]	[illegible]	[illegible]	49	51	[illegible]	[illegible]	[illegible]	67	64	65	65	60	61	[illegible]	[illegible]	[illegible]	40	39	[illegible]	47	50	49	50	54	[illegible]	54	[illegible]		[illegible]
	MIN	[illegible]	42	[illegible]	32	34	34	24	[illegible]	24	[illegible]	[illegible]	37	37	[illegible]	[illegible]	29	[illegible]	24	[illegible]	[illegible]	22	26	36	[illegible]	[illegible]	32	[illegible]	29	28			30
MALAD CAA AP	MAX	[illegible]	62	[illegible]	[illegible]	[illegible]	[illegible]	53	[illegible]	57	59	67	65	65	[illegible]	[illegible]	[illegible]	[illegible]	36	38	39	39	40	[illegible]	[illegible]	49	50	55	[illegible]	[illegible]	[illegible]		53.
	MIN	[illegible]	[illegible]	[illegible]	29	[illegible]	28		[illegible]	[illegible]	28	[illegible]	30	33	[illegible]	30	[illegible]	26	23	14	9	20	27	33	[illegible]		28	28	24	24	[illegible]		26.
MAY RS	MAX	65	56	54	[illegible]	54	[illegible]	51	[illegible]	[illegible]	53	[illegible]	[illegible]	49	[illegible]	54	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	40	[illegible]	45	46	42	52	[illegible]		46		48.
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		20.
MC CALL	MAX	52	[illegible]	54	54	[illegible]	36	[illegible]	[illegible]	48	46	54	50	46	50	[illegible]	48	[illegible]	30	[illegible]	[illegible]	[illegible]	40	40	40	40	[illegible]	[illegible]	[illegible]	44	36		43.
	MIN	30	26	18	26	30	[illegible]	[illegible]	[illegible]	[illegible]	24	30	[illegible]	30	30	[illegible]	[illegible]	[illegible]	18	10	24	22	[illegible]	[illegible]	28	34	[illegible]	34	[illegible]	[illegible]	[illegible]		27.
[illegible]	MAX	61	62	[illegible]	60	[illegible]	[illegible]	[illegible]	53	54	[illegible]	65	62	[illegible]	[illegible]	[illegible]	59	50	44	40	38	37	42	41	46	50	49	48	46	[illegible]	50		52.
	MIN	29	33	29	[illegible]	[illegible]	26	23	[illegible]	24	23	[illegible]	34	35	[illegible]	27	[illegible]	31	[illegible]	13	[illegible]	[illegible]	[illegible]	21	36	[illegible]	39	33	[illegible]	[illegible]	30		27.
MERIDIAN 1 W	MAX	59	55	52	65	55	[illegible]	59	62	57	[illegible]	65	59	65	67	63	67	63	41	46	45	45	45	52	49	[illegible]	52	[illegible]	51	50	52		55.
	MIN	40	39	30	30	31	[illegible]	30	31	34	32	31	49	35	49	34	42	[illegible]	20	15	21	22	[illegible]	40	38	35	41	42	32	[illegible]	39		33.
[illegible]	MAX																	49	39	39	44	39	40	45	44	47		52	48	50	46		
	MIN																	40	24	21	28	28	30	33	35	35		40	34	35	32		
MINIDOKA DAM	MAX	64	50	59	58	60	47	51	54	5	60	62	64	62	60	61	63	59	37	36	37	40	44	47	50	59	55	55	54	51	50		53.
	MIN	37	43	30	31	39	36	27	34	34	33	38	41	37	41	35	36	30	21	12	20	24	30	34	32	33	33	37	31	28	34		32.
MONTPELIER RS	MAX	61	63	58	51	56	51	41	51	52	56	57	64	59	64	64	59	59	34	28	32	32	30	39	39			49					50.
	MIN	21	31	30	30	27	31	19	18	18	25	32	32	30	34	32	21	29	20	8	2	9	8	15	25			29					23.
MOSCOW U OF I	MAX	58	52	54	62	54	46	55	54	51	61	59	53	58	57	56	50	40	40	38	38	38	47	46	46	50	49	47	44	49	47		50.
	MIN	44	20	20	35	40	36	34	39	42	44	38	42	39	46	43	40	29	26	29	32	30	35	34	34	45	35	39	36	36	31		35.
MOUNTAIN HOME	MAX	65	60	62	63	64	55	60	65	66	65					71	69	63	42	51	45	48	52	52	54	61	65	62	64	66	63		59.
	MIN	43	40	31	33	42	35	27	30	33	34	35	46	41	38	31	35	31	22	15	22	25	33	41	33	36	38	36	30	32	28		33.
MULLAN PASS CAA	MAX	44	34	40	47	42	30	36	43	45	48	45	46	40	46	39	36	25	22	25	26	27	31	28	30	36	34	34	30	37	40		36.
	MIN	25	19	26	29	27	28	28	30	38	35	32	32	32	33	32	23	18	15	14	21	20	25	24	25	28	25	23	20	30	22		26.
NAMPA 2 NW	MAX	66	58	54	56	63	50	51	59	61	59	57	62	58	67	67	64	69	45	43	47	47	45	55	48	51	56	52	61	50	51		55.
	MIN	38	38	29	29	30	37	32	31	33	32	29	37	34	39	34	37	32	25	16	23	25	35	42	38	35	41	43	32	32	39		33.
NEW MEADOWS RS	MAX	54	58	60	62	54	48	55	54	53	58	59	57	58	57	56	54	42	35	38	38	35	43	42	40						43		50.
	MIN	24	22	15	18	22	34	23	17	17	15	25	28	27	26	37	34	28	15	10	18	23	32	31	24						30		23.
NEZPERCE 2 E	MAX	60	48	52	55	46	45	51	51	49	54	60	55	54	60	55	55	44	42	32	34	38	46	45	50	50	48	50	39	46	43		48.
	MIN	40	25	22	28	32	32	31	33	32	33	37	39	33	40	40	26	30	16	6	18	22	20	27	20	26	22	24	25	38	30		28.
OAKLEY	MAX	72	63	54	65	63	48	56	60	61	63	69	66	65	65	62	65	52	37	41	35	42	44	49	52	58	52	59	59	60	47		56.
	MIN	40	42	31	33	37	36	27	32	41	42	38	42	37	40	38	38	28	25	14	12	24	29	41	33	37	30	39	31	32	37		33.
OBSIDIAN 4 NNE	MAX	54	47	44	52	46	38	41	41	42	48	49	46	48	47	48	51	46	22	33	33	31	33	3	44	39	40	44	44	45	38		42.
	MIN	22	31	20	17	28	28	8	8	10	13	26	32	26	33	28	29	17	0	- 5	7	20	22	23	12	24	32	30	18	19	30		20.
OLA 5 [illegible]	MAX	62	60	63	63	61	58	59	58	56	56	54	58	60	57	67	58	49	42	43	43	42	46	50	49	54	52	59	52	50	48		54.
	MIN	29	29	27	26	32	33	23	24	23	27	29	34	33	33	32	32	32	17	17	26	26	28	40	35	35	37	37	35	33	35		30.
OROFINO	MAX	68	58		56	45	50	58	51	47	51	62	59	55	48	48	49	49	48	41	39	42	44	54	57	49	48	52	47	49	46		50.
	MIN	40	33	23		30	39	35	31	32	30	35	37	35	35	35	47	36	34	26	33	37	38	39	37	41	38	43	29	32	38		35.
PALISADES DAM	MAX	59	46	57	57	50	48	46	52	54	58	62	60	62	61	59	59	54	33	33	33	31	32	43	42	42	49	48	48	49	49		49.
	MIN	30	39	33	31	32	34	24	25	26	29	37	35	38	36	39	29	30	24	8	6	16	23	30	26	23	30	32	33	29	30		28.
PARMA EXP STA	MAX	56	58	58	60	52	53	58	58	55	50	58	63	67	68	67	65	58	38	49	52	45	58	56	51	51	51	60	52	49	56		55.
	MIN	36	39	28	27	29	37	30	38	26	28	28	36	34	42	36	41	30	24	17	26	22	38	40	38	37	40	42	37	31	31		32.
PAUL 1 E	MAX	66	66	51	58	62	60	50	57	59	62	66	68	67	66	60	62	66	39	38	40	39	42	50	47	51	62	55	57	57	58		56.
	MIN	34	38	28	27	29	36	24	26	27	28	35	35	37	37	36	27	31	23	11	13	15	29	34	32	30	34	35	32	30	29		29.
PAYETTE	MAX	52	55	54	55	49	53	54	54	54	53	58	60	61	66	61	63	53	45	48	48	42	54	53	50	55	49	53	51	48	52		53.
	MIN	35	38	26	27	30	30	30	29	29	27	29	36	35	44	38	38	32	21	19	26	26	35	42	37	38	42	43	33	33	33		32.
PIERCE RS	MAX	47	46	41	53	42	42	46		46			54	47	50	49	49	39	41	46				44	40	37	42	46	40	44	39		44.
	MIN	29	26	18	22	25	34	30		24		23	34	30	32	32	38	29	26	18				29	30	30	32	32	26	34	32		28.
POCATELLO WB AP	MAX	65	52	59	59	59	47	51	56	56	62	65	64	63	63	59	61	55	45	36	36	37	44	47	49	53	50	54	52	53	55		53.
	MIN	29	40	31	27	33	35	24	22	22	28	41	42	34	42	40	36	29	17	14	12	26	33	34	34	37	42	37	36	30	28		31.
PORTHILL	MAX											52	57	48	42	54	50	42	47	38	37	36	42	47	52	44	40	42	42	39	44		
	MIN	48	23	27	21	24	28	32	25	28	26	33	31	35	36	42	33	25	20	27	26	28	30	29	32	38	24	31	32	30	33		29.
POTLATCH 1 SE	MAX	57	51	52	52	48	49	54	56	56	65	58	53	58	58	55	50	48	38	38	38	37	45	45	45	50	52	46	42	50	43		49.
	MIN	40	17	19	23	33	35	31	32	36	35	33	41	33	43	45	38	31	28	28	31	29	34	34	35	37	31	39	28	36	35		33.
PRESTON SUG FACT 2 SE	MAX	62	60	61	61	60	51	51	55	58	57	67	65	67	65	61	61	58	36	34	35	34	36	50	48	50	52	53	55	55	53		53.
	MIN	29	39	38	29	32	36	23	21	22	30	35	33	35	36	43	26	30	22	12	9	24	23	21	32	29	31	34	31	27	24		28.
PRIEST RIVER EXP STA	MAX	54	48	50	51	46	41	48	42	44	53	52	55	51	44	51	49	35	31	35	35	35	41	41	47	44	41	38	37	37	39		43.
	MIN	44	16	16	22	25	30	30	29	29	30	35	32	31	31	40	32	28	24	26	30	30	30	31	30	30	28	30	24	32	33		29.
REACTOR TESTING STA	MAX	61	54	57	58	51	48	48	51	54	57	63	62	58	58	55	60	45	36	34	38	35	40	45	51	46	44	54	49	47	41		50.
	MIN	19	32	24	16	25	28	12	14	9	21	26	30	27	25	39	21	25	5	- 5	- 4	7	27	31	23	20	23	29	24	13	15		20.
RICHFIEL[illegible]	MAX	60	55	58	59	58	49	52	56	49	59	63	62	61	58	58	63	55	38	37	38	39	36	42	48	51	49	55	50	49	47		51.
	MIN	37	38	26	30	30	31	20	24	26	35	27	35	32	38	26	27	27	10	6	14	7	26	35	29	27	35	37	28	25	33		27.
[illegible] R	MAX		51	61	56	60	57			62	61	69	60	62										50	53	54		56	54		54		
	MIN		35	31	38	41	40			42	34	39	45	40										28	40	42		41	34		42		
R[illegible]PERT	MAX	64	66	54	58	61	60	50	55	57	62		68	67	65		65	65	37	38	40	38		50	48	52	62	55	58	57	56		55.
	MIN	35	45	28	28	33	37	25	28	27	27	35		38	39		30	30	24	11	13	17	29		35	35	35	37	34	35	35		30.
SAINT ANTHONY	MAX	60	58	64	61	54	48	47	54	57	60	62	63	64	63	62	61	48	35	34	38	34	38	46	38	40	45	50	44	47	45		50.
	MIN	28	45	26	27	30	34	20	25	24	28	30	35	34	32	41	27	30	19	3	6	14	27	31	29	26	31	33	25	25	27		27.
SAINT MARIES	MAX	59	55	52	59	54	54	57	54	51	64	62	59	[illegible]	55	57	54	49	46	42	47	45	44	48	49	49	46	44	50	49	47		52.
	MIN	33	21	16	23	27	33	[illegible]	30	27	28	35	34	34	36	35	[illegible]	31	28	28	32	30	32	34	30	35	35	33	27	32	34		31.
SALMON	MAX	65	54	56	58			58	59	[illegible]	49	64	52	52	47	67	68	40	39	34	35	42	43	51	53	43	43	49	43	51	45		50.
	MIN	28	26	15	16			20	[illegible]	18	17	25	31	28	25	[illegible]	30	27	14	5	8	25	32	22	15	25	30	30	25	28	28		22.

See reference notes following Station Index.

DAILY TEMPERATURES

able 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ANDPOINT EXP STA	MAX	54	50	47	46	45	43	[illegible]	48	[illegible]	[illegible]	54	[illegible]	49	45	[illegible]	[illegible]	40	36	37	[illegible]	[illegible]	44	44	50	48	47	40	41	41	42		[illegible]
	MIN	43	27	22	22	26	32	38	[illegible]	29	[illegible]	40	40	34	36	42	32	31	22	[illegible]	31	[illegible]	32	37	38	34		27	[illegible]	34	[illegible]		31.9
HOSHONE	MAX	63	54	61	64	62	[illegible]	[illegible]	[illegible]	[illegible]	67	67	63	64	[illegible]	60	66	[illegible]	40	40	[illegible]	[illegible]	[illegible]	43	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	48		54.7
	MIN	39	41	30	33	40	[illegible]	[illegible]	33	[illegible]	38	28	[illegible]	38	42	[illegible]	32	[illegible]	16	9	[illegible]	10	[illegible]	36	[illegible]	[illegible]	[illegible]	34	29	[illegible]	[illegible]		31.0
PENCER RS	MAX	[illegible]	56	58	54	[illegible]	[illegible]	42	51	52	[illegible]	56	57	56	57	[illegible]	[illegible]	45	[illegible]	28	31	[illegible]	31	[illegible]	[illegible]	40	39	39	42	45	40		45.4
	MIN	24	25	26	22	31	[illegible]	[illegible]	16	16	24	26	[illegible]	28	[illegible]	30	27	24	[illegible]	- 5	- 4	[illegible]	[illegible]	22	4	12	30	[illegible]	[illegible]	18	[illegible]		[illegible]
PRINGFIELD 1 SE	MAX	65	57	62	65	62	50	[illegible]	56	[illegible]	60	70	[illegible]	64	[illegible]	60	63	[illegible]	43	38	40	39	[illegible]	44	[illegible]	[illegible]	47	65	[illegible]	60	48		[illegible]
	MIN	28	42	26	23	27	32	19	21	[illegible]	28	24	[illegible]	31	30	33	24	[illegible]	19	4	7	[illegible]	28	33	[illegible]	32	34	42	30	24	26		[illegible]
TIBNITE	MAX	58	51	43	51	52	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	54	45	47	[illegible]	51	[illegible]	29	27	[illegible]	28	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	44		43.7
	MIN	[illegible]	28	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26	28	24	[illegible]	29	30	[illegible]	[illegible]	[illegible]	[illegible]	1		17	19	23	14	18	25	33	[illegible]	[illegible]	27		22.0
REVELL	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	47	[illegible]	[illegible]	[illegible]	61	[illegible]	59	[illegible]	61	[illegible]	[illegible]	[illegible]	32	31	38	[illegible]	[illegible]	48	[illegible]	46	[illegible]	49	47	45		49.4
	MIN	[illegible]	[illegible]	28	[illegible]	[illegible]	[illegible]	22	[illegible]	[illegible]	[illegible]	[illegible]	40	33	47	[illegible]	33	22	18	- 2	10	[illegible]	22	32	28	29	31	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
UGAR	MAX	[illegible]	[illegible]	63	61	[illegible]	46	[illegible]	[illegible]	[illegible]	57	63	[illegible]	[illegible]	64	57	[illegible]	50	[illegible]	[illegible]	[illegible]	[illegible]	36	41	45	[illegible]	45	[illegible]	46	[illegible]	44		[illegible]
	MIN	24	44	25	[illegible]	[illegible]	35	22	21	20	27	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	30	18	6	[illegible]	[illegible]	27	31	[illegible]	[illegible]	30	34	29	[illegible]	[illegible]		26.4
UN VALLEY	MAX	[illegible]	56	57	[illegible]	[illegible]	47	49	57	[illegible]	57	59	[illegible]	[illegible]	[illegible]	52	[illegible]	[illegible]	48	[illegible]	[illegible]	[illegible]	34	39	44	44	45	48	47	[illegible]	45		[illegible]
	MIN	20	32	[illegible]	[illegible]	27	21	10	12	[illegible]	17	[illegible]	[illegible]	23	22	[illegible]	19	27	[illegible]	[illegible]		4	18	29	10	11	[illegible]	[illegible]	18	16	20		17.8
AN FALLS PH	MAX	66	62	62	[illegible]	63	53	61	61	[illegible]	62	[illegible]	67		69	[illegible]	73	[illegible]	43	[illegible]	[illegible]	[illegible]	62	60	[illegible]	57	54	64	[illegible]	52	[illegible]		60.0
	MIN	44	43	36	35	40	40	[illegible]	[illegible]	[illegible]	42	[illegible]	43		41	47	46	[illegible]	31	21	31	31	40	41	39	[illegible]	44	45	37	34	44		38.4
TONIA EXP STA	MAX	[illegible]	55	56	51	48	52	45	48	[illegible]	57	49	60	56	[illegible]	54	[illegible]	47	[illegible]	[illegible]	24	21	34	[illegible]	37	40	[illegible]	36	48	[illegible]	33		45.1
	MIN	26	24	26	22	[illegible]	[illegible]	[illegible]	20	[illegible]	21	19	[illegible]	[illegible]	24	21	24	26	[illegible]	[illegible]		3	10	14	24	23	[illegible]	22	25	[illegible]	19		19.0
REE CREEK	MAX	[illegible]	[illegible]	[illegible]	60	[illegible]	52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	62	62	[illegible]	[illegible]	65	[illegible]	54	41	[illegible]	37	[illegible]	47	47	[illegible]	54	56	[illegible]	[illegible]	[illegible]		55.3
	MIN	[illegible]	[illegible]	26	24	31	28	[illegible]	[illegible]	30	[illegible]	24	43	[illegible]	41	[illegible]	20	22	24	[illegible]	20	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	[illegible]	22	[illegible]		27.3
IN FALLS 2 NNE	MAX	64	56	[illegible]	[illegible]	62	[illegible]	59	[illegible]	63	[illegible]	68	[illegible]	62	[illegible]	62	69	62	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	53	60	56	59	57	57	49		[illegible]
	MIN	[illegible]	43	32	[illegible]	37	[illegible]	24	27	26	[illegible]	33	[illegible]	36	40	[illegible]	27	31	22	[illegible]	17	[illegible]	29	41	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
IN FALLS 3 SE	MAX	67	67	51	57	62	62	[illegible]	[illegible]	[illegible]	[illegible]	67	68	68	62	[illegible]	62	[illegible]	[illegible]	[illegible]	43	[illegible]	46	[illegible]	51	54	61	[illegible]	[illegible]	57	[illegible]		57.1
	MIN	[illegible]	34	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	40	40	[illegible]	30	[illegible]	[illegible]	[illegible]	18	31	38	[illegible]	36	[illegible]	36	37	[illegible]	[illegible]		31.8
LLACE	MAX	51	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	51	[illegible]	[illegible]	48	[illegible]	[illegible]	[illegible]	47	43	[illegible]	[illegible]	[illegible]	40	45	46	46	49	44	44	40	48	43		46.7
	MIN	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	31	32	34	[illegible]	36	32	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	34	[illegible]	[illegible]	33		[illegible]
LLACE WOODLAND PARK	MAX	57	[illegible]	46	[illegible]	[illegible]	52	[illegible]	[illegible]	53	[illegible]	59	[illegible]	46	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	34	40	44	44	46	48	46	[illegible]	[illegible]	48		[illegible]
	MIN	41	24	21	21	30	[illegible]	34	[illegible]	[illegible]	[illegible]	34	[illegible]	33	38	[illegible]	37	32	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	32	33	[illegible]	32	27	[illegible]	34		[illegible]
ISER	MAX	58	58	[illegible]	[illegible]	58	[illegible]	[illegible]	[illegible]	58	[illegible]	62	[illegible]	68	64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	49	[illegible]		[illegible]
	MIN	38	36	23	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	34	28	[illegible]	40	38	43	36	[illegible]	14	18	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	44	40	30	[illegible]	[illegible]		[illegible]
NCHESTER 1 SE	MAX	[illegible]	51	54	58	53	42	[illegible]	45	[illegible]	[illegible]	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	40	36	[illegible]	37	36	41	47	50	48	49	[illegible]	[illegible]	[illegible]		49.4
	MIN	[illegible]	20	20	[illegible]	31	[illegible]	33	[illegible]	27	[illegible]	30	35	[illegible]	[illegible]	29	[illegible]		18	[illegible]	[illegible]	27	[illegible]	20	[illegible]	[illegible]	34	[illegible]	36	[illegible]	[illegible]		29.2

EVAPORATION AND WIND

Table 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
LIFTON PUMPING STA	EVAP	.06	.07	.05	.08	.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
	WIND	35	30	24	32	59	42	33	18	35	22	25	37	18	41	46	40	83	163	85	41	70	45	201	68	43	44	33	77	35	35		1560
MINIDOKA DAM	EVAP	.14	.07	.01	.10	.12	.09	.05	.08	.11	.13	.09	.11	.04	.12	.12	.12	.12	-	-	-	-	-	-	-	-	-	-	-	-	-		-
	WIND	110	80	50	90	140	170	90	135	145	150	80	80	60	120	110	100	200	190	80	170	170	190	250	140	110	60	70	90	50	140		3620

SNOWFALL AND SNOW ON GROUND

able 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
NDERSON DAM	SNOWFALL																	T					3.2	T								
	SN ON GND																															
RCO	SNOWFALL																		T													
	SN ON GND																															
RROWROCK DAM	SNOWFALL																						2.0									
	SN ON GND																						2									
SHTON 1 S	SNOWFALL						T																4.5									
	SN ON GND																						2									
TLANTA 1 E	SNOWFALL					T	2.5											1.0					8.8	4.6								
	SN ON GND						3	1										1	1				9	12	-	-	-	-	-	-	-	
IG CREEK 1 S	SNOWFALL						1.0	3.0										4.0					1.0	7.0							T	
	SN ON GND																	4	2	2	2	2	3	10	6	5	4	2	2	2	2	
LACKFOOT	SNOWFALL																	T					T									
	SN ON GND																															
OISE WB AP	SNOWFALL																					T	T									
	SN ON GND																															
ONNERS FERRY 1 SW	SNOWFALL																3.4				1.0		2.0			T			1.0			
	SN ON GND																3	T	T	T	T	T	T						T			
URLEY CAA AP	SNOWFALL																	T	T				T									
	SN ON GND																															
ASCADE 1 NW	SNOWFALL						0.5											2.5					7.5	T								
	SN ON GND																	1	1	1	1	1	5	3	2	1						
ENTERVILLE ARBAUGH RCH	SNOWFALL						0.1																11.0		T							
	SN ON GND																						9	7	7	6	4	3	3	3	3	
OBALT BLACKBIRD MINE	SNOWFALL						0.1	0.1										2.1	T				2.1	10.0	T			T				
	SN ON GND						T	1	1	1	1	T	T					2	2	2	2	1	4	15	14	11	-	8	7	7	6	
OEUR D'ALENE RS	SNOWFALL																				T											
	SN ON GND																				T											
OTTONWOOD	SNOWFALL																	0.5	1.5		T											
	SN ON GND																	1	2	1	1	T										
EADWOOD DAM	SNOWFALL						2.5											1.3					8.0		1.5			T				
	SN ON GND						2	T	T	T	T							1	T	T	T	T	8	8	8	8	8	6	6	6	6	
UBOIS CAA AP	SNOWFALL																	0.3	T				1.0	0.2							1.0	
	SN ON GND																						T	T	T	T						
ARDEN VALLEY RS	SNOWFALL																						6.0									
	SN ON GND																						-	-	-	-	-	-	-	-	-	

See reference notes following Station Index

Table 7

SNOWFALL AND SNOW ON GROUND

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
GOODING CAA AP	SNOWFALL																	T					3.0								
	SN ON GND																						2								
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND																	1	1												
GRAY	SNOWFALL																	2.0					4.0								
	SN ON GND																	2	2				4	3	2	1					
HAILEY AP	SNOWFALL																						*	4.0							
	SN ON GND																						-	-	-	-	-	-	-	-	-
HAMER 4 NW	SNOWFALL																	T					T								
	SN ON GND																														
HILL CITY	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-
IDAHO CITY	SNOWFALL																						8.0								
	SN ON GND																						-	-	-	-	-	-	-	-	-
IDAHO CITY 13 SW	SNOWFALL						T											T					9.0		T						
	SN ON GND																														
IDAHO FALLS CAA AP	SNOWFALL																	T	T				T	T							0.3
	SN ON GND																														
IRWIN 2 S	SNOWFALL																						2.0	T							
	SN ON GND																						2								
ISLAND PARK DAM	SNOWFALL						3.0											4.0					10.0	1.0							
	SN ON GND						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	10	-	-	-	-	-	-	6
LEWISTON WB AP	SNOWFALL																	T	T												
	SN ON GND																														
MACKAY RANGER STA	SNOWFALL																		0.1					0.3							
	SN ON GND																		T					T							
MALAD CAA AP	SNOWFALL																	T				T	T								
	SN ON GND																														
MAY RANGER STA	SNOWFALL						T						T	T				T						2.5							
	SN ON GND																							2	1	T	T	T			
MC CALL	SNOWFALL																	5.0					6.0								
	SN ON GND																	-	-	-	-	-	6	6	-	-	-	-	-	-	-
MESA	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	T					4	T							
MULLAN PASS CAA	SNOWFALL	T				1.4	5.0	T					T			2.5	10.5	1.0	1.0	1.0	2.0	3.0	8.0	1.0	1.3	T		2.5	0.6	T	3.0
	SN ON GND						2	6	6	6	4	3	T	T	T	T	3	7	7	7	8	8	12	14	18	18	16	15	18	18	18
NEZPERCE 2 E	SNOWFALL																	T			T										
	SN ON GND																														
OAKLEY	SNOWFALL																	0.5					T								
	SN ON GND																														
OBSIDIAN 4 NNE	SNOWFALL					T	4.0											T					6.0	2.0							T
	SN ON GND					T	4	3	3	3	2	T						T	T	T	T	T	6	[illegible]	7	[illegible]	5	4	4	3	3
PIERCE RS	SNOWFALL																-	2.0				-	0.5	1.0							
	SN ON GND																1	2	1			1	1	3	2	1	1				
POCATELLO WB AP	SNOWFALL					T												1.0	0.1			T	T	T							0.8
	SN ON GND																	T	T	T			T								
PORTHILL	SNOWFALL																T					T									
	SN ON GND																T														
POTLATCH 1 SE	SNOWFALL																		-		-	-									
	SN ON GND																		1												
PRIEST RIVER EXP STA	SNOWFALL						T										2.0	T		T	0.7	0.1	T					T	0.3		
	SN ON GND																1	1	1	1	2	2	1	1					T		
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND																							1	1						
SANDPOINT EXP STA	SNOWFALL																T			T	0.5	T	T					T		T	
	SN ON GND																T				T										
SPENCER RS	SNOWFALL						T											2.5	0.5				5.0	0.5							
	SN ON GND																	-	3	-	-	-	7	-	-	-	-	-	-	-	-
STIBNITE	SNOWFALL						1.0	0.5										5.0	0.3			T	5.0	8.0	T					T	
	SN ON GND						1	1										5	2	2	2	2	6	13	12	10	8	5	4	4	4
SUN VALLEY	SNOWFALL					T	T												T				6.0	3.0							
	SN ON GND																						6	8	6	4	3	2	2	2	1
THREE CREEK	SNOWFALL																	1.0					2.0	*	2.0						1.5
	SN ON GND																	1	T				2								2
TWIN FALLS 2 NNE	SNOWFALL																	T													
	SN ON GND																														
WALLACE	SNOWFALL																	T	T		T	T	T	T							
	SN ON GND																	T	T		T	T	T								

See reference notes following Station Index

STATION INDEX

Station	Index No	County	Drainage†	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	[illegible]	BINGHAM	1[illegible]	42 [illegible]	112 5[illegible]	4400	[illegible]P	[illegible]	EXPERIMENT STATION	2 3 6 7
ALBION	[illegible]	CASSIA	12	42 [illegible]	113 [illegible]	[illegible]	[illegible]P	[illegible]P	DELL ROWE	2 3
ALPHA 1 SE	[illegible]	VALLEY	8	44 24	11[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
AMERICAN FALLS 1 NW	[illegible]	POWER	1[illegible]	42 46	112 52	[illegible]	[illegible]	5P	U S BUR RECLAMATION	2 3
ANDERSON DAM	[illegible]	ELMORE	[illegible]	43 [illegible]	115 28	[illegible]	[illegible]P	[illegible]	U S BUR RECLAMATION	[illegible]
ARCO	[illegible]	BUTTE	[illegible]	43 [illegible]	11[illegible] 19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ARROWROCK DAM	[illegible]	ELMORE	[illegible]	43 [illegible]	[illegible] 55	[illegible]	8A	8A	U S BUR RECLAMATION	2 3
ASHTON [illegible]	[illegible]	FREMONT	1[illegible]	44 [illegible]	111 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 7
ATLANTA 1 E	[illegible]	ELMORE	[illegible]	43 48	11[illegible]	6000	[illegible]P	[illegible]P	[illegible]	2 3 7 C
ATLANTA SUMMIT	[illegible]	ELMORE	2	4[illegible]	11[illegible] 14	[illegible]		VAR	[illegible]	[illegible]
AVERY RANGER STATION	[illegible]	SHOSHONE	1[illegible]	47 1[illegible]	115 [illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3
BANCROFT	[illegible]	[illegible]	1[illegible]	42 43	111 54	[illegible]		MID	KENNETH E [illegible]	C
BAYVIEW MODEL BASIN	[illegible]	KOOTENAI	[illegible]	4[illegible]	11[illegible]	2070	[illegible]	4P	U S NAVY	2 3 5
[illegible] DAM	[illegible]	[illegible]	[illegible]	48 1[illegible]	116 [illegible]	[illegible]		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	[illegible]	VALLEY	11	4[illegible]	115 20	[illegible]	6P	[illegible]	[illegible]	7 C
BLACKFOOT	[illegible]	BINGHAM	12	4[illegible]	11[illegible] 21	[illegible]	6P	[illegible]	EARL [illegible]	2 3
BLACKFOOT DAM	[illegible]	[illegible]	1[illegible]	[illegible]	111 [illegible]	6200	[illegible]	5P	FORT HALL IR PROJ	2 3 C
BLISS	[illegible]	[illegible]	1[illegible]	42 [illegible]	[illegible]	[illegible]	[illegible]		NORTH SIDE CANAL CO	[illegible]
BOGUS BASIN	[illegible]	[illegible]		43 46	116 [illegible]	[illegible]		MID	F H KUHN	C
BOISE LUCKY PEAK DAM	1018	ADA		43	11[illegible]	[illegible]	[illegible]	[illegible]	[illegible] ENGINEERS	2 3 C
BOISE WB AIRPORT	[illegible]	[illegible]		[illegible]	116 13	[illegible]	MID	MID	U S WEATHER BUREAU	7 C
BONNERS FERRY [illegible]	1079	BOUNDARY	[illegible]	48 41	116 19	[illegible]	[illegible]	[illegible]	CHARLES G HOWARD JR	2 3 7 C
BRIDGE	[illegible]	CASSIA	1	[illegible]	[illegible]	[illegible]		MID	[illegible]	[illegible]
BUHL	[illegible]	TWIN FALLS	1[illegible]	[illegible] 25	114 [illegible]	[illegible]	5P	[illegible]	WILLIAM A LOW	2 3
BUNGALOW RANGER STATION	1244	CLEARWATER		46 [illegible]	115 30	[illegible]	3P	[illegible]	U S FOREST SERVICE	[illegible]
BURKE [illegible]	1272	SHOSHONE		47 [illegible]	115 [illegible]	[illegible]	4P	[illegible]	MONTANA POWER CO	2 3 5
BURLEY [illegible]	[illegible]	CASSIA	12	42 32	[illegible] 47	4180	8A	8A	FRANK O REDFIELD	[illegible]
BURLEY FACTORY	[illegible]	CASSIA	1	[illegible]	11[illegible]	4140	8A	[illegible]	AMALGAMATED SUGAR	2 3 C
BURLEY CAA AIRPORT	[illegible]	CASSIA	1[illegible]	4[illegible] 32	113 [illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3
CALDWELL	[illegible]	CANYON	[illegible]	43 [illegible]	116 41	[illegible]	5S	5S	HAROLD M [illegible]	[illegible]
CAMBRIDGE	[illegible]	WASHINGTON	12	44 34	11[illegible]	2[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CASCADE 1 NW	[illegible]	VALLEY	8	4[illegible]	116 [illegible]	[illegible]	[illegible]	[illegible]P	U S BUR RECLAMATION	2 3 5 7 C
CASCADE RANGER STATION	[illegible]	VALLEY	8	44 [illegible]	1[illegible]	[illegible]		MID	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	MARK M [illegible]	[illegible]
CHALLIS	[illegible]	CUSTER	11	44 [illegible]	114 1[illegible]	5171	[illegible]P	5P	U S FOREST SERVICE	2 3
CHILLY BARTON FLAT	[illegible]	CUSTER	[illegible]	44 0[illegible]	11[illegible] 18	[illegible]	[illegible]P	[illegible]P	GEORGE A MILLER	[illegible]
CLARK FORK 1 ENE	1810	BONNER	[illegible]	4[illegible]	116 1[illegible]	2125	6P	[illegible]P	MRS MARY L RALPH	[illegible]
[illegible]	[illegible]	[illegible]	10	[illegible]	11[illegible]	[illegible]		MID	U S FOREST SERVICE	[illegible]
COBALT BLACKBIRD MINE	1938	LEMHI	11	[illegible] 07	114 21	[illegible]	8A	8A	CALERA MINING CO	[illegible]
COEUR D ALENE [illegible]	[illegible]	KOOTENAI	[illegible]	[illegible]	116 49	[illegible]	MID	MID	U S CIVIL AERO ADM	[illegible] 5 7
COEUR D'ALENE RS	[illegible]	KOOTENAI		47 41	116 45	2160	[illegible]P	5P	U S FOREST SERVICE	[illegible]
CONDA	[illegible]	CARIBOU	1	4[illegible] 43	111 33	[illegible]	9A	9A	ANACONDA COPPER CO	[illegible]
[illegible]	[illegible]	IDAHO	[illegible]	46 [illegible]	116 [illegible]	[illegible]	[illegible]	6P	[illegible]	2 3 7
[illegible] 2 SW	2159	IDAHO	[illegible]	46 [illegible]	116 [illegible]	[illegible]		MID	SABI FREI	[illegible]
COUNCIL	[illegible]	ADAMS	1	44 44	11[illegible]	[illegible]	[illegible]	[illegible]	LYMAN MATHISON	[illegible] 5 C
[illegible]	[illegible]	BOISE	8	44 08	11[illegible] 58	3100		6P	HARRY GRAHAM	[illegible]
DEADWOOD DAM	[illegible]	VALLEY	8	44 19	115 38	[illegible]	6P	[illegible]	U S BUR RECLAMATION	[illegible]
DEADWOOD SUMMIT	[illegible]	VALLEY	1[illegible]	4[illegible]	115 [illegible]	[illegible]		[illegible]	U S SOIL CON SER	S
[illegible]	2422	KOOTENAI		47 [illegible]	116 [illegible]	[illegible]		MID	U S FOREST SERVICE	[illegible]
DEER FLAT DAM	[illegible]	CANYON	1	43 [illegible]	116 [illegible]	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
DIXIE	2575	IDAHO	11	45 [illegible]	11[illegible] 28	[illegible]	5P	[illegible]P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS		43 36	11[illegible]	8650		MID	U S FOREST SERVICE	C
DRIGGS	[illegible]	TETON	12	[illegible] 43	111 [illegible]	6097	9A	[illegible]	EDITH STEVENS	2 3
DUBOIS EXP STATION	[illegible]	CLARK	[illegible]	44 1[illegible]	112 14	[illegible]	[illegible]P	5P	U S FOREST SERVICE	2 3
DUBOIS CAA AIRPORT	2717	CLARK	[illegible]	44 10	112 13	[illegible]	MID	MID	U S CIVIL AERO ADM	[illegible] 7 C
ELK CITY	[illegible]	IDAHO	3	4[illegible] 49	115 26	[illegible]	4P	4P	MRS LORA B VILAS	[illegible]
ELK RIVER [illegible]	[illegible]	CLEARWATER		46 [illegible]	116 10	2910	[illegible]	[illegible]	[illegible] WALKER	2 3
EMMETT [illegible]	[illegible]	GEM	[illegible]	4[illegible]	116 [illegible]	2500	6P	[illegible]	WAYNE F HARPER	2 3
FAIRFIELD	[illegible]	CAMAS	12	43 [illegible]	11[illegible] 48	[illegible]	[illegible]	[illegible]P	MRS MARIAN WRIGHT	2 3 5
FENN RANGER STATION	[illegible]	IDAHO		46 [illegible]	[illegible] 33	1600	[illegible]	[illegible]	U S FOREST SERVICE	5 7 C
FORT HALL INDIAN AGENCY	[illegible]	BINGHAM	12	43 [illegible]	112 26	[illegible]	[illegible]P	5P	FORT HALL IR PROJ	2 3
GARDEN VALLEY RS	[illegible]	BOISE	8	44 04	115 [illegible]	3147	[illegible]P	5P	U S FOREST SERVICE	2 3 7
[illegible] SUMMIT RANCH	[illegible]	[illegible]	11	44 1[illegible]	113 [illegible]	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	[illegible]	ELMORE	12	42 [illegible]	11[illegible] 19	[illegible]	[illegible]P	7P	E D STONE	2 3 7
GOODING [illegible]	[illegible]	GOODING	1[illegible]	[illegible]	114 42	[illegible]		MID	DALE W KNIGHT	C
GOODING CAA AIRPORT	[illegible]	GOODING	1[illegible]	42 [illegible]	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 7
GRACE	[illegible]	CARIBOU	12	[illegible]	[illegible] 44	[illegible]	5S	5S	H A WESTENFELDER	[illegible] 5
GRAND VIEW	[illegible]	OWYHEE	12	42 [illegible]	116 0[illegible]	[illegible]	4P	4P	W [illegible]	2 3
GRANGEVILLE	[illegible]	IDAHO	3	4[illegible]	116 08	[illegible]	MID	MID	MRS ALVERA FOSTER	[illegible] 5
GRAY	[illegible]	BONNEVILLE	12	4[illegible]	111 22	[illegible]	6P	6P	ROSCOE T SIDDETT	2 3 7
GROUSE	[illegible]	CUSTER	[illegible]	43 42	11[illegible] 37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
HAILEY AIRPORT	[illegible]	BLAINE	1[illegible]	4[illegible]	114 18	[illegible]	[illegible]	[illegible]P	[illegible] JOHNSON	2 3
HAMER 1 NW	[illegible]	JEFFERSON	[illegible]	4[illegible]	11[illegible]	[illegible]	[illegible]P	[illegible]P	U S F & W SERVICE	[illegible] 5
HAZELTON	[illegible]	JEROME	1[illegible]	4[illegible] 36	11[illegible] 08	[illegible]	[illegible]	[illegible]	NORTH SIDE CANAL CO	[illegible] 5
HILL CITY	4268	CAMAS	1[illegible]	43 18	11[illegible] 03	[illegible]	[illegible]P	[illegible]P	[illegible] DAMMEN	[illegible] 3 5 7
HOLLISTER	[illegible]	TWIN FALLS	1[illegible]	42 21	114 [illegible]	4550	5P	[illegible]P	SALMON R CANAL CO	[illegible] 3 5
HOWE	[illegible]	BUTTE	6	43 47	113 00	[illegible]		7A	CHARLES [illegible]	3
IDAHO CITY	[illegible]	BOISE	[illegible]	43 [illegible]	11[illegible]	[illegible]	[illegible]P	[illegible]P	R JOHN MELLOR	2 3 7
IDAHO CITY 13 SW	[illegible]	BOISE	[illegible]	43 4[illegible]	11[illegible]	[illegible]		[illegible]	[illegible] W GARDNER	3
IDAHO FALLS [illegible] NE	[illegible]	BONNEVILLE	12	43 31	11[illegible]	[illegible]	5P	[illegible]P	CARROLL SECRIST	[illegible] 3 5 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	1[illegible]	[illegible] 31	112 0[illegible]	4730	MID	MID	U S CIVIL AERO ADM	[illegible] 3 5 7
IDAVADA	[illegible]	OWYHEE	2	42 01	115 1[illegible]	6000		VAR	CHRIS [illegible]	S
IRWIN [illegible] S	[illegible]	BONNEVILLE	12	4[illegible] 24	111 18	5200	[illegible]P	[illegible]P	ANNA FLEMING	[illegible] 7
ISLAND PARK DAM	[illegible]	FREMONT	12	44 [illegible]	111 24	[illegible]	[illegible]P	5P	U S BUR RECLAMATION	[illegible] 3 5 7
JACKSON PEAK	[illegible]	BOISE	8	44 [illegible]	11[illegible] 27	70[illegible]		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	378[illegible]	[illegible]P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	179[illegible]	LEWIS	[illegible]	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	[illegible]	9A	9A	IRVING R LASKEY	2 3
KOOSKIA	5011	IDAHO	3	46 0[illegible]	11[illegible]	1261	4P	4P	E T GILROY	2 3
KUNA 2 NNE	[illegible]038	ADA	2	43 31	116 24	268[illegible]	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	11[illegible]	VALLEY	11	44 40	11[illegible] 32	[illegible]		VAR	U S FOREST SERVICE	S
LEADORE	[illegible]	LEMHI	11	44 41	113 22	[illegible]		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 [illegible]	11[illegible] 01	[illegible]	5P	5P	LEWISTON WATER DEPT	[illegible] 7
LEWISTON WB AIRPORT	[illegible]	NEZ PERCE	3	46 [illegible]	117 0[illegible]	1413	MID	4P	U S WEATHER BUREAU	[illegible] 3 7
LIFTON PUMPING STATION	[illegible]	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	[illegible] 5 6
LOLO PASS	[illegible]	IDAHO	3	46 38	114 33	[illegible]		VAR	U S FOREST SERVICE	S
LOWMAN	[illegible]	BOISE	8	44 05	11[illegible] 36	3870	[illegible]P	[illegible]P	ORVILLE L JOINER	[illegible] 3 5 7 S
MACKAY RANGER STATION	[illegible]	CUSTER	[illegible]	43 [illegible]	113 [illegible]	[illegible]	[illegible]P	[illegible]P	U S FOREST SERVICE	2 3 [illegible] 7 C
MALAD	[illegible]	ONEIDA	1	42 11	11[illegible] 16	4420	7P	7P	J L CROWTHER	2 3 [illegible] C
MALAD CAA AIRPORT	[illegible]	ONEIDA	1	42 10	112 1[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	[illegible] 3 [illegible] 7

Station	Index No	County	Drainage†	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
MAY RANGER STATION	[illegible]	LEMHI	11	44 36	113 55	[illegible]	[illegible]	6P	U S FOREST SERVICE	[illegible] 7
MC CALL	[illegible]	VALLEY	8	44 [illegible]	11[illegible]	[illegible]	[illegible]	[illegible]P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	[illegible]	BANNOCK	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MERIDIAN 1 W	[illegible]	ADA	[illegible]	[illegible] 37	11[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MESA	[illegible]	ADAMS	12	44 37	116 26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MINIDOKA DAM	[illegible]	MINIDOKA	12	42 40	113 29	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	1	4[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MORES CREEK SUMMIT	[illegible]	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	C S
MOOSE CREEK RANGER STA	[illegible]	IDAHO	[illegible]	46 [illegible]	11[illegible]	2400		MID	U S FOREST SERVICE	C
MOSCOW U OF I	61[illegible]	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	[illegible]	ELMORE	[illegible]	43 08	115 42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MULLAN PASS CAA	[illegible]	SHOSHONE	[illegible]	47 27	115 41	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5
NAMPA 2 NW	[illegible]	CANYON	[illegible]	4[illegible]	11[illegible]	2470	8A	8A	[illegible]	[illegible]
NEW MEADOWS RANGER STA	[illegible]	ADAMS	1[illegible]	44 58	116 17	[illegible]	[illegible]	5P	U S FOREST SERVICE	2 3 5
NEZPERCE [illegible]	[illegible]	LEWIS	[illegible]	46 [illegible]	11[illegible]	[illegible]	[illegible]	6P	JOHN KOEPL	2 3 5
NEZ PERCE PASS	[illegible]	LEMHI	11	45 43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OAKLEY	[illegible]	CASSIA	1[illegible]	42 15	[illegible]	4600	6P	[illegible]	[illegible]	[illegible]
OBSIDIAN 1 NNE	[illegible]	[illegible]	11	4[illegible]	[illegible]	6900	[illegible]	5P	MARJORIE L SHAW	[illegible]
OLA 5 S	[illegible]	GEM	8	44 07	11[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OROFINO	[illegible]	CLEARWATER	[illegible]	4[illegible]	11[illegible]	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	[illegible]	BONNEVILLE	1[illegible]	43 22	111 14	[illegible]	[illegible]	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	[illegible]	CANYON	[illegible]	43 47	116 57	[illegible]	[illegible]	5P	STATE EXP STATION	2 3 5
PAUL 1 E	[illegible]	MINIDOKA	1[illegible]	42 37	113 45	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	[illegible]	PAYETTE	8	4[illegible]	11[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 7
PIERCE RANGER STATION	[illegible]	CLEARWATER	[illegible]	4[illegible]	11[illegible]	[illegible]	[illegible]	4P	U S FOREST SERVICE	2 3 5
PINE 2 S	[illegible]	ELMORE	2	43 28	115 19	[illegible]		5P	GENEVA B SCHRAFT	3
PLUMMER 3 WSW	[illegible]	BENEWAH	[illegible]	4[illegible]	11[illegible]	[illegible]		MID	U S INDIAN SERVICE	[illegible]
POCATELLO WB AIRPORT	[illegible]	BANNOCK	1[illegible]	4[illegible]	11[illegible]	[illegible]	MID	MID	U S WEATHER BUREAU	[illegible]
PORTHILL	[illegible]	BOUNDARY	[illegible]	49 00	116 30	[illegible]	[illegible]	5P	R E DENHAM	2 3 5
POTLATCH 1 SE	[illegible]	LATAH	[illegible]	4[illegible]	11[illegible]	[illegible]	[illegible]	6P	HENRY J FITCH	2 3 5
PRAIRIE	[illegible]	ELMORE	[illegible]	4[illegible]	11[illegible]	[illegible]		MID	VICTOR J ACARREGUI	[illegible]
PRESTON SUG FACT [illegible] SE	[illegible]	FRANKLIN	1	[illegible]	111 52	[illegible]	[illegible]	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	[illegible]	BONNER	9	48 21	11[illegible]	[illegible]	[illegible]P	5P	U S FOREST SERVICE	2 3 5
[illegible] CREEK	[illegible]	VALLEY	11	44 45	115 04	[illegible]		VAR	M EDWARD BUDELL	[illegible]
[illegible] MOUNTAIN	[illegible]	BINGHAM	1[illegible]	43 02	112 03	[illegible]		VAR	FORT HALL IR PROJ	[illegible]
REACTOR TESTING STA	[illegible]	BUTTE	6	43 33	112 57	[illegible]	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	[illegible]	LINCOLN	1[illegible]	4[illegible]	11[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
RIGGINS RANGER STATION	[illegible]	IDAHO	11	45 25	11[illegible]	[illegible]	[illegible]	5P	U S FOREST SERVICE	2 3 5
ROLAND WEST PORTAL	[illegible]	SHOSHONE	10	47 21	115 40	[illegible]	[illegible]	[illegible]P	[illegible]	[illegible]
RUPERT	[illegible]	MINIDOKA	1[illegible]	42 37	113 41	[illegible]	8A	8A	[illegible]	[illegible]
SAINT ANTHONY	[illegible]	FREMONT	1[illegible]	4[illegible]	111 [illegible]	[illegible]	[illegible]	7P	E M JERGENSON	[illegible]
SAINT MARIES	[illegible]	BENEWAH	1[illegible]	47 19	116 34	[illegible]	[illegible]	5P	U S FOREST SERVICE	[illegible]
SALMON	[illegible]	LEMHI	11	4[illegible] 11	11[illegible]	[illegible]	MID	MID	U S WB OBSERVER	[illegible]
SANDPOINT EXP STATION	[illegible]	BONNER	[illegible]	48 17	116 34	[illegible]	[illegible]	5P	STATE EXP STATION	[illegible]
SHAKE CREEK RANGER STA	[illegible]	ELMORE	2	43 37	11[illegible]	[illegible]		VAR	U S FOREST SERVICE	[illegible]
SHOSHONE	[illegible]	LINCOLN	12	42 56	11[illegible]	[illegible]	7P	7P	LEONARD V BOND	[illegible]
SOLDIER CREEK RS	[illegible]	CAMAS	1[illegible]	4[illegible]	11[illegible]	[illegible]		VAR	U S FOREST SERVICE	[illegible]
SPENCER RANGER STATION	[illegible]	CLARK	[illegible]	4[illegible]	112 1[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SPRINGFIELD 1 SE	[illegible]	BINGHAM	[illegible]	43 04	11[illegible] 11	[illegible]	[illegible]	[illegible]	MRS [illegible]	[illegible]
STIBNITE	[illegible]	VALLEY	11	44 54	11[illegible]	[illegible]	[illegible]	8A	BRADLEY MINING CO	[illegible]
STREVELL	[illegible]	CASSIA	1[illegible]	42 01	11[illegible]	[illegible]	[illegible]P	5P	IDAHO STATE POLICE	2 3 5
SUGAR	[illegible]	MADISON	[illegible]	43 52	111 [illegible]	[illegible]	[illegible]P	6P	KAY JOHNSON	2 3 5
SUN VALLEY	[illegible]	BLAINE	1[illegible]	4[illegible]	114 21	[illegible]	[illegible]	5P	EDWARD F SEAGLE	2 3 5
SWAN FALLS POWER HOUSE	[illegible]	ADA	1[illegible]	4[illegible]	116 23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TETONIA EXP STATION	[illegible]	TETON	1[illegible]	43 51	111 [illegible]	[illegible]	[illegible]	5P	EXPERIMENT STATION	2 3 5
THREE CREEK	[illegible]	OWYHEE	1[illegible]	42 03	115 10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TRINITY LAKE GUARD STA	[illegible]	ELMORE	[illegible]	43 38	11[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible] GUARD STATION	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TWIN FALLS 2 NNE	[illegible]	TWIN FALLS	[illegible]	[illegible]	111 [illegible]	[illegible]	[illegible]	[illegible]	U S BUR ENTOMOLOGY	2 3 5
TWIN FALLS 3 SE SUG FACT	[illegible]	TWIN FALLS	[illegible]	42 32	11[illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	[illegible]	BLAINE	11	43 49	114 51	[illegible]		VAR	U S SOIL CON SER	[illegible]
WALLACE	[illegible]	SHOSHONE	4	47 28	11[illegible]	[illegible]	[illegible]P	[illegible]P	[illegible]	[illegible]
WALLACE WOODLAND PARK	[illegible]	SHOSHONE	4	47 30	11[illegible]	[illegible]	8A	8A	ROBERT J SKANTEL	2 3 5
WEISER	[illegible]	WASHINGTON	1[illegible]	44 15	11[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
WINCHESTER 1 SE	[illegible]	LEWIS	[illegible]	46 14	11[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
YELLOW PINE	[illegible]	VALLEY	11	44 [illegible]	11[illegible]	[illegible]		VAR	L J MILLER	[illegible]
NEW STATIONS										
MALTA RANGER STATION	[illegible]	CASSIA	12	4[illegible]	11[illegible]	[illegible]		MID	[illegible]	[illegible]
PINE [illegible]	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]

† 1 BEAR 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There w be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bu letin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be i cluded in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standa Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the St tion Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on grou values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; cons quently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the rec

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are proces ed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of r snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, ha been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding su scriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

W.R.P.C. Chattanooga--1-6-54--85

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

DECEMBER 1953
Volume LVI No. 12

CHATTANOOGA: 1954

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

The average temperature for the State as a whole was very nearly the same as in December 1952, but by divisions the Northern showed a rise of two degrees from last year while the Southwestern and Southeastern were one degree colder. Precipitation was somewhat lighter than last year for the entire State, yet in the Northern Division there was a substantial increase to 120% of normal for the month. The Southwestern and Southeastern Divisions were considerably drier than a year ago, however, averaging 72% and 68% of normal, respectively. The average snowfall was lighter than in December 1952, but just about equal to the 56-year mean for the month. Based on the average of all stations, the number of days with measurable precipitation was above the long-period mean and sunshine, based on records from Boise, Pocatello and Spokane, Washington, fell short of the December normal.

The greatest precipitation deficiencies during the month were generally in the drainage basins of the Boise, Payette, Weiser and Wood Rivers. These deficiencies, following the general lack of moisture during the autumn months, resulted in sub-normal snow cover over the southern and central portions of Idaho. Precipitation for the period from October 1st through December has been particularly light in the upper portions of the Snake River drainage and in the Bear River drainage lying within our State.

The early part of the month brought much cloudy weather and frequent precipitation to the State. During the first ten days of the month precipitation occurred daily in all sections. During the remainder of the month precipitation was neither so widespread nor so frequent, but there were two shorter periods (18th to 20th and 25th to 28th) when rain or snow occurred at numerous stations in all divisions.

Agriculturally the relatively mild December weather was favorable for such work as can be accomplished at this season. The abundant December precipitation in the Northern Division resulted in considerable improvement in winter ranges, but elsewhere there was little change. For the State as a whole the average range condition was below normal, but still above the very low condition of a year ago. The open weather that permitted grazing on winter ranges, plus the supplemental feeding, resulted in general improvement during the month in the condition of cattle and sheep. More cattle were being fed for market than a year ago, but the number of sheep and lambs being fattened was considerably smaller. Fall seeded wheat generally was in better condition than a year ago, although still below average. The poorest condition was reported in the eastern part of the State.

No damaging storms were reported in December and delays in movement of highway and rail traffic due to snow and ice were less than usual. Heavy fog occurred on more than the usual number of days, but no serious accidents were reported as a result of the fog.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h				Relative humidity averages percent				Number of days with precipitation									
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
BOISE WB AIRPORT	SE	33	8.6	43	NW	9	87	79	81	86	6	8	4	0	0	0	18	35	7.4	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-	-	-	-	-	78	71	71	-	9	5	5	0	0	0	19	-	8.1	
POCATELLO WB AIRPORT	SW	28	11.9	49	W	20	85	79	78	82	12	6	1	0	0	0	19	24	7.6	

COMPARATIVE DATA

able 1

DECEMBER

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	No. of days .01 or more
1893	30.2	60	-13	1.61	-	6
1894	24.7	64	-22	1.90	-	[illegible]
1895	23.7	60	-23	1.79	-	10
1896	31.1	60	-10	2.04	-	[illegible]
1897	26.0	57	-27	2.74	-	9
1898	20.2	54	-29	1.03	8.0	7
1899	26.1	61	-32	1.79	12.1	8
1900	31.0	58	-34	1.40	4.0	7
1901	29.0	64	-20	1.88	6.7	8
1902	27.2	65	-25	2.29	15.7	10
1903	27.0	64	-16	1.08	7.4	7
1904	28.1	60	-35	1.91	13.6	9
1905	23.4	60	-22	1.65	13.2	8
1906	32.2	61	-11	2.80	13.3	13
1907	28.7	59	-33	2.55	12.6	11
1908	25.8	56	-31	1.18	9.2	7
1909	20.1	55	-28	1.91	15.0	8
1910	29.8	63	-12	1.49	5.2	8
1911	24.6	59	-26	1.33	17.0	8
1912	26.0	61	-22	1.61	13.5	[illegible]
1913	24.1	56	-21	1.51	15.7	6
1914	19.4	63	-33	.67	7.1	5
1915	26.3	65	-44	2.40	17.2	12
1916	21.1	58	-42	2.35	24.0	13
1917	36.5	82	- 6	4.06	7.6	13
1918	25.7	65	-32	.94	5.5	5
1919	18.9	66	-50	1.52	14.4	7
1920	27.6	62	-34	2.67	16.6	13
1921	27.6	69	-20	1.92	5.3	9
1922	24.0	60	-28	2.73	22.9	12
1923	25.0	60	-31	1.63	12.0	8
1924	18.6	62	-50	2.18	18.9	10
1925	31.0	64	-18	1.71	5.8	8
1926	25.5	64	-37	1.78	14.6	12
1927	20.2	61	-38	1.74	19.6	[illegible]
1928	21.8	67	-28	1.51	13.1	8
1929	32.4	75	-12	2.79	7.6	9
1930	18.5	51	-29	.66	6.8	5
1931	22.1	58	-30	2.61	21.0	12
1932	18.9	65	-34	1.96	19.2	9
1933	34.0	75	-16	4.03	13.3	13
1934	27.4	62	-17	1.89	15.6	11
1935	24.5	55	-24	1.25	8.0	7
1936	28.1	65	-24	1.61	11.5	9
1937	30.3	64	-16	3.12	14.2	10
1938	28.6	64	-30	1.30	9.1	8
1939	34.1	74	-22	2.10	4.8	11
1940	30.1	64	-26	1.64	6.9	10
1941	29.1	67	-27	3.27	15.5	14
1942	28.2	65	-28	3.37	21.3	14
1943	28.0	65	-35	.98	4.7	6
1944	25.0	58	-25	1.33	9.6	8
1945	25.3	66	-36	2.75	13.3	13
1946	31.3	63	-25	2.04	7.2	10
1947	28.1	61	-22	1.28	8.6	10
1948	19.7	56	-36	2.86	29.3	14
1949	26.3	60	-27	1.72	20.5	10
1950	32.4	61	-18	2.11	10.5	11
1951	22.6	57	-40	3.28	36.0	14
1952	27.9	61	-30	2.08	17.4	12
1953	27.6	62	-19	1.75	12.8	11
ALL YEARS	25.9			1.99		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days: .01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	37.1	31.2	34.2	5.3	46	12+	22	13	948	0	2	21	0	3.63	- .49	.64	9				19	1	0
BAYVIEW MODEL BASIN	40.1	29.7	34.9		48	20	25	22+	925	0	0	29	0	3.79		.94	9	1.0	0		14	2	0
BIG CREEK 1 S	34.2	10.0	22.1		42	14	-14	23	1322	0	7	31	8	2.50	- .24	.51	6	32.5	17	10	13	1	0
BONNERS FERRY 1 SW	39.9	29.2	34.6	6.9	48	28	20	16+	937	0	0	23	0	3.89	.89	.97	9	11.1	5	3	13	3	0
BURKE 2 NNE	32.3	23.3	27.8	4.8	36	20	14	13+	1146	0	15	31	0	7.84	2.14	1.45	20	67.3	37	11+	20	5	1
CLARK FORK 1 ENE	42.[illegible]M	28.8M	35.4M	6.1	48	12	21	13+	910	0	0	29	0										
COBALT BLACKBIRD	28.3M	9.0M	18.7M		41	1	- 1	8+		0	24	31	6	1.56		.24	20	23.5	19	31	18	0	0
COEUR D ALENE RS	40.5	30.5	35.5	4.7	50	12	24	13+	908	0	0	23	0	3.13	- .52	.62	3	3.4	2	3+	14	3	0
COTTONWOOD	37.9	24.7	31.3	2.7	44	17+	10	8	1039	0	2	30	0	1.47	- .31	.23	5	7.7	5	8	18	0	0
DIXIE	32.2	7.6	19.9		43	17	-16	30	1391	0	17	31	8	4.53		.54	9	69.0	33	10	12	1	0
ELK RIVER 1 S	37.0	27.2	32.1		43	12	13	23	1014	0	0	28	0	8.35		1.28	9	32.7	22	9	20	9	1
FENN RS	38.7	31.3	35.0	5.4	47	17	20	25	923	0	0	24	0	5.36	1.40	.71	4		3	4+	18	2	0
GRANGEVILLE	40.7	26.6	33.7	2.8	50	19+	17	23	962	0	0	28	0	.91	.77	.29	20		T	4+	13	0	0
KELLOGG	39.7	29.9	34.8	5.6	48	20	23	23+		0	0	21	0	4.18	.54	.78	20	9.5	3	4+	20	3	0
KOOSKIA	42.9	31.0	37.0	5.2	56	20	23	3+	862	0	0	15	0	1.63	- .36	.47	9	5.0	2	9	16	0	0
LEWISTON WATER PLANT	46.8	33.4	40.1	4.9	55	20	23	30	762	0	0	15	0	1.22	- .25	.32	19	T	0		12	0	0
LEWISTON WB AP	45.6	31.9	38.8	4.8	53	20	22	30	805	0	0	16	0	.99	- .31	.20	14+	.1	T	8	10	0	0
MOSCOW U OF I	41.[illegible]	30.4	35.7	4.9	48	20	22	29	903	0	0	24	0	3.73	.99	.86	9	5.7	4	6+	18	2	0
MULLAN PASS CAA	26.7	19.7	23.2	1.3	38	17	14	8+	1290	0	29	31	0	6.38	1.09	.75	9	77.9	71	21+	25	5	0
NEZPERCE 2 [illegible]	37.6	28.1	32.9		43	17+	19	8	989	0	1	27	0	1.18		.19	19	T	T	4+	17	0	0
OROFINO	[illegible]	31.7	37.9	5.[illegible]	55	12	23	7	[illegible]	0	0	16	0	4.11	1.05	.56	1				17	1	0
PIERCE RS	35.4M	27.3M	31.4M	4.1			16	13	1035	0	2	27	0	F 6.47	1.34	.85	19	31.6	16	11	20	5	0
PORTHILL	40.5	26.7	33.6	6.0	48	1+	16	16	964	0	0	26	0	2.50	.20	.80	19	7.[illegible]	3	11	10	1	0
POTLATCH [illegible]	39.8	29.3	34.6	4.[illegible]	48	17	19	8+	936	0	1	25	0	3.83	.71	1.05	9	5.[illegible]	2	5	15	2	1
PRIEST RIVER EXP STA	35.4	25.8	30.6	4.0	[illegible]	9	15	13+	1061	0	7	30	0	4.40	.09	1.05	9	12.0	8	3+	18	4	1
RIGGINS RS	M	M	M																				
SAINT MARIES	40.8	28.3	34.6	5.8	48	20	2[illegible]	23	939	0	0	30	0	5.47	1.79	1.08	9				16	4	2
SALMON	35.6	16.2	25.9	4.9	50	12	4	24	1201	0	12	31	0	.21	- .43	.07	20		1	2	7	0	0
SANDPOINT EXP STA	37.9	29.2	33.6	4.9	47	12	20	13	967	0	2	25	0	5.62	1.27	1.31	9	11.1	6	3+	18	4	2
WALLACE	37.5	28.5	33.0	3.8	45	20	21	8+	987	0	1	28	0	7.94	2.20	1.96	9	14.0	8	4	17	5	3
WALLACE WOODLAND PK	37.9M	26.9M	32.4M	3.3	45	20	18	9		0	1	28	0	6.16	1.17	1.61	20	15.5	4	5	17	3	1
WINCHESTER [illegible] SE	40.2	25.1	32.7	2.0	53	17	13	8	996	0	2	28	0	1.44	- .55	.50	19		0		8	1	0
DIVISION			[illegible]	[illegible]										3.81	.64			[illegible]					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	M	23.1	M				12	25		0		8	0	1.87		.57	19		4	7+	14	2	0
ARROWROCK DAM	35.2	22.8	29.0	1.4	49	1	14	25+		0	11	30	0	2.13	- .44	.81	4	10.1	8	9	13	1	0
ATLANTA 1 E	35.5	15.9	25.7	[illegible].6	50	17	5	8	1209	0	11	31	0	3.00	- .55	.62	19	45.5	21	6+	15	1	0
BLISS	40.4	22.5	31.5	1.4	57	17	4	8	1032	0	2	30	0	.94	- .05	.39	19	3.0	1	4+	7	0	0
BOISE LUCKY PEAK DAM	M	M	M		48	19	32	8		0	1	30	0	1.34					0		12		0
BOISE WB AP	38.4	24.1	31.3	0.3	49	19+	1[illegible]	8+	1039	0	5	30	0	1.15	- .14	.26	5	10.7	5	7	12	0	0
BUHL	42.2M	24.4M	33.3M	3.7	50	17	14	26	975	0	2	29	0	E .73	- .08	.25	19	4.9			5	0	0
CALDWELL	39.4	25.6	32.5	2.1	53	20	12	23	1002	0	2	28	0	1.43	.29	.35	19	[illegible]	T	6+	10	0	0
CAMBRIDGE	37.3	21.4	29.4	3.4	48	20	[illegible]	30	1097	0	3	30	0	2.15	- .63	.62	19	4.0			10	1	0
CASCADE 1 NW	30.5	14.1	22.3		42	20	- 3	30	1314	0	19	31	1	1.70		.36	19	22.0	12	6+	13	0	0
CHALLIS	34.9	16.0	25.5	4.9	47	12	3	8	1219	0	11	31	0	.31	- .31	.11	20		1	4+	7	0	0
COUNCIL	36.8	19.5	28.2	0.6	43	20	1	30	1137	0	4	29	0	2.56	- 1.33	1.12	19	8.5	5	26+	13	1	1
DEADWOOD DAM	31.5M	9.4M	20.5M	1.0	40	15	-14	30	1371	0	18	31	8	2.93	- 3.29	.63	20	36.5	25	6	16	2	0
DEER FLAT DAM	40.7	26.4	33.6	2.9	57	20	18	25+	971	0	4	27	0	1.24	.24	.30	19				9	0	0
EMMETT 2 E	41.4M	28.1M	34.8M	3.2	54	20			930	0	2	28	0	1.18	- .21	.45	4				5	0	0
FAIRFIELD RS	33.4	9.9	21.7		42	18	- 7	25	1338	0	11	31	8	1.06		.32	6	14.2	6	6	8	0	0
GARDEN VALLEY RS	32.5	19.2	25.9	0.2	47	15	0	30	1203	0	14	31	1	2.60	- .71	.59	19	17.0	7	6+	14	2	0
GLENNS FERRY	41.7M	24.4M	33.1M	2.3	51	20	12	8	982	0	0	27	0	.97	- .02	.45	4	3.0	0		6	0	0
GOODING CAA AP	37.4	21.6	29.5	2.6	48	17	13	8+	1093	0	6	30	0	.82	- .20	.33	19	3.4	2	9	10	0	0
GRAND VIEW	42.1M	23.2M	32.7M	1.9	57	20	12	30	992	0	2	29	0	1.00	.27	.38	7		2	20	6	0	0
GRASMERE	40.5M	23.2M	31.9M		53	16	8	8	1021	0	4		0										
HAILEY AP	35.4	10.6	23.0	0.7	50	17	- 1	25+	1294	0	10	31	3	.52	- 1.56	.26	10	7.9			5	0	0
HAZELTON	38.9	21.8	30.4	1.3	47	5	8	30	1063	0	6	30	0	.47	- .69	.15	19	4.5	3	27	7	0	0
HILL CITY	33.1	12.4	22.8	1.6	41	20	- 8	25	1299	0	13	31	6	1.05	- 1.21	.35	4				7	0	0
HOLLISTER	41.6	24.1	32.9	3.9	56	15	9	8	990	0	1	29	0	.66	- .13	.26	7	3.0	2	7	7	0	0
IDAHO CITY	37.3	11.1	24.2	- 2.0	48	17	- [illegible]	30	1256	0	5	31	8	2.77	- .49	.56	4	25.0			17	1	0
JEROME	39.0M	21.4M	30.2M	0.4	48	17	6	8	1070	0	4	28	0	1.07	.15	.31	4	.7	1	26	9	0	0
KUNA 2 NNE	38.9M	24.4M	31.7M	1.3	53	20	14	8	[illegible]25	0	5	26	0	.86	- .25	.22	4	4.6	1	6+	8	0	0
LOWMAN	34.0	15.0	24.5	0.1	45	2	- 5	30	[illegible]	0	11	31	2	2.89	- .48	.84	5	26.0	12	28	9	2	0
MC CALL	30.8	15.3	23.1	1.2	38	15+	- 1	23	1299	0	20	31	1	2.65	- .95	.80	19	31.0	13	27+	12	1	0
MERIDIAN 1 W	38.9	24.3	31.6	1.[illegible]	51	20	11	8	1027	0	3	30	0	1.08	- .26	.23	7		0		9	0	0
MOUNTAIN HOME	42.2	23.0	32.6	3.0	62	19	12	25+	998	0	1	30	0	.82	- .29	.27	4	4.1	T	27+	6	0	0
NAMPA 2 NW	40.5	25.0	32.8		54	21	15	25		0	2	28	0	1.10		.24	7	4.0	2	7	10	0	0
NEW MEADOWS RS	31.3M	11.3M	21.3M	- 0.6	43	20	- 8	23+	1347	0	18	31	9	2.66	- .48	.77	19		12	29+	18	1	0
OBSIDIAN 4 NNE	29.8	[illegible]	16.[illegible]	0.1	41	14	-15	23	1509	0	22	31	12	.97	- .95	.25	20	12.0	15	26+	10	0	0
OLA 5 S	37.7	20.4	29.1		49	2	0	27	1106	0	2	30	1	2.11		.57	19				12	1	0
PARMA EXP STA	40.7	24.4	32.6	2.0	52	1	15	30	999	0	1	28	0	1.37	.37	.47	19	6.2	0		11	0	0
PAYETTE	38.8	24.6	31.7	1.6	52	20	14	27	1025	0	4	27	0	1.46	.01	.47	19	4.8	3	9	12	0	0
RICHFIELD	33.7	16.1	24.9	0.2	42	1	5	11	1235	0	10	31	0	.69	- .50	.31	4	5.0	4	7+	4	0	0
SHOSHONE	36.7	20.5	28.6	2.[illegible]	45	17	10	25	1121	0	7	30	0	.84	- .29	.30	19	4.0	1	4+	9	0	0
STIBNITE	31.6	8.7	20.2		45	17+	- 2	8+		0	18	31	6	3.44		.65	20	44.5	22	21+	20	1	0
SUN VALLEY	35.1	5.5	20.3	- 0.7	46	17	-16	8	1380	0	12	31	13	.88	- 1.52	.36	20	16.0	9	27	8	0	0
SWAN FALLS PH	41.6	27.4	34.5	- 1.1	52	2+	19	27	940	0	2	24	0	.52	- .16	.21	5				4	0	0
THREE CREEK	42.3M	14.3M	28.3M		56	17	- 1	30	1130	0	0	31	2	1.34	.43	.40	7	24.0	3	10+	7	0	0
TWIN FALLS 2 NNE	41.2	23.5	32.4	3.3	49	3+	10	25	1005	0	3	29	0	.49	- .41	.13	7	2.7	1	7+	7	0	0
TWIN FALLS 3 SE	40.9	23.5	32.2	1.9	51	20	12	25		0	3	31	0	.61	- .14	.18	20	3.5	2	7+	8	0	0
WEISER	40.8	23.1	32.0	2.4	52	1+	1[illegible]	27	1019	0	2	30	0	1.47	- .13	.83	19	4.0	3	9	7	1	0
DIVISION			28.4	[illegible]										1.[illegible]	- .55			12.1					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	35.7	18.4	27.[illegible]	2.8	43	12	4	27	1170	0	5	30	0	.10	- .58	.04	1				4	0	0
AMERICAN FALLS 1 NW	35.9	20.3	28.1	1.5	49	20	5	27	1137	0	7	30	0	.14	- .96	.05	4	5.6	3	4+	6	0	0
ARCO	33.[illegible]	9.[illegible]	21.5	1.5	44	17+	- 3	26	1343	0	12	31	6	.03	- .91	.03	7	3.0	0		1	0	0
ASHTON 1 S	28.2	9.9	19.1	- 1.5	39	19	- 9	11	1417	0	22	31	8	1.96	.32	.56	4	20.5	12	9+	7	1	0
BLACKFOOT	34.6	17.5	26.1	2.3	45	20	3	27	1199	0	11	31	0	.53	- .39	.23	4	6.0	4	4	5	0	0
BURLEY	40.5	22.5	31.5	2.2	50	16	10	24		0	2	30	0	.64	- .28	.18	4	5.6			8	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

ABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max Depth on Ground	Date	No. of Days: .01 or More	.50 or More	1.00 or More
BURLEY FACTORY	38.6	20.2	29.4	1.3	50	16	9	8+		0	5	31	0	.26	- .66	.07	4				8	0	0
BURLEY CAA AP	39.3	21.2	30.3	- 0.8	48	15+	10	24	1070	0	4	31	0	.51	- .33	.13	20	4.3	2	7+	12	0	0
CHILLY BARTON FLAT	31.6	7.5	19.7	- 0.6	42	15+	- 9	8+	1397	0	18	31	8	.65	.04	.20	1	4.5			5	0	0
CONDA	34.0	9.1	21.6		52	1	- 9	25		0	14	31	8	1.65	- .14	.57	8	26.6			15	1	0
DRIGGS	30.5	9.3	19.9	0.5	54	1	- 5	24+		0	24	31	5	.67	- .74	.20	20+				8	0	0
DUBOIS EXP STA	27.5	12.2	19.9	- 2.1	40	1+	- 5	8	1390	0	24	31	1	.73	- .17	.34	4	13.3	9	9	8	0	0
DUBOIS CAA AP	29.4	7.6	18.5	- 5.3	40	17	-10	8	14[illegible]	0	20	31	8	.55	- .09	.20	4	9.1	6	10+	11	0	0
FORT HALL IND AGENCY	35.3M	17.1M	26.2M	1.0	45	20	2	27	1186	0	[illegible]	30	0	.67	- .06	.24	4				8	0	0
GRACE	34.0	12.7	23.4	0.6	42	18	- 3	23	1336	0	21	31	3	.67	- .40	.15	7	10.5	6	8+	12	0	0
GRAY	29.2	4.[illegible]M	16.[illegible]M	- 5.[illegible]	38	18+	-1[illegible]	25	1440	0	21	31							10	19+			
GROUSE	33.9	[illegible].1M	[illegible]M		44	17	- 9	11+	1367	0	12	31	14	.09	- .84	.05	20	1.1	2	5	2	0	0
HAMER 4 NW	29.2	7.4	18.3	- 1.2	44	20	-14	27	1438	0	19	31	9	.42	- .20	.17	4	8.3			5	0	0
IDAHO FALLS [illegible] NE	31.5	15.2	23.4		41	1	- 3	27	1283	0	21	30	2	.85		.29	4	7.3	6	7+	6	0	0
IDAHO FALLS CAA AP	30.9	12.6	21.8	- 1.4	41	20	- 3	8	1333	0	17	31	2	.50	- .56	.28	6	7.1	6	7+	7	0	0
IRWIN 2 S	28.7	12.6	20.7	- 0.1	44	1	- 7	11	1366	0	20	31	3	1.42	.17	.25	27				12	0	0
ISLAND PARK DAM	27.2	5.7	16.5	- 3.0	40	16	-19	27	1498	0	24	31	8	3.04	.12	.47	6+	45.0	27	30	14	0	0
LIFTON PUMPING STA	32.5	12.2	22.4	- 0.4	43	20	- 1	11	1314	0	17	31	1	.17	- .48	.09	7	2.2	2	8+	3	0	0
MACKAY RS	33.2	10.4	21.8	1.4	48	18	- 2	25+	1333	0	15	31	5	.20	- .51	.08	4	3.1	1	4+	7	0	0
MALAD	35.3	17.2	26.3	0.9	44	17+	4	30	1193	0	6	30	0	.69	- .70	.24	27	6.5	3	29+	8	0	0
MALAD CAA AP	34.8	13.2	24.0		43	17+	- 5	30	1263	0	9	31	4	.42		.10	26	5.4	2	7+	10	0	0
MAY RS	34.8	11.0	22.[illegible]	1.1	44	12+	0	24+	[illegible]	0	10	31	3	.30	- .11	.10	26	1.5	1	4+	8	0	0
MC CAMMON	34.3	13.5	23.9		43	17	- 2	30	1263	0	12	31	2	1.00		.21	4+	9.5	3	4+	8	0	0
MINIDOKA DAM	36.6	21.3	29.0		47	14	11	24	1112	0	8	31	0	.29		.17	4	3.5	2	4+	5	0	0
MONTPELIER RS	32.4M	9.1M	20.8M	- 1.3	42	1	- 7	25		0	15	31	6	.73	- .35	.20	7	13.7	8	9+	10	0	0
OAKLEY	41.6	20.9	31.3	1.4	55	17	9	24+	1036	0	3	31	0	.39	- .26	.14	7	3.5	2	7	5	0	0
PALISADES DAM	29.4	13.9	21.7		45	1	- 6	25	1337	0	19	31	5	2.24		.45	5	27.1	10	29+	16	0	0
PAUL 1 E	38.8	21.3	30.1	- 2.2	50	1	10	24+		0	5	31	0	.33	- .74	.11	4	2.9	2	4	6	0	0
POCATELLO WB AP //R	35.3	19.9	27.6	0.8	48	[illegible]	5	27	115[illegible]	0	9	31	0	.38	- .76	.11	4	5.3	4	8+	7	0	0
PRESTON SUG FACT 2SE	34.9	17.3	26.1	0.2	48	1	- 1	31	1194	0	12	30	1	.84	- .77	.27	27	12.2	3	7+	9	0	0
REACTOR TESTING STA	30.4	4.9	17.7		41	1+	-15	8	1461	0	17	31	11	.25		.08	4+	2.4	2	6+	5	0	0
RUPERT	39.5	22.4	31.0	3.3	51	1	11	30+		0	2	31	0	.29	- .68	.08	4	2.0	1	4+	6	0	0
SAINT ANTHONY	29.8	9.8	19.8		42	20	-12	11	1395	0	18	31	7	1.85	.40	.49	4		9	9	14	0	0
SPENCER RS	27.6	7.0	17.3	- 0.7	41	17	- 9	8	1472	0	24	31	9	1.15	- .53	.40	4	21.0			13	0	0
SPRINGFIELD 1 SE	36.0	16.7	26.4	2.4	44	12	2	27	1189	0	7	30	0	1.09	.23	1.01	3	4.0	3	3	3	1	1
STREVELL	32.7M	17.2M	25.0M		42	17+	2	8	1235	0	17	31	0	.34		.14	27		1	7+	5	0	0
SUGAR	30.7	10.7	20.7	0.5	42	20	- 9	27	1364	0	18	31	4	.91	- .19	.25	4		7	9+	7	0	0
TETONIA EXP STA	30.7	4.8	17.8		40	17+	-12	24	1458	0	24	31	8	.95		.19	4				8	0	0
DIVISION			23.3	0.[illegible]										.74	- .35			9.2					
STATE			27.6	1.3										1.75	- .21			12.8					

DAILY PRECIPITATION

able 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BERDEEN EXP STA	.10	.04	.02		T		T	.02													.02							T				
MERICAN FALLS 1 NW	1.14	T	.01		.05	T		.03	T											.01	.02							.02		T		
NDERSON DAM	1.87	.02	.07	.04	.56	.04	.12	.20	.06	.05	.01		T							.57	.11						.01		.01	T		
RCO	.03				T		T	.03																								
RROWROCK DAM	2.13	.02	T	.08	.81	.22	.21	.20	.16	.12				T						.02	.14	.05						.04		.06		
SHTON 1 S	1.96	.19	T		.56	T	T	.15	T	.40		T		T					T	.48							.12	T			.06	T
TLANTA 1 E	3.00	.09	.13	T	.26	.39	.31	.14	T	.07	.22	T			T				.24	.62	.23						.14	.13	.02	.01		
VERY RS	3.63	.30	.30	.15	.15	•	•	.11	.10	.64	.26	.05	.22		.38				•	•	•	.45					.06		.46			
AYVIEW MODEL BASIN	3.79		.23	.33	.05	.17		.44	.02	.94	.11	.04	.16							.55	.28						.32					.15
IG CREEK 1 S	2.50	.10	T	T	.30	.04	.51	.10		.05	.32	T	T		.10	.02				.15	.46	.17	T				.18	T	T	T		
LACKFOOT	.53	.14	.07		.23					.05										T								.04				
LISS	.94	.02	.01		.32		T	.08	T	.10	.02									.39							T			T		
ISE LUCKY PEAK DAM	1.34	.04	.09	T	.33	•	•	.62	T	.06	T								T	•	.10						•	•	.10	T		
OISE WB AP //R	1.15	.02	.08	.13	T	.26	.04	.22	.03	T	T				T				.02	.22	.04					T	.08	T	.01			
ONNERS FERRY 1 SW	3.89		.11	.36	.07	.17	.36			.97	.05	.22	.08						T	.75	.50						T	T	.06			.19
HL	.73		T	.20			.18			.06										.25							E .04					
RKE 2 NNE	7.84	.75	.40	.30	.58	.56	.88	.31	.13	.21	.10	.18	.21		.38				.10	.30	1.45	.13				T	.13		.48			.26
RLEY	.64	T		.04	.18			.17	.08		.02										.09							.03		.03		
RLEY FACTORY	.26	.02		.01	.07			.05	.01	T											.05							.02		.03		
RLEY CAA AP	.51	T	.05	T	.10	T	.06	.04	.01	.01	.05									.02	.13						.01	.01	T	.02		
LDWELL	1.43		.18	.10	.20	.12	.14	.05		.20			T							.35	.02					.07						
MBRIDGE	2.15		.12	.32	.31		.13	.02		.13	.04									.62	.44	.02										
SCADE 1 NW	1.70	T	.01	.06	.26	.07	.35	T	.10	.07	.02		.03							.36	.24						.11	.02	T			
NTERVILLE ARBAUGH	3.55	T	.12	.11	.53	.27	.72	.12	T	.21	.07		.03			T			T	.60	.36	.08					.18	.03	.12			
ALLIS	.31				.04		.04	T	.05		.03										.11		.02					.02				
ILLY BARTON FLAT	.65	.20			T			.10		.05	T									.05	.05											
ARK FORK 1 ENE	-	.05	.37	.30	.05	.30	.35	.19		.88	.42	.15	.17						.09	.42	.78				-	-	-	-	-	-	-	-
BALT BLACKBIRD MINE	1.56	.06	.07	.07	.13	.07	.03	.19	.03	.05	.21	T	.01	.07		.02					.24	.08	T					.12		.10		.01
UR D ALENE RS	3.13		.38	.62	.05	.01	.12	T		.50	.23	.11	.06		T				.04	.39	.56					.01						.05
NDA	1.65	.06	.05	.03	.01	.05	.04	.06	.57	.05	.07						.01			T	.20							.21	.12	.12		
TTONWOOD	1.47	.05	.13	.02	.04	.23	.16	.06	.08	.19	.01	T	.05		.05					.12	.18	.02				.01	.05	.02	T			
UNCIL	2.56	.05	.17	.23	.38	.03	.03	.02	.07	.08	.02								T	1.12	.18						.18		T	T		
CH 2 NNW	2.67		.08	.07	.35	.61		.04	.03	.15	.03									.90	.18						.15		.08			
ADWOOD DAM	2.93	.02	.04	.03	.37	.10	.56	.06	.03	.24	.11		.05			T			T	.44	.63	.01					.16	.04	.01	.03		
ER FLAT DAM	1.24		.04	.12	.16		.22		.10				T							.30	.10						.18			.02		
IE	4.53	.16	.20	.11	.39	.36	.25	.04	.10	.54	.48	.07	.01		.17	.03			.01	.32	.45	.15	T				.30	.20	.11	.08		T
IGGS	.67	.01	.04		.04			.10	.05	.03											.20							.20				
IS EXP STA	.73	.08	T	T	.34			.05	T	.10		T								.10	.02			T			.01	T	T	T	T	.03
IS CAA AP	.55	T	.02	.01	.20	T	.03		.03	.09	.04	T		T	T		T			.05	T			.01	T	T	.06		T		.01	T
R RIVER 1 S	8.35	.37	.54	.59	.50	.70	.48	.23		1.28	.66	.20	.72		.25				.14	.71	.08					.03	.05		.08	.11		E .03

DAILY PRECIPITATION

Table 3–Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	1.18			.18	.45		.15	.10												.30												
FAIRFIELD RS	1.06	T	T	.03	.24		.32	.01		.09	.01									.25	.11											
FENN RS	5.36	.46	.41		.71	.47	.33	.23	.43	.20		.09	.40		.17					.20	.64	.02				.20	.20		.10			.1
FORT HALL IND AGENCY	.67	.09	.12	.01	.24	T		.09	T	.05										.02								.05				
GARDEN VALLEY RS	2.60	T	.08	.06	.44	.13	.53	.01	.05	.21	.07		T						.05	.59	.10						.14		.14			
GLENNS FERRY	.97		T	T	.45	T		.06	T	.05										.33	.03						T	.05				
GOODING CAA AP	.82	T	T	.03	.25	T	.08	.04	.02	.02	.01									.33	.02						.02	T	T	T		
GRACE	.67	.06	.06		.07	.06		.15	.05	.02	.01									.06							.03	.05		.05		
GRAND VIEW	1.00			.13				.38		.06									T	.21	.05						.17					
GRANGEVILLE	.91	T	T	.13	.02		.06	.02	.02	.03	.04	T	.03		.08					T	.29	.02				T	.06		.11	T		
GRASMERE	-	-	-	T			T	.22	T	T		T															T	T				
GRAY	-	-			.25		.20	.20		.15										.20								.15				
GROUSE	.09					.04															.05											
HAILEY AP	.52				.03		.02				.26									.12								.09				
HAMER 4 NW	.42	T			.17		T			.03	.01									.15				T			T	.06	T		T	
HAZELTON	.47	T	.05		.13			.07		.01	T									.15	.04						T	.02		T		
HILL CITY	1.05	T	T	T	.35	.03	.06	.08		.10										.31	.12	T					T					
HOLLISTER	.66	.04			.06			.26		.03										.18	.04							.05		T		
HOWE	.23	T			.15			.02			T										T						T	.06				
IDAHO CITY	2.77	.04	.12	.02	.56	.30	.40	.11	.04	.23	.02	.03	.01							.46	.20	.12					.06		.05			
IDAHO CITY 13 SW	3.68	.10	.07	.10	.93	.50	.50	.19	.14	.02	T		.06							.75	.15	.05					.08	T	.04			
IDAHO FALLS 6 NE	.85	.11	.08		.29	T	T	.25	T	.10	T									T		T					.02					
IDAHO FALLS CAA AP	.50	T	.02	T	.09	.01	.28	T	T	T	T			T						.05						T	.04	T	T	.01		
IRWIN 2 S	1.42	.13	T	.06	.10	.14	.03	.13	.06	T	.10									.08		.16						.25		.18		
ISLAND PARK DAM	3.04	.08		.10	.39		.47	.13		.34	.12		.09		.05					.38	.47						.09		.15		.18	
JEROME	1.07	.01		.04	.31	T		.22	.01	.04	T			T						.28	.08	T		T			T	.08				
KAMIAH 1 NE	1.49	*	.26	.13	.09	.14	.06	.07	.03	.36			.08			.04					.17							T	.06			
KELLOGG	4.18	.31	.03	.36	.45	.30	.55	.07	.08	.20	.63		.09		.05	.02			.03	.06	.78	.08				T	.04			.04		.0
KOOSKIA	1.63	.07	.14		.17	.03	.20	.02	.05	.47	.09	.03	.05		.06				T	.07	.14						.02	.02				
KUNA 2 NNE	.86	T	.09	T	.22	.12	.04	.13		T			T						T	.20							.04		T	.02		
LEWISTON WATER PLANT	1.22	.01	.05	.13	.07	.04	.13	T	.03	.04	.09				.11				T	.32	.20											
LEWISTON WB AP R	.99	T	.02	.03	.05	.03	.12	T	.01	T	.15	T	T		.20				T	.18	.20					T	T	T				
LIFTON PUMPING STA	.17	.02			T			.09	.06	T											T	T						T				T
LOWMAN	2.89	.07	T		.60	.84	.30			.24										.20	.20						.22		.22			
MACKAY RS	.20		T		.08			.01		.06	.01										.01						.01	.02				
MALAD	.69	.01	.01		.14	T	.17		.01											T	T						.02	.24		.09		
MALAD CAA AP	.42		.01		.07	.01		.09	T	T	.01								T	.01	.01						.10	.05		.06		
MAY RS	.30	.02	.03		.05		T	.03			.02									T	.04						.10	.01				
MC CALL	2.65	.10	.17	.17	.06	.20	.40		.14	.20	.05									.80	.07							.29				
MC CAMMON	1.00	.02	.11	.06	.21	T	T	.21	T	T	.05	T															T	.17	T	.17		
MERIDIAN 1 W	1.08	T	.10	T	.17	.15	.10	.23	.03										T	.20	.06						.04		T			
MINIDOKA DAM	.29	T	.01		.17			.03		T										.06	.02							T				
MONTPELIER RS	.73	.05	.04	T	T	.03	T	.20	.17	.01	.05					T	T				T	.07	T					.07		.04		
MOSCOW U OF I	3.73	.05	.25	.33	.23	.12	.27	T	.05	.86	.08	.09	.06		.21	T	T		.03	.47	.56					T	.01	T	.02	.04		
MOUNTAIN HOME	.82	T			.27	.05	T	.08		.15										.24								.03				
MULLAN PASS CAA	6.38	.25	.24	.70	.33	.55	.73	.12	.22	.75	.04	.35	.13		.21		T		.06	.73	.47	.01			.05	.03	.04	.01	.12	.03	.02	.1
NAMPA 2 NW	1.10	T	T	.10	.22	.04	.02	.24	T	.17										.12	.13							.05		.01		
NEW MEADOWS RS	.66	.12	.15	*	*	.31	.25	.06	.25	.10	.02		.02			.02			T	.77	.11						.25	.12	.07	.04		
NEZPERCE 2 E	1.18	.08	.15	.05	.06	.02	.08	.07	.01	.08	T	.05	.09		.05				.04	.19	.12	T				T	.02		.02			
OAKLEY	.39	T	.03		.03			.14												T	.06							.13				
OBSIDIAN 4 NNE	.97	.04	T		.10		.15	.03	.02		.05		.02		T	T				.21	.25	T					.10		T			
OLA 5 S	2.11	.08	.14	.28	.16	.38	.15	.06	.03				.10							.57	.08						.08					
OROFINO	4.11	.50	.44	.05	.30	.04	.45	.03	.12	.45	.23	.14	.02	T	.13				.16	.38	.47								.20			T
PALISADES DAM	2.24	.15	T	.16	.05	.45	.10	.14	.05	.05	.10		T							.08	.40	.15					.01	.18	.01	.16	T	
PARMA EXP STA	1.37	.04	.13	.20	.16	T	.04	.08	.03	.14										.47	.05						T	.03				
PAUL 1 E	.33	T		.04	.11			.05	.04												.07							.02				
PAYETTE	1.46		.15	.29	.19	.01	.01	.01	.07	.19			T						.02	.47	.03						.02					
PIERCE RS	6.47 E	.20	.50	.25	.42	.37	.26	.50	.04	.54	.34	.20	.16		.28				.09	.85	.79	.08				.07		T	.39	.14		
POCATELLO WB AP //R	.38	T	.05		.11	T	.04	.08	.03	T	T			T	T	T				T	T					T	.05	T	T	.02		
PORTHILL	2.50		.03	.26	T	.08	.16	T		.30	T	.30	.15		T					.80	.30					T			.12			T
POTLATCH 1 SE	3.83	.12	.28	.38	.08	.06	.35	.02	.06	1.05	.02	.04			.31				T	.47	.57					.02				T		
PRESTON SUG FACT 2 SE	.84	.10	.06	.02	.17			.13	.05	.01	T									T	T						T	.27		.03		
PRIEST RIVER EXP STA	4.40		.25	.61	.02	.16	.10	.10	.04	1.05	.16	.22	.11						.02	.81	.50				T	.02	.07		.06		T	.1
REACTOR TESTING STA	.25	T	T		.08	T	.08		T	.01	T					T				.01							.07	T				
RICHFIELD	.69		T		.31		T	.14												.21	.03											
RIGGINS RS	-	.15		.02	.09		*	*	.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUPERT	.29	T		.05	.08			.05	.05	T											.05							.01				
SAINT ANTHONY	1.85	.25	.13	.02	.49	.03	.03	.12	.02	.38	.02	.01								.21							.09				.05	
SAINT MARIES	5.47	.04	.26	.54	.34	.07		.11	.91	1.08		.37	.04		.10				.05	1.06	.42				T	.02						.0
SALMON	.21		.04		.02		.02			.04	T						T			.01	.07						.01					
SANDPOINT EXP STA	5.62	.05	.30	1.03	.10	.16	.07	.04	.01	1.31	.12	.21	.35		T	T		T	.03	.88	.59		T		T	T	.05		.05		T	.2
SHOSHONE	.84		.03	.01	.21		T	.12		.05	.06			T						.30	.05	.01					T					
SPENCER RS	1.15	.12	.05	.05	.40			.03	T	.18		.02								.10	.10						.02		.04		.02	.0
SPRINGFIELD 1 SE	1.09	.01	T	1.01			T	T		T										T	T						T	.07				
STIBNITE	3.44	.16	.08	.05	.35	.06	.36	.23	.14	.22	.23	.06	.03	.13		.08	T			.01	.65	.26	.01					.23		.10		
STREVELL	.34	.02	T		.06			.11													T						.01	.14				
SUGAR	.91	*	.11		.25		.05	.11		.17																		.22				
SUN VALLEY	.88		T		.17		.14	.05		.06	.06								T	.01	[illegible]						T	.03				
SWAN FALLS PH	.52		T	T		.21	.08	.18												T							.05					
TETONIA EXP STA	.95	.05		.10	.19		.10	.18		.07										.10								.16				
THREE CREEK	1.34	.13	.05		.15			.40			.33									.12							*	.16		T		
TWIN FALLS 2 NNE	.49	T	.02	T	.11		T	.13	T	T	T									.11	.07						.03	.02		T		
TWIN FALLS 3 SE	.61	.04		.04	.15			.11	.04	.01	T										.18							.04		T		
WALLACE	7.94	.33	.24	.61	.42	.25	1.04	.16	T	1.96	.04	.03	.07		.17				.06	1.36	.86	T			T	T			.13		T	.2
WALLACE WOODLAND PARK	6.16	.33	.10	.22	.34	.33	.82	.20	.08	.22	.97	T	.32		.04	.07			T	.03	1.61	.28										
WEISER	1.47		.17	.22	.02	T		T	.02	.19										.83							.02					
WINCHESTER 1 SE	1.44	.17	.08	.07	.18					.14					.25					.50							.05					

DAILY TEMPERATURES

ble 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ERDEEN EXP STA	MAX	39	34	36	35	33	38	40	28	37	40	33	43	40	34	34	36	40	40	40	42	38	36	33	29	27	29	30	37	35	35	36	35.7
	MIN	31	24	20	25	19	30	25	16	24	24	15	26	20	12	22	20	15	19	25	33	25	14	13	5	5	14	4	14	12	6	7	18.4
ERICAN FALLS 1 NW	MAX	39	35	38	35	34	39	42	29	36	41	34	41	42	35	33	34	37	42	41	49	37	35	29	28	26	32	31	35	35	36	32	35.9
	MIN	29	25	18	25	21	28	25	18	22	24	19	26	21	17	25	22	19	14	24	34	27	23	13	9	14	16	5	20	20	11	10	20.3
DERSON DAM	MAX		38	39	36	37	41	33	27	41	41	31																	38	38	32	33	
	MIN	33	28	25	29	29	28	26	14	22	26	15	23	19	22	21	30	28	30	34	34	31	17	13	13	12	20	17	24	22	14	18	23.1
CO	MAX	40	39	37	33	34	33	30	32	24	34	28	34	31	33	33	40	44	40	39	44	39	35	29	32	33	32	32	33	31	22	32	33.9
	MIN	21	11	7	23	0	25	5	0	3	14	7	0	2	1	12	14	14	14	18	13	21	15	0	-1	2	-3	4	9	5	3	4	9.0
ROWROCK DAM	MAX	49	41	35	36	36	39	37	32	30	41	35	30	36	31	35	39	40	35	39	45	42	40	30	27	25	28	32	43	35	32	26	35.2
	MIN	31	29	25	20	27	31	28	20	18	26	18	21	20	21	25	28	25	25	32	23	34	24	17	17	14	14	19	20	20	18	18	22.8
HTON 1 S	MAX	34	30	29	27	30	27	30	24	29	33	22	26	26	36	34	36	37	34	39	35	30	27	21	22	22	20	18	20	24	26	26	28.2
	MIN	25	20	16	10	-1	12	14	10	15	10	-9	10	7	15	9	16	11	11	29	15	15	12	0	-2	-4	-2	-2	0	12	18	15	9.9
LANTA 1 E	MAX	31	29	39	30	32	35	25	24	38	35	26	36	42	43	45	48	50	39	41	36	33	34	33	32	36	27	32	36	32	33	48	35.5
	MIN	23	19	15	15	20	22	18	5	17	13	6	13	19	31	29	21	27	33	25	17	7	4	8	7	11	12	9	9	11	7	16	15.9
ERY RS	MAX	40	37	36	35	32	33	35	32	34	38	35	46	34	35	39	44	40	33	35	41	38	37	37	37	37	40	35	39	35	41	34	37.1
	MIN	32	32	29	30	31	30	29	28	28	31	27	32	22	29	32	31	29	31	33	34	33	31	30	35	34	33	34	34	34	37	32	31.2
YVIEW MODEL BASIN	MAX	45	40	37	36	38	43	47	35	46	44	37	47	39	42	40	38	37	42	45	48	42	34	37	35	38	40	35	38	38	38	41	40.1
	MIN	35	30	28	31	32	31	30	26	29	28	28	32	30	30	26	28	30	31	32	32	31	25	26	25	30	32	28	32	27	32	35	29.7
G CREEK 1S	MAX	37	35	33	34	33	34	31	24	38	38	29	37	33	42	38	37	39	32	38	37	34	34	27	36	25	31	33	34	35	34	38	34.2
	MIN	23	21	10	17	14	22	-3	0	20	11	2	26	-9	4	29	24	18	15	26	16	19	0	-14	-8	-9	1	14	7	17	-12	10	10.0
ACKFOOT	MAX	39	35	33	33	34	39	37	28	33	41	31	39	38	36	34	38	38	39	40	45	37	32	32	27	26	31	30	32	33	31	32	34.6
	MIN	28	24	20	21	18	27	20	13	20	23	13	21	20	15	23	20	15	17	29	32	25	19	15	6	8	13	3	8	11	9	8	17.5
ISS	MAX	45	44	42	40	38	46	42	31	40	38	38	43	42	42	45	40	50	44	39	46	44	40	38	35	33	31	33	42	40	40	42	40.4
	MIN	32	28	22	27	19	30	25	9	26	28	16	22	20	26	25	25	23	26	29	33	29	21	19	15	15	16	21	15	20	15	16	22.5
ISE LUCKY PEAK DAM	MAX		44	38	39		44		32	41	47	37	41			39	40	39	39	49				39					38	38	33		
	MIN	31	30	27	26			29	16	26	25	20		24		26	26	28	27			28			21			19		19	18		
ISE WB AP	MAX	44	40	40	40	40	46	34	32	47	38	36	41	32	31	37	37	31	37	49	49	43	38	39	34	34	27	36	40	38	39	42	38.4
	MIN	30	29	27	28	32	31	18	13	31	23	22	25	22	23	26	26	26	29	30	34	27	20	19	18	18	22	13	19	24	21	22	24.1
NNERS FERRY 1 SW	MAX	43	39	35	38	41	43	39	36	42	42	42	47	41	45	33	36	37	39	39	45	45	35	33	35	39	42	35	48	40	38	44	39.9
	MIN	37	30	29	23	29	33	32	28	30	28	31	34	21	26	25	20	20	25	32	33	32	31	28	29	33	33	27	31	25	33	37	29.2
HL	MAX	42	40	44	39	45	48	47	38	49	46	39	49	44	45	42	41	50	46	45	46		40	40	35	32	32	35	45	39	39	43	42.2
	MIN	31	28	28	29	27	33	28	16	25	26	20	26	30	24	27	29	29	28	22	36		24	18	16	15	14	17	25	26	18	18	24.4
RKE 2 NNE	MAX	35	31	33	32	33	34	27	27	35	35	29	35	29	35	34	33	32	35	35	38	32	30	28	29	32	31	29	35	33	31	35	32.3
	MIN	28	21	21	25	26	26	24	19	23	24	21	25	14	25	20	26	23	27	31	31	28	15	14	20	23	22	19	25	24	24	27	23.3
RLEY	MAX	49	40	36	43	35	40	46	32	35	48	34	38	42	47	47	50	39	46	44	49	43	40	40	38	35	30	35	34	42	36	42	40.5
	MIN	30	28	24	24	28	31	28	14	16	28	19	21	24	21	24	26	24	24	29	34	29	21	16	10	11	17	24	20	25	13	13	22.5
RLEY FACTORY	MAX	48	38	35	41	32	36	44	30	34	47	35	36	42	41	47	50	39	46	42	46	40	38	37	36	32	28	33	32	39	34	40	38.6
	MIN	29	25	21	21	24	30	26	9	11	26	17	19	21	24	21	21	26	24	26	32	28	19	13	10	9	13	18	18	23	10	12	20.2
RLEY CAA AP	MAX	39	35	42	34	36	45	31	31	46	45	35	46	43	44	48	38	48	43	45	48	38	38	39	33	26	34	32	39	33	40	45	39.3
	MIN	30	25	23	26	27	28	21	11	25	23	17	26	22	20	26	25	24	25	26	29	28	18	14	10	14	19	20	19	14	11	11	21.2
LDWELL	MAX	49	44	40	45	42	50	39	35	39	41	40	39	37	33	34	35	34	37	45	53	46	40	35	33	28	29	40	40	41	39	38	39.4
	MIN	35	34	24	29	32	32	30	19	29	27	27	28	23	27	28	28	29	30	30	37	28	18	12	16	23	20	20	21	19	17	21	25.6
MBRIDGE	MAX	45	40	36	41	42	42	37	34	37	40	31	35	40	33	38	37	36	36	35	48	45	39	35	35	33	30	36	33	41	35	32	37.3
	MIN	33	28	30	21	31	32	25	14	25	21	14	20	22	18	26	24	19	23	31	31	22	17	12	16	18	19	13	19	13	9	17	21.4
SCADE 1 NW	MAX	38	34	32	30	34	35	28	25	40	40	27	35	27	28	35	32	28	34	40	42	32	30	18	23	20	22	25	33	31	20	28	30.5
	MIN	27	25	19	14	24	24	17	3	20	13	4	25	7	13	26	22	16	18	31	30	19	[illegible]	2	5	3	7	7	2	8	-3	5	14.1
ALLIS	MAX	40	36	33	37	42	37	30	24	42	34	27	47	35	35	41	39	40	39	35	43	35	32	28	28	26	26	30	45	35	30	30	34.9
	MIN	28	20	18	21	15	29	13	3	12	14	10	17	12	16	28	25	14	19	20	31	22	15	6	7	6	11	16	11	19	7	11	16.0
ILLY BARTON FLAT	MAX	32	28	28	25	35	37	34	22	28	28	23	39	40	40	42	37	42	40	33	35	31	26	26	31	29	27	30	36	30	24	28	31.8
	MIN	25	15	8	19	6	11	10	9	-2	9	-2	3	8	5	31	16	11	11	22	24	12	-2	-6	-9	-4	1	10	2	14	-7	1	7.5
ARK FORK 1 ENE	MAX	42	39	37	38	45	44	34	36	45	43	40	48	47	45	44	41	44	39	42	45	44	43	41									42.0
	MIN	34	32	26	31	31	31	30	27	29	31	27	31	21	29	28	25	21	28	31	32	35	31	21									28.8
BALT BLACKBIRD MINE	MAX	41	27	28	27	24	27	27	19	21	34	23	29	32	24	38	35	34	27	35	36	28	24	18				30	23	32	24	26	28.3
	MIN	19	11	8	9	9	17	0	1	-1	8	4	8	4	5	22	20	15	16	23	23	12	5	0	0				4	12	0	1	9.0
EUR D ALENE RS	MAX	45	41	35	35	43	45	38	35	48	45	36	50	46	45	40	36	35	40	41	48	42	42	33	35	36	37	34	46	42	39	42	40.5
	MIN	36	31	30	32	33	32	32	29	30	30	31	32	24	24	28	27	27	28	33	40	34	27	24	29	30	30	29	33	29	33	38	30.5
NDA	MAX	52	41	36	35	30	29	35	30	27	37	29	30	35	40	38	36	42	37	43	40	38	40	31	30	26	27	26	27	28	26	33	34.0
	MIN	25	15	10	18	10	14	22	9	7	18	-4	-2	15	16	20	19	9	10	20	30	14	-1	-8	-8	-9	-6	1	1	13	3	0	9.1
TTONWOOD	MAX	39	39	39	35	37	39	31	30	42	37	33	41	35	40	40	42	44	44	41	44	38	36	36	40	33	34	34	40	37	35	39	37.9
	MIN	28	29	29	23	27	19	15	10	25	18	15	29	28	31	31	27	27	32	31	33	29	22	20	25	24	24	18	24	23	20	29	24.7
UNCIL	MAX	39	39	39	38	35	39	35	31	41	40	34	39	37	39	40	40	41	35	35	43	41	42	35	35	32	32	35	33	35	33	28	36.8
	MIN	32	29	29	12	29	33	29	12	23	15	10	24	11	18	28	23	18	27	31	34	23	21	13	15	16	22	2	10	9	1	10	19.5
ADWOOD DAM	MAX	33	33	32	29	32	31	28	21	34	35	21	37	31	29	40	38	39	36	34	39	34	30	31	31	30	23	27	29	32	27		31.5
	MIN	24	21	12	8	21	23	14	2	5	6	-3	18	9	8	25	22	14	20	28	28	13	-5	-10	-4	-6	2	-3	-3	8	-14		9.4
R FLAT DAM	MAX	50	44	49	45	48	52	40	32	42	47	38	38	32	32	33	34	33	39	49	57	45	40	38	36	30	34	41	42	41	40	41	40.7
	MIN	36	31	26	31	33	40	26	22	28	28	22	28	22	26	25	27	27	29	31	37	31	26	20	20	18	23	18	21	27	18	20	26.4
IE	MAX	32	33	33	30	29	30	27	21	38	34	26	35	31	35	38	39	43	37	34	37	31	30	30	36	27	28	29	32	30	30	33	32.2
	MIN	21	19	11	13	16	8	-11	6	19	16	5	10	-13	8	27	18	5	15	22	26	18	-10	-14	-6	-6	4	11	1	15	-16	9	7.6
GGS	MAX	54	31	31	31	30	30	29	27	27	30	33	23	29	32	31	30	30	40	40	40	37	35	25	24	24	24	25	23	25	25	29	30.5
	MIN	24	19	23	19	4	15	19	2	11	10	12	2	2	10	10	10	10	12	25	25	12	12	-2	-5	-5	0	2	3	4	4	1	9.3
OIS EXP STA	MAX	40	27	23	29	20	31	28	16	25	28	18	24	22	34	30	35	40	34	32	35	35	30	25	27	23	18	31	19	30	20	24	27.5
	MIN	21	11	7	19	1	19	16	5	10	13	1	13	3	10	16	20	21	23	23	26	14	15	11	8	1	6	9	12	3	14	17	12.2
OIS CAA AP	MAX	32	25	26	32	26	33	30	16	26	33	19	27	25	37	34	39	46	37	34	41	39	32	27	30	21	16	35	20	21	23	30	29.4
	MIN	17	9	6	-2	3	23	4	10	15	2	-8	1	-6	13	10	14	16	15	21	14	16	2	14	-2	-2	0	0	12	11	16	13	7.6
RIVER 1 S	MAX	40	35	35	34	35	37	34	34	34	36	33	43	39	36	39	40	41	36	38	42	38	38	35	35	34	37	36	42	38	37	37	37.0
	MIN	31	31	26	30	31	31	26	28	32	30	25	30	18	30	30	24	22	24	30	33	33	20	13	24	22	33	27	30	24	24	30	27.2
IETT 2 E	MAX	45	41	40	43	43	46	38	34	50	39	41	40	37	37	38	39	34	37	51	54	45										38	41.4
	MIN	33	30	28	28	32	33	30	20	28	23	29	30	22	23	28	28	29	30	32	36	28										19	28.1
RFIELD RS	MAX	39	35	37	33	33	33	32	20	41	35	33	37	37	32	37	35	41	42	35	31	39	30	29	29	23	29	33	36	35	26	28	33.4
	MIN	27	22	19	20	16	25	13	3	12	11	-2	11	7	8	20	14	9	16	22	26	11	0	-6	-5	-7	2	9	2	13	-4	-2	9.9
N RS	MAX	43	38	41	40	35	38	34	33	35	40	34	36	36	38	40	43	47	40	42	42	40	42	37	37	36	35	39	41	39	40	40	38.7
	MIN	34	32	32	31	31	30	29	27	30	31	30	31	28	29	33	33	32	32	35	38	38	30	29	29	26	32	33	31	32	29	32	31.3
T HALL IND AGENCY	MAX	40	33	35	34	34		37	30	37	41	33	39	38	38	35	37	38	39	40	45		30	32	27	27	33		32	34	35	34	35.3
	MIN	29	23	14	22	18		24	16	21	24	16	23		13	24	21	13	17	28	34		18	13	7	7	[illegible]	2		15	8	4	17.1
DEN VALLEY RS	MAX	40	36	35	34	34	35	34	30	32	34	30	32	29	33	47	37	35	34	35	45	41	36	26	28	27	23	24	26	26	[illegible]	31	32.5
	MIN	31	29	28	20	26	31	27	17	23	20	9	25	15	15	28	28	26	25	30	32	28	14	9	12	9	13	[illegible]	8	7	0	8	19.2
NNS FERRY	MAX		43	44	42	43	49	39	33	45	41	38	42	44	45	39	40	49	45	44	51	45	39	41	37	34	33	35	44	42	39	45	41.7
	MIN		33	23	32	28	34	30	12	30	29	21	24	21	27	27	24	26	28	30	34	32	21	18	15	13	21	13	23	29	16	19	24.4
DING CAA AP	MAX	41	37	40	34	37	44	32	25	39	38	32	39	40	40	42	40	48	46	39	45	41	34	35	34	26	29	30	39	37	36	39	37.4
	MIN	28	27	23	24	24	29	19	13	23	21	16	20	20	24	26	26	29	26	28	33	25	22	17	14	13	14	21	14	18	13	18	21.6
CE	MAX	35	29	28	29	26	31	36	22	31	32	23	30	35	34	39	39	41	42	35	40	32	28	27	26	26	22	25	24	29	26	31	34.0
	MIN	24	17	7	12	9	24	18	3	17	8	-1	20	14	23	30	19	13	19	19	28	16	10	-3	2	0	4	3	9	15	12	2	12.7
ND VIEW	MAX	50	48	46	46	47	55	40	37	45	53	41	40	38	36	35	35	35	41	43	57	50	44	40	36	32	28		39	43	40	44	42.1
	MIN	33	25	21	30	29	31	26	17	25	28	21	24	18	22	25	25	25	28	28	33	28	23	14	16	16	19	14		25	12	14	23.2
NGEVILLE	MAX	39	44	44	35	42	41	33	34	45	36	40	44	35	48	42	42	45	47	50	56	37	36	34	40	34	41	38	41	37	42	45	40.7
	MIN	32	32	30	27	31	25	24	19	24	25	23	27	22	28	32	30	28	33	33	34	30	21	17	[illegible]	22	26	23	32	24	20	26	[illegible]
SMERE	MAX			40	36	32	40	30	28	43	42	42	41	46	52	51	53	52	43	44	45	47	35	40	[illegible]	38	34	33	41	40	[illegible]	41	40.5
	MIN			32	20	18	31	20	8	26	18	20	21	18	25	31	26	25	27	33	[illegible]	[illegible]	15	16	14	[illegible]	28	23	[illegible]	21	21	22	23.2
Y	MAX	32	30	35	34	32	28	29	28	25	22	29	34	35	36	36	35	35	38	38	[illegible]	20	22	[illegible]	22	22	23	24	25	26	28	28	29.2
	MIN	14	12	15	15	14		4	5	5	6	-11	-5	10	12	14	15	16	17	18	-7	-8	[illegible]	-8	7	-15	10	0	2	4	6	5	[illegible]
USE	MAX	39	35	31	30	37	29	21	31	30	35	27	43	41	36	38	41	44	42	38	39	34	33	27	33	31	24	33	37	35	[illegible]	[illegible]	[illegible]
	MIN	19	8	6	17	-5	8		3	-2	8	-9	-4	-3	0	10	11	7	9	8	25	12	[illegible]	[illegible]	-9	-6	-1	12	1	12	-7	-3	[illegible]
EY AP	MAX	49	41	36	36	31	33	36	35	32	35	26	40	44	37	35	41	[illegible]	40	37	42	44	35	[illegible]	29	22	21	[illegible]	[illegible]	30	27	[illegible]	35.4
	MIN	26	22	14	14	4	16	12	1	8	9	7	4	7	10	15	20	11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-1	4	11	-1	[illegible]	-1	[illegible]	10.6
R 4 NW	MAX	40	31	26	34	23	35	34	20	28	37	16	28	22	34	32	[illegible]	40	33	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	[illegible]	29.2
	MIN	19	17	4	21	-6	17	18	11	13	14	-11	-3	-9	14	11	9	9	4	22	[illegible]	[illegible]	[illegible]	-3		-7	-3	-14	[illegible]	[illegible]	5	12	7.4
LTON	MAX	38	34	43	37	47	45	32	29	46	46	35	43	45	45	45	[illegible]	45	44	41	41	[illegible]	37	37	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]
	MIN	27	25	22	24	24	26	23	12	25	26	16	19	21	20	26	23	25	26	26	[illegible]	[illegible]	[illegible]	14	12	12	[illegible]	[illegible]	26	27	[illegible]	[illegible]	21.8

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
HILL CITY	MAX	37	34	35	31	35	35	32	20	40	37	31	37	38	38	40	40	40	40	33	41	36	29	26	22	20	32	31	35	31	26	25
	MIN	27	23	20	22	20	25	15	3	15	12	2	14	18	9	25	12	10	15	16	29	22	0	- 7	7	- 8	10	11	8	18	0	- 2
HOLLISTER	MAX	38	38	40	37	37	45	41	30	47	39	34	45	48	50	56	46	48	45	48	50	38	40	38	35	36	40	42	42	39	36	42
	MIN	23	24	23	25	22	29	20	9	21	21	11	23	28	30	30	30	30	32	38	27	22	26	20	18	18	30	24	38	24	11	21
IDAHO CITY	MAX	41	37	34	32	35	35	32	29	39	35	31	41	40	35	44	43	48	39	37	44	41	37	37	38	33	33	37	32	37	36	43
	MIN	29	24	11	7	22	28	24	4	21	11	- 1	14	2	10	28	20	11	21	29	27	19	2	- 2	1	- 4	- 2	- 3	2	0	- 5	2
IDAHO FALLS 6 NE	MAX	41	32	31	31	30	32	35	24	31	38	27	35	23	29	29	37	38	36	37	40	35	32	29	30	24	30	27	30	30	23	29
	MIN	29	23	16	19	13	29	19	9	16	17	0	12	12	17	20	10	11	10	35	32	25	10	14	5	3	12	- 3	17	13	17	8
IDAHO FALLS CAA AP	MAX	33	31	32	34	32	35	29	22	37	38	26	35	27	28	31	35	36	34	38	41	34	34	27	24	22	26	22	30	25	33	27
	MIN	24	17	15	12	13	27	14	3	20	2	3	11	14	12	18	17	15	15	30	27	18	10	8	4	3	10	- 2	12	14	6	5
IRWIN 2 S	MAX	44	31	35	26	26	34	34	22	28	32	23	30	32	33	34	42	36	30	35	43	33	25	10	8	13	20	25	25	26	32	23
	MIN	25	22	19	10	5	22	17	10	17	17	- 7	17	11	12	25	14	16	17	27	32	24	5	2	- 1	- 1	3	1	4	18	3	5
ISLAND PARK DAM	MAX	33	25	24	28	27	26	27	23	24	28	22	22	28	28	35	40	35	34	30	35	34	28	25	22	20	19	27	22	24	23	26
	MIN	21	12	14	10	9	9	10	1	9	6	-13	13	6	9	6	9	7	0	25	24	13	0	- 7	-16	-12	- 6	-19	9	2	13	12
JEROME	MAX	40	38	44	37	40	45	45	29	45	35	35	43	40	39	42	40	48	47	42	40	41	37	35	32	30	31	33	40			
	MIN	30	25	23	25	25	29	24	6	21	24	16	21	18	18	20	25	26	25	28	31	26	22	15	13	13	12	21	18			
KELLOGG	MAX	43	39	36	36	35	44	38	35	45	45	39	47	47	35	37	39	41	35	37	48	43	39	39	33	35	37	36	45	44	37	43
	MIN	34	33	28	30	30	33	31	27	28	34	30	33	25	28	33	31	27	28	33	35	35	26	23	23	26	30	29	29	29	30	35
KOOSKIA	MAX	42	44	42	44	42	49	40	35	41	49	37	43	37	38	42	40	40	41	41	56	49	43	39	45	37	45	45	52	49	43	40
	MIN	37	33	23	30	34	34	27	24	30	29	33	33	27	29	34	35	33	33	35	38	33	32	28	29	25	30	30	33	33	23	33
KUNA 2 NNE	MAX	47	42	41	42	40	47	36	32	42			42	30	31	35	37	30	37	45	53	43		40	36	34	27	37	42	40	41	40
	MIN	34	26	25	30	31	32	25	14	29			27	20	23	28	27	25	29	30	34	29		19	17	15	23	16	17	22	16	21
LEWISTON WATER PLANT	MAX	51	53	51	43	50	51	44	39	53	51	45	54	46	46	45	46	44	47	45	55	49	45	42	42	39	43	44	52	47	40	50
	MIN	38	38	36	32	39	40	29	29	34	36	31	41	26	39	39	36	34	37	37	43	30	28	32	29	30	30	28	27	30	23	34
LEWISTON WB AP	MAX	49	52	45	45	48	49	42	41	51	45	44	52	42	46	43	43	44	45	52	53	48	42	42	43	37	46	37	52	45	44	48
	MIN	36	36	34	31	38	36	28	25	38	32	30	34	27	38	37	34	31	35	36	35	32	27	31	26	28	33	26	27	27	22	40
LIFTON PUMPING STA	MAX	34	30	32	26	31	38	35	27	32	38	24	33	35	35	38	38	41	40	39	43	30	27	27	27	30	28	26	33	30	31	29
	MIN	25	14	14	16	13	20	20	3	10	15	- 1	10	14	7	22	16	12	15	25	26	19	10	3	2	5	5	12	8	9	8	2
LOWMAN	MAX	40		36	34	36	35	34	30	32	38	28	35	30	36	40	44	38	37	35	43	38	33	26	28	31	26	28	24	31	35	37
	MIN	30	27	21	12	12	30	28	10	22	16	5	23	5	11	28	31	20	21	30	32	22	6	1	4	1	10	- 1	6	5	- 5	3
MACKAY RS	MAX	35	30	30	28	33	38	28	25	29	30	33	42	44	37	35	38	46	48	35	37	33	29	29	35	28	19	30	34	31	28	32
	MIN	25	18	11	21	13	14	16	3	0	0	4	0	10	[illegible]	22	16	16	18	20	24	12	12	2	1	- 2	3	5	5	19	- 2	7
MALAD	MAX	38	35	33	33	30	35	31	34	34	30	31	32	34	34	38	38	44	43	37	44	39	36	35	35	34	35	33	34	39	36	31
	MIN	33	21	13	24	23	24	7	20	22	7	10	16	14	19	30	22	21	24	27	32	23	20	11	10	9	10	14	5	13	4	6
MALAD CAA AP	MAX	37	35	35	31	34	39	39	27	34	34	32	34	34	37	38	39	43	41	36	43	39	37	35	35	32	27	32	31	34	29	26
	MIN	29	20	12	21	21	24	20	4	21	10	5	12	11	10	20	16	17	19	24	30	21	16	10	8	6	8	5	- 3	0	- 5	- 4
MAY RS	MAX	36	29	37	35	38	42	28	23	36	34	27	44	38	39	41	39	40	40	44	43	32	36	30	27	24	23	35	37	34	29	39
	MIN	26	17	12	14	10	23	10	2	5	10	5	12	1	5	18	20	16	21	16	21	17	9	1	0	0	5	13	6	20	0	7
MC CALL	MAX	36	36	28	28	32	32	20	20	36	32	24	36	24	32	38	36	38	32	38	34	34	30	26	34	26	24	30	28	31	30	30
	MIN	32	20	14	12	24	28	14	6	20	14	6	20	4	16	28	26	20	20	30	30	22	8	- 1	6	6	10	8	6	15	3	8
MC CAMMON	MAX	38	34	31	30	33	35	31	32	30	33	30	33	36	32	38	34	43	42	41	42	41	36	33	33	39	31	30	28	32	30	33
	MIN	32	18	8	11	16	15	19	3	8	17	3	10	9	12	15	19	22	18	18	21	24	23	19	10	6	10	13	5	18	- 2	0
MERIDIAN 1 W	MAX	46	44	41	42	40	46	38	32	41	42	38	40	34	31	35	35	33	37	46	51	43	39	39	34	36	28	38	42	39	39	38
	MIN	32	28	24	30	31	32	29	11	27	23	21	27	20	25	27	26	26	29	29	36	29	21	19	18	15	23	16	19	24	17	20
MINIDOKA DAM	MAX	39	34	41	32	35	44	29	32	38	32	34	43	41	47	36	35	38	42	38	43	37	37	34	31	30	32	31	38	34	40	37
	MIN	29	25	21	25	23	30	25	12	22	24	16	24	20	21	27	26	24	25	27	30	26	23	13	11	12	16	15	18	24	12	15
MONTPELIER RS	MAX	42	41	32	34	26	35	38	27	27	36	27	24	34	35	36	38	39	40	39	41	38	29	27	24	24	24		25	28	27	35
	MIN	26	11	9	10	7	22	22	5	7	20	- 3	2	15	9	11	16	10	12	17	26	11	8	- 4	- 4	- 7	- 4		8	11	4	- 3
MOSCOW U OF I	MAX	43	45	39	36	44	43	33	33	46	39	34	47	38	39	45	46	47	46	46	48	40	39	36	43	42	37	38	44	39	36	41
	MIN	32	37	31	30	32	29	29	28	30	29	28	32	27	35	33	32	33	32	37	38	28	28	28	29	30	31	25	29	22	26	33
MOUNTAIN HOME	MAX	52	41	42	40	40	40	38	34	46	42	40	45	40	39	40	39	50	44	62	50	49	40	40	35	36	30	38	48	42	43	44
	MIN	30	26	22	28	30	33	27	14	26	26	20	29	20	25	24	23	23	27	31	30	28	19	17	16	12	18	12	17	24	17	20
MULLAN PASS CAA	MAX	25	24	25	23	27	27	19	24	30	20	27	29		32	28	32	38	35	32	32	24	23	23	23	24	26	23	28	21	26	28
	MIN	21	20	20	17	20	17	15	14	17	16	17	21	[illegible]	27	22	24	28	28	28	23	17	15	17	19	20	18	14	19	17	18	24
NAMPA 2 NW	MAX	52	48	46	41	43	43	51	38	33	42	41	40	39	33	32	33	35	33	37	49	54	45	42	39	37	35	28	41	41	42	42
	MIN	34	27	23	30	31	34	29	17	28	28	22	27	23	25	27	27	27	27	27	35	30	23	20	19	15	21	20	19	23	16	20
NEW MEADOWS RS	MAX	38	38	32			31	36	27	34	36	25	38	22	29	38	33	38	34	35	43	36	25	22	28	24	24	25	26	30	30	32
	MIN	29	32	7			25	13	4	21	8	- 5	13	8	14	26	25	20	27	27	30	22	- 4	- 8	- 1	- 2	5	0	- 2	6	- 8	4
NEZPERCE 2 E	MAX	33	42	39	35	36	38	35	31	40	35	34	43	35	37	39	42	43	40	43	41	36	33	33	38	33	38	35	43	38	38	39
	MIN	26	26	31	26	29	29	25	19	28	27	25	33	25	30	32	31	29	33	33	31	30	29	22	28	28	28	26	30	27	22	34
OAKLEY	MAX	41	37	46	38	37	45	40	30	47	41	33	48	47	50	51	51	55	46	43	48	49	36	39	32	31	35	35	40	40	39	41
	MIN	29	21	21	27	24	31	23	12	24	20	15	21	23	26	29	24	26	32	28	29	30	15	14	9	9	11	15	13	21	11	16
OBSIDIAN 4 NNE	MAX	31	29	30	26	30	32	30	31	34	34	20	34	27	41	38	32	36	32	38	38	27	24	18	20	25	26	26	30	30	18	36
	MIN	18	11	5	14	12	2	5	12	13	- 3	- 9	10	- 7	1	27	14	5	6	8	8	10	-11	-15	-13	-10	- 9	1	- 3	5	-12	0
OLA 5 S	MAX	41	41	40	36	38	42	37	36	35	42	40	39	38	34	35	37	34	38	41	49	47	38	36	38	33	30	32	34	35	36	37
	MIN	32	27	25	29	27	29	29	15	25	19	15	19	15	20	24	15	32	31	32	37	32	19	15	14	14	19	0	6	6	4	5
OROFINO	MAX	45	40	40	40	50	49	40	40	40	45	38	55	41	40	44	42	48	43	42	53	52	46	41	45	38	39	49	44	45	44	42
	MIN	34	37	33	33	36	34	23	26	32	32	30	35	26	30	37	36	33	33	37	36	32	30	27	30	29	32	35	28	28	25	35
PALISADES DAM	MAX	45	31	31	29	27	33	34	24	25	37	25	30	37	33	35	38	35	28	34	43	35	29	18	15	14	18	24	23	25	29	27
	MIN	27	24	19	24	10	25	22	10	16	21	- 3	15	10	13	28	21	12	15	26	31	24	7	- 3	- 5	- 6	3	5	5	17	17	0
PARMA EXP STA	MAX	52	48	40	44	49	49	40	36	38	42	41	39	37	34	36	34	33	37	45	50	47	45	37	39	33	30	43	38	45	40	40
	MIN	34	30	26	27	37	30	23	21	20	25	20	25	21	26	26	27	27	29	29	35	28	23	17	20	22	18	18	18	22	15	18
PAUL 1 E	MAX	50	40	34	42	32	37	44	30	33	48	35	36	45	42	45	47	38	47	44	45	41	39	37	36	33	25	32	32	40	35	40
	MIN	30	26	24	24	25	29	27	14	14	27	17	18	19	19	25	25	25	25	26	29	28	24	13	10	12	18	21	20	24	13	10
PAYETTE	MAX	49	40	40	45	43	49	39	32	37	42	36	38	37	33	35	34	32	35	38	52	46	42	35	36	30	30	42	38	43	36	40
	MIN	34	32	32	29	33	34	29	19	28	22	16	25	20	24	28	27	26	27	30	34	28	22	18	20	19	19	14	19	19	16	19
PIERCE RS	MAX	36	36	35	33	34	35	44	30	33	35	31		39	33	35	36	35	34			39	35	42	36	35	34	34	38	36	33	34
	MIN	33	33	30	31	31	32	27	17	29	31	27		16	26	33	31	20	28			30	28	18	23	23	26	26	33	30	20	32
POCATELLO WB AP	MAX	35	32	36	34	35	40	30	28	41	42	33	41	38	35	35	35	39	40	45	48	35	35	32	30	25	32	27	33	32	35	35
	MIN	29	27	19	22	23	29	22	18	25	20	20	28	17	15	23	22	16	21	28	30	27	18	17	9	12	18	3	21	21	9	9
PORTHILL	MAX	48	42	38	40	39	44	40	37	34	41	35	46	42	38	36	36	38	35	42	43	42	37	41	37	35	45	43	47	44	48	44
	MIN	34	35	27	26	30	33	29	28	32	25	26	32	19	20	20	16	20	20	30	26	28	26	27	20	21	30	28	20	32	35	33
POTLATCH 1 SE	MAX	38	43	35	36	42	42	34	31	45	38	34	45	45	39	43	42	48	46	44	46	38	34	37	38	36	38	35	44	37	42	40
	MIN	32	31	27	31	33	31	30	19	29	31	29	33	25	32	29	30	28	32	34	37	24	19	24	29	27	31	25	31	26	34	36
PRESTON SUG FACT 2 SE	MAX	48	35	34	32	34	36	38	30	31	37	29	30	37	35	37	38	42	42	38	42	39	35	35	32	31	31	31	30	34	30	30
	MIN	31	27	21	26	24	21	25	10	15	27	3	16	13	12	28	18	17	20	28	33	25	18	11	10	7	9	18	5	18	2	- 1
PRIEST RIVER EXP STA	MAX	40	36	33	34	39	41	35	31	43	39	32	42	30	39	31	36	32	33	35	41	34	34	34	30	33	33	29	42	35	33	38
	MIN	32	28	27	28	29	33	26	23	28	23	22	29	15	25	23	20	15	21	31	32	25	25	26	25	27	27	24	28	22	30	30
REACTOR TESTING STA	MAX	41	34	27	34	30	33	29	20	35	36	21	29	18	30	31	35	38	38	39	41	38	35	23	29	25	20	33	23	25	23	28
	MIN	16	8	1	10	- 3	26	5	15	11	- 2	- 3	- 2	7	4	8	11	6	7	24	24	14	3	- 3	- 1	- 4	2	-12	12	1	0	- 3
RICHFIELD	MAX	42	34	36	33	33	38	35	25	38	33	29	36	33	32	35	37	40	39	35	39	40	34	29	32	28	25	25	35	34	31	31
	MIN	28	21	22	24	15	25	22	7	13	19	6	12	8	14	18	22	21	25	23	29	20	14	10	8	7	12	9	13	15	7	9
RIGGINS RS	MAX	49		48	45	43																										
	MIN	31		34	34	33																										
RUPERT	MAX	51	41	34	43	33	38	45	30	34	49	33	35	45	46	48	45	38	45	43	47	43	41	37	35	35	24	33	35	40	38	42
	MIN	32	28	21	26	25	28	24	12	16	28	17	20	21	21	25	28	26	27	28	32	29	26	15	14	14	20	22	23	25	11	11
SAINT ANTHONY	MAX	37	37	32	33	24	34	34	19	30	35	23	29	28	36	32	41	38	34	37	42	34	25	27	22	19	20	21	21	24	27	28
	MIN	26	21	6	3	- 3	23	8	9	15	4	-12	5	- 1	20	12	13	18	14	30	28	17	1	2	- 2	- 2	- 1	- 7	17	18	15	8
SAINT MARIES	MAX	45	38	36	38	42	40	39	40	46	44	40	47	41	38	40	39	43	40	42	48	44	40	36	37	36	39	41	43	41	41	40
	MIN	32	30	28	30	40	31	29	24	32	28	27	31	22	30	30	29	28	29	32	32	30	24	20	25	25	29	27	26	24	30	34
SALMON	MAX	41	35	36	42	38	42	30	28	42	37	30	50	38	31	37	41	30	31	33	46	40	40	32	32	23	25	34	36	43	31	30
	MIN	28	24	22	21	19	23	12	11	15	16	15	21	15	11	20	20	12	20	20	28	21	17	8	4	6	13	5	19	17	6	14
SANDPOINT EXP STA	MAX	42	38	34	35	41	43	37	33	44	43	35	47	39	41	35	34	35	36	38	44	40	35	35	32	35	37	31	45	38	35	39
	MIN	35	32	30	31	31	35	29	26	29	30	30	32	20	27	23	27	27	30	33	36	31	26	21	29	31	30	25	25	29	33	33
SHOSHONE	MAX	41	36	40	35	36	42	41	25	42	37	32	39	37	39	40	38	45	44	36	42	41	32	30	34	28	29	27	40	36	36	37
	MIN	30	26	20	25	19	29	23	15	21	24	15	17	15	19	23	25	26	28	27	33	26	20	15	12	10	17	21	11	17	11	14
SPENCER RS	MAX	38	26	24	26	23	29	28	15	25	29	18	27	26	33	36	37	41	36	32	39	31	28	21	25	23	24	27	19	25	20	26
	MIN	22	3	0	14	- 7	16	9	9	9	9	- 2	8	- 2	2	10	10	13	10	22	24	15	10	- 3	- 1	- 6	- 3	2	8	4	14	16

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
PRINGFIELD 1 SE	MAX	40	33	35	35	32	39	40	28	34	41	32	44	38	32	34	37	40	39	39	42	38	37	37	34	32	30	33	33	34	34	42	36.0
	MIN	30	24	14	17	9	28	20	14	23	21	6	25	22	11	20	19	15	18	25	33	23	22	13	6	5	15	2	14	11	9	5	16.7
TIBNITE	MAX	40	29	29	30	27	28	28	24	24	24	24	29	38	36	34	35	45	45	34	37	29	28	32	33	35	33	26	31	30	31	33	31.6
	MIN	18	17	6	8	10	20	1	2	- 1	8	- 2	8	3	2	20	21	20	18	26	23	15	3	2	0	4	6	10	0	6	- 2	1	8.7
TREVELL	MAX	35	32	32	29	34	39	37	25	30	31	28	37	36	34	34	40	42	42	35	37	35	30	31	30		24	24	26	32	31	29	32.7
	MIN	29	22	16	24	22	20	22	2	19	23	3	19	10	21	22	21	29	23	25	29	27	14	7	4		8	14	7	18	6	10	17.2
UGAR	MAX	41	41	30	30	30	33	34	19	30	35	23	32	29	34	31	37	37	34	39	42	39	38	23	25	20	23	22	21	26	27	27	30.7
	MIN	30	21	3	4	11	21	0	4	5	15	12	5	5	19	16	10	10	15	28	32	25	2	2	- 3	- 2	2	- 9	11	17	12	8	10.7
UN VALLEY	MAX	37	35	35	31	32	34	31	30	30	32	29	41	39	41	42	43	46	43	38	38	34	31	29	33	31	26	33	37	38	31	37	35.1
	MIN	22	12	11	17	- 2	23	9	16	0	6	-10	0	0	3	17	15	10	12	22	29	2	[illegible]	-10	-11	- 6	- 2	7	- 3	15	- 7	- 2	5.5
WAN FALLS PH	MAX	48	52	43	46	44	52	39	36	43	45	50	40	38	37	35	34	34	40	46	52	48	43	40	36	31	31	40	43	44	40	40	41.6
	MIN	36	33	28	34	33	34	21	23	30	30	26	29	25	25	26	26	[illegible]	30	34	40	28	27	22	22	23	25	19	23	28	21	22	27.4
ETONIA EXP STA	MAX	34	30	28	26	29	30	29	28	31	27	30	29	32	36	34	39	40	29	31	35	40	31	28	26	30	31	26	29	31	28	26	30.7
	MIN	19	11	8	9	- 1	20	19	3	5	- 1	5	7	9	10	8	11	9	5	13	5	- 6	- 6	-10	-12	- 6	- 3	5	2	6	4	1	4.8
HREE CREEK	MAX	37	36	37	35	38	45	45	35	50	45	39	50	54				56	48	42	45	35					39	33	46	36	40	48	42.3
	MIN	25	15	14	21	21	12	20	0	20	15	1	11	18				19	26	22	30	24					7	9	4	5	- 1	6	14.3
WIN FALLS 2 NNE	MAX	40	38	45	40	42	48	47	32	49	38	39	49	45	45	45	41	49	47	45	47	40	38	37	32	29	33	35	42	39	39	43	41.2
	MIN	31	30	27	28	27	34	27	17	26	26	21	21	25	21	27	24	26	27	28	35	19	23	15	12	10	16	23	24	24	13	12	23.5
WIN FALLS 3 SE	MAX	47	41	40	45	36	42	48	33	32	50	35	37	49	45	45	47	42	49	48	51	44	40	38	38	29	30	34	35	42	37	39	40.9
	MIN	30	29	29	29	27	31	28	18	19	28	21	21	25	23	23	25	26	26	28	31	30	23	17	14	12	14	18	23	25	19	15	23.5
ALLACE	MAX	39	35	35	35	40	40	32	33	40	37	38	43	36	40	37	37	35	37	43	45	35	34	35	34	37	39	35	41	34	38	42	37.5
	MIN	33	31	27	30	30	30	27	21	29	27	26	31	22	31	30	30	27	27	32	33	30	24	21	27	27	31	28	30	26	31	34	28.5
ALLACE WOODLAND PARK	MAX	41	36	34	35	33	40	35	31	38	42	34	42	44	40	37	38	43	41	38	45	38		35	34	36	38	35	40	40	33	42	37.9
	MIN	32	31	26	26	29	30	28	24	18	30	23	28	20	19	32	28	27	28	31	34	33		20	20	26	26	26	27	27	26	31	26.9
EISER	MAX	52	45	38	48	46	47	45	35	40	44	39	38	40	34	37	34	32	38	39	52	50	46	38	40	28	36	42	38	42	43	38	40.8
	MIN	30	30	28	23	30	34	32	16	28	20	19	24	17	26	24	27	23	28	28	30	20	20	17	18	17	22	10	18	20	15	22	23.1
INCHESTER 1 SE	MAX	40	40	40	35	36	37	35	28	43	40	32	37	47	45	40	45	53	45	44	49	44	36	38	40	40	38	40	40	37	40	42	40.2
	MIN	27	30	28	23	22	20	18	13	25	25	18	20	22	25	34	28	26	34	34	32	30	23	24	26	26	22	22	28	23	19	31	25.1

SNOWFALL AND SNOW ON GROUND

Table 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ANDERSON DAM	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND				2	3	3	4	4	4	3	3	2	2	2	2	2	2	2	3	3	2	[illegible]	2	2	2	2	2	[illegible]	2	2	2
ARCO	SNOWFALL				0.5		0.5	2.0																								
	SN ON GND																															
ARROWROCK DAM	SNOWFALL	T		T	2.0	3.0	T	1.0	1.6	1.0											T	T						0.5		1.0		
	SN ON GND	T		T	2	5	5	6	7	[illegible]	6	5	5	5	5	4	4	3	[illegible]	3	2							1		1	1	1
ASHTON 1 S	SNOWFALL	2.5	T		6.0	T	T	2.0	T	5.5		T		T						1.5							2.0	T			1.0	T
	SN ON GND	2	2	2	8	7	5	7	7	12	12	11	11	11	10	9	[illegible]	8	8	9	8	8	8	8	8	8	10	10	10	10	11	11
ATLANTA 1 E	SNOWFALL	1.0	2.5	T	4.5	8.5	6.7	2.5	T	1.6	3.1	T			T				2.8	2.5	4.2						2.7	1.2	1.0	0.7		
	SN ON GND	6	9	8	12	16	21	21	18	17	18	17	16	14	14	14	13	12	15	16	20	19	19	18	17	17	19	20	20	20	19	18
AVERY RS	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	-	1	2	4	-	-	-	4	4	4	4	-	3	3	3	3	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
BIG CREEK 1 S	SNOWFALL	2.0	1.0	1.0	5.0	0.5	6.0	2.0		0.5	3.0	T	0.5							2.0	2.0	4.0					2.0	1.0				
	SN ON GND	4	4	5	10	8	14	14	14	14	17	16	16	12	10	[illegible]	[illegible]	8	[illegible]	10	12	16	16	16	14	14	16	16	16	16	16	14
BLACKFOOT	SNOWFALL	T	T		4.0					1.0																		1.0				
	SN ON GND		T		4	3	2	2	2	3	3	[illegible]	2	2	2	2	1											1				
BOISE WB AP	SNOWFALL	0.1	0.1		T	3.0	1.1	5.5	0.3	T	T										T					T	0.6	T	T			
	SN ON GND					1		1	2	2																		1	T	T	T	T
	WTR EQUIV								0.2	0.2																						
BONNERS FERRY 1 SW	SNOWFALL		T	5.6	1.5	T	T			0.8		3.2							T													
	SN ON GND			5	4	2				T	T	2																				
BURLEY CAA AP	SNOWFALL	T	T	T	1.0	T	2.0	T	0.1	T	0.5										T						0.4	0.3	T	T		
	SN ON GND				1	T		2	2	2																		1		T	T	T
CALDWELL	SNOWFALL						T	1.0		2.0											T					0.3						
	SN ON GND						T														T					T	T					
CASCADE 1 NW	SNOWFALL		0.5	1.0	6.0	1.0	5.0	T	1.5	1.0	0.5		T							0.5	T						4.0	1.0	T			
	SN ON GND		1	1	7	[illegible]	12	11	12	9	9	9	8	8	7	7	7	7	6	6	5	5	5	5	5	5	9	10	9	9	8	8
CENTERVILLE ARBAUGH RCH	SNOWFALL	T	1.0	2.0	6.0	4.3	8.8	1.7	T	1.5	0.5		0.2			T			T	2.3	T	0.5					4.3	0.1	1.5			
	SN ON GND	3	4	6	12	16	20	19	19	16	16	16	16	16	16	15	15	15	15	17	16	16	16	16	16	16	20	20	20	20	20	19
COBALT BLACKBIRD MINE	SNOWFALL	1.0	1.5	1.0	2.0	1.5	0.6	2.5	0.5	0.6	3.0	T	T	1.2		0.3					1.2	1.3	0.3					3.0		1.5		0.5
	SN ON GND	8	10	10	12	12	12	15	14	14	17	15	14	15	15	15	15	14	14	14	16	16	16	16	-	-	-	18	17	18	18	19
COEUR D'ALENE RS	SNOWFALL		1.0	1.5	0.5	T		T		0.4		T																				
	SN ON GND			2	2	T		T				T																				
COTTONWOOD	SNOWFALL	0.5	1.0	T	0.4	2.0	0.4	1.0	1.3			T										0.3				0.3	0.3	0.2				
	SN ON GND					3	3	4	5	3	2	2	2	2	2	2	1					T				T	T	T				
DEADWOOD DAM	SNOWFALL	0.5	1.0	1.0	7.5	2.5	9.0	1.5	0.5	3.0	1.0		0.5			T			T	3.0	0.5	0.5					3.5	1.0	T	T		
	SN ON GND	5	6	7	14	16	25	24	23	22	21	21	19	19	19	18	18	18	16	19	16	16	16	16	16	16	20	21	20	20	20	-
DUBOIS CAA AP	SNOWFALL	T	0.2	0.2	4.6	T	0.4		0.3	0.9	0.5	T		T			T			0.5				0.1	T	T	1.3		T		0.1	T
	SN ON GND	1	1	1	4	4	4	4	4	5	6	6	6	6	6	6	5	5	5	5	5	5	5	3	3	3	3	4	4	4	4	4
FENN RS	SNOWFALL					T		2.5		-		0.3			T																	
	SN ON GND							2	2	3	2	3	1		T																	
GARDEN VALLEY RS	SNOWFALL		T	T	2.0	4.0	3.0		0.5	2.0			T						0.5								3.0		2.0			
	SN ON GND	-	-	-	-	6	7	5	5	6	6	5	5	5	5	5	4	4	4	3	2	2	2	2	2	2	5	5	7	6	6	6
GLENNS FERRY	SNOWFALL							1.5	T	T																	T	1.5				
	SN ON GND																															
GOODING CAA AP	SNOWFALL	T	T	T	0.4	T	1.0	T	1.0	T																	1.0	T	T	T		
	SN ON GND				T	T		1	1	2	1																T	T	T	T		
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND				T			T	T																		T		T			

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GRAY	SNOWFALL	–			2.0		2.0	2.0		2.0										2.0								2.0				
	SN ON GND	2	2	2	4	4	6	8	8	8	8	8	8	8	8	8	8	8	8	10	10	10	10	10	10	10	10	10	10	10	10	1
HAILEY AP	SNOWFALL				2.5		0.4				2.0									2.0								1.0				
	SN ON GND	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–
HAMER 4 NW	SNOWFALL	T			3.0		T			T	1.0									1.0				T			0.5	2.0	0.8		T	
	SN ON GND				3	3	3	3	3	3	4	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
HILL CITY	SNOWFALL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SN ON GND	–	–	–	–	–	4	–	–	4	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–
IDAHO CITY	SNOWFALL		1.0		6.0	5.0	5.0	2.0		1.5										1.5							3.0					
	SN ON GND	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IDAHO CITY 13 SW	SNOWFALL	2.0	1.5	2.0	9.0	5.5	4.5	3.0	2.0	1.5	T		2.0							2.0	T	1.5					T	T	T			
	SN ON GND	–	–	–	–	15	17	18	19	20	–	–	13	–	–	–	–	–	–	10	8	8	–	–	–	–	–	–	–	–	–	–
IDAHO FALLS CAA AP	SNOWFALL	T	0.2	T	0.8	0.7	4.0	T	T	T	T			T						T						T	1.0	T	T	0.4		
	SN ON GND	T	T	T	1	2	2	6	6	6	5	5	5	4	5	5	5	4	3	2	2	2	2	2	2	2	2	2	2	2	2	
IRWIN 2 S	SNOWFALL	2.0	–	–	–	–	–	3.0	1.0	–	–									–		–						4.5		3.0		
	SN ON GND	–	–	–	–	–	–	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	–	–
ISLAND PARK DAM	SNOWFALL	1.0		2.0	4.0		3.0	2.0		9.0	1.0		4.0		1.0					4.0	5.0						4.0		2.0		3.0	
	SN ON GND	7	–	10	13	–	13	14	–	20	18	–	21	–	–	–	–	–	–	20	24	–	–	–	–	–	26	–	26	–	27	–
LEWISTON WATER PLANT	SNOWFALL							T	T																							
	SN ON GND																															
LEWISTON WB AP	SNOWFALL							T	0.1	T		T														T						
	SN ON GND																															
LOWMAN	SNOWFALL				4.0	6.0	2.0			2.0										2.0	2.0						6.0		2.0			
	SN ON GND				4	9	11	11	11	11	9	9	9	9	9	8	7	7	6	7	7	7	7	7	7	7	11	11	12	11	11	1
MACKAY RS	SNOWFALL				1.0			T		1.0	0.1										0.5						0.2	0.3				
	SN ON GND				1	1	1	1	1	1	1	1									T											
MALAD CAA AP	SNOWFALL		T		1.5	T		1.0	T	T	T									T	T						1.3	0 5		1.1		
	SN ON GND		T		1	1	1	2	2	2	2	2	2	2	2	2	2	1	T	1	T	T	T				1	2	1	2	1	
MAY RS	SNOWFALL	T	T		1.0		T	T			T										T						0.5	T				
	SN ON GND	T	T		1	T	1	T	T	T	T										T	T					T	T	T	T	T	
MC CALL	SNOWFALL	3.0	2.0	2.0	3.0	3.0	4.0		3.0	3.0										4.0								4.0				
	SN ON GND	4	4	6	7	7	10	10	10	11	–	–	–	–	–	–	–	–	–	10	10	10	–	–	–	–	–	13	13	13	–	–
MULLAN PASS CAA	SNOWFALL	1.6	2.1	11.2	3.5	5.3	7.3	1.8	6.0	12.0	T	4.0	1.0		1.0		T		0.6	7.3	5.5	0.1			1.0	1.0	2.0	0.1	1.0	0.3	0.2	2.
	SN ON GND	20	20	21	31	36	45	49	50	55	61	61	66	66	66	65	64	60	60	60	68	71	71	71	71	70	70	70	70	71	71	6
NEZPERCE 2 E	SNOWFALL		T		T	T		T		T	T	T										T				T	T					
	SN ON GND				T			T		T																T						
OAKLEY	SNOWFALL				T			2.0																				1.5				
	SN ON GND				T			2	1																							
OBSIDIAN 4 NNE	SNOWFALL	1.0	T		1.0		4.0	T	T		T		T		T	T					4.0	T					2.0		T			
	SN ON GND	4	4	4	5	5	9	10	10	10	10	10	10	10	10	10	10	10	10	9	13	13	13	13	13	13	15	15	14	14	14	1
PAYETTE	SNOWFALL		T	T				T	1.0	3.0																	0.8					
	SN ON GND									3	2	1	1	1	T	T	T	T									1	T	T	T		
PIERCE RS	SNOWFALL	2.0	3.0	5.0	4.0	2.0	1.5	3.0	0.5	4.0	1.5	2.0	1.0									T				0.5		T	0.5	1.1		
	SN ON GND	3	5	8	9	9	11	12	12	14	14	16	14	14	13	13	13	13	13	–	–	12	12	12	12	13	13	13	13	13	13	1
POCATELLO WB AP	SNOWFALL	T	0.3		1.1	T	0.7	1.3	0.5	T	T			T	T	T										T	1.0	T	T	0.4		
	SN ON GND			T	T	1	1	2	4	4	1	1	1	T	T	T	T	T	T	T	T						T	1	1	1	1	
	WTR EQUIV							0.2	0.5	0.4																						
PORTHILL	SNOWFALL			3.0						2.0		2.0			T																	
	SN ON GND			2	2	T				1		3	2	1	1	1	1	1	1	1												
POTLATCH 1 SE	SNOWFALL	0.5	0.5	0.8	0.5		0.5	0.2	1.4			0.3														0.3				T		
	SN ON GND			1	1		1		2			1														T						
PRIEST RIVER EXP STA	SNOWFALL		2.0	5.5	0.1	0.3	T	1.3	0.4	T	0.1	1.0	T						0.2						T	T	1.0				0.1	
	SN ON GND		2	8	8	7	5	5	5	4	4	5	5	5	5	5	5	5	5	[illegible]	3	3	3	3	3	3	4	4	3	3	3	
SALMON	SNOWFALL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SN ON GND		1																		T						T					
SANDPOINT EXP STA	SNOWFALL		1.2	4.6	1.2	T	T	1.0	0.2	1.0	T	1.5	T		T			T					T		T	T	0.4		T		T	
	SN ON GND		1	6	6	4	T	1	T	T		2	T	T	T	T	T	T	T	T	T						1	T			T	
SPENCER RS	SNOWFALL	3.0	0.5	1.0	6.0			1.0	T	4.0		0.5								1.0	1.0						1.0		1.0		0.5	0.
	SN ON GND	–	–	–	–	–	–	11	–	–	–	–	–	–	12	–	–	–	–	–	–	13	–	–	–	–	–	–	14	–	–	–
STIBNITE	SNOWFALL	2.5	1.0	1.0	5.0	1.0	6.0	3.0	2.0	2.0	2.0	1.0	T	1.0		1.0	T			T	3.0	6.0	T					4.0		3.0		
	SN ON GND	6	7	7	12	13	16	15	16	17	19	19	18	17	17	17	17	16	15	15	17	22	21	21	20	19	18	22	21	22	21	2
SUN VALLEY	SNOWFALL		T		2.0		5.0	1.0		1.0	1.0								T	2.0	3.0						T	1.0				
	SN ON GND	1	T	T	2	1	5	6	5	6	7	7	6	4	4	3	3	3	3	5	8	8	8	8	8	8	8	9	8	8	[illegible]	
THREE CREEK	SNOWFALL	3.0	1.0		4.0			7.0			5.0																*	4.0		T		
	SN ON GND	3	3	2	5	3	2	7	5	5	8	8	6	3	–	–	–	2	2	1	1	1	–	–	–	–	–	4	4	4	3	
TWIN FALLS 2 NNE	SNOWFALL	T	T				T	1.8	T	T	T																0.5	0.4		T		
	SN ON GND							1	1	T																	1	T	T			
WALLACE	SNOWFALL	T	2.0	4.0	2.0	1.0	1.0	4.0	T	T	T	T	T							T	T	T			T	T			T		T	T
	SN ON GND	T	2	6	8	3	4	8	6	2	2	2	1	1	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T

See reference notes following Station Index.

CLIMATOLOGICAL DATA

IDAHO
DELAYED DATA

ABLE 2

Station	Temperature Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Max Depth on Ground	Date	No of Days .01 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
FEBRUARY 1953																							
AVERY RS	M	M	M		53	26+				0	0		0	2.80	- .14	.50	4				16	1	0
BAYVIEW MODEL BASIN	43.3	27.5	35.4		54	2	15	23+	824	0	0	23	0	1.23		.39	3	.0	0		13	0	0
BIG CREEK 1 S	38.6	11.3	25.0	4.1	52	26	-20	24	1115	0	7	28	6	3.60	1.50	1.34	3	31.9	41	19	15	2	1
BONNERS FERRY 1 SW	42.6	27.6	35.1	6.7	54	7	16	20	830	0	0	24	0	1.54	- .11	.33	14		4	14	12	0	0
BURKE 2 NNE	35.1	22.4	28.8	2.4	40	7	5	20	1011	0	7	28	0	3.28	- 1.88	.65	28	38.2	59	28	[illegible]	1	0
JUNE 1953																							
MOSCOW U OF I	68.1	42.6	55.4	- 3.9	76	11	35	3+	284	0	0	0	0	1.28	- .19	.49	13	.0	0		9	0	0
SOUTHWESTERN DIVISION																							
JULY 1953																							
LOWMAN	86.3	44.2	65.3	- 0.8	94	13	37	29	51	11	0	0	0	.00	- .54	.00		.0	0		0	0	0
AUGUST 1953																							
LOWMAN	83.2	51.4	67.3	3.8	92	20	41	28+	53	6	0	0	0	T	- .54	T	29+	.0	0		0	0	0
SEPTEMBER 1953																							
LOWMAN	73.5	44.3	58.9	4.0	86	12	32	30	193	0	0	1	0	T	- 1.00	T	17	.0	0		0	0	0
NOVEMBER 1953																							
LOWMAN	51.5	29.3	40.4	8.0	69	1	10	19	731	0	0	24	0	2.71	- .41	1.23	22	9.0	8	23	8	2	2

DAILY PRECIPITATION

able 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
JUNE 1953 MOSCOW U OF I	1.28	.14			.01	.08	T	.43	.02					.49		T								T				T	.07	.02	.02	.
JULY 1953 LOWMAN	.00																															.
AUGUST 1953 LOWMAN	T																													T	T	.
SEPTEMBER 1953 LOWMAN	T																	T														.
NOVEMBER 1953 LOWMAN	2.71	T	T	T			T	T	.01			T		.07	T			.01					1.23	1.09	.23	.01		T	.06			.

PRECIPITATION MEASURED IN STORAGE GAGES

Station	Obser - vation date	Amount since last obs.	Snow on ground
GILMORE SUMMIT RANCH //	1952 SEP. 20		
	1953 SEP. 30	15.40	
TOTAL	. . . .	15.40	
IDA VADA //	1952 NOV. 26		
	1953 JAN. 31	1.14	

Station	Obser - vation date	Amount since last obs.	Snow on ground
IDA VADA (CONTD) //	1953 MAR. 3	.00	
	MAY 2	2.85	
	JUNE 2	1.71	
	30	1.14	
	AUG. 4	.56	
	OCT. 30	.80	
TOTAL	. . . .	8.20	
LOLO PASS //	1952 SEP. 22		

Station	Obser - vation date	Amount since last obs.	Snow on ground
LOLO PASS (CONTD) //	1953 SEP. 29	40.10	
TOTAL	. . . .	40.10	
NEZ PERCE PASS //	1952 SEP. 22		
	1953 SEP. 29	24.70	
TOTAL	. . . .	24.70	

See Reference Notes Following Station Index

DAILY TEMPERATURES

Table 5

Station		Day Of Month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
JUNE 1953 MOSCOW U OF I	MAX	67	63	65	65	58	65	65	62	67	74	76	74	64	68	69	73	73	71	63	62	68	67	67	66	73	74	70	66	74	73		68
	MIN	45	47	35	48	44	47	42	35	36	38	49	48	46	39	43	43	46	40	35	40	43	45	40	40	44	41	50	43	42	43		42
JULY 1953 LOWMAN	MAX	80	78	80	80	84	85	91	92	90	91	88	93	94	92	91	90	80	85	88	84	80	80	90	85	86	83	86	84	85	89	90	86.
	MIN	40	40	40	48	44	50	50	50	44	46	44	49	50	56	54	50	42	44	42	40	40	40	41	38	40	41	43	38	37	40	49	44.
AUGUST 1953 LOWMAN	MAX	87	90	88	86	85	83	90	84	87	85	80	85	89	88	90	91	88	85	89	92	90	80	79	81	76	78	76	71	70	67	68	83.
	MIN	55	55	55	45	50	49	53	52	53	51	47	50	57	56	59	65	60	54	59	63	59	45	44	50	47	43	46	41	45	43	41	51.
SEPTEMBER 1953 LOWMAN	MAX	74	77	70	71	74	77	80	81	76	82	83	86	82	81	80	83	81	64	67	72	71	75	66	65	63	65	68	66	63	62		73.
	MIN	46	51	47	40	45	44	45	51	53	47	48	51	53	52	52	54	53	34	41	46	36	43	45	37	33	37	35	38	40	32		44.
NOVEMBER 1953 LOWMAN	MAX	69	60	50	51	60	47	48	47	54	60	60	63	58	60	54	62	52	40	37	42	40	37	44	46	49	56	49	54	50	46		51.
	MIN	32	41	33	29	28	31	32	32	30	27	32	31	34	33	36	32	31	15	10	22	24	30	30	28	31	32	30	33	26	25		29.

EVAPORATION AND WIND

Table 6

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
JUNE 1953 MOSCOW U OF I	EVAP	.28	.23	.17	.15	.02	.08	.12	.16	.10	.17	.20	.15	.21	.17	.11	.09	.43	.14	.23	.13	.23	.23	-	-	.06	.12	.20	.16	.13	.29		B
	WIND	43	130	53	44	33	45	81	47	20	33	30	33	111	29	21	31	113	67	55	86	32	52	114	69	40	28	27	[illegible]	25	58		

SNOWFALL AND SNOW ON GROUND

Table 7

Station		Day of month																												
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
NOVEMBER 1953 LOWMAN	SNOWFALL																						6.0	3.0							
	SN ON GND																						6	8	5	5	5	4	3		

See reference notes following Station Index.

STATION INDEX

IDAHO
DECEMBER 1953

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
BERDEEN EXP STATION	0010	BINGHAM	12	42 [illegible]	112 50	[illegible]	[illegible]	[illegible]	EXPERIMENT STATION	2 3 5 6 7
LBION	[illegible]	CASSIA	12	42 [illegible]	113 [illegible]	[illegible]	6P	[illegible]	DEL ROWE	CLOSED 8/1/53
LPHA 1 NE	[illegible]	VALLEY	8	44 24	115 [illegible]	[illegible]	7P	[illegible]	GLENN STRAWN	2 3 5
MERICAN FALLS 1 NW	[illegible]	POWER	12	42 46	112 52	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
NDERSON DAM	0282	ELMORE	2	43 21	115 28	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	2 3 5 7
RCO	[illegible]	BUTTE	[illegible]	43 38	113 [illegible]	[illegible]	5P	[illegible]	MRS HAZEL [illegible]	2 3 5 7
RROWROCK DAM	[illegible]	ELMORE	2	43 36	115 [illegible]	[illegible]	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
SHTON 1 S	[illegible]	FREMONT	12	44 [illegible]	111 27	[illegible]	[illegible]	[illegible]	GUST STEINMAN	2 3 5 7
TLANTA 1 E	[illegible]	ELMORE	2	43 48	115 [illegible]	[illegible]	5P	[illegible]	PHILLIP T PETERSON	2 3 5 7 C
TLANTA SUMMIT	[illegible]	ELMORE	2	43 [illegible]	115 [illegible]	[illegible]		VAR	U S SOIL CON SER	5
VERY RANGER STATION	[illegible]	SHOSHONE	1	47 [illegible]	115 48	[illegible]	5P	[illegible]	U S FOREST SERVICE	2 3 5 7
ANCROFT	[illegible]	BANNOCK	12	42 [illegible]	111 54	[illegible]		MID	KENNETH F CRUMP	C
AYVIEW MODEL BASIN	[illegible]	KOOTENAI	[illegible]	47 [illegible]	116 [illegible]	[illegible]	4P	[illegible]	U S NAVY	2 3 5
ENT N DAM	[illegible]	BONNER	[illegible]	48 [illegible]	116 [illegible]	[illegible]		MID	U S FOREST SERVICE	C
IG CREEK 1 S	[illegible]	VALLEY	11	45 [illegible]	11[illegible] 20	[illegible]		[illegible]	NAPIER EDWARDS	2 3 5 7 C
LACKFOOT	0915	BINGHAM	12	43 11	112 21	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
LACKFOOT DAM	[illegible]	[illegible]	12	43 [illegible]	111 [illegible]	[illegible]	[illegible]	[illegible]	FORT HALL IR PROJ	2 3 5
LISS	[illegible]	GOODING	12	[illegible]	114 [illegible]	[illegible]	[illegible]	[illegible]	NORTH SIDE CANAL CO	2 3 5
[illegible]	[illegible]	BOISE	2	43 [illegible]	116 [illegible]	[illegible]	MID	[illegible]	[illegible]	C
OISE LUCKY PEAK DAM	[illegible]	ADA	2	43 32	116 [illegible]	[illegible]	4P	4P	CORPS OF ENGINEERS	2 3 5 C
OISE WB AIRPORT	1022	ADA	2	43 34	116 [illegible]	[illegible]	MID	MID	U S WEATHER BUREAU	[illegible]
ONNERS FERRY [illegible]	[illegible]	BOUNDARY	[illegible]	48 [illegible]	[illegible]	[illegible]			CHARLES G HOWARD JR	2 3 5 7 C
RIDGE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		MID	MARLIN H BOOTH	[illegible]
UHL	[illegible]	TWIN FALLS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	WILLIAM A [illegible]	2 3 5
[illegible] RANGER STATION	[illegible]	[illegible]	[illegible]	46 [illegible]	[illegible] 30	[illegible]	3P	3P	U S FOREST SERVICE	2 3 5
[illegible]	[illegible]	[illegible]	5	47 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible]	1288	CASSIA	[illegible]	42 [illegible]	113 47	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	8A	AMALGAMATED SUGAR	2 3 5 C
[illegible]	[illegible]	[illegible]	[illegible]	42 [illegible]	[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ALDW[illegible]	[illegible]	CANYON	2	[illegible]	116 41	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
AMBRIDGE	1408	WASHINGTON	[illegible]	[illegible]	116 41	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
ASCADE 1 NW	[illegible]	VALLEY	8	44 [illegible]	11[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7 C
[illegible]	[illegible]	[illegible]	8	44 [illegible]	[illegible]	[illegible]	MID	[illegible]	[illegible]	[illegible]
ENTER[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	115 [illegible]	[illegible]	[illegible]	[illegible]	MABEL M ARBAUGH	[illegible]
HALLIS	[illegible]	[illegible]	11	44	114 14	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	44	113 [illegible]	[illegible]	[illegible]	[illegible]	GEORGE A MILLER	[illegible]
LARK FORK [illegible]	[illegible]	[illegible]	9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MRS MARY L RALPH	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MID	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	LEMHI	[illegible]	45	114	[illegible]	8A	8A	CALERA MINING CO	[illegible]
OEUR D'ALENE CAA AP	1951	KOOTENAI		47 16	116 [illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	[illegible]
OEUR [illegible]	1956	KOOTENAI		47 [illegible]	[illegible] 45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	43	111 33	[illegible]	[illegible]	[illegible]	[illegible] COPPER	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	LOUIS KLAPPRICH	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	116	[illegible]		MID	SABI FREI	C
[illegible]	[illegible]	[illegible]	[illegible]	44 [illegible]	[illegible] 26	[illegible]	[illegible]	[illegible]	LYMAN MATHISON	2 3 5 C
[illegible]	[illegible]	[illegible]	8	44 [illegible]	115 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	2385	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	2 3 5 7 C
[illegible]	2395	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S SOIL CON SER	5
[illegible]	[illegible]	KOOTENAI	[illegible]	47 44	116 29	[illegible]		MID	U S FOREST SERVICE	[illegible]
[illegible]	2444	CANYON	12	43 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 28	[illegible]	[illegible]	[illegible]	MRS MARGARET E STOUT	[illegible]
[illegible]	2604	CAMAS	[illegible]	[illegible]	[illegible] 41	[illegible]	[illegible]	[illegible]	[illegible]	C
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	8A	8A	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	6	44 14	[illegible] 14	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	[illegible]
[illegible]	2875	IDAHO	[illegible]	45 [illegible]	115 [illegible]	[illegible]	[illegible]	[illegible]	LORA B VILAS	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	116 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	43 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	3108	CAMAS	12	[illegible] 21	114 [illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	115 [illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible] INDIAN AGENCY	3297	BINGHAM	[illegible]	43 02	112 [illegible]	[illegible]	[illegible]	[illegible]	FORT HALL IR PROJ	[illegible]
ARDEN VALLEY RS	3448	BOISE	[illegible]	44 [illegible]	115 [illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 19	113 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	S
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MID	[illegible]	[illegible]	C
OODING CAA AIRPORT	[illegible]	[illegible]	[illegible]	[illegible]	114 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5
RACE	[illegible]	[illegible]	12	42 [illegible]	[illegible] 44	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
RAND [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	W BILADEAU	2 3 5
RANGE[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 56	[illegible]	[illegible]	MID	MID	MRS ALVERA FOSTER	2 3 5
RAY	[illegible]	[illegible]	[illegible]	[illegible]	111 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 42	113 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
AILEY AIRPORT	3942	BLAINE	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4796	[illegible]	[illegible]	U S F & W SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	NORTH SIDE CANAL CO	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 18	[illegible]	[illegible]	[illegible]	[illegible]	CARROLL DAMMEN	2 3 5
[illegible]	[illegible]	TWIN FALLS	[illegible]	42 [illegible]	[illegible]	1550	[illegible]	[illegible]	SALMON R CANAL CO	2 3 5
[illegible]	[illegible]	[illegible]	6	43 47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	115 [illegible]	[illegible]	[illegible]	[illegible]	R JOHN MELLOR	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 42	[illegible]	[illegible]	[illegible]	[illegible]	C M GARDNER	[illegible]
DAHO FALLS [illegible]	[illegible]	BONNEVILLE	12	[illegible] 34	[illegible]	4810	[illegible]	[illegible]	CARROLL SECRIST	2 3 5
DAHO FALLS [illegible]	[illegible]	[illegible]	12	[illegible] 31	112 04	4730	[illegible]	[illegible]	U S CIVIL AERO ADM	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	42 [illegible]	[illegible]	6000	[illegible]	[illegible]	[illegible]	S
[illegible]	[illegible]	[illegible]	12	43 24	111 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
SLAND PARK DAM	[illegible]	FREMONT	12	44 [illegible]	111 [illegible]	6300	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
[illegible] PEAK	4612	BOISE	[illegible]	44 03	115 [illegible]	7050		VAR	U S SOIL CON SER	[illegible]
EROME	[illegible]	[illegible]	[illegible]	42 14	[illegible]	[illegible]	[illegible]	[illegible]	O OLIVER	[illegible]
[illegible]	4793	LEWIS	[illegible]	[illegible] 14	116 [illegible]	1190	[illegible]	[illegible]	MRS MARY E LUNDERS	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	116 [illegible]	[illegible]	[illegible]	[illegible]	[illegible] ASKEY	2 3 5
[illegible]	5011	IDAHO	[illegible]	[illegible]	115 [illegible]	1261	[illegible]	[illegible]	E T GILROY	2 3 5
[illegible]	5038	ADA	2	[illegible]	[illegible]	2685	[illegible]	[illegible]	HARRY U GIBSON	[illegible]
[illegible] RANGER STATION	5110	VALLEY	11	44 [illegible]	115 [illegible]	[illegible]		VAR	U S FOREST SERVICE	[illegible]
[illegible]	5169	LEMHI	[illegible]	[illegible]	[illegible]	[illegible]		MID	RODNEY H TOBIAS	[illegible]
EWISTON WATER PLANT	[illegible]	[illegible]	3	[illegible]	[illegible] 01	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
EWISTON WB AIRPORT	[illegible]	[illegible]	[illegible]	[illegible]	117 01	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible] PUMPING STATION	[illegible]	[illegible]	1	[illegible]	[illegible]	[illegible]	[illegible]	6P	UTAH P & L COMPANY	2 3 5 6
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 33	[illegible]		VAR	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 36	[illegible]	[illegible]	5P	ORVILLE L JOINER	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible] CAA AIRPORT	5559	ONEIDA	1	42 10	112 [illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	[illegible]

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
MAY RANGER STATION	[illegible]	LEMHI	[illegible]	44 [illegible]	113 [illegible]	[illegible]	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	[illegible]	BANNOCK	[illegible]	42 39	112 12	[illegible]	5P	5P	[illegible]	2 3 5
MERIDIAN 1 W	[illegible]	ADA	2	43 [illegible]	116 [illegible]	[illegible]	5P	5P	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	[illegible]	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	[illegible]	MINIDOKA	12	42 40	113 29	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	1	42 [illegible]	111 18	[illegible]	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	[illegible]	BOISE	2	43 56	115 40	[illegible]		VAR	U S SOIL CON SER	C 5
MOOSE CREEK RANGER STA	[illegible]	IDAHO	3	[illegible]	[illegible]	[illegible]		MID	U S FOREST SERVICE	C
MOSCOW U OF I	[illegible]	LATAH		46 44	117 00	[illegible]	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	[illegible]	ELMORE	[illegible]	43 08	[illegible]	[illegible]	[illegible]	[illegible]	KENNETH [illegible] NEWMAN	2 3 5
MULLAN PASS CAA	[illegible]	SHOSHONE	[illegible]	47 27	115 41	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
NAMPA [illegible] NW	[illegible]	CANYON	2	43 37	116 [illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 [illegible]	116 17	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5
NEZPERCE [illegible]	[illegible]	LEWIS	3	46 15	116 12	[illegible]	6P	6P	[illegible]	2 3 5 7
NEZ PERCE PASS	[illegible]	[illegible]	11	[illegible]	114 30	[illegible]		VAR	U S FOREST SERVICE	5
OAKLEY	[illegible]	CASSIA	[illegible]	42 15	113 53	[illegible]	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	[illegible]	CUSTER	[illegible]	44 03	114 48	[illegible]	5P	5P	[illegible]	2 3 5 7
OLA 5 S	[illegible]	GEM	8	44 07	116 17	[illegible]	5P	5P	[illegible]	2 3 5
OROFINO	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
PALISADES DAM	[illegible]	BONNEVILLE	[illegible]	43 22	111 14	[illegible]	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	[illegible]	CANYON	[illegible]	43 47	116 [illegible]	[illegible]	5P	[illegible]	[illegible] EXP STATION	2 3 5
PAUL 1 E	[illegible]	MINIDOKA	[illegible]	[illegible]	[illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	[illegible]	PAYETTE	8	[illegible]	116 56	[illegible]	[illegible]	6P	[illegible]	2 3 5 7
PIERCE RANGER STATION	[illegible]	CLEARWATER	3	46 30	115 48	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7
PINE 2 S	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PLUMMER [illegible] WSW	[illegible]	BENEWAH	[illegible]	[illegible]	[illegible]	[illegible]		MID	U S INDIAN SERVICE	[illegible]
POCATELLO WB AIRPORT	[illegible]	BANNOCK	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 5 7
PORTHILL	[illegible]	BOUNDARY	[illegible]	[illegible]	116 30	[illegible]	5P	[illegible]	[illegible]	2 3 5 7
POTLATCH 1 SE	[illegible]	LATAH	[illegible]	46 54	116 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
PRAIRIE	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]		MID	[illegible]	C
PRESTON SUG FACT 2 SE	[illegible]	FRANKLIN	[illegible]	[illegible]	111 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PRIEST RIVER EXP STA	[illegible]	BONNER	[illegible]	48 21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible] CREEK	[illegible]	VALLEY	11	[illegible]	[illegible]	[illegible]		VAR	[illegible]	5
PUTNAM MOUNTAIN	[illegible]	BINGHAM	[illegible]	43 02	[illegible]	[illegible]		VAR	FORT HALL IR PROJ	5
REACTOR TESTING STA	[illegible]	BUTTE	[illegible]	43 33	[illegible]	[illegible]	MID	MID	A E C WEATHER STA	[illegible]
[illegible]	[illegible]	LINCOLN	[illegible]	43 04	114 [illegible]	[illegible]	5P	5P	[illegible]	2 3 5
[illegible] RANGER STATION	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
ROLAND WEST PORTAL	[illegible]	SHOSHONE	[illegible]	47 21	[illegible]	[illegible]	[illegible]	[illegible]	MRS HOMER WALTON	[illegible]
RUPERT	[illegible]	MINIDOKA	[illegible]	42 37	[illegible]	[illegible]	8A	8A	MINIDOKA IR PROJ	[illegible]
SAINT ANTHONY	[illegible]	FREMONT	[illegible]	[illegible]	111 40	[illegible]	7P	[illegible]	[illegible]	[illegible]
SAINT MARIES	[illegible]	BENEWAH	[illegible]	[illegible]	116 34	[illegible]	5P	[illegible]	U S FOREST SERVICE	2 3 5
SALMON	[illegible]	LEMHI	[illegible]	[illegible]	113 53	[illegible]	MID	MID	[illegible]	[illegible]
SANDPOINT EXP STATION	[illegible]	BONNER	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	STATE EXP STATION	2 3 5 7
SHAKE CREEK RANGER STA	[illegible]	ELMORE	[illegible]	[illegible]	115 10	[illegible]		VAR	U S FOREST SERVICE	5
SHOSHONE	[illegible]	LINCOLN	[illegible]	42 56	114 24	[illegible]	[illegible]	[illegible]	LEONARD V BOND	2 3 5
[illegible] CREEK RS	[illegible]	CAMAS	[illegible]	[illegible]	114 [illegible]	[illegible]		VAR	U S FOREST SERVICE	5
SPENCER RANGER STATION	[illegible]	CLARK	[illegible]	44 [illegible]	[illegible] 11	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
SPRINGFIELD [illegible] NE	[illegible]	BINGHAM	[illegible]	43 04	[illegible] 41	[illegible]	[illegible]	[illegible]	MRS [illegible]	[illegible]
STIBNITE	8738	VALLEY	[illegible]	[illegible]	115 20	[illegible]	8A	8A	[illegible]	2 3 5 7
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	IDAHO STATE POLICE	[illegible]
[illegible]	8818	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6P	KAY JOHNSON	[illegible]
SUN VALLEY	[illegible]	BLAINE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SWAN FALLS POWER HOUSE	[illegible]	ADA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	IDAHO POWER COMPANY	[illegible]
TETONIA EXP STATION	[illegible]	TETON	[illegible]	43 51	111 16	[illegible]	5P	[illegible]	EXPERIMENT STATION	[illegible]
[illegible] CREEK	[illegible]	[illegible]	[illegible]	42 03	115 10	[illegible]	6P	[illegible]	MRS L E TANNER	[illegible]
TRINITY LAKE GUARD STA	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]		VAR	U S SOIL CON SER	5
TROUTDALE GUARD STATION	[illegible]	[illegible]	[illegible]	43 43	[illegible]	[illegible]		VAR	U S SOIL CON SER	5
TWIN FALLS [illegible] NNE	[illegible]	TWIN FALLS	[illegible]	42 35	114 28	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
TWIN FALLS 3 SE SUG FACT	[illegible]	TWIN FALLS	[illegible]	[illegible]	114 [illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	[illegible]
VIENNA	[illegible]	BLAINE	[illegible]	43 49	114 51	[illegible]		VAR	U S SOIL CON SER	[illegible]
WALLACE	[illegible]	SHOSHONE	[illegible]	[illegible]	[illegible]	[illegible]	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	[illegible]	SHOSHONE	4	47 30	115 53	[illegible]	8A	8A	[illegible]	[illegible]
WEISER	[illegible]	WASHINGTON	[illegible]	[illegible]	[illegible]	[illegible]	6P	[illegible]	[illegible]	2 3 5
[illegible] 1 SE	[illegible]	LEWIS	[illegible]	[illegible]	[illegible]	[illegible]	4P	4P	[illegible]	[illegible]
[illegible] PINE	[illegible]	VALLEY	11	[illegible]	115 29	[illegible]		VAR	L J MILLER	5
NEW STATIONS										
[illegible]TA RANGER STATION	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		MID	[illegible]	[illegible]
[illegible]	[illegible]	ELMORE	[illegible]	[illegible]	[illegible] 18	[illegible]		VAR	[illegible]	[illegible]
[illegible] MOUNTAIN	[illegible]	BLAINE	[illegible]	[illegible]	[illegible]	[illegible]		MID	[illegible] BENNETT	[illegible]
[illegible]	[illegible]	OWYHEE	12	42 [illegible]	[illegible]	[illegible]	5P	5P	[illegible]	[illegible]

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, [illegible] SNAKE

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There wi be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bu letin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be i cluded in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F, precipitation and evaporation inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standa Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the St tion Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on grou values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; cons quently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the reco

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are proces ed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, h been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summar Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding s scriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

CORRECTED DATA

FEBRUARY 1953		The following list of stations were omitted from the published Climatological Data Tabl Avery RS, Bayview Model Basin, Big Creek 1 S, Bonners Ferry 1 SW and Burke 2 NNE. See layed Data Table 2 for published record.
JUNE 1953	PIERCE RS:	Max. temperature on 29th should be 86°, mean max. 68.3°, mean 53.8°, departure -3.9°, h est for month 86° on 29th, and total degree days 331.
	BIG CREEK 1 S:	Precipitation on 2nd should be .07, monthly total 1.39, departure -1.19, greatest day . on 12th and days with .01 or more 13.

W.R.P.C. Chattanooga--2-9-54-


IDAHO
STATUTE MILES
10 0 0 20 30 40
STATION LEGEND
● ◗ Precipitation only
Precipitation storage
● ◗ Precipitation and Temperature
◆ ◗ Precipitation, Temperature and Evaporation
Section Center
Type of gage Non-recording
● Recording ◗ Both types
Double circle combinations Complete Meteorological
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry
Benton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 2 SW
Deer Park
Mount Spokane
Bayview Model Basin
Trout Creek 2 W
Coeur d'Alene CAA AP
Deception Cr
Spokane WB AP
Thompson Falls
Coeur d'Alene RS
Kellogg
Burke 2NNE
Cheney
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace
Saint Maries
Haugan
Rosalia
Plummer 3WSW
Roland W Portal
Avery RS
Tekoa
Superior CAA AP
Clarkia RS
Potlatch
Colfax 1 NW
Missoula WB AP
Missoula 2 WNW
Pullman Exp Sta
Elk River 1 S
Wawawai
Bungalow RS
Lolo Pass
Orofino
Pomeroy
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Winchester 1SE
Kamiah 1NE
Hamilton
Nezperce
Kooskia
Moose Creek RS
Anatone
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Wisdom
Riggins RS
Joseph
Jackson
Polaris
Salmon
Cornucopia
Big Creek 1 S
New Meadows RS
Yellow Pine
Cobalt Blackbird Mine
Grant
Halfway
McCall
Stibnite
Hebgen Dam
Richland
Pungo Creek
Council 1 N
Dell
West Yellowstone
Landmark RS
Leadore
Lima
Lima Dam
Lakeview
Durkee
Mesa
May RS
Monida
Cambridge
Cascade 1NW
Challis
Dell 19 SW
Deadwood Summit
Huntington
Cascade RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Weiser
Bechler River
Snake River
Ola 4 S
Crouch 2NNW
Ashton 1S
Grassy Lake Dam
Payette
Lowman
Jackson Peak
Ontario CAA AP
Obsidian 1NNE
Hamer 1NW
St Anthony
Vale
Garden Valley RS
Chilly Barton Flat
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Tetonia Exp Sta
Moran
Nyssa
Emmett 2E
Mackay RS
Sugar
Little Valley
Idaho City
Atlanta 1E
Vienna
Howe
Alta
Bogus Basin
Adrian
Driggs
Moose 3 SW
Owyhee Dam
Caldwell
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Arco
Idaho City 13SW
Shake Cr RS
Nampa 2NW
Meridian 1SSW
Arrowrock Dam
Dollarhide Summit
Idaho Falls 6 SE
Deer Flat Dam
Trinity Lake GS
Hailey
Reactor Testing Sta
Kuna 2 NNE
Boise LP Dam
Pine 2SSW
Soldier Cr RS
Idaho Falls CAA AP
Irwin 2S
Jackson
Boise WB AP
Prairie
Palisades Dam
Fairfield
Anderson Dam
Blackfoot
Hill City
Swan Falls PH
Springfield
Putnam Mt
Gray
Mountain Home
Richfield
Sheaville
Fort Hall Ind Agcy
Blackfoot Dam
Grand View
Glenns Ferry
Aberdeen Exp Sta
Bedford 2 SE
Danner
Bliss
Shoshone
Gooding 1 E
Pocatello WB AP
Rome
Grover 2 S
Gooding CAA AP
American Falls 1NW
Bancroft
Minidoka Dam
Paul 1E
Burley 1NW
McCammon
Rupert
Hazelton
Twin Falls 2NNE
Twin Falls 3SE
Burley
Burley CAA AP
Albion
Montpelier RS
Hollister
Oakley
Malad
Lifton Pump Sta
Malad CAA AP
Three Creek
Ida Vada
Owyhee
Sage
Jarbidge
Garland
Park Valley
Contact
Revised 9 52 WRM

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

ANNUAL SUMMARY 1953

Volume LVI No. 13

CHATTANOOGA: 1954

IDAHO - ANNUAL - 1953

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Average monthly temperatures in all sections of Idaho during 1953 showed a markedly different pattern than in the preceding year. The first quarter, with January averages the highest on record, was very mild in contrast to the cold weather during the same period in 1952. The second quarter also showed a reversal with temperatures well below normal during April, May and June of this year. September and October were similar in the two years, with average temperatures above normal, but where temperatures plunged well below normal in November 1952 they continued above normal during that same month in 1953. The annual average temperature for the State this year was 2.2° higher than in 1952 and 1.6° above normal.

Precipitation for the year averaged a little above normal in the Northern and Southwestern Divisions, but the Southeastern Division average was only 80% of normal. Much of the excess in the Northern Division resulted from the unusually heavy falls in January, while in the Southwestern Division the principal excesses occurred in January and May. In the Southeastern Division the monthly averages were continually below normal during the last six months of the year. Snowfall, which reached unprecedented levels in some parts of the State during the winter and spring of 1952, was considerably lower in 1953. That, together with gradual warming during the spring months, resulted in runoff without major floods, such as those of the preceding spring.

Despite a cool, wet spring which gave a late start to most vegetation, production of several crops was the largest of record. In this category were all wheat, all hay, corn, dry beans and sweet corn. Oats, potatoes, sugar beets, hops, alfalfa seed, red clover seed, ladino clover seed and green peas showed above-average production, but below-average production was reported for barley, rye, dry peas, alsike clover seed, white clover seed, Austrian winter peas, all fruits and all truck crops.

The very dry fall of 1952 gave fall-sown crops one of the poorest starts in the history of the State, but the mild winter weather and above normal rainfall allowed some 1953 crops to come through better than expected. Irreparable damage was done to alsike and white clover seed and to Austrian winter peas and much winter wheat was abandoned in southern sections, but most of it survived in the northern part of the State. Spring frosts cut production of most fruits, with peaches hurt severely and apricots practically a total loss. Development of field crops was later than usual during most of the summer, following the late spring and its attendant delays in planting, but the extremely favorable fall weather allowed potatoes, corn, dry beans and sugar beets to mature fully. Harvest of nearly all crops was completed with a minimum of weather loss.

As in 1952, dry soil in the fall months hampered the seeding of fall grains, and in the Southeastern Division some wheat was planted in soils that were literally dust. Precipitation in late October and November was beneficial, however, and the crop generally was in much better condition on December 1st than on that date a year earlier. Nevertheless, the condition of the fall-sown grains was below average and in the Southeastern Division the condition of much of the crop was poor.

Thunderstorms were numerous in August, but in July and September they were rather infrequent and scattered. Forest and range fires were more numerous than usual, but acreage burned was not excessive. Damage from storms was relatively light during the year with hailstorms reported only at scattered points during the summer. No loss of life was attributed to weather elements.

SYNOPSIS BY MONTHS

JANUARY: Warmest January on record in Idaho with precipitation nearly double the 60-year mean for the State and heaviest since 1909. Snowfall was generally light below elevation of about 3500 feet, but at higher elevations snowpack increased substantially and density was above normal. Strong winds occurred on a number of days with relatively light damage reported.

FEBRUARY: Averaging 8.1° warmer than the preceding year this was the warmest February since 1947, despite several days of subnormal temperatures during the latter half of the month. State-wide average precipitation wa 89% of normal but in the Southeastern Division the average was only 56%. Cooler weather latter half of mont retarded vegetation which had shown unseasonable activit during mild weather of several preceding weeks.

MARCH: Average temperatures were above normal again with positive departures particularly noticeable in th Southeastern Division. Precipitation was below norma with the Southeastern Division average only 57% of normal. Considerable planting was done in lower valleys bu higher elevations remained snow covered. No frost damag to fruits was reported although apricots were in bloo and cherry buds were swelling by the end of the month.

APRIL: Monthly average temperature was below norma for the first time since November. Frost damage was mor extensive than usual for April; nearly all apricots wer killed and damage to cherries was extensive. In som orchard areas peaches were damaged to the extent of 50 or more of the potential crop. Frost also thinned som early sugar beet stands, necessitating replanting. Precipitation was above normal in all divisions and averag snowfall for the State was more than 200% of the 60-yea mean for April.

MAY: Cool weather continued through this month wit state-wide average temperature the lowest since 1933 Precipitation averaged 157% of normal and snowfall was little above average for May. Field work was hampered b wet weather, but the moisture was welcome on dryland farms Freezing weather during the second week did considerabl damage to early fruits and to new alfalfa in south centra and southeastern districts. The snowpack remained unusually heavy at the close of the month and the increase i streamflow during the month was below average.

JUNE: A cool, wet month which further retarded far work, but benefited range vegetation. Haying, beet-thinning, cultivating and the planting of beans and potatoe were all delayed, but as precipitation became more scattered during the latter half of the month, field work increased and vegetation began growing rapidly. Despite large mountain snowpack there was little flooding durin the month.

JULY: Although the month was extremely dry and sunshine more than usually abundant, the average temperatur for the State was only slightly above normal. In th Southwestern Division precipitation averaged only 0.0 inch for 47 stations, the lowest in 61 years of record The dry weather was a boon to farmers in putting up ha crops and harvesting early grains, peas and fruits.

AUGUST: Temperatures averaged near normal in all divisions while precipitation was 157% of normal in th north, near normal in the southwest and only 52% of normal in the southeast. Grain and hay harvesting progresse rapidly except for minor delays from showers in the Northern Division. Lack of moisture adversely affected grain on dryland farms in the east and resulted in extremel dry conditions on summer ranges. Storm damage was ligh but numerous small forest fires were caused by lightnin and several range fires burned more than 1,000 acres each

SEPTEMBER: Warm and dry with average temperature mor than 3° above normal and average precipitation only 0.1 inch, making this the third driest September in 61 year of record. Harvest activities progressed with littl delay during the month, but lack of moisture hampered fal plowing and seeding. Frosts on mornings of 4th and 18t did little damage except in higher valleys. Sugar bee digging began late in month. Ranges remained very dry.

OCTOBER: Another warm, dry month with abundant sun shine. No severe storms were reported and final harvesting of crops was accomplished under favorable conditions Hard freeze early in month killed potato vines and digging of late varieties went forward rapidly. Pasture were far below average for the season and fall seedin suffered further delays because of dry soil.

NOVEMBER: Another warm fall month, but with smalle precipitation deficiencies than in October and Septembe Southeastern Division, however, still received an averag of only 52% of normal precipitation. Sugar beet and pota to harvests were completed and, where moisture was suffi

(Continued on page 161

Table 1

AVERAGE TEMPERATURES AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
ABERDEEN EXP STA	[illegible]	15.2	32.9	[illegible]	38.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ALBION	[illegible]	9.9	[illegible]	1.1	[illegible]	[illegible]	41.3	[illegible]	45.7	- 6.7	56.2	- 2.7	[illegible]	[illegible]	-		-		-				-		-	
ALPHA 1 NE	[illegible]	13.6	24.0	1.1	[illegible]	[illegible]	36.5	[illegible]	[illegible]	- 4.8	[illegible]	- 3.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			-		-	
AMERICAN FALLS 1 NW	[illegible]	12.6	33.7	6.3	39.0	[illegible]	43.2	- 2.3	[illegible]	- 5.5	[illegible]	- 2.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ANDERSON DAM	36.2		M		[illegible]		[illegible]		[illegible]		60.1		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]				-	
ARCO	[illegible]	[illegible]	[illegible]	7.2	35.1	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-	
ARROWROCK DAM	[illegible]	11.4	34.8	4.3	40.3	[illegible]	45.3	[illegible]	51.0	- 0.1	[illegible]	- 5.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ASHTON 1 S	[illegible]	[illegible]	[illegible]	4.0	[illegible]	[illegible]	39.0	[illegible]	47.0	- 3.2	55.0	- 2.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ATLANTA 1 E	[illegible]	9.9	[illegible]	[illegible]	31.7	[illegible]	[illegible]	[illegible]	42.9	- 4.4	[illegible]	- 1.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
AVERY RS	M		M		M		45.4	[illegible]	51.3	- 2.8	[illegible]	- 2.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	-	
BAYVIEW MODEL BASIN	[illegible]		35.4		[illegible]		43.0		50.2		55.0		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
BIG CREEK [illegible]	[illegible]	[illegible]	25.0	[illegible]	30.4	[illegible]	34.6	[illegible]	40.8	- 3.4	[illegible]	- 1.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
BLACKFOOT	[illegible]	[illegible]	33.1	7.4	[illegible]	[illegible]	44.3	- 1.1	50.2	- 3.3	62.1	0.0	74.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BLACKFOOT DAM	-		-		-		-		41.4M	- 5.4	[illegible]	- 1.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	43.0M	[illegible]	[illegible]	[illegible]	-		-	
BLISS	[illegible]	[illegible]	[illegible]	[illegible]	43.2	[illegible]	47.1M	[illegible]	52.4	- 5.1	[illegible]	- 3.9	[illegible]	[illegible]	71.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	-	
BOISE LUCKY PEAK DAM	M		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		M		-	
BOISE WB AP	[illegible]	[illegible]	[illegible]	2.4	42.4	[illegible]	46.1	[illegible]	52.2	- 5.9	[illegible]	- 5.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BONNERS FERRY 1 SW	[illegible]	[illegible]	[illegible]	6.7	[illegible]	[illegible]	46.0M	- 0.1	[illegible]	0.6	M		[illegible]	[illegible]	-		[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-	
BUHL	[illegible]	14.5	[illegible]	6.2	[illegible]	[illegible]	48.0	[illegible]	[illegible]	- 4.2	61.0	- 2.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BUNGALOW RS	-		-		-				[illegible]	- 4.6	[illegible]	- 3.4	[illegible]	- 1.3	[illegible]	[illegible]	[illegible]	[illegible]	-		-		-		-	
BURKE 2 ENE	31.7	[illegible]	28.8	2.4	32.4	[illegible]	36.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BURLEY	[illegible]	[illegible]	[illegible]	[illegible]	41.3	[illegible]	[illegible]	- 1.1	[illegible]	- 4.7	60.9	- 3.1	[illegible]	[illegible]	[illegible]	1.6	[illegible]	6.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BURLEY FACTORY	37.4	[illegible]	33.3M	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49.6	- 5.6	58.8	- 3.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BURLEY CAA AP	[illegible]	[illegible]	34.1	2.9	39.8	[illegible]	44.2	[illegible]	[illegible]	- 4.9	59.1	- 2.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7.0	[illegible]	[illegible]	[illegible]	[illegible]
CALDWELL	[illegible]	13.8	39.3	[illegible]	44.7	[illegible]	[illegible]	[illegible]	[illegible]	- 3.5	61.2	- 4.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.2	[illegible]	[illegible]	[illegible]	[illegible]
CAMBRIDGE	[illegible]	15.4	34.6	[illegible]	41.5	[illegible]	40.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CASCADE 1 NW	32.8		25.8		31.9		37.8		45.0		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
CHALLIS	[illegible]	15.2	27.6	[illegible]	[illegible]	[illegible]	42.1	[illegible]	47.9	- 4.3	58.5	- 0.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CHILLY BARTON FLAT	26.8	12.1	22.9	[illegible]	31.4	[illegible]	30.1	[illegible]	[illegible]	- 0.3	[illegible]	- 2.8	[illegible]	[illegible]	[illegible]	- 2.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5.9	[illegible]	- 0.6	[illegible]	[illegible]
CLARK FORK 1 ENE	[illegible]	10.6	34.1	[illegible]	[illegible]	1.2	[illegible]	[illegible]	51.7	- 2.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
COBALT BLACKBIRD MINE	[illegible]		18.8		[illegible]		30.3		[illegible]		46.0		61.3M		57.7		51.7M		[illegible]		[illegible]		[illegible]		[illegible]	
COEUR D ALENE CAA AP	[illegible]		34.4		38.7		43.9		51.4		[illegible]		66.5		66.1		59.4		49.6		M		-		-	
COEUR D ALENE [illegible]	[illegible]	[illegible]	36.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- 1.4	58.0	- 3.2	68.1	- 0.3	68.7	1.3	61.4M	3.5	51.4	3.3	41.0M	4.4	35.5	4.7	49.9	2.6
CONDA	[illegible]	13.7	22.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.3	66.2	2.9	64.3M	2.4	58.1	5.2	45.9	1.8	[illegible]	[illegible]	21.6		[illegible]	
COTTONWOOD	37.3	13.7	32.1	1.9	36.4	[illegible]	[illegible]	- 1.9	40.6	- 4.2	51.8	- 5.7	64.7	- 2.0	64.5	[illegible]	[illegible]	3.2	45.0	1.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
COUNCIL	[illegible]	12.1	36.3M	[illegible]	-		47.2	- 0.4	[illegible]	[illegible]	60.0	[illegible]	74.4	[illegible]	72.1	1.7	[illegible]	5.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0.6	-	
DEADWOOD DAM	[illegible]	[illegible]	22.4	1.1	29.5	2.3	[illegible]	- 2.5	41.1	- 4.4	[illegible]	- 2.1	[illegible]	[illegible]	59.4	[illegible]	[illegible]	3.3	45.0	[illegible]	[illegible]	[illegible]	[illegible]	1.0	[illegible]	[illegible]
DEER FLAT DAM	[illegible]	15.7	38.2	5.3	44.1	[illegible]	48.4	- 2.2	54.1	- 4.3	[illegible]	- 3.8	74.0	0.2	71.1	[illegible]	64.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.9	[illegible]	[illegible]
DIXIE	29.4		23.6		28.7		33.1		[illegible]		48.5		57.6		50.5		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
DRIGGS	M		M		31.2	4.0	36.3	[illegible]	42.7	- 4.0	[illegible]	1.3	66.2	3.8	[illegible]	3.8	[illegible]	[illegible]	47.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-	
DUBOIS EXP STA	27.2	9.6	22.1	0.3	[illegible]	1.9	38.4	[illegible]	46.4	- 0.4	[illegible]	[illegible]	71.6	1.7	67.9	[illegible]	61.4	5.1	49.4	4.1	37.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
DUBOIS CAA AP	28.9	11.1	23.4	1.9	33.1	3.2	38.9	- 5.0	47.0	- 4.5	57.6	- 0.8	71.5	1.2	68.1	[illegible]	[illegible]	4.1	47.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ELK CITY	33.5M		M		M		39.9		-		-		[illegible]		[illegible]		[illegible]		45.5		[illegible]		-		-	
ELK RIVER 1 S	[illegible]		33.6		37.7		43.2		48.2		[illegible]		62.8		62.7		[illegible]		47.6		[illegible]		[illegible]		[illegible]	
EMMETT 2 E	41.9M	12.8	39.1	3.0	44.8	[illegible]	[illegible]	[illegible]	54.5	- 4.6	60.1M	- 0.5	72.2	- 2.8	[illegible]	- 2.4	[illegible]	[illegible]	M		45.5	[illegible]	[illegible]	[illegible]	-	
FAIRFIELD RS	28.5		23.1		30.0		40.0		45.7M		[illegible]		65.0		63.6		58.0		47.3M		[illegible]		21.7		[illegible]	
FENN RS	37.8	8.3	[illegible]	[illegible]	41.2	- 1.4	47.4	[illegible]	53.4	- 3.8	60.1	- 3.5	70.3M	- 1.3	[illegible]	[illegible]	[illegible]	2.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
FORT HALL IND AGENCY	36.5M	14.8	[illegible]	5.0	[illegible]	2.6	42.6M	- 3.0	49.7M	- 4.8	59.0M	- 2.3	72.5M	2.0	69.0M	1.6	62.2M	4.4	51.1M	2.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GARDEN VALLEY RS	34.7	10.9	32.1	3.1	40.2	3.7	45.9	- 0.5	51.5M	- 3.2	57.9	- 3.5	[illegible]	0.0	[illegible]	[illegible]	63.9M	4.8	[illegible]	3.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GLENNS FERRY	M		37.6	2.2	44.8M	0.9	48.3	[illegible]	54.3	- 5.2	[illegible]	- 4.1	75.3M	- 2.2	[illegible]	- 3.8	64.8	2.0	56.1M	4.8	[illegible]	[illegible]	[illegible]	[illegible]	-	
GOODING CAA AP	37.0	13.9	34.6	5.1	41.2	2.9	45.5	- 1.9	50.8	- 4.0	[illegible]	- 3.0	76.0	3.8	72.4	3.1	66.2	0.3	54.2	5.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRACE	32.5	12.8	26.7	3.1	35.4	4.3	38.8	- 3.3	45.0	- 5.6	56.0	- 2.8	66.5	[illegible]	64.2	[illegible]	58.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND VIEW	[illegible]	14.3	39.4	4.1	45.6M	2.2	51.2M	- 1.1	50.9	- 2.9	65.0	- 1.9	79.4M	[illegible]	75.2	2.8	67.8M	0.3	53.8M	2.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRANGEVILLE	39.4	10.8	33.4	1.9	37.5M	0.1	42.3	- 2.6	47.6	- 4.3	[illegible]	- 3.7	67.9	0.2	67.1M	[illegible]	62.2	5.1	[illegible]	1.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRASMERE	-		-		-		-		-		-		-		-		-		-		-		[illegible]		-	
GRAY	31.5	13.8	22.0	- 0.3	30.4	3.0	35.6	- 2.3	41.6	[illegible]	54.7	[illegible]	67.9	4.8	63.5	2.4	54.5	2.0	43.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GROUSE	24.2		21.0		26.4		35.0		41.9		50.0		60.5		58.2		52.7		42.1		32.1		[illegible]		[illegible]	
HAILEY AP	29.7	10.2	25.8	2.2	33.3	[illegible]	41.6	- 1.3	-		55.7	- 3.3	68.9	1.0	66.8	0.5	60.5	3.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0.7	-	
HAMER 4 NW	29.6	[illegible]	24.6M	6.3	34.1	4.6	39.7	- 3.0	47.4	- 5.3	[illegible]	- 1.2	70.2	[illegible]	66.5	1.7	[illegible]	3.9	[illegible]	2.3	35.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
HAZELTON	[illegible]	12.8	35.6	4.3	41.4	2.0	45.4	- 2.4	50.7	- 6.4	[illegible]	- 5.8	73.2M	[illegible]	67.4	- 4.1	[illegible]	[illegible]	[illegible]	[illegible]	42.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
HILL CITY	29.3	[illegible]	23.2	3.6	29.2	2.1	39.8	- 0.4	45.7	- 4.2	54.0	- 1.8	66.0	0.2	64.5	3.2	58.9	3.0	[illegible]	2.5	37.3	[illegible]	22.8	2.6	[illegible]	[illegible]
HOLLISTER	40.1M	13.6	35.1M	[illegible]	41.7	4.2	43.3	- 2.4	47.6M	- 0.1	[illegible]	- 5.0	72.2M	[illegible]	68.2	[illegible]	62.6	3.7	53.3M	[illegible]	[illegible]	[illegible]	32.9	3.9	[illegible]	[illegible]
IDAHO CITY	32.8	8.5	29.8	[illegible]	36.4	1.2	41.6	- 2.6	47.4	[illegible]	[illegible]	- 4.2	[illegible]	- 1.3	64.7	- 1.1	[illegible]	2.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- 2.0	[illegible]	[illegible]
IDAHO FALLS 6 NE	34.0M		[illegible]		[illegible]		42.4		48.5M		58.1M		69.0		66.7		59.6		48.9		[illegible]		[illegible]		[illegible]	
IDAHO FALLS CAA AP	32.8	13.5	30.5	7.0	36.7	3.1	41.3	- 3.0	48.4	- 4.8	58.0	- 1.9	70.7	1.9	68.2	1.6	61.1	4.1	48.7	1.6	39.0	[illegible]	[illegible]	- 1.4	[illegible]	[illegible]
IRWIN 2 S	32.8	13.5	27.3	4.8	35.8	5.2	40.5	[illegible]	46.1	- 3.4	57.9	[illegible]	68.2	3.5	65.4	2.8	[illegible]	5.4	48.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ISLAND PARK DAM	25.8	13.0	17.0	[illegible]	24.2	[illegible]	30.3	- 0.2	41.0	- 5.4	51.8	- 0.8	62.7	1.5	62.9	3.3	53.3	[illegible]	44.3	[illegible]	32.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
JEROME	38.2	11.7	35.0	3.4	40.8	[illegible]	44.7	- 3.9	50.1M	- 7.3	60.2	- 4.0	73.7	- 0.7	[illegible]	- 1.1	64.0	2.5	55.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
KELLOGG	39.4	12.5	35.6	4.4	40.3	[illegible]	[illegible]	- 1.4	52.2	- 1.4	[illegible]	- 2.7	67.4	[illegible]	67.1	[illegible]	60.6	3.5	55.4	[illegible]	40.8	[illegible]	34.8	[illegible]	[illegible]	[illegible]
KOOSKIA	41.2	12.0	39.6	4.7	44.1	1.3	50.5	[illegible]	55.1	- 2.5	[illegible]	[illegible]	[illegible]	- 1.7	71.1	[illegible]	[illegible]	3.1	51.9	0.6	[illegible]	2.4	[illegible]	[illegible]	[illegible]	[illegible]
KUNA 2 NNE	41.2M	12.9	36.7M	2.9	M		46.4	- 2.9	51.4	- 5.3	[illegible]	- 0.4	69.5M	- 3.7	67.8M	- 3.2	62.2	[illegible]	[illegible]	[illegible]	45.1	[illegible]	[illegible]	[illegible]	-	
LEWISTON WATER PLANT	44.4	11.2	42.3	[illegible]	45.9	[illegible]	52.0	- 1.0	57.6	- 2.4	62.9	- 4.4	74.6	- 1.5	74.2	[illegible]	[illegible]	[illegible]	54.9	1.7	45.1	[illegible]	[illegible]	4.8	[illegible]	[illegible]
LEWISTON WB AP	44.1	13.3	39.8	3.9	44.0	[illegible]	50.1	- 1.3	54.8	- 4.1	59.9	- 6.4	72.8	- 2.4	71.6	[illegible]	66.3	[illegible]	53.3	1.4	[illegible]	[illegible]	[illegible]	4.6	[illegible]	[illegible]
LIFTON PUMPING STA	30.2	12.4	22.6	2.1	32.9	5.5	37.6	- 2.5	44.3	- 7.1	57.6	- 1.7	68.1	0.7	63.8	- 1.1	57.6	[illegible]	45.3	[illegible]	35.6	4.5	[illegible]	- 0.4	[illegible]	[illegible]
LOWMAN	31.4	9.1	M		35.2	[illegible]	46.8M	3.7	-		-		65.3	- 0.8	67.3	3.8	58.9	4.0	46.1	- 0.2	[illegible]	[illegible]	24.5	[illegible]	-	
MACKAY RS	26.6	9.5	25.3	4.1	33.9	[illegible]	[illegible]	[illegible]	45.3M	- 5.9	54.8	[illegible]	[illegible]	[illegible]	63.5	- 1.6	[illegible]	[illegible]	47.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MALAD	34.9	13.2	32.8	5.6	39.5	4.1	43.8	- 1.5	49.3	- 4.8	60.7	- 1.2	72.6	2.4	70.4	2.3	63.6	4.9	51.5	3.6	41.6	6.6	[illegible]	[illegible]	[illegible]	[illegible]
MALAD CAA AP	33.4		32.4		38.4		42.3		47.8		59.4		71.4		68.7		61.1		49.1		[illegible]		[illegible]		[illegible]	
MAY RS	32.4	15.0	[illegible]	3.5	35.1	1.6	40.2	- 4.3	40.3	- 6.0	54.4	- 3.1	67.1	[illegible]	62.5	[illegible]	56.8	1.3	40.1	[illegible]	34.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MC CALL	29.6	11.5	23.2	1.1	27.5	- 1.2	32.4	[illegible]	42.7	- 4.4	50.0	- 3.5	62.6	- 0.2	[illegible]	- 0.3	55.0	[illegible]	40.3	[illegible]	35.7	[illegible]	23.1	[illegible]	[illegible]	[illegible]
MC CAMMON	35.4		33.0		39.5		42.6		48.5		59.4		70.2		68.5		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
MERIDIAN 1 W	41.9	13.3	38.5	3.9	43.6	[illegible]	48.1	- 2.3	53.3	- 4.4	[illegible]	- 5.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.3	51.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MESA	35.8		34.7		40.4		45.8		51.5		54.2		75.6		71.7		-		-		M		M		-	
MINIDOKA DAM	37.0		33.4		39.1		43.5		48.8		60.9		74.1		70.6		64.2		51.9		43.1		[illegible]		[illegible]	
MONTPELIER RS	31.1	13.5	24.6	2.9	32.4M	3.8	38.2	- 2.7	44.3M	[illegible]	55.0M	- 2.7	66.9M	[illegible]	65.1M	[illegible]	57.4M	2.6	47.2M	2.4	35.5M	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MOSCOW U OF I	40.1	11.9	36.4	4.7	[illegible]	2.3	40.1	[illegible]	[illegible]	- 1.9	[illegible]	- 3.9	65.2	[illegible]	65.6	[illegible]	[illegible]	2.5	[illegible]	[illegible]	[illegible]	5.2	[illegible]	[illegible]	[illegible]	[illegible]
MOUNTAIN HOME	41.7	13.9	[illegible]	4.9	44.2	3.6	48.2	- 0.4	53.5M	- 2.5	62.7	- 0.6	78.0	[illegible]	74.9	5.4	68.6	[illegible]	50.6	[illegible]	40.6M	8.4	32.6	[illegible]	[illegible]	[illegible]
MULLAN PASS CAA	27.4	7.7	22.5	1.3	26.7	0.3	30.8	- 4.7	39.9	- 3.5	45.1	- 3.5	[illegible]	0.7	58.7	[illegible]	52.7	[illegible]	[illegible]	[illegible]	[illegible]	5.0	[illegible]	[illegible]	[illegible]	[illegible]
NAMPA 2 NW	42.1		38.7		44.0		48.3		53.9		[illegible]		73.3		[illegible]		54.2		52.3		44.5		[illegible]		[illegible]	
NEW MEADOWS RS	32.1	12.8	26.4	1.5	33.7	1.6	41.2	- 1.0	47.2M	- 2.1	[illegible]	- 1.7	63.5	[illegible]	61.5M	[illegible]	55.6M	3.1	44.8M	1.0	37.0M	4.6	21.3M	[illegible]	[illegible]	[illegible]
NEZPERCE 2 E	37.9		33.9		38.3		43.4		48.0		54.1		66.1		65.9		61.2		[illegible]		38.4		32.9		47.6	
OAKLEY	39.6	11.6	34.5	2.9	41.2	2.4	44.4	- 2.4	48.1	- 6.1	59.0	- 2.7	72.2	[illegible]	67.7	- 1.6	[illegible]	4.5	[illegible]	3.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OBSIDIAN 4 NNE	26.5	12.1	20.4	2.1	25.9	1.3	29.6	- 4.1	37.4	- 5.5	[illegible]	- 2.9	56.6	[illegible]	54.6	- 0.7	49.7	[illegible]	[illegible]	1.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OLA 5 S	38.4		37.2		41.8		45.8		51.0		59.1		72.5		68.2		62.1		[illegible]		42.2		[illegible]		[illegible]	
OROFINO	40.5	10.8	40.7M	5.6	44.5	1.5	50.4M	- 1.0	50.2	- 2.2	62.4	- 2.8	72.9	- 0.5	72.3	0.9	65.2	2.4	53.2M	1.4	[illegible]	[illegible]	[illegible]	5.8	[illegible]	[illegible]
PALISADES DAM	32.4		25.2M		33.7M		38.9M		[illegible]		[illegible]		67.8M		[illegible]		58.8		49.1M		[illegible]		[illegible]		[illegible]	
PARMA EXP STA	41.4	13.6	38.3	3.6	44.1	1.2	48.4	- 3.4	53.2	- 6.3	[illegible]	- 5.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.7	52.8M	[illegible]	44.3	1.7	[illegible]	2.0	[illegible]	[illegible]
PAUL 1 E	38.7	12.7	33.6	2.2	39.6	1.3	44.0	- 2.3	49.0	- 6.0	[illegible]	- 2.7	[illegible]	[illegible]	68.7	[illegible]	62.1	[illegible]	50.7	1.3	42.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PAYETTE	40.3	13.1	38.0	[illegible]	43.7	1.2	49.2	- 2.1	54.7	- 4.1	61.5	- 4.2	75.9	[illegible]	72.4	[illegible]	64.1	2.6	51.2	[illegible]	43.1	[illegible]	31.7	[illegible]	[illegible]	[illegible]
PIERCE RS	32.5	18.3	30.2	1.6	35.0	[illegible]	39.4M	[illegible]	45.1M	- 8.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	57.7	[illegible]	47.3M	[illegible]	[illegible]	[illegible]	31.4M	[illegible]	[illegible]	[illegible]
POCATELLO WB AP	36.2	14.2	33.4	[illegible]	38.5	[illegible]	43.2	[illegible]	48.8	- 6.5	60.2	- 2.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3.7	[illegible]	[illegible]	42.2	[illegible]	[illegible]	0.8	[illegible]	[illegible]
PORTHILL	36.6	12.9	33.5	6.1	39.5	3.7	44.4	- 1.4	53.7	0.1	57.2	- 2.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.6	[illegible]	[illegible]	M		[illegible]	[illegible]	-	
POTLATCH 1 SE	40.5M	12.4	35.6M	4.0	39.5M	1.1	-		-		-		-		-		M		[illegible]	2.3	41.3	[illegible]	34.0	4.0	-	
PRESTON SUG FACT 2 SE	36.5	[illegible]	33.0	6.8	40.0	5.7	43.7	- 1.7	49.4	- 4.5	60.8	- 0.5	[illegible]	[illegible]	[illegible]	1.2	61.8	3.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0.2	[illegible]	[illegible]
PRIEST RIVER EXP STA	34.9	11.3	32.0	4.7	36.3	1.5	42.6	- 1.3	50.9	- 0.5	[illegible]	- 2.7	[illegible]	[illegible]	[illegible]	[illegible]	55.7	1.6	40.6	2.2	[illegible]	[illegible]	[illegible]	4.0	[illegible]	[illegible]

SEE REFERENCE NOTES FOLLOWING STATION INDEX

Table 1—Continued

AVERAGE TEMPERATURES AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
[illegible] STA	[illegible]		20.8		33.4		39.4		45.4		57.0		69.8		65.7		59.1		46.1		35.0		17.7		43.8	
[illegible]	33.0	12.8	32.0	7.7	40.2	4.0	42.9	-2.1	49.2	-4.2	58.3	-2.3	71.2	1.7	67.6	0.4	61.1	3.0	50.4	2.5	39.8	5.4	24.9	0.2	47.4	2.4
[illegible]	45.3M	11.0	42.6	[illegible]	46.6M	[illegible]	52.1	-0.5	50.1M	-5.2	62.7M	-2.9	77.6	1.0	75.0	0.0	70.7	4.3	M		M		M		-	
[illegible]	32.4	8.9	28.3	1.6	33.2	[illegible]	30.9	-2.8	44.6	-4.0	51.1	-3.9	61.7	-1.1	-		-		-		-		-		-	
RUPERT	[illegible]M	12.4	32.0	[illegible]	39.3M	[illegible]	44.4	2.7	49.5M	-[illegible]	60.1M	-3.0	73.9	2.0	70.3	1.7	63.7	4.9	51.7M	2.5	43.3M	6.4	31.0	3.3	49.7	2.1
SAINT ANTHONY	32.3		27.9		34.4		39.9		46.8		57.0	-2.0	67.6		65.0	0.8	58.1	3.7	48.0		38.9		19.8		44.0	
SAINT MARIES	[illegible]	9.8	[illegible]	2.7	40.3	0.8	44.5	-2.9	50.4M	-4.2	59.1	-1.9	66.1	-1.2	67.1	1.7	60.0M	2.6	51.2M	2.9	41.6	4.2	34.6	3.8	[illegible]	1.5
SALMON	34.3	10.4	31.7	6.6	38.4	4.4	43.2	2.7	49.5	-4.0	58.1	-2.5	69.6	1.9	65.8	0.4	59.7	3.6	47.1	1.8	36.7M	4.6	25.1	4.9	46.6	2.8
SANDPOINT EXP STA	36.6	11.1	33.6	4.0	38.1	[illegible]	43.1	2.9	51.4	-1.7	56.4	-2.9	64.1	-1.4	64.0	0.3	57.2	1.9	47.3	1.1	38.9	3.5	33.6	4.9	47.0	1.6
[illegible]	[illegible]	12.7	33.9	6.2	[illegible]	3.9	45.1	-1.7	50.9	-3.7	59.7	-2.9	73.1	1.1	69.7M	0.3	63.3M	4.2	53.1	4.0	42.9	6.8	28.6	2.1	44.8	2.8
SPENCER RS	25.9	11.4	20.5	2.3	27.3	2.4	35.0	-2.8	45.4	-2.8	54.4	-0.8	65.9M	2.1	62.6	0.9	56.0	3.4	45.1	3.0	33.0	5.2	17.3	-0.7	40.7	2.0
[illegible] 1 SE	[illegible]	14.5	[illegible]	6.5	38.3	3.0	42.5	2.0	-		57.0	-3.6	68.6	-1.4	66.7	-0.6	60.2	2.7	49.9	2.0	41.0	6.4	26.4	2.4	-	
STIBNITE	20.2		21.8		27.3		32.0		37.8		47.3		60.2		58.3		52.7		43.5		32.9		20.2		38.5	
STREVELL	34.7		29.5		37.7		42.1		40.8		58.2		71.4		66.9		61.9		49.1		39.0		25.0M		40.9	
SUGAR	32.2	15.6	28.5	[illegible]	34.7M	4.7	39.4M	3.0	44.2M	-7.7	57.4	-2.1	M		64.9	1.8	57.8	3.2	46.8	2.3	38.5	6.8	20.7	0.5	-	
SUN VALLEY	24.7	9.4	20.7	[illegible]	27.4	1.8	30.1	-1.7	42.5M	-3.0	50.1	-0.5	60.8	1.8	58.4	0.7	53.6	3.6	44.3	2.8	33.4	6.3	[illegible]	-0.7	[illegible]	1.8
SWAN FALLS PH	44.7	13.3	41.8	3.8	48.1	3.4	52.2	-1.8	57.9	-4.2	65.0	-3.1	81.7	1.6	78.[illegible]M	[illegible]	71.4	4.1	58.5	2.0	49.2M	8.2	34.5	-1.1	57.0	2.3
TETONIA EXP STA	27.0		22.2		28.1		34.6		41.4M		54.5		65.3		61.4		55.4		43.1		32.1		17.8		40.3	
THREE CREEK	37.7		31.1		36.2		40.0M		43.4		52.7		66.2		62.0M		54.6M		M		41.3		28.3M		-	
TWIN FALLS 2 NNE	40.4	13.7	37.1	4.9	42.2	2.3	46.7	-1.4	51.5	-4.3	61.5	-1.6	74.0	2.6	70.2	1.5	63.4	3.9	52.6	2.4	44.2	6.5	32.4	3.3	51.3	2.8
TWIN FALLS 3 SE	39.0	12.2	36.2	3.7	41.0	0.7	45.7	-3.0	50.9	-5.6	60.9	-2.7	73.9	1.0	69.4	0.2	64.2	4.7	52.6	1.4	44.5	6.8	32.2	1.9	50.9	1.8
WALLACE	[illegible]	10.2	33.4	2.4	37.5	-0.1	42.8	-3.0	49.7	-3.2	53.7	-5.0	63.3	-3.3	63.2	-1.7	57.5	1.0	48.5	1.4	34.5	4.1	33.0	3.8	46.0	0.5
WALLACE WOODLAND PARK	36.5	10.5	32.1	2.2	36.5	0.1	40.8M	-3.4	47.9	-3.7	53.0	-4.8	62.8	-2.3	62.4M	-1.1	57.0	1.7	48.6	1.3	39.4	3.7	32.4M	3.3	45.8	0.6
WEISER	39.5M	13.2	38.3	4.3	44.2M	0.8	49.5M	-2.9	54.4	-5.9	62.0	-5.9	75.0	-1.7	71.1	-3.2	65.1M	1.7	52.8M	0.4	43.0	4.0	32.0	2.4	52.2	0.0
WINCHESTER 1 SE	36.6	10.4	[illegible]	1.4	36.4	1.4	41.1	-2.2	46.3	-3.8	[illegible]	-5.0	63.2	-0.3	62.7	0.3	58.0	3.0	48.9	2.1	39.3	4.2	32.7	2.6	45.7	1.2
STATE	35.3	11.8	31.5	3.5	37.3	1.6	42.6	-2.6	48.6	-4.6	57.1	-3.2	69.2	0.8	66.7	0.1	60.6	3.3	49.4	2.0	40.0	4.7	27.6	1.3	47.2	1.6

Table 2

TOTAL PRECIPITATION AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
ABERDEEN EXP STA	.62	-.06	.35	-.33	.46	-.21	.56	-.43	1.75	.70	.86	.08	.05	-.45	.21	-.21	.23	-.44	.97	.03	.29	-.44	.10	-.58	6.45	-2.34
ALBION	2.13	.63	.71	-.61	.44	-.66	2.84	1.37	2.37	.75	1.57	.54	.19	-.37	-		-		-		-		-		-	
ALPHA 1 NE	9.24	6.00	3.13	.25	1.98	-.84	2.42	.31	3.69	1.76	2.03	.85	.00	-.50	.35	-.21	.05	-.84	.10	-1.86	-		-		-	
AMERICAN FALLS 1 NW	1.84	.44	.48	-.65	.42	-.86	1.37	.05	2.17	.68	1.11	.09	.51	-.12	.05	-.51	.14	-.57	1.15	-.01	.48	-.68	.14	-.96	9.86	-3.10
ANDERSON DAM	4.08		1.63		.90		.96		3.22		1.78		.00		.18		.11		.22		2.48		1.87		17.43	
ARCO	.61	-.35	.08	-.54	.42	-.39	1.17	.45	E1.09	-.17	2.41	1.30	1.05	.50	.16	-.44	.00	-.56	.29	-.41	T	-.60	.03	-.91	E 7.31	-2.12
ARROWROCK DAM	6.94	4.30	1.79	-.60	2.32	.39	1.25	-.34	2.96	1.71	1.79	.83	.00	-.40	.26	.00	.05	-.48	.16	-1.08	3.31	.77	2.13	-.44	22.96	4.66
ASHTON 1 S	1.63	-.25	.71	-.81	.91	-.30	.78	-.38	1.55	-.16	1.91	.25	.02	-.92	.29	-.50	T	-1.12	1.48	.20	1.53	.23	1.96	.32	12.77	-3.44
ATLANTA 1 E	9.35	5.95	3.87	.54	2.80	.42	3.01	1.36	2.94	1.39	2.14	.76	.53	-.20	.90	.20	.26	-.75	.47	-1.48	4.04	1.16	3.00	-.55	33.31	8.80
AVERY RS	E7.77	4.99	2.80	-.14	2.28	-1.31	3.30	.85	3.95	1.76	1.24	-.90	T	-.90	2.38	1.56	.65	-1.12	.80	-2.02	4.92	1.29	3.63	-.49	E33.72	2.57
BAYVIEW MODEL BASIN	6.83		1.23		1.72		1.67		2.43		1.20		.00		.91		.63		.94		3.24		3.79		24.59	
BIG CREEK 1 S	7.48	5.55	3.60	1.50	2.23	.38	2.64	1.02	3.40	1.40	1.39	-1.19	.02	-.96	1.32	.59	.09	-1.71	.35	-1.26	2.44	-.55	2.50	-.24	27.46	4.53
BLACKFOOT	.99	-.02	.15	-.68	.46	-.45	.25	-.71	2.57	1.25	1.87	.94	.18	-.48	.36	-.28	.00	-.76	.80	-.19	.29	-.54	.53	-.39	8.45	-2.31
BLACKFOOT DAM	-		-		-		-		3.45	1.82	2.06	.25	.12	-.85	.36	-.64	.05	-1.28	.64	-.61	.32	-1.03	-		-	
BLISS	2.86	1.62	.81	-.15	.56	-.28	1.01	.16	2.59	1.68	.66	.20	.00	-.21	.00	-.17	.00	-.40	.27	-.38	1.20	.08	.94	-.05	10.90	2.1
BOISE LUCKY PEAK DAM	4.58		1.40		1.27		1.55		2.43		1.53		.00		.19		.02		.11		1.75		1.34		16.17	
BOISE WB AP //R	3.35	2.02	1.49	.14	.92	-.42	1.52	.42	2.59	1.50	1.22	.38	T	-.18	.12	-.09	.02	-.44	.11	-.83	1.31	-.04	1.15	-.14	13.80	2.32
BONNERS FERRY 1 SW	7.71	5.02	1.54	-.11	E1.30	-.38	1.71	.65	.81	-.76	E2.15	.55	.04	-.82	E1.73	.85	E .45	-.94	.43	-1.41	2.95	.33	3.89	.89	E24.71	3.87
BUHL	1.35	.33	.67	-.24	.30	-.38	1.09	.14	3.36	2.28	.89	-.05	.00	-.36	.00	-.27	.00	-.44	.65	-.24	.34	-.66	E .73	-.08	E 9.38	.03
BUNGALOW RS	-		-		-		-		4.57	1.93	2.46	-.25	.09	-.67	1.32	.56	.66	-1.19	-		-		-		-	
BURKE 2 NNE	13.64	7.38	3.28	-1.88	2.16	-2.67	4.50	2.06	3.06	.05	2.38	-.39	.10	-1.53	1.06	.06	.92	-1.69	1.87	-1.66	6.91	.63	7.84	2.14	47.72	2.5
BURLEY	1.83	.89	.67	-.28	.65	-.07	1.01	-.14	1.79	.89	1.33	.54	.55	.22	.05	-.43	.19	-.32	.78	-.04	.31	-.57	.64	-.28	9.80	.41
BURLEY FACTORY	2.00	1.08	.53	-.51	.28	-.54	.88	-.56	1.90	.90	1.30	.38	.41	.03	.06	-.29	.23	-.31	1.04	.27	.28	-.62	.26	-.66	9.17	-.8
BURLEY CAA AP	2.14	1.49	.96	.14	.39	-.43	1.57	.76	2.36	1.32	1.71	.77	.38	.16	.16	-.04	.41	-.47	.75	-.15	.34	-.80	.51	-.33	11.68	2.4
CALDWELL	2.78	1.52	1.86	.72	.53	-.51	1.04	.10	2.90	1.92	1.37	.60	.00	-.33	.33	.11	T	-.47	.28	-.50	1.60	.46	1.43	.29	14.12	3.91
CAMBRIDGE	5.92	2.94	1.68	-.66	1.37	-.45	.69	-.81	2.66	1.36	1.51	.39	T	-.37	.17	-.18	.00	-.66	.4[illegible]	-.79	1.94	-.53	2.15	-.63	18.50	-.3
CASCADE 1 NW	5.44		1.56		1.42		1.63		3.04		2.14		.00		.47		.02		.11		2.89		1.70		20.42	
CENTERVILLE ARBAUGH	8.58		4.09		2.34		2.31		3.58		2.68		T		.53		.05		.69		4.97		3.55		33.37	
CHALLIS	.83	.35	.79	.31	.31	-.08	1.10	.52	.83	-.19	1.70	.65	.09	-.50	.44	-.09	.10	-.52	.00	-.57	.30	-.07	.31	-.31	6.80	-.5
CHILLY BARTON FLAT	.15	-.09	.55	.34	.20	-.24	1.60	1.05	1.60	.52	2.40	1.30	.10	-.50	.36	-.59	.30	-.61	.10	-.58	.15	-.13	.65	.24	8.16	.7
CLARK FORK 1 ENE	13.14	9.77	2.39	-.35	2.00	-1.23	3.14	.94	2.41	.16	2.26	-.05	.00	-.94	1.37	.19	.95	-1.92	.85	-2.62	3.87	-.54	E5.02	.86	E37.40	4.2
COBALT BLACKBIRD MINE	4.24		2.84		2.07		2.97		2.29		3.46		.19		.82		.22		.41		1.98		1.56		23.05	
COEUR D ALENE CAA AP	5.70		1.67		1.36		1.71		2.18		1.94		.00		1.11		.73		.38		-				-	
COEUR D ALENE RS	5.32	2.01	1.91	-.48	1.91	-.38	2.12	.36	2.29	.50	1.66	.10	T	-.60	1.22	.57	.38	-1.00	.52	-1.28	3.73	.56	3.13	-.52	24.19	-.1
CONDA	2.64	1.08	.70	-.74	1.03	-.23	1.22	-.73	3.73	1.83	1.39	-.99	.54	-.11	.48	-.54	.33	-1.26	.74	-.75	.94	-1.08	1.65	-.14	15.39	-3.6
COTTONWOOD	4.68	2.58	E1.69	-.03	1.41	-.52	1.71	-.39	2.58	-.04	2.84	.26	.16	-.79	1.23	.34	.09	-1.41	.40	-1.37	1.88	-.28	1.47	-.31	E20.14	-1.9
COUNCIL	8.83	5.26	2.01	-1.21	E2.51	-.13	1.40	-.86	2.70	.94	2.31	.71	.00	-.50	.35	-.07	.00	-.93	.29	-1.46	4.03	.79	2.56	-1.33	E26.99	1.2
CROUCH 2 NNW	10.39	6.54	3.99	.73	1.74	-.90	1.64	-.14	3.27	1.74	1.54	.27	.00	-.39	.20	-.23	.02	-.82	.06	-1.51	3.53	-.28	2.67	-1.15	29.05	3.8
DEADWOOD DAM	8.55	3.74	3.78	-.68	2.80	-.82	1.74	-.22	3.13	1.15	2.09	.25	.01	-.80	.47	-.19	.07	-.92	.24	-1.85	4.34	.91	2.93	-3.29	30.15	-2.7
DEER FLAT DAM	1.82	.82	1.70	.89	.43	-.51	.55	-.27	2.40	1.63	1.43	.75	.00	-.19	.21	.03	.06	-.32	.24	-.48	.97	.03	1.24	.24	11.05	2.6
DIXIE	8.02		3.49		2.96		2.71		3.61		2.17		.03		.95		.15		.58		3.00		4.53		32.20	
DRIGGS	1.79	.12	.70	-.57	1.03	-.07	1.49	.31	2.37	.41	1.70	-.33	.04	-1.17	.35	-.97	.06	-1.37	.65	-.58	.30	-.88	.67	-.74	11.15	-5.8
DUBOIS EXP STA	.55	-.40	.59	-.18	.34	-.30	1.06	.13	2.00	.68	2.16	.55	.33	-.40	.14	-.73	.06	-.81	.22	-.78	.27	-.34	.73	-.17	8.45	-2.7
DUBOIS CAA AP	.40	-.46	.56	-.18	.38	-.36	.92	.02	2.01	.75	1.50	-.51	.07	-.58	.08	-.63	.03	-.92	.17	-.77	.41	-.28	.55	-.09	7.08	-4.0
ELK CITY	5.25		*		V4.29		3.27		-		-		.54		1.19		.32		1.02		-		-		-	
ELK RIVER 1 S	12.33		4.60		2.38		3.93		4.27		1.36		.00		1.25		.52		1.26		2.47		E8.35		E42.72	
EMMETT 2 E	3.95	2.57	2.25	1.05	.73	-.47	2.24	1.20	3.41	2.39	1.90	.96	.00	-.28	.10	-.11	.00	-.58	.48	-.42	1.47	.16	1.18	-.21	17.71	6.2
FAIRFIELD RS	4.12		.60		.78		1.42		1.90		.76		T		T		.26		.19		2.05		1.06		13.14	
FENN RS	9.17	5.57	5.43	2.05	3.21	-.81	4.29	.85	4.53	1.54	2.89	.43	.20	-.51	.89	.20	.29	-1.55	.36	-2.61	4.70	.62	5.36	1.40	41.32	7.1
FORT HALL IND AGENCY	1.31	.55	.36	-.36	.55	-.26	1.59	.48	2.23	1.10	1.61	.69	T	-.59	.35	-.31	.15	-.65	1.25	.27	.45	-.34	.67	-.06	10.52	.5
GARDEN VALLEY RS	7.14	3.91	3.45	.92	1.79	-.64	1.61	-.17	2.90	1.48	1.51	.45	.00	-.28	.16	-.35	.02	-.86	.20	-1.35	3.64	.48	2.60	-.71	25.02	2.8
GLENNS FERRY	2.33	1.19	.82	-.15	.33	-.36	1.12	.36	1.98	1.12	.37	-.24	.00	-.31	T	-.12	T	-.31	.01	-.58	.85	-.38	.97	-.02	8.78	.2
GOODING CAA AP	2.47	1.23	.69	-.33	.51	-.24	1.05	.11	1.97	1.21	.74	.13	.00	-.30	.03	-.17	T	-.39	.22	-.56	1.23	-.03	.82	-.20	9.73	.4
GRACE	2.55	1.35	.47	-.63	.62	-.50	.79	-.59	2.82	1.21	1.63	.34	.40	-.58	.41	-.54	.19	-.88	.64	-.64	.84	-.33	.67	-.40	12.03	-2.1
GRAND VIEW	.73	.01	.47	-.25	.25	-.47	.71	-.17	2.11	1.20	1.05	.35	.13	-.12	.05	-.12	.67	.25	.12	-.67	.44	-.21	1.00	.27	7.73	.0
GRANGEVILLE	3.14	1.41	2.17	.57	2.34	-.01	3.62	1.01	3.21	.06	3.16	.12	T	-.79	.73	-.04	.02	-1.68	.65	-1.61	2.38	.46	.91	-.77	22.33	-1.2
GRASMERE	-		-		-		-		-		-		-		-		-		-		-		-		-	
GRAY	2.43	.83	.70	-.88	1.20	-.22	1.28	-.35	3.63	1.76	1.65	-.01	T	-1.02	.05	-1.03	.00	-1.07	.55	-.89	.87	-.45	-		-	
GROUSE	.18	-.79	.02	-.98	.53	-.36	1.31	.27	1.04	.01	.95	-.43	.02	-.75	.67	-.15	.04	-.57	.16	-.71	.05	-.58	.04	-.84	5.06	-5.8
HAILEY AP	2.99	.76	.23	-1.75	1.23	-.06	1.01	-.14	E1.72	.39	.86	-.18	T	-.53	T	-.50	.11	-.59	.06	-1.05	.82	-.57	.52	-1.56	E 9.55	-5.7
HAMER 4 NW	.46	-.17	.08	-.34	.16	-.24	.53	-.18	1.11	.16	1.55	.52	.00	-.47	.01	-.79	.02	-.71	.22	-.45	.10	-.27	.42	-.20	4.66	-3.1
HAZELTON	2.27	1.03	.52	-.72	.17	-.83	.69	-.58	1.67	.63	.98	.22	.00	-.22	.11	-.22	.12	-.33	.67	-.19	.46	-.69	.47	-.69	8.13	-2.5
HILL CITY	3.67	1.59	.82	-1.05	.80	-.45	1.11	.05	2.57	1.48	.81	.03	.00	-.29	.00	-.37	.36	-.06	.18	-.84	1.89	.29	1.05	-1.21	13.26	-.8
HOLLISTER	.97	.10	.69	-.16	.74	.04	1.05	-.13	1.66	.53	1.58	.67	.00	-.37	.26	-.12	.32	-.14	.58	-.30	E .42	-.41	.66	-.13	E 8.93	-.4
HOWE	.42	-.37	.13	-.47	.32	-.27	.95	.25	1.18	.32	1.20	-.13	.30	-.19	.20	-.49	.04	-.46	.14	-.55	.09	-.29	.23	-.37	5.20	-3.0

SEE REFERENCE NOTES FOLLOWING STATION INDEX

Table 2–Continued

TOTAL PRECIPITATION AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.49	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.87-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.28	[illegible]	[illegible]	[illegible]	[illegible]	.37	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.35	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.52	.50-	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.79	[illegible]	.71	[illegible]	[illegible]	[illegible]	.17	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.51	[illegible]	[illegible]	[illegible]	.15	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.43	[illegible]	[illegible]	.66	[illegible]	.56	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.82-	[illegible]	[illegible]	.61	[illegible]	.54	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.36	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.85	[illegible]	[illegible]	[illegible]	.25	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.34-	.89	[illegible]	.16	1.22-	.25	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.40	[illegible]	[illegible]	.21	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.32-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.91	[illegible]	.08	[illegible]	.48	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.00	[illegible]	1.56	[illegible]	.41	2.89-	.48	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.55-	[illegible]	[illegible]	.63	[illegible]	.51	.23-	.28	[illegible]	.51	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.64	[illegible]	[illegible]	.69-	.70	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.77		.61		[illegible]		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.07	.53	.66	[illegible]	[illegible]	.11	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.44	[illegible]	.75	[illegible]	.95	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.71	.13-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	E2.38	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.36		[illegible]		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.97	[illegible]	[illegible]	.74	.23	.73	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.77	[illegible]	[illegible]	[illegible]	T	.56	[illegible]	[illegible]	[illegible]	[illegible]	.26-	[illegible]	1.40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.85	.66-	.49	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.52-	1.05	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T	1.06	[illegible]	[illegible]	[illegible]	[illegible]	.79-	[illegible]	[illegible]	1.00	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	1.54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.31	[illegible]	[illegible]	[illegible]	1.10	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.72	[illegible]	1.38	2.42	.30	[illegible]	.48	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		1.18		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.22	[illegible]	[illegible]	[illegible]	.46	[illegible]	.25	[illegible]	.04	.39-	.26	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.25-	[illegible]	1.70	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.84	[illegible]	[illegible]	[illegible]	.31	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.03	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.91-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.12-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.05	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.71		[illegible]		2.24		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.64-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.13	.09-	.14	T	.44	.37	.40	[illegible]	.28	1.37	.37	[illegible]	[illegible]
PAUL 1 E	1.76	[illegible]	[illegible]	[illegible]	.50-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.55	[illegible]	[illegible]	.26-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	2.23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.84	[illegible]	[illegible]	.30	.11-	[illegible]	T	.46	.45	.44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PIERCE RS	12.11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.61	[illegible]	[illegible]	.59	[illegible]	[illegible]	[illegible]	.27	[illegible]	1.34	[illegible]	[illegible]
[illegible]	-		-		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T	[illegible]	T	[illegible]	.41-	.24	.24-	[illegible]	-		-		-	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.84	1.16	.12	.81-	.25	.38-	.76	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.44	[illegible]	[illegible]	1.04	.43-	[illegible]	2.13-	.43	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.42	[illegible]	[illegible]	.34-	[illegible]	[illegible]	[illegible]	3.06	.31	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.31	[illegible]	[illegible]	.22-	.78	[illegible]	.61	.58-	[illegible]	.84-	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.38-	[illegible]	[illegible]	[illegible]	[illegible]	.50	[illegible]	[illegible]	[illegible]	[illegible]
REACTOR TESTING STA	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.01		.41		[illegible]		[illegible]		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.20	.00-	.46	[illegible]	.51	.65-	.42	[illegible]	.50	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.32	.33-	.69	.15	1.11	[illegible]	.25	-		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T	.74	-				-		-		-			
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.00-	[illegible]	[illegible]	[illegible]	[illegible]	.48	.92-	.02	[illegible]	.81	[illegible]	.08	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.19	.64-	.78	1.85	.40	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.69-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.00-	[illegible]	[illegible]	.32	[illegible]	[illegible]	.52-	[illegible]	[illegible]	[illegible]	5.47	1.79	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.29-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.05-	[illegible]	[illegible]	[illegible]	.18-	[illegible]	.07-	[illegible]	.72	.14	[illegible]	.43	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.55-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T	[illegible]	[illegible]	[illegible]	[illegible]	1.44	[illegible]	[illegible]	2.14-	[illegible]	[illegible]	1.27	[illegible]	[illegible]
[illegible]	2.74	1.31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.23	2.40	1.43	1.27	[illegible]	T	[illegible]	[illegible]	[illegible]	[illegible]	.46	[illegible]	[illegible]	.97-	.31	[illegible]	.29	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.67-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.12-	1.32	.81-	.50	1.15-	.53	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.60-	[illegible]	[illegible]	[illegible]	[illegible]	1.15	1.15	[illegible]	T	.59	T	[illegible]	T	.81	[illegible]	[illegible]	.21-	.71	1.09	.23	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.15		[illegible]		[illegible]		3.44		[illegible]	
[illegible]	.25		.65		.46		1.82		[illegible]		[illegible]		[illegible]		1.38		.22		.50		.41		.34		[illegible]	
SUGAR	.25-	[illegible]	.41-	.51	[illegible]	[illegible]	[illegible]	.36	1.62	.37	1.37	.11	.04-	.59	[illegible]	.12	[illegible]	.97	.48-	.53	.99	.30	.91-	.19	[illegible]	[illegible]
[illegible]	[illegible]	.98	.44-	2.31	.97-	.75	.79-	.30	1.10-	[illegible]	1.40-	.30	T	.71	[illegible]	[illegible]	.19-	.74	.04-	1.40	.96-	.93	.88-	1.52	[illegible]	[illegible]
[illegible]	1.52	[illegible]	.92	.12	.27-	.72	.64-	.21	1.70	.75	1.49	.20	.00-	.24	[illegible]	.24	[illegible]	.42	[illegible]	.31	.68-	.27	[illegible]	.16	[illegible]	[illegible]
[illegible]	.84		[illegible]		1.30		.45		[illegible]		[illegible]		.44		.30		.68		1.11		.37		.95		10.49	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.45-	.25	2.47	1.13	2.26-	[illegible]	[illegible]	[illegible]	.05-	[illegible]	-		[illegible]	.76	[illegible]	.01	.76-	[illegible]	1.34	.43	-	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T	.35	[illegible]	[illegible]	[illegible]	.54	[illegible]	.03	.40-	[illegible]	.49-	[illegible]	[illegible]	[illegible]
[illegible]	1.77	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.12	[illegible]	[illegible]	[illegible]	[illegible]	.09-	.14	[illegible]	[illegible]	.62-	.12	.39-	.66	.61-	.14	[illegible]	[illegible]
WALLACE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.70	[illegible]	[illegible]	[illegible]	[illegible]	T	.89	1.35	.37	[illegible]	1.19	[illegible]	[illegible]	[illegible]	1.01	7.94	[illegible]	[illegible]	[illegible]
WALLACE WOODLAND PARK	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.62	3.44	1.04	3.28	[illegible]	[illegible]	[illegible]	[illegible]	.72	1.49	.65	.78-	[illegible]	.97-	1.93	[illegible]	[illegible]	6.16	1.17	[illegible]	[illegible]
WEISER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.07	1.93	1.11	[illegible]	.24	.00-	.17	[illegible]	.21	[illegible]	.43	.18-	[illegible]	1.36-	.03	1.47-	.13	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	.90	1.43-	.47	2.51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.04-	.79	.85	.30	.24-	1.86	.38-	1.79	2.16-	.13	1.44-	[illegible]	[illegible]	[illegible]
STATE	3.98	1.97	1.53-	.19	1.20-	.48	1.64	.27	2.49	.90	1.67	[illegible]	[illegible]	.49	.54-	.04	[illegible]	.81	[illegible]	[illegible]	[illegible]	.30	1.75-	.21	[illegible]	[illegible]

RELOCATIONS AND EQUIPMENT CHANGES

BONNERS FERRY	All equipment moved 2 miles S.	September 27,	1953
BURLEY FACTORY	Recording rain gage equipment installed.	January 27,	1953
BURLEY CAA AP	Recording rain gage equipment removed. .	January 27,	1953
CAMBRIDGE	All equipment moved 0.5 mile N	September 17,	1953
CASCADE 1 NW	Recording rain gage equipment installed.	September 15,	1953
COUNCIL 1 N	All equipment moved 0.5 mile S	April 1,	1953
FAIRFIELD	All equipment moved 0.3 mile SE.	June 6,	1952
HAILEY	All equipment moved 0.3 mile SSE	June 1,	1953
MERIDIAN 1 SSW	All equipment moved 1 mile WNW	July 1,	1953
OLA 4 S	All equipment moved 0.5 mile S	September 14,	1953
POTLATCH	All equipment moved 1.2 miles SE	September 23,	1953
SPRINGFIELD	All equipment moved 1 mile SE.	June 1,	1953

CHANGES IN STATION NAMES

BONNERS FERRY	Changed to	BONNERS FERRY 1 SW	September 27, 1953
COUNCIL 1 N	Changed to	COUNCIL	April 1, 1953
FAIRFIELD	Changed to	FAIRFIELD RS	June 6, 1952
HAILEY	Changed to	HAILEY AP	June 1, 1953
MERIDIAN 1 SSW	Changed to	MERIDIAN 1 W	July 1, 1953
OLA 4 S	Changed to	OLA 5 S	September 14, 1953
PINE 2 SSW	Corrected to	PINE 2 S	November 1, 1953
POTLATCH	Changed to	POTLATCH 1 SE	September 23, 1953
SPRINGFIELD	Changed to	SPRINGFIELD 1 SE	June 1, 1953

See reference notes following Station Index

Table 3

TEMPERATURE EXTREMES AND FREEZE DATA

Station	Highest	Date	Lowest	Date	Last spring minimum of			First fall minimum of			No. of days between dates		
					24 or below	28° or below	32° or below	32° or below	28° or below	24° or below	24° or below	28° or below	32° or below
ABERDEEN EXP STA	98	7-13	- 2	3- 3	5- 4 (23°)	5-11 (27°)	5-25 (29°)	9-25 (31°)	10- 3 (23°)	10- 3 (23°)	152	145	123
ALBION	-	-	-	-	5-13 (21°)	6-25 (28°)	6-26 (31°)	-	-	-	-	-	-
ALPHA 1 NE	94	7-12	-	-	5-25 (23°)	6-26 (28°)	6-26 (28°)	7- 3 (31°)	8-25 (26°)	9-18 (23°)	116	60	7
AMERICAN FALLS 1 NW	95	7- 8+	5	12-27	4-15 (21°)	5-13 (28°)	5-25 (30°)	10- 3 (26°)	10- 3 (26°)	11- 7 (23°)	206	143	131
ANDERSON DAM	103	7-12	9	2-20	5- 3 (22°)	5- 3 (22°)	5-11 (31°)	10-22 (32°)	11-18 (20°)	11-18 (20°)	199	199	164
ARCO	94	7- 2+	- 3	12-26	-	-	6-25 (30°)	9- 4 (31°)	9-25 (19°)	9-25 (19°)	-	-	71
ARROWROCK DAM	104	7-13	13	2-20+	4-11 (23°)	5- 2 (28°)	5-10 (30°)	10-20 (31°)	10-21 (27°)	11-18 (21°)	221	172	163
ASHTON 1 S	89	7-12+	- 9	12-11	4-15 (19°)	5-22 (27°)	6-25 (32°)	9- 3 (31°)	10- 3 (20°)	10- 3 (20°)	171	134	70
ATLANTA 1 E	89	7-12+	- 9	2-20	5-22 (22°)	6- 8 (28°)	6-24 (29°)	9-29 (30°)	10- 3 (26°)	11- 7 (23°)	169	117	97
AVERY RS	106	7-12	-	-	4-10 (21°)	5-12 (28°)	5-25 (32°)	9-29 (31°)	-	-	-	-	127
BAYVIEW MODEL BASIN	92	8-12	15	2-23+	4-15 (22°)	5- 3 (28°)	5-28 (32°)	9-20 (30°)	9-21 (27°)	10-22 (22°)	190	141	115
BIG CREEK 1 S	95	7-12+	-20	2-24	6-26 (24°)	6-29 (28°)	6-30 (29°)	7- 1 (31°)	7- 2 (28°)	9- 3 (24°)	69	3	1
BLACKFOOT	98	7-13	3	2-20+	4-15 (20°)	5-12 (26°)	5-25 (32°)	10- 3 (27°)	10- 3 (27°)	11- 1 (21°)	200	144	131
BLACKFOOT DAM	92	7-13	-	-	5-25 (21°)	6-25 (25°)	6-27 (30°)	7-21 (30°)	9- 4 (25°)	9-18 (23°)	116	71	24
BLISS	101	7-13	-	-	4-15 (21°)	5-10 (25°)	5-25 (30°)	10- 3 (32°)	10-26 (28°)	11- 7 (24°)	206	169	131
BOISE LUCKY PEAK DAM	106	7-12+	15	2-20	4-11 (23°)	5-11 (26°)	5-11 (26°)	10-20 (30°)	11- 2 (27°)	11-18 (22°)	221	175	162
BOISE WB AP	105	7-12	13	12- 8+	4-11 (23°)	5- 1 (28°)	5-11 (31°)	10-20 (27°)	10-20 (27°)	11-17 (24°)	220	172	162
BONNERS FERRY 1 SW	-	-	16	1- 6+	4- 3 (24°)	4-15 (27°)	5-23 (31°)	10- 2 (32°)	10-22 (24°)	10-22 (24°)	202	190	132
BUHL	96	7- 7+	14	12-26	4- 2 (24°)	4-15 (28°)	5-25 (31°)	11- 7 (30°)	11-18 (24°)	11-18 (24°)	230	217	166
BUNGALOW RS	-	-	-	-	-	-	5-14 (30°)	9-25 (32°)	-	-	-	-	134
BURKE 2 NNE	94	7-12	5	2-20	4-15 (16°)	5-23 (27°)	6-24 (32°)	9-19 (31°)	10- 3 (27°)	10-24 (24°)	192	133	87
BURLEY	99	8-14	9	2-10+	4- 3 (20°)	4-15 (26°)	5-25 (31°)	10- 3 (29°)	11- 7 (27°)	11-18 (24°)	229	206	131
BURLEY FACTORY	99	7- 9+	7	2-10+	5- 3 (24°)	5-25 (28°)	5-25 (28°)	9-25 (31°)	10- 3 (24°)	10- 3 (24°)	153	131	123
BURLEY CAA AP	100	7-14	6	3- 3	5- 3 (24°)	5-25 (28°)	5-25 (28°)	10- 3 (23°)	10- 3 (23°)	10- 3 (23°)	153	131	131
CALDWELL	104	7-12	12	12-23	4-15 (23°)	4-15 (23°)	5- 5 (32°)	10- 3 (29°)	10-23 (26°)	11-19 (19°)	218	191	151
CAMBRIDGE	107	7-12	9	12-30	4-14 (21°)	5- 1 (25°)	6-24 (32°)	9-25 (29°)	9-29 (26°)	10- 3 (23°)	172	151	93
CASCADE 1 NW	97	7-12	-18	2-20	5- 2 (23°)	5-27 (28°)	6-24 (30°)	8-25 (32°)	9-26 (27°)	9-29 (24°)	150	122	62
CHALLIS	95	7-30	- 1	2-20	4-15 (20°)	5-25 (26°)	6- 8 (32°)	9-29 (31°)	10- 3 (24°)	10- 3 (24°)	171	131	113
CHILLY BARTON FLAT	87	7-30	- 9	2-10+	5-25 (20°)	5-25 (20°)	6-30 (30°)	8-24 (32°)	8-25 (28°)	9-23 (21°)	121	92	55
CLARK FORK 1 ENE	94	8- 6+	17	2-20	4-10 (21°)	5-21 (28°)	5-31 (32°)	9-20 (26°)	9-20 (26°)	10-22 (23°)	195	122	112
COBALT BLACKBIRD MINE	87	7-13	-10	2-24	5-25 (23°)	6-24 (28°)	6-27 (32°)	8-25 (29°)	9-29 (24°)	9-29 (24°)	127	97	59
COEUR D'ALENE CAA AP	95	7-12+	-	-	4- 2 (24°)	4-15 (25°)	5-23 (32°)	9-24 (30°)	11- 2 (24°)	11- 2 (24°)	214	201	124
COEUR D'ALENE RS	100	8-15	17	1- 6	4-10 (24°)	4-15 (25°)	5-23 (31°)	9-17 (31°)	10-22 (28°)	11- 3 (18°)	207	190	117
CONDA	92	7-14+	-18	2-20	5-25 (23°)	6-25 (27°)	6-27 (31°)	9- 3 (31°)	9- 4 (28°)	10- 3 (16°)	131	71	68
COTTONWOOD	99	7-12	9	2-20	4-10 (22°)	5-11 (26°)	5-27 (29°)	9-29 (27°)	9-29 (27°)	10-20 (24°)	193	141	125
COUNCIL	103	7-12	1	12-30	4-15 (22°)	5- 2 (27°)	6-24 (32°)	9-25 (32°)	9-29 (28°)	10-24 (22°)	192	150	93
DEADWOOD DAM	95	7-12	-25	2-20	5-27 (24°)	6-26 (27°)	6-29 (32°)	7- 1 (31°)	8-25 (27°)	9-25 (23°)	121	60	2
DEER FLAT DAM	103	7-12	16	2-20	4- 3 (23°)	4-15 (25°)	4-29 (29°)	10- 3 (31°)	11-19 (20°)	11-19 (20°)	230	218	157
DIXIE	92	7-12	-18	2-24	5-23 (20°)	6-26 (26°)	6-29 (30°)	7- 1 (31°)	7-16 (27°)	9- 3 (24°)	103	20	2
DRIGGS	93	7-13	-	-	5-22 (21°)	5-27 (28°)	6-25 (31°)	9- 3 (30°)	10- 3 (19°)	10- 3 (19°)	134	129	70
DUBOIS EXP STA	94	7-13+	- 5	12- 8	5-12 (24°)	5-25 (28°)	5-25 (28°)	10- 3 (25°)	10- 3 (25°)	11- 7 (21°)	179	131	131
DUBOIS CAA AP	97	7-12	-10	12- 8	5- 3 (24°)	5-25 (28°)	6-25 (32°)	9-25 (30°)	10- 2 (27°)	10- 3 (20°)	153	130	92
ELK CITY	99	7-12	-	-	-	-	-	7- 2 (31°)	7-21 (28°)	9- 5 (21°)	-	-	-
ELK RIVER 1 S	99	7-13	5	2-20	4- 3 (21°)	5-12 (25°)	6- 2 (30°)	9-17 (30°)	9-18 (25°)	10-22 (24°)	202	129	107
EMMETT 2 E	105	7-12	-	-	4- 8 (23°)	5- 2 (28°)	5-11 (32°)	-	10-22 (27°)	11-18 (18°)	224	173	-
FAIRFIELD RS	94	7-13	- 7	2-20+	5-25 (23°)	5-27 (28°)	6-25 (30°)	8-25 (32°)	9-25 (26°)	9-29 (22°)	127	121	61
FENN RS	99	8-18	20	2-24	4- 2 (24°)	4-11 (28°)	5- 5 (30°)	10- 4 (32°)	10-23 (28°)	10-26 (23°)	207	195	152
FORT HALL IND AGENCY	99	7-13	0	2-20	5- 4 (21°)	6- 4 (27°)	6- 4 (27°)	10- 3 (25°)	10- 3 (25°)	10- 4 (22°)	153	121	121
GARDEN VALLEY RS	105	7-12	0	12-30	4-14 (21°)	5-11 (27°)	5-27 (32°)	9-25 (31°)	10- 3 (27°)	10-23 (24°)	192	145	121
GLENNS FERRY	104	7-12	-	-	4-15 (21°)	5-11 (27°)	5-25 (30°)	10- 3 (29°)	10- 4 (26°)	-	-	146	131
GOODING CAA AP	102	7-12+	10	11-19	4-11 (24°)	4-15 (25°)	5-25 (29°)	10- 3 (30°)	11- 7 (27°)	11-18 (20°)	221	206	131
GRACE	89	7-24	- 6	2-21	5-12 (24°)	5-25 (27°)	5-29 (32°)	9-18 (32°)	10- 3 (23°)	10- 3 (23°)	144	131	112
GRAND VIEW	110	7-12	12	11-19+	4-15 (22°)	4-15 (22°)	4-29 (32°)	10- 3 (32°)	10-20 (28°)	11- 7 (20°)	206	188	157
GRANGEVILLE	102	7-12	12	2-20	4-15 (24°)	4-15 (24°)	5-27 (32°)	9-29 (32°)	10-20 (27°)	11- 3 (22°)	202	188	125
GRAY	96	7-30	-17	2-20	5-26 (24°)	5-26 (24°)	6-28 (32°)	9- 2 (32°)	9-17 (26°)	10-17 (22°)	144	114	66
GROUSE	88	7-30+	-14	2-20+	5-25 (19°)	6-25 (26°)	6-29 (32°)	7- 2 (32°)	8-24 (27°)	9-22 (22°)	120	60	2
HAILEY AP	100	8-19	- 6	3- 3	-	-	6-21 (32°)	10- 2 (32°)	10- 3 (28°)	11- 6 (21°)	-	-	103
HAMER 4 NW	97	7-12+	-14	12-27	5-22 (24°)	5-25 (26°)	6-20 (29°)	9- 4 (30°)	9-24 (28°)	9-29 (23°)	130	122	76
HAZELTON	95	7- 7+	5	3- 3	4- 3 (20°)	5-25 (28°)	5-25 (28°)	10- 3 (21°)	10- 3 (21°)	10- 3 (21°)	183	131	131
HILL CITY	96	7-12	-10	2-11	5-25 (23°)	5-25 (23°)	6-25 (30°)	8-25 (30°)	9-21 (23°)	9-21 (23°)	119	119	61
HOLLISTER	97	7- 7+	5	3- 3	4-15 (23°)	5-25 (25°)	6- 8 (32°)	10- 3 (24°)	10- 3 (24°)	10- 3 (24°)	171	131	117
IDAHO CITY	99	7-12	- 7	2-20	5-11 (22°)	6-24 (27°)	6-25 (30°)	8-25 (29°)	9-24 (28°)	10- 3 (23°)	145	92	61
IDAHO FALLS 6 NE	94	7-12	- 3	12-27	5-12 (24°)	5-12 (24°)	5-25 (32°)	10- 3 (23°)	10- 3 (23°)	10- 3 (23°)	144	144	131
IDAHO FALLS CAA AP	98	7-12	- 3	12- 8	5-12 (24°)	5-12 (24°)	5-25 (30°)	10- 3 (24°)	10- 3 (24°)	10- 3 (24°)	144	144	131
IRWIN 2 S	93	7-12+	- 7	2-20+	5- 3 (24°)	5-22 (28°)	5-25 (30°)	9-18 (30°)	10- 3 (19°)	10- 3 (19°)	153	134	116
ISLAND PARK DAM	89	7-12+	-32	2-20	5-22 (20°)	6-27 (28°)	6-27 (28°)	9- 3 (28°)	9- 3 (28°)	9-25 (23°)	126	68	68
JEROME	100	7-12	6	12- 8	5- 1 (19°)	5-25 (27°)	6- 8 (30°)	10- 3 (28°)	10- 3 (28°)	11-18 (18°)	201	131	117
KELLOGG	101	7-13	15	2-20	4- 2 (24°)	4-15 (27°)	5-21 (31°)	9-20 (32°)	10-23 (27°)	11- 3 (22°)	215	191	122
KOOSKIA	111	7-12	20	2-20+	4- 2 (23°)	4-10 (26°)	5- 3 (30°)	9-25 (32°)	10-12 (24°)	10-12 (24°)	193	185	145
KUNA 2 NNE	101	7-12	-	-	4-15 (21°)	4-15 (21°)	5-27 (31°)	9-26 (32°)	10- 4 (28°)	10-23 (24°)	191	172	122
LEWISTON WATER PLANT	105	8-15	23	2-24+	3- 2 (24°)	4-10 (26°)	4-11 (31°)	10-22 (30°)	11- 3 (24°)	11- 3 (24°)	246	207	194
LEWISTON WB AP	104	8-15	22	2-20+	3- 2 (24°)	4-10 (26°)	4-10 (26°)	10-22 (29°)	10-24 (28°)	12-30 (22°)	303	197	195
LIFTON PUMPING STA	90	7- 8+	-12	2-21	4-15 (22°)	5-29 (27°)	5-31 (32°)	9-25 (32°)	10- 3 (23°)	10- 3 (23°)	171	127	117
LOWMAN	94	7-13	-	-	-	-	-	9-30 (32°)	10- 4 (26°)	10-21 (22°)	-	-	-
MACKAY RS	92	7-14+	- 2	12-25+	5-22 (22°)	5-25 (27°)	6- 8 (32°)	9- 3 (32°)	10- 3 (24°)	10- 3 (24°)	134	131	87
MALAD	95	7- 7+	4	12-30	4-12 (24°)	5-11 (28°)	5-25 (30°)	10- 3 (32°)	11- 7 (24°)	11- 7 (24°)	209	180	131
MALAD CAA AP	97	7-12	- 5	12-30	5-11 (23°)	5-11 (23°)	6- 3 (32°)	9- 4 (32°)	10- 4 (24°)	10- 4 (24°)	146	146	93
MAY RS	93	7-27	- 1	2-20+	5-25 (24°)	5-25 (24°)	6-26 (32°)	9- 3 (32°)	9-25 (26°)	9-26 (24°)	124	123	69
MC CALL	91	7-12	-11	2-20	5- 4 (24°)	6-24 (28°)	6-24 (28°)	7-21 (32°)	9-25 (27°)	9-29 (24°)	148	93	27
MC CAMMON	97	7-12+	- 2	12-30	4-17 (22°)	5-25 (28°)	6-25 (31°)	9- 4 (32°)	10- 3 (25°)	10- 4 (24°)	170	131	71
MERIDIAN 1 W	103	7-12	11	12- 8	4-15 (24°)	4-15 (24°)	5-11 (30°)	10- 3 (30°)	10-20 (25°)	11-18 (20°)	217	188	145
MESA	-	-	10	12-23	4-11 (24°)	4-15 (26°)	5-27 (32°)	-	-	-	221	-	-
MINIDOKA DAM	97	7- 7+	3	3- 3	4- 3 (24°)	4-15 (25°)	5-22 (32°)	10- 3 (30°)	10-26 (28°)	11-18 (21°)	229	194	134
MONTPELIER RS	93	7-15	- 8	3- 3	5-25 (24°)	5-29 (28°)	6-26 (30°)	9- 3 (31°)	9-18 (28°)	10- 3 (19°)	131	112	69
MOSCOW U OF I	97	8-15	20	2-20+	3- 2 (22°)	4-11 (28°)	5-22 (31°)	9-20 (31°)	9-24 (28°)	10-24 (23°)	236	166	121
MOUNTAIN HOME	107	7-12	[illegible]	2-20	4-15 (22°)	5-11 (28°)	5-27 (31°)	10- 3 (32°)	10-26 (28°)	11-18 (22°)	217	168	129
MULLAN PASS CAA	88	7-12	8	3- 1+	5- 9 (23°)	5-25 (28°)	6-24 (31°)	9-24 (32°)	10- 2 (28°)	10-21 (24°)	165	130	92
NAMPA 2 NW	103	7-13	15	12-25	4-15 (23°)	4-15 (23°)	6-13 (32°)	10- 3 (30°)	10-22 (28°)	11-19 (16°)	218	190	112
NEW MEADOWS RS	-	-	-16	2-20	5- 3 (21°)	5-25 (28°)	6-26 (31°)	9- 3 (29°)	9- 4 (28°)	9-18 (24°)	138	102	69
NEZPERCE 2 E	97	7-12+	0	11-19	4- 2 (22°)	4-15 (25°)	5-23 (32°)	10- 3 (31°)	10-22 (27°)	11- 3 (22°)	215	190	133
OAKLEY	96	7-13	[illegible]	2-24	4-15 (24°)	5-25 (28°)	5-27 (30°)	10- 3 (28°)	10- 3 (28°)	11-19 (14°)	218	131	129
OBSIDIAN 4 NNE	85	7-12	-23	2-19	6-24 (24°)	6-27 (28°)	6-30 (32°)	7- 1 (29°)	7-21 (28°)	8-25 (24°)	62	24	1
OLA 5 S	107	7-12	0	12-27	4-16 (23°)	5-11 (28°)	5-12 (31°)	9-25 (31°)	9-29 (28°)	10-24 (21°)	191	141	136
OROFINO	106	7-11+	17	3- 6	3-26 (24°)	4-10 (26°)	5- 3 (32°)	10- 4 (32°)	10-23 (28°)	11- 3 (23°)	222	196	154
PALISADES DAM	92	7-12+	-11	2-20+	5- 3 (24°)	5- 5 (25°)	5-29 (32°)	9-18 (32°)	10- 3 (23°)	10- 3 (23°)	153	151	112
PARMA EXP STA	100	8-18	15	12-30	4-15 (24°)	4-29 (28°)	5- 2 (32°)	10- 3 (27°)	10- 3 (27°)	11-18 (24°)	217	157	154
PAUL 1 E	101	7- 8	- 1	3- 3	4-15 (22°)	5-13 (27°)	5-25 (30°)	9-25 (32°)	10- 3 (24°)	10- 3 (24°)	171	143	123
PAYETTE	107	7-12	14	12-27	4- 2 (23°)	4-15 (25°)	5- 1 (32°)	9-29 (32°)	10- 3 (27°)	11-18 (21°)	230	171	151

See reference notes following Station Index.

Table 3—Continued.

TEMPERATURE EXTREMES AND FREEZE DATA

Station	Highest	Date	Lowest	Date	Last spring minimum of			First fall minimum of			No. of days between dates		
					24° or below	28° or below	32° or below	32° or below	28° or below	24° or below	24° or below	28° or below	32° or below
PIERCE RS	102	7-12+	3	2-20	4- 4 (22°)	6- 4 (25°)	6- 7 (31°)	9-20 (30°)	9-21 (28°)	10-22 (23°)	201	109	105
POCATELLO WB AP	97	7-12+	3	12-27	4-15 (23°)	5- 2 (28°)	5-25 (31°)	10- 3 (27°)	10- 3 (27°)	10- 4 (24°)	172	154	131
PORTHILL	98	7-12	10	1- 6	4-15 (24°)	5-21 (28°)	5-31 (32°)	9-21 (30°)	10- 5 (28°)	10-23 (23°)	191	137	113
POTLATCH 1 SE	-	-	16	2-19	3- 2 (20°)	-	-	-	9-24 (25°)	10-22 (22°)	234	-	-
PRESTON SUG FACTORY 2 SE	95	7- 7+	- 1	12-31	4-15 (24°)	5- 4 (25°)	5-25 (29°)	10- 3 (26°)	10- 3 (26°)	11- 7 (23°)	206	152	131
PRIEST RIVER EXP STA	[illegible]	8-15	7	2-19	4-15 (24°)	5-11 (27°)	5-31 (31°)	9-20 (26°)	9-20 (26°)	10-23 (22°)	191	132	112
REACTOR TESTING STA	98	7-13	-15	12- 8	5-22 (22°)	5-23 (27°)	6-25 (32°)	9- 5 (32°)	9-25 (26°)	10- 3 (18°)	134	125	72
RICHFIELD	98	7-12	- 2	3- 3	4-15 (21°)	5-25 (26°)	5-25 (26°)	9-26 (32°)	10- 3 (27°)	11- 7 (20°)	206	131	124
RIGGINS RS	110	7-13	-	-	2-20 (22°)	4- 2 (28°)	4-28 (32°)	10-26 (32°)	-	-	-	-	181
ROLAND W PORTAL	-	-	-	-	4-15 (17°)	5-12 (27°)	6-25 (32°)	-	-	-	-	-	-
RUPERT	102	7-27	0	3- 3+	4-15 (22°)	5-13 (28°)	5-25 (30°)	9-25 (32°)	10- 3 (26°)	11-18 (24°)	217	143	123
SAINT ANTHONY	95	7-12+	-12	12-11	[illegible]- 5 (23°)	5-25 (27°)	6-27 (30°)	9- 3 (29°)	9-25 (28°)	10- 3 (20°)	151	123	68
SAINT MARIES	97	8- 6+	11	2-20	4- 9 (22°)	5-26 (26°)	5-26 (26°)	9-20 (29°)	10- 5 (28°)	10-23 (21°)	197	132	117
SALMON	101	8- 7	4	2-19+	5- 4 (24°)	5-22 (28°)	6-26 (32°)	9-21 (30°)	9-25 (27°)	10- 3 (22°)	152	126	87
SANDPOINT EXP STA	92	7-12	11	2-20	4- 4 (24°)	5- 3 (28°)	5-23 (29°)	9-20 (30°)	10-12 (28°)	10-24 (23°)	203	162	120
SHOSHONE	99	7-12+	1	3- 3	4-15 (22°)	5-11 (27°)	5-25 (30°)	10- 3 (29°)	10-25 (27°)	11-18 (16°)	217	167	131
SPENCER RS	93	7-13	- 9	12- 8	5-22 (22°)	5-25 (25°)	6-27 (31°)	9- 3 (31°)	9-25 (26°)	10- 3 (18°)	134	123	68
SPRINGFIELD 1 SE	97	7-12+	- 5	3- 3	4-13 (22°)	-	6-24 (31°)	9-18 (31°)	10- 3 (22°)	10- 3 (22°)	173	-	86
STIBNITE	89	7-13	-11	2-20	5-25 (17°)	6- 3 (28°)	6-26 (31°)	8-25 (29°)	9-24 (27°)	9-29 (23°)	127	113	60
STREVELL	96	7- 7+	- 2	11-19	5-11 (24°)	6- 4 (28°)	6-25 (29°)	10- 3 (20°)	10- 3 (20°)	10- 3 (20°)	145	121	100
SUGAR	95	7-13	- 9	12-27	5-12 (24°)	5-25 (28°)	6-29 (32°)	9- 3 (31°)	9-25 (27°)	10- 3 (16°)	144	123	66
SUN VALLEY	91	7-30	-18	2-20	6-25 (24°)	6-29 (28°)	6-30 (31°)	7- 1 (29°)	7- [illegible] (28°)	9-25 (21°)	92	3	1
SWAN FALLS PH	108	7-13+	19	12-27	2-20 (22°)	4- 8 (28°)	4-15 (30°)	11-18 (31°)	11-19 (21°)	11-19 (21°)	272	225	217
TETONIA EXP STA	93	7-13	-14	2-20	5-24 (19°)	5-25 (26°)	6-27 (31°)	9- 3 (27°)	9- 3 (27°)	10- 3 (18°)	132	101	68
THREE CREEK	97	7-12	- 1	12-30	5-25 (22°)	6-25 (27°)	6-29 (30°)	7-16 (32°)	8-25 (22°)	8-25 (22°)	92	61	17
TWIN FALLS 2 NNE	101	7- 7+	10	12-25	4-13 (24°)	4-15 (26°)	5-25 (29°)	10- 3 (26°)	10- 3 (26°)	11- 7 (24°)	208	171	131
TWIN FALLS 3 SE	100	7- 8	11	2-21	4- 3 (18°)	4-12 (27°)	5-25 (29°)	10- 3 (28°)	10- 3 (28°)	11-18 (23°)	229	174	131
WALLACE	101	7-12	[illegible]	2-20	4-15 (24°)	5-12 (27°)	5-23 (30°)	7-24 (30°)	9-19 (25°)	10-24 (24°)	192	130	62
WALLACE WOODLAND PK	98	7-13	6	2-18+	4-16 (23°)	6- 6 (28°)	6- 6 (28°)	9-20 (29°)	10-22 (20°)	10-22 (20°)	189	138	106
WEISER	106	7-12	10	11-17+	4- 8 (22°)	4-15 (25°)	5-10 (31°)	9-24 (32°)	10- 3 (26°)	11- 3 (23°)	209	171	137
WINCHESTER 1 SE	95	8-15	7	2-20+	4-11 (23°)	5-13 (28°)	6- 3 (32°)	9-19 (32°)	9-29 (28°)	10- 3 (22°)	175	139	108

Table 4

TOTAL EVAPORATION AND WIND MOVEMENT

Station		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Annual
ABERDEEN EXP STA	EVAP	-	-	-	-	B5.13	8.30	10.99	9.42	7.40	3.76	-	-	-
	DEP	-	-	-	-	- 1.83	.89	2.13	1.58	2.27	.66	-	-	-
	WIND	4335	4139	4202	4571	B3731	3529	2469	2371	2587	2369	3052	3624	40979
ARROWROCK DAM	EVAP	-	-	-	-	B5.12	5.54	10.28	8.61	6.35	2.95	-	-	-
	DEP	-	-	-	-	- 1.27	- 1.72	- .36	- .86	.55	.54	-	-	-
	WIND	-	-	-	-	1617	1303	1065	1086	831	899	-	-	-
LIFTON PUMPING STA	EVAP	-	-	-	B4.09	4.77	8.31	9.64	8.74	6.56	3.12	-	-	-
	DEP	-	-	-	.07	- 1.75	.70	.37	.31	.80	.14	-	-	-
	WIND	2727	2070	2570	3062	2530	1657	1175	1617	1203	1256	1560	1844	23271
MINIDOKA DAM	EVAP	-	-	-	-	6.80	9.16	13.84	12.29	9.20	4.77	-	-	-
	DEP	-	-	-	-	-	-	-	-	-	-	-	-	-
	WIND	4340	3530	4880	4570	4180	3610	3210	3750	3160	3510	3620	4380	46740
MOSCOW U OF I	EVAP	-	-	-	-	B4.50	B5.10	B8.59	6.59	5.53	-	-	-	-
	DEP	-	-	-	-	.30	- .13	.85	.48	2.10	-	-	-	-
	WIND	-	-	-	-	2203	1589	1301	1125	1678	-	-	-	-
PALISADES DAM	EVAP	-	-	-	-	-	-	-	-	B5.82	-	-	-	-
	DEP	-	-	-	-	-	-	-	-	-	-	-	-	-
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-

WEATHER SUMMARY (Continued)

cient, pastures and ranges showed improvement. Cattle and sheep were in better condition that at the end of October, but still below average for the season. Good stands of wheat were reported in the Northern Division.

DECEMBER: Average temperatures were again above normal with precipitation averaging 120% of normal in the Northern Division, and about 70% of normal for the remainder of the State. Greatest precipitation deficiencies were in the Boise, Payette, Weiser and Wood River drainages. Snow cover was below normal in the southern and central portions of the State. Winter ranges improved in the Northern Division and there was general improvement in the condition of cattle and sheep during the month. Several mountain passes normally closed to travel at this time of year remained open.

DJS

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Years of record			Opened or closed during yr.		Refer to tables
							Temp.	Precip.	Evap.	Month opened	Month closed	
ABERDEEN EXPERIMENT STATION	0010	BINGHAM	12	42 56	112 50	[illegible]	40	40	[illegible]			1 2 3 4
ALBION	0148	CASSIA	12	42 25	113 35	4750	23	23			AUG	1 2 3
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	31	31				1 2 3 C
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	[illegible]	[illegible]	[illegible]				1 2 3
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	[illegible]	[illegible]	12				1 2 3
ARCO	[illegible]	BUTTE	[illegible]	43 38	[illegible]	[illegible]	16	47				1 2 3
ARROWROCK DAM	[illegible]	ELMORE	2	43 36	[illegible]	[illegible]	42	42	28			1 2 3 4
ASHTON 1 S	[illegible]	FREMONT	12	[illegible]	[illegible]	[illegible]	[illegible]	56				1 2 3
ATLANTA 1 E	[illegible]	ELMORE	2	43 48	115 07	[illegible]	[illegible]	37				1 2 3
ATLANTA SUMMIT	[illegible]	ELMORE	2	43 45	[illegible]	[illegible]		3				S
AVERY RANGER STATION	[illegible]	SHOSHONE	10	[illegible]	[illegible]	[illegible]	[illegible]	39				1 2 3
BALD MOUNTAIN	[illegible]	BLAINE	12	43 39	[illegible]	[illegible]				DEC		C
BANCROFT	[illegible]	BANNOCK	12	42 43	[illegible]	5285						C
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	7	7				1 2 3
[illegible]	0769	BONNER	9	48 21	116 50	2640						C
[illegible]	[illegible]	VALLEY	11	[illegible]	115 20	[illegible]	15	15				1 2 3 C
[illegible]	[illegible]	BINGHAM	[illegible]	[illegible]	[illegible]	[illegible]	57	57				1 2 3
[illegible]	[illegible]	CARIBOU	[illegible]	[illegible]	111 43	6200	31	31	[illegible]			1 2 3 C
[illegible]	[illegible]	GOODING	12	[illegible]	114 57	3269	37	38				1 2 3
BOGUS BASIN	[illegible]	BOISE	2	43 46	116 06	6200						C
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	2	3				1 2 3 C
BOISE WB AIRPORT	1022	ADA	2	[illegible]	116 13	[illegible]	[illegible]	89				1 2 3 C
BONNERS FERRY 1 SW	[illegible]	BOUNDARY	[illegible]	[illegible]	116 19	1812	46	47				1 2 3 C
[illegible]	[illegible]	CASSIA	12	42 08	113 21	4700					NOV/52	C
[illegible]	[illegible]	TWIN FALLS	12	42 35	114 46	[illegible]	46	[illegible]				1 2 3
BUNGALOW RANGER STATION	[illegible]	CLEARWATER	3	46 38	115 30	2250	-					1 2 3
BURKE 2 NNE	[illegible]	SHOSHONE	[illegible]	47 32	[illegible]	[illegible]	17	17				1 2 3
BURLEY	1288	CASSIA	12	42 32	[illegible]	1180	36	[illegible]				1 2 3
BURLEY FACTORY	[illegible]	CASSIA	12	42 33	113 48	[illegible]	29	29				1 2 3 C
BURLEY CAA AIRPORT	[illegible]	CASSIA	[illegible]	42 32	113 46	[illegible]	16	[illegible]				1 2 3
CALDWELL	1380	CANYON	2	43 39	[illegible]	[illegible]	49	[illegible]				1 2 3
CAMBRIDGE	1408	WASHINGTON	12	44 34	[illegible]	2650	[illegible]	[illegible]				1 2 3
CASCADE 1 NW	1514	VALLEY	8	44 31	116 03	4860	12	12				1 2 3 C
CASCADE RANGER STATION	1524	VALLEY	8	44 31	116 03	4740					SEP	C
CENTERVILLE ARBAUGH RANCH	[illegible]	BOISE	2	43 58	115 51	4780		4				2
CHALLIS	1663	CUSTER	11	44 30	114 14	[illegible]	44	44				1 2 3
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	17	17				1 2 3
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	17	17				1 2 3 C
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800						C
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	5	5				1 2 3
COEUR D'ALENE CAA AIRPORT	1951	KOOTENAI	4	47 46	116 49	2273	3	10			NOV	1 2 3
COEUR D'ALENE RANGER STATION	1956	KOOTENAI	4	47 41	116 45	2160	61	61				1 2 3 C
CONDA	2071	CARIBOU	12	42 43	111 33	6200	15	15				1 2 3
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	38	38				1 2 3
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600						C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	40	41				1 2 3 C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		54				2
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	[illegible]	24	24				1 2 3 C
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		6				S
DECEPTION CREEK	2422	KOOTENAI	4	47 44	116 29	3000						C
DEER FLAT DAM	2444	CANYON	12	[illegible]	116 44	2510	36	36				1 2 3
DIXIE	2575	IDAHO	11	45 33	115 28	5610	2	2				1 2 3
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	[illegible]						C
DRIGGS	2676	TETON	12	43 43	111 07	6097	43	44				1 2 3
DUBOIS EXPERIMENT STATION	2707	CLARK	6	44 14	112 14	5462	32	32				1 2 3
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	15	15				1 2 3 C
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	2	2				1 2 3
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	2	2				1 2 3
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	46	47				1 2 3
FAIRFIELD RANGER STATION	3108	CAMAS	12	43 21	114 48	5065	5	5				1 2 3
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	40	40				1 2 3 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	39	39				1 2 3
GARDEN VALLEY RANGER STATION	3448	BOISE	8	44 04	115 55	3147	43	43				1 2 3
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		6				S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	43	44				1 2 3
GOODING 1 E	3677	GOODING	12	42 56	114 42	3245						C
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	44	44				1 2 3
GRACE	3732	CARIBOU	1	42 35	111 44	5400	47	47				1 2 3 C
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	39	39				1 2 3
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	39	39				1 2 3
GRASMERE	3809	OWYHEE	12	42 23	115 53	5126	0	0		DEC		1 2 3
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	35	34				1 2 3
GROUSE	3882	CUSTER	6	43 42	113 37	6100	21	21				1 2 3
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	49	50				1 2 3
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	27	27				1 2 3
HAZELTON	4140	JEROME	12	42 36	114 08	4060	37	37				1 2 3
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	34	34				1 2 3
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	42	42				1 2 3
HOWE	4384	BUTTE	6	43 47	113 00	4820		19				2
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	50	50				1 2 3
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		45				2
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	2	2				1 2 3 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	59	59				1 2 3
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		6				S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	52	52				1 2 3
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	17	17				1 2 3
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		4				S
JEROME	4670	JEROME	12	42 44	114 31	3785	38	38				1 2 3
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		31				[illegible]
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	49	49				1 2 3
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	45	45				1 2 3
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	45	45				1 2 3
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		11				S
LEADORE	5169	LEMHI	11	44 41	113 22	6100						C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	76	76				1 2 3
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	7	7				1 2 3
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	34	34	19			1 2 3 4
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		6				S
LOWMAN	5411	BOISE	8	44 05	115 36	3870	13	44				1 2 3 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 36	5897	46	46				1 2 3 C
MALAD	5544	ONEIDA	1	42 11	112 16	4420	40	40				1 2 3 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	[illegible]	9	9				1 2 3
MALTA RANGER STATION	5567	CASSIA	12	42 19	113 22	[illegible]				NOV/52		C
MAY RANGER STATION	[illegible]	LEMHI	11	44 36	113 55	5066	19	19				1 2 3
MC CALL	5708	VALLEY	8	44 54	116 07	[illegible]	43	43				1 2 3
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	4	4				1 2 3
MERIDIAN 1 W	5841	ADA	2	43 37	116 25	2620	43	43				1 2 3
MESA	5859	ADAMS	12	44 37	116 26	3244	9	10				1 2 3
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	7	7	7			1 2 3 4
MONTPELIER RANGER STATION	6052	BEAR LAKE	1	42 19	111 18	5943	37	37				1 2 3
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		2				C
MOOSE CREEK RANGER STATION	6087	IDAHO	3	46 08	114 50	2400						C
MOSCOW UNIVERSITY OF IDAHO	6152	LATAH	7	46 44	117 00	2628	62	62	15			1 2 3 4
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	48	48				1 2 3 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	14	14				1 2 3 C
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8	8				1 2 3
NEW MEADOWS RANGER STATION	6388	ADAMS	11	44 58	116 17	3860	49	49				1 2 3
NEZPERCE 3 E	6424	LEWIS	3	46 15	116 12	3850	2	2				1 2 3
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		6				S
OAKLEY	6542	CASSIA	12	42 14	113 53	4600	60	60				1 2 3
OBSIDIAN 4 NNE	6553	CUSTER	12	44 03	114 48	6900	43	43				1 2 3
OLA 5 S	6590	GEM	8	44 07	116 17	2962	3	3				1 2 3 C
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	49	49				1 2 3
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	7	7	6			1 2 3 4
PARMA EXPERIMENT STATION	6844	CANYON	2	43 47	116 57	2224	31	31				1 2 3
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	19	19				1 2 3
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	60	60				1 2 3
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	38	38				1 2 3 C
PINE 1 N	7077	ELMORE	2	43 30	115 18	4220		0		OCT		[illegible]
PINE 2 S	7079	ELMORE	2	43 28	115 19	4225		42				2
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970						C
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	53	53				1 2 3 C
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	63	64				1 2 3
POTLATCH 1 SE	7301	LATAH	7	46 54	116 52	2586	38	39				1 2 3
PRAIRIE	7327	ELMORE	2	43 30	115 35	4650						C
PRESTON SUGAR FACTORY 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	32	32				1 2 3
PRIEST RIVER EXPERIMENT STA	7386	BONNER	9	48 21	116 50	2380	42	42				1 2 3
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		4				S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		4				S
REACTOR TESTING STATION	7536	BUTTE	6	43 33	112 57	4925	2	2				1 2 3
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	39	39				1 2 3
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	38	38				1 2 3
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 46	4150	32	32				1 2 3
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	47	47				1 2 3
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	14	14				1 2 3
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	54	54				1 2 3
SALMON	8076	LEMHI	11	45 11	113 53	3949	46	46				1 2 3
SANDPOINT EXPERIMENT STATION	8137	BONNER	9	48 17	116 34	2100	43	43				1 2 3 C
SHAKE CREEK RANGER STATION	8303	ELMORE	[illegible]	43 37	115 10	4730		4				S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3968	45	45				1 2 3
SOLDIER CREEK RANGER STATION	8548	CAMAS	12	43 30	114 50	5755		5				S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	34	34				1 2 3
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	44	45				1 2 3
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	4	4				1 2 3
STREVELL	8786	CASSIA	12	42 01	113 13	5280	14	14		# AUG/52		1 2 3
SUGAR	8818	MADISON	12	43 52	111 45	4892	44	45				1 2 3
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	17	17				1 2 3 C
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	18	18				1 2 3
TETONIA EXPERIMENT STATION	9065	TETON	12	43 51	111 16	5904	2	11				1 2 3 C
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	13	13				1 2 3
TRINITY LAKE GUARD STATION	9202	ELMORE	2	43 38	115 26	7400		4				S
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		4				S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	48	48				1 2 3
TWIN FALLS 3 SE SUG FACTORY	9299	TWIN FALLS	12	42 32	114 25	3770	29	29				1 2 3
VIENNA	9422	BLAINE	11	43 49	114 51	8800		4				S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	45	45				1 2 3
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	33	33				1 2 3 C
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	42	42				1 2 3
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	14	14				1 2 3
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		2				S

# Reactivated

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

Unless otherwise indicated, dimensional units used in this bulletin are Temperature in °F; precipitation and evaporation in inches, and wind movement in miles. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 4.

The four digit identification numbers in the Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried in the June and December issues of Climatological Data.

- No record.
+ Also later date (dates) or months.
• Amount included in following measurement.
/ Gage is equipped with a windshield.
B Adjusted to full month.
C Data for recorder stations denoted by 'C' are processed for special purposes and published in "Hourly Precipitation Data". Length of record for recorder-only stations may be found in the annual issue of "Hourly Precipitation Data".
E Amount is wholly or partially estimated.
M Less than a complete month of record available, if average value is entered, less than 10 days of record are missing. See monthly Climatological Data for detailed daily record.
R Data from recording gage.
T Trace, an amount too small to measure.
V Includes total for previous months. V in annual column means total is for a two-year period.
S Storage precipitation station. Data will be published in the July or August or delayed data December issue of Climatological Data.

Subscription Price 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to Superintendent of Documents, Government Printing Office, Washington 25, D. C.

RELOCATIONS AND NAME CHANGES WILL BE FOUND ON PAGE 159.

W.R.P.C. Chattanooga--4-6-54--1025


IDAHO
STATUTE MILES
10 0 0 20 30 40
STATION LEGEND
Precipitation only
Precipitation storage
Precipitation and Temperature
Precipitation Temperature and Evaporation
Section Center
Type of gage Non recording.
Recording Both types
Double circle combinations Complete Meteorological
Hourly precipitation data from recorder stations will be available in the publication Hourly Precipitation Data
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry
Benton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2 S
Newport
Sandpoint Exp Sta
Clark Fork 1ENE
Heron 2 NW
Deer Park
Mount Spokane
Bayview Model Basin
Trout Creek 2 W
Coeur d'Alene CAA AP
Deception Cr
Spokane WB AP
Thompson Falls
Coeur d'Alene RS
Kellogg
Burke 2NNE
Cheney
Wallace Woodland PK
Mullan Pass CAA Sta
Wallace C
Saint Maries
Haugan
Rosalia
Roland W Portal
Plummer 3WSW
Tekoa
Avery RS
Superior CAA AP
Clarkia RS
Potlatch
Colfax 1 NW
Missoula WB AP
Missoula 2 WNW
Pullman Exp Sta
Elk River 1 S
Moscow U of Ida
Wawawai
Bungalow RS
Lolo Pass
Pomeroy
Orofino
Lewiston Wtr Pl
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Kamiah 1NE
Winchester 1SE
Hamilton
Nezperce 2 E
Kooskia
Anatone
Moose Creek RS
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Wisdom
Dixie
Riggins RS
Joseph
Jackson
Polaris
Salmon
Big Creek 1 S
Cornucopia 5 NNW
Cobalt Blackbird Mine
New Meadows RS
Yellow Pine
Grant
Halfway
McCall
Stibnite
Hebgen Dam
Richland
Pungo Creek
Council 1 N
Leadore
Dell
West Yellowstone
Landmark RS
Lima
Lima Dam
Durkee 3 NNW
Mesa
May RS
Lakeview
Monida 5 NE
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Dell 19 SW
Inland Park Dam
Cascade RS
Huntington
Spencer RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Weiser
Dubois Exp Sta
Bechler River
Snake River
Ola 4 S
Crouch 2NNW
Ashton 1S
Payette
Lowman
Jackson Peak
Dubois CAA AP
Grassy Lake Dam
Ontario CAA AP
Obsidian 4NNE
Vale
Garden Valley RS
Chilly Barton Flat
Hamer 4NW
St Anthony
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Nyssa
Emmett 2E
Tetonia Exp Sta
Moran
Little Valley
Parma Exp Sta
Idaho City
Atlanta 1E
Mackay RS
Sugar
Adrian
Bogus Basin
Vienna
Howe
Alta
Owyhee Dam
Caldwell
Idaho City 13SW
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Nampa 2NW
Meridian 1SSW
Arrowrock Dam
Shake Cr RS
Arco
Driggs
Moose 3 NW
Deer Flat Dam
Trinity Lake GS
Dollarhide Summit
Idaho Falls 6 NE
Reactor Testing Sta
Kuna 2 NNE
Boise LP Dam
Pine 2SSW
Soldier Cr RS
Hailey
Idaho Falls CAA AP
Irwin 2S
Boise WB AP
Prairie
Jackson
Fairfield
Palisades Dam
Anderson Dam
Hill City
Blackfoot
Swan Falls PH
Gray
Mountain Home
Springfield
Sheaville
Putnam Mt
Richfield
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Blackfoot Dam
Danner
Aberdeen Exp Sta
Bliss
Shoshone
Hedford 2 SE
Rome
Gooding 1 F
Pocatello WB AP
Gooding CAA AP
Jerome
Bancroft
Conda
Minidoka Dam
Grover 2 S
Paul 1E
American Falls 1NW
Buhl
Burley 1NW
McCammon
Rupert
Hazelton
Grace PH
Twin Falls 2NNE
Burley CAA AP
Twin Falls 3SE
Burley
Hollister
Albion
Montpelier RS
Oakley
Malad
Border 3 N
Lifton Pump Sta
Bridge
Malad CAA AP
Preston 2SE
Three Creek
Ida Vada
Lewiston
Richmond
Owyhee
Snowville
Jarbidge
Amalga
Laketown
Sage
Garland
Logan USAC Exp Sta
Contact
Park Valley
Bothwell
Logan USAC
Revised 9-52 WRPC

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

CLIMATOLOGICAL DATA

IDAHO

JANUARY 1954
Volume LVII No. 1

CHATTANOOGA: 1954

IDAHO - JANUARY 1954

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

For the fifth consecutive month the average temperature was above normal in all divisions of the State. In the Southwestern and Southeastern Divisions the averages were among the four or five highest for January in 61 years of record, although still nearly 6° lower than in the record-breaking January of 1953. An outbreak of Arctic air covered the Northern Division for a week or more near mid-month, and consequently the average temperature for the month was only a little above normal.

Precipitation averaged well above normal in the Northern and Southwestern Divisions; in fact, the January average for Northern Division has been exceeded only in 1894 and 1953. The Southeastern Division, however, averaged only 82% of normal, making this the seventh successive month with subnormal precipitation in that Division. A few Southeastern Division stations, however, did report precipitation totals that exceeded normal, notably Island Park Dam, several stations from Lifton northward to Gray, and some stations in Butte and Custer Counties. The principal deficiencies occurred along the Snake River downstream to Weiser. Excesses of precipitation were large in all of the Northern Division, except a sizable part of the Clearwater Basin, and in the Weiser, Payette, Boise and Wood River drainages.

The early part of the month brought little precipitation to Idaho while temperatures generally were well above normal. On the 14th, however, a slow-moving cold front entered the extreme northern portion of the State, bringing rapidly falling temperatures and heavy snow. Porthill reported 24 inches and Bonners Ferry 14 inches of snow within 48 hours. For about the next 10 days this Arctic front advanced and retreated in irregular fashion across several northern counties. Another period of heavy snow occurred on the 17th and 18th with amount ranging up to 14 inches at Priest River an Sandpoint, and 16-1/2 inches at Wallace an Porthill. During the next two days the col air pushed southward to the southern boundar of the State, but on the 21st and 22d th cold front retreated northward under th onslaught of warm moist air pouring inlan in advance of a storm center. The interaction of the two markedly different air masse resulted in some of the heaviest snows o the month from Adams and Valley Countie northward. Winds were strong on severa days during the period of snow and col weather in the Northern Division, with drift intermittently blocking roads and railways In some localities power and telephone line were broken; and near Wallace, where snowslides added to the difficulties, portion of trains were derailed on at least two occasions. Minor traffic accidents were numerous.

Increases in snow depth at reporting stations in the Northern Division totaled a much as 3 to 4 feet during the 10-day perio beginning on the 14th, and in the mountainous areas of the Southwestern Division th water content of the snowpack increased t well above the average of past years, wherea a month earlier depths were generally wel below average. Sub-zero temperatures wer common in the Northern Division on at leas 2 or 3 days, reaching -23° at Potlatch, -24 at Priest River, -27° at Porthill and -30 at Dixie.

No reports were received of lives los because of weather elements during the sever weather in mid-month, and apparently livestock survived in good condition. No estimates of property damage have been made, bu such damage appears to have been confine mainly to power and communications lines.

DJS

SUPPLEMENTAL DATA

IDAHO
JANUARY 1954

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
OISE WB AIRPORT	SE	42	11.7	45	SW	17	77	67	65	76	8	10	4	0	0	0	22	31	8.4	SEE TABLE 2.
EWISTON WB AIRPORT	-	-	-	-	-	-	81	76	73	-	5	13	3	0	0	0	21	-	8.6	
OCATELLO WB AIRPORT	SW	23	13.5	45	S	17	75	68	72	74	8	9	2	0	0	0	19	17	8.9	

COMPARATIVE DATA

ble 1

JANUARY

Year	Temperature			Precipitation	
	Average	Highest	Lowest	Average	Average snowfall
1894	25.8	[illegible]	-26	3.08	-
1895	22.6	55	-34	2.71	-
1896	27.4	62	-25	3.07	-
1897	24.0	58	-30	1.06	-
1898	17.4	60	-40	1.35	-
1899	28.1	60	-19	2.64	20.9
1900	30.8	63	-18	1.56	2.9
1901	26.7	75	-23	1.87	14.1
1902	23.7	61	-34	.78	6.3
1903	25.9	60	-19	3.02	17.0
1904	24.5	60	-24	1.44	14.0
1905	27.5	61	-18	1.08	6.2
1906	25.0	55	-30	2.67	19.7
1907	22.5	61	-32	2.52	26.7
1908	26.3	63	-36	1.08	9.8
1909	28.1	63	-28	4.02	21.4
1910	20.3	56	-36	2.05	18.7
1911	26.5	59	-39	3.10	17.1
1912	24.9	62	-39	2.74	19.4
1913	20.8	57	-42	2.42	29.4
1914	29.6	62	-27	2.80	18.7
1915	22.5	56	-33	1.26	12.8
1916	18.0	63	-38	3.20	34.8
1917	16.8	56	-44	1.75	19.6
1918	28.5	68	-31	2.52	17.1
1919	25.9	62	-28	1.55	5.7
1920	24.8	63	-31	1.23	2.9
1921	27.0	60	-33	2.14	17.5
1922	15.5	51	-50	1.48	17.5
1923	28.0	61	-30	2.48	20.3
1924	19.9	57	-33	.98	9.8
1925	26.0	60	-18	2.82	21.3
1926	23.6	54	-24	1.31	10.3
1927	25.6	63	-44	2.01	14.2
1928	25.8	57	-29	1.76	11.3
1929	15.6	54	-36	2.10	30.6
1930	12.9	66	-46	1.49	19.3
1931	23.9	58	-22	1.34	10.2
1932	19.2	58	-35	1.73	19.9
1933	23.8	58	-25	2.53	31.4
1934	32.0	65	-16	2.05	4.8
1935	24.8	62	-41	1.74	18.7
1936	23.5	56	-35	3.77	26.3
1937	8.7	56	-48	1.80	29.4
1938	27.6	62	-19	1.72	9.8
1939	27.3	61	-27	1.55	14.7
1940	26.2	57	-29	2.49	15.3
1941	27.2	57	-30	1.57	10.6
1942	19.5	58	-45	1.42	11.9
1943	23.1	64	-60	2.71	20.6
1944	20.8	59	-34	.88	8.7
1945	27.2	65	-21	1.40	5.7
1946	23.7	60	-23	1.91	17.2
1947	19.9	56	-42	1.41	13.8
1948	25.5	66	-37	1.73	8.1
1949	6.9	45	-42	1.00	15.5
1950	18.9	61	-40	3.25	36.9
1951	23.4	62	-42	2.13	22.9
1952	21.1	52	-35	2.16	28.8
1953	35.3	70	- 8	3.98	15.4
1954	28.6	62	-30	2.81	26.1
ALL YEARS	23.7			2.07	

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

TABLE 2

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	No. of Days Max. 32° or Below	No. of Days Min. 32° or Below	No. of Days Min. 0° or Below	Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Snow, Sleet, Hail Max. Depth on Ground	Snow, Sleet, Hail Date	No. of Days .10 or More	No. of Days .50 or More	No. of Days 1.00 or More
NORTHERN DIVISION																							
AVERY RS	33.9	23.9	28.9	1.6	47	30	-10	20	1111	0	17	22	2	5.32	1.54	.95	4		32	27	15	4	0
BAYVIEW MODEL BASIN	34.5	21.2	27.9		54	6	- 3	21	1144	0	10	28	2	4.95		.80	22	28.0	23	27	16	3	0
BIG CREEK 1 S	32.9	12.4	22.7	5.7	47	31	-18	25	1306	0	16	31	9	7.62	5.69	1.16	15	78.0	61	19	16	7	1
BONNERS FERRY 1 SW	32.9M	19.9M	26.4M	3.0	49	6			1192	0	16	27		E 6.11	3.42								
BURKE 2 NNE	29.2	18.7	24.0	1.8	37	6	- 8	20	1264	0	18	31	2	13.41	7.15	2.04	22	143.8	88	24+			3
COBALT BLACKBIRD	27.5M	9.8M	18.7M		39	6	-12	20+		0	21	31	8	E 3.03		.38	16	49.4	42	29		0	0
COEUR D ALENE RS	34.5	23.0	28.8	2.0	49	5	-10	20	1117	0	9	24	2	6.82	3.51	2.19	22	56.2	24	27	15	1	1
COTTONWOOD	36.5	18.7	27.6	4.0	53	6	-18	20	1152	0	9	29	3	E 2.11	.01	.47	17	21.2	11	17+	8	0	0
DIXIE	32.3	9.5	20.9		48	6	-30	20	1361	0	15	31	10	5.24		.70	14	75.4	51	19	16	3	0
ELK RIVER 1 S	34.8	20.4	27.6		50	30	-24	20	1151	0	8	30	2	10.12		1.44	4	61.4	44	27	23	8	1
FENN RS	36.4	25.0	30.7	1.2	47	1	- 3	20	1056	0	8	28	1	3.99	.39	.98	23		12	16+	10	2	0
GRANGEVILLE	39.6	21.5	30.6	2.0	58	6	-14	20	1060	0	7	27	2	1.96	.23	.48	15				6	0	0
KELLOGG	36.0	22.5	29.3	2.4	52	6	-17	20		0	9	26	2	7.29	3.84	1.25	22	46.5	15	19+	16	5	1
KOOSKIA	40.3	24.0	32.2	3.0	54	3+	-10	20	1012	0	5	25	2	2.37	.26	.68	23	25.5	9	17+	8	1	0
LEWISTON WATER PLANT	41.3	27.7	34.5	1.3	55	7	- 7	20	936	0	5	19	1	.91	- .50	.17	14		2	19	3	0	0
LEWISTON WB AP //R	39.6	25.5	32.6	1.8	52	7	-10	20	997	0	5	20	2	.94	- .11	.18	28	6.5	3	13+	3	0	0
MOSCOW U OF I	36.1	23.8	30.0	1.8	49	6	-21	20	1079	0	9	24	3	E 4.01	1.23	.56	4	27.0	9	17	15	2	0
MULLAN PASS CAA	24.0	12.8	18.4	- 1.3	37	6	-12	20	1437	0	27	31	4	11.61	7.63	1.84	22	126.2	172	28+	20	9	2
NEZPERCE 2 E	35.9	21.7	28.8		49	30	- 9	20	1115	0	7	26	2	2.18		.41	23	23.1	9	19+	8	0	0
OROFINO	40.2M	26.1M	33.2M	3.5	54	30	- 3	20	966	0	3	21	1	3.98	1.12	.65	23	8.0			12	2	0
PIERCE RS	32.5M	17.8M	25.2M	1.0	41	30	-20	20	1231	0	10	28	3	8.97	4.43	1.19	28		46	27	20	7	2
PORTHILL	30.6	13.7	22.2	- 1.5	48	6	-27	20	1320	0	16	28	5	4.97	2.62	1.00	22		48	22	14	3	1
POTLATCH 1 SE	36.4	22.3	29.4	1.3	51	30	-23	20	1100	0	9	29	3	4.43	1.64	.91	22	19.6	9	21	13	2	0
PRIEST RIVER EXP STA	30.2	17.2	23.7	0.1	44	6	-24	20	1273	0	12	31	4	8.38	4.62	1.47	22	72.9	41	26+	17	6	1
RIGGINS RS	47.5M	30.8M	39.2M	4.9	59	7	9	20	795	0	1	18	0	1.20	.17	.33	23				4	0	0
SAINT MARIES	36.3	22.8	29.6	1.1	48	30	-20	20	1091	0	8	30	2	7.96	4.70	1.70	22				20	4	1
SALMON	39.3	17.9	28.6	12.4	56	28	1	20	1123	0	7	31	0	.27	- .28	.11	29		1	14	1	0	0
SANDPOINT EXP STA	30.6	19.5	25.1	- 0.4	48	6	- 8	19	1231	0	14	28	5	8.83	5.16	2.39	22	68.6	43	27	18	5	1
WALLACE	33.4	21.2	27.3	0.5	47	5	- 7	20	1160	0	11	30	3	11.06	6.29	2.15	22	66.3	41	21+	21	9	2
WALLACE WOODLAND PK	33.2	19.0	26.1	0.1	48	6	-16	20		0	10	30	2	8.99	5.09	1.67	23	60.2	30	28	18	6	2
DIVISION			27.7	1.2										5.63	2.64			53.2					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	36.3	23.1	29.7		44	15+	6	20	1089	0	9	27	0	4.07		1.16	27		16	27	10	1	1
ARROWROCK DAM	37.2	25.3	31.3	6.4	50	23	12	20+		0	9	25	0	2.92	.28	.73	28	4.3	4	4	7	1	0
ATLANTA 1 E	35.0	17.2	26.1	5.0	49	31	- 6	20	1196	0	11	31	2	7.34	3.94	1.23	17	88.8	46	27	17	7	1
BLISS	42.2	25.5	33.9	6.8	53	30	10	20	959	0	0	22	0	.93	- .31	.20	4	5.5	1	4+	6	0	0
BOISE LUCKY PEAK DAM	M	M	M		56	30	13	20		0	0	22	0	1.12					0			0	0
BOISE WB AP //R	44.1	28.9	36.5	9.2	56	28	13	20	876	0	1	22	0	1.09	- .24	.36	23	2.2	1	26+	4	0	0
BUHL	43.3	26.6	35.0	7.7	56	17	12	26	928	0	1	25	0	.58	- .44	.20	27	3.1			3	0	0
CALDWELL	45.8	29.2	37.5	9.2	59	28	14	20	849	0	0	20	0	.89	- .37	.30	29	1.9	T	11	3	0	0
CAMBRIDGE	39.1	23.2	31.2	9.1	48	16+	4	25	1041	0	4	24	0	4.98	2.00	2.16	17	20.0	10	27	8	2	2
CASCADE 1 NW	32.7	17.4	25.1		44	6	-16	20	1231	0	14	30	3	4.94		1.20	17	56.5	38	27	12	3	1
CHALLIS	37.0	17.6	27.3	8.6	53	29	- 1	20	1162	0	9	31	1	.33	- .15	.12	23		1	14+	2	0	0
COUNCIL	38.3	23.1	30.7	7.0	44	28+	2	25	1055	0	3	24	0	6.49	2.92	2.40	17	18.5	8	27	9	5	1
DEADWOOD DAM	31.1	12.8	22.0	6.3	45	30	-24	20	1327	0	18	31	7	8.13	3.32	1.30	17	85.5	70	27	13	7	2
DEER FLAT DAM	46.8	29.1	38.0	11.3	60	28	14	20	831	0	0	21	0	.68	- .32	.30	23				2	0	0
EMMETT 2 E	45.5	29.5	37.5	8.4	57	28	14	20	844	0	0	22	0	1.66	.28	.69	17				4	1	0
FAIRFIELD RS	32.2	9.7	21.0		47	28	-20	20	1359	0	15	31	7	3.88		.94	27	43.1	28	27	10	2	0
GARDEN VALLEY RS	35.8	22.9	29.4	5.6	48	30	2	20	1096	0	8	26	0	6.27	3.04	1.32	17	18.5	16	27	10	5	2
GLENNS FERRY	44.9	26.6	35.8	6.6	55	28+	12	13+	898	0	0	23	0	.42	- .72	.15	27+	1.0	0		2	0	0
GOODING CAA AP	39.8	24.4	32.1	8.4	50	28	13	20	1014	0	6	26	0	.93	- .31	.29	27	5.4	1	24+	4	0	0
GRAND VIEW	48.2M	27.3M	37.8M	8.8	61	28	12	20	845	0	0	21	0	.48	- .24	.36	23	T			2	0	0
HAILEY AP	33.7M	14.5M	24.1M	4.6	46	28	- 1	20	1261	0	12	31	2	3.33	1.10	.65	27	41.0	24	23+	8	3	0
HAZELTON	41.0	22.9	32.0	5.8	51	5+	3	26	1016	0	4	26	0	.52	- .72	.17	22	1.0	1	23+	3	0	0
HILL CITY	31.1	11.5	21.3	6.0	46	28	-20	20	1348	0	17	31	7	2.71	.63	68	27		26	28	8	1	0
HOLLISTER	43.2M	24.4M	33.8M	7.3	53	28+	3	25+	959	0	3	24	0	.47	- .40	.21	23	4.0	4	23	1	0	0
IDAHO CITY	37.3	16.6	27.0	2.7	50	30	-11	20	1171	0	5	31	5	6.02	2.88	1.34	17	26.7			12	4	1
JEROME	41.3	23.2	32.3	5.8	53	28	8	20	1008	0	1	27	0	.78	- .29	.27	23	.6	0		3	0	0
KUNA 2 NNE	44.3M	27.8M	36.1M	7.8	60	28	11	20	891	0	0	22	0	.61	- .59	.28	23	.3	T	3+	2	0	0
LOWMAN	35.5	19.7	27.6	5.3	48	30	- 6	20	1152	0	8	30	1	7.59	4.39	1.50	17		31	27	14	5	1
MC CALL	31.7	17.3	24.5	6.4	46	6	-12	0	1255	0	20	31	4	6.96	3.47	1.63	17	89.0	54	28	14	6	2
MERIDIAN 1 W	44.8	28.6	36.7	8.1	59	28	11	20	873	0	0	23	0	.83	- .59	.40	23		0		3	0	0
MESA	39.2M	24.1M	31.7M		58	7	8	20+	1023	0	5	28	0										
MOUNTAIN HOME	44.9	26.6	35.8	8.0	61	28	10	20	902	0	0	23	0	.55	- .63	.28	23	.3	T	3+	3	0	0
NAMPA 2 NW	45.7	27.6	36.7		62	29	11	20		0	0	22	0	.79		.21	23	2.0	1	4+	3	0	0
NEW MEADOWS RS	34.7	13.9	24.3	5.0	44	5+	-20	25	1256	0	10	31	4	7.88	4.90	1.83	17	49.5	39	27	15	6	3
OBSIDIAN 4 NNE	28.7	8.4	18.6	4.2	42	5+	-23	20	1436	0	22	31	11	2.11	.12	.35	23	30.0	36	28	7	0	0
OLA 5 S	40.7	26.5	33.6		52	30	12	9	968	0	1	25	0	4.14		1.56	17				8	3	1
PARMA EXP STA	46.9M	27.1M	37.0M	9.2	61	28	11	9+	861	0	0	23	0	.66	- .47	.47	29	1.5	T	11	1	0	0
PAYETTE	44.2	28.0	36.1	8.9	59	28	13	20+	889	0	2	22	0	.86	- .69	.38	17	1.4	0		2	0	0
RICHFIELD	35.1	19.5	27.3	7.1	44	5	2	25	1157	0	10	29	0	2.19	.90	.47	27		7	27	7	0	0
SHOSHONE	38.1	23.4	30.8	7.5	48	28	10	20	1057	0	7	28	0	1.72	.29	.41	27	10.4	5	27	6	0	0
STIBNITE	30.8	10.5	20.7		50	7	-14	20		0	21	31	7	7.45		1.41	23	96.9	60	28+	16	4	2
SUN VALLEY	33.1	6.2	19.7	4.4	43	5+	-22	20+	1398	0	16	31	10	3.52	1.41	.75	27	51.0	38	28	8	3	0
SWAN FALLS PH	48.1	31.6	39.9	8.5	61	28	15	20	771	0	0	17	0	.34	- .63	.27	23				1	0	0
THREE CREEK	41.1M	17.0M	29.1M		55	31	-12	26	1109	0	4	27	3	1.28	.02	.53	24	23.0	14	25+	3	1	0
TWIN FALLS 2 NNE	43.3	24.9	34.1	7.4	55	5	7	26	951	0	1	26	0	.45	- .65	.17	22	1.7	1	24	2	0	0
TWIN FALLS 3 SE	43.8	24.9	34.4	7.6	58	29	5	26		0	3	25	0	.39	- .50	.13	24	2.8	1	24+	2	0	0
WEISER	44.5	27.8	36.2	9.9	58	28	12	20	890	0	0	22	0	1.27	- .52	.56	17	T	T	27	4	1	0
DIVISION			30.9	6.3										2.69	.60			22.6					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	38.4	21.0	29.7	9.5	51	5	1	26	1089	0	5	29	0	.39	- .29	.08	23				0	0	0
AMERICAN FALLS 1 NW	38.2	21.6	29.9	6.1	50	5	- 9	26	1081	0	6	28	1	.74	- .66	.22	28	5.5	4	24+	3	0	0
ARCO	35.9M	11.0M	23.5M	8.5	46	30	-10	21	1275	0	8	31	4	1.35	.39	.52	15	11.8			3	1	0
ASHTON 1 S	32.1	16.1	24.1	5.9	43	28	- 9	26	1261	0	19	30	2	1.87	- .01	.50	29	15.0	21	17	7	1	0
BLACKFOOT	38.7	21.6	30.2	9.0	50	5+	5	26	1073	0	4	29	0	.28	- .73	.15	23	1.0	T	17+	1	0	0
BURLEY	43.2	23.1	33.2	7.2	57	6+	1	26		0	2	25	0	.56	- .38	.30	24	4.0			3	0	0
BURLEY FACTORY	41.6	21.4	31.5	7.5	55	29	- 2	26		0	4	28	1	.38	- .54	.16	24				2	0	0
BURLEY CAA AP	41.9	22.2	32.1	6.7	55	5	- 4	25	1015	0	3	27	2	.66	.01	.20	24	4.0	4	24+	2	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max Depth on Ground	Date	.10 or More ①	.50 or More	1.00 or More
CHILLY BARTON FLAT	31.2	6.0	18.6	3.9	44	[illegible]	[illegible]	[illegible]	1432	[illegible]	19	31	11	.44	[illegible]	.25	[illegible]	3.[illegible]			2	[illegible]	0
CONDA	37.2	13.4	25.3	[illegible]	52	7	-11	26		0	7	30	4	2.04	.48	.50	[illegible]	29.[illegible]			6	1	0
DRIGGS	32.5	14.3	23.4	6.9	[illegible]	8	-10	20		0	20	31	6	1.41	- .26	.28	28				7	0	[illegible]
DUBOIS EXP STA	28.8	16.0	22.4	[illegible]	40	6	[illegible]	[illegible]	1311	[illegible]	21	31	[illegible]	.25	- .70	[illegible]	[illegible]	8.[illegible]	11	26+	0	0	0
DUBOIS CAA AP	31.6	12.9	22.3	4.5	48	6	- 1	20	[illegible]	0	18	[illegible]	1	.16	- .70	.05	23	[illegible]	7	5+	0	0	0
FORT HALL IND AGENCY	[illegible]	21.5M	[illegible]	[illegible]	51	[illegible]	- 5	26	[illegible]	0	3	[illegible]	[illegible]	.48	- .28	.16	[illegible]				2	0	0
GRACE	33.7	16.5	25.1	5.4	44	6+	-1[illegible]	26	1228	0	17	31	3	1.25	.05	.30	[illegible]	18.[illegible]	15	27+	4	0	0
GRAY	38.0	[illegible]	24.4	6.7	46	10	-14	26	1251	0	6	30	6	2.20	.60	.60	14	20.0	[illegible]	24+	7	[illegible]	0
GROUSE	33.1	5.2	19.2		45	[illegible]	-20	[illegible]	1415	0	16	31	11	1.75	[illegible]	[illegible]	[illegible]	12.[illegible]	10	17+	4	1	1
HAMER 4 NW	33.7	13.6	[illegible]	11.1	47	28	- 8	2	1274	0	12	28	5	.05	- .58	[illegible]	[illegible]	.8	T	[illegible]	[illegible]	0	0
IDAHO FALLS 6 NE	35.5	[illegible]	28.[illegible]		48	31	6	1+	1140	0	[illegible]	29	0	[illegible]		.05	[illegible]	2.3	[illegible]	1+	0	0	0
IDAHO FALLS CAA AP	[illegible]	19.4	27.1	7.8	49	31	[illegible]	1+	[illegible]	0	[illegible]	[illegible]	0	[illegible]	- 1.21	.03	14+	1.2	[illegible]	1+	0	0	0
IRWIN 2 [illegible]	34.5M	19.5	27.0M	[illegible]			[illegible]	[illegible]	[illegible]	0	[illegible]	29	2	[illegible]	- .13	.25	14	14.0			6	0	0
ISLAND PARK DAM	28.7	12.5	[illegible]	7.8	39	30	-14	11+	[illegible]	0	24	31	6	[illegible]	[illegible]	[illegible]	23	59.0	51	[illegible]	16	6	0
LIFTON PUMPING STA	34.8	[illegible]	23.9	[illegible]	46	5	-15	[illegible]	[illegible]	0	[illegible]	31	3	[illegible]	.43			25.5	17	[illegible]		0	0
MACKAY RS	32.7	9.2	21.0	[illegible]	45	5	-13	26	1357	0	17	31	5	.57	.16	[illegible]	23	11.[illegible]	6	[illegible]	2	0	0
MALAD	[illegible]	18.9	28.1	[illegible]	48	[illegible]	- [illegible]	[illegible]	1138	0	[illegible]	31	1	[illegible]	- [illegible]	.38	[illegible]	11.0	11	[illegible]	3	0	0
MALAD CAA AP	[illegible]	13.2	24.7		45	30	-17	26	1242	0	[illegible]	[illegible]	[illegible]	[illegible]		.51	24	12.[illegible]	11	28	3	1	[illegible]
MAY RS	39.7	[illegible]	26.4	9.0	[illegible]	[illegible]	- [illegible]	20	[illegible]	0	[illegible]	30	2	.73	[illegible]	[illegible]	27	2.[illegible]	1	14+	2	1	0
MC CAMMON	37.3	16.3	[illegible]		46	[illegible]	-1[illegible]	26	1176	0	8	30	[illegible]	[illegible]		.42	[illegible]	15.0	8	15+	[illegible]	[illegible]	0
MINIDOKA DAM	39.5	21.7	[illegible]		[illegible]	[illegible]	- [illegible]	[illegible]	1059	0	[illegible]	[illegible]	[illegible]	[illegible]		.17	28	4.[illegible]	[illegible]	24+	[illegible]	0	0
[illegible]	36.4	[illegible]	[illegible]	[illegible]	[illegible]	6	-1[illegible]	26		[illegible]	10	31	[illegible]	1.42	.42	.34	24	21.[illegible]	15	25+	[illegible]	0	[illegible]
OAKLEY	41.5	23.1	32.3	[illegible]	[illegible]	28	1	[illegible]	[illegible]	0	[illegible]	[illegible]	0	.64	- [illegible]	.34	24	5.[illegible]	4	24	2	0	0
PALISADES DAM	34.6	19.1	26.9		45	5+	- 3	26	[illegible]	0	10	30	[illegible]	2.88		[illegible]	[illegible]	38.[illegible]	21	16	[illegible]	[illegible]	
PAUL [illegible]	42.4	21.7	32.1	6.1	[illegible]	30	[illegible]	26		[illegible]	[illegible]	[illegible]	[illegible]	.64	- .36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	0
POCATELLO WB AP R	38.7	22.0	30.4	8.4	[illegible]	[illegible]	- 4	[illegible]	1069	[illegible]	5	28	2	[illegible]	- .38	.30	24	6.[illegible]	[illegible]	24+	[illegible]		0
PRESTON [illegible]	37.6	17.6	27.6	7.1	49	31	- 7	[illegible]	1151	[illegible]	6	31	1	1.17	[illegible]	[illegible]	24	24.[illegible]	[illegible]	[illegible]	3	[illegible]	0
REACTOR TESTING STA	33.6	13.9	23.8		44	30	- 7	[illegible]	[illegible]	0	14	[illegible]	[illegible]	.51		.40	[illegible]	[illegible]	[illegible]	15+	[illegible]	0	0
RUPERT	42.7	22.9	32.8	8.2	55	[illegible]	[illegible]	26		0	2	[illegible]	[illegible]	[illegible]	- .49	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]		0
SAINT ANTHONY	33.8	[illegible]	[illegible]		45	28	- 3	21	1210	[illegible]	13	[illegible]	1	.45	- .63	.15	13		[illegible]	[illegible]	1		0
SPENCER RS	28.4	11.6	[illegible]	[illegible]	[illegible]	6	- 5	[illegible]	1398	[illegible]	[illegible]	[illegible]	[illegible]	.99	- .49	[illegible]	23	[illegible]			[illegible]		[illegible]
SPRINGFIELD 1 SE	[illegible]	[illegible]	[illegible]	9.9	51	5	6	11+	1072	0	[illegible]	30	[illegible]	[illegible]	[illegible]	.06	28	[illegible]	0				0
STREVELL	35.0	18.5	26.8		48	[illegible]	- 3	[illegible]	1179	0	11	30	1	[illegible]		[illegible]	[illegible]	9.[illegible]	9	[illegible]	2	[illegible]	
TETONIA EXP STA	31.1	9.6	20.4		[illegible]	[illegible]	- 6	[illegible]	1376	[illegible]	17	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]				2	0	
DIVISION			26.3	6.4										.99	.22			11.[illegible]					
STATE			28.6	5.1										2.81	.80			[illegible]					

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.39							.02								.01	.05	.02					.01	.08	.07			.01	.07	.05		
AMERICAN FALLS 1 NW	.74			T	T			.01							T	.02	[illegible]	.04					.02	.11	.21			.01	.22	.03		
ANDERSON DAM	4.07	T		T	.48	.05		T							.13	.15	.34	.33	T			T	.25	[illegible]	T		.03	1.16	.40	.36		
ARCO	1.35			T											T	.52	[illegible]		.05					.32			T	.40				
ARROWROCK DAM	2.92			.02	.23	.32	T	T	T			T			.04	.06	[illegible]	.37	.03	.03			[illegible]	.38	.07			[illegible]	.73	.29	.19	
ASHTON 1 S	1.87			.15		.07				T				.34	.15	T	.13	T							.05	.24		T	.18	.50	.36	
ATLANTA 1 E	7.34	.20	T	.14	.26	.17		.18	.13	T		T		T	.67	.77	.56	1.23	.12	.20	T	T	.26	.74			.09	.55	[illegible]	.48	T	
AVERY RS	5.32				.95	.51		.23	.11	.06				.13	.59	.08	.22	.24	.43	.12		.10	.44			.71	.13	.10	.09		.04	.04
BAYVIEW MODEL BASIN	4.95	.05	.35	.15	.25	.52	.56	.16						.06	.15	.35	[illegible]	.11	.24			.32	.80		.05	.06	.02	.13	.25		.05	[illegible]
BIG CREEK 1 S	7.62	.16		.10	.13	.12		.22	.02					T	.60	1.16	.85	.73	.65	.05		T	.40	.83	.03		.25	.24	.67	.41		T
BLACKFOOT	.28							T							T		T	T						.15	.05				T	.08		
BLISS	.93				.20	.02		T							T		T	T					.11	.15	.10			.16	[illegible]	.12		
BOISE LUCKY PEAK DAM	1.12			•	.05	.05		.05						T	.01		•	•	.15	.05			•	.41				.15	[illegible]	[illegible]		
BOISE WB AP R	1.09	T		.03	.07	.01	T	T			T	.01		.01	T	T	.20	.01	.01	.02		T	.02	.36			.03	.13	T	.18		
BONNERS FERRY 1 SW	6.11	.59	.39	.16	.33	.30	.05	.23	.07					T	.52	.09	[illegible]	•	•	•	•	•	•	[illegible]	.19	T	.24	[illegible]	.14		[illegible]	.01
BUHL	.58				.03																	T	[illegible]	.16	[illegible]		T	.20	.15	T		
BURKE 2 NNE	13.41	[illegible]	.25	.39	1.00	.69	•	.90	.58	.15				.13	1.13	.68	.35	.62	.63	[illegible]		.23	[illegible]	.74	.33	[illegible]	.40	.65	.49		.14	.05
BURLEY	.56															T	T							.12	.30				.12	[illegible]		
BURLEY FACTORY	.38					T										T	T							.12	.16				[illegible]	.02		
BURLEY CAA AP	.66	.01		.02	.01			T	T				T	T	.01	T	.01	.04				T	.16	.05	.20			.01	.07	.07		
CALDWELL	.89				.03	.05						.07		T			T	.08	T	T				.23			T	.13	[illegible]	.30	T	
CAMBRIDGE	4.98				.38			.08							.02	.03	.23	2.16				T	.35	[illegible]			.01	[illegible]	.12	.41	.09	
CASCADE 1 NW	4.94			.01	.16	T		.06	.05			T		.03	.12	.60	.46	1.20	[illegible]	[illegible]		.02	.19	[illegible]		[illegible]	.20	.31	.41	.24		
CENTERVILLE ARBAUGH	6.45	T		.08	.60	.10		.01	.06			.05		.04	.20	.18	.47	1.02	.14	.14		[illegible]	.17	1.02			.16	[illegible]	[illegible]	.51	.02	
CHALLIS	.33	.01		.02				T							.02	.02		.01						.12	[illegible]			[illegible]	.10			
CHILLY BARTON FLAT	.44															T		.15	T					.25	.04							
COBALT BLACKBIRD MINE	[illegible]	•	.13	.12	.04	.09		[illegible]	[illegible]	.02					.23	.37	.38	.04	.18	.17			.02	[illegible]	.23		T	.16	.16	.23		
COEUR D ALENE RS	6.82	.24	.11	.02	.46	.36		.30	.01	.09				.12	.26	.02	.24	.43	[illegible]	T		.46	[illegible]	[illegible]	.20		.08	.47	[illegible]		.03	.03
CONDA	2.04		[illegible]		T				.04	T	T			T	.14	.50	.10		.05					.06	[illegible]	[illegible]			.45			
COTTONWOOD	2.11			T	.17			.06	.04 E	.02				.13	.26	.15	[illegible]	.47	[illegible]	.06		.01	[illegible]	.23	T		.02	[illegible]	[illegible]	.11		.01
COUNCIL	6.49		T		.97	T		.05						T	T	[illegible]	.10	2.40	T			T	.55	.21	T	T	T	.97	[illegible]	.77	.14	
CROUCH 2 NNW	6.61				[illegible]								T		.40	.18	[illegible]	1.40					.25	[illegible]			[illegible]	.75	.55	.70	.03	
DEADWOOD DAM	8.13	.01		.03	.47	.08		.07	.07			T		.01	.51	.73	[illegible]	[illegible]	.27	.08		.10	[illegible]	[illegible]			.41	[illegible]	.76	.30		
DEER FLAT DAM	.68					T						.04				[illegible]	[illegible]			T				[illegible]				.06	[illegible]	.25		
DIXIE	5.24	.17	[illegible]	[illegible]	.20	.04		[illegible]	.20					.19	.70	.39	.24	.52	.18	.12		[illegible]	.21	[illegible]	.07	.04	[illegible]	.31	.36	.29		.01
DRIGGS	1.41		[illegible]		.01										.20	.20	.11		.08	.01			.10	.15	.07		.06	.10	.28			
DUBOIS EXP STA	.25								T					.05	T			.02			.02		[illegible]	.08		.01	[illegible]	[illegible]		[illegible]		
DUBOIS CAA AP	.16			.01	T			T		.01	T			.03	T		T	T			T	T	T	[illegible]	[illegible]	T	.03	[illegible]		T		
ELK RIVER 1 S	10.12	.52	.12	.14	1.44	.44		.19	.57	.05				.18	.85	.25	[illegible]	[illegible]	.65	.25	T	.20	[illegible]	[illegible]	.17		[illegible]	.63	.84	[illegible]		.16

DAILY PRECIPITATION

Table 3—Continued

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	1.66																	.69						.25				.32		.40		
FAIRFIELD RS	3.88				.19	.05								T	.32	.26	.49	.26	T	T		T	.41	.21	.01		.01	.94	.53	.20		
FENN RS	3.99	.01		.09	.31	.17		.03	.23					.53	.15	.41	.33	.18		.09				.98	.03					.34	.02	.09
FORT HALL IND AGENCY	.48							.02							.01			.03	.01				.01	.16	.14	T		T	.04	.06	T	
GARDEN VALLEY RS	6.27	T		.05	.35	.06		.01	T			.05		.01	.15	.20	.80	1.32	.03	.08			.26	.72			.08	1.00	.58	.49	.03	
GLENNS FERRY	.42				.04																		T	.08	T			.15	T	.15		
GOODING CAA AP	.93				.14			T							.01	T	T	T				T	.11	.26	.05		.02	.29	.01	.04		
GRACE	1.25	.03						.02						.01	.07	.30	.07	T					T	.14	.24	.25		.03	.08	.01		
GRAND VIEW	.48							T				T												.36	T			T		.12	T	
GRANGEVILLE	1.96			.04	T			.01	T					.10	.05	.48	.22	.30	.02	.03		T	.08	.36	.02		.04	T	.03	.13		.05
GRAY	2.20								.20						.60			.20						.50	.40				.20	.10		
GROUSE	1.75			T											.03	1.15	.10	.25					T	.02			.09	.11				
HAILEY AP	3.33				.02	.01		.01							.14	.21	.55	.37					.37	.45			.05	.65	.50			
HAMER 4 NW	.05													.01				.01				T		.03			T					
HAZELTON	.52				.04			T						T	T	T	T	.01					.17	.01	.08	T		.01	.10	.10		
HILL CITY	2.71				.32	.07		.04	T						.04	.04	.27	.24				T	.25	.23			T	.68	.35	.18		
HOLLISTER	.47				.05																		.06	.21	T				.06	.09		
HOWE	.23																T	T	.02					.15	.06		T	T	T	T		
IDAHO CITY	6.02		.02	.09	.49	.15									.17	.15	.67	1.34	.02	.13			.19	.89			.08	.66	.48	.49		
IDAHO CITY 13 SW	5.87	T	T		.70	.18		.02	.02		.01	.01	T	.04	.15	.09	.40	1.15	.05	.11		T	.18	.75			.07	.99	.38	.57		
IDAHO FALLS 6 NE	.05		T	T									T		T			T					T	T	T			T	.05	T		
IDAHO FALLS CAA AP	.10			T		T				T			T	T	.03	T	T	.01			T		T	.03	.02	T	T	T	T	.01		
IRWIN 2 S	1.29			T	T			.02	T	.03				.17	.25	.10	.03	.01					T	.05	.19	.16		.06		.20	.02	
ISLAND PARK DAM	6.09			.11	.32	.10		.04						.40	.46	.28		.51	.10			.11	.51	.98	.16			.53	.71	.57	.15	.05
JEROME	.78	T		T	.05			.01	T				T		.04		.03		T	.01			.15	.27	T	T		.04	.06	.12		T
KAMIAH 1 NE	1.90					.04	.16		T					T	.19	.27	.13		.34	.27	.19	T	.16	.11				T		.04		
KELLOGG	7.29	.30	T	.02	.15	.68		.35	.52	.34				T	.39	.07	.19	.52	.31	.23		.05	1.25	.99	.06	.04	.05	.15	.45		.04	.14
KOOSKIA	2.37				.04	.03		T	T	T				.10	.29	.20	.19	.40	T	.19				.68			T		T	.18		.07
KUNA 2 NNE	.61			T	T	.02			T			.03		T	T		T	T		T			T	.28			T	.09		.19		
LEWISTON WATER PLANT	.91	.02			.10	.06		.05	.01					.04	.17	.09	.06	.07	T	.02		T	T	T			T	T	.12	.08		.02
LEWISTON WB AP //R	.94	.01			.09	T		.02	.01					.12	.11	.07	.05	.09	.02	.04	T	.02	.04		T		T	T	.18	.06		.01
LIFTON PUMPING STA	1.03		T	.01					T				T	T	T	.14	T		.01	.09		T	.03	*	.40	.21			.10	.04		
LOWMAN	7.59				.45				.22			.90		T	.30	.30	.70	1.50	.08	T		.14	.23	.95			.19	.76	.49	.38		
MACKAY RS	.67														T	.03		.27						.29				.08				
MALAD	1.18							T	T					T	.03	.01	.09		T				.03	.03	.32	.38		T	.29			
MALAD CAA AP	.48							.01	.01					.03	T	.01	.04	T					.03	.07	.51	.04	T	.13	.10	T		
MAY RS	.73	T						T							.04	.12	T	.03						.04				.50				
MC CALL	6.96				.26			.13						.10	.13		1.00	1.63	.16				.56	.58	.20	.05	.32	.95	.57	.32		
MC CAMMON	1.58							T	T					T	.16	.32	.20	T					T	.27	.21	T			.42			
MERIDIAN 1 W	.83		T	.01	T	.01		T				.02		.02	T		.01	T		T			.02	.40			T	.12		.22		
MESA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MINIDOKA DAM	.56							.02					T			.10	T	.01						.10	.08			.04	.17	.04	T	
MONTPELIER RS	1.42		.01		.02	T				T				T	.05	.30	.12	.01		.06			T	.01	.34	.28			.22			
MOSCOW U OF I	4.01			.05	.56	.24		.32	.16	T			T	.10	.10	.41	.15	.17	.14	.05		E .20	.21	.16	.08			.52	.36	T	T	.03
MOUNTAIN HOME	.55			.01				T						T			T							.28				.11		.15		
MULLAN PASS CAA	11.61	.60	.23	.29	.96	.45	T	.51	.23	.08		T		.22	.75	.42	.56	.37	.37	T	T	1.18	1.84	.35	.44	.07	.69	.73	.14	T	.06	.07
NAMPA 2 NW	.79			T	.05	.04						.03	.03		.01			.04	T	T	.01		T	.21	.01			.05	.10	.15	.06	
NEW MEADOWS RS	7.88	.02	.01		.36	.01		.12	.03					.07	.28	.26	1.10	1.83	.10	.03		.13	.85	.53	T	.13	.17	1.02	.28	.50	.05	
NEZPERCE 2 E	2.18	T		T	.21	.04		.07	.02					.13	.05	.15	.24	.26	T	.14		.03		.41			T	T	T	.34	.02	.07
OAKLEY	.64							T						T		.04	T	.02						.06	.34				.16	.02		
OBSIDIAN 4 NNE	2.11	T		.03	.04	.03		.03	T					T	.26	.33	.17	.25	.01	.01		T	.08	.35			.03	.23	.20	.06		
OLA 5 S	4.14	T			.19			.04	T			.02		.03	T	T	.16	1.56	.01	T		T	.16	.52			.07	.73	.14	.48	.03	
OROFINO	3.48	.07		.13	.53	.10	.02	.05	.41	.01				.10	.45	.16	.08	.03	.08	.12			.07	.65	.02	.01	.01	.01	.41	.35	.01	.10
PALISADES DAM	2.88	T	T	.01	.03	.01			.03	.03	T			.03	.61	.26	.22	.03	.03	T		.01	.05	.22	.15	.21	T	.04	.50	.39	.02	
PARMA EXP STA	.56						T	T				.09				T		.03						.07				T	T	.47		
PAUL 1 E	.64				T	T			T							.06		T	.02					.14		.20			.20	T	.02	
PAYETTE	.86				T		T	T				.02		T	T	T		.38				.02						.08		.34	.02	
PIERCE RS	8.97	.18	.08	.21	1.04	.53		.28	.72					.11	.88	.28	.09	.48	.16	.14		.14	.32	.71	.08		.11	.55	1.19	.45		.24
POCATELLO WB AP //R	.83	T		T	T			.01					T	T	.08	.04	.02	.05			T		.02	.13	.30	T	T	.05	.08	.05		
PORTHILL	4.97	.36	.25	.22	.08	.16	.03	.12							.28	.80	T	.67	.10			.45	1.00		T	.10	.15	T	.20			
POTLATCH 1 E	4.43		.03		.67	.30		.37	.16	.02				.14	.15	.07	.13	.14	.20	.05		.16	.91	T	T		.05	.40	.45	T		.03
PRESTON SUG FACT 2 SE	1.17								.05	.01				T	.05	.07	.01			T			.01	.08	.50	.27			.12			
PRIEST RIVER EXP STA	8.38	.59	.36	.03	.83	.46		.40	.08	.01				.11	.40	.49	.04	.66	.22	T		.50	1.47	.18	.47	T	.55	.23	.23		.05	.02
REACTOR TESTING STA	.51				T									T	T	.02	.02					T	.01	.40			T	.05	.01			
RICHFIELD	2.19				.12			.05							.03	.28	.22	.04					.28	.34				.47	.27	.09		
RIGGINS RS	1.20	.01		T				.03	.04						.10	.01	.08	.25	.20			.04	.01	.33		.02	.01			.07		
RUPERT	.57								T					T		.11		T	.02				[illegible]	.05	.18	T			.19	.02	T	
SAINT ANTHONY	.46			.01	T					.02				.15		.07		T			T		.03	.03	T	.04		.02	.02	.05	.02	
SAINT MARIES	7.96		.20	.10	.60	.52		.41						.19	.28	.30	.40	.30	.30			.76	1.70	.08	.30	.09	.17	.29	.37	.02	.09	.10
SALMON	.27	T		.02										.01	.05	.03		.02	T					.03			T		T	.11		
SANDPOINT EXP STA	8.83	.57	.67	.04	.35	.71		.30	.16	.20				.07	.48	.32	.04	.35	.32			.51	2.39	.08	.25	T	.32	.35	.19		.13	.03
SHOSHONE	1.72			T	.14			.02	T					T	.02	.14	.08	.03					.23	.29	.08		T	.41	.18	.09	.01	
SPENCER RS	.99			T	T	T	.02				T			.11	.02			.09		T	.03	.01	.09	.22	.02		.08	.06	.16	.06	.02	
SPRINGFIELD 1 SE	.22													T	T	T	T	.04					T	.02	.02	T	.04		.06	.04		T
STIBNITE	7.45		.08	.28	.08	.16	T	.20	.20	T					.30	.85	.73	.32	.32	.26	.02		.23	1.41	.12	.07	.03	.40	1.00	.39	T	
STREVELL	.26							.04					T										T	.02	.10	.10						
SUN VALLEY	3.52			T	.05	.05		.02							.12	.01	.30	.62	T			T	.42	.33	T		.05	.75	.70	.10		
SWAN FALLS PH	.34																							.27			T	T		.07		
TETONIA EXP STA	.39													.05	.07	.05										.12			.10			
THREE CREEK	1.28			.19	.09			.06								.04		.03						.28	.53	.06		T				
TWIN FALLS 2 NNE	.45	T		T	.01	T		T								T	T	T					.17	.06	.05			T	.05	.11		
TWIN FALLS 3 SE	.39				.01	.02																	T	.09	.13				.04	.10		
WALLACE	11.06	.68	.11	.24	.96	.63		.68	.21	.07				.10	1.06	.30	.36	.39	.51	.06		.62	2.15	.42	.19	T	.31	.61	.22		.04	.14
WALLACE WOODLAND PARK	8.99	.43	.15	.16	.35	.82	.06	.07	.62	.13					.43	.30	.17	.32	.63	.28	T	T	1.15	1.67	.08	.12	.03	.32	.62		.03	.05
WEISER	1.27				T	T		T				T		T				.56					.15		T			.18		.38		

See reference notes following Station Index

DAILY TEMPERATURES

able 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
BERDEEN EXP STA	MAX	38	39	39	39	51	42	46	47	35	34	33	35	32	40	42	43	42	49	37	31	37	38	41	30	25	29	35	44	45	42	39	38.4
	MIN	10	12	21	23	31	20	21	24	20	8	16	20	16	26	30	33	32	17	22	8	6	30	40	22	7	1	23	31	34	30	27	21.0
MERICAN FALLS 1 NW	MAX	37	37	40	37	50	45	45	35	35	32	30	33	31	41	42	45	43	39	36	33	36	39	42	31	26	29	36	49	48	44	37	38.2
	MIN	16	14	28	25	34	20	24	25	21	11	14	19	17	25	31	33	30	15	23	12	10	30	28	22	15	-9	25	29	34	26	24	21.6
NDERSON DAM	MAX	39	34	37	31	41	41	43	41	30	29	40	37	31	41	44	42	42	37	35	31	27	36	41	31	26	24	34	44	40	40	36	36.3
	MIN	24	19	21	23	29	26	33	27	12	15	24	21	15	27	32	29	33	22	24	6	11	17	29	23	9	14	22	32	35	34	28	23.1
RCO	MAX	38	38	35	34	42	44	39	36	37	31	33	33	28	33	34	35	35		34	29	29	35	44	40	28	23	32	43	44	46	45	35.9
	MIN	6	3	11	12	19	11	12	5	17	2	10	19	7	3	26	30		4	-5	-8	-10	19	30	16	3	-6	14	26	20	17	17	11.[illegible]
RROWROCK DAM	MAX	33	40	44	32	39	41	43	42	38	30	31	35	31	30	44	45	43	46	36	29	25	37	50	36	31	28	33	38	42	41	41	37.2
	MIN	21	22	21	28	25	29	29	32	19	19	22	25	18	20	30	35	35	30	28	12	12	20	35	25	15	16	27	31	35	35	33	25.3
SHTON 1 S	MAX	25	26	28	29	40	39	32	26	29	26	28	31	29	31	30	36	32	33	30	31	33	36	35	33	30	26	32	43	39	38	39	32.1
	MIN	13	12	15	10	16	19	12	14	15	6	0	17	11	16	18	21	18	20	16	12	10	18	28	20	5	-9	21	27	34	32	32	16.1
TLANTA 1 E	MAX	36	35	34	33	46	47	41	38	34	33	36	36	29	29	30	37	43	27	28	27	30	35	36	32	29	22	27	42	45	48	49	35.0
	MIN	22	12	18	15	30	26	29	23	7	8	15	14	10	18	26	27	26	16	15	-6	3	24	21	9	-2	6	18	27	30	26	21	17.2
VERY RS	MAX	35	30	36	35	36	40	40	38	41	41	40	33	30	37	36	25	26	26	25	18	25	37	30	28	35	32	30	39	39	47	40	33.9
	MIN	30	29	33	31	35	36	37	33	36	35	33	29	20	22	22	9	15	16	12	-10	-1	24	26	18	16	19	15	29	27	32	33	23.9
AYVIEW MODEL BASIN	MAX	44	38	45	40	45	54	44	40	38	35	36	35	29	39	38	15	20	23	21	14	20	38	39	31	32	33	30	41	37	36	40	34.5
	MIN	32	29	29	32	32	32	35	34	33	31	27	22	22	28	8	7	6	12	3	-2	-3	11	12	23	9	27	19	27	25	28	28	21.2
IG CREEK 1S	MAX	37	32	36	35	42	42	38	31	37	30	24	29	27	30	31	35	36	26	26	23	31	35	36	23	25	22	30	37	41	46	47	32.9
	MIN	22	10	20	21	32	14	25	16	9	-3	-4	-15	-5	22	17	25	23	18	13	0	-10	25	19	0	-18	-5	13	28	29	30	12	12.4
LACKFOOT	MAX	37	35	40	38	50	43	45	34	34	34	33	35	32	37	40	44	45	38	37	30	35	38	42	33	28	31	38	48	47	50	48	38.7
	MIN	8	12	22	23	32	19	20	22	22	14	14	18	19	25	30	33	30	16	24	12	9	28	30	22	15	5	25	29	35	31	25	21.[illegible]
LISS	MAX	41	42	42	40	51	48	44	46	44	38	42	36	34	45	47	46	46	44	41	33	38	40	42	36	33	34	36	49	46	53	52	42.2
	MIN	24	20	32	24	33	31	35	22	16	19	21	25	15	23	35	35	36	20	23	10	16	33	36	20	13	18	24	34	35	32	29	25.5
OISE LUCKY PEAK DAM	MAX		47			49	45	50	47	44			37	36	45	48	49			40	36	38	48	51			38	42	51	48	56		
	MIN		23			36	34	37	30	21			26	20	28	34			31	29	13	20	35			17	27	28	32	38	33		
OISE WB AP	MAX	42	46	45	43	52	51	49	43	40	38	35	36	34	47	49	49	49	43	37	32	46	53	53	35	33	38	45	56	51	53	45	44.1
	MIN	24	26	30	32	38	31	34	25	22	25	29	21	20	30	37	42	33	30	20	13	22	38	30	26	17	26	29	39	41	34	31	28.9
ONNERS FERRY 1 SW	MAX	41	34	38	40	46	49	43	43	38	33	37	31	31	40	14	7	9	12					26	32	30	32	29	40	38	30	46	32.9
	MIN	33	30	33	32	32	36	31	35	31	29	25	17	19	14	3	1	3	4					7	18	8	13	18	13	6	18	28	19.9
UHL	MAX	40	46	41	36	51	48	44	44	42	38	39	35	33	45	47	49	56	46	44	32	41	46	49	33	33	38	40	53	50	53	50	43.3
	MIN	22	25	29	24	31	30	30	30	23	20	21	23	20	29	38	41	39	24	26	16	15	31	31	21	13	12	26	33	40	34	28	26.6
URKE 2 NNE	MAX	33	31	34	32	36	37	35	33	33	32	30	25	24	30	29	17	32	22	18	10	26	34	35	23	22	25	29	33	33	36	36	29.2
	MIN	26	24	25	25	29	27	30	29	27	19	23	13	12	21	10	6	13	12	9	-8	-2	25	21	17	14	15	13	28	15	31	32	18.7
URLEY	MAX	48	38	42	37	42	57	50	45	42	41	38	35	33	38	44	47	47	50	43	42	32	43	45	43	43	29	38	44	57	53	54	43.2
	MIN	14	23	20	23	33	26	29	30	21	12	19	19	18	19	31	37	38	20	20	18	13	15	38	23	10	1	19	33	39	27	27	23.1
URLEY FACTORY	MAX	39	37	42	40	41	50	50	45	40	40	38	35	32	37	43	46	46	49	42	39	32	36	45	44	32	30	38	43	55	53	51	41.6
	MIN	29	19	18	22	29	28	28	25	17	12	11	19	15	18	31	36	36	19	19	16	11	15	32	20	9	-2	15	31	35	26	24	21.4
URLEY CAA AP	MAX	37	40	40	44	55	48	47	40	38	38	35	31	34	44	46	47	49	42	38	33	42	45	47	32	30	36	44	54	52	50	42	41.9
	MIN	26	23	20	28	26	22	27	21	17	12	19	20	15	30	34	33	25	17	22	15	12	32	25	22	-4	-3	29	37	34	26	25	22.2
ALDWELL	MAX	44	43	45	43	53	47	52	47	40	41	36	39	34	51	52	54	50	48	43	35	40	50	55	39	38	43	41	59	54	53	50	45.8
	MIN	25	21	24	31	37	31	34	27	18	25	30	25	20	27	36	41	40	35	29	14	20	35	32	24	16	27	29	35	42	41	34	29.[illegible]
AMBRIDGE	MAX	38	37	43	39	39	35	45	42	36	35	35	39	32	45	45	48	43	40	38	30	30	46	44	36	31	35	36	48	40	42	41	39.[illegible]
	MIN	22	15	21	29	25	17	30	20	9	16	25	20	15	26	33	33	33	31	27	11	21	28	28	10	4	13	26	33	33	33	33	23.2
ASCADE 1 NW	MAX	36	32	37	36	42	44	43	33	30	20	28	25	25	34	35	36	34	28	26	21	30	39	39	26	22	25	29	41	40	42	35	32.7
	MIN	21	11	24	23	33	21	31	22	3	8	15	2	5	20	27	31	24	21	20	-16	-6	25	21	13	-11	12	19	29	32	32	26	17.4
HALLIS	MAX	37	30	38	44	45	42	44	34	38	28	27	28	25	35	36	44	40	38	35	25	33	47	42	31	29	28	34	48	53	49	40	37.0
	MIN	17	12	17	18	30	19	22	19	18	8	5	7	9	16	24	31	32	18	15	-1	6	29	30	10	5	3	19	29	31	27	22	17.6
HILLY BARTON FLAT	MAX	32	26	30	30	36	40	39	31	30	27	25	26	27	38	38	41	32	31	27	18	23	34	36	23	21	18	27	37	42	44	39	31.2
	MIN	5	-5	10	6	12	3	23	4	11	-3	-2	9	-1	13	20	25	20	-4	-1	-16	-9	20	16	-1	-19	-16	8	24	20	12	3	6.0
OBALT BLACKBIRD MINE	MAX		33	29	24	32	39	38	34	27	24	22	19	15	24	25	30	34	30	20	21	12	29	35	28	18	19	20	31	36	38	38	27.5
	MIN		7	9	9	23	18	18	12	10	0	1	0	0	10	14	22	24	11	8	-12	-12	11	26	-1	-6	-4	10	19	27	25	15	9.8
OEUR D ALENE RS	MAX	41	38	47	40	49	47	46	46	39	37	37	35	32	40	39	13	20	20	20	10	16	39	37	29	34	33	30	38	37	42	40	34.5
	MIN	34	32	33	32	34	32	34	34	32	33	33	18	26	27	10	7	11	16	4	-10	-6	14	25	25	17	28	22	28	27	30	32	23.0
ONDA	MAX	39	38	35	39	36	48	52	51	30	29	28	35	33	33	33	37	38	42	33	34	29	32	38	39	30	37	32	41	44	43	46	37.2
	MIN	8	10	17	12	23	16	18	23	19	-1	3	9	8	13	24	28	30	2	7	-8	-8	8	26	23	6	-11	14	25	34	26	12	13.4
OTTONWOOD	MAX	39	39	37	38	46	53	44	36	37	38	32	32	27	37	35	41	39	30	27	13	33	43	38	30	25	30	37	43	39	50	42	36.5
	MIN	27	23	26	26	35	30	33	29	21	23	25	16	14	23	13	23	11	7	-7	-18	-4	30	13	8	1	15	14	31	30	31	32	18.7
OUNCIL	MAX	37	34	41	36	39	38	40	43	41	35	34	39	36	41	41	41	43	36	37	30	30	40	43	38	34	32	36	44	42	43	44	38.3
	MIN	17	9	26	30	33	14	32	22	9	9	25	19	12	26	33	34	34	29	26	9	12	27	30	27	2	14	24	32	34	34	33	23.1
EADWOOD DAM	MAX	32	28	37	35	41	36	34	32	31	23	28	34	24	31	32	33	32	26	26	18	25	33	35	24	21	22	29	37	40	45	41	31.1
	MIN	16	2	21	19	31	15	27	19	-8	-6	4	3	-2	17	26	29	25	19	12	-24	-8	23	18	8	-10	-1	8	26	30	30	27	12.8
EER FLAT DAM	MAX	44	47	45	43	53	48	52	47	41	38	38	38	42	50	52	56	54	49	42	33	49	58	53	41	38	44	45	60	53	51	47	46.8
	MIN	25	23	29	32	37	35	28	29	18	26	26	29	19	27	35	36	39	28	30	14	25	37	31	25	15	23	27	41	39	39	35	29.1
IXIE	MAX	31	30	35	35	40	48	39	30	33	33	29	33	28	29	30	34	39	25	24	21	30	34	33	24	24	22	28	35	40	46	39	32.3
	MIN	20	-2	17	15	31	8	22	24	2	-4	-1	-8	-3	20	-6	21	21	11	19	-30	-10	24	8	-12	8	-2	9	27	29	26	11	9.5
RIGGS	MAX	24	28	24	29	38	44	40	50	45	30	30	25	30	30	31	35	39	33	30	30	30	35	29	25	25	21	31	31	31	37	46	32.5
	MIN	10	17	17	17	24	23	23	23	23	11	9	-1	15	13	26	28	27	26	22	-10	-7	5	12	0	-7	-8	19	24	20	24	17	14.3
UBOIS EXP STA	MAX	24	21	29	28	35	40	36	32	25	22	23	22	17	31	32	33	34	28	25	21	23	31	34	27	22	20	29	38	35	[illegible]	37	28.[illegible]
	MIN	7	5	15	9	26	22	19	14	18	13	10	17	[illegible]	14	14	21	31	9	10	3	4	22	27	18	5	6	8	27	29	32	32	16.0
UBOIS CAA AP	MAX	27	23	32	30	39	48	36	25	29	28	27	24	20	33	35	35	36	31	28	24	26	34	38	25	30	25	32	43	37	40	39	31.6
	MIN	4	1	0	11	20	17	14	11	12	15	9	2	3	13	15	19	17	5	7	-1	7	25	13	11	8	6	15	29	33	32	22	12.9
LK RIVER 1 S	MAX	37	35	36	35	35	40	44	34	40	39	36	36	30	35	35	35	34	28	24	19	31	35	35	28	28	30	33	36	41	50	46	34.8
	MIN	30	25	26	25	32	23	32	32	27	25	25	9	15	25	25	26	15	10	14	-24	-5	30	24	11	6	15	10	32	32	33	28	20.4
MMETT 2 E	MAX	47	49	49	49	54	47	51	45	40	38	37	37	35	49	49	53	50	43	40	34	41	51	53	38	35	39	46	57	54	51	50	45.[illegible]
	MIN	26	24	26	25	38	28	35	30	22	27	30	24	22	29	31	45	39	20	30	14	22	31	33	30	18	30	30	43	42	35	37	29.5
IRFIELD RS	MAX	35	30	31	27	39	39	33	38	30	25	34	30	28	33	34	35	35	29	30	20	22	35	37	26	22	24	31	47	41	42	36	32.[illegible]
	MIN	10	6	3	[illegible]	25	1	17	2	-2	-6	13	6	-5	18	27	30	27	5	10	-20	-12	19	23	16	-11	-5	16	25	32	14	9	9.7
NN RS	MAX	47	40	45	37	41	44	46	41	41	41	40	34	32	35	34	33	34	30	27	20	25	36	40	33	31	32	32	36	38	45	38	36.4
	MIN	32	29	30	28	34	29	34	35	31	30	31	22	24	29	29	26	23	18	13	-3	5	22	30	17	13	20	20	30	31	32	31	25.0
ORT HALL IND AGENCY	MAX		37	40	38	51	44	44	34	34	35	33	34	31	38	38	44	44	38	35	30	36	38	43	33	28	39	37	45	47	48	44	38.7
	MIN		8	23	24	35	20	20	22	24	11	14	20	18	26	31	34	31	15	22	13	8	31	28	22	11	-5	25	31	34	30	23	21.6
RDEN VALLEY RS	MAX	40	31	44	35	39	36	40	36	31	26	29	33	26	43	42	37	40	38	35	27	25	35	38	36	30	34	33	41	39	48	44	35.8
	MIN	19	12	29	25	31	29	30	30	10	11	16	17	11	24	33	33	34	26	25	2	9	24	28	15	16	15	26	32	33	33	31	22.9
LENNS FERRY	MAX	44	43	45	37	53	54	49	49	48	40	43	39	35	47	50	49	52	43	43	34	41	43	45	37	35	37	40	55	52	55	54	44.9
	MIN	25	21	33	25	34	29	29	23	18	21	26	27	12	26	35	38	31	19	24	12	19	37	36	26	17	22	29	33	41	31	27	26.6
OODING CAA AP	MAX	40	39	37	37	49	45	40	42	40	34	39	32	31	45	46	47	47	42	38	29	36	38	45	30	30	32	35	50	45	48	47	39.[illegible]
	MIN	24	17	23	23	31	33	30	24	17	17	21	20	16	27	36	37	26	20	19	13	15	32	28	21	16	17	26	33	34	30	29	24.4
ACE	MAX	33	30	34	32	42	44	44	30	29	28	32	36	25	32	35	40	40	34	36	22	29	33	36	33	22	23	33	40	40	40	38	33.7
	MIN	19	16	18	15	30	17	27	20	20	5	7	17	10	22	27	29	28	3	17	-2	-6	18	28	20	1	-10	19	28	32	23	13	16.5
AND VIEW	MAX	48	43	45	42	54	50	54	49	46	40	41	39	39	52	56	57	55	53		33	42	55	57	44	35	49		61	56	55	49	48.2
	MIN	27	23	33	29	33	28	36	23	17	21	25	23	15	22	38	43	42	23		12	17	37	33	26	16	23	27		41	31	28	27.3
ANGEVILLE	MAX	44	45	45	46	51	58	52	39	42	37	32	33	35	37	37	45	43	32	[illegible]	11	41	46	32	33	29	31	43	46	38	52	44	39.6
	MIN	30	30	28	33	43	35	34	26	22	25	26	14	18	26	29	24	10	13	-6	-14	4	30	11	[illegible]	8	17	20	32	31	32	32	21.5
AY	MAX	30	35	35	40	44	42	40	40	45	46	44	43	40	35	36	38	38	32	32	32	30	34	36	38	34	32	35	40	42	45	45	38.0
	MIN	10	10	10	11	13	12	12	10	10	12	10	11	10	10	12	15	15	20	18	-9	-7	0	15	20	-10	-14	[illegible]	20	25	30	35	10.[illegible]
OUSE	MAX	39	35	31	35	42	44	36	35	34	30	29	29	28	31	31	34	32	27	32	24	27	36	37	26	21	21	29	44	45	43	39	33.1
	MIN	1	-6	10	9	12	6	10	0	1	-8	2	5	-3	-1	26	28	26	4	-2	-20	-19	22	23	10	-20	-19	10	25	20	8	0	5.2
ILEY AP	MAX	40	32	33	30	42	44	43	34	38	33	33	27	22	31	33	35	33	33	34	17	24	32	40		22	23	30	46	45	44	39	33.7
	MIN	14	6	17	8	28	23	27	9	9	8	12	16	8	4	27	30	29	5	1	-1	3	22	23		1	0	12	26	23	26	19	14.[illegible]
MER 4 NW	MAX	25	20	36	33	38	40	38	35	30	29	28	28	21	37	36	37	38	35	35	25	28	37	40	31	29	28	36	47	42	41	41	33.7
	MIN	-6	-8	5	-1	27	4	4	4	18	2	1	14	-6	14	27	30	28	14	11	9	5	22	31	17	13	0	16	28	33	33	33	13.6
ZELTON	MAX	35	41	43	40	51	45	41	39	39	36	34	33	31	44	46	47	51	41	37	31	41	42	50	32	30	34	40	51	51	51	45	41.0
	MIN	18	15	23	21	28	27	27	27	20	14	18	22	15	27	33	38	35	19	24	11	12	30	28	19	8	3	23	34	36	28	27	22.9
LL CITY	MAX	33	25	30	28	39	35	35	34	30	22	33	29	28	32	35	36	35	28	26	24	20	31	38	29	20	21	29	46	40	39	33	31.1
	MIN	9	5	18	7	21	0	26	11	3	-7	12	9	-6	17	28	31	25	21	10	-20	-16	18	28	16	-8	-5	15	25	32	21	10	11.5
LLISTER	MAX	38			37	39			52	41			37	36	42	44	47	49	49	48	42	41	47	47	31	30	32	42	53	49	53	53	43.2
	MIN	24			27	22			26	17			13	14	29	33	36	38	36	18	19	12	33	27	20	3	3	25	39	37	30	30	24.4

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
IDAHO CITY	MAX	40	36	37	36	43	42	41	41	38	34	35	41	35	32	40	40	36	35	35	30	30	37	38	33	31	28	34	42	41	50	46	37.3
	MIN	16	2	24	12	29	10	27	20	-2	3	18	9	0	24	29	31	31	21	20	-11	0	24	30	9	-7	5	22	31	32	30	27	16.6
IDAHO FALLS 6 NE	MAX	33	32	34	36	40	35	42	33	32	29	31	28	27	34	35	39	41	39	33	29	33	38	42	29	29	31	37	46	41	46	48	35.5
	MIN	6	8	7	20	28	16	18	23	19	11	16	18	13	25	29	33	29	26	24	8	6	28	29	23	19	6	24	32	29	33	28	20.5
IDAHO FALLS CAA AP	MAX	33	24	37	37	43	35	38	29	32	27	27	30	28	35	39	39	42	34	32	26	34	40	41	28	24	29	36	44	43	45	48	34.8
	MIN	6	10	12	23	24	17	16	19	16	8	12	14	16	25	29	33	25	19	16	7	6	30	25	22	10	9	24	34	35	29	29	19.4
IRWIN 2 S	MAX							41	32	29	25	29	33	25	32	36	39	44	34	33	27	31	36	39	32	33	26	35	45	39	45	43	34.5
	MIN	12	15	22	23	32	20	21	25	20	7	7	18	15	22	24	30	30	13	23	3	-3	29	30	22	15	-10	23	30	33	33	22	19.5
ISLAND PARK DAM	MAX	24	21	27	27	38	34	37	28	30	24	25	27	17	27	28	30	32	29	25	30	25	29	32	30	26	18	26	34	35	39	36	28.7
	MIN	2	-3	11	6	24	3	8	18	11	12	-14	12	10	14	22	26	27	16	15	-3	-14	18	28	15	-1	-10	16	24	31	31	31	12.5
JEROME	MAX	37	38	40	37	48	44	40	41	41	37	38	33	32	44	48	48	51	41	39	33	38	43	45	34	33	39	41	53	50	45	48	41.3
	MIN	21	11	27	22	30	28	30	26	16	13	18	21	16	26	34	38	35	18	21	8	13	30	26	22	10	13	25	32	37	26	27	23.2
KELLOGG	MAX	43	39	48	42	44	52	39	41	35	36	37	37	35	40	41	36	28	21	26	24	18	36	38	31	31	32	30	36	40	37	44	36.0
	MIN	35	32	34	33	32	31	31	33	32	29	31	19	20	25	32	11	12	14	12	-17	-16	10	29	24	19	23	20	27	23	24	34	22.5
KOOSKIA	MAX	51	42	54	49	42	37	54	49	40	45	41	40	34	45	40	38	33	31	31	20	22	53	41	37	29	41	38	41	41	51	40	40.3
	MIN	32	26	30	32	33	30	32	37	30	29	28	16	22	29	29	33	20	[illegible]	18	-10	-2	21	29	11	13	17	19	33	33	34	31	24.0
KUNA 2 NNE	MAX	43	44	43	42	53	49	50	45	40	37	37	36	33	47		52	50	45	39	33	41	48	55	36	35	43	40	60	53	54	47	44.3
	MIN	26	22	31	28	37	31	37	29	17	22	28	23	17	27		39	36	28	27	11	19	38	32	23	15	25	27	36	41	33	29	27.8
LEWISTON WATER PLANT	MAX	48	42	48	48	46	45	55	50	45	41	43	39	33	48	46	38	29	32	27	14	30	46	45	41	36	43	38	40	45	51	48	41.3
	MIN	35	33	32	37	37	32	37	37	29	33	33	20	29	29	32	27	21	13	12	-7	3	28	28	27	23	28	31	34	35	37	35	27.7
LEWISTON WB AP	MAX	47	45	47	47	48	47	52	45	35	39	41	36	31	47	40	34	23	29	21	11	42	49	40	39	33	40	44	40	43	49	45	39.6
	MIN	33	32	32	36	36	33	36	34	24	29	28	20	26	27	31	20	9	13	-2	-10	3	36	29	25	21	27	27	33	33	34	34	25.5
LIFTON PUMPING STA	MAX	43	33	38	35	46	37	39	30	30	26	29	29	27	35	36	38	40	40	38	26	26	37	39	38	24	22	35	43	41	43	37	34.8
	MIN	4	17	9	11	26	15	14	23	18	1	[illegible]	19	4	12	26	18	15	10	15	-4	-2	10	18	24	10	-15	9	23	30	22	16	13.0
LOWMAN	MAX	38	35	40	34	42	41	36	41	34	28	32	34	26	33	38	36	37	36	35	28	27	34	37	34	30	26	32	42	42	48	45	35.5
	MIN	19	12	25	20	31	28	29	27	4	4	10	12	5	24	30	32	32	25	23	-6	2	24	25	10	10	8	23	30	33	32	28	19.7
MACKAY RS	MAX	34	31	31	32	45	44	39	35	32	29	25	28	27	36	36	39	32	31	30	25	24	33	35	26	23	20	28	40	44	42	38	32.7
	MIN	7	3	13	5	16	11	16	9	12	5	6	15	7	10	21	18	28	-3	0	-6	-7	14	24	10	-3	-13	6	17	17	18	9	9.2
MALAD	MAX	33	35	34	36	46	39	42	34	35	31	31	43	30	37	41	42	43	38	37	31	33	34	39	33	28	25	35	48	46	48	48	37.3
	MIN	6	10	16	14	28	18	21	27	15	9	9	18	13	27	29	32	31	14	25	12	14	27	25	27	-5	5	15	27	29	28	20	18.9
MALAD CAA AP	MAX	33	31	35	35	43	37	42	33	36	29	29	40	31	39	42	41	42	36	35	31	34	37	42	37	26	22	33	42	42	45	42	36.2
	MIN	-4	2	10	9	15	11	14	12	8	6	6	16	11	25	28	28	22	13	19	8	7	25	26	25	-12	-17	11	27	30	18	11	13.2
MAY RS	MAX	37	30	35	45	40	43	44	35	36	32	39	40	42	38	35	47	46	36	35	29	38	31	44	40	40	37	47	51	50	49	39	39.7
	MIN	5	6	13	13	21	13	15	13	19	3	1	2	6	5	18	20	31	16	10	-5	3	33	32	7	5	-1	12	31	23	19	15	13.0
MC CALL	MAX	32	30	31	34	42	46	36	36	28	30	28	34	22	32	32	32	32	28	28	22	26	34	28	28	24	24	30	38	36	42	38	31.7
	MIN	22	4	22	22	32	20	32	22	6	10	14	10	6	20	26	30	32	20	16	-12	0	28	22	-2	-11	6	16	30	32	32	28	17.3
MC CAMMON	MAX	34	37	39	39	43	40	45	39	32	39	32	36	31	41	39	42	41	36	40	30	33	38	40	30	28	23	32	44	46	46	42	37.3
	MIN	8	11	28	20	30	18	21	21	11	11	20	17	14	26	22	25	24	4	10	5	0	0	30	25	5	-10	2	26	36	31	13	16.3
MERIDIAN 1 W	MAX	42	44	43	43	54	50	50	46	40	39	36	36	36	48	50	53	51	43	38	35	41	48	53	38	36	42	41	59	51	52	50	44.8
	MIN	24	22	31	27	38	32	37	30	23	23	28	24	18	29	34	39	38	29	27	11	21	37	32	25	16	26	28	36	41	32	28	28.6
MESA	MAX	36	31		41	52	40	58	40	36	34	34	37	28	42	41	45	54	36	35	29			42	38	31	32	36	46		45	40	39.2
	MIN	17		29	29	34	23	32	24	17	20	25	22	18	24	32	33	32	28	26	8	18			18	8	17	26	25		31	34	24.1
MINIDOKA DAM	MAX	34	39	40	40	53	43	43	38	39	31	32	34	32	42	45	46	48	40	37	30	40	38	42	31	28	34	36	50	49	46	43	39.5
	MIN	14	12	11	24	30	25	26	24	16	12	13	20	14	24	30	35	32	17	24	13	12	30	28	21	17	-1	22	31	33	38	27	21.7
MONTPELIER RS	MAX	31	38	39	38	34	52	36	43	35	30	27	31	31	29	34	39	38	45	37	36	27	30	37	45	31	24	34	38	50	48	41	36.4
	MIN	3	10	11	8	15	12	12	18	18	-5	4	5	4	11	25	28	17	8	9	-5	-6	6	27	25	12	-11	-4	6	31	22	12	10.6
MOSCOW U OF I	MAX	42	38	43	41	48	49	47	38	37	38	36	33	29	42	38	31	20	28	18	12	32	43	33	28	34	32	36	39	42	48	45	36.1
	MIN	32	30	31	30	33	37	35	33	28	31	32	25	24	24	31	17	13	15	-7	-21	-5	31	23	23	14	22	22	34	33	32	36	23.8
MOUNTAIN HOME	MAX	43	41	43	40	55	55	51	46	47	39	43	39	39	45	49	47	44	48	36	34	41	46	43	37	33	40	38	61	53	59	56	44.9
	MIN	28	23	32	24	34	31	31	25	19	21	26	25	15	26	34	37	28	25	21	10	19	36	33	26	13	22	26	35	40	33	26	26.6
MULLAN PASS CAA	MAX	26	25	25	27	32	37	36	26	22	25	19	20	21	25	21	22	26	16	7	8	27	29	20	15	14	17	28	27	32	35	33	24.0
	MIN	17	18	17	19	25	30	24	20	18	18	12	10	11	20	-7	-8	6	5	-7	-12	4	18	10	7	7	9	9	20	19	30	29	12.8
NAMPA 2 NW	MAX	40	45	44	44	43	55	47	51	47	42	39	36	39	36	50	52	54	51	48	40	35	46	56	42	38	37	43	48	62	54	54	45.7
	MIN	21	21	24	30	36	33	36	29	17	19	28	25	18	22	35	40	41	28	27	11	21	33	31	24	16	22	27	30	41	38	32	27.6
NEW MEADOWS RS	MAX	35	27	38	36	44	34	36	40	37	28	33	31	25	37	37	38	37	32	33	24	27	39	38	30	27	29	34	43	41	44	41	34.7
	MIN	7	3	18	25	32	12	21	23	1	4	13	-5	1	20	21	31	26	21	15	-18	-5	23	19	2	-20	3	15	31	31	32	30	13.9
NEZPERCE 2 E	MAX	40	42	42	37	45	48	47	37	38	38	34	34	28	37	34	37	37	31	18	10	33	42	34	29	27	31	37	37	40	49	40	35.9
	MIN	28	25	23	29	29	35	35	32	25	27	28	19	21	26	22	27	12	7	-5	-9	3	33	18	11	7	16	17	34	32	33	32	21.7
OAKLEY	MAX	37	38	36	42	52	47	44	39	37	38	34	30	34	41	46	45	50	43	39	32	41	45	45	34	31	33	40	55	52	52	53	41.5
	MIN	23	24	20	22	35	29	27	25	20	13	15	17	13	28	32	39	34	10	19	18	11	33	25	22	3	1	21	38	39	31	29	23.1
OBSIDIAN 4 NNE	MAX	32	25	29	35	42	41	36	33	27	18	20	24	20	26	26	28	30	23	24	18	25	32	32	18	17	28	26	39	39	42	34	28.7
	MIN	19	0	12	7	30	15	20	14	-1	-9	-4	-4	-9	14	22	20	22	12	10	-23	-11	22	10	0	-16	-3	15	25	21	15	14	8.4
OLA 5 S	MAX	43	40	41	44	43	44	45	43	43	37	34	34	34	45	42	42	41	37	37	36	32	47	44	38	38	35	37	44	44	52	45	40.7
	MIN	25	27	31	30	33	32	32	15	12	17	30	19	18	27	30	33	35	33	30	22	14	25	35	21	15	22	30	33	32	31	31	26.5
OROFINO	MAX	49	44	46	41	40	41	52	46	46	44	45	41	34	38	37	38	33	36	29	18		37	44	37	38	39	34	39	42	54	44	40.2
	MIN	33	30	31	33	34	33	35	36	34	32	30	20	29	30	28	32	21	15	12	-3	5		29	22	15	14	22	29	33	35	34	26.1
PALISADES DAM	MAX	35	33	36	30	45	41	37	36	30	25	29	37	29	31	34	37	38	36	36	30	27	34	39	35	24	24	35	44	40	45	40	34.6
	MIN	10	19	20	20	28	17	20	25	17	9	8	20	14	22	28	30	31	10	24	3	-1	23	32	22	9	-3	20	29	33	30	24	19.1
PARMA EXP STA	MAX	47	45	47	47	52	44	54	49	43	41	38	41	37	53	54	52	52	49	42	36	39	56	52	42	40	44	44	61	55	52		46.9
	MIN	23	22	32	31	34	24	30	26	11	27	26	23	19	24	36	38	34	28	27	11	19	28	31	23	12	25	29	35	44	41		27.1
PAUL 1 E	MAX	45	37	42	40	41	56	50	45	42	39	37	37	33	36	43	46	46	49	43	39	31	43	43	44	31	30	38	42	54	59	53	42.4
	MIN	13	19	18	22	29	25	29	26	20	9	10	19	14	17	32	36	37	19	21	15	12	15	34	24	15	2	19	32	36	27	26	21.7
PAYETTE	MAX	45	43	46	48	46	43	50	47	38	37	36	40	34	51	49	55	49	45	40	32	32	49	50	41	36	37	45	59	52	48	47	44.2
	MIN	24	21	32	33	34	25	32	25	18	18	29	24	22	25	35	36	38	30	30	13	13	29	30	25	14	29	30	40	35	40	40	28.0
PIERCE RS	MAX	34	32	35		34	36	38	37	39	36	35	31	28	34	34	34	32	34	24	13	25	35	35	27	31	26	34		36	41		32.5
	MIN	28	24	21		28	26	32	28	24	22	20	3	22	24	22	25	12	10	12	-20	-2	26	22	8	-6	10	8		34	34		17.8
POCATELLO WB AP	MAX	39	39	41	41	51	42	45	35	34	33	34	35	32	41	44	44	45	38	36	26	36	43	43	30	24	31	38	48	48	42	42	38.7
	MIN	15	17	25	26	31	21	23	29	20	13	14	21	19	29	32	35	27	16	20	13	12	32	26	21	-4	-3	25	36	35	30	25	22.0
PORTHILL	MAX	45	39	41	43	47	48	44	45	40	34	37	30	33	30	24	6	16	24	18	9	5	14	17	25	32	27	31	28	39	38	39	30.6
	MIN	34	27	32	29	32	37	31	36	26	20	22	15	17	19	3	2	3	10	-9	-27	-20	-1	0	5	10	15	16	11	5	11	15	13.7
POTLATCH 1 SE	MAX	42	38	44	39	44	50	47	37	39	42	37	35	35	40	37	29	23	27	17	18	32	44	34	29	29	30	34	39	41	51	44	36.4
	MIN	32	30	31	30	32	32	34	32	22	32	27	17	18	26	28	19	12	14	-5	-23	-6	31	22	20	15	20	20	33	32	32	31	22.3
PRESTON SUG FACT 2 SE	MAX	34	33	38	35	46	40	40	39	32	28	28	38	32	38	40	43	44	45	38	36	34	37	43	35	27	25	36	44	44	44	49	37.6
	MIN	1	9	12	16	29	16	17	23	17	3	5	17	10	26	31	32	25	16	25	11	7	25	27	25	13	-7	15	30	32	26	12	17.6
PRIEST RIVER EXP STA	MAX	37	35	36	36	36	44	39	35	36	36	36	28	26	37	33	8	17	20	18	10	11	34	33	28	27	30	31	36	34	33	36	30.2
	MIN	28	25	31	31	31	30	30	32	30	30	17	8	18	25	4	-1	7	13	-9	-24	-12	9	23	21	12	18	15	24	12	25	31	17.2
REACTOR TESTING STA	MAX	32	24	35	33	43	38	38	30	35	29	31	32	23	35	33	36	38	31	30	26	28	38	39	25	27	28	35	43	42	44	40	33.6
	MIN	-2	0	11	21	16	6	10	12	7	0	11	9	11	15	27	30	23	22	4	-7	-5	26	22	19	2	5	20	30	34	26	26	13.9
RICHFIELD	MAX	37	33	35	32	44	41	37	38	38	31	32	33	29	35	38	38	41	37	35	30	28	35	39	29	27	27	31	40	42	38	39	35.1
	MIN	18	9	20	18	25	25	30	18	[illegible]	8	19	18	14	22	29	28	33	16	25	4	7	26	29	22	2	6	22	30	33	25	20	19.5
RIGGINS RS	MAX	48	46	52	53	58	58	59	51	45		44	43	39	45	40	53	46	44	39	27	41	54	49	46	39	42	42	56	53	57	56	47.5
	MIN	36	29	34	39	44	40	41	37	27		32	22	23	30	31	32	28	21	24	9	15	36	33	25	20	30	32	39	38	38	40	30.8
RUPERT	MAX	48	38	43	40	43	51	48	45	41	40	36	35	34	37	44	48	47	51	42	39	31	43	47	47	33	30	39	44	55	54	50	42.7
	MIN	15	20	19	23	31	28	28	28	22	13	17	20	17	20	33	37	38	20	22	13	12	17	27	24	17	6	20	32	37	28	27	22.9
SAINT ANTHONY	MAX	28	25	35	34	42	38	39	33	31	29	28	32	25	34	35	38	39	35	32	24	27	37	40	31	27	29	35	45	41	40	39	33.8
	MIN	2	1	12	19	30	15	18	21	18	4	4	3	[illegible]	20	25	32	32	22	19	7	-3	26	28	23	12	1	23	30	34	33	32	17.6
SAINT MARIES	MAX	47	43	40	41	44	44	44	41	35	37	41	34	32	41	37	33	25	21	20	16	28	38	38	32	32	34	34	43	40	48	41	36.3
	MIN	32	30	32	30	30	28	34	32	28	28	29	15	24	26	29	21	12	15	7	-20	-5	26	25	24	15	24	19	29	28	31	30	22.8
SALMON	MAX	43	39	41	47	46	49	45	40	40	34	35	36	23	37	40	39	45	37	32	26	32	52	46	31	30	30	38	56	46	43	40	39.3
	MIN	20	15	19	22	28	17	17	24	19	13	5	10	11	18	17	29	25	17	14	1	4	32	19	7	7	5	20	30	32	32	26	17.9
SANDPOINT EXP STA	MAX	40	34	37	39	43	48	40	39	37	34	34	32	28	38	19	7	12	21	18	7	9	35	35	31	29	32	27	38	34	32	40	30.6
	MIN	32	29	32	30	33	34	32	33	32	29	27	21	21	19	0	-2	5	11	-8	-7	-3	7	26	23	11	21	17	24	17	26	31	19.5
SHOSHONE	MAX	40	37	37	35	47	44	39	40	39	33	36	32	32	40	40	43	47	40	37	31	32	36	40	31	28	31	34	48	45	43	43	38.1
	MIN	22	18	28	22	29	29	31	21	11	13	20	22	14	24	32	35	35	19	26	10	12	30	30	24	17	11	23	30	35	27	25	23.4
SPENCER RS	MAX	29	23	33	26	34	40	35	30	30	25	19	18	18	26	31	31	31	29	27	20	21	29	33	23	22	18	27	37	38	39	37	28.4
	MIN	8	-5	12	[illegible]	25	10	11	14	9	1	6	12	-5	14	20	20	25	8	2	-4	-5	20	19	13	-5	8	9	25	29	32	32	11.6
SPRINGFIELD 1 SE	MAX	35	40	38	37	51	44	45	37	38	38	35	36	30	38	39	43	44	39	39	37	37	35	40	35	32	38	40	42	43	42	45	39.1
	MIN	8	10	16	23	30	20	25	17	22	15	6	21	18	26	30	32	33	16	23	16	6	29	30	20	11	14	28	29	26	30	29	21.3

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
STIBNITE	MAX	33	34	32	28	33	40	50	32	27	32	34	25	33	26	26	30	32	30	21	23	25	30	32	25	18	25	25	32	34	39	[illegible]	[illegible]
	MIN	9	12	18	15	23	15	16	14	4	1	2	- 1	- 2	10	18	23	27	15	12	-14	-12	17	22	0	- 8	- 9	10	22	26	27	12	10.5
STREVELL	MAX	35	33	32	31	38	37	42	34	33	31	28	30	30	40	43	38	45	41	37	28	31	33	40	35	20	22	29	38	39	48	44	35.0
	MIN	21	8	22	13	25	26	28	22	9	7	6	14	11	25	32	32	34	15	17	17	6	27	19	18	2	- 3	14	25	31	24	25	18.5
SUN VALLEY	MAX	37	31	35	32	43	39	39	36	34	32	32	33	29	29	31	32	32	29	35	23	24	33	36	30	22	20	31	41	43	42	42	33.1
	MIN	9	- 7	13	3	23	4	19	1	- 7	- 9	2	7	- 5	1	20	28	27	5	10	-22	-15	18	29	10	-22	-13	15	19	21	11	0	6.2
SWAN FALLS PH	MAX	47	45	47	42	56	50	55	50	46	41	40	39	38	52	53	56	55	48	46	38	43	58	57	38	37	47	43	61	57	53	53	48.1
	MIN	32	27	37	33	36	34	41	31	23	26	30	29	21	28	39	47	43	27	30	15	22	38	33	28	20	26	30	40	43	38	34	31.6
TETONIA EXP STA	MAX	31	38	27	24	29	33	38	41	40	33	24	27	23	26	27	30	33	26	21	23	28	34	40	28	14	24	33	35	48	45	42	31.1
	MIN	10	12	8	4	7	15	14	19	19	10	7	11	6	10	9	14	12	5	0	- 4	- 4	20	14	5	2	- 6	10	16	19	22	12	9.6
THREE CREEK	MAX	39	42	42	41	51	50	47		39	31	33	28	35	39	43	45	44	39	35	32	40	45	43	33	30	34	45	52	48	52	55	41.1
	MIN	19	6	22	14	33	19	31		9	11	5	14	- 2	24	30	32	30	6	13	16	1	33	24	11	-11	-12	23	34	33	23	18	17.0
TWIN FALLS 2 NNE	MAX	39	42	42	37	55	48	44	42	41	38	38	34	34	46	47	50	54	44	41	33	44	47	50	33	32	37	41	54	52	53	49	43.3
	MIN	19	19	29	25	30	24	29	30	23	15	17	21	20	29	37	42	38	18	25	15	11	32	31	22	14	7	26	34	38	28	25	24.9
TWIN FALLS 3 SE	MAX	42	31	44	45	43	57	49	44	43	41	38	36	33	38	45	49	50	55	44	40	32	49	50	46	33	30	40	46	58	53	54	43.8
	MIN	18	25	26	25	32	25	26	30	25	18	18	19	18	24	32	39	41	22	25	17	13	15	35	23	16	5	22	39	39	33	28	24.9
WALLACE	MAX	37	36	41	39	47	40	38	35	36	37	35	31	30	37	37	14	22	25	18	12	32	39	34	28	29	31	34	39	39	42	40	33.4
	MIN	30	29	31	30	32	29	32	32	29	25	20	14	19	27	14	8	9	14	- 5	- 7	- 1	31	21	24	17	17	17	31	22	32	33	21.2
WALLACE WOODLAND PARK	MAX	40	33	43	35	38	48	44	39	35	36	35	35	30	36	36	33	21	23	24	12	13	35	39	29	27	29	30	33	38	39	42	33.2
	MIN	32	27	31	30	32	26	25	32	28	22	27	9	9	22	30	6	6	12	9	-16	- 9	13	27	20	18	15	14	23	20	15	33	19.0
WEISER	MAX	44	44	48	42	40	46	48	50	46	38	42	38	34	50	52	53	48	46	43	35	36	48	48	43	37	40	38	58	47	48	48	44.5
	MIN	24	18	30	36	30	33	30	22	18	28	32	20	28	25	33	32	36	28	26	12	22	32	32	20	15	25	34	36	34	36	36	27.8

Table 7

SNOWFALL AND SNOW ON GROUND

Station		Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ANDERSON DAM	SNOWFALL	T		0.3	5.0										1.0							-	-				0.6	10.4				
	SN ON GND	3	3	3	8	6	6	6	6	6	6	6	6	6	7	7	7	6	6	6	4	5	6	6	6	5	6	16	14	8	8	8
ARCO	SNOWFALL			T											0.5	4.0	T		4.0					T			0.3	3.0				
	SN ON GND														-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARROWROCK DAM	SNOWFALL			0.4	2.6	T									0.3					T			T	T	T			1.0	T			
	SN ON GND	1	1	1	4	3	2	1	1	1	1	1	1	T	T	T	T	T	T	T	T	T	T	T	T	T		1	T	T		
ASHTON 1 S	SNOWFALL			1.5		0.5				T				6.5	1.5		1.0	T							T	3.0			1.0			
	SN ON GND	11	11	12	11	12	12	11	11	11	11	11	10	18	19	19	20	21	19	18	16	15	15	14	14	18	18	17	16	12	10	8
ATLANTA 1 E	SNOWFALL	2.6	T	2.1	2.7	2.1		2.0	2.6	T		T		T	10.5	11.5	8.5	13.0	3.2	3.1	T	T	3.5	7.1			1.1	7.2	5.0	1.0	T	
	SN ON GND	21	20	21	23	22	22	23	24	23	23	22	22	22	26	30	34	11	39	39	38	38	36	39	39	39	39	46	42	37	35	35
AVERY RS	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	-	-	-	5	2	1	1	2	2	2	2	2	5	10	10	11	14	28	31	31	33	26	-	-	27	30	32	30	29	24	23
BIG CREEK 1 S	SNOWFALL	3.0		2.0	2.0			2.0	T					2.0	6.0	12.0	8.0	12.0	6.0	1.0		T	2.0	7.0	1.0		1.0	3.0	7.0			1.0
	SN ON GND	17	14	16	18	16	14	16	14	14	14	14	14	16	22	34	42	54	60	61	60	40	42	49	50	46	47	50	57	48	40	41
BLACKFOOT	SNOWFALL							T							T			T						T	1.0							
	SN ON GND																	T						T	T							
BOISE WB AP	SNOWFALL	T		0.3	T						T	0.1		0.1				T	0.1	T				0.4			1.0	0.2				
	SN ON GND	T		T	T							T			T					T								1				
BONNERS FERRY 1 SW	SNOWFALL		3.2											T	10.0	4.2	1.8	-	-	-	-	-	-	-	6.4	T	8.2	3.3	2.1		T	
	SN ON GND		3	1	T	T								T	10	14	16	-	-	-	-	-	-	38	36	32	34	34	31	30	29	26
BURLEY CAA AP	SNOWFALL	T		T	T			T	T				T	T	T	T		T				T	T	T	4.0			T				
	SN ON GND	T		T				T					T	T										T	4	4	3	2				
CALDWELL	SNOWFALL				0.4							0.5								T							T	1.0				
	SN ON GND											T																				
CASCADE 1 NW	SNOWFALL			0.5	4.0			0.5	0.5			T		0.5	4.0	6.0	6.0	13.0	1.5	0.5		T	2.5	3.0		T	6.0	7.0	1.0			
	SN ON GND	8	8	7	10	[illegible]	8	[illegible]	8	8	8	7	7	7	9	15	19	29	29	27	26	26	25	27	26	25	31	38	33	29	28	27
CENTERVILLE ARBAUGH RCH	SNOWFALL	T		1.8	7.8	0.8		T	0.8			0.6		0.5	2.0	1.5	0.1	1.5	1.3	1.5		0.5	1.7	4.5			4.0	8.0	2.0			
	SN ON GND	19	19	19	25	25	24	23	22	22	22	22	22	22	24	25	24	25	26	27	27	27	27	30	30	29	33	40	36	32	31	30
COBALT BLACKBIRD MINE	SNOWFALL	*	2.0	2.3	0.5	1.1		1.0	1.3	1.0					5.2	7.0	6.5	0.5	3.0	3.0			0.2	3.3	4.0		T	3.0	2.0	2.5		
	SN ON GND	-	20	22	22	22	22	21	22	22	22	22	22	21	26	31	35	35	36	38	36	34	34	37	38	37	36	39	41	42	40	40
COEUR D'ALENE RS	SNOWFALL		0.5											6.0	5.0	T	6.2	4.8	9.6	T		7.1	8.0	T	2.0		1.0	5.0	1.0			
	SN ON GND													6	3	1	7	12	22	22	22	18	23	21	23	18	19	24	21	21	21	20
COTTONWOOD	SNOWFALL			0.2				T	0.3	0.2				2.8	1.6	3.5	2.3	4.9	0.5	2.3		0.1		1.0	0.8		0.7					
	SN ON GND								T	T				3	4	7	[illegible]	11	10	11	11	10	8	9	[illegible]	[illegible]	9	9	7	7	6	5
DEADWOOD DAM	SNOWFALL	T		1.0	6.0	T		1.0	1.5			T		0.5	4.0	6.0	9.0	13.0	4.0	2.0		2.0	4.5	5.5			6.5	16.0	3.0			
	SN ON GND	18	18	19	25	24	23	24	25	25	25	25	24	24	28	34	43	56	57	54	50	51	54	55	54	54	58	70	68	62	57	55
DUBOIS CAA AP	SNOWFALL			0.1	T			T		0.1	T			1.0	T		T	T			0.2	0.1	T	0.1	T	0.5	0.5	0.4				
	SN ON GND	4	3	3	3	7	7	7	7	7	7	7	7	7	7	7	7	6	6	6	6	6	6	6	6	6	7	7	7	[illegible]	3	3
FENN RS	SNOWFALL													-	-	5.5	3.0	2.0		2.0				4.0	1.0							
	SN ON GND													6	[illegible]	9	12	9	9	11	11	11	7	11	12	11	10	9	7	6	5	4
GARDEN VALLEY RS	SNOWFALL	T		T	3.5							T		T	1.0				T	1.0			2.0				3.0	8.0				
	SN ON GND	6	6	6	9	8	6	6	-	-	-	[illegible]	6	6	[illegible]	6	5	5	5	5	-	-	6	-	-	-	9	16	12	-	-	-
GLENNS FERRY	SNOWFALL				T																				T			1.0				
	SN ON GND																															
GOODING CAA AP	SNOWFALL				1.4										T							T	T	T	1.0		T	3.0				
	SN ON GND				T																				1	1	T	T	T			
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND													2	-	-	9	-	-	8	8	8	2	-	-	-	-	-	-	-	-	-

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GRAY	SNOWFALL								2.0						6.0			2.0						5.0	5.0							
	SN ON GND	10	10	10	10	10	10	10	12	12	12	12	12	12	18	18	18	20	20	20	20	20	20	25	30	30	30	30	24	18	18	18
HAILEY AP	SNOWFALL				0.5	0.5		0.5							3.0	6.0	6.0	2.0					5.0	1.5			1.0	9.5	5.5			
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	16	18	-	-	-	-	22	24	17	17	18	23	24	23	22	21
HAMER 4 NW	SNOWFALL													0.3				0.5				T		T			T					
	SN ON GND													T																		
HILL CITY	SNOWFALL				-	-		-	-						-	-	-	-				-	-	-			-	10.0	4.0	-		
	SN ON GND	-	-	-	7	10	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	16	-	-	-	14	24	26	22	-	-
IDAHO CITY	SNOWFALL			1.7	5.5	1.0									2.0	1.0		4.0		T			2.0	T			1.5	8.0	T	T		
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY 13 SW	SNOWFALL	T	T		4.6			-	1.0		1.0	1.0	T	0.5	1.0		2.1	4.0	0.5	1.0		T	2.5	2.5			1.0	10.5	T			
	SN ON GND	-	-	-	18	16	11	14	15	-	16	15	15	15	16	15	18	20	21	21	21	20	24	25	-	-	25	35	27	24	-	-
IDAHO FALLS CAA AP	SNOWFALL			T		T				T			T	T	0.2	T	T	T			T		T	T	1.0	T	T	T	T			
	SN ON GND	2	2	2	2	1	1	1	1	1	1	1	1	1	1	2	2	T	T	T	T	T	T	T	1	1	1	1	T			
IRWIN 2 S	SNOWFALL													3.5	4.0	1.5									3.0	2.0						
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ISLAND PARK DAM	SNOWFALL			2.0	3.0	1.0		2.0						6.0	7.0	2.0		4.0				3.0	5.0	6.0	2.0			9.0	4.0	2.0	1.0	
	SN ON GND	-	-	26	28	26	26	28	-	-	-	-	-	32	36	36	-	35	34	-	-	34	37	40	41	-	-	48	51	49	48	45
LEWISTON WATER PLANT	SNOWFALL													1.0				-	T	-		T		T			T	T				
	SN ON GND													1				1	1	2	1											
LEWISTON WB AP	SNOWFALL													2.7		0.7	0.4	1.2	0.6	0.9	T	T			T		T	T				
	SN ON GND														2		T	T	2	3	3	3	T									
	WTR EQUIV														0.3				0.1	0.2	0.2	0.1										
LOWMAN	SNOWFALL				4.0				3.0			5.0			4.0	2.0		6.0	-	-		2.0	3.0	5.0			6.0	14.0				
	SN ON GND	10	10	10	14	12	11	11	11	11	11	11	11	11	14	15	14	14	16	17	16	16	18	17	17	17	21	31	27	22	20	19
MACKAY RS	SNOWFALL														T	0.5		4.7						4.3				2.2				
	SN ON GND															T		5	5	4	3	3	2	6	5	5	4	6	5	5	5	4
MALAD CAA AP	SNOWFALL							0.2	0.1					1.0	T	0.1	0.2	T					T	T	8.0	0.4	T	2.0	T			
	SN ON GND	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1	1	1	1	1	T	T	T	3	8	8	8	11	8	8	5
MAY RS	SNOWFALL	T													0.5	1.5	T	0.5						T								
	SN ON GND	T	T	T											1	1	1	T	T													
MC CALL	SNOWFALL				6.0									2.0	2.0		10.0	14.0	3.0				8.0	6.0	4.0	3.0	7.0	18.0	6.0			
	SN ON GND	-	-	12	15	-	-	-	-	-	-	-	-	14	14	-	24	32	35	34	-	-	36	37	37	37	39	50	54	44	35	35
MESA	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND	-	-	-	8	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	T	-	7	-	-	-	-
MULLAN PASS CAA	SNOWFALL	6.3	2.3	2.9	9.6	2.0	T	6.1	1.4	0.9		T		0.7	13.0	6.0	9.0	2.0	6.0	T	T	11.8	19.5	4.4	4.5	0.8	6.0	8.0	2.0	T	0.5	0.5
	SN ON GND	75	77	82	89	95	94	90	96	98	98	98	98	94	103	117	124	134	140	138	136	134	149	163	166	169	170	170	172	172	170	165
NEZPERCE 2 E	SNOWFALL			T	T									2.0	0.7	3.0	3.5	3.5	T	2.4		T		5.0			T			3.0		
	SN ON GND													2	2	5	6	8	[illegible]	9	9	8	4	8	8	7	6	4	4	4	3	2
OAKLEY	SNOWFALL							T						T		0.5		T							4.5							
	SN ON GND													T											4	3	3	2				
OBSIDIAN 4 NNE	SNOWFALL	T		T	T	T		2.0	T					T	6.0	4.0	4.0	3.0	T	T		T	T	5.0			T	1.0	5.0	T		
	SN ON GND	14	14	13	13	12	12	14	14	14	14	14	14	14	20	24	28	31	29	29	28	27	27	32	32	31	30	31	36	32	31	31
PAYETTE	SNOWFALL											1.0		T	T							0.4										
	SN ON GND																															
PIERCE RS	SNOWFALL	0.5	1.5	2.1	-	-		0.1	5.0					2.0	7.0	3.0	1.1	5.0	3.0	2.5		2.5	2.0	7.0	-		-	-	-	-		
	SN ON GND	13	14	17	20	22	22	21	25	22	20	20	20	22	30	33	34	39	42	44	39	40	39	44	44	42	44	46	44	42	41	40
POCATELLO WB AP	SNOWFALL	T		T	T			T					T	T	0.8	0.5	T	0.5			T		T	T	4.5	T	T	T				
	SN ON GND	T	T	T	T				T	T					T	T			T	T			T		4	4	4	1	1	T	T	
	WTR EQUIV																								0.3	0.3	0.2					
PORTHILL	SNOWFALL		-	T	T	T									8.0	26.0	T	14.0	2.5			13.0	21.0		T	2.0	3.0	T	4.0			
	SN ON GND		2	T	T	T									8	22	22	28	30	30	30	40	48	42	40	36	38	37	40	34	26	24
POTLATCH 1 SE	SNOWFALL		0.4		2.5	T				1.0				4.0		1.0	1.3	1.4	2.2	1.0		1.7	0.3	T	T		0.5	2.3				
	SN ON GND				1									4		1	3	4	6	7	7	9	5	5	5	5	6	5	3	2	1	1
PRIEST RIVER EXP STA	SNOWFALL		3.0		3.7	1.0			T					1.5	3.0	6.5	1.0	10.0	3.8	0.3		7.5	10.0	3.2	5.8	T	8.2	1.7	2.4		0.3	
	SN ON GND	2	[illegible]	5	[illegible]	9	8	7	7	7	7	7	7	8	10	16	17	25	26	25	25	28	34	34	38	36	41	41	40	38	37	35
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND													T	1			T	T								T					
SANDPOINT EXP STA	SNOWFALL	T	4.4											1.2	3.9	3.0	0.4	8.0	5.8			6.0	18.5	2.0	5.5	T	4.2	4.0	1.3		0.4	
	SN ON GND	T	5	3	3	3	T	T	T	T	T	T	T	1	4	7	7	15	21	21	21	27	42	38	40	37	40	43	39	36	35	32
SPENCER RS	SNOWFALL			T	T	T	T				T			3.0	0.5			2.0		T	1.0	T	1.5	4.0	0.5		5.0	2.0	2.0			
	SN ON GND	-	-	-	14	-	-	-	-	-	-	14	-	-	-	-	-	-	18	-	-	-	-	-	-	20	-	-	-	-	-	-
STIBNITE	SNOWFALL		1.5	3.5	1.5	2.0	T	3.5	3.5	T					5.0	12.0	10.0	4.0	4.0	4.0	0.5		2.0	12.0	1.5	1.0	0.2	5.5	15.0	4.7	T	
	SN ON GND	20	20	23	23	23	21	24	27	25	24	24	23	23	28	38	47	50	52	51	48	44	45	55	53	54	50	52	60	60	54	50
SUN VALLEY	SNOWFALL			T	1.0	1.0		T							3.0	3.0	7.0	9.0	T			T	5.0	4.0	T		2.0	8.0	6.0	2.0		
	SN ON GND	8	8	8	9	10	10	10	10	9	9	9	9	9	12	15	21	29	26	26	22	21	25	26	26	26	28	34	38	35	33	32
THREE CREEK	SNOWFALL			4.0	1.5			1.5								1.0		1.0						4.0	8.0	2.0						
	SN ON GND	3	3	4	3	3	-	3	-	-	2	2	2	2	2	2	2	3	2	2	2	1	1	4	12	14	14	12	6	4	4	3
TWIN FALLS 2 NNE	SNOWFALL	T		T	0.2													T						1.0	0.5			T				
	SN ON GND																							T	1	T	T					
WALLACE	SNOWFALL	2 3	1.2	2.0	2.5	T		0.5	T	0.7				2.0	6.5	1.2	3.3	5.0	11.5	1.5		8.5	T	3.0	4.0	T	4.1	6.5	T			
	SN ON GND	2	4	6	8	6	5	4	4	4	4	4	4	6	11	12	14	19	31	32	32	41	34	37	41	37	39	40	38	36	34	31

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage‡	Latitude	Longitude	Elevation	Observation time: Temp.	Observation time: Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	DELL ROWE	CLOSED 8 1 53
ALPHA 1 SE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	7P	7P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0418	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	[illegible]		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	[illegible]	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	0563	BANNOCK	12	42 43	111 54	[illegible]		MID	KENNETH E CRUMP	C
BAYVIEW MODEL BASIN	[illegible]	KOOTENAI	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	[illegible]	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	[illegible]	VALLEY	11	45 06	115 20	[illegible]	6P	6P	NAPIER EDWARDS	2 3 5 7 C
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	[illegible]	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	[illegible]	CARIBOU	12	[illegible]	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 C
BLISS	[illegible]	GOODING	12	[illegible]	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE		43 46	116 06	6200		MID	F B KUHN	C
BOISE LUCKY PEAK DAM	[illegible]	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
BONNERS FERRY 1 SW	1079	BOUNDARY	5	48 41	116 19	1812	5P	5P	CHARLES G HOWARD JR	2 3 5 7 C
BRIDGE	[illegible]	CASSIA	12	42 08	[illegible]	4700		MID	MARLIN B GOUGH	CLOSED [illegible]
BUHL	[illegible]	TWIN FALLS	12	42 36	114 46	[illegible]	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	[illegible]	CLEARWATER	3	46 38	115 30	[illegible]	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 ENE	[illegible]	SHOSHONE	4	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 33	113 48	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	[illegible]	CASSIA	12	42 32	113 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD W TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	[illegible]	5P	5P	STUART [illegible]	2 3 5
CASCADE 1 NW	[illegible]	VALLEY	8	44 31	116 03	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 5 7 C
CASCADE RANGER STATION	[illegible]	VALLEY	8	44 31	116 03	[illegible]		MID	U S FOREST SERVICE	CLOSED 9 15 53
CENTERVILLE ARBAUGH RCH	[illegible]	BOISE		43 58	115 51	[illegible]		4P	MABEL M ARBAUGH	3 7
CHALLIS	[illegible]	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	[illegible]	[illegible]	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	181	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY I RALPH	2 3 5 C
CLARKIA RANGER STATION	[illegible]	SHOSHONE	4	47 00	[illegible]	[illegible]		MID	U S FOREST SERVICE	C
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	[illegible]	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D ALENE CAA AP	[illegible]	KOOTENAI	5	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	CLOSED 11 1 53
COEUR D ALENE RS	[illegible]	KOOTENAI	5	47 41	[illegible]	2160	5P	5P	U S FOREST SERVICE	2 3 5 7 C
CONDA	2071	CARIBOU	12	42 43	111 33	[illegible]	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	[illegible]		MID	[illegible]	C
COUNCIL	2187	ADAMS	12	44 44	116 26	[illegible]	5P	5P	LYMAN MATHISON	2 3 5 C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	[illegible]		6P	HARRY [illegible]	
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	[illegible]	VALLEY	11	[illegible]	115 34	[illegible]		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAI	5	47 44	116 29	[illegible]		MID	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	[illegible]	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	[illegible]	CAMAS	2	43 36	114 41	[illegible]		MID	U S FOREST SERVICE	C
DRIGGS	2676	TETON	12	43 43	111 07	6097	8A	8A	[illegible]	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	[illegible]	IDAHO	3	45 49	115 26	[illegible]	4P	4P	[illegible]	2 3 5
ELK RIVER 1 S	[illegible]	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	[illegible]	[illegible]	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	[illegible]	[illegible]	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	[illegible]	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	[illegible]	[illegible]	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	[illegible]	[illegible]	2569	7P	7P	E D STONE	2 3 5 7
GOODING 1 E	[illegible]	GOODING	12	[illegible]	[illegible]	3245		MID	DALE W [illegible]	C
GOODING CAA AIRPORT	3682	GOODING	12	[illegible]	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	[illegible]	OWYHEE	12	[illegible]	116 06	[illegible]	4P	4P	W DILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	[illegible]	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	[illegible]	BONNEVILLE	12	43 03	111 22	6150	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	[illegible]	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	[illegible]	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	[illegible]	[illegible]	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	[illegible]	TWIN FALLS	12	42 21	114 35	[illegible]	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	[illegible]	[illegible]	[illegible]	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 31	[illegible]	4840	5P	5P	CARROLL [illegible]	2 3 5 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	[illegible]	115 19	[illegible]		VAR	CHRIS ALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY C GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 36	3870	5P	5P	ORVILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 36	5897	5P	5P	U S FOREST SERVICE	2 3 5 7 C
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	[illegible]	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	[illegible]	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	5841	ADA	2	43 37	[illegible]	[illegible]	5P	5P	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	[illegible]	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	[illegible]		VAR	U S SOIL CON SER	C S
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	C
MOSCOW U OF I	[illegible]	LATAH	7	46 44	117 00	[illegible]	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	[illegible]	6P	6P	KENNETH J NEWMAN	2 3 5 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
NAMPA 2 NW	6300	CANYON	2	43 37	[illegible]	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	[illegible]	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	[illegible]	LEMHI	11	45 43	114 30	[illegible]		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 4 S	6590	GEM	8	44 07	116 17	[illegible]	5P	5P	VINCENT A NALLY	2 3 5 C
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	[illegible]	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6841	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6871	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	[illegible]	CLEARWATER	3	46 30	115 48	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7 C
PINE 2 S	7079	ELMORE	2	43 28	[illegible]	[illegible]		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S INDIAN SERVICE	C
POCATELLO WB AIRPORT	7211	BANNOCK	12	[illegible]	112 36	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
PORTHILL	7264	BOUNDARY		49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH 1 SE	7301	LATAH	7	46 54	116 52	[illegible]	6P	6P	[illegible]	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	[illegible]		MID	VICTOR J ACARREGUI	C
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	[illegible]	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD [illegible]	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL IR PROJ	S
REACTOR TESTING STA	[illegible]	BUTTE	6	43 33	112 57	4925	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	MRS HOMER WALTON	2 3 5 7
RUPERT	[illegible]	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	[illegible]	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	[illegible]	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7 C
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	[illegible]	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 56	114 24	3970	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK RS	8518	CAMAS	12	43 30	114 50	[illegible]		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	[illegible]	BINGHAM	12	43 04	112 41	4405	5P	5P	MRS RAYMOND RUFF	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	[illegible]	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL	[illegible]	CASSIA	12	42 01	113 13	[illegible]	5P	5P	IDAHO STATE POLICE	2 3 5
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	KAY JOHNSON	2 3 5
SUN VALLEY	[illegible]	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7 C
SWAN FALLS POWER HOUSE	[illegible]	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	[illegible]	TETON	12	43 51	[illegible]	5904	5P	5P	EXPERIMENT STATION	2 3 5 C
THREE CREEK	[illegible]	OWYHEE	12	42 03	115 10	5400	6P	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	[illegible]	ELMORE	2	43 38	[illegible]	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	[illegible]	ELMORE	2	[illegible]	[illegible]	[illegible]		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	[illegible]	TWIN FALLS	12	[illegible]	[illegible]	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FACT	9299	TWIN FALLS	12	42 32	[illegible]	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	[illegible]	SHOSHONE	4	47 28	[illegible]	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5 C
WEISER	[illegible]	WASHINGTON	12	44 15	[illegible]	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	[illegible]	LEWIS	3	46 14	116 36	3950	4P	4P	HALLACK-HOWARD LBR CO	2 3 5
YELLOW PINE	[illegible]	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
MALTA RANGER STATION	[illegible]	CASSIA	12	42 19	113 22	4543		MID	E L NOBLE	C
PINE 1 N	7077	ELMORE	2	43 30	[illegible]	[illegible]		VAR	U S GEO SURVEY	S
BALD MOUNTAIN	0540	BLAINE	12	43 39	114 24	8700		MID	NELSON BENNETT	C
GRASMERE	3809	OWYHEE	12	42 23	[illegible]	5126	5P	5P	BLANCHE PORTLOCK	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state bases. There wil be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation i inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standar Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effectiv January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on groun values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the recor

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of ne snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, hav been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July c August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary. Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

W.R.P.C. Chattanooga--3-11-54--8

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

CLIMATOLOGICAL DATA

IDAHO

FEBRUARY 1954
Volume LVII No. 2

CHATTANOOGA: 1954

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

With temperatures above normal in all sections of the State for the sixth consecutive month, this was one of the warmest Februaries on record in Idaho. Not since 1934 has the state-wide average temperature for the month exceeded this year's 34.0°, which was higher by 2.5° than the average for February 1953. Precipitation was below normal in all divisions, although several stations in the area north of the St. Joe River, and others at higher elevations in central Idaho, reported greater than normal totals. Deficiencies were especially marked in the Clearwater Basin, along the Snake River, and in most of the Boise River Basin. The Southeastern Division averaged only 57% of normal, making this the eighth consecutive month with subnormal precipitation in that Division.

During the first ten days of the month the dominant influence on Idaho's weather was the persistent high pressure system over the Inter-mountain Region. Stable air with light winds and widespread fog, but little or no precipitation, characterized this period. The following ten-day period showed a marked contrast to the earlier part of the month. Winds were well above average and precipitation occurred almost daily as storm fronts crossed the State in rapid succession. Because of the predominance of southwesterly winds aloft during this period, the weather was generally mild even though persistent cloudiness reduced sunshine below what normally might be expected. The final days of the month brought a continuation of windy conditions, but precipitation was light and scattered, while temperatures remained generally above normal and sunshine increased

Despite precipitation deficiencies at a majority of reporting stations this month the accumulated snowpack was, in most parts of the State, normal or above. Snow surveys near the end of February indicated water content of the snowpack below normal south of the Snake River, near normal from the Snake northward to the Salmon River and well above normal over the northern part of the State

Range feed had an early start due to the mild weather of February, although range conditions were still not good in some lower areas where prolonged lack of moisture was apparent. Generally, however, cattle and sheep were in very good condition and calving and early lambing were proceeding very well. Early lambing was about over in the Snake River area from Rupert west and early shearing was progressing satisfactorily.

Vegetation showed signs of awakening under the influence of the mild weather and trees began to bud in lower valleys. Plant activity was not as advanced as a year ago, however, and hard freezes late in the month apparently did little damage. Field work was started at lower elevations in the Southwestern Division and some early peas were planted.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5 30A MST	11 30A MST	5 30P MST	11 30P MST	Trace	01–09	10–49	50–99	1 00–1 99	2 00 and over	Total			
BOISE WB AIRPORT	SE	27	10.0	56	W	17	82	63	58	77	5	4	4	0	0	0	13	58	6.5	SEE TABLE 2
LEWISTON WB AIRPORT	-	-	-	-	-	-	78	67	58	-	5	1	1	0	0	0	10		8.6	
POCATELLO WB AIRPORT	SW	22	12.7	47	W	18	75	60	55	71	3	3	2	0	0	0	8	60	5.9	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation	
	Average	Highest	Lowest	Average	Average snowfall
1894	20.4	58	-31	1.80	-
1895	26.0	64	-34	.67	-
1896	31.0	76	-17	.90	-
1897	28.8	67	-22	2.51	-
1898	30.7	69	-18	1.41	-
1899	23.0	58	-41	1.85	15.6
1900	29.4	76	-29	1.48	10.4
1901	28.3	69	-28	1.93	6.8
1902	33.1	63	-35	2.62	10.5
1903	18.2	58	-37	.55	5.0
1904	30.1	73	-31	3.14	19.2
1905	26.4	70	-48	.60	4.8
1906	29.3	60	-22	1.93	9.8
1907	36.3	65	- 9	2.00	8.7
1908	29.7	69	-42	.97	8.8
1909	31.7	60	-19	2.30	14.4
1910	22.9	60	-30	2.49	21.4
1911	22.8	56	-31	1.02	11.7
1912	30.7	61	-29	1.93	8.6
1913	22.9	61	-33	.59	5.2
1914	28.1	64	-43	1.51	9.8
1915	33.6	67	-19	1.68	5.9
1916	29.8	63	-29	2.76	23.9
1917	24.2	60	-34	2.08	19.8
1918	30.1	69	-28	1.67	13.8
1919	28.4	56	-28	2.94	27.6
1920	30.6	66	-25	.45	3.8
1921	28.8	66	-33	1.68	13.5
1922	22.8	56	-34	1.71	19.4
1923	22.1	63	-28	.66	9.5
1924	36.1	67	- 9	1.52	3.1
1925	34.1	64	-23	2.18	6.0
1926	33.9	71	-21	2.19	9.2
1927	30.3	63	-33	3.35	13.8
1928	27.2	57	-33	.45	3.8
1929	19.4	57	-44	.89	8.6
1930	34.7	70	-15	2.18	10.0
1931	15.3	74	-18	1.00	4.9
1932	22.8	66	-34	1.62	14.8
1933	15.6	58	-57	1.70	21.2
1934	38.0	69	-11	.97	2.0
1935	28.4	61	-27	.70	5.6
1936	21.2	61	-37	2.80	27.4
1937	23.2	66	-34	2.37	24.8
1938	31.4	69	-29	1.71	15.5
1939	22.4	60	-31	1.82	19.7
1940	32.6	71	-27	3.42	13.1
1941	32.7	67	-18	1.24	4.0
1942	23.3	59	-47	1.60	11.9
1943	29.1	65	-25	1.39	11.5
1944	28.7	60	-34	1.44	13.5
1945	31.9	65	-21	2.32	8.5
1946	27.2	64	-24	1.71	14.0
1947	32.5	67	-30	.95	3.8
1948	28.1	69	-37	2.27	11.4
1949	23.6	60	-45	2.91	29.8
1950	29.0	74	-46	1.67	9.1
1951	30.1	69	-46	2.19	11.7
1952	23.4	62	-35	1.71	16.7
1953	31.5	72	-32	1.53	9.0
1954	34.0	69	-20	1.23	5.9
ALL YEARS	27.9			1.71	

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.10 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	46.8M	27.4M	37.1M	5.6	58	23	14	11	774	0	0		0	1.90	- 1.04	.72	12		21	1+	4	1	0
BAYVIEW MODEL BASIN	41.6	28.1	34.9		54	23	2	11	836	0	2	22	0	2.13		.51	21		16	1+	8	1	0
BIG CREEK 1 S	40.8	11.1	26.0	5.1	55	23	-10	8+	1086	0	2	28	9	3.51	1.41	1.08	12	21.5	44	21	8	2	1
BONNERS FERRY 1 SW	39.5	27.6	33.6	5.2	53	24	3	11	876	0	5	17	0	2.64	.99	1.24	12	15.5	33	12	7	1	1
BURKE 2 NNE	38.7	25.6	32.2	5.8	47	8	7	11	916	0	2	27	0	5.44	.28	1.33	12	29.0	80	19	12	4	1
CLARK FORK 1 ENE	M	M	M		54	24				0			0	V15.00									
COBALT BLACKBIRD	34.4	12.4	23.4		46	24	1	19		0	13	28	0	1.89		.47	26	27.4	53	26	6	0	0
COEUR D ALENE RS	42.3	29.4	35.9	5.8	56	23	10	11	809	0	1	20	0	1.61	- .78	.75	12	4.0	18	1+	6	1	0
COTTONWOOD	45.6	27.5	36.6	6.4	57	23	12	11	791	0	0	25	0	.80	- .92	.23	21	.5	5	1+	4	0	0
DIXIE	42.2	10.3	26.3		54	7	-10	11	1079	0	1	28	10	2.33		.42	20	24.0	48	20+	9	0	0
ELK RIVER 1 S	45.0	24.9	35.0		54	7+	10	11	834	0	0	28	0	2.89		.80	21	5.2	33	1+	8	2	0
FENN RS	47.3	28.8	38.1	3.7	57	12+	19	11	747	0	0	21	0	2.21	- 1.17	.50	18	2.0	3	1	8	1	0
GRANGEVILLE	47.8	28.9	38.4	6.9	61	23	16	11	739	0	0	23	0	.79	- .81	.38	17		T	17+	4	0	0
KELLOGG	44.1	28.8	36.5	5.3	55	24	11	11		0	0	16	0	2.41	- .28	.78	12	1.5	9	1	7	1	0
KOOSKIA	53.1	29.1	41.1	6.2	64	23	18	11	663	0	0	22	0	.99	- .82	.61	18	.0	T	1	2	1	0
LEWISTON WATER PLANT	51.6	34.9	43.3	6.0	62	16	23	11	601	0	0	8	0	.35	- .87	.16	21	.0	0		2	0	0
LEWISTON WB AP //R	49.1	33.3	41.2	5.3	62	17	20	11	660	0	1	12	0	.27	- .73	.10	17	T	0		1	0	0
MOSCOW U OF I	47.3	31.1	39.2	7.5	60	23	20	10+	714	0	1	17	0	.86	- 1.25	.33	21	T	0		3	0	0
MULLAN PASS CAA	33.5	23.3	28.4	7.2	49	7	9	11	1019	0	13	23	0	5.12	.96	1.24	19	66.5	182	20+	11	3	2
NEZPERCE 2 E	45.7	29.8	37.8		59	23	17	11	756	0	0	20	0	.76		.28	17	T	2	1+	4	0	0
OROFINO	52.5M	31.6M	42.1M	7.0	62	23	18	11	639	0	0	15	0	.84	- 1.82	.45	21	.0			3	0	0
PIERCE RS	40.3M	22.7M	31.5M	2.9	50	16	5	11	935	0	0	28	0	3.20	- .78	.73	18	5.5	39	1	8	3	0
PORTHILL	40.4	25.0	32.7	5.3	51	25	6	11	898	0	4	23	0	2.32	.74	.81	12	16.0	30	13	7	1	0
POTLATCH 1 SE	46.3	29.5	37.9	6.3	58	7+	21	10+	754	0	1	18	0	.95	- 1.28	.38	21	T	0		3	0	0
PRIEST RIVER EXP STA	40.3	26.0	33.2	5.9	49	24	3	11	884	0	2	27	0	3.29	.50	1.17	12	10.3	34	12	5	4	1
RIGGINS RS	55.9	34.7	45.3	4.8	69	24	24	11	543	0	0	10	0	1.05	- .25	.34	12				3	0	0
SAINT MARIES	44.7	27.4	36.1	3.8	54	16	10	11	803	0	0	21	0	2.51	.12	1.07	12	.0			5	2	1
SALMON	44.5	22.9	33.7	8.1	60	23+	7	11	872	0	2	27	0	.42	.00	.15	26		0		2	0	0
SANDPOINT EXP STA	38.9	28.4	33.7	4.7	49	24	2	11	870	0	5	18	0	3.13	.31	.96	12	10.3	28	1	7	2	0
WALLACE	41.3	28.3	34.8	3.8	52	23	17	11	839	0	1	22	0	5.19	1.45	1.98	12	5.0	29	1	10	3	1
WALLACE WOODLAND PK	42.2	25.0	33.6	3.7	54	24	6	11		0	1	25	0	4.29	.81	1.11	12	2.5	21	1	10	2	2
WINCHESTER 1 SE	48.1	27.0	37.6	7.0	58	6	11	11	762	0	0	25	0	1.06	- .61	.35	18	4.5	4	1	3	0	0
DIVISION			35.4	4.7										2.17	- .26			9.7					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	42.5	25.7	34.1		54	24	16	19	856	0	0	22	0	1.53		.53	12		9	12	5	1	0
ARROWROCK DAM	44.1	27.6	35.9	5.4	57	24	21	9+	807	0	0	23	0	1.03	- 1.36	.21	18	T	T	20	5	0	0
ATLANTA 1 E	45.0	20.9	33.0	8.9	55	23	5	19	889	0	0	28	0	3.69	.36	1.01	12	22.8	42	21	7	4	1
BLISS	52.8	27.6	40.2	7.7	65	23	19	19	687	0	0	22	0	.31	- .65	.15	14	.0	0		2	0	0
BOISE LUCKY PEAK DAM	52.0M	30.5M	41.3M		64	23	23	10	660	0	0	17	0	.42					0			0	0
BOISE WB AP //R	48.3	29.3	38.8	4.8	63	23	20	8	727	0	1	21	0	.55	- .80	.15	13	T	T	9+	4	0	0
BUHL	52.8	29.6	41.2	8.5	64	23	20	9	661	0	0	19	0	.19	- .72	.15	13	T	0		1	0	0
CALDWELL	50.7	29.7	40.2	5.5	64	21+	20	27	687	0	0	17	0	.59	- .55	.31	13	T	0		3	0	0
CAMBRIDGE	46.8	28.6	37.7	10.4	62	24	21	9	758	0	1	20	0	1.54	- .80	.60	12	2.0	2	19	6	1	0
CASCADE 1 NW	36.0	16.5	26.3		45	24+	0	9	1080	0	5	28	1	2.05		.76	12	14.0	31	20+	5	1	0
CHALLIS	45.8	20.8	33.3	8.1	61	23	10	8+	880	0	0	27	0	.54	.06	.20	18		T	18	2	0	0
COUNCIL	46.0	27.2	36.6	7.3	60	24	19	11	788	0	1	23	0	2.34	- .88	.80	12	1.0	1	19+	5	2	0
DEADWOOD DAM	42.3	12.0	27.2	5.9	54	6	- 4	8+	1052	0	1	28	6	4.01	- .45	1.83	12	15.0	62	20	8	2	1
DEER FLAT DAM	50.7	29.4	40.1	7.2	67	13	21	8	692	0	0	19	0	.36	- .45	.23	13				2	0	0
EMMETT 2 E	48.9	31.2	40.1	4.6	60	22+	21	27	691	0	0	17	0	.87	- .33	.53	14				3	1	0
FAIRFIELD RS	36.5	11.7	24.1		46	21+	-10	8+	1136	0	6	28	9	1.34		.42	12	9.7	22	14	4	0	0
GARDEN VALLEY RS	46.0	23.4	34.7	5.7	56	24+	10	3	841	0	0	26	0	2.30	- .23	.87	12	6.0	9	20	5	1	0
GLENNS FERRY	54.5M	27.5M	41.0M	5.6	65	23	18	8+	665	0	0	20	0	.36	- .61	.12	12	.0	0		2	0	0
GOODING CAA AP	48.6	27.3	38.0	8.5	61	23	18	19	752	0	1	24	0	.29	- .73	.12	13	T	0		1	0	0
GRAND VIEW	54.1	27.7	40.9	5.6	67	17+	19	22+	667	0	0	19	0	.28	- .44	.15	14	.0			2	0	0
GRASMERE	52.8	23.6M	38.2M		66	24	0	1	741	0	0	26	0	.25		.21	14				1	0	0
HAILEY AP	40.2	15.0	27.6	4.0	50	23+	3	1+	1040	0	0	28	0	2.05	.07	1.06	12	6.7	21	1+	4	2	1
HAZELTON	50.0	26.4	38.2	6.9	62	23	18	8+	744	0	0	24	0	.30	- .94	.24	14	.6	T	18+	1	0	0
HILL CITY	36.0	12.0	24.0	4.4	42	13+	-15	8	1140	0	8	28	9	1.07	- .80	.38	12				4	0	0
HOLLISTER	51.1	25.8	38.5	7.4	66	23	16	19	737	0	0	24	0	.14	- .71	.07	18	1.0			0	0	0
IDAHO CITY	47.4	17.7	32.6	3.8	61	23	- 2	10	902	0	0	28	1	2.12	- .90	.76	12	4.0			6	1	0
JEROME	51.0	26.1	38.6	7.0	64	23	17	19	733	0	0	24	0	.47	- .54	.29	14				1	0	0
KUNA 2 NNE	50.4M	28.1M	39.3M	5.5	65	23	18	27	715	0	0	21	0	.19	- .81	.17	14	T	0		1	0	0
LOWMAN	44.5	19.2	31.9	3.6	54	25	5	9	923	0	0	26	0	3.10	.51	.84	12	12.1	24	20	6	3	0
MC CALL	37.0	15.0	26.0	3.9	46	23	3	8+	1089	0	5	28	0	4.19	1.07	1.02	13				8	4	2
MERIDIAN 1 W	49.9	28.8	39.4	4.8	62	23	20	27	711	0	0	20	0	.55	- .70	.33	14		0		1	0	0
MESA	44.4	27.5	36.0		58	24	20	11	803	0	3	25	0	2.00		.55	12				5	2	0
MOUNTAIN HOME	53.6	27.8	40.7	7.3	69	23	18	9	675	0	0	19	0	.16	- .95	.09	15	.0	0		0	0	0
NAMPA 2 NW	49.7	27.9	38.8		65	22	18	27		0	0	21	0	.33		.23	14	T	0		1	0	0
NEW MEADOWS RS	42.3	16.5	29.4	4.5	51	24	- 1	11	992	0	0	28	2	2.74	.24	1.08	12	8.6	23	1	8	2	1
OBSIDIAN 4 NNE	34.8	6.8	20.8	2.5	48	23	-14	1	1229	0	10	28	12	1.86	.21	.46	12	20.0			7	0	0
OLA 5 S	48.9	27.2	38.1		65	23	18	9	752	0	0	21	0	1.18		.36	13				5	0	0
PARMA EXP STA	51.4	27.7	39.6	4.9	65	24+	20	22+	706	0	0	20	0	.44	- .45	.17	12	.0	0		2	0	0
PAYETTE	48.4	29.4	38.9	5.9	62	24	21	27	727	0	0	18	0	.32	- .90	.16	12	.0	0		1	0	0
RICHFIELD	44.2	24.3	34.3	10.0	59	23	16	8	854	0	0	24	0	1.07	.06	.47	13	.0	1	1+	4	0	0
SHOSHONE	48.8	25.8	37.3	9.6	62	23	18	10+	771	0	0	25	0	.81	- .37	.27	14	.4	0		3	0	0
STIBNITE	41.0	12.0	26.5		53	9	0	11+		0	5	28	2	4.25		1.11	13	41.0	58	18+	10	3	1
SUN VALLEY	41.4	5.8	23.6	4.0	49	24	-10	19	1154	0	1	28	13	2.17	- .58	1.15	12	15.0	32	1	5	1	1
SWAN FALLS PH	54.4	32.1	43.3	5.3	65	20+	25	8+	602	0	0	16	0	.07	- .73	.07	14				0	0	0
THREE CREEK	51.7	21.8	36.8		63	23	9	19	784	0	0	25	0	.22	- .68	.11	18	3.5	2	1+	1	0	0
TWIN FALLS 2 NNE	52.4	27.2	39.8	7.6	64	23	17	9	699	0	0	21	0	.44	- .44	.28	14	T	0		2	0	0
TWIN FALLS 3 SE	50.7	27.7	39.2	6.7	64	24	18	9		0	0	22	0	.50	- .34	.30	14	.1	T	18	2	0	0
WEISER	49.3M	28.8M	39.1M	5.1	65	24	22	3+	722	0	0	21	0	.38	- 1.12	.18	11	T	0		2	0	0
DIVISION			35.4	5.7										1.21	- .65			5.2					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	46.1	24.4	35.3	9.4	57	23+	13	9	824	0	0	24	0	.38	- .30	.18	13				2	0	0
AMERICAN FALLS 1 NW	45.4	24.8	35.1	7.7	57	23+	12	9	828	0	0	24	0	.47	- .66	.25	13	3.0	2	18	2	0	0
ARCO	42.5	14.9	28.7	8.6	53	24	5	11	1007	0	0	28	0	.52	- .10	.25	14	6.0			3	0	0
ASHTON 1 S	38.8	18.3	28.6	6.9	46	21	2	19	1014	0	4	27	0	.69	- .83	.55	14	5.0	7	14	1	1	0
BLACKFOOT	46.9	24.0	35.5	9.8	57	24	14	9	820	0	0	25	0	.34	- .49	.15	13	1.0	0		2	0	0

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max Depth on Ground	Date	No. of Days: .10 or More ①	.50 or More	1.00 or More
BURLEY	51.4	27.0	39.2	8.1	66	24	18	8+		[illegible]	[illegible]	21	[illegible]	.30	.65	.14	14	T			2	0	0
BURLEY FACTORY	49.4	24.4	37.0	[illegible]	[illegible]	24	14	9		0	0	24	0	.19	- .40	.11	14				1	0	0
BURLEY CAA AP	50.8	25.3	38.0	6.8	62	23	15	9	749	0	0	25	0	.53	- .39	.32	13	T	T	17+	2	0	0
CHILLY BARTON FLAT	42.4	13.6	28.0	9.5	52	24	- 5	19	1128	[illegible]	1	28	1	.55	.34	.30	13	6.0			2	0	0
CONDA	39.1	14.2	26.8	5.3	49	25	- 3	9		0	4	27	2	.63	- .81	.44	14	8.0			2	0	0
DRIGGS	39.4	15.8	27.6	[illegible]	48	24	- 3	19			4	28	1	.43	- .84	.25	13				1	0	0
DUBOIS EXP STA	38.6	21.7	30.2	8.4	47	21	7	19	[illegible]	0	4	28	0	.57	- .70	.34	14	6.0	5	1+	2	0	0
DUBOIS CAA AP	41.3	20.0	30.7	4.2	44	6	1	19	955		1	27	0	.47	- .27	.28	14	5.4	5	14	2	0	0
FORT HALL IND AGENCY	46.3	23.4	34.9	7.5	53	21+	- 1	9	837	0	0	21	1	.35	.37	.21	13				2	0	0
GRACE	40.5	[illegible]	26.1	2.5	45	24	- 2	19	1161		8	28	4	.76	- .34	.44	14	8.5	1	14+	2	0	0
GRAY	42.1	9.4	25.8	3.5	45	5+	4	28	1092	0	0	28	0	.20	- 1.38	.20	16	4.0	22	16+	1	0	0
GROUSE	41.[illegible]	[illegible]	23.0		50	24	- 4	9	1171	0	1	28	1	.46	.04	.30	13	7.[illegible]			[illegible]	[illegible]	0
HAMER 4 NW	43.3	19.1	31.2	12.9	51	6	5	11	940	0		27	0	.49	.07	.45	14	4.0	4	14	1	0	0
IDAHO FALLS 6 NE	43.9	24.3	34.1		54	24	12	19	855	0	1	27	0	.43		.25	13	.6	1	18+	2	0	0
IDAHO FALLS CAA AP	44.1	24.3	34.2	10.7	53	6+	14	19	852	0	1	27	0	.42	- .55	.25	14	T	1	14	2	0	0
IRWIN 2 S	47.5	19.8	33.2	7.[illegible]	50	21+	- 1	19	969	0	2	26	1	.59	- .58	.34	13	3.5			2	0	0
ISLAND PARK DAM	36.1	9.1	22.6	5.8	44	3	-20	19	1191	0	7	28	9	3.40	.16	1.97	13	24.0	58	20	6	2	1
LIFTON PUMPING STA	35.4	14.1	25.[illegible]	4.5	48	21+	- [illegible]	10	1115	0	11	28	2	.27	- .42	.17	14	2.6	4	1+	1	0	0
MACKAY RS	41.6	16.3	29.0	7.8	50	6+	3	19	1003	0		28	0	.86	.09	.40	13	9.2	7	14	4	0	0
MALAD	38.7	20.7	29.7	2.5	55	24	9	7+	983	0	9	27	0	.69	- .53	.36	13	T	T	1+	2	0	0
MALAD CAA AP	39.1	18.4	28.8		57	24	2	9+	1006	0	10	28	0	.68		.48	13	T	5	1+	1	0	0
MAY RS	46.3	15.7	31.0	7.5	63	23	4	9	944	0	6	28	0	.22	- .10	.07	13+	.7	T	13	0	0	0
MC CAMMON	40.4	22.6	31.5		56	24	8	9	932	0	4	24	0	.61		.41	13	.1	5	1+	2	0	0
MINIDOKA DAM	45.4	28.5	37.0		60	24	19	19	778	0	0	18	0	.14		.08	18	T	0		0	0	0
MONTPELIER RS	36.1	10.9	23.5	1.8	49	21+	- 3	10		0	11	28	5	.77	- .55	.65	14	4.0	10	14+	1	1	0
OAKLEY	52.1	28.8	40.4	6.6	66	23	18	19	68[illegible]	0	0	21	0	.37	- .34	.21	14	.0	0		1	0	0
PALISADES DAM	39.4	17.8	28.6		51	24	1	19	1014	0	3	27	0	1.20		.45	13	9.1	13	1+	6	0	0
PAUL 1 E	49.1	25.4	37.3	5.9	63	24	18	8+		0	0	25	0	.32	- .77	.17	18	1.[illegible]	1	18	2	0	0
POCATELLO WB AP	45.5	24.9	35.2	6.7	[illegible]7	24	13	8+	828	0	0	23	0	.43	- .50	.24	13	1.6	1	18+	2	0	0
PRESTON SUG FACT 2SE	38.8	20.6	29.7	3.5	53	24+	5	2+	980	0	9	26	0	.69	- .73	.36	14	3.5	3	1+	3	0	0
REACTOR TESTING STA	41.7	18.0	29.9		49	23	7	9+	980	0	1	27	0	.87		.54	13	5.5	4	13+	2	1	0
RUPERT	46.5	26.8	36.7	6.9	56	24	17	9		0	0	24	0	.32	- .63	.13	14+	1.0	0		2	0	0
SAINT ANTHONY	41.8	21.1	31.5		51	24	7	19	933	0	1	27	0	.69	- .55	.57	14		2	14+	1	1	0
SPENCER RS	37.1	13.5	25.3	7.1	44	5+	- 6	19	1107	0	7	28	1	1.08	- .48	.37	14	12.0			4	0	0
SPRINGFIELD 1 SE	48.6	23.5	36.1	10.6	60	24	11	9	806	0	0	24	0	.10	- .72	.05	18	1.0	1	18	0	0	0
STREVELL	39.7	23.6	31.7		58	24	8	19	928	0	9	25	0	.49		.33	14	5.0	1	1+	2	0	0
TETONIA EXP STA	38.8	16.8	27.8		46	4+	0	10	1033	0	3	28	1	.31		.20	13				1	0	0
DIVISION			31.1	7.2										.59	- .44			4.1					
STATE			34.0	6.0										1.24	- .49			5.9					

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.38											.01		.18	.11		T		.07		.01											
AMERICAN FALLS 1 NW	.47											.01	T	.25	.03		T		.14		.04											
ANDERSON DAM	1.53												.53	.25	.17	.05	.04	T	.28		.20	.01										
ARCO	.52												.14	.13	.25			T														
ARROWROCK DAM	1.03												.19	.07	.17	.02			.21		.20	.14	.01				.02					
ASHTON 1 S	.69											T	.05		.55		T	.01	.02	T	.06											
ATLANTA 1 E	3.69											.01	1.01	.71	.32	T	T	.03	.53		.64	.10					.34	T				
AVERY RS	1.90												.72	T	.33	.01		T	.38	.04		.09					.33	T				
BAYVIEW MODEL BASIN	2.13	.08					.06	.03					.24	.32	.12	.12	.07	.21	.10	.20		.51		.07								
BIG CREEK 1 S	3.51											T	1.08	.63	.37	.05		.10	.44	T	[illegible]	.47					.17					
BLACKFOOT	.34											T		.15	.12				.07		T											
BLISS	.31												.11	.05	.15		T	T			T											
BOISE LUCKY PEAK DAM	.42												.06	[illegible]	.23				.02			.10					.01					
BOISE WB AP //R	.55								T	T	T	.05	.01	.15	.10		T	.12	T		.10	.01					.01					
BONNERS FERRY 1 SW	2.64	T									T		1.24	.21		T	.18	.12	T	.31	.02	.44			.10	.01			.01			
BUHL	.19											T		.15		T		.04														
BURKE 2 NNE	5.44										T		1.33	.42	.53	.24	.05	.11	.69	.38	.26	.89	.05		.10	T	.22	T	.17			
BURLEY	.30													.03	.11	T			.14		.02	T					T					
BURLEY FACTORY	.19												T	T	.08				.11		T						T					
BURLEY CAA AP	.53											T	T	.32	.03	T	T	.12	.01		.05						T					
CALDWELL	.53											.12		.34	T			.13			T	T										
CAMBRIDGE	1.54	.02											.60	.35	.14	.35			.20	.11	.27	.10										
CASCADE 1 NW	2.05											.02	.76	.33	.27	.02	.02		[illegible]	.01	.34	.06					.02					
CENTERVILLE ARBAUGH	2.52		T									.07	.73	.23	.25	[illegible]	T	.15	.35	T	.57	.15					[illegible]					
CHALLIS	.54												.05	.17	[illegible]				.20			.04					.05					
CHILLY BARTON FLAT	.55												T	.30	.05			T	[illegible]			T	T									
CLARK FORK 1 ENE	5.15												•	•	•	•	•	4.35			.20	.70			.12	.06			.05			
COBALT BLACKBIRD MINE	1.89	T											.09	.35	.17	.12	T		.35	T	.20	.08	.12				.47	.04	T			
COEUR D ALENE RS	1.61	T											.75	T			.19	.11	.13	[illegible]	T	.22			.01	T			T			
CONDA	.43											T	T	T	.44	T		T	.19		T	T										
COTTONWOOD	[illegible]												.14	.01	T			.19	.11	.02	.02	.23			.08							
COUNCIL	2.34											T	[illegible]	.04	.34	[illegible]			.39	[illegible]	.53	.04										
CROUCH 2 NNW	[illegible]											[illegible]	[illegible]	.32	.29	T	.02	.10	.45	.01	.72	.14										
DEADWOOD DAM	4.01											.04	1.83	.44	.24		.11	T	.47	.02	[illegible]	.15					.16					
DEER FLAT DAM	.36												.13	.23																		
DIXIE	2.33											.01	.28	.18	.16	.16		.01	.16	.20	.42	.22	T		.01	T	[illegible]	T	T			
DRIGGS	.43												.06	.25	.09				.03													
DUBOIS EXP STA	.57												.01	.18	.34		T		.02			.01					[illegible]					
DUBOIS CAA AP	.47												T	.16	.28		T	T	[illegible]			T					.01					
ELK RIVER 1 S	2.89												.63	.16	.22			.30	[illegible]	.47	.11	.80	T				[illegible]		T			

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3–Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	.87												.16	.10	.53			.08														
FAIRFIELD RS	1.34	T										T	.42	.35	.33	.04	.01	T	.15		.04	T					T					
FENN RS	2.21												.07		.20				.50	.18	.10	.40			.22		.25	.26	.03			
FORT HALL IND AGENCY	.35	T										.01		.21	.01	.02			.10													
GARDEN VALLEY RS	2.30											T	.87	.27	.26		T		.36		.48	.06										
GLENNS FERRY	.36												.12	.05	.10		.02	*	.07													
GOODING CAA AP	.29	.01										.06	T	.12	.09		T	.01	T		T						T					
GRACE	.76											.01		.24	.44	.01			.03		.03											
GRAND VIEW	.28												.10	.03	.15																	
GRANGEVILLE	.79											T	.05		.04			.38		T	T	.10			.12		.10					
GRASMERE	.25													T	.21			.04														
GRAY	.20																.20															
GROUSE	.96												.23	.30	.28			*	.13			.02										
HAILEY AP	2.05												1.06	.52	.28				.17			.02										
HAMER 4 NW	.49													.02	.45		T					T	.02									
HAZELTON	.30											.01	.01	T	.24				.04		T											
HILL CITY	1.07											T	.38	.25	.18		T		.20		.06	T					T					
HOLLISTER	.14											.03							.07								.04					
HOWE	.54												.01	.25	.28		T															
IDAHO CITY	2.12											.02	.76	.23	.23				.34		.44	.10										
IDAHO CITY 13 SW	2.01											.02	.60	.02	.39		.06	.02	.36		.51	.03										
IDAHO FALLS 6 NE	.43											.01	T	.25	T		.04		.13													
IDAHO FALLS CAA AP	.42	T										T	T	.14	.25		T	T	.03		T						T					
IRWIN 2 S	.59													.34					.16	T	.03	T					.06					
ISLAND PARK DAM	3.40												.18	1.97	.52		.07		.34		.20	.12										
JEROME	.47	T										.01	.05	.06	.29		T		.06													
KAMIAH 1 NE	.75										T	.02	.01		T	T			.29	T		.43			T							
KELLOGG	2.41	.02											.78	.49	.11		.01		.32	.01	.10	.40	.14		T		.03					
KOOSKIA	.99												T			.06			.61			.32										
KUNA 2 NNE	.19											T	T	T	.17			.02			T	T										
LEWISTON WATER PLANT	.35												.10					.08				.16					.01					
LEWISTON WB AP //R	.27				T					T		.01	T		T			.10		T	.06	.09					.01					
LIFTON PUMPING STA	.27											T		.05	.17	.01	T		.02		T	.01					T	.01				
LOWMAN	3.10											T	.84	.44	.22				.72		.66	.22										
MACKAY RS	.86												.20	.40	.13				.12			.01										
MALAD	.69													.36	.25				.08		T											
MALAD CAA AP	.68			T					T	.02	T	T	T	.48	.09				.09		T											
MAY RS	.22													.07	T			T	.04		.04	.07					T					
MC CALL	4.19											.04	1.00	1.02	.95	.05	.13		.50	.10	.30	.10										
MC CAMMON	.61												T	.41	.11	T			.09		T						T					
MERIDIAN 1 W	.55												.09	.03	.33			.07			.03	T										
MESA	2.00												.55	.06	.51	T			.30	.25	.28	.05					T					
MINIDOKA DAM	.14											T			.06				.08		T											
MONTPELIER RS	.77												T		.65		T	T	.06			.04					.02	T				
MOSCOW U OF I	.86										T		.26	.05				.15	.02	.05		.33										
MOUNTAIN HOME	.16												.05	T		.09		T	.02													
MULLAN PASS CAA	5.12										T	.17	1.08	.32	.31	.13	.08	.28	.22	1.24	.28	.59	.02		.03	.17	.08	.05	.07			
NAMPA 2 NW	.33												.07	.03	.23			T	T	T	T											
NEW MEADOWS RS	2.74											.02	1.08	.11	.30		.11	.05	.60	.14	.17	.16										
NEZPERCE 2 E	.76	T											T	.10	T			.28	.06	T		.21			T	T	.11		T			
OAKLEY	.37													.06	.21				.06								.04					
OBSIDIAN 4 NNE	1.86												.46	.40	.21	T		.11	.30		.18	.07	T				.13					
OLA 5 S	1.18												.32	.36	.18				.16		.15	.01	T									
OROFINO	.84														.18			.20		.01		.45							T			
PALISADES DAM	1.20											.10	.18	.45	.10	T	.02		.15	.02	.11						.07		T			
PARMA EXP STA	.44												.17	.08	.12			.07														
PAUL 1 E	.32											T			.15				.17													
PAYETTE	.32											T	.16	.04	.04			.08														
PIERCE RS	3.20												.55	.20	.21			.06	.73	.30	.22	.56			.02		.30	.04	.01			
POCATELLO WB AP //R	.43											.02	T	.24	.01		T	.03	.13		T											
PORTHILL	2.32							T					.81	.30	T	T	.30	T	T	T	.25	.35	T	.15	.16							
POTLATCH 1 SE	.95												.27	T	.03			.21	T	.06		.38										
PRESTON SUG FACT 2 SE	.69													.19	.36				.14													
PRIEST RIVER EXP STA	3.29		T		T								1.17	.02		.01	.52	.15	.01	.64	.08	.59			.07				.03			
REACTOR TESTING STA	.87											T	.05	.54	.26		T	T	.02								T					
RICHFIELD	1.07												.12	.47	.27				.21			T										
RIGGINS RS	1.05												.34	.05	.04	.09		.05	.19		.06	.18					.05		T			
RUPERT	.32												T	.02	.13	T			.13	T	T	.04					T					
SAINT ANTHONY	.69													.07	.57		.03		.02		T											
SAINT MARIES	2.51												1.07	.15	T			.12		.34		.74					.09		T			
SALMON	.42													.10	.02			.06	.02		.02	.05					.15					
SANDPOINT EXP STA	3.13												.96	.05		.02	.45	.21	.03	.45	.10	.70			.12	T	T		.04			
SHOSHONE	.81											T	.09	.18	.27	.02	.01		.23		.01											
SPENCER RS	1.08											T	.10	.36	.37		.01	.02	.20			.01					.01					
SPRINGFIELD 1 SE	.10											.02		.03					.05													
STIBNITE	4.25	T											.73	1.11	.23	.21	.04		.75	.10	.46	.18	.27				.17	T				
STREVELL	.49											T		T	.33				.16		T											
SUN VALLEY	2.17												1.15	.40	.26		T	.10	.20		.06	T					T					
SWAN FALLS PH	.07														.07																	
TETONIA EXP STA	.31												.07	.20					.02								.02					
THREE CREEK	.22														.04	T			.11								.07					
TWIN FALLS 2 NNE	.44											.01	.01		.28		T		.14		T						T					
TWIN FALLS 3 SE	.50												.01		.30			T	.18		.01						T					
WALLACE	5.19										T		1.98	.14	.43	.09	.03	.28	.17	.63	.17	.86	.08		.11	.01	.17	T	.04			
WALLACE WOODLAND PARK	4.29	.06											1.11	1.03	.22	.22			.32	.17	.31	.35	.32		T	.05	.13		T			
WEISER	.38											.18	.02		.04	.14				T	T											
WINCHESTER 1 SE	1.06					.05							.05		.03			.04	.35	.16		.34					.04					

DAILY TEMPERATURES

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	40	42	43	43	41	48	44	43	44	47	42	48	50	44	43	42	51	47	38	38	52	47	57	57	53	50	46	52				46.1
	MIN	28	22	21	19	19	18	19	16	13	17	20	33	35	33	29	27	30	27	15	27	30	24	26	26	32	30	19	23				24.4
AMERICAN FALLS 1 NW	MAX	39	40	39	39	40	42	44	42	42	49	41	47	48	45	42	42	50	48	38	38	54	52	57	57	53	50	40	52				45.4
	MIN	28	21	20	16	17	17	20	13	12	18	24	36	33	32	28	31	30	25	15	27	34	23	27	29	32	33	19	27				24.8
ANDERSON DAM	MAX	37	38	37	37	37	43	39	37	36	45	38	40	49	44	40	38	49	43	35	41	50	45	46	54	50	50	40	52				42.5
	MIN	30	20	20	20	20	24	20	17	17	19	24	33	36	33	26	30	33	29	16	[illegible]	33	22	27	28	29	33	27	24				25.7
ARCO	MAX	38	34	41	47	45	50	48	45	42	37	38	40	41	41	37	36	42	40	41	43	45	46	49	53	50	45	37	40				42.5
	MIN	9	8	6	9	10	9	9	6	6	6	5	32	32	18	6	9	27	15	10	15	14	21	21	21	27	30	15	20				14.9
ARROWROCK DAM	MAX	41	39	37	35	43	41	47	45	44	44	39	40	48	48	47	42	43	51	36	38	40	51	50	57	54	54	39	41				44.1
	MIN	32	27	24	24	24	25	25	22	21	21	24	29	35	34	29	29	35	32	22	24	33	26	27	29	31	35	28	27				27.6
ASHTON 1 S	MAX	39	41	39	40	40	41	42	39	39	36	31	40	43	39	41	40	44	40	29	32	46	36	37	40	39	41	32	40				38.8
	MIN	25	12	14	16	14	12	14	12	8	13	9	27	33	32	25	21	19	22	2	23	21	18	22	20	21	25	8	24				18.3
ATLANTA 1 E	MAX	48	49	52	52	52	51	52	54	53	46	37	37	45	44	35	36	42	38	40	35	39	44	55	50	52	42	38	43				45.0
	MIN	17	19	22	21	21	23	24	19	19	17	14	31	29	27	21	23	29	21	5	25	27	9	24	25	26	22	14	12				20.9
AVERY RS	MAX	47	47	47	46	48	48	49	49	50	46	38	50	45	42	42	55	50	40	40				58	52	52	46	40	42				46.8
	MIN	33	26	22	22	29	24	26	22	21	26	14	29	33	32	32	30	29	31	29				30	34	29	30	27	26				27.4
BAYVIEW MODEL BASIN	MAX	42	36	35	34	35	44	40	33	35	32	31	37	47	46	42	45	49	41	42	45	47	45	54	49	47	43	42	47				41.6
	MIN	28	29	27	29	30	30	22	20	22	23	2	26	33	33	32	33	31	30	31	30	35	31	36	33	28	30	27	27				28.1
BIG CREEK 1S	MAX	40	40	44	45	45	43	43	45	47	41	27	37	39	34	35	36	44	39	31	37	39	46	55	42	43	40	40	44				40.8
	MIN	7	6	- 3	- 4	- 1	- 2	- 9	-10	-10	6	- 5	23	30	23	15	25	31	16	5	26	25	- 1	31	17	19	20	15	15				11.1
BLACKFOOT	MAX	45	45	45	45	46	52	48	47	43	46	40	50	50	44	42	43	50	47	38	39	56	46	56	57	50	48	42	52				46.9
	MIN	28	20	19	18	19	20	18	16	14	15	21	33	32	32	28	30	30	26	15	25	22	26	29	25	33	33	19	25				24.0
BLISS	MAX	46	47	51	52	51	57	53	52	52	43	47	50	54	53	49	47	63	56	47	52	62	54	65	61	60	50	45	59				52.8
	MIN	38	28	25	21	22	26	24	20	21	21	23	37	38	34	29	31	39	31	19	31	31	22	26	25	31	36	24	21				27.6
BOISE LUCKY PEAK DAM	MAX		50	51	50	46			50	44	38	44	51	54			51	58	55	41		59		64	63	58	55		58				52.0
	MIN		29	28	28	28			26	25	23	25	38			29	38	43	32	26			28	34	34	34	36	25					30.5
BOISE WB AP	MAX	44	47	47	45	39	43	44	44	37	31	48	55	53	49	46	49	58	41	44	50	58	51	63	57	56	53	43	58				48.3
	MIN	31	27	27	25	24	25	23	20	24	25	25	47	36	35	28	38	38	27	27	37	31	27	30	33	32	27	23	29				29.3
BONNERS FERRY 1 SW	MAX	41	36	35	33	34	34	32	29	28	34	29	30	46	45	40	42	44	42	39	47	47	45	43	53	46	45	41	47				39.5
	MIN	27	26	30	27	25	26	24	21	20	26	3	8	17	35	34	33	30	34	31	38	33	36	34	36	33	25	27	33				27.6
BUHL	MAX	47	49	51	52	51	55	55	52	48	45	46	57	56	49	47	46	60	55	46	51	60	54	64	62	60	56	44	60				52.8
	MIN	36	24	29	24	25	27	25	27	20	21	25	36	41	33	31	32	37	31	22	31	31	29	34	35	36	34	25	27				29.6
BURKE 2 NNE	MAX	40	42	42	44	41	42	42	47	45	38	35	40	37	36	33	43	39	38	32	36	36	35	39	41	38	36	32	34				38.7
	MIN	28	24	23	24	30	26	27	23	25	21	7	30	33	29	25	27	25	24	23	30	30	29	26	31	26	26	19	26				25.6
BURLEY	MAX	46	48	52	53	50	50	54	53	53	55	52	50	52	52	48	48	47	56	37	48	50	59	54	66	61	59	43	43				51.4
	MIN	30	25	22	22	22	21	21	18	18	18	25	30	43	33	33	31	35	30	21	23	34	29	27	27	36	34	23	24				27.0
BURLEY FACTORY	MAX	41	45	50	49	48	48	51	50	50	51	50	49	51	50	45	45	43	56	35	45	49	60	60	63	58	58	42	40				49.4
	MIN	24	25	19	19	18	18	19	15	14	18	20	29	40	34	30	30	32	28	18	20	31	22	23	26	34	34	22	21				24.4
BURLEY CAA AP	MAX	47	50	49	49	49	54	51	50	52	50	47	53	51	46	46	45	56	35	45	48	59	51	62	60	60	53	42	58				50.6
	MIN	30	23	19	19	18	21	18	16	15	19	24	44	37	30	30	30	30	25	20	32	31	25	23	28	35	24	22	21				25.3
CALDWELL	MAX	49	49	47	45	42	45	41	37	38	37	41	58	59	51	49	50	60	49	46	54	64	55	61	62	59	58	50	64				50.7
	MIN	39	39	23	23	23	24	24	25	28	28	29	35	38	33	28	37	42	33	25	39	39	21	24	25	29	35	20	24				29.7
CAMBRIDGE	MAX	40	49	46	49	45	42	44	47	42	30	33	45	54	47	44	49	47	50	40	48	50	50	60	62	60	50	46	50				46.8
	MIN	33	33	24	24	24	28	24	23	21	26	24	31	36	35	25	32	36	33	28	31	33	24	27	28	31	33	28	26				28.6
CASCADE 1 NW	MAX	33	30	27	34	30	34	33	28	33	33	34	38	43	37	35	36	43	40	29	36	34	35	44	45	45	42	33	44				36.0
	MIN	20	15	7	6	6	9	4	1	0	11	4	32	31	29	23	27	31	22	12	25	29	12	14	15	23	24	11	18				16.5
CHALLIS	MAX	40	37	43	44	45	47	45	45	45	53	40	45	46	43	39	44	48	40	36	42	54	46	61	60	56	47	39	52				45.8
	MIN	17	14	12	13	16	15	14	10	10	13	13	31	32	22	25	23	32	25	12	28	31	20	35	26	26	24	21	23				20.8
CHILLY BARTON FLAT	MAX	44	40	46	50	50	47	47	50	42	45	40	40	40	38	37	35	37	34	26	38	45	40	52	51	49	43	33	47				42.4
	MIN	7	2	4	6	8	10	5	1	1	3	1	28	31	21	5	20	25	21	- 5	15	19	17	32	20	25	24	18	18				13.6
CLARK FORK 1 ENE	MAX																		35	34	50	44	47	47	54	46	48	45	50				
	MIN																		30	30	35	33	35	34	35	28	30	27	31				
COBALT BLACKBIRD MINE	MAX	35	29	31	32	33	44	34	32	35	42	35	35	34	32	31	28	32	32	25	28	35	39	37	46	44	44	32	28				34.4
	MIN	6	7	7	12	12	15	12	11	11	12	2	7	27	19	15	13	18	18	1	7	22	9	9	21	19	16	8	12				12.4
COEUR D ALENE RS	MAX	38	35	33	34	38	41	45	42	36	33	32	37	48	45	41	49	49	41	40	44	45	45	56	53	50	46	40	48				42.3
	MIN	32	29	26	25	32	26	24	24	22	23	10	26	34	35	33	34	32	32	31	39	35	30	31	36	31	31	26	34				29.4
CONDA	MAX	40	32	31	32	34	34	37	37	39	33	43	43	44	37	36	44	37	44	45	39	36	46	41	46	49	48	38	34				39.3
	MIN	13	3	1	2	5	6	4	2	- 3	- 1	7	30	33	29	19	24	25	24	2	2	23	15	18	19	26	30	4	7				13.2
COTTONWOOD	MAX	47	42	47	47	46	50	52	49	49	38	41	52	49	41	38	45	52	38	37	42	47	44	57	48	50	42	40	46				45.6
	MIN	27	24	26	22	28	25	31	29	30	20	12	34	35	30	23	28	30	25	25	32	31	28	33	31	30	26	26	29				27.5
COUNCIL	MAX	38	46	47	49	44	48	44	48	45	32	33	45	49	47	44	45	46	48	37	37	47	49	58	60	57	47	43	55				46.0
	MIN	26	33	20	20	26	20	26	20	20	26	19	30	37	32	29	33	35	30	27	31	34	24	26	27	30	29	24	28				27.2
DEADWOOD DAM	MAX	45	44	49	51	46	54	49	50	48	43	37	36	40	37	35	36	40	36	27	35	40	40	52	48	42	39	40	45				42.3
	MIN	15	7	6	4	7	5	0	- 4	- 4	4	0	22	30	26	18	22	27	20	- 2	24	28	- 3	12	15	19	19	10	8				12.0
DEER FLAT DAM	MAX	47	50	47	45	41	39	38	35	40	35	48	63	67	51	49	51	62	52	48	52	65	53	60	63	60	47	48	64				50.7
	MIN	37	31	25	24	23	23	23	21	28	27	28	39	39	33	29	30	39	33	26	37	37	24	25	27	31	34	26	25				29.4
DIXIE	MAX	45	46	51	52	45	53	54	53	50	39	35	36	40	36	36	35	45	39	29	35	36	42	51	44	41	37	33	44				42.2
	MIN	21	- 3	- 2	- 1	1	0	0	5	- 5	- 1	-10	30	31	20	13	19	29	18	4	25	26	- 5	29	12	11	16	5	10				10.3
DRIGGS	MAX	42	37	36	41	41	39	44	43	43	37	38	44	38	37	39	37	39	45	34	32	35	46	40	48	46	39	30	31				39.3
	MIN	21	9	9	10	13	9	10	7	1	8	19	32	32	20	24	20	29	26	- 3	4	11	16	24	29	24	22	3	14				15.8
DUBOIS EXP STA	MAX	37	35	43	45	41	45	45	44	42	35	34	40	42	37	32	33	38	37	28	32	47	37	39	42	42	36	34	38				38.6
	MIN	21	19	20	20	22	22	20	18	18	15	17	29	32	28	16	22	29	27	7	24	28	20	27	25	23	25	12	21				21.7
DUBOIS CAA AP	MAX	36	39	45	46	42	49	48	46	44	33	36	47	48	39	34	36	44	37	31	34	48	42	45	47	42	36	38	43				41.3
	MIN	21	20	16	16	18	20	20	17	15	15	17	33	31	16	14	20	30	13	9	25	26	18	29	25	25	17	13	22				20.0
ELK RIVER 1 S	MAX	40	46	48	46	41	49	54	54	49	43	37	41	47	47	41	50	48	36	34	44	43	45	52	50	47	45	42	41				45.0
	MIN	29	17	15	15	26	17	16	15	16	21	10	32	31	32	28	28	28	30	26	32	32	30	28	29	29	30	26	29				24.9
EMMETT 2 E	MAX	47	49	48	42	40	37	35	39	35	34	40	58	58	52	46	52	59	45	52	52	51	60	60	60	58	55	46	60				48.9
	MIN	39	32	27	27	22	24	25	27	26	28	29	35	38	36	30	39	42	35	37	36	34	28	29	30	32	34	21	32				31.2
FAIRFIELD RS	MAX	35	33	33	29	33	34	31	27	27	35	34	42	41	35	37	37	41	43	30	37	46	37	46	44	43	40	32	40				36.5
	MIN	18	- 3	- 4	- 2	- 5	1	- 7	-10	-10	- 1	5	28	32	23	10	18	29	22	0	21	24	14	19	13	28	25	13	27				11.7
FENN RS	MAX	46	41	42	44	45	46	47	46	44	42	40	57	56	45	45	57	57	46	39	52	48	51	57	47	45	46	41	52				47.3
	MIN	31	25	25	22	26	23	24	22	22	24	19	31	30	32	28	29	28	33	31	35	37	32	35	34	34	33	31	30				28.8
FORT HALL IND AGENCY	MAX	43	45	43	45	41	51	45	39	41	49	42	50	50	44	43	45	51	48	39	38	53	51	51	52	51	53	40	53				46.3
	MIN	30	18	17	15	16	16	16	11	- 1	12	18	34	34	33	28	32	34	26	14	28	36	27	26	24	33	34	19	25				23.4
GARDEN VALLEY RS	MAX	45	39	46	49	41	50	50	48	47	46	40	39	48	43	41	49	44	44	35	36	47	49	54	56	48	51	46	56				46.0
	MIN	29	22	10	15	15	18	15	13	11	18	19	28	34	32	27	31	33	31	22	30	32	22	22	23	27	31	23	23				23.4
GLENNS FERRY	MAX	46	52	55	55	45	56	59	53	51	45	53	54	58	54	50	48	62						65	63	64	54	49	63				54.5
	MIN	40	23	21	20	21	21	21	18	18	21	26	40	41	36	28	32	43						23	24	31	40	26	19				27.5
GOODING CAA AP	MAX	41	45	48	49	46	54	50	48	48	30	45	49	52	49	45	45	59	38	43	48	58	50	61	58	57	48	42	55				48.6
	MIN	29	26	26	24	24	27	28	22	24	22	23	37	38	34	29	32	43	24	18	30	31	26	27	29	32	25	22	22				27.3
GRACE	MAX	38	34	30	30	31	37	31	33	28	30	35	44	43	40	41	35	44	40	27	29	42	40	40	45	42	44	34	35				36.5
	MIN	10	6	5	4	4	6	4	0	- 1	4	22	31	32	30	21	22	22	18	- 2	19	27	19	25	29	28	23	13	18				15.7
GRAND VIEW	MAX	47	48	51	50	44	46	45	43	42	42	44	59	60	54	53	52	67	60	50	56	67	62	64	65	65	63	50	66				54.1
	MIN	35	24	21	21	21	24	20	24	24	24	23	40	42	33	26	36	42	38	22	37	32	19	22	22	27	37	19	21				27.7
GRANGEVILLE	MAX	42	44	46	47	44	53	53	52	48	46	43	53	51	43	41	50	56	36	42	44	53	48	61	51	51	47	43	50				47.8
	MIN	27	25	25	26	26	26	30	28	25	18	16	39	39	33	29	32	31	29	30	36	34	30	31	32	31	27	28	27				28.9
GRASMERE	MAX	43	54	56	52	52	50	59	57	57	57	52	55	49	41	47	46	52	51	42	51	55	53	63	66	57	53	54	53				52.8
	MIN					20	21	20	17	17	23	30	29	35	24	20	20	20	10	17	34	32	30	15	25	31	25	27	25				23.6
GRAY	MAX	40	42	43	42	45	42	43	45	42	42	42	39	40	41	42	45	42	42	45	44	42	40	42	43	44	45	40	35				42.1
	MIN	5	6	6	8	10	8	9	10	8	9	10	8	7	9	9	10	8	10	15	13	12	10	12	14	15	10	8	4				9.4
GROUSE	MAX	40	40	41	42	44	43	41	45	40	40	41	40	38	42	36	36	40	32	35	44	43	41	47	50	48	39	30	43				41.0
	MIN	- 4	- 7	- 4	- 2	- 2	- 2	- 7	- 8	- 9	- 5	- 6	27	30	15	- 6	13	16	15	- 7	2	13	3	15	8	16	25	4	7				5.0
HAILEY AP	MAX	36	38	38	40	37	40	37	37	42	35	34	40	43	39	40	40	40	41	33	41	45	40	50	46	50	42	35	47				40.2
	MIN	3	7	4	10	11	20	9	3	5	6	14	29	32	22	10	22	29	21	6	21	24	10	21	25	20	22	3	12				15.0
HAMER 4 NW	MAX	39	39	45	46	42	51	48	47	42	38	36	46	47	40	37	39	46	42	34	35	50	47	49	49	47	42	39	50				43.3
	MIN	18	28	14	12	13	11	11	7	6	9	5	32	33	29	7	24	27	28	24	26	21	22	27	19	21	31	11	18				19.1
HAZELTON	MAX	44	47	50	47	48	51	48	48	50	47	45	50	50	49	47	42	56	51	44	48	58	[illegible]	62	60	58	55	40	55				50.0
	MIN	32	27	25	23	22	24	21	18	18	20	22	35	38	32	29	29	36	28	18	27	30	27	27	25	35	27	22	21				26.4

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HILL CITY	MAX	35	34	32	30	24	35	31	29	31	37	36	41	42	40	37	33	37	38	30	36	42	38	42	42	42	40	31	42				36.
	MIN	12	- 1	0	- 3	- 4	0	-10	-15	-10	2	8	25	32	27	16	20	25	23	0	25	21	17	25	12	30	25	12	17				12.
HOLLISTER	MAX	44	48	50	49	52	51	51	50	53	51	47	54	52	48	42	47	56	53	46	43	55	52	66	62	60	50	41	57				51.
	MIN	26	17	21	18	20	20	22	18	21	23	28	36	37	34	29	32	37	28	16	31	23	28	26	31	31	28	18	21				25.
IDAHO CITY	MAX	47	45	49	51	48	54	52	49	49	49	47	39	50	45	40	45	47	47	36	37	44	52	61	55	52	47	44	53				47.
	MIN	18	[illegible]	4	8	4	10	7	5	5	- 2	13	31	31	30	19	27	30	28	10	29	30	10	16	18	21	29	19	17				17.
IDAHO FALLS 46 W	MAX	43	43	42	46	42	51	47	44	44	42	38	40	44	41	39	42	48	45	31	36	52	46	52	54	47	48	39	49				43.
	MIN	14	21	9	14	20	11	10	10	15	18	17	33	32	32	29	30	32	28	12	26	30	25	32	25	31	30	13	25				24.
IDAHO FALLS CAA AP	MAX	39	42	44	46	43	53	51	47	41	41	40	48	44	40	39	40	49	43	31	36	51	43	52	53	48	45	38	49				44.
	MIN	27	20	11	19	21	22	19	18	17	18	20	37	31	29	28	31	31	18	16	27	30	26	31	26	32	21	19	26				24.
IRWIN 2 S	MAX	42	37	38	33	36	43	38	37	38	43	35	42	41	42	38	38	47	42	31	31	50	43	48	50	50	43	36	43				40.
	MIN	22	15	13	12	14	14	12	11	10	10	18	33	33	32	27	22	30	27	- 1	21	30	19	27	23	27	25	12	16				19.
ISLAND PARK DAM	MAX	35	38	44	42	41	40	42	39	42	34	28	33	35	35	28	32	42	34	26	26	41	37	40	42	40	33	30	28				36.
	MIN	27	13	4	0	5	- 2	1	- 5	- 7	- 1	- 1	23	30	26	20	15	25	24	-20	16	24	8	16	3	11	19	-14	0				9.
JEROME	MAX	45	48	49	50	50	[illegible]	52	51	50	46	48	54	50	48	46	44	59	56	45	49	45	51	64	62	58	54	43	56				51.
	MIN	31	[illegible]	24	23	22	21	24	21	20	19	19	35	37	32	29	28	39	28	17	30	31	25	24	25	33	29	20	21				26.
KELLOGG	MAX	[illegible]	35	34	36	40	43	44	48	45	35	34	40	52	48	42	44	53	53	40	45	47	45	50	55	54	48	43	45				44.
	MIN	32	25	23	23	24	23	20	19	23	25	11	14	30	35	34	36	36	33	31	28	35	36	33	35	34	31	27	32				28
KOOSKIA	MAX	47	45	43	45	46	45	58	57	57	47	37	62	62	62	49	61	63	60	43	55	54	54	64	56	53	57	51	53				53.
	MIN	23	30	27	26	28	27	25	21	21	24	18	32	30	34	31	29	29	34	31	38	37	26	31	35	30	32	34	30				29.
LAVA HOT SPRINGS	MAX	45		50	45	40		44	40	38	34	50	54	55	52	46	50	60		45	53	64	52	65	59	58	55	45	61				50
	MIN	38		22	22	20		20	21	25	25	27	38	38	32	26	36	41		27	39	38	20	22	25	27	32	18	23				28
LEWISTON WATER PLANT	MAX	52	49	48	45	43	46	45	50	42	39	36	54	59	55	51	62	61	48	49	56	58	53	61	57	60	56	54	53				51
	MIN	38	30	31	33	35	35	32	31	31	31	23	33	39	38	34	38	39	38	35	45	43	33	34	38	36	40	30	34				34
LEWISTON WB AP	MAX	[illegible]	48	43	46	49	43	48	46	36	32	35	60	60	53	48	59	62	44	46	53	53	50	61	55	58	49	50	54				49.
	MIN	35	30	30	31	31	30	30	30	24	24	20	33	39	37	36	35	40	34	36	42	38	32	34	38	34	35	30	37				33
LIFTON PUMPING STA	MAX	28	26	26	25	25	28	26	25	27	44	40	45	45	38	37	44	40	40	32	36	48	[illegible]	40	48	47	44	31	40				35
	MIN	18	18	14	11	11	11	12	13	9	- 2	10	24	32	30	12	12	12	11	0	11	16	16	14	13	22	22	13	11				14.
LOWMAN	MAX	42	40	44	45	44	47	45	48	46	48	38	35	47	45	42	42	47	42	34	38	46	45	52	48	54	47	44	52				44
	MIN	25	12	10	10	10	14	10	5	5	10	12	28	33	32	22	28	32	28	10	28	34	12	18	18	22	30	20	18				19
MACKAY RS	MAX	39	38	43	48	48	50	45	42	39	37	36	36	43	41	36	38	38	35	33	38	49	43	50	50	47	45	34	45				41
	MIN	1	6	8	12	18	20	14	6	9	5	5	25	32	24	8	15	22	21	3	17	20	25	24	21	27	19	18	18				16
MALAD	MAX	47	28	29	25	25	22	23	22	27	33	31	41	45	40	45	43	51	42	37	40	53	48	51	55	51	45	40	46				38
	MIN	24	12	19	16	14	16	9	10	11	9	15	27	33	32	27	28	29	28	12	25	27	22	22	24	26	30	19	19				20
MALAD CAA AP	MAX	46	28	28	26	28	22	25	19	23	32	32	42	44	45	44	44	54	43	38	40	53	47	53	57	52	45	38	48				39
	MIN	13	6	20	16	15	9	10	11	2	2	8	26	32	24	23	25	26	22	11	25	26	22	22	24	27	27	21	19				18
MAY RS	MAX	38	37	42	43	42	46	45	44	47	50	45	51	47	47	42	43	49	45	42	46	55	47	63	57	52	42	40	50				46
	MIN	12	8	8	6	9	9	8	5	4	5	8	31	29	22	23	20	27	22	8	20	24	12	31	19	20	22	12	16				15
MC CALL	MAX	36	36	38	40	38	42	42	38	38	37	34	36	40	33	32	34	38	30	26	32	38	38	46	44	40	38	32	40				37
	MIN	16	16	8	10	6	10	4	3	3	6	3	32	30	28	20	24	26	22	8	18	30	6	14	16	20	18	8	16				15
MC CAMMON	MAX	43	42	42	32	30	35	40	36	28	30	33	40	46	43	42	44	46	37	34	33	42	47	48	56	51	49	38	44				40
	MIN	30	27	14	10	10	11	12	11	8	11	10	33	33	32	22	22	31	27	9	23	30	25	29	31	33	37	31	30				22
MERIDIAN 1 W	MAX	46	47	48	44	44	42	42	41	38	37	45	54	55	52	47	50	59	53	45	52	61	52	62	61	58	56	45	61				49
	MIN	37	27	24	23	22	24	23	22	28	26	27	37	37	32	27	36	41	32	25	39	38	21	25	26	29	35	20	23				28
MELBA	MAX	42	45	46	45	43	43	46	44	31	29	30	50	50	47	40	45	51	41	35	39	46	48	57	58	49	48	43	53				44
	MIN	24	32	24	24	26	29	23	23	22	24	20	29	36	32	25	34	36	31	26	30	32	25	29	29	32	29	22	23				27
MINIDOKA DAM	MAX	40	41	41	40	40	42	44	40	41	47	42	44	49	44	43	43	50	36	41	44	56	55	59	60	53	40	40	57				45
	MIN	32	26	26	22	24	24	23	21	21	21	25	35	40	34	31	33	36	29	19	36	35	27	27	33	36	37	21	25				28
MONTPELIER RS	MAX	35	28	29	31	31	31	35	30	30	29	40	38	45	37	41	39	37	41	29	32	37	49	38	42	49	43	43	30				36
	MIN	13	11	8	- 1	0	2	- 1	2	1	- 3	4	22	30	28	12	15	13	18	0	6	20	14	15	15	19	22	10	11				10
MOSCOW U OF I	MAX	46	43	48	50	44	51	55	52	48	31	38	54	51	46	42	52	51	42	39	46	46	46	60	57	51	46	44	45				47
	MIN	32	30	26	27	29	29	28	26	25	20	20	33	37	37	31	35	38	33	32	34	29	29	36	38	44	31	26	35				31
MOUNTAIN HOME	MAX	48	52	54	53	47	57	57	56	50	44	52	54	56	55	48	50	58	53	45	48	50	55	69	67	61	55	51	55				53
	MIN	37	25	24	23	20	23	20	20	18	22	21	40	39	33	25	34	36	31	19	36	33	23	24	26	28	36	32	29				27
MULLAN PASS CAA	MAX	38	41	43	44	46	48	49	42	37	23	27	33	33	28	24	33	35	25	28	29	31	28	40	35	28	22	23	25				33
	MIN	27	32	31	34	35	34	39	35	22	11	9	24	26	18	17	21	23	15	16	25	23	21	24	24	22	16	14	14				23
NAMPA 2 NW	MAX	48	47	50	50	45	41	46	41	35	40	35	49	59	56	50	48	50	62	43	47	54	65	55	61	61	58	47	48				49
	MIN	39	29	23	23	21	22	21	24	26	26	26	34	37	32	28	35	40	31	24	30	39	20	24	24	28	33	18	24				27
NEW MEADOWS RS	MAX	35	42	37	42	39	43	43	40	40	42	35	41	47	42	38	47	44	44	35	43	42	43	49	51	43	45	42	50				42
	MIN	26	24	10	8	7	10	4	0	3	5	- 1	21	29	31	20	28	28	24	15	27	32	7	14	14	19	27	11	18				16
NEZPERCE 2 E	MAX	44	45	45	46	43	49	54	50	48	38	35	51	51	44	41	48	54	35	36	45	50	45	59	46	49	42	42	45				45
	MIN	37	27	26	26	29	27	31	29	28	22	17	34	36	33	30	31	35	30	29	35	34	28	33	34	31	28	29	32				29
OAKLEY	MAX	52	50	55	51	53	55	54	52	53	52	50	54	48	47	46	48	54	46	45	50	53	56	66	60	59	52	41	56				52
	MIN	32	28	24	23	28	29	28	23	24	27	28	38	38	34	29	34	37	28	18	31	22	33	27	35	31	28	20	23				28
OBSIDIAN 4 NNE	MAX	26	30	28	30	35	38	28	38	36	38	35	34	35	31	25	30	35	34	38	32	37	37	48	45	41	38	32	41				34
	MIN	-14	- 7	- 1	- 2	- 1	0	- 9	- 9	- 8	4	- 2	32	23	20	8	18	26	15	- 7	25	22	- 4	19	12	11	13	2	5				6
OLA 5 S	MAX	45	48	50	49	45	47	50	47	46	40	36	52	54	50	45	49	55	52	40	41	56	51	65	58	53	46	44	54				48
	MIN	33	32	23	23	22	22	20	20	18	20	23	33	32	32	25	34	35	28	26	35	34	23	25	32	29	34	22	26				27
OROFINO	MAX	49	51	54	53	47	54	59	57	53	45	39	49	52	50		60	56	51	47	52	52	56	62	58	49	55	53	54				52
	MIN	37	33	28	29	34	28	27	24	25	30	18	33	32	36		31	33	34	37	38	40	28	32	35	33	39	28	30				31
PALISADES DAM	MAX	37	34	34	34	38	36	35	33	31	44	39	40	41	41	38	36	46	45	32	33	49	44	47	51	48	43	31	42				39
	MIN	27	14	10	9	11	12	10	7	5	8	15	16	33	31	13	27	31	28	1	22	28	18	26	19	26	27	10	13				17
PARMA EXP STA	MAX	50	50	48	44	44	45	40	38	35	36	38	62	58	51	50	53	61	47	48	54	63	59	62	65	62	57	53	65				51
	MIN	38	32	22	22	21	23	21	21	25	27	27	27	33	33	28	35	41	32	27	34	34	20	20	24	29	34	22	23				27
PAUL 1 E	MAX	40	45	48	46	48	49	50	49	48	52	50	49	49	50	48	46	46	57	36	43	52	58	51	63	59	58	40	44				49
	MIN	27	27	24	21	21	23	21	18	18	18	19	28	40	32	30	30	33	29	19	22	31	25	23	24	27	36	21	24				25
PAYETTE	MAX	46	49	47	39	37	41	37	35	33	33	37	59	57	53	47	54	59	46	45	52	60	52	57	62	57	55	47	60				48
	MIN	37	37	24	23	22	23	25	25	25	28	28	33	39	34	25	37	43	32	29	34	36	22	25	26	31	33	21	25				29
PIERCE RS	MAX	38	36	35	36	36		48	38	43	37	33	40	41	41	40	50	46	37	35	37		40	44	48	42	40	41	45				40
	MIN	27	15	13	13	22		14	12	13	17	5	30	31	31	25	24	26	27	23	32		28	28	28	25	29	24	27				22
POCATELLO WB AP	MAX	41	44	42	44	41	47	44	45	43	46	43	51	48	44	42	44	51	35	36	40	53	46	54	57	52	47	40	53				45
	MIN	24	20	20	17	18	17	17	13	13	18	24	40	35	30	32	36	32	19	18	30	33	27	29	31	35	22	21	26				24
PORTHILL	MAX	38	41	32	34	37	35	36	33	27	30	28	35	43	48	43	42	45	42	35	45	49	50	46	49	51	45	44	48				40
	MIN	16	20	22	20	22	26	25	20	16	21	6	19	20	26	25	34	33	21	26	32	33	32	32	34	37	26	25	32				25
POTLATCH 1 SE	MAX	46	44	50	44	39	51	58	52	36	32	41	54	51	45	51	49	53	43	40	46	44	44	58	52	46	43	40	43				46
	MIN	26	24	22	26	31	24	24	24	24	21	21	33	37	33	34	36	34	29	30	36	36	31	32	35	31	29	26	33				29
PRESTON SUG FACT 2 SE	MAX	37	25	27	28	28	27	23	25	24	30	33	46	46	45	43	43	48	48	34	36	50	49	52	53	53	50	39	44				38
	MIN	12	5	14	16	10	15	14	16	13	17	18	28	35	31	25	25	26	29	5	22	26	22	23	25	28	35	22	21				20
PRIEST RIVER EXP STA	MAX	[illegible]	35	38	36	42	44	42	43	34	30	30	34	45	44	38	42	46	39	38	42	44	41	39	49	47	44	37	44				40
	MIN	32	28	27	25	29	23	17	17	19	21	3	22	32	32	29	32	31	31	28	34	31	27	29	30	28	24	20	27				26
REACTOR TESTING STA	MAX	38	37	42	45	47	48	47	48	42	38	38	43	42	35	36	40	43	36	32	38	48	40	49	48	47	38	36	46				41
	MIN	18	21	12	13	14	14	13	8	7	7	10	33	31	20	14	18	29	18	13	22	24	19	22	19	26	22	14	22				18
RICHFIELD	MAX	38	36	39	40	40	44	41	41	39	39	34	44	46	44	41	38	53	50	37	44	53	48	59	56	53	49	40	52				44
	MIN	32	18	17	17	18	21	18	16	18	17	19	33	35	31	29	27	33	28	17	28	31	20	26	27	31	34	19	20				24
RIGGINS RS	MAX	57	54	55	57	57	58	57	57	56	55	45	54	58	59	49	55	59	53	45	47	59	55	67	69	57	55	55	62				55
	MIN	35	34	32	31	31	31	31	30	31	29	24	38	45	37	33	40	46	36	34	39	40	30	38	37	34	30	33	37				34
RUPERT	MAX	44	44	49	46	47	49	51	49	48	55	50	51	52	50	48	46	45	56	36	47	48	60	53	66	59	58	42	43				46
	MIN	28	28	25	22	22	24	22	19	17	18	22	31	41	32	32	31	34	30	20	24	32	28	27	27	33	36	23	23				26
SAINT ANTHONY	MAX	38	38	43	42	38	46	46	44	43	33	33	45	45	40	38	42	47	42	31	35	50	43	49	51	43	42	36	47				41
	MIN	26	19	17	16	18	12	18	15	12	16	13	30	33	31	11	25	31	27	7	20	28	23	32	23	27	27	14	21				21
SAINT MARIES	MAX	41	40	43	41	44	48	50	48	38	33	39	49	51	43	44	54	49	47	42	48	46	44	40	53	47	41	48	40				44
	MIN	30	25	20	22	28	24	20	20	20	21	10	26	30	32	33	32	34	33	29	33	33	30	32	35	33	30	28	25				27
SALMON	MAX	38	36	33	29	37	31	33	33	33	41	33	54	54	50	46	52	51	45	41	47	56	54	60	60	52	43	46	57				44
	MIN	28	27	25	23	20	11	16	14	13	10	7	23	34	32	27	24	32	21	20	32	30	24	30	22	24	25	22	25				22
SANDPOINT EXP STA	MAX	44	35	33	32	37	39	42	30	30	31	28	34	45	45	38	40	41	38	37	43	43	41	42	49	46	42	39	44				38
	MIN	33	[illegible]	28	25	25	26	23	19	22	25	2	23	32	35	33	32	32	33	32	36	33	34	33	34	34	31	27	32				28
SHOSHONE	MAX	40	43	46	47	47	53	49	48	46	42	40	49	50	47	44	45	57	51	43	47	56	51	62	58	56	52	43	53				48
	MIN	31	22	22	21	21	25	22	20	20	18	21	35	37	32	26	30	35	29	18	30	30	24	26	28	32	26	20	20				25

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
		Day Of Month																															
SPENCER RS	MAX	35	38	42	42	44	44	41	38	41	34	34	36	44	37	36	32	39	36	28	31	42	39	44	42	[illegible]	[illegible]	29	32				37.1
	MIN	10	9	8	14	18	8	5	2	2	4	4	16	30	28	12	22	[illegible]	[illegible]	- 6	18	[illegible]	9	20	[illegible]	18	22	3	5				[illegible]
SPRINGFIELD 1 SE	MAX	42	48	44	50	50	48	50	48	45	50	50	52	48	[illegible]	45	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	55	[illegible]	[illegible]	50	[illegible]	54				48.6
	MIN	28	26	20	16	15	18	16	12	11	16	18	19	33	33	28	[illegible]	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	[illegible]	22				[illegible]
STIBNITE	MAX	51	51	44	48	52	46	52	52	53	51	41	36	36	34	29	28	35	40	25	[illegible]	36	[illegible]	[illegible]	52	45	38	28	37				41.0
	MIN	8	8	11	13	15	15	11	10	[illegible]	11	[illegible]	10	26	19	16	16	[illegible]	[illegible]	[illegible]	[illegible]	24	5	[illegible]	16	[illegible]	14	[illegible]	4				[illegible]
STREVELL	MAX	41	39	27	26	26	27	24	23	26	25	28	42	49	45	41	42	47	[illegible]	40	37	49	[illegible]	[illegible]	58	50	[illegible]	[illegible]	53				[illegible]
	MIN	30	23	22	19	19	15	19	16	16	17	18	26	37	29	21	31	34	25	8	25	28	[illegible]	26	29	[illegible]	[illegible]	[illegible]	20				[illegible]
SUN VALLEY	MAX	36	40	41	46	41	44	41	42	43	43	41	37	44	40	40	39	40	38	37	[illegible]	[illegible]	40	46	[illegible]	48	[illegible]	[illegible]	44				[illegible]
	MIN	- 4	- 5	0	1	0	1	- 8	- 7	- 6	- 1	- 6	27	32	14	0	15	[illegible]	17	-10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	16	[illegible]	- 1	4				[illegible]
SWAN FALLS PH	MAX	48	50	52	47	44	49	50	45	46	41	45	62	61	56	50	54	56	61	51	65	[illegible]	[illegible]	[illegible]	63	63	[illegible]	51	[illegible]				54.4
	MIN	41	31	28	28	27	29	27	25	25	24	29	41	43	36	33	[illegible]	[illegible]	36	[illegible]	40	39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]				[illegible]
TETONIA EXP STA	MAX	40	44	42	46	40	41	38	41	36	29	30	36	35	33	37	[illegible]	[illegible]	35	40	43	[illegible]	46	[illegible]	44	[illegible]	[illegible]	[illegible]	39				[illegible]
	MIN	18	26	25	21	16	15	10	14	8	0	6	11	9	10	16	20	17	19	23	[illegible]	23	24	26	[illegible]	[illegible]	23	[illegible]	14				[illegible]
THREE CREEK	MAX	51	58	58	52	56	57	59	58	57	49	49	59	50	[illegible]	41	[illegible]	49	[illegible]	44	45	[illegible]	[illegible]	[illegible]	56	55	50	41	51				51.7
	MIN	22	11	13	14	16	20	12	15	14	23	25	37	32	18	24	29	36	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	17				21.8
TWIN FALLS 2 NNE	MAX	45	50	51	50	48	53	51	50	50	47	46	56	54	49	47	47	60	[illegible]	46	51	61	53	64	62	62	56	[illegible]	[illegible]				[illegible]
	MIN	36	24	21	22	19	23	20	18	17	21	20	36	41	33	32	[illegible]	[illegible]	[illegible]	21	[illegible]	[illegible]	28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	26				27.2
TWIN FALLS 3 SE	MAX	48	46	50	51	50	50	54	52	51	50	39	49	58	51	48	45	48	57	39	47	51	[illegible]	53	64	61	[illegible]	[illegible]	44				50.7
	MIN	28	24	24	23	23	21	21	20	18	19	24	32	41	33	32	31	36	30	24	26	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	[illegible]				27.7
WALLACE	MAX	45	39	37	39	42	41	43	42	38	30	34	43	45	40	41	45	48	35	38	44	[illegible]	41	52	48	44	42	38	41				41.3
	MIN	29	22	20	21	30	24	25	23	22	24	17	30	34	33	31	31	31	30	29	[illegible]	33	35	31	34	30	29	28	[illegible]				[illegible]
WALLACE WOODLAND PARK	MAX	38	43	40	39	40	43	48	43	42	40	32	39	47	45	39	40	47	51	34	41	44	43	41	54	48	44	36	41				[illegible]
	MIN	29	20	17	17	18	22	21	21	20	18	6	9	34	32	29	29	31	31	28	29	32	34	31	34	29	29	[illegible]	23				[illegible]
WEISER	MAX	44	52	52	46	42	46	46	37	38	34	56	59	48	52	42	46			42	48	51	52	61	65	56	54	52	60				[illegible]
	MIN	38	30	22	28	33	33	24	28	25	25	28	36	32	36	28	28			26	32	30	22	25	24	38	32	22	25				[illegible]
WINCHESTER 1 SE	MAX	55	46	52	52	48	58	56	57	50	44	45	50	45	47	37	47	45	47	37	47	45	44	57	55	48	44	45	45				48.1
	MIN	26	24	21	25	28	26	26	29	25	19	11	35	29	30	28	32	32	25	25	[illegible]	32	[illegible]	29	35	28	25	25	27				27.0

SNOWFALL AND SNOW ON GROUND

Table 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
		Day of month																														
ABERDEEN EXP STA	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	T												
ANDERSON DAM	SNOWFALL												-				0.3				0.3											
	SN ON GND	8	8	8	8	8	8	8	8	8	8	8	8	7	7	7	7	7	7	7	7	7	7	7	6	4	3	2	T			
ARCO	SNOWFALL												T		6.0																	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
ARROWROCK DAM	SNOWFALL													T							T											
	SN ON GND																				T											
ASHTON 1 S	SNOWFALL											T	T		4.0		T	T	0.5	T	0.5											
	SN ON GND	6	6	6	5	5	4	4	3	3	3	3	3	3	7	6	5	5	5	5	6	5	4	4	3	3	2	2	2			
ATLANTA 1 E	SNOWFALL											0.5	1.5	4.5	2.5	T	T	T	4.3		7.0	1.0					1.5	T				
	SN ON GND	35	34	33	30	30	29	28	28	27	26	26	28	32	33	33	33	32	34	34	41	42	41	40	40	39	40	40	39			
AVERY RS	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	SN ON GND	21	21	21	20	17	17	16	15	14	14	12	10	9	8	7	5	5	4	4	-	-	-	3	3	3	3					
BIG CREEK 1 S	SNOWFALL											0.5		3.0	3.0	3.0			6.0	T	1.0	3.0					2.0					
	SN ON GND	42	42	36	36	36	36	34	34	34	34	35	32	35	38	41	39	34	40	40	41	44	40	36	34	34	36	34	34			
BLACKFOOT	SNOWFALL											T		T	T				1.0		T											
	SN ON GND																															
BOISE WB AP	SNOWFALL										T			T				T	T													
	SN ON GND									T																						
BONNERS FERRY 1 SW	SNOWFALL										T		12.2				T		T	3.3		T				T			T			
	SN ON GND	24	23	22	22	22	21	21	21	21	21	21	33	22	20	18	17	16	15	14	10	9	6	6	6	5	5	4	3			
BURLEY CAA AP	SNOWFALL														T	T		T	T		T											
	SN ON GND																	T	T		T											
CALDWELL	SNOWFALL											T						T														
	SN ON GND																															
CASCADE 1 NW	SNOWFALL											0.5		1.0	5.5	T	T		2.5	T	3.5	0.5					0.5					
	SN ON GND	26	25	25	25	25	25	25	25	24	24	24	22	23	28	27	27	26	28	28	31	31	30	30	29	27	26	26	25			
CENTERVILLE ARBAUGH RCH	SNOWFALL		T									0.9		1.0	2.7	T	T	T	2.5	T	3.8	1.0					T					
	SN ON GND	30	30	30	30	30	30	30	30	30	29	30	29	29	30	30	29	29	30	30	32	32	31	30	30	29	29	28	28			
COBALT BLACKBIRD MINE	SNOWFALL	T											1.0	4.2	3.2	0.7	T		4.0	T	3.1	1.0	1.2				8.5	0.5	T			
	SN ON GND	39	39	38	38	38	37	37	37	36	36	36	37	41	43	43	42	42	46	45	47	48	49	47	47	45	53	51	47			
COEUR D'ALENE RS	SNOWFALL												2.0							2.0									T			
	SN ON GND	18	18	16	16	16	14	13	13	13	13	13	15	13	12	11	10	8	7	7	4	2	T	T	T	T	T	T	T			
COTTONWOOD	SNOWFALL														T				0.2	0.3												
	SN ON GND	5	5	5	4	4	3	3	3	2	2	2	1						T	T												
DEADWOOD DAM	SNOWFALL											0.5	2.0	0.5	2.0		0.5	T	4.0	0.5	4.0	0.5					0.5					
	SN ON GND	54	53	53	52	52	51	51	50	50	50	50	52	52	54	54	54	54	58	58	62	61	60	58	56	56	56	56	55			
DUBOIS CAA AP	SNOWFALL											T	T	0.6	4.4		T	T	0.4			T					T					
	SN ON GND	2	1	1	1	T	T	T	T	T	T	T	T	1	5	4	3	3	2	2	1	1										
FENN RS	SNOWFALL																			1.0								1.0				
	SN ON GND	3	2	2	T	T	T	T	T																			T				
GARDEN VALLEY RS	SNOWFALL												2.0						1.0		3.0											
	SN ON GND	7	-	-	-	6	-	-	-	-	5	-	7	-	-	6	-	-	7	6	9	-	8	7	-	6	5	-	4			
GOODING CAA AP	SNOWFALL																T		T													
	SN ON GND																															
GRANGEVILLE	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	SN ON GND																	T	T								T					

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GRAY	SNOWFALL																4.0															
	SN ON GND	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	22	22	22	20	20	20	20	20	20	19	19	19	19			
HAILEY AP	SNOWFALL												2.0	0.5	3.5				0.5			0.2										
	SN ON GND	21	21	20	19	-	-	-	-	-	-	-	19	20	20	20	20	20	19	19	19	19	19	-	-	-	-	-	18			
HAMER 4 NW	SNOWFALL														4.0							T										
	SN ON GND														3	-	2	-	-	-	-	-	-	-	-	-	-	-	-			
HILL CITY	SNOWFALL											-	-	-	-		-		-		-	-					-					
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-			
IDAHO CITY	SNOWFALL														1.0				T		3.0											
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IDAHO CITY 13 SW	SNOWFALL											0.5		T	2.5		2.0	T	2.0		4.5	T										
	SN ON GND	-	-	-	-	-	-	-	-	-	-	21	20	-	21	-	21	-	21	22	-	21	-	-	-	-	-	-	-			
IDAHO FALLS CAA AP	SNOWFALL											T		T	T		T		T		T						T					
	SN ON GND														1					T	T	T										
IRWIN 2 S	SNOWFALL																		2.5		T						1.0					
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-			
ISLAND PARK DAM	SNOWFALL												1.0	9.0	7.0		1.0		3.0		2.0	1.0										
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	44	51	57	-	55	-	57	-	58	56	-	-	-	-	-	-	52			
LEWISTON WB AP	SNOWFALL																										T					
	SN ON GND																															
LOWMAN	SNOWFALL														3.0				4.0		5.1											
	SN ON GND	20	19	19	19	19	19	19	19	19	19	19	19	17	18	18	18	18	21	20	24	21	21	20	19	18	18	18	17			
MACKAY RS	SNOWFALL												T	4.0	3.0				2.0			0.2										
	SN ON GND	4	4	4	4	3	3	3	3	3	3	2	2	5	7	6	5	5	6	6	5	5	5	4	3	3	3	2	2			
MALAD CAA AP	SNOWFALL								T	T	T	T		T					T		T											
	SN ON GND	5	5	5	5	5	5	5	5	5	5	5	5	5	3	3	2															
MAY RS	SNOWFALL																	T	0.5		0.2						T					
	SN ON GND																		T													
MC CALL	SNOWFALL														8.0	-	4.0		4.0	-	-	-										
	SN ON GND	35	-	-	-	-	-	34	-	-	-	-	32	-	-	39	-	-	39	-	-	38	-	-	-	-	-	-	-			
MULLAN PASS CAA	SNOWFALL										T	2.4	6.4	2.5	3.4	1.2	3.0	8.0	3.0	22.0	4.0	6.0	T		0.3	1.7	1.2	0.5	0.9			
	SN ON GND	162	160	158	156	150	147	142	137	135	133	132	138	144	147	151	152	150	153	158	182	180	182	174	168	162	161	162	162			
NEZPERCE 2 E	SNOWFALL												T		T			T	T	T		T										
	SN ON GND	2	2	2	1	1	1	1	1	1	1		T	T	T				T	T												
OBSIDIAN 4 NNE	SNOWFALL												2.0	6.0	3.0	T		2.0	5.0				T				2.0					
	SN ON GND	31	31	31	31	31	31	31	31	31	31	31	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
PIERCE RS	SNOWFALL														T				3.0	2.0		T					0.5					
	SN ON GND	39	38	38	37	37	36	36	35	35	35	35	35	34	34	34	33	33	36	38	36	-	33	33	33	33	34	34	34			
POCATELLO WB AP	SNOWFALL											T		T			T	0.3	1.3		T											
	SN ON GND																		1	1	T	T										
PORTHILL	SNOWFALL							T					12.0	4.0																		
	SN ON GND	24	23	22	19	18	17	17	17	17	17	17	29	30	24	18	16	14	14	14	12	10	8	7	6	4	4	3	2			
POTLATCH 1 SE	SNOWFALL																		T													
	SN ON GND																															
PRIEST RIVER EXP STA	SNOWFALL												7.3			T	1.0			2.0					T				T			
	SN ON GND	32	31	30	29	29	28	28	28	28	28	28	34	30	29	28	28	27	26	28	26	25	25	24	24	23	23	22	22			
SANDPOINT EXP STA	SNOWFALL												6.0			T	0.5	T	T	3.0		T			T	T	T		0.8			
	SN ON GND	28	26	26	26	26	23	21	21	21	21	21	24	20	18	16	16	15	15	16	14	12	11	11	10	9	8	7	6			
SPENCER RS	SNOWFALL											T	0.5	4.0	4.0		T	0.5	3.0			T					T					
	SN ON GND	17	-	-	-	-	-	-	16	-	-	-	-	-	-	23	-	-	-	-	-	-	23	-	-	-	-	-	-			
STIBNITE	SNOWFALL	T											4.0	7.0	3.0	3.0	1.0		10.0	1.0	5.0	2.0	3.0				2.0	T				
	SN ON GND	51	49	48	47	45	45	44	44	44	42	42	44	50	52	54	53	50	58	57	58	58	57	55	51	50	52	51	50			
SUN VALLEY	SNOWFALL												7.0	2.0	2.0		T	1.0	2.0		1.0	T					T					
	SN ON GND	32	31	28	28	28	28	28	28	28	27	27	31	30	31	31	31	30	31	31	31	31	31	30	29	28	28	28	28			
THREE CREEK	SNOWFALL														1.0	T			1.5								1.0					
	SN ON GND	2	2	1											1	T			2								1					
TWIN FALLS 2 NNE	SNOWFALL																		T													
	SN ON GND																															
WALLACE	SNOWFALL										T		T	T	1.0	T	T	T	1.0	3.0	T	T	T			T	T	T	T			
	SN ON GND	29	26	25	23	20	18	16	15	15	15	15	14	13	14	15	14	14	15	16	14	13	12	9	8	8	8	8	8			

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	[illegible]	BINGHAM		[illegible]	112 50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ALBION	[illegible]	CASSIA	[illegible]	42 25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ALPHA 1 NE	[illegible]	VALLEY		[illegible]	[illegible]	4780	7P	[illegible]	[illegible]	[illegible]
AMERICAN FALLS [illegible] NW	[illegible]	[illegible]		[illegible]	112 52	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
ANDERSON DAM	[illegible]	ELMORE		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7
ARROWROCK DAM	[illegible]	[illegible]		43 36	[illegible]	3219	8A	[illegible]	[illegible]	2 3 5
ASHTON [illegible]	0470	[illegible]		[illegible]					GUST STEINMAN	2 3 5
ATLANTA 1 E	[illegible]	ELMORE		43 48	[illegible]	[illegible]	[illegible]P	[illegible]	[illegible]	7 C
ATLANTA [illegible]	[illegible]	ELMORE		[illegible]	[illegible]	7590		VAR	[illegible]	S
AVERY RANGER STATION	[illegible]	[illegible]	[illegible]	47 15	115 48	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	7
[illegible]	[illegible]	BANNOCK		[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	C
BAYVIEW MODEL BASIN	0667	[illegible]	4	[illegible]	[illegible]	2070	4P	[illegible]	U S NAVY	[illegible]
[illegible] DAM	[illegible]	[illegible]		48 21	[illegible]	2640		[illegible]	U S FOREST SERVICE	C
BIG [illegible]	[illegible]	[illegible]	11	45 06	115 20	[illegible]	6P	6P	[illegible]	2 3 5 7 C
BLACKFOOT	0915	[illegible]	[illegible]		112 21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BLACKFOOT DAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 C
BLISS	[illegible]	GOODING			[illegible]			[illegible]	NORTH SIDE CANAL CO	
[illegible]	[illegible]	[illegible]		43 46	[illegible]	6200		[illegible]	F H KUHN	C
BOISE LUCKY PEAK DAM	1018	ADA		43 32	[illegible]	[illegible]	4P	4P	CORPS OF ENGINEERS	[illegible] C
[illegible]	[illegible]	[illegible]		43 34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7 C
BONNERS FERRY [illegible]	[illegible]	BOUNDARY		48 11		1812			CHARLES G HOWARD JR	7 C
BRIDGE	[illegible]	[illegible]		[illegible]	[illegible]	1700		[illegible]	[illegible]	[illegible]
BUHL	1217	[illegible]	12	[illegible]	[illegible]	[illegible]	[illegible]		WILLIAM A LOW	[illegible]
BUNGALOW RANGER STATION	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	3P	U S FOREST SERVICE	2 3 5
BURKE [illegible]	[illegible]	[illegible]			115 48		4P	4P	[illegible]	2 3 5
BURLEY	1288	[illegible]	[illegible]		113 47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BURLEY [illegible]	[illegible]	[illegible]	[illegible]		[illegible]	4140	[illegible]	[illegible]	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	[illegible]	CASSIA	[illegible]	42 32	113 46	4157	[illegible]	[illegible]	U S CIVIL AERO ADM	2 3 5
CALDWELL	[illegible]	CANYON		43 39	[illegible]	2372	[illegible]	[illegible]	[illegible]	2 3 5 7
CAMBRIDGE	[illegible]	WASHINGTON	[illegible]	44 34	116 41	[illegible]	[illegible]	[illegible]	STUART DOPF	[illegible]
CASCADE [illegible]	[illegible]	VALLEY	[illegible]	44 31	116 03	[illegible]	[illegible]	[illegible]	[illegible]	7 C
[illegible] RANGER STATION	[illegible]	[illegible]	[illegible]	[illegible]		4740		[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	2	43 58	[illegible]	4780		[illegible]	[illegible]	
CHALLIS	[illegible]	[illegible]	[illegible]		114 14		[illegible]	5P	U S FOREST SERVICE	2 3 5
[illegible]	1671	CUSTER		44 02	113 48	[illegible]	[illegible]	[illegible]	GEORGE A MILLER	[illegible]
CLARK [illegible]	[illegible]	[illegible]		48 09	[illegible]	[illegible]	[illegible]	6P	MRS MARY L RALPH	2 3 5 C
CLARKIA RANGER STATION	[illegible]	SHOSHONE	[illegible]	[illegible]	[illegible]	2800		[illegible]	U S FOREST SERVICE	C
COBALT [illegible] MINE	1938	[illegible]	[illegible]	45 07	[illegible]	[illegible]	[illegible]	[illegible]	CALERA MINING CO	2 3 5 7
[illegible]	1951	[illegible]	[illegible]	[illegible]	116 49	2273	MID	MID	U S CIVIL AERO ADM	[illegible]
COEUR D ALENE [illegible]	[illegible]	[illegible]	[illegible]	47 41	116 45	[illegible]	5P		[illegible]	2 3 5 7 C
CONDA	[illegible]	CARIBOU	[illegible]	[illegible]	111 33	6200	9A	9A	[illegible]	2 3 5
[illegible]	[illegible]	IDAHO		[illegible]		3411			LOUIS KLAPPRICH	2 3 5
[illegible]	[illegible]	[illegible]		46 02	[illegible]	[illegible]		MID	[illegible]	C
COUNCIL	[illegible]	ADAMS	[illegible]	44 44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 C
[illegible]	[illegible]	[illegible]	[illegible]	44 08	[illegible]	3100		[illegible]	HARRY GRAHAM	
DEADWOOD DAM	[illegible]	VALLEY	[illegible]	44 19	[illegible]			[illegible]	U S BUR RECLAMATION	[illegible] 7 C
DEADWOOD SUMMIT	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7000		[illegible]	U S SOIL CON SER	
DECEPTION CREEK	2422	[illegible]	4	47 44	116 29			[illegible]	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	[illegible]	[illegible]	116 44	2510	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
DIXIE		[illegible]	[illegible]		115 28			[illegible]	[illegible]	2 3 5
[illegible]	2604	CAMAS		[illegible]	114 41	8650		[illegible]	U S FOREST SERVICE	
[illegible]	2676	[illegible]		[illegible]	[illegible]	6097	[illegible]	[illegible]	EDITH STEVENS	2 3 5
DUBOIS [illegible]	2707	CLARK		[illegible]	[illegible]			5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK		44 10	112 13	[illegible]	[illegible]	[illegible]	U S CIVIL AERO ADM	2 3 5 7 C
ELK [illegible]	[illegible]	[illegible]		[illegible]			4P	4P	MRS LORA B VILAS	2 3 5
ELK [illegible]	[illegible]	[illegible]		46 47			[illegible]		GLENN WALKER	2 3 5
EMMETT [illegible]	[illegible]	GEM				2500	[illegible]		WAYNE F HARPER	[illegible]
FAIRFIELD [illegible]	3108	CAMAS	12	43 21	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	
FENN [illegible]	3143	[illegible]		[illegible]	115 33	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7 C
FORT HALL [illegible]	[illegible]	[illegible]		43 02	112 26	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
GARDEN VALLEY RS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
[illegible]	3576	[illegible]					[illegible]	[illegible]	[illegible]	
GLENNS FERRY	[illegible]	[illegible]	12	42 57	115 19	2569	7P	7P	[illegible]	2 3 5 7
GOODING 1 E	3677	[illegible]	12	42 56	[illegible]	[illegible]		[illegible]	DALE W KNIGHT	C
GOODING [illegible] AIRPORT	[illegible]	[illegible]		[illegible]	[illegible]		[illegible]	MID	[illegible]	2 3 5 7
GRACE	3732	[illegible]	12	42 35	[illegible]	[illegible]	[illegible]	[illegible]	H A WESTENFELDER	C
GRAND VIEW	3760	[illegible]		[illegible]	[illegible]	2600	[illegible]	[illegible]	[illegible]	2 3 5
GRANGEVILLE	[illegible]	[illegible]		45 56	[illegible]	3109	[illegible]	MID	MRS ALVERA FOSTER	2 3 5
GRAY	[illegible]	[illegible]	[illegible]	[illegible]	111 22	6450	[illegible]	6P	ROSCOE T SIDBETT	7
[illegible]	[illegible]	[illegible]	[illegible]	43 42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
HAILEY AIRPORT	3942	BLAINE	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	[illegible]	2 3 5 7
HAMER [illegible] NW	[illegible]	[illegible]		[illegible]	[illegible]	4796	[illegible]	[illegible]	[illegible]	2 3 5
HAZELTON	[illegible]	JEROME	12	42 36	114 08	4060	[illegible]	[illegible]	NORTH SIDE CANAL CO	2 3 5
HILL CITY	[illegible]	CAMAS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	[illegible]	[illegible]	[illegible]	[illegible]	SALMON R CANAL CO	2 3 5
HOWE	[illegible]	BUTTE	[illegible]	[illegible]	[illegible]	4820	[illegible]	[illegible]	[illegible]	3
IDAHO CITY	[illegible]	BOISE	[illegible]	[illegible]	[illegible]	3940	[illegible]	[illegible]	[illegible]	2 3
IDAHO CITY [illegible] SW	4450	BOISE	2	[illegible]	116 01	5000		[illegible]	[illegible]	7
IDAHO FALLS [illegible] NE	[illegible]	BONNEVILLE	12	43 34	[illegible]	[illegible]	[illegible]P	[illegible]	[illegible]	2 3 5 C
IDAHO FALLS CAA AIRPORT	[illegible]	BONNEVILLE		43 31	[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	[illegible]	OWYHEE	[illegible]	42 01	[illegible]	[illegible]		[illegible]	[illegible]	S
IRWIN [illegible]	[illegible]	BONNEVILLE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 7
ISLAND PARK DAM	[illegible]	FREMONT	12	[illegible]	111 24	6300	[illegible]	[illegible]	U S BUR RECLAMATION	2 3 5
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	
JEROME	4670	JEROME	12	42 44	114 31	[illegible]	[illegible]	[illegible]P	O OLIVER	2 3 5
KAMIAH [illegible] NE	[illegible]	LEWIS	3	46 14	[illegible]	[illegible]		[illegible]	MRS MARY [illegible]	[illegible]
KELLOGG	[illegible]	SHOSHONE	4	47 32	[illegible]	[illegible]	[illegible]	9A	IRVING H LASKEY	2 3 5
KOOSKIA	[illegible]	IDAHO	3	46 09	[illegible]	1261	4P	[illegible]	E T GILROY	2 3 5
KUNA [illegible] NNE	[illegible]	ADA	2	[illegible]	116 24	[illegible]	[illegible]	[illegible]	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	[illegible]	VALLEY	[illegible]	44 40	115 32	[illegible]		VAR	U S FOREST SERVICE	[illegible]
LEADORE	[illegible]	LEMHI	11	44 41	113 22	[illegible]		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	[illegible]	46 23	117 01	1413	MID	MID	WEATHER BUREAU	2 3 5 7 C
LIFTON PUMPING STATION	5275	BEAR LAKE	[illegible]	42 07	111 18	[illegible]	[illegible]	[illegible]	UTAH P & L COMPANY	[illegible]
LOLO PASS	[illegible]	IDAHO		46 38	114 33	[illegible]		VAR	[illegible] FOREST SERVICE	S
LOWMAN	[illegible]	BOISE	[illegible]	44 05	115 36	3870	[illegible]	5P	[illegible]	2 3 5 7 S
MACKAY RANGER STATION	[illegible]	CUSTER	[illegible]	43 55	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5 7 C
MALAD	[illegible]	ONEIDA	[illegible]	42 11	112 16	4420	7P	7P	[illegible]	2 3 5 C
MALAD CAA AIRPORT	[illegible]	ONEIDA	[illegible]	42 10	[illegible]	4480	MID	MID	U S CIVIL AERO ADM	[illegible] 7
MAY RANGER STATION	[illegible]	LEMHI	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	VALLEY	[illegible]	44 54	[illegible]	[illegible]	[illegible]	4P	[illegible]	[illegible]
[illegible]	[illegible]	BANNOCK	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]P	[illegible]	[illegible]	
[illegible]	[illegible]	ADA		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
MESA	[illegible]	ADAMS	12	44 37	[illegible]	3244	[illegible]	[illegible]	[illegible]	7
[illegible] DAM	[illegible]	[illegible]		42 40	[illegible]	4280	[illegible]	[illegible]	U S BUR RECLAMATION	
[illegible]	[illegible]	[illegible]		42 19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible]	[illegible]	[illegible]			[illegible]	[illegible]		[illegible]	[illegible]	
[illegible]	[illegible]	IDAHO		46 08	[illegible]	[illegible]		[illegible]	[illegible]	C
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]628		[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	43 08	[illegible]		[illegible]	[illegible]	KENNETH J NEWMAN	C
MULLAN PASS CAA	[illegible]	SHOSHONE	4	47 27	115 41	6022	[illegible]	MID	U S CIVIL AERO ADM	7 C
[illegible]	[illegible]	CANYON	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	AMALGAMATED SUGAR	[illegible]
[illegible]	[illegible]	ADAMS		44 58	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
NEZPERCE 2 E	[illegible]	LEWIS		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	45 43	114 30				[illegible]	
OAKLEY	[illegible]	[illegible]	[illegible]	42 15	113 53	4600	[illegible]		HERBERT J HARDY	7
OBSIDIAN 4 NNE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	MARJORIE L SHAW	
[illegible]	[illegible]	[illegible]	[illegible]	44 07	116 17	[illegible]	5P	[illegible]	VINCENT A NALLY	C
[illegible]	[illegible]	CLEARWATER		46 29	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	12	43 22	[illegible]	5392	4P	[illegible]	[illegible]	2 3 5
PARMA EXPERIMENT STA	[illegible]	CANYON		43 47	116 57	2224	[illegible]	[illegible]	STATE EXP STATION	
PAUL 1 E		MINIDOKA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	AMALGAMATED SUGAR	[illegible]
PAYETTE		[illegible]	[illegible]	[illegible]	[illegible]	2150	5P	[illegible]	[illegible]	
PIERCE RANGER STATION	7049	CLEARWATER	[illegible]	46 30	115 48		4P	4P	U S FOREST SERVICE	7 C
PINE 2 S	7079	[illegible]		43 28	[illegible]				GENEVA B SCHRAFT	7
[illegible]	[illegible]	BENEWAH	[illegible]	47 19	[illegible]	2370		[illegible]	[illegible]	C
POCATELLO WB AIRPORT		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MID	[illegible]	U S WEATHER BUREAU	[illegible]
[illegible]	7264	[illegible]	[illegible]	49 00	[illegible]	[illegible]	5P	[illegible]	[illegible]	
[illegible]	[illegible]	LATAH	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	2 3 5 7
PRAIRIE	[illegible]	[illegible]		43 30	[illegible]	[illegible]		[illegible]	VICTOR J ACARREGUI	C
PRESTON SUG FACT 2 SE	[illegible]	[illegible]	[illegible]	42 05	[illegible]	4718	[illegible]	[illegible]	C M CRABTREE	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	44 45	115 04			[illegible]	M EDWARD BUDELL	S
[illegible]	[illegible]	[illegible]	[illegible]	43 02	112 03	6300		VAR	FORT HALL IR PROJ	S
REACTOR TESTING STA	[illegible]	[illegible]		[illegible]	[illegible]	4925	MID	[illegible]	A E C WEATHER STA	[illegible]
[illegible]	[illegible]	LINCOLN	12	43 04	114 09	[illegible]		5P	[illegible]	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	U S FOREST SERVICE	[illegible]
ROLAND WEST PORTAL	[illegible]	[illegible]		[illegible]	115 40	4150	[illegible]	5P	MRS HOMER WALTON	[illegible]
[illegible]	7966	[illegible]	12	[illegible]	113 41	4204	[illegible]	8A	[illegible]	
[illegible]	8022	[illegible]	[illegible]	[illegible]	111 40	4968		7P	E M JERGENSON	2 3 5
[illegible]	8062	[illegible]		47 19	116 34	2140	5P	5P	[illegible]	2 3 5
SALMON	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S WB OBSERVER	
[illegible]	[illegible]	BONNER		48 17	[illegible]	[illegible]		[illegible]	STATE EXP STATION	2 3 5 7 C
SHAKE CREEK RANGER STA	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	4730		VAR	[illegible]	S
SHOSHONE	8380	[illegible]		42 56	114 24	[illegible]	[illegible]		LEONARD V BOND	[illegible]
SOLDIER CREEK RS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		VAR	[illegible]	S
[illegible] RANGER STATION	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P		U S FOREST SERVICE	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	112 41	4105	[illegible]	[illegible]	MRS RAYMOND RUFF	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	115 20	[illegible]	[illegible]	[illegible]	BRADLEY MINING CO	[illegible]
[illegible]	[illegible]	CASSIA	[illegible]	[illegible]	113 13	[illegible]			IDAHO STATE POLICE	2 3 5
[illegible]	[illegible]	MADISON	[illegible]	[illegible]		[illegible]			KAY JOHNSON	[illegible]
SUN VALLEY	[illegible]	BLAINE	12	43 41		5821	[illegible]		[illegible]	2 3 5 7 C
SWAN FALLS POWER HOUSE	[illegible]	ADA	12	43 15		2323		[illegible]	[illegible]	7
TETONIA EXP STATION	[illegible]	TETON	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	42 03	[illegible]	5400		[illegible]P	MRS L E TANNER	[illegible]
TRINITY LAKE GUARD STA	9202	ELMORE		[illegible]	115 26	7400		VAR	U S SOIL CON SER	S
[illegible] RANGER STATION	[illegible]	ELMORE	2	43 43	[illegible]	3475		VAR	[illegible]	S
[illegible]	9294	TWIN FALLS	12	42 35	[illegible]	3770	[illegible]	[illegible]	U S BUR ENTOMOLOGY	2 3 5 7
[illegible]	9299	TWIN FALLS	[illegible]	[illegible]	[illegible]	3770	[illegible]	8A	[illegible]	[illegible]
[illegible]	9422	BLAINE	11	43 49	[illegible]	[illegible]		[illegible]	[illegible]	S
[illegible]	9493	[illegible]	1	47 28	[illegible]	2770	[illegible]	[illegible]	W FEATHERSTONE JR	[illegible] 7
WALLACE WOODLAND PARK	[illegible]	[illegible]		47 30	115 53	2950	[illegible]	[illegible]	ROBERT J SKANTEL	C
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2114	[illegible]	[illegible]	[illegible]	
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	[illegible]	[illegible]
YELLOW PINE	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	4760		[illegible]	L J MILLER	S
NEW STATIONS										
MALTA RANGER STATION	[illegible]	CASSIA	12	42 19	[illegible]	[illegible]		MID	E L NOBLE	C
[illegible]	7077	ELMORE	2	43 30	[illegible]	[illegible]			[illegible]	
BALD MOUNTAIN	[illegible]	BLAINE	12	43 39	114 24	8700		MID	NELSON BENNETT	C
[illegible]	[illegible]	[illegible]	[illegible]	42 23	115 53	[illegible]	[illegible]	5P	[illegible]	[illegible]

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state bases. There wil be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation i inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standar Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effectiv January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on groun values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the recor

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of ne snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, hav been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary. Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding su scriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

CORRECTION NOTE

The minus sign failed to print preceding minimum temperatures for the 8th day in Table 5 of this Bulletin for December 1953 and January 1954. Add the minus sign on December 8th for these stations: Chilly Barton Flat, Cobalt Blackbird Mine, Dixie, Dubois Experiment Station, Dubois CAA AP, Fairfield RS, Grouse, Hill City, Idaho City, Idaho Falls CAA AP, New Meadows RS, Obsidian 4 Reactor Testing Station, Spencer RS, Stibnite, and Sun Valley.

Add the minus sign on January 8th for this station: Sun Valley.

These corrections will be republished in the June 1954 issue.

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

MARCH 1954
Volume LVII No. 3

CHATTANOOGA: 1954

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

With average temperature for the State 1.8° below normal, March was 3.4° cooler than a year ago and the first month since June 1953 with subnormal temperatures in all divisions of the State. Like February this month's state-wide average precipitation was below normal, but one especially important feature was the above-normal precipitation in the Southeastern Division where for eight consecutive months the Division average had been subnormal. The Northern Division and Southwestern Division averages, 70% and 90% of normal, respectively, tipped the balance toward below-normal state-wide average. Snowfall generally was lighter than in any March since 1949, averaging 81% of normal for the State.

There were three cold periods during the month with greater extremes at the first and last of month and a minor cold period at mid-month. The two warmer periods fell between the 6th and 9th and the 20th to 25th, but during these two periods temperatures were not extreme with both maximums and minimums generally near normal. During the cooler periods minimums were well below normal and maximums at higher elevations below freezing. The four-day cold spell at the close of the month resulted in some damage to vegetation, but the extent of damage cannot be determined until a later date. Minimum temperatures during this period dropped down to 10° - 15° below freezing in the Southwest Division and to near zero at a few stations in the north and southeast sections. The lowest temperatures of the month for most stations occurred during the first four days when Island Park Dam had the lowest of -25° on the 3rd. Sun Valley reported -10° on the 4th.

Precipitation was rather evenly spaced with the major storms occurring during the periods 8th-12th, 17th-21st, and 24th-28th. At lower elevations most of the precipitation was in the form of rain although brief snow flurries were reported from most stations. At high levels the net loss of snow during the month was not very great. At Cascade there was 25" on the ground on the 1st and 20" at the close of the month. Sun Valley had a decrease from 27" on the 1st to 19" on the 31st. During the latter part of the month the storm track was from northwest to southeast across the Pacific Northwest, a situation which tends to bring the colder air-masses from the Arctic into Idaho and cause cold showery type of weather.

The stormy weather of the second week of March was the most severe for most stations and resulted from a series of storm centers that moved from west to east across the Pacific and into the western portion of the United States. During this period precipitation amounts were the heaviest of the month with over an inch at a number of stations and some hail and moderately high winds reported. The heavy rain on the 8th and 9th was a contributing factor in a landslide which killed two people at Bonners Ferry on March 9th.

Although there were frequent gusty winds this month velocities were not high enough to cause other than very minor damage. Sunshine for the State as a whole was below average and that combined with low temperatures tended to retard the growth of all forms of vegetation.

RTS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	01–09	10–49	50–99	1 00–1 99	2 00 and over	Total			
BOISE WB AIRPORT	[illegible]	26	10.9	40	NW	11	72	54	40	62	4	3	5	[illegible]	0	0	12	56	5.7	SEE TABLE 2.
LEWISTON WB AIRPORT	-	-	-	-	-	-	70	54	39	-	4	0	3	1	0	0	8	-	6.5	
POCATELLO WB AIRPORT	[illegible]	25	11.6	40	W	26	73	57	56	69	6	6	5	0	[illegible]	0	17	71	6.8	

Table 1

COMPARATIVE DATA

MARCH

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	
1894	34.0	78	-22	2.80	-	
1895	33.2	78	-20	1.10	-	
1896	33.9	80	-33	1.80	-	
1897	29.4	67	-30	3.08	-	
1898	31.8	74	-26	.96	-	
1899	34.4	68	-14	1.56	11.1	
1900	42.7	86	- 2	1.18	3.4	
1901	36.5	72	-16	1.26	8.0	
1902	33.5	72	-14	1.43	9.9	
1903	34.7	79	-27	1.74	9.4	
1904	34.4	63	-14	4.35	21.0	
1905	41.0	76	- 1	2.16	7.3	
1906	31.2	71	-35	2.31	13.9	
1907	37.9	75	- 2	3.40	15.1	
1908	34.9	78	-12	1.39	7.6	
1909	37.5	74	-22	.97	4.0	
1910	43.2	81	- 2	1.04	2.2	
1911	38.0	82	-21	.84	2.1	
1912	33.7	78	-24	1.50	9.7	
1913	33.1	78	-27	1.94	7.8	
1914	39.1	75	-12	.62	3.3	
1915	40.7	78	-13	.97	1.1	
1916	39.7	80	-20	2.39	11.0	
1917	25.2	74	-34	1.99	21.4	
1918	38.9	76	-20	1.71	4.6	
1919	35.7	90	-18	1.83	10.0	
1920	34.8	78	-18	2.07	8.2	
1921	39.0	89	-10	1.53	3.3	
1922	30.4	69	-35	1.84	11.1	
1923	32.2	85	-22	.90	6.6	
1924	33.6	66	-20	.83	6.9	
1925	38.3	78	-11	1.32	3.6	
1926	39.3	80	-11	.52	2.0	
1927	35.5	79	-19	1.16	4.1	
1928	38.1	81	-27	2.65	4.0	
1929	35.8	75	-12	1.38	4.0	
1930	37.8	79	-28	1.28	3.0	
1931	35.8	77	-20	2.22	6.5	
1932	33.1	78	-27	2.97	10.5	
1933	33.2	72	-14	1.07	4.0	
1934	44.3	82	- 2	1.70	0.6	
1935	34.0	78	-17	1.50	12.2	
1936	32.8	74	-24	1.31	10.4	
1937	35.4	74	-15	1.31	4.8	
1938	35.3	67	-28	3.47	12.4	
1939	36.7	82	-24	1.13	9.2	
1940	40.0	79	-22	2.31	1.9	
1941	39.6	81	-13	.68	1.5	
1942	32.5	79	-24	.70	3.3	
1943	32.1	81	-35	1.84	6.2	
1944	32.1	73	-35	.93	7.6	
1945	32.6	69	-25	2.14	9.3	
1946	38.0	77	-11	2.18	6.1	
1947	39.9	78	-30	1.66	5.3	
1948	32.1	72	-28	1.57	11.3	
1949	36.8	74	-20	1.03	4.1	
1950	34.0	80	-25	2.83	11.7	
1951	31.5	70	-34	1.39	14.3	
1952	30.1	74	-28	1.41	13.8	
1953	37.3	79	-23	1.20	8.3	
1954	33.9	74	-25	1.52	6.1	
ALL YEARS	35.5			1.67		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.10 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	49.1	25.1	37.1	- 0.8	63	15	8	29	860	0	0	24	0	2.23	- 1.36	.62	10		0				0
BAYVIEW MODEL BASIN	44.1	24.0	34.1		53	15	7	29	952	0	0	26	0	1.23		.45	9	T	0		3	0	[illegible]
BONNERS FERRY 1 SW	45.1	23.2	34.2	- 3.2	54	21	- 1	28	949	0	1	26	1	2.19	.51	.88	9	5.4	5	27	4	2	0
BURKE 2 NNE	37.8	18.2	28.0	- 3.8	50	16	- 2	29	1139	0	5	30	1	4.01	- .82	.85	9	27.6	76	28+	9	3	0
CLARK FORK 1 ENE	46.5	22.9	34.7	- 2.0	55	21	8	28	929	0	1	29	0	1.67	- 1.70	.50	8				5	1	0
COBALT BLACKBIRD	32.3	7.8	20.1		45	[illegible]	-10	2+		0	14	31	8	2.07		.57	28	27.9	52	28	5	1	0
COEUR D ALENE RS	47.1M	25.2M	36.2M	- 2.1	56	5	11	29	889	0	0	25	0	.86	- 1.43	.39	9	T	T	1+	3	0	0
COTTONWOOD	43.4	22.9	33.2	- 3.1	58	9	10	2+	980	0	3	29	0	.86	- 1.07	.23	8	1.0	1	27	4	0	0
DIXIE	40.2	5.4	22.8		52	7	-21	30	1300	0	5	31	10	3.22		.79	10		45	1+	9	3	0
ELK RIVER 1 S	45.0	21.7	33.4		55	5	7	4	972	0	0	27	0	2.01		.46	9	T	23	1+	5	0	0
FENN RS	M	M	M		61	16				0	0		0	2.25	- 1.77	.85	10	1.0	T	10			0
GRANGEVILLE	45.0	24.1	34.6	- 2.8	60	6+	11	2+	934	0	1	28	0	1.45	- .90	.45	10		0		6	0	[illegible]
KELLOGG	46.5	26.3	36.4	- 2.3	62	10	12	29		0	1	27	0	1.69	- 1.30	.53	10	T	T	10+	4	1	0
KOOSKIA	53.8	27.7	40.8	- 2.0	65	9	16	29	747	0	0	24	0	1.08	- 1.30	.39	10	T	0		3	0	0
LEWISTON WATER PLANT	55.2	30.6	42.9	- 2.6	68	9	18	29	678	0	0	21	0	1.15	- .07	.72	21	.5	0		3	1	0
LEWISTON WB AP //R	50.8	29.2	40.0	- 3.6	65	9	17	29	768	0	0	24	0	1.21	.07	.65	21	T	T	21	4	1	0
MOSCOW U OF I	47.6	27.4	37.5	- 0.9	60	9	13	29	846	0	0	25	0	1.40	- .76	.60	21	4.0	1	17+	3	1	0
MULLAN PASS CAA	29.1	15.2	22.2	- 4.2	43	16	- 4	28	1321	0	20	31	2	3.24	- .33	.53	26	35.3	162	1	7	2	0
NEZPERCE 2 E	44.1	25.9	35.0		59	9	12	29	922	0	1	27	0	.94		.33	8	.5	T	18+	5	0	0
OROFINO	54.3	28.8	41.6	- 1.4	65	5+	18	2+	718	0	0	20	0	1.02	- 1.73	.28	[illegible]	.0			4	0	0
PIERCE RS	42.8M	18.8M	30.8M	- 3.7	53	5	5	2	1049	0	0	30	0	2.26	- 2.50			6.5	33	1+			0
PORTHILL	44.4	21.8	33.1	- 2.7	56	21	- 3	28	978	0	1	25	1	1.41	.00	.40	9+	8.0	5	27	5	0	0
POTLATCH 1 SE	46.2	25.4	35.8	- 2.6	60	9	11	29	899	0	0	26	0	1.74	- .75	.52	21	4.0	1	21	6	1	0
PRIEST RIVER EXP STA	43.0	19.6	31.3	- 3.5	50	16	4	4	1038	0	1	31	0	1.92	- .63	1.03	9	.4	22	1+	3	2	1
RIGGINS RS	55.6M	30.7M	43.2M	- 3.1	67	9	20	29	670	0	0	20	0	.95	- .50	.49	10				2	0	[illegible]
SAINT MARIES	47.9	23.2	35.6	- 3.9	59	15	10	29	907	0	0	29	0	2.00	- .52	.54	10	T			5	1	0
SALMON	48.7	20.5	34.6	- 1.2	62	7	8	2+	936	0	0	29	0	.53	.02	.17	10		1	10	1	0	0
SANDPOINT EXP STA	42.9	24.4	33.7	- 3.5	52	22	11	4+	966	0	2	24	0	1.77	- .87	.65	9	.7	6	1+	3	2	0
WALLACE	43.7	24.1	33.9	- 3.7	54	16	6	29	958	0	2	28	0	2.99	- .96	.78	9	1.2	[illegible]	1	7	3	0
WALLACE WOODLAND PK	43.3M	19.9M	31.6M	- 4.8	55	10	5	29+		0	4	29	0	2.65	- 1.03	.85	10		6	1+			0
WINCHESTER 1 SE	43.8	20.7	32.3	- 2.7	56	5+	8	2+	1009	0	1	29	0	1.28	- .62	.60	21	6.5	4	21	6	1	0
DIVISION			34.0	- 3.7										1.78	- .75			5.4					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	45.7	26.3	36.0		59	9	14	2	893	0	0	24	0	1.76		.67	9	.0	T	1+	4	2	0
ARROWROCK DAM	47.0	27.2	37.1	- 1.9	63	8	18	2+		0	0	26	0	2.04	.11	.97	9	2.0	2	11	7	1	0
ATLANTA 1 E	M	M	M				1	[illegible]		0	0		0	2.86	.48	.50	9		39	1+	[illegible]	1	0
BLISS	52.3	24.7	38.5	- 1.4	67	7	12	4	812	0	0	27	0	1.23	.39	.59	9	.5	T	11	2	1	0
BOISE LUCKY PEAK DAM	52.6M	27.8M	40.2M		67	7	17	2		0	0	23	0	1.20		.31	8		0			0	0
BOISE WB AP //R	50.7	27.9	39.3	- 2.5	66	7+	13	2	791	0	0	25	0	1.20	- .14	.31	8	1.2	1	17+	5	0	0
BUHL	51.0	27.1	39.1	- 1.2	66	7	15	6	796	0	1	26	0	1.10	.42	.44	9	T	T	10	4	0	0
CALDWELL	55.0	27.2	41.1	- 1.7	68	9	15	4	732	0	0	24	0	1.15	.11	.35	9	2.0	0		5	0	0
CAMBRIDGE	52.3	25.9	39.1	1.1	64	9	15	4	795	0	0	26	0	1.19	- .63	.57	8	.5	0		2	1	0
CASCADE 1 NW	39.4	15.1	27.3		51	7	- 2	2	1161	0	4	29	1	2.05		.64	8	15.5	25	1+	8	1	0
CHALLIS	44.4	20.8	32.6	- 2.1	59	7	6	2	997	0	2	29	0	.30	- .09	.10	10		T	10+	1	0	0
COUNCIL	50.5	26.2	38.4	1.3	61	7+	15	3+	820	0	0	25	0	2.20	- .44	.83	8	T	T	11	5	2	0
DEADWOOD DAM	42.2	8.2	25.2	- 2.0	53	7	-15	2	1227	0	1	31	9	3.57	- .05	1.40	9	14.5	54	1+	9	2	1
DEER FLAT DAM	52.2	29.6	40.9	- 0.9	67	7+	16	4	738	0	0	19	0	1.20	.26	.60	8				4	1	0
EMMETT 2 E	53.1	28.5M	40.8M	- 3.3	67	7	17	3	740	0	0	23	0	.68	- .52	.30	8				2	0	0
FAIRFIELD RS	38.9	16.5	27.7		56	9	- 3	2	1147	0	2	30	3	1.35		.50	9	7.0	14	1+	4	1	0
GARDEN VALLEY RS	51.1M	23.4M	37.3M	0.8	64	7	12	2	850	0	0	29	0	2.77	.34	.73	9	3.0	4	1	7	2	0
GLENNS FERRY	55.6M	27.4M	41.5M	- 2.4	69	9	10	4	721	0	0	22	0	1.28	.59	.52	9	T	0		5	1	0
GOODING CAA AP	47.7	26.3	37.0	- 1.3	63	7+	15	2	858	0	0	27	0	1.11	.36	.46	9	T	T	24+	2	0	0
GRAND VIEW	56.5	26.0	41.3	- 2.1	70	7+	12	4+	726	0	0	24	0	.68	- .04	.33	17	T			3	0	0
GRASMERE	45.6M	18.6M	32.1M		63	7	3	12	1013	0	3	29	0	1.09		.39	10		4	10		0	0
HAILEY AP	40.6	18.1	29.4	- 1.8	50	26	1	2	1098	0	2	30	0	1.14	- .15	.72	9	6.5			3	1	0
HAZELTON	48.0	25.1	36.6	- 2.8	65	7	14	2+	878	0	0	27	0	1.49	.49	.37	8+	1.8	T	10+	6	0	0
HILL CITY	37.4	15.2	26.3	- 0.8	45	10	- 4	2	1190	0	5	31	3	1.33	.08	.76	9				3	1	0
HOLLISTER	48.5M	23.9M	36.2M	- 1.3	65	7	7	2	888	0	1	27	0	1.76	1.06	.52	9	T			5	1	0
IDAHO CITY	48.2	19.4	33.8	- 1.4	60	7	3	2	964	0	0	29	0	3.01	.74	.75	9	6.3			7	3	0
JEROME	49.9M	24.0M	37.0M	- 2.0	65	7	12	2+	863	0	1	28	0	1.46	.66	.49	9				4	0	0
KUNA 2 NNE	52.8M	25.6M	39.2M	- 2.7	68	7	10	2	793	0	0	24	0	.69	- .41	.33	8	.2	T	18	3	0	0
LOWMAN	48.5	19.4	34.0	- 0.6	58	7	3	2	958	0	0	30	0	2.93	.75	.72	8	6.0	17	1+	6	3	0
MC CALL	36.7	12.2	24.5	- 4.2	46	10	- 3	2+	1255	0	7	31	4	2.42	- .12	1.05	10	15.0	36	1	5	1	1
MERIDIAN 1 W	53.3	26.2	39.8	- 2.9	67	7	10	2	776	0	0	24	0	.91	- .30	.35	8		0		3	0	0
MESA	49.1	26.4	37.8		61	7	18	3	837	0	0	27	0	2.23		.92	8				6	2	0
MOUNTAIN HOME	54.2	26.9	40.6	0.0	74	7	12	2	751	0	0	22	0	.78	- .23	.33	9	.0	0		4	0	[illegible]
NAMPA 2 NW	53.3	26.6	40.0		69	8	11	2		0	0	23	0	.75		.45	9	.5	T	18	3	0	0
NEW MEADOWS RS	44.2	16.8	30.5	- 1.6	53	[illegible]	- 4	2	1061	0	0	29	3	1.86	- .21	.86	9	1.3	15	1+	4	1	0
OLA 5 S	50.8	25.6	38.2		65	7	12	18	824	0	0	25	0	1.89		.62	8				5	1	0
PARMA EXP STA	56.6	26.8	41.7	- 1.2	67	7+	13	5	717	0	0	23	0	.60	- .14	.27	8	.0	0		3	0	0
PAYETTE	53.8	27.8	40.8	- 1.7	66	9	15	4	743	0	0	23	0	.84	- .24	.37	8	T	0		3	0	0
RICHFIELD	46.2	24.1	35.2	1.0	62	7	13	2	917	0	1	28	0	.99	.27	.49	9	.0	0		4	0	0
SHOSHONE	48.9	25.5	37.2	0.2	64	7	14	2	855	0	0	26	0	1.50	.72	.43	9	7.3	T	10	4	0	0
STIBNITE	36.8	6.7	21.8		52	8	-10	2+		0	9	31	7	1.70		.67	10	12.0	49	1+	4	1	0
SUN VALLEY	39.0	10.0	24.5	- 1.1	47	5	-10	4	1247	0	4	31	10	1.26	- .46	.48	9	8.0	27	1+	5	0	0
SWAN FALLS PH	56.5	31.7	44.1	- 0.6	72	9+	20	4	638	0	0	16	0	.22	- .77	.17	8				1	0	0
THREE CREEK	45.4	18.6	32.0		61	7	3	2	1011	0	2	28	0	1.08	- .12	.25	20	13.5	8	11	4	0	0
TWIN FALLS 2 NNE	50.5	25.7	38.1	- 1.8	66	7	11	5	825	0	1	26	0	1.33	.48	.49	9	2.5	T	10+	4	0	0
TWIN FALLS 3 SE	48.0	25.2	36.6	- 3.7	65	8	13	4		0	1	27	0	1.41	.56	.61	9	4.5	1	11+	4	1	0
WEISER	55.5	27.8	41.7	- 1.7	66	7	14	3+	719	0	0	21	0	.65	- .37	.38	8	.0	0		2	0	0
DIVISION			35.9	- 1.4										1.45	- .18			3.8					
SOUTHEASTERN DIVISION																							
AMERICAN FALLS 1 NW	44.9	23.5	34.2	- 1.5	60	7	7	13	947	0	3	28	0	.84	- .44	.49	9	7.0	3	11	1	0	0
ARCO	43.5	19.2	31.4	0.9	55	7	6	3	1036	0	3	30	0	.44	- .37	.30	11	7.0			2	0	0
ASHTON 1 S	39.5	18.1	28.8	0.3	51	16	- 2	3	1113	0	3	29	1	2.16	.95	.38	9	15.5	6	11+	7	0	0
BLACKFOOT	46.0	22.3	34.2	- 0.7	61	7	6	13	950	0	2	29	0	1.26	.35	.48	9	9.0	4	11	4	0	0
BURLEY	48.7	26.4	37.6	- 1.4	69	8	11	4		0	0	25	0	1.48	.76	.78	9	6.5	2	11	4	1	0
BURLEY FACTORY	46.7	23.5	35.1	- 3.1	65	9	[illegible]	5		0	1	27	0	1.35	.53	.71	9		2	12	5	1	0
BURLEY CAA AP	46.2	23.9	35.1	- 2.7	65	7	6	4	921	0	1	28	0	1.67	.85	.42	8	1.6	1	12+	6	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max Depth on Ground	Date	No. of Days: .10 or More ①	.50 or More	1.00 or More
CHILLY BARTON FLAT	39.2	16.5	27.9	- 0.8	54	8	1	4+	1142	0	4	30	0	.68	.24	.35	24		5	24	3	0	0
CONDA	38.7	13.7	26.2	- 0.7	52	10	- 6	4		0	5	30	6	2.90	1.64	.74	9	24.0			11	1	0
DRIGGS	37.9	15.3	26.6	0.0	50	6	- 5	2		0	6	31	5	1.19	.09	.60	17				3	1	0
DUBOIS EXP STA	38.3	19.3	28.8	- 0.3	50	7+	0	3	1117	0	8	29	1	1.19	.55	.40	9	6.0	3	11+	3	0	0
DUBOIS CAA AP	41.3	18.3	29.8	- 0.1	56	7	0	13	1083	0	6	31	1	.97	.23	.39	10	8.4	5	11+	4	0	0
FORT HALL IND AGENCY	45.8M	22.8M	34.3M	- 1.9	60	7	5	13	931	0	3	28	0	1.02	.21	.31	9				3	0	0
GRACE	38.7	18.9	28.8	- 2.3	51	10+	3	4	1114	0	5	29	0	1.91	.79	.40	9	22.5	6	1+	7	0	0
GRAY	40.4	8.6	24.5	- 2.9	54	9	-10	2+	1250	0	4	31	7	1.60	.18	.70	18	18.0	30	18+	5	1	0
GROUSE	38.1	12.0	25.1		50	7	- 8	4	1230	0	3	30	5	.91	.02	.21	17+	10.0			4	0	0
HAMER 4 NW	44.3	18.2	31.3	1.8	59	7	1	4	1039	0	2	28	0	.37	- .03	.15	11	3.3	3	11	2	0	0
IDAHO FALLS 6 NE	43.7	22.5	33.1		58	7	3	13	981	0	3	24	0	1.85		.56	18	5.0	3	11+	6	1	0
IDAHO FALLS CAA AP	43.7	21.2	32.5	- 1.1	60	9	4	13	1001	0	4	27	0	.90	- .18	.30	9	7.0	4	21	4	0	0
IRWIN 2 S	40.8	19.5	30.2	- 0.4	54	7	3	2+	1073	0	3	28	0	2.49	1.35	.78	11	22.0			8	1	0
ISLAND PARK DAM	36.5	5.5	21.0	- 2.8	46	16	-25	3	1357	0	9	30	12	2.94	.46	.71	11	21.0	56	11	7	3	0
LIFTON PUMPING STA	38.1	17.6	27.9	0.5	49	9	1	3	1146	0	6	30	0	1.26	.43	.34	27	12.5	2	27	4	0	0
MACKAY RS	40.7	19.5	30.1	- 0.8	54	7+	4	3	1073	0	4	31	0	.52	.01	.16	20	4.1	2	1+	2	0	0
MALAD	45.5	24.5	35.0	- 0.4	60	7	14	3+	921	0	1	27	0	1.72	.46	.46	9	2.0	1	17	8	0	0
MALAD CAA AP	46.4	23.5	35.0		62	7	13	5	923	0	2	27	0	1.54		.47	9	1.4	1	11	4	0	0
MAY RS	43.9	16.4	30.2	- 3.3	60	7	1	6	1072	0	4	29	0	.26	- .11	.12	21	2.8	2	10	1	0	0
MC CAMMON	44.3	23.7	34.0		60	7	12	13	952	0	0	28	0	1.58		.61	9	T	T	10+	5	1	0
MINIDOKA DAM	43.4	26.6	35.0		60	7	13	4	924	0	2	26	0	1.10		.40	9	7.5	1	10+	3	0	0
MONTPELIER RS	39.0M	16.4M	27.7M	- 0.9	53	10+	0	4		0	7	30	1	2.24	1.01	.35	29	15.0	6	29	8	0	0
OAKLEY	47.7	25.4	36.6	- 2.2	65	7+	8	2	874	0	1	23	0	1.54	.73	.53	24	14.5	3	10+	6	1	0
PALISADES DAM	40.3	18.6	29.5		54	7	- 1	2+	1092	0	3	28	3	2.63		.93	9	16.7	4	11+	8	1	0
PAUL 1 E	47.9	23.9	35.9	- 2.4	65	8	8	4		0	1	26	0	1.11	.24	.61	9	3.0	1	11+	3	1	0
POCATELLO WB AP //R	44.0	23.9	34.0	- 2.6	60	7	8	13	954	0	3	27	0	1.02	- .11	.19	9	7.2	2	10+	5	0	0
PRESTON SUG FACT 2SE	46.4	23.7	35.1	0.8	60	7+	12	13	921	0	2	27	0	2.60	1.06	.53	25	17.0	T	11+	7	2	0
REACTOR TESTING STA	42.0	17.4	29.7		55	7	- 2	13	1087	0	4	30	2	.55		.27	9	3.7	3	12+	2	0	0
RUPERT	47.8	26.3	37.1	- 1.2	67	8	11	5		0	1	25	0	1.35	.57	.50	9	7.0	5	24	4	1	0
SAINT ANTHONY	42.9	18.6	30.8		56	7	- 4	13	1056	0	3	28	2	2.62	1.78	.62	28		5	28	8	2	0
SPENCER RS	35.5	12.5	24.0	- 0.9	45	26	-10	3	1264	0	10	29	4	1.94	.54	1.01	9	8.0			6	1	0
SPRINGFIELD 1 SE	46.9	23.1	35.0	- 0.3	67	7	10	2+	922	0	1	26	0	E 1.63	.99	.79	9	8.2	4	11	4	1	0
STREVELL	43.5	21.9	32.7		59	7	5	2	996	0	2	28	0	.58		.14	9		2	11	2	0	0
TETONIA EXP STA	37.4	9.5	23.5		49	8+	- 5	30	1281	0	7	30	5	1.24		.20	9+				7	0	0
DIVISION			31.1	- 1.1										1.44	.28			9.5					
STATE			33.9	- 1.8										1.52	- .16			6.1					

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
AMERICAN FALLS 1 NW	.84								.03	.49	.03	.04	.03					T	.04		T	.06			.03			.08	T	.01	T	
ANDERSON DAM	1.76								.58	.67	T	.01						.01			.01						T	.17	.30	.01	T	
ARCO	.44											.30						.04			T				.10					T		
ARROWROCK DAM	2.04								.08	.97	.15	.12	T						.10		.18							.12	.27	.05		
ASHTON 1 S	2.16								.35	.38	.09	.35			T			.03	.11			.28	T		.23				.29	.05		
ATLANTA 1 E	2.86								.40	.50	.44	.10						T	T		.15		T		.02	.32	.03	.43	.47	T		
AVERY RS	2.23								.38	.32	.62	.05							T		•	•	.55				.03		.19			.09
BAYVIEW MODEL BASIN	1.23								.37	.45	.30	.08																.03				T
BLACKFOOT	1.26									.48	T	.30							.18						.30					T		
BLISS	1.23								.33	.59		.05						.01		T	.09					.07		.09	T			
BOISE LUCKY PEAK DAM	1.20								.31	.25	.08	.08						.15	.07		•	.08						•	.18			
BOISE WB AP //R	1.20								.31	.21	.06	.03					T	.19		T	.19	T					T	.20	.01			
BONNERS FERRY 1 SW	2.19								.37	.88	.65							T	T		T						T	.29	T			T
BUHL	1.10								.20	.44	.04														.12			.08	.16	.06		
BURKE 2 NNE	4.01	T							.47	.85	.80	.10	T						.02			.44	.09	.01			.15	.72	.15			.21
BURLEY	1.48								T	.78	T	.12	.09						.03			.01			.21	.08	T	.05	.10	.01		
BURLEY FACTORY	1.35		T						T	.71	.07	.12	.10						.01			.03			.14	.10		.04	.03		T	
BURLEY CAA AP	1.67	T	T						.42	.28	.07	.07						.04	T	T	.11	T		.09	.12	.08	T	.24	.13	.02	T	T
CALDWELL	1.15								.34	.35	.02						.21				.13								.10			
CAMBRIDGE	1.19								.57	.45	.08										.03	.01						.05				
CASCADE 1 NW	2.05	T							.64	.37	.19	.12						.10	.17		.18						T	.26	.02			
CENTERVILLE ARBAUGH	3.56								.85	.60	.12	.33						.16	.19	.05	.32	.01			T		T	.57	.35	.01		
CHALLIS	.30									.09	.10	.03									.06	T						.01	.01			
CHILLY BARTON FLAT	.68									.05	.10	T						.10			T	.08			.35							
CLARK FORK 1 ENE	1.67								.50	.48	.30	.09																.15				.15
COBALT BLACKBIRD MINE	2.07	.03	T						T	.07	.29	.24	.04	T					.15			.07	.02		T	.09	T	.45	.57	.05		
COEUR D ALENE RS	.86	T							.24	.39	.11	.05						T	.03			.02					T	.02				T
CONDA	2.90									.74	.22	.28	.10					T	.41		.15				.16	.17		.25	.08	.18	.16	
COTTONWOOD	.86								.23	.19	.05	.01						.02			.03	.20					T	.13				
COUNCIL	2.20								.83	.75	.13	.06							T		.14		.02					.27	T			
CROUCH 2 NNW	3.45								.93	.74	.35							.08			.46	.06						.62	.21			
DEADWOOD DAM	3.57								.56	1.40	.48	.15						.16	.11	T	.10						T	.42	.10			
DEER FLAT DAM	1.20								.60	.30								.12			.13							T	.05			
DIXIE	3.22	.13							.28	.24	.79	.20	.50					.02	.15		.05	.07					.07	.60	.12			
DRIGGS	1.19																	.60	.03						.20				.02	.33	.01	
DUBOIS EXP STA	1.19									.40	.04	.32	.02					.05	.05		T	.31			T							
DUBOIS CAA AP	.97									.21	.39	.12			T			.01	.12	T	.01	.09		.02	T				T			
ELK RIVER 1 S	2.01	.06							.36	.46	.30	T	.02					T			.08	.33						.40				

DAILY PRECIPITATION

Table 3—Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	.68								.30	.23		.05						•	.10													
FAIRFIELD RS	1.35								.40	.50	.08							T		T	.15				.14	.04		.02	.02		T	
FENN RS	2.25								.39	.11	.85	.06						.02			•	•	*				•	[illegible]				
FORT HALL IND AGENCY	1.02								.05	.31	.01	.13	.02					T	.09		.04	.09		T	.24				T	.02	.02	
GARDEN VALLEY RS	2.77								.65	.73	.17	.05						.25			.33							.31	.28			
GLENNS FERRY	1.28								.34	.52	.01							.14								.11		.06	.10			
GOODING CAA AP	1.11								.34	.46	.05							.04		T	.03			T	.05	.04		.02	.08	T		
GRACE	1.91								.10	.40	.04	.10	.03					.13	.01		.04	T	.13	.04	.30	.30		.06	.07	.09	.02	.05
GRAND VIEW	.68								.05	.15	.02							.33			T				T				.13			
GRANGEVILLE	1.45								.26	.15	.45	.05						.18	.02		.14	.08						.12				
GRASMERE	1.09								T	T	.39	T						T			.30	T			•	.26		T	T	.14		
GRAY	1.60								.20	.30			.20						.70						.20							
GROUSE	.91									.19	.09							.21	T		.21				.12			T		.09		
HAILEY AP	1.14									.72	.07							.05			.14				.15	.01		T				
HAMER 4 NW	.37									.13		.15							.04			.04	.01		T							
HAZELTON	1.49							T	.37	.37	T	.01						T		T	.03	.02		.02	.25	.13		.12	.17	T		T
HILL CITY	1.33								.28	.76	T							T			.12				T	.04		.06	.07			
HOLLISTER	1.76								.42	.52	.09	.07						T			•	.04				.30	.04	.13	.13		.02	
HOWE	.17									T	T	.05							.10						.02						T	
IDAHO CITY	3.01								.71	.75	.22	.08						.16	.08		.31							.50	.20			
IDAHO CITY 13 SW	3.20								.95	.90	.18	.18						.10	T	T	.37							.37	.15	T		
IDAHO FALLS 6 NE	1.85								.10	.37	.05	.24						.25	.56		T	T			.21					.07		
IDAHO FALLS CAA AP	.90								T	.30	.03	.05	T	T				.10	.03		.16	.02		.15	.02	T		T	T	.04		
IRWIN 2 S	2.49								.20	.45	.05	.78						.13	.31		T	.21			.13	T	T	T		.23		
ISLAND PARK DAM	2.94								.40	.66		.71						.07	.19		.02	.55	.17		.10					.07		
JEROME	1.46								.28	.49	.03	.06						.05			.03	T			.22	.19			.07	.04		
KAMIAH 1 NE	.94								.12	.27	.22	T							T		T	.11	.16						.06			
KELLOGG	1.69								.37	.31	.53	.01							.03			.39	.02					.03				
KOOSKIA	1.08								.37	.14	.39	T						T			.09	.04	.05				T	T				
KUNA 2 NNE	.69								.33	.23	T	T						.10	.03		T						T	T	T	T		
LEWISTON WATER PLANT	1.15								.13	.08	.05							T			.17	.72						T				
LEWISTON WB AP //R	1.21								.11	.20	T						T	T			.25	.65						T				
LIFTON PUMPING STA	1.26		T						T	.31	.07	.02						T	.10			T	.03	.05	.06	.05	.01	.34	.11	.06	.05	
LOWMAN	2.93								.72	.64	.27										.32							.38	.60			
MACKAY RS	.52									.10	.04							.05			.16	.04			.07	.03					.03	
MALAD	1.72								.05	.46		.10	.04					.19	.11		.17	.10	.08	.03	.11	.17		.04	T	.06		.01
MALAD CAA AP	1.54								.17	.47	.13	.02						.05	.07		.19	.09		.08	.09	.09		.02	T	.07		T
MAY RS	.26									.07	.05	T									.02	.12										
MC CALL	2.42								.31	.36	1.05								.38										.32			
MC CAMMON	1.58								.17	.61	.08	T	.08				T	.07			.08	.04	.03	T	.12	.11	.10	.07	.02	T		T
MERIDIAN 1 W	.91								.35	.23	T	T						.20	.04		.09							T	T			
MESA	2.23								.92	.66	.13	.10						.05		T	.15							.22				
MINIDOKA DAM	1.10								.03	.40	.03	T						.03			.10	.07			.25	.02		.08	.05	T	.04	
MONTPELIER RS	2.24									.26	.31	.13	.01						.19	T		.21	.08	T	.08	.05	.02	.18	.34	.35	.03	
MOSCOW U OF I	1.40								.22	.28	.09	T						.09	T		.08	.60						.04				
MOUNTAIN HOME	.78								.18	.33	.02	T						T	.15									T	.10			
MULLAN PASS CAA	3.24	.05						.01	.42	.43	.09	.06	T					.01	.02	T	.50	.48	T	T		.02	.53	.42	.02			.1
NAMPA 2 NW	.75								.14	.45		T							.12		.04								T	T		
NEW MEADOWS RS	1.86								.40	.86	.30	.02							.09	.02	.10							.07				
NEZPERCE 2 E	.94								.33	.15	.10	T	T					T	.03		.12	.17						.04				
OAKLEY	1.54								.02	.13	.16							.19			.19	.02			.53	.03		.02	.14	.06	.05	
OLA 5 S	1.89								.62	.47	.03	.07						.28	.05		.17							.11	.09			
OROFINO	1.02								.28	.27	.09										.05	.11	.08					.14				
PALISADES DAM	2.63	T							.30	.93	.07	.38	.02	T	T			.11	.30		.01	.14		T	.25	T	T	T	T	.10	.01	.01
PARMA EXP STA	.60								.27	.18								.03		T	.12											
PAUL 1 E	1.11									.61	.01	.07	.02						.01	T		.02			.19	.02			.16		T	
PAYETTE	.84								.37	.35		T								.02	.10											
PIERCE RS	2.26								.52	.52	.36	.04						.01	.04		.07	.04					.02	•	.64			
POCATELLO WB AP //R	1.02	T							.03	.19	.17	.05						.10	.07	T	.10	T	T	.09	.05			.06	T	.11		T
PORTHILL	1.41							.15	.23	.40	.23								T								T	.40	T			
POTLATCH 1 SE	1.74								.31	.34	.18	.02					T	.05			.15	.52					T	.17				T
PRESTON SUG FACT 2 SE	2.60								.08	.52	.01	.14	.06					.05	.27			.37	.04	.23	.06	.53	T	.02		.16	.06	
PRIEST RIVER EXP STA	1.92								.53	1.03	.33							T	.02									.01				T
REACTOR TESTING STA	.55								T	.27	.01	.14						T	T	T	.05			T	.03	T				.05		
RICHFIELD	.99								.16	.49	.10								T		T				.21			.03				
RIGGINS RS	.95								.02	.09	.49	.30	.01					.01			.03											
RUPERT	1.35		T							.50	.05	.12	.05						.02			.16			.25	.04		.09	.04		.03	
SAINT ANTHONY	2.62								.21	.32	.05	.50						.15	.20		.02	.40		.02	.13	T			.62			
SAINT MARIES	2.00	T							.44	.43	.54							T			.21	.35	T				.02					.0
SALMON	.53								.03	.09	.17										.03	.01	.06		T		T	.06	.08			
SANDPOINT EXP STA	1.77								.59	.65	.45	T						T	.02								T	.01				.0
SHOSHONE	1.50								.30	.43	.04							.02	T		.02				.21	.39		.06	.03	T		
SPENCER RS	1.94	T								1.01	.12	.14	T					.03	.16		.17	.20	.05		.06							
SPRINGFIELD 1 SE	E 1.63	T								.79	E .05	.28						T	.20		T	.18	T	T	.08				T	.05	T	
STIBNITE	1.70								.08	.26	.67	.09	T						.02		T	.02	T				T	.28	.27	.01		
STREVELL	.58								T	.14	.06	.06	.01					.08			T			.07	.10	.01		T		.04	.01	
SUN VALLEY	1.26								T	.48	.20							.21			.25				.12	T		T	T			
SWAN FALLS PH	.22								.17	T								T			T								.05			
TETONIA EXP STA	1.24									.20	.17	.12	.05									.15	.05	.12	.13				.20	.05		
THREE CREEK	1.08								.08	.22	.14	.05						.03			.25	T	T	T	.18	.09					.04	
TWIN FALLS 2 NNE	1.33								.21	.49	.02	T						T	T	T	.02	T		T	.30	.03		.08	.18	T		T
TWIN FALLS 3 SE	1.41								.04	.61	.04	.08	.02						.01		.01				.21	.11		.08	.09	.11	T	
WALLACE	2.99	T							.23	.78	.51	.07	T					T	T		T	.60					.22	.21	.34			.0
WALLACE WOODLAND PARK	2.65	T							.18	.35	.85	.04							.02			.46	T					•	.75			
WEISER	.65								.38	.27																		T				
WINCHESTER 1 SE	1.28								.13	.20	.14	.11										.60						.10				

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
AMERICAN FALLS 1 NW	MAX	50	32	37	43	53	58	60	54	54	51	30	31	38	44	51	54	53	40	41	44	42	42	41	42	43	47	45	43	43	40	45	44.9
	MIN	22	10	14	10	13	18	23	41	42	27	19	15	7	22	21	28	30	23	20	29	27	21	26	30	27	30	31	34	27	17	24	23.5
ANDERSON DAM	MAX	48	33	38	44	47	49	54	49	59	53	34	41	42	48	47	50	52	42	41	44	47	48	53	47	49	46	42	42	39	41	47	45.7
	MIN	27	14	17	16	19	19	30	37	38	30	24	18	21	21	21	31	32	28	29	34	26	24	22	34	33	28	34	34	31	21	21	20.3
ARCO	MAX	46	29	36	44	47	51	55	53	50	48	31	32	37	45	44	51	48	38	38	40	49	50	47	41	44	45	44	46	40	36	43	43.5
	MIN	19	7	6	7	8	11	22	29	37	29	20	20	12	15	14	25	31	21	14	26	23	24	15	27	25	22	24	26	22	13	9	19.2
ARROWROCK DAM	MAX	54	38	38	46	47	56	60	63	45	60	36	35	41	42	50	50	53	43	41	45	46	49	51	52	51	44	49	42	41	41	44	47.0
	MIN	26	18	18	21	23	24	29	32	39	33	23	22	23	24	26	33	35	25	26	32	30	28	27	29	29	30	32	35	26	22	24	27.2
ASHTON 1 S	MAX	41	26	32	36	39	41	44	47	49	46	36	28	35	37	40	51	49	44	35	37	41	42	41	42	38	42	40	41	36	34	35	39.5
	MIN	18	2	- 2	4	10	12	28	34	30	32	18	6	2	8	16	22	32	21	22	22	23	22	12	24	17	26	27	29	21	8	8	18.1
ATLANTA 1 E	MAX	39	33	43	48											40	45	40	40	37	40	42	44	49	48	44	42	33	34	37	39	38	
	MIN	8	1	7	8											10	17	23	21	19	25	20	12	13	25	20	20	27	26	18	5	8	
AVERY RS	MAX	43	37	46	51	57	51	53	56	51	50	41	45	48	50	63	56	52	42	51	53	50	52	53	50	52	49	45	38	44	47	45	49.1
	MIN	20	10	18	15	19	25	36	22	35	30	27	22	28	34	24	30	28	29	22	36	38	22	27	27	20	35	36	21	8	12	23	25.1
BAYVIEW MODEL BASIN	MAX	39	36	37	38	41	51	47	41	50	52	45	40	41	49	53	49	45	46	42	45	45	45	42	49	49	47	40	33	38	42	43	44.1
	MIN	23	23	22	17	20	22	23	35	38	32	28	21	15	19	22	38	31	30	23	33	29	23	17	10	20	38	28	15	7	14	23	24.0
BLACKFOOT	MAX	45	32	43	49	54	59	61	52	58	55	31	33	33	41	54	58	50	40	43	47	45	40	45	42	45	48	47	42	40	40	47	46.0
	MIN	20	7	10	10	12	17	29	41	38	28	18	13	6	14	22	32	32	21	19	27	25	25	23	25	24	30	31	32	24	15	20	22.3
BLISS	MAX	45	40	47	52	59	66	67	59	65	60	35	45	46	51	57	56	56	45	50	48	51	54	51	53	53	55	52	42	46	55	60	52.3
	MIN	23	14	20	12	13	19	19	42	45	30	23	19	17	20	30	30	30	24	25	36	22	23	20	32	31	26	35	27	17	16	27	24.7
BOISE LUCKY PEAK DAM	MAX		43	51	51	62		67		66	63	39	42	45		54	56	56	44	49			55	55	54	54	54	50			40	54	52.6
	MIN		17	23	24	27	32			44	31	29	22	20	27		40	30	19	31			30	30	32	30	31			24	18	28	27.8
BOISE WB AP	MAX	41	41	48	50	59	63	66	59	66	56	40	42	45	52	54	56	52	42	48	48	49	54	53	53	52	53	47	43	41	46	53	50.7
	MIN	22	13	22	22	23	27	32	45	49	28	25	23	19	24	34	38	27	18	31	32	29	26	25	33	28	32	37	32	24	17	28	27.9
BONNERS FERRY 1 SW	MAX	43	35	39	41	43	47	43	41	45	46	45	43	47	49	47	51	52	46	47	48	54	53	52	47	48	48	40	32	38	44	43	45.1
	MIN	22	14	17	13	12	21	21	32	34	33	25	20	20	28	25	27	33	34	21	32	32	24	24	32	21	35	21	- 1	4	14	29	23.2
BUHL	MAX	55	41	49	51	59	61	66	63	65	59	32	39	43	51	60	58	55	46	49	46	48	53	51	47	50	54	51	46	40	41	52	51.0
	MIN	25	16	20	18	22	15	31	45	45	28	19	20	21	21	29	39	30	25	27	32	21	26	27	31	32	32	30	33	27	21	25	27.1
BURKE 2 NNE	MAX	30	22	32	42	42	44	44	39	43	39	32	33	37	35	43	50	44	34	41	41	37	43	40	41	38	37	36	31	33	36	33	37.8
	MIN	10	3	7	8	14	23	17	32	34	24	20	9	11	25	16	29	28	25	15	28	30	18	20	27	12	29	28	4	- 2	2	13	18.2
BURLEY	MAX	58	43	37	47	52	63	60	69	51	60	40	39	36	42	50	58	55	44	47	47	46	48	51	43	48	49	51	45	45	36	43	48.7
	MIN	25	15	18	11	13	19	30	46	40	35	20	19	18	23	25	31	37	25	24	29	25	24	26	31	29	29	35	34	29	23	23	26.4
BURLEY FACTORY	MAX	57	40	35	45	49	58	50	63	65	58	38	29	34	39	47	57	54	42	43	47	44	45	50	44	45	47	49	55	44	35	41	46.7
	MIN	23	13	16	11	8	19	24	20	44	35	19	18	15	20	23	28	31	24	19	27	23	20	24	29	29	30	33	34	28	22	20	23.5
BURLEY CAA AP	MAX	40	35	45	48	58	62	65	53	59	45	28	34	38	45	57	59	42	43	48	44	44	50	42	43	46	50	45	43	35	39	48	46.2
	MIN	23	14	17	6	7	20	21	45	38	25	20	18	14	23	23	27	26	24	21	31	24	20	24	31	29	31	34	32	28	22	23	23.9
CALDWELL	MAX	55	46	49	52	60	62	67	60	68	64	45	48	51	56	57	60	49	48	51	53	56	57	59	59	58	60	51	47	47	51	58	55.0
	MIN	26	16	18	15	17	23	24	45	48	35	29	23	21	20	30	39	32	21	26	36	27	22	21	27	29	28	40	36	25	21	22	27.2
CAMBRIDGE	MAX	45	44	48	53	57	56	62	55	64	59	43	45	48	54	52	54	54	44	46	51	52	55	58	60	56	55	50	47	49	50	55	52.3
	MIN	22	21	17	15	16	20	23	42	45	35	27	26	22	26	24	32	34	24	21	32	26	21	21	24	25	30	36	29	25	25	18	25.9
CASCADE 1 NW	MAX	41	27	33	33	39	42	51	47	49	44	29	31	35	41	45	45	44	36	36	42	40	40	44	43	42	40	37	36	32	34	42	39.4
	MIN	10	- 2	3	2	2	9	16	35	36	20	20	15	6	11	10	24	30	15	4	27	17	8	8	14	21	25	29	25	11	6	6	15.1
CHALLIS	MAX	40	29	37	43	47	54	59	56	56	56	31	33	37	46	48	50	47	45	40	43	40	46	49	45	46	47	43	44	37	36	45	44.4
	MIN	16	6	10	9	12	16	24	40	33	29	22	21	12	16	17	21	26	24	24	25	23	25	17	30	18	31	29	28	17	12	12	20.8
CHILLY BARTON FLAT	MAX	37	25	34	43	43	47	52	54	48	42	27	27	32	38	40	46	40	36	37	39	40	43	42	38	37	37	42	37	36	35	42	39.2
	MIN	16	5	3	1	1	5	20	28	35	24	18	14	3	[illegible]	11	25	30	23	18	24	19	14	12	25	14	20	27	28	20	13	10	16.5
CLARK FORK 1 ENE	MAX	37	35	40	44	47	52	49	41	51	50	44	43	48	46	50	53	52	53	48	50	55	53	53	50	49	45	44	32	40	47	42	46.5
	MIN	24	11	17	11	13	20	24	32	34	31	26	19	19	27	25	29	30	27	20	29	28	24	27	27	19	34	27	8	9	12	28	22.9
COBALT BLACKBIRD MINE	MAX	38	20	17	29	35	41	43	45	42	42	28	19	23	21	34	38	41	38	30	33	35	29	37	37	28	31	33	36	29	24	25	32.3
	MIN	4	-10	-10	- 1	- 2	2	13	16	32	22	13	12	0	0	8	11	16	12	9	10	12	10	7	7	4	7	21	17	- 1	- 7	7	7.8
COEUR D ALENE RS	MAX	43	37	41	46	56	47	48	45	53	51	40	45	45	46	50	55	52	46	50	50	48		52	51	50	50	48	40	40	44	44	47.1
	MIN	25	15	17	15	18	27	24	35	36	32	27	21	23	28	26	29	29	31	20	28	35		29	29	21	30	34	14	11	14	28	25.2
CONDA	MAX	36	29	26	30	36	41	47	51	45	52	50	35	25	33	39	40	49	41	33	40	43	38	36	41	45	38	38	39	38	38	28	38.7
	MIN	4	- 4	- 5	- 6	- 2	0	16	25	33	32	11	9	0	7	9	24	32	18	3	10	18	13	13	22	21	24	28	28	27	10	4	13.7
COTTONWOOD	MAX	33	32	42	47	55	57	50	54	58	49	31	35	42	43	48	48	41	41	44	41	38	45	47	46	47	41	42	32	35	39	43	43.4
	MIN	20	10	12	14	22	27	25	35	40	24	23	20	20	26	22	29	28	25	20	27	28	23	22	27	19	31	30	15	10	13	22	22.9
COUNCIL	MAX	55	42	48	51	54	53	61	61	57	55	41	43	44	51	47	53	52	45	43	45	51	56	57	57	54	54	49	45	45	47	50	50.5
	MIN	20	20	15	15	18	21	24	41	43	34	28	24	22	25	22	30	37	21	23	32	27	20	28	27	20	32	33	33	23	23	19	26.2
DEADWOOD DAM	MAX	43	36	41	51	48	50	53	47	45	43	29	35	38	43	48	47	42	36	42	40	43	45	49	47	42	41	34	35	36	39	39	42.2
	MIN	3	-15	- 6	- 9	- 5	0	11	32	31	24	11	- 6	- 4	1	3	22	26	13	4	23	9	3	1	10	10	15	27	24	4	- 6	- 1	8.2
DEER FLAT DAM	MAX	45	44	47	51	57	65	67	54	67	47	43	44	48	54	57	58	40	44	50	51	55	55	57	58	52	60	55	41	45	48	60	52.2
	MIN	27	17	23	16	19	26	37	47	45	35	28	25	21	21	34	38	37	24	30	36	26	25	28	26	33	35	42	37	25	25	29	29.6
DIXIE	MAX	30	32	41	47	48	48	52	44	45	39	27	30	37	41	47	50	45	34	41	42	41	44	46	40	42	38	37	31	33	34	39	40.2
	MIN	13	-16	- 7	-14	-10	3	7	32	31	20	10	- 1	5	4	6	7	21	20	- 6	11	3	10	0	5	1	18	25	14	-19	-21	- 4	5.4
DRIGGS	MAX	39	32	22	30	40	50	45	43	45	40	28	30	28	35	46	49	42	40	40	40	40	40	39	39	40	39	34	36	36	34	34	37.9
	MIN	11	- 5	- 4	- 1	4	24	30	32	30	25	19	9	- 2	5	20	25	20	0	20	19	11	10	20	24	24	26	24	28	18	1	5	15.2
DUBOIS EXP STA	MAX	27	22	29	41	43	45	50	50	48	48	35	25	29	30	38	46	45	37	36	40	37	39	39	36	37	45	45	38	31	29	43	38.2
	MIN	18	2	0	12	13	18	24	32	36	32	19	16	9	17	18	24	33	22	19	22	25	13	18	27	16	25	30	23	17	9	10	19.3
DUBOIS CAA AP	MAX	32	24	32	46	45	49	56	54	54	45	32	32	34	37	41	49	41	33	39	44	42	40	44	39	41	49	47	42	35	32	46	41.2
	MIN	11	5	5	9	10	16	21	31	31	24	18	17	0	15	14	23	28	24	19	25	23	19	19	25	19	24	27	24	20	11	10	18.3
ELK RIVER 1 S	MAX	40	34	45	50	55	50	49	46	52	45	41	40	43	45	52	54	47	40	48	47	43	46	48	45	48	44	40	37	39	41	42	45.0
	MIN	10	15	10	7	12	20	18	33	35	29	24	10	13	25	24	34	28	28	18	25	32	30	21	29	19	31	33	18	9	12	21	21.7
EMMETT 2 E	MAX	44	42	47	52	59	60	67	63	66	58	46	45	47	53	57	59	52	45	49	52	53	54	57	57	55	57	52	50	46	49	54	53.1
	MIN	24	23	17	19	22	27	29	45	50	35	27	24	21	24	23	38	32	21						30	29	33	39	37	25	20	28	28.5
FAIRFIELD RS	MAX	38	27	35	35	40	39	45	42	56	40	35	34	35	42	42	44	39	32	36	41	40	41	41	39	40	43	37	38	35	34	42	38.9
	MIN	15	- 3	6	0	- 1	6	16	30	33	26	17	17	5	14	15	27	29	19	17	27	13	8	7	27	19	21	28	28	23	14	9	16.5
FENN RS	MAX	41	41	47	52	56	59	57	48	53	48	40	44	49	51	48	61	49	49	52											47	49	
	MIN	28	18	22	18	20	23	27	38	38	31	30	30	27	29	27	29	32	33	28											19,	26	
FORT HALL IND AGENCY	MAX	47	31	43		53	59	60	57	54	53	30	32	36	43	54	51	53		42	48	42	45	44	41	45	49	47	42	41		41	45.8
	MIN	18	8	10	7		15	25	42	43	26	19	14	5	15	22	30	32		18	26	28	21	23	27	25	31	32	34	26	16		22.8
GARDEN VALLEY RS	MAX	51	44	49	52	56	60	64	52	56	53	40	45	46	53	54				49	50	50	56	58	55	54	52	47	43	45	48	49	51.1
	MIN	22	12	15	14	17	20	24	31	37	32	27	18	19	19	19				22	32	29	21	20	24	24	27	32	35	26	18	20	23.4
GLENNS FERRY	MAX	55	42	52	53	62	66	67	60	69	59	38	48	50	56	58	63	57					57	57	60	57	59	50	49	46	50	60	55.6
	MIN	29	12	20	10	12	18	24	45	49	32	27	24	19	19	34	44	33					22	21	36	36	28	39	39	30	19	19	27.4
GOODING CAA AP	MAX	41	38	44	48	57	61	63	52	63	50	33	40	43	48	54	55	44	41	46	45	47	51	49	47	49	51	45	41	40	42	51	47.7
	MIN	21	15	21	17	22	29	30	44	44	27	22	19	20	21	30	36	27	23	25	32	24	23	22	31	29	32	34	31	20	17	20	26.3
GRACE	MAX	36	22	35	35	39	43	50	42	46	51	30	26	32	35	46	51	44	34	38	41	37	42	39	39	40	40	43	40	36	31	36	38.7
	MIN	16	5	5	3	7	13	23	35	33	25	12	13	7	17	17	25	23	20	15	25	22	8	24	28	25	25	30	31	26	10	11	18.9
GRAND VIEW	MAX	61	45	51	53	61	66	70	59	70	64	44	48	50	61	58	62	62	48	52	54	56	58	59	59	59	60	57	51	44	50	60	56.5
	MIN	26	16	15	12	12	19	23	36	48	30	23	26	19	18	36	33	31	22	32	31	23	20	20	28	34	28	38	38	28	19	21	26.0
GRANGEVILLE	MAX	36	33	43	47	57	60	56	54	60	51	32	37	42	45	46	52	35	41	46	41	40	46	49	49	48	43	45	34	37	41	48	45.0
	MIN	20	11	16	16	21	30	25	37	40	24	24	14	21	28	25	32	26	26	22	30	27	27	23	26	23	36	28	19	11	14	25	24.1
GRASMERE	MAX	50	38	38	45	58	59	63	61	59	44	26	31	39	44	52	51	49	36	45	48	42					48	45	45	32	35	47	45.6
	MIN	18	10	10	12	11	23	31	33	40	23	5	3	9	22	22	30	24	15	22	18	13					19	18	18	20	14	19	18.6
GRAY	MAX	42	19	32	34	35	36	38	45	54	50	50	48	48	40	40	45	46	48	50	45	44	42	45	42	35	32	35	34	30	34	35	40.4
	MIN	- 2	-10	- 9	-10	- 6	- 2	5	28	22	20	28	25	28	0	10	15	18	15	15	5	3	4	5	5	4	12	15	12	4	2	5	8.6
GROUSE	MAX	35	25	34	43	42	46	50	48	45	43	31	28	36	37	37	43	41	35	33	36	40	42	41	36	39	38	35	38	34	34	35	38.1
	MIN	14	0	- 4	- 8	- 7	- 1	9	26	34	30	19	15	1	4	7	11	29	19	7	20	14	6	4	25	12	18	22	21	19	2	5	12.0
HAILEY AP	MAX	40	34	33	42	45	46	48	42	48	44	30	32	33	37	42	45	43	35	38	42	40	43	45	38	44	50	48	39	36	34	42	40.6
	MIN	14	1	7	9	12	12	22	30	33	28	12	17	9	11	15	23	30	12	19	25	17	17	16	27	17	18	28	30	21	16	12	18.1
HAMER 4 NW	MAX	38	29	35	46	49	53	59	54	54	49	38	29	34	37	45	52	49	48	39	45	43	42	46	42	45	49	51	50	40	34	48	44.3
	MIN	16	5	2	1	7	8	15	31	39	37	22	12	3	12	14	19	35	24	18	25	26	19	13	28	11	23	30	26	24	12	8	18.2
HAZELTON	MAX	45	35	44	49	59	60	65	60	62	57	39	34	39	45	57	54	56	42	46	43	45	50	47	42	46	51	47	42	38	39	49	48.0
	MIN	23	14	16	14	15	21	27	40	44	27	19	16	18	23	27	31	29	24	22	31	25	20	25	31	28	30	33	33	28	23	20	25.1
HILL CITY	MAX	39	29	32	33	36	41	42	41	43	45	30	32	34	36	36	43	42	32	33	37	40	37	41	40	40	42	37	37	34	35	41	37.4
	MIN	12	- 4	4	- 3	- 2	2	21	30	32	27	17	6	3	15	14	25	25	15	17	28	15	8	6	26	23	20	27	28	23	8	6	15.2
HOLLISTER	MAX	48	46	46	49	58	62	65	64	63	56	26	36	39	47	54	54	50	50	47	44	43	49	46	45	47	50	49	42		40	39	48.5
	MIN	19	7	11	13	14	24	29	43	45	25	16	17	15	24	28	36	26	23	23	30	22	23	22	29	30	28	33	25		17	21	23.9

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
IDAHO CITY	MAX	50	41	46	50	55	58	60	48	52	49	36	42	44	50	52	52	52	42	46	44	47	51	55	55	49	49	43	39	44	45	47	48.
	MIN	14	3	8	8	10	14	20	34	34	29	22	11	12	14	15	30	31	12	20	31	23	16	15	21	20	22	31	31	24	10	15	19.
IDAHO FALLS 6 NE	MAX	46	30	39	45	50	55	58	54	55	54	33	30	31	37	47	55	49	33	42	45	40	45	43	41	43	45	48	43	42	37	41	43.
	MIN	14	6	10	6	13	20	28	40	41	33	20	11	3	15	25	34	33	23	20	28	27	24	22	30	21	31	33	33	23	13	16	22.
IDAHO FALLS CAA AP	MAX	34	29	43	50	50	54	58	47	60	58	31	30	32	39	52	55	44	34	45	44	39	46	45	42	45	45	46	43	35	35	44	43.
	MIN	16	8	9	9	13	15	28	41	39	25	17	13	4	13	20	25	25	22	16	28	24	21	22	27	22	31	33	33	23	15	21	21.
IRWIN 2 S	MAX	37	25	36	42	41	45	54	50	50	52	38	29	30	39	46	50	44	34	40	42	44	44	42	37	40	41	42	41	39	34	37	40.
	MIN	18	3	3	4	7	12	25	32	33	32	19	12	4	17	17	25	32	22	9	22	23	19	18	28	22	27	33	33	25	14	14	19.
ISLAND PARK DAM	MAX	32	33	31	39	37	43	45	42	43	42	35	25	24	30	44	46	44	31	37	38	34	36	43	37	32	40	40	38	33	30	29	30.
	MIN	-4	-7	-25	-16	-18	-14	3	25	33	29	17	8	-12	11	1	0	22	19	6	7	23	14	-14	22	-2	12	24	10	10	0	-15	5.
JEROME	MAX	56	39	45	52	60	61	65	59	63	60	32	39	41	47	60	57	54	43	47	44	44	53	51	46	48	53	49	44		44	42	49.
	MIN	20	12	17	16	12	24	26	34	44	26	18	17	20	26	18	31	31	23	25	31	22	19	23	30	29	29	34	26		17	19	24.
KELLOGG	MAX	46	38	34	46	50	57	50	52	45	62	41	40	43	45	46	55	57	42	44	51	50	46	53	53	48	51	48	44	33	25	47	46.
	MIN	25	17	22	16	19	25	23	32	38	32	29	23	23	27	28	35	30	30	22	28	32	31	32	32	24	34	37	16	12	17	24	26.
KOOSKIA	MAX	45	44	55	57	64	64	56	55	65	59	45	47	52	53	52	60	49	55	55	53	47	56	60	60	56	55	52	44	48	51	53	53.
	MIN	25	17	20	17	19	24	24	40	43	32	31	24	28	30	26	30	35	31	24	29	35	34	26	28	22	37	40	31	16	17	24	27.
KUNA 2 NNE	MAX	44	42	50	53	59	65	68	61	67	60	43	45	47	54	55	57	55	44	45	51	52	55	55		54	58	50	47	43	48	58	52.
	MIN	24	10	17	13	18	26	24	45	48	33	27	22	17	18	24	36	32	17	27	33	24	20	19		27	28	38	35	25	19	22	25.
LEWISTON WATER PLANT	MAX	48	46	52	54	61	57	53	57	68	65	45	49	55	55	61	60	54	55	59	57	50	58	59	60	59	56	54	50	48	54	52	55.
	MIN	28	24	21	20	22	30	27	41	45	35	32	25	24	33	31	40	39	32	27	33	32	31	30	35	27	44	42	31	18	20	31	30.
LEWISTON WB AP	MAX	44	41	50	52	58	54	52	56	65	48	44	46	50	51	59	55	42	51	56	43	47	54	55	55	55	51	53	41	44	50	53	50.
	MIN	26	23	22	21	24	30	25	40	38	31	29	24	24	32	32	39	33	30	26	32	31	32	30	34	27	43	35	24	17	20	31	29.
LIFTON PUMPING STA	MAX	39	25	29	32	38	40	46	44	49	48	44	24	31	35	40	47	42	34	39	39	39	42	39	37	38	39	35	42	42	28	35	38.
	MIN	16	8	1	2	4	6	18	30	33	28	17	16	15	14	14	19	28	17	13	22	21	8	19	25	25	21	28	29	29	18	3	17.
LOWMAN	MAX	46	42	46	48	54	55	58	46	54	45	37	43	44	48	55	54	48	43	48	47	48	52	56	54	50	48	48	40	42	48	56	48.
	MIN	14	3	8	7	10	13	20	32	33	30	24	7	11	12	13	28	28	22	20	29	22	15	15	22	24	24	32	32	25	12	14	19.
MACKAY RS	MAX	35	38	35	45	46	48	54	54	49	45	29	28	35	42	32	42	43	34	37	38	43	41	44	41	42	44	45	41	35	34	42	40.
	MIN	18	8	4	11	12	15	27	28	28	26	20	18	11	11	15	19	31	27	18	25	23	18	17	27	21	23	27	29	24	11	12	19.
MALAD	MAX	46	34	44	47	51	57	60	50	55	59	35	32	40	42	53	58	52	41	45	33	43	48	42	45	37	45	41	52	41	40	42	45.
	MIN	23	15	14	14	15	18	16	37	42	28	20	22	16	19	21	29	32	22	22	24	22	27	24	32	30	27	32	30	35	22	24	24.
MALAD CAA AP	MAX	41	32	44	48	51	56	62	51	57	60	34	30	39	44	54	59	49	43	47	45	46	48	43	45	45	48	41	52	39	39	45	46.
	MIN	23	16	15	15	13	15	21	34	34	24	18	19	15	19	20	24	27	23	23	28	23	25	32	32	28	25	33	36	32	22	15	23.
MAY RS	MAX	32	32	40	45	50	56	60	56	57	42	24	32	37	45	47	53	47	46	41	47	44	46	46	43	46	47	45	41	38	37	40	43.
	MIN	17	2	5	2	4	1	19	37	36	25	18	17	3	4	8	20	22	25	21	24	20	23	12	23	14	23	30	23	14	7	8	16.
MC CALL	MAX	26	30	36	38	40	38	45	38	32	46	28	30	34	36	40	44	38	34	38	40	40	42	40	42	36	36	36	36	30	36	32	36.
	MIN	4	-3	-3	-3	0	7	13	32	28	25	16	10	2	12	10	20	20	16	4	24	16	10	10	16	12	20	26	22	4	6	2	12.
MC CAMMON	MAX	34	33	41	45	49	51	60	56	59	56	40	36	40	44	49	51	43	43	44	44	47	39	38	42	42	45	42	42	40	37	40	44.
	MIN	22	13	14	13	14	18	30	39	41	30	27	17	12	19	20	31	24	24	23	23	21	26	25	22	27	27	28	35	30	18	23	23.
MERIDIAN 1 W	MAX	58	42	48	51	59	64	67	64	66	62	43	44	46	52	55	57	56	44	49	50	57	54	55	56	54	56	50	45	44	47	56	53.
	MIN	24	10	18	16	19	25	25	45	48	34	26	24	18	19	29	36	31	29	19	34	24	21	20	29	26	27	38	37	24	17	21	26.
MESA	MAX	40	40	45	50	54	54	61	58	60	54	37	40	44	46	50	52	51	50	41	48	50	53	56	55	51	52	46	46	43	45	50	49.
	MIN	23	19	18	20	22	22	28	42	45	33	25	24	23	24	25	26	25	20	25	31	28	27	30	28	20	33	32	31	20	21	23	26.
MINIDOKA DAM	MAX	39	30	39	44	52	59	60	49	58	42	28	34	37	44	49	52	44	41	41	42	42	43	40	43	42	47	43	42	35	37	46	43.
	MIN	24	18	20	13	19	29	29	41	42	28	21	19	17	22	30	34	30	25	28	30	23	25	26	31	29	29	34	35	29	24	20	26.
MONTPELIER RS	MAX	39	27	23	30	33	36	41	51	45	53	52	27	28	37		46	53	47	32	43	44	41	43	39	39	38	37	36	47	36	28	39.
	MIN	15	4	1	0	2	5	12	28	33	26		12	10	12		22	28	18	14	20	16	9	19	25	25	20	28	28	28	15	1	16.
MOSCOW U OF I	MAX	39	37	48	51	57	55	50	51	60	54	38	40	46	45	53	52	47	47	50	48	49	50	50	53	48	46	44	39	40	45	44	47.
	MIN	23	20	23	19	26	32	26	37	44	27	26	20	21	29	37	36	30	25	26	30	32	29	31	29	22	38	35	19	13	15	30	27.
MOUNTAIN HOME	MAX	51	41	50	50	62	66	74	63	68	64	38	44	47	55	54	69	57	44	50	51	55	57	59	56	54	56	50	46	45	47	56	54.
	MIN	21	12	14	13	22	27	28	45	47	33	24	21	18	19	30	42	32	20	30	34	22	23	23	35	35	27	35	38	25	18	20	26.
MULLAN PASS CAA	MAX	16	15	30	37	40	39	38	36	40	26	21	22	25	27	37	43	35	29	33	30	31	32	34	26	29	26	24	12	20	26	23	29.
	MIN	5	-1	6	15	22	22	19	28	24	15	14	13	15	16	18	27	19	17	17	25	22	19	23	14	11	20	3	-4	4	7	16	15.
NAMPA 2 NW	MAX	63	45	44	51	55	60	64	69	56	67	46	43	48	50	55	57	60	40	46	50	52	54	56	57	58	56	57	53	43	46	50	53.
	MIN	25	11	18	15	16	24	25	45	48	34	27	22	19	19	28	38	36	20	28	34	25	20	20	28	28	29	40	36	24	19	23	26.
NEW MEADOWS RS	MAX	46	36	40	41	42	48	48	48	53	47	36	34	43	48	46	45	45	39	43	45	45	47	48	49	49	45	47	45	37	39	45	44.
	MIN	9	-4	-1	-2	7	12	18	34	33	27	21	11	6	18	14	26	30	18	14	26	20	13	11	18	26	25	30	26	11	9	14	16.
NEZPERCE 2 E	MAX	37	35	42	47	58	51	50	48	59	48	32	38	42	44	48	49	41	42	46	40	40	47	48	47	47	42	46	33	37	41	43	44.
	MIN	22	13	18	18	22	30	28	37	41	25	26	18	23	30	28	35	29	26	26	30	31	30	25	31	20	35	32	23	12	16	24	25.
OAKLEY	MAX	50	36	47	50	58	59	65	53	65	55	29	35	42	50	54	53	53	41	49	45	45	48	41	43	48	49	48	43	42	37	47	47.
	MIN	23	8	12	14	15	32	35	45	44	26	18	14	14	15	27	38	31	18	23	27	23	23	33	29	33	29	33	33	28	20	23	25.
OLA 5 S	MAX	42	42	48	52	56	60	65	60	62	52	40	43	47	51	55	56	52	42	43	47	50	54	52	57	52	50	52	48	46	47	51	50.
	MIN	24	20	15	15	14	26	23	42	45	37	21	19	20	21	22	25	38	12	26	32	28	23	27	25	24	26	36	35	26	27	20	25.
OROFINO	MAX	48	47	54	59	65	57	56	57	65	56	44	48	54	55	53	58	55	55	55	52	49	59	61	58	57	54	54	44	49	53	53	54.
	MIN	25	18	20	18	21	26	25	40	42	35	33	24	24	28	27	36	34	33	25	30	37	36	27	31	24	40	36	31	19	20	29	28.
PALISADES DAM	MAX	40	29	31	34	36	39	54	51	44	50	44	28	33	40	45	49	49	36	37	42	44	43	40	37	39	40	43	43	40	33	37	40.
	MIN	19	-1	0	-1	3	8	23	34	33	31	18	15	6	13	15	24	32	22	11	23	23	17	18	28	21	26	33	32	25	12	13	18.
PARMA EXP STA	MAX	59	46	51	55	61	62	67	62	67	62	45	48	52	56	59	62	58	50	51	55	57	58	60	59	59	58	58	55	49	53	60	56.
	MIN	26	16	23	14	13	20	24	45	47	35	27	25	20	20	28	41	34	18	25	33	23	22	21	29	30	30	41	33	23	20	24	26.
PAUL 1 E	MAX	56	41	35	44	50	58	63	65	50	60	37	29	35	41	47	58	52	55	54	47	45	52	50	46	47	47	53	45	45	38	41	47.
	MIN	22	14	15	8	9	13	20	28	44	35	19	18	18	20	23	29	33	25	24	30	21	21	24	30	29	30	33	34	28	23	22	23.
PAYETTE	MAX	55	43	46	51	55	56	63	56	66	60	44	47	47	53	58	59	54	47	46	52	55	55	58	59	57	58	58	53	47	51	58	53.
	MIN	27	18	20	15	16	21	25	43	50	37	29	25	23	21	21	41	36	22	27	34	25	24	24	31	29	32	39	36	26	23	23	27.
PIERCE RS	MAX	36	36	46	51	53		46	38	42	40	33	39			50	52	37	40	47	40		41	50	46	46	41		40	39	41		42.
	MIN	13	5	7	6	10		12	33	32	21	22	9			18	29	27	27	16	23		30	18	26	17	30		23	8	8		18.
POCATELLO WB AP	MAX	37	30	41	46	51	57	60	53	56	50	26	32	36	42	52	56	52	39	41	45	41	46	43	39	42	48	45	42	34	38	45	44.
	MIN	21	11	13	10	15	18	29	44	43	25	20	17	8	18	21	28	25	24	22	29	28	24	25	31	27	33	32	34	25	16	24	23.
PORTHILL	MAX	40	35	37	38	40	42	38	41	42	46	44	42	45	46	43	50	51	52	48	48	56	51	51	50	49	50	38	32	40	43	49	44.
	MIN	23	10	11	10	11	22	20	30	33	33	24	20	18	26	24	27	34	33	22	28	29	22	24	36	18	33	21	-3	3	10	25	21.
POTLATCH 1 SE	MAX	38	36	45	49	58	46	53	47	60	48	36	39	43	46	52	52	44	45	49	43	46	49	50	51	48	46	43	43	44	41	43	46.
	MIN	21	17	19	22	24	28	23	35	43	27	26	18	21	23	27	36	30	26	23	26	32	27	26	27	20	34	34	18	11	15	27	25.
PRESTON SUG FACT 2 SE	MAX	44	32	42	45	49	55	60	60	56	60	56	30	34	41	52	59	59	37	42	44	43	45	46	45	43	43	42	47	47	38	43	46.
	MIN	22	15	13	13	13	15	25	35	41	30	20	14	12	19	20	27	31	23	19	23	20	22	30	32	30	29	34	35	32	25	17	23.
PRIEST RIVER EXP STA	MAX	37	33	39	43	48	47	45	36	40	40	41	43	41	44	48	50	46	40	48	47	48	49	49	46	45	44	42	32	37	42	42	43.
	MIN	13	6	8	4	7	20	20	32	32	29	21	11	14	18	22	27	27	30	16	29	23	21	21	29	16	30	29	11	5	10	26	19.
REACTOR TESTING STA	MAX	34	29	35	46	49	53	55	49	54	43	27	32	34	40	40	50	43	37	39	43	41	43	46	43	43	48	46	46	32	38	44	42.
	MIN	17	7	5	-1	3	6	21	32	36	25	18	8	-2	8	16	20	26	22	18	28	22	13	18	26	20	27	30	32	22	11	6	17.
RICHFIELD	MAX	47	34	39	47	54	55	62	54	58	56	32	36	40	46	48	53	48	41	41	42	46	48	49	42	48	49	46	43	40	40	47	46.
	MIN	22	13	18	15	16	23	26	35	40	27	20	15	18	20	27	30	29	21	23	29	25	21	22	31	29	26	32	33	25	20	16	24.
RIGGINS RS	MAX	46	45	56	59	64	62	66	66	67	63	40	46		56	63	60	56	55	53	53	52	56	57	59	58	55	58	45	46	50	57	55.
	MIN	31	21	26	26	26	33	31	46	48	33	30	27		25	34	34	35	32	29	37	30	27	27	26	26	38	38	35	20	22	28	30.
RUPERT	MAX	52	41	34	43	53	60	65	67	61	61	40	29	38	41	49	59	53	45	41	47	46	45	52	45	47	49	52	45	45	36	42	47.
	MIN	24	14	14	15	11	15	31	43	45	38	20	19	18	22	26	30	33	26	25	31	25	24	24	31	30	31	35	34	29	24	27	26.
SAINT ANTHONY	MAX	44	24	35	44	48	53	56	50	50	51	32	30	34	41	43	54	47	46	40	43	41	42	46	41	42	47	49	42	39	36	40	42.
	MIN	16	6	5	7	12	16	22	34	40	30	20	-2	-4	7	15	24	33	23	10	26	27	18	17	29	19	30	31	29	20	7	10	18.
SAINT MARIES	MAX	36	34	46	51	58	54	52	49	55	49	40	44	48	46	59	55	49	46	52	51	49	50	49	50	51	48	43	36	43	49	43	47.
	MIN	20	14	16	14	18	22	24	33	37	30	28	18	20	22	24	32	28	25	20	25	30	31	25	28	18	30	26	12	10	14	25	23.
SALMON	MAX	38	33	43	47	51	52	62	56	60	43	38	40	43	53	52	59	55	54	51	54	47	53	55	46	52	53	51	38	41	43	47	48.
	MIN	13	8	11	8	8	12	20	35	35	28	28	24	13	19	17	20	22	30	21	25	29	28	16	26	15	25	31	26	17	9	15	20.
SANDPOINT EXP STA	MAX	38	31	35	39	41	48	43	39	44	44	42	43	44	44	43	50	49	40	45	46	51	52	49	47	48	49	42	27	36	42	40	42.
	MIN	22	14	17	11	11	21	23	33	34	32	24	17	18	29	28	37	37	30	21	36	27	24	27	36	22	36	23	13	11	15	28	24.
SHOSHONE	MAX	50	37	45	50	59	60	64	54	61	57	35	39	42	48	54	56	49	43	45	46	49	52	52	45	49	50	47	44	41	42	51	48.
	MIN	21	14	20	18	20	25	26	40	43	29	20	17	17	19	28	34	29	23	25	31	24	22	25	31	27	28	34	36	26	20	18	25.
SPENCER RS	MAX	33	18	30	33	39	42	44	44	43	40	29	22	28	31	39	44	43	35	37	42	42	39	34	32	30	45	40	36	27	22	37	35.
	MIN	13	-5	-10	3	-5	3	13	29	34	26	19	17	4	12	8	13	33	20	12	14	25	8	8	25	10	13	20	16	13	2	-5	12.
SPRINGFIELD 1 SE	MAX	46	33	45	45	60	52	67	60	54	50	32	38	38	45	55	52	50	42	36	46	43	51	46	42	46	50	50	44	44	43	49	46.
	MIN	18	10	10	17	19	15	25	42	39	30	20	11	16	15	23	26	35	22	19	19	25	20	25	31	25	31	33	34	28	15	19	23.
STIBNITE	MAX	39	22	29	37	44	48	48	52	40	45	29	21	23	36	40	44	46	40	34	36	39	40	36	44	39	37	33	31	29	32	29	36.
	MIN	2	-10	-10	0	3	5	12	18	30	20	2	8	-2	7	6	11	20	13	4	9	4	1	5	10	4	10	21	18	-2	-8	-2	6.

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
STREVELL	MAX	49	37	40	44	45	51	59	51	57	57	30	30	37	39	44	51	49	39	42	42	39	45	44	38	41	43	45	43	40	35	42	43.5
	MIN	23	5	12	8	12	20	24	42	41	25	16	10	8	13	27	30	27	23	24	29	18	17	20	28	27	23	29	35	20	14	15	21.9
SUN VALLEY	MAX	45	31	33	38	47	46	46	44	41	41	28	28	31	34	44	41	42	35	38	37	40	43	44	41	38	45	41	41	30	33	38	39.0
	MIN	12	- 8	- 5	-10	- 7	0	10	24	30	28	12	12	- 4	0	0	10	29	11	12	24	5	0	1	20	20	12	21	24	15	0	- 1	[illegible]
SWAN FALLS PH	MAX	64	45	51	55	59	65	68	66	72	72	44	47	53	60	60	60	59	50	52	52	56	57	56	56	59	57	53	52	43	50	60	56.5
	MIN	29	21	22	20	22	31	33	47	49	35	28	28	26	26	34	40	34	34	40	33	28	26	33	37	26	37	41	36	28	26	27	31.7
TETONIA EXP STA	MAX	32	23	34	36	43	45	46	49	49	48	28	26	32	33	41	46	46	46	36	44	37	34	35	44	39	36	38	34	39	27	30	37.4
	MIN	11	- 3	- 1	0	7	12	12	18	33	15	15	11	1	3	5	12	15	[illegible]	10	[illegible]	7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	15	16	14	- 5	- 2	[illegible]
THREE CREEK	MAX	47	38	48	48	58	58	61	55	60	54	30	28	37	45	53	51	48	39	45	42	40	49	42	44	41	47	41	45	35	35	44	45.4
	MIN	16	3	9	9	7	16	25	42	40	21	7	14	6	10	20	34	23	13	18	[illegible]	[illegible]	11	23	21	24	24	31	[illegible]	20	10	12	18.6
TWIN FALLS 2 NNE	MAX	55	38	47	50	59	63	66	61	63	60	31	38	42	50	59	57	53	46	49	48	49	52	50	46	49	53	50	44	42	44	52	50.5
	MIN	24	14	15	13	11	18	25	44	45	27	19	19	21	23	25	32	30	[illegible]	23	32	27	14	21	31	31	33	30	33	29	21	20	25.7
TWIN FALLS 3 SE	MAX	59	40	37	40	51	60	63	65	53	63	35	31	38	42	49	58	56	42	44	48	45	46	51	49	45	49	53	46	45	36	44	48.0
	MIN	24	14	16	13	14	17	20	34	45	32	19	19	17	22	23	30	34	25	24	27	28	23	24	29	31	32	35	31	28	22	25	25.2
WALLACE	MAX	35	30	39	45	50	48	48	45	53	42	36	38	42	42	52	54	53	44	48	48	43	48	49	47	40	42	42	28	39	42	37	43.7
	MIN	29	10	16	15	20	26	23	35	36	30	24	18	25	30	23	32	27	30	20	29	32	27	28	29	20	34	26	10	6	11	25	24.1
WALLACE WOODLAND PARK	MAX	40	31	30	42	48	53	49	49	41	55	37	36	38	42	42	52	54	41	43	47	48	43	47	47	45	[illegible]	41			31	40	43.3
	MIN	18	7	9	13	14	17	21	21	34	28	22	17	17	19	22	33	27	28	20	20	31	26	26	27	19	14			5	5	11	19.9
WEISER	MAX	52	50	50	56	58	57	66	57	64	56	48	50	52	56	58	[illegible]	53	[illegible]	47	46	57	57	62	60	[illegible]	60	58	[illegible]	52	58	56	55.5
	MIN	24	15	14	14	16	22	18	42	46	45	30	23	19	24	24	40	36	34	35	35	[illegible]	[illegible]	[illegible]	32	28	30	42	32	23	19	17	27.8
WINCHESTER 1 SE	MAX	37	32	40	48	56	54	49	50	56	51	34	35	40	45	50	45	40	40	47	48	43	48	48	45	43	40	40	36	33	38	40	43.8
	MIN	20	8	16	14	19	22	21	35	38	22	20	16	14	25	24	29	26	24	19	[illegible]	23	18	17	24	16	[illegible]	20	18	8	10	22	20.7

SNOWFALL AND SNOW ON GROUND

Table 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ANDERSON DAM	SNOWFALL																															
	SN ON GND	T	T	T	T																											
ARCO	SNOWFALL											4.0						T							3.0					T		
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARROWROCK DAM	SNOWFALL											2.0							T		T											
	SN ON GND											2							T		T											
ASHTON 1 S	SNOWFALL											6.0							1.0			4.0			3.0				1.0	0.5		
	SN ON GND	1	1	1	1	1	T	T	T	T		6	6	5	[illegible]	3	1	1	2	1	1	4	3	1	3	1			1	2	1	1
ATLANTA 1 E	SNOWFALL										-							T	T		0.6		T		0.7	T	T	5.2	4.5	T		
	SN ON GND	39	39	38	37	-	-	-	-	-	-	-	-	-	22	22	21	19	19	19	20	19	19	17	17	17	17	21	23	23	21	20
BLACKFOOT	SNOWFALL										T	5.0							3.0						1.0					T		
	SN ON GND										T	4	3	2	[illegible]				2	1												
BOISE WB AP	SNOWFALL										0.3	0.3						0.6		T	T								T			
	SN ON GND											T	T						1													
BONNERS FERRY 1 SW	SNOWFALL								0.8												T						T	4.6	T			T
	SN ON GND	2	2	2	2	1	T	T	T	T	T	T	T	T	T	T												5	3	2	T	
BURLEY CAA AP	SNOWFALL	T	T							T	T	0.6						T	T	T	T	T		T	1.0	T		T	T	T	T	
	SN ON GND												1	1	T			T			T				1							
CALDWELL	SNOWFALL																2.0															
	SN ON GND																															
CASCADE 1 NW	SNOWFALL	T								T	1.0	2.5						1.0	2.0		4.0						T	4.5	0.5			
	SN ON GND	25	25	24	24	24	23	22	20	19	19	21	20	19	18	17	17	18	19	19	21	21	20	19	18	18	[illegible]	21	21	21	20	20
CENTERVILLE ARBAUGH RCH	SNOWFALL									T	1.0	5.6						1.6	2.4	0.5	4.0	0.1			T		T	4.0	2.1	0.1		
	SN ON GND	28	28	28	28	27	27	25	24	22	23	25	23	22	21	21	20	22	21	21	22	21	21	20	19	18	18	21	22	20	19	[illegible]
COBALT BLACKBIRD MINE	SNOWFALL	0.5	T						T		1.3	3.0	0.5	T					1.0			1.0	0.5		T	2.5	T	8.8	8.0	0.8		
	SN ON GND	45	44	44	44	44	44	43	42	41	41	41	41	40	40	40	39	39	40	40	39	40	40	39	39	42	40	47	52	50	47	46
COEUR D'ALENE RS	SNOWFALL	T								T								T	T									T				T
	SN ON GND	T	T	T																												
COTTONWOOD	SNOWFALL											0.1						0.2										0.7				
	SN ON GND											T						T										1				
DEADWOOD DAM	SNOWFALL										1.0	2.0						3.0	1.0	T	2.0						T	4.5	1.0			
	SN ON GND	54	54	54	54	54	53	52	51	50	50	51	51	51	50	48	[illegible]	50	50	49	50	50	49	48	48	48	48	52	52	51	51	50
DUBOIS CAA AP	SNOWFALL										4.0	2.0			T			T	0.8	T	T	1.5		0.1	T				T			
	SN ON GND											5	5	5	5	4	3	1	1	1	T	2	T		1					T		
FENN RS	SNOWFALL										1.0	T																				
	SN ON GND										T																					
GARDEN VALLEY RS	SNOWFALL											1.0						1.0			1.0											
	SN ON GND	[illegible]	2	1														1														
GLENNS FERRY	SNOWFALL																	T														
	SN ON GND																															
GOODING CAA AP	SNOWFALL										T							T		T	T			T	T	T				T		
	SN ON GND																								T	T						
GRAY	SNOWFALL												4.0						14.0						T							
	SN ON GND	18	18	18	18	18	18	18	16	16	16	16	20	18	16	16	16	16	30	30	30	25	25	25	25	25	25	25	25	25	25	25
HAILEY AP	SNOWFALL									T	T							0.5			3.0				3.0							
	SN ON GND	-	-	-	13	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMER 4 NW	SNOWFALL											3.0							0.3			T			T							
	SN ON GND											3	-	-	-																	

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
HILL CITY	SNOWFALL								-	-	-							-			2.0				-	-		-	-			
	SN ON GND	-	-	-	-	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-
IDAHO CITY	SNOWFALL								T	T	T							2.0			2.0							2.3				
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY 13 SW	SNOWFALL										1.0	4.5						2.0	T	T	3.5							4.0	2.0	T		
	SN ON GND	-	-	-	-	-	-	-	13	11	12	14	-	-	-	-	-	13	-	-	13	-	-	-	-	-	-	16	15	15	-	14
IDAHO FALLS CAA AP	SNOWFALL										1.0	0.2	T	T				1.0	1.5		2.0	0.1		1.2	T	T		T	T	T		
	SN ON GND											3	3	3	2	1	1		3	2	1	4	T	T	1	T	T	T		T	T	
IRWIN 2 S	SNOWFALL											12.0							4.0						2.0					4.0		
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ISLAND PARK DAM	SNOWFALL								2.0			8.0						1.0	1.0		T	5.0	2.0		1.0					1.0		
	SN ON GND	-	-	-	-	-	-	-	52	-	-	56	-	-	-	-	-	49	50	-	49	54	54	-	52	-	-	-	-	50	-	49
LEWISTON WATER PLANT	SNOWFALL																					0.5										
	SN ON GND																															
LEWISTON WB AP	SNOWFALL										T											T										
	SN ON GND																															
LOWMAN	SNOWFALL																				2.0							4.0				
	SN ON GND	17	17	16	16	13	12	12	12	12	12	12	12	12	12	12	10	10	10	8	9	9	7	6	6	3		4	2			
MACKAY RS	SNOWFALL										0.3							T			0.5	0.2			2.5	0.4					0.2	
	SN ON GND	2	2	1	1						T										T	T										
MALAD CAA AP	SNOWFALL										1.0	T						0.4	T		T	T		T	T	T				T		T
	SN ON GND											1						T			T	T										
MAY RS	SNOWFALL										1.5	T									0.8	0.5										
	SN ON GND										2										1	T										
MC CALL	SNOWFALL										4.0								6.0										5.0			
	SN ON GND	36	-	-	-	-	-	-	33	32	35	-	-	-	-	-	-	-	33	-	-	-	32	-	-	-	-	-	27	-	-	26
MESA	SNOWFALL											2.3						1.0		T	-							T				
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MULLAN PASS CAA	SNOWFALL	0.5						T	3.0	1.0	0.9	1.0	T					0.2	0.3	T	6.2	5.4	T	T		1.0	12.0	2.0	T			1.8
	SN ON GND	162	161	159	158	155	152	150	151	152	140	138	139	136	134	131	129	125	125	125	125	131	136	130	128	128	130	142	144	144	143	141
NEZPERCE 2 E	SNOWFALL										0.5	T	T					T	T		T	T						T				
	SN ON GND																		T									T				
OAKLEY	SNOWFALL										3.0							2.5			1.5				7.5					T		
	SN ON GND										3	1						3			2				2							
PAYETTE	SNOWFALL											T																				
	SN ON GND																															
PIERCE RS	SNOWFALL										4.5								T								T		2.0			
	SN ON GND	33	33	33	32	31	-	30	29	28	30	30	29	29	29	28	27	25	25	25	24	23	22	21	20	19	19	18	20	19	19	19
POCATELLO WB AP	SNOWFALL	T									1.8	0.9						1.1	0.7	T	1.0	T	T	T	0.3			0.5	T	0.9		T
	SN ON GND											2	2	2	T	T			2	T		1			T	T		T			1	
	WTR EQUIV											0.2	0.2	0.2					0.2													
PORTHILL	SNOWFALL							1.0	1.0																			6.0				
	SN ON GND	2	2	2	2	2	2	2	1	1																		5	4	1		
POTLATCH 1 SE	SNOWFALL										T	0.2						T			T	3.3						0.5				
	SN ON GND																	T				1										
PRIEST RIVER EXP STA	SNOWFALL								T		0.4							T	T									T				T
	SN ON GND	22	22	21	21	21	21	20	20	20	19	19	19	19	18	17	17	17	17	16	15	14	14	13	12	11	11	10	10	9	8	7
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND										1																					
SANDPOINT EXP STA	SNOWFALL										T	T						T	0.2									T				0.5
	SN ON GND	6	6	6	6	6	5	5	5	4	4	3	3	3	1	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T
SPENCER RS	SNOWFALL	T									T	4.0	T					T	2.0		T	T	2.0		T							
	SN ON GND	21	-	-	-	-	-	-	19	19	-	-	-	-	-	20	-	-	-	-	-	-	21	-	-	-	-	-	20	20	-	-
STIBNITE	SNOWFALL								0.5		2.5	1.0	T						0.5		T	0.5	T				T	4.0	3.0	T		
	SN ON GND	49	49	49	49	48	47	47	46	45	47	47	46	45	45	45	44	44	44	44	44	44	43	43	42	42	41	44	47	46	44	44
SUN VALLEY	SNOWFALL								T	T	2.0							T			4.0				2.0	T		T	T			
	SN ON GND	27	27	27	27	27	27	27	24	23	25	24	24	24	24	24	23	23	23	23	25	24	24	23	23	22	22	20	20	19	19	18
THREE CREEK	SNOWFALL									4.0	3.0	1.0						0.5			2.0	T	T	T	2.0						1.0	
	SN ON GND									4	7	8	-	-	-	-	-	1			1	T	T	T	2							
TWIN FALLS 2 NNF	SNOWFALL									T	0.5	T						T		T				T	2.0	T				T		T
	SN ON GND										T	T						T							T							
WALLACE	SNOWFALL	T								T	T	T	T					T	0.2			T					T	1.0	T			T
	SN ON GND	8	7	7	6	5	5	5	5	4	4	4	3	3	3	3	3	2	2	2	1	1	1	T	T	T	T	1	1	T	T	T

See reference notes following Station Index.

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp.	Precip.		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALBION	0149	CASSIA	12	42 25	113 35	4750	6P	6P	DELL ROWE	CLOSED 8 1 53
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	[illegible]	BUTTE	6	43 38	113 19	[illegible]	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0418	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	[illegible]	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BANCROFT	[illegible]	BANNOCK	12	42 43	111 54	5285		MID	KENNETH E CRUMP	C
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	1P	1P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2610		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	[illegible]	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7 C
BLACKFOOT	[illegible]	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 C
BLISS	1002	GOODING	12	42 56	114 57	[illegible]	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1011	BOISE	2	43 46	116 06	6200		MID	F H KUHN	C
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
BONNERS FERRY 1 SW	1079	BOUNDARY	5	48 41	116 19	1812	[illegible]	[illegible]	CHARLES G HOWARD JR	2 3 5 7 C
BRIDGE	1136	CASSIA	12	42 18	113 21	[illegible]		MID	MALLIN H BOOTH	CLOSED 11/29/52
BUHL	1217	TWIN FALLS	12	43 25	114 46	[illegible]	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	[illegible]	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	[illegible]	SHOSHONE	4	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 33	113 48	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	[illegible]	CASSIA	12	[illegible]	113 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	[illegible]	5P	5P	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	[illegible]	6P	[illegible]	[illegible]	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 31	[illegible]	[illegible]	5P	5P	U S BUR RECLAMATION	2 3 5 7 C
CASCADE RANGER STATION	[illegible]	VALLEY	8	44 31	116 03	[illegible]		MID	U S FOREST SERVICE	CLOSED 9 30 53
CENTERVILLE ARBAUGH RCH	[illegible]	BOISE	2	43 58	115 51	4780		6P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	[illegible]	CUSTER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	[illegible]	116 10	[illegible]	6P	6P	MRS MARY L RALPH	2 3 5 C
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	[illegible]	2800		MID	U S FOREST SERVICE	C
COBALT BLACKBIRD MINE	1908	LEMHI	11	45 07	114 21	[illegible]	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D'ALENE CAA AP	[illegible]	KOOTENAI	4	47 46	116 49	2273	MID	MID	U S CIVIL AERO ADM	CLOSED 11 1 53
COEUR D'ALENE RS	1956	KOOTENAI	4	47 41	[illegible]	2160	5P	5P	U S FOREST SERVICE	2 3 5 7 C
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	[illegible]	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	[illegible]	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5 C
CROUCH 2 NNW	2279	BOISE	8	[illegible]	[illegible]	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	[illegible]	VALLEY	8	44 19	[illegible]	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	[illegible]	VALLEY	11	44 32	115 34	[illegible]		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAI	4	47 44	116 29	3000		MID	U S FOREST SERVICE	C
DEER FLAT DAM	[illegible]	CANYON	12	43 35	116 44	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	[illegible]	IDAHO	11	[illegible]	115 28	[illegible]	5P	5P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	[illegible]	[illegible]	[illegible]		MID	U S FOREST SERVICE	C
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	[illegible]	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	[illegible]	IDAHO	3	45 49	115 26	[illegible]	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	[illegible]	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	[illegible]	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	[illegible]	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	[illegible]	CUSTER	11	44 19	113 31	[illegible]		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING 1 E	[illegible]	GOODING	12	42 56	114 42	3245		MID	DALE W KNIGHT	C
GOODING CAA AIRPORT	3682	GOODING	12	[illegible]	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	3760	OWYHEE	12	[illegible]	116 06	[illegible]	1P	1P	W DILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRAY	[illegible]	BONNEVILLE	12	43 03	111 22	[illegible]	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	[illegible]	JEFFERSON	6	43 59	112 15	[illegible]	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	[illegible]	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	[illegible]	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	[illegible]	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	[illegible]	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	[illegible]	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	[illegible]	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKE	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY B TOBIAS	C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 36	3870	5P	5P	ORVILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5467	CUSTER	6	43 55	113 36	5897	5P	5P	U S FOREST SERVICE	2 3 5 7 C
MALAD	5541	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MAY RANGER STATION	[illegible]	LEMHI	11	44 36	[illegible]	[illegible]	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	5841	ADA	2	43 37	[illegible]	[illegible]	5P	5P	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	1	42 19	111 18	[illegible]	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	[illegible]	BOISE	2	43 56	115 40	[illegible]		VAR	U S SOIL CON SER	C S
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 50	2400		MID	U S FOREST SERVICE	C
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5 C
MULLAN PASS CAA	[illegible]	SHOSHONE	4	47 27	115 41	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	[illegible]	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	[illegible]	LEMHI	11	[illegible]	114 30	[illegible]		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	[illegible]	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	[illegible]	CUSTER	11	44 03	114 48	[illegible]	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 5 S	[illegible]	GEM	8	44 07	116 17	[illegible]	5P	5P	VINCENT A NALLY	2 3 5 C
OROFINO	6681	CLEARWATER	3	46 29	[illegible]	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	[illegible]	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	[illegible]	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	[illegible]	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	4P	4P	U S FOREST SERVICE	2 3 5 7 C
PINE 2 S	7079	ELMORE	2	43 28	115 19	[illegible]		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	[illegible]		MID	U S INDIAN SERVICE	C
POCATELLO WB AIRPORT	[illegible]	BANNOCK	12	[illegible]	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH 1 SE	7301	LATAH	7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	[illegible]		MID	VICTOR J ACARREGUI	C
PRESTON SUG FACT 2 SE	[illegible]	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	[illegible]	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	[illegible]	VALLEY	11	[illegible]	115 04	[illegible]		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	[illegible]	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL IR PROJ	S
REACTOR TESTING STA	[illegible]	BUTTE	6	[illegible]	112 57	[illegible]	MID	MID	A E C WEATHER STA	2 3 5
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	[illegible]	IDAHO	11	[illegible]	116 19	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	MRS HOMER WALTON	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	F M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	[illegible]	LEMHI	11	45 11	113 53	[illegible]	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7 C
SHAKE CREEK RANGER STA	[illegible]	ELMORE	8	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 58	114 24	[illegible]	7P	7P	LEONARD V BOND	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	[illegible]		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	[illegible]	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	[illegible]	BINGHAM	12	43 04	112 41	4405	5P	5P	MRS RAYMOND RUFF	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL	[illegible]	CASSIA	12	[illegible]	113 13	5280	5P	5P	IDAHO STATE POLICE	2 3 5
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	KAY JOHNSON	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7 C
SWAN FALLS POWER HOUSE	8928	ADA	12	[illegible]	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	[illegible]	5P	5P	EXPERIMENT STATION	2 3 5 C
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	[illegible]	ELMORE	2	[illegible]	115 26	7100		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	[illegible]	ELMORE	2	43 13	115 38	3175		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FACT	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	8A	8A	ROBERT J SKANTEL	2 3 5 C
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	HALLACK HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
MALTA RANGER STATION	5567	CASSIA	12	42 19	113 22	4543		MID	E L NOBLE	C
PINE 1 N	7077	ELMORE	2	43 30	115 18	4220		VAR	U S GEO SURVEY	S
BALD MOUNTAIN	0510	BLAINE	12	43 49	114 24	8700		MID	NELSON BENNETT	C
GRASMERE	3809	OWYHEE	12	42 23	115 53	5126	5P	5P	BLANCHE PORTLOCK	2 3 5

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state bases. There wil be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation i inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standar Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effectiv January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on groun values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the recor

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of n snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, hav been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July o August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

W.R.P.C. Chattanooga--5-4-54--82

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

APRIL 1954
Volume LVII No. 4

CHATTANOOGA: 1954

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

Although the Statewide average temperature for April 1954, was only slightly above normal, and average precipitation exactly normal, there were marked differences between the Northern Division and the other two. The Northern Division showed subnormal temperatures throughout, while above-normal temperatures were reported at all but a half-dozen stations in the Southwestern Division and all but two in the Southeastern Division. Only a few Northern Division stations reported precipitation totals below the April mean. In contrast, above-normal totals were reported only from the Payette River Basin and the upper portions of the Boise and Weiser Basins in the Southwestern Division, and in the Southeastern Division only a few stations in the northeast corner. Snowfall was lighter than usual for April, averaging only one inch for all stations in the State, compared to a 61-year mean of 2.3 inches. Percentage of possible sunshine was normal or a little below in the north but above normal in southern portions of the State.

Precipitation occurred rather generally over the Northern and Southwestern Divisions in periods of three to five days duration, separated by shorter intervals of fair weather. But in the Southeastern Division precipitation was less frequent and scattered until the final week when that Division received greater amounts of rain than the rest of the State. During the early part of the month a series of three storm fronts from the Pacific moved across Idaho from west to east. The first entered the State late on the 2d and the third had passed beyond the eastern boundary by the morning of the 6th. Precipitation accompanied each of the fronts with most stations in the Northern and Southwestern Divisions recording substantial amounts, but as the fronts weakened before reaching the Southeastern Division, little precipitation occurred there. During this period of frontal activity, characterized by much cloudiness, average daily temperatures were above normal, following the subnormal temperatures of April 1, when freezing temperatures in the early morning were experienced in all parts of the State. The next week was one of predominantly anti-cyclonic influence on the weather of Idaho. During this period temperatures were generally below normal, with freezing temperatures recorded in all parts of the State on the mornings of the 7th and 10th. A single storm front, passing across Idaho between the evening of the 8th and morning of the 9th, did provide a temporary break in the pattern of generally fair but cool weather. All northern stations and about 1/3 of the Southwestern Division stations reported rain, but again the Southeastern Division had only very light scattered showers. A new period of shower activity began with the approach of a storm front in the Northern Division on the evening of the 12th and ended in the Southeastern Division early in the morning of the 14th after the front had passed eastward into Wyoming. This system affected all parts of the State with nearly every station reporting some rain. Amounts ranged upward to more than an inch in the Northern Division, 1/2 to one inch at many Southwestern stations and generally less than 1/4 inch in the Southeastern. A slow moving cold front entered the northern end of the State on the evening of the 16th and travelled southward beyond the Idaho-Nevada border by the evening of the 18th. Showers accompanied the front in all sections, but only in the Northern Division was the precipitation general. Another frontal system, weakening as it passed across Idaho from northwest to southeast on the 19th, brought a few showers to the Northern Division but only scattered traces of rain elsewhere. Between the evening of the 22d and the evening of the 23d another cold front crossed the State from north to south, lowering temperatures a few degrees but causing very little precipitation. There was little change in weather conditions in the State for the next three days but by noon of the 26th a low pressure trough was developing over Idaho and a cold front began to form within the trough, which lay in a southwest to northeast direction. A wave development on the front between Boise and Salmon, retarded its southeastward movement, but by evening of the 27th the frontal system had moved out of the State, leaving in its wake moderate amounts of precipitation well distributed throughout the State. Temporary clearing of the skies on the 28th was followed by a sharp drop in nighttime temperatures and on the morning of the 29th subfreezing temperatures were general throughout the State. A vigorous storm center that developed over Nevada early on the 30th and travelled rapidly northeastward, brought a final burst of precipitation to Idaho, affecting principally the Southeastern Division where many very dry areas were greatly benefited by generous deposits of mixed rain and snow. Cold air drawn into the State from the north, kept temperatures well below normal at the end of the month.

The effects of weather on the agricultural economy of Idaho during April were variable. In the Northern Division precipitation was both frequent enough and heavy enough to cause some delay in early field work and planting, but rather extended periods of little or no precipitation in other divisions permitted rapid progress. By the end of the month seeding of spring grains was mostly completed in the main valleys of southern Idaho, while in some of the high mountain valleys it had not yet been started. In northern Idaho seeding varied from just started to nearly complete, depending on the elevation. Sugar beets were mostly planted and being thinned in the Southwestern Division, with planting well under way farther east. Planting of the southwest Idaho early potato crop was completed during the month, while in late potato areas ground was being prepared. Ground was also being prepared for bean plantings, and sweet corn for seed was being planted in southwestern counties. The freeze late in the month did little damage to field crops, except to sugar beets in some eastern districts, but the State's fruit crop suffered moderate to heavy damage. Apricots were pretty well frozen out early in the month and the freeze at the end of the month did widespread damage to peaches, prunes, and cherries, and lesser damage to apples, in unheated orchards. April's weather was generally favorable for winter wheat and production was expected to be a little above average. In general the early spring crops were doing well, and after the generous precipitation late in the month, pastures and ranges in south central and eastern parts of the State were improving, following a period of dry, windy weather.

One death during the month was attributed to meteorological factors, a man being killed in a snowslide about 12 miles south of Wallace on April 1. Storm damage during the month apparently was minor. A funnel cloud was observed in the vicinity of the National Reactor Testing Station on the 28th, being described as extending earthward from the cloud base but not reaching the ground.

DJS

SUPPLEMENTAL DATA

Station	Wind direction: Prevailing	Wind direction: Percent of time from prevailing	Wind speed m. p. h.: Average	Wind speed m. p. h.: Fastest mile	Wind speed m. p. h.: Direction of fastest mile	Wind speed m. p. h.: Date of fastest mile	Relative humidity averages percent: 5:30A MST	Relative humidity averages percent: 11:30A MST	Relative humidity averages percent: 5:30P MST	Relative humidity averages percent: 11:30P MST	Number of days with precipitation: Trace	Number of days with precipitation: .01–.09	Number of days with precipitation: .10–.49	Number of days with precipitation: .50–.99	Number of days with precipitation: 1.00–1.99	Number of days with precipitation: 2.00 and over	Number of days with precipitation: Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
BOISE WB AIRPORT	SE	24	10.1	45	NW	30	68	38	30	56	5	5	2	0	0	0	12	73	5.3	SEE TABLE 2.
IDAHO FALLS 43 NW WB	-	-	9.7	36	SSW	5	-	-	-	-	1	1	2	0	0	0	4	-	-	
IDAHO FALLS 46 W WB	-	-	12.8	39	WSW	1	-	-	-	-	2	3	2	0	0	0	7	-	-	
LEWISTON WB AIRPORT	-	-	-	-	-	-	67	47	37	-	6	4	3	0	0	0	13	-	7.4	
POCATELLO WB AIRPORT	SW	24	13.7	46	W	19	60	34	28	48	6	1	3	0	0	0	10	73	6.0	

COMPARATIVE DATA

Table 1

APRIL

Year	Temperature: Average	Temperature: Highest	Temperature: Lowest	Precipitation: Average	Precipitation: Average snowfall
1894	44.1	97	6	1.73	-
1895	46.5	95	0	.67	-
1896	41.5	80	-10	1.59	-
1897	45.1	90	6	1.03	-
1898	48.3	94	4	.77	-
1899	43.0	84	3	1.38	3.3
1900	47.6	89	20	1.94	3.2
1901	43.2	84	-10	1.01	6.6
1902	44.2	87	6	1.20	1.5
1903	42.3	86	- 4	1.24	6.3
1904	46.2	91	0	1.22	3.0
1905	47.1	83	8	1.20	1.1
1906	46.5	96	0	1.14	2.5
1907	45.2	81	10	1.32	4.0
1908	47.1	92	- 6	.75	0.7
1909	41.6	80	- 9	.54	1.9
1910	50.8	100	7	1.44	1.3
1911	42.8	85	-11	1.20	4.9
1912	43.8	84	- 7	2.14	4.2
1913	46.2	87	0	1.00	0.9
1914	47.2	84	- 2	1.62	0.5
1915	51.3	95	18	1.43	1.5
1916	46.3	90	5	.94	0.8
1917	39.0	76	-10	2.14	7.2
1918	43.9	85	- 6	.84	1.3
1919	46.4	95	4	1.37	1.0
1920	40.4	78	-18	2.00	6.7
1921	41.8	83	-10	1.97	4.9
1922	39.8	79	-14	1.72	6.8
1923	44.0	88	0	1.89	0.9
1924	44.5	84	- 4	.52	1.1
1925	47.3	86	6	1.80	1.4
1926	50.6	96	-11	1.08	1.3
1927	43.1	95	-10	1.20	4.0
1928	42.4	86	-16	1.24	3.6
1929	41.5	80	-11	1.87	5.5
1930	50.8	89	10	1.55	0.1
1931	45.9	85	- 1	.89	1.0
1932	44.8	86	- 5	1.78	2.5
1933	42.4	86	-12	.85	2.3
1934	52.5	96	- 2	.75	0.5
1935	43.6	80	- 2	2.37	2.3
1936	46.8	96	-21	.98	2.2
1937	41.8	87	- 6	2.19	3.4
1938	45.6	86	-11	1.31	0.7
1939	47.9	98	- 1	.64	0.7
1940	46.6	87	8	2.09	0.4
1941	45.6	89	3	1.69	1.6
1942	46.6	89	- 3	1.39	1.7
1943	49.3	90	14	1.47	0.6
1944	44.0	85	1	2.26	3.6
1945	41.3	89	-11	1.05	4.4
1946	47.8	99	2	.86	1.1
1947	45.4	90	- 2	1.04	1.5
1948	43.4	87	- 9	2.01	4.4
1949	48.5	90	- 2	.54	0.2
1950	42.9	85	- 3	.94	1.6
1951	46.3	85	2	1.06	0.8
1952	46.6	84	- 6	.76	0.6
1953	42.6	87	-10	1.64	5.1
1954	45.5	85	- 2	1.37	1.0
ALL YEARS	45.8			1.34	

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.10 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	53.4M	32.5M	43.0M	- 3.3	72	16			653	0	0	19	0	3.68	1.23	.85	13		0		9	3	0
BAYVIEW MODEL BASIN	55.1	31.5	43.3		71	16	20	15	645	0	0	14	0	2.15		.52	3	.0	0		8	1	0
BIG CREEK 1 S	50.7	23.1	36.9	0.2	62	16+	9	11	837	0	0	26	0	3.21	1.59	1.10	5	1.0	40	1	10	1	1
BONNERS FERRY 1 SW	54.9	31.8	43.4	- 3.3	71	16	20	29	642	0	0	17	0	2.64	1.58	.50	8	6.0	T	8+	12	1	0
BURKE 2 NNE	42.8	26.7	34.8	- 3.7	56	16+	16	10+	900	0	1	26	0	6.93	4.49	.94	3	27.7	86	1	14	6	0
CLARK FORK 1 ENE	54.7	30.9	42.8	- 3.5	72	16	21	10	659	0	0	18	0	2.02	- .02	.45	13				9	0	0
COBALT BLACKBIRD	45.6	21.2	33.4		58	17	[illegible]	1		0	0	30	0	1.95		.51	5	10.0	44	1+	7	1	0
COEUR D ALENE RS	55.3	33.1	44.2	- 2.8	71	16	23	30	619	0	0	14	0	1.20	- .56	.34	13	T	0		5	0	0
COTTONWOOD	53.7	30.8	42.3	- 1.1	70	16	23	11	677	0	0	23	0	1.98	- .12	.57	13	.0	0		7	1	0
DIXIE	47.6	20.9	34.3		59	16	7	15	914	0	0	29	0	3.76		1.24	5		41	1+	9	3	1
ELK RIVER 1 S	52.8	29.9	41.4		70	16	21	15	705	0	0	25	0	4.13		1.12	13	T	4	1	10	3	1
FENN RS	59.6	36.4	48.0	- 2.5	79	16	30	11	503	0	0	6	0	4.66	1.22	1.03	13	.0	0		9	4	1
GRANGEVILLE	55.5	32.7	44.1	- 0.8	73	16	24	15+	621	0	0	14	0	2.41	- .20	.56	27		0		5	2	0
KELLOGG	53.9	34.3	44.1	- 2.3	73	17	25	15		0	0	10	0	3.12	.95	.75	6	T	T	1	9	1	0
KOOSKIA	64.0	36.5	50.3	- 0.3	78	16	27	11+	437	0	0	6	0	2.70	.03	.75	13	.0	0		7	2	0
LEWISTON WATER PLANT	64.1	40.0	52.1	- 0.9	80	16	30	15	382	0	0	2	0	.85	- .27	.24	13	.0	0		4	0	0
LEWISTON WB AP //R	60.5	38.1	49.3	- 2.1	80	16	30	15	461	0	0	2	0	.74	- .40	.29	5	T	0		3	0	0
MOSCOW U OF I	55.1	34.1	44.6	- 1.6	70	16	24	15	603	0	0	13	0	1.64	.05	.37	6	.0	0		7	0	0
MULLAN PASS CAA	34.9	23.3	29.1	- 6.4	50	16	10	30	1069	0	11	28	0	4.28	2.06	.58	3	30.5	163	10+	14	2	0
NEZPERCE 2 E	53.5	33.6	43.6		71	16	26	15	636	0	0	11	0	2.19		.72	5	T	0		5	1	0
OROFINO	64.2	37.2	50.7	- 0.7	80	16+	27	15	424	0	0	4	0	2.18	.06	.62	13	.0			5	2	0
PIERCE RS	51.1M	28.5M	39.8M	- 2.5	68	16	20	1	748	0	0	25	0	4.62	1.24	1.05	5	2.5	20	1	10	2	1
PORTHILL	56.3	32.3	44.3	- 1.5	72	16	21	29	614	0	0	16	0	1.60	.66	.31	8	.0	0		6	0	0
POTLATCH 1 SE	54.2	32.0	43.1	- 2.4	70	16	24	15+	649	0	0	19	0	1.97	- .02	.50	5	T	0		7	1	0
PRIEST RIVER EXP STA	52.1	28.1	40.1	- 3.8	69	16	18	10	740	0	0	23	0	2.17	.26	.56	8	T	6	1	6	1	0
RIGGINS RS	67.0M	39.7M	53.4M	0.8	81	16	30	15	342	0	0	2	0	2.11	.60	.74	13				6	1	0
SAINT MARIES	55.7	31.2	43.5	- 3.9	73	16	24	10+	640	0	0	19	0	2.54	.84	.68	5	T			6	1	0
SALMON	63.5M	31.0M	47.3M	1.0	77	16+	17	11	526	0	0	20	0	.43	- .14	.20	13		0		1	0	0
SANDPOINT EXP STA	53.4	32.1	42.8	- 3.2	70	16	24	10+	661	0	0	17	0	2.54	.65	.82	3	1.4	T	1+	8	1	0
WALLACE	51.2	32.0	41.6	- 4.2	70	16	23	15	695	0	0	18	0	5.18	2.69	1.09	3	2.0	2	1	13	3	1
WALLACE WOODLAND PK	48.9	29.9	39.4	- 4.8	68	17	22	15+		0	0	23	0	3.99	1.59	.61	6	3.5	4	1	14	1	0
WINCHESTER 1 SE	52.4	29.6	41.0	- 2.3	68	16	22	15	713	0	0	26	0	2.17	- .34	.75	13	.0	0		6	1	0
DIVISION			42.9	- 3.2										2.74	.76			3.3					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	61.4	36.1	48.8		73	16+	26	10	481	0	0	7	0	1.05		.28	5	.0	0		4	0	0
ARROWROCK DAM	61.6	35.5	48.6	- 0.1	75	17	27	10		0	0	8	0	.97	- .62	.26	14	.0	0		5	0	0
ATLANTA 1 E	53.4M	27.7M	40.6M	0.4	66	26	7	1	726	0	0	23	0	2.23	.58	.41	27	T	19	1		0	0
BLISS	66.4	32.6	49.5	0.7	80	17	15	10	458	0	0	13	0	.24	- .61	.08	14	.0	0		0	0	0
BOISE LUCKY PEAK DAM	M	M	M		80	12	26	1+		0	0	7	0	.24					0		0	0	0
BOISE WB AP //R	63.0	36.7	49.9	0.0	77	16	25	1	447	0	0	8	0	.42	- .68	.14	4+	.2	T	30	2	0	0
BUHL	65.0	38.8	51.9	3.3	77	17	26	10	383	0	0	7	0	.68	- .27	.45	13	T	0		2	0	0
CALDWELL	67.3	35.7	51.5	0.6	80	17	19	11	397	0	0	11	0	.60	- .34	.23	13	.0	0		3	0	0
CAMBRIDGE	64.1	34.1	49.1	- 0.1	76	16	22	11	469	0	0	12	0	1.74	.24	.58	13	T	0		4	2	0
CASCADE 1 NW	52.5	29.4	41.0		65	17	17	10	716	0	0	21	0	1.67		.45	5	T	19	1+	5	0	0
CHALLIS	60.6	31.6	46.1	1.8	73	16	20	10	560	0	0	19	0	.15	- .43	.08	6	.0	0		0	0	0
COUNCIL	61.7	33.6	47.7	0.1	72	16+	24	10	513	0	0	17	0	2.54	.28	.73	13	.0	0		6	2	0
DEADWOOD DAM	51.2	21.9	36.6	- 0.2	65	16	9	10	846	0	0	29	0	2.97	1.01	1.11	5	T	49	1	7	1	1
DEER FLAT DAM	65.2	37.1	51.2	0.6	79	17	21	10	408	0	0	8	0	.36	- .46	.18	13				2	0	0
EMMETT 2 E	66.7	37.0	51.9	0.0	79	17	24	10	387	0	0	10	0	1.26	.22	.50	5				3	1	0
FAIRFIELD RS	57.3M	29.5M	43.4M		71	24	11	1	635	0	0	20	0	.77		.31	28	.2	0		3	0	0
GARDEN VALLEY RS	62.6	32.1	47.4	1.0	76	16	22	10	526	0	0	17	0	2.35	.57	.74	5	.0	0		8	2	0
GLENNS FERRY	68.3	36.1	52.2	0.6	82	17	18	10	375	0	0	9	0	.23	- .53	.10	13	.0	0		1	0	0
GOODING CAA AP	62.3	36.3	49.3	1.9	76	17	23	10	464	0	0	8	0	.27	- .67	.11	13	T	0		1	0	0
GRAND VIEW	72.3	36.8	54.6	2.3	85	17	20	10	309	0	0	10	0	.15	- .73	.15	13	.0			1	0	0
GRASMERE	62.6	28.4	45.5		75	16	15	10	576	0	0	21	0	T		T	6+		0		0	0	0
HAILEY AP	58.3	29.5	43.9	1.0	71	16	16	1	627	0	0	20	0	.44	- .71	.17	27	.0			2	0	0
HAZELTON	63.6	33.1	48.4	0.6	75	17	21	10	491	0	0	12	0	.68	- .59	.49	28	T	0		2	0	0
HILL CITY	56.5	30.8	43.7	3.5	72	24	20	7	633	0	0	20	0	1.02	- .04	.50	28	.0			4	1	0
HOLLISTER	62.8	33.0	47.9	2.2	76	17	20	10	506	0	0	14	0	.69	- .49	.42	28	.0			2	0	0
IDAHO CITY	61.6	28.5	45.1	0.9	74	16+	17	10	590	0	0	24	0	2.03	.52	.46	14	.0			7	0	0
JEROME	65.1	33.2	49.2	0.6	78	17+	18	10	469	0	0	16	0	.41	- .57	.18	28	T			2	0	0
KUNA 2 NNE	65.6M	34.0M	49.8M	0.5	77	12+	18	1+	457	0	0	12	0	.38	- .67	.15	13	T	0		1	0	0
LOWMAN	60.7	27.5	44.1	1.0	72	16+	12	1	622	0	0	24	0	1.88	.26	.32	13	.0	0		9	0	0
MC CALL	45.7	25.1	35.4	- 2.2	56	16+	12	10	886	0	0	26	0	2.88	.97	.78	27	.0	26	1+	6	3	0
MERIDIAN 1 W	66.8	34.8	50.8	0.4	78	17	20	7+	416	0	0	13	0	.41	- .70	.17	13		0		1	0	0
MESA	60.8	34.8	47.8		72	16	25	10	509	0	0	10	0	2.36		.68	13	.0	0		6	2	0
MOUNTAIN HOME	69.6	35.7	52.7	4.1	82	17+	22	7+	365	0	0	11	0	.17	- .77	.06	13+	.0	0		0	0	0
NAMPA 2 NW	66.8	34.9	50.9		79	18	18	10		0	0	14	0	.40		.24	14	.0	0		1	0	0
NEW MEADOWS RS	57.1	28.0	42.6	0.4	79	16	20	10+	667	0	0	22	0	3.51	1.82	.98	13	.0	0		7	3	0
OBSIDIAN 4 NNE	45.7	20.8	33.3	- 0.4	55	16	3	10	943	0	0	27	0	1.07	- .14	.48	5	3.0	40	1	4	0	0
OLA 5 S	63.4	32.5	48.0		76	16	20	10	505	0	0	15	0	1.05		.60	13				2	1	0
PARMA EXP STA	69.0	36.0	52.5	0.7	82	17	20	10	369	0	0	8	0	.72	- .11	.39	27	.0	0		2	0	0
PAYETTE	65.2	36.9	51.1	- 0.2	78	17	24	11	412	0	0	10	0	.98	.18	.41	27	T	0		2	0	0
RICHFIELD	61.9	31.1	46.5	1.5	74	17	17	10	546	0	0	17	0	.53	- .37	.37	28	.0	0		2	0	0
SHOSHONE	63.2	33.6	48.4	1.6	75	17+	21	7+	491	0	0	11	0	.33	- .63	.15	28	T	0		2	0	0
STIBNITE	46.8	20.6	33.7		59	17	8	1+		0	0	30	0	2.88		.86	5	13.0	43	1+	8	1	0
SUN VALLEY	55.2	24.0	39.6	1.8	68	16	8	7	755	0	0	24	0	.23	- .86	.08	30	1.0	17	1	0	0	0
SWAN FALLS PH	71.2	41.6	56.4	2.4	84	16+	29	10	255	0	0	3	0	.25	- .60	.10	4				1	0	0
THREE CREEK	61.3	26.7	44.0		73	17+	15	10+	621	0	0	24	0	1.26	- .08	.59	28	.6	0		5	1	0
TWIN FALLS 2 NNE	65.5	35.9	50.7	2.6	78	17	22	7+	421	0	0	10	0	.46	- .65	.36	28	T	0		2	0	0
TWIN FALLS 3 SE	64.2	36.5	50.4	1.7	78	18	22	11		0	0	8	0	.49	- .58	.37	28	T	0		1	0	0
WEISER	67.0	35.8	51.4	- 1.0	79	17	23	7	402	0	0	11	0	.94	- .05	.63	13	.0	0		2	1	0
DIVISION			47.1	0.6										1.03	- .19			.4					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	63.8	31.8	47.8	2.7	76	24	16	10	509	0	0	15	0	.94	- .05	.50	28		0		2	1	0
ARCO	60.6M	28.7M	44.7M	1.6	72	17	14	1	602	0	0	19	0	.09	- .63	.07	28	T			0	0	0
ASHTON 1 S	55.1	29.2	42.2	1.2	72	17	16	6	678	0	0	18	0	1.97	.81	1.53	28	T	0		3	1	1
BLACKFOOT	62.7M	35.0M	48.9M	3.5	77	24	19	11	479	0	0	11	0	.72	- .24	.44	28	T	0		3	0	0
BURLEY	65.6	36.4	51.0	3.7	77	25	21	11		0	0	6	0	.63	- .52	.52	28	.0	0		1	1	0

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station		Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .10 or More ①	.50 or More	1.00 or More
BURLEY FACTORY		52.[illegible]	32.6	47.7	[illegible]	76	[illegible]	16	11		0	0	13	0	.65	- .79	.51	28		0		1	1	0
BURLEY CAA AP		[illegible]	32.3	47.4	0.2	76	17	18	11	519	[illegible]	0	15	0	[illegible]	- .01	.31	27		0		2	0	0
CHILLY BARTON FLAT		56.0	[illegible]	41.3	1.3	69	24	[illegible]	[illegible]	708	[illegible]	[illegible]	24	0	[illegible]	- .30	.25	[illegible]		1	30	1	0	0
DRIGGS		[illegible]	29.5	42.3	4.5	68	[illegible]	15	1		[illegible]	1	19	0	1.11	- .07	.40	[illegible]				3	0	0
DUBOIS EXP STA		58.2	30.6	[illegible]	1.7	70	17	15	1	611	0	[illegible]	18	0	.40	- .03	.58	[illegible]	2.0	1	30	3	1	0
DUBOIS CAA AP		59.7	28.3	44.0	[illegible]	[illegible]	17+	12	10	621	0	[illegible]	23	0	1.06	.16	.70	28	1.4	0		2	1	0
FORT HALL IND AGENCY		[illegible]M	[illegible]M	47.4M	1.8	74	17+	19	11	[illegible]	0	0	15	0	1.00	- .11	.58	[illegible]				2	1	0
GRACE		57.[illegible]	31.3	44.4	[illegible]	[illegible]	24	19	[illegible]	611	0	[illegible]	18	0	.96	- .42	.66	[illegible]	[illegible]	[illegible]	1	3	1	0
GRAY		53.8	26.3	40.1	2.2	65	24	10	1+	743	0	[illegible]	25	0	[illegible]	- .38	.60	[illegible]	[illegible]	25	1+	4	1	0
GROUSE		53.7	[illegible]	39.7		67	17+	11	1	751		[illegible]	26	0	.12	- .92	.10	30	T	T	30	1	0	0
HAMER 4 NW		64.3	28.2	46.3	3.6	78	13	11	10	[illegible]	0	[illegible]	22	0	.61	- .10	.43	28	[illegible]	0		2	0	0
IDAHO FALLS [illegible]		61.2	33.9	47.6		73	17	[illegible]	10	518	[illegible]	[illegible]	11	0	.88		.69	28	T	0		1	1	0
IDAHO FALLS CAA AP		60.3	32.8	46.6	1.7	73	24	19	10	544	0	0	15	0	[illegible]	- .25	.57	[illegible]	T	0		1	1	0
IDAHO FALLS 43 NW WB	R	60.9	[illegible]	44.9		74	17	13	10	595	0	0	17	0	.40		.21	28	T	T	30	2	0	0
IDAHO FALLS 46 [illegible]	R	60.0	27.9	44.0		73	17	10	[illegible]	621	0	0	18	0	.46		.25	28	T	T	30	2	0	0
IRWIN 2 S		[illegible]	[illegible]	45.0	4.5	72	24	20	[illegible]	597	[illegible]	0	14	0	1.58	.52	.77	28	.0			4	1	0
ISLAND PARK DAM		49.8	20.9	35.4	- 1.1	61	17+	- 2	1	884		0	29	0	2.52	.71	1.14	28	3.0			6	1	1
LIFTON PUMPING STA		56.[illegible]	30.2	43.1	3.[illegible]	66	[illegible]	19	10	653	[illegible]	0	20	0	.30	- .90	.14	30	T	T	1	1	0	0
MACKAY RS		57.[illegible]	[illegible]	[illegible]	1.4	70	16	17	7	630	[illegible]	0	21	0	.12	- .54	.11	30	1.0	1	30	1	0	0
MALAD		64.3	34.5	49.4	4.1	78	11+	21	10	460	[illegible]	0	11	0	.87	- .68	.65	28	T	0		2	1	0
MALAD CAA AP		64.4	30.2	47.[illegible]		78	24	18	10	522	0	0	19	0	.75		.65	28	T	0		2	1	0
MAY RS		59.7	28.1	43.9	- 0.6	72	16	14	11	625	[illegible]	0	22	0	.11	- .41	.06	28	T	0		0	0	0
MC CAMMON		62.2	33.5	47.9		78	24	20	10	510	0	0	14	0	1.35		1.07	28	.0	0		3	1	1
MINIDOKA DAM		60.3	34.8	47.6		74	24	21	10	517	0	0	9	0	.79		.60	28	.0	0		2	1	0
MONTPELIER RS		57.4	27.7	42.6	1.7	77	25	9	1		0	0	23	0	.66	- .95	.24	1	2.0	5	1	4	0	0
OAKLEY		63.0	34.9	49.[illegible]	2.2	75	16+	[illegible]	10	473	0	0	12	0	1.24	.09	1.11	28	.0	0		1	1	1
PALISADES DAM		58.4	32.3	[illegible]		71	24	20	11	582	0	0	12	0	1.63		.76	28	1.0	0		4	1	0
PAUL [illegible]		[illegible]	32.6	47.6	1.3	75	18+	18	10+		0	0	15	0	.61	- .54	.54	28	[illegible]	0		1	1	0
POCATELLO WB AP	//R	[illegible]	34.6	47.8	1.5	73	[illegible]	19	11	508	0	0	14	0	1.01	- .31	.43	30	1.0	T	9+	3	0	0
PRESTON SUG FACT 2SE		65.0	33.1	[illegible]	3.7	76	[illegible]	19	10	470	0	0	14	0	.84	- 1.09	.41	28	T	0		3	0	0
RUPERT		[illegible]M	[illegible]M	49.2M	2.2	77	25	24	10		0	0	9	0	.61	- .41	.43	28	.0	0		2	0	0
SAINT ANTHONY		59.3	30.5	44.9		73	17	15	10	595	0	0	19	0	1.42	.36	1.13	28	.0	0		1	1	1
SPENCER RS		54.6	26.2	40.4	2.6	68	17	4	1	730	0	0	25	0	1.13	- .37	.71	28	.0			2	1	0
SPRINGFIELD 1 SE		63.5	30.7	47.1	2.6	77	16	12	7	530	0	0	17	0	.74	- .35	.47	28	.0	0		2	0	0
STREVELL		62.2	30.5	46.4		75	24	12	10	552	0	0	18	0	.74		.47	28	.0	0		2	0	0
TETONIA EXP STA		54.6	22.1	38.4		64	24	10	30	793	0	0	28	0	1.27		.45	29				6	0	0
DIVISION				45.2	2.4										.87	- .26			.3					
STATE				45.5	0.3										1.37	.00			1.0					

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station		Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA		.94														.06														.50		.38	.
ANDERSON DAM		1.05				.11	.28	.05			.08				.26	.07													.10	.07		.03	.
ARCO		.09													T														.02	.07			.
ARROWROCK DAM		.97				.18	.09	.17			.11				T	.26				T		T								.16			.
ASHTON 1 S		1.97						T							.09	.08				T	T	T					.10		.17	[illegible]		[illegible]	.
ATLANTA 1 E		2.23			T	.30	.27	.31	T		.17				[illegible]	.35				.14		[illegible]							.41	.17		.11	.
AVERY RS		3.68	.21	.01			.53	.32		.05	.25	.11			.45						.66	.21						.01	.42	[illegible]	.02		.
BAYVIEW MODEL BASIN		2.15		.05	.52	.40	.27	.19		[illegible]	T				.10						.10	.06						.10	[illegible]	[illegible]		[illegible]	.
BIG CREEK 1 S		3.21			.35	.18	1.10	.18		[illegible]	.18				.35	.10			T		T	[illegible]							.42	.10		[illegible]	.
BLACKFOOT		.72														.17														[illegible]		[illegible]	.
BLISS		.24					.04	T							.07	.08													[illegible]	.05		T	.
BOISE LUCKY PEAK DAM		.24			[illegible]	[illegible]	.08	.04			.05				.03	.04																	.
BOISE WB AP	//R	.42		T	.01	[illegible]	T	T		.01	T				.14						T	[illegible]							[illegible]			[illegible]	.
BONNERS FERRY 1 SW		2.64	T	[illegible]	.44	.19	.14	.14		.50	.14				.13	T					.28	.02		[illegible]					.10	.19	.15		.
BUHL		.68													.45														[illegible]			T	.
BURKE 2 NNE		6.93	.92	.02	[illegible]	[illegible]	.32	.73	.01	.19	.25	[illegible]			[illegible]	[illegible]			[illegible]		.26	.11				T		.06	.46	.50	[illegible]		.
BURLEY		[illegible]					[illegible]	.01								[illegible]														.52			.
BURLEY FACTORY		.65					[illegible]	.04								[illegible]														.51	[illegible]		.
BURLEY CAA AP		.80					[illegible]	T			T				.08	T										.05			.31	[illegible]		[illegible]	.
CALDWELL		[illegible]			[illegible]	[illegible]		[illegible]							.23	.11			[illegible]										.12	[illegible]		[illegible]	.
CAMBRIDGE		1.74			[illegible]	[illegible]	.52			[illegible]					[illegible]														[illegible]	.33			.
CASCADE 1 NW		1.67			[illegible]	.07	[illegible]	.07		[illegible]	[illegible]				[illegible]	.01			T										[illegible]	.25		.01	.
CENTERVILLE ARBAUGH		1.94			[illegible]	.16	[illegible]	.16		[illegible]	[illegible]				.48	[illegible]						[illegible]							[illegible]	.10		.02	.
CHALLIS		.15						[illegible]			.07																						.
CHILLY BARTON FLAT		.25																														.25	.
CLARK FORK 1 ENE		[illegible]		[illegible]		.17	.28	[illegible]		.20		[illegible]			.45				[illegible]											.12		.11	.
COBALT BLACKBIRD MINE		1.95		.03	T	[illegible]	.51	[illegible]	[illegible]		.17				.04	[illegible]				[illegible]	T	[illegible]								.02	T	.16	.
COEUR D ALENE RS		[illegible]	T	.01		.04	.14	.15		[illegible]	T				[illegible]						[illegible]							[illegible]	[illegible]				.
COTTONWOOD		1.98			.04	.12	[illegible]	.18		[illegible]					[illegible]					.08	.01								[illegible]	.14		[illegible]	.
COUNCIL		[illegible]			[illegible]	[illegible]	.54	T							[illegible]														.39	[illegible]			.
CROUCH 2 NNW		[illegible]				.30	[illegible]	.10		[illegible]	.28				[illegible]				[illegible]	[illegible]									[illegible]	.12			.
DEADWOOD DAM		[illegible]			.01	.17	[illegible]	.33		[illegible]	.12				.43	[illegible]				[illegible]		.04							.47	[illegible]		[illegible]	.
DEER FLAT DAM		.36													[illegible]				T										.13	.05			.
DIXIE		[illegible]		T	[illegible]	[illegible]	1.24	[illegible]	.02	[illegible]	.30	.04			[illegible]	.01			.01	[illegible]	[illegible]	[illegible]							[illegible]	.21		[illegible]	.
DRIGGS		1.11	.03					[illegible]								.34										[illegible]				[illegible]	[illegible]	T	.
DUBOIS EXP STA		[illegible]						.02			T					.11											.04		[illegible]	[illegible]		[illegible]	.
DUBOIS CAA AP		1.06						T			T				.02	.04				[illegible]							.05		[illegible]	.70		[illegible]	.
ELK RIVER 1 S		[illegible]	[illegible]		.51	.16	[illegible]	[illegible]		.11	[illegible]				[illegible]				.12		[illegible]								[illegible]	[illegible]			.

DAILY PRECIPITATION

Table 3–Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	1.26					.50								.48	.07													.16	.05			
FAIRFIELD RS	.77				.06	.14	.01							.11	.06				T									T	.31		.08	
FENN RS	4.66			.32	.37	.69	.63	.03	T	.70				1.03				.48		.08					.03				.11		.19	
FORT HALL IND AGENCY	1.00					T								T	.03											T			.58	T	.39	
GARDEN VALLEY RS	2.35				.11	.74	.15		T	.26				.51					.10		T							.29	.19		T	
GLENNS FERRY	.23					.05	.02							.10	.04													T	.02			
GOODING CAA AP	.27				T	.05	T		T					.11												T		.03	.08		T	
GRACE	.96	T					.02								.03											.14		.01	.66		.10	
GRAND VIEW	.15													.15														T				
GRANGEVILLE	2.41			.06	.36	.54	.03		.22					.45				.01		.04							.03	.56	.07	.02	.02	
GRASMERE	T						T							T																	T	
GRAY	1.25														.20													.20	.60		.25	
GROUSE	.12				.02		T							T																	.10	
HAILEY AP	.44				.06		.03							.05	.01												.01	.17			.11	
HAMER 4 NW	.61														.10													T	.43		.08	
HAZELTON	.68					.04	T							.01	.14										T			T	.49		T	
HILL CITY	1.02					.27								.14	T													T	.50		.11	
HOLLISTER	.69						.05			.06					.12													.04	.42			
HOWE	.04						T																				.01		.03			
IDAHO CITY	2.03				.31	.39	.33							.24	.46													.12	.15		.03	
IDAHO CITY 13 SW	1.29			T	.21	.28	.16	T		.11				.27							.01							.13	.12		T	
IDAHO FALLS 6 NE	.88					.06									.08														.69		.05	
IDAHO FALLS CAA AP	.69					T								.01	T				T		T				T	T		.06	.57		.05	
IDAHO FALLS 43 NW WB R	.40													T														.02	.21		.17	
IDAHO FALLS 46 W WB R	.46					.01	.01							T					T									.01	.25		.18	
IRWIN 2 S	1.58													T	.42			T	.05									.17	.77		.17	
ISLAND PARK DAM	2.52						.21			.08				.19	.40											.27		.08	1.14	.15	T	
JEROME	.41				.04	.03								.02	.14												T	T	.18		T	
KELLOGG	3.12	.07		.41	.13	.07	.75	.04	T	.15				.45	.11			.17	.09	.07	.10							.46	.05	T		
KOOSKIA	2.70			T	.02	.72	.26			.41				.75					.13	.02								.20	.19		T	
KUNA 2 NNE	.38			.05	.07			T						.15				T			.04							.07			T	
LEWISTON WATER PLANT	.85		T	.01	T	.18	.17		.16	T				.24					T	.02								.07				
LEWISTON WB AP //R	.74		T	T	.06	.29			.12	T			.03	.14				T		T							.02	.08		T		
LIFTON PUMPING STA	.30	.01				.01	.05			.01					.08											T					.14	
LOWMAN	1.88			.20	.31	.21	.21			.12				.32					.11		T							.28	.12			
MACKAY RS	.12				T									.01																	.11	
MALAD	.87									.01			T	T													T	T	.65	.06	.15	
MALAD CAA AP	.75					T								T	T											T		T	.65		.10	
MAY RS	.11					T	.05							T														T	.06		T	
MC CALL	2.88			.05	.50	.37			.28	.03				.77	.10													.78				
MC CAMMON	1.35				T	T									.10											T			1.07		.18	
MERIDIAN 1 W	.41			T	.05	T	.06		T					.17				T			.06							.07			T	
MESA	2.36			.10	.50	.30								.68														.45	.33			
MINIDOKA DAM	.79					.01									.15											T			.60		.03	
MONTPELIER RS	.66	.24					.10	.01							.03											T			.11	.12	.05	
MOSCOW U OF I	1.64			.24	.09	.13	.37		.14	.02	T			.29				.03		.13								.20				
MOUNTAIN HOME	.17				T	T	.01							.06	.04													T	.06			
MULLAN PASS CAA	4.28	.54	.18	.58	.19	.29	.39	.06	.24	.28			.02	.34	.03			.34	T	.23			T			T	.25	.16	.14	T	.02	
NAMPA 2 NW	.40			T	.03	.02								.01	.24	T					T							.01	.09	T	T	
NEW MEADOWS RS	3.51			.54	.45	.79	.02		.04	.12				.98				.09										.30	.18			
NEZPERCE 2 E	2.19			T	.13	.72	.06		.24	.05				.49				.03	.06	T							T	.35	.06		T	
OAKLEY	1.24														.07										.01	.02		.02	1.11		.01	
OBSIDIAN 4 NNE	1.07				T	.48	.21			.26				.10	.02													T			T	
OLA 5 S	1.05				.01	.03				.03				.60	T			T	.03									.08	.27		T	
OROFINO	2.18			.09	.09	.60	.15		.27	.06				.62				T	.03	.05	.03							.19				
PALISADES DAM	1.63	.04			T	T	.04	T	T	.06				T	.37				.15		T					.11		.01	.76	.03	.06	
PARMA EXP STA	.72				.03	.05								.25														.39	T			
PAUL 1 E	.61					.01									.06														.54			
PAYETTE	.98				.06	.06								.37														.41	.08			
PIERCE RS	4.62	.09		.35	.25	1.05	.23		.24	.37	.06			.90	.07					.32	.09							.44	.16			
POCATELLO WB AP //R	1.01					T			T	T				.10				T							T	T		.07	.41		.43	
PORTHILL	1.60		.05	.20	.27	.08			.31	.17	.09			.08						T			.17					.06	.12			
POTLATCH 1 SE	1.97		T	.23	.10	.50	.03		.23	.02	T			.39				T		.11	T							.33	.03			
PRESTON SUG FACT 2 SE	.84	T					.09								.10											.03	.06		.41		.15	
PRIEST RIVER EXP STA	2.17		.09	.47	.22	.08	.03		.56	T	.03			.18						.21	T		.02				.04	.18	.02	.04		
RICHFIELD	.53					T								.03	.13													T	.37		T	
RIGGINS RS	2.11				.17	.47	.20	.02	.09	.27				.74														.12			.03	
RUPERT	.61					.05									.10											.03			.43			
SAINT ANTHONY	1.42					.02	.02							.03	.07				T							.07		.03	1.13		.05	
SAINT MARIES	2.54	T	.03	.39	.29	.68	.02		.27					.38				.01	.02	.05							.02	.37	.01			
SALMON	.43			T	T	T	T		.03	.07				.20				.02	.03	T	.04							.02			.02	
SANDPOINT EXP STA	2.54	T	.12	.82	.21	.12	.06	T	.39	.06	.05			.25		T				.19							.07	.10	.09	.01		
SHOSHONE	.33			T		.04	T		T					.12	.02													T	.15		T	
SPENCER RS	1.13														.05											.03		.09	.71	.25	T	
SPRINGFIELD 1 SE	.74																												.47		.27	
STIBNITE	2.88		.07		.15	.86	.28	.02		.30	.02			.23	.31				.02		.09							.31	.18	T	.04	
STREVELL	.74									.01					.08											.03	.01		.47		.14	
SUN VALLEY	.23				.06	T								.02					T									T	.07		.08	
SWAN FALLS PH	.25				.10									.08	.07																	
TETONIA EXP STA	1.27													.05	.07		.16								.14	.10	.20			.45	.10	
THREE CREEK	1.26						.13			.15				T	.26													.03	.59		.10	
TWIN FALLS 2 NNE	.46					T	T							T	.10													T	.36		T	
TWIN FALLS 3 SE	.49	T					.05								.07														.37			
WALLACE	5.18	.48	T	1.09	.56	.32	.36		.21	.20	.07	T	T	.52	.02			.49		.18			T				.10	.45	.13			
WALLACE WOODLAND PARK	3.99	.23	.15	.42	.39	.30	.61	.09		.25	.14			.25	.10			.20	.14	.03	.17							.39	.05	.08		
WEISER	.94				.09	T								.63				T										.17	.05			
WINCHESTER 1 SE	2.17			.05	.25	.20	.35		.04	.26				.75						.03	.04							.13	.07			

DAILY TEMPERATURES

Table 5

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	53	60	62	68	66	58	55	63	59	53	65	70	68	68	59	73	75	71	62	60	63	70	70	76	69	71	67	57	54	49		63.8
	MIN	29	24	36	27	40	35	20	22	35	16	19	18	35	40	26	27	35	42	37	41	24	30	34	31	45	32	45	44	30	34		31.8
ANDERSON DAM	MAX	52	57	59	59	57	51	53	58	54	55	67	71	66	56	60	73	73	69	60	58	62	69	66	73	68	70	65	59	54	47		61.4
	MIN	30	30	29	38	40	33	28	37	36	26	30	33	45	37	33	35	37	40	36	40	33	35	36	36	48	39	49	45	32	37		36.1
ARCO	MAX	48	54	56	60	58	52	50	56	49	53	63	67	62	60	65	71	72	69	63	59	69	66	67		71	66	65	61	60	46		60.6
	MIN	14	20	37	26	39	33	21	20	28	25	18	22	35	39	23	31	31	37	27	34	19	35	28		27	30	40	41	32	21		28.7
ARROWROCK DAM	MAX	57	55	61	60	61	60	47	57	62	48	57	66	71	55	57	59	75	74	64	63	58	64	72	65	71	66	72	66	55	51		61.6
	MIN	28	32	37	40	42	34	29	33	36	27	30	34	39	36	31	34	42	42	35	37	34	36	35	36	39	39	44	42	29	32		35.5
ASHTON 1 S	MAX	42	45	47	52	50	49	51	50	53	54	60	57	62	59	49	66	72	63	60	52	57	62	69	61	56	[illegible]	51	48	52	45		55.1
	MIN	24	20	21	24	20	16	17	21	23	19	33	31	33	34	27	24	31	40	35	31	26	36	42	38	34	36	43	38	31	28		29.2
ATLANTA 1 E	MAX	43	51	50	47	53	45	49	51	55	49	59	60	53	46	54	64	64	61	54	50						66	60	49	58	44		53.4
	MIN	7	27	31	29	32	26	14	23	25	14	22	27	36	34	24	29	35	37	30	29						37	36	36	26	26		27.7
AVERY RS	MAX	42	51	50	54	52	45	54	54	45	50	69	61				72	50	54	42	56	60	64	58	64	60	51	52	[illegible]	45	38		53.4
	MIN	32	32	38	38	35	33	31	31	33	30	30	31				29	43	31	34	33	30	31	29	27	28	38	36	35	32	27		32.5
BAYVIEW MODEL BASIN	MAX	49	48	54	56	50	47	51	46	47	51	57	60	59	58	56	71	69	63	52	52	60	62	62	59	58	53	56	56	47	44		55.1
	MIN	28	35	36	38	35	35	32	33	33	25	23	22	33	35	20	30	48	37	38	28	24	39	29	25	34	33	36	30	23	29		31.5
BIG CREEK 1S	MAX	36	45	46	45	46	41	46	47	41	47	58	59	54	49	55	62	60	54	54	47	58	57	56	62	58	55	49	50	45	39		50.7
	MIN	22	22	32	31	32	26	18	21	21	20	9	12	34	20	13	18	26	33	28	25	15	19	24	17	21	26	35	33	17	23		23.1
BLACKFOOT	MAX	52	57	63	68	62	58	55	62	55	55	66	70	66	58	60	73	67	61		62	64	70	70	77	70	72	68	58	53	47		62.7
	MIN	29	25	40	30	42	34	25	30	35	23	19	24	37	38	28	39	43	41		41	28	37	35	35	49	37	50	44	45	32		35.0
BLISS	MAX	60	65	70	76	67	55	59	63	47	58	70	75	65	60	64	77	80	71	65	61	68	75	72	78	73	75	73	60	[illegible]	51		66.4
	MIN	27	31	35	35	42	34	21	35	35	15	18	25	37	36	30	30	33	40	36	39	25	26	29	30	47	35	47	43	30	33		32.6
BOISE LUCKY PEAK DAM	MAX	55	66			66	64		66	61			80	73	60	63	77	77				63	76	75			75	73			58		
	MIN	26	38	41			36	31		32	30			50	34	28	39			34		35	38	35			37		43	26			
BOISE WB AP	MAX	56	65	65	66	66	53	58	64	50	56	67	74	59	59	61	77	76	64	63	57	63	72	64	73	69	73	61	58	51	51		63.0
	MIN	25	40	43	44	45	34	26	44	31	27	31	37	45	35	28	37	45	46	38	35	34	37	37	37	37	37	50	38	27	31		36.7
BONNERS FERRY 1 SW	MAX	48	46	54	53	51	49	48	45	46	52	61	60	61	61	61	71	66	64	53	57	59	58	59	63	58	55	55	47	44	43		54.9
	MIN	31	31	35	39	41	35	28	29	33	28	26	28	26	29	21	36	42	32	36	34	29	31	34	27	36	38	38	32	20	29		31.8
BUHL	MAX	59	62	61	69	65	55	61	60	55	55	69	73	71	59	61	75	77	74	64	62	64	72	72	75	73	72	71	57	56	52		65.0
	MIN	30	38	43	40	42	32	29	39	34	26	28	39	45	39	34	40	44	53	42	41	33	39	44	42	50	44	49	43	32	31		38.8
BURKE 2 NNE	MAX	31	39	38	43	38	36	38	41	36	38	52	51	46	41	45	56	56	43	42	44	46	49	47	49	48	46	38	39	34	34		42.8
	MIN	21	28	32	33	33	29	26	25	26	16	18	27	35	28	16	25	35	26	31	22	23	28	30	23	28	27	32	29	25	23		26.7
BURLEY	MAX	51	58	65	63	72	61	62	62	63	52	61	68	76	69	66	67	76	76	66	66	60	64	73	70	77	70	75	69	57	54		65.6
	MIN	33	30	39	35	38	34	26	37	36	22	21	27	39	39	34	34	40	45	41	41	34	33	42	36	49	44	52	44	32	34		36.4
BURLEY FACTORY	MAX	45	57	63	62	70	60	50	59	63	49	55	67	73	68	64	65	65	65	63	60	57	63	71	70	76	69	71	66	65	53		62.8
	MIN	29	28	37	33	36	33	21	32	34	18	16	19	33	37	29	30	35	42	36	35	27	30	37	31	46	38	48	43	30	34		32.6
BURLEY CAA AP	MAX	57	65	63	68	60	51	60	61	48	54	67	72	67	57	59	73	76	65	61	58	63	71	69	73	68	71	64	56	52	44		62.4
	MIN	28	25	37	33	41	26	23	34	26	19	18	19	35	38	32	32	35	38	38	37	30	29	35	31	41	40	48	40	32	30		32.3
CALDWELL	MAX	61	68	70	70	68	61	63	68	61	59	71	77	68	64	65	78	80	70	67	62	67	75	71	75	73	73	63	61	56	54		67.3
	MIN	24	38	39	42	46	40	26	43	33	22	19	29	36	37	33	31	41	48	40	37	31	31	40	31	39	40	49	44	32	31		35.7
CAMBRIDGE	MAX	56	60	63	62	60	55	59	59	54	59	68	70	68	62	64	76	73	74	71	61	68	73	69	74	70	68	64	58	56	50		64.1
	MIN	24	32	40	39	41	34	24	34	31	25	22	25	35	34	35	30	40	49	43	36	27	29	40	27	34	38	48	42	30	34		34.1
CASCADE 1 NW	MAX	43	51	47	49	48	47	47	47	45	45	53	57	58	47	54	64	65	55	54	48	55	62	62	62	61	61	59	46	44	39		52.5
	MIN	27	31	33	35	35	31	18	31	27	17	19	21	39	30	25	26	32	40	35	32	25	27	30	26	29	34	40	36	26	25		29.4
CHALLIS	MAX	49	60	60	61	58	51	54	60	52	50	61	[illegible]	61	60	59	73	68	70	63	50	61	67	67	72	66	66	62	63	56	51		60.6
	MIN	26	28	36	36	40	34	26	28	27	20	22	24	45	32	26	31	29	32	35	35	29	30	31	27	38	35	47	42	27	29		31.6
CHILLY BARTON FLAT	MAX	45	54	56	60	56	45	47	53	44	48	57	62	55	56	57	67	64	58	56	50	56	64	63	69	65	64	57	57	50	45		56.0
	MIN	20	20	30	26	30	30	15	25	24	12	12	13	35	30	25	29	28	36	28	32	27	24	20	35	35	25	40	[illegible]	22	28		26.5
CLARK FORK 1 ENE	MAX	47	47	54	52	46	48	48	46	48	51	62	58	60	52	58	72	68	58	52	55	60	62	59	61	58	54	58	55	47	45		54.7
	MIN	31	32	35	36	38	34	31	28	34	21	25	28	27	30	23	29	46	35	35	27	25	34	30	25	35	37	36	31	25	24		30.9
COBALT BLACKBIRD MINE	MAX	34	33	43	43	48	42	34	43	46	34	40	53	53	42	45	48	58	54	47	43	37	46	55	54	57	53	51	47	44	41		45.6
	MIN	[illegible]	19	23	26	21	22	16	18	17	15	14	18	23	19	13	15	26	31	29	22	18	19	26	22	24	30	32	31	19	20		21.2
COEUR D ALENE RS	MAX	48	46	56	55	52	50	50	48	50	49	65	62	60	59	55	71	69	60	52	55	60	59	58	57	55	54	56	52	48	48		55.3
	MIN	35	36	37	37	35	36	31	30	32	27	25	31	45	36	24	31	47	34	39	27	28	37	30	27	33	38	39	34	27	23		33.0
COTTONWOOD	MAX	45	51	52	56	51	42	52	55	44	49	64	63	55	48	56	70	64	55	51	50	58	66	57	60	62	57	50	47	40	42		53.7
	MIN	32	31	34	32	32	30	27	31	28	29	23	30	41	32	28	31	44	33	32	30	25	28	31	25	33	35	34	31	26	25		30.8
COUNCIL	MAX	52	56	58	60	56	53	55	58	58	57	61	67	65	57	61	72	72	70	63	60	64	69	69	70	71	67	66	58	56	50		61.7
	MIN	28	29	29	28	40	36	25	36	30	24	28	26	46	31	33	30	39	48	35	35	26	28	41	31	32	44	47	42	29	32		33.6
DEADWOOD DAM	MAX	41	51	49	47	48	42	48	48	39	50	58	59	47	49	55	65	61	57	48	47	55	59	55	62	58	58	52	47	43	[illegible]		51.2
	MIN	21	21	30	27	31	26	12	21	25	9	11	13	32	28	11	18	24	31	20	21	16	18	21	16	22	25	34	32	16	26		21.9
DEER FLAT DAM	MAX	62	70	70	71	70	55	60	61	54	58	68	75	62	62	62	77	79	72	64	59	65	74	64	73	75	72	56	60	55	52		65.2
	MIN	31	40	38	41	45	36	25	36	30	21	25	32	38	37	34	42	45	48	41	39	34	36	40	39	47	40	47	44	30	31		37.1
DIXIE	MAX	34	41	44	48	46	42	42	46	39	45	56	58	50	45	50	59	56	51	46	43	52	55	52	58	54	50	46	44	42	34		47.6
	MIN	22	20	30	31	32	20	17	21	21	12	8	11	33	11	7	18	27	32	28	21	12	17	23	15	19	27	27	30	14	22		20.9
DRIGGS	MAX	31	40	50	55	56	49	45	50	53	53	53	60	63	60	53	56	63	63	64	59	55	55	59	60	68	60	64	55	42	55		55.0
	MIN	15	27	30	35	38	32	25	24	33	19	25	22	34	32	22	26	40	30	34	33	25	24	30	24	39	33	39	35	29	30		29.5
DUBOIS EXP STA	MAX	49	56	59	60	57	54	50	56	52	48	60	65	64	59	57	68	70	61	60	55	56	65	69	69	65	67	62	52	48	34		58.2
	MIN	15	24	34	31	38	31	22	25	27	21	25	29	38	34	24	29	34	33	33	34	30	29	35	31	45	31	41	36	30	28		30.6
DUBOIS CAA AP	MAX	53	58	61	62	60	52	52	58	54	50	63	68	59	61	55	70	72	63	61	54	58	67	72	71	67	68	59	54	52	37		59.7
	MIN	15	22	33	27	39	23	16	25	26	12	25	23	32	32	27	27	32	34	32	33	31	26	30	30	38	27	41	38	29	24		28.3
ELK RIVER 1 S	MAX	44	48	46	49	46	44	50	49	43	49	62	59	51	50	57	70	69	53	49	51	58	63	61	60	60	56	53	46	45	43		52.8
	MIN	32	29	34	31	34	32	27	35	31	29	28	27	29	32	21	28	37	28	32	31	26	29	28	24	27	31	37	32	30	26		29.9
EMMETT 2 E	MAX	58	67	66	66	66	58	62	66	64	59	68	76	70	61	63	78	79	73	66	63	67	75	68	75	73	74	68	60	[illegible]	54		66.7
	MIN	30	43	42	44	46	39	30	44	31	24	26	31	51	34	32	33	42	48	40	34	30	33	37	31	38	40	50	44	29	33		37.0
FAIRFIELD RS	MAX	44			56	54	43	49	54	46	49	61	65	61	54	56	69	69	60	57	56	60	65	64	71	64	66	63	54	50	45		57.3
	MIN	11	25	27	34	35	26	21	31	30	22	21	23	39	34	27	29	32	40	31	34	25	28	30	28	39	33	42	39	27	23		29.5
FENN RS	MAX	51	55	57	54	55	49	58	61	51	55	69	69	57	56	61	79	71	61	53	58	63	73	62	66	68	64	60	54	50	49		59.6
	MIN	32	37	35	31	40	36	35	34	34	34	30	31	43	41	32	35	41	43	41	40	33	36	38	32	34	38	44	42	36	35		36.4
FORT HALL IND AGENCY	MAX	52	58	62	62	63	56	53	60		61	66	69	65	57	58	72	74	72	62		61	68	68	74		70	67	52	52	53		62.5
	MIN	30	25	36	30	42	35	24	30		21	19	21	34	39	30	31	30	41	35		27	38	32	32		33	49	42	33	31		32.2
GARDEN VALLEY RS	MAX	52	60	60	54	60	55	58	57	50	58	68	70	67	59	64	76	73	71	64	61	65	71	68	74	70	69	62	57	55	50		62.6
	MIN	25	32	38	36	43	35	25	31	34	22	23	26	37	37	28	28	35	41	32	31	26	27	29	27	32	33	43	45	25	36		32.1
GLENNS FERRY	MAX	64	68	64	71	67	59	60	65	59	60	73	79	70	63	66	80	82	72	67	64	66	78	73	80	74	78	69	63	61	55		68.3
	MIN	25	35	45	36	46	37	20	45	40	18	20	24	42	39	34	31	36	47	42	43	28	28	36	32	50	34	56	46	33	36		36.1
GOODING CAA AP	MAX	54	62	58	67	58	52	57	63	49	55	69	73	62	57	60	74	76	64	61	59	64	72	68	75	69	72	61	56	53	49		62.3
	MIN	28	31	40	38	45	33	27	40	33	23	28	35	43	37	30	33	42	45	39	38	30	36	40	37	47	41	49	39	29	34		36.3
GRACE	MAX	48	54	55	63	56	50	49	56	46	48	60	66	59	54	56	67	68	59	56	53	57	65	68	72	64	64	67	47	51	47		57.5
	MIN	27	28	37	31	38	35	24	25	30	21	19	25	32	38	26	25	36	42	33	38	25	31	33	32	39	32	39	38	31	29		31.3
GRAND VIEW	MAX	65	69	69	72	74	72	62	70	64	62	72	80	77	68	68	83	85	80	71	67	72	80	80	80	77	80	77	[illegible]	65	60		72.3
	MIN	25	33	36	38	47	37	25	40	38	20	22	30	48	38	38	31	39	46	42	41	29	30	45	32	47	42	53	46	32	34		36.8
GRANGEVILLE	MAX	48	54	59	61	50	46	52	59	46	50	61	66	54	47	57	73	66	55	54	53	59	72	58	59	64	63	44	49	43	42		55.5
	MIN	34	33	39	34	35	32	28	31	30	31	25	32	41	31	24	35	45	35	34	34	27	33	36	30	37	36	36	32	27	24		32.7
GRASMERE	MAX	52	62	60	66	60	50	56	59	58	52	62	70	69	70	68	75	73	73	62	56	61	71	65	72	68	72	67	58	54	38		62.6
	MIN	24	30	39	35	39	29	21	21	20	15	19	25	41	25	23	31	33	43	30	21	27	28	33	34	29	34	32	26	21	25		28.4
GRAY	MAX	40	45	46	50	55	55	54	55	55	56	50	58	60	45	52	55	58	60	45	50	52	53	60	65	62	60	58	58	59	42		53.8
	MIN	10	32	34	32	33	34	23	20	27	19	15	10	20	25	20	25	32	35	26	29	28	29	32	34	28	29	27	32	30	18		26.3
GROUSE	MAX	41	46	47	52	52	45	44	50	43	46	57	60	54	55	54	65	67	59	57	57	62	64	67	62	53	52	59	50	51	40		53.7
	MIN	11	17	35	29	37	32	19	18	23	17	14	15	32	32	25	20	25	27	24	19	28	27	28	30	32	[illegible]	39	25	26	28		25.7
HAILEY AP	MAX	45	51	52	58	53	50	50	55	46	50	63	66	60	58	55	71	69	62	58	55	62	65	62	70	70	64	63	61	60	45		58.3
	MIN	16	17	34	33	37	34	20	28	24	20	24	28	39	27	24	32	33	32	28	28	26	31	32	32	40	34	43	40	21	28		29.5
HAMER 4 NW	MAX	59	59	62	66	61	54	54	61	58	52	64	70	78	66	58	72	74	70	65	61	61	69	73	75	71	71	70	69	55	51		64.3
	MIN	14	27	38	28	43	36	12	19	41	11	20	15	31	32	26	23	29	42	34	30	21	21	30	20	47	24	40	41	29	32		28.2
HAZELTON	MAX	55	62	61	68	63	55	58	61	55	54	66	70	68	57	59	72	75	73	63	58	62	72	70	73	68	71	70	55	54	59		63.6
	MIN	27	29	39	33	44	34	22	34	24	21	23	29	34	37	30	35	35	37	39	38	28	35	35	33	42	36	49	30	30	32		33.1
HILL CITY	MAX	46	50	48	50	52	47	46	55	48	48	59	65	62	51	56	70	69	67	56	55	59	65	64	72	63	68	59	51	49	46		56.5
	MIN	25	24	28	32	34	29	20	37	28	22	22	23	42	32	30	30	34	40	35	33	28	29	32	27	42	34	42	40	27	29		30.8
HOLLISTER	MAX	56	64	60	66	62	51	58	61	53	52	65	70	66	57	63	74	76	70	66	58	63	71	68	73	68	71	66	56	53	46		62.8
	MIN	29	31	39	38	37	31	22	40	41	20	21	27	36	36	34	31	40	38	34	35	28	31	34	30	38	39	44	42	28	27		33.0

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
IDAHO CITY	MAX	51	53	60	61	60	53	56	60	56	56	67	69	65	55	61	74	71	70	59	58	64	69	68	74	69	69	65	54	53	49		61.
	MIN	18	28	28	33	38	32	19	29	30	17	19	27	42	31	23	25	31	39	29	28	22	24	27	23	30	28	44	42	19	31		28.
IDAHO FALLS 6 NE	MAX	50	55	64	66	62	54	52	61	55	51	64	68	64	57	56	67	73	69	63	59	59	66	70	72	68	68	66	55	55	47		61.
	MIN	28	31	37	34	42	37	24	35	37	19	20	23	42	40	25	34	40	43	40	38	27	33	38	30	30	36	48	42	31	33		33.
IDAHO FALLS CAA AP	MAX	49	56	62	65	58	47	52	60	49	56	70	67	62	57	59	69	72	65	61	58	59	67	68	73	[illegible]	68	66	53	51	41		60.
	MIN	28	29	38	35	41	32	22	27	31	19	23	22	38	38	27	32	38	42	38	35	27	30	35	34	44	38	46	38	30	28		32.
IDAHO FALLS 43 NW WB	MAX	51	59	60	64	56	56	52	59	53	53	64	70	61	62	57	71	74	65	63	58	61	69	72	73	69	68	61	56	53	38		60.
	MIN	14	22	42	27	41	33	17	23	28	13	26	16	34	37	28	22	26	39	35	34	21	24	34	16	47	34	41	37	29	27		28.
IDAHO FALLS 46 W WB	MAX	49	54	57	63	58	52	51	59	49	51	62	68	64	60	58	70	73	65	63	59	60	67	69	72	67	68	61	61	52	39		60.
	MIN	24	24	36	30	37	26	14	16	24	10	11	11	43	34	27	23	37	38	34	31	20	25	33	26	39	33	44	35	25	28		27.
IRWIN 2 S	MAX	47	52	60	65	53	49	49	57	50	51	62	67	52	54	55	67	68	58	54	54	58	65	68	72	60	68	61	48	51	50		57.
	MIN	28	33	35	34	39	38	26	28	35	20	22	27	35	37	28	28	34	39	34	38	29	28	34	30	42	32	42	31	33	32		32.
ISLAND PARK DAM	MAX	43	46	50	51	50	37	42	47	44	47	53	57	54	48	43	54	61	58	52	47	48	54	61	60	57	56	53	42	40	40		49.
	MIN	- 2	- 1	28	22	27	26	12	12	20	7	9	10	24	30	19	16	24	28	28	28	24	22	24	20	35	23	31	32	22	26		20.
JEROME	MAX	58	64	62	69	60	53	59	63	55	56	69	73	72	58	61	75	78	75	67	60	64	73	69	78	71	73	71	58	55	53		65.
	MIN	28	32	39	35	35	32	21	33	35	18	24	26	28	32	31	31	37	44	40	39	26	30	37	32	48	37	46	41	29	31		33.
KELLOGG	MAX	40	45	50	56	58	47	47	50	49	45	49	66	62	60	50	57	73	59	56	46	57	59	63	58	60	61	50	49	48	46		53.
	MIN	34	36	37	41	42	36	35	33	34	29	27	31	40	38	25	31	40	35	37	35	30	35	32	28	33	40	37	35	32	31		34.
KOOSKIA	MAX	56	59	68	70	58	54	59	62	61	65	73	69	67	60	64	78	77	64	55	64	67	72	64	70	70	66	65	57	55	52		64.
	MIN	39	35	38	38	44	35	29	38	35	35	27	31	47	37	27	33	40	41	43	38	30	34	40	30	33	42	45	42	33	36		36.
KUNA 2 NNE	MAX	58	67	66	66	67	62	60	67	60	57	69	77	69	60	63	77	77	70	66		65	69		70		73	70	59	56	52		65.
	MIN	18	37	39	40	45	39	20	40	30	18	23	27	50	34	29	29	38	43		38	25	30			38	37	49	43	27	31		34.
LEWISTON WATER PLANT	MAX	56	60	63	61	59	55	60	60	56	61	73	72	65	64	65	80	75	64	59	65	68	74	70	70	69	68	64	56	56	55		64.
	MIN	44	39	45	42	45	37	36	44	48	40	32	38	50	40	30	38	48	42	45	43	34	37	44	33	38	40	46	37	42	34		40.
LEWISTON WB AP	MAX	55	57	61	60	59	54	56	52	55	56	68	60	65	55	62	80	69	62	57	60	66	75	62	67	68	64	51	58	49	53		60.
	MIN	40	38	43	41	42	37	35	39	35	36	33	38	46	33	30	37	48	42	43	39	34	38	40	33	39	37	41	37	38	32		38.
LIFTON PUMPING STA	MAX	44	55	58	58	56	52	45	52	48	47	57	60	57	54	52	62	64	63	56	54	58	58	62	65	66	59	62	59	50	46		56.
	MIN	30	23	23	25	30	32	25	24	32	19	21	27	30	38	29	27	35	36	34	40	24	32	30	35	38	38	36	35	26	31		30.
LOWMAN	MAX	48	50	54	55	58	50	56	56	48	57	67	70	63	57	64	72	72	68	67	58	63	67	68	72	68	68	65	56	55	48		60.
	MIN	12	14	26	28	32	32	22	28	32	18	20	22	38	34	24	25	28	38	28	32	23	25	26	24	28	26	42	42	24	33		27.
MACKAY RS	MAX	47	55	56	59	55	54	49	56	50	53	60	64	60	58	55	70	66	59	55	55	58	61	65	69	64	65	60	60	53	47		57.
	MIN	20	20	34	25	35	30	17	23	31	20	24	25	39	35	27	30	37	40	31	31	24	26	28	29	42	30	41	36	26	31		29.
MALAD	MAX	57	63	63	68	65	56	54	61	54	57	78	65	63	66	62	72	75	67	66	61	66	70	78	77	71	69	71	55	56	44		64.
	MIN	29	27	39	34	40	39	24	29	37	21	31	34	41	35	33	28	36	44	39	41	29	33	35	31	47	36	42	37	31	32		34.
MALAD CAA AP	MAX	58	65	65	69	65	54	55	64	53	57	66	72	66	62	63	72	75	68	65	62	64	72	77	78	72	71	71	53	56	43		64.
	MIN	23	23	33	30	39	27	20	25	29	18	22	26	28	39	32	25	30	37	34	35	24	27	29	37	45	33	37	37	29	32		30.
MAY RS	MAX	48	60	60	65	59	51	55	60	52	51	62	67	59	60	60	72	68	60	56	51	59	66	66	71	61	66	58	66	54	48		59.
	MIN	21	24	39	32	36	31	21	29	24	15	14	17	42	30	20	25	31	42	34	31	24	24	29	20	34	30	37	35	24	29		28.
MC CALL	MAX	39	42	44	42	42	38	42	42	36	42	50	52	42	44	48	56	54	50	44	44	50	53	52	56	52	52	48	42	40	34		45.
	MIN	22	22	30	30	32	28	18	26	24	12	16	16	34	22	22	22	28	36	28	26	20	22	26	22	24	30	36	34	24	22		25.
MC CAMMON	MAX	52	62	61	70	62	54	53	61	50	55	66	70	62	57	58	72	73	65	60	60	62	70	72	78	70	66	64	60	54	46		62.
	MIN	30	27	33	33	42	34	31	32	39	20	28	29	36	41	33	26	33	47	35	38	24	32	32	36	32	32	41	41	35	32		33.
MERIDIAN 1 W	MAX	58	68	68	67	67	65	61	69	64	58	68	77	69	59	63	77	76	73	66	64	64	74	72	73	73	72	71	59	57	51		66.
	MIN	21	37	37	40	46	39	20	41	30	20	24	30	50	34	30	31	39	44	39	35	28	31	39	31	38	37	50	43	28	31		34.
MESA	MAX	51	56	58	59	58	51	55	58	50	55	64	65	65	65	61	72	71	65	57	58	63	70	65	70	69	69	66	56	56	46		60.
	MIN	29	33	40	39	43	35	30	27	30	25	30	33	33	33	33	34	45	46	39	33	30	30	38	36	38	38	45	41	29	30		34.
MINIDOKA DAM	MAX	52	60	59	67	57	48	53	59	46	50	59	69	67	54	57	69	70	71	58	56	60	68	68	74	69	68	66	54	50	50		60.
	MIN	30	29	37	33	42	34	23	37	36	21	23	32	38	39	31	28	36	43	36	37	28	33	35	34	48	39	51	44	33	33		34.
MONTPELIER RS	MAX	39	48	51	58	62	54	40	48	54	47	49	61	66	61	54	54	61	68	61	59	55	60	64	69	77	69	63	68	50	51		57.
	MIN	9	24	33	29	35	31	20	24	30	17	17	24	28	37	25	22	29	38	28	31	24	25	27	31	36	29	33	37	29	30		27.
MOSCOW U OF I	MAX	47	52	54	54	53	45	52	52	46	50	64	62	57	54	56	70	68	53	52	55	59	63	61	61	59	56	54	49	47	49		55.
	MIN	42	33	41	39	41	34	29	40	33	29	31	41	41	39	24	36	44	30	38	29	27	33	28	27	37	29	39	32	30	27		34.
MOUNTAIN HOME	MAX	61	65	63	71	67	60	62	65	60	63	72	79	76	69	68	78	82	74	77	67	69	81	74	82	75	79	76	62	57	53		69.
	MIN	23	35	44	40	43	33	22	43	34	22	28	29	51	35	29	32	41	45	40	36	28	29	40	33	43	39	54	41	27	31		35.
MULLAN PASS CAA	MAX	25	32	32	36	34	27	35	37	25	33	49	47	39	30	37	50	42	35	28	36	39	43	35	42	40	33	31	29	25	20		34.
	MIN	19	22	29	30	24	20	18	23	16	16	22	33	29	21	19	31	33	24	23	21	23	29	24	27	30	24	27	20	12	10		23.
NAMPA 2 NW	MAX	59	60	69	71	70	69	58	63	70	54	59	70	76	62	63	65	78	79	69	67	61	67	75	69	75	74	72	63	62	55		66.
	MIN	23	32	38	42	45	39	21	42	31	18	24	29	43	35	32	31	39	47	40	34	28	31	38	29	39	40	51	44	30	31		34.
NEW MEADOWS RS	MAX	48	54	52	52	52	48	51	50	48	53	62	62	59	55	60	79	68	63	57	55	62	65	62	67	65	61	58	53	48	44		57.
	MIN	24	24	35	32	37	30	23	31	29	20	20	21	40	30	22	24	34	39	28	25	20	21	28	21	24	34	42	38	20	23		28.
NEZPERCE 2 E	MAX	46	52	56	59	49	44	51	53	44	48	62	62	54	47	54	71	63	52	47	51	58	64	55	60	63	55	50	48	43	44		53.
	MIN	31	34	37	34	39	33	31	35	31	32	29	33	43	32	26	33	43	35	36	33	30	34	33	29	36	36	38	33	31	28		33.
OAKLEY	MAX	56	58	66	69	62	55	57	64	50	53	65	71	65	59	67	75	75	70	62	64	62	72	70	75	66	63	64	55	53	47		63.
	MIN	28	31	33	38	42	34	25	34	28	20	22	31	42	38	28	34	42	42	39	29	30	33	40	38	46	47	49	41	31	32		34.
OBSIDIAN 4 NNE	MAX	35	43	43	43	42	42	38	40	38	46	50	51	46	48	53	55	53	49	44	42	45	49	54	52	50	49	47	47	41	37		45.
	MIN	12	20	28	31	32	22	9	22	21	3	5	10	35	22	12	17	28	34	24	21	13	15	22	14	24	27	34	32	14	22		20.
OLA 5 S	MAX	50	57	57	66	65	55	57	62	54	57	66	70	70	58	70	76	74	67	63	58	64	71	71	72	72	70	64	62	54	51		63.
	MIN	25	27	35	37	45	38	24	36	35	20	22	25	27	32	34	35	36	43	37	35	26	30	2	32	32	33	48	48	25	25		32.
OROFINO	MAX	54	60	59	54	57	55	59	60	57	60	74	71	64	60	65	80	80	64	70	62	72	73	70	70	75	68	65	58	55	55		64.
	MIN	33	36	41	36	45	36	36	37	34	38	28	32	48	38	27	34	42	38	43	39	32	37	36	35	35	42	45	41	37	34		37.
PALISADES DAM	MAX	45	53	59	63	60	50	47	56	54	49	58	65	64	53	55	64	67	65	57	55	57	64	67	71	70	65	62	55	51	51		58.
	MIN	28	33	34	33	38	36	27	26	35	21	20	26	33	36	28	27	33	39	34	38	31	29	33	32	42	32	42	36	34	33		32.
PARMA EXP STA	MAX	62	70	69	72	71	62	64	63	57	61	72	76	70	67	67	79	82	74	70	64	70	77	77	76	76	75	71	62	59	54		69.
	MIN	26	39	40	40	42	39	22	38	34	20	23	27	49	37	29	33	43	46	40	36	34	34	40	30	40	43	49	43	29	34		36.
PAUL 1 E	MAX	50	56	64	60	70	60	51	58	63	50	55	67	72	66	57	60	69	75	65	62	59	62	71	66	75	68	71	65	56	53		62.
	MIN	29	25	36	31	39	33	22	30	35	18	18	22	32	38	30	30	33	43	38	37	26	32	34	29	46	35	48	43	30	35		32.
PAYETTE	MAX	60	66	69	67	67	60	61	65	55	51	57	72	65	64	62	76	78	69	66	62	69	75	69	75	73	71	65	59	55	53		65.
	MIN	25	36	40	40	40	40	25	43	35	29	24	28	50	38	32	32	44	50	40	38	30	32	32	37	42	41	50	45	33	36		36.
PIERCE RS	MAX	43	49	42	41		44	51	48	48	48	61	48	46	44	56	68			58	51	56	63	60	61	58	55	47	47	45	42		51.
	MIN	20	29	31	29		31	29	27	28	30	21	24	34	31	21	28			31	32	25	30	29	23	26	32	36	34	30	28		28.
POCATELLO WB AP	MAX	53	58	61	67	61	52	53	60	48	51	66	69	66	57	58	72	72	64	60	59	61	69	69	73	68	70	65	55	52	42		61.
	MIN	31	30	35	32	42	37	24	31	29	23	19	24	40	41	29	33	39	46	41	41	30	38	39	35	46	39	47	40	32	30		34.
PORTHILL	MAX	47	47	55	54	54	50	51	45	48	52	61	62	62	60	60	72	67	66	64	55	60	58	59	64	61	56	54	52	48	46		56.
	MIN	33	31	34	42	40	41	29	29	32	26	25	30	43	31	25	33	37	36	35	29	29	39	29	28	37	31	35	33	21	26		32.
POTLATCH 1 SE	MAX	48	55	54	56	56	46	51	49	48	50	65	60	57	50	56	70	62	57	51	54	58	62	55	60	56	54	50	46	43	47		54.
	MIN	33	31	38	37	38	31	28	39	31	30	31	33	45	34	24	31	43	29	36	29	26	31	29	26	28	27	38	31	30	24		32.
PRESTON SUG FACT 2 SE	MAX	54	60	63	69	67	62	53	60	60	55	69	72	71	62	61	70	72	73	65	61	63	68	76	72	74	66	73	70	55	54		65.
	MIN	31	27	35	31	40	40	24	27	36	19	24	29	32	41	31	28	33	40	37	42	28	30	33	34	42	35	38	40	32	34		33.
PRIEST RIVER EXP STA	MAX	47	45	51	46	46	45	44	42	43	49	60	57	60	55	54	69	65	59	50	54	57	56	56	58	54	50	53	52	42	43		52.
	MIN	28	31	33	32	30	34	26	26	30	18	23	28	38	32	20	28	37	28	34	28	24	28	25	25	26	34	33	23	19	23		28.
RICHFIELD	MAX	53	59	57	67	60	53	55	59	50	53	65	71	68	55	59	72	74	68	62	59	62	69	68	73	68	70	69	56	55	48		61.
	MIN	20	27	35	31	37	33	20	33	30	17	20	24	37	36	27	29	37	39	32	34	25	30	29	28	45	34	47	40	26	32		31.
RIGGINS RS	MAX	57	62	66	63	64	57	63	65	60	62	76	75	70	70	65	81	78	74	67	62	68	80	76	70		69	68	69	57	50		67.
	MIN	37	36	44	43	45	39	34	42	35	40	35	39	45	37	30	31	49	53	47	37	34	38	42	38		39	48	45	34	35		39.
RUPERT	MAX	49	58	64	62	72	61	51	62	64	50	54	68	74	67	59	63			63	61		63	73	69	77	69	72	65	56	53		62.
	MIN	32	31	39	34	40	34	26	36	36	24	25	28	37	40	34	34			40	40		28	35	34	49	38	50	43	32	36		35.
SAINT ANTHONY	MAX	46	54	59	63	58	51	51	59	51	50	63	68	57	59	55	68	73	62	62	54	63	66	72	70	68	68	61	49	50	50		59.
	MIN	23	28	38	30	42	33	25	26	35	15	21	23	32	37	23	24	30	43	34	36	24	25	28	27	45	26	46	41	28	28		30.
SAINT MARIES	MAX	48	45	55	51	50	47	52	48	51	57	61	57	59	54	59	73	68	66	57	54	61	65	60	63	60	56	52	50	44	48		55.
	MIN	32	32	33	35	35	34	31	31	25	24	30	35	35	35	24	30	42	39	29	30	28	32	28	26	26	34	36	32	28	24		31.
SALMON	MAX	53	64	66	69	63	52	59	65	50	56	68	72	58	63	61	77	74	66	63	55	65			77	74	72	65	60	66	44		63.
	MIN	22	25	40	33	38	29	26	30	31	26	17	20	44	31	21	29	33	42	40	31	23			23	32	37	47	39	31	27		31.
SANDPOINT EXP STA	MAX	47	47	51	51	49	48	45	42	45	49	59	60	60	57	56	70	66	59	50	51	57	60	57	60	59	55	54	50	44	43		53.
	MIN	31	33	33	40	37	36	30	31	32	24	26	29	44	37	24	30	48	34	35	30	26	35	29	26	32	37	35	26	26	27		32.
SHOSHONE	MAX	55	58	62	70	61	53	58	63	50	57	69	72	63	58	60	74	75	66	62	61	66	72	70	75	69	71	63	59	53	50		63.
	MIN	23	31	36	35	34	40	21	36	33	21	28	28	39	37	27	30	38	40	38	37	27	30	33	33	45	37	46	43	27	35		33.
SPENCER RS	MAX	44	49	50	50	49	44	45	47	49	47	59	62	59	56	51	65	68	63	56	52	56	63	61	65	61	63	60	52	46	45		54.
	MIN	4	15	26	25	33	30	16	22	28	17	17	19	32	32	23	24	29	33	29	27	29	28	25	23	44	28	40	38	27	24		26.

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SPRINGFIELD 1 [illegible]	MAX	54	60	64	69	62	52	55	[illegible]	[illegible]	[illegible]	70	[illegible]	62	59	66	77	76	[illegible]	64	63	63	70	70	71	71	72	68	57	55	48		63.5
	MIN	30	25	35	26	40	34	[illegible]	[illegible]	36	16	19	18	26	40	28	31	36	42	31	36	24	26	[illegible]	28	41	29	43	44	37	34		30.7
STIBNITE	MAX	34	34	44	42	43	41	37	42	41	44	[illegible]	46	55	44	46	52	59	54	50	44	41	50	53	57	57	52	50	46	44	41		46.8
	MIN	8	[illegible]	28	29	[illegible]	20	12	18	[illegible]	8	13	17	31	20	11	20	[illegible]	11	26	12	11	10	11	16	[illegible]	27	30	29	12	19		20.6
STREVELL	MAX	53	63	63	65	61	61	52	61	55	52	64	69	65	59	54	70	73	69	62	54	63	67	73	75	67	65	66	55	53	48		62.2
	MIN	24	23	30	33	32	34	[illegible]	41	[illegible]	12	17	26	33	39	35	[illegible]	[illegible]	32	31	34	26	26	31	35	[illegible]	33	42	38	32	28		30.5
SUN VALLEY	MAX	46	47	46	49	49	47	43	48	48	46	56	60	59	55	54	68	66	62	54	53	58	63	63	67	63	62	61	56	58	49		55.2
	MIN	10	17	26	22	15	31	[illegible]	18	24	10	13	14	28	24	20	[illegible]	[illegible]	38	35	40	26	[illegible]	21	17	34	26	39	35	17	28		24.0
SWAN FALLS PH	MAX	62	63	70	72	71	69	63	70	64	63	71	80	78	66	70	84	84	81	70	70	69	83	71	79	77	77	77	63	62	57		71.7
	MIN	33	41	48	44	49	42	31	45	37	29	31	36	53	41	39	37	49	51	46	43	36	[illegible]	46	39	44	47	54	46	36	33		41.6
TETONIA EXP STA	MAX	38	46	49	49	52	51	53	55	53	55	59	61	52	50	50	61	61	63	58	62	63	63	62	64	61	55	51	48	47	45		54.6
	MIN	16	29	31	33	30	33	28	22	24	21	30	20	23	24	22	24	25	21	23	20	24	29	20	14	14	15	12	12	14	10		22.1
THREE CREEK	MAX	50	60	58	58	61	58	55	56	52	50	65	70	67	57	61	72	73	69	60	57	57	70	70	73	65	71	62	54	52	53		61.3
	MIN	20	28	33	25	29	25	18	[illegible]	27	15	15	[illegible]	31	33	21	25	31	30	27	29	28	23	27	26	37	30	36	33	23	22		28.7
TWIN FALLS 2 NNE	MAX	58	65	63	70	66	56	60	64	55	56	70	74	71	59	61	75	78	76	65	61	65	73	71	74	71	72	72	57	55	52		65.5
	MIN	32	32	40	35	45	33	[illegible]	36	[illegible]	22	22	25	38	39	31	38	41	47	39	41	28	34	42	34	50	39	50	43	30	32		35.9
TWIN FALLS 3 SE	MAX	53	60	65	62	69	61	53	61	61	51	56	68	73	61	60	63	76	78	66	63	60	65	72	70	76	71	72	63	57	53		64.2
	MIN	32	34	[illegible]	[illegible]	39	33	37	[illegible]	[illegible]	27	22	25	40	39	33	39	46	48	42	40	34	37	45	37	45	[illegible]	50	43	31	34		36.5
WALLACE	MAX	37	46	47	52	45	43	44	44	41	[illegible]	62	58	55	51	55	[illegible]	62	52	47	52	59	61	56	61	59	49	45	43	45	39		51.2
	MIN	31	33	35	36	38	33	32	30	31	24	25	41	41	31	23	30	44	31	35	32	28	33	31	27	30	37	35	33	30	30		32.0
WALLACE WOODLAND PARK	MAX	35	39	44	48	53	48	42	47	49	41	44	60	57	56	43	53	68	52	50	41	51	55	59	53	57	52	43	43	43	40		48.9
	MIN	30	30	31	37	37	33	31	29	31	24	23	30	31	36	22	22	32	32	34	32	26	28	30	25	25	32	34	34	28	29		29.9
WEISER	MAX	62	66	68	68	68	60	64	[illegible]	[illegible]	58	70	73	64	[illegible]	66	78	79	72	67	70	68	78	73	77	74	74	61	60	55	54		67.0
	MIN	28	36	40	40	44	35	23	[illegible]	[illegible]	[illegible]	26	28	46	34	36	28	43	48	37	28	40	38	40	32	44	39	[illegible]	39	27	35		35.8
WINCHESTER 1 SE	MAX	41	49	48	50	50	44	49	51	41	54	52	59	53	50	53	68	65	55	45	49	55	62	61	60	58	56	52	45	45	42		52.4
	MIN	30	31	32	34	34	30	27	31	26	25	25	31	42	28	22	31	30	31	30	30	26	29	29	30	28	32	33	30	26	24		29.6

EVAPORATION AND WIND

Table 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ARROWROCK DAM	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.16	.20	.20	.16	.12	.20	.16	.13	.25	.19	.17	.20	.01	.22	.14		-
	WIND	-	-	-	-	-		-	-	-	-	-		-	-	-	35	29	34	57	62	50	55	32	32	35	02	26	121	100	59		-
LIFTON PUMPING STA	EVAP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.14	.24	.18	.29	.21	.18	.23	.27	.20	.23	.13	.22	.16	.18	.07		-
	WIND	67	65	50	47	60	91	52	39	76	45	46	23	41	82	65	43	91	79	120	97	65	58	65	55	65	65	60	83	100	63		1958
MINIDOKA DAM	EVAP	-	-	-	-	-	-	-	-	-		-	-	.10	.25	.23	.27	.34	.29	.45	.40	.27	.34	.33	.27	.30	.30	.25	.25	.28	.11		-
	WIND	230	70	90	50	110	200	70	140	180	100	70	80	50	230	140	85	120	155	190	230	110	130	130	70	130	110	110	190	260	140		3970
MOSCOW U OF I	EVAP	.20	.07	.07	.03	.08	.13	.08	.05	.13	.04	.11	.15	.14	.15	.09	.15	.17	.15	.06	.13	.14	.20	.20	.16	.21	.16	.03	.12	.15	.12		3.67
	WIND	300	90	99	96	78	162	117	71	195	68	49	62	103	110	86	83	120	77	117	78	41	90	84	37	108	97	57	118	100	39		2932

SNOWFALL AND SNOW ON GROUND

Table 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ARCO	SNOWFALL																														T	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ASHTON 1 S	SNOWFALL																														T	
	SN ON GND																															
ATLANTA 1 E	SNOWFALL			T	T	T	T	T		T											T										T	
	SN ON GND	19	18	18	16	15	15	15	14	14	13	13	12	11	11	11	10	9	8	6	4	-	-	-	-						T	
BIG CREEK 1 S	SNOWFALL					T				1.0										T											T	
	SN ON GND	40	38	31	28	26	26	24	24	25	22	20	18	18	18	16	14	12	10	8	8	6	4	2								
BLACKFOOT	SNOWFALL																														T	
	SN ON GND																															
BOISE WB AP	SNOWFALL																														0.2	
	SN ON GND																														T	
BONNERS FERRY 1 SW	SNOWFALL	T	T						1.5	T											T								2.5	2.0		
	SN ON GND								T																				T	T		
BURLEY CAA AP	SNOWFALL						T																								T	
	SN ON GND																															
CASCADE 1 NW	SNOWFALL																														T	
	SN ON GND	19	19	17	15	12	11	10	9	8	7	6	5	2	1																	
CENTERVILLE ARBAUGH RCH	SNOWFALL				T	T	0.3			0.1																					T	
	SN ON GND	18	17	17	14	11	11	8	7	6	5	4	4																			
COBALT BLACKBIRD MINE	SNOWFALL		0.4	T	1.1	T	2.7	0.2		1.8										T	1.0										2.8	
	SN ON GND	44	44	44	40	38	40	40	37	41	40	36	32	27	26	25	24	20	19	16	12	10	9	3							3	
COEUR D'ALENE RS	SNOWFALL	T							T																							
	SN ON GND																															
DEADWOOD DAM	SNOWFALL			T		T	T		T	T									T												T	
	SN ON GND	49	47	46	45	43	43	42	41	41	40	38	36	35	34	30	28	25	22	20	19	17	14	12	11	10	9	8	7	6	5	
DUBOIS CAA AP	SNOWFALL						T			T																					1.4	
	SN ON GND																															
GOODING CAA AP	SNOWFALL																														T	
	SN ON GND																															

See reference notes following Station Index

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GRAY	SNOWFALL																															
	SN ON GND	25	25	22	20	16	15	15	14	14	14	14	14	12	10	8	6	4	T													
IDAHO CITY 13 SW	SNOWFALL						1.0			T																					T	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IDAHO FALLS CAA AP	SNOWFALL																				T										T	
	SN ON GND																															
IDAHO FALLS 43 NW WB	SNOWFALL																														T	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IDAHO FALLS 46 W WB	SNOWFALL						T																								T	
	SN ON GND																															
ISLAND PARK DAM	SNOWFALL						2.0																						1.0		T	
	SN ON GND	-	-	-	-	-	46	-	-	41	-	-	-	34	31	-	-	-	-	-	-	-	-	-	-	12	-	9	9	-	6	
LEWISTON WB AP	SNOWFALL									T																				T		
	SN ON GND																															
MACKAY RS	SNOWFALL																														1.0	
	SN ON GND																														1	
MALAD CAA AP	SNOWFALL																														T	
	SN ON GND																															
MAY RS	SNOWFALL						T																									
	SN ON GND																															
MC CALL	SNOWFALL																															
	SN ON GND	26	26	22	20	20	19	18	18	15	13	13	12	10	4																	
MULLAN PASS CAA	SNOWFALL	6.0	2.0	3.0	1.0	2.0	3.0	2.0	2.0	2.0			T		0.3			T	T	2.0		T	T			T	1.5	2.0	1.5	T	0.2	
	SN ON GND	144	151	153	157	155	156	158	159	161	163	163	158	150	140	135	131	127	120	121	122	121	120	115	110	105	103	106	106	108	108	
NEZPERCE 2 E	SNOWFALL						T																								T	
	SN ON GND																															
OBSIDIAN 4 NNE	SNOWFALL					T	1.0			2.0																					T	
	SN ON GND	40	39	38	36	35	36	36	35	37	36	35	33	32	31	29	26	24	22	21	20	19	17	16	15	14	13	12	11	10	10	
PAYETTE	SNOWFALL																											T				
	SN ON GND																															
PIERCE RS	SNOWFALL	1.5					T		T	1.0											T											
	SN ON GND	20	17	15	14	14	14	12	11	11	10	7	5	5	4	4	1															
POCATELLO WB AP	SNOWFALL									T																					1.0	
	SN ON GND																															
POTLATCH 1 SE	SNOWFALL						T			T																			T			
	SN ON GND																															
PRIEST RIVER EXP STA	SNOWFALL					T			T	T	T									T									T			
	SN ON GND	6	4	2																												
SANDPOINT EXP STA	SNOWFALL	T	T	T			T	T	1.0	T	0.4					T				T							T		T	T		
	SN ON GND	T	T	T	T	T																							T			
STIBNITE	SNOWFALL		1.0		1.0	2.0	2.0	0.5		4.0	0.5										1.0							T	T		1.0	
	SN ON GND	43	43	43	42	41	42	42	40	43	42	39	38	36	36	34	33	28	26	24	24	22	20	18	15	13	12	10	8	7	7	
SUN VALLEY	SNOWFALL				1.0	T																									T	
	SN ON GND	17	15	13	11	9	8	6	3	1																						
THREE CREEK	SNOWFALL						0.3			0.3				T																	T	
	SN ON GND																															
TWIN FALLS 2 NNE	SNOWFALL						T																								T	
	SN ON GND																															
WALLACE	SNOWFALL	2.0		T			T		T	T	T				T					T							T		T			
	SN ON GND	2	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T															

See reference notes following Station Index.

STATION INDEX

Station	Index No.	County	Drainage†	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	001[illegible]	BINGHAM	12	42 56	[illegible] 50	4400	[illegible]	5P	EXPERIMENT STATION	2 [illegible] 7
ALPHA [illegible]	0199	VALLEY	8	44 24	[illegible]	4780	7P	7P	GLENN STRAWN	2 3 [illegible]
AMERICAN FALLS 1 SW	[illegible]	POWER	[illegible]	[illegible]	[illegible]	4316	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
ANDERSON DAM	028[illegible]	ELMORE	2	43 21	11[illegible] 28	388[illegible]	6P	6P	U S BUR RECLAMATION	[illegible] 7
ARCO	037[illegible]	BUTTE	6	43 38	[illegible] 19	532[illegible]	[illegible]	[illegible]	MRS HAZEL [illegible]	[illegible] 7
ARROWROCK DAM	[illegible]	ELMORE	2	43 36	115 [illegible]	[illegible]	8A	8A	U S BUR RECLAMATION	[illegible] 5 [illegible]
ASHTON 1 [illegible]	[illegible]	FREMONT	12	44 05	111 [illegible]	[illegible]	[illegible]	[illegible]	GUST STEINMAN	2 [illegible] 7
ATLANTA 1 E	049[illegible]	ELMORE	2	[illegible]	[illegible]	6000	[illegible]	[illegible]	PHILLIP T PETERSON	2 3 [illegible]
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	[illegible]		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	[illegible]	SHOSHONE	[illegible]	47 1[illegible]	[illegible] 48	2492	[illegible]	[illegible]	U S FOREST SERVICE	2 [illegible] 7
BALD MOUNTAIN	0540	[illegible]	12	[illegible]	114 [illegible]	[illegible]		MID	NELSON [illegible]	C
BANCROFT	[illegible]	BANNOCK	12	[illegible]	111 [illegible]	5285		MID	CLOSED [illegible]	[illegible]
BAYVIEW MODEL BASIN	[illegible]	KOOTENAI	9	47 [illegible]	11[illegible]	2070	4P	4P	U S NAVY	2 [illegible]
BENTON DAM	[illegible]	BONNER	[illegible]	48 21	116 [illegible]	2640		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	[illegible]	VALLEY	11	45 [illegible]	11[illegible] 20	[illegible]	[illegible]	6P	[illegible] EDWARDS	2 3 5 7 C
BLACKFOOT	[illegible]	BINGHAM	12	[illegible]	[illegible] 21	[illegible]	6P	6P	EARL RODGERS	2 [illegible]
BLACKFOOT DAM	0920	CARIBOU	[illegible]	[illegible]	111 [illegible]	6200	[illegible]	[illegible]	FORT HALL IR PROJ	[illegible] C
BLISS	[illegible]	GOODING	12	[illegible]	[illegible]	3269	[illegible]	[illegible]	NORTH SIDE CANAL CO	[illegible]
BOGUS BASIN	[illegible]	BOISE	[illegible]	[illegible]	[illegible]	6200		MID	[illegible]	C
BOISE LUCKY PEAK DAM	1018	ADA	[illegible]	43 32	116 [illegible]	[illegible]	4P	[illegible]	[illegible] OF ENGINEERS	2 3 [illegible] C
BOISE WB AIRPORT	1022	ADA	[illegible]	43 34	[illegible]	[illegible]	MID	MID	U S WEATHER BUREAU	2 [illegible] 7 C
BONNERS FERRY 1 SW	[illegible]	BOUNDARY	[illegible]	48 41	116 19	[illegible]	[illegible]	5P	CHARLES G HOWARD JR	[illegible]
BUHL	[illegible]	TWIN FALLS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	WILLIAM A [illegible]	[illegible]
BUNGALOW RANGER STATION	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	[illegible]	3P	[illegible]	U S FOREST SERVICE	[illegible]
BURKE [illegible]	1272	SHOSHONE	[illegible]	47 32	115 48	4093	4P	[illegible]	MONTANA POWER CO	[illegible]
BURLEY	[illegible]	CASSIA	12	42 32	113 47	[illegible]	8A	8A	FRANK O [illegible]	2 3 [illegible]
BURLEY FACTORY	[illegible]	CASSIA	12	[illegible]	[illegible] 48	4140	[illegible]	8A	AMALGAMATED SUGAR	[illegible]
BURLEY CAA AIRPORT	[illegible]	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	[illegible]
CALDWELL	138[illegible]	CANYON	[illegible]	43 39	[illegible]	2372	SS	SS	[illegible] TUCKER	[illegible]
CAMBRIDGE	1408	WASHINGTON	[illegible]	44 34	[illegible]	[illegible]	[illegible]	[illegible]	STUART DOPF	[illegible]
CASCADE 1 NW	1514	VALLEY	8	44 31	116 [illegible]	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible] 7 C
CENTERVILLE ARBAUGH RCH	[illegible]	BOISE	[illegible]	43 58	115 [illegible]	4780		6P	MABEL M ARBAUGH	3 7
CHALLIS	[illegible]	CUSTER	[illegible]	44 [illegible]	[illegible] 14	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
CHILLY BARTON FLAT	16[illegible]	CUSTER	[illegible]	44 02	113 48	[illegible]	5P	5P	GEORGE A MILLER	[illegible]
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 [illegible]	2125	6P	6P	MRS MARY [illegible] RALPH	[illegible]
CLARKIA RANGER STATION	[illegible]	SHOSHONE	10	47 00	116 1[illegible]	2800		MID	U S FOREST SERVICE	C
[illegible] BLACKBIRD MIN	1938	LEMHI	[illegible]	45 07	114 21	6810	8A	8A	CALERA MINING CO	[illegible] 7
[illegible] RS	[illegible]	KOOTENAI	[illegible]	[illegible]	[illegible]	2160	[illegible]	[illegible]	U S FOREST SERVICE	2 3 7
CONDA	[illegible]	CARIBOU	12	42 43	111 [illegible]	6200	9A	9A	ANACONDA COPPER CO	[illegible]
COTTONWOOD	[illegible]	IDAHO	[illegible]	46 03	11[illegible] 21	[illegible]	6P	[illegible]	LOUIS KLAPPRICH	2 3 [illegible] 7
COTTONWOOD 2 SW	[illegible]	IDAHO	[illegible]	46 02	116 [illegible]	3600		MID	SABI FREI	C
COUNCIL	[illegible]	ADAMS	12	[illegible]	[illegible] 26	2936	[illegible]	[illegible]	LYMAN MATHISON	[illegible] C
[illegible] NNW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	HARRY GRAHAM	[illegible]
DEADWOOD DAM	38[illegible]	VALLEY	8	44 19	[illegible]	[illegible]	6P	6P	U S BUR RECLAMATION	[illegible] 7 C
DEADWOOD SUMMIT	[illegible]	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	
[illegible] CREEK	2422	KOOTENAI	[illegible]	47 44	11[illegible] 29	[illegible]		MID	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 [illegible]
DIXIE	[illegible]	IDAHO	11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MRS MARGARET [illegible]	[illegible]
DOLLARHIDE SUMMIT	[illegible]	CAMAS	[illegible]	[illegible]	11[illegible] 41	[illegible]		MID	U S FOREST SERVICE	C
DRIGGS	2676	TETON	12	[illegible]	[illegible]	6097	9A	9A	EDITH STEVENS	[illegible]
DUBOIS EXP STATION	[illegible]	CLARK	[illegible]	44 14	112 14	5462	[illegible]	5P	U S FOREST SERVICE	2 3 [illegible]
DUBOIS CAA AIRPORT	[illegible]	CLARK	6	44 10	11[illegible] 13	5122	MID	MID	U S CIVIL AERO ADM	2 [illegible] 7 C
ELK CITY	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	3975	[illegible]	4P	MRS LORA B VILAS	2 3 [illegible]
ELK RIVER 1 [illegible]	[illegible]	CLEARWATER	[illegible]	46 47	116 [illegible]	[illegible]	[illegible]	[illegible]	GLENN WALKER	2 [illegible]
EMMETT 2 E	[illegible]	GEM	[illegible]	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 [illegible] 7
FAIRFIELD RANGER STA	[illegible]	CAMAS	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
FENN RANGER STATION	[illegible]	IDAHO	[illegible]	46 06	[illegible]	[illegible]	[illegible]	5P	U S FOREST SERVICE	[illegible] 7 C
FORT HALL INDIAN AGENCY	[illegible]	BINGHAM	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	FORT HALL IR PROJ	[illegible]
GARDEN VALLEY RS	3448	BOISE	8	44 04	11[illegible] 55	3147	[illegible]	5P	U S FOREST SERVICE	[illegible]
GILMORE SUMMIT RANCH	[illegible]	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	[illegible]	ELMORE	12	42 57	11[illegible] 19	[illegible]	7P	7P	E D STONE	[illegible] 7
GOODING 1 [illegible]	[illegible]	GOODING	12	[illegible]	114 42	[illegible]		MID	DALE W KNIGHT	
GOODING CAA AIRPORT	[illegible]	GOODING	12	[illegible]	[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 [illegible] 7
GRACE	[illegible]	CARIBOU	12	[illegible]	111 [illegible]	5400	SS	[illegible]	[illegible]	[illegible]
GRAND VIEW	3760	OWYHEE	12	42 59	116 [illegible]	2600	[illegible]	4P	W [illegible]	[illegible]
GRANGEVILLE	[illegible]	IDAHO	[illegible]	[illegible]	116 [illegible]	[illegible]	MID	MID	MRS ALVERA FOSTER	2 3 [illegible] 7
GRASMERE	[illegible]	OWYHEE	12	42 23	[illegible]	5126	[illegible]	[illegible]	BLANCHE PORTLOCK	[illegible]
GRAY	[illegible]	BONNEVILLE	12	[illegible]	[illegible]	6450	[illegible]	[illegible]	ROSCOE T SIDBETT	[illegible] 7
GROUSE	[illegible]	CUSTER	6	43 42	113 [illegible]	[illegible]	[illegible]	[illegible]	MRS [illegible] TAYLOR	[illegible]
HAILEY AIRPORT	[illegible]	BLAINE	12	43 31	114 [illegible]	5322	5P	[illegible]	[illegible]	[illegible] 7
HAMER 4 NW	[illegible]	JEFFERSON	6	43 59	[illegible]	[illegible]	[illegible]	5P	U S F & W SERVICE	2 3 [illegible] 7
HAZELTON	[illegible]	JEROME	12	42 36	[illegible]	[illegible]	[illegible]	5P	NORTH SIDE CANAL CO	[illegible]
HILL CITY	[illegible]	CAMAS	12	[illegible]	115 [illegible]	5000	[illegible]	[illegible]	CARROLL [illegible]	[illegible]
HOLLISTER	[illegible]	TWIN FALLS	12	42 21	114 [illegible]	4550	[illegible]	[illegible]	SALMON R CANAL CO	2 3
HOWE	[illegible]	BUTTE	6	43 47	113 00	[illegible]		[illegible]	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 [illegible]	[illegible]	[illegible]	[illegible]	R JOHN [illegible]	2 3 [illegible] 7
IDAHO CITY 13 SW	[illegible]	BOISE	[illegible]	43 42	116 01	[illegible]		6P	C M GARDNER	3 7
IDAHO FALLS [illegible] NE	[illegible]	BONNEVILLE	12	[illegible]	111 [illegible]	4840	5P	5P	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	[illegible]	BONNEVILLE	[illegible]	43 31	112 04	[illegible]	MID	MID	U S CIVIL AERO ADM	2 [illegible] 7
IDA VADA	[illegible]	OWYHEE	[illegible]	42 01	[illegible]	6000		VAR	[illegible]	S
IRWIN [illegible]	[illegible]	BONNEVILLE	12	[illegible]	111 18	5200	[illegible]	[illegible]	ANNA FLEMING	[illegible] 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible] 7
JACKSON PEAK	4612	BOISE	8	44 03	11[illegible] 27	[illegible]		VAR	U S SOIL CON SER	S
JEROME	[illegible]	JEROME	12	42 44	114 31	[illegible]	[illegible]	[illegible]	O OLIVER	[illegible]
KAMIAH 1 [illegible]	4793	LEWIS	3	46 14	116 [illegible]	1190		[illegible]	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 [illegible]	[illegible]	9A	9A	IRVING H LASKEY	2 3 [illegible]
KOOSKIA	[illegible]	IDAHO	3	46 09	115 [illegible]	[illegible]	4P	4P	E T GILROY	[illegible]
KUNA 2 NNE	[illegible]	ADA	2	43 31	116 24	[illegible]	5P	5P	HARRY U GIBSON	[illegible]
LANDMARK RANGER STATION	[illegible]	VALLEY	11	44 4[illegible]	115 [illegible]	6650		VAR	U S FOREST SERVICE	S
LEADORE	[illegible]	LEMHI	11	44 41	11[illegible] 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 [illegible] 7
LEWISTON WB AIRPORT	[illegible]	NEZ PERCE	3	46 23	117 0[illegible]	1413	MID	MID	U S WEATHER BUREAU	[illegible] 5 7 C
LIFTON PUMPING STATION	[illegible]	BEAR LAKE	1	42 07	[illegible]	[illegible]	6P	6P	UTAH P & L COMPANY	2 3 [illegible] 6
[illegible]	5356	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		VAR	U S FOREST SERVICE	S
LOWMAN	[illegible]	BOISE	8	44 05	[illegible]	3870	[illegible]	[illegible]	ORVILLE L JOINER	2 3 [illegible] 7 S
MACKAY RANGER STATION	[illegible]	CUSTER	6	43 55	[illegible]	[illegible]	[illegible]	5P	U S FOREST SERVICE	2 [illegible] 7 C
MALAD	[illegible]	ONEIDA	[illegible]	42 11	11[illegible] 16	4420	7P	7P	J L CROWTHER	2 [illegible] C
MALAD CAA AIRPORT	[illegible]	ONEIDA	[illegible]	42 10	112 [illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 7
MALTA RANGER STATION	[illegible]	CASSIA	[illegible]	42 19	[illegible] 22	[illegible]		MID	E L NOBLE	C
MAY RANGER STATION	[illegible]	LEMHI	11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
MC CALL	[illegible]	VALLEY	8	44 54	116 07	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 7
MC CAMMON	[illegible]	BANNOCK	12	42 39	112 12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MERIDIAN 1 W	[illegible]	ADA	2	43 37	116 25	[illegible]	[illegible]	5P	JAMES W DOSS	2 3 5
MESA	[illegible]	ADAMS	12	44 37	116 26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MINIDOKA DAM	[illegible]	MINIDOKA	12	42 40	113 29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	[illegible]	[illegible]	[illegible]	[illegible]	8A	8A	U S FOREST SERVICE	[illegible]
MOORE CREEK SUMMIT	[illegible]	BOISE	2	43 56	115 40	[illegible]		VAR	U S SOIL CON SER	
MOOSE CREEK RANGER STA	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	U S FOREST SERVICE	
MOSCOW U OF I	[illegible]	LATAH	7	46 44	117 00	[illegible]	[illegible]	[illegible]	UNIVERSITY OF IDAHO	[illegible]
MOUNTAIN HOME	[illegible]	ELMORE	12	43 08	115 42	[illegible]	[illegible]	6P	KENNETH J NEWMAN	2 3 5
MULLAN PASS CAA	[illegible]	SHOSHONE	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	[illegible]	[illegible] 7
NAMPA 2 NW	[illegible]	CANYON	2	[illegible]	[illegible]	[illegible]	[illegible]	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	[illegible]	ADAMS	[illegible]	44 58	116 17	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible] 1 E	[illegible]	LEWIS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NEZ PERCE PASS	[illegible]	LEMHI	11	45 43	114 30	[illegible]		VAR	U S FOREST SERVICE	
OAKLEY	[illegible]	CASSIA	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OBSIDIAN 4 NNE	[illegible]	CUSTER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MARJORIE L SHAW	2 3 5
[illegible]	[illegible]	GEM	[illegible]	44 07	116 17	[illegible]	[illegible]	[illegible]	VINCENT A NALLY	2 3 5
OROFINO	[illegible]	CLEARWATER	3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PALISADES DAM	[illegible]	BONNEVILLE	[illegible]	43 22	111 14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PARMA EXPERIMENT STA	[illegible]	CANYON	[illegible]	43 47	116 57	[illegible]	[illegible]	[illegible]	STATE EXP STATION	2 3 5
PAUL 1 E	[illegible]	MINIDOKA	12	42 37	113 45	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	[illegible]	PAYETTE	8	44 04	116 56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 7
PIERCE RANGER STATION	[illegible]	CLEARWATER	[illegible]	46 30	115 48	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5 [illegible]
PINE 1 N	[illegible]	ELMORE	[illegible]	43 30	115 18	[illegible]		VAR	U S GEO SURVEY	
PINE [illegible] S	[illegible]	ELMORE	2	43 28	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
PLUMMER [illegible] WSW	[illegible]	BENEWAH	[illegible]	47 19	116 57	[illegible]		MID	[illegible]	[illegible]
POCATELLO WB AIRPORT	[illegible]	BANNOCK	[illegible]	42 55	112 36	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 5 [illegible]
PORTHILL	[illegible]	BOUNDARY	[illegible]	[illegible]	116 30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
POTLATCH [illegible]	[illegible]	LATAH	7	46 54	[illegible]	[illegible]	[illegible]	[illegible]	HENRY J FITCH	2 3 5 7
PRAIRIE	[illegible]	ELMORE	2	43 30	[illegible]	[illegible]		MID	VICTOR J ACARREGUI	[illegible]
PRESTON SUG FACT 2 SE	[illegible]	FRANKLIN	[illegible]	42 05	111 52	[illegible]	[illegible]	[illegible]	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	[illegible]	BONNER	[illegible]	48 21	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible] 7
[illegible] CREEK	[illegible]	VALLEY	[illegible]	44 45	115 04	[illegible]		VAR	[illegible]	
PUTNAM MOUNTAIN	[illegible]	BINGHAM	[illegible]	43 02	112 03	[illegible]		VAR	FORT HALL IR PROJ	
* REACTOR TESTING STA	[illegible]	BUTTE	[illegible]	43 33	[illegible]	[illegible]	MID	MID	[illegible]	[illegible]
RICHFIELD	[illegible]	LINCOLN	[illegible]	43 04	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
RIGGINS RANGER STATION	[illegible]	IDAHO	11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
ROLAND WEST PORTAL	[illegible]	SHOSHONE	[illegible]	47 21	115 40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 7
RUPERT	[illegible]	MINIDOKA	12	42 37	113 41	[illegible]	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	[illegible]	FREMONT	[illegible]	[illegible]	111 40	[illegible]	7P	7P	[illegible]	[illegible]
SAINT MARIES	[illegible]	BENEWAH	[illegible]	47 19	116 34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SALMON	[illegible]	LEMHI	11	45 11	113 53	[illegible]	MID	MID	U S WB OBSERVER	[illegible] 7
SANDPOINT EXP STATION	[illegible]	BONNER	9	48 17	[illegible]	[illegible]	[illegible]	[illegible]	STATE EXP STATION	2 [illegible]
SHAKE CREEK RANGER STA	[illegible]	ELMORE	2	43 37	[illegible]	[illegible]		VAR	U S FOREST SERVICE	
SHOSHONE	[illegible]	LINCOLN	[illegible]	42 56	[illegible] 21	[illegible]	7P	[illegible]	LEONARD V BOND	2 [illegible]
SOLDIER CREEK RS	[illegible]	CAMAS	[illegible]	43 30	114 50	[illegible]		VAR	U S FOREST SERVICE	
SPENCER RANGER STATION	[illegible]	CLARK	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	U S FOREST SERVICE	2 3 5 [illegible]
SPRINGFIELD 1 SE	[illegible]	BINGHAM	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
STIBNITE	[illegible]	VALLEY	11	44 54	115 20	[illegible]	8A	8A	BRADLEY MINING CO	[illegible] 7
STREVELL	[illegible]	CASSIA	12	42 01	113 13	[illegible]	[illegible]	[illegible]	IDAHO STATE POLICE	[illegible]
SUGAR	[illegible]	MADISON	12	43 52	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SUN VALLEY	[illegible]	BLAINE	12	43 41	114 21	[illegible]	[illegible]	[illegible]	EDWARD F SEAGLE	[illegible] 7
SWAN FALLS POWER HOUSE	[illegible]	ADA	12	43 15	[illegible]	[illegible]	5P	[illegible]	IDAHO POWER COMPANY	[illegible]
TETONIA EXP STATION	[illegible]	TETON	12	43 51	[illegible]	[illegible]	[illegible]	[illegible]	EXPERIMENT STATION	[illegible]
THREE CREEK	[illegible]	OWYHEE	12	42 03	[illegible]	[illegible]	[illegible]	[illegible]	MRS L E TANNER	2 3 [illegible] 7
TRINITY LAKE GUARD STA	[illegible]	ELMORE	2	43 38	115 26	[illegible]		VAR	U S SOIL CON SER	
TROUTDALE GUARD STATION	[illegible]	ELMORE	2	43 43	115 38	[illegible]		VAR	U S SOIL CON SER	[illegible]
TWIN FALLS 2 NNE	[illegible]	TWIN FALLS	12	42 35	114 28	[illegible]	[illegible]	[illegible]	U S [illegible] ENTOMOLOGY	[illegible]
TWIN FALLS 3 SE SUG FACT	[illegible]	TWIN FALLS	12	42 32	[illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 [illegible]
VIENNA	[illegible]	BLAINE	[illegible]	[illegible]	114 51	[illegible]		VAR	U S SOIL CON SER	[illegible]
WALLACE	[illegible]	SHOSHONE	4	47 28	[illegible]	[illegible]	[illegible]	[illegible]	W [illegible]	[illegible]
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	[illegible]	[illegible]	8A	8A	ROBERT [illegible]	[illegible]
WEISER	[illegible]	WASHINGTON	12	[illegible]	[illegible]	[illegible]	6P	6P	ROLAND [illegible]	2 3 [illegible]
WINCHESTER 1 SE	[illegible]	LEWIS	3	46 1[illegible]	[illegible]	3950	4P	4P	HALLACK-HOWARD LBR CO	[illegible]
YELLOW PINE	[illegible]	VALLEY	11	[illegible]	[illegible]	[illegible]		VAR	L J MILLER	S
NEW STATIONS										
IDAHO FALLS 43 NW WB	[illegible]	BUTTE	6	[illegible]	112 12	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 [illegible] 7 C
NAME CHANGE										
* IDAHO FALLS 46 W WB	[illegible]	BUTTE	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 [illegible] 7 C

† 1 BEAR, [illegible] 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 13 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state bases. There wil be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation i inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standar Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effectiv January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on groun values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the recor

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of ne snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, hav been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July o August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary. Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

W.R.P.C. Chattanooga--6-3-54--850

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

CLIMATOLOGICAL DATA

IDAHO

MAY 1954

Volume LVII No. 5

CHATTANOOGA: 1954

IDAHO - MAY 1954

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

With stations in all divisions reporting average temperatures above normal, this month contrasted sharply with May 1953, when negative temperature departures were recorded at nearly all stations in Idaho. There was a marked contrast in precipitation too, with all but four stations reporting subnormal rainfall this month, whereas a year ago large positive departures were the general rule.

During the first twenty days of this month precipitation was relatively infrequent, occurring only in scattered showers. On the 21st, however, general rains occurred in the Southeastern Division, and widespread showers elsewhere in the State, as a center of action developed on a storm front that had become quasi-stationary just to the south of Idaho. Daily rainfall totals of half an inch or more were common in the Southeastern Division on both the 21st and 22d, while lesser amounts were reported in other parts of the State. This period of precipitation brought to an end a spell of unseasonably hot weather, during which the mountain snowpack melted rapidly as maximum temperatures rose into the nineties at many valley stations, and above 100° at a few points. The final week of May brought subnormal temperatures and rather frequent showers to Idaho, with freezing temperatures reported in all parts of the State on the mornings of the 26th to the 28th.

Effects of weather on the agricultural economy of the State were outstanding mainly in the damaging results of freezes at the beginning of the month and during the final week. The early freeze almost completely destroyed the apricot and peach crops near Lewiston, heavily damaged early fruits in the south-central part of the State and in unheated orchards in the southwest, and did some damage to grains and other crops just beginning to grow at higher elevations. The later freeze did further damage to fruits in unheated orchards and extensive damage to beans, peas and sweet corn, with some damage to alfalfa, sugar beets and grains also reported. Despite the freezes, however, there was much good growing weather during the month and in general crops were in fairly good condition at the close. The rains toward the end of the month were of some benefit to ranges and dryland grain fields, although too late to save some of the grain in the Lewiston area, and ranges generally were reported in the worst condition for late May in the last 20 years. Because of the poor ranges this spring the general condition of cattle and sheep was somewhat below average. Farmwork was pretty much up to date at the close of the month. Sugar beet thinning was in the clean-up stage in the Southwestern Division and well along farther east. Potato planting was still going on in the Southeastern Division and some fields of sugar beets and beans were being replanted because of frost damage.

STORMS

During the afternoon and evening of Sunday, May 9, high winds were reported at a number of places in southern Idaho. Two fishermen lost their lives when their boat capsized on Lake Lowell, in Canyon County.

On the 26th small hail was reported at several points in Canyon, Gem and Payette Counties with some damage to potatoes, onions and sugar beets. May RS in Lemhi County also reported hail but no damage.

Hail fell again in Canyon County on the 31st but damage was slight.

FLOODS

Principal flooding during May occurred on the Kootenai River in the vicinity of Bonners Ferry. Below normal temperatures had prevailed during much of the spring, keeping streams at very low rates of discharge. The unseasonably hot weather of May 16-20 produced a very rapid increase in flow and the Kootenai went above flood stage at Bonners Ferry on the 19th. The crest stage of 35.4 feet, which persisted from the 21st to the 23d, was higher than in the major flood of 1948, but this time the dikes withstood the water to a greater extent and 8000 acres were inundated, as compared to 30,000 acres in 1948. The 8000 acres were all fertile farm land and much of it was under water to depths of 10 to 15 feet. A small residential district just across the river from Bonners Ferry was also flooded, but dikes held the water out of the city. Losses from the flood have been estimated at about one and a quarter millions of dollars.

Other rivers in the State, although showing the effects of the hot spell, did not experience major floods. The only other river station in Idaho to report readings above flood stage during May was Kamiah on the Clearwater. Here a stage of 14.6 feet was reached on May 21st, but no damage resulted even though bankful stage is considered 14 feet. Farther downstream, at Orofino, the water rose high enough to extinquish the fire in a sawdust incinerator at a lumber mill, necessitating a two-day shutdown, but no property damage resulted.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation									
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total	Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
BOISE WB AIRPORT	NW	25	11.1	50	W	31	60	37	29	51	1	4	1	1	0	0	7	87	5.0	SEE TABLE 2.
IDAHO FALLS 43 NW WB	-	-	6.8	33	NNW	22	-	-	-	-	4	2	2	0	0	0	8	-	-	
IDAHO FALLS 46 W WB	-	-	10.3	37	W	26	-	-	-	-	4	3	2	0	0	0	9	-	-	
LEWISTON WB AIRPORT	-	-	-	-	-	-	68	44	30	-	4	4	3	0	0	0	11	-	6.5	
POCATELLO WB AIRPORT	SW	24	10.9	39	W	31	62	34	26	44	7	1	0	1	0	0	9	80	5.4	

COMPARATIVE DATA

Table 1

MAY

Year	Temperature			Precipitation	
	Average	Highest	Lowest	Average	Average snowfall
1893	50.0	91	12	1.42	-
1894	54.7	95	21	1.19	-
1895	52.3	92	14	2.04	-
1896	47.2	93	11	3.09	-
1897	60.1	100	13	.95	-
1898	52.9	96	20	2.26	-
1899	49.0	88	6	1.59	2.0
1900	55.6	100	18	1.78	0.2
1901	57.4	99	19	1.32	0.0
1902	53.4	103	16	1.69	1.6
1903	51.6	102	18	1.46	1.8
1904	53.5	90	12	.62	0.1
1905	51.2	94	11	2.24	1.6
1906	51.9	93	14	3.03	1.1
1907	53.0	95	16	.94	0.2
1908	48.9	92	20	2.26	2.1
1909	50.2	96	8	1.54	1.1
1910	55.4	107	19	1.37	0.1
1911	51.4	92	12	2.47	0.7
1912	53.0	90	12	2.05	0.3
1913	55.0	99	11	1.49	T
1914	56.3	100	16	1.20	0.2
1915	51.2	91	18	4.02	1.9
1916	48.3	89	3	1.55	1.6
1917	49.6	92	12	2.23	0.8
1918	50.6	98	12	1.19	0.3
1919	54.6	105	12	.75	0.1
1920	50.8	89	12	1.10	0.2
1921	53.4	97	15	2.51	0.1
1922	51.9	93	10	1.25	0.7
1923	52.8	93	10	2.00	0.1
1924	57.5	102	10	.27	0.1
1925	56.8	95	18	1.37	0.1
1926	54.3	95	14	1.31	0.0
1927	49.9	102	9	2.17	1.2
1928	58.5	104	11	.56	T
1929	52.6	99	10	.51	0.2
1930	52.0	97	16	2.04	0.8
1931	55.4	100	12	.67	0.2
1932	53.4	98	18	1.83	0.1
1933	48.5	96	11	1.65	0.8
1934	59.5	105	14	.55	T
1935	51.3	92	15	1.30	0.1
1936	57.6	105	17	.85	0.2
1937	55.2	95	18	.73	0.2
1938	51.7	96	6	1.54	0.7
1939	56.2	100	12	.72	0.0
1940	57.1	100	12	.43	0.0
1941	54.4	97	18	2.69	0.1
1942	49.6	95	10	2.99	1.7
1943	50.4	94	12	1.25	0.7
1944	54.1	95	1	1.14	0.2
1945	53.3	91	21	2.65	0.2
1946	52.8	91	12	1.53	0.1
1947	57.4	99	20	1.39	T
1948	52.9	100	9	2.14	0.9
1949	56.5	97	17	2.02	0.1
1950	50.0	90	8	.90	1.3
1951	53.4	96	16	1.29	0.7
1952	54.5	93	20	1.42	0.3
1953	48.6	93	10	2.49	0.8
1954	55.1	104	3	.87	0.3
ALL YRS	54.0			1.58	

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

CLIMATOLOGICAL DATA

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days: .10 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	74.1	37.7	55.9	1.8	94	18+	19	1	280	2	0	3	0	1.91	-.28	.70	30		0		8	1	0
BAYVIEW MODEL BASIN	65.3	36.9	51.1		81	16	25	2	426	0	0	9	0	1.08		.39	25	.0	0		5	0	0
BIG CREEK 1 S	65.2	27.9	46.6	2.4	84	19	12	1	564	0	0	23	0	.74	-1.26	.48	10	1.0	0		2	0	0
BONNERS FERRY 1 SW	70.4	38.9	54.7	1.2	88	18	17	1	319	0	0	6	0	.86	-.71	.27	11	T	0		5	0	0
BUNGALOW RS	M	M	M		91	18+				2	0		0										
BURKE 2 NNE	58.5	31.5	45.0	0.1	77	18	13	1	613	0	0	16	0	2.22	-.79	.92	27	2.3	42	1	6	1	0
CLARK FORK 1 ENE	70.8	35.6	53.2	-0.4	87	18	19	1+	362	0	0	11	0	1.61	-.77				0				
COBALT BLACKBIRD	57.7	29.4	43.6		80	20	7	1		0	1	20	0	.43		.22	27	2.4	0		2	0	0
COEUR D ALENE RS	70.4	39.5	55.0	0.0	89	18+	21	1	312	0	0	5	0	1.36	-.43	.50	27	.0	0		4	1	0
COTTONWOOD	64.9	35.7	50.3	-0.5	88	18	20	1+	449	0	0	9	0	2.45	-.17	1.20	30	.0	0		5	1	1
DIXIE	62.1	26.5	44.3		81	19	6	1	635	0	0	26	0	1.45		.75	30	T	0		5	1	0
ELK CITY	67.7	33.3	50.5		86	18	15	1	443	0	0	15	0	3.57		1.20	30				8	2	1
ELK RIVER 1 S	69.0	35.5	52.3		88	18	22	2	386	0	0	13	0	2.07		.44	25	.0	0		6	0	0
FENN RS	72.5	42.1	57.3	0.1	91	18	25	1+	233	1	0	2	0	4.03	1.04	1.00	31	.0	0		8	4	1
GRANGEVILLE	65.8	38.7	52.3	0.4	88	18	19	1	390	0	0	4	0	3.45	.30	.73	30		0		9	2	0
KELLOGG	68.3	40.3	54.3	0.7	92	19	24	1		1	0	2	0	2.18	-.31	.70	27	.0	0		5	1	0
KOOSKIA	76.5	42.0	59.3	1.7	97	18	24	1	194	3	0	2	0	3.55	.78	1.59	30	T	0		7	2	1
LEWISTON WATER PLANT	77.1	45.0	61.1	1.1	97	18	26	1	144	2	0	2	0	.86	-.63	.25	25	.0	0		4	0	0
LEWISTON WB AP //R	73.2	45.1	59.2	0.3	94	18	23	1	204	1	0	2	0	.84	-.58	.31	25	.0	0		3	0	0
MOSCOW U OF I	68.8	40.9	54.9	1.9	88	18	19	1	317	0	0	4	0	1.63	-.24	.52	26	.0	0		5	1	0
MULLAN PASS CAA	51.3	35.1	43.2	-0.2	72	24	9	1	668	0	1	12	0	1.38	-.90	.31	26	4.0	105	1	7	0	0
NEZPERCE 2 E	66.0	40.9	53.5		87	18	21	1	357	0	0	2	0	3.46		1.63	30	.0	0		5	2	1
OROFINO	77.4	43.3	60.4	2.0	99	18	26	1+	171	2	0	2	0	1.88	-.36	.97	30	.0	0		4	1	0
PIERCE RS	69.6	35.0	52.3	-0.8	89	18	21	2	386	0	0	12	0	2.30	-.70	1.09	30	T	0			1	1
PORTHILL	71.2	39.4	55.3	1.7	88	18	17	1	298	0	0	4	0	1.04	-.61	.61	25	.0	0		2	1	0
POTLATCH 1 SE	67.1	38.4	52.8	0.7	88	18	18	1	379	0	0	6	0	1.58	-.12	.43	25	.0	0		5	0	0
PRIEST RIVER EXP STA	67.7	35.9	51.8	0.4	85	18	18	1	401	0	0	9	0	1.95	-.15	.71	25	T	0		3	2	0
RIGGINS RS	77.6M	47.3M	62.5M	1.2	98	18	31	2	129	2	0	2	0	2.05	.10	.48	30				7	0	0
SAINT MARIES	71.6	38.7	55.2	0.6	90	18	20	1	301	1	0	3	0	1.77	-.17	.55	25	.0	0		5	1	0
SALMON	73.9	36.1	55.0	0.4	95	19	19	1+	311	3	0	12	0	.61	-.67	.26	29		0		3	0	0
SANDPOINT EXP STA	66.6	39.9	53.3	0.2	79	16+	25	2	357	0	0	5	0	1.65	-.43	.37	25	T	0		5	0	0
WALLACE	66.6	35.8	51.2	-1.7	89	18	20	1	421	0	0	9	0	1.52	-1.12	.39	26	.0	0		5	0	0
WALLACE WOODLAND PK	65.5M	35.6M	50.6M	-1.0	87	19	18	1		0	0	9	0	1.33	-1.06	.48	27	.0	0		4	0	0
WINCHESTER 1 SE	66.1	35.8	51.0	0.9	86	18	17	1	431	0	0	10	0	2.71	-.60	.65	31	.0	0		8	2	0
DIVISION			53.0	-0.4										1.86	-.46			.4					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	76.4	44.7	60.6		96	19	25	1	185	4	0	2	0	.20		.10	26	T	0		1	0	0
ARROWROCK DAM	73.8	44.2	59.0	1.9	94	19+	30	1+		4	0	2	0	.65	-.60	.29	30	.0	0		3	0	0
ATLANTA 1 E	65.6M	34.2M	49.9M	2.6			17	1	460	0	0	10	0	.71	-.84	.45	26	3.0	3	26	1	0	0
BLISS	80.0M	40.2M	60.1M	2.6	100	19	22	2	191	7	0	3	0	.00	-.91	.00		.0	0		0	0	0
BOISE LUCKY PEAK DAM	81.0M	M	M		95	18+	22	1		6	0	4	0	.58					0				0
BOISE WB AP //R	75.2	44.6	59.9	1.8	93	18	27	1+	203	3	0	2	0	.95	-.14	.67	31	T	T	26	2	1	0
BUHL	76.2	46.1	61.2	5.0	95	19	27	1	170	2	0	2	0	T	-1.08	T	25+	.0	0		0	0	0
CALDWELL	77.3	44.1	60.7	2.8	92	18	27	2	166	3	0	2	0	.41	-.57	.32	31	T	0		1	0	0
CAMBRIDGE	77.4	40.4	58.9	2.2	94	18	23	2	205	2	0	4	0	.93	-.37	.46	31	.0	0		4	0	0
CASCADE 1 NW	68.2	35.0	51.6		84	18+	22	1	408	0	0	12	0	.75		.18	31	1.0	0		3	0	0
CHALLIS	71.8	39.2	55.5	3.3	90	19	16	1	302	1	0	6	0	.10	-.92	.09	22	.0	0		0	0	0
COUNCIL	75.7	42.4	59.1	3.3	92	19	28	27	210	3	0	4	0	1.27	-.49	.52	31	.0	0		5	1	0
DEADWOOD DAM	67.2	28.1	47.7	2.2	89	19	16	2	531	0	0	27	0	1.53	-.45	.41	30	3.0	4	1	5	0	0
DEER FLAT DAM	75.4	45.5	60.5	2.1	90	18+	26	2	185	2	0	2	0	.46	-.31	.40	31				1	0	0
EMMETT 2 E	79.4M	43.1M	61.3M	2.2	95	18	27	1+	161	5	0	3	0	.82	-.20	.32	31				3	0	0
FAIRFIELD RS	69.9M	35.0M	52.5M		89	19	24	2+	383	0	0	7	0	.32		.28	31	T	0		1	0	0
GARDEN VALLEY RS	76.0	37.2	56.6	1.9	93	19	24	1+	260	2	0	7	0	.74	-.68	.34	30	.0	0		3	0	0
GLENNS FERRY	80.7	44.5	62.6	3.1	102	19	25	2	134	7	0	3	0	.09	-.77	.09	31	.0	0		0	0	0
GOODING CAA AP	75.2	43.8	59.5	4.1	97	19	24	2	222	4	0	3	0	.12	-.64	.12	31	T	0		1	0	0
GRAND VIEW	85.2M	45.8M	65.5M	5.7	104	19	25	2	87	14	0	2	0	.00	-.91	.00		.0	0		0	0	0
GRASMERE	74.4	37.1	55.8		94	19	18	1+	296	3	0	7	0	T		T	9+	.0	0		0	0	0
HAILEY AP	71.3	37.2	54.3	2.3	93	20	21	1+	339	1	0	8	0	.16	-1.17	.11	31	.0	0		1	0	0
HAZELTON	75.5	41.3	58.4	1.3	95	19	23	2	225	1	0	4	0	.17	-.87	.15	21	T	0		1	0	0
HILL CITY	71.0	34.9	53.0	3.1	91	19	21	1+	374	1	0	11	0	.30	-.79	.30	31	.0	0		1	0	0
HOLLISTER	74.8	40.3	57.6	3.9	93	19	19	2	244	1	0	7	0	.00	-1.13	.00		.0	0		0	0	0
IDAHO CITY	73.7	33.3	53.5	0.6	93	19	19	2	352	2	0	15	0	.65	-.91	.20	26	.0	0		3	0	0
JEROME	77.1	41.5	59.3	1.9	98	19	24	2	209	5	0	4	0	.04	-.76	.02	21+	T	0		0	0	0
KUNA 2 NNE	75.6M	39.9M	57.8M	1.1	91	18	22	2	221	2	0	5	0	.28	-.89	.20	31	T	0		1	0	0
LOWMAN	73.5	32.8	53.2	2.5	90	19	21	2	361	1	0	14	0	.40	-1.43	.30	26	1.0	0		1	0	0
MC CALL	60.9	32.5	46.7	-0.4	80	18	20	1+	567	0	0	17	0	1.67	-.27	.42	31	.0	0		7	0	0
MERIDIAN 1 W	76.3	42.0M	59.2M	1.5	91	18	23	2	213	2	0	2	0	.30	-.87	.19	31		0		1	0	0
MESA	74.1M	43.6M	58.9M		91	18	28	1+	229	2	0	3	0	1.35		.58	31	T	0		4	1	0
MOUNTAIN HOME	82.0M	43.9M	63.0M	7.0	100	19	25	1+	151	10	0	4	0	.13	-.77	.13	31	.0	0		1	0	0
NAMPA 2 NW	76.5	43.5	60.0		92	20	24	2		2	0	3	0	.09		.05	27	T	0		0	0	0
NEW MEADOWS RS	70.4	31.1	50.8	1.5	86	18+	15	2	435	0	0	18	0	1.54	-.18	.44	30	.0	0		5	0	0
OBSIDIAN 4 NNE	61.0	27.9	44.5	1.6	78	19	6	1	632	0	0	26	0	.25	-1.14	.25	26	T	9	1	1	0	0
OLA 5 S	76.4	38.9	57.7		93	19	22	1	233	3	0	4	0	.91		.35	31				3	0	0
PARMA EXP STA	79.7	43.3	61.5	2.0	96	19	28	2	154	5	0	3	0	.14	-.55	.09	26	T	0		0	0	0
PAYETTE	77.2	44.9	61.1	2.3	94	18+	26	2	164	3	0	3	0	.80	-.20	.45	31	.0	0		2	0	0
RICHFIELD	74.3	40.2	57.3	3.9	93	19	25	2	260	2	0	6	0	.03	-.91	.03	1	.0	0		0	0	0
SHOSHONE	77.6	42.3	60.0	5.4	97	19	23	2	202	5	0	5	0	.06	-.91	.03	1+	.0	0		0	0	0
STIBNITE	58.8	27.4	43.1		80	20	3	1		0	1	24	0	.87		.32	27	6.5	8	1	3	0	0
SUN VALLEY	68.0	29.1	48.6	3.1	86	19	18	27	504	0	0	24	0	1.18	-.25	.52	10	T	0		3	2	0
SWAN FALLS PH	82.2	50.2	66.2	4.1	99	18	32	2	84	9	0	1	0	.06	-.89	.03	31				0	0	0
THREE CREEK	73.2	31.1	52.2		90	19	12	2	394	1	0	16	0	.04	-2.23	.04	25	T	T	26	0	0	0
TWIN FALLS 2 NNE	77.9	42.5	60.2	4.4	99	19	24	2	185	5	0	3	0	T	-1.03	T	1+	T	0		0	0	0
TWIN FALLS 3 SE	75.6	43.7	59.7	3.2	97	20	27	2		4	0	3	0	T	-.94	T	1	T	0		0	0	0
DIVISION			56.9	2.5										.47	-.85			.4					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	74.1	38.9	56.5	2.8	93	19	23	2	268	2	0	4	0	.31	-.74	.31	21		0		1	0	0
AMERICAN FALLS 1 NW	72.6	39.8	56.2	2.2	92	19	27	2	273	2	0	4	0	.55	-.94	.45	21	.0	0		2	0	0
ARCO	72.9	37.5	55.2	3.7	90	19	17	1	305	1	0	7	0	.27	-.99	.18	22	T	0		1	0	0
ASHTON 1 S	66.1	34.9	50.5	0.3	85	9	21	1	442	0	0	10	0	.80	-.91	.45	21	.0	0		2	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station		Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max Depth on Ground	Date	No. of Days: .10 or More ①	.50 or More	1.00 or More
BLACKFOOT		74.4	42.0	58.2	4.7	94	19	24	2	230	1	0	4	0	.65	-.67	.65	21	.0	[illegible]		1	1	0
BURLEY		75.2	44.2	59.7	3.6	97	20	27	2		2	0	3	[illegible]	.30	-.60	.28	22	T	T	1	1	[illegible]	0
BURLEY FACTORY		73.0	40.1	56.6	1.4	95	20	20	2		1	0	6	0	.24	-.76	.23	22		0		1	0	0
BURLEY CAA AP		75.7	40.5	58.1	3.7	97	19	23	2	229	2	0	3	0	.33	-.71	.29	21	T	T	1	1	0	0
CHILLY BARTON FLAT		66.9	32.1	49.5	1.1	83	8	11	2	[illegible]	0	0	15	0	.32	-.76	.17	22	.0	0		2	0	0
CONDA		68.4	34.0	51.2	2.8	89	20	20	1+		0	0	12	0	1.67	-.23	1.01	22	2.0			6	1	1
DRIGGS		66.5	35.5	51.0	4.[illegible]	87	19	19	1+		0	0	13	0	1.42	-.54	.68	22				5	1	0
DUBOIS EXP STA		68.1	39.9	54.0	1.[illegible]	89	19	18	1	339	0	0	5	0	.85	-.47	.45	21	.0	0		3	0	0
DUBOIS CAA AP		69.5	38.9	54.2	2.7	90	19	21	1	335	1	0	6	0	1.11	-.15	.89	21	T	0		2	1	0
GRACE		67.0	37.1	52.1	1.5	84	19	21	1	395	0	0	9	0	1.10	-.42	1.02	21	1.5	0		2	1	1
GRAY		64.5	32.5	48.5	0.3	81	19	20	1	503	0	0	13	0	.60	-1.27	.40	21	.0	0		2	0	0
GROUSE		66.0	30.0	48.0		83	19	16	2	520	0	0	19	0	.44	-.59	.32	11	T	0		2	0	0
HAMER 4 NW		73.4	37.7	55.6	2.9	91	19+	22	1+	303	2	0	7	0	.39	-.56	.24	21	.0	0		1	0	0
IDAHO FALLS 6 NE		70.8	39.4	55.1		86	19	20	2	311	0	0	6	0	.59		.45	21	.0	0		2	0	0
IDAHO FALLS CAA AP		72.0	39.8	55.9	2.7	89	19	23	2	286	0	0	3	0	.56	-.68	.50	21	T	0		1	1	0
IDAHO FALLS 43 NW WB	R	72.2	37.5	54.9		93	19	16	2	321	1	0	10	0	.40		.21	21	.0			2	0	0
IDAHO FALLS 46 W WB	R	71.2	35.9	53.6		91	19	18	2	352	1	0	10	0	.45		.19	21	.0	0		2	0	0
IRWIN 2 S		69.9	37.6	53.8	4.3	89	20	23	1+	351	0	0	9	0	1.19	-.48	.67	21	.0	0		4	1	0
ISLAND PARK DAM		63.3	31.8	47.6	1.[illegible]	82	19	14	2	533	0	0	17	0	1.19	-1.18	.50	22	.0			2	1	0
LIFTON PUMPING STA		67.2	38.6	52.9	1.5	83	20	22	1+	368	0	0	6	0	.93	-.02	.66	21	T	0		2	1	0
MACKAY RS		69.2	37.6	53.4	2.2	89	19	15	2	362	0	0	9	0	.64	-.42	.22	10+	T	0		3	0	0
MALAD		74.3	40.2	57.3	3.2	90	20	25	2	246	1	0	5	0	.70	-.60	.70	21	.0	0		1	1	0
MALAD CAA AP		74.0	37.4	55.7		93	20	23	28	288	2	0	8	0	.62		.62	21	T	0		1	1	0
MAY RS		70.5	36.1	53.3	1.0	90	19	12	1	366	1	0	8	0	.06	-1.04	.03	21	T	0		0	0	0
MC CAMMON		74.6	38.2	56.4		93	20	21	1	272	2	0	5	0	.96		.93	21	T	0		1	1	0
MINIDOKA DAM		73.0	44.0	58.5		93	19	28	1	231	2	0	3	0	.19		.18	21	T	0		1	0	0
MONTPELIER RS		68.2M	34.7M	51.5M	1.1	86	20	19	1		0	0	11	0	1.41	.14	.76	22	1.0	1	1	4	1	0
OAKLEY		75.2	41.6	58.4	4.2	92	19	26	2	227	1	0	3	0	.45	-.85	.37	21	.0	0		1	0	0
PALISADES DAM		69.0	38.2	53.6		86	19	22	2	351	0	0	9	0	1.35		.57	21	2.6	0		4	1	0
PAUL 1 E		73.0	40.6	56.8	1.8	95	20	26	2		1	0	3	0	.27	-.47	.25	22	T	T	1	1	0	0
POCATELLO WB AP	//R	72.8	41.9	57.4	2.1	93	19	26	2	249	1	0	2	0	.87	-.34	.79	21	T	T	1+	1	1	0
PRESTON SUG FACT 2SE		74.5	38.9	56.7	2.8	91	20	25	28	257	1	0	7	0	.90	-.61	.39	21	T	T	1	3	0	0
RUPERT		75.1M	42.3M	58.7M	3.4	95	20	26	2		[illegible]	0	3	0	.23	-.78	.19	22	T	0		1	0	0
SAINT ANTHONY		70.5	36.8	53.7		89	19	18	2	349	0	0	11	0	.74	-.80	.48	21	.0	0		2	0	0
SPENCER RS		65.4	35.2	50.3	2.1	85	19	15	1	448	0	0	10	0	1.29	-.99	.72	21	.0	0		2	[illegible]	0
SPRINGFIELD 1 SE		72.6	38.5	55.6	2.5	89	15+	22	2	295	0	0	9	0	.00	-1.10	.00		.0	0		0	0	0
STREVELL		73.0	37.5	55.[illegible]		89	19	20	2+	304	0	0	3	0	.56		.50	21	.0	0		1	1	0
SUGAR		71.2	38.9	55.1	3.2	88	19	21	2	309	0	0	8	0	.64	-.61	.44	21	T	0		2	0	0
TETONIA EXP STA		64.6	32.0	48.3		83	19	16	1	509	0	0	15	0	1.47		1.01	21				4	1	1
DIVISION				54.3	2.7										.70	-.72			.[illegible]					
STATE				55.1	1.9										.87	-.72			.3					

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station		Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA		.31																					.31										
AMERICAN FALLS [illegible]		.55	[illegible]																				.45										
ANDERSON DAM		[illegible]																									T	[illegible]	.01		.03	.01	.05
ARCO		[illegible]											.33										[illegible]	.18									
ARROWROCK DAM		.65																										[illegible]	.21			.29	
ASHTON 1 S		[illegible]					T											T					.45	.35									
ATLANTA 1 E		.71	T														T						T	[illegible]			.07	.45	.03				.08
AVERY [illegible]		1.91			[illegible]							[illegible]	.26	T									.10				.15	.18	[illegible]	.13		.70	[illegible]
BAYVIEW MODEL BASIN		1.08										.12	[illegible]											T			.39		[illegible]				[illegible]
BIG CREEK 1 [illegible]		.74	T		T		T					.48											T				.03	.05				.15	[illegible]
BLACKFOOT		.65																					.65										
BLISS		.00																															
BOISE LUCKY PEAK DAM		[illegible]																										.01		[illegible]		[illegible]	.52
BOISE WB AP	//R	.95									.03										T						.02	.17			.01	.05	.67
BONNERS FERRY 1 SW		.86											.27	[illegible]	[illegible]												[illegible]	[illegible]					[illegible]
[illegible]		T																									-						
BUNGALOW RS		-	-	-	-	-	-	-	-	-	-	[illegible]	[illegible]										.11				.05	[illegible]	[illegible]	-		.99	.18
BURKE 2 NNE		[illegible]			[illegible]		[illegible]					.05	.32										.02				.20	[illegible]	.92	.08		.15	.20
BURLEY		.3	.02																					.28									
BURLEY FACTORY		.24	.01																				T	.23									
BURLEY CAA AP		.33	T																			T	.29								T		.04
CALDWELL		.41																										[illegible]			T	[illegible]	.32
CAMBRIDGE		.93										.16												.11				[illegible]				[illegible]	.46
CASCADE 1 NW		.75			[illegible]							.09	T										[illegible]					[illegible]	.09		.12	[illegible]	.18
CENTERVILLE ARBAUGH		1.07										.03															.05	[illegible]			.15	.29	.12
CHALLIS		.10																						.09				.01					
CHILLY BARTON FLAT		.32														T							[illegible]	.17									
CLARK FORK [illegible]		[illegible]											.20															[illegible]	[illegible]				.18
COBALT BLACKBIRD MINE		[illegible]	.11															[illegible]										[illegible]	[illegible]			.02	.07
COEUR D ALENE RS		[illegible]			T	.01	.01						.20											.02				.46	.50				.16
CONDA		[illegible]	.12																				.13	[illegible]				.12				[illegible]	.10
COTTONWOOD		[illegible]			T	.19	[illegible]					.07	[illegible]				.04	T					[illegible]				.24	.14			.07	[illegible]	.36
COUNCIL		[illegible]										.18											.15				.13	[illegible]	T		T	[illegible]	.52
CROUCH 2 NNW		1.27																										.30			.05	[illegible]	.32
DEADWOOD DAM		1.53				[illegible]	T					T											T				.09	.36	[illegible]		.16	.41	.31
DEER FLAT DAM		.46																									.06						.40
DIXIE		[illegible]					T					.04	T				T						.10			T	[illegible]	.10	[illegible]			.75	[illegible]
DRIGGS		[illegible]	.13	.02									[illegible]										[illegible]	.68				.10	.10				.02
DUBOIS EXP STA		.85										T	.02									[illegible]	[illegible]	[illegible]			[illegible]						
DUBOIS CAA AP		[illegible]			T		T					T											[illegible]	.07			.10						.05
ELK CITY		[illegible]					[illegible]					[illegible]	[illegible]	.04									[illegible]				.10	.02	.04	.25	.72	1.20	.35
ELK RIVER 1 S		[illegible]			[illegible]	[illegible]	.04						.16										[illegible]	.05			.44	.38	.15			.32	.34

DAILY PRECIPITATION

Table 3–Continued

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	.82																										.20				.30	.32
FAIRFIELD RS	.32	T																									.04					.28
FENN RS	4.03					.41					.20	.12										.70				.35		.75			.50	1.00
GARDEN VALLEY RS	.74										T															T	.25	.01		.04	.34	.10
GLENNS FERRY	.09																										T				T	.09
GOODING CAA AP	.12	T																														.12
GRACE	1.19	.02																				1.02				.05					.10	
GRAND VIEW	.00																															
GRANGEVILLE	3.45			.03	.22	.04				T	.10	.44				.04						.29				.35	.29			.26	.73	.66
GRASMERE	T									T																						T
GRAY	.60																					.40	.20									
GROUSE	.44											.32				T						.10					T				.02	
HAILEY AP	.16	.01																				.02	.01	.01								.11
HAMER 4 NW	.39										.05										T	.24	.07			.03						
HAZELTON	.17	.01																				.15	.01									
HILL CITY	.30																										T					.30
HOLLISTER	.00																															
HOWE	.34	.14																					.20									
IDAHO CITY	.65																									.02	.20	.05		.17	.18	.03
IDAHO CITY 13 SW	.95			T							T															T	.25			.10	.26	.34
IDAHO FALLS 6 NE	.59									T												.45	.10					.04				
IDAHO FALLS CAA AP	.56	T							T		T					T						.50	.05				.01					T
IDAHO FALLS 43 NW WB R	.40																					.21	.02			T	T	T		T	.01	.16
IDAHO FALLS 46 W WB R	.45										T										.01	.19	.08				T	T		T	.03	.14
IRWIN 2 S	1.19	.04														T						.67	.25				.12	.11				
ISLAND PARK DAM	1.19																				T	.46	.50			.02	.05	.06	.05		T	.05
JEROME	.04																				T	.02					.02					
KELLOGG	2.18				.01	.07					.02	.06	.40									.01	.01			.15	.20	.70	.47		.01	.07
KOOSKIA	3.55			.03		.52					.04	.12										.18				.41	.35	.02		T	1.59	.29
KUNA 2 NNE	.28										.05										T					T	T			.03		.20
LEWISTON WATER PLANT	.86			.03	.01							.05										.01				.25	.21	.03			.17	.10
LEWISTON WB AP //R	.84			.02	T							.07				T					T				T	.31	.20			.09	.05	.10
LIFTON PUMPING STA	.93	.01																				.66	.18			.01	.03	T			.04	T
LOWMAN	.40																									.05	.30					.05
MACKAY RS	.64										.22											.22	.20				T					
MALAD	.70																				T	.70				T	T				T	T
MALAD CAA AP	.62	T																				.62					T					
MAY RS	.06																				.02	.03	T				.01					
MC CALL	1.67										.19											.11				.06	.11	.34		.10	.34	.42
MC CAMMON	.96																				T	.93	.02				.01					
MERIDIAN 1 W	.30										.02																.09			T	T	.19
MESA	1.35										.18										.10					.07	.01				.41	.58
MINIDOKA DAM	.19	.01																				.18										
MONTPELIER RS	1.41	.16	T																			.33	.76			T	.04				.12	
MOSCOW U OF I	1.63			.15								.18														.44	.52	.09	.02	T		.23
MOUNTAIN HOME	.13																															.13
MULLAN PASS CAA	1.38			.03	.01	T			T	T	.01	.19									.10		T		T	.17	.31	.20			.13	.23
NAMPA 2 NW	.09										.01										T						.01	.05		.01	.01	
NEW MEADOWS RS	1.54										.25											.23				.04	.21	.02		.02	.44	.33
NEZPERCE 2 E	3.46			.03	.21	.04					.03	.09	.01			T						T				.40	.22	.05		.07	1.63	.68
OAKLEY	.45	.02																			.06	.37										
OBSIDIAN 4 NNE	.25																										.25					
OLA 5 S	.91			T																						.06	.14			.06	.30	.35
OROFINO	1.88			.05		.04						.07	T													.26	.20	.09		.01	.97	.19
PALISADES DAM	1.35	.05								T	T	T				T						.57	.34				.15	.20			.04	T
PARMA EXP STA	.14					T				T												T					.09			T	.05	
PAUL 1 E	.27	.02																					.25									
PAYETTE	.80			.01																		.03					.05				.26	.45
PIERCE RS	2.30			*	*	.23																.05	.01			.30	.22	.20	.01		1.09	.19
POCATELLO WB AP //R	.87					T			T							T					T	.79	T			T	T					.08
PORTHILL	1.04											.26	.09	T												.61		.04				.04
POTLATCH 1 SE	1.58			.09	.03						T	.22					T					T	.03			.43	.28	.05		T	.15	.30
PRESTON SUG FACT 2 SE	.90	.03																				.39	.30				.03				.15	
PRIEST RIVER EXP STA	1.95				T	.04					.01	.65	T	.05								.05				.71	.05	.09	.05			.25
RICHFIELD	.03	.03																														
RIGGINS RS	2.05										.13	.06										.42				.40	.13	.03		.16	.48	.24
RUPERT	.23	.04																					.19									
SAINT ANTHONY	.74					T					.06											.48	.20									
SAINT MARIES	1.77			.02	.05	.04						.16										.06				.55	.29	.16		.02		.42
SALMON	.61																.01										.18			.26	.16	
SANDPOINT EXP STA	1.65				T	.04				T	T	.28	.04	T								.03			T	.37	.33	.26	T			.30
SHOSHONE	.06	.03																				.03										
SPENCER RS	1.29																				T	.72	.44			.08	.03				T	.02
SPRINGFIELD 1 SE	.00																															
STIBNITE	.87	.04		.03		T					.05	.02					.01					.03	.04				.10	.32	T		.15	.08
STREVELL	.56	T																			.06	.50										
SUGAR	.64										T	T										.44	.19					.01				
SUN VALLEY	1.18	.02									.52	T	T									.14	.50			T	T	T		T		T
SWAN FALLS PH	.06																									.01	.01			.01	T	.03
TETONIA EXP STA	1.47											.12										1.01	.20			T	.04	.10				T
THREE CREEK	.04																					T				.04	T					
TWIN FALLS 2 NNE	T	T																			T	T				T	T					T
TWIN FALLS 3 SE	T	T																														
WALLACE	1.52			.03	.04						.08	.07										T	T		T	.30	.39	.27	T		.10	.24
WALLACE WOODLAND PARK	1.33					.05						.03	.13													.06	.22	.48	.22		.05	.09
WINCHESTER 1 SE	2.71			.05		.42					.02	.11										.02				.37	.27	.10		.50	.20	.65

DAILY TEMPERATURES

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	45	57	70	71	77	75	77	85	81	75	77	77	75	81	86	84	83	86	93	92	75	67	67	78	72	58	60	64	74	68	68	74.1
	MIN	27	23	34	33	46	35	37	41	44	52	39	44	43	36	39	44	42	42	42	54	45	42	34	36	53	34	30	26	33	41	34	38.9
AMERICAN FALLS 1 NW	MAX	44	58	69	70	73	72	76	83	83	76	75	75	72	79	81	82	83	86	92	90	74	62	63	77	74	58	57	61	73	67	66	72.6
	MIN	28	27	38	33	46	37	33	44	45	50	41	45	44	39	40	43	40	43	44	51	43	44	36	39	52	37	32	28	36	41	34	39.8
ANDERSON DAM	MAX	55	62	71	77	74	74	83	87	87	76	78	72	74	85	92	85	86	92	96	91	82	70	87	80	76	54	59	70	70	59	63	76.4
	MIN	25	32	41	40	45	41	42	50	50	51	45	44	43	41	50	52	50	49	53	61	54	42	50	47	50	39	35	34	47	42	41	44.7
ARCO	MAX	47	57	62	72	75	75	76	81	83	80	72	73	78	79	82	82	82	86	90	88	82	65	70	76	75	58	56	65	70	62	62	72.9
	MIN	17	25	29	34	43	39	32	41	44	41	41	35	34	39	41	49	48	44	45	50	48	37	36	33	51	25	33	34	31	34	30	37.5
ARROWROCK DAM	MAX	49	53	65	72	80	74	77	85	84	81	71	79	71	75	84	90	84	86	94	94	92	67	69	71	81	52	52	58	71	71	57	73.8
	MIN	30	30	39	42	44	41	43	51	50	47	45	41	40	44	49	53	50	51	54	59	46	46	43	46	50	40	35	35	42	43	41	44.2
ASHTON 1 S	MAX	41	44	59	64	73	74	77	78	85	75	74	76	70	74	80	75	78	80	73	64	56	59	58	60	54	51	61	59	57	59	61	66.1
	MIN	21	23	31	32	34	37	37	38	35	39	35	37	34	38	45	46	46	48	40	35	36	34	31	34	31	32	30	28	26	33	35	34.9
ATLANTA 1 E	MAX	47	55	61	68	68	73	78	78	78	77	69	68	71	69	67	74					71	62	68	70	68	48	49	51	62	59	61	65.6
	MIN	17	23	36	32	36	35	36	44	43	44	37	34	37	36	34	42					36	31	31	40	37	29	27	30	33	32	32	34.2
AVERY RS	MAX	51	63	60	74	73	73	75	75	78	76	69	57	67	79	86	83	87	94	94	82	81	71	79	86	85	58	55	70	75	72	70	74.1
	MIN	19	22	37	42	40	35	33	43	40	39	40	36	33	32	40	42	42	42	44	42	41	40	36	37	42	40	35	35	35	45	41	37.7
BAYVIEW MODEL BASIN	MAX	49	54	54	61	62	64	69	65	64	64	59	59	66	64	69	81	72	74	79	77	72	71	64	72	72	55	53	61	70	70	57	65.3
	MIN	28	25	40	30	38	31	39	39	38	38	41	35	30	30	38	41	42	41	52	44	43	40	36	32	43	34	38	33	31	30	43	36.9
BIG CREEK 1S	MAX	41	55	58	64	64	65	70	74	80	56	63	62	61	70	77	73	75	80	84	80	71	55	[illegible]	74	67	44	49	60	69	59	53	65.2
	MIN	12	13	29	23	37	25	34	34	31	42	37	27	26	22	27	32	28	28	30	34	40	35	21	26	32	26	27	21	21	20	26	27.9
BLACKFOOT	MAX	49	58	70	74	78	75	78	85	88	75	75	77	74	80	86	85	85	88	94	88	75	63	68	78	72	58	57	65	75	66	66	74.4
	MIN	26	24	39	35	47	40	37	45	48	50	46	47	48	41	43	48	48	48	49	62	45	42	36	40	54	35	32	31	37	42	38	42.0
BLISS	MAX	56	65	76	78	78	80	85	91	91	85	83	78	77	84	92	91	87	94	100	92	86	77	83	82	70		62	[illegible]	76	64	67	80.0
	MIN	27	22	36	35	38	35	37	49	41	51	40	43	37	37	46	43	43	45	51	62	44	40	49	40	37		33	27	[illegible]	36	35	40.2
BOISE LUCKY PEAK DAM	MAX			71	81	80	75	[illegible]		86		80	78	74	85	91	90		95	95	95	85			24	84	58	60	73	78		[illegible]	81.0
	MIN	22			44	41	38	48			45	48	37	38	45	55		47		55	61	53		30		46	39	31	36	51			
BOISE WB AP	MAX	55	65	71	80	74	74	84	82	83	73	78	70	73	81	88	[illegible]	85	93	90	91	67	70	79	88	60	54	61	70	77	61	[illegible]	75.2
	MIN	27	27	47	43	45	39	47	56	51	48	48	39	37	41	53	52	49	55	56	58	46	42	40	53	42	38	33	38	46	44	43	44.6
BONNERS FERRY 1 SW	MAX	51	60	63	71	67	71	72	76	75	66	62	58	64	72	76	82	83	88	87	77	70	70	75	79	73	62	56	71	75	72	58	70.4
	MIN	17	22	34	32	45	31	32	43	43	48	47	39	33	31	40	42	41	44	48	44	50	36	34	40	45	33	44	37	37	46	48	38.9
BUHL	MAX	52	62	73	71	76	78	80	85	88	82	83	82	75	77	87	85	85	88	95	90	86	67	72	83	80	57	[illegible]	64	72	65	65	76.2
	MIN	27	30	42	44	49	46	45	55	53	50	47	45	44	51	54	55	52	54	58	65	46	45	42	47	49	37	35	36	44	40	43	46.1
BUNGALOW RS	MAX											69	63	69	78	88	83	86	91	91	83	75		80	84	77	53	51	71	74	70	55	
	MIN										49	40	38	33	32	43	45	43	45	43	43	41		35	40	46	34	39	37	35	40	43	
BURKE 2 NNE	MAX	38	47	48	54	52	59	61	60	62	55	54	46	53	61	67	68	71	77	70	68	64	55	67	70	69	46	41	56	65	62	46	58.5
	MIN	13	19	33	28	33	29	30	35	34	36	32	30	28	28	34	34	29	35	36	33	36	32	31	35	37	30	32	29	32	39	34	31.5
BURLEY	MAX	45	53	63	76	78	77	77	84	89	89	73	80	76	75	84	88	86	86	91	97	87	57	69	72	82	65	62	59	68	77	66	75.2
	MIN	28	27	38	40	50	43	41	48	49	54	47	49	44	44	48	56	48	50	50	61	52	44	41	43	52	37	35	32	39	39	41	44.2
BURLEY FACTORY	MAX	44	51	61	74	77	72	72	78	85	84	68	76	74	71	82	87	85	85	89	95	87	80	68	72	79	64	49	57	65	72	60	73.0
	MIN	26	20	35	35	46	42	35	44	46	51	42	45	39	38	44	49	44	45	58	54	50	42	35	40	49	32	34	26	32	31	35	40.1
BURLEY CAA AP	MAX	49	61	75	77	76	76	82	88	88	72	80	73	72	81	89	86	85	90	97	[illegible]	74	68	72	86	70	60	59	66	77	61	70	75.7
	MIN	27	23	40	36	48	38	35	45	46	53	43	48	38	37	45	50	43	47	45	53	43	43	39	39	43	34	34	28	38	38	37	40.5
CALDWELL	MAX	57	67	73	80	77	77	84	84	85	77	80	78	75	82	88	87	88	92	91	90	75	71	79	86	79	58	63	71	73	62	66	77.3
	MIN	29	27	44	38	49	44	42	50	50	51	43	42	41	40	47	54	50	47	51	50	46	45	49	49	45	38	35	33	50	46	42	44.1
CAMBRIDGE	MAX	57	65	69	80	75	76	82	84	88	81	79	80	74	80	88	86	88	94	92	86	75	70	78	85	80	[illegible]	56	73	73	68	68	77.4
	MIN	30	23	43	35	50	42	40	41	43	54	39	41	44	34	44	55	44	41	47	51	43	41	37	39	43	35	33	28	28	43	40	40.4
CASCADE 1 NW	MAX	45	56	60	68	69	66	73	75	82	72	78	68	63	73	81	80	77	84	84	80	74	57	69	78	72	47	50	60	70	51	51	68.2
	MIN	22	23	36	30	35	32	36	42	40	46	34	31	32	30	38	48	38	38	43	46	40	39	30	35	40	27	27	27	35	34	31	35.0
CHALLIS	MAX	44	61	63	72	75	69	76	84	85	79	74	71	70	77	80	77	80	89	90	[illegible]	79	63	71	77	67	52	57	61	69	67	61	71.8
	MIN	16	19	39	32	41	38	38	45	47	52	41	40	36	36	41	48	45	45	47	57	51	36	33	40	47	30	32	30	36	41	35	39.2
CHILLY BARTON FLAT	MAX	42	53	60	68	72	73	78	77	73	70	72	69	73	75	74	76	75	81	84	79	69	55	63	69	62	50	50	57	61	56	57	66.9
	MIN	14	11	22	22	31	26	35	40	45	34	31	27	26	34	37	34	36	36	36	49	46	34	30	34	47	24	30	30	35	31	28	32.1
CLARK FORK 1 ENE	MAX	50	61	58	70	69	71	72	75	75	70	68	55	66	72	75	81	82	87	79	75	71	74	76	79	76	71	66	70	74	68	58	70.8
	MIN	19	19	39	29	29	31	31	41	41	39	38	31	30	29	35	39	40	50	42	40	40	37	35	38	43	39	31	31	33	42	42	35.6
COBALT BLACKBIRD MINE	MAX	25	33	51	49	61	61	56	64	68	71	53	62	[illegible]	60	66	71	66	69	76	80	78	47	48	61	67	54	41	40	48	58	45	57.7
	MIN	7	[illegible]	15	28	29	27	29	31	36	36	30	29	29	28	30	36	35	36	39	44	39	33	26	34	39	25	21	24	29	31	28	29.4
COEUR D ALENE RS	MAX	51	62	61	73	65	73	76	77	69	71	62	60	67	75	78	80	83	89	89	75	65	69	77	81	81	52	52	68	75	69	56	70.4
	MIN	21	24	42	34	43	33	34	44	44	51	43	37	32	34	39	44	44	45	55	54	34	41	32	42	42	39	39	32	37	47	44	39.5
CONDA	MAX	48	39	50	65	71	75	68	71	82	85	73	73	76	77	75	79	78	83	82	89	84	60	55	64	72	69	50	51	[illegible]	65	54	68.4
	MIN	20	20	28	31	38	35	35	32	43	47	34	38	34	34	37	38	38	36	39	44	50	37	28	31	44	29	24	23	27	33	28	34.0
COTTONWOOD	MAX	45	60	59	70	57	63	69	73	73	60	65	55	62	73	78	77	79	88	75	72	57	61	72	78	60	51	50	62	65	52	51	64.9
	MIN	20	20	40	33	41	30	35	45	42	43	37	28	32	32	41	42	41	40	48	44	41	33	31	39	36	27	34	28	35	36	33	35.7
COUNCIL	MAX	53	61	68	75	76	76	79	80	82	77	75	75	73	80	85	90	87	91	92	89	82	65	76	83	82	57	68	74	74	63	59	75.7
	MIN	29	36	41	35	50	47	44	48	52	52	41	39	42	41	47	57	47	43	51	59	45	39	40	42	40	32	28	30	41	40	35	42.4
DEADWOOD DAM	MAX	46	55	55	66	67	67	73	76	81	68	72	64	66	72	81	76	78	83	89	82	72	61	69	75	71	47	47	59	65	49	51	67.2
	MIN	17	16	28	26	31	25	27	32	30	37	30	26	24	24	28	32	29	29	32	36	41	26	24	27	35	24	22	23	28	31	30	28.1
DEER FLAT DAM	MAX	55	65	72	80	72	74	84	85	84	74	80	69	72	[illegible]	88	85	85	90	90	87	67	70	78	88	59	64	63	70	74	64	64	75.4
	MIN	31	26	38	39	51	46	44	53	53	52	46	43	44	44	54	60	57	50	51	58	50	47	46	50	42	39	37	33	40	41	47	45.5
DIXIE	MAX	39	52	52	64	55	63	69	70	76	64	63	57	59	68	76	72	73	[illegible]	81	77	59	55	65	72	64	42	44	52	50	62	50	62.1
	MIN	6	12	30	25	32	21	23	30	32	42	31	25	33	23	27	26	28	29	33	37	34	22	22	22	32	24	21	21	23	25	30	26.5
DRIGGS	MAX	45	43	50	55	59	68	63	69	75	80	69	66	69	75	78	76	76	77	87	84	76	57	60	61	72	62	60	56	65	63	65	66.5
	MIN	19	19	27	28	35	31	31	39	39	46	37	42	40	40	38	43	38	39	42	52	50	40	37	28	32	32	30	29	28	29	39	35.5
DUBOIS EXP STA	MAX	37	50	57	66	72	68	70	75	80	78	70	72	70	73	79	77	79	83	89	80	75	57	62	72	69	53	50	53	69	66	60	68.1
	MIN	18	22	33	35	44	42	41	45	48	45	44	40	41	42	46	50	48	49	49	54	48	40	34	37	49	30	29	29	34	37	35	39.9
DUBOIS CAA AP	MAX	41	53	63	69	76	69	73	78	84	72	73	73	74	76	82	80	81	85	90	[illegible]	68	59	65	74	59	55	55	57	71	58	61	69.5
	MIN	21	23	33	29	40	40	42	45	48	44	41	39	35	39	45	47	47	47	47	53	45	39	33	39	40	30	36	30	37	39	32	38.9
ELK CITY	MAX	39	46	60	71	68	65	74	77	79	74	72	57	63	73	78	76	77	86	83	80	69	58	63	79	72	74	49	56	59	53	59	67.7
	MIN	15	26	33	29	42	30	25	39	39	49	39	37	29	25	24	46	32	32	37	39	34	37	29	27	37	34	31	30	39	32	36	33.3
ELK RIVER 1 S	MAX	50	60	55	72	62	69	73	72	77	75	62	57	64	73	82	79	80	88	87	77	68	64	73	80	80	49	58	63	70	65	58	69.0
	MIN	26	22	38	32	37	30	31	41	38	50	39	29	29	28	34	40	40	40	44	42	43	36	32	32	31	32	37	31	36	43	39	35.5
EMMETT 2 E	MAX	59	68	74	82	81		86	87	88	77	76	78		85	93	90	91	95	94	89	80	71	81	89	83	58	69	75	76	62	65	79.4
	MIN	27	27	44	39	39		41	49	50	47	38	36		43	50	51	45	48	53	53	[illegible]	41	42	47	48	39	32	33	49	46	44	43.1
FAIRFIELD RS	MAX	50	56	54	70	69	70	76		80	73	75	72	70	76	81	83	80	85	[illegible]	86	63	67	69		72	53	59	61	70	60	58	69.9
	MIN	25	24	32	33	38	33	33		39	39	39	34	35	34	40	41	39	40	44	44	42	39	34	37	35	25	24	24	36	37	32	35.0
FENN RS	MAX	54	64	66	79	63	71	79	80	83	70	70	64	70	78	86	84	82	91	82	80	70	65	79	85	65	60	58	73	76	60	62	72.5
	MIN	25	25	50	40	50	40	36	45	44	50	46	43	38	36	40	48	43	42	46	46	44	44	36	45	48	41	40	40	41	44	[illegible]	42.1
GARDEN VALLEY RS	MAX	56	65	69	79	77	76	82	81	87	80	77	73	73	82	89	85	85	92	93	88	82	70	77	84	80	53	59	69	74	59	60	76.0
	MIN	24	24	38	33	39	33	35	43	42	47	37	35	32	31	38	44	39	39	42	47	53	35	32	35	48	30	33	28	41	40	35	37.2
GLENNS FERRY	MAX	59	65	78	82	81	81	87	92	93	80	88	78	80	86	92	90	89	95	102	95	74	74	80	86	75	63	65	73	77	73	69	80.7
	MIN	30	25	35	38	51	44	37	49	48	52	46	45	46	39	[illegible]	56	46	45	49	64	50	48	39	52	52	41	35	30	53	47	41	44.5
GOODING CAA AP	MAX	52	61	71	77	76	77	82	87	90	71	80	72	75	81	88	85	86	90	97	90	69	69	74	84	65	57	59	67	75	60	64	75.2
	MIN	28	24	37	43	46	43	40	55	54	51	42	42	42	43	53	55	48	49	57	63	46	45	40	49	42	39	32	33	43	37	37	43.8
GRACE	MAX	40	53	62	68	72	69	71	78	79	67	70	74	72	74	75	75	77	79	84	83	66	55	62	70	67	49	50	56	67	53	60	67.0
	MIN	21	23	32	32	41	38	37	40	48	47	38	40	38	38	40	42	42	40	43	47	45	39	32	35	42	33	29	26	31	[illegible]	32	37.1
GRAND VIEW	MAX	59	69	78	87	83	84	87	92	93	93	90	87	80	90	96	[illegible]	[illegible]	100	104	100	94	85	81	91	90	65		76	72	72	71	85.2
	MIN	33	25	44	37	52	47	41	49	47	49	45	45	46	42	48	60	53	50	53	61	53	45	42	46	52	41	32		[illegible]	44	44	45.8
GRANGEVILLE	MAX	47	60	61	73	57	65	70	73	76	57	67	59	64	74	79	77	79	88	75	75	56	62	74	82	50	49	53	64	55	53	55	65.8
	MIN	19	21	42	36	42	33	38	48	47	42	35	31	37	34	45	45	46	46	53	47	40	40	37	45	36	31	36	34	39	38	37	38.7
GRASMERE	MAX	46	63	68	75	73	75	84	[illegible]	85	69	78	77	70	[illegible]	82	80	91	87	94	90	80	64	73	87	75	57	56	65	70	59	66	74.4
	MIN	18	[illegible]	33	34	42	33	38	47	42	43	38	35	31	35	45	44	41	43	50	55	45	41	34	40	39	29	27	26	39	34	32	37.1
GRAY	MAX	45	50	50	55	58	60	65	68	68	70	80	79	75	76	75	76	78	80	81	[illegible]	75	69	67	66	55	45	[illegible]	50	58	47	50	64.5
	MIN	20	22	21	25	31	35	35	38	34	36	38	36	36	35	36	36	36	39	42	40	40	36	34	32	32	30	28	25	25	26	28	32.5
GROUSE	MAX	46	51	63	67	70	69	63	77	75	70	66	65	66	70	73	75	75	79	83	79	73	65	63	68	65	48	51	55	63	57	56	66.0
	MIN	[illegible]	16	26	24	33	33	29	37	38	44	40	35	28	29	31	34	33	34	34	32	29	36	29	29	25	22	27	25	25	29	27	30.0
HAILEY AP	MAX	46	55	67	72	75	75	78	79	82	78	72	69	69	75	80	82	81	84	89	93	78	66	68	78	[illegible]	52	[illegible]	60	67	56	58	71.3
	MIN	21	21	34	34	40	31	36	46	46	46	41	34	36	37	40	45	46	46	46	56	42	49	30	34	46	24	22	[illegible]	34	30	33	37.2
HAMER 4 NW	MAX	44	55	65	72	78	75	75	82	85	75	75	76	76	79	86	84	84	87	91	91	79	61	67	76	71	66	61	61	71	65	63	73.4
	MIN	22	22	31	29	37	33	34	38	48	45	38	36	30	35	39	43	45	44	44	54	59	44	33	36	55	28	34	27	34	39	33	37.7

See reference notes following Station Index.

DAILY TEMPERATURES

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HAZELTON	MAX	49	60	72	75	75	75	80	88	88	80	78	78	72	81	87	85	83	88	95	89	76	68	75	83	78	58	58	65	75	60	68	75
	MIN	28	23	33	37	48	46	40	46	47	44	43	46	44	47	47	51	47	44	47	59	43	42	36	41	49	33	34	29	31	38	35	41
HILL CITY	MAX	49	58	68	72	70	72	78	80	82	80	70	72	66	78	87	85	80	88	91	85	64	67	70	74	69	48	55	62	67	56	59	71
	MIN	21	23	32	28	31	34	33	42	38	38	38	40	37	41	39	21	42	37	41	55	46	37	30	35	43	31	26	24	34	34	31	34
HOLLISTER	MAX	50	62	73	75	75	76	81	87	88	71	79	76	71	78	83	85	80	86	93	86	79	64	74	81	77	59	56	64	74	70	65	74
	MIN	25	19	32	38	40	40	40	48	48	48	43	44	33	38	45	47	48	49	46	55	45	42	31	49	48	32	28	28	42	41	38	40
IDAHO CITY	MAX	55	62	69	72	75	74	81	82	85	75	76	71	73	80	87	83	83	91	93	87	77	68	74	81	78	56	56	68	61	52	60	73
	MIN	20	19	33	29	35	29	31	41	39	41	34	31	28	28	38	39	35	36	39	45	43	32	27	31	40	27	27	23	42	40	30	33
IDAHO FALLS 6 NE	MAX	45	54	65	69	74	70	71	80	84	82	70	72	71	75	82	79	82	83	86	84	73	60	64	75	69	56	54	63	71	68	63	70
	MIN	24	20	37	28	44	35	34	39	53	50	38	47	41	41	44	43	39	42	45	57	44	42	31	40	50	33	31	31	39	40	39	39
IDAHO FALLS CAA AP	MAX	46	56	66	74	75	75	75	80	87	74	72	73	72	77	88	84	83	85	89	86	69	61	69	76	65	58	55	66	74	59	64	72
	MIN	25	23	35	34	44	39	38	41	47	48	41	48	40	39	42	45	45	44	47	60	44	41	34	37	41	33	32	34	35	41	38	39
IDAHO FALLS 43 NW WB	MAX	45	56	67	72	78	73	76	81	85	74	75	77	75	78	85	81	84	89	93	84	71	62	68	78	62	56	57	60	73	59	65	72
	MIN	22	16	32	28	40	42	38	36	47	42	42	37	32	45	37	49	50	42	43	60	42	39	37	31	42	28	36	30	31	37	31	37
IDAHO FALLS 46 W WB	MAX	47	55	69	72	75	73	75	81	84	74	73	72	72	78	84	83	83	86	91	85	69	54	62	78	65	55	57	62	72	57	65	71
	MIN	23	18	34	27	44	30	34	37	40	49	36	45	36	31	33	40	44	38	40	57	45	41	34	30	36	27	29	30	29	36	35	35
IRWIN 2 S	MAX	40	53	62	69	74	69	73	80	84	71	73	75	75	78	78	79	81	85	88	89	67	67	65	73	73	52	49	56	69	59	60	69
	MIN	23	23	28	30	40	33	38	40	50	48	36	40	38	38	41	45	40	43	44	52	47	40	31	35	50	31	31	30	30	37	33	37
ISLAND PARK DAM	MAX	34	46	50	63	66	60	65	73	77	77	64	65	66	70	74	69	74	78	82	81	69	52	60	67	63	46	45	52	61	61	53	63
	MIN	16	14	22	26	29	30	36	33	39	38	34	30	28	29	27	38	36	38	37	46	46	40	27	30	41	29	30	25	25	35	31	31
JEROME	MAX	54	61	73	78	75	77	81	87	90	71	81	77	75	81	90	85	85	90	98	93	85	69	76	86	78	60	60	67	75	62	69	77
	MIN	26	24	35	35	48	38	36	52	47	50	41	42	42	42	50	51	44	44	52	61	44	43	38	44	48	37	32	28	43	37	34	41
KELLOGG	MAX	46	52	62	51	74	65	74	76	74	78	57	61	57	66	77	84	82	85	92	81	79	64	71	77	84	51	51	47	68	76	54	68
	MIN	24	27	42	35	45	34	38	47	45	52	41	38	35	33	43	45	44	45	49	43	49	39	38	44	43	36	36	34	38	46	42	40
KOOSKIA	MAX	59	70	70	80	80	77	81	81	83	74	66	66	72	81	87	87	89	97	94	81	74	72	83	90	82	62	60	74	73	62	63	76
	MIN	24	25	47	38	52	36	38	48	42	55	44	43	39	35	44	48	45	45	52	47	50	42	37	42	42	36	41	38	40	46	41	42
KUNA 2 NNE	MAX	54	65	70	79	74	74	85	81	83	73	78	73		81	86	85	84	91	90	89	65	68	80	85	70	58	61	70	74		67	75
	MIN	28	22	41	36	42	39	39	47	43	46	42	39		34	44	51	43	45	48	59	43	41	33	41	47	31	30	29	36		40	39
LEWISTON WATER PLANT	MAX	59	70	69	80	79	80	83	83	81	75	73	68	73	34	66	85	88	97	96	78	70	75	85	85	70	67	67	77	76	67	64	77
	MIN	26	28	42	43	43	41	42	52	49	59	47	37	40	39	39	51	50	50	51	49	55	46	44	50	47	44	45	41	49	50	47	45
LEWISTON WB AP	MAX	55	66	67	78	66	74	80	80	80	70	65	65	71	80	85	85	87	94	83	78	69	73	83	84	63	54	64	73	75	61	58	73
	MIN	23	28	46	42	47	39	45	52	50	52	45	35	39	39	50	51	50	55	57	49	51	48	46	52	44	42	41	39	48	47	45	45
LIFTON PUMPING STA	MAX	39	50	59	67	69	69	70	75	80	77	68	70	72	75	73	77	77	79	82	83	70	54	62	71	76	54	49	57	61	57	61	67
	MIN	22	22	29	35	37	44	40	42	46	50	42	40	44	43	42	44	45	45	46	46	45	41	33	36	48	32	26	27	34	37	34	38
LOWMAN	MAX	56	64	66	75	75	74	80	82	85	80	74	80	71	78	85	83	82	88	90	85	68	67	74	80	75	55	55	66	71	56	57	73
	MIN	22	21	33	29	29	29	31	38	36	40	35	30	28	33	33	37	34	34	37	41	44	30	27	32	40	28	32	26	35	38	35	32
MACKAY RS	MAX	45	54	61	70	72	72	73	76	80	68	71	71	71	75	75	78	80	84	89	80	79	59	66	73	69	54	53	60	67	61	58	69
	MIN	17	15	26	34	42	39	32	45	48	45	40	42	37	38	42	45	45	47	48	58	46	35	34	33	45	29	31	30	31	33	30	37
MALAD	MAX	48	57	66	76	79	78	81	84	83	73	76	80	80	80	87	87	86	87	89	90	74	66	70	75	72	57	58	68	72	59	65	74
	MIN	27	25	30	37	42	46	40	42	51	53	40	43	45	46	45	43	44	45	47	50	46	38	37	38	47	34	31	26	34	40	33	40
MALAD CAA AP	MAX	46	57	68	75	79	76	79	84	84	73	77	80	80	81	87	84	84	87	90	93	68	63	70	77	72	56	57	66	73	60	67	74
	MIN	28	24	28	35	40	39	38	37	44	47	37	40	42	41	40	43	42	41	44	44	46	45	35	36	41	31	31	23	30	36	30	37
MAY RS	MAX	45	62	58	71	73	70	76	80	85	76	75	71	71	75	80	77	79	86	90	86	79	61	58	61	77	52	52	67	70	62	59	70
	MIN	12	10	35	27	35	34	33	40	43	50	40	39	38	33	37	47	40	41	43	55	55	34	29	34	38	29	30	27	33	40	31	36
MC CALL	MAX	40	[illegible]	56	64	62	62	68	70	72	64	62	58	58	66	72	71	74	80	78	74	68	54	62	72	40	38	46	56	60	44	48	60
	MIN	[illegible]	10	34	30	34	32	30	38	36	44	32	30	32	28	36	40	36	36	38	42	36	36	26	32	32	26	28	26	34	32	30	32
MC CAMMON	MAX	45	61	64	70	75	72	78	83	[illegible]	85	76	77	75	81	86	85	84	87	90	93	89	63	73	79	74	65	57	62	71	64	63	74
	MIN	21	4	30	34	44	38	36	41	44	53	39	41	40	35	44	41	41	41	40	49	41	39	38	41	49	35	35	25	31	33	39	38
MERIDIAN 1 W	MAX	54	65	71	79	77	74	85	83	83	73	77	75	72	82	88	85	86	91	90	88	79	69	79	87	81	58	61	70	75	61	66	76
	MIN	28	23	40	39	46	39	48	50	46	47	44	40	38	37	47	52	45	46	55						48	35	33	33	45	45	42	42
MESA	MAX	52	61	68	76	72	77	78		85	70	74	67	72	80	88	86	85	91	90	89	78	77	76	80	80	54	60	69	74	60	54	74
	MIN	28	29	45	41	49	45	46	55		52	45	37	42	45	47	48	46	53	59	56	43	43	44	42	43	33	28	36	48	41	38	43
MINIDOKA DAM	MAX	46	65	69	71	73	77	76	85	82	69	75	73	73	78	85	83	83	88	93	91	83	64	65	75	73	58	55	63	71	65	65	73
	MIN	28	30	41	41	48	42	42	50	52	51	43	47	44	44	49	51	57	47	53	60	44	44	43	46	50	35	35	30	41	40	36	44
MONTPELIER RS	MAX	49	44	60	62	69	73				76	69	70	74	74	81	78	78	80	82	86	85	68	53	64	73	70	50	54	58	67	62	68
	MIN	19	20	25	30	35	33				47	35	36	36	36	38	41	40	39	41	48	51	38	29	32	50	31	28	21	30	35	28	34
MOSCOW U OF I	MAX	50	61	59	73	64	70	75	75	74	68	65	58	64	75	81	79	81	88	86	72	63	66	76	77	66	53	57	65	72	66	54	68
	MIN	19	26	41	43	42	33	45	46	44	50	48	33	32	32	43	42	43	48	52	42	43	40	40	55	38	35	40	40	44	46	43	40
MOUNTAIN HOME	MAX	57	70	83	80	79	81	89	92	93	90		83	80	87	95	94	91	98	100	98	90	73	80	87	83	60	64	75	75	66	68	82
	MIN	25	25	37	46	45	43	40	53	54	43		40	41	40	52	54	53	50	58	64	46	43	41	53	48	36	29	31	56	33	39	43
MULLAN PASS CAA	MAX	33	46	38	50	45	54	58	55	57	47	49	39	47	62	69	60	67	71	63	62	43	48	62	72	40	37	31	53	57	38	38	51
	MIN	9	19	31	34	33	36	37	42	45	38	32	28	30	35	47	49	48	52	49	40	31	33	39	40	27	27	25	30	37	34	30	35
NAMPA 2 NW	MAX	54	68	67	72	81	76	77	85	84	84	76	81	71	75	84	89	87	87	91	92	86	68	73	81	86	61	60	63	71	76	63	76
	MIN	27	24	44	37	47	44	41	49	49	43	44	40	42	39	46	53	48	47	51	56	49	45	38	51	51	38	35	32	48	46	44	43
NEW MEADOWS RS	MAX	47	60	65	72	70	70	78	80	79	72	79	63	68	76	85	79	82	86	86	80	74	62	72	78	75	49	57	67	65	53	53	70
	MIN	22	15	32	26	33	26	28	38	37	45	34	25	29	25	33	38	32	32	36	40	38	29	23	30	37	28	29	22	34	35	32	31
NEZPERCE 2 E	MAX	47	59	57	72	60	66	73	72	75	58	63	57	63	73	80	78	86	87	75	73	58	64	74	81	58	49	52	64	69	52	52	66
	MIN	21	25	42	39	44	37	41	47	49	50	42	33	38	38	46	49	48	49	53	50	44	38	38	47	38	33	34	34	41	41	40	40
OAKLEY	MAX	48	64	79	73	75	75	79	88	85	79	78	75	72	81	85	83	81	87	92	88	68	65	1	81	71	64	58	65	70	72	78	75
	MIN	27	26	39	39	42	41	40	51	49	49	45	40	38	39	48	49	46	48	53	59	46	41	34	44	40	34	35	30	38	39	40	41
OBSIDIAN 4 NNE	MAX	39	47	50	59	61	62	64	72	72	68	60	60	59	65	72	72	67	76	78	76	69	56	62	68	65	41	42	54	58	48	48	61
	MIN	6	13	27	24	29	24	25	33	32	37	32	28	27	25	29	32	30	30	32	42	38	29	22	32	33	25	21	18	28	32	30	27
OLA 5 S	MAX	55	64	70	78	73	73	81	83	84	81	77	75	73	81	89	85	85	91	93	90	82	75	78	85	81	59	62	69	76	58	62	76
	MIN	22	23	41	36	41	41	38	43	45	48	41	39	35	38	44	51	42	45	41	48	45	35	39	38	37	34	28	28	45	39	37	38
OROFINO	MAX	58	71	67	83	73	80	84	83	82	77	71	69	79	86	89	85	88	99	96	81	70	73	81	89	82	68	64	76	74	61	61	77
	MIN	26	26	44	42	46	37	39	48	43	57	46	35	39	36	47	55	55	47	53	47	52	43	45	39	45	37	38	37	47	48	44	43
PALISADES DAM	MAX	39	51	62	66	73	71	70	80	82	79	72	74	73	76	77	76	78	81	86	85	77	55	63	72	69	55	48	57	66	66	60	69
	MIN	23	22	30	31	40	35	37	39	49	49	40	41	39	38	40	44	43	42	44	51	50	41	31	36	51	32	31	30	32	38	34	38
PARMA EXP STA	MAX	59	67	75	83	79	79	87	86	88	78	82	76	77	87	92	89	92	94	96	91	83	74	82	89	82	62	67	72	75	63	65	79
	MIN	29	28	40	38	46	40	44	51	48	51	42	38	38	38	49	53	52	48	56	53	48	43	37	44	49	36	34	30	48	44	46	43
PAUL 1 E	MAX	45	51	61	73	75	75	75	80	87	88	70	78	73	72	82	85	84	84	88	95	84	65	67	72	83	62	59	56	65	71	59	73
	MIN	27	26	34	36	45	40	33	48	45	52	40	46	42	40	42	49	43	45	42	57	50	43	38	39	49	36	33	28	35	38	37	40
PAYETTE	MAX	57	67	69	80	76	76	85	85	86	75	80	71	75	85	91	87	89	94	94	89	76	72	79	87	77	60	67	74	70	60	61	77
	MIN	29	26	47	38	49	45	45	51	49	55	43	40	48	40	51	56	51	46	58	56	48	43	42	46	48	38	34	32	48	45	44	44
PIERCE RS	MAX	50	61	62	71	71	69	75	75	80	78	66	58	64	75	82	82	81	89	87	79	73	61	75	79	80	47	48	63	70	56	52	69
	MIN	24	21	35	33	40	29	32	38	31	46	36	31	31	28	40	42	39	39	43	40	42	35	30	36	38	30	36	30	32	41	36	35
POCATELLO WB AP	MAX	44	56	68	71	75	74	75	84	85	73	75	75	75	80	86	85	84	87	93	87	72	63	67	77	67	58	59	62	74	59	66	72
	MIN	28	26	41	34	49	42	39	44	46	50	49	48	46	44	44	47	47	45	47	58	43	43	35	39	44	37	33	34	36	43	38	41
PORTHILL	MAX	52	60	65	72	67	72	74	76	77	72	66	56	66	73	76	90	82	88	87	77	76	72	77	76	74	62	57	72	74	70	60	71
	MIN	17	24	35	32	42	33	34	42	46	54	45	43	31	33	38	42	43	45	46	45	47	36	37	41	46	34	43	42	39	38	48	39
POTLATCH 1 SE	MAX	51	61	54	72	63	71	73	76	78	63	58	57	64	75	81	78	81	88	82	71	61	68	75	78	56	49	56	66	70	53	52	67
	MIN	18	23	40	36	41	31	39	44	49	50	43	31	31	29	41	41	41	45	54	40	43	38	35	44	38	34	36	33	38	43	41	38
PRESTON SUG FACT 2 SE	MAX	44	57	66	73	79	77	78	80	82	81	75	80	80	82	81	82	85	87	89	91	81	59	67	78	77	65	60	65	72	70	67	74
	MIN	28	26	29	35	39	39	39	41	48	52	38	39	40	41	40	44	42	43	45	45	47	44	34	35	54	36	32	25	32	42	32	38
PRIEST RIVER EXP STA	MAX	51	57	58	68	60	69	72	76	73	60	59	54	62	70	75	79	81	85	84	75	67	69	74	77	75	54	56	67	72	68	53	67
	MIN	18	20	36	28	38	28	30	40	43	45	42	33	32	29	37	38	38	41	42	41	42	33	33	41	41	32	37	32	33	48	42	35
RICHFIELD	MAX	49	59	70	74	74	75	78	84	86	82	77	75	73	79	86	84	82	88	93	90	78	68	71	80	78	55	57	63	72	59	65	74
	MIN	27	25	34	39	42	35	38	47	53	48	39	39	38	38	44	53	51	43	48	58	43	41	37	46	48	30	29	26	41	34	32	40
RIGGINS RS	MAX	54	73	70	82	77	74	81	83	84	80	81	68	72	82		86	88	98	97	85	81	71	82	88	88	54	64	73	74	59		77
	MIN	32	31	51	44	50	39	41	54	53	51	49	59	45	48		54	53	50	58	56	47	44	45	54	44	41	43	41	49	46		47
RUPERT	MAX	49	51	62	74	78	77	79	81	89	87	72	81	80		84	89	86	86	91	95	87	55	73	75	82	64	60	60	68	77	61	75
	MIN	27	26	36	39	47	41	37	49	48	52	42	47		42	46	52	47	47	45	58	51	43	38	44	49	37	34	29	40	40	37	42
SAINT ANTHONY	MAX	51	53	62	69	75	70	73	80	84	77	71	74	71	75	83	81	82	87	89	81	74	59	64	75	63	56	52	60	72	58	63	70
	MIN	24	18	28	30	39	34	32	38	49	49	37	37	31	32	39	45	39	42	44	51	45	42	30	36	47	35	32	30	32	41	34	36
SAINT MARIES	MAX	52	64	54	72	69	73	77	74	79	76	60	59	61	75	80	81	81	90	88	86	73	66	73	79	77	70	50	68	74	73	67	71
	MIN	20	31	50	39	42	36	33	44	41	46	41	35	30	33	41	42	52	44	42	41	42	36	39	44	38	36	39	34	35	38	35	38
SALMON	MAX	50	62	65	77	77	73	79	82	88	70	81	77	73	79	84	82	84	90	95	93	65	64	74	84	71	54	54	66	73	63	62	73
	MIN	19	19	38	31	43	32	33	44	42	48	36	39	41	32	35	49	37	39	38	46	47	42	28	32	39	29	32	25	31	42	30	36

See reference notes following Station index.

Table 5 - Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
		Day Of Month																															
SANDPOINT EXP STA	MAX	48	55	58	67	60	69	71	73	[illegible]	[illegible]	56	[illegible]	64	68	74	79	76	79	79	73	66	70	64	78	68	56	53	66	73	69	54	66.6
	MIN	26	25	40	[illegible]	40	30	44	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	41	40	44	44	43	48	36	35	42	44	33	39	35	38	48	45	39.9
SHOSHONE	MAX	54	63	74	77	78	78	[illegible]	[illegible]	[illegible]	74	[illegible]	[illegible]	77	[illegible]	92	87	87	92	97	91	81	72	75	83	78	58	61	68	75	82	70	77.6
	MIN	27	23	36	39	42	38	39	[illegible]	55	53	[illegible]	40	38	44	50	50	48	45	52	60	44	47	36	47	54	34	31	28	50	32	35	42.3
SPENCER	MAX	34	49	55	56	71	[illegible]	64	[illegible]	74	74	67	[illegible]	[illegible]	71	79	74	73	80	85	78	64	57	61	69	60	50	49	56	64	61	56	65.4
	MIN	15	18	26	30	34	40	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	37	[illegible]	[illegible]	47	42	40	39	46	44	37	34	31	45	30	26	28	28	33	31	35.2
SPRINGFIELD	MAX	47	55	67	70	75	75	80	[illegible]	85	[illegible]	75	[illegible]	74	[illegible]	[illegible]	83	82	84	89	86	73	62	66	74	65	59	60	61	73	67	65	72.6
	MIN	[illegible]	[illegible]	[illegible]	31	45	32	34	40	43	51	42	47	45	47	39	45	44	42	42	56	45	44	32	33	50	33	29	26	31	41	33	38.5
STIBNITE	MAX	27	35	[illegible]	49	61	[illegible]	58	66	71	74	51	60	57	[illegible]	66	73	70	77	77	80	75	47	55	63	70	47	42	43	55	60	45	58.8
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	33	[illegible]	27	30	25	24	31	33	31	32	35	37	35	[illegible]	23	30	38	22	21	20	28	28	25	27.4
STREVELL	MAX	[illegible]	53	64	77	76	75	[illegible]	83	[illegible]	75	75	76	70	[illegible]	82	82	82	86	89	87	75	68	69	73	70	61	59	64	71	63	66	73.0
	MIN	22	[illegible]	34	31	42	39	36	44	54	52	35	40	31	35	43	45	38	43	43	48	44	42	28	43	48	24	33	20	35	40	30	37.5
SUGAR	MAX	45	54	62	64	75	72	[illegible]	[illegible]	84	[illegible]	71	72	72	75	82	80	79	83	88	86	77	61	64	75	71	56	54	60	71	70	65	71.2
	MIN	30	31	30	30	40	39	44	[illegible]	[illegible]	[illegible]	39	[illegible]	41	34	39	45	42	42	43	55	46	42	31	35	52	34	32	31	31	41	39	38.9
SUN VALLEY	MAX	40	54	65	69	[illegible]	71	[illegible]	[illegible]	78	74	65	66	67	[illegible]	77	76	78	80	86	85	75	58	62	68	70	50	54	59	63	58	52	68.0
	MIN	20	[illegible]	26	25	28	[illegible]	[illegible]	[illegible]	32	40	[illegible]	29	27	24	31	33	31	31	31	46	44	37	24	26	42	22	18	19	25	31	26	29.1
SWAN FALLS PH	MAX	56	71	75	87	87	[illegible]	91	92	89	77	84	83	77	[illegible]	95	92	90	99	95	95	92	72	86	88	85	62	66	77	77	68	72	82.2
	MIN	34	32	48	46	46	[illegible]	40	50	55	[illegible]	49	48	50	50	57	66	61	54	58	66	52	51	47	55	53	44	38	39	52	47	48	50.2
TETONIA EXP STA	MAX	46	56	59	60	55	64	64	75	77	69	65	69	65	69	76	69	75	79	83	79	70	61	69	70	60	44	39	52	60	63	57	64.6
	MIN	16	18	20	19	[illegible]	24	20	39	40	42	34	37	36	[illegible]	33	33	37	40	40	53	44	28	30	31	45	31	28	28	26	29	35	32.0
THREE CREEK	MAX	45	60	74	74	75	75	80	84	83	68	76	73	75	80	83	80	80	84	90	80	77	65	74	80	71	59	55	65	75	61	67	73.2
	MIN	15	12	28	28	31	27	28	40	37	[illegible]	31	28	23	28	32	39	35	36	40	44	35	34	27	34	38	25	35	25	41	33	21	31.1
TWIN FALLS 2 NNE	MAX	[illegible]	65	76	77	76	76	84	87	92	88	81	81	75	81	90	84	84	90	99	90	84	67	77	85	80	59	59	67	77	65	70	77.9
	MIN	29	24	34	47	48	43	36	48	45	51	45	46	43	45	47	53	48	48	49	60	47	44	38	41	49	39	34	31	41	40	36	42.5
TWIN FALLS 3 SE	MAX	46	55	62	75	77	78	78	84	85	87	73	81	72	75	82	91	87	85	90	97	90	65	71	75	84	61	60	60	78	79	64	75.6
	MIN	[illegible]	27	31	40	49	44	41	48	47	50	50	46	44	45	47	51	53	47	50	62	47	44	40	40	50	40	35	35	42	41	38	43.7
WALLACE	MAX	50	60	51	71	58	58	71	69	75	66	64	58	63	74	81	78	82	89	79	72	59	67	75	82	60	60	48	59	68	66	51	66.6
	MIN	20	26	40	[illegible]	40	31	32	44	41	34	38	36	32	31	40	41	40	42	44	38	39	35	34	44	34	34	33	30	31	34	39	35.8
WALLACE WOODLAND PARK	MAX	36	49	58	61	69	60	67	70		72	54	63	54	60	71	80	77	80	87	77	75	57	69	73	80	47	50	63	64	71	69	65.5
	MIN	18	22	28	29	33	31	34	42		49	39	36	32	30	29	40	39	42	44	38	45	35	35	41	42	34	33	31	34	44	39	35.6
WINCHESTER 1 SE	MAX	45	59	60	70	64	64	70	[illegible]	69	71	54	55	61	70	77	75	77	86	84	70	59	68	70	77	71	45	58	62	60	65	60	66.1
	MIN	17	23	39	34	38	30	32	44	39	41	40	29	31	30	42	40	41	45	46	41	39	35	35	35	34	32	32	32	35	39	40	35.8

Table 6

EVAPORATION AND WIND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or Avg.
		Day of month																															
ABERDEEN EXP STA	EVAP	-	.16	.19	.20	.37	.32	.25	.24	.37	.32	.39	.36	.37	.25	.25	.17	.31	.39	.29	.41	.22	.15	.12	.27	.26	.22	.28	.23	.30	.32	.26	B 8.51
	WIND	121	72	72	17	127	112	48	49	106	223	127	188	172	74	69	39	47	46	65	69	136	107	46	55	107	208	228	104	72	233	130	3269
ARROWROCK DAM	EVAP	.19	.19	.10	.23	.22	.26	.25	.25	.20	.29	.23	.26	.22	.25	.24	.29	.33	.29	.29	.30	.27	.31	.31	.21	.25	.16	.04	.17	.18	.08	.01	6.87
	WIND	131	86	49	35	33	35	38	44	20	75	67	72	43	30	37	21	55	38	26	33	43	145	98	33	42	60	63	46	79	*	21	1598
LIFTON PUMPING STA	EVAP	.04	.12	.14	.23	.26	.33	.24	.23	.27	.30	.26	.29	.32	.21	.25	.28	.25	.28	.31	.37	.34	.17	.21	.22	.31	.19	.20	.20	.20	.08	.19	7.29
	WIND	100	102	52	49	53	58	53	37	45	64	46	40	68	43	47	66	24	32	42	38	90	105	60	22	[illegible]	119	93	35	56	[illegible]	38	1859
MINIDOKA DAM	EVAP	.12	.09	.25	.24	.35	.34	.26	.30	.35	.55	.30	.38	.34	.28	.36	.35	.42	.44	.40	.40	.22	.18	.29	.44	.25	.30	.35	.25	.37	.31	.25	9.73
	WIND	120	100	140	70	110	110	90	70	100	270	120	160	120	130	40	80	90	90	60	80	160	200	110	170	150	200	250	120	165	195	150	4020
MOSCOW U OF I	EVAP	.16	.16	.07	.13	.22	.16	.19	.17	.14	.15	.05	.19	.16	.14	.24	.20	.16	.20	.31	.24	.23	.18	.24	.28	.12	.02	.13	.19	.23	.08	.04	5.18
	WIND	47	34	26	50	15	81	41	26	36	41	163	94	31	30	20	28	28	36	52	44	122	40	46	40	166	3	143	62	67	70	48	1730
PALISADES DAM	EVAP	.03	.08	.11	.17	.24	.29	.21	.23	.29	.26	.18	.21	.26	.26	.23	.31	.20	.32	.28	.31	.12	.03	.18	.24	.24	.09	.03	.13	.22	.17	.12	6.04
	WIND	138	70	78	69	[illegible]	69	143	45	85	91	83	79	82	97	93	100	75	104	96	96	82	79	87	76	118	62	48	67	82	82	59	2653

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ARCO	SNOWFALL																										T					
	SN ON GND																															
ATLANTA 1 E	SNOWFALL	T																									3.0	T				
	SN ON GND																										3					
BIG CREEK 1 S	SNOWFALL	T																								T	1.0					
	SN ON GND																															
BURLEY CAA AP	SNOWFALL	T																														
	SN ON GND	T																														
CASCADE 1 NW	SNOWFALL																										T	1.0				
	SN ON GND																															
COBALT BLACKBIRD MINE	SNOWFALL																										0.2	2.2				
	SN ON GND																															
DEADWOOD DAM	SNOWFALL																										T	3.0			T	
	SN ON GND	4	3	2																												
DUBOIS CAA AP	SNOWFALL																										T	T				
	SN ON GND																															
GOODING CAA AP	SNOWFALL	T																														
	SN ON GND																															
IDAHO CITY 13 SW	SNOWFALL																									T	T					
	SN ON GND																									T	T					
IDAHO FALLS CAA AP	SNOWFALL	T																														
	SN ON GND																															
LOWMAN	SNOWFALL																										1.0					
	SN ON GND																															
MACKAY RS	SNOWFALL																										T					
	SN ON GND																															
MALAD CAA AP	SNOWFALL	T																														
	SN ON GND																															
MULLAN PASS CAA	SNOWFALL											T											T			T	3.0	1.0				T
	SN ON GND	105	103	100	97	90	85	80	75	70	65	60	50	48	45	40	35	30	25	25	24	23	22	21	20	18	18	20	21	18	16	15
OBSIDIAN 4 NNE	SNOWFALL																										T					
	SN ON GND	9	7	5	T	T	T	T																			T					
POCATELLO WB AP	SNOWFALL																										T					
	SN ON GND	T																														
STIBNITE	SNOWFALL	1.0		0.5																							1.0	4.0	T			
	SN ON GND	8	7	6	5	3																					1	2				
SUN VALLEY	SNOWFALL	T																									T	T				
	SN ON GND																															
THREE CREEK	SNOWFALL																										T					
	SN ON GND																										T					
TWIN FALLS 2 NNE	SNOWFALL	T																														
	SN ON GND																															

See reference notes following Station Index.

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 19	5325	5P	5P	MRS HAZEL CLENDENIN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	5P	5P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BALD MOUNTAIN	0540	BLAINE	12	43 39	114 24	8700		MID	NELSON BENNETT	C
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	CLOSED 11/23/52	
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7 C
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 C
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	C
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
BONNERS FERRY 1 SW	1079	BOUNDARY	5	48 41	116 19	1812	5P	5P	CHARLES G HOWARD JR	2 3 5 7 C
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	4	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 33	113 48	4140	8A	8A	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2650	5P	5P	STUART DOPF	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 32	116 03	4768	5P	5P	U S BUR RECLAMATION	2 3 5 7 C
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		6P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	6P	6P	MRS MARY L RALPH	2 3 5 C
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	C
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D ALENE RS	1956	KOOTENAI	4	47 41	116 45	2160	5P	5P	U S FOREST SERVICE	2 3 5 7 C
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5 C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAI	4	47 44	116 29	3060		MID	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	C
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	5P	5P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	5P	5P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	1500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING	3677	GOODING	12	42 57	114 43	3569		MID	DAVID MITCHELL	C
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRASMERE	3809	OWYHEE	12	42 23	115 53	5126	5P	5P	BLANCHE PORTLOCK	2 3 5
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4288	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C W GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	5P	5P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		7A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 36	3870	5P	5P	ORVILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 36	5897	5P	5P	U S FOREST SERVICE	2 3 5 7 C
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MALTA RANGER STATION	5567	CASSIA	12	42 19	113 22	4543		MID	F L NOBLE	C
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	W FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	5843	ADA	2	43 37	116 24	2620	5P	5P	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6072	BOISE	2	43 56	115 40	6990		VAR	U S SOIL CON SER	C S
MOOSE CREEK RANGER STA	6085	IDAHO	3	46 08	114 55	2400		MID	U S FOREST SERVICE	C
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 [illegible]	3164	6P	6P	KENNETH J NEWMAN	2 3 5 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 14	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARLEY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 [illegible]	6900	5P	5P	MARJORIE E SHAW	2 3 5 7
OLA 5 S	6590	GEM	8	44 07	116 17	2962	5P	5P	VINCENT A WALLY	2 3 5 C
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 47	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	5P	5P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7040	CLEARWATER	3	46 30	115 48	3175	4P	4P	U S FOREST SERVICE	2 3 5 7 C
PINE 1 N	7077	ELMORE	2	43 30	115 18	4220		VAR	U S GEO SURVEY	S
PINE 2 S	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S OFF IND AFFAIRS	C
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH 1 SE	7301	LATAH	7	46 54	116 52	2586	6P	6P	HENRY J FITCH	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 31	4670		MID	VICTOR J ACARREGUI	C
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 01	6300		VAR	FORT HALL IR PROJ	S
# REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	SEE NAME CHANGE END OF INDEX	
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1685	5P	5P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7878	SHOSHONE	10	47 21	115 40	4150	5P	5P	MRS HOMER WALTON	2 3 5 7
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 51	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7 C
SNAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 16	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 57	114 24	3961	5P	5P	FRED F KOHL	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	5P	5P	MRS RAYMOND RUFF	2 3 5
STIBNITE	8718	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL	8786	CASSIA	12	42 01	113 13	5280	5P	5P	IDAHO STATE POLICE	2 3 5
SUGAR	8818	MADISON	12	43 52	111 45	4892	6P	6P	KAY JOHNSON	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7 C
SWAN FALLS POWER HOUSE	8918	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	6004	5P	5P	EXPERIMENT STATION	2 3 5 C
THREE CREEK	9119	OWYHEE	12	42 03	115 10	[illegible]	6P	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9212	ELMORE	2	43 38	115 26	7100		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FACT	9299	TWIN FALLS	12	42 32	114 2[illegible]	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 54	2950	8A	8A	ROBERT J SKANTEL	2 3 5 C
WEISER	9638	WASHINGTON	12	44 15	116 58	2114	6P	6P	ROLAND HEMENWAY	2 3 5
WINCHESTER 1 SE	9846	LEWIS	3	46 14	116 36	3950	4P	4P	HALLACK HOWARD LBR CO	2 3 5
YELLOW PINE	9976	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
IDAHO FALLS 43 NW WB	4459	BUTTE	6	43 51	112 42	4780	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
NAME CHANGE										
# IDAHO FALLS 46 W WB	4460	BUTTE	6	43 33	112 57	4933	MID	MID	U S WEATHER BUREAU	2 3 5 7 C

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST JOE, 11 SALMON, 13 SNAKE

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state bases. There wil be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation i inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standar Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effectiv January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on groun values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the recor

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurements, time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of ne snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, hav been adjusted to represent the value for the full month.
R	Daily precipitation values and monthly total from recording gage.
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary. Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

DEPARTMENT
CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

JUNE 1954
Volume LVII No. 6

CHATTANOOGA: 1954

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

In contrast to May, which was rather warm and dry in most of Idaho, June brought subnormal temperatures to all parts of the State and above normal precipitation to all but a few stations. The average temperature for the State was very nearly the same as in June 1953, one of the coolest Junes on record, and the statewide average precipitation of 166 percent of normal was the highest since 1947.

There was only one dry period of any length during the month; from the 18th through the 25th very little rain fell in the State and most of that was in the Northern Division on the 20th. Several showery periods brought substantial rains, such as the period from the 5th to the 7th, the 9th and 10th, 15th and 16th, and finally the 26th and 27th. Within these showery periods, one-day totals of more than an inch were recorded at a number of stations, amounts which in a few cases exceed the normal monthly total for the station.

Departures of average daily temperatures from normal, where such data are available, show comparatively few days during the month with temperatures above the normal. There were some outstandingly cold days, among them the 1st and 2d, 5th and 6th, 10th, 16th, 17th, and 27th to 29th. The warmest days were from about the 20th to the 26th, when cloudiness was at a minimum in all parts of the State.

On the afternoon of the 9th a slender funnel shape cloud was observed at the National Reactor Testing Station, but the funnel never reached the ground. On the same day what is believed to have been a small tornado demolished a barn and two combines near Lamont, in Fremont County.

During the afternoon of the 13th a very local hailstorm caused about 10 percent damage to 350 acres of wheat near Downey.

On the 16th the highest wind ever observed at Tetonia Experiment Station blew out five acres of new alfalfa seeding.

Heavy rains on the 26th washed out several bridges and did considerable damage to roads in the vicinity of Mackay.

Hail, wind and rain did more than $12,000 damage to peas, corn, wheat and barley in Malad Valley and near McCammon on the 27th.

Agriculturally the month might be described as "backward". Cool weather made for slow growth through much of the month and showers hampered haying until near the end of the third week. Frost on the morning of June 2 did some damage to beans, peas and sugar beets, but the damage was spotty. Scattered frost damage occurred again on the morning of the 18th with tender garden vegetables the principal victims. Finally, on the morning of the 29th, slight damage from frost was again reported, this time mainly in the vicinity of Burley. Despite cool weather crops generally fared well and with sufficient rainfall in most areas vegetation was in pretty good condition at the close of the month. Range conditions were only a little better than at the end of May, with June rainfall still not sufficient to improve feed on lower ranges where the cool, dry early season had resulted in a low average condition. The June rains did, however, improve summer range conditions in the northern and eastern parts of the State and at higher elevations. The general condition of cattle and sheep was reported a little below average.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	20	9.8	40	S	30	70	44	35	59	7	2	4	0	0	0	13	76	5.7	SEE TABLE 2.
IDAHO FALLS 43 NW WB	SSW	-	7.2	30	SW	16	-	-	-	-	8	6	0	0	0	0	14	-	-	
IDAHO FALLS 46 W WB	WSW	-	11.4	35+	WSW	6	-	-	-	-	4	5	0	2	1	0	12	-	-	
LEWISTON WB AIRPORT	-	-	-	-	-		75	52	41	-	3	3	7	1	0	0	14	-	7.1	
POCATELLO WB AIRPORT	SW	24	11.8	46	W	6	66	39	31	50	5	4	6	0	0	0	15	54	6.2	

COMPARATIVE DATA

Table 1

Year	Temperature			Precipitation	
	Average	Highest	Lowest	Average	Average snowfall
1893	57.4	97	20	.34	-
1894	58.8	96	26	1.19	-
1895	58.3	103	19	.57	-
1896	62.9	103	25	1.16	-
1897	59.9	100	17	1.29	
1898	61.4	102	18	.98	-
1899	58.6	103	17	.69	0.6
1900	65.8	109	24	.51	0.0
1901	56.7	101	17	.89	T
1902	60.3	106	21	.66	0.3
1903	63.7	99	28	1.31	0.0
1904	59.5	102	15	.94	T
1905	59.0	96	25	1.77	0.0
1906	56.8	96	16	1.62	T
1907	57.0	98	24	2.35	0.4
1908	56.0	101	23	2.60	1.2
1909	61.8	106	26	.72	0.0
1910	62.4	107	20	.25	0.0
1911	61.5	101	24	2.54	0.0
1912	62.3	103	25	1.43	T
1913	61.1	99	24	2.90	0.0
1914	58.8	106	14	2.24	0.5
1915	56.8	100	21	.96	0.1
1916	57.3	106	19	1.40	0.4
1917	56.9	105	20	.66	0.8
1918	67.0	110	14	.90	0.0
1919	62.5	109	15	.06	0.0
1920	59.1	102	15	.98	0.0
1921	64.0	106	25	.89	0.0
1922	64.5	107	26	.88	0.0
1923	57.9	104	12	2.66	0.0
1924	60.9	110	16	.57	0.2
1925	60.9	113	21	1.76	0.0
1926	64.2	113	18	.77	0.0
1927	61.9	104	25	1.06	0.0
1928	58.2	103	20	1.17	0.1
1929	59.5	102	18	1.59	0.1
1930	59.7	101	20	.85	T
1931	63.8	103	23	.58	T
1932	61.7	105	24	1.43	0.1
1933	63.7	107	26	.89	0.0
1934	60.7	102	21	1.45	T
1935	61.1	100	21	.40	0.0
1936	63.4	110	22	1.99	T
1937	59.5	106	17	1.46	T
1938	62.2	100	17	1.35	0.0
1939	57.9	110	16	1.12	T
1940	64.8	110	19	.66	T
1941	59.8	103	16	2.32	0.0
1942	57.0	100	18	1.32	T
1943	56.8	101	21	1.96	T
1944	57.3	104	18	2.14	T
1945	56.7	105	19	2.24	0.0
1946	60.1	99	21	.98	T
1947	57.1	97	21	2.48	T
1948	62.6	103	27	2.17	0.0
1949	60.3	103	15	.65	T
1950	58.8	108	20	1.72	0.1
1951	57.1	97	17	.92	T
1952	60.2	101	18	2.04	T
1953	57.1	96	24	1.67	T
1954	57.3	105	18	2.19	0.2
ALL YRS	60.1			1.33	

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index

TABLE 2

Station		Temperature													Precipitation								
										No. of Days									Snow, Sleet, Hail			No. of Days		
										Max		Min.											
		Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.10 or More	.50 or More	1.00 or More
NORTHERN DIVISION																								
AVERY RS		73.0	42.0	57.5	- 2.9	86	22+	32	18	220	0	0	1	0	3.06	.92	.50	13		0		12	1	0
BAYVIEW MODEL BASIN		69.4	40.6	55.0		82	22+	30	7	301	0	0	2	0	1.86		.40	20	.0	0		5	0	0
BIG CREEK 1 S		65.0	32.4	48.7	- 1.7	86	22+	20	2	481	0	0	17	0	3.76	1.18	.56	27	4.0	0		12	2	0
BUNGALOW RS		72.6	44.0	58.3	- 4.1	89	25	33	18	205	0	0	0	0	4.03	1.32	1.05	27	T	0		9	3	1
BURKE 2 NNE		61.5	37.3	49.4	- 2.2	75	25+	29	18	461	0	0	4	0	4.48	1.71	.76	28	T	0		12	3	0
CLARK FORK 1 ENE		69.8	40.4	55.1	- 3.3	82	22+	33	5+	286	0	0	0	0	2.66	.17	.56	7		0		8	1	0
COBALT BLACKBIRD		56.8	33.8	45.3		83	23	23	2		0	0	13	0	4.20		.77	27	8.5	7	5	[illegible]	5	0
COEUR D ALENE RS		70.7	44.6	57.7	- 3.5	85	25	36	2	217	0	0	0	0	1.58	.02	.39	7	.0	0		4	0	0
COTTONWOOD		64.1	39.9	52.0	- 5.5	81	25	29	2+	383	0	0	4	0	3.07	.49	1.09	27	.0	0		8	1	1
DIXIE		63.0	31.9	47.5		84	23	20	2	517	0	0	18	0	4.37		.90	27	T	0		12	3	0
ELK RIVER 1 S		68.8	40.3	54.6		84	25	29	18	312	0	0	4	0	3.59		1.18	7	T	0		10	2	1
FENN RS		73.5	45.2	59.4	- 4.2	92	25	37	18	182	2	0	0	0	4.28	1.82	1.02	27	.0	0		10	2	1
GRANGEVILLE		65.0	42.0	53.5	- 4.5	83	25	31	2	337	0	0	1	0	3.02	- .02	1.07	27		0		8	2	1
KELLOGG		68.4	45.1	56.8	- 3.5	98	24	34	2		0	0	0	0	2.87	.81	.53	16	.0	0		9	2	0
KOOSKIA		75.0	46.7	60.9	- 3.6	94	25	34	2	144	1	0	0	0	4.46	2.26	1.06	27	.0	0		11	3	1
LEWISTON WATER PLANT		78.0	49.8	63.9	- 3.4	93	25	39	2	92	2	0	0	0	1.95	.49	.54	7	T	0		5	1	0
LEWISTON WB AP	//R	73.4	48.2	60.8	- 5.5	90	25	38	2	151	1	0	0	0	2.21	.46	.51	6	.0	0		8	1	0
MOSCOW U OF I		69.9	45.1	57.5	- 1.8	86	25	33	18	229	0	0	0	0	1.63	.16	.37	7	.0	0		7	0	0
MULLAN PASS CAA		52.1	36.8	44.5	- 4.1	71	25	26	6+	610	0	0	11	0	3.07	.18	.60	12	5.2	17	1+	11	1	0
NEZPERCE 2 E		64.3	43.5	53.9		84	25	33	2	330	0	0	0	0	3.83		1.10	27	.0	0		9	3	1
OROFINO		78.6	47.2	62.9	- 2.3	94	25	36	2	99	5	0	0	0	2.67	.66	.70	15	T	0		8	2	0
PIERCE RS		69.8M	39.1	54.5M	- 3.2	89	26	29	18	306	0	0	4	0	4.45	1.95	.75	7	T	0		10	3	0
PORTHILL		71.5	43.5	57.5	- 2.0	84	22	34	18	218	0	0	0	0	2.60	1.01	.56	4	.0	0		10	1	0
POTLATCH 1 SE		67.5	41.3	54.4	- 4.0	85	25	29	2	313	0	0	3	0	1.82	.07	.31	4+	T	0		7	0	0
PRIEST RIVER EXP STA		68.1	41.4	54.8	- 3.2	82	25	32	17+	302	0	0	2	0	3.31	1.33	.61	15	T	0		11	2	0
RIGGINS RS		76.4M	50.4M	63.4M	- 2.2	89	22	38	2	113	0	0	0	0	2.90	1.18	1.23	10					1	1
SAINT MARIES		72.5M	41.6M	57.1M	- 3.9	87	25	32	2	237	0	0	1	0	2.40	.80	.78	7	.0	0		6	1	0
SALMON		72.5	40.0	56.3	- 4.6	96	22	25	2	273	3	0	6	0	3.15	2.00	.61	27		0		9	3	0
SANDPOINT EXP STA		67.0	44.6	55.8	- 3.5	80	22	33	18	268	0	0	0	0	3.42	1.55	.55	15	T	0		12	2	0
WALLACE		66.6	42.1	54.4	- 4.9	84	22	32	2+	312	0	0	2	0	2.98	.62	.41	10	.0	0		12	0	0
WALLACE WOODLAND PK		66.1	41.2	53.7	- 4.1	81	23+	32	2		0	0	1	0	2.92	.51	.47	28	.0	0		8	0	0
WINCHESTER 1 SE		53.8M	38.6M	51.2M	- 4.9	80	25	30	2+	408	0	0	3	0	2.16	- .71	.45	7	.0	0		8	0	0
DIVISION				55.3	- 4.4										3.09	1.06			.7					
SOUTHWESTERN DIVISION																								
ANDERSON DAM		75.4	46.2	60.8		104	23	34	2+	188	5	0	0	0	2.03		.39	26	.0	0		6	0	0
ARROWROCK DAM		72.2	46.5	59.4	- 5.2	98	23+	34	2		3	0	0	0	2.25	1.29	.49	1	.0	0		6	0	0
ATLANTA 1 E		68.0M	38.9M	53.5M	- 0.2	88	22	25	2	360	0	0	7	0	4.32	2.94	1.11	26	T	0				
BLISS		78.1M	45.4M	61.8M	- 3.4	100	22	27	2	166	5	0	1	0	1.62	1.16	.70	10	T	0		3	1	0
BOISE LUCKY PEAK DAM		79.8M	47.3M	63.6M		98	25+	36	1		5	0	0	0	1.50		.50	10		0			1	0
BOISE WB AP	//R	74.2	48.4	61.3	- 3.8	99	25	35	2	172	4	0	0	0	1.10	.26	.41	9	T	0		4	0	0
BUHL		74.9	47.9	61.4	- 2.5	97	22+	34	2	179	5	0	0	0	1.31	.37	.43	26	.0	0		5	0	0
CALDWELL		75.6	48.1	61.9	- 3.3	95	24	35	2	151	4	0	0	0	1.80	1.03	.46	10	.0	0		6	0	0
CAMBRIDGE		75.2	43.3	59.3	- 5.4	96	22	29	2	200	4	0	2	0	.71	- .41	.19	9	.0	0		3	0	0
CASCADE 1 NW		67.2	38.6	52.9		90	22	26	2	368	1	0	5	0	2.18		.74	10	.0	0		7	1	0
CHALLIS		71.6	42.4	57.0	- 2.4	92	22	28	2+	265	3	0	3	0	1.95	.90	.54	26	T	0		6	1	0
COUNCIL		76.2	44.5	60.4	- 2.8	96	26	33	2	194	6	0	0	0	.85	- .75	.36	10	.0	0		3	0	0
DEADWOOD DAM		65.4	34.2	49.8	- 2.3	88	22+	21	2+	449	0	0	13	0	3.30	1.46	.62	15	T	0		8	2	0
DEER FLAT DAM		73.8	49.4	61.6	- 3.9	93	22	35	2	155	3	0	0	0	1.40	.72	.47	9				4	0	0
EMMETT 2 E		78.0M	46.7M	62.4M	- 4.2	98	22	32	2	143	5	0	1	0	1.11	.17	.43	9				4	0	0
FAIRFIELD RS		72.0M	40.3M	56.2M		92	23	25	2	275	3	0	8	0	1.59		.88	26	.0	0		5	1	0
GARDEN VALLEY RS		73.7	42.5	58.1	- 3.3	94	22+	28	2	231	4	0	2	0	2.88	1.82	.71	10	.0	0		7	2	0
GLENNS FERRY		79.0	48.3	63.7	- 4.3	103	22	32	2	118	7	0	1	0	1.24	.63	.43	10	.0	0		6	0	0
GOODING CAA AP		74.7	47.8	61.3	- 2.1	100	22	31	2	183	4	0	1	0	1.28	.67	.42	26	.0	0		4	0	0
GRAND VIEW		83.0M	50.9M	67.0M	- 0.5	105	22	34	2	76	10	0	0	0					.0	0				
GRASMERE		72.9	40.7	56.8		99	22	22	2	289	4	0	6	0	2.13		.72	9	.0	0		7	1	0
HAILEY AP		70.2	38.7	54.5	- 4.5	92	22	22	6	334	2	0	9	0	2.21	1.17	1.14	26	.0	0		5	1	1
HAZELTON		75.7M	45.7M	60.7M	- 4.9	97	22	32	2+	188	5	0	2	0	1.27	.51	.55	26	.0	0		4	1	0
HILL CITY		69.7	38.8	54.3	- 1.5	94	22	23	2	330	3	0	7	0	2.16	1.38	1.09	26	.0	0		6	1	1
HOLLISTER		73.0	43.1	58.1	- 3.7	96	22	27	2	243	4	0	1	0	1.95	1.04	.99	26	.0	0		6	1	0
IDAHO CITY		71.6M	37.8M	54.7M	- 4.5	93	22	24	2	312	3	0	8	0	1.79	.79	.68	1	.0	0		7	1	0
JEROME		76.9	45.2	61.1	- 3.7	99	22	29	2	182	5	0	1	0	1.83	1.30	.53	26	.0	0		6	1	0
KUNA 2 NNE		73.6M	45.7M	59.7M	- 4.7	94	22	31	2	189	3	0	1	0	2.10	1.30	.75	10	.0	0		5	2	0
MC CALL		61.9	37.5	49.7	- 4.4	85	22+	25	2	460	0	0	6	0	2.71	.89	.80	10	T	0		9	1	0
MERIDIAN 1 W		75.7	46.6	61.2	- 3.8	95	22+	32	2	163	5	0	1	0	2.08	1.21	.60	9		0		6	1	0
MESA		74.5	45.4	60.0		95	25	35	1	201	5	0	0	0	1.10		.40	10	.0	0		4	0	0
MOUNTAIN HOME		78.7	47.4	63.1	- 0.2	100	25	30	2	144	5	0	1	0	1.56	.86	.76	9	.0	0		4	1	0
NAMPA 2 NW		74.7	47.9	61.3		98	23	34	2		3	0	0	0	1.65		.41	10	T	0		6	0	0
NEW MEADOWS RS		69.6	36.2	52.9	- 2.6	90	25+	21	2	364	2	0	11	0	3.33	1.65	.74	10	.0	0				0
OBSIDIAN 4 NNE		60.7	31.8	46.3	- 3.1	81	22	19	2	556	0	0	15	0	1.70	.34	.37	1	.0	0		6	0	0
OLA 5 S		75.4	40.4	57.9		94	22+	30	1+	216	4	0	2	0	1.23								0	0
PARMA EXP STA		77.8	45.7	61.8	- 4.0	98	22+	32	2	154	5	0	1	0	1.34	.55	.55	9	.0	0		5	1	0
PAYETTE		77.7	48.4	63.1	- 2.6	99	22	35	2	133	4	0	0	0	.55	- .23	.15	10	.0	0		4	0	0
RICHFIELD		73.7	44.1	58.9	- 1.7	96	22	26	2	227	4	0	3	0	.88	.12	.43	26	.0	0		2	0	0
SHOSHONE		76.0	45.8M	60.9M	- 1.7	99	22	29	2	182	5	0	2	0	1.28	.62	.52	26	.0	0		5	1	0
STIBNITE		59.6	31.2	45.4		83	26	19	2+		0	0	17	0	4.12		.65	27	2.0	1	1	14	1	0
SUN VALLEY		65.9	33.1	49.5	- 1.1	86	23	19	18	459	0	0	13	0	2.82	1.12	1.25	26	T	0		8	2	1
SWAN FALLS PH		79.9	52.8	66.4	- 2.3	101	22+	40	2	99	9	0	0	0	3.04	1.75	1.59	10				6	2	1
THREE CREEK		72.8	35.3	54.1		98	22	18	2	331	4	0	8	0	2.02	.21	.64	10	.0	0		5	2	0
TWIN FALLS 2 NNE		77.5	46.6	62.1	- 1.0	100	22	31	2	163	5	0	1	0	1.65	.84	.49	26	.0	0		5	0	0
TWIN FALLS 3 SE		74.5	46.7	60.6	- 3.0	99	23	34	2		4	0	0	0	1.84	1.05	.51	27	.0	0		6	1	0
WEISER 1 S		76.9	46.6	61.8	- 6.1	94	22	35	18	143	4	0	0	0	1.11	.21	.30	17	.0	0		6	0	0
DIVISION				58.5	- 3.1										1.87	.85			T					
SOUTHEASTERN DIVISION																								
ABERDEEN EXP STA		75.8	43.4	59.6	- 1.6	99	22	27	2	196	4	0	1	0	1.59	.81	.53	10		0		6	1	0
AMERICAN FALLS 1 NW		74.4	44.1	59.3	- 2.2	97	22	32	2	208	5	0	1	0	1.40	.38	.27	16	.0	0		6	0	0
ARCO		72.4	40.0	56.2	- 1.9	94	22+	21	5	291	4	0	7	0	2.00	.89	.77	26	.0	0		6	1	0
ASHTON 1 S		68.3	39.4	53.9	- 3.5	91	25	30	8+	344	1	0	6	0	2.19	.53	.46	10	.0	0		9	0	0
BLACKFOOT		76.6	46.9	61.8	0.3	98	22	34	2	164	6	0	0	0	1.21	.28	.28	27	.0	0		6	0	0
BURLEY		74.8	48.3	61.6	- 2.4	101	23	32	2		4	0	1	0	1.21	.42	.41	27	.0	0		4	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Max. Depth on Ground	Date	No. of Days .10 or More ⊕	.50 or More	1.00 or More
BURLEY FACTORY	73.3	45.0	59.2	- 3.0	101	24	28	2		4	0	1	0	1.28	.36	.33	16		0		6	0	0
BURLEY CAA AP	74.9	44.9	59.9	- 1.4	101	22	29	2	205	5	0	1	0	1.44	.50	.33	4+	.0	0		6	0	0
CHILLY BARTON FLAT	65.4	34.9	50.2	- 4.2	89	22	24	2+	44[illegible]	0	0	13	0	2.15	1.05	.50	26	T	0		9	1	0
CONDA	69.4	38.0	53.7	0.0	92	26	25	2		2	0	9	0	1.83	- .55	.35	11	2.5			8	0	0
DRIGGS	67.5	40.4	54.0	- 0.3	88	24+	29	1+		0	0	7	0	3.35	1.32	.56	6				9	2	0
DUBOIS EXP STA	70.1	43.1	56.6	- 3.3	95	23	32	7	287	5	0	1	0	2.39	.78	.53	10	.0	0		7	1	0
DUBOIS CAA AP	70.4	43.3	56.9	- 1.5	96	23	31	7	271	3	0	1	0	2.36	.35	.54	5	T	0		8	1	0
FORT HALL IND AGENCY	75.8	45.4	60.6	- 1.3	98	22	33	1+	185	5	0	0	0	1.61	.69	.42	27	.0	0		7	0	0
GRACE	68.5	41.0	54.8	- 4.0	88	23	27	2	315	0	0	5	0	2.14	.85	.42	26	T	0			0	0
GRAY	69.0	32.7	50.9	- 3.7	87	25	25	2	419	0	0	14	0	1.15	- .51	.70	10	.0	0			1	0
GROUSE	65.7	35.3	50.5		85	22+	21	2	427	0	0	12	0	2.39	1.01	1.16	26	.0	0		5	2	1
HAMER 4 NW	74.5M	42.6	58.6M	- 1.2	97	22	32	7	228	5	0	1	0	1.55	.52	.46	9	.0	0		5	0	0
IDAHO FALLS 6 NE	72.4	43.8	58.1		91	25	31	2+	231	2	0	2	0	.87		.24	16	.0	0		5	0	0
IDAHO FALLS CAA AP	72.5	43.2	57.9	- 2.6	95	25	31	2	237	3	0	2	0	1.24	.03	.44	9	T	0		5	0	0
IDAHO FALLS 43 NW WB R	72.1	41.4	56.8		97	22+	28	7	279	5	0	5	0	1.57		.40	10+	.0			6	0	0
IDAHO FALLS 46 W WB R	71.8	40.6	56.2		95	22+	26	2	284	4	0	5	0	2.74		1.36	10	T	T	10+	3	3	1
IRWIN 2 S	70.6	41.4	56.0	- 0.9	92	24+	30	18	290	4	0	2	0	2.97	1.44	.86	27	.0	0		8	2	0
ISLAND PARK DAM	64.0	36.3	50.2	- 2.4	84	23+	26	18	442	0	0	13	0	5.79	2.23	.90	16	4.0	2	6	12	5	0
LIFTON PUMPING STA	69.4	44.1	56.8	- 2.5	89	24	32	2	265	0	0	1	0	1.30	.49	.45	10	.0	0		5	0	0
MACKAY RS	69.1	39.9	54.5	- 4.2	91	22+	30	2+	336	3	0	4	0	2.96	1.81	1.25	26	T	0		7	1	1
MALAD	75.7	44.6	60.2	- 1.7	96	23	30	2	198	4	0	1	0	1.89	.73	.74	27	T	0		7	1	0
MALAD CAA AP	76.2	43.2	59.7		98	23	28	2	198	5	0	2	0	1.28		.37	27	T	0		4	0	0
MAY RS	70.8	39.5	55.2	- 2.3	93	22	25	2	308	2	0	6	0	2.48	1.21	.64	26	.0	0		7	2	0
MC CAMMON	76.0	42.3	59.2		98	22	28	2	212	4	0	2	0	2.01		1.20	27	T	0		3	2	1
MINIDOKA DAM	73.7	47.4	60.6		98	22	29	1	192	4	0	2	0	1.67		.40	[illegible]	.0	0		5	0	0
MONTPELIER RS	69.8	39.8	54.8	- 3.7	93	25	27	2		4	0	5	0	2.18	.94	.52	10	.0	0		7	1	0
OAKLEY	75.6	44.6	60.1	- 2.2	100	22	28	2	198	4	0	1	0	1.28	.18	.30	27	.0	0		5	0	0
PALISADES DAM	71.3	42.0	56.7		90	23+	32	2+	273	2	0	2	0	3.36		.53	10	T	0		11	2	0
PAUL 1 E	72.7	45.4	59.1	- 2.5	100	23	30	2		4	0	1	0	1.32	.41	.33	16	.0	0		4	0	0
POCATELLO WB AP //R	74.0	45.9	60.0	- 3.0	99	22	32	2	204	5	0	1	0	1.48	.46	.33	26	T	0		6	0	0
PRESTON SUG FACT 2SE	77.9	44.0	61.0	- 0.3	98	23	29	2	176	6	0	1	0	1.69	.41	.90	27	.0	0		4	1	0
RUPERT	74.8M	46.6M	60.7M	- 2.4	103	23	30	2		4	0	1	0	1.69	.85	.57	26	.0	0		5	1	0
SAINT ANTHONY	72.2	41.2	56.7		92	25	31	8+	262	3	0	4	0	1.71	- .31	.50	26	.0	0		6	1	0
SPENCER RS	66.8	38.2	52.5	- 2.7	88	23	28	18	375	0	0	7	0	3.51	1.58	.73	10	T	0		7	3	0
SPRINGFIELD 1 SE	73.0	43.1	58.1	- 3.0	95	25	28	2	235	3	0	3	0	1.48	.67	.42	9	.0	0		6	0	0
STREVELL	75.9	43.2	59.6		96	23	24	2	211	4	0	3	0	1.34		.33	26	.0	0		5	0	0
SUGAR	71.6	41.8	56.7	- 2.8	90	22+	29	7	264	3	0	3	0	2.23	.97	.45	28	T	0		8	0	0
TETONIA EXP STA	67.1	38.4	52.8		91	23	27	18+	376	1	0	9	0	2.17		.36	27				9	0	0
DIVISION			57.0	- 2.0										1.99	.76			.2					
STATE			57.3	- 3.0										2.19	.87			.2					

⊕ DATA IN THE COLUMN HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	1.59	.12				.04				.18	.53						.15										.33	.15	.09			.
AMERICAN FALLS 1 NW	1.40	.08				.15	.06			.12	.26						.27										.20	.24	.02			.
ANDERSON DAM	2.03	.37	.03			.07	.07	.06	.06	.24	.25	.01				.15	.26	T									.39	.07				.
ARCO	2.00	.15				.17		.09	T	.24	.19	.10				.05	.07	.06									.77	.08	T		.03	.
ARROWROCK DAM	2.25	.49					.08	.06		.46	.22	.28	T			.01	.33										.03	.29				.
ASHTON 1 S	2.19					.04	.12	.14		.23	.46	.12			.22	T	.37	.04								.15	.25	.05				.
ATLANTA 1 E	4.32	.65	T			.28	.13	.33	•	•	•	•	•	•	•	1.06	.31										1.11	.43	.02			.
AVERY RS	3.06	.23			.19		.25	.30	.01		.17	.10		.50		.17	.49	.13			.04	T					.18	.07	.23			.
BAYVIEW MODEL BASIN	1.86	.04		T	.26		.08	.38	.03		T	.08		.03		.29					.40				.08		.14	.02	.03			.
BIG CREEK 1 S	3.76	.31			.03	.34	.17	.15	.05	.37	.37	.04	.03	.10	T	.20	.54										.19	.56	.31			.
BLACKFOOT	1.21									.20	.20						.23	T									.20	.28	.10			.
BLISS	1.62	T							T	.30	.70						.04										.53	.05				.
BOISE LUCKY PEAK DAM	1.50					•	•	.38		.43	.50					.10	.09															.
BOISE WB AP //R	1.10	T				.03	.02	T	T	.41	.26		T	T	T	.27											.11				T	.
BUHL	1.31	.12				.03	T			.18	.15					.30	.05										.43	.05				.
BUNGALOW RS	4.03	.24			.07	T	.38	.52			.08	.23	.07	T	.01	.65	.03	.15			.01						.22	1.05	.32			.
BURKE 2 NNE	4.48	.35			.23		.08	.52	.01	T	.43	.13	.01	.56	T	.30	.40	.20			T						.32	.18	.76			.
BURLEY	1.21	.05				.08	.02			.26	.10						.29											.41	T			.
BURLEY FACTORY	1.28	T				.13	.04			.25	.11	.02			T	T	.33										.02	.25	.13			.
BURLEY CAA AP	1.44	T				.20	T	T	T	.33	.01			T		.30	.01									.13	.33	.13				.
CALDWELL	1.80	.36				.30	.06			.32	.46			.02	.10	.14											.04				T	.
CAMBRIDGE	.71	.01			.01	.01		.07		.19	.17			T	T	.17	T										.07	.01				.
CASCADE 1 NW	2.18	.25			T		.01	.09		.16	.74	.02	.02		.02	.19	.16	T									.14	.38				.
CENTERVILLE ARBAUGH	3.00	.40				.01	.07	.12	.16	.07	.58	.06	.02	T	.06	.42	.30										.33	.40			T	.
CHALLIS	1.95	.06				.43		.02		.21	.32	.15		.01		.02	.03										.54	.16				.
CHILLY BARTON FLAT	2.15	.25				.25	T	.05		.25	.15	.10				T	.10	.10									.50	.40				.
CLARK FORK 1 ENE	2.66	.07			.49	.05		.56	.16			.06	.05	.36		.35		.05			.20						.15		.11			.
COBALT BLACKBIRD MINE	4.20	.05			T	.76	.01	.30	.01	.03	.62	.53		.01	.10	.05	.24	T	T								.04	.77	.68	T		.
COEUR D ALENE RS	1.58	.18			.38	.02	.08	.39			.09	.07		.01		.25					.02						.08	T	.01			.
CONDA	1.83	.05					.31	.12	.01		.12	.35	T		.13		.25	.05										.20	.24			.
COTTONWOOD	3.07	.01			.24		.17	.18		T	.03		.15	.45		.25	.01	T									.05	1.09	.44			.
COUNCIL	.85	.13					T	.08	.02	.03	.36	T		T		.13	.04										.06					.
CROUCH 2 NNW	2.84						.26	.16		.18	.60	.15		.02		.65											.44	.38				.
DEADWOOD DAM	3.30	.40			T	.18	.05	.09		.54	.49			T	.06	.62	.19	T									.30	.38				.
DEER FLAT DAM	1.40	.20						.06		.47	.31				.07	.27											.02					.
DIXIE	4.37	.20			.15	.22	.17	.31		.43	.50	T	.04	.52	.08	.22	.44										.19	.90	T			.
DRIGGS	3.35	.33					.56	.18	.04	.07	.30	.18		.06	.08	.17	.42	.06										.40	.50			.
DUBOIS EXP STA	2.39	.28				.18	.05	.02		.40	.53	.06			.15		.06										.42	.22	.02			.
DUBOIS CAA AP	2.36	.18				.54	.03	T	T	.40	.29	T	T	T	.14	.01	.12	T		T							.46	.19	T			.
ELK RIVER 1 S	3.59	.03			.19	T	.24	1.18	T		.31	.13		.18	T	.65	.06	.11									.14	.06	.31			.

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3–Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	1.11	.19								.43	.29					.15	.05															
FAIRFIELD RS	1.59									.13	.16	.01				.10	.27										.88	.04				
FENN RS	4.28	.11				.21	.20	.39		T	.23		.47	.07	.06	.64	.09	.06									.26	1.02	.47			
FORT HALL IND AGENCY	1.61	.17				.01	.02			.16	.31						.20	T	.01								.17	.42	.14	T		
GARDEN VALLEY RS	2.88	.42					.07	.14		.09	.71	.06				.53	.33										.34	.19				
GLENNS FERRY	1.24	.10				T	.05		T	.25	.43					.17	.10										.14					
GOODING CAA AP	1.28					T	T		.05	.21	.31					.24										T	.42	.05			T	
GRACE	2.14	.09				.27	.07	.07		.08	.33			.16		*	.28										.42	.37				
GRAND VIEW	-	.13				.09	T			.84	.45						-										.25					
GRANGEVILLE	3.02	.03			.13		.06	.19		.05	.28			.56	T	.20	.03	T									.31	1.07	.11		T	
GRASMERE	2.13					.05			.17	.72	.29		.15		.07	.20											.25	.23				
GRAY	1.15									.20	.70																*	.25				
GROUSE	2.39	.14								.76	.13					T		.03									1.16	.17				
HAILEY AP	2.21	.18				.22				.21	.32					.06	.08										1.14					
HAMER 4 NW	1.55	.14				.23	.09			.46	.24			T	T												.34	.03	.02			
HAZELTON	1.27	.13				T	T			.01	.14			T		T	.40										.55	.04				
HILL CITY	2.16	.30						.02		.10	.18					.19	.25										1.09	.03				
HOLLISTER	1.95	T								.23	.15		.11	T		T	.36										.99	.11				
HOWE	2.32	.10					.28			.10	.97	.10			.03			.03									.04	.57	.10			
IDAHO CITY	1.79	.68	.02				.04	.11		.14						.30	.14										.22	.14				
IDAHO CITY 13 SW	2.26	.39			T	.08	.06	.20	.08	.28	.45	.02				.27	.15										.28	T				
IDAHO FALLS 6 NE	.87	.20				.16					.12	.03					.24	.10									.02					
IDAHO FALLS CAA AP	1.24	.11				.29	T	T	T	.44	.05			T		.17	.02	.10							T		.04	.02	T		T	
IDAHO FALLS 43 NW WB R	1.57					.13			.01	.35	.40				.16	.02											.40	.10				
IDAHO FALLS 46 W WB R	2.74	.01				.06	T	T	T	.60	1.36				T	.06		.06									.57	.02				
IRWIN 2 S	2.97	.25				.08	.36	.36		.10	.50	.08		.09		.10		.08										.86	.11			
ISLAND PARK DAM	5.79	.45				.33	.50	.21		.65	.70	.42			.42	.09	.90	.11									.09	.58	.34			
JEROME	1.83	.15					.01			.14	.29	.24				.01	.29										.53	.08	.09			
KAMIAH 1 NE	4.40	.67				.05	.11	.76	.23		.09	.09	T	.57	.05	.07	.23	.05									T	.54	.89			
KELLOGG	2.87	.29	T		.16	.11	.08	.34	.09		.04	.13		.50	.03	.05	.53	.03			.01							.14	.33	.01		
KOOSKIA	4.46	.20			.10		.32	.80		.02	.17	.14		.49	.01	.22	.08	.01									.30	1.06	.54			
KUNA 2 NNE	2.10	.25				T	.07		T	.54	.75			T	T	.30											.19				T	
LEWISTON WATER PLANT	1.95	T			.28		.27	.54		.15	.03		.03	.02	T	.45	T	T									.01	.15	.02			
LEWISTON WB AP //R	2.21				.27	T	.51	.22		.30	.04		.07	.02	.13	.19	T										T	.15			.31	
LIFTON PUMPING STA	1.30	.15					.04	.19		.03	.45			T	.01		.03	.04									.17	.19	T			
MACKAY RS	2.96	.23				.36	.02	T		.30	.40	.21			T	T	.07										1.25	.12				
MALAD	1.89	T	T			.20	.15			.19	.15			.05	.04	T	.16										.21	.74				
MALAD CAA AP	1.28	.01				.18	T		T	.14	.09			.03	.03	.05	.04										.34	.37				
MAY RS	2.48	.13				.51	.01	.09		.40	.40	.03		.10		.04	.02	T									.64	.11				
MC CALL	2.71						.15	.17	.22	.03	.80	.11		*	.08	.10	.47	T									.37	.21				
MC CAMMON	2.01					.08	.03			T	.57			.03		.10	T	T							T	T	T	1.20				
MERIDIAN 1 W	2.08	.45			T	.01	.04	T		.60	.46		T			.22	.17										.13					
MESA	1.10								.11	.30	.40					.21											.08					
MINIDOKA DAM	1.67	.05				.06	.03			.40	.21			T			.37										.36	.19				
MONTPELIER RS	2.18	.18					.02	.22	T	.06	.52	.05	T		T	.26	.10	.08										.49	.20			
MOSCOW U OF I	1.63	.03			.29		.12	.37		.16	.03		.10	.01		.32	.10	T			T		T				.03		.07			
MOUNTAIN HOME	1.56									.76	.38			T		T	.22										.08	.12	T			
MULLAN PASS CAA	3.07	.11		T	.08	.03	.18	.25		T	.24	.01	.60	.02		.46	.28	.11		T	.06						.12	.33	.17		.02	
NAMPA 2 NW	1.65	.38	T			.10	T	.01		.31	.41	.03	T		.01	.01	.29										T	.10				
NEW MEADOWS RS	3.33	.06			.01			.61	T	.18	.74	T		.09	.26	*	.58										.58	.22				
NEZPERCE 2 E	3.83				.19		.32	.68		.08	.03	.04	.06	.33		.25	.15	T									.10	1.10	.50			
OAKLEY	1.28	.03				.15	.03			.26	.01			.06	.01		.28									.02	.13	.30				
OBSIDIAN 4 NNE	1.70	.37				.24	T		.01	.22	.03					.35	.20										.28					
OLA 5 S	1.23	.16					.06	.15	T	.09	.20	*			*	*	.41										.09	.07				
OROFINO	2.67	.05				T	.30	.52	.01		.04	.01	.03	.11	T	.70	.02	.12									.13	.28	.35			
PALISADES DAM	3.36	.20	.06			.13	.40	.40	.01	.04	.53	.22		.10	.01	.10	.45	.11									.01	.50	.09			
PARMA EXP STA	1.34	.18				T	T			.55	.26		T	T		.16	.14										.05					
PAUL 1 E	1.32	.02				.08					.32	T					.33										.26	.31				
PAYETTE	.55	.10				T	T			.13	.15		T			.11	.03										.03					
PIERCE RS	4.45	.39	T		.17	.03	.33	.75	.05	.02	.09	.24		.33	.02	.67	.03	.05									.28	.36	.64			
POCATELLO WB AP //R	1.48	.01			T	.11	T			.18	.28			T		.15	.03	T							T	.04	.33	.29	.06			
PORTHILL	2.60	.08			.56		.36	.04	.03			.07		.20	T	.21	.11	.19	.10		.02	.35					.10	.18	T			
POTLATCH 1 SE	1.82				.31	.02	.22	.31		.20	.12	.02	.07	T		.23	.09	.03			T						.04	.03	.13			
PRESTON SUG FACT 2 SE	1.69	.07				.03	.18	T		.04	.24			.02	T	T	.18	.01									.02	.90				
PRIEST RIVER EXP STA	3.31	.50			.46	.22	.13	.23	.27			.03		.10		.61	.05	.13		T	.29						.29					
RICHFIELD	.88	.07								.04	.03					T	.26										.43	.05				
RIGGINS RS	2.90	.24			.14	.01	.01	.30		.25	1.23					.02	.12										.13	*	.45			
RUPERT	1.69	.02				.09	.02			.12	.12			T			.33										.57	.35	.07			
SAINT ANTHONY	1.71					.07	.13	.03		.13	.24	.06			.03	T	.22	.06									.50	.22	.02			
SAINT MARIES	2.40	.46					.30	.78	.08		.05	.02		T		.36	.15	T			.01						.12	.07	T			
SALMON	3.15	.01			.03	.27	.15	.03	T	.53	.18			.45		.13	.10										.60	.61	.06		T	
SANDPOINT EXP STA	3.42	.52			.43	.15	.13	.32	.41		T	.05		.11		.55	.21	.11	T	T	.29						.12	.02				
SHOSHONE	1.28	.11				.06	T			.11	.05	T					.33										.52	.10				
SPENCER RS	3.51	.39				.44	.07	T	T	.55	.73	.05		T	.12	.02	.08	.02									.40	.64	T	T		
SPRINGFIELD 1 SE	1.48					.19				.42	.20						.17										.35	.15				
STIBNITE	4.12	.47	T			.11	.14	.30	.14	.21	.41	.34	T	.18	.47	.10	.31	.01			T						.07	.65	.21			
STREVELL	1.34	.07				.27	.06			.13	.02			.02	.03		.13										.33	.28				
SUGAR	2.23	.20				.09	.25	.09		.27	.08				T	T	.25	.10									.25	.20	.45			
SUN VALLEY	2.82	.25				.20				.50	.10	.04'		.08		.15	.15										1.25	.10				
SWAN FALLS PH	3.04	.35					.12			.62	1.59					.09	.12										.15					
TETONIA EXP STA	2.17	.27					.10	.23	T	.10	.25			.03	.08	.05	.32	.08									.10	.36	.20			
THREE CREEK	2.02						.27		.04		.64			.06	.15	.07	.23										.56					
TWIN FALLS 2 NNE	1.65	.22				.01				.16	.28			T	T	T	.43										.49	.02	.04			
TWIN FALLS 3 SE	1.84	.21					.12			.04	.36	.07			.02		.40											.51	.11			
WALLACE	2.98	.14			.29	T	.27	.17			.41	.13	.34	.04		.29	.36	.15	T	T	T				T		T	.18	.21			
WALLACE WOODLAND PARK	2.92	.39			.17	.09	.02	.18	.04			.41		.39	.05	.03	.34	.08	.01									.23	.47	.02		
WEISER 1 S	1.11	.10	T	T			T	.03		.11	.12		T			.20	.25	.30									T					
WINCHESTER 1 SE	2.16	.15			.20		.30	.45		.08	.03		.05	.04		.35											.15	.18	.18			

See reference notes following Station Index.

MONTHLY AND SEASONAL SNOWFALL

Season of 1953 - 1954

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total
ABERDEEN EXP STA	-	-	-	-	-	-	-	-	-	-	-	-	-
ALBION		-	-	-	-	-	-	-	-	-	-	-	-
ALPHA 1 NE					-	-	-	-	-	-	-	-	-
AMERICAN FALLS 1 NW				8.0	1.5	5.6	5.5	3.0	7.0	-			-
ANDERSON DAM					3.2	-	-	-			T		-
ARCO					T	3.0	11.8	6.0	7.0	T	T		27.8
ARROWROCK DAM					2.0	10.1	4.3	T	2.0				18.4
ASHTON 1 S		T		T	4.5	20.5	15.0	5.0	15.5	T			60.5
ATLANTA 1 E		T	T	T	16.9	45.5	88.8	22.8	-	T	3.0	T	-
AVERY RS	-	-	-	-	-	-	-	-	-	-	-	-	-
BAYVIEW MODEL BASIN						1.0	28.0	-	T				-
BIG CREEK 1 S		T		1.0	16.0	32.5	78.0	21.5	21.5	1.0	1.0	4.0	176.5
BLACKFOOT					T	6.0	1.0	1.0	9.0	T			17.0
BLACKFOOT DAM	-	-	-	-	-	-	-	-	-	-	-	-	-
BLISS					3.0	3.0	5.5		0.5			T	12.0
BOISE LUCKY PEAK DAM	-	-	-	-	-	-	-	-	-	-	-	-	-
BOISE WB AP					T	10.7	2.2	T	1.2	0.2	T	T	14.3
BONNERS FERRY 1 SW	-	-	-		7.4	11.1	-	15.5	5.4	6.0	T	-	-
BUHL					T	4.9	3.1	T	T	T			8.0
BUNGALOW RS				-	-	-	-	-	-	-	-	T	-
BURKE 2 NNE				T	-	67.3	143.8	29.0	27.6	27.7	2.3	T	-
BURLEY				1.0	T	5.6	4.0	T	6.5		T		17.1
BURLEY FACTORY	-	-	-	-	-	-	-	-	-	-	-	-	-
BURLEY CAA AP				T	T	4.3	4.0	T	1.6	T	T		9.9
CALDWELL						3.3	1.9	T	2.0		T		7.2
CAMBRIDGE		T			4.0	4.0	20.0	2.0	0.5	T			30.5
CASCADE 1 NW				T	10.5	22.0	56.5	14.0	15.5	T	1.0		119.5
CENTERVILLE ARBAUGH		T			11.1	34.7	40.9	11.9	21.4	0.4	T	T	120.4
CHALLIS	-	-	-		2.0	-	-	-	-			T	-
CHILLY BARTON FLAT				T	T	4.5	3.0	6.0	-	-		T	-
CLARK FORK 1 ENE					1.0	-	-	-	-	-	-	-	-
COBALT BLACKBIRD MINE				3.0	14.4	23.5	49.4	27.4	27.9	10.0	2.4	8.5	166.5
COEUR D ALENE CAA AP					-	-	-	-	-	-	-	-	-
COEUR D ALENE RS					T	3.4	56.2	4.0	T	T			63.6
CONDA				3.5	8.0	26.6	29.0	8.0	24.0	2.5	2.0	2.5	106.1
COTTONWOOD					2.0	7.7	21.2	0.5	1.0				32.4
COUNCIL					3.0	8.5	18.5	1.0	T				31.0
CROUCH 2 NNW					-	29.0	25.0	7.0	4.0				-
DEADWOOD DAM					13.3	36.5	85.5	15.0	14.5	T	3.0	T	167.8
DEER FLAT DAM						-	-	-	-	-	-	-	-
DIXIE		T	T	1.6	26.2	69.0	75.4	24.0	-	-	T	T	-
DRIGGS	-	-	-	-	-	-	-	-	-	-	-	-	-
DUBOIS EXP STA					3.0	13.3	8.5	6.0	6.0	2.0			38.8
DUBOIS CAA AP				T	2.5	9.1	3.0	5.4	8.4	1.4	T	T	29.8
ELK CITY		T		T	-	-	-	13.7	-	-	-	-	-
ELK RIVER 1 S		T			-	32.7	61.4	5.2	T	T		T	-
EMMETT 2 E						-	-	-	-	-	-	-	-
FAIRFIELD RS					7.2	14.2	48.1	9.7	7.0	0.2	T		86.4
FENN RS						-	-	2.0	1.0				-
FORT HALL IND AGENCY				-	-	-	-	-	-	-			-
GARDEN VALLEY RS					6.0	17.0	18.5	6.0	3.0				50.5
GLENNS FERRY						3.0	1.0		T				4.0
GOODING CAA AP					3.0	3.4	5.4	T	T	T	T		11.8
GRACE				2.5	6.0	10.5	18.0	8.5	22.5	T	1.5	T	69.5
GRAND VIEW		T				-	T		T				-
GRANGEVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-
GRASMERE	-	-	-	-	-	-	-	-	-	-			-
GRAY				8.0	6.0	-	20.0	4.0	18.0				-
GROUSE						1.1	12.0	7.0	10.0	T	T		30.1
HAILEY AP					4.0	7.9	41.0	6.7	6.5				66.1
HAMER 4 NW				T	T	8.3	0.8	4.0	3.3				16.4
HAZELTON				T	0.5	4.5	1.0	0.6	1.8	T	T		8.4
HILL CITY	-	-	-	-	-	-	-	-	-				-
HOLLISTER						3.0	4.0	1.0	T				8.0
HOWE	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO CITY					8.0	25.0	26.7	4.0	6.3				70.0
IDAHO CITY 13 SW		T			9.0	36.5	-	11.5	17.0	1.0	T	T	-
IDAHO FALLS 6 NE	T			T		7.3	2.3	0.6	5.0	T			15.2
IDAHO FALLS CAA AP				T	0.3	7.1	1.2	T	7.0	T	T	T	15.6
IDAHO FALLS 43 NW WB	-	-	-	-	-	-	-	-	1.5	T			-
IDAHO FALLS 46 W WB	-	-	-	-	-	-	-	-	-	T		T	-
IRWIN 2 S	-	-	-	1.0	2.0	-	14.0	3.5	22.0				-
ISLAND PARK DAM				2.0	18.0	45.0	59.0	24.0	21.0	3.0		4.0	176.0
JEROME						0.7	0.6	-	-	T	T		-
KAMIAH 1 NE						4.5	13.5		T	-			-
KELLOGG					1.0	9.5	46.5	1.5	T	T			58.5
KOOSKIA		T				5.0	25.5		T		T		30.5
KUNA 2 NNE						4.8	0.3	T	0.2	T	T		5.3
LEWISTON WATER PLANT						T	-		0.5			T	-
LEWISTON WB AP					T	0.1	6.5	T	T	T			6.6
LIFTON PUMPING STA				0.2	0.2	2.2	25.5	2.6	12.5	T	T		43.2
LOWMAN					9.0	26.0	-	12.1	6.0		1.0	-	-
MACKAY RS				T	0.4	3.1	11.7	9.2	4.1	1.0	T	T	29.5
MALAD				T		6.5	11.0	T	2.0	T		T	19.5
MALAD CAA AP				T	T	5.4	12.0	T	1.4	T	T	T	18.8
MAY RS				T	2.5	1.5	2.5	0.7	2.8	T	T		10.0
MC CALL	-	-	-	-	11.0	31.0	89.0	-	15.0			T	-
MC CAMMON				T	7.0	4.5	15.0	0.1	T		T	T	26.6
MERIDIAN 1 W						-	-	-	-	-	-		-
MESA			-	-	-	-	-	-	-		T		-
MINIDOKA DAM				5.0		3.5	4.0	T	7.5		T		20.0
MONTPELIER RS				T	T	13.7	21.5	4.0	15.0	2.0	1.0		57.2
MOSCOW U OF I					T	5.7	27.0	T	4.0				36.7
MOUNTAIN HOME					T	4.1	0.3						4.4
MULLAN PASS CAA		T	T	3.5	43.5	77.9	126.5	66.5	35.3	30.5	4.0	5.2	392.9
NAMPA 2 NW						4.0	2.0	T	0.5		T	T	6.5
NEW MEADOWS RS		T			7.0	-	49.5	8.6	1.2				-
NEZPERCE 2 E				T	T	T	23.1	T	0.5	T			23.6

See reference notes following Station Index

MONTHLY AND SEASONAL SNOWFALL

Season of 1953 - 1954

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total
OAKLEY				1.0	0.5	3.5	5.0		14.5				24.5
OBSIDIAN 4 NNE					12.0	12.0	30.0	20.0	15.0	3.0	T		92.0
OLA 5 S	-	-	-	-	-	-	-	-	-	-	-	-	-
OROFINO	-	-	-	-	-	-	8.0					T	-
PALISADES DAM		T	T	1.0	6.0	27.1	38.6	9.1	16.7	1.0	2.6	T	102.1
PARMA EXP STA						6.2	1.5				T		7.7
PAUL 1 E				2.0	T	2.9	2.0	1.0	3.0		T		10.9
PAYETTE						4.8	1.4		T	T			6.2
PIERCE RS	-	-	-	-	-	31.6	-	5.5	6.5	2.5	T	T	-
PINE 2 S					-	-	-	-	-	-	-	-	-
POCATELLO WB AP	T			6.5	1.9	5.3	6.3	1.6	7.2	1.0	T	T	29.8
PORTHILL					T	7.0	-	16.0	8.0				-
POTLATCH 1 SE	-	-	-		-	5.0	19.6	T	4.0	T		T	-
PRESTON SUG FACT 2 SE		T		T	3.1	12.2	24.6	3.5	17.0	T	T		60.4
PRIEST RIVER EXP STA		T	T		3.1	12.0	72.9	10.3	0.4	T	T	T	98.7
REACTOR TESTING STA				T	0.1	2.4	0.9	5.5	3.7	-	-	-	-
RICHFIELD					-	5.0	-						-
RIGGINS RS						-	-	-	-	-	-	-	-
ROLAND W PORTAL		-	-	-	-	-	-	-	-	-	-	-	-
RUPERT				4.0	T	2.0	2.5	1.0	7.0		T		16.5
SAINT ANTHONY	-	-	-	-	-	-	-	-	-				-
SAINT MARIES	-	-	-	-	-	-	-		T	T			-
SALMON	-	-	-	-	-	-	-	-	-	-	-	-	-
SANDPOINT EXP STA			T		0.5	11.1	68.6	10.3	0.7	1.4	T	T	92.6
SHOSHONE				T	2.0	4.0	10.4	0.4	7.3	T			24.1
SPENCER RS				T	8.5	21.0	21.5	12.0	8.0			T	71.0
SPRINGFIELD 1 SE						4.0	0.2	1.0	8.2				13.4
STIBNITE				1.8	19.8	44.5	96.9	41.0	12.0	13.0	6.5	2.0	237.5
STREVELL				1.8		-	9.7	5.0	-				-
SUGAR					-	-	-	-	-	-	T	T	-
SUN VALLEY				T	9.0	16.0	51.0	15.0	8.0	1.0	T	T	100.0
SWAN FALLS PH						-	-	-	-	-	-	-	-
TETONIA EXP STA	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE CREEK				4.5	6.5	24.0	23.0	3.5	13.5	0.6	T		75.6
TWIN FALLS 2 NNE				T	T	2.7	1.7	T	2.5	T	T		6.9
TWIN FALLS 3 SE				T	0.1	3.5	2.8	0.1	4.5	T	T		11.0
WALLACE					T	14.0	66.3	5.0	1.2	2.0			88.5
WALLACE WOODLAND PARK			T		1.0	13.5	60.2	2.5	-	3.5			-
WEISER 1 S						4.0	T	T			-		-
WINCHESTER 1 SE					-	-	17.0	4.5	6.5				-

Table 5

DAILY TEMPERATURES

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	62	66	79	83	79	56	65	74	69	56	68	79	72	68	72	71	64	76	81	81	86	99	97	92	96	86	68	68	77	85		75.8
	MIN	38	27	35	50	40	35	39	35	44	38	42	39	49	48	49	47	44	35	37	48	46	39	55	53	49	58	53	48	37	44		43.4
AMERICAN FALLS 1 NW	MAX	62	62	80	79	75	53	63	70	68	55	68	78	75	66	72	[illegible]	62	75	75	78	84	97	96	90	91	91	70	70	71	88		74.4
	MIN	37	32	38	54	39	37	40	39	44	41	42	40	[illegible]	48	47	46	44	33	37	51	49	45	52	54	52	57	53	48	34	42		44.1
ANDERSON DAM	MAX	55	71	87	82	70	50	66	72	61	52	75	74	70	[illegible]	64	58	61	76	81	81	89	101	104	90	100	94	74	71	84	82		75.4
	MIN	40	34	44	43	43	34	40	41	46	42	40	48	46	48	52	43	41	38	43	48	51	51	51	57	55	62	58	48	44	54		46.2
ARCO	MAX	55	65	77	77	74	51	56	67	61	55	65	74	70	67	66	61	63	70	73	80	87	94	94	88	94	91	67	66	75	84		72.4
	MIN	36	36	31	38	21	32	28	30	44	36	36	36	[illegible]	48	44	41	36	32	35	44	53	41	54	47	49	58	50	44	32	39		40.0
ARROWROCK DAM	MAX	63	56	71	85	66	59	51	67	72	62	53	74	68	68	69	65	61	63	71	77	82	85	96	92	88	98	74	74	70	84		72.2
	MIN	38	34	42	52	44	37	38	44	47	49	45	48	45	46	51	46	39	38	44	47	48	51	58	53	55	61	55	46	44	49		46.5
ASHTON 1 S	MAX	57	54	69	71	64	54	49	64	60	61	66	72	64	59	64	59	64	69	72	74	76	87	89	86	91	84	66	62	69	73		68.[illegible]
	MIN	31	33	37	43	34	32	31	30	42	44	45	47	47	45	39	43	44	30	36	36	38	44	53	52	48	41	37	35	31	34		39.4
ATLANTA 1 E	MAX	49	61	70	[illegible]	63	44	48									52	51	63	73	74	80	88	86	81	86	85	63	65	73	74		6[illegible].0
	MIN	30	25	38	40	32	26	32									35	34	28	37	40	44	46	54	51	49	52	46	35	35	47		38.9
AVERY RS	MAX	69	73	82	75	70	62	62	72	72	62	69	79	71	71	70	58	59	70	72	76	83	86	85	80	86	82	69	62	82	92		73.0
	MIN	39	36	36	45	39	38	36	36	38	44	45	43	51	46	49	40	36	32	43	39	40	42	42	48	43	51	53	45	39	45		42.0
BAYVIEW MODEL BASIN	MAX	60	64	69	68	60	58	53	60	70	70	68	72	73	70	70	61	63	67	65	66	77	82	82	78	76	78	68	68	72	73		69.[illegible]
	MIN	40	37	38	47	34	31	30	47	39	38	45	40	52	47	50	40	40	35	36	35	34	47	43	35	36	36	54	47	44	46		40.6
BIG CREEK 1S	MAX	50	61	75	71	59	46	46	62	53	54	59	66	57	59	55	56	54	64	70	72	79	86	83	78	86	84	60	55	74	77		65.0
	MIN	25	20	27	38	29	28	32	27	38	38	39	28	37	40	47	31	24	21	27	29	33	31	36	37	33	48	43	31	26	30		32.4
BLACKFOOT	MAX	60	65	80	83	77	55	64	72	67	66	69	89	73	70	75	62	65	76	81	81	85	98	95	91	97	92	70	69	79	91		76.[illegible]
	MIN	38	34	40	60	40	35	39	35	43	42	45	44	52	48	56	47	42	40	40	55	54	46	62	59	54	54	52	50	50	45		46.9
BLISS	MAX	66	69	87	86	66	56	69	75	66	60	73	75	73	70	75	66		74	82	83	89	100	98	93	99	94		75	83	85		78.1
	MIN	37	27	47	58	47	36	38	42	45	45	37	50	46	45	[illegible]	44		34	40	51	47	47	55	58	50	55		45	40	56		45.4
BOISE LUCKY PEAK DAM	MAX		73	89	89			68	75		58	75	75		70	70	62	64	75			85	97	94	90	98	98			84	86		79.8
	MIN	36	37	49	52		37		46		47	45	55		44	53	43	39	40	47			57	60	50	57			44	46	57		47.3
BOISE WB AP	MAX	57	71	88	68	62	53	68	73	61	57	73	69	69	69	68	62	63	74	76	83	84	96	93	88	99	90	76	68	86	83		74.2
	MIN	38	35	52	51	42	40	45	49	50	48	44	53	45	46	51	43	39	43	49	50	52	59	60	54	54	62	54	43	47	57		48.4
BUHL	MAX	64	65	85	85	65	54	67	71	61	58	69	72	69	67	70	61	64	70	79	82	84	97	97	93	94	73	74	73	80	83		74.[illegible]
	MIN	37	34	46	54	43	39	40	47	45	43	42	50	47	46	50	45	45	41	45	52	52	55	65	61	58	59	54	42	44	57		47.9
BUNGALOW RS	MAX	53	72	82	82	62	62	53	73	73	65	72	80	64	68	67	58	57	73	73	74	85	88	88	82	89	85	69	63	93	83		72.[illegible]
	MIN	41	40	40	48	42	40	40	42	40	47	48	44	51	48	48	44	36	33	42	45	43	42	46	46	46	53	55	43	43	45		44.[illegible]
BURKE 2 NNE	MAX	45	56	70	70	52	50	44	59	62	59	57	69	67	58	60	49	47	58	62	62	69	74	73	69	75	75	61	53	58	72		61.[illegible]
	MIN	34	30	34	40	32	34	33	36	34	38	32	36	43	38	40	33	31	29	35	37	34	39	39	44	40	54	47	37	35	44		37.[illegible]
BURLEY	MAX	70	56	68	85	80	53	54	67	75	64	56	72	79	73	69	75	65	55	78	83	82	87	101	95	92	96	80	74	66	79		74.[illegible]
	MIN	38	32	41	59	41	37	41	44	46	44	42	47	49	49	51	48	48	39	48	50	55	51	66	63	57	67	[illegible]	49	39	54		48.[illegible]
BURLEY FACTORY	MAX	68	55	69	83	70	54	53	66	75	62	54	71	78	72	68	74	62	65	75	80	80	86	101	95	92	98	73	74	66	81		73.[illegible]
	MIN	36	28	37	52	40	35	38	41	44	41	38	43	46	47	46	46	46	34	41	50	49	41	64	59	51	65	[illegible]	47	36	[illegible]		45.[illegible]
BURLEY CAA AP	MAX	54	69	85	78	53	51	66	75	61	54	72	81	71	67	76	62	65	76	84	82	86	101	95	92	97	79	73	57	82	92		74.[illegible]
	MIN	37	29	38	48	40	37	39	42	43	41	41	44	47	48	47	47	43	34	40	52	50	47	61	59	52	50	[illegible]	43	35	54		44.[illegible]
CALDWELL	MAX	61	70	83	72	66	58	70	73	66	63	74	72	72	71	70	55	67	75	77	[illegible]	85	94	94	95	92	85	[illegible]	72	84	80		75.[illegible]
	MIN	36	35	46	51	45	44	44	45	50	49	43	54	45	48	47	44	41	37	41	49	53	48	61	60	55	61	[illegible]	45	49	[illegible]		48.[illegible]
CAMBRIDGE	MAX	62	70	81	75	65	58	63	72	72	62	72	75	71	76	65	63	65	75	78	83	88	96	97	90	95	82	[illegible]	70	83	82		75.[illegible]
	MIN	38	29	39	50	36	41	43	38	43	45	40	43	43	[illegible]	52	42	40	31	37	40	50	42	[illegible]	48	47	62	57	42	36	43		43.[illegible]
CASCADE 1 NW	MAX	47	62	75	74	55	[illegible]	51	64	61	50	62	65	59	61	57	55	54	65	71	74	81	90	88	84	89	89	70	59	78	80		67.[illegible]
	MIN	34	26	35	44	34	30	35	31	41	41	35	38	38	43	44	39	31	28	35	38	40	41	42	48	45	50	50	39	34	42		[illegible]
CHALLIS	MAX	59	65	77	76	74	53	60	66	64	58	66	69	70	71	69	58	61	70	74	79	84	92	91	87	90	89	62	[illegible]	72	91		71.[illegible]
	MIN	36	28	38	52	33	37	28	32	44	42	39	40	41	47	46	41	36	33	41	44	49	48	55	52	52	[illegible]	49	48	17	47		[illegible]
CHILLY BARTON FLAT	MAX	50	57	68	72	67	46	51	58	51	50	60	66	65	62	58	55	58	60	62	76	80	89	88	84	87	81	[illegible]	[illegible]	57	74		65.[illegible]
	MIN	30	24	30	41	32	28	29	25	40	38	36	32	43	41	40	35	31	24	28	[illegible]	40	[illegible]	42	40	45	44	41	[illegible]	30	36		34.[illegible]
CLARK FORK 1 ENE	MAX	[illegible]	68	76	68	64	[illegible]	57	70	78	69	70	74	71	70	67	60	58	68	69	67	75	80	79	78	82	[illegible]	72	61	[illegible]	[illegible]		69.[illegible]
	MIN	42	34	34	41	33	33	41	45	36	46	46	37	50	41	46	41	38	33	34	36	40	39	39	40	40	[illegible]	[illegible]	46	43	45		40.[illegible]
COBALT BLACKBIRD MINE	MAX	50	39	56	67	65	37	37	42	54	46	45	54	60	52	56	53	43	49	59	62	67	76	83	78	77	78	56	51	44	63		56.[illegible]
	MIN	29	23	25	39	26	28	28	26	28	34	36	33	39	37	38	30	26	26	33	36	38	40	48	44	41	48	43	29	[illegible]	34		33.[illegible]
COEUR D ALENE RS	MAX	56	70	75	73	63	51	56	71	75	71	67	74	68	70	68	61	[illegible]	67	67	73	76	80	79	76	85	84	[illegible]	[illegible]	[illegible]	81		70.[illegible]
	MIN	43	36	43	45	38	40	43	45	41	52	45	42	50	48	51	42	41	38	44	46	46	46	46	45	44	53	[illegible]	46	[illegible]	[illegible]		44.[illegible]
CONDA	MAX	62	53	67	72	75	41	48	56	66	62	51	62	71	71	65	66	58	61	73	82	77	82	89	91	88	92	85	[illegible]	61	78		6[illegible].4
	MIN	32	25	29	39	35	32	32	31	38	36	33	31	45	40	39	40	37	29	37	45	43	38	50	50	45	55	31	35	28	36		[illegible]
COTTONWOOD	MAX	50	51	75	62	55	48	50	64	58	53	67	69	53	65	62	54	55	68	64	72	78	77	72	72	81	72	62	55	71	73		64.[illegible]
	MIN	34	29	37	37	30	32	37	37	42	46	43	44	46	42	44	34	35	29	39	43	40	45	49	45	42	54	47	35	35	[illegible]		39.9
COUNCIL	MAX	59	67	81	82	64	62	62	74	73	65	69	70	70	70	70	62	64	73	78	81	85	95	93	95	94	96	[illegible]	73	[illegible]	[illegible]		76.[illegible]
	MIN	36	33	[illegible]	54	39	36	43	39	48	49	40	43	40	46	51	39	39	35	41	47	43	45	63	54	53	56	[illegible]	[illegible]	[illegible]	49		44.5
DEADWOOD DAM	MAX	46	62	72	71	53	40	50	61	62	49	58	64	66	61	53	52	54	65	71	72	79	88	84	86	88	84	54	59	[illegible]	[illegible]		[illegible]
	MIN	30	71	27	42	30	25	31	30	37	37	37	35	[illegible]	40	41	33	21	23	26	26	36	37	35	39	37	54	[illegible]	[illegible]	23	[illegible]		[illegible]
DEER FLAT DAM	MAX	60	68	85	65	63	59	65	70	65	63	74	70	69	69	66	64	65	74	77	84	83	93	97	85	91	84	77	69	[illegible]	80		73.[illegible]
	MIN	39	35	48	54	47	44	43	45	50	50	43	53	49	48	53	46	43	43	43	53	56	49	62	60	59	63	[illegible]	45	65			[illegible]
DIXIE	MAX	45	59	72	67	49	47	43	60	53	52	58	66	50	59	55	48	62	67	65	69	75	83	84	80	82	75	[illegible]	57	[illegible]	75		[illegible]
	MIN	28	20	28	34	30	28	33	32	33	39	39	29	39	38	42	32	21	27	30	32	32	32	33	37	30	47	[illegible]	[illegible]	[illegible]	33		31.[illegible]
DRIGGS	MAX	63	60	60	73	75	46	47	47	60	62	53	63	74	60	63	59	60	60	70	75	75	79	87	88	86	88	[illegible]	[illegible]	[illegible]	80		67.[illegible]
	MIN	29	32	33	51	39	32	32	30	35	38	40	33	45	45	45	40	40	29	35	40	40	42	55	55	55	60	57	[illegible]	[illegible]	35		40.4
DUBOIS EXP STA	MAX	58	59	72	76	74	51	53	67	62	52	50	71	69	58	62	62	62	66	74	79	81	92	95	90	90	90	64	51	[illegible]	[illegible]		70.1
	MIN	36	34	39	51	36	35	32	33	41	38	40	39	46	44	43	44	40	34	39	52	49	49	59	53	55	56	[illegible]	45	36	45		43.1
DUBOIS CAA AP	MAX	55	62	74	78	55	55	57	68	55	52	64	74	69	60	64	61	63	70	77	81	82	92	96	89	92	73	[illegible]	64	73	86		70.4
	MIN	37	37	39	49	37	34	31	35	42	40	41	38	49	48	43	44	42	35	40	47	47	47	57	55	53	57	47	44	[illegible]	48		43.3
ELK RIVER 1 S	MAX	56	65	[illegible]	74	58	38	50	68	68	67	67	75	63	65	65	56	55	67	68	77	76	80	80	76	84	83	66	59	79	79		68.[illegible]
	MIN	37	30	39	42	32	35	37	37	38	43	42	43	[illegible]	45	48	43	32	29	42	40	38	38	40	44	40	57	52	41	35	43		40.[illegible]
EMMETT 2 E	MAX	61	71	87	85	66	62	70	70	67	65	75	75		72	67	65	68	77	77	86	87	98	97	94	96	95	79	78	86	86		78.0
	MIN	36	32	[illegible]	51	43	40	45	50	49	51	[illegible]		43	46	53	43	37	47	40	45	49	48	54	51	52	67	55	39	49	49		46.7
FAIRFIELD RS	MAX	53	62	77							53	66	70	66	65	65	55	59	67	77	75	85	90	92	84	90	89	68	67	75	79		72.0
	MIN	31	25	36						27	41	33	41	41	41	47	38	39	26	36	46	41	46	48	49	46	56	51	41	35	47		40.3
FENN RS	MAX	61	74	78	64	66	66	55	74	64	63	70	75	65	72	71	66	64	75	74	79	85	89	88	83	92	91	71	65	83	83		73.5
	MIN	41	41	44	46	44	44	41	39	45	49	51	47	51	48	54	44	39	37	39	48	48	40	51	51	44	55	51	41	42	42		[illegible]
FORT HALL IND AGENCY	MAX	60	65	80	81	77	55	62	74	67	60	67	78	74	67	74	69	62	74	83	79	85	98	96	91	95	95	69	69	79	89		75.8
	MIN	33	33	36	60	40	37	40	35	42	42	46	41	[illegible]	48	51	47	43	35	[illegible]	52	51	45	59	57	52	58	52	49	37	43		45.4
GARDEN VALLEY RS	MAX	56	[illegible]	82	81	65	50	62	68	68	61	72	71	[illegible]	69	68	63	64	73	76	80	86	94	90	88	94	90	72	70	81	80		73.7
	MIN	37	28	37	37	37	34	41	35	48	47	48	45	41	50	50	43	36	31	35	41	45	44	49	48	48	61	56	41	37	44		42.5
GLENNS FERRY	MAX	60	70	90	80	66	60	72	78	68	60	76	75	76	73	74	66	70	78	83	85	91	103	96	93	99	90	85	79	87	88		79.0
	MIN	40	32	44	59	46	41	39	46	49	49	41	55	50	49	55	48	47	36	40	53	43	47	50	[illegible]	54	66	59	50	41	62		48.3
GOODING CAA AP	MAX	55	67	87	76	60	54	67	75	62	53	72	74	71	68	71	61	63	75	82	82	95	100	94	92	98	81	76	68	84	87		74.7
	MIN	36	31	48	48	43	37	39	45	46	45	42	51	46	46	51	46	47	37	46	53	55	54	64	60	57	58	57	[illegible]	41	59		47.8
GRACE	MAX	54	60	71	76	61	50	55	67	62	52	61	73	65	61	66	58	60	69	78	74	78	86	88	85	86	79	66	61	73	81		68.5
	MIN	36	27	35	50	32	32	36	35	40	32	42	33	47	44	42	44	40	33	42	50	45	43	52	53	49	54	49	40	32	41		41.0
GRAND VIEW	MAX	73	75	92	84	72	66	76	73	67	65	78	77	77	75	75				84	90	93	105	101	102	102	96	33	79	90	92		83.0
	MIN	38	34	42	55	45	42	44	46	50	50	43	55	50	49	56				43	52	60	51	67	68	58	65	61	50	44	55		50.9
GRANGEVILLE	MAX	50	64	74	50	57	50	51	68	58	53	67	72	56	65	67	55	59	70	66	75	76	81	74	75	83	70	56	61	74	73		65.0
	MIN	37	31	40	38	35	34	39	33	46	47	46	45	46	44	44	38	38	33	41	47	45	47	51	50	45	53	42	40	37	47		42.0
GRASMERE	MAX	65	67	82	82	53	65	60	60	[illegible]	52	66	67	64	67	70	63	59	72	78	83	84	99	96	88	95	94	74	65	79	79		72.9
	MIN	[illegible]	22	35	32	31	32	40	40	37	40	37	40	40	43	44	39	35	31	39	43	51	49	61	51	[illegible]	57	52	39	33	50		40.7
GRAY	MAX	45	47	75	65	64	55	50	65	62	61	65	65	64	62	64	70	71	70	80	84	84	86	85	85	87	80	70	65	70	75		69.0
	MIN	30	25	30	33	32	34	30	33	32	31	34	30	32	30	33	35	35	28	34	36	36	35	37	36	38	36	32	30	28	35		32.7
GROUSE	MAX	51	57	67	[illegible]	64	46	53	61	[illegible]	52	60	66	64	62	59	61	71	62	71	73	79	85	85	80	83	75	62	60	67	70		65.7
	MIN	34	21	27	35	32	29	26	27	[illegible]	38	31	32	45	44	40	32	35	23	26	34	37	36	45	45	44	55	43	40	30	35		35.3
HAILEY AP	MAX	55	72	77	77	66	51	60	67	57	52	65	70	68	65	61	55	59	66	76	76	82	92	89	85	90	80	69	69	74	80		70.2
	MIN	30	28	35	47	31	22	27	27	27	38	33	38	40	38	44	32	37	31	37	42	44	46	56	53	51	54	48	46	36	44		38.7
HAMER 4 NW	MAX	57	65	75	81	78	55	60	73	69	56	66	78	72	68	69	68	68	74	81	84	87	97	95	90	93		70	69	75	87		74.5
	MIN	39	36	38	42	42	33	32	33	42	41	39	[illegible]	[illegible]	49	44	42	43	39	35	47	48	42	55	51	50	60	52	42	34	43		42.6
HAZELTON	MAX	63	69	85	81	65	53	65	75	65	56	71	70	69	65	73	64		74	83	80	85	97	95	91	96	89	73	72	81	90		75.7
	MIN	37	32	38	53	41	32	38	42	44	40	40	[illegible]	45	47	[illegible]	46		37	43	50	54	47	60	59	55	58	54	46	39	54		45.7

See reference notes following Station Index

Table 5 - Continued

DAILY TEMPERATURES

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
HILL CITY	MAX	50	61	78	78	56	50	60	68	59	51	68	70	65	65	62	54	59	68	77	74	83	86	88	85	93	90	68	64	74	79		69.7
	MIN	31	23	33	53	37	28	32	29	42	42	37	38	41	40	45	37	38	25	30	41	43	38	50	47	44	51	52	40	33	45		38.8
HOLLISTER	MAX	64	74	82	76	59	52	70	66	59	52	68	72	72	70	67	60	63	70	73	81	83	96	94	94	91	86	69	67	78	81		73.0
	MIN	35	27	43	44	39	35	34	38	42	41	36	42	44	46	46	44	43	33	43	47	49	51	53	51	52	57	53	35	41	48		43.1
IDAHO CITY	MAX	59	66	79	78	60	55	60	66	65	57	70	69	68	67	64	58	62	70	79	78	85	93	90	87	92		71	68	80	79		71.6
	MIN	33	24	31	48	38	28	37	32	45	45	39	38	37	36	48	41	30	27	31	36	40	38	46	45	44		51	37	32	39		37.8
IDAHO FALLS 6 NE	MAX	58	62	77	80	77	53	57	70	64	55	64	77	74	66	67	66	61	71	84	80	80	87	86	84	91	90	68	66	72	86		72.4
	MIN	38	31	44	50	39	37	37	31	41	42	44	41	49	44	43	44	39	37	37	50	49	54	52	55	50	58	52	48	34	44		43.8
IDAHO FALLS CAA AP	MAX	55	65	79	81	60	52	57	75	61	56	65	79	68	67	68	59	62	72	84	78	81	93	92	89	95	80	69	68	76	89		72.5
	MIN	37	31	37	48	35	36	38	32	43	43	44	38	51	45	47	46	41	34	37	51	50	43	56	53	49	55	52	43	36	44		43.2
IDAHO FALLS 43 NW WB	MAX	56	64	79	82	51	53	61	69	53	54	66	77	70	67	68	62	64	72	79	82	87	97	97	92	94	67	67	66	76	90		72.1
	MIN	37	37	32	42	38	31	28	31	43	39	38	35	49	47	46	42	43	31	33	52	52	45	55	50	51	55	47	40	35	39		41.4
IDAHO FALLS 46 W WB	MAX	57	64	78	79	51	52	61	68	57	54	66	75	70	67	69	61	63	72	78	81	85	95	95	90	93	77	68	66	75	87		71.8
	MIN	34	26	30	40	38	29	34	30	42	35	38	38	50	49	47	42	40	33	29	46	52	40	53	47	50	56	46	43	37	43		40.6
IRWIN 2 S	MAX	56	64	74	81	72	51	44	67	61	55	62	73	67	66	58	60	62	73	80	77	82	91	90	92	92	80	62	63	76	86		70.6
	MIN	35	32	35	50	37	33	33	34	41	39	42	38	45	41	42	43	38	30	39	45	44	44	55	50	50	57	50	46	35	40		41.4
ISLAND PARK DAM	MAX	48	54	66	77	73	43	44	60	57	45	55	69	65	60	55	53	50	62	71	71	73	82	84	82	84	75	59	55	70	79		64.0
	MIN	31	28	29	36	35	32	29	29	40	35	39	30	44	42	35	37	31	26	29	47	32	38	50	48	49	56	41	34	27	29		36.3
JEROME	MAX	61	69	86	84	67	57	67	77	64	58	72	77	72	69	74	63	65	75	83	82	88	99	97	92	98	95	75	71	83	86		76.9
	MIN	35	29	41	50	42	33	38	42	41	42	33	46	45	45	48	44	46	34	41	49	52	49	58	57	54	53	55	46	39	58		45.2
KELLOGG	MAX	53	57	70	80	53	63	51	52	72	73	62	69	77	63	71	62	57	60	60	70	73	80	84	88	80	87	71	63	58	82		68.4
	MIN	41	34	42	48	40	40	40	44	42	50	46	43	52	48	50	44	39	35	43	47	44	45	46	50	46	60	56	45	44	49		45.1
KOOSKIA	MAX	59	74	83	80	67	65	57	76	70	61	75	80	63	74	73	60	65	76	76	81	85	89	89	84	94	88	74	68	84	80		75.0
	MIN	45	34	42	48	42	44	46	42	48	53	51	50	53	51	54	40	44	35	43	49	48	48	51	52	45	58	55	42	41	47		46.7
KUNA 2 NNE	MAX	56	71	85	72	63	55	68	70	63	60	74	72	68	68	66	61		72			81	94	92	85	92	87	75	74	85	79		73.6
	MIN	35	31	44	51	33	40	42	42	59	48	39	51	44	46	53	44		35			49	47	55	50	48	62	56	40	40	50		45.7
LEWISTON WATER PLANT	MAX	68	76	88	84	66	65	63	78	77	62	77	77	67	76	75	68	67	76	78	85	89	89	88	87	93	92	80	75	89	85		78.0
	MIN	40	39	52	46	41	44	47	44	51	55	50	55	54	51	57	45	46	42	47	55	54	54	53	57	53	55	59	50	46	53		49.8
LEWISTON WB AP	MAX	63	73	87	80	68	57	62	75	72	60	74	72	67	73	70	64	66	76	75	83	84	89	83	82	90	76	68	71	84	77		73.4
	MIN	41	38	51	43	41	41	45	42	51	51	47	54	52	50	52	43	45	39	45	52	50	55	53	55	51	63	51	47	45	53		48.2
LIFTON PUMPING STA	MAX	55	60	73	75	65	50	56	68	63	53	61	75	69	62	65	61	60	71	77	76	78	85	88	89	80	78	68	66	74	81		69.4
	MIN	34	32	41	47	41	37	35	38	49	40	39	37	50	46	43	43	42	38	45	45	52	47	54	59	54	58	50	44	37	45		44.1
MACKAY RS	MAX	55	60	72	74	60	48	55	64	63	55	60	69	68	64	62	59	62	65	74	78	83	91	91	88	90	88	64	63	71	78		69.1
	MIN	33	30	31	40	33	30	33	31	43	39	38	36	48	46	43	36	34	33	38	47	42	43	54	52	52	53	41	43	35	40		39.9
MALAD	MAX	57	66	82	77	66	60	63	74	68	58	69	78	71	68	71	69	69	79	87	83	88	95	96	95	94	83	68	69	80	88		75.7
	MIN	37	30	33	44	37	36	38	34	38	42	41	39	52	49	45	46	49	41	48	53	50	48	57	60	56	59	47	45	39	46		44.6
MALAD CAA AP	MAX	57	67	80	85	58	57	64	76	65	56	70	82	71	69	73	70	69	78	87	84	88	97	98	94	95	83	72	70	81	90		76.2
	MIN	36	28	32	45	37	34	40	41	45	42	35	35	50	46	42	46	50	40	42	53	46	43	51	56	51	57	47	42	38	45		43.2
MAY RS	MAX	50	65	78	77	70	61	59	62	55	60	66	70	68	69	65	58	69	73	72	79	84	93	88	86	91	87	65	68	65	71		70.8
	MIN	34	25	35	46	31	27	39	30	36	40	41	35	43	43	46	38	34	30	31	41	47	43	50	49	47	54	45	45	43	38		39.5
MC CALL	MAX	44	58	70	72	50	40	46	60	50	50	57	61	54	60	54	49	42	58	55	65	76	85	84	82	85	84	66	60	72	68		61.9
	MIN	30	25	32	40	30	28	32	36	36	40	39	36	38	38	45	37	33	39	34	37	36	39	45	42	44	56	48	36	34	40		37.5
MC CAMMON	MAX	60	66	80	83	62	55	64	72	67	69	69	78	68	69	70	71	67	75	86	81	89	98	97	93	93	87	76	86	80	88		76.0
	MIN	37	28	35	35	39	36	38	35	37	41	46	36	45	47	44	46	42	31	39	51	46	51	53	54	49	51	53	46	35	43		42.3
MERIDIAN 1 W	MAX	57	70	84	82	63	59	67	72	68	84	72	69	70	69	69	64	64	74	75	83	84	95	95	91	95	95	76	76	87	83		75.7
	MIN	36	32	47	51	43	41	44	43	50	49	41	54	45	48	53	44	39	38	43	45	49	49	56	54	49	64	55	43	41	53		46.6
MESA	MAX	68	67	80	80	63	70	72	71	61	55	71	71	66	68	67	61	64	73	76	80	94	92	91	93	95	85	78	69	83	82		74.5
	MIN	35	37	48	45	36	37	41	39	47	48	42	42	45	44	50	43	40	37	46	49	52	58	57	50	58	65	55	39	39	39		45.4
MINIDOKA DAM	MAX	63	64	76	77	74	51	63	70	67	53	68	74	72	64	73	59	61	73	83	83	83	98	91	90	97	87	70	65	76	85		73.7
	MIN	29	32	47	56	41	37	41	43	45	43	42	48	49	48	49	48	45	40	45	53	53	54	64	58	57	57	55	48	43	53		47.4
MONTPELIER RS	MAX	61	55	63	75	81	52	54	58	68	62	53	62	74	61	62	68	60	60	72	82	76	80	90	92	93	92	80	69	65	75		69.8
	MIN	33	27	31	41	38	32	31	34	39	36	35	33	44	42	39	41	39	33	39	50	42	41	49	56	49	59	52	40	30	40		39.8
MOSCOW U OF I	MAX	57	66	79	77	60	58	55	70	70	58	68	68	61	76	68	60	57	70	70	74	78	80	80	75	86	83	73	63	79	79		69.9
	MIN	37	34	50	39	34	36	41	42	41	48	41	51	49	44	49	38	40	33	43	47	43	45	49	47	44	58	61	60	51	59		45.1
MOUNTAIN HOME	MAX	60	70	88	88	66	68	72	77	65	66	75	73	74	70	71	64	67	77	84	87	88	99	98	93	100	98	79	72	86	87		78.7
	MIN	36	30	43	50	44	35	40	44	47	48	39	54	46	45	54	43	42	36	43	50	54	53	64	57	55	65	56	45	44	60		47.4
MULLAN PASS CAA	MAX	35	56	65	44	42	35	35	53	50	42	53	62	44	52	44	36	39	52	55	55	65	68	62	65	71	57	49	41	66	70		52.1
	MIN	27	31	39	30	29	26	29	33	40	37	35	42	37	35	31	26	28	31	40	43	41	52	48	48	49	49	33	30	37	48		36.8
NAMPA 2 NW	MAX	68	59	71	87	68	65	57	69	72	65	62	74	70	70	69	66	64	66	76	78	86	87	98	95	89	95	77	79	71	87		74.7
	MIN	38	34	46	51	45	44	43	45	48	49	42	55	46	48	53	44	41	38	42	49	52	49	61	57	54	65	58	44	41	56		47.9
NEW MEADOWS RS	MAX	52	64	78	76	59	50	52	67	67	55	66	67	60	65	64	56	60	68	73	75	82	88	88	86	90	90	68	65	78	78		69.6
	MIN	31	21	31	45	29	30	37	32	39	44	39	37	32	42	48	38	30	29	31	37	36	35	42	45	37	53	38	35	30	36		36.2
NEZPERCE 2 E	MAX	54	63	75	60	56	47	47	67	58	53	65	70	56	64	63	54	56	66	65	70	75	77	73	73	84	70	58	58	76	74		64.3
	MIN	38	33	43	40	35	37	40	36	47	49	41	48	47	46	49	34	39	36	43	48	45	50	50	49	47	58	48	40	40	49		43.5
OAKLEY	MAX	64	71	80	75	64	51	66	70	71	57	76	86	78	85	74	60	63	74	83	81	85	100	92	91	94	89	69	73	79	88		75.6
	MIN	37	28	43	48	39	34	40	44	34	40	39	45	44	46	46	46	45	36	43	46	51	55	59	60	54	63	53	39	38	42		44.6
OBSIDIAN 4 NNE	MAX	50	57	66	60	50	41	46	56	52	46	56	60	59	58	54	55	50	59	67	67	77	81	79	74	80	70	58	54	72	68		60.7
	MIN	27	19	22	42	28	22	30	23	36	34	36	29	35	36	35	32	29	21	26	31	33	32	42	39	36	46	40	34	26	34		31.8
OLA 5 S	MAX	87	66	84	79	65	64	66	75	71	59	73	68	72	67	65	66	64	73	80	81	86	94	92	86	94	91	76	72	83	84		75.4
	MIN	30	30	39	39	36	38	39	39	48	45	39	40	42	50	43	41	39	39	40	41	40	39	37	39	42	50	51	41	38	37		40.4
OROFINO	MAX	60	77	87	86	67	68	69	79	76	65	78	77	70	76	76	67	67	77	85	92	90	90	88	88	94	84	78	75	90	83		78.6
	MIN	42	36	49	40	45	43	46	41	48	53	52	49	54	51	53	44	42	37	45	49	48	49	49	49	49	58	57	48	42	49		47.2
PALISADES DAM	MAX	57	62	74	80	78	51	47	67	64	58	63	74	70	65	66	59	61	72	78	76	80	89	90	90	89	88	68	63	74	85		71.3
	MIN	36	32	36	48	38	32	33	34	43	40	42	36	45	43	41	44	37	33	39	45	46	44	53	54	50	61	51	46	34	44		42.0
PARMA EXP STA	MAX	80	70	85	82	67	60	72	72	71	64	75	75	70	72	71	65	68	77	79	88	89	98	98	95	96	94	78	76	89	82		77.8
	MIN	35	32	43	47	43	42	43	46	50	48	41	51	44	43	54	40	40	36	41	49	49	48	61	54	51	64	46	43	41	47		45.7
PAUL 1 E	MAX	69	54	68	84	78	55	51	65	73	63	55	72	79	69	66	74	60	62	75	82	79	85	100	92	90	95	69	74	65	79		72.7
	MIN	37	30	37	55	40	34	39	41	44	43	38	43	42	47	48	47	46	35	40	52	50	44	60	55	53	65	57	52	36	53		45.4
PAYETTE	MAX	63	69	84	70	66	60	71	77	67	67	77	72	76	73	70	68	68	78	79	86	89	99	97	90	97	88	81	72	85	89		77.7
	MIN	40	35	47	52	41	44	45	46	51	51	43	52	46	46	54	44	44	36	42	49	51	58	60	58	56	65	57	43	42	53		48.4
PIERCE RS	MAX	50	66	80	78		58	46	69	68	60	67	75	71	65	63	55	55	68	69	73	79	83	83	77	88	89	71	57	79	81		69.8
	MIN	38	32	36	40	36	35	35	31	39	46	45	41	42	43	47	39	32	29	37	41	38	39	42	43	41	53	41	36	35	40		39.1
POCATELLO WB AP	MAX	56	65	80	84	50	55	66	73	65	54	59	79	70	68	70	62	63	75	81	81	86	99	95	91	95	81	71	68	79	90		74.0
	MIN	38	32	39	50	40	37	41	37	44	42	45	42	49	49	48	48	45	36	40	57	52	47	62	61	54	58	54	47	37	44		45.9
PORTHILL	MAX	61	73	72	66	64	59	60	72	81	79	74	77	78	72	69	57	58	65	71	69	78	84	82	80	79	74	70	68	76	78		71.5
	MIN	46	37	42	50	35	45	45	47	42	42	40	40	41	40	50	42	36	34	36	49	42	45	46	44	44	52	52	50	48	45		43.5
POTLATCH 1 SE	MAX	57	67	77	58	58	51	54	71	65	53	67	70	62	67	63	55	62	68	69	74	78	79	74	77	85	78	67	66	78	74		67.5
	MIN	37	29	44	39	31	35	38	37	37	47	40	45	47	45	40	38	39	30	39	43	40	43	41	44	41	55	52	52	39	44		41.3
PRESTON SUG FACT 2 SE	MAX	65	65	78	84	81	57	62	75	72	64	68	80	76	69	75	70	69	77	85	87	87	95	98	97	96	96	70	69	80	90		77.9
	MIN	39	29	33	47	42	36	42	38	43	39	39	36	47	50	43	47	46	38	43	53	45	43	53	59	53	64	50	43	35	45		44.0
PRIEST RIVER EXP STA	MAX	56	67	73	68	61	53	57	66	73	65	65	73	69	66	63	54	57	65	67	65	74	80	78	76	82	77	68	68	76	81		68.1
	MIN	38	34	40	45	33	39	42	47	37	43	48	38	51	40	48	38	32	32	35	45	38	42	39	38	39	55	51	45	46	43		41.4
RICHFIELD	MAX	60	66	81	79	65	51	63	72	63	56	69	75	69	68	69	59	62	72	78	78	84	96	95	89	94	92	72	70	80	85		73.7
	MIN	35	26	43	45	40	31	37	39	45	42	40	46	45	45	47	45	45	32	39	46	47	48	61	55	51	58	55	47	34	55		44.1
RIGGINS RS	MAX	60	74	86	86	64	59	54		68	62				79	73	66	66	79	80	82	88	89	88	85	87	88		79	84	83		76.4
	MIN	45	38	51	47	43	45	44		52	51				50	58	49	45	42	49	54	53	58	58	58	53	66		50	47	55		50.4
RUPERT	MAX	70	56	70	84	79	55	53	67	73	63	56	74	82		68	75	63	66	79	83	83	88	103	95	94	96	70	75	68	80		74.8
	MIN	38	30	40	55	40	35	40	43	45	43	40	47		48	48	48	47	37	42	53	52	47	63	58	55	64	54	47	39	53		46.6
SAINT ANTHONY	MAX	60	64	76	82	69	55	55	71	60	64	64	77	68	66	68	60	62	72	79	79	83	91	90	86	92	86	65	63	73	87		72.2
	MIN	35	36	37	44	40	37	32	31	44	43	48	35	45	42	41	46	40	31	31	49	40	42	53	50	46	50	50	43	33	41		41.2
SAINT MARIES	MAX	60	64	83	82	68	60	54	74	76	73	68	71		70	70	61	61	70	71	76	79	82	82	78	87	86	72	61	81	83		72.5
	MIN	33	32	40	40	36	38	40	38	39	48	41	41		46	50	41	38	33	42	44	42	43	44	46	42	55	48	44	39	44		41.6
SALMON	MAX	57	70	84	81	56	53	55	71	62	62	72	75	68	70	69	62	64	73	77	82	86	96	94	87	93	70	83	64	79	81		72.5
	MIN	38	25	32	43	37	30	36	32	45	43	46	36	48	45	47	38	32	29	35	39	48	41	47	46	46	52	46	42	33	43		40.0
SANDPOINT EXP STA	MAX	58	65	70	68	62	58	56	64	72	68	61	75	65	69	61	55	53	66	66	62	73	80	78	77	77	72	69	59	73	78		67.0
	MIN	41	39	45	47	35	41	40	48	49	50	48	39	53	47	50	40	34	33	39	47	43	43	41	41	47	57	52	46	49	55		44.6
SHOSHONE	MAX	64	69	83	80	62	55	65	76	65	56	73	76	73	69	70	62	66	76	82	82	87	99	86	91	97	91	75	71	83	86		76.0
	MIN	37	29	44	49	43	32	36	41	46	44	38	50	43	45	45	46	46	35	42	48	52	54	56	58	54	60	56		41	57		45.8

See reference notes following Station Index.

able 5-Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
PENCER RS	MAX	54	57	70	72	66	51	52	65	60	49	59	70	64	61	60	61	58	65	73	75	78	86	88	[illegible]	86	71	64	[illegible]	69	78		66.8
	MIN	34	35	32	36	33	33	29	30	37	37	39	31	46	43	40	41	37	28	31	48	41	38	46	44	51	54	46	39	31	35		38.2
PRINGFIELD 1 SE	MAX	58	64	77	80	68	54	63	74	65	57	66	76	69	66	70	60	64	72	83	79	80	93	92	88	95	79	67	67	77	87		73.0
	MIN	32	[illegible]	34	52	41	33	39	33	43	40	40	38	48	47	50	48	42	37	32	48	44	49	55	53	50	59	53	[illegible]	34	42		43.1
TIBNITE	MAX	47	45	62	68	58	56	50	52	56	48	45	55	62	50	56	50	45	49	63	68	69	76	82	79	75	83	60	57	53	70		59.6
	MIN	25	19	29	36	30	24	[illegible]	24	34	32	19	30	34	35	37	30	23	22	28	31	34	34	42	38	37	50	39	30	27	36		31.2
TREVELL	MAX	61	64	75	82	76	68	64	72	63	56	67	77	75	67	74	72	64	78	84	82	88	95	96	[illegible]	94	84	75	68	78	87		75.9
	MIN	36	24	41	56	33	35	37	40	44	35	31	41	45	45	44	45	42	33	38	54	44	49	58	57	50	57	53	48	32	48		43.2
UGAR	MAX	60	64	76	79	79	53	54	69	66	54	63	77	71	65	65	61	61	70	77	77	80	90	89	85	90	90	66	65	72	81		71.6
	MIN	37	34	36	45	41	36	29	30	44	43	43	36	50	46	45	45	39	31	33	49	44	42	52	49	47	58	51	45	33	40		41.8
UN VALLEY	MAX	52	58	68	69	67	48	56	62	60	51	64	64	63	60	59	55	57	52	71	75	78	82	86	81	82	81	62	63	70	72		65.9
	MIN	31	20	26	43	32	21	25	26	39	38	30	30	36	34	41	31	34	19	25	34	34	33	42	39	40	52	44	34	27	33		33.1
WAN FALLS PH	MAX	60	73	90	90	65	59	75	78	67	67	76	76	75	73	73	66	68	69	80	88	91	101	100	100	100	101	80	80	87	90		79.9
	MIN	42	40	50	59	43	41	44	50	51	49	47	60	51	51	56	47	50	47	44	58	62	57	69	67	64	65	61	49	50	50		52.8
ETONIA EXP STA	MAX	50	56	70	75	68	51	45	62	53	49	58	65	70	70	58	56	51	66	71	74	76	86	91	[illegible]	[illegible]	80	72	58	69	82		67.1
	MIN	31	31	30	33	36	30	30	28	40	37	39	32	35	42	38	41	33	27	43	50	54	41	54	51	44	55	44	41	27	36		38.4
HREE CREEK	MAX	62	69	83	78	57	46	65	66	59	60	[illegible]	66	62	63	70	65	60	70	79	81	89	98	93	92	93	81	78	68	82	80		72.8
	MIN	28	18	28	34	30	33	28	35	35	36	32	40	36	46	35	37	34	35	31	34	34	28	46	45	37	40	47	39	22	47		35.3
WIN FALLS 2 NNE	MAX	64	70	87	87	65	55	67	76	65	59	72	76	72	71	76	62	66	75	85	84	88	100	99	91	99	97	75	75	83	85		77.5
	MIN	[illegible]	31	36	55	43	35	40	47	44	44	41	46	46	46	49	47	47	37	41	51	54	49	63	60	56	54	56	47	37	53		46.6
WIN FALLS 3 SE	MAX	70	55	69	87	77	56	56	67	74	64	56	71	76	71	70	75	62	65	76	84	83	87	99	95	92	97	75	75	69	81		74.5
	MIN	37	34	37	55	43	37	40	47	45	44	44	45	47	46	49	46	46	39	41	54	56	48	66	60	56	62	45	46	39	48		46.7
ALLACE	MAX	56	68	77	65	59	53	51	70	58	58	65	74	62	64	58	55	55	67	69	72	80	84	74	77	83	66	64	57	78	78		66.6
	MIN	41	32	44	45	36	38	39	41	37	46	44	39	48	43	47	39	35	32	41	45	41	42	43	47	43	48	52	48	39	49		42.1
ALLACE WOODLAND PARK	MAX	51	52	65	76	50	56	60	65	68	68	57	72	79	60	56	60	54	55	65	[illegible]	79	77	81	74	76	81	81	59	53	77		66.1
	MIN	39	32	36	47	36	38	39	40	38	37	44	39	49	43	47	39	36	33	38	43	41	41	43	48	43	51	51	42	39	44		41.2
EISER 1 S	MAX	62	66	82	75	68	58	68	75	73	73	75	73	74	75	68	66	67	75	76	85	85	94	93	[illegible]	92	91	85	73	81	87		76.9
	MIN	37	36	36	52	40	38	45	48	49	49	42	56	49	47	56	47	45	35	44	45	48	45	55	53	57	66	58	40	40	41		46.6
INCHESTER 1 SE	MAX	52	62	78	73	55	55	49	63	60	49	63	62	64	63	63	53	54	64	67	71	75	77	75	72	80		53	56	73	70		63.8
	MIN	33	30	39	35	35	33	32	38	40	44	43	44	43	43	41	35	35	30	35	42	39	45	42	45	41		42	35	35	44		38.6

ble 6

EVAPORATION AND WIND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or ave
ERDEEN EXP STA	EVAP	.28	.15	.24	.33	.32	.12	.32	.13	.27	.08	.35	.22	.30	.32	.26	.28	.28	.22	.23	.42	.40	.40	.53	.42	.17	.21	.09	.30	.23	.31		8.18
	WIND	276	79	73	113	250	253	226	77	76	106	172	67	170	207	137	225	121	*	*	*	378	51	111	72	37	69	97	186	54	93		3776
RROWROCK DAM	EVAP	.06	.05	.30	.20	.24	.06	.02	.13	.12	.04	.02	.21	.14	.22	.18	.07	.23	.17	.20	.19	.26	.30	.31	.26	.35	.32	.07	.32	.22	.25		5.51
	WIND	73	77	37	27	65	65	38	34	42	18	13	12	54	70	27	36	51	35	33	29	40	16	25	14	47	14	10	93	40	15		1150
PTON PUMPING STA	EVAP	.18	.20	.20	.26	.27	.13	.10	.20	.27	.19	.11	.20	.25	.16	.20	.20	.17	.24	.24	.40	.30	.29	.16	.23	.26	*	.53	.21	.22	.29		6.66
	WIND	95	52	27	53	122	75	68	38	102	144	35	32	43	42	43	73	61	35	25	60	40	23	23	32	12	94	61	43	47	23		1623
IDOKA DAM	EVAP	.40	.24	.43	.39	.31	.14	.26	.25	.19	.12	.17	.31	.35	.28	.23	.31	.32	.22	.40	.48	.35	.41	.61	.39	.42	.38	.15	.38	.29	.47		9.65
	WIND	320	140	160	150	260	250	210	110	90	120	130	110	190	230	100	190	120	80	50	180	110	80	140	90	50	140	140	230	120	190		4480
OSCOW U OF I	EVAP	.15	.17	.26	.09	.17	.11	.06	.12	.11	.04	.08	.17	.12	.17	.12	.17	.16	.13	.11	.28	.20	.30	.17	.30	.26	.13	.22	.12	.17	.19		4.85
	WIND	122	60	71	70	96	159	105	64	28	65	38	56	79	30	62	185	117	30	23	79	61	47	51	20	46	40	87	112	41	48		2092
LISADES DAM	EVAP	.03	.13	.22	.26	.22	.03	.04	.08	.14	.02	.04	.19	.11	.08	.09	.11	.19	.23	.25	.25	.35	.30	.32	.27	.24	.31	.10	.20	.24	.28		5.32
	WIND	43	55	76	89	*	151	41	75	51	64	31	66	35	57	57	55	54	51	73	40	80	84	88	88	79	81	61	84	66	80		1955

See reference notes following Station Index

MONTHLY AND SEASONAL HEATING DEGREE DAYS

Season of 1953 ~ 1954

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total	Normal July-June
ABERDEEN EXP STA	1	11	122	460	714	1170	1089	824	931	509	268	196	6295	
ALBION	20													
ALPHA 1 NE	149	195	378	657										
AMERICAN FALLS 1 NW	2	5	98	457	698	1137	1081	828	947		273	208		
ANDERSON DAM	0	6	61	304	566		1089	856	893	481	185	188		
ARCO	11	40	193	519	860	1343	1275	1007	1036	602	305	291	7482	
ASHTON 1 S	47	36	256	583	839	1417	1261	1014	1113	678	442	344	8030	
ATLANTA 1 E	29	82	159	449	790	1209	1196	889		726	460	360		
AVERY RS	21	36	100		767	948	1111	774	860	653	280	220		
BAYVIEW MODEL BASIN	47	59	223	521	739	925	1144	836	952	645	426	301	6818	
BIG CREEK 1 S	192	257	383	693	937	1324	1306	1086	1086	837	564	481	9146	
BLACKFOOT	0	1	96	429	714	1199	1073	820	950	479	230	164	6155	
BLACKFOOT DAM	88	115	316	645	849									
BLISS	0	4	57	304		1032	959	687	812	458	191	166		
BOISE LUCKY PEAK DAM	1	0	36	235	483			660						
BOISE WB AP	2	14	78	372	583	1039	876	727	791	447	203	172	5304	5890
BONNERS FERRY 1 SW	17			506	791	937	1192	876	949	642	319			
BUHL	0	9	42	285	537	975	928	661	796	383	170	179	4965	
BUNGALOW RS	5	22	129									205		
BURKE 2 NNE	173	179	341	616	895	1146	1264	916	1139	900	613	461	8643	
BURLEY CAA AP	0	16	95	428	656	1070	1015	749	921	519	229	205	5903	
CALDWELL	0	7	82	386	593	1002	849	687	732	397	166	151	5052	
CAMBRIDGE	0	39	122	403	703	1097	1041	758	795	469	205	200	5832	
CASCADE 1 NW	59	108	231	570	817	1314	1231	1080	1161	716	408	368	8063	
CHALLIS	5	48	152		831	1219	1162	880	997	560	302	265		
CHILLY BARTON FLAT	132	227	387	698	947	1397	1432	1028	1142	708	472	442	9012	
CLARK FORK 1 ENE	65	55	202	501	713	910			929	659	362	286		
COEUR D ALENE CAA AP	32	56	183	474										
COEUR D ALENE RS	8	22	141	415	712	908	1117	809	889	619	312	217	6169	
COTTONWOOD	60	85	164	491	771	1039	1152	791	980	677	449	383	7042	
COUNCIL	3	14	78	397	690	1137	1055	788	820	513	210	194	5899	
DEADWOOD DAM	137	173	325	611	872	1371	1327	1052	1227	846	531	449	8921	
DEER FLAT DAM	0	12	86	365	567	971	831	692	738	408	185	155	5010	
DIXIE	229	255	396	727	956	1391	1361	1079	1300	914	635	517	9762	
DUBOIS EXP STA	2	10	133	479	824	1390	1311	968	1117	611	339	287	7471	
DUBOIS CAA AP	6	13	143	533	845	1433	1317	955	1083	621	335	271	7555	
ELK CITY	172	179	310	598	826			958			443			
ELK RIVER 1 S	99	124	271	532	761	1014	1151	834	972	705	386	312	7161	
EMMETT 2 E	[illegible]	7	69		578	930	844	691	740	387	161	143		
FAIRFIELD RS	44	70	196	536	853	1338	1359	1136	1147	635	383	275	7972	
FENN RS	1	12	71	404	728	923	1056	747		503	233	182		
FORT HALL IND AGENCY	0	6	113	433	764	1186	1073	837	931	523		185		
GARDEN VALLEY RS	4	20	88	401	744	1203	1096	841	850	526	260	231	6264	
GLENNS FERRY	0	13	61	273	528	982	898	665	721	375	134	118	4768	
GOODING CAA AP	0	4	61	340	625	1093	1014	752	858	464	222	183	5616	
GRACE	24	47	194	540	792	1336	1228	1081	1114	611	395	315	7677	
GRAND VIEW	0	0	37	342	563	992	845	667	726	309	87	76	4644	
GRANGEVILLE	21	62	118	460	719	962	1060	739	934	621	390	337	6423	
GRASMERE						1021		741	1013	576	296	289		
GRAY	19	94	309	672	1040	1440	1251	1092	1250	743	503	419	8832	
GROUSE	139	204	364	700	981	1367	1415	1171	1230	751	520	427	9269	
HAILEY AP	13	42	146	447	803	1294	1261	1040	1098	627	339	334	7444	
HAMER 4 NW	6	28	179	536	878	1438	1274	940	1039	556	303	228	7405	
HAZELTON	6	26	133	450	668	1063	1016	744	878	491	225	188	5888	
HILL CITY	45	61	197	559	823	1299	1348	1140	1190	633	374	330	7999	
HOLLISTER	5	31	110	358	623	990	959	737	888	506	244	243	5694	
IDAHO CITY	38	66	175	471	726	1256	1171	902	964	590	352	312	7023	
IDAHO FALLS 6 NE	9	30	167	489	731	1283	1140	855	981	518	311	231	6745	
IDAHO FALLS CAA AP	2	6	129	497	755	1333	1171	852	1001	544	286	237	6813	
IDAHO FALLS 43 NW WB									1064	595	321	279		
IDAHO FALLS 46 W WB										621	352	284		
IRWIN 2 S	13	30	177	518	745	1366	1176	969	1073	592	351	290	7300	
ISLAND PARK DAM	89	96	346	635	964	1498	1369	1181	1357	884	533	442	9394	
JEROME	0	13	81	359	620	1070	1008	733	863	469	209	182	5607	
KOOSKIA	0	7	82	399	695	862	1012	663	747	437	194	144	5242	
KUNA 2 NNE	6	32	122	412	591	925	891	715	793	457	221	189	5354	
LEWISTON WATER PLANT	0	0	40	304	591	762	936	601	678	382	144	92	4530	
LEWISTON WB AP	0	18	62	355	628	805	997	660	768	461	204	151	5109	5483
LIFTON PUMPING STA	6	51	216	605	848	1314	1265	1115	1146	653	368	265	7852	
LOWMAN	51	53	193	574	731	1250	1152	923	958	622	361			
MACKAY RS	10	60	189	537	866	1333	1357	1003	1073	630	362	336	7756	
MALAD	0	0	84	414	696	1193	1138	983	921	460	246	198	6333	
MALAD CAA AP	0	3	132	486	741	1263	1242	1006	923	522	288	198	6804	
MAY RS	27	89	238	577	899	1297	1191	944	1072	625	366	308	7633	
MC CALL	97	161	291	579	879	1299	1255	1089	1255	886	567	460	8818	
MC CAMMON	2	0	123	467	740	1263	1176	932	952	510	272	212	6649	
MERIDIAN 1 W	1	20	101	400	602	1027	873	711	776	416	213	163	5303	
MESA	0	17					1023	803	837	509	229	201		
MINIDOKA DAM	0	1	83	395	651	1112	1059	778	924	517	231	192	5943	
MOSCOW U OF I	47	61	164	395	656	903	1079	714	846	603	317	229	6014	
MOUNTAIN HOME	0	5	31	272	561	998	902	675	751	365	151	144	4855	
MULLAN PASS CAA	161	225	368	666	1008	1290	1437	1019	1321	1069	668	610	9842	
NEW MEADOWS RS	80	124	276	620	835	1347	1256	992	1061	667	435	364	8057	
NEZPERCE 2 E	42	68	147	441	793	989	1115	756	922	636	357	330	6596	
OAKLEY	4	26	81	358	596	1036	1008	683	874	473	227	198	5564	
OBSIDIAN 4 NNE	253	310	452	742	1007	1509	1436	1229	1318	943	632	556	10387	
OLA 5 S	1	16	127	482	677	1106	968	752	824	505	233	216	5907	
OROFINO	0	1	72	361	651	834	966	639	718	424	171	99	4936	
PALISADES DAM	15	17	178	488	775	1337	1172	1014	1092	582	351	273	7294	
PARMA EXP STA	0	8	60	380	614	999	861	706	717	369	154	154	5022	
PAYETTE	0	5	84	422	649	1025	889	727	743	412	164	133	5253	
PIERCE RS	69	88	211	541	849	1035	1231	935	1049	748	386	306	7448	
POCATELLO WB AP	0	1	87	448	678	1152	1069	828	954	508	249	204	6178	6976
PORTHILL	27	36	229	524		964	1320	898	978	614	298	218		
POTLATCH 1 SE				444	703	936	1100	754	899	649	379	313		
PRESTON SUG FACT 2 SE	1	1	110	458	710	1199	1151	980	921	470	257	176	6434	
PRIEST RIVER EXP STA	81	92	276	566	843	1061	1273	884	1038	740	401	302	7557	
REACTOR TESTING STA	12	34	187	581	893	1461	1273	980	1087					

See reference notes following Station Index.

MONTHLY AND SEASONAL HEATING DEGREE DAYS

Season of 1953 - 1954

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total	Normal July-June
RICHFIELD	5	28	138	446	752	1235	1157	854	917	546	260	227	6565	
RIGGINS RS	0	1	17				795	543	670	342	129	113		
ROLAND W PORTAL	128													
SAINT ANTHONY	18	33	203	524	778	1395	1210	933	1056	595	349	262	7356	
SAINT MARIES	32	41	153	423	695	939	1091	803	907	640	301	237	6262	
SALMON	9	49	159	544	839	1201	1123	872	936	526	311	273	6842	7922
SANDPOINT EXP STA	57	70	230	540	775	967	1231	870	966	661	357	268	6992	
SHOSHONE	2	17	100	368	658	1121	1057	771	855	491	202	182	5824	
SPENCER RS	28	78	263	610	952	1472	1388	1107	1264	730	448	375	8715	
SPRINGFIELD 1 SE	11	22	154	459	712	1189	1072	806	922	530	295	235	6407	
STREVELL	0	23	112	482	772	1235	1179	928	996	552	304	211	6794	
SUGAR		37	210	558	787	1364	1199				309	264		
SUN VALLEY	133	201	334	634	943	1380	1398	1154	1247	755	504	459	9142	
SWAN FALLS PH	0	0	12	209	468	940	771	602	638	255	84	99	4078	
TETONIA EXP STA	42	110	283	671	981	1458	1376	1033	1281	793	509	376	8913	
THREE CREEK	37	118	308		703	1130	1109	784	1011	621	394	331		
TWIN FALLS 2 NNE	0	8	86	376	616	1005	951	699	825	421	185	163	5335	
WALLACE	87	93	225	504	758	987	1160	839	958	695	421	312	7039	
WEISER 1 S	0	10	79	374	656	1019	890	722	719	402		143		
WINCHESTER 1 SE	90	115	213	490	766	996	1110	762	1009	713	431	408	7103	

See reference notes following Station Index

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTA 1 E	SNOWFALL	T				T	T	T																								
	SN ON GND																															
BIG CREEK 1 S	SNOWFALL	T				2.0	2.0									T	T												T			
	SN ON GND																															
BOISE WB AP	SNOWFALL	T																														
	SN ON GND																															
CENTERVILLE ARBAUGH RCH	SNOWFALL					T	T																					T				
	SN ON GND																															
COBALT BLACKBIRD MINE	SNOWFALL	T				6.5	T	2.0									T	T	T										T			
	SN ON GND					7																										
DUBOIS CAA AP	SNOWFALL	T				T	T			T																						
	SN ON GND																															
IDAHO CITY 13 SW	SNOWFALL						T																									
	SN ON GND																															
IDAHO FALLS CAA AP	SNOWFALL						T																									
	SN ON GND																															
IDAHO FALLS 46 W WB	SNOWFALL										T				T																	
	SN ON GND																															
ISLAND PARK DAM	SNOWFALL						2.0	2.0		T								T														
	SN ON GND						2																									
MACKAY RS	SNOWFALL					T	T																									
	SN ON GND																															
MULLAN PASS CAA	SNOWFALL	T			0.5	0.5	0.4	T								T	2.0	1.0										T	0.8			
	SN ON GND	17	17	15	10	5	6	6	4	[illegible]	3	2	1	1	1		[illegible]	1	T	T									1			
POCATELLO WB AP	SNOWFALL					T					T																					
	SN ON GND																															
SPENCER RS	SNOWFALL																											T	T			
	SN ON GND																															
STIBNITE	SNOWFALL	2.0	T									T																				
	SN ON GND	1																														
SUN VALLEY	SNOWFALL					T																										
	SN ON GND																															

See reference notes following Station Index

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max Depth on Ground	Date	10 or More ①	50 or More	1.00 or More
DECEMBER 1953																							
MESA	M	M	M		43	20	10	23		0			0										
JANUARY 1954																							
CLARK FORK 1 ENE														•									
SUGAR	34.1	17.9	26.0	9.4	44	28	1	21	1199	0	10	30	0										
WINCHESTER 1 SE	37.9	20.1	29.0	2.8	52	30	-19	20	1110	0	8	27	3	3.59	2.23	1.00	23	17.0	12	19+	12	1	1
FEBRUARY 1954																							
ELK CITY	45.2	15.8	30.5		61	23	- 8	11	958	0	0	28	4	1.46		.41	20+	13.7	28	20+	[illegible]	0	0
MARCH 1954																							
ABERDEEN EXP STA	46.1	23.3	34.7	- 0.5	62	7	9	4+	931	0	2	27	0	1.02	.35	.43	9		1	11	3	0	0
IDAHO FALLS 43 NW WB R	42.7	18.2	30.5		57	7	- 1	4	1064	0	4	30	1	.48		.16	9	1.5			2	0	0
OBSIDIAN 4 NNE	38.3	6.3	22.3	- 2.3	46	7+	-18	[illegible]	1318	0	2	30	12	1.77	.37	.37	10+	15.0			6	0	0
APRIL 1954																							
CONDA	55.9	29.4	42.7	2.7	74	25	14	11		0	0	19	0	1.52	- .43	.40	29	2.5			6	0	0
MAY 1954																							
FORT HALL IND AGENCY	73.9M	39.0M	56.5M	2.0	93	19	24	2	287	2	0	6	0	.91	- .22	.87	21	.0	0		1	1	0

①DATA IN COLUMN HEADED "NO. OF DAYS .10 OR MORE" ARE FOR "NO. OF DAYS .01 OR MORE" PRIOR TO JANUARY 1954.

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
DECEMBER 1953																																
MESA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JANUARY 1954																																
CLARK FORK 1 ENE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SUGAR	-															.01														-		
WINCHESTER 1 SE	3.59			.05	.15			.05	.14					.16	.25	.23		.25	.20	.48			.05	1.00	.05				.10	.33	.10	
FEBRUARY 1954																																
ELK CITY	1.46														.02	.08	.04	T	.02	.10	.41	.10					.41	.16	.12			
MARCH 1954																																
ABERDEEN EXP STA	1.02								T	.43	T	.03							T			.18			.24			.07		.07		
IDAHO FALLS 43 NW WB R	.48									.16	.06	.06						.14	.01	T	T	.02			.03	T				T		
OBSIDIAN 4 NNE	1.77	T									.37	.24	.04					T	.07		.08	.06			.13		.21	.20	.37			
APRIL 1954																																
CONDA	1.52	.12				T	.21								.14				T								.34	.05	.25	.40	.01	
MAY 1954																																
FORT HALL IND AGENCY	.91	.02																				.87	.02	T								
KAMIAH 1 NE	2.71				.02	.44					.02		.07				.01					.05				.11	.25	.26	T		1.46	.02

Table 5

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
DECEMBER 1953																																	
MESA	MAX	40	35	34	37		40	40	41						36	38	37				43		40	35	35		28	35	33	35	35	30	
	MIN	30	28	25	17		22	32	13						13	27	25	21					21	10		18	20	14	15	15	12	12	
JANUARY 1954																																	
SUGAR	MAX	33	34	35	35	39	38	34	33	33	30	27	30	25	33	35	37	39	32	34	23	31	37	39	30	28	28	35	44	41	41	43	34.1
	MIN	2	6	20	18	26	11	15	18	10	6	6	6	2	22	26	32	31	23	13	[illegible]	1	29	29	23	17	3	24	29	31	34	32	17.9
WINCHESTER 1 SE	MAX	40	40	39	38	40	50	47	38	40	40	40	30	32	37	34	42	42	30	25	22	32	42	40	40	27	29	35	40	44	52	47	37.9
	MIN	30	28	24	28	32	37	33	28	26	22	19	10	14	21	23	21	12	10	8	-19	- 1	29	15	10	0	18	14	32	30	35	33	20.1
FEBRUARY 1954																																	
ELK CITY	MAX	47	41	45	44	43	46	45	46	47	44	46	47	49	44	42	47	51	46	35	44	49	49	61	54	36	34	39	45				45.2
	MIN	28	13	8	5	8	5	8	0	- 1	- 5	- 8	23	26	22	19	15	20	23	20	29	25	29	23	20	26	25	24	13				15.8
MARCH 1954																																	
ABERDEEN EXP STA	MAX	50	32	40	46	54	60	62	56	57	52	37	32	37	44	53	54	52	40	43	46	42	47	44	38	44	48	46	44	43	40	47	46.1
	MIN	20	11	11	9	10	16	24	42	42	30	20	12	9	19	23	25	36	25	20	29	25	21	25	31	26	29	32	34	29	18	20	23.3
IDAHO FALLS 43 NW WB	MAX	31	38	35	47	48	50	57	54	53	44	28	31	28	36	45	52	45	35	38	44	40	41	48	42	46	51	49	48	36	39	46	42.7
	MIN	15	9	5	- 1	5	10	15	28	37	25	22	22	7	11	15	20	28	25	18	26	26	18	16	28	21	18	30	25	23	13	4	18.2
OBSIDIAN 4 NNE	MAX	35	34	40	40	39	44	46	42	46	38	20	24	33	40	36	38	37	42	37	37	43	45	44	45	46	37	33	39	36	36	36	38.3
	MIN	- 2	-18	- 6	-12	- 9	0	16	32	33	18	10	1	- 6	- 3	5	17	19	16	8	17	3	- 1	- 4	17	8	12	22	9	6	- 6	- 7	6.3
APRIL 1954																																	
CONDA	MAX	36	45	53	56	58	52	46	46	52	43	45	55	62	58	53	54	65	67	61	58	55	58	66	71	74	65	63	65	47	49		55.9
	MIN	20	22	37	31	30	32	19	29	30	15	14	23	31	35	27	24	33	40	34	37	27	29	33	29	37	34	40	35	26	30		29.4
MAY 1954																																	
FORT HALL IND AGENCY	MAX	42		69	72	75	73	75	83	88	87		75				83	83	87	93	92	74	64	66	77	71	66	57	63	74	68	65	73.9
	MIN	26	24		32	47	37	37	42	43		45	36				45	42	44	43	57	43	44	33	36	54	37	31	28	32	41	34	39.0

Table 7

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
MARCH 1954																																
ABERDEEN EXP STA	SNOWFALL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SN ON GND											1	T																			
IDAHO FALLS 43 NW WB	SNOWFALL										T	0.8						T	0.2	T	T	0.2			0.3	T				T		
	SN ON GND	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OBSIDIAN 4 NNE	SNOWFALL	T									2.0	T	T					T	1.0		1.0	1.0			2.0		1.0	3.0	4.0			
	SN ON GND	–	–	–	–	–	–	–	–	35	37	34	34	34	34	34	34	34	35	34	35	36	36	35	37	36	39	43	41	41	41	41

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALPHA 1 NE	0139	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN [illegible]	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 [illegible]	4310	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	[illegible]	BUTTE	[illegible]	43 38	113 19	[illegible]	5P	5P	MRS HAZEL [illegible]	2 3 5 7
ARROWROCK DAM	0418	ELMORE	2	43 36	115 [illegible]	[illegible]	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 03	111 27	[illegible]	5P	5P	[illegible] STEINMAN	2 3 5 7
ATLANTA 1 E	[illegible]	ELMORE	2	43 48	[illegible] 07	[illegible]	4P	4P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	[illegible]	ELMORE	2	43 45	115 14	[illegible]		VAR	U S SOIL CON SER	
AVERY RANGER STATION	[illegible]	SHOSHONE	10	47 15	[illegible] 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BALD MOUNTAIN	0540	BLAINE	12	43 39	114 24	[illegible]		MID	NELSON BENNETT	C
BANCROFT	[illegible]	[illegible]	12	42 43	111 [illegible]	[illegible]		MID	[illegible]	[illegible]
BAYVIEW MODEL BASIN	[illegible]	KOOTENAI	[illegible]	47 59	[illegible]	[illegible]	4P	4P	U S NAVY	2 3
BENTON DAM	[illegible]	BONNER	[illegible]	48 21	[illegible] 50	[illegible]		MID	U S FOREST SERVICE	C
BIG CREEK [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] 20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BLACKFOOT	0915	BINGHAM	12	43 11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
BLACKFOOT DAM	[illegible]	[illegible]	[illegible]	43 00	111 43	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 C
BLISS	[illegible]	GOODING	[illegible]	42 56	114 57	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
BOGUS BASIN	1014	BOISE	[illegible]	[illegible]	[illegible]	[illegible]		MID	[illegible]	C
BOISE LUCKY PEAK DAM	[illegible]	[illegible]	2	43 32	[illegible]	2833	[illegible]	4P	[illegible]	[illegible]
BOISE WB AIRPORT	1022	ADA	[illegible]	[illegible]	116 [illegible]	[illegible]	MID	MID	[illegible]	2 3 5 7 C
BONNERS FERRY [illegible]	[illegible]	[illegible]	[illegible]	48 41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7 C
BUHL	1217	[illegible]	[illegible]	42 35	114 46	[illegible]	[illegible]	[illegible]	WILLIAM [illegible]	2 3
[illegible] RANGER STATION	[illegible]	[illegible]	[illegible]	46 38	[illegible]	[illegible]	[illegible]	3P	U S FOREST SERVICE	[illegible]
[illegible]	1272	[illegible]	[illegible]	[illegible]	115 [illegible]	4093	[illegible]	[illegible]	[illegible]	[illegible]
BURLEY	[illegible]	CASSIA	[illegible]	[illegible]	113 [illegible]	[illegible]	8A	[illegible]	[illegible]	2 3
BURLEY [illegible]	[illegible]	[illegible]	12	[illegible]	[illegible]	[illegible]	[illegible]	8A	[illegible]	5
BURLEY [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 7
CALDWELL	[illegible]	CANYON	[illegible]	43 39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CASCADE 1 NW	[illegible]	VALLEY	8	44 32	116 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 7 C
CENTERVILLE [illegible]	[illegible]	[illegible]	[illegible]	43 58	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7
CHALLIS	[illegible]	CUSTER	[illegible]	44 30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3
CHILLY BARTON [illegible]	[illegible]	CUSTER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2
CLARK FORK [illegible]	[illegible]	[illegible]	[illegible]	48 09	[illegible] 10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CLARKIA RANGER STATION	[illegible]	SHOSHONE	10	47 00	116 [illegible]	[illegible]		MID	[illegible]	C
COBALT [illegible] MINE	[illegible]	LEMHI	11	45 07	[illegible] 21	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
COEUR D ALENE [illegible]	1956	KOOTENAI	[illegible]	47 41	116 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 7 C
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5
[illegible]	2154	[illegible]	[illegible]	46 03	[illegible]	3411	[illegible]	[illegible]	LOUIS KLAPPRICH	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	46 02	116 23	[illegible]		MID	[illegible]	C
COUNCIL	[illegible]	ADAMS	12	44 44	116 26	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 C
[illegible] NNW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible] DAM	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]	6P	[illegible]	U S BUR RECLAMATION	2 3 5 7 C
[illegible] SUMMIT	[illegible]	[illegible]	[illegible]	[illegible]	115 [illegible]	[illegible]		VAR	U S SOIL CON SER	
[illegible]	[illegible]	KOOTENAI	[illegible]	47 44	116 [illegible]	[illegible]		MID	U S FOREST SERVICE	C
[illegible]	[illegible]	[illegible]	12	43 35	116 44	[illegible]	[illegible]	[illegible]	[illegible] RECLAMATION	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	45 33	115 28	[illegible]	[illegible]	[illegible]	MRS MARGARET E STOUT	2 3
DOLLARHIDE SUMMIT	2604	[illegible]	[illegible]	43 36	[illegible] 41	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	C
[illegible]	[illegible]	TETON	12	[illegible]	[illegible]	6097	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	CLARK	[illegible]	44 14	112 14	[illegible]	[illegible]	5P	[illegible] FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	[illegible]	44 10	112 1[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 7 C
ELK CITY	[illegible]	[illegible]	[illegible]	45 49	115 26	[illegible]	4P	4P	[illegible]	2 3 5
[illegible]	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4P	GLENN WALKER	2 3
EMMETT [illegible]	[illegible]	GEM	[illegible]	[illegible]	116 [illegible]	[illegible]	[illegible]	[illegible]	WAYNE F HARPER	2 3
FAIRFIELD RANGER STA	[illegible]	CAMAS	12	43 21	114 48	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3
FENN RANGER STATION	[illegible]	[illegible]	[illegible]	46 06	[illegible]	[illegible]	5P	[illegible]	U S FOREST SERVICE	2 3 7 C
FORT HALL INDIAN AGENCY	[illegible]	BINGHAM	[illegible]	43 02	[illegible]	[illegible]	[illegible]	[illegible]	FORT HALL IR PROJ	2 3
GARDEN VALLEY RS	3448	BOISE	[illegible]	44 04	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5
GILMORE [illegible] RANCH	[illegible]	CUSTER	[illegible]	44 19	[illegible]	6600		VAR	[illegible] WEATHER BUREAU	[illegible]
GLENNS FERRY	3631	ELMORE	[illegible]	42 57	115 [illegible]	[illegible]	[illegible]	7P	[illegible]	2 3 5 7
GOODING	[illegible]	GOODING	[illegible]	42 57	114 [illegible]	[illegible]		MID	DAVID MITCHELL	C
GOODING CAA AIRPORT	[illegible]	[illegible]	12	42 55	[illegible] 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 7
GRACE	[illegible]	CARIBOU	12	42 35	[illegible]	[illegible]	[illegible]	[illegible]	H A WESTENFELDER	2 3 5
GRAND VIEW	[illegible]	OWYHEE	[illegible]	42 59	[illegible]	2600	4P	4P	W BILADEAU	2 3
GRANGEVILLE	3771	IDAHO	[illegible]	[illegible]	116 08	[illegible]	MID	MID	MRS ALVERA FOSTER	2 3 7
GRASMERE	[illegible]	OWYHEE	12	[illegible]	115 [illegible]	[illegible]	5P	5P	BLANCHE PORTLOCK	2 3
GRAY	[illegible]	BONNEVILLE	[illegible]	43 03	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 7
GROUSE	[illegible]	CUSTER	[illegible]	43 42	113 [illegible]	[illegible]	[illegible]	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	[illegible]	[illegible]	[illegible]	LAURENCE JOHNSON	2 3 5 7
HAMER [illegible] NW	3964	JEFFERSON	[illegible]	43 59	112 15	[illegible]	[illegible]	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 [illegible]	[illegible]	[illegible]	[illegible]	NORTH SIDE CANAL CO	2 3
HILL CITY	[illegible]	CAMAS	12	43 18	[illegible] 03	[illegible]	5P	5P	[illegible]	2 3 5 7
HOLLISTER	[illegible]	TWIN FALLS	12	42 21	114 [illegible]	[illegible]	[illegible]	[illegible]	SALMON R CANAL CO	2 3
HOWE	4384	BUTTE	[illegible]	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	[illegible]	3940	[illegible]	[illegible]	R JOHN MELLOR	2 3 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	[illegible]	[illegible]		[illegible]	[illegible] GARDNER	3 7
IDAHO FALLS [illegible] NE	[illegible]	BONNEVILLE	[illegible]	43 34	[illegible]	[illegible]	5P	[illegible]	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	[illegible]	43 31	[illegible] 04	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	[illegible]	OWYHEE	[illegible]	42 [illegible]	115 [illegible]	[illegible]		VAR	CHRIS CALLEN	S
IRWIN [illegible] S	[illegible]	BONNEVILLE	12	43 [illegible]	111 18	[illegible]	[illegible]	[illegible]	ANNA FLEMING	2 3 7
ISLAND PARK DAM	[illegible]	FREMONT	12	44 [illegible]	111 24	[illegible]	[illegible]	[illegible]	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	[illegible]	BOISE	8	44 [illegible]	[illegible] 27	[illegible]		VAR	U S SOIL CON SER	[illegible]
JEROME	[illegible]	JEROME	12	42 44	114 [illegible]	[illegible]	5P	[illegible]	[illegible]	2 3
KAMIAH [illegible] NE	[illegible]	LEWIS	3	46 14	116 [illegible]	1190		7A	MRS MARY [illegible]	3
KELLOGG	[illegible]	SHOSHONE	4	47 32	116 [illegible]	[illegible]	[illegible]	[illegible]	IRVING H [illegible]	2 3
KOOSKIA	[illegible]	IDAHO	[illegible]	46 [illegible]	115 [illegible]	[illegible]	4P	4P	E T GILROY	2 3 5
KUNA [illegible] NNE	[illegible]	ADA	[illegible]	43 31	116 [illegible]	[illegible]	[illegible]	[illegible]	HARRY [illegible]	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	[illegible] 32	[illegible]		VAR	[illegible] FOREST SERVICE	S
LEADORE	[illegible]	LEMHI	11	44 41	113 [illegible]	[illegible]		MID	RODNEY B TOBIAS	C
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	3	46 [illegible]	117 [illegible]	[illegible]	[illegible]	[illegible]	LEWISTON WATER DEPT	2 3 7
LEWISTON WB AIRPORT	[illegible]	NEZ PERCE	3	46 23	117 01	1413	MID	MID	[illegible] WEATHER BUREAU	2 3 5 7 C
LIFTON PUMPING STATION	[illegible]	BEAR LAKE	[illegible]	42 07	[illegible]	[illegible]	[illegible]	6P	UTAH P & L COMPANY	2 3 5
LOLO PASS	[illegible]	IDAHO	3	46 38	[illegible]	[illegible]		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 [illegible]	3870	[illegible]	5P	[illegible]	2 3 5 7 S
MACKAY RANGER STATION	[illegible]	CUSTER	[illegible]	43 55	113 37	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5 7 C
MALAD	5544	ONEIDA	[illegible]	42 11	[illegible] 16	4420	7P	7P	J L CROWTHER	2 3 C
MALAD CAA AIRPORT	[illegible]	ONEIDA	[illegible]	42 10	[illegible]	4480	MID	MID	[illegible] AERO ADM	2 3 5 7
MALTA RANGER STATION	[illegible]	CASSIA	[illegible]	[illegible] 19	[illegible]	4543		MID	E L NOBLE	C
MAY RANGER STATION	[illegible]	LEMHI	11	44 36	113 55	5066	6P	6P	[illegible] FOREST SERVICE	2 3 5 7
MC CALL	[illegible]	VALLEY	8	44 54	116 [illegible]	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	[illegible]	BANNOCK	12	[illegible]	112 12	4774	[illegible]	[illegible]	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	[illegible]	ADA	2	43 37	[illegible]	[illegible]	5P	[illegible]	JAMES W DOSS	2 3 5
MESA	[illegible]	ADAMS	[illegible]	[illegible]	[illegible]	[illegible]	8P	8P	MESA [illegible]	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	[illegible]	42 40	113 [illegible]	4280	5P	[illegible]	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	[illegible]	42 19	[illegible]	[illegible]	8A	8A	U S FOREST SERVICE	[illegible]
[illegible] CREEK SUMMIT	[illegible]	BOISE	[illegible]	[illegible]	[illegible]	[illegible]		VAR	U S SOIL CON SER	[illegible]
[illegible] CREEK RANGER STA	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]		MID	U S FOREST SERVICE	C
MOSCOW U OF I	[illegible]	LATAH	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	[illegible]	[illegible]	[illegible]	3164	[illegible]	[illegible]	KENNETH J NEWMAN	2 3 5 C
[illegible]	[illegible]	SHOSHONE	[illegible]	47 27	115 [illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA [illegible] NW	[illegible]	CANYON	[illegible]	43 37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NEW MEADOWS RANGER STA	[illegible]	ADAMS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible]	[illegible]	LEWIS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6P	[illegible]	[illegible]
[illegible]	[illegible]	LEMHI	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	6542	[illegible]	[illegible]	42 15	[illegible]	[illegible]	6P	6P	[illegible]	[illegible]
[illegible] NNE	[illegible]	CUSTER	[illegible]	44 03	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	VINCENT A NALLY	C
OROFINO	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	U S FOREST SERVICE	[illegible]
PALISADES DAM	[illegible]	BONNEVILLE	12	[illegible]	[illegible]	5392	[illegible]	4P	U S BUR RECLAMATION	[illegible]
PARMA EXPERIMENT STA	6844	CANYON	[illegible]	43 47	[illegible]	[illegible]	5P	[illegible]	STATE EXP STATION	2 3 5
[illegible]	[illegible]	MINIDOKA	[illegible]	42 37	[illegible]	[illegible]	[illegible]	[illegible]	AMALGAMATED SUGAR	[illegible]
PAYETTE	[illegible]	PAYETTE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6P	[illegible]	2 3 5 7
PIERCE RANGER STATION	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	7 C
[illegible]	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	4220		VAR	U S GEO SURVEY	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	43 28	[illegible]	[illegible]		5P	GENEVA B SCHRAFT	[illegible]
[illegible]	[illegible]	BENEWAH	[illegible]	47 19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	C
POCATELLO WB AIRPORT	7211	BANNOCK	[illegible]	[illegible]	[illegible]	[illegible]	MID	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible]	7301	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		6P	HENRY J FITCH	2 3 5
PRAIRIE	7327	ELMORE	[illegible]	43 30	[illegible]	[illegible]		[illegible]	VICTOR J ACARREGUI	C
[illegible]	[illegible]	FRANKLIN	[illegible]	42 05	[illegible]	[illegible]	[illegible]	4P	[illegible]	[illegible]
[illegible]	[illegible]	BONNER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible]
[illegible] CREEK	7433	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]		VAR	[illegible]	S
PUTNAM MOUNTAIN	[illegible]	BINGHAM	12	[illegible]	[illegible]	6300		VAR	FORT HALL IR PROJ	S
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	112 [illegible]	[illegible]	MID	[illegible]	[illegible]	[illegible]
RICHFIELD	7673	LINCOLN	[illegible]	43 04	114 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible] STATION	7706	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	U S FOREST SERVICE	2 3 5
[illegible]	7858	SHOSHONE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	MRS HOMER WALTON	[illegible]
RUPERT	[illegible]	MINIDOKA	[illegible]	[illegible]	[illegible] 41	4204	8A	[illegible]	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	[illegible]	FREMONT	[illegible]	[illegible]	[illegible]	[illegible]	7P	7P	E M JERGENSON	[illegible]
SAINT MARIES	[illegible]	BENEWAH	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5
SALMON	[illegible]	LEMHI	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	STATE EXP STATION	2 3 7 C
[illegible] CREEK RANGER STA	8303	ELMORE	2	43 37	[illegible] 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	[illegible]	LINCOLN	[illegible]	42 57	114 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible] CREEK RS	[illegible]	CAMAS	[illegible]	43 30	114 [illegible]	[illegible]		[illegible]	U S FOREST SERVICE	[illegible]
[illegible] RANGER STATION	8604	CLARK	[illegible]	44 21	[illegible]	[illegible]	[illegible]	5P	[illegible]	2 3 5 7
SPRINGFIELD [illegible] SE	[illegible]	BINGHAM	[illegible]	43 04	112 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
STIBNITE	[illegible]	VALLEY	[illegible]	44 54	[illegible]	6550	8A	[illegible]	BRADLEY MINING CO	2 3 5 7
STREVELL	[illegible]	CASSIA	12	[illegible]	113 [illegible]	[illegible]	[illegible]	[illegible]	IDAHO STATE POLICE	2 3 5
SUGAR	[illegible]	MADISON	[illegible]	43 53	[illegible]	[illegible]	5P	[illegible]	J KENNETH THATCHER	[illegible]
SUN VALLEY	[illegible]	BLAINE	[illegible]	43 41	[illegible]	[illegible]	5P	[illegible]	EDWARD F SEAGLE	2 3 5 7 C
SWAN FALLS POWER HOUSE	[illegible]	ADA	[illegible]	43 15	[illegible]	[illegible]	[illegible]	[illegible]	IDAHO POWER COMPANY	[illegible]
TETONIA EXP STATION	[illegible]	TETON	12	43 51	[illegible]	5904	5P	[illegible]	EXPERIMENT STATION	[illegible] C
THREE CREEK	[illegible]	OWYHEE	12	42 03	[illegible] 10	[illegible]	6P	6P	MRS L E TANNER	[illegible] 7
TRINITY LAKE GUARD STA	9202	ELMORE	[illegible]	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDALE [illegible] STATION	[illegible]	ELMORE	2	43 43	[illegible] 38	[illegible]		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	[illegible]	42 35	[illegible]	[illegible]	[illegible]	[illegible]	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS [illegible] FACT	9299	TWIN FALLS	[illegible]	42 32	114 [illegible]	3770	8A	[illegible]	AMALGAMATED SUGAR	[illegible]
VIENNA	[illegible]	BLAINE	[illegible]	[illegible]	[illegible]	[illegible]		VAR	U S SOIL CON SER	S
WALLACE	[illegible]	SHOSHONE	[illegible]	47 28	[illegible] 56	2770	[illegible]	[illegible]	W FEATHERSTONE JR	[illegible] 7
WALLACE WOODLAND PARK	[illegible]	SHOSHONE	4	47 30	[illegible]	[illegible]	7A	7A	ROBERT J SKANTEL	2 3 5 C
WEISER 1 S	9638	WASHINGTON	[illegible]	[illegible]	[illegible]	2120	[illegible]	[illegible]	[illegible]	2 3 5
WINCHESTER 1 SE	9840	LEWIS	[illegible]	46 14	[illegible]	3950	[illegible]	4P	[illegible]	[illegible]
YELLOW PINE	[illegible]	VALLEY	11	[illegible]	[illegible]	4760		VAR	L J MILLER	S
NEW STATIONS										
IDAHO FALLS 43 NW WB	[illegible]	BUTTE	[illegible]	[illegible]	112 42	4780	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
NAME CHANGE										
* IDAHO FALLS 46 W WB	[illegible]	BUTTE	[illegible]	43 33	[illegible] 57	4933	MID	MID	U S WEATHER BUREAU	2 [illegible] 7 C

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state bases. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effective January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement , time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.
R	Amounts from recording gage. (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data.)
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

CORRECTED DATA

DECEMBER 1953	BIG CREEK 1 S	TABLES 2 & 5: Min. temperature on 8th should be -4°, mean min. 9.9, monthly mean 22.1 and total degree days 1324.
	CHILLY BARTON FLAT	TABLE 2: Precipitation departure from normal should be +.24.
	CLARKS FORK 1 ENE	TABLES 2 & 3: Precipitation on 24th through 31st should be accumulated and monthly total accumulation (*).
DECEMBER 1953		Add the minus sign to minimum temperatures in Table 5 on the 8th for these stations: Chilly Barton Flat, Cobalt Blackbird Mine, Dixie, Dubois Experiment Station, Dubois CAA AP, Fairfield RS, Grouse, Hill City, Idaho City, Idaho Falls CAA AP, New Meadows RS Obsidian 4 NNE, Reactor Testing Station, Spencer RS, Stibnite, and Sun Valley.
JANUARY 1954		Add the minus sign to minimum temperature in Table 5 on the 8th for this station: Sun Valley.

W.R.P.C. Chattanooga--8-9-54--850--

</br>
IDAHO
STATUTE MILES
STATION LEGEND
Station Center
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry 1 SW
Bonton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2
Newport
Sandpoint Exp Sta
Deer Park
Mt Spokane Summit
Trout Creek 2 W
Spokane WB AP
Rosalia
Salmon
Wisdom
Polaris
Grant 5 SW
Stibnite
Pungo Creek
Landmark RS
Deadwood Summit
Cascade 1NW
Halfway
Richland
Durkee 3 SSW
Cambridge
Mesa
Huntington
Weiser
Payette
Lowman
Obsidian 1NNE
Garden Valley RS
Jackson Peak
Moore Cr Summit
Emmett
Bogus Basin
Adrian
Owyhee Dam
Caldwell
Nampa 2NW
Deer Flat Dam
Trinity Lake GS
Boise LP Dam
Boise WB AP
Prairie
Anderson Dam
Vienna
Atlanta
Bald Mtn
Dollarhide Summit
Hailey AP
Fairfield
Hill City
Swan Falls PH
Beaville
Grand View
Three Creek
Garland
Hebgen Dam
West Yellowstone
Lakeview
Lima
Lima Dam
Monida
Dell 19 SW
St Anthony
Ashton 1S
Idaho Falls 13 NW
Sugar
Tetonia Exp Sta
Moran
Alta
Moose 1 NW
Jackson
Snake River
Fort Hall Ind Ag
McCammon
Blackfoot Dam
Montpelier RS
Idaho Falls 16 W

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

JULY 1954
Volume LVII No. 7

CHATTANOOGA: 1954

IDAHO - JULY 1954

Archer B. Carpenter, Section Director, Boise

WEATHER SUMMARY

July continued below normal temperatures for the northern portion of the State but showed a slight positive departure for the two southern divisions. Outstanding negative departures in temperature were reported in the Cottonwood, Grangeville and Lewiston areas, where the number of days above 90° was at a minimum, except possibly at Lewiston where half of the month had maximums above 90°. Big Creek reported 11 days freezing or colder. Twenty-six stations in the Southwest Division and fourteen stations in the Southeast Division had temperatures of 90° or higher for two-thirds of the month. The highest departure from normal was 2.5° in the Southeast Division.

Precipitation was the reverse of temperature with above normal precipitation in the Northern Division and below normal in the two southern divisions. Stormy weather occurred generally throughout the month with dry days over the State reported on the 3rd, 4th, 11th, 12th, 23rd and 24th. Storms during the middle of the month were the most general over the State and considerable damage was reported in the vicinities of Grangeville, Blackfoot and Idaho Falls on the 14th; Downey on the 15th; and Canyon, Ada, Owyhee, Jerome, Lincoln, Latah and Kootenai Counties on the 16th.

The Blackfoot storm damage was estimated at $200,000 as a result of wind and hail which shelled out grain, stripped off leaves of potatoes and beat the peas level with the ground. The storm in the Idaho Falls area caused estimated damage of $300,000 as a result of wind and hail. Telephone lines, signs, buildings, automobiles and trees were damaged in and around the city and some local flooding added to the damage. The Downey storm in Bannock County on the 15th produced an estimated damage of $57,000 resulting from wind and rain. Crops were damaged, buildings and barns blown down, plate glass windows broken and utility lines torn up. The storm at Hazelton in Jerome County on the 16th produced approximately $100,000 damage due to hail and rain. There was about 90 percent loss of peas and grain, 40 percent potatoes, 25 percent of hay and clover seed in the area southeast of Hazelton. The storm in Latah County also on the 16th, produced about $95,000 damage, mostly as a result of hail. Most of this loss was due to damage of wheat, barley and peas with some roofs and windows ruined. Hailstones up to an inch and a half in diameter were reported near Potlatch.

Some crop damage resulted from minimum temperatures of 32° or lower in all divisions. The Fairfield area reported such low temperatures twice during the month. Frosts were reported in many areas on the 22nd and 23rd with principal damage to gardens, field peas, beans, corn and potatoes and slight damage to clover seeds and spring grains.

Such farm activities as cutting hay were delayed considerably over the State, and especially in the north portion, as a result of frequent showers and rainy periods. Rains were general over the State from the 13th to the 22nd. Dryland grain crops were generally favored by the rains, especially in the Lewiston-Grangeville area. Range grass continued good growth in the Northern Division and also quite satisfactory in the southern divisions but somewhat on the dry side due to subnormal precipitation.

Irrigated crops in the Southeast Division and especially in the Southwest Division created heavy demands for irrigation water. The first hay crop in many areas was of somewhat poorer quality due to delay in cutting. Some of the first hay crop in the Northern Division could not be cut until the end of the month. Early potatoes were being dug in the southwest towards the end of the month and early estimates on sugar beets in the same section indicated a record or near-record crop was developing. Grazing lands and unirrigated pastures were becoming very dry in the south half of the State toward the end of the month.

ABC

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m p h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	22	8.8	40	S	16	52	32	21	36	4	1	0	0	0	0	5	91	2.5	SEE TABLE 2.
IDAHO FALLS 43 NW WB	-	-	8.0	38	SSW	21	-	-	-	-	0	3	2	0	0	0	5	-	-	
IDAHO FALLS 46 W WB	-	-	9.4	32	WSW	21	-	-	-	-	3	2	1	0	0	0	6	-	-	
LEWISTON WB AIRPORT	-	-	-	-	-	-	62	34	24	-	2	1	2	0	0	0	5	-	2.7	
POCATELLO WB AIRPORT	W	14	10.5	42	S	13	55	27	20	38	3	4	0	0	0	0	7	73	3.9	

COMPARATIVE DATA

Table 1

JULY

Year	Temperature			Precipitation	
	Average	Highest	Lowest	Average	Average snowfall
1893	66.8	106	22	.39	-
1894	69.3	107	31	.25	-
1895	66.4	105	23	.57	-
1896	71.6	107	31	.76	-
1897	65.3	108	27	.72	-
1898	67.4	105	28	.78	-
1899	68.6	111	26	.30	0.0
1900	67.3	115	24	.19	0.0
1901	70.0	113	18	.23	0.0
1902	63.4	105	26	1.33	T
1903	63.5	105	27	.72	0.0
1904	66.6	109	26	.88	0.0
1905	69.0	113	30	.30	0.0
1906	70.6	108	34	.20	0.0
1907	66.7	105	28	.77	T
1908	69.2	110	27	.50	0.0
1909	66.7	110	28	1.26	0.0
1910	70.7	110	25	.36	0.0
1911	67.4	106	24	.20	0.0
1912	64.7	106	22	1.28	T
1913	65.5	105	22	2.01	0.0
1914	69.5	111	25	.87	0.0
1915	65.0	110	23	1.31	0.0
1916	66.3	107	19	1.11	0.0
1917	69.2	111	20	.30	0.0
1918	68.3	111	15	1.02	0.0
1919	70.1	111	23	.23	0.0
1920	69.9	111	26	.33	0.0
1921	68.4	109	22	.38	0.1
1922	68.7	113	25	.53	0.0
1923	70.3	110	26	.95	0.0
1924	67.8	115	17	.52	0.0
1925	71.1	115	30	.77	0.0
1926	70.2	109	27	.61	0.0
1927	68.3	107	26	.24	0.0
1928	69.1	114	25	.46	0.0
1929	69.5	112	24	.16	0.0
1930	70.0	110	28	.40	0.0
1931	71.3	116	25	.34	0.0
1932	67.1	107	25	.98	0.0
1933	70.1	115	24	.17	0.0
1934	70.1	118	24	.31	0.0
1935	69.1	116	22	.25	0.0
1936	71.5	112	29	.72	0.0
1937	69.8	111	28	.93	0.0
1938	68.1	113	28	1.18	0.0
1939	69.1	117	21	.69	0.0
1940	69.3	111	24	.64	0.0
1941	69.4	112	24	.72	0.0
1942	69.6	110	25	.42	0.0
1943	67.9	112	21	.47	0.0
1944	66.5	107	19	.38	0.0
1945	68.4	106	21	.30	0.0
1946	69.0	110	27	.62	0.0
1947	69.2	107	24	.16	0.0
1948	65.8	106	22	.87	T
1949	67.8	110	24	.30	T
1950	66.8	105	25	.64	T
1951	69.0	110	26	.62	T
1952	66.7	106	26	.55	T
1953	69.2	111	27	.12	T
1954	69.3	107	22	.58	T
ALL YEARS	68.4			.60	

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

See reference notes following Station Index

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max. 90° or Above	Max. 32° or Below	Min. 32° or Below	Min. 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days: .10 or More	.50 or More	1.00 or More
[illegible]																							
[illegible]	[illegible]	47.7	[illegible]	- 0.3	[illegible]		39	28+	[illegible]	12	0			1.14	[illegible]	.32	1+	.0	[illegible]		4	[illegible]	0
[illegible]	[illegible]	[illegible]	64.2		90				73	1	[illegible]	0		[illegible]		.74		T	0		4	2	0
BIG CREEK 1 S	[illegible]	[illegible]	[illegible]		[illegible]	9			182	3		11		[illegible]	[illegible]	[illegible]	[illegible]	.0	0		3	1	1
[illegible]	[illegible]		69.2	- 1.5					8	14			0	[illegible]	.20	.37	21	.0	0		4		[illegible]
BURKE 2 NNE	75.7	[illegible]			87	6+	34	22	[illegible]			0		2.26	[illegible]	[illegible]		[illegible]	0		4		0
[illegible]	[illegible]	44.0	62.1	- 1.9		6+	35			0	0	0		2.59	[illegible]	[illegible]			0		5	3	0
[illegible]			59.5M			13		22				2		[illegible]		[illegible]	[illegible]	.0			[illegible]	1	0
[illegible]				- 1.3			40	29				0	0	[illegible]	.70	.78	[illegible]	.0	0		3	1	0
[illegible]			62.8	- 3.9					95			0		1.55	[illegible]	.92	1	.0	0		2	2	0
[illegible]			57.6		86	[illegible]	26			0			0	1.21		.78		.0			3	1	0
[illegible]			61.2		93		31	[illegible]	134	3			0	[illegible]		[illegible]	15	T			4	1	0
[illegible]		44.8			93	6	33		85	3	0	0	0	.57		[illegible]	1		0		2	0	0
[illegible]			70.1	- 1.5	94	6+	43	30				0	0	.67	- [illegible]	.31	[illegible]	.0	0		3	0	0
GRANGEVILLE	79.1	50.3	64.7	- 3.0	87	6+						0	0	[illegible]	[illegible]	.71	[illegible]		0		[illegible]	1	[illegible]
KELLOGG		50.0	66.4	- 1.0	99					8				1.84	1.02	.44	1	.0	0		7	0	0
[illegible]	89.7			- [illegible]	99	6+			6			0		[illegible]	[illegible]	[illegible]	21		0		4	0	0
LEWISTON WATER PLANT		58.2	74.6	- 1.5	102	6	48	22					0	.78	.30	.52	1		0		3	1	0
[illegible]	87.5			- 3.6		6	45			14	0	0	0	.37	- [illegible]	[illegible]			0		2	0	0
MOSCOW U OF I	81.2	48.5	64.9	- 2.3	94	6	38	22+	61		0			1.04	.48	[illegible]			0		4	0	0
MULLAN PASS CAA			[illegible]	- 1.6				21		0	0			[illegible]	[illegible]	.54	[illegible]	T	0		5	1	0
NEZPERCE 2 E		50.4	64.2			6	40	22	74	0	0	0		.61		.47	1	.0	0		2	0	0
[illegible]		53.2	[illegible]	- 1.2	104		45	22+	4	22	0	0		.18	- .47	.18	21	.0	0		1	0	0
PIERCE RS		44.0	64.1	- 1.4		15			75	9			0	1.17	.32	.34	1+	.0	0		4	0	[illegible]
[illegible]	81.0	40.3		- 1.0		18	41	3						.87	- .02	[illegible]	1	.0	0		3	1	0
[illegible]	81.5		63.5	- 1.7	[illegible]	6				5	0			1.42	1.00	.51	1	.3	T	16	5	1	0
PRIEST RIVER EXP STA	79.5		52.1	- 2.3	91				108	1				1.49	.65	[illegible]	10	.0	0		2	1	[illegible]
[illegible]	91.9	58.7		- 1.3		4+	48			21		0	0	.99	.45	.49	15				2	0	0
[illegible]	83.7			- 2.3	94	17	26	29	57	5	0		0	1.46	.73	.58	10	.0	0		4	1	0
[illegible]		[illegible]	68.5	0.3	[illegible]	12			19	14	0		0	.93	.10	.53	15		0		2	1	0
[illegible]		47.5		- 3.1		16	37	3	100	0	0		0	2.17	1.51	.87	1	.0	0		6	1	0
[illegible]		46.8	63.3	- 3.3		6		3+	92	3	0	0	0	1.83	[illegible]	[illegible]	[illegible]	.0			4	1	0
WALLACE WOODLAND PK	78.4M	45.9M	[illegible]	- 2.9			38	3+		2	0	0	0	[illegible]	.46	.35	1	.0			4	0	0
[illegible]	79.3		62.2	- 1.3	89	6+	37	22+	116	0	0			.64	- .19	.50	1	.0	0		1	1	[illegible]
[illegible]			[illegible]	- 2.0										1.25	.40			T					
[illegible]																							
[illegible]	94.2		76.1			[illegible]	43		3	26	0	0		.55		.42	15	T	0		1	0	0
[illegible]	91.3M			- 0.8		14	43	[illegible]		24	0		0	[illegible]	- .32	.04	1+	.0	0		0	0	0
BLISS			74.2M						7	27	0	0	0	[illegible]	.17	.13	16	T	0		2	0	0
BOISE LUCKY PEAK DAM					102	6	44	21			0	0	0	.00		.00			0		0	0	0
[illegible]	91.5			[illegible]	100		44		13	24	0		0	.06	- .12	.06	[illegible]	.0	0		0	0	0
[illegible]	89.9				98	13	43		6		0	0	0	[illegible]	.25	.35	15		0		2	0	0
[illegible]			73.6				44				0	0	0	.10	- .23	.10	15	.0	0		1	0	0
[illegible]		51.0		- 2.2	103	13				24	0		0	.05	- .32	.05	16	.0	0		0	0	0
[illegible]					91				51			1	0	.09		.04	1	.0	0		0	0	0
[illegible]			69.4	2.2	96		38		14			0	0	1.75	1.16	.70	15	T	0		5	1	0
[illegible]			73.1		102	13			6	23	0		0	.13	- .37	.13	15	.0	0		1	0	0
[illegible]	82.4	40.4	61.4	0.6	93	12			132		0	4	0	.41	- .40	.13	1	.0	0		3	0	0
DEER FLAT DAM	89.7	59.6	74.7		97		45		5	20	0		0	.02	- .17	.02	27				0	0	0
[illegible]				- 1.2	99		38		2		0	0	0	T	- .28	T	14				0	0	0
FAIRFIELD RS							31			5	0	2	0	.20		.13	16	.0	0		1	0	0
[illegible]				- 0.8		13			12		0	0	0	.14	- .14	.07	16	.0	0		0	0	0
[illegible]				- 1.4	103				0		0	0						.0	0				
GOODING CAA AP		60.2	76.1			13	43			25	0	0	0	.25	- .05	.13	16	.0	0		1	0	0
GRAND VIEW				4.3		4	46	[illegible]	0	29		0	0	.19	- .06	.11	16	.0	0		1	0	[illegible]
GRASMERE			71.9M		95	3+					0		0	T		T	26	.0	0		0	0	0
HAILEY AP	86.1		67.3	- 0.5	95		34			8	0	0		.22	- .31	.15	16	.0	0		1	0	0
[illegible]	91.2	56.2	73.7	- 1.5	97				10	22	0	0		.21	- .01	.17	16	.0	0		1	0	0
[illegible]	87.0		66.6	0.8					43	12	0	2	0	.07	- .22	.07	16	.0	0		0	0	0
[illegible]		55.6	72.1	0.8	97	13	41		13	14	0		0	T	- .37	T	16	.0	0		0	0	0
[illegible]	89.0			- 0.6					39	18	0	1	0	.31	- .13	.11	1+	.0	0		2	0	0
[illegible]	92.4		73.7	- 0.7	101	13			9	23	0	0	0	.13	- .07	.08	15	.0	0		0	0	0
[illegible]	88.8M			- 2.6	97	[illegible]	37	22		14	0	0	0	.00	- .33	.00		.0	0		0	0	0
[illegible]			62.6	- 0.2		13		22			0	1	0	.84	.30	.53	15	T	0		2	1	0
[illegible]	90.7		72.7	- 0.4		6+		22	9	23		0	0	T	- .27	T	14+		0		0	0	0
[illegible]	92.2	56.0	74.1			13	41	22	7	23	0	0	0	[illegible]		.00		.0	0		0	0	0
MOUNTAIN HOME	97.2	59.8	78.5	6.3		13	43	22	2	[illegible]	0	0	0	.02	- .35	.02	16	.0	0		0	0	0
NAMPA 2 NW			73.3		98	7+	41	22		22	0	0	0	T		T	14	.0	0		0	0	0
[illegible]		41.2		0.7		12+		22	91	5	0	4	0	.47	- .13	.40	15	.0	0		1	0	0
[illegible]	76.1	38.0		- 0.2		13	23	22	237	0	0	7	0	.48	- .19	.22	15	.0	0		2	0	0
OLA 5 S		47.2			[illegible]	13	37	1	16	25	0	0	0	.00		.00					0	0	0
PARMA EXP STA	94.2		74.6	0.5	102	13	42	22	5	25	0	0	0	.06	- .07	.06	16	.0	0		0	0	0
PAYETTE	93.5			1.3	101	[illegible]	43	22	3	26	0	0	0	T	- .30	T	16	.0	0		0	[illegible]	0
[illegible]	89.1		71.5	2.0	99	13	36	22	13	16	0	0	0	.13	- .17	.07	15	.0	0		0	0	0
SHOSHONE				3.3			46	2	0	24	0	0	0	.59	.36	.45	15	.0	0		1	0	0
STIBNITE	77.3	42.5	59.9		90	14	29	22		1	0	2	0	.77		.23	16	.0	0		4	0	0
[illegible]	81.8	38.9	60.4	1.4	90	12	25	22	146	1	0	4	0	.91	.20	.50	14	.0	0		3	1	0
SWAN FALLS PH	98.4M		81.3M	1.2	106		52	22+	0	29	0	0	0	.13	- .11	.10	16				1	0	0
THREE CREEK	91.4	42.1	66.8		99	13	22	22+	47	23	0	5	0	.09	- .20	.07	15	.0	0		0	0	0
TWIN FALLS 2 NNE	93.1	56.8	75.0	3.6	100	[illegible]	40	23	7	27	0	0	0	.55	.20	.54	14	.0	0		1	1	0
TWIN FALLS 3 SE	90.3	56.3	73.3	0.4	101	14	42	23		21	0	0	0	.62	.32	.29	15	.0	0		2	0	0
[illegible]	92.4	54.6	73.5	- 3.2	100	13+	41	30	4	23	0	0	0	.00	- .17	.00		.0	0		0	0	0
DIVISION			71.3	1.2										.26	- .14			T					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	91.5	52.2	71.9	1.9	99	12	36	22+	13	23	0	0	0	.01	- .49	.01	16		0		0	0	0
AMERICAN FALLS 1 NW	90.6	54.2	72.4	2.2	98	4+	36	22+	17	22	0	0	0	.15	- .48	.12	5	.0	0		1	0	0
[illegible]	[illegible]	[illegible]	67.7M	[illegible]	97	12	34	22	24	8	0	0	0	.17	- .38	.07	15	.0	0		0	0	0
ASHTON 1 S	83.1	47.4	65.3	0.5	92	6	31	21	58	2	0	1	0	1.01	- .07	.54	16	.0	0		2	1	0
BLACKFOOT	91.7	57.1	74.4	5.3	100	4+	40	22	6	23	0	0	0	.23	- .43	.10	21	.0	0		1	0	0
BURLEY	92.5	59.0	[illegible]	2.5	104	14	44	22		22	0	0	0	.02	- .31	.02	16	.0	0		0	0	0

See Reference Notes Following Station Index

TABLE 2 - CONTINUED

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max [illegible]	[illegible]	Min [illegible]	[illegible]	Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Max Depth on Ground	Date	No. of Days .10 or More①	.50 or More	1.00 or More
[illegible]	[illegible]	54.7	[illegible]	1.3	[illegible]	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	- .28	.10	[illegible]		0		1	0	0
[illegible]	[illegible]	[illegible]	72.9	[illegible]	[illegible]	[illegible]	37	[illegible]	15	[illegible]	[illegible]	[illegible]	[illegible]	.08	- .14	.06	5	.0	0		0	0	0
CHILLY BARTON FLAT	[illegible]	41.5	[illegible]	- 0.1	90	[illegible]	32	22+	[illegible]	1	0	2	0	[illegible]	.72	[illegible]	[illegible]	.0	[illegible]		4	[illegible]	0
[illegible]	[illegible]	[illegible]	65.6	[illegible]	92	8+	[illegible]	[illegible]	[illegible]	10	0	[illegible]	[illegible]	[illegible]	[illegible]	.16	[illegible]	.0	0		2	[illegible]	[illegible]
[illegible]	[illegible]	50.4	67.4	[illegible]	[illegible]	14	[illegible]	[illegible]	[illegible]	7	[illegible]	1	[illegible]	.97	- .24	[illegible]	21				4	[illegible]	0
[illegible]	[illegible]	[illegible]	[illegible]	1.7	97	[illegible]	40	[illegible]	16	[illegible]	[illegible]	[illegible]	[illegible]	.44	- [illegible]	.19	15	[illegible]	0		2	0	0
DUBOIS CAA AP	[illegible]	52.7	70.4	0.1	[illegible]	[illegible]	[illegible]	2	[illegible]	[illegible]	0	[illegible]	0	.67	[illegible]	.40	[illegible]	.0	0		2	0	0
[illegible]	[illegible]	53.8	72.7	[illegible]	[illegible]	13	[illegible]	[illegible]	11	[illegible]	0	0	0	.38	- [illegible]	.23	21	.0	0		1	0	0
[illegible]	[illegible]	51.0	67.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	0	.53	- .45	.16	27	.0	0		2	0	0
[illegible]	[illegible]	[illegible]	[illegible]	1.4	[illegible]	14	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	.40	- [illegible]	.20	[illegible]	.0	0		3	[illegible]	[illegible]
[illegible]	[illegible]	41.6	61.0		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	[illegible]	[illegible]	0	[illegible]	- [illegible]	.12	[illegible]	.0	0		2	[illegible]	0
[illegible]	[illegible]	51.0	[illegible]	[illegible]	98	13	[illegible]	[illegible]	23	17	0	1	0	[illegible]	[illegible]	.21	[illegible]	.0	0		3	[illegible]	0
[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	13	[illegible]	[illegible]	[illegible]	[illegible]	0	[illegible]	0	[illegible]	[illegible]	[illegible]	[illegible]	.0	[illegible]		1	1	1
IDAHO FALLS CAA AP	[illegible]	[illegible]	70.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	16	0	0	[illegible]	[illegible]	.44	[illegible]	[illegible]	T	[illegible]		1	1	1
[illegible]	[illegible]	[illegible]	70.1		100	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	[illegible]	[illegible]	[illegible]		.24	16	.0			2	[illegible]	0
IDAHO FALLS 46 W WB	89.3	50.5	69.9		99	[illegible]	[illegible]	[illegible]		[illegible]	0	0	[illegible]	.16		.10	15	.0	0		[illegible]	[illegible]	0
IRWIN 2 S	85.6	[illegible]	67.9	3.2	95	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	[illegible]	.43	.38	16	.0	0		4	0	0
ISLAND PARK DAM	[illegible]	44.3	62.5	1.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	[illegible]	[illegible]	0	[illegible]	.50	[illegible]	17	.0	[illegible]		[illegible]	0	0
[illegible]	84.3	52.8	68.6	1.2	[illegible]	13	37	[illegible]	[illegible]	[illegible]	0	0	0	.36	- [illegible]	.31	[illegible]	.0	[illegible]		1	0	0
[illegible]	85.7	[illegible]	67.4	- 0.2	[illegible]	12	[illegible]	[illegible]	34	8	0	0	[illegible]	.70	- [illegible]	.33	[illegible]	.0	0		3	[illegible]	0
[illegible]	[illegible]	[illegible]	73.6	3.3	101	[illegible]	[illegible]	[illegible]	[illegible]	21	0	[illegible]	0	[illegible]	- [illegible]	.16	15	.0	0		2	[illegible]	0
[illegible]	92.1	51.4	[illegible]		100	11	[illegible]	[illegible]	11	22	0	[illegible]	[illegible]	.36		.24	14	.0	[illegible]		1	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	94	[illegible]	[illegible]	1	[illegible]	[illegible]	[illegible]	0	[illegible]	1.50	.72	[illegible]	15	[illegible]	0		5	[illegible]	0
MC CAMMON	91.5	50.4	71.0		[illegible]	13	[illegible]	[illegible]	14	21	0	0	0	[illegible]		.30	[illegible]	T	0		2	[illegible]	0
[illegible]	[illegible]	[illegible]	74.1		101	13	42	[illegible]	12	[illegible]	0	[illegible]	0	.08		.05	16	.0	[illegible]		[illegible]	[illegible]	0
[illegible]	87.7M	[illegible]	67.6M	0.7	97	[illegible]	[illegible]	[illegible]		13	0	1	0	.23	- .65	.14	[illegible]	.0	0		1	0	0
OAKLEY	88.7	57.2	[illegible]	2.0	97	[illegible]	43	[illegible]	5	15	0	0	0	.30	- .32	.10	15	[illegible]	0		1	0	0
PALISADES DAM	[illegible]	50.8	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	25	[illegible]	0	0	[illegible]	[illegible]		.54	15	[illegible]	0		5	2	0
PAUL 1 E	[illegible]	[illegible]	[illegible]	1.0	[illegible]	14	[illegible]	22		18	[illegible]	[illegible]	0	.37	- .12	.33	17	.0	0		1	[illegible]	0
POCATELLO WB AP //R	90.8	[illegible]	[illegible]	[illegible]	[illegible]	12+	[illegible]	22+	8	21	[illegible]	[illegible]	0	.08	- .68	[illegible]	15	.0	0		[illegible]	[illegible]	0
PRESTON SUG FACT 2SE	[illegible]	[illegible]	73.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	10	[illegible]	0	[illegible]	[illegible]	.22	- .74	.13	19	.0	0		[illegible]	[illegible]	0
[illegible]	[illegible]	[illegible]	[illegible]	2.0	100	5+	[illegible]	[illegible]		23	0	0	[illegible]	.11	- .30	.09	16	.0	0		0	0	0
SAINT ANTHONY	87.2	49.5	[illegible]		[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	0	1	[illegible]	.83	.40	.67	15	.0	0		1	1	0
SPENCER RS	84.1	47.1	[illegible]	[illegible]	94	13	[illegible]	[illegible]	50	[illegible]	0	[illegible]	[illegible]	[illegible]	- .12	.45	17	.0	0		4	[illegible]	0
SPRINGFIELD 1 SE	90.8	51.5	71.2	[illegible]	[illegible]	13	[illegible]	[illegible]	[illegible]	[illegible]	0	[illegible]	0	.01	- .58	.01	15	.0	0		0	0	0
STREVELL	91.5	[illegible]	72.7		[illegible]	11	31	[illegible]	[illegible]	[illegible]	0	1	[illegible]	.36		.22	16	.0	0		[illegible]	[illegible]	0
SUGAR	85.8	49.8	67.8	1.1	96	13	[illegible]	[illegible]	[illegible]	7	0	[illegible]	[illegible]	.34	- .29	.20	15	.0	0		2	0	0
TETONIA EXP STA	83.4	[illegible]	65.4		94	13	[illegible]	[illegible]	56	7	0	1	[illegible]	.92		.60	20				3	1	0
DIVISION			69.6	2.5										.54	- .18			T					
STATE			69.3	0.9										.58	- .03			T					

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	[illegible]																[illegible]															
AMERICAN FALLS [illegible]	[illegible]					.12													[illegible]	T		.02										
ANDERSON DAM	[illegible]	.04													T	[illegible]	.09															
ARCO	.17														.03	.07	.01											.06				
ARROWROCK DAM	.08	.04														.04											T					
ASHTON 1 S	1.01					.47										T	.54											T				
AVERY R S	[illegible]	.32	.04							.12	.32				T	.02						.32	T									
BAYVIEW MODEL BASIN	1.62	.07	.03							.13	.74						.50						.15									
BIG CREEK 1 S	2.19	.24				.16									T	1.73						.06										
BLACKFOOT	[illegible]															.06	.07					[illegible]										
BLISS	.38					.15									.02	.03	.18															
BOISE LUCKY PEAK DAM	[illegible]																															
BOISE WB AP //R	.06					T									T	T	.06		T													
BUHL	.61					.20									.06	.35																
BUNGALOW RS	.96	.16	[illegible]			T		.14		.01	.02	T			.06	.20	T					.37										
BURKE 2 NNE	2.26	.57	.07							.29	.66	.01										.60	.06									
BURLEY	.02																.02															
BURLEY FACTORY	[illegible]														T		[illegible]															
BURLEY CAA AP	.08					.06								T	T	.01	.01		T			T					T					
CALDWELL	.10															.10																
CAMBRIDGE	.05																.05															
CASCADE 1 NW	.09	.04				.02									T	.02	.01															
CENTERVILLE ARBAUGH	.44	.15					.10								.06	T	[illegible]		[illegible]								T					
CHALLIS	1.75	.05				.05									.16	.70	.35	.02		.11							.31					
CHILLY BARTON FLAT	.82					.20									.10	.30	.10			.05							.07					
CLARK FORK 1 ENE	2.59	.53	.20							.20	.77					.06		.79			.04											
COBALT BLACKBIRD MINE	1.52	.22					.05								.20	.52	.36	.17					T									
COEUR D ALENE RS	1.30	.26	.08							.18	.78					T		T			T	T										
CONDA	.40															.02	.15		.02	.16									.05			
COTTONWOOD	1.55	.92													.60		.02				T	.01										
COUNCIL	.13															.13																
CROUCH 2 NNW	.14	.08													.03	.03																
DEADWOOD DAM	.41	.13													.12	.11	.05															
DEER FLAT DAM	.02																											.02				
DIXIE	1.21	[illegible]					T								T	.78	.29					.14					T					
DRIGGS	.97															.10	[illegible]				[illegible]	[illegible]										
DUBOIS EXP STA	.44					.07	.16								.02	.19		T														
DUBOIS CAA AP	.67					.40								T	.17	T	T			[illegible]						T	[illegible]	T				
ELK CITY	1.34					.02		.07							.04	.61	.23	.18				.19										
ELK RIVER 1 S	.57	.26								.01	.09				.03							.18										

DAILY PRECIPITATION

Table 3—Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	T														T																	
FAIRFIELD RS	.20					.06	T							T	T	.01	.13															
FENN RS	.67		.01												.03	.31	.13					.19										
FORT HALL IND AGENCY	.38					.06									.04	.05						.23	T									
GARDEN VALLEY RS	.14	.03													T	.04	.07										T					
GLENNS FERRY	-															-	-															
GOODING CAA AP	.25	T				.06									T	.06	.13															
GRACE	.53															.05	.14		.03	.05	.05						.05	.16				
GRAND VIEW	.19	.02														.06	.11															
GRANGEVILLE	1.34	.27									T				.71		.11				.01	.25										
GRASMERE	T																										T					
GRAY	.40															.10	.10				.20											
GROUSE	.41					T									.12	.12		.03									.05	.09				
HAILEY AP	.22															.07	.15															
HAMER 4 NW	.51					T	.21								.02				T	.14							.14					
HAZELTON	.21														.04		.17										T					
HILL CITY	.07					T										T	.07															
HOLLISTER	T																T															
HOWE	.26														.03	.06	.05	T			.03							.09				
IDAHO CITY	.31	.11													.03	.06	.11															
IDAHO CITY 13 SW	.22	.07													.02	.04	.09															
IDAHO FALLS 6 NE	1.17															1.14	.03															
IDAHO FALLS CAA AP	1.06														1.04	.01	T		T	T	.01						T					
IDAHO FALLS 43 NW WB R	.53														.07	.02	.24			.18							.02					
IDAHO FALLS 46 W WB R	.16														.05	.10	T			.01	T						T					
IRWIN 2 S	1.40															.36	.38	.05	.11	.09	.34						T	.07				
ISLAND PARK DAM	1.27						.33								T	.12		.39		.08							.28	.07				
JEROME	.13														.05	.08										T	T					
KAMIAH 1 NE	.61	.29	.02									T				.13		.05				.12										
KELLOGG	1.84	.44	.12							.31	.37	.27						.12				.05	.16									
KOOSKIA	.90	.25													.10	.19	.03					.33										
KUNA 2 NNE	.00																															
LEWISTON WATER PLANT	.78	.52	T							.13	.03				.10		T				T											
LEWISTON WB AP //R	.37	.15							.12	.03	.03				.02		.02				T	T										
LIFTON PUMPING STA	.36															.02	T	T	T	.31	.02						T	.01				
MACKAY RS	.70					.03									.12	.33	.01			.05							.16					
MALAD	.36													T		.16	.05		.01	T	.02						.10	.02		T		
MALAD CAA AP	.36														.24	T	.03		.04	.05	T						T	T				
MAY RS	1.50	.04			T	.18	T							T	.10	.67	.29			.17							.05					
MC CALL	.84					T									.31	.53																
MC CAMMON	.54														T	.04	.11		T	.30	T					T	.01	.08				
MERIDIAN 1 W	T														T												T					
MESA	.00																															
MINIDOKA DAM	.08														.03		.05															
MONTPELIER RS	.23														.06			T		.14								T	.03			
MOSCOW U OF I	1.04	.36	T							.17	.14				.01			.34				.02										
MOUNTAIN HOME	.02	T															.02															
MULLAN PASS CAA	1.26	.12	.05			T			T	.18	.54										.21	.16										
NAMPA 2 NW	T														T																	
NEW MEADOWS RS	.47															.40	.07															
NEZPERCE 2 E	.61	.47									T				.03						T	.11										
OAKLEY	.30													.02	.05	.10	.02			.09							.02					
OBSIDIAN 4 NNE	.48						.09								.12	.22	.05															
OLA 5 S	.00																															
OROFINO	.18										T					T						.18										
PALISADES DAM	1.99						.29								T	.54	.41	.02		.18	.50	.03					.01	.01				
PARMA EXP STA	.06	T				T									T	T	.06															
PAUL 1 E	.37																.04	.33														
PAYETTE	T																T															
PIERCE RS	1.17	.34	.30								T				.07	.12						.34										
POCATELLO WB AP //R	.08					.01								T	.01	.05	T		T		.01											
PORTHILL	.87	.50	T						.16	T	.21																					
POTLATCH 1 SE	1.42	.51	.10					T		.24	.33				T		.20	T				.04										
PRESTON SUG FACT 2 SE	.22															.02	.04			.13	.01						T	.01	.01		T	
PRIEST RIVER EXP STA	1.49	.33	.09						.07	.07	.81				.02						.04	.06										
RICHFIELD	.13														.06	.07																
RIGGINS RS	.99														T	.49	.47					.03										
RUPERT	.11														T	T	.09	.02														
SAINT ANTHONY	.83					.06									.08	.67				T	.02						T					
SAINT MARIES	1.46	.27	.21							.33	.58											.04	.03									
SALMON	.93	.03				.09								.03	.01	.53	.11			.09							.04					
SANDPOINT EXP STA	2.17	.34	.04						.02	.12	.87				T	.29		T			.34	.15										
SHOSHONE	.59														.06	.45	.08	T														
SPENCER RS	1.06					.12	.18								.04	.25		.45		T		T						.02				
SPRINGFIELD 1 SE	.01															.01	T		T													
STIBNITE	.77	.15						.03							.13	.20	.23	.03					T									
STREVELL	.36															.05	.22		T	.04	.05										T	
SUGAR	.34														T	.20				T	.01	T					.12	.01				
SUN VALLEY	.91														.50	.16	.25	T	T	T												
SWAN FALLS PH	.13	T														.03	.10															
TETONIA EXP STA	.92					.03									.10		.03				.60						.16					
THREE CREEK	.09													T		.07													.02			
TWIN FALLS 2 NNE	.55					.01								T	.54	T	T			T							T					
TWIN FALLS 3 SE	.62					.07										.29	.01	.25										T				
WALLACE	1.83	.40	.07							.31	.68						T					.37										
WALLACE WOODLAND PARK	1.18	.35	.05							.27	.08											.24	.19									
WEISER 1 S	.00																															
WINCHESTER 1 SE	.64	.50								.02	.04											.08										

PRECIPITATION STORAGE GAGE TABLE WILL BE FOUND ON PAGE 89.

Table 5

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
BERDEEN EXP STA	MAX	80	85	94	98	99	93	95	95	95	95	97	99	98	94	88	91	96	92	92	91	85	75	86	94	93	87	90	93	93	91	93	91.5
	MIN	54	46	46	48	65	59	49	49	61	48	50	55	55	65	59	57	55	51	53	53	53	36	36	41	48	62	53	50	51	52	47	52.2
MERICAN FALLS 1 NW	MAX	85	84	93	98	92	93	93	94	94	94	95	98	95	92	86	85	93	91	92	92	91	72	84	93	95	87	87	90	91	89	90	90.6
	MIN	55	43	45	49	66	59	53	50	57	48	52	59	55	68	60	60	58	67	56	58	52	36	36	43	52	70	55	57	55	57	49	54.2
NDERSON DAM	MAX	76	87	100	101	96	100	95	96	90	96	99	101	105	95	90	95	96	96	97	93	87	82	88	97	99	94	93	97	93	92	94	94.2
	MIN	51	43	53	57	69	60	61	56	59	56	59	60	62	72	60	64	61	60	61	62	53	44	49	53	59	69	60	57	59	55	53	58.0
RCO	MAX	77	79	88	94	88	89	90		81	87	91	97	96	85	80	88	90	89	85	85	82	75	82	87	93	82	84	87	89	87	90	86.7
	MIN	54	38	42	46	63	51	46		48	47	47	40	47	53	56	57	50	54	49	49	49	34	35	41	56	63	48	46	50	48	49	48.6
RROWROCK DAM	MAX	76	77	87	97	99		98	93	91	85	94	97	98	100	90	91	94	99	91	99	91	69	82	88	95	96	93	93	94	92	91	91.3
	MIN	49	48	53	53	51	59	60	56	54	55	57	60	62	67	64	62	61	60	60	55	50	43	48	53	56	61	59	56	58	52	54	56.0
SHTON 1 S	MAX	75	74	78	89	84	92	90	88	85	87	84	86	82	88	80	79	82	84	84	86	83	68	80	84	89	81	83	82	88	83	80	83.1
	MIN	38	36	41	47	46	51	53	55	53	51	50	54	50	56	55	43	46	49	51	50	31	38	41	47	54	49	47	50	51	45	40	47.4
VERY RS	MAX	78	75	86	[illegible]	95	100	99	87	77	71	82	84	92	92	90	95	92	93	93	89	69	75	80	87	97	88	87	87	82	87	89	86.7
	MIN	51	48	41	45	59	49	54	49	54	52	52	49	48	53	56	50	53	45	42	48	48	49	44	46	44	45	42	39	39	41	44	47.7
AYVIEW MODEL BASIN	MAX	74	65	74	80	86	83	85	85	69	69	76	82	81	81	88	90	88	89	89	85	69	73	81	82	86	83	84	80	80	84	85	80.8
	MIN	49	48	40	40	39	37	50	55	53	54	48	48	46	50	56	52	49	59	45	57	43	41	41	45	48	43	50	45	40	50	54	47.6
IG CREEK 1S	MAX	65	73	82	87	82	86	82	81	94	78	87	90	90	79	70	76	85	85	84	79	69	73	79	83	87	82	80	82	83	82	84	81.3
	MIN	41	28	29	33	49	36	37	32	40	36	39	41	42	55	51	52	47	38	39	35	42	25	29	31	31	40	35	32	31	27	28	37.1
LACKFOOT	MAX	95	85	95	100	90	95	95	94	90	94	95	100	100	95	87	97	95	87	92	91	86	77	85	94	97	87	90	93	93	90	94	91.7
	MIN	58	47	50	55	69	58	55	55	65	56	56	60	60	65	60	60	57	64	60	58	55	40	44	58	56	69	60	56	57	55	51	57.1
LISS	MAX	90	87	99	101	95	[illegible]	94	94	90	96	96	102	104	97	93	95	97	95	97	90	80	89	99	100	90	95	96	95		93	96	94.4
	MIN	52	43	48	52	69	60	55	49	61	50	57	54	57	72	63	62	59	61	56	49	36	40	44	51	68	56	49	52		48	46	54.0
OISE LUCKY PEAK DAM	MAX	75	87		101		102	97	93		97		97	98	94			96		97		81	78	87	95			95	93	94	93		
	MIN	47	49	56			60	57	56	55			66	74	65				60		58	44	46	51	56			60	54	55	49		
OISE WB AP	MAX	79	86	97	100	96	98	92	90	85	94	92	97	95	93	94	97	97	92	98	90	70	77	98	96	94	93	93	91	94	88	93	91.5
	MIN	51	47	58	60	71	64	61	57	56	62	58	63	61	73	71	70	64	61	67	58	46	44	53	56	61	64	60	53	55	54	54	59.2
UHL	MAX	80	82	93	94	95	93	93	90	89	94	95	97	98	90	83	89	91	90	90	87	87	74	85	93	93	87	88	91	93	91	92	89.9
	MIN	53	51	53	61	69	63	64	60	52	61	62	64	65	72	64	62	63	70	64	66	49	43	49	56	62	70	61	59	63	57	59	60.5
UNGALOW RS	MAX	83	80	89	94	92	97	95	85	81	80	86	88	95	89	92	90	93	94	93	88	79	77	86	92	94	89	89	86	85	90	93	88.5
	MIN	53	50	42	47	60	51	56	52	57	52	51	51	51	56	57	57	56	50	54	50	50	42	43	47	47	51	45	42	40	40	43	49.8
URKE 2 NNE	MAX	73	62	76	85	84	87	87	76	70	63	70	79	82	82	81	81	84	81	80	77	61	62	69	75	78	77	73	69	72	74	76	75.7
	MIN	45	42	36	49	50	46	51	48	48	47	47	44	43	51	50	46	48	44	48	45	43	34	40	41	41	43	41	37	37	39	41	44.0
URLEY	MAX	91	78	89	100	100	96	99	94	94	82	98	97	101	104	96	89	95	97	85	95	92	70	80	89	98	98	85	94	97	95	91	92.5
	MIN	56	49	52	56	72	64	65	58	64	52	61	62	60	70	64	62	63	60	62	66	53	44	45	50	56	72	60	58	60	59	54	59.0
URLEY FACTORY	MAX	91	77	87	98	100	94	98	94	93	80	95	95	98	101	93	89	92	95	84	94	92	68	76	85	95	94	85	92	96	92	90	90.7
	MIN	54	43	46	52	67	62	62	50	59	47	55	58	51	67	61	60	61	67	61	61	51	36	40	44	51	67	54	51	54	55	48	54.7
URLEY CAA AP	MAX	78	87	97	101	96	97	93	92	83	96	93	101	100	93	89	92	95	85	92	94	72	78	86	96	96	85	92	96	92	92	93	91.3
	MIN	53	44	48	52	64	63	59	51	55	47	55	59	54	67	61	61	62	64	60	65	45	37	40	43	51	63	54	52	53	56	47	54.4
ALDWELL	MAX	77	83	93	95	94	95	90	89	93	90	90	96	96	92	90	97	94	89	94	87	76	78	86	92	92	92	91	89	92	87	90	90.0
	MIN	50	49	49	53	68	57	62	57	58	54	57	60	64	71	59	65	62	58	60	58	55	44	45	59	57	59	54	54	55	54	52	57.1
AMBRIDGE	MAX	80	85	94	98	95	97	92	91	90	85	94	98	103	99	97	98	97	96	97	89	73	82	89	90	98	96	94	94	92	94	94	92.6
	MIN	44	41	40	45	68	46	50	53	50	48	51	51	61	70	65	58	60	54	53	59	48	36	40	45	46	53	48	50	49	55	44	51.0
ASCADE 1 NW	MAX	68	78	[illegible]	91	89	90	89	85	81	84	88	89	90	88	88	85	87	[illegible]	89	89	83	73	82	87	88	83	83	83	82	82	84	84.8
	MIN	47	35	40	46	59	45	49	43	47	46	46	49	54	63	[illegible]	51	51	46	49	43	45	32	37	41	43	53	48	42	41	44	34	46.0
HALLIS	MAX	79	79	90	94	92	87	91	91	86	88	94	96	94	86	72	80	[illegible]	84	82	87	82	74	84	88	91	85	84	86	88	84	85	86.2
	MIN	50	41	47	51	66	52	53	56	56	50	54	57	58	60	57	57	51	51	58	53	57	38	45	47	50	64	52	48	50	52	46	52.5
HILLY BARTON FLAT	MAX	73	74	83	87	81	80	84	85	80	80	84	90	89	79	72	82	85	76	80	79	76	72	77	84	83	82	83	84	87	84	81	81.2
	MIN	44	34	36	39	55	43	42	49	41	38	42	40	44	55	53	47	43	42	40	48	44	32	32	34	41	40	41	35	38	40	35	41.5
LARK FORK 1 ENE	MAX	71	68	80	87	84	88	84	81	76	[illegible]	76	79	84	83	87	85	86	84	80	68	70	72	80	82	[illegible]	83	80	78	82	83	88	80.1
	MIN	41	48	35	41	44	45	53	51	52	48	46	46	41	42	53	48	43	58	54	47	40	37	39	40	41	41	40	36	36	38	39	44.0
OBALT BLACKBIRD MINE	MAX	72	63	68		85	74	81	82	83	72	79	86	89	83	64	62	72	81	79	79	79	58	64	76		83	79	76	79	80	74	76.0
	MIN	41	34	39		42	45	47	45	47	44	48	51	50	54	50	44	44	44	45	48	41	28	30	38	44		46	41	42	37	39	43.0
OEUR D ALENE RS	MAX	77	71	84	87	83	96	95	85	76	70	77	80	86	85	88	94	90	89	89	88	68	74	83	83	89	88	85	80	86	87	90	84.0
	MIN	50	47	41	44	59	49	58	57	54	54	54	51	46	57	52	52	55	53	56	57	50	44	47	45	48	52	52	48	40	43	46	50.2
ONDA	MAX	85	76	79	89	91	85	89	92	91	89	90	92	92	92	92	85	92	89	84	83	86	73	74	83	88	91	81	78	89	89	88	86.4
	MIN	46	38	42	42	52	49	44	49	52	44	45	50	48	62	54	55	57	55	49	46	53	28	32	36	43	60	48	45	46	45	40	46.8
OTTONWOOD	MAX	64	72	75	86	78	90	77	72	75	61	78	79	85	82	81	79	87	90	82	70	63	72	79	81	85	85	82	85	80	82	[illegible]	78.7
	MIN	46	41	43	47	59	49	43	55	46	49	45	49	50	56	55	54	51	50	50	45	44	34	40	46	45	47	42	47	40	44	43	46.9
OUNCIL	MAX	79	83	86	96	[illegible]	95	[illegible]	89	87	88	92	98	102	100	96	95	95	95	95	94	85	81	88	95	[illegible]	94	92	91	92	90	95	92.2
	MIN	55	45	42	50	52	52	47	57	57	45	55	63	68	70	65	59	62	61	52	58	53	38	40	52	59	57	50	52	53	52	52	54.0
EADWOOD DAM	MAX	72	77	86	89	87	88	83	88	76	82	[illegible]	93	91	89	82	86	86	80	86	81	63	71	72	85	87	81	79	82	83	81	81	82.4
	MIN	48	31	34	37	55	38	43	38	38	39	40	48	43	57	51	42	46	39	46	39	45	26	31	33	36	47	40	40	36	32	34	40.4
EER FLAT DAM	MAX	75	85	91	94	91	93	92	84	85	88	90	95	97	92	92	96	95	92	95	88	80	78	85	93	95	93	90	89	92	85	92	89.7
	MIN	48	50	62	65	69	64	64	58	58	61	60	65	68	72	70	64	62	59	62	58	49	47	45	49	61	65	56	57	61	61	58	59.6
IXIE	MAX	63	72	80	86	86	86	78	78	70	76	81	85	85	79	74	74	82	84	83	76	61	68	75	82	85	80	78	78	79	76	79	78.0
	MIN	40	30	30	36	50	39	40	37	41	35	35	42	41	48	53	48	45	42	40	37	39	26	29	30	35	39	33	30	26	26	27	37.1
RIGGS	MAX	84	81	84	90	83	83	[illegible]	90	91	84	91	92	93	94	87	85	85	85	83	83	84	68	68	80	83	87	75	82	84	85	84	84.4
	MIN	39	42	45	45	50	52	56	56	60	45	57	57	57	59	57	55	57	59	53	49	59	31	36	40	54	59	49	49	44	45	45	50.4
UBOIS EXP STA	MAX	81	79	90	94	93	89	92	94	90	89	95	97	97	93	80	89	93	87	87	87	85	72	82	88	[illegible]	89	85	91	93	91	87	88.7
	MIN	53	42	47	51	59	53	56	58	59	54	58	62	66	62	59	54	54	56	55	54	55	40	42	46	59	62	51	51	58	57	55	54.5
UBOIS CAA AP	MAX	76	80	90	95	86	90	93	94	84	90	95	98	98	88	80	91	94	86	89	88	74	74	83	89	95	82	88	91	93	87	89	88.1
	MIN	46	36	49	54	58	54	56	49	57	48	54	62	64	64	58	56	56	58	55	51	47	40	37	48	61	55	50	50	57	51	52	52.7
LK CITY	MAX	83	78	86	93	91	92	82	78	73	69	80	80	88	84	81	81	87	87	87	80	68	71	78	84	86	83	81	79	76	79	80	81.5
	MIN	35	39	34	37	50	42	45	46	48	42	35	44	42	50	57	51	53	47	42	41	44	34	33	36	38	43	33	31	31	32	33	40.9
LK RIVER 1 S	MAX	74	74	83	89	91	93	92	83	75	70	79	81	89	89	86	88	88	89	88	84	69	70	78	83	85	86	84	77	79	81	[illegible]	82.6
	MIN	48	46	39	43	59	46	52	49	53	51	50	47	45	52	54	50	52	42	46	48	45	36	39	43	39	41	38	34	35	35	33	44.8
MMETT 2 E	MAX	78	87	96	99	98	97	94	90	86	96	92	96	97	96	96	[illegible]	95	96	97	92	84					92	95	92	96	91	94	93.3
	MIN	48	49	49	53	70	55	57	51	57	55	55	56	59	70	69	63	64	61	53	53	45	38	39			60	53	48	49	48	45	54.2
AIRFIELD RS	MAX	69	79	[illegible]	92	85	90	86	85	88	88	89	93	95	88	83	88	88	88	88	85	84	75	81	88	91	84	84	88	87	85	88	86.1
	MIN	48	39	42	47	61	49	50	44	47	43	47	47	52	65	61	56	49	48	49	52	50	31	32	41	45	62	49	43	[illegible]	45	40	47.7
ENN RS	MAX	81	80	90	93	93	94	90	86	82	79	87	88	90	92	91	90	93	[illegible]	93	90	81	78	86	90	90	90	89	86	86	88	90	88.1
	MIN	54	50	47	50	61	53	57	55	52	52	52	55	55	59	61	61	58	55	54	52	51	46	45	50	51	54	47	45	45	43	44	52.1
ORT HALL IND AGENCY	MAX	88	82	94	98	93	95	91	94	93	93	95	99	101	94	92	92	94	94	90	91	90	76	83	94	97	88	[illegible]	91	90	87	91	91.5
	MIN	57	45	48	49	67	57	50	52	58	50	53	60	58	66	59	59	55	64	54	54	53	39	40	45	51	56	55	54	54	55	52	53.8
ARDEN VALLEY RS	MAX	74	83	96	97	94	96	91	92	89	93	94	99	100	99	92	95	97	95	99	[illegible]	89	83	89	95	97	94	94	93	94	92	95	93.2
	MIN	47	40	43	47	52	41	43	44	42	39	41	44	45	58	55	56	55	[illegible]	43	39	41	36	40	43	45	56	50	46	[illegible]	44	40	45.5
LENNS FERRY	MAX	80	89	100	103	98	101	95	94	90	97	96	101	103	97										100	100	97	96	97	95	93	96	96.3
	MIN	54	52	48	56	74	54	56	51	54	55	64	57	61	66										45	53	69	57	60	53	45	46	55.9
OODING CAA AP	MAX	78	85	98	99	90	98	93	93	84	94	96	100	103	95	90	91	95	94	96	93	69	79	87	97	97	90	92	94	94	90	94	91.9
	MIN	52	50	55	66	68	65	62	56	63	56	59	64	64	72	66	64	64	64	63	63	51	43	50	56	64	73	63	59	61	58	52	60.2
RACE	MAX	72	78	85	88	82	87	90	90	[illegible]	88	91	90	92	88	[illegible]	86	87	80	80	81	70	71	78	84	86	75	75	84	88	83	86	83.4
	MIN	50	43	46	45	62	54	48	50	53	50	50	55	53	61	56	58	56	57	52	50	51	36	38	42	50	60	54	51	52	50	47	51.0
RAND VIEW	MAX	85	91	104	107	102	106	102	100	98	103	103	106	105	94	96	[illegible]	103	99	105	98	95	84	94	104	103	101	101	[illegible]	102	100	100	99.6
	MIN	51	52	52	55	71	70	63	56	64	55	61	60	69	73	73	68	62	59	65	60	55	46	46	50	57	67	60	61	56	58	52	59.6
RANGEVILLE	MAX	67	71	78	84	81	87	80	75	72	61	77	82	87	85	82	80	86	85	83	73	62	71	79	84	86	86	82	[illegible]	80	82	85	78.1
	MIN	48	44	46	51	62	53	56	52	50	49	46	54	53	52	58	59	57	53	57	48	44	39	44	50	50	53	48	45	45	45	47	50.3
RASMERE	MAX	73	86	95	93	92	94	94	93		93	94	95	95	91	86	94	94	93	93	[illegible]	88	73	85	92	92	86	90	90	91	86	89	90.0
	MIN	44	39	45	54	67	58	57	56		53	56	56	55	67	64	57	58	67	60	61	40	34	41	48	56	64	58	48	52	49	[illegible]	53.8
RAY	MAX	80	80	85	86	85	87	85	86	90	90	92	92	90	99	95	95	94	92	86	85	80	80	79	78	85	87	88	90	92	[illegible]	93	87.7
	MIN	36	38	40	40	42	41	42	42	45	46	46	48	44	50	49	48	40	39	38	36	36	34	24	32	40	42	42	44	45	46	45	41.3
ROUSE	MAX	67	71	80	85	79	82	82	81	75	80	[illegible]	89	88	80	74	82	83	79	81	80	76	70	78	83	87	76	80	83	85	84	85	80.3
	MIN	51	32	36	36	57	44	40	43	40	39	43	44	44	51	51	46	42	45	44	46	41	26	30	33	45	55	43	35	39	37	31	41.6
ILEY AP	MAX	74	78	89	92	91	89	89	88	80	88	91	95	95	85	82	88	90	85	88	85	68	75	82	89	92	84	85	88	88	87	[illegible]	86.1
	MIN	38	40	45	50	56	49	48	51	46	47	47	54	56	62	57	54	51	51	50	50	40	34	34	45	54	61	50	47	47	46	45	48.5
MER 4 NW	MAX	82	82	91	95	87	89	94	[illegible]	91	92	97	97	98	94	84	91	93	90	87	87	85	73	82	88	92	83	87	[illegible]	91	88	90	89.2
	MIN	52	38	42	50	57	58	50	52	54	46	50	59	54	67	57	56	50	56	58	[illegible]	54	32	36	41	54	63	51	46	52	50	45	51.0
ZELTON	MAX	83	85	97	97	94	95	94	93	89	93	92	95	97	95	88	94	95	86	90	91	86	77	83	96	98	87	90	94	94	90	[illegible]	91.2
	MIN	52	47	49	56	67	61	57	54	60	50	60	62	60	69	63	61	60	65	57	[illegible]	45	39	41	46	51	66	56	57	60	59	57	56.2

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
HILL CITY	MAX	69	80	90	95	89	90	88	87	79	88	90	96	91	87	85	92	91	89	89	87	71	77	80	91	96	88	86	90	90	87	88	87.0
	MIN	45	40	39	42	64	44	51	41	50	40	46	45	51	65	61	53	46	45	48	49	48	30	34	31	39	62	47	42	44	42	44	46.1
HOLLISTER	MAX	95	81	92	92	91	94	90	88	82	92	89	95	97	93	91	89	90	89	90	87	88	73	82	92	89	86	87	90	87	86	88	88.5
	MIN	49	44	49	61	63	55	60	54	61	53	54	62	57	60	63	60	58	59	60	65	48	41	41	54	58	54	57	57	58	57	52	55.6
IDAHO CITY	MAX	72	82	93	94	[illegible]	95	89	87	81	89	92	97	97	90	83	91	92	90	92	90	84	79	85	93	95	95	88	90	89	88	90	89.0
	MIN	43	34	39	42	58	45	47	40	45	43	45	47	48	63	61	53	39	43	49	44	47	30	35	37	41	57	40	42	42	38	35	44.3
IDAHO FALLS 6 NE	MAX								89	86	88	88	94	95	90	83	89	88	84	88	85	78	72	79	86	93	85	82	85	84	83	85	85.8
	MIN	58	41	56	56	55	56	55	57	58	52	52	54	50	67	57	59	54	57	57	57	54	39	37	44	52	62	54	55	55	48	48	53.4
IDAHO FALLS CAA AP	MAX	75	80	91	96	87	94	92	93	93	91	91	97	98	93	90	91	93	86	90	89	78	76	82	91	98	87	86	89	87	86	89	88.7
	MIN	54	45	47	50	61	56	52	50	60	50	54	57	50	54	57	57	55	60	54	52	49	38	40	46	54	61	53	52	52	53	51	52.4
IDAHO FALLS 43 NW WB	MAX	76	82	92	98	89	93	96	95	86	92	96	100	100	89	82	92	93	85	89	89	72	76	85	91	96	83	90	93	94	91	93	89.6
	MIN	53	40	42	50	55	50	51	54	59	43	49	56	56	63	57	56	51	55	50	49	49	34	35	42	55	55	47	46	52	60	56	50.6
IDAHO FALLS 46 W WB	MAX	75	81	91	96	90	93	93	93	84	92	95	99	99	88	85	92	95	85	90	89	71	77	86	93	96	84	90	91	93	89	93	89.3
	MIN	53	43	43	47	61	56	48	51	55	49	58	56	52	61	54	58	49	59	49	51	48	41	33	42	54	61	53	48	44	46	41	50.5
IRWIN 2 S	MAX	[illegible]	81	92	94	84	91	93	92	[illegible]	90	95	93	93	89	81	85	88	84	81	80	72	75	72	87	92	76	80	87	90	85	87	85.6
	MIN	50	[illegible]	45	48	60	52	50	48	54	48	50	50	52	59	60	56	53	55	57	50	55	34	37	41	48	59	48	51	51	50	45	50.2
ISLAND PARK DAM	MAX	79	70	81	87	85	82	84	83	82	82	86	89	89	89	79	81	83	76	76	79	74	67	74	79	85	85	76	81	80	78	80	80.7
	MIN	47	32	36	43	49	47	47	45	48	41	43	50	49	51	52	48	49	47	51	54	46	27	31	35	46	44	43	40	43	39	39	44.3
JEROME	MAX	81	89	96	99	92	97	95	93	100	95	96	99	101	88	90	95	95	89	94	91	88	77	86	97	96	89	93	93	94	91	94	92.4
	MIN	51	45	51	53	63	63	52	51	61	49	56	56	57	71	63	61	64	62	59	59	48	37	41	47	56	62	56	54	54	52	51	55.0
KELLOGG	MAX	85	63	73	86	92	87	99	97	80	72	55	79	83	93	93	90	93	89	91	86	73	56	74	82	86	90	86	82	81	84	86	82.8
	MIN	51	44	42	47	63	51	61	55	55	54	51	51	49	55	60	52	55	49	53	54	50	42	45	47	46	49	46	43	41	45	45	50.0
KOOSKIA	MAX	74	82	88	95	91	90	96	88	82	80	87	90	96	96	94	92	95	90	93	92	70	80	88	91	94	92	91	90	89	92	94	89.7
	MIN	55	51	49	50	63	55	57	55	58	54	52	54	53	59	61	62	59	52	55	54	54	44	45	50	48	52	44	46	44	42	43	52.3
KUNA 2 NNE	MAX	75	81	92	95	93	93	89	88	83	92	90	95	95	93	91	97	95	94		86	70	75	85	92	90	90	92	86	93	85	89	88.8
	MIN	40	41	47	51	67	58	56	51	54	53	54	56	56	69	69	63	59	54		53	46	37	42	45	51	58	50	50	48	49	43	52.3
LEWISTON WATER PLANT	MAX	76	85	90	95	93	102	100	86	81	79	[illegible]	89	97	99	96	98	95	98	95	90	72	85	93	90	95	93	90	88	88	94	97	91.0
	MIN	55	50	54	55	70	58	68	66	58	59	62	58	58	65	65	64	62	57	63	63	59	48	53	56	52	58	57	53	51	53	55	58.2
LEWISTON WB AP	MAX	73	80	87	94	90	99	89	81	78	71	85	88	96	96	93	96	96	96	90	76	74	81	89	89	93	90	88	85	88	90	93	87.5
	MIN	52	47	52	53	67	56	69	57	55	57	59	56	54	60	63	63	60	57	61	58	54	45	51	55	52	55	53	48	49	52	55	55.6
LIFTON PUMPING STA	MAX	77	79	86	89	79	87	91	88	85	84	91	91	93	87	87	88	89	76	76	81	79	72	78	82	88	80	79	86	89	87	89	84.3
	MIN	52	47	48	50	59	53	53	55	55	50	51	57	55	66	58	59	61	60	55	52	56	37	40	44	49	62	50	50	51	53	48	52.8
MACKAY RS	MAX	76	78	86	90	82	88	90	89	86	85	93	95	93	89	74	87	89	80	83	84	79	75	83	87	91	85	84	87	90	90	89	85.7
	MIN	48	38	42	49	40	48	48	54	48	43	49	56	57	61	57	58	51	48	51	49	43	37	38	48	54	59	48	47	51	51	49	49.0
MALAD	MAX	82	87	92	95	90	94	97	96	93	94	101	100	100	95	93	93	96	87	88	89	76	82	86	91	93	80	87	93	96	94	98	91.5
	MIN	55	49	50	52	65	60	54	56	58	53	55	62	62	66	59	60	65	60	54	59	54	42	42	47	54	63	53	52	55	54	54	55.6
MALAD CAA AP	MAX	81	87	93	95	92	94	97	98	93	95	100	99	98	96	95	95	96	87	88	91	75	81	87	93	94	84	88	95	97	94	96	92.1
	MIN	50	46	47	45	61	56	50	50	55	49	48	59	58	61	58	59	63	58	52	56	46	36	40	43	46	54	51	47	49	51	50	51.4
MAY RS	MAX	70	78	91	93	90	82	89	92	83	88	93	94	92	88	75	82	88	83	86	87	84	76	85	87	90	83	83	84	87	84	86	85.5
	MIN	33	41	42	43	44	47	47	54	51	45	50	51	50	59	53	51	47	49	48	53	54	34	39	39	44	60	48	43	46	44	44	46.9
MC CALL	MAX	62	70	80	84	84	86	84	76	74	73	80	86	88	85	79	82	85	82	84	84	74	71	78	84	85	85	80	80	80	78	80	80.1
	MIN	48	35	37	42	58	44	48	44	48	44	44	50	52	61	55	51	52	44	47	44	44	30	37	41	43	49	42	40	42	42	39	45.1
MC CAMMON	MAX	86	87	89	95	87	94	95	98	89	95	99	97	100	94	92	93	93	87	90	89	77	79	87	91	96	91	92	94	93	94	92	91.5
	MIN	48	46	48	49	41	47	48	53	52	49	50	51	53	64	58	64	56	56	53	50	49	35	37	42	47	65	61	50	47	48	45	50.4
MERIDIAN 1 W	MAX	76	83	93	95	94	96	95	89	87	90	92	96	95	90	90	96	92	92	94	94	86	78	86	91	91	94	93	89	92	92	91	90.7
	MIN	50	45	51	54	68	59	57	54	57	54	55	58	57	69	68	63	61	55	60	52	47	39	44	50	54	61	55	54	49	49	46	54.7
MESA	MAX	75	83	94	98	96	97	95	88	83	90	94	99	101	96	88	97	96	95	96	94	83	85	89	95	90	90	95	98	93	91	96	92.2
	MIN	50	45	52	58	69	57	55	60	58	52	50	54	56	73	66	65	63	60	72	56	42	41	51	55	51	50	53	54	59	53	55	56.0
MINIDOKA DAM	MAX	85	84	86	98	93	93	90	91	79	92	94	95	101	91	86	90	95	95	91	92	66	76	83	94	96	83	87	93	92	87	88	89.2
	MIN	55	50	56	55	66	62	65	57	63	54	60	63	61	71	63	62	63	68	62	61	53	42	45	51	61	68	57	57	61	59	55	58.9
MONTPELIER RS	MAX	86	79	81	92	90	83	89	92	92	86	90	97	95	97	90	89	91	90	82	82	86			82	86	91	78	82	87	91	88	87.7
	MIN	51	41	43	44	56	49	46	49	54	48	47	46	51	59	55	57	56	58	50	47		29	33	40	44	59	41	43	41	42	44	47.4
MOSCOW U OF I	MAX	71	74	81	87	84	94	83	76	70	67	70	82	87	90	86	90	89	88	86	81	64	74	81	85	87	82	80	77	82	83	86	81.2
	MIN	50	46	43	44	62	48	58	55	52	53	53	52	46	53	59	53	49	51	52	52	45	38	44	46	40	49	50	39	38	41	44	48.5
MOUNTAIN HOME	MAX	81	90	102	103	100	103	101	96	92	98	100	103	105	103	92	97	101	98	100	98	93	82	92	101	96	97	98	98	97	97	98	97.2
	MIN	51	50	57	60	74	64	68	57	61	60	60	61	63	75	73	65	64	63	66	63	50	43	46	55	61	58	61	56	57	55	56	59.8
MULLAN PASS CAA	MAX	50	62	71	81	70	84	70	62	56	49	66	69	77	77	70	80	73	77	73	57	40	58	64	72	72	69	63	65	63	68	68	67.0
	MIN	38	35	47	57	55	59	55	45	41	44	45	54	52	55	54	57	58	57	56	37	34	36	47	51	51	54	50	47	48	52	52	49.1
NAMPA 2 NW	MAX	77	77	90	95	96	93	98	91	89	84	91	94	97	98	93	92	95	95	90	96	89	73	79	88	96	94	96	91	91	94	88	90.6
	MIN	49	47	49	52	67	56	58	55	58	56	55	60	62	70	68	64	64	58	62	57	49	41	46	50	55	60	54	54	56	53	49	55.9
NEW MEADOWS RS	MAX	72	76	86	90	89	88	88	82	78	79	87	92	88	91	86	90	89	88	88	85	79	78	83	88	92	87	84	85	87	85	88	85.4
	MIN	52	34	33	39	59	39	40	40	46	39	39	45	47	54	55	54	49	44	44	41	41	27	32	36	38	41	37	35	35	31	30	41.2
NEZPERCE 2 E	MAX	65	71	76	85	80	88	78	72	72	62	77	78	86	84	82	81	85	86	82	69	60	72	78	81	83	81	78	77	80	81	84	77.9
	MIN	48	41	49	51	61	53	53	49	49	51	47	53	53	59	57	59	57	53	56	48	46	40	45	51	51	54	50	42	43	45	48	50.4
OAKLEY	MAX	80	84	96	96	93	93	90	89	85	95	92	94	96	95	88	93	90	85	87	81	71	76	83	95	97	85	88	90	86	88	89	88.7
	MIN	50	48	56	58	64	57	56	56	54	56	57	65	60	66	64	57	58	69	61	58	53	57	43	51	53	64	59	58	54	56	54	57.2
OBSIDIAN 4 NNE	MAX	61	68	78	82	78	76	77	73	73	75	82	85	86	74	72	80	75	76	77	78	68	70	74	79	83	72	75	78	78	78	79	76.1
	MIN	34	29	32	35	37	34	39	35	46	43	43	40	39	54	50	45	39	37	36	41	41	23	31	32	35	53	41	36	38	32	28	38.0
OLA 5 S	MAX	81	82	95	96	93	95	94	95	92	91	93	97	100	96	90	93	95	91	94	93	87	84	86	93	96	96	94	93	92	89	93	92.2
	MIN	37	39	42	47	48	49	49	45	45	45	53	52	53	57	60	59	50	50	50	49	46	38	40	39	40	47	48	49	46	47	43	47.2
OROFINO	MAX	78	85	91	97	94	104	98	94	82	78	89	89	97	96	96	94	96	100	93	90	69	83	92	91	95	93	90	89	91	93	92	90.9
	MIN	55	54	47	51	60	55	59	56	60	57	55	55	54	59	57	59	61	52	55	58	54	45	47	52	49	53	48	45	46	45	45	53.2
PALISADES DAM	MAX	80	80	88	91	89	88	92	92	91	89	94	94	95	91	82	85	87	81	77	80	71	71	80	85	90	77	78	86	89	88	86	85.4
	MIN	51	43	46	46	59	52	50	52	55	50	49	54	52	61	58	56	55	55	57	50	55	35	39	41	49	60	50	50	51	50	45	50.8
PARMA EXP STA	MAX	80	85	93	97	96	99	99	93	86	93	95	101	102	99	99	97	99	98	97	95	90	79	89	94	98	98	96	95	97	97	95	94.2
	MIN	48	44	48	47	66	53	63	55	57	55	54	60	61	69	67	62	61	57	58	57	54	42	44	48	55	58	54	50	50	49	58	55.0
PAUL 1 E	MAX	91	74	75	85	97	92	95	92	90	81	95	93	98	99	92	88	92	91	84	91	90	65	77	83	95	94	82	86	92	87	89	88.2
	MIN	55	46	46	51	68	62	59	52	62	47	57	59	55	69	61	61	69	67	59	59	51	35	40	44	48	67	54	52	55	57	45	55.2
PAYETTE	MAX	82	87	97	100	99	99	95	90	88	95	95	101	100	96	94	98	98	95	99	90	78	82	91	97	93	96	93	91	95	91	95	93.5
	MIN	51	47	49	54	70	56	61	59	61	55	58	64	65	72	71	64	62	60	59	60	50	43	45	50	59	60	55	55	57	51	54	57.3
PIERCE RS	MAX	73	74	83	92	92	94	93	82	78	73	81	83	91	90	97	87	88	90	91	86	71	71	79	84	88	86	83	80	80	83	86	84.1
	MIN	48	45	39	43	57	46	50	48	52	48	47	46	45	49	53	48	51	42	37	44	45	37	37	42	40	44	39	35	35	34	37	44.0
POCATELLO WB AP	MAX	77	84	95	97	88	96	94	96	88	96	96	99	99	94	85	92	95	85	91	91	77	76	86	94	97	86	90	94	93	90	93	90.8
	MIN	55	48	51	54	64	59	56	55	60	51	55	64	59	67	60	59	55	63	56	59	51	41	41	48	54	66	60	58	59	58	56	56.2
PORTHILL	MAX	75	69	77	82	88	84	85	83	74	67	77	82	81	78	84	87	87	89	88	86	70	75	77	79	86	87	86	81	82	82	84	81.0
	MIN	52	51	41	45	51	51	52	52	57	53	53	49	47	50	57	51	56	51	52	60	53	45	49	43	45	46	45	42	44	43	43	49.3
POTLATCH 1 SE	MAX	71	72	81	88	83	92	85	78	72	64	76	79	87	91	90	90	89	88	84	79	63	72	82	83	91	83	78	80	84	85	88	81.5
	MIN	49	46	41	43	60	47	55	54	51	52	51	49	45	50	50	49	46	44	46	51	42	36	41	41	41	41	41	34	34	37	40	45.4
PRESTON SUG FACT 2 SE	MAX	90	85	93	95	89	95	97	97	97	98	99	99	101	100	97	96	95	91	87	91	90	80	85	92	93	92	87	94	97	97	96	93.4
	MIN	51	48	47	47	55	55	49	52	57	58	50	56	57	60	58	60	61	59	54	53	57	35	38	43	47	66	53	51	49	53	48	52.5
PRIEST RIVER EXP STA	MAX	74	64	79	87	82	91	85	78	69	66	76	79	84	83	85	88	83	85	82	81	65	71	78	81	84	83	80	76	79	81	84	79.5
	MIN	50	46	36	42	50	47	49	53	52	52	45	42	43	45	55	56	50	44	48	53	42	40	40	40	40	42	39	35	36	33	38	44.6
RICHFIELD	MAX	81	82	93	96	92	94	93	89	85	90	91	96	99	93	86	92	90	87	90	87	86	76	82	91	93	88	86	90	88	87	88	89.1
	MIN	47	46	48	59	65	62	55	55	57	49	53	57	59	68	60	59	51	61	59	62	46	36	43	46	54	62	55	50	52	48	47	53.9
RIGGINS RS	MAX	81	87	89	102	101	102	101	88	85	85	88	92	94	95	93	88	93	96	99	98	78	81	91	93	94	94	95	95	90	90	92	91.9
	MIN	60	50	54	59	72	61	63	58	55	56	52	61	62	63	67	65	66	61	61	62	57	48	54	59	58	60	57	56	55	54	55	58.7
RUPERT	MAX	90	79	88	98	100	96	98	95	94	82	78	96	100	100	93	90	92	96	84	92	95	59	81	87		98	83	92	97	93	91	91.6
	MIN	55	46	48	55	69	63	60	53	60	50	59	60	59	71	63	60	61	67	60	60	51	39	42	46	53		56	55	57	55	50	56.1
SAINT ANTHONY	MAX	75	80	90	96	88	92	91	93	87	91	94	97	98	90	82	88	90	88	87	87	75	72	81	88	93	81	84	88	86	85	86	87.2
	MIN	57	38	44	48	53	53	48	48	53	47	49	53	53	65	57	56	53	54	52	50	50	32	37	41	50	61	51	47	48	45	42	49.5
SAINT MARIES	MAX	74	72	83	88	87	93	92	84	76	73	78	82	86	87	88	93	94	90	88	85	68	74	82	84	87	86	85	80	82	84	89	83.7
	MIN	50	47	42	49	42	48	53	51	52	53	50	48	45	51	52	49	54	45	49	52	44	40	39	43	42	45	41	38	36	40	41	46.2
SALMON	MAX	81	82	90	93	89	93	92	93	85	96	97	103	95	76	75	82	91	92	92	94	72	79	86	94	94	90	91	92	94	86	89	89.0
	MIN	51	40	40	42	55	48	48	52	50	45	49	54	54	61	60	52	51	51	51	52	46	36	40	44	44	50	48	45	44	43	42	48.0
SANDPOINT EXP STA	MAX	62	61	75	78	83	85	84	73	67	60	73	79	80	82	85	86	83	85	83	79	65	71	78	79	80	81	77	76	79	81	84	77.2
	MIN	51	48	37	43	52	48	54	58	54	54	52	50	47	48	56	53	54	45	50	51	47	45	42	42	43	45	45	38	38	40	42	47.5
SHOSHONE	MAX	81	85	95	99	94	98	93	92	89	94	95	100	102	94	91	94	93	90	95	92	86	76	85	95	100	89	92	94	90	90	93	92.1
	MIN	51	46	50	50	69	65	55	53	59	64	59	60	61	72	63	62	59	64	61	59	50	58	60	60	58	66	58	54	60	51	52	58.4

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		Day of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
SPENCER RS	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	88	[illegible]	85	[illegible]	[illegible]	[illegible]	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	84	[illegible]	[illegible]	80	84	[illegible]	[illegible]	[illegible]	[illegible]	88	88	[illegible]	84.1
	MIN	[illegible]	46	37	[illegible]	54	47	46	47	[illegible]	45	43	[illegible]	61	[illegible]	55	49	47	[illegible]	[illegible]	46	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	47.1
SPRINGFIELD 1 SE	MAX	[illegible]	[illegible]	[illegible]	[illegible]	95	[illegible]	[illegible]	94	[illegible]	93	94	[illegible]	[illegible]	[illegible]	90	94	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	97	[illegible]	[illegible]	90	89	[illegible]	92	90.8
	MIN	[illegible]	[illegible]	46	[illegible]	[illegible]	59	48	49	[illegible]	47	[illegible]	[illegible]	51	[illegible]	[illegible]	[illegible]	55	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]
STIBNITE	MAX	[illegible]	81	[illegible]	76	80	[illegible]	[illegible]	84	[illegible]	[illegible]	[illegible]	[illegible]	87	90	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	81	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	77.3
	MIN	[illegible]	30	36	44	[illegible]	45	39	41	39	40	[illegible]	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]	[illegible]	[illegible]	[illegible]	41	44	[illegible]	45	40	[illegible]	[illegible]	[illegible]	42.5
STREVELL	MAX	[illegible]	85	[illegible]	[illegible]	[illegible]	93	95	96	[illegible]	[illegible]	[illegible]	[illegible]	99	[illegible]	[illegible]	93	92	[illegible]	88	[illegible]	[illegible]	[illegible]	[illegible]	91	[illegible]	[illegible]	[illegible]	[illegible]	94	[illegible]	93	[illegible]
	MIN	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	[illegible]	48	54	[illegible]	[illegible]	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]	[illegible]
SUGAR	MAX	[illegible]	79	88	94	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87	[illegible]	[illegible]	96	[illegible]	[illegible]	89	89	[illegible]	[illegible]	87	78	[illegible]	[illegible]	[illegible]	[illegible]	82	82	[illegible]	[illegible]	84	[illegible]	[illegible]
	MIN	[illegible]	40	44	[illegible]	[illegible]	[illegible]	[illegible]	50	[illegible]	[illegible]	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	49	[illegible]	57	46	[illegible]	47	[illegible]	49.8
SUN VALLEY	MAX	[illegible]	72	[illegible]	87	[illegible]	[illegible]	[illegible]	[illegible]	79	80	84	[illegible]	[illegible]	[illegible]	[illegible]	79	83	79	[illegible]	[illegible]	76	[illegible]	[illegible]	[illegible]	89	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	87	[illegible]
	MIN	[illegible]	30	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	40	[illegible]	54	[illegible]	43	40	41	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
WAN FALL[illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	102	[illegible]	[illegible]	[illegible]	94	102	[illegible]	[illegible]	[illegible]	[illegible]	97	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	94	[illegible]	93	[illegible]	102	[illegible]	[illegible]	[illegible]	[illegible]	97	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	58	[illegible]	72	67	[illegible]	64	[illegible]	[illegible]	[illegible]	67	[illegible]	78	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	67	[illegible]	[illegible]	[illegible]	[illegible]	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	64.1
ETONIA EXP STN	MAX	[illegible]	76	87	[illegible]	82	87	91	90	81	[illegible]	[illegible]	[illegible]	94	[illegible]	82	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	70	77	[illegible]	87	74	78	[illegible]	[illegible]	81	[illegible]	[illegible]
	MIN	[illegible]	40	43	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	[illegible]	57	[illegible]	[illegible]	30	[illegible]	[illegible]	40	57	[illegible]	49	[illegible]	[illegible]	41	47.3
HREE CREEK	MAX	[illegible]	[illegible]	94	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	98	[illegible]	91	90	[illegible]	[illegible]	[illegible]	90	[illegible]	[illegible]	87	88	[illegible]	[illegible]	90	91	[illegible]	[illegible]	[illegible]	92	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	65	49	[illegible]	[illegible]	[illegible]	[illegible]	52	[illegible]	[illegible]	22	30	54	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	42.1
WIN FALLS [illegible]	MAX	80	[illegible]	[illegible]	97	96	99	97	92	92	[illegible]	[illegible]	96	[illegible]	[illegible]	90	[illegible]	[illegible]	94	[illegible]	93	[illegible]	78	86	98	[illegible]	[illegible]	[illegible]	94	94	[illegible]	92	93.1
	MIN	52	[illegible]	[illegible]	[illegible]	57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	62	60	69	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	60	[illegible]	57	[illegible]	[illegible]	[illegible]
WIN FALLS [illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	92	[illegible]	91	92	85	[illegible]	92	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	88	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	94	[illegible]	91	94	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]	[illegible]	[illegible]	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	57	[illegible]	[illegible]	59	[illegible]
ALLACE	MAX	[illegible]	70	[illegible]	86	[illegible]	96	82	77	[illegible]	[illegible]	75	[illegible]	88	90	85	[illegible]	[illegible]	89	[illegible]	[illegible]	[illegible]	71	79	87	[illegible]	[illegible]	[illegible]	76	79	[illegible]	83	[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	49	51	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]	43	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	48.8
ALLACE [illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	70	[illegible]	70	77	[illegible]	[illegible]	[illegible]	78	75	78	81	[illegible]
	MIN	49	45	38	47	[illegible]	47		[illegible]	[illegible]		[illegible]	[illegible]	46	50	[illegible]	[illegible]	51	[illegible]	[illegible]	[illegible]	46	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]
EISER [illegible]	MAX	[illegible]	82	[illegible]	94	94	[illegible]	[illegible]	89	89	[illegible]	[illegible]	[illegible]	[illegible]	100	94	97	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	94	[illegible]	[illegible]	97	92.4
	MIN	[illegible]	[illegible]	48	[illegible]	70	[illegible]	[illegible]	56	56	[illegible]	[illegible]	[illegible]	59	69	[illegible]	[illegible]	[illegible]	57	[illegible]	64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	51	51	[illegible]	41	49	54.6
INCHESTER 1 SE	MAX	[illegible]	72	76	79	[illegible]	[illegible]	[illegible]	[illegible]	70	68	77	78	82	[illegible]	[illegible]	[illegible]	[illegible]	89	[illegible]	78	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	77	[illegible]	[illegible]	[illegible]	[illegible]
	MIN	[illegible]	[illegible]	42	44	[illegible]	44	58	[illegible]	[illegible]	[illegible]	47	48	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	41	45	47	42	[illegible]	[illegible]	[illegible]	39	41	[illegible]

Table 6

EVAPORATION AND WIND

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or Avg
ABERDEEN EXP STA	EVAP	.38	.38	.27	.33	.35	.36	.40	.29	.42	.40	.39	.28	.42	.24	.24	.26	.30	.19	.22	.35	.57	.24	.26	.32	.31	.34	.38	.43	.36	.38	.34	10.40
	WIND	168	83	[illegible]	[illegible]	[illegible]	[illegible]	69	62	[illegible]	63	69	32	38	64	29	[illegible]	53	48	30	[illegible]	232	80	[illegible]	74	37	88	82	76	[illegible]	100	[illegible]	2138
ARROWROCK DAM	EVAP	.08	.26	.27	.30	.33	.36	.36	.33	.32	.25	.29	.32	.36	.32	.15	.21	.24	.33	.32	.21	.37	.28	.21	.27	.23	.34	.33	[illegible]	.35	.35	.32	8.99
	WIND	21	36	30	7	[illegible]	[illegible]	[illegible]	38	[illegible]	20	33	21	30	[illegible]	22	17	26	23	[illegible]	31	[illegible]	68	8	33	[illegible]	41	27	22	[illegible]	[illegible]	21	819
LIFTON PUMPING STA	EVAP	.38	.27	.29	.32	.20	.25	.30	.38	.37	.33	.30	.32	.33	.35	.39	.30	.36	.23	.20	.21	.31	.29	.25	.29	.31	.21	.27	.24	.25	.34	.31	9.15
	WIND	[illegible]	[illegible]	30	38	48	12	46	35	[illegible]	57	25	31	30	49	59	43	[illegible]	67	30	32	70	[illegible]	22	39	39	29	53	26	34	35	25	1240
MINIDOKA DAM	EVAP	.47	.30	.39	.53	.50	.34	[illegible]	.45	.43	.24	.56	.38	.43	.34	.26	.38	.39	.34	.43	.37	.63	.25	.40	.45	.49	.31	.37	.43	.41	.49	.50	12.80
	WIND	200	[illegible]	[illegible]	100	60	190	130	90	120	[illegible]	70	60	60	80	80	110	[illegible]	[illegible]	150	[illegible]	[illegible]	120	60	90	75	85	[illegible]	100	80	120	90	3220
MOSCOW [illegible] OF I	EVAP	.16	.13	.29	.26	.34	.27	.33	.29	.12	.05	.22	.19	.27	.24	.30	.27	.44	.20	.28	.31	.16	.18	.26	.28	.26	.29	.33	.23	.20	.29	.31	7.75
	WIND	83	43	24	20	[illegible]	33	[illegible]	33	41	33	38	27	21	26	45	[illegible]	45	8	36	91	113	43	38	34	25	40	[illegible]	37	40	23	30	1278
PALISADES DAM	EVAP	.28	.28	.28	*	.55	.26	.29	.36	.25	.23	.32	.37	.25	.23	.23	.24	.19	.24	.10	.28	.23	.21	.20	.26	.33	.15	.14	.32	.14	.38	.34	7.93
	WIND	[illegible]	[illegible]	[illegible]	*	145	74	[illegible]	77	96	81	[illegible]	74	87	63	64	[illegible]	[illegible]	[illegible]	53	71	86	43	76	72	80	[illegible]	67	[illegible]	[illegible]	89	104	[illegible]

PRECIPITATION MEASURED IN STORAGE GAGES

Station	Observation date	Amount since last obs.	Snow on ground
DEADWOOD SUMMIT //	1953		
	AUG. 6		
	1954		
	JULY 12	54.10	
TOTAL		54.10	
GILMORE SUMMIT RANCH //	1953		
	SEP. 30		
	1954		
	JUNE 12	6.70	
TOTAL		6.70	
LOLO PASS //	1953		
	SEP. 29		
	1954		
	JUNE 10	41.50	
TOTAL		41.50	
PINE 1 N //	1953		
	DEC. 1		
	1954		
	JAN. 12	3.27	
	FEB. 9	6.12	
	MAR. 22	1.18	
	APR. 27	2.40	
	MAY 12	.48	
	JUNE 10	1.09	
TOTAL			
PUNGO CREEK	1953		
	JUNE 15		
	JULY 9	07	
PUNGO CREEK (CONTD)	1953		
	AUG. 6	.34	
	SEP. 16	.12	
	OCT. 10	.41	
	22	.06	
	1954		
	JAN. 11	4.29	[illegible]
	16	1.32	14
	19	1.25	18
	22	.27	19
	23	.76	17
	28	1.04	29
	29	.42	[illegible]
	FEB. 12	1.12	21
	13	.59	21
	14	.12	24
	15	.02	23
	17	.10	22
	18	.46	22
	20	.34	24
	21	.07	23
	MAR. 3	.12	22
	7	.00	[illegible]
	APR. 12	2.82	4
	25	.40	
	MAY 8	.20	
	30	.16	
TOTAL		16.87	
PUTMAN MTN	1953		
	JULY 1		
	AUG. 1	.20	
	SEP. 1	.05	
	OCT. 1	.00	
PUTMAN MTN (CONTD)	1953		
	NOV. 1	[illegible]	
	DEC. 1	1.70	
	1954		
	JAN. 1	1.30	
	FEB. 1	1.00	
	MAR. 1	.70	
	APR. 1	2.40	
	MAY 1	.90	
	JUNE 1	1.30	
	JULY 1	2.70	
TOTAL		12.40	
SOLDIER CREEK RS	1953		
	JULY 29		
	SEP. 25	.20	
	OCT. 22	.20	
	NOV. 20	.15	
	1954		
	FEB. 1	11.25	48
	MAR. 1	3.15	48
	31	2.25	36
	MAY 13	.60	
	JUNE 18	2.40	
	30	1.00	
	AUG. 1	.70	
TOTAL		21.90	

All storage gage precipitation reports for this section were not received in time for publication in this issue. Additional storage gage reports, if received, will be published in the August issue.

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage †	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 18	5320	5P	5P	HAROLD L HANSEN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	4P	4P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BALD MOUNTAIN	0540	BLAINE	12	43 39	114 24	8700		MID	NELSON BENNETT	C
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	CLOSED	11/23/52
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7 C
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 C
BLISS	1002	GOODING	12	42 56	114 57	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1011	BOISE	2	43 46	116 06	6200		MID	F H KUHN	C
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
BONNERS FERRY 1 SW	1079	BOUNDARY	5	48 41	116 19	1812	5P	5P	CHARLES G HOWARD JR	2 3 5 7 C
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	4	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK C REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 33	113 48	4140	8A	8A	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2650	7P	7P	STUART [illegible]	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 [illegible]	116 03	4768	5P	5P	U S BUR RECLAMATION	2 3 5 7 C
CENTERVILLE ARBAUGH RCH	[illegible]	BOISE	2	43 58	115 [illegible]	4780		5P	MABEL E ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 [illegible]	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1675	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	5P	5P	MRS MARY L RALPH	2 3 5 C
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	C
COBALT BLACKBIRD MINE	1951	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5
COEUR D'ALENE RS	1956	KOOTENAI	4	47 41	116 45	2160	[illegible]	4P	U S FOREST SERVICE	2 3 5 7 C
CONDA	2071	CARIBOU	12	42 44	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5 C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAI	4	47 44	116 29	3060		MID	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	6P	6P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	C
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 [illegible]	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	4P	4P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3109	CAMAS	12	43 21	114 48	5065	5P	5P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	[illegible] STONE	2 3 5 7
GOODING	3677	GOODING	12	42 57	114 43	3569		MID	DAVID MITCHELL	C
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRASMERE	3809	OWYHEE	12	42 23	115 53	5126	5P	5P	BLANCHE PORTLOCK	2 3 5
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	6P	6P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL GAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	6P	6P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		8A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	10A	10A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6650		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 36	3870	5P	5P	ORVILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 37	5897	5P	5P	U S FOREST SERVICE	2 3 5 7 C
MALAD	5544	ONEIDA	1	42 11	112 16	4420	8P	8P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MALTA RANGER STATION	5567	CASSIA	12	42 19	113 22	4543		MID	E L NOBLE	C
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	5P	5P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	6P	6P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	5841	ADA	2	43 37	116 25	2620	5P	5P	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 [illegible]	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 [illegible]	5990		VAR	U S SOIL CON SER	C S
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 55	2400		MID	U S FOREST SERVICE	C
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	[illegible]	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	6P	6P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6653	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 5 S	6590	GEM	8	44 07	116 17	2962	5P	5P	VINCENT A NALLY	2 3 5 C
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	3P	3P	U S FOREST SERVICE	2 3 5 7 C
PINE 1 N	7077	ELMORE	2	43 30	115 18	4220		VAR	U S GEO SURVEY	S
PINE 2 S	7079	ELMORE	2	43 28	115 19	4225		5P	GENEVA B SCHRAFT	3 7
PLUMMER 3 WSW	7188	BENEWAH	10	47 19	116 57	2970		MID	U S OFF IND AFFAIRS	C
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
PORTHILL	7264	BOUNDARY	5	49 [illegible]	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH 1 SE	7301	LATAH	7	46 54	116 52	2586	6P	6P	HENRY J FITCH	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4670		MID	VICTOR J ACARREGUI	C
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 0[illegible]	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
[illegible] CREEK	7433	VALLEY	11	44 [illegible]	115 04	[illegible]		VAR	[illegible] BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	[illegible]		VAR	FORT HALL IR PROJ	S
# REACTOR TESTING STA	7530	BUTTE	6	43 33	112 57	4925	MID	MID	SEE NAME CHANGE END OF INDEX	
RICHFIELD	7673	LINCOLN	12	43 04	114 09	[illegible]	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	[illegible]	4P	4P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 [illegible]	4150	5P	5P	MRS HOMER WATSON	2 3 5 7
RUPERT	7963	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7 [illegible]
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 57	114 24	3961	5P	5P	FRED E KOHL	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	5P	5P	MRS RAYMOND RUFF	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL	8786	CASSIA	12	42 01	113 13	5280	6P	6P	IDAHO STATE POLICE	2 3 5
SUGAR	8818	MADISON	12	43 53	111 45	4886	5P	5P	J KENNETH THATCHER	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7 C
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	6P	6P	EXPERIMENT STATION	2 3 5 C
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	9253	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FACT	9298	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	7A	7A	ROBERT J SKANTEL	2 3 5 C
WEISER 1 S	9638	WASHINGTON	12	44 14	116 57	2120	5P	5P	MERVIN V LING	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	HALLACK HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
IDAHO FALLS 43 NW WB	4459	BUTTE	6	43 51	112 42	4780	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
NAME CHANGE										
# IDAHO FALLS 46 W WB	4460	BUTTE	6	43 33	112 57	4933	MID	MID	U S WEATHER BUREAU	2 3 5 7 C

† 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state bases. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effective January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

+ And also on a later date or dates.

* Amounts included in following measurement , time distribution unknown.

/ Gage is equipped with a windshield.

This entry in time of observation column in Station Index means after rain.

Adjusted to a full month.

In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.

Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.

Amounts from recording gage. (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data.)

Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.

This entry in time of observation column in Station Index means sunset.

Trace, an amount too small to measure.

Includes total for previous month.

This entry in time of observation column in Station Index means variable.

Subscription Price: 15 cents per copy, monthly and annual; $1.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

W.R.P.C. Chattanooga--9-2-54--850--


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
○ ● ◑ Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage ○ Non-recording;
● Recording; ◑ Both types
Double circle combinations Complete Meteorological.
Hourly precipitation data from recorder stations will be available in the publication "Hourly Precipitation Data".
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry 1 SW
Libby 1 NE RS
Benton Dam
Priest Riv Exp Sta
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 2 NW
Deer Park
Bayview Model Basin
Mt Spokane Summit
Trout Creek 2 W
Deception Cr
Spokane WB AP
Coeur d'Alene RS
Thompson Falls
Kellogg
Burke 2NNE
Cheney
Wallace Woodland PK
Wallace
Mullan Pass CAA
Saint Maries
Haugan
Rosalia
Plummer 3WSW
Roland W Portal
Tekoa
Avery RS
Superior
Clarkia RS
Potlatch 1 SE
Missoula WB AP
Missoula 2 WNW
Colfax 1 NW
Pullman 2 NW
Elk River 1 S
Moscow U of Ida
Bungalow RS
Wawawai
Lolo Pass
Pomeroy
Lewiston Wtr Pl
Orofino
Stevensville
Pierce RS
Clarkston Heights
Lewiston WB AP
Winchester 1SE
Kamiah 1NE
Hamilton
Nezperce 2 E
Kooskia
Moose Creek RS
Anatone
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Dixie
Wisdom
Riggins RS
Joseph
Jackson
Polaris
Salmon
Big Creek 1 S
Cobalt Blackbird Mine
Cornucopia 5 NNW
New Meadows RS
Yellow Pine
Grant 6 NW
Halfway
McCall
Stibnite
Hebgen Dam
Pungo Creek
Richland
Council
Leadore
Dell
West Yellowstone
Landmark RS
Mesa
Lima
Lima Dam
Lakeview
Durkee 3 NNW
May RS
Cambridge
Cascade 1NW
Challis
Monida
Deadwood Summit
Dell 19 SW
Island Park Dam
Huntington
Spencer RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Dubois Exp Sta
Weiser 1 S
Snake River
Ola 5 S
Crouch 2NNW
Ashton 1S
Payette
Lowman
Dubois CAA AP
Ontario CAA AP
Obsidian 4NNE
Chilly Barton Flat
Hamer 4NW
St Anthony
Garden Valley RS
Jackson Peak
Vale
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Idaho Falls 43 NW WB
Tetonia Exp Sta
Moran
Nyssa
Emmett 2 E
Mackay RS
Sugar
Little Valley
Parma Exp Sta
Idaho City
Atlanta 1E
Howe
Alta
Vienna
Adrian
Bogus Basin
Grouse
Driggs
Owyhee Dam
Caldwell
Troutdale GS
Atlanta Summit
Sun Valley
Arco
Moose 3 NW
Idaho Cy 13SW
Shake Cr RS
Bald Mtn
Nampa 2NW
Meridian 1 W
Arrowrock Dam
Idaho Falls 6 NE
Trinity Lake GS
Dollarhide Summit
Deer Flat Dam
Idaho Falls 46 W WB
Idaho Falls CAA AP
Boise LP Dam
Pine 1 N
Soldier Cr RS
Irwin 2S
Jackson
Kuna 2 NNE
Hailey AP
Boise WB AP
Prairie
Pine 2 S
Palisades Dam
Fairfield RS
Anderson Dam
Blackfoot
Swan Falls PH
Hill City
Gray
Springfield 1 SE
Mountain Home
Putnam Mt
Sheaville
Richfield
Fort Hall Ind Agcy
Grand View
Glenns Ferry
Blackfoot Dam
Bedford 2 SE
Danner
Bliss
Shoshone
Aberdeen Exp Sta
Rome
Gooding
Pocatello WB AP
Gooding CAA AP
Conda
Grover 2 S
Jerome
Minidoka Dam
American Falls 1NW
Paul 1E
Burley Factory
Rupert
McCammon
Grace
Buhl
Hazelton
Twin Falls 2NNE
Burley
Burley CAA AP
Twin Falls 3SE
Montpelier RS
Hollister
Grasmere
Oakley
Malta RS
Border 3 N
Malad
Lifton Pump Sta
Malad CAA AP
Three Creek
Preston 2SE
Strevell
Ida Vada
Lewiston
Snowville
Richmond
Owyhee
Laketown
Sage
Jarbidge
Park Valley
Garland
Logan USAC Exp Sta
Contact
Bothwell
Logan USAC
Revised 5-54-WRPC-SF

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

AUGUST 1954
Volume LVII No. 8

CHATTANOOGA: 1954

IDAHO - AUGUST 1954

Archer B. Carpenter, Section Director - Boise

WEATHER SUMMARY

Subnormal temperatures in all parts of the State and unusually heavy rains in the Northern Division were outstanding features of Idaho's weather in August 1954. A small scattering of stations in the Southwestern and Southeastern Divisions reported average monthly temperatures above normal, but all others showed definite subnormal values; a few as much as 5° and 6° below normal.

Because of the heavy rains in the Northern Division, the statewide average precipitation is 157 percent of normal, even though the average of 47 Southwestern stations is just about normal, and the average of 44 Southeastern stations only 56 percent of normal. With only one exception, 28 Northern Division stations reported rainfall totals more than double the August normal and at many stations the totals were three to four times the normal. Only once in 62 years of record has the average August rainfall in the Northern Division exceeded that of this year; in 1926 the Division average was 2.84 inches.

Except for rather widespread showers in the Southeastern Division on the 5th and again on the 12th, rainfall was of little consequence in Idaho during the first half of August. The second half, on the other hand, brought showers almost daily to some part of the State with the Northern Division, of course, receiving by far the greater part of these showers. Although there was a sparsity of showers during the first half, and much greater precipitation frequency during the second half, the thunderstorm activity reached its peak in the forests of southern Idaho during the relatively dry period from the 12th through the 15th. A large number of forest fires resulted from the widespread dry thunderstorm activity, but prompt action by fire control agencies resulted in suppression of the fires before they had spread over more than a few acres. Rather general shower activity, particularly in the mountain areas where some snow was reported above 9,000 feet, began on the 20th and the fire hazard on forest lands dropped abruptly from extreme to low or average. In the Northern Division the precipitation was both frequent and widespread during much of the remainder of the month, while in the Southwestern and Southeastern Divisions shower activity became generally light and scattered after the 21st.

The shower activity of the 5th and 12th in the Southeastern Division was accompanied by damaging hailstorms in some localities. Cassia, Power, Caribou and Bonneville Counties reported hail damage to grain on the 5th, while similar damage was reported on the 12th in Bannock, Power, Custer and Lincoln Counties. Near Shoshone on the 12th lightning killed three head of cattle, knocked a man off a combine and started four range fires. On August 16th numerous hailstorms struck Kootenai, Latah, Lewis and Nez Perce Counties but no definite information on damage is available. Shoshone and Lincoln Counties were hit by hailstorms on the afternoon of the 21st with considerable damage to grain. The counties of Lewis, Nez Perce and Idaho had hailstorms on the 26th and the same three counties, plus Kootenai and Latah, were hit again on the 30th. In both instances there was considerable damage to grain and to peas still in the field, and in the later storm lightning knocked out several people in Nezperce and set fire to the home of our observer there.

Despite the damaging hailstorms, the weather during August was not unusually detrimental to the agricultural economy of the State. The generally fine weather of the first half of the month permitted normal growth of crops and early harvest operations were carried on under favorable conditions. During the later half, moderate to heavy rainfall in the Northern Division delayed all harvest operations, but at the same time greatly benefited ranges and pastures. The light and scattered showers in the southern portions of the State caused little delay in harvesting. On the whole the prospects for all crops were a little better at the end of the month than at the end of July, even though below-normal temperatures the last half-month retarded growth and maturity of crops, and frost at higher elevations on the 18th, 23d and 27th did limited damage, particularly to potatoes. Range conditions declined less than usual during the month, but the feed outlook was still below average. In the Northern Division and at higher elevations elsewhere the ranges were in good condition, while lower southern areas were dry with just fair feed. Both cattle and sheep continued in good condition but were still below average. Water supplies on irrigation projects were holding up well except in some areas south of the Snake River.

DJS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65 base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total			
BOISE WB AIRPORT	NW	22	9.2	35	NW	24	54	34	27	43	3	2	1	0	0	0	6	91	4.3	SEE TABLE 2.
IDAHO FALLS 43 NW WB	-	-	8.2	28	SSW	3	-	-	-	-	4	4	1	0	0	0	9	-	-	
IDAHO FALLS 46 W WB	-	-	9.7	30	WSW	31	-	-	-	-	5	3	1	0	0	0	9	-	-	
LEWISTON WB AIRPORT	-	-	-	-	-	-	68	47	31	-	3	4	5	0	0	0	12	-	5.4	
POCATELLO WB AIRPORT	SW	17	11.7	34	SE	10	51	29	18	37	5	3	2	0	0	0	10	77	3.8	

COMPARATIVE DATA

Table 1

AUGUST

Year	Temperature			Precipitation	
	Average	Highest	Lowest	Average	Average snowfall
1893	66.3	108	37	.13	-
1894	69.7	110	30	.50	-
1895	66.4	106	24	.27	-
1896	67.5	103	28	1.02	-
1897	69.2	111	20	.25	-
1898	69.6	110	31	.52	-
1899	61.3	111	19	1.20	0.0
1900	63.5	105	25	.55	0.0
1901	70.0	108	29	.41	0.0
1902	66.5	105	21	.43	0.0
1903	66.3	110	25	.60	0.0
1904	68.0	110	21	.42	0.0
1905	68.5	112	25	.33	0.0
1906	66.7	107	25	.91	0.0
1907	63.0	113	22	1.12	T
1908	65.1	110	18	.75	T
1909	67.6	107	22	.54	0.0
1910	64.3	106	11	.10	0.0
1911	64.3	103	22	.24	0.0
1912	63.4	105	17	1.27	0.0
1913	68.2	109	22	.58	0.0
1914	66.9	109	24	.18	0.0
1915	70.5	111	26	.25	0.0
1916	64.8	106	10	.71	0.1
1917	66.0	108	20	.20	0.0
1918	62.8	103	21	1.07	T
1919	68.5	106	24	.28	0.0
1920	66.8	111	19	.94	0.0
1921	67.5	108	22	.61	0.0
1922	68.8	108	23	1.56	0.0
1923	65.6	110	21	.91	0.0
1924	65.5	109	12	.41	0.0
1925	65.0	106	21	1.03	0.0
1926	66.9	112	22	1.30	0.0
1927	65.2	105	22	.73	0.0
1928	64.8	108	18	.25	0.0
1929	70.6	110	28	.39	0.0
1930	68.8	111	22	1.41	0.0
1931	68.7	109	25	.24	0.0
1932	65.2	111	20	.61	T
1933	66.2	109	24	.38	0.0
1934	68.9	110	27	.24	0.0
1935	66.4	111	16	.18	0.0
1936	67.6	107	18	.87	0.0
1937	65.5	108	18	.26	0.0
1938	65.7	105	23	.48	0.0
1939	67.9	107	22	.17	0.0
1940	68.4	113	26	.10	0.0
1941	65.8	105	22	1.68	0.0
1942	67.1	108	20	.21	0.0
1943	65.7	108	19	.40	0.0
1944	64.6	106	16	.23	0.0
1945	67.2	106	20	.75	0.0
1946	67.1	108	19	.58	0.0
1947	65.7	105	23	.54	0.0
1948	65.5	104	24	.43	0.0
1949	68.1	109	27	.35	T
1950	66.3	105	23	.52	T
1951	65.4	109	19	1.37	T
1952	66.9	103	22	.30	T
1953	66.7	109	22	.54	T
1954	64.0	106	22	.91	T
ALL YEARS	66.6			.59	

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max.		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.10 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	81.0	46.1	63.6	- 2.3	94	1	39	4+	81	8	0	0	0	3.31	2.49	1.32	20	.0	0		4	4	1
BAYVIEW MODEL BASIN	75.3	45.7	60.5		85	8	36	10	133	0	0	0	0	2.75		.69	24	.0	0		7	2	0
BIG CREEK 1 S	75.2	32.8	54.0	- 2.9	90	2	25	25	331	1	0	18	0	2.14	1.41	.60	14	.0	0		7	1	0
BUNGALOW RS	81.7	47.6	64.7	- 3.9	94	1+	41	4+	56	7	0	0	0	2.81	2.05	.77	20	.0	0		7	1	0
BURKE 2 NNE	69.5	42.8	56.3	- 2.0	80	1+	33	25	263	0	0	0	0	3.62	2.62			.0	0				0
CLARK FORK 1 ENE	77.6	42.2	59.9	- 3.2	90	1	35	13	150	1	0	0	0	2.83	1.72	.58	24		0		7	1	0
COBALT BLACKBIRD	70.0	39.4	54.2		86	3	29	27		0	0	6	0	1.19		.40	16	.0	0		4	0	0
COEUR D ALENE RS	79.1M	49.2M	64.2M	- 3.2	93	1	40	25	66	3	0	0	0	2.83	2.18	1.10	20	.0	0		8	1	1
COTTONWOOD	73.7	43.5	58.6	- 6.9	90	1	32	25	198	1	0	1	0	2.74	1.85	.50	24	T	0		8	1	0
DIXIE	72.4	31.8	52.1		89	1	22	26	392	0	0	21	0	2.68		.70	20	T	0		6	3	0
ELK CITY	75.2	38.5	56.9		92	30	29	1+	250	1	0	8	0	2.93		.50	21	T	0		8	1	0
ELK RIVER 1 S	76.6	43.5	60.1		89	30	34	4	156	0	0	0	0	3.67		2.26	20	T	0		7	1	1
FENN RS	84.4	49.5	67.0	- 3.3	94	1+	42	25	37	15	0	0	0	4.13	3.44	.88	27	.0	0		8	4	0
GRANGEVILLE	75.2	46.9	61.1	- 6.0	89	1+	35	25	144	0	0	0	0	2.50	1.73	.62	15		0		8	1	0
KELLOGG	77.9	48.1	63.0	- 2.1	91	2	39	27		2	0	0	0	2.93	2.02	.67	20	.0	0		9	2	0
KOOSKIA	83.7	49.3	66.5	- 3.8	99	1	43	4	33	10	0	0	0	2.63	1.94	.60	20	.0	0		9	1	0
LEWISTON WATER PLANT	85.4	55.2	70.3	- 3.8	101	1	47	25	12	8	0	0	0	1.20	.72	.43	24	T	0		6	0	0
LEWISTON WB AP //R	81.1	52.4	66.8	- 6.3	97	1	44	25+	38	5	0	0	0	1.23	.85	.40	24	T	T	30	5	0	0
MOSCOW U OF I	76.2	47.7	62.0	- 4.1	90	1	38	4+	104	1	0	0	0	2.51	1.90	.69	24	.0	0		6	1	0
MULLAN PASS CAA	61.6	45.7	53.7	- 4.2	74	1+	33	25	345	0	0	0	0	4.12	3.27	.85	20	T	0		8	4	0
NEZPERCE 2 E	74.5	47.7	61.1		89	30	37	25	143	0	0	0	0	2.55		.58	24	.0	0		10	1	0
OROFINO	84.7	51.0	67.9	- 3.5	99	1+	44	25	23	11	0	0	0	1.88	1.29	.29	24	.0	0		8	0	0
PIERCE RS	77.9	41.3M	59.6M	- 3.6	91	30	34	4+	177	2	0	0	0	3.54	2.72	1.14	20	.0	0		11	1	1
PORTHILL	77.3	48.4	62.9	- 1.0	90	1	40	10	79	1	0	0	0	3.30	2.48	.80	14	.0	0		8	1	0
POTLATCH 1 SE	77.5	43.3	60.4	- 3.6	91	1	33	4	147	1	0	0	0	1.81	1.32	.61	24	.0	0		5	2	0
PRIEST RIVER EXP STA	76.1	44.0	60.1	- 2.5	87	1	35	10	149	0	0	0	0	2.84	1.88	.66	31	.0	0		7	2	0
RIGGINS RS	87.1	55.6	71.4	- 3.6	101	30	44	25	19	15	0	0	0	1.78	1.31	.55	20				6	1	0
SAINT MARIES	79.2	44.6	61.9	- 3.5	92	2	37	10	101	2	0	0	0	2.90	2.17	.93	20	.0	0		6	2	0
SALMON	82.2	44.3	63.3	- 2.5	100	2	32	27	90	8	0	1	0	1.03	.36	.27	16		0		5	0	0
SANDPOINT EXP STA	74.5	46.4	60.5	- 3.2	87	1	37	10	137	0	0	0	0	2.78	1.85	.67	24	.0	0		7	2	0
WALLACE	74.7	44.9	59.6	- 5.1	87	1	38	4	159	0	0	0	0	3.04	2.06	.63	20	.0	0		9	2	0
WALLACE WOODLAND PK	74.2	44.6	59.4	- 4.1	86	2	38	4		0	0	0	0	3.22	2.38	.68	20	.0	0		9	2	0
WINCHESTER 1 SE	73.1	42.4	57.8	- 4.6	89	1	35	4+	223	0	0	0	0	2.83	2.28	.66	21	.0	0		9	1	0
DIVISION			61.3	- 4.2										2.67	1.88			T					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	86.5	53.3	69.9		100	30	45	22+	25	14	0	0	0	.25		.23	21	.0	0		1	0	0
ARROWROCK DAM	85.1	52.0	68.6	- 4.0	99	31	44	16+		12	0	0	0	.08	- .18	.04	21+	.0	0		0	0	0
ATLANTA 1 E	M	M	M								0		0	1.26	.56			.0	0				0
BLISS	88.6	47.5	68.1	- 3.5	102	2	38	22+	40	15	0	0	0	.06	- .11	.06	21	.0	0		0	0	0
BOISE LUCKY PEAK DAM	86.1M	51.2M	68.7M		95	2+	43	16		13	0	0	0	.06		.06	26		0		0	0	0
BOISE WB AP //R	82.9	53.5	68.2	- 4.3	98	2	41	25	39	9	0	0	0	.24	.03	.13	20	.0	0		1	0	0
BUHL	84.4M	53.9M	69.2M	- 1.2	97	2	42	25	32	8	0	0	0	.08	- .19	.08	20	.0	0		0	0	0
CALDWELL	83.2M	50.2M	66.7M	- 3.6	95	2	43	22+	39	8	0	0	0	.11	- .11	.08	21	.0	0		0	0	0
CAMBRIDGE	87.5	45.9	67.2	- 4.7	99	2	34	25	52	13	0	0	0	.35	.00	.29	19	.0	0		1	0	0
CASCADE 1 NW	77.0	42.5	59.8		90	30	33	27	164	1	0	0	0	.49		.27	26	.0	0		2	0	0
CHALLIS	80.2	46.5	63.4	- 1.8	93	2	33	27	93	4	0	0	0	.47	- .06	.14	21	.0	0		2	0	0
COUNCIL	86.3	51.2	68.8	- 1.6	98	2	39	17	39	13	0	0	0	.44	.02	.15	21	.0	0		2	0	0
DEADWOOD DAM	77.0	34.8	55.9	- 2.6	91	30	26	17	276	2	0	8	0	.59	- .07	.22	26	.0	0		3	0	0
DEER FLAT DAM	81.9	53.7	67.8	- 3.6	95	2+	46	7+		7	0	0	0	.54	.36	.40	20				2	0	0
EMMETT 2 E	85.4	48.6	67.0	- 5.6	98	2	40	17+	34	10	0	0	0	T	- .21	T	20+				0	0	0
FAIRFIELD RS	80.9M	43.5M	62.2M		95	2	31	22	127	6	0	2	0	.16		.16	21	.0	0		1	0	0
GARDEN VALLEY RS	86.9	44.5	65.7	- 2.3	101	30	36	17	57	13	0	0	0	.50	- .01	.34	21	.0	0		2	0	0
GLENNS FERRY	M	M	M								0	0	0	.19	.07	.15	21	.0	0		1	0	0
GOODING CAA AP	85.8	54.2	70.0	0.7	101	2	44	18+	25	10	0	0	0	.05	- .15	.05	20	.0	0		0	0	0
GRAND VIEW	94.6M	53.8M	74.2M	1.8	106	2			0	19	0	0	0	.29	.12			.0	0			0	0
GRASMERE	82.6	46.1	64.4		98	2	34	27	95	8	0	0	0	.51		.45	20	.0	0		1	0	0
HAILEY AP	80.5	42.2	61.4	- 4.9	95	2	32	17+	130	4	0	2	0	.37	- .13	.30	21	.0	0		1	0	0
HAZELTON	85.6	50.0	67.8	- 3.7	99	2	38	22	42	8	0	0	0	.11	- .22	.11	21	.0	0		1	0	0
HILL CITY	83.4	41.4	62.4	1.1	99	2	26	27	115	7	0	4	0	.04	- .33	.04	21	.0	0		0	0	0
HOLLISTER	84.5	50.5	67.5	- 1.7	97	2	37	27	44	4	0	0	0	.15	- .23	.15	21	.0	0		1	0	0
IDAHO CITY	81.7	39.2	60.5	- 5.3	95	30	30	17	149	8	0	3	0	.41	.00	.17	21	.0	0		3	0	0
JEROME	86.6	49.2	67.9	- 3.7	99	2	40	17+	37	11	0	0	0	.10	- .12	.10	21	.0	0		1	0	0
KUNA 2 NNE	81.3	47.5M	64.4M	- 6.6	95	2	39	25	65	5	0	0	0	.56	.37	.41	20	.0	0		2	0	0
MC CALL	72.5	41.1	56.8	- 3.5	88	2	29	25	250	0	0	2	0	1.07	.47	.41	26	.0	0		5	0	0
MERIDIAN 1 W	83.3	49.1	66.2	- 4.5	95	1	39	17+	52	7	0	0	0	.64	.44	.31	21	T	0		2	0	0
MESA	84.8	52.2	68.5		98	2	43	26	40	11	0	0	0	.26		.18	26	.0	0		1	0	0
MOUNTAIN HOME	90.3	52.4	71.4	1.9	104	30	42	23+	14	19	0	0	0	.18	.01	.13	21	.0	0		1	0	0
NAMPA 2 NW	83.5	49.9	66.7		98	3	41	25		8	0	0	0	.40		.39	21	.0	0		1	0	0
NEW MEADOWS RS	79.1M	37.2M	58.2M	- 2.5	92	2	28	17	208	4	0	6	0	.80	.26	.27	26	.0	0		4	0	0
OBSIDIAN 4 NNE	73.0	32.0	52.5	- 3.0	87	2	22	17+	380	0	0	18	0	.86	.14	.47	21	.0	0		2	0	0
OLA 5 S	85.5	44.2	64.9		95	2+	35	30	52	12	0	0	0	.46		.22	21				3	0	0
PARMA EXP STA	86.5	49.5	68.0	- 3.4	100	2	41	25	34	13	0	0	0	.04	- .19	.04	20	.0	0		0	0	0
PAYETTE	84.4	52.5	68.5	- 3.6	98	2	43	25	28	9	0	0	0	.70	.50	.65	20	.0	0		1	1	0
RICHFIELD	82.9	48.4	65.7	- 1.5	95	2+	37	17	64	5	0	0	0	.31	.06	.31	21	.0	0		1	0	0
SHOSHONE	85.7	51.5	68.6	- 0.8	98	2+	39	22	35	11	0	0	0	.06	- .21	.06	21	.0	0		0	0	0
STIBNITE	71.0	39.4	55.2		85	3	28	25		0	0	3	0	1.36		.52	26	.0	0		4	1	0
SUN VALLEY	79.2	34.8	57.0	- 0.7	92	2	22	27	246	3	0	12	0	.20	- .51	.17	13	T	0		1	0	0
SWAN FALLS PH	89.5	58.3	73.9	- 3.5	102	1	47	25	8	19	0	0	0	.16	.08	.11	22	.0	0		1	0	0
THREE CREEK	85.1	33.6	59.4		101	2	22	27	189	9	0	16	0	.07	- .35	.07	21	.0	0		0	0	0
TWIN FALLS 2 NNE	86.7	50.3	68.5	- 0.2	98	29	38	27	28	15	0	0	0	.03	- .19	.03	21	.0	0		0	0	0
TWIN FALLS 3 SE	85.3	51.4	68.4	- 0.8	97	3	37	27		13	0	0	0	.13	- .10	.09	21	.0	0		0	0	0
WEISER 1 S	86.5	50.2	68.4	- 5.9	98	2	41	17	23	12	0	0	0	.11	- .17	.11	20	.0	0		1	0	0
DIVISION			65.4	- 2.8										.35	- .01			T					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	85.4	46.7	66.1	- 1.2	100	2	34	22+	57	9	0	0	0	.31	- .11	.10	11		0		1	0	0
AMERICAN FALLS 1 NW	85.4	50.2	67.8	- 0.8	99	2	37	27	79	8	0	0	0	.25	- .31	.13	12	.0	0		1	0	0
ARCO	80.2	42.0	61.1	- 3.7	94	2	31	27	135	5	0	2	0	.08	- .52	.08	12	.0	0		0	0	0
ASHTON 1 S	78.4	42.1	60.3	- 2.9	91	30	33	17	156	1	0	0	0	.38	- .41	.22	21	.0	0		2	0	0
BLACKFOOT	85.8	52.4	69.1	2.3	99	2+	39	22	28	8	0	0	0	.52	- .12	.44	12	.0	0		1	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station		Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max Depth on Ground	Date	No. of Days .10 or More①	.50 or More	1.00 or More
BURLEY		87.1	53.1	70.1	-0.3	105	[illegible]	[illegible]	[illegible]		[illegible]		0		.[illegible]	-.[illegible]7	.01	[illegible]	.					
BURLEY FACTORY		83.9	47.7	65.8	-2.9	[illegible]	3	[illegible]	7		7	0			[illegible]	-.35	T	14+		0		0		
BURLEY CAA AP		84.9	48.7	66.8	-1.5	104	2	34	7	[illegible]	8				.[illegible]	-.17	.[illegible]3	[illegible]	.	0			[illegible]	0
CHILLY BARTON FLAT		76.1	36.9	56.[illegible]	-3.4	[illegible]		[illegible]	27	[illegible]	1	0	[illegible]		.69	-.[illegible]	.20	[illegible]+	.0	[illegible]		4		0
CONDA		81.7	4[illegible].0	61.9	0.0	97	3+	29	18		[illegible]		[illegible]		.98	-.04	.32	[illegible]	.			[illegible]		0
DRIGGS		80.1	42.7	61.4	1.1	93	31	[illegible]	7						.51	-.81	.20	[illegible]				2		
DUBOIS EXP STA		82.2	49.[illegible]	65.[illegible]	-1.1	[illegible]	2+	37	27	56	7	0			.[illegible]	-.[illegible]	.29	5	.0			[illegible]	0	0
DUBOIS CAA AP		82.3	49.[illegible]	65.[illegible]	-2.[illegible]	96	2+	[illegible]	22	[illegible]	[illegible]	0			.39	-.41	.22	[illegible]	.			1	0	
FORT HALL IND AGENCY		85.8	50.0	57.9	0.5	[illegible]	[illegible]	35	7	40	[illegible]		0	0	.81	.1[illegible]	.37	1[illegible]	.0			3	0	0
GRACE		78.3	47.[illegible]	62.7	-2.[illegible]	91	2+	[illegible]	[illegible]+	1[illegible]	2		0		1.[illegible]	.[illegible]	.62	[illegible]	.0			[illegible]	1	0
GRAY		[illegible].5	44.2	59.9	-1.[illegible]	96	[illegible]	29	16	160	[illegible]		9		.10	-.[illegible]	.10	20	.0			1	0	
GROUSE		76.7	35.2	56.[illegible]		90	2	23	27	[illegible]	[illegible]		1		.[illegible]	-.73	.06	[illegible]	.					0
HAMER 4 NW		[illegible]	44.3	64.1	-0.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0		0	.25	-.55	.21	[illegible]	.0			1	[illegible]	
IDAHO FALLS 6 NE		[illegible].9	47.3	64.1		9[illegible]	[illegible]	34	27	75	4				.52		.26	1[illegible]	T			2	0	0
IDAHO FALLS CAA AP		82.4	47.8	65.1	-1.5	9[illegible]	30	[illegible]	22	67	4	0			1.[illegible]		.[illegible]3	.[illegible]	1[illegible]	T		2	1	0
IDAHO FALLS 43 NW WB	R	83.[illegible]	46.4	65.2		9[illegible]	[illegible]	[illegible]	[illegible]+	61	[illegible]		2	0	.30		.17	[illegible]	.0			1		0
IDAHO FALLS 46 W WB	R	83.0	4[illegible].5	63.8		[illegible]	2	28	[illegible]	[illegible]	[illegible]	0	[illegible]	0	.39		.21	1[illegible]	.0			1		
IRWIN 2 S		[illegible].8	4[illegible].9	[illegible]	[illegible].8	94		[illegible]	[illegible]	[illegible]7	2			0	.[illegible]	-.[illegible]	.[illegible]	5	.0			[illegible]		
ISLAND PARK DAM		76.5	39.7	58.1	-1.5	[illegible]		[illegible]	[illegible]	[illegible]	1		[illegible]	0	.[illegible]	-.[illegible]	.[illegible]	5	.0	[illegible]		3	0	0
LIFTON PUMPING STA		78.8	46.[illegible]	62.4	-2.[illegible]	91	[illegible]	[illegible]	[illegible]	[illegible]	2	0			.[illegible]5	-.[illegible]	.18	[illegible]	.			1		
MACKAY RS		79.0	44.[illegible]	61.[illegible]	-3.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]7	1[illegible]1	[illegible]	[illegible]		0	.[illegible]	-.[illegible]5	.[illegible]	[illegible]	.0			2	0	[illegible]
MALAD		8[illegible].5	51.3	69.0	0.9	[illegible]7	[illegible]	38	22	29	[illegible]	0	0	0	T	-.[illegible]5	T	[illegible]+	.	0			0	[illegible]
MALAD CAA AP		[illegible]7.1	47.5	67.[illegible]		[illegible]	2	[illegible]	22+	[illegible]	10	0	0	0	.01		.01	21	.			[illegible]		[illegible]
MAY RS		7[illegible].6	41.[illegible]	60.8	-3.8	92	2+	28	27	147	3	0	1	0	.82		.1[illegible]	.28	21	.		3		[illegible]
MC CAMMON		85.[illegible]	44.4	65.2		97	2+	34	18	5[illegible]	1[illegible]	0	0	0	.34		.22	1[illegible]	.0	[illegible]		1	0	0
MINIDOKA DAM		83.1	53.8	68.5		1[illegible]	2	41	22	[illegible]	7	[illegible]			.1[illegible]		.08	[illegible]	.			[illegible]	0	0
MONTPELIER RS		82.7M	42.4M	62.6M	-1.7	[illegible]	[illegible]1	[illegible]	[illegible]			0	3	0	.50	-.44	.24	[illegible]	.0			2	0	0
OAKLEY		84.[illegible]	[illegible].5	67.3	-[illegible]	100	2	[illegible]	1[illegible]	47	[illegible]				.19	-.41	.07	[illegible]	.			[illegible]		[illegible]
PALISADES DAM		81.1	46.2	[illegible]		[illegible]	[illegible]	35	18	[illegible]	4	[illegible]	0		E1.75		E .75	5	1.[illegible]	1	5	3	1	0
PAUL 1 E		83.5	[illegible].1	[illegible]	-2.1	100	[illegible]	[illegible]	[illegible]7		1[illegible]	0		0	T	-.39	T	12	.					[illegible]
POCATELLO WB AP	//R	84.4	51.[illegible]	67.8	-2.3	100	[illegible]	35	7	45	6	0	0	0	.44	-.[illegible]	.18	1[illegible]	T	T	11+	2	0	0
PRESTON SUG FACT 2SE		87.9	4[illegible].0	68.0	[illegible].1	9[illegible]	2+	[illegible]	[illegible]+	37	10	[illegible]	0	0	.13	-.87	.12	21	.0			1	[illegible]	0
RUPERT		85.4M	50.4M	67.9M	-[illegible].7	104	3	40	18+		[illegible]	0			.[illegible]	-.39	.02	21	.			0	0	0
SAINT ANTHONY		81.2	44.9	63.1		95	30	34	[illegible]7	99	[illegible]		0	0	.64	.[illegible]	.20	22	.0			4	[illegible]	[illegible]
SPENCER RS		78.6	42.2	60.4	-1.3	[illegible]2	30	[illegible]	[illegible]	158	3	0	[illegible]	[illegible]	.73	-.2[illegible]	.30	[illegible]	.0	[illegible]		3		0
SPRINGFIELD 1 SE		84.2	46.6	65.4	-1.[illegible]	[illegible]	2	34	17	68	5		0	0	.18	-.32	.11	[illegible]	.0	[illegible]		1		0
STREVELL		84.5	48.5	66.5		[illegible]	2	30	[illegible]	66	9	0	3	0	.[illegible]		.05	21	.0			0		
SUGAR		[illegible]0.5	4[illegible].2M	62.[illegible]M	-[illegible].2	93	30	30	[illegible]	90	[illegible]	0	1	0	.4[illegible]	-.[illegible]9	.17	[illegible]	.[illegible]	0		2		[illegible]
TETONIA EXP STA		78.1	42.1	60.1		9[illegible]	2	30	27	167	2	[illegible]	2	0	.56		.1[illegible]	[illegible]				3	0	[illegible]
DIVISION				64.2	-1.0										.41	.[illegible]			[illegible]					
STATE				64.0	-2.6										.91	.33			[illegible]					

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station		Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA		.31					.02						.10										.09	.04			.06						
AMERICAN FALLS 1 SW		.25											.07	.1[illegible]								T	.05										
ANDERSON DAM		.2[illegible]																				.01	.23	T			T	.01					
ARCO		.08			T		T							.08	T																		
ARROWROCK DAM		.08													T			T					.04	T				.04					
ASHTON 1 S		.38											T	.16									.22				T	T					
ATLANTA 1 E		1.20					.	.	.	.	.	.	.	.	.	.	.				.	.	.91				.07	.28	T			T	
AVERY R S		3.31															.07	.02	.08		T	1.32	.07	T	.06	.67		.52				.02	.53
BAYVIEW MODEL BASIN		2.75															.05	.42				.46	T	.25	.18	.69	.01	.19				T	.50
BIG CREEK 1 S		[illegible].14					.02						T	T	.14	.60	.15					.34	.12		.07	T	.48	.22				T	
BLACKFOOT		.[illegible]					.08	T						.44																			
BLISS		.[illegible]												T									.06					T					
BOISE LUCKY PEAK DAM		.[illegible]																										.06					
BOISE WB AP	//R	.2[illegible]					T							T								.[illegible]3	.03					.08				[illegible]	
BUHL		.[illegible]8																				.[illegible]											
BUNGALOW R S		[illegible]					T									.01	T	.28	.08			.77	.15	.04	.05	.34	.34	.40	.05			T	.24
BURKE 2 ENE		[illegible]														.03	.08	.03	.03	T	.	.98	.12	.11	.2[illegible]	.[illegible]	.11	.59	.01			.0[illegible]	.6[illegible]
BURLEY		.01																					.01										
BURLEY FACTORY		T														T							T	T									
BURLEY CAA AP		.03					T						T		T							T	.03			T	T						
CALDWELL		.11																				.[illegible]3	.08										
CAMBRIDGE		.35																			.29					.0[illegible]	.03						
CASCADE 1 NW		.4[illegible]																				.[illegible]2	.16	T	.01		T	.27	.0[illegible]				
CENTERVILLE ARBAUGH		.[illegible]					T	.02				T		T	T	T	T				T	.06	.55				.01	.15				[illegible]	[illegible]
CHALLIS		.[illegible]					.[illegible]	.01						.04	.[illegible]7	.[illegible]	.1[illegible]						.14	.02				.03					
CHILLY BARTON FLAT		.6[illegible]											[illegible]	[illegible]	.12							.[illegible]	.17										
CLARK FORK 1 ENE		.[illegible]1															.[illegible]	.[illegible]	.07			.[illegible]		.28	.36	.58		.47					.[illegible]
COBALT BLACKBIRD MINE		[illegible]						.[illegible]							.03	.02		.[illegible]					.24	.[illegible]	.01				.17				.0[illegible]
COEUR D'ALENE R S		2.83															.[illegible]	.[illegible]	.[illegible]		T	.[illegible]	.09	.[illegible]	.13	.48		[illegible]				.20	.21
CONDA		.[illegible]					.[illegible]	.[illegible]						.08	.1[illegible]								.08	.15									
COTTONWOOD		[illegible].7[illegible]					.01								.09		.[illegible]	.[illegible]	.01		.[illegible]	.47	.[illegible]		.[illegible]4	.50	.28	.18	.06				.20
COUNCIL		.[illegible]																				.11	.15		.04	.05		.[illegible]					
DEADWOOD DAM		.[illegible]					.01							T	.[illegible]							.01	.21				.11	.2[illegible]					
DEER FLAT DAM		.[illegible]																				.[illegible]	.14										
DIXIE		.[illegible]0												T		.60	.[illegible]				T	.70	.[illegible]		.25	.22	.55						
DRIGGS		.[illegible]					.20	.05							.[illegible]								.[illegible]						.02				
DUBOIS EXP STA		.[illegible]3					.[illegible]	.03						.13	.[illegible]	T						T	.12	.[illegible]				.01					
DUBOIS CAA AP		.30					.[illegible]	.[illegible]					T	T									[illegible]				T	.01				T	
ELK CITY		[illegible]													.23	.48	.06	.[illegible]	.[illegible]			.46	.50	.01	.[illegible]	.26	.27	.[illegible]					
ELK RIVER 1 S		[illegible]															.[illegible]	.[illegible]	.19		T	2.26	.03	.02	T	.35	.14	.1[illegible]				[illegible]	.27

DAILY PRECIPITATION

Table 3–Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	T																				T	T										
FAIRFIELD RS	.16																				T	.16										
FENN RS	4.13													.06	.07	.02	.10	.04	.02		.68	.81		.20	.41	.05	.59	.88				.20
FORT HALL IND AGENCY	.81					.03						.11	.37		.03							.20	.07									
GARDEN VALLEY RS	.50					T																.34				.01	.15					
GLENNS FERRY	.19																				.04	.15										
GOODING CAA AP	.05												T								.05						T			T	T	
GRACE	1.20				.62	.31						.10	.07	.01							.03	.06					T					
GRAND VIEW	.29																				*	.29										
GRANGEVILLE	2.50					T								T		.62	.01			.35	.15	.29	T	.11	.40	.02	.15					.40
GRASMERE	.51					T															.45	.06								T		
GRAY	.10																				.10											
GROUSE	.09												.02	.01	T							.06										
HAILEY AP	.37												.04									.30									.03	
HAMER 4 NW	.25					.21						T	T	T	.02							.01	.01									
HAZELTON	.11													T	T							.11									T	
HILL CITY	.04																					.04					T					
HOLLISTER	.15																					.15										
HOWE	.49					.03	.02	T					T	.41									.03			T					T	T
IDAHO CITY	.41												T								.10	.17	.02				.12					
IDAHO CITY 13 SW	.49																				.25	.12				T	.12					
IDAHO FALLS 6 NE	.52					.22							.26	.01								.03										
IDAHO FALLS CAA AP	1.02					.16	T					.08	.69		T						.01	.08				T	T					
IDAHO FALLS 43 NW WB R	.30					.17	.04					T	.05	.01							.03	T			T						T	
IDAHO FALLS 46 W WB R	.39					.08						.03	.21	T							T	.07			T		T				T	
IRWIN 2 S	.75					.32	.05					.17	.03								.06	.12										
ISLAND PARK DAM	.67					.22	.08						.10	.07							T	T	.20									
JEROME	.10					T						T	T									.10									T	
KAMIAH 1 NE	3.79														.17		.13	.06			.28	1.87	T	.07	.11	.42	.09	.25				.34
KELLOGG	2.93														T		.10	.25	.01	.04	.67	.34	.09	.25	.50	.07	.10	.22				.29
KOOSKIA	2.63					.01								T	.03		.31	.08		.11	.60	T		.14	.33	.19	.37	.14				.32
KUNA 2 NNE	.56													T							.41	.11					.04					T
LEWISTON WATER PLANT	1.20													T	.02	.14	.10	.01		.03	.13	.15	T		.43	T	T				.02	.17
LEWISTON WB AP //R	1.23													.03		.22	T			.08	.10	.15	T	.05	.40		T				.14	.06
LIFTON PUMPING STA	.25					.04							.03								T	.18										
MACKAY RS	.43					.01							.14	T							.28	T										
MALAD	T										T	T									T	T										
MALAD CAA AP	.01																				T	.01					T					
MAY RS	.82					.04							.20	.01		.21					.06	.28	.02			T	T					
MC CALL	1.07													.07			T				.14	.10		.09	.16	.10	.41					
MC CAMMON	.34					T	T					.22									.05	.07										
MERIDIAN 1 W	.64																				.27	.31					.06					
MESA	.26																								.08		.18					
MINIDOKA DAM	.19					.08							.04									.05				.02						
MONTPELIER RS	.50						.08							.13								.24	.05									
MOSCOW U OF I	2.51														.03	.17	.49	.03		.20	.35	.04	T		.69	.02	T		.02		T	.47
MOUNTAIN HOME	.18																					.13					.05					
MULLAN PASS CAA	4.12					.01							T	T		T	.06	.08		.22	.85	.01	.39	.01	.67	.44	.17				.68	.53
NAMPA 2 NW	.40																					.39					.01					
NEW MEADOWS RS	.80															T	T				.13	.14		.15	.07	.04	.27	T				
NEZPERCE 2 E	2.55					T								T		.13	.13	.12		.18	.47		T	.05	.58	.29	.31	.13				.16
OAKLEY	.19												.01								.07	.06				.05						
OBSIDIAN 4 NNE	.86						.10	.02					.08	.04							.05	.47				.03	.07					
OLA 5 S	.46																				.12	.22						.12				
OROFINO	1.88															.05	.20	.05	.28	.27	.23	T		T	.29	.18	.20					.13
PALISADES DAM	1.25				.03 E	.75	.07					.20	.01	.02	.01							.15	.01				T					
PARMA EXP STA	.04														T						.04				T	T	T					
PAUL 1 E	T												T																			
PAYETTE	.70																				.65	.03			.02							
PIERCE RS	3.54					.08	T							.03	.11		.21	.11		.10	1.14	.26		.04	.41	.22	.26	.34				.23
POCATELLO WB AP //R	.44					.05						.11	.18	T							T	.08			T	T	.02				T	
PORTHILL	3.30														.80	.45	.07			.18	.27	T	T	.25	.48		.45	.08				.27
POTLATCH 1 SE	1.81														T	.15	.02	.08		.12	.15	T			.61	T	.10				T	.58
PRESTON SUG FACT 2 SE	.13												T									.12					.01					
PRIEST RIVER EXP STA	2.84					T								T		.03	.03	T		.15	.47		.49	.20	.59		.22				T	.66
RICHFIELD	.31																					.31									T	
RIGGINS RS	1.78					.02								.06		.32	.05				.55	.23		.10	.17	.06	.07					.15
RUPERT	.02					T																.02										
SAINT ANTHONY	.64					.15							.15								T	.14	.20				T					
SAINT MARIES	2.90														.09	.12	.02	.07		T	.93	.08	.03	.12	.60	T	.33	.01			.05	.45
SALMON	1.03					.23							.02		.12	.18	.27				.08	.13				T						
SANDPOINT EXP STA	2.78															.29	.23	.04		.05	.31		.55	.06	.67		.23	T			T	.35
SHOSHONE	.06																					.06	T									
SPENCER RS	.73					.30	.10	.02				.03	.08	.03	.03						T	.12					.02			T		
SPRINGFIELD 1 SE	.18											T	.06									.11	.01			T		T				
STIBNITE	1.36					.01	.06							T	.06	.06	T					.34	.10	.03			.52	.17			T	.01
STREVELL	.08											.03									T	.05										
SUGAR	.43					.17							.13								T	.05	.08									
SUN VALLEY	.20					.01							.02	.17							T	T					T				T	
SWAN FALLS PH	.16						T														.02		.11				.03					
TETONIA EXP STA	.56				T	.07	.02			T		.03	.11	.12	.03								.16		.02							
THREE CREEK	.07																					.07	T									
TWIN FALLS 2 NNE	.03											T	T	T								.03				T				T	T	
TWIN FALLS 3 SE	.13						T															.09								.04		
WALLACE	3.04															.10	.22	.07		T	.63	.09	.12	.26	.61	.10	.35	T			.01	.48
WALLACE WOODLAND PARK	3.22																.15	.13			.68	.47	.04	.22	.56	.30	.09	.23				.35
WEISER 1 S	.11																				.11											
WINCHESTER 1 SE	2.83															.16	.49			.31	.12	.66		.04	.49	.16	.11	.06				.23

Table 5

DAILY TEMPERATURES

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
BERDEEN EXP STA	MAX	95	100	93	88	87	83	86	93	96	92	88	86	82	81	82	80	76	82	88	85	66	74	86	85	78	71	80	84	94	97	91	85.4
	MIN	45	51	60	53	53	51	43	43	46	53	49	50	50	48	41	45	40	35	40	53	43	34	40	50	52	49	34	41	49	51	57	46.7
MERICAN FALLS 1 NW	MAX	90	99	98	88	88	81	84	92	93	93	88	85	83	83	82	81	75	82	87	83	66	75	86	85	79	74	82	87	93	95	[illegible]	85.4
	MIN	56	46	64	55	55	54	42	45	48	67	58	54	52	58	44	47	42	38	40	54	45	38	45	57	54	50	37	43	53	51	64	50.2
NDERSON DAM	MAX	96	98	93	86	86	82	90	95	95	94	91	92	91	86	80	76	78	86	83	74	67	78	88	84	77	69	88	90	97	100	92	86.5
	MIN	54	53	53	53	53	53	51	55	57	60	58	60	57	57	56	50	46	47	53	52	48	45	51	54	46	51	45	52	58	62	61	53.3
RCO	MAX	90	94	90	81	79	78	81	87	90	86	84	79	80	82	75	75	72	77	83	74	61	70	80	75	73	68	78	82	89	92	82	80.2
	MIN	49	43	45	42	46	51	40	43	43	47	43	45	43	43	39	36	42	35	36	48	41	32	37	37	40	49	31	34	46	47	48	42.0
RROWROCK DAM	MAX	92	97	98	83	86	82	83	92	94	95	93	90	93	88	84	77	74	77	86	80	72	70	79	90	76	67	72	86	88	96	99	85.1
	MIN	55	57	52	48	55	53	51	54	57	55	55	55	55	56	54	44	44	49	52	53	50	45	52	50	46	50	44	48	56	61	57	52.0
SHTON 1 S	MAX	81	82	80	83	80	75	73	79	81	83	78	83	87	84	78	73	69	72	74	71	62	66	76	79	78	76	81	84	86	91	84	78.4
	MIN	54	51	50	51	48	40	35	37	39	43	40	45	48	44	42	36	33	35	40	37	39	35	37	40	47	44	39	43	44	47	41	42.1
TLANTA 1 E	MAX																						77	76	78	73	77	75	79	86	84	87	
	MIN																						44	42	40	37	34	35	38	47	46	44	
VERY RS	MAX	94	93	80	81	80	83	90	90	88	85	85	90	92	84	80	70	71	82	77	66	66	73	73	68	72	70	77	85	90	93	84	81.0
	MIN	45	45	41	39	48	45	45	45	44	39	40	43	49	47	46	46	46	47	43	54	49	49	49	49	42	46	45	45	50	53	54	46.1
AYVIEW MODEL BASIN	MAX	80	82	82	72	76	82	81	85	82	81	84	83	79	80	77	69	72	71	67	70	73	62	69	66	[illegible]	66	75	74	77	78	74	75.3
	MIN	43	47	49	38	44	46	44	42	40	36	38	38	47	50	49	50	41	40	57	50	50	50	49	50	38	40	50	45	53	52	51	45.7
IG CREEK 1S	MAX	87	90	77	75	67	76	79	84	86	85	84	82	76	77	68	66	66	76	76	65	60	66	72	68	67	52	71	79	85	89	81	75.2
	MIN	28	32	34	31	45	28	28	29	31	32	30	31	34	33	37	28	27	27	33	44	39	30	39	33	25	37	28	29	32	40	43	32.8
LACKFOOT	MAX	92	99	94	89	84	82	86	93	95	91	86	84	86	82	83	80	75	82	88	84	65	75	86	85	82	75	85	89	95	99	89	85.8
	MIN	51	50	63	57	57	50	48	48	53	67	56	57	52	60	51	49	46	43	47	55	46	39	45	62	55	49	40	53	52	56	66	52.4
LISS	MAX	100	102	99	[illegible]	88	87	92	98	91	89	95	95	93	90	84	82	80	85	88	78	73	79	91	85	76	73	87	91	98	98	90	88.6
	MIN	47	48	59	48	58	47	45	45	49	52	52	54	51	48	43	42	41	40	42	46	45	38	47	42	38	49	39	43	58	61	55	47.5
OISE LUCKY PEAK DAM	MAX		95	95	80	82	83		95		90	88	91	95	86				87	80	71			91	87	67	72	87	89		93	91	86.1
	MIN	55		51	47	55	54		53		54	57	58	58			43	44		55	49	46			47	48	49	49	52	52		51	51.2
OISE WB AP	MAX	95	98	82	80	83	83	91	93	92	90	87	85	92	83	78	74	76	86	80	69	70	79	81	70	68	71	82	84	91	93	79	82.9
	MIN	58	63	53	50	57	56	58	56	57	53	55	57	58	55	53	45	43	52	56	52	50	48	59	49	41	51	52	52	56	61	54	53.5
UHL	MAX	93	97	96	84	84	81	85	91	91	90	88	89	88	83	80	77	75	80	84	86	68	73	85	84	74	70	84		91	92	89	84.4
	MIN	59	63	60	54	60	53	53	56	59	59	62	59	58	56	52	50	46	49	51	51	49	45	50	54	42	49	43	57		63	59	53.9
UNGALOW RS	MAX	94	91	79	84	83	85	88	92	90	[illegible]	87	92	90	86	79	76	70	84	83	71	63	67	71	72	70	66	79	82	89	94	88	81.7
	MIN	45	47	43	41	47	47	45	42	47	45	43	45	55	48	46	47	49	44	47	55	54	53	52	53	41	50	43	45	49	53	55	47.6
URKE 2 NNE	MAX	80	78	72	68	69	70	75	78	76	73	74	76	78	76	72	60	59	71	68	63	56	56	60	60	61	61	64	73	80	79	77	69.8
	MIN	43	46	40	36	46	43	42	44	43	38	39	40	48	44	43	40	43	39	45	49	45	44	48	45	33	41	34	44	45	49	49	42.8
URLEY	MAX	95	93	105	88	90	86	85	89	87	[illegible]	94	92	88	87	86	81	79	77	85	87	75	69	78	90	79	78	73	87	92	95	101	87.1
	MIN	53	53	65	58	62	56	49	52	53	61	59	56	56	60	54	51	47	45	47	54	47	43	48	56	50	52	39	48	53	57	63	53.1
URLEY FACTORY	MAX	91	90	100	85	87	82	80	85	94	95	89	89	86	86	84	79	76	74	82	85	73	68	73	87	74	77	70	84	87	94	96	83.9
	MIN	47	46	63	51	57	51	45	45	45	57	55	52	54	57	44	42	40	39	40	49	44	36	43	50	45	48	33	42	52	51	55	47.7
URLEY CAA AP	MAX	92	104	85	87	84	81	87	95	95	91	89	88	87	86	80	76	74	84	85	70	67	75	87	76	80	73	86	91	97	99	81	84.9
	MIN	49	49	55	50	59	53	46	49	48	59	58	54	56	55	46	48	47	42	41	48	45	40	43	52	47	40	34	45	56	53	50	48.7
ALDWELL	MAX	94	95	82	78	83	84	90	91	91	89	89	85	88	82	88	74	76	84	80	72	74	78	84	77	63	72	82	89	90	93		83.2
	MIN	52	52	55	54	57	54	47	51	55	55	52	54	52	53	54	48	45	44	50	51	51	43	44	51	43	50	44	45	46	55		50.2
AMBRIDGE	MAX	97	99	85	87	88	89	92	96	95	94	94	94	92	87	81	82	80	90	88	86	77	83	86	74	70	74	84	85	96	98	90	87.5
	MIN	44	44	59	58	60	42	50	45	42	55	51	61	60	55	51	37	39	41	38	41	40	39	51	50	34	44	40	37	42	50	55	46.9
ASCADE 1 NW	MAX	88	88	88	74	74	77	81	88	85	83	83	80	82	76	74	72	70	77	75	62	60	68	77	71	59	60	74	78	88	90	86	77.0
	MIN	39	42	45	45	54	46	39	42	45	46	40	47	46	42	45	39	34	36	41	47	45	36	45	44	34	41	33	38	41	50	50	42.5
HALLIS	MAX	87	93	89	81	79	78	80	85	90	88	85	84	74	82	70	72	70	77	82	79	61	70	80	78	69	77	77	85	90	92	84	80.
	MIN	48	48	53	46	58	45	45	47	48	52	49	52	46	46	48	42	39	42	45	47	46	41	45	48	41	46	33	41	45	53	57	46.5
HILLY BARTON FLAT	MAX	83	90	86	78	74	72	78	83	82	86	81	71	76	76	73	70	68	71	78	70	72	70	73	71	68	63	72	78	83	85	79	76.1
	MIN	38	34	40	42	54	35	33	34	35	37	33	40	39	40	34	33	33	30	31	42	39	31	41	40	33	44	24	28	37	45	45	36.9
LARK FORK 1 ENE	MAX	90	82	79	78	81	83	86	83	81	84	86	84	88	82	75	69	72	80	80	72	72	69	69	64	69	61	75	78	84	80	71	77.6
	MIN	41	41	43	37	41	41	41	40	38	40	41	40	35	46	46	46	49	41	40	52	45	45	45	43	40	40	39	39	44	44	44	42.2
OBALT BLACKBIRD MINE	MAX	76	81	86	74	71	57	66	73	77	82	80	79	67	73	70	61	62	57	59	73	60	53	60	69	70	64	51	67	76	83	82	70.0
	MIN	39	44	44	37	41	37	38	39	42	45	41	44	39	40	40	33	30	33	35	41	39	31	32	41	32	36	29	32	43	49	45	38.4
OEUR D ALENE RS	MAX	93	91	81	80	82	82	89	87	85	84	84	89	90	88	73	67	72	80	78	68	70	68	69	66	72	66	75			87	77	79.1
	MIN	49	50	54	45	46	54	49	49	49	44	45	46	50	52	53	52	52	47	52	55	53	54	54	49	40	42	41			46	56	49.2
ONDA	MAX	88	91	92	89	87	78	79	82	88	92	81	82	86	82	81	83	79	76	79	80	70	60	70	79	83	81	71	77	83	92	92	81.7
	MIN	40	40	56	46	53	41	36	39	41	51	46	50	56	53	43	32	32	28	35	39	37	31	35	43	45	52	29	39	41	44	48	42.0
OTTONWOOD	MAX	90	83	75	75	70	79	85	85	77	81	82	82	77	76	66	62	69	80	71	58	62	74	68	56	59	57	72	78	80	87	70	73.7
	MIN	44	48	41	39	51	41	42	48	43	44	43	45	47	42	42	35	44	38	49	50	47	41	43	45	37	40	34	45	47	52	48	43.5
OUNCIL	MAX	96	98	97	85	85	88	90	92	93	93	93	92	90	87	86	75	80	85	84	71	71	79	84	83	70	72	83	88	94	96	96	86.3
	MIN	50	50	52	58	62	52	52	53	54	61	58	64	62	52	59	47	39	41	50	54	50	40	52	50	40	47	42	42	48	53	52	51.2
EADWOOD DAM	MAX	87	90	83	75	76	74	84	86	87	86	85	76	83	75	76	78	71	77	76	60	59	66	77	76	67	57	59	80	89	91	80	77.0
	MIN	31	34	38	34	46	41	30	34	35	35	34	32	37	34	39	33	26	33	28	40	40	33	36	33	27	36	28	29	36	43	43	34.8
EER FLAT DAM	MAX	92	95	95	80	80	82	83	85	90	93	92	89	89	88	83	78	73	75	79	78	67	71	78	83	66	68	72	75	82	88	91	81.9
	MIN	58	53	60	57	57	58	48	54	60	63	60	55	55	59	55	48	50	46	52	53	51	46	53	55	46	46	52	56	51	54	56	53.7
IXIE	MAX	89	85	78	72	65	72	77	82	81	81	81	80	77	77	61	80	63	71	69	59	60	64	69	63	64	54	69	75	82	86	77	72.4
	MIN	28	28	34	30	30	27	29	31	30	31	29	34	32	40	32	29	30	27	34	44	38	37	41	42	29	22	26	28	30	34	29	31.8
RIGGS	MAX	85	92	87	85	84	73	73	80	80	85	83	85	80	73	80	80	75	73	75	80	70	75	80	80	82	77	70	79	81	88	93	80.1
	MIN	49	42	47	45	45	40	40	45	39	[illegible]	51	42	40	40	40	32	40	33	45	45	45	45	45	40	40	37	29	40	45	48	50	42.7
UBOIS EXP STA	MAX	89	95	93	85	81	73	80	86	92	90	86	78	82	81	80	78	72	76	84	79	69	69	80	80	78	74	79	83	90	95	91	82.2
	MIN	58	53	59	56	50	44	50	48	52	60	53	53	50	51	55	46	45	42	45	52	42	38	43	52	45	51	37	48	51	59	52	49.6
UBOIS CAA AP	MAX	89	96	88	85	76	75	81	87	92	90	87	85	84	83	81	80	73	78	86	71	60	72	82	80	80	70	80	85	97	96	87	82.3
	MIN	52	53	56	52	52	50	51	47	53	60	55	52	49	53	52	47	41	41	44	49	43	36	42	51	45	41	40	49	53	59	53	49.1
LK CITY	MAX	87	85	78	74	69	76	83	87	79	79	80	82	81	78	63	64	68	78	72	63	61	68	71	61	66	61	75	83	84	92	82	75.2
	MIN	29	32	32	30	43	34	31	34	34	32	29	32	44	43	44	42	41	36	37	49	43	42	47	48	34	43	37	38	42	43	48	38.5
LK RIVER 1 S	MAX	87	87	74	76	76	78	84	85	84	81	82	85	84	75	75	66	68	77	76	63	62	69	69	66	67	64	73	84	84	89	86	76.6
	MIN	35	43	37	34	45	41	41	42	39	37	38	39	48	44	44	46	47	39	46	53	48	44	49	49	49	44	38	41	45	48	54	43.5

See reference notes following Station Index.

Table 5-Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
EMMETT 2 E	MAX	97	98	86	80	85	86	90	93	92	93	90	88	89	86	80	76	80	87	81	74	76	82	86	82	70	74	80	85	94	97	91	85.4
	MIN	47	53	51	52	55	49	48	50	51	50	47	50	52	50	51	44	40	44	42	49	51	45	55	50	40	50	44	45	47	55	51	48.6
FAIRFIELD RS	MAX	91	95	92	80	79	79			90	87	86	85	84	82	75	76	73	78	80	72	64	71	83	79	71	65	79	83	90	93	84	80.9
	MIN	45	43	55	41	57	45	39			46	45	49	43	43	44	38	34	32	36	48	47	31	38	48	38	46	33	40	52	55	50	43.5
FENN RS	MAX	94	94	93	93	93	94	90	91	91	91	91	91	91	91	81	73	76	85	85	84	65	72	74	72	69	70	74	83	88	91	86	84.4
	MIN	45	48	45	46	50	48	46	48	49	46	45	47	57	51	50	49	48	47	49	57	54	49	56	53	42	51	44	50	52	54	57	49.5
FORT HALL IND AGENCY	MAX	92	99	98	87	85	82	85	92	94	89	87	83	85	83	80	80	76	81	89	85	65	73	86	87	82	76	83	89	97	96	93	85.8
	MIN	50	47	63	55	55	48	44	48	49	67	55	49	49	60	47	45	44	39	46	49	45	38	44	64	53	49	35	45	52	52	64	50.0
GARDEN VALLEY RS	MAX	98	99	98	82	84	85	93	96	95	94	92	90	91	86	83	78	80	85	85	74	69	79	88	87	67	69	83	89	98	101	97	86.9
	MIN	40	44	47	43	53	50	41	43	47	46	43	47	47	47	49	39	36	39	42	49	48	44	44	46	38	45	37	39	43	51	52	44.5
GLENNS FERRY	MAX							92	[illegible]	97	94	92	93	92	90	85	79	81	87	86	77	73	85	91									
	MIN							44	49	52	60	53	48	60	50	58	53	49	41	48	53	51	48	43									
GOODING CAA AP	MAX	95	101	87	86	84	84	89	95	96	92	92	92	91	[illegible]	81	76	77	83	86	73	71	76	89	77	78	71	88	89	96	96	81	85.8
	MIN	53	60	60	53	60	52	50	58	56	59	64	63	57	56	51	50	46	44	56	51	48	44	51	53	46	52	46	53	64	66	59	54.2
GRACE	MAX	85	91	82	81	73	74	79	83	87	80	81	80	76	78	78	77	79	76	82	69	60	68	77	81	75	67	76	79	88	91	82	78.3
	MIN	47	43	66	51	52	40	43	46	48	61	53	50	48	51	54	40	40	34	40	49	41	34	38	52	48	52	35	45	47	49	53	47.0
GRAND VIEW	MAX	104	106	95	89	89	90	98	103	100	98	96	96	97	94	87	81	83	93	88										97	102	96	94.6
	MIN	52	53	63	57	55	53	48	51	54	61	56	59	56	52	51	49	48	44	51										57	55	59	53.8
GRANGEVILLE	MAX	89	86	75	75	70	80	85	88	80	81	82	83	82	79	70	65	71	61	74	58	59	75	70	57	61	61	72	80	82	89	72	75.2
	MIN	49	53	46	43	50	43	47	52	52	47	46	50	51	47	43	41	47	44	50	52	48	43	49	42	35	44	38	47	49	55	50	46.9
GRASMERE	MAX	93	98	89	80	75	79	85	94	92	90	89	83	86	84	76	75	72	83	82	72	58	75	87	84	67	66	82	86	92	94	92	82.6
	MIN	42	55	43	41	51	45	44	53	54	50	53	53	46	53	50	40	36	40	47	44	43	36	45	48	35	44	34	40	56	54	54	46.1
GRAY	MAX	94	92	95	95	94	89	85	85	84	82	80	81	84	80	80	75	76	75	76	78	80	82	83	85	86	88	90	94	96	95	94	85.6
	MIN	40	44	39	36	35	35	34	32	31	33	30	32	34	32	30	29	30	32	33	35	34	35	34	35	34	35	36	36	35	35	35	34.2
GROUSE	MAX	84	90	80	77	75	73	78	84	85	86	82	75	78	79	73	71	69	74	79	64	59	68	77	75	70	64	73	79	86	89	81	76.7
	MIN	39	33	39	45	40	36	35	36	35	37	37	41	36	38	31	32	28	28	29	42	34	27	31	39	32	36	23	29	40	43	41	35.2
HAILEY AP	MAX	93	95	80	81	78	78	82	88	90	[illegible]	86	82	82	83	76	72	73	77	81	74	67	70	81	80	70	71	78	83	88	90	80	80.5
	MIN	44	43	49	48	51	45	41	41	42	50	47	49	46	41	42	41	32	37	41	43	44	34	34	39	37	35	32	40	48	55	37	42.2
HAMER 4 NW	MAX	89	94	93	85	83	82	82	89	93	89	84	81	87	82	81	80	75	79	82	79	78	73	83	89	76	72	80	83	91	95	89	83.8
	MIN	47	47	53	46	54	44	44	40	43	55	44	48	46	51	43	36	34	36	40	50	39	35	38	45	46	52	35	39	46	48	50	44.3
HAZELTON	MAX	89	99	92	83	84	80	85	92	93	89	92	89	87	[illegible]	80	79	74	84	86	80	67	75	89	88	78	70	86	91	96	98	89	85.6
	MIN	59	49	68	52	54	51	47	50	53	59	54	56	53	52	50	56	42	40	46	50	45	38	43	54	43	42	39	43	47	58	57	50.0
HILL CITY	MAX	90	99	92	83	79	80	85	90	93	88	88	88	86	85	79	72	75	82	82	77	64	72	85	82	78	65	82	86	93	97	87	83.4
	MIN	42	41	39	42	57	39	34	40	41	44	41	50	39	42	48	44	34	31	35	43	42	30	35	45	31	45	26	43	54	55	52	41.4
HOLLISTER	MAX	[illegible]	97	91	87	79	84	87	89	89	[illegible]	85	88	87	84	78	70	70	78	81	84	87	88	86	88	76	66	84	87	96	96	84	84.5
	MIN	58	59	62	50	50	49	51	53	55	56	63	60	57	49	[illegible]	47	39	44	53	49	46	45	41	39	42	47	37	50	53	61	56	50.5
IDAHO CITY	MAX	93	90	84	75	80	82	87	91	92	90	89	86	86	80	77	72	78	82	77	69	63	75	83	74	65	67	81	85	92	95	94	81.7
	MIN	35	44	39	35	50	44	35	38	40	41	39	44	43	41	44	34	30	34	36	42	44	33	40	39	32	42	32	33	40	48	44	39.2
IDAHO FALLS 6 NE	MAX	84	94	86	83	78	78	79	87	90	86	81	82	80	81	76	78	71	75	85	80	61	69	81	83	80	72	81	84	91	93	79	80.9
	MIN	41	42	46	52	56	45	45	43	48	56	51	55	50	56	47	38	39	41	52	54	44	35	48	48	50	42	34	47	47	52	62	47.3
IDAHO FALLS CAA AP	MAX	87	96	85	85	78	80	81	88	92	88	89	84	84	82	84	78	74	78	86	69	60	70	82	84	80	69	81	85	93	99	82	82.4
	MIN	46	44	61	54	53	46	44	45	47	56	56	49	50	57	46	43	41	42	42	51	43	36	42	53	52	47	38	43	48	51	56	47.8
IDAHO FALLS 43 NW WB	MAX	93	99	[illegible]	86	80	80	84	90	95	91	88	81	85	84	81	79	77	81	89	73	64	73	84	82	80	71	82	87	94	95	85	83.9
	MIN	57	44	55	52	54	48	47	42	45	59	49	49	44	49	50	37	48	40	40	52	42	31	41	47	44	47	31	40	49	51	53	46.4
IDAHO FALLS 46 W WB	MAX	92	99	87	85	81	80	84	91	94	90	86	81	83	83	80	78	75	80	87	71	64	72	84	80	78	68	81	87	93	96	82	83.0
	MIN	40	42	59	51	55	43	41	43	45	64	46	50	49	50	39	37	35	34	41	51	38	33	36	47	46	42	28	40	50	49	57	44.5
IRWIN 2 S	MAX	82	93	86	84	72	75	82	86	88	85	78	78	78	81	81	78	74	80	87	77	60	70	83	86	77	70	83	85	87	94	85	80.8
	MIN	42	44	58	51	51	45	44	42	46	59	51	52	48	53	51	37	37	33	41	40	43	40	40	51	45	51	35	44	47	48	53	45.9
ISLAND PARK DAM	MAX	84	86	80	78	73	77	74	79	85	81	76	77	77	73	75	73	70	71	79	70	62	61	73	77	76	70	75	77	85	90	88	76.5
	MIN	40	39	49	41	45	43	41	38	40	47	43	41	43	42	40	34	30	32	33	45	42	35	33	37	40	45	28	37	39	45	44	39.7
JEROME	MAX	94	99	96	89	86	84	88	95	95	92	93	88	93	89	82	76	77	84	85	79	70	76	88	83	77	71	88	90	97	98	82	86.6
	MIN	47	54	58	51	52	48	43	53	57	53	52	57	54	48	48	47	40	40	48	50	47	40	45	49	41	48	40	43	57	59	57	49.2
KELLOGG	MAX	89	91	84	74	80	81	82	88	88	82	84	85	88	90	85	67	70	70	78	72	[illegible]	69	64	69	59	71	60	76	82	88	84	77.9
	MIN	47	49	47	41	52	49	47	48	47	42	42	44	50	52	52	53	49	44	51	55	52	50	55	50	40	47	39	45	49	49	55	48.1
KOOSKIA	MAX	99	96	81	85	80	87	93	95	91	90	89	91	90	83	83	72	79	88	87	64	73	78	78	72	66	68	80	84	91	95	86	83.7
	MIN	44	48	45	43	51	49	45	48	48	45	44	46	56	50	49	50	52	45	52	58	52	51	56	54	44	49	46	46	50	54	58	49.3
KUNA 2 NNE	MAX	93	95	79	78	81	82	91	91	89	89	89	84	87	83	77	74	76	87	80	70	70	77	83	67	64	73	77	81	86	90	76	81.3
	MIN	43		50	49	54	52	45	48	49	49	47	51	50	49	52	41	41	42	50	50	49	43	51	48	39	48	43	42	47	55	49	47.5
LEWISTON WATER PLANT	MAX	101	97	86	84	86	92	93	93	89	89	89	90	89	83	80	75	82	86	88	74	78	83	80	70	71	73	85	86	94	92	88	85.4
	MIN	58	59	55	49	53	54	56	56	57	51	52	54	60	54	54	53	57	53	61	60	56	59	58	55	47	50	49	53	56	56	56	55.2
LEWISTON WB AP	MAX	97	87	79	83	83	87	91	91	85	87	87	89	87	76	70	72	79	85	74	69	73	80	76	65	67	69	83	83	91	91	77	81.1
	MIN	55	58	51	45	60	51	55	54	57	46	49	52	59	52	52	49	53	51	59	56	53	55	55	49	44	48	44	50	55	55	52	52.4
LIFTON PUMPING STA	MAX	87	90	85	82	76	77	81	83	85	80	80	74	76	79	77	75	74	76	78	74	59	68	77	79	77	73	77	79	87	91	86	78.8
	MIN	48	46	60	42	55	46	43	45	47	55	50	54	49	50	47	39	41	38	41	47	43	36	37	45	45	45	37	43	47	48	58	46.0
MACKAY RS	MAX	89	88	84	82	79	76	78	86	89	86	84	80	79	80	76	77	72	74	81	76	59	68	78	74	77	66	76	81	87	88	78	79.8
	MIN	50	47	47	52	54	46	45	47	49	58	47	48	46	44	45	43	37	40	39	50	41	35	35	42	40	49	33	36	40	47	49	44.5
MALAD	MAX	95	97	94	90	85	85	89	92	94	88	90	87	81	85	84	84	80	84	87	83	70	78	85	89	92	77	81	85	95	96	93	86.6
	MIN	56	45	64	59	58	53	47	49	49	54	54	58	53	54	58	51	44	40	44	54	40	38	41	56	54	56	41	46	53	55	63	51.3
MALAD CAA AP	MAX	96	99	94	91	87	85	88	93	94	88	90	88	84	87	85	88	80	82	89	77	70	77	86	89	84	77	83	87	95	97	90	87.1
	MIN	49	42	57	62	55	54	46	44	44	55	48	56	49	49	53	44	44	37	39	57	44	35	36	50	49	52	35	39	48	49	55	47.5
MAY RS	MAX	89	92	86	82	72	77	86	84	89	86	85	73	75	84	80	71	72	76	78	71	58	73	81	80	71	66	78	84	91	92	85	79.6
	MIN	42	42	50	46	46	38	40	42	48	44	41	45	45	41	39	36	36	36	40	41	41	40	40	45	37	47	28	37	41	48	56	41.9
MC CALL	MAX	84	88	73	71	72	74	79	83	82	81	82	76	79	71	68	65	68	74	66	57	59	62	71	53	62	59	72	75	85	87	70	72.5
	MIN	38	42	41	43	48	41	39	40	43	43	41	46	55	42	45	40	31	36	41	49	44	33	42	45	29	35	33	37	40	47	46	41.1
MC CAMMON	MAX	93	97	89	90	83	82	88	93	95	91	92	90	82	85	85	80	79	84	87	86	71	78	82	81	80	74	81	85	93	97	89	85.9
	MIN	46	43	62	53	49	49	48	45	43	43	47	53	48	49	47	39	39	34	35	45	49	35	39	42	38	50	36	39	42	49	41	44.4
MERIDIAN 1 W	MAX	95	94	92	80	83	84	89	91	91	91	89	84	87	83	82	78	76	83	81	71	67	76	88	83	65	71	77	81	89	91	89	83.3
	MIN	47	53	53	49	55	52	48	52	50	51	48	49	51	50	52	42	39	44	55	49	50	43	55	48	39	49	46	45	50	57	52	49.1

See reference notes following Station Index.

'able 5 - Continued

DAILY TEMPERATURES

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ESA	MAX	96	98	90	82	83	85	90	94	94	92	93	91	90	85	82	76	80	81	86	71	71	79	84	78	70	71	83	85	83	96	89	84.8
	MIN	54	55	52	45	60	53	55	58	60	58	60	59	61	58	54	48	44	46	49	45	50	46	55	48	44	43	45	54	50	55	53	52.2
INIDOKA DAM	MAX	87	100	85	87	82	81	84	91	92	92	90	83	82	82	82	76	75	83	82	68	67	72	88	75	76	78	81	88	92	95	79	83.1
	MIN	56	57	63	57	56	56	49	55	57	62	60	55	55	61	55	50	43	45	53	53	45	41	51	56	52	50	43	55	57	60	60	53.8
ONTPELIER RS	MAX	90	89	93	87	86	79	80	82	87	90	89			84	82	80	79			84	72	61	71	80	84	79	75	81	83	90	95	82.7
	MIN	42	39	58	45	52	40	38	41	43	52	46			45	47	34	36	32			42	29	33	42	45	52	31	37	41	46	56	42.4
OSCOW U OF I	MAX	90	76	76	75	77	80	85	83	81	79	80	83	85	77	65	66	73	79	73	65	69	73	70	63	68	66	77	77	85	84	81	76.2
	MIN	45	51	48	38	48	45	48	45	46	38	42	42	51	47	44	49	51	51	52	53	50	54	53	48	42	48	45	46	57	53	49	47.7
OUNTAIN HOME	MAX	95	98	97	90	90	88	95	100	100	96	97	95	94	90	87	75	86	88	85	80	75	82	93	90	74	76	88	95	98	104	98	90.3
	MIN	52	58	58	50	59	53	49	54	59	57	58	58	60	54	53	48	43	44	55	51	49	45	42	51	44	51	42	54	57	61	58	52.4
ULLAN PASS CAA	MAX	74	70	58	61	59	62	71	73	67	69	68	71	72	73	53	51	54	65	56	49	47	49	53	49	55	44	61	70	74	74	57	61.6
	MIN	59	51	43	42	48	48	50	55	52	48	50	52	51	50	42	39	40	43	44	41	40	42	44	37	33	39	37	49	54	50	43	45.7
AMPA 2 NW	MAX	93	85	98	84	81	84	88	91	93	92	91	88	84	88	85	80	77	78	86	80	71	72	78	86	69	63	72	80	85	91	94	83.5
	MIN	49	50	50	53	57	54	47	52	54	52	50	51	52	53	53	46	43	45	51	51	52	44	55	51	41	46	45	44	49	53	54	49.9
EW MEADOWS RS	MAX	91	92	90	79	76	80	84	86	87	87	85	85	85	82	78	70	74	80	78	63	64	71	75	71	58	65	78	81	88	90		79.1
	MIN	31	35	34	38	45	32	33	35	38	37	35	37	41	37	41	39	28	31	38	48	45	35	47	45	32	36	30	33	36	45		37.2
EZPERCE 2 E	MAX	88	83	72	76	72	79	85	85	79	80	82	83	82	76	68	63	71	80	73	58	64	70	70	57	63	58	74	78	82	89	70	74.5
	MIN	50	53	44	43	50	46	54	52	48	48	48	48	53	46	48	41	47	44	50	51	47	45	51	47	37	46	38	49	52	56	50	47.7
AKLEY	MAX	88	100	85	82	80	78	84	90	90	90	91	89	89	84	80	75	72	81	83	78	72	74	89	84	80	68	82	88	95	97	85	84.0
	MIN	52	56	57	50	53	52	50	54	57	59	60	55	49	53	46	41	38	44	50	52	47	39	47	46	43	49	40	52	57	61	56	50.5
BSIDIAN 4 NNE	MAX	81	87	80	78	81	65	74	79	82	80	79	78	79	74	67	65	66	71	75	72	51	63	71	66	64	52	70	73	84	83	74	73.0
	MIN	29	33	30	32	32	32	30	33	32	38	32	33	33	35	32	28	22	26	30	30	36	32	37	42	26	37	22	28	34	34	41	32.0
LA 5 S	MAX	94	95	91	89	88	89	88	94	92	91	90	91	91	86	78	72	78	84	80	76	75	79	80	79	78	74	80	85	95	95	92	85.5
	MIN	42	46	46	49	50	46	41	40	45	50	46	44	51	49	49	44	38	38	38	47	50	40	41	43	45	50	44	45	37	35	40	44.2
ROFINO	MAX	99	89	83	84	87	90	94	99	92	91	91	92	91	84	84	70	82	81	81	67	74	80	79	72	72	89	86	86	95	97	84	84.7
	MIN	47	51	47	55	45	49	50	51	50	48	48	49	59	53	52	52	53	47	45	59	56	51	56	54	44	50	45	48	52	56	58	51.0
ALISADES DAM	MAX	85	91	88	86	78	73	80	85	91	87	80	78	78	78	80	75	74	77	82	79	64	68	80	83	82	75	80	83	89	92	90	81.1
	MIN	44	44	56	52	49	46	42	42	46	59	49	50	48	53	51	39	38	35	40	44	47	42	39	49	46	50	38	42	47	51	53	46.2
ARMA EXP STA	MAX	97	100	96	84	85	88	93	96	95	94	93	96	92	89	86	77	79	86	84	72	73	79	85	81	66	79	80	82	91	94	93	86.5
	MIN	50	54	46	55	59	51	47	51	55	52	53	52	52	58	56	46	43	43	46	49	50	44	56	51	41	48	42	46	44	53	42	49.5
AUL 1 E	MAX	90	90	100	82	85	82	80	85	93	94	90	87	81	92	85	79	74	74	83	82	69	65	74	86	75	79	69	85	90	93	97	83.5
	MIN	41	44	64	52	57	52	45	49	47	59	54	53	55	58	43	47	46	41	42	51	45	40	42	52	45	51	38	44	50	55	61	49.1
AYETTE	MAX	97	98	89	82	86	87	93	95	94	93	92	91	88	84	80	78	80	86	79	77	71	80	83	73	67	73	79	79	89	92	82	84.4
	MIN	55	53	57	57	59	54	49	52	58	57	56	56	58	56	55	50	45	45	53	53	52	45	51	53	43	49	45	48	49	59	55	52.5
IERCE RS	MAX	90	79	76	76	76	78	85	87	87	82	82	85	84	80	76	67	70	79	77	76	59	69	70	67	68	59	75	81	85	91	87	77.9
	MIN	38	41	36	34	42	37	38	41	41	38	37	38	49	43	42	40	36	37	43	51	49	43	47	47	34	43	36	39		47	52	41.3
OCATELLO WB AP	MAX	93	100	87	88	82	81	85	93	96	89	85	85	85	83	81	79	75	82	89	72	61	75	86	82	82	71	83	89	94	98	84	84.4
	MIN	54	51	59	58	58	49	46	49	54	58	55	53	49	61	50	49	45	42	46	50	45	39	44	63	54	47	35	51	51	53	59	51.2
ORTHILL	MAX	90	86	82	74	79	83	86	88	86	84	86	86	87	83	74	62	73	73	70	72	73	70	65	61	72	65	73	74	79	82	78	77.3
	MIN	46	49	50	46	44	45	47	46	48	40	41	41	48	52	51	51	52	51	51	55	51	55	54	50	46	50	47	43	46	49	56	48.4
OTLATCH 1 SE	MAX	91	81	71	78	80	83	87	87	80	83	84	86	89	76	76	67	76	80	74	67	70	71	69	63	69	65	75	78	86	87	72	77.5
	MIN	41	42	44	33	45	43	43	41	41	34	38	36	45	41	42	43	46	43	43	43	51	51	51	47	38	43	41	43	51	48	50	43.3
RESTON SUG FACT 2 SE	MAX	95	98	95	92	85	85	88	93	95	94	88	88	87	87	88	85	82	82	88	86	69	74	84	88	87	82	83	86	95	98	97	87.9
	MIN	49	42	62	54	54	48	42	48	46	61	52	56	52	50	56	40	40	37	39	55	48	36	37	49	51	53	36	43	47	48	56	48.0
RIEST RIVER EXP STA	MAX	87	86	79	74	77	81	84	84	81	82	81	83	85	83	78	64	70	76	73	68	69	67	66	59	69	60	72	79	83	80	80	76.1
	MIN	42	44	44	39	38	41	42	42	41	35	37	37	46	47	47	47	49	41	48	53	47	48	52	48	39	44	42	39	45	46	54	44.0
ICHFIELD	MAX	89	95	91	83	82	79	83	89	92	89	88	87	82	84	81	76	73	80	81	79	62	72	82	80	76	71	83	86	93	95	86	82.9
	MIN	47	51	53	50	53	50	45	52	54	51	50	53	53	54	45	46	37	40	46	47	46	39	43	48	41	47	39	51	54	61	55	48.4
IGGINS RS	MAX	98	95	94	84	80	88	93	98	99	90	90	91	91	86	84	84	84	90	88	80	69	82	80	79	66	71	78	91	93	101	100	87.1
	MIN	57	57	56	55	58	53	57	58	59	55	55	57	60	57	57	50	51	53	58	57	55	53	58	55	44	51	48	52	63	63	62	55.6
UPERT	MAX		93	104	85	89	85	82		96	94	91	87		89	85	82	78	77	85	86	71	71	77	88	77	79	72	85	91	96	96	85.4
	MIN		48	63	55	57	54	46		47	60	55	56		55	45	47	45	40	46	52	45	40	44	53	48	50	40	47	53	61	60	50.4
AINT ANTHONY	MAX	88	94	85	83	77	77	82	88	91	87	85	81	81	83	80	76	73	77	86	69	62	68	80	83	80	89	80	83	91	95	82	81.2
	MIN	41	44	55	47	55	43	43	43	42	51	50	48	48	49	45	37	35	35	40	51	47	37	38	45	48	52	34	41	47	50	51	44.9
AINT MARIES	MAX	91	92	79	78	80	82	87	88	86	84	84	85	88	83	75	70	74	80	78	65	66	68	72	69	69	68	79	83	87	82	82	79.2
	MIN	43	45	41	38	41	47	43	44	42	37	38	40	45	41	45	51	49	44	49	54	50	49	52	48	40	45	41	43	45	42	51	44.6
ALMON	MAX	91	100	89	85	72	80	86	92	96	94	83	77	80	82	70	74	74	81	83	71	63	73	85	85	72	68	77	90	94	96	86	82.2
	MIN	43	43	53	47	53	47	43	44	44	51	44	48	48	45	48	40	48	37	39	49	49	40	45	42	38	43	32	35	39	45	52	44.3
SANDPOINT EXP STA	MAX	87	80	77	74	78	81	79	83	78	77	78	81	84	85	73	70	72	73	69	68	69	64	62	63	67	62	68	75	77	79	75	74.5
	MIN	44	45	49	39	41	43	45	45	43	37	38	39	49	40	52	51	49	44	52	52	48	54	55	49	39	49	42	52	49	49	56	46.4
SHOSHONE	MAX	94	98	91	86	83	83	87	93	94	90	91	89	89	90	80	77	77	83	84	79	70	76	87	80	77	70	86	91	97	91	86	85.7
	MIN	58	59	59	60	56	49	47	54	52	52	58	60	56	52	45	47	42	41	51	51	48	39	46	50	42	51	43	48	61	60	58	51.5
SPENCER RS	MAX	86	91	90	82	78	70	79	82	88	86	82	79	79	78	77	75	71	73	78	77	55	58	78	77	76	72	76	80	87	92	85	78.6
	MIN	52	43	49	54	48	45	43	38	44	52	42	44	48	44	46	36	34	35	34	48	40	40	37	38	39	48	28	36	40	45	44	42.2
SPRINGFIELD 1 SE	MAX	87	90	86	88	86	83	84	90	97	87	92	84	85	80	80	79	73	80	88	74	64	74	85	85	80	72	83	88	97	98	82	84.2
	MIN	41	44	60	53	55	56	40	43	46	59	50	50	50	51	40	42	39	37	41	54	43	36	39	49	50	40	34	43	51	51	57	46.6
STIBNITE	MAX	83	80	85	72	70	60	70	74	79	81	80	79	75	78	71	65	62	67	72	73	65	53	59	67	62	65	51	66	74	80	83	71.0
	MIN	39	46	45	37	46	37	39	41	45	42	41	44	41	40	41	33	30	35	41	40	38	34	38	38	28	36	31	39	43	49	45	39.4
STREVELL	MAX	93	95	94	90	84	81	84	91	92	87	88	84	84	84	85	83	75	81	85	81	65	75	85	80	77	76	78	88	90	94	92	84.5
	MIN	50	47	66	54	50	47	43	46	56	65	56	57	42	56	45	41	41	38	49	50	43	31	32	47	49	48	32	53	51	61	62	48.5
SUGAR	MAX	85	92	82	82	78	77	86	85	89	85	83	81	80	80	79	75	72	75	84	79	61	69	80	83	80	68	80	83	91	93	81	80.5
	MIN	44	42	59	49	55	45	43	40	44	54		46	50	50	45	36	39	35	40	55	46	36	39	48	49	52	30	40	45	47	52	45.2
SUN VALLEY	MAX	89	92	90	80	78	76	80	85	87	88	87	83	79	78	77	70	70	75	80	78	66	68	77	75	68	68	74	79	86	92	83	79.2
	MIN	30	33	39	37	51	36	32	35	34	40	55	40	38	37	33	31	25	28	30	37	30	26	30	35	27	44	22	28	36	42	19	34.8
SWAN FALLS PH	MAX	102	101	101	86	86	90	98	100	97	96	95	95	92	91	85	81	81	93	87	75	75	85	94	69	70	77	90	91	96	100	98	89.5
	MIN	62	62	64	61	64	60	55	58	65	68	63	67	67	60	61	53	52	51	59	58	53	49	59	59	47	52	49	53	55	61	61	58.3
TETONIA EXP STA	MAX	82	92	83	82	79	74	77	84	88	84	83	74	75	76	78	74	66	77	81	76	55	65	78	80	78	65	77	80	85	91	83	78.1
	MIN	42	42	53	50	45	40	42	43	49	53	49	46	39	46	45	37	38	35	31	33	41	35	36	45	40	40	30	40	43	46	50	42.1

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		Day Of Month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
THREE CREEK	MAX	95	101	85	87	81	88	86	95	92	90	90	91	87	84	81	76	74	85	85	73	70	76	89	85	75	70	83	87	94	97	86	85.1
	MIN	36	40	35	28	45	29	32	35	38	39	41	46	31	34	29	29	23	26	31	30	30	24	31	44	23	35	22	29	45	43	40	33.6
TWIN FALLS 2 NNE	MAX	94	97	96	83	84	82	[illegible]	95	93	93	90	92	91	86	80	76	77	83	86	80	69	77	91	88	79	72	90	92	98	96	91	86.7
	MIN	52	51	61	52	58	51	46	48	47	59	56	54	56	53	54	49	45	42	43	50	49	43	43	52	43	50	38	45	54	54	60	50.3
TWIN FALLS 3 SE	MAX	92	93	97	85	84	83	93	92	93	92	89	90	92	92	85	79	75	75	82	84	75	69	74	89	76	78	70	87	90	94	95	85.3
	MIN	56	50	61	55	59	54	60	56	48	61	58	53	54	57	52	50	45	43	44	51	48	43	44	52	44	48	37	46	50	56	59	51.4
WALLACE	MAX	87	77	71	73	75	77	85	85	80	80	86	84	86	83	69	65	67	74	70	69	62	62	66	57	69	67	74	81	84	80	70	74.7
	MIN	43	46	42	38	50	47	44	53	44	39	39	40	42	41	45	50	46	41	48	51	46	47	51	48	39	39	43	42	47	48	52	44.9
WALLACE WOODLAND PARK	MAX	83	86	80	69	74	74	82	81	85	79	80	80	82	84	83	83	64	65	76	70	60	62	60	66	52	66	55	71	79	84	85	74.2
	MIN	44	46	43	38	41	46	44	45	44	39	40	41	44	45	45	51	48	40	43	50	49	48	52	49	39	39	39	39	47	49	55	44.6
WEISER 1 S	MAX	96	98	91	87	87	[illegible]	90	93	96	94	94	92	91	88	87	86	81	86	84	78	75	80	84	76	69	73	82	82	92	95	86	86.5
	MIN	53	51	56	55	56	49	47	51	53	51	51	51	55	53	51	47	41	44	47	50	52	45	51	53	45	49	42	48	48	56	56	50.2
WINCHESTER 1 SE	MAX	89	84	70	74	75	78	80	84	80	80	79	80	79	70	65	59	67	77	75	57	67	68	67	58	59	56	72	76	80	85	76	73.1
	MIN	42	42	38	35	47	40	43	44	42	41	41	42	51	43	43	39	45	41	41	49	41	41	45	42	35	44	38	43	43	49	45	42.4

Table 6

EVAPORATION AND WIND

Station		Day of month 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or Avg.
ABERDEEN EXP STA	EVAP	.44	.44	.60	.42	.22	.35	.37	.40	.33	.40	.29	.15	.37	.25	.34	.38	.30	.28	.33	.26	.12	.18	.38	.20	.32	.29	.27	.31	.18	.33	.56	10.06
	WIND	58	76	161	90	96	*	53	44	41	99	33	96	110	83	68	112	100	25	55	136	160	54	46	62	67	134	71	59	20	33	150	2362
ARROWROCK DAM	EVAP	.35	.33	.37	.31	.31	.28	.30	.28	.31	.30	.31	.25	.21	.29	.25	.23	.24	.22	.23	.19	.11	.11	.20	.23	.17	.10	.16	.23	.26	.30	.37	7.80
	WIND	39	25	35	22	50	33	17	29	20	21	12	31	21	29	17	43	54	20	21	33	46	28	21	7	18	41	21	25	19	21	45	864
LIFTON PUMPING STA	EVAP	.32	.33	.29	.32	.30	.23	.29	.29	.26	.29	.17	.18	.22	.25	.36	.33	.27	.25	.27	.24	.14	.15	.24	.30	.34	.34	.21	.18	.19	.25	.32	8.12
	WIND	29	30	47	46	159	39	32	42	27	46	24	77	52	41	90	56	44	10	50	70	64	43	25	76	68	138	39	22	20	19	55	1580
MINIDOKA DAM	EVAP	.55	.45	.61	.41	.38	.41	.39	.45	.52	.45	.40	.30	.37	.53	.40	.36	.38	.27	.41	.36	.24	.22	.30	.40	.34	.34	.26	.37	.39	.44	.50	12.20
	WIND	110	100	150	110	100	100	90	90	110	130	110	160	170	170	150	140	150	70	105	185	185	80	75	95	185	160	125	85	100	130	190	3880
MOSCOW U OF I	EVAP	.34	.20	.25	.23	.23	.22	.26	.28	.26	.26	.26	.25	.20	.15	.10	.06	.10	.17	.10	.06	.12	.12	.15	.04	.11	.08	.11	.22	.18	.13	.28	5.52
	WIND	41	32	87	36	48	14	35	24	40	28	30	30	22	52	28	34	33	32	23	56	52	55	70	11	37	42	50	27	45	19	71	1204
PALISADES DAM	EVAP	.38	.28	.32	.26	-	.11	.18	.24	.28	.28	.23	.11	.22	.19	.32	.20	.25	.22	.25	.23	.04	.09	.17	.34	.27	.20	.17	.26	.19	.26	.31	B 7.08
	WIND	122	80	105	75	77	69	79	88	96	78	79	90	73	88	92	86	89	68	85	78	55	50	71	110	91	113	73	82	78	93	96	2607

STATION INDEX

Station	Index No.	County	Drainage†	Latitude	Longitude	Elevation	Observation time Temp	Observation time Precip.	Observer	Refer to tables
BERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
LPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	GLENN STRAWN	2 3 5
MERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
NDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
RCO	0375	BUTTE	6	43 38	113 18	5320	6P	6P	HAROLD L HANSEN	2 3 5 7
RROWROCK DAM	0418	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
SHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
TLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	4P	4P	PHILLIP T PETERSON	2 3 5 7 C
TLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	8
VERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
ALD MOUNTAIN	0540	BLAINE	12	43 39	114 24	8700		MID	NELSON BENNETT	C
ANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	CLOSED 11/23 52	
AYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
ENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	C
IG CREEK 1 S	0835	VALLEY	11	45 08	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7 C
LACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
LACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 C
LISS	[illegible]	GOODING	12	42 56	[illegible]	3269	5P	5P	NORTH SIDE CANAL CO	2 3 5
OGUS BASIN	1014	BOISE	2	43 46	116 06	6200		MID	F H KUHN	C
OISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
OISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
ONNERS FERRY 1 SW	1079	BOUNDARY	5	48 41	116 19	1812	5P	5P	CHARLES G HOWARD JR	2 3 5 7 C
UHL	1117	TWIN FALLS	12	[illegible]	114 46	[illegible]	5P	5P	WILLIAM A LOW	2 3 5
UNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	[illegible]	2250	3P	3P	U S FOREST SERVICE	2 3 5
URKE 2 NNE	1272	SHOSHONE	4	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
URLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
URLEY FACTORY	1298	CASSIA	12	42 33	113 48	4140	8A	8A	AMALGAMATED SUGAR	2 3 5 C
URLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ALDWELL	1380	CANYON	2	43 39	116 41	[illegible]	SS	SS	HAROLD M TUCKER	2 3 5 7
AMBRIDGE	1408	WASHINGTON	12	44 34	116 41	[illegible]	7P	7P	STUART DOPF	2 3 5
ASCADE 1 NW	1514	VALLEY	8	44 32	116 03	4768	5P	5P	U S BUR RECLAMATION	2 3 5 7 C
ENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4789		6P	MABEL M ARBAUGH	3 7
HALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
HILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
LARK FORK 1 ENE	1810	BONNER	9	48 08	116 10	2125	5P	5P	MRS MARY I RALPH	2 3 5 C
LARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	C
OBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
OEUR D'ALENE RS	1956	KOOTENAI	4	47 41	116 4[illegible]	2160	4P	4P	U S FOREST SERVICE	2 3 5 7 C
ONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
OTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
OTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	C
OUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5 C
ROUCH 2 NNW	2279	BOISE	8	44 08	115 58	[illegible]		6P	HARRY GRAHAM	3
EADWOOD DAM	2385	VALLEY	8	44 19	115 38	[illegible]	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
EADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	[illegible]		VAR	U S SOIL CON SER	S
ECEPTION CREEK	[illegible]	KOOTENAI	4	47 41	116 29	3060		MID	U S FOREST SERVICE	C
EER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	7A	7P	U S BUR RECLAMATION	2 3 5
IXIE	[illegible]	IDAHO	11	45 33	115 28	[illegible]	5P	5P	MRS MARGARET E STOUT	2 3 5
OLLARHIDE SUMMIT	[illegible]	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	C
RIGGS	2676	TETON	12	43 43	111 07	[illegible]	9A	9A	EDITH STEVENS	2 3 5
UBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
UBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
LK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
LK RIVER 1 S	2892	CLEARWATER	3	46 47	116 1[illegible]	2910	4P	4P	GLENN WALKER	2 3 5
MMETT 2 E	[illegible]	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
AIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	5P	5P	U S FOREST SERVICE	2 3 5
ENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7 C
ORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	[illegible]	5P	5P	FORT HALL IR PROJ	2 3 5
ARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
ILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
LENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	F D STONE	2 3 5 7
OODING	3677	GOODING	12	42 57	114 43	3569		MID	DAVID MITCHELL	C
OODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
RACE	3732	CARIBOU	12	42 3[illegible]	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
RAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	5P	5P	W BILADEAU	2 3 5
RANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
RASMERE	3809	OWYHEE	12	42 23	115 53	5126	5P	5P	BLANCHE PORTLOCK	2 3 5
RAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
ROUSE	3882	CUSTER	6	43 42	113 37	6100	6P	6P	MRS BRYAN TAYLOR	2 3 5
AILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
AMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
AZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
ILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL LAMMEN	2 3 5 7
OLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
OWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
DAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
DAHO CITY 13 SW	4450	BOISE	2	43 42	116 01	5000		6P	C M GARDNER	3 7
DAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5 C
DAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
DA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
RWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	6P	6P	ANNA FLEMING	2 3 5 7
SLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
ACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
EROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
AMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		8A	MRS MARY E LUNDERS	3
ELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	10A	10A	IRVING H LASKEY	2 3 5
OOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
UNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
ANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6600		VAR	U S FOREST SERVICE	S
EADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
EWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
EWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
IFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	6P	6P	UTAH P & L COMPANY	2 3 5 6
OLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
OWMAN	5414	BOISE	8	44 05	115 38	3870	5P	5P	ORVILLE L JOINER	2 3 5 7 8
ACKAY RANGER STATION	5462	CUSTER	6	43 55	113 37	5897	5P	5P	U S FOREST SERVICE	2 3 5 7 C
ALAD	5544	ONEIDA	1	42 11	112 16	4420	8P	8P	J L CROWTHER	2 3 5 C
ALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
ALTA RANGER STATION	5567	CASSIA	12	42 19	113 22	4543		MID	U S FOREST SERVICE	C
AY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	[illegible]	VALLEY	8	44 54	[illegible]	[illegible]	[illegible]	5P	U S FOREST SERVICE	2 3 7
MC CAMMON	[illegible]	BANNOCK	12	42 39	112 12	4774	6P	6P	[illegible]	2 3 5
MERIDIAN 1 W	[illegible]	ADA	2	43 37	116 2[illegible]	[illegible]	[illegible]	5P	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	[illegible]	[illegible]	8P	8P	MESA [illegible]	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 4[illegible]	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	[illegible]	BEAR LAKE	[illegible]	[illegible]	111 18	[illegible]	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	[illegible]	BOISE	2	43 [illegible]	[illegible] 40	[illegible]		VAR	U S SOIL CON SER	S
MOOSE CREEK RANGER STA	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]		MID	U S FOREST SERVICE	C
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	[illegible] 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	[illegible] 41	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	[illegible]	CANYON	2	43 37	[illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	[illegible] 17	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6421	LEWIS	3	46 15	116 12	3850	7P	7P	JOHN [illegible]	2 3 5 7
NEZ PERCE PASS	[illegible]	LEMHI	11	45 43	114 [illegible]	[illegible]		VAR	U S FOREST SERVICE	S
OAKLEY	[illegible]	CASSIA	[illegible]	[illegible] 15	113 [illegible]	[illegible]	6P	6P	HERBERT J HARDY	2 3 7
OBSIDIAN 4 NNE	[illegible]	CUSTER	11	44 [illegible]	[illegible]	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA [illegible] S	[illegible]	GEM	8	44 [illegible]	116 17	[illegible]	[illegible]	5P	VINCENT A NALLY	2 3 5 C
OROFINO	[illegible]	CLEARWATER	3	46 29	[illegible]	1027	5P	5P	U S FOREST SERVICE	2 3 [illegible]
PALISADES DAM	[illegible]	BONNEVILLE	12	43 22	111 1[illegible]	[illegible]	4P	4P	U S BUR RECLAMATION	2 3 5 C
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2221	5P	5P	STATE EXP STATION	2 3
PAUL 1 E	6877	MINIDOKA	12	42 [illegible]	[illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	[illegible]	PAYETTE	8	44 [illegible]	[illegible]	[illegible]	6P	6P	[illegible] HARRIS	2 3 [illegible] 7
PIERCE RANGER STATION	[illegible]	CLEARWATER	3	[illegible]	[illegible]	3175	4P	4P	U S FOREST SERVICE	2 3 [illegible] 7 C
PINE 1 N	[illegible]	ELMORE	2	43 30	[illegible] 18	[illegible]		VAR	U S GEO SURVEY	S
PINE 2 S	[illegible]	ELMORE	2	[illegible]	115 [illegible]	4225		5P	GENEVA B SCHRAFT	7
PLUMMER 3 WSW	7188	BENEWAH	4	47 [illegible]	[illegible]	2970		MID	U S OFF IND AFFAIRS	C
POCATELLO WB AIRPORT	7211	BANNOCK	12	[illegible]	[illegible] 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
PORTHILL	7264	BOUNDARY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	R E DENHAM	2 3 [illegible] 7
POTLATCH 1 SE	7301	LATAH	8	46 54	[illegible]	[illegible]	6P	6P	HENRY J FITCH	2 3 5 7
PRAIRIE	7327	ELMORE	2	[illegible]	[illegible]	[illegible]		MID	VICTOR [illegible] ARREGUI	
PRESTON SUG FACT 2 SE	[illegible]	FRANKLIN	1	42 [illegible]	[illegible]	4718	4P	4P	C W CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	[illegible]	[illegible]	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 [illegible]	115 [illegible]	[illegible]		VAR	M EDWARD [illegible]	S
PUTNAM MOUNTAIN	[illegible]	BINGHAM	12	43 [illegible]	[illegible] 03	[illegible]		VAR	FORT HALL IR PROJ	S
# REACTOR TESTING STA	[illegible]	BUTTE	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	SEE NAME CHANGE END OF INDEX	
RICHFIELD	7673	LINCOLN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 [illegible]
RIGGINS RANGER STATION	[illegible]	IDAHO	11	[illegible]	[illegible] 19	1840	4P	4P	U S FOREST SERVICE	2 3 [illegible] 7
ROLAND WEST PORTAL	[illegible]	SHOSHONE	10	47 21	[illegible] 40	[illegible]	[illegible]	5P	MRS HOMER WALTON	2 3 5 7
RUPERT	[illegible]	MINIDOKA	12	[illegible] 37	[illegible]	[illegible]	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	[illegible]	FREMONT	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	[illegible] 19	116 [illegible]	[illegible]	5P	5P	U S FOREST SERVICE	2
SALMON	[illegible]	LEMHI	11	[illegible]	[illegible]	[illegible]	MID	MID	[illegible]	[illegible] 7
SANDPOINT EXP STATION	[illegible]	BONNER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	STATE EXP STATION	2 3 [illegible] 7
SHAKE CREEK RANGER STA	8303	ELMORE	2	[illegible] 37	[illegible]	4730		VAR	U S FOREST SERVICE	
SHOSHONE	8380	LINCOLN	12	[illegible] 57	114 [illegible]	[illegible]	5P	5P	FRED F KOHL	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 [illegible]	[illegible] 50	5755		VAR	U S FOREST SERVICE	
SPENCER RANGER STATION	[illegible]	CLARK	[illegible]	[illegible] 21	112 11	[illegible]	5P	5P	U S FOREST SERVICE	[illegible] 7
SPRINGFIELD 1 SE	[illegible]	BINGHAM	12	43 04	112 41	[illegible]	[illegible]	[illegible]	MRS RAYMOND [illegible]	2 3 5
STIBNITE	8738	VALLEY	11	44 [illegible]	[illegible] 20	[illegible]	8A	8A	BRADLEY MINING [illegible]	[illegible] 7
STREVELL	[illegible]	CASSIA	12	[illegible]	[illegible]	5280	[illegible]	[illegible]	IDAHO STATE POLICE	[illegible]
SUGAR	[illegible]	MADISON	12	[illegible]	[illegible]	4886	5P	5P	J KENNETH THATCHER	2 3 [illegible]
SUN VALLEY	[illegible]	BLAINE	12	[illegible] 41	114 21	[illegible]	5P	[illegible]	EDWARD F SEAGLE	[illegible] 7 C
SWAN FALLS POWER HOUSE	8928	ADA	12	43 [illegible]	[illegible]	[illegible]	5P	5P	IDAHO POWER COMPANY	[illegible] 7
TETONIA EXP STATION	[illegible]	TETON	12	[illegible]	[illegible]	[illegible]	6P	6P	EXPERIMENT STATION	2 3 5 C
THREE CREEK	[illegible]	OWYHEE	12	42 03	115 10	[illegible]	6P	6P	MRS L F TANNER	2 3 5 7
TRINITY LAKE GUARD STA	[illegible]	ELMORE	2	43 38	[illegible]	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	[illegible]	ELMORE	2	43 43	[illegible]	[illegible]		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	[illegible]	TWIN FALLS	12	42 [illegible]	114 [illegible]	[illegible]	5P	5P	U S BUR ENTOMOLOGY	[illegible]
TWIN FALLS 3 SE SUG FACT	[illegible]	TWIN FALLS	12	[illegible]	114 [illegible]	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	[illegible]	BLAINE	11	43 48	[illegible]	[illegible]		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	[illegible] 56	[illegible]	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	[illegible]	47 30	[illegible]	2950	7A	7A	ROBERT [illegible]	2 3 5 C
WEISER 1 S	[illegible]	WASHINGTON	12	[illegible] 14	[illegible]	2120	5P	5P	[illegible]	2 3 [illegible] C
WINCHESTER 1 SE	[illegible]	LEWIS	3	46 [illegible]	[illegible]	3950	4P	4P	HALLACK HOWARD LBR CO	[illegible]
YELLOW PINE	9950	VALLEY	11	44 [illegible]	115 29	4760		VAR	L J MILLER	S
NEW STATIONS										
IDAHO FALLS 43 NW WB	4459	BUTTE	6	[illegible] 51	112 42	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
NAME CHANGE										
# IDAHO FALLS 46 W WB	4460	BUTTE	6	43 33	112 57	4933	MID	MID	U S WEATHER BUREAU	2 3 5 7 C

1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state bases. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effective January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement , time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.
R	Amounts from recording gage. (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data.)
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 20 cents per copy, monthly and annual; $2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

W.R.P.C. Chattanooga--10-1-54--850--

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

SEPTEMBER 1954
Volume LVII No. 9

CHATTANOOGA: 1954

WEATHER SUMMARY

Slightly above normal temperature for the State as a whole, deficient rainfall, above average sunshine, and excessive windiness characterized the weather during September. The frost-free period or growing season was generally ended during the month, making the frost-free period shorter than usual.

The average temperature of the State, weighted in accordance with the areas of the three Divisions, was 57.7°, 0.4° above the weighted normal. The Northern Division was the coolest, 0.9° below normal, and the Southeastern Division, 1.1° above normal, was the warmest. The highest recorded mean temperature was 67.9° at Swan Falls Power House; the lowest was 46.7° at the Civil Aeronautics Administration station at Mullan Pass. Grand View recorded the highest maximum temperature of the month, 100° on the 10th; Three Creek reported the lowest, 8° on the 30th. This was the coolest September since 1948. There were several reports of frosts during the month, and nearly all stations reported freezing temperatures by the end of the month.

The month opened with warmer than normal weather for the first two or three days, followed by general cooling trends until about the 9th or 10th, when a warm spell, lasting only two or three days, occurred. Monthly maximum temperatures were recorded at most stations either on the first two days or around the 10th. With the exception of the 14th, which was a warm day, the rest of the first three weeks was cool. Large departures below the average daily normal temperatures were recorded during the third week, centering around the 17th or 18th. The 21st or 22nd began a period of warm weather, some individual days at points in the southern part of the State, reaching 8° or 10° above the daily normal. Cold air began to spread over the State on the 28th, and the last two days of the month were abnormally cold. The 29th was generally between 10° and 20° below normal, and monthly minimum temperatures were recorded at the majority of stations on the 30th.

The State average precipitation, weighted in proportion to the areas of the Divisions, was 0.54 inch, .45 inch below the weighted normal, making this the wettest September since 1950. The Northern Division, with 82 percent of normal rainfall, was the wettest. The Southeastern Division averaged 41 percent of normal precipitation, and the Southwestern only 33 percent. Twelve stations reported no precipitation at all. Only a few scattered stations reported more than the normal rainfall. The greatest monthly amount was 3.44 inches recorded at Burke 2 NNE, and Mullan Pass, with 3.36 inches, was the only other station reporting in excess of 3.00 inches of rainfall. The largest amount recorded for an observational day was 1.63 inches at Kellogg on the 18th. Periods of fairly widespread precipitation were 2nd - 5th, 12th, 15th - 18th, 23rd, and the last two days of the month.

Harvesting of peas, hay and grains was prolonged in the northern portions of the State due to showery weather, with considerable damage to peas, oats and barley in the Lewiston area from rain. In other areas, except at high levels, grain harvests were virtually completed. Grain harvests turned out generally better than had been expected earlier. The peach and pear crops were gathered, with apple picking beginning the third week. Sugar beet digging began during the latter part of the month, and the harvesting of potatoes continued with near-average yields expected. In the higher mountain valleys and at intermediate levels, freezing temperatures were reported several times during the month with damage to tender crops, and the general freeze at the end of the month ended the season for most garden crops. Truck crop harvesting continued, with about the average onion yields expected, and the fall lettuce expected to be about the same as last year, although only about 25 percent of the previous 10-year average. Conditions were generally favorable for the carrot harvest. The dry bean harvest was fairly well along at month's end. Ranges and pastures continued good to excellent in the northern portion of the State, but were generally dry in the lower elevations of the south-central and southwestern portions, and in the eastern portion.

Lightning killed a young man on Mt. Borah in Custer County, and the wind blew a roof off a house at Chilly, near Barton Flat, both unfortunate events occurring on the 2nd. On the 4th, hailstones up to 1/2 inch in diameter did extensive damage to grains in a few localities, particularly southeast of Driggs, and the hard rains on the 4th and 5th lodged grains and cracked pea pods in Idaho and Lewis Counties, effectively reducing yields. Hail was reported in Latah County on the 16th and in Latah, Lewis, Nez Perce and Idaho Counties on the 17th, some hailstones on the latter date being reported as from 1/4 inch to 3/8 inch in diameter. Principal damage, however, seemed to be caused by the accompanying rains which damaged pea and grain crops ready for the harvest.

HCS

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	Degree days 65° base
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total			
OISE WB AIRPORT	SE	20	9.0	39	W	15	58	37	28	47	2	1	0	0	0	0	3	94	2.1	SEE TABLE 2.
DAHO FALLS 43 NW WB	-	-	8.9	36	SW	17	-	-	-	-	2	0	1	1	0	0	4	-	-	
DAHO FALLS 46 W WB	-	-	8.1	30	SW	28	-	-	-	-	3	1	1	0	0	0	5	-	-	
EWISTON WB AIRPORT	-	-	-	-	-	-	74	53	36	-	2	2	1	1	0	0	6	-	4.7	
OCATELLO WB AIRPORT	SW	18	11.1	53	W	22	56	33	22	41	1	2	1	0	0	0	4	81	2.7	

COMPARATIVE DATA

Table 1

SEPTEMBER

Year	Temperature			Precipitation	
	Average	Highest	Lowest	Average	Average snowfall
1893	55.9	100	20	2.54	
1894	54.7	93	15	1.03	-
1895	53.9	96	8	1.48	-
1896	56.0	101	10	.51	-
1897	58.1	95	17	1.07	-
1898	57.2	100	10	.47	0.0
1899	59.9	104	14	.40	0.0
1900	56.2	101	8	.84	T
1901	54.4	97	11	1.03	0.0
1902	57.4	99	9	.41	0.1
1903	54.3	100	15	1.14	1.2
1904	59.8	101	21	.35	0.0
1905	59.3	107	6	.95	T
1906	59.5	100	10	.54	T
1907	57.2	103	7	.68	0.0
1908	58.1	102	8	1.19	0.1
1909	58.5	99	9	2.01	T
1910	58.2	98	12	1.09	0.0
1911	56.1	101	10	.79	0.0
1912	52.3	94	10	.96	0.0
1913	58.0	100	11	.85	T
1914	55.7	100	14	1.59	1.0
1915	55.2	97	12	1.35	0.1
1916	56.7	105	13	.55	0.1
1917	59.5	99	16	1.57	0.0
1918	60.0	103	16	1.35	0.0
1919	58.5	102	15	1.18	0.0
1920	57.1	99	18	1.57	0.4
1921	53.1	98	10	.86	0.1
1922	60.4	101	11	.27	0.0
1923	59.9	104	12	.69	0.3
1924	57.8	107	5	.59	0.2
1925	57.3	100	18	1.48	T
1926	52.3	95	- 1	.98	0.4
1927	55.4	100	18	2.40	0.1
1928	58.6	103	15	.29	T
1929	54.3	99	13	.63	T
1930	58.0	100	13	1.15	T
1931	57.9	104	18	.95	0.1
1932	58.3	103	16	.15	0.0
1933	55.7	100	11	.85	0.1
1934	55.6	103	10	.58	0.3
1935	60.8	102	14	.19	0.0
1936	56.3	101	5	.48	T
1937	60.1	104	15	.55	0.0
1938	63.1	107	20	.45	0.0
1939	58.6	102	18	.96	0.0
1940	59.1	102	15	1.25	T
1941	52.8	91	10	1.33	T
1942	58.6	103	11	.46	0.0
1943	60.8	102	15	.15	0.0
1944	58.6	108	12	.83	T
1945	54.4	107	12	1.53	0.3
1946	56.1	93	16	1.11	T
1947	57.8	104	9	1.31	0.2
1948	57.7	101	15	1.16	0.1
1949	60.0	100	13	.89	0.1
1950	57.9	110	14	1.16	0.3
1951	57.8	99	12	.40	T
1952	60.6	100	15	.27	T
1953	60.6	103	16	.18	T
1954	57.7	100	8	.54	0.2
ALL YEARS	57.4			.94	

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.10 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
[illegible]	75.[illegible]	42.7	59.1	[illegible].6	87	1+	24	30	175		0	2		2.50	.73	.86	18	.0	0		6	2	0
[illegible]	68.[illegible]	41.3	54.7		78	2+	28	30	301		0	1		1.24		.35	15	.0	0		6	0	0
BIG CREEK 1 S	71.2	26.9	49.1		84	1+	20	19	472	0	0	27	0	.48	- 1.32	.24	17	T	0		2	0	0
BONNERS FERRY 1 SW	69.6	41.9	55.8	- 1.0	82	10	26	29	270	0		2	0	.55	- .84	.25	28	.0	0		1	0	0
BUNGALOW RS	74.6	[illegible]	59.0	- 0.9	87	10	26	[illegible]	180		0	1		1.90	.05	.72	17	[illegible]	0		4	1	0
BURKE 2 NNE	61.7	38.5	50.1	- 2.1	74	10	24	[illegible]	439	0	0	2	0	3.44	.83	1.30	1[illegible]	T	0		5	3	1
CLARK FORK 1 ENE	71.3	[illegible]	55.[illegible]	0.2	85	11	25	[illegible]	284		0	1		2.15	- .33	.55	17		0		8	1	0
COBALT BLACKBIRD	64.[illegible]	32.1	48.2		80	2	16	30		0	0	16		.69		.23	18	2.6	3	30	2	0	0
COEUR D ALENE RS	72.4M	44.3M	58.4M	0.5	84	2+	28	30	197	0	0	2	0	1.3[illegible]	- .08	.56	17	.0	0		4	1	0
COTTONWOOD	64.[illegible]	38.4	53.7	- 3.1	88	10	21	[illegible]	331	0	0	2	0	.94	- .56	.30	5		0		4	0	0
DIXIE	67.4	26.6	47.[illegible]		82	10	15	[illegible]	533	0	0	25	0	.53		.28	17	T	0		2	0	0
ELK CITY	72.7	34.3	53.5		88	10	29	14	335		0	13	0	1.32		.70	17	[illegible]	0		4	1	0
ELK RIVER 1 S	72.9M	38.6M	55.8M		89	1[illegible]	22	30	273		0	1	0	.63		.21	18	.0	0		3	0	0
FENN RS	75.3	46.0	60.7	- 0.4	86	1+	35	30	133	[illegible]	0	0	0	.84	- 1.00	.43	17	.0	0		3	0	0
GRANGEVILLE	69.6	41.7	55.7	- 1.4	89	10	25	30	283		0	2	0	1.[illegible]	- .70	.49	17		0		4	0	0
KELLOGG	70.6	43.2	56.9	- 0.2	86	11	28	30		0	0	1	0	2.73	.94	1.63	18	.0	0		2	2	1
KOOSKIA	79.6	43.9	61.8	[illegible].6	95	10	32	30	115	4	0	1	0	1.38	- .14	.43	5	.0	0		4	0	0
LEWISTON WATER PLANT	80.2	44.7	65.[illegible]	[illegible].9	93	1+	33	30	62	3	0	0	0	.68	- .22	.42	15	.0	0		2	0	0
LEWISTON WB AP //R	75.7	46.4	61.1	- 2.1	91	10	30	30	131	1	0	1	0	1.01	.05	.65	15	.0	0		2	1	0
MOSCOW U OF I	72.5	44.1	58.3	0.5	86	10	31	30	201	0	0	1	0	1.22	- .05	.40	17	.0	0		3	0	0
MULLAN PASS CAA	54.[illegible]	39.2	46.7	- 2.2	70	1	23	29+	541	0	1	5	0	3.36	1.05	1.09	17	7.9	4	29+	5	3	1
NEZPERCE 2 E	68.9	42.3	55.6		90	10	26	30	280	1	0	1	0	1.43		.81	17	T	0		4	1	0
OROFINO	80.5	45.7	63.1	0.8	97	10	30	30	83	4	0	1	0	.83	- .73	.60	15	.0	0		2	1	0
PIERCE RS	72.7M	35.8M	54.3M	- 0.5	88	10	20	30	298	0	0	4	0	.81	- 1.18	.44	15	.0	0		2	0	0
PORTHILL	70.0	42.0	56.0	1.5	80	2	28	29	262	0	0	2	0	.53	- .99	.17	17	.0	0		2	0	0
POTLATCH 1 SE	71.7	39.3	55.5	- 0.9	89	10	23	30	280	0	0	1	0	.85	- .51	.52	17	.0	0		2	1	0
PRIEST RIVER EXP STA	68.0	41.1	54.6	0.5	82	10	28	30	306	0	0	2	0	.89	- .86	.35	16	.0	0		4	0	0
RIGGINS RS	80.1M	50.4M	65.3M	- 1.1	95	10	34	30	71	4	0	0	0	.72	- .30	.46	15				2	0	0
SAINT MARIES	74.9	39.7	57.3	- 0.1	87	10	25	30	225	0	0	2	0	2.13	.83	1.11	18	.0	0		4	2	1
SALMON	76.8	36.8	56.8	1.0	91	10	27	19	239	1	0	7	0	.22	- .61	.07	28		0		0	0	0
WALLACE	66.2	40.7	53.5	- 3.0	81	1+	26	30	338	0	0	1	0	2.81	.72	.83	18	T	0		5	2	0
WALLACE WOODLAND PK	66.6	39.8	53.2	- 2.1	80	2+	25	30		0	0	1	0	2.25	.44	1.09	18	T	0		3	2	1
WINCHESTER 1 SE	69.2	38.6	53.9	- 1.1	85	10	24	30	326	0	0	2	0	1.23	- .87	.48	17	.0	0		3	0	0
DIVISION			55.9	- 0.9										1.35	- .29			.4					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	79.5	47.1	63.3		97	1	33	30	99	4	0	0	0	.41		.37	15	.0	0		1	0	0
ARROWROCK DAM	78.1	44.3	61.2	- 1.0	95	2	28	29		5	0	2	0	.23	- .30	.19	15	.0	0		1	0	0
ATLANTA 1 E	M	M	M				22	29			0		0	.47	- .54			T	T	29+		0	0
BLISS	82.0	39.1	60.6	- 0.6	97	10	26	28	171	5	0	7	0	.00	- .40	.00		.0	0		0	0	0
BOISE LUCKY PEAK DAM	M	M	M		96	2+	29	29		7	0	2	0	.38		.38	15		0		1	0	0
BOISE WB AP //R	76.7	46.4	61.6	- 0.8	95	10	27	29	145	5	0	2	0	.08	- .38	.08	15	.0	0		0	0	0
BUHL	78.9M	48.3M	63.6M	2.8	93	10	[illegible]	30	160	1	0	[illegible]	0	.00	- .44	.00		.0	0		0	0	0
CALDWELL	76.6	42.9	59.8	- 1.2	90	2	27	30	161	1	0	1	0	.29	- .18	.29	15	.0	0		1	0	0
CAMBRIDGE	80.9	37.0	59.[illegible]	- 1.7	94	1	19	30	177	4	0	9	0	.24	- .42	.18	15	.0	0		1	0	0
CASCADE 1 NW	72.5	34.5	53.5		86	1	20	30	335	[illegible]	0	9	0	.13		.07	17	.0	0		0	0	0
CHALLIS	74.8	40.8	57.8	1.7	87	1	27	30	219	0	0	3	0	.37	- .25	.35	23	.0	0		1	0	[illegible]
COUNCIL	80.5	41.8	61.2	1.0	93	1	21	30	136	4	0	3	0	.64	- .29	.55	15	.0	0		1	1	0
DEER FLAT DAM	75.9	45.3	60.6	- 0.7	89	1	29	30	137		0	1	0	.18	- .20	.18	15				1	0	0
EMMETT 2 E	79.2M	42.0M	60.6M	- 2.7	94	10	26	30	139	2	0	2	0	.48	- .10	.48	15				1	0	0
FAIRFIELD RS	75.9M	34.1M	55.0M		88	1+	18	30	[illegible]		0	14	0	.05		.05	15	T	0		0	0	0
GARDEN VALLEY RS	83.2	37.7	60.[illegible]	1.4	96	10	24	30	146	[illegible]	0	5	0	.16	- .72	.16	15	.0	0		1	0	0
GLENNS FERRY	81.0M	44.0M	62.5M	- 0.3	97	2	26	30	125		0	2	0	.67	.36	.60	23	.0	0		1	1	0
GOODING CAA AP	77.2	46.4	61.8	1.9	94	10	31	29+	14[illegible]	3	0	2	0	T	- .39	T	15	.0	0		0	0	0
GRAND VIEW	85.8M	45.2M	65.[illegible]M	4.0	100	10	20	[illegible]	60	11	0	1	0	T	- .42	T	15	.0	0		0	0	0
GRASMERE	77.0	38.9	58.0		90	1	25	29+	218	1	0	6	0	.28		.28	23	.0	0		1	0	0
HAILEY AP	74.1	34.2	54.2	- 2.4	84	2+	19	30	318	0		13	0	.03	- .67	.03	29	.0	0		0	0	0
HAZELTON	79.6	43.1	61.4	0.4	[illegible]	1+	27	30	138	[illegible]	0	2		.0[illegible]	- .45	.00		.0	0		0	0	0
HILL CITY	76.8	33.8	55.[illegible]	1.4	91	[illegible]	15	30	296	1		16	0	.16	- .[illegible]6	.16	15	.0	0		1	0	0
HOLLISTER	78.6	43.6	61.1	2.2	[illegible]	9	2[illegible]	29	141	1	0	2	0	.00	- .46	.00		.0	0		0	0	0
IDAHO CITY	79.9	31.0	55.5	- 1.4	91	1	11	30	278	4	0	19	0	.21	- .45	.20	15	.[illegible]	0		1	0	0
JEROME	80.4	42.8	61.6	0.1	9[illegible]	10	27	30	138	4	0	2	0	.[illegible]	- .34	.[illegible]		.[illegible]			0	0	0
KUNA 2 NNE	75.6	41.3	58.5	- 3.0	[illegible]	1	24	30	2[illegible]6	3	0	2	0	T	- .53	T	17	.0	0		0	0	0
MC CALL	68.7	35.0	51.9	0.1	82	1	18	30	390			9		.6[illegible]	- .50	.[illegible]	15	.0	0		1	1	0
MERIDIAN 1 W	77.6	41.4	59.5	- 1.7	91	10	27	30	17[illegible]	1	0	2	0	.28	- .23	.28	15	.0	0		1	0	0
MESA	78.2	45.7	62.0		92	1	28	30	116	3	0	1		.60		.55	15	.0	0		1	1	0
MOUNTAIN HOME	84.7M	43.8M	64.3M	4.4	98	1	29	30	92	11	0	3		.07	- .41	.07	15	.0	0		0	0	0
NAMPA 2 NW	77.7M	42.4M	60.1M		92	11	27	30			0	1	0	.17		.12	16	.0	0		1	0	0
NEW MEADOWS RS	72.8M	[illegible].7M	51.[illegible]	- 1.2			16	30	4[illegible]		0		0	1.24	.13	1.04	15	.0	0		2	1	1
OBSIDIAN 4 NNE	68.2	26.2	47.2	- 0.6	91	1	10	30	526			23	0	.30	- .63	.30	15	.0	0		1	0	0
OLA 5 S	81.2	35.0	58.1		91	1+	[illegible]	[illegible]	206	3	0	11	0	.22		.14	15				1	0	0
PARMA EXP STA	80.7	42.0	61.4	- 0.4	94	[illegible]	28	3[illegible]	124	4	0	12	0	.2[illegible]	- .21	.13	16	.0	0		2	0	0
PAYETTE	75.7	43.8	59.[illegible]	- 1.7	88	10	2[illegible]	30	162		0	1		.46	.00	.46	15	.0	0		1	0	0
RICHFIELD	76.7	40.3	58.5	[illegible].4	87	10	25	30	2[illegible]	0	0	4	0	.[illegible]	- .46	.00		.0	0		0	0	0
SHOSHONE	78.8	43.3	61.1	2.[illegible]	93	10	28	29	144	3		2	0	.[illegible]	- .48	.[illegible]		.0	0		0	0	0
[illegible]	65.9	33.7	49.8		80	2+	16	[illegible]		0		13	0	.56		.25	16+	T	T	29+	2	0	0
SUN VALLEY	73.9	26.5	50.[illegible]	[illegible].2	85	1	11	30	4[illegible]	0	0	2[illegible]	0	.[illegible]8	- .75	.08	30	[illegible].5	1	29	0	0	0
SWAN FALLS PH	85.0M	[illegible].8	67.9M	[illegible].6	99	2	33	30	48	9	0	0		.12	- .30	.12	15	.0	0		1	0	0
THREE CREEK	M	M	M		91	1+	8	30		2	0		0	T	- .86	T	4	.0	0		0	0	0
TWIN FALLS 2 NNE	79.8	43.8	61.8	[illegible].3	[illegible]	10	28	30	136	[illegible]	0	2		.00	- .57	.00		.0	0		0	0	0
TWIN FALLS 3 SE	78.2	44.2	61.2	1.7	94	11	[illegible]	30		[illegible]	0	1	0	.00	- .43	.00		.0	0		0	0	0
WEISER 1 S	78.4	[illegible]	60.8	- 2.6	90	2	27	[illegible]	138	1	0	2	0	.[illegible]3	- .4[illegible]	.03	17	.[illegible]	0		0	0	0
DIVISION			59.1	0.5										.23	- .46			.1					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	77.9	38.6	58.[illegible]	[illegible]	9[illegible]	1	23	30	209	[illegible]	0	[illegible]		.05	- .62	.05	23		0		0	0	0
AMERICAN FALLS 1 NW	76.8	42.5	59.7	1.2	88	10	23	30	178	[illegible]	0	3	0	.17	- .54	.10	4	.0	0		1	0	0
ARCO	73.[illegible]	34.8	54.4	- 0.9	87	1	22	30	314	[illegible]	0	11	0	.72	.16	.35	24	T	0		2	0	0
ASHTON 1 S	71.9	33.7	52.8	- 1.6	84	26	19	30	358	0	0	10		.01	- 1.11	.01	24	.0	0		0	0	0
BLACKFOOT	78.2	44.[illegible]	61.2	4.1	90	1	25	30	139	1	0	1		.24	- .52	.24	23	.0	0		1	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature					Precipitation			
BLACKFOOT DAM		32.0					[illegible]	.16	
[illegible]		45.1		1.8		.00	[illegible]	.00	
BURLEY FACTORY	70.0	40.2	58.4	0.1			-.54	.00	
[illegible]			59.0	0.0		T	-.88		
CHILLY BARTON FLAT					437		-.81	.10	1.
CONDA	76.1	30.7					.22	.73	
[illegible]	73.7	30.9	55.3	3.7		.50	-.93	.50	
DUBOIS EXP STA		42.7	58.4	2.1		.37	-.50		
[illegible]	74.4	40.1	57.3				-.69	.13	
[illegible]			60.0	2.8	156		-.14	.64	
[illegible]	72.9	40.3		0.4					
[illegible]	71.9	28.2			440	.14			.0
HAMER 4 NW	77.3	35.9				.70			
IDAHO FALLS 6 NE	74.3	40.0	57.5		231			.02	
IDAHO FALLS CAA AP	75.8	39.9	57.9				-.69		
[illegible]	75.0	37.2	56.1	0.7		1.10	.51	.65	
IDAHO FALLS 46 W WB	74.9		54.0	1.4	311		-.21	.12	T
IRWIN 2 S	75.7		57.5	3.9		.45		.24	.0
[illegible]	70.8	32.2				.46	-1.24	.34	T
[illegible]	72.4	39.5				.69	-.15	.34	
MACKAY RS				-0.7		.39	.41		
[illegible]	78.7	44.0	61.4		121			.54	
MALAD CAA AP	78.9	39.3	59.1			.75		.31	.0
[illegible]	74.6	34.9				.36	-.33	.36	
[illegible]	79.9	37.8	58.9		196				
MINIDOKA DAM	70.3							T	
MONTPELIER RS	75.0M							.16	
[illegible]		43.0	60.1					.03	
PALISADES DAM		40.1	57.9					.21	
[illegible]		41.1				.00		.00	
POCATELLO WB AP //R	76.0	43.1	59.6					.28	
PRESTON SUG FACT 2SE	79.4	41.2	60.3	2.2				.64	
[illegible]				2.1		T			
SAINT ANTHONY	74.7	37.0	55.9			.21			
SPENCER RS	71.9	34.8	53.4	0.8	344	.45		.31	
SPRINGFIELD 1 SE			58.4			.19			
[illegible]	77.2	39.3						.03	
[illegible]	75.1		56.3			.38		.20	
TETONIA EXP STA	72.3		55.9						
[illegible]			57.0						
STATE									

DAILY PRECIPITATION

10 11 12 13 14 15 16 17 18

BOISE WB AP

CLARK FORK 1 ENE

COBALT BLACKBIRD MINE

COEUR D ALENE RS

CONDA

COTTONWOOD

CROUCH 2 NNW

DAILY PRECIPITATION

Table 3—Continued

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	.48															.48																
FAIRFIELD RS	.05															.05														T		
FENN RS	.84					T										.11	.06	.43	.16										.08			
[illegible] HALL [illegible] AGENCY	.56				T																			.64	.02							
GARDEN VALLEY RS	.16															.16																
GLENNS FERRY	.67															.07								.60								
GOODING CAA AP	T															T																
GRACE	1.32		.16		.20	.03						.17	.16											.60								
GRAND VIEW	T															T																
GRANGEVILLE	1.00				.15											.26		.49											.10			
GRASMERE	.28																							.28								
[illegible]	.14																													.14		
[illegible]	.03																													.03		
[illegible]	.75		.34			.08					T													.33								
HAZELTON	.00																															
HILL CITY	.16															.16																
HOLLISTER	.00																															
HOWE	1.13			.87																				.08	.15						.03	
IDAHO CITY	.21															.20	.01															
IDAHO CITY 11 SW	.28															.26		.02														
IDAHO FALLS [illegible] NE	.02																							.02								
IDAHO FALLS CAA AP	.13				T	T					T												T	.13					T	T		
IDAHO FALLS 43 NW WB R	1.1		.45												T									.65						T		
IDAHO FALLS 46 W WB R	.15		.03								T				T									.12						T		
IRWIN 2 S	.45		.06	T	.24								.09											.06								
ISLAND PARK DAM	.46		T		.34	.12																		T								
JEROME	.00																															
KAMIAH [illegible]	1.22					.22										T	.29	.08	.59											.04		
KELLOGG	2.73			.06										.04		.02	.87	.01	1.63	.01									.08	.01		
KOOSKIA	1.38					.43										.23	.07	.35	.22										.06	.02		
KUNA 2 NNE	T																	T														
LEWISTON WATER PLANT	.68												T			.42		.24										T	.02			
LEWISTON WB AP /R	1.01							T								.65	.23	.07											.06	T		
LIFTON PUMPING STA	.69		.13			.01							.34											.20	.01							
MACKAY RS	.34		.09																					.05						.20	.05	
MALAD	.62		.06									T	.02											.54								
MALAD CAA AP	.75		.09		.24							T											.11	.31								
MAY RS	.36												T			T								.36					T	T		
MC CALL	.60															.55		.05														
MC CAMMON	.22		T	.03	T							T												.09	.10							
MERIDIAN 1 W	.28															.28	T															
MESA	.60															.55		.05														
MINIDOKA DAM	T																								T							
MONTPELIER RS	.53		.04	.06		.07						.05	T	T										.16	.15							
MOSCOW U OF I	1.22			T												.39	.02	.40	.09	T									.28	.02	.02	
MOUNTAIN HOME	.07															.07																
MULLAN PASS CAA	3.36			.05	T	.06							.07			.93	.25	1.09	.22	T								.07	.52	.04	.06	
NAMPA 2 NW	.17															.05	.12															
NEW MEADOWS RS	1.24															1.04	.01	.19														
NEZPERCE 2 E	1.43					.12										.38		.81											.12	T	T	
OAKLEY	.06		.01		T																			.03	.02					T		
OBSIDIAN 4 NNE	.30															.30																
OLA 5 S	.22															.14	.08															
OROFINO	.83					T										.60		.23		T									T	T		
PALISADES DAM	.56		.09	.02	.21	.12					T	T	.03											.09						T		
PARMA EXP STA	.23															.10	.13	T														
PAUL 1 E	.00																															
PAYETTE	.46															.46																
PIERCE RS	.81					.28										.44	.07												T	.02		
POCATELLO WB AP /R	.38				.09						T												.01	.28								
PORTHILL	.53					.06	T	T					.10			.05	.07	.17										T	.08			
POTLATCH 1 SE	.85			.05		.03										.16	.02	.52	.03									T	.04	T		
PRESTON SUG FACT 2 SE	.95		.19			.03							.09											.64								
PRIEST RIVER EXP STA	.89			T			T	.01	T			T	.02			.03	.35	.10	.20		.14							T	.03		.01	
RICHFIELD	.00																															
RIGGINS RS	.72															.46		.25											.01		T	
RUPERT	T			T																												
SAINT ANTHONY	.21			T		.11																		.10								
SAINT MARIES	2.13			.10		T							.04			.09	.07	.61	1.11									.01	.10			
SALMON	.22														T	T		.06						.05					.07		.04	
SHOSHONE	[illegible]																															
SPENCER RS	.45			.31																				.14				T		T		
SPRINGFIELD 1 SE	.19																							.19		T						
STIBNITE	.56																.25	T	.25											.02	.04	
STREVELL	.03			.03																				T	T							
SUGAR	.38		T		T	.20																		.17	.01					T		
SUN VALLEY	.18		.05													T														.05	.08	
SWAN FALLS PH	.12															.12																
TETONIA EXP STA	.47			T	.05							.23						.19										T				
THREE CREEK	T				T																											
TWIN FALLS 2 NNE	.00																															
TWIN FALLS 3 SE	.00																															
WALLACE	2.81		T	.05		T							T			.35	.40	.76	.83	.03								T	.39		T	
WALLACE WOODLAND PARK	2.25			.01										.02		.02	.73	.01	1.09	.02									.30	.05		
WEISER 1 S	.03																	.03														
WINCHESTER 1 SE	1.23															.35		.48	.04										.31	.05		

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	[illegible]	84	81	80	74	82	81	75	[illegible]	87	86	[illegible]	77	[illegible]	87	78	73	[illegible]	75	77	[illegible]	[illegible]	73	[illegible]	78	78	[illegible]	77	55	[illegible]		[illegible]
	MIN	[illegible]	55	51	43	44	[illegible]	37	44	[illegible]	44	[illegible]	44	34	[illegible]	40	[illegible]	40	[illegible]	27	[illegible]	31	38	[illegible]	39	[illegible]	[illegible]	[illegible]	43	33	[illegible]		38.6
AMERICAN FALLS 1 NW	MAX	84	[illegible]	[illegible]	78	76	79	76	76	[illegible]	88	86	[illegible]	72	84	[illegible]	79	77	[illegible]	76	74	77	[illegible]	72	[illegible]	[illegible]	81	[illegible]	78	57	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	49	[illegible]	[illegible]	[illegible]	46	38	[illegible]	[illegible]	[illegible]	47	[illegible]	29	[illegible]	37	[illegible]	[illegible]	[illegible]	40	39	[illegible]	45	33	[illegible]		42.5
ANDERSON DAM	MAX	87	93	81	78	73	88	79	76	[illegible]	[illegible]	86	74	[illegible]	[illegible]	80	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	[illegible]	[illegible]	76	[illegible]	[illegible]	82	75	57	61		79.5
	MIN	49	61	59	47	[illegible]	43	48	46	47	57	[illegible]	48	44	47	47	42	[illegible]	[illegible]	39	42	[illegible]	[illegible]	52	[illegible]	[illegible]	49	46	44	34	[illegible]		[illegible]
ARCO	MAX	87	91	76	75	72	[illegible]	[illegible]	73	80	82	[illegible]	75	73	[illegible]	72	73	64	[illegible]	70	72	[illegible]	76	[illegible]	[illegible]	79	81	[illegible]	71	[illegible]	56		73.9
	MIN	[illegible]	39	47	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	39	[illegible]	42	33	[illegible]		34.8
ARROWROCK DAM	MAX	[illegible]	95	93	76	77	74	[illegible]	79	77	91	92	80	[illegible]	[illegible]	[illegible]	63	77	[illegible]	71	72	79	90	76	74	78	81	84	[illegible]	[illegible]	51		[illegible]
	MIN	48	50	54	[illegible]	[illegible]	[illegible]	47	41	46	53	48	42	43	44	49	44	47	37	37	41	41	49	47	46	46	47	54	39	28	29		44.3
ASHTON 1	MAX	[illegible]	77	74	76	71	59	74	72	70	69	[illegible]	[illegible]	75	71	73	74	70	[illegible]	[illegible]	64	[illegible]	72	70	74	78	[illegible]	[illegible]	77	[illegible]	50		[illegible]
	MIN	[illegible]	48	38	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	34	37	[illegible]	28	[illegible]	27	25	[illegible]	34	[illegible]	[illegible]	36	[illegible]	34	31	19		[illegible]
ATLANTA [illegible]	MAX	87	87	89																									64	57	63		
	MIN	36	57	53																									26	22	25		
AVERY RS	MAX	87	[illegible]	84	75	77	83	74	75	[illegible]	87	84	[illegible]	[illegible]	[illegible]	83	55	66	58	61	76	82	80	73	79	82	81	71	65	55	58		75.5
	MIN	[illegible]	45	51	[illegible]	49	41	40	43	42	45	45	[illegible]	41	41	46	47	42	44	46	43	42	41	41	44	44	44	43	39	30	29		42.7
BAYVIEW MODEL BASIN	MAX	76	78	76	77	67	83	52	68	71	76	74	[illegible]	67	75	74	62	62	59	64	56	67	71	71	70	70	78	68	61	56	52		68.1
	MIN	47	41	38	40	[illegible]	46	34	45	[illegible]	40	[illegible]	45	35	44	52	[illegible]	[illegible]	47	44	43	40	41	40	36	39	38	36	44	37	28		41.3
BIG CREEK [illegible]	MAX	84	[illegible]	71	67	66	75	74	69	[illegible]	[illegible]	74	70	73	79	64	64	65	61	65	74	78	76	65	74	[illegible]	81	79	67	43	50		[illegible]
	MIN	27	[illegible]	30	[illegible]	33	21	26	26	[illegible]	27	29	25	24	[illegible]	[illegible]	30	[illegible]	27	[illegible]	[illegible]	22	28	37	24	26	25	23	25	28	30		26.9
BLACKFOOT	MAX	[illegible]	93	81	82	75	83	84	77	86	89	87	80	78	85	[illegible]	80	71	69	74	74	82	[illegible]	72	76	[illegible]	[illegible]	81	72	55	58		78.2
	MIN	45	67	[illegible]	48	52	[illegible]	[illegible]	50	40	50	58	49	42	39	54	37	[illegible]	38	33	39	36	41	48	41	42	41	41	46	35	25		44.2
BLACKFOOT DAM	MAX	88	74	72	74	70	78	78	70	78	[illegible]	[illegible]	75	73	77	65	74	66	64	70	68	76	[illegible]	64	72	75	76	75	60	49	51		71.9
	MIN	32	55	46	[illegible]	41	22	34	32	[illegible]	36	39	47	26	28	36	23	32	23	21	24	25	31	44	40	32	30	29	38	16	14		32.0
BLISS	MAX	93	96	87	80	77	86	93	79	89	97	90	80	82	91	80	84	78	72	78	82	[illegible]	84	75	82	87	87	80	60	64	69		[illegible]
	MIN	40	60	55	[illegible]	45	[illegible]	42	35	36	61	[illegible]	37	35	35	49	[illegible]	45	28	28	31	32	[illegible]	45	36	37	37	37	26	27	27		39.1
BOISE LUCKY PEAK DAM	MAX	95	[illegible]	96	75		87		77	[illegible]	[illegible]	92			87	79	75												82		60		
	MIN	51	[illegible]	51	47	44			43	49	55			45	49	49	46												38	29			
BOISE WB AP	MAX	94	91	77	74	74	85	78	74	91	95	77	72	77	80	64	[illegible]	65	[illegible]	73	78	93	[illegible]	74	76	[illegible]	83	84	61	56	59		76.7
	MIN	[illegible]	58	53	43	40	[illegible]	45	43	52	[illegible]	53	47	46	51	50	49	44	38	40	44	49	51	45	[illegible]	[illegible]	50	49	38	27	29		46.4
BONNERS FERRY 1 SW	MAX	76	80	75	69	66	74	66	70	78	81	71	64	74	77	65	62	57	[illegible]	63	71	72	73	[illegible]	75	79	79	69	59	56	53		69.6
	MIN	45	42	49	40	41	36	43	47	40	42	49	43	44	39	47	49	45	46	52	40	38	42	43	39	41	42	37	43	26	28		41.9
BUHL	MAX	88	88	86	76	74	83	81	74	85	93	89	77	75	89	85	76	75	67		75	85	[illegible]	73	76	[illegible]	83	83	80	55	55		78.9
	MIN	[illegible]	71	50	47	52	44	[illegible]	49	46	60	54	[illegible]	46	46	51	40	45	39		41	44	56	48	47	49	52	54	41	34	33		48.3
BUNGALOW RS	MAX	86	85	84	77	69	78	75	74	83	87	77	[illegible]	80	84	69	70	65	68	58	75	79	68	74	78	80	81	79	64	55	55		74.6
	MIN	44	47	50	42	50	41	45	46	41	45	47	41	41	42	49	50	45	44	40	41	39	43	48	41	44	44	43	44	36	26		43.3
BURKE 2 NNE	MAX	72	72	71	62	58	[illegible]	65	59	68	74	73	55	64	69	66	54	53	48	51	61	67	62	60	64	70	69	64	53	40	40		61.7
	MIN	38	43	48	37	40	35	42	39	38	45	42	39	37	37	48	45	39	38	34	39	38	38	37	37	35	38	38	37	31	24		38.5
BURLEY	MAX	84	91	88	83	82	75	85	79	78	89	92	94	76	80	88	70	82	70	73	77	78	86	80	59	75	83	83	85	62	57		[illegible]
	MIN	45	58	64	43	[illegible]	39	46	48	41	47	57	47	45	41	54	36	44	36	35	42	38	45	50	45	44	47	49	44	35	30		[illegible]
BURLEY FACTORY	MAX	80	90	86	78	81	72	85	77	75	80	89	78	74	75	83	65	79	68	70	75	75	86	[illegible]	67	75	80	80	82	60	53		76.6
	MIN	42	55	54	43	47	35	42	41	45	46	48	41	39	37	51	31	37	[illegible]	29	34	30	43	48	42	39	40	43	41	31	26		40.2
BURLEY CAA AP	MAX	92	88	80	81	75	[illegible]	78	74	89	91	81	74	76	56	66	[illegible]	68	69	74	76	89	78	68	76	82	82	83	63	54	58		77.2
	MIN	41	67	50	42	43	[illegible]	42	43	36	50	49	41	42	36	38	34	38	32	30	[illegible]	33	44	50	43	39	44	47	39	31	27		40.8
CALDWELL	MAX	86	90	78	75	75	82	77	75	93	89	77	74	77	80	76	70	69	70	74	78	82	73	74	77	80	83	82	68	62	61		76.6
	MIN	42	50	54	46	44	38	38	45	42	46	54	42	41	40	51	45	43	35	35	38	40	46	50	49	43	42	42	41	33	27		42.9
CAMBRIDGE	MAX	94	92	82	80	79	87	85	83	89	93	83	77	83	86	80	72	68	71	76	80	88	79	78	85	88	90	85	73	60	62		80.9
	MIN	38	41	48	41	44	31	40	35	36	[illegible]	46	32	35	33	43	41	37	28	28	31	32	39	51	43	38	35	32	41	27	19		37.0
CASCADE 1 NW	MAX	86	85	[illegible]	68	69	77	76	70	82	84	83	70	71	81	74	63	61	60	64	70	82	80	66	73	77	79	76	73	46	50		[illegible]
	MIN	35	[illegible]	34	35	43	28	34	34	33	37	44	31	31	34	42	35	18	25	25	29	29	37	46	44	38	37	33	35	23	20		34.5
CHALLIS	MAX	87	86	83	75	76	75	79	72	81	[illegible]	81	75	72	80	77	69	65	69	70	74	76	76	74	72	78	80	81	77	49	49		74.6
	MIN	43	56	[illegible]	[illegible]	44	39	39	41	40	45	45	42	38	37	47	34	49	31	31	35	36	42	47	47	39	40	36	43	35	27		40.8
CHILLY BARTON FLAT	MAX	80	75	76	74	70	71	76	69	74	76	76	66	58	72	69	65	64	61	68	76	72	76	[illegible]	71	76	78	76	63	44	48		69.9
	MIN	30	49	52	37	[illegible]	[illegible]	26	34	[illegible]	31	32	32	23	[illegible]	45	32	32	[illegible]	20	28	22	[illegible]	43	32	28	25	28	32	30	14		30.5
CLARK FORK 1 ENE	MAX	76	78	81	75	58	69	75	68	71	78	85	75	69	73	79	73	63	60	56	61	70	70	72	68	75	77	79	71	65	59		[illegible]
	MIN	[illegible]	38	48	[illegible]	37	[illegible]	35	35	42	36	36	47	41	36	36	[illegible]	48	47	45	38	41	[illegible]	38	41	36	38	36	36	39	29		[illegible]
COBALT BLACKBIRD MINE	MAX	75	[illegible]	79	59	69	61	69	68	60	70	77	74	64	65	71	59	59	49	53	59	61	71	54	58	65	69	68	71	40	35		64.2
	MIN	36	37	46	[illegible]	[illegible]	28	29	33	[illegible]	33	41	34	31	[illegible]	34	31	34	27	28	29	31	32	44	31	31	34	33	28	24	16		[illegible]
COEUR D ALENE RS	MAX	81	84	81	70		79	73	73	[illegible]	84	[illegible]		76	77	75	[illegible]	63	61	63	72		71	69	75	77	80	78	62	53	55		72.4
	MIN	44	46	57	46		[illegible]	48	46	43	44	54		41	42	51	49	44	49	46	46		41	45	44	44	48	45	38	32	28		44.3
CONDA	MAX	[illegible]	[illegible]	70	75	[illegible]	71	82	82	73	81	[illegible]	[illegible]	[illegible]	78	78	74	77	74	65	75	71	83	[illegible]	52	74	79	81	79	63	52		76.1
	MIN	[illegible]	43	48	[illegible]	45	27	[illegible]	37	[illegible]	42	55	[illegible]	32	[illegible]	46	28	38	29	26	31	28	39	45	40	37	34	33	43	19	[illegible]		36.7
COTTONWOOD	MAX	80	79	65	66	63	72	68	70	76	88	68	66	74	78	63	[illegible]	[illegible]	[illegible]	68	71	74	[illegible]	[illegible]	75	76	78	77	60	48	51		[illegible]
	MIN	[illegible]	47	44	46	42	[illegible]	43	[illegible]	37	43	[illegible]	37	38	38	45	[illegible]	41	39	38	37	45	[illegible]	38	38	39	40	38	36	31	21		38.4
COUNCIL	MAX	[illegible]	92	90	79	78	[illegible]	84	79	[illegible]	[illegible]	87	[illegible]	81	85	83	[illegible]	56	56	72	78	87	[illegible]	[illegible]	[illegible]	[illegible]	89	[illegible]	82	57	63		[illegible]
	MIN	44	44	56	47	49	[illegible]	42	43	41	46	43	32	45	46	48	[illegible]	44	[illegible]	34	[illegible]	40	49	[illegible]	[illegible]	49	39	36	39	34	21		41.8
DEER FLAT DAM	MAX	89	88	78	72	74	82	76	74	84	88	78	[illegible]	78	80	62	72	68	[illegible]	74	77	85	74	74	74	[illegible]	[illegible]	81	62	58	62		[illegible]
	MIN	[illegible]	[illegible]	55	49	48	39	46	46	44	45	50	48	50	51	50	43	[illegible]	[illegible]	36	46	42	46	53	54	47	46	43	42	38	29		45.3
DIXIE	MAX	72	79	63	64	60	71	72	64	[illegible]	82	70	74	72	77	[illegible]	61	54	[illegible]	65	67	75	69	[illegible]	[illegible]	78	76	74	57	50	42		[illegible]
	MIN	[illegible]	[illegible]	34	[illegible]	[illegible]	23	30	25	23	29	[illegible]	24	24	[illegible]	33	[illegible]	[illegible]	[illegible]	32	22	[illegible]	[illegible]	[illegible]	[illegible]	25	25	24	25	22	16		[illegible]
DRIGGS	MAX	84	[illegible]	75	70	74	70	75	77	70	80	78	[illegible]	71	79	[illegible]	79	[illegible]	[illegible]	64	69	[illegible]	82	70	[illegible]	75	[illegible]	77	79	50	46		73.7
	MIN	[illegible]	[illegible]	48	[illegible]	40	[illegible]	[illegible]	47	[illegible]	44	48	[illegible]	[illegible]	34	44	29	38	[illegible]	[illegible]	28	[illegible]	46	40	35	34	34	[illegible]	49	29	20		36.9
DUBOIS EXP STA	MAX	86	[illegible]	78	75	74	74	[illegible]	75	[illegible]	82	82	[illegible]	[illegible]	79	[illegible]	72	67	[illegible]	71	[illegible]	74	[illegible]	73	75	[illegible]	79	[illegible]	74	46	[illegible]		[illegible]
	MIN	46	[illegible]	50	45	51	[illegible]	45	46	39	46	[illegible]	[illegible]	[illegible]	42	48	[illegible]	44	29	[illegible]	40	40	46	48	43	46	46	45	41	[illegible]	[illegible]		[illegible]
DUBOIS CAA AP	MAX	87	80	[illegible]	77	[illegible]	77	[illegible]	74	80	83	84	79	73	[illegible]	[illegible]	75	70	[illegible]	73	72	[illegible]	[illegible]	[illegible]	77	81	80	77	[illegible]	[illegible]	[illegible]		74.4
	MIN	46	[illegible]	46	45	[illegible]	[illegible]	45	[illegible]	40	[illegible]	49	[illegible]	39	40	41	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	45	[illegible]	37	[illegible]	37	41	34	33	23		40.1
ELK CITY	MAX	84	[illegible]	74	[illegible]	[illegible]	76	71	70	81	88	87	[illegible]	[illegible]	[illegible]	72	66	[illegible]	[illegible]	67	72	[illegible]	73	56	73	82	[illegible]	[illegible]	67	56	[illegible]		72.7
	MIN	[illegible]	[illegible]	40	[illegible]	39	[illegible]	[illegible]	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	30	34	[illegible]	30		[illegible]

See reference notes following Station Index

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ELK RIVER 1 S	MAX	[illegible]	81	[illegible]	[illegible]	[illegible]	[illegible]		71	79	89	[illegible]	[illegible]	73	[illegible]	79	66	[illegible]	[illegible]	[illegible]	70	77	[illegible]	67	[illegible]	78	78	74	74	[illegible]	55		72.9
	MIN	39	41	46	[illegible]	43	[illegible]		41	[illegible]	42	[illegible]	[illegible]	38	[illegible]	48	42	41	[illegible]	[illegible]	36	[illegible]	47	41	36	36	[illegible]	36	36	[illegible]	22		38.6
[illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	81	[illegible]	87	94	[illegible]	77	82	85	[illegible]	72	[illegible]	[illegible]	75	77	[illegible]	77	76	[illegible]	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		79.2
	MIN	42	50	[illegible]	41		40	42	42	42	46	48	[illegible]	[illegible]	42	[illegible]	47	44	[illegible]	[illegible]	[illegible]	41	45	47	43	44	43	42	[illegible]	[illegible]	[illegible]		42.0
[illegible]	[illegible]	[illegible]	88		75	[illegible]					[illegible]	[illegible]	76	75	[illegible]	[illegible]	79	[illegible]	[illegible]	71	74	80	78	72	76	[illegible]	82	[illegible]	[illegible]	[illegible]	[illegible]		75.9
	[illegible]	34	59		33	25					37	[illegible]	[illegible]	[illegible]	32	45	25	42	[illegible]	[illegible]	[illegible]	[illegible]	44	39	[illegible]	[illegible]	30	[illegible]	34	21	18		34.1
FENN RS	MAX	66	86	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	84	80	77	79	[illegible]	78	70	[illegible]	[illegible]	[illegible]	75	76	68	73	76	[illegible]	80	[illegible]	[illegible]	56	[illegible]		75.3
	MIN	50	[illegible]	52	47	46	[illegible]	47	[illegible]	[illegible]	46	49	45	42	44	49	45	47	47	43	45	[illegible]	49	51	[illegible]	47	[illegible]	45	46	40	35		46.0
FORT HALL IND AGENCY	MAX	[illegible]	86	80	79	72	84	84	[illegible]	[illegible]	[illegible]	87	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	74	87	[illegible]	72	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	59		79.2
	[illegible]	43	66	[illegible]	45	49	[illegible]	42	47	[illegible]	46	59	44	[illegible]	36	53	[illegible]	46	[illegible]	30	37	[illegible]	37	46	[illegible]	40	41	40	[illegible]	31	24		42.0
GARDEN VALLEY RS	MAX	[illegible]	95	92	[illegible]	[illegible]	[illegible]	[illegible]	79	92	96	[illegible]	79	[illegible]	92	[illegible]	[illegible]	71	71	76	84	[illegible]	80	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		83.2
	MIN	36	45	42	36	41	[illegible]	36	[illegible]	37	43	41	[illegible]	[illegible]	[illegible]	48	[illegible]	44	[illegible]	[illegible]	41	[illegible]	41	46	[illegible]	41	40	[illegible]	[illegible]	26	24		37.7
[illegible]	MAX	[illegible]	97	[illegible]	[illegible]	77	87	74	[illegible]	[illegible]	94	[illegible]	77	[illegible]	[illegible]	74	[illegible]	[illegible]	[illegible]	78	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]		81.0
	MIN	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	40	[illegible]	39	66	[illegible]	[illegible]	[illegible]	36	50	34	[illegible]	33	[illegible]	[illegible]	34	[illegible]	50	42	37			42	36	[illegible]		44.0
[illegible]	[illegible]	91	[illegible]	[illegible]	[illegible]	[illegible]	85	78	75	[illegible]	94	81	75	77	[illegible]	63	79	[illegible]	70	74	76	87	78	71	[illegible]	80	[illegible]	[illegible]	[illegible]	56	[illegible]		77.2
	[illegible]	45	[illegible]	[illegible]	[illegible]	50	40	[illegible]	[illegible]	46	[illegible]	55	48	43	53	46	[illegible]	[illegible]	[illegible]	39	42	47	50	48	44	46	47	[illegible]	40	31	[illegible]		46.4
GRACE	[illegible]	[illegible]	75	75	75	71	[illegible]	79	71	[illegible]	[illegible]	[illegible]	[illegible]	75	77	69	74	[illegible]	[illegible]	71	71	77	[illegible]	67	[illegible]	73	77	73	[illegible]	[illegible]	60		72.9
	[illegible]	42	[illegible]	54	[illegible]	44	[illegible]	42	[illegible]	[illegible]	43	54	[illegible]	[illegible]	37	46	31	43	[illegible]	30	[illegible]	[illegible]	42	[illegible]	42	[illegible]	40	40	41	26	24		40.3
GRAND VIEW	[illegible]	[illegible]	99	[illegible]	[illegible]	80	90	[illegible]	82	92	100	[illegible]	[illegible]	84	[illegible]	87						92	90	79	[illegible]	[illegible]	[illegible]	91	75	64	64		[illegible]
	MIN	43	[illegible]	[illegible]	40	[illegible]	37	[illegible]	[illegible]	42	46	[illegible]	[illegible]	[illegible]	40	[illegible]						[illegible]	54	[illegible]	[illegible]	42	[illegible]	41	43	[illegible]	[illegible]		45.2
GRANGEVILLE	[illegible]	[illegible]	[illegible]	61	67	65	74	71	[illegible]	78	[illegible]	72	71	[illegible]	[illegible]	[illegible]	64	[illegible]	[illegible]	68	73	[illegible]	67	66	71	76	77	79	[illegible]	[illegible]	53		69.6
	MIN	45	[illegible]	46	37	46	[illegible]	46	42	[illegible]	[illegible]	45	[illegible]	39	41	45	38	42	[illegible]	40	39	41	[illegible]	46	40	43	42	44	37	[illegible]			41.7
[illegible]	[illegible]	[illegible]	88	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	73	84	87	[illegible]	74	73	82	78	75	[illegible]	[illegible]	74	78	87	84	66	72	77	79	[illegible]	[illegible]	[illegible]	55		[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	44	44	[illegible]	49	37	[illegible]	51	44	37	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	51	[illegible]	[illegible]	42	41	41	[illegible]	[illegible]			[illegible]
GROUSE	MAX	86	[illegible]	[illegible]	72	70	75	76	73	78	79	76	[illegible]	70	[illegible]	74	[illegible]	62	[illegible]	68	[illegible]	75	[illegible]	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		71.9
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	18	27	[illegible]	27	33	31	[illegible]	[illegible]	24	[illegible]	22	27	17	[illegible]	[illegible]	22	[illegible]	34	[illegible]	29	[illegible]	[illegible]	[illegible]	30	[illegible]		28.2
HAILEY AP	MAX	[illegible]	[illegible]	[illegible]	73	80	78	[illegible]	74	79	84	[illegible]	79	74	79	[illegible]	73	[illegible]	[illegible]	70	73	78	75	78	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	50	55		74.1
	MIN	[illegible]	49	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	38	46	34	36	31	37	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	35	40	32	37	40	[illegible]	[illegible]	[illegible]	[illegible]	19		34.2
HAMER 4 NW	MAX	[illegible]	83	[illegible]	80	78	[illegible]	85	76	[illegible]	[illegible]	[illegible]	79	76	81	74	[illegible]	[illegible]	67	79	74	[illegible]	84	74	77	80	[illegible]	79	74	56	[illegible]		[illegible]
	MIN	38	49	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	41	[illegible]	[illegible]	[illegible]	38	[illegible]	[illegible]	23	23	[illegible]	30	36	[illegible]	[illegible]	[illegible]	36	[illegible]	34	32	[illegible]		[illegible]
[illegible]	MAX	92	[illegible]	82	79	75	87	[illegible]	75	89	92	87	75	[illegible]	87	84	[illegible]	[illegible]	[illegible]	73	74	[illegible]	81	73	77	[illegible]	[illegible]	81	79	57	62		[illegible]
	MIN	[illegible]	67	57	47	[illegible]	[illegible]	42	47	[illegible]	[illegible]	[illegible]	47	39	43	[illegible]	34	42	[illegible]	30	40	[illegible]	50	47	45	46	43	40	[illegible]	[illegible]	27		[illegible]
HILL CITY	MAX	87	91	[illegible]	76	75	[illegible]	79	74	[illegible]	[illegible]	82	71	77	[illegible]	78	75	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	75	72	[illegible]	82	82	[illegible]	[illegible]	[illegible]	58		[illegible]
	[illegible]	30	[illegible]	[illegible]	32	42	25	24	[illegible]	27	48	46	42	[illegible]	28	42	[illegible]	47	[illegible]	20	[illegible]	[illegible]	42	46	[illegible]	[illegible]	36	[illegible]	26	[illegible]	[illegible]		33.8
[illegible]	MAX	[illegible]	[illegible]	76	[illegible]	70	[illegible]	79	[illegible]	90	89	[illegible]	70	86	87	81	[illegible]	76	71	72	74	[illegible]	[illegible]	71	74	[illegible]	82	[illegible]	78	[illegible]	[illegible]		78.6
	MIN	45	60	[illegible]	[illegible]	46	40	[illegible]	39	47	48	[illegible]	43	46	47	41	39	34	[illegible]	[illegible]	[illegible]	46	57	45	47	44	47	[illegible]	[illegible]	29	[illegible]		43.6
IDAHO CITY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	74	[illegible]	[illegible]	78	[illegible]	[illegible]	[illegible]	76	79	86	81	71	[illegible]	[illegible]	73	79	[illegible]	[illegible]	76	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	[illegible]		79.9
	MIN	[illegible]	42	39	[illegible]	35	[illegible]	[illegible]	31	[illegible]	38	35	[illegible]	[illegible]	29	[illegible]	[illegible]	[illegible]	25	24	28	[illegible]	[illegible]	37	33	[illegible]	[illegible]	[illegible]	27	19	11		[illegible]
[illegible]	[illegible]	86	[illegible]	[illegible]	79	[illegible]	77	[illegible]	71	[illegible]	[illegible]	[illegible]	75	74	83	74	75	[illegible]	[illegible]	68	[illegible]	77	76	[illegible]	76	[illegible]	[illegible]	[illegible]	70	[illegible]	53		74.3
	MIN	[illegible]	[illegible]	50	[illegible]	[illegible]	[illegible]	40	45	[illegible]	53	[illegible]	47	40	42	52	[illegible]	42	[illegible]	29	32	[illegible]	47	46	[illegible]	[illegible]	37	37	45	[illegible]	[illegible]		40.5
IDAHO FALLS CAA AP	MAX	90	80	79	79	73	83	[illegible]	74	[illegible]	87	[illegible]	82	75	[illegible]	65	[illegible]	[illegible]	[illegible]	74	71	85	84	[illegible]	[illegible]	[illegible]	78	78	[illegible]	54	[illegible]		75.8
	MIN	40	[illegible]	[illegible]	44	50	35	40	46	[illegible]	43	47	49	[illegible]	36	45	34	40	34	31	35	34	37	[illegible]	[illegible]	40	[illegible]	[illegible]	39	29	24		39.9
IDAHO FALLS 43 NW WB	MAX	91	[illegible]	79	78	75	79	[illegible]	76	[illegible]	[illegible]	[illegible]	77	75	[illegible]	64	[illegible]	[illegible]	[illegible]	74	[illegible]	80	80	62	76	79	[illegible]	79	62	[illegible]	[illegible]		75.0
	MIN	[illegible]	54	[illegible]	43	[illegible]	37	38	45	33	41	37	[illegible]	36	[illegible]	35	30	35	[illegible]	22	37	[illegible]	[illegible]	48	40	39	37	[illegible]	[illegible]	33	[illegible]		37.2
IDAHO FALLS 46 W WB	MAX	[illegible]	[illegible]	80	[illegible]	75	81	[illegible]	75	[illegible]	[illegible]	83	76	75	[illegible]	63	[illegible]	[illegible]	[illegible]	73	73	[illegible]	[illegible]	60	74	[illegible]	[illegible]	[illegible]	[illegible]	51	56		74.9
	MIN	[illegible]	[illegible]	[illegible]	37	43	[illegible]	[illegible]	43	[illegible]	40	[illegible]	[illegible]	30	28	31	31	[illegible]	[illegible]	22	29	[illegible]	[illegible]	44	34	[illegible]	33	34	41	[illegible]	[illegible]		34.2
IRWIN 2 S	[illegible]	89	77	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	74	82	[illegible]	84	[illegible]	76	80	[illegible]	79	[illegible]	67	[illegible]	72	82	[illegible]	70	78	81	[illegible]	[illegible]	63	[illegible]	57		75.7
	[illegible]	[illegible]	[illegible]	53	45	[illegible]	[illegible]	45	40	[illegible]	42	47	[illegible]	34	[illegible]	44	[illegible]	[illegible]	31	29	28	33	40	47	45	35	34	35	45	[illegible]	[illegible]		39.2
[illegible]	[illegible]	82	80	72	[illegible]	[illegible]	[illegible]	75	71	75	[illegible]	[illegible]	78	70	77	[illegible]	70	[illegible]	[illegible]	65	66	72	78	64	75	79	79	70	[illegible]	48	49		70.8
	[illegible]	31	47	[illegible]	34	[illegible]	[illegible]	32	32	29	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	23	26	34	46	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]		32.2
[illegible]	MAX	92	92	[illegible]	[illegible]	[illegible]	85	[illegible]	86	89	[illegible]	[illegible]	[illegible]	78	89	83	82	[illegible]	[illegible]	74	[illegible]	88	79	73	75	[illegible]	82	[illegible]	[illegible]	56	59		80.4
	MIN	43	64	[illegible]	[illegible]	49	[illegible]	42	43	[illegible]	58	49	[illegible]	40	45	51	36	44	34	[illegible]	37	[illegible]	46	46	41	[illegible]	[illegible]	[illegible]	40	[illegible]	27		42.8
[illegible]	[illegible]	[illegible]	85	[illegible]	64	70	68	[illegible]	70	[illegible]	82	[illegible]	71	64	[illegible]	82	[illegible]	[illegible]	56	57	61	71	81	68	68	75	[illegible]	78	[illegible]	50	53		70.6
	[illegible]	42	45	[illegible]	42	46	[illegible]	48	42	[illegible]	46	49	46	42	41	45	50	[illegible]	45	41	[illegible]	41	43	[illegible]	[illegible]	43	42	[illegible]	42	36	[illegible]		43.2
[illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	75	83	[illegible]	79	[illegible]	95	94	77	[illegible]	[illegible]	84	[illegible]	[illegible]	74	[illegible]	79	[illegible]	[illegible]	75	78	85	[illegible]	[illegible]	68	64	62		79.6
	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	40	45	44	[illegible]	44	47	40	42	[illegible]	51	48	49	49	45	39	36	45	[illegible]	[illegible]	40	40	[illegible]	48	40	[illegible]		43.9
KUNA 2 NNE	MAX	[illegible]	88	[illegible]	73	72	84	77	73	[illegible]	[illegible]	76	71	76	[illegible]	63	70	64	[illegible]	72	77	90	73	72	78	78	[illegible]	82	63	59	60		75.6
	[illegible]	49	48	[illegible]	41	[illegible]	[illegible]	[illegible]	45	42	45	49	39	38	38	50	44	39	44	33	35	41	47	50	42	43	40	37	37	30	24		41.3
LEWISTON WATER PLANT	MAX	[illegible]	89	[illegible]	[illegible]	[illegible]	80	83	81	[illegible]	[illegible]	88	77	84	[illegible]	81	[illegible]	64	74	76	78	81	81	82	81	82	84	80	73	65	63		80.2
	MIN	51	[illegible]	65	57	[illegible]	49	[illegible]	49	[illegible]	[illegible]	56	50	46	49	57	48	49	50	48	46	46	54	49	48	46	49	47	49	[illegible]	[illegible]		49.7
LEWISTON WB AP	MAX	89	[illegible]	75	75	75	84	77	75	88	[illegible]	76	76	81	84	65	64	66	71	73	76	83	72	74	79	81	[illegible]	78	54	59	59		75.7
	MIN	[illegible]	[illegible]	54	44	[illegible]	44	51	44	48	54	51	49	44	48	51	45	45	51	45	44	46	52	45	45	46	47	45	40	35	30		46.4
LIFTON PUMPING STA	MAX	78	[illegible]	74	75	73	76	[illegible]	[illegible]	77	[illegible]	76	72	74	76	72	74	72	66	69	70	75	79	73	63	69	73	74	66	62	59		72.4
	MIN	44	[illegible]	51	47	[illegible]	37	43	45	[illegible]	43	[illegible]	47	37	38	40	34	[illegible]	32	28	33	34	38	47	43	40	41	39	38	26	26		39.5
MACKAY RS	MAX	86	77	77	75	74	74	78	74	76	80	80	74	70	77	67	[illegible]	65	64	[illegible]	72	74	78	66	73	80	82	78	76	47	51		73.1
	MIN	38	[illegible]	46	39	47	33	40	41	[illegible]	38	39	34	35	36	35	27	34	30	29	34	35	34	47	44	[illegible]	41	41	36	30	[illegible]		37.1
MALAD	MAX	[illegible]	75	82	81	79	84	[illegible]	80	[illegible]	88	87	[illegible]	[illegible]	[illegible]	74	79	77	78	76	77	[illegible]	85	61	73	[illegible]	[illegible]	78	72	58	63		78.7
	MIN	[illegible]	54	58	[illegible]	48	[illegible]	46	45	42	49	52	50	41	42	51	36	42	37	33	40	37	42	48	45	[illegible]	46	43	48	29	30		44.0
MALAD CAA AP	MAX	[illegible]	[illegible]	83	82	78	83	85	80	85	89	90	83	82	85	75	81	76	[illegible]	78	77	83	87	57	73	81	79	80	71	58	66		78.9
	MIN	44	[illegible]	51	46	45	[illegible]	42	44	36	[illegible]	44	46	38	38	43	[illegible]	[illegible]	31	27	35	31	36	48	42	42	40	38	37	29	27		39.3
[illegible]	MAX	88	84	77	76	70	77	78	73	82	86	82	75	75	[illegible]	75	75	[illegible]	[illegible]	71	76	81	77	68	75	79	81	83	67	50	[illegible]		74.6
	MIN	[illegible]	[illegible]	38	34	43	28	34	37	33	40	41	37	32	31	39	30	35	26	25	30	29	37	42	34	37	34	35	43	29	22		34.9
MC CALL	MAX	[illegible]	81	67	66	[illegible]	73	72	67	78	81	68	65	70	77	68	60	52	58	64	72	78	64	66	72	78	78	80	60	49	50		68.7
	MIN	[illegible]	40	41	33	[illegible]	30	34	35	34	38	45	31	32	[illegible]	46	34	40	30	30	29	34	38	50	38	38	36	33	33	23	18		35.0
[illegible]	MAX	91	95	84	81	75	85	89	76	83	86	88	79	79	81	80	79	79	78	77	76	79	85	70	75	79	82	83	78	53	69		79.9
	MIN	44	56	41	41	46	30	30	39	37	45	45	43	42	36	36	36	31	30	28	23	31	32	48	41	40	39	37	50	28	24		37.8
[illegible]	MAX	87	86	86	75	74	82	80	76	85	91	89	76	76	79	78	68	65	68	72	78	88	84	73	76	[illegible]	[illegible]	81	76	57	59		77.6
	MIN	43	51	50	41	46	37	40	45	42	47	50	40	39	41	49	44	41	33	35	38	42	41	45	40	43	42	40	38	32	27		41.4

See reference notes following Station Index.

Table 5-Continued

DAILY TEMPERATURES

Station		Day of Month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	[illegible]
MESA	MAX	92	90	87	[illegible]	[illegible]	[illegible]	81	[illegible]	[illegible]	90	77	76	80	[illegible]	73	[illegible]	64	[illegible]	72	77	86	[illegible]	74	81	[illegible]	87	84	73	[illegible]	61		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	49	48	[illegible]	42	[illegible]	[illegible]	[illegible]	54	40	47	48	44	45	47	[illegible]	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	[illegible]	41	[illegible]	28		[illegible]
MINIDOKA DAM	MAX	92	[illegible]	78	80	[illegible]	[illegible]	78	74	[illegible]	[illegible]	87	[illegible]	79	81	[illegible]	76	67	[illegible]	[illegible]	72	[illegible]	78	62	74	79	79	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	47	47	[illegible]	54	[illegible]	49	40	46	52	[illegible]	[illegible]	37	[illegible]	37	[illegible]	54	48	42	[illegible]	42	[illegible]	41	34	30		[illegible]
[illegible]	MAX	89	87	[illegible]	[illegible]		75	79	[illegible]	73	[illegible]	[illegible]	[illegible]	[illegible]	78	[illegible]	70	77	[illegible]	67	71	72	[illegible]	83	58	[illegible]	76	[illegible]	76	64	[illegible]		[illegible]
	MIN	39	[illegible]	49	41		30	37	[illegible]	[illegible]	40	42	[illegible]	31	33	37	[illegible]	36	27	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	19	[illegible]		[illegible]
[illegible]	MAX	[illegible]	[illegible]	78	[illegible]	[illegible]	[illegible]	[illegible]	73	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	[illegible]	64	[illegible]	[illegible]	64	71	79	75	67	75	[illegible]	77	71	[illegible]	[illegible]	54		[illegible]
	MIN	48	47	[illegible]	38	[illegible]	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	40	47	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	49	44	40	40	43	42	45	38	[illegible]	31		[illegible]
[illegible]	MAX	[illegible]	97	94	85	78	[illegible]	88	[illegible]	[illegible]		[illegible]		83	92	[illegible]	[illegible]	77	76	[illegible]	[illegible]	[illegible]	88		[illegible]	[illegible]	90	91	84	61	[illegible]		[illegible]
	MIN	45	[illegible]	58	43	49	[illegible]	47	[illegible]			[illegible]		[illegible]	46	[illegible]	[illegible]	46	[illegible]	34	[illegible]	42	[illegible]		[illegible]	44	[illegible]	41	37	[illegible]	29		[illegible]
[illegible]	MAX	[illegible]	[illegible]	[illegible]	56	47	63	[illegible]	56	[illegible]	69	[illegible]	50	[illegible]	[illegible]	[illegible]	[illegible]	39	[illegible]	45	56	[illegible]	59	50	57	67	[illegible]	[illegible]	[illegible]	31	[illegible]		[illegible]
	MIN	44	54	[illegible]	37	38	37	[illegible]	39	[illegible]	[illegible]	[illegible]	38	40	45	40	[illegible]	31	32	[illegible]	40	44	[illegible]	39	42	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	MAX	[illegible]	88	[illegible]		70	[illegible]	[illegible]	81	77	[illegible]	[illegible]	[illegible]	75	[illegible]	[illegible]	[illegible]	71	[illegible]	71	75	80	84	[illegible]	76	[illegible]	82	[illegible]	84	[illegible]	59		[illegible]
	MIN	41	[illegible]	[illegible]		42	[illegible]	41	46	44	47	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42	[illegible]	[illegible]	37	[illegible]	[illegible]	[illegible]	46	45	42	[illegible]	41	[illegible]	27		[illegible]
NEW MEADOWS RS	MAX								74	[illegible]	84	77	72	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	74	82	76	[illegible]	72	[illegible]	87	[illegible]	69	[illegible]	[illegible]		[illegible]
	MIN								28	27	[illegible]	[illegible]	[illegible]	26	[illegible]	[illegible]	40	43	[illegible]	[illegible]	27		30	43	[illegible]			[illegible]	[illegible]	22	16		[illegible]
NEZPERCE 2 E	MAX	82	79	[illegible]	[illegible]	66	75	[illegible]	70	80	90	73	[illegible]	74	82	[illegible]	[illegible]	[illegible]	[illegible]	64	69	77	65	66	72	75	76	[illegible]	[illegible]	49	[illegible]		[illegible]
	MIN	44	[illegible]	[illegible]	40	45	39	47	43	42	49	44	40	42	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	41	41	43	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
OAKLEY	MAX	86	88	[illegible]	76	71	[illegible]	[illegible]	73	[illegible]	86	[illegible]	[illegible]	[illegible]	[illegible]	76	80	[illegible]	70	74	74	86	80	66	73	78	[illegible]	83	70	[illegible]	58		[illegible]
	MIN	46	60	[illegible]	46	42	41	[illegible]	42	40	56	[illegible]	48	40	46	45	37	39	[illegible]	[illegible]	[illegible]	[illegible]	51	[illegible]	[illegible]	44	44	[illegible]	41	31	[illegible]		[illegible]
OBSIDIAN 4 NNE	MAX	81	[illegible]	[illegible]	68	[illegible]	[illegible]	[illegible]	67	[illegible]	77	[illegible]	73	68	73	[illegible]	[illegible]	60	[illegible]	60	69	76	76	60	[illegible]	73	75	73	67	40	[illegible]		[illegible]
	MIN	[illegible]	49	[illegible]	[illegible]	34	[illegible]	[illegible]	24	[illegible]	34	31	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	21	[illegible]	21	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	12	[illegible]		[illegible]
[illegible]	MAX	[illegible]	90	[illegible]	84	82	83	79	81	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	82	[illegible]	72	[illegible]	[illegible]	86	[illegible]	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	75	71	78		[illegible]
	MIN	42	39	[illegible]	39	37	[illegible]	36	36	41	44	[illegible]	37	34	[illegible]	37	[illegible]	30	[illegible]	[illegible]	32	34	[illegible]	[illegible]	[illegible]	[illegible]	33	[illegible]	32	[illegible]	[illegible]		[illegible]
OROFINO	MAX	[illegible]	92	77	79	[illegible]	[illegible]	[illegible]	[illegible]	79	97	[illegible]	[illegible]	[illegible]	90	72	76	[illegible]	74	[illegible]	81	[illegible]	77	[illegible]	[illegible]	[illegible]	87	81	[illegible]	64	64		[illegible]
	MIN	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	47	[illegible]	[illegible]	[illegible]	43	[illegible]	[illegible]	49	[illegible]	[illegible]	45	49	43	43	[illegible]	43	56	44	43	40	30		45.7
PALISADES DAM	MAX	[illegible]	86	73	72	73	[illegible]	79	[illegible]	[illegible]	83	83	77	75	[illegible]	77	77	71	67	[illegible]	69	[illegible]	[illegible]	77	74	77	[illegible]	79	77	[illegible]	[illegible]		[illegible]
	MIN	41	[illegible]	52	44	51	33	[illegible]	43	[illegible]	43	[illegible]	[illegible]	36	[illegible]	42	[illegible]	[illegible]	[illegible]	[illegible]	33	33	[illegible]	48	[illegible]	41	[illegible]	38	45	27	[illegible]		[illegible]
PARMA EXP STA	MAX	88	94	[illegible]	[illegible]	[illegible]	83	[illegible]	81	[illegible]	92	[illegible]	[illegible]	81	[illegible]	[illegible]	[illegible]	[illegible]	72	77	81	[illegible]	77	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	62	63		[illegible]
	MIN	[illegible]	[illegible]	54	39	48	35	41	41	[illegible]	43	47	[illegible]	41	38	51	45	[illegible]	34	34	38	[illegible]	45	[illegible]	[illegible]	[illegible]	43	42	42	32	[illegible]		[illegible]
PAUL 1 E	MAX	[illegible]	90	86	[illegible]	81	[illegible]	84	77	72	88	[illegible]	[illegible]	71	[illegible]	86	62	80	67	69	73	[illegible]	86	77	67	75	80	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	41	[illegible]	61	43	[illegible]	[illegible]	42	44	[illegible]	48	[illegible]	[illegible]	38	[illegible]	51	[illegible]	44	35	[illegible]	35	32	45	49	[illegible]	[illegible]	41	[illegible]	42	33	[illegible]		[illegible]
[illegible]	MAX	83	87	78	75	[illegible]	77	[illegible]	77	[illegible]	[illegible]	78	[illegible]	78	79	68	67	[illegible]	[illegible]	72	75	77	76	[illegible]	81	81	82	[illegible]	68	61	60		[illegible]
	MIN	43	[illegible]	57	46	57	[illegible]	40	48	[illegible]	45	52	[illegible]	42	[illegible]	50	49	45	[illegible]	[illegible]	[illegible]	40	40	[illegible]	52	45	43	[illegible]	[illegible]	34	29		[illegible]
[illegible]	MAX	85	[illegible]	78	[illegible]		[illegible]	76	70	[illegible]	[illegible]	81	[illegible]	73	[illegible]		[illegible]	64	61	62	71	[illegible]	70	[illegible]	73	79	[illegible]	73	66	56	[illegible]		[illegible]
	MIN	[illegible]	41	[illegible]	[illegible]		[illegible]	39	42	[illegible]	[illegible]	41	34	36	34		[illegible]				[illegible]	31	38	43	[illegible]	[illegible]	[illegible]	34	36	[illegible]	20		35.8
[illegible]	MAX	89	81	82	78	[illegible]	[illegible]	81	74	[illegible]	89	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	75	[illegible]	82	84	58	72	78	80	[illegible]	66	[illegible]	56		[illegible]
	MIN	46	63	[illegible]	[illegible]	49	[illegible]	45	52	39	49	[illegible]	[illegible]	40	38	45	[illegible]	47	[illegible]	31	40	34	40	48	42	43	41	[illegible]	39	31	[illegible]		[illegible]
[illegible]	MAX	[illegible]	[illegible]	[illegible]	[illegible]	65	[illegible]	67	69	77	[illegible]	72	[illegible]	74	73	67	[illegible]	61	65	65	[illegible]	72	[illegible]	74	[illegible]	77	75	68	60	58	55		[illegible]
	MIN	40	45	[illegible]	39	44	[illegible]	42	48	41	41	[illegible]	42	43	[illegible]	42	[illegible]	44	51	50	47	37	[illegible]	42	40	[illegible]	41	38	42	28	32		[illegible]
[illegible]	MAX	[illegible]	[illegible]	[illegible]	70	[illegible]	[illegible]	66	72	[illegible]	[illegible]	76	[illegible]	78	[illegible]	56	63	[illegible]	54	62	73	[illegible]	[illegible]	69	76	[illegible]	78	72	56	58	57		[illegible]
	MIN	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	36	[illegible]	47	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	37	41	37	38	[illegible]	33	[illegible]		39.3
PRESTON SUG FACT 2 SE	MAX	89	[illegible]	[illegible]	[illegible]	79	[illegible]	85	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	79	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	76	74	[illegible]	[illegible]		[illegible]
	MIN	43	60	[illegible]	50	47	37	42	42	[illegible]	47	[illegible]	51	36	39	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	37	48	[illegible]	42	42	42	44	27	[illegible]		41.2
PRIEST RIVER EXP STA	MAX	[illegible]	79	69	[illegible]	67	[illegible]	66	67	[illegible]	[illegible]	70	62	73	[illegible]	69	[illegible]	[illegible]	[illegible]	64	68	70	[illegible]	[illegible]	74	[illegible]	[illegible]	62	[illegible]	56	[illegible]		[illegible]
	MIN	46	[illegible]	[illegible]	40	36	40	41	44	37	40	47	42	43	37	51	48	[illegible]	46	[illegible]	[illegible]	[illegible]	40	39	[illegible]	41	42	36	43	[illegible]	28		[illegible]
[illegible]	MAX	86	86	[illegible]	[illegible]	70	78	76	72	83	87	[illegible]	75	[illegible]	[illegible]	[illegible]	[illegible]	74	[illegible]	72	[illegible]	[illegible]	[illegible]	72	75	79	[illegible]	[illegible]	77	61	[illegible]		[illegible]
	MIN	[illegible]	62	52	[illegible]	[illegible]	[illegible]	40	37	[illegible]	[illegible]	44	[illegible]	34	39	48	[illegible]	38	[illegible]	[illegible]	36	[illegible]	[illegible]	44	[illegible]	40	43	42	[illegible]	29	[illegible]		[illegible]
RIGGINS RS	MAX	[illegible]	[illegible]	[illegible]	73	[illegible]	86	[illegible]	79	91	95	94	[illegible]	[illegible]	87	87	65	66	72	[illegible]	[illegible]	[illegible]	[illegible]	73	77	[illegible]		[illegible]	84	56	59		[illegible]
	MIN	[illegible]	[illegible]	62	49	57	[illegible]	49	[illegible]	51	[illegible]	[illegible]	48	49	[illegible]	[illegible]	47	54	44	45	46	[illegible]	49	[illegible]	[illegible]	50		[illegible]	45	44	34		[illegible]
[illegible]	MAX	83	92	[illegible]	[illegible]	83	74	[illegible]	[illegible]	[illegible]	89	91	[illegible]		82	87	[illegible]	[illegible]	70	73	76	[illegible]	90	[illegible]	65	[illegible]	84	[illegible]	83	60	56		[illegible]
	MIN	43	[illegible]	[illegible]	45	[illegible]	35	43	[illegible]	40	53	[illegible]		38	[illegible]	51	34	44	[illegible]	30	36	[illegible]	45	48	41	41	41	40	42	[illegible]	[illegible]		[illegible]
SAINT ANTHONY	MAX	88	80	[illegible]	80	[illegible]	78	[illegible]	[illegible]	[illegible]	84	75	[illegible]	74	[illegible]	70	[illegible]	[illegible]	[illegible]	72	70	[illegible]	[illegible]	[illegible]	76	80	79	77	65	[illegible]	55		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	40	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34	24	[illegible]	[illegible]	[illegible]	39	[illegible]	[illegible]	37	[illegible]	[illegible]	45	26	[illegible]		[illegible]
SAINT MARIES	MAX	84	[illegible]	[illegible]	71	71	78	74	74	[illegible]	[illegible]	82	70	77	81	79	[illegible]	71	[illegible]	65	73	[illegible]	79	70	76	[illegible]	[illegible]	[illegible]	62	56	[illegible]		[illegible]
	MIN	42	44	51	[illegible]	37	[illegible]	[illegible]	41	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	43	43	42	39	[illegible]	[illegible]	40	39	40	[illegible]	[illegible]	34	[illegible]	25		[illegible]
[illegible]	MAX	89	[illegible]	85	77	[illegible]	[illegible]	77	77	[illegible]	91	[illegible]	80	[illegible]	80	[illegible]	75	67	[illegible]	76	[illegible]	[illegible]	79	[illegible]	[illegible]	83	[illegible]	82	62	52	[illegible]		[illegible]
	MIN	42	[illegible]	[illegible]	39	46	[illegible]	32	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	[illegible]	27	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]		[illegible]
SHOSHONE	MAX	92	91	[illegible]	[illegible]	[illegible]	[illegible]	78	[illegible]	[illegible]	93	80	[illegible]	[illegible]	89	[illegible]	[illegible]	[illegible]	70	74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	81	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	42	65	[illegible]	40	[illegible]	[illegible]	43	42	43	[illegible]	[illegible]	41	37	48	[illegible]	38	41	[illegible]	37	39	44	[illegible]	46	[illegible]	44	43	41	[illegible]	28	29		[illegible]
SPENCER RS	MAX	[illegible]	[illegible]	[illegible]	72	72	[illegible]	[illegible]	[illegible]	76	78	80	75	68	[illegible]	72	72	[illegible]	[illegible]	[illegible]	68	[illegible]	78	71	[illegible]	79	[illegible]	72	69	43	[illegible]		[illegible]
	MIN	[illegible]	44	[illegible]	40	45	[illegible]	[illegible]	45	[illegible]	35	[illegible]	37	[illegible]	32	[illegible]	28	[illegible]	25	[illegible]	[illegible]	[illegible]	[illegible]	47	[illegible]	42	41	32	31	21	[illegible]		[illegible]
SPRINGFIELD 1 SE	MAX	93	[illegible]	80	[illegible]	74	[illegible]	[illegible]	75	87	90	[illegible]	[illegible]	80	87	76	[illegible]	70	[illegible]	[illegible]	75	85	86	71	73	[illegible]	[illegible]	[illegible]	75	[illegible]	[illegible]		[illegible]
	MIN	[illegible]	63	[illegible]	42	41	[illegible]	32	42	[illegible]	43	[illegible]	41	39	[illegible]	42	[illegible]	[illegible]	[illegible]	24	[illegible]	[illegible]	[illegible]	44	[illegible]	[illegible]	[illegible]	[illegible]	44	34	22		[illegible]
[illegible]	MAX	[illegible]	80	[illegible]	65	[illegible]	64	71	69	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	32	[illegible]	44	39	[illegible]	[illegible]	[illegible]	41	[illegible]	37	[illegible]	26	29	32	41	43	[illegible]	37	36	[illegible]	28	24	16		[illegible]
STREVELL	MAX	90	84	80	[illegible]	[illegible]	80	77	83	[illegible]	[illegible]	[illegible]	[illegible]	78	[illegible]	[illegible]	74	73	[illegible]	76	75	[illegible]	83	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
	MIN	45	[illegible]	[illegible]	40	35	43	40	38	[illegible]	40	46	[illegible]	[illegible]	44	[illegible]	29	34	26	[illegible]	[illegible]	[illegible]	[illegible]	48	[illegible]	37	40	[illegible]	41	[illegible]	[illegible]		[illegible]
[illegible]	MAX	86	[illegible]	[illegible]	77	[illegible]	78	[illegible]	[illegible]	81	80	[illegible]	[illegible]	73	[illegible]	74	76	67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	69	[illegible]	[illegible]	[illegible]	[illegible]	67	[illegible]	[illegible]		[illegible]
	MIN	38	45	[illegible]	49	49	32	[illegible]	[illegible]	[illegible]	41	[illegible]	43	[illegible]	[illegible]	45	30	[illegible]	31	[illegible]	28	[illegible]	33	47	[illegible]	[illegible]	[illegible]	[illegible]	46	[illegible]	22		[illegible]
SUN VALLEY	MAX	[illegible]	[illegible]	[illegible]	73	70	[illegible]	[illegible]	75	[illegible]	81	[illegible]	74	70	78	74	70	71	[illegible]	[illegible]	70	[illegible]	[illegible]	72	[illegible]	77	[illegible]	[illegible]	79	[illegible]	[illegible]		[illegible]
	MIN	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]
SWAN FALLS PH.	MAX	[illegible]	99	96	80	[illegible]	90	88	[illegible]	90	97	[illegible]	[illegible]	[illegible]	91	85		70	78	79	[illegible]	[illegible]	[illegible]	76	[illegible]	87		[illegible]	89	[illegible]	[illegible]		[illegible]
	MIN	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	51	[illegible]	[illegible]	[illegible]	[illegible]	52	49	49	[illegible]	[illegible]	[illegible]	[illegible]	41	45	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	56	[illegible]	46	41	[illegible]		[illegible]
TETONIA EXP STA	MAX	84	[illegible]	[illegible]	69	[illegible]	75	[illegible]	[illegible]	[illegible]	[illegible]	76	72	70	[illegible]	70	74	[illegible]	64	67	72	75	81	[illegible]	[illegible]	74	75	[illegible]	[illegible]	49	52		[illegible]
	MIN	[illegible]		[illegible]	42	42	30	43	44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	40	[illegible]	[illegible]	[illegible]	[illegible]	31	[illegible]	36	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	49	[illegible]	[illegible]		[illegible]
[illegible]	MAX	91	91	[illegible]	80	74	[illegible]	[illegible]	76	[illegible]	84		74	77	[illegible]	[illegible]	79	[illegible]												[illegible]	[illegible]		
	MIN	29		[illegible]	30	35	[illegible]	[illegible]	[illegible]	[illegible]		29	[illegible]	[illegible]	25	[illegible]	[illegible]	[illegible]												[illegible]	[illegible]		

See reference notes following Station Index

DAILY TEMPERATURES

Table 5 - Continued

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
TWIN FALLS 2 NNE	MAX	[illegible]	92	87	77	74	87	81	74	89	[illegible]	91	75	80	90	86	83	73	70	72	76	88	83	71	78	80	79	81	78	55	61		79.8
	MIN	42	[illegible]	50	44	52	36	44	44	57	56	55	48	40	37	48	33	45	38	31	39	45	50	49	48	40	41	46	41	33	28		43.8
TWIN FALLS 1 SE	MAX	81	[illegible]	90	80	77	74	85	76	75	88	94	79	75	79	89	65	82	70	70	74	76	88	78	70	77	81	82	83	60	56		78.[illegible]
	MIN	46	54	59	48	49	48	41	49	42	48	56	49	41	39	47	35	43	39	44	35	36	43	49	47	43	48	55	41	34	29		44.2
WALLACE	MAX	81	74	64	65	63	75	65	65	77	81	67	62	73	76	60	61	55	55	60	67	75	63	64	70	74	7[illegible]	69	49	50	49		66.2
	MIN	39	44	52	38	42	38	45	41	38	47	44	43	39	40	49	48	43	39	39	40	45	40	40	38	[illegible]	39	39	36	33	26		40.7
WALLACE WOODLAND PARK	MAX	56	[illegible]	79	61	66	61	74	66	67	77	80	68	61	72	75	59	60	53	57	57	66	78	65	65	71	78	73	69	45	50		66.6
	MIN	39	39	45	39	44	37	45	41	[illegible]	40	45	43	39	39	40	48	43	43	39	40	36	38	40	39	39	38	39	39	34	25		39.8
[illegible]	MAX	85	90	81	82	77	81	81	79	82	84	85	77	79	80	75	71	70	69	71	76	79	78	78	84	83	84	82	77	65	61		78.4
	MIN	43	46	60	44	[illegible]	36	40	43	49	42	49	39	41	40	51	49	44	34	35	48	39	43	55	50	43	40	39	42	30	27		43.1
WINCHESTER 1 SE	MAX	81	79	75	66	70	75	71	68	78	85	83	65	72	77	73	61	57	62	61	68	77	72	62	71	70	70	68	61	48	50		69.2
	MIN	41	47	48	35	35	37	44	39	37	44	39	38	35	39	47	35	39	41	40	38	39	49	37	37	35	36	37	34	30	24		38.6

EVAPORATION AND WIND

Table 6

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or Avg.
ABERDEEN EXP STA	EVAP	.22	.29	.34	.25	.36	.20	.18	.32	.15	.25	.34	.34	.22	.24	.37	.15	.35	.14	.26	.25	.39	.17	.05	.09	.13	.17	.33	.40	.14	.17		7.26
	WIND	40	78	109	58	122	67	16	149	15	63	92	98	67	54	156	72	141	140	72	99	19	40	76	25	5	32	116	230	100	17		2368
ARROWROCK DAM	EVAP	.28	.23	.30	.27	.15	.24	.21	.15	.20	.25	.30	.24	.17	.20	.25	.03	.16	.18	.14	.20	.25	.21	.18	.20	.19	.16	.22	.21	.17	.10		6.04
	WIND	18	23	31	28	33	15	22	23	21	4	33	32	18	22	31	17	42	20	15	29	25	62	37	44	20	29	3	42	57	30		826
LIFTON PUMPING STA	EVAP	.21	.11	.18	.23	.27	.25	.20	.26	.21	.27	.29	.23	.17	.18	.27	.22	.30	.21	.20	.21	.20	.15	.11	.12	.08	.16	.21	.25	.16	.13		6.04
	WIND	20	49	48	57	89	40	57	40	22	45	70	70	25	20	99	28	113	43	53	50	16	34	47	52	27	27	35	67	58	37		1428
MINIDOKA DAM	EVAP	.28	.38	.34	.27	.38	.32	.27	.30	.27	.43	.49	.42	.19	.38	.46	.22	.34	.25	.30	.22	.25	.40	.27	.10	.26	.28	.27	.41	.20	.10		9.00
	WIND	50	100	140	70	140	100	70	140	100	140	150	130	80	140	210	110	180	90	100	60	90	145	185	40	60	90	40	230	160	90		3430
MOSCOW U OF I	EVAP	.16	.18	.21	.16	.14	.17	.16	.13	.17	.27	.25	.11	.07	.17	.12	.08	.06	.06	.13	.06	.16	.14	.11	.11	.12	.15	.13	.11	.06	.02		3.97
	WIND	30	43	103	31	36	17	28	14	40	47	52	41	19	30	62	35	63	71	63	19	44	42	24	17	19	25	40	93	16	35		1180
PALISADES DAM	EVAP	.25	.16	.09	.15	.13	.19	.20	.20	.19	.20	.21	.15	.14	.17	.21	.17	.23	.19	*	.22	.13	.24	.14	.10	.17	.15	*	.43	.10	-		8 5.08
	WIND	85	68	66	85	86	72	81	43	79	76	108	71	87	83	104	73	127	67	*	177	67	100	72	51	81	77	*	198	43	55		2382

SNOWFALL AND SNOW ON GROUND

Table 7

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTA 1 E	SNOWFALL																													T	T	
	SN ON GND																													T	T	
BIG CREEK 1 S	SNOWFALL																												T	T		
	SN ON GND																															
COBALT BLACKBIRD MINE	SNOWFALL																	T												T	2.6	
	SN ON GND																														3	
DUBOIS CAA AP	SNOWFALL																												T	T		
	SN ON GND																															
IDAHO FALLS CAA AP	SNOWFALL																												T	T		
	SN ON GND																															
IDAHO FALLS 46 W WB	SNOWFALL																													T		
	SN ON GND																															
MACKAY RS	SNOWFALL																													1.3	0.4	
	SN ON GND																													1		
MAY RS	SNOWFALL																													T		
	SN ON GND																															
MULLAN PASS CAA	SNOWFALL																	3.0	T									T	4.0	0.4	0.5	
	SN ON GND																		3	T									1	4	4	
SPENCER RS	SNOWFALL																											T		T		
	SN ON GND																															
STIBNITE	SNOWFALL																													T	T	
	SN ON GND																													T	T	
SUN VALLEY	SNOWFALL																													2.0	1.5	
	SN ON GND																													1		
WALLACE	SNOWFALL																														T	
	SN ON GND																															

STATION INDEX

Station	Index No	County	Drainage ‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	[illegible]	BINGHAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	EXPERIMENT STATION	[illegible]
ALPHA [illegible]	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]	7P	[illegible]	GLENN STRAWN	2 3 5
AMERICAN FALLS [illegible]	[illegible]	[illegible]	[illegible]	42 46	112 52	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
ANDERSON DAM	[illegible]	ELMORE	[illegible]	43 21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ARCO	[illegible]	BUTTE	[illegible]	43 38	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7
ARROWROCK DAM	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]	8A	[illegible]	U S BUR RECLAMATION	2 3 5 6 7
ASHTON [illegible]	[illegible]	FREMONT	[illegible]	[illegible]	111 27	5100	[illegible]	[illegible]	[illegible]	2 3 5
ATLANTA [illegible]	[illegible]	ELMORE	[illegible]	43 48	115 07	[illegible]	4P	4P	PHILLIP T PETERSON	7 C
ATLANTA SUMMIT	[illegible]	ELMORE	2	43 45	[illegible]	[illegible]		VAR	[illegible]	5
AVERY RANGER STATION	[illegible]	[illegible]	[illegible]	47 15	[illegible]	2492	5P	[illegible]	U S FOREST SERVICE	2 3 5 7
BALD MOUNTAIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	C
BANCROFT	[illegible]	[illegible]	[illegible]	42 43	111 54	[illegible]		[illegible]	[illegible]	[illegible]
BAYVIEW MODEL BASIN	[illegible]	KOOTENAI	[illegible]	47 59	[illegible]	2070	4P	4P	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	48 21	116 50	[illegible]		MID	[illegible]	
BIG CREEK 1 S	[illegible]	VALLEY	[illegible]	45 06	115 20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BLACKFOOT	[illegible]	BINGHAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5 7
BLACKFOOT DAM	[illegible]	[illegible]	[illegible]	43 00	111 43	6200	6P	[illegible]	[illegible]	[illegible]
BLISS	[illegible]	[illegible]	[illegible]	[illegible]	114 57	[illegible]		[illegible]	[illegible]	
BOGUS BASIN	[illegible]	BOISE	2	43 46	[illegible]	6200		MID	F H KUHN	
[illegible] DAM	[illegible]	ADA	[illegible]	[illegible]	116 04	[illegible]	[illegible]	4P	CORPS OF ENGINEERS	
BOISE WB AIRPORT	[illegible]	ADA	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	[illegible]	2 3 5 7 C
BONNERS FERRY [illegible]	[illegible]	BOUNDARY		48 41	[illegible]	[illegible]	[illegible]	[illegible]	CHARLES G HOWARD JR	
BUHL	[illegible]	TWIN FALLS	12	42 35	114 46	[illegible]	[illegible]	[illegible]	WILLIAM A LOW	
[illegible] RANGER STATION	[illegible]	CLEARWATER		46 38	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
BURKE 2 ENE	[illegible]	SHOSHONE	[illegible]	[illegible]	[illegible]	[illegible]	4P	4P	MONTANA POWER CO	[illegible]
BURLEY	[illegible]	CASSIA	[illegible]	[illegible]	[illegible]	[illegible]	8A	8A	FRANK [illegible]	
BURLEY FACTORY	[illegible]	CASSIA	[illegible]	[illegible]	113 48	4140	8A	8A	AMALGAMATED SUGAR	[illegible]
BURLEY CAA AIRPORT	[illegible]	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	
CALDWELL	[illegible]	CANYON		[illegible]	116 41	2372	[illegible]	[illegible]	[illegible]	
CAMBRIDGE	1408	WASHINGTON		44 34	[illegible]	[illegible]	[illegible]	[illegible]	STUART DOPF	
CASCADE 1 SW	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	U S BUR RECLAMATION	[illegible]
CENTERVILLE ARBAUGH RCH	[illegible]	BOISE		43 58	[illegible]	4780		6P	MABEL M [illegible]	[illegible]
CHALLIS	[illegible]	CUSTER	11	44 30	114 14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CHILLY BARTON FLAT	1671	CUSTER	[illegible]	44 02	113 48		[illegible]	[illegible]	GEORGE A MILLER	[illegible]
CLARK FORK 1 ENE	[illegible]	BONNER	[illegible]	48 09	116 10	2125	[illegible]	[illegible]	MRS MARY L RALPH	[illegible]
CLARKIA RANGER STATION	[illegible]	SHOSHONE	[illegible]	[illegible]	[illegible]	[illegible]		MID	U S FOREST SERVICE	
COBALT BLACKBIRD MINE	[illegible]	LEMHI	11	45 07	114 21	[illegible]	8A	8A	CALERA MINING CO	[illegible]
COEUR D'ALENE RS	[illegible]	KOOTENAI	[illegible]	47 41	[illegible]	2160	4P	4P	U S FOREST SERVICE	[illegible]
CONDA	2071	CARIBOU	12	42 43	[illegible]	6200	9A	9A	ANACONDA COPPER CO	[illegible]
COTTONWOOD	[illegible]	IDAHO	[illegible]	[illegible]	116 21	3411	[illegible]	[illegible]	LOUIS KLAPPRICH	2 [illegible] 7
COTTONWOOD 2 SW	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]		MID	[illegible]	C
COUNCIL	[illegible]	ADAMS	[illegible]	44 44	[illegible]	2936	[illegible]	[illegible]	LYMAN [illegible]	[illegible]
CROUCH 2 NNW	[illegible]	BOISE	[illegible]	44 08	[illegible]	[illegible]		6P	[illegible] GRAHAM	[illegible]
DEADWOOD DAM	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	5375	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
DEADWOOD SUMMIT	[illegible]	VALLEY	11	[illegible]	115 34	7000		VAR	[illegible]	5
DECEPTION CREEK	[illegible]	KOOTENAI	[illegible]	[illegible]	[illegible]	[illegible]		MID	U S FOREST SERVICE	
DEER FLAT DAM	[illegible]	CANYON	[illegible]	43 35	116 44	2510	[illegible]	[illegible]	U S BUR RECLAMATION	[illegible]
DIXIE	2575	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	MRS MARGARET E STOUT	[illegible]
DOLLARHIDE SUMMIT	[illegible]	CAMAS	2	43 36	114 41	[illegible]		MID	U S FOREST SERVICE	
DRIGGS	[illegible]	TETON	[illegible]	43 43	[illegible]	[illegible]	[illegible]	[illegible]	EDITH STEVENS	[illegible]
DUBOIS EXP STATION	[illegible]	CLARK	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
DUBOIS CAA AIRPORT	[illegible]	CLARK	[illegible]	44 10	112 13	[illegible]	MID	MID	U S CIVIL AERO ADM	[illegible] 7 C
ELK CITY	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4P	MRS LORA B VILAS	[illegible]
ELK RIVER 1 S	[illegible]	CLEARWATER		46 47	[illegible]	[illegible]	[illegible]	3P	[illegible]	[illegible]
EMMETT 2 E	2942	GEM		43 50	116 32	[illegible]	[illegible]	6P	[illegible]	[illegible] 7
FAIRFIELD RANGER STA	[illegible]	CAMAS	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	U S FOREST SERVICE	[illegible]
FENN RANGER STATION	3143	IDAHO	[illegible]	46 06	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	[illegible] 7
FORT HALL INDIAN AGENCY	[illegible]	BINGHAM	12	43 02	[illegible]	[illegible]	[illegible]	[illegible]	FORT HALL IR PROJ	[illegible]
GARDEN VALLEY RS	3148	BOISE	8	44 04	[illegible]	3147	[illegible]	5P	U S FOREST SERVICE	[illegible]
GILMORE SUMMIT RANCH	3576	CUSTER	[illegible]	44 19	[illegible]	[illegible]		VAR	U S WEATHER BUREAU	5
GLENNS FERRY	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	E D STONE	2 3 5 [illegible]
GOODING	[illegible]	GOODING	[illegible]	42 57	114 43	[illegible]		MID	DAVID MITCHELL	
GOODING CAA AIRPORT	[illegible]	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	[illegible] 7
GRACE	[illegible]	CARIBOU	12	42 35	111 44	5400	[illegible]		H A WESTENFELDER	[illegible]
GRAND VIEW	[illegible]	OWYHEE	12	[illegible]	[illegible]	2600	[illegible]	5P	[illegible]	[illegible]
GRANGEVILLE	3771	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	MRS ALVERA FOSTER	[illegible]
GRASMERE	[illegible]	OWYHEE	[illegible]	42 23	[illegible]	[illegible]	P	[illegible]	BLANCHE PORTLOCK	[illegible]
GRAY	[illegible]	BONNEVILLE	[illegible]	43 03	111 22	[illegible]	[illegible]	[illegible]	ROSCOE T SIDBETT	[illegible] 7
GROUSE	3882	CUSTER	[illegible]	43 42	[illegible]	[illegible]	6P	[illegible]	MRS BRYAN TAYLOR	[illegible]
HAILEY AIRPORT	[illegible]	BLAINE	12	[illegible]	114 18	5322	[illegible]	[illegible]	[illegible] JOHNSON	[illegible] 7
HAMER 4 NW	[illegible]	JEFFERSON	[illegible]	[illegible]	[illegible]	[illegible]	5P	5P	[illegible] F & W SERVICE	[illegible] 7
HAZELTON	[illegible]	JEROME	12	[illegible]	114 08	4060	P	[illegible]	NORTH SIDE CANAL CO	[illegible]
HILL CITY	[illegible]	CAMAS	12	[illegible]	115 03	5000	P	[illegible]	CARROLL DAMMEN	[illegible] 7
HOLLISTER	[illegible]	TWIN FALLS	12	42 21	114 35	4550	[illegible]	[illegible]	SALMON R CANAL CO	2 3 5
HOWE	[illegible]	BUTTE	[illegible]	43 47	113 00	4820		7A	CHARLES D COWGILL	[illegible]
IDAHO CITY	[illegible]	BOISE	[illegible]	[illegible]	[illegible]	[illegible]	5P	[illegible]	[illegible] MELLOR	2 3 5 7
IDAHO CITY 11 SW	[illegible]	BOISE		43 43	[illegible]	[illegible]		6P	MRS BERTHA GARDNER	[illegible] 7
IDAHO FALLS 6 NE	[illegible]	BONNEVILLE	[illegible]	43 34	[illegible]	4840	5P	[illegible]	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	[illegible]	BONNEVILLE	[illegible]	43 31	112 04	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
[illegible] VADA	[illegible]	OWYHEE	[illegible]	42 01	[illegible]	6000		VAR	CHRIS CALLEN	[illegible]
IRWIN [illegible]	[illegible]	BONNEVILLE	[illegible]	[illegible]	[illegible]	[illegible]	6P	6P	ANNA [illegible]	2 3 5 7
ISLAND PARK DAM	[illegible]	FREMONT	[illegible]	44 25	111 24	[illegible]	5P	[illegible]	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	[illegible]
JEROME	[illegible]	JEROME	[illegible]	42 44	114 31	[illegible]	5P	[illegible]	[illegible] OLIVER	2 3 5
KAMIAH 1 NE	[illegible]	LEWIS	[illegible]	46 14	116 01	[illegible]		8A	MRS MARY [illegible]	[illegible]
KELLOGG	[illegible]	SHOSHONE	4	47 32	[illegible]	[illegible]	10A	10A	IRVING H LASKEY	2 3 5
KOOSKIA	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	1261	4P	[illegible]	[illegible]	2 3 5
KUNA [illegible]	[illegible]	ADA		43 31	[illegible]	2685	P	[illegible]	HARRY [illegible]	2 3 5
LANDMARK RANGER STATION	[illegible]	VALLEY	[illegible]	44 40	[illegible]	6600		VAR	U S FOREST SERVICE	5
LEADORE	[illegible]	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	[illegible]	NEZ PERCE	[illegible]	46 25	117 01	743	5P	[illegible]	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	[illegible]	NEZ PERCE	[illegible]	46 23	[illegible]	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
LIFTON PUMPING STATION	[illegible]	BEAR LAKE	[illegible]	[illegible]	111 18	[illegible]	6P	6P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	[illegible]	IDAHO	[illegible]	[illegible]	114 33	[illegible]		VAR	U S FOREST SERVICE	5
LOWMAN	5414	BOISE	[illegible]	44 05	[illegible]	[illegible]	[illegible]	[illegible]	ORILLE L JOINER	2 [illegible] 7 8
MACKAY RANGER STATION	[illegible]	CUSTER	[illegible]	43 55	113 37	5897	[illegible]	[illegible]	U S FOREST SERVICE	[illegible] 7 C
MALAD	[illegible]	ONEIDA	[illegible]	[illegible]	[illegible]	4420	8P	8P	[illegible]	2 3 5 C
MALAD CAA AIRPORT	[illegible]	ONEIDA	[illegible]	42 10	[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MALTA RANGER STATION	[illegible]	CASSIA	[illegible]	[illegible]	113 22	4543		MID	U S FOREST SERVICE	C
MAY RANGER STATION	[illegible]	LEMHI	11	44 36	113 55	[illegible]	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	[illegible]	[illegible]	[illegible]	[illegible]	116 07	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MC CAMMON	[illegible]	BANNOCK	[illegible]	42 39	112 12	[illegible]	[illegible]	[illegible]	[illegible]	
MERIDIAN 1 W	[illegible]	ADA	[illegible]	43 37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
MESA	[illegible]	[illegible]	[illegible]	[illegible]	116 26	[illegible]	[illegible]	[illegible]	[illegible]	
MINIDOKA DAM	[illegible]	MINIDOKA	[illegible]	42 40	113 29	[illegible]	[illegible]	[illegible]	[illegible] BUR RECLAMATION	2 [illegible] 5 6
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	[illegible]	BOISE	[illegible]	43 56	[illegible]	[illegible]		[illegible]	[illegible]	
MOOSE CREEK RANGER STA	[illegible]	[illegible]	[illegible]	46 08	[illegible]	[illegible]		[illegible]	[illegible]	
MOSCOW U OF I	[illegible]	LATAH	[illegible]	46 44	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
MOUNTAIN HOME	[illegible]	ELMORE	[illegible]	43 08	[illegible]	[illegible]	[illegible]	[illegible]	KENNETH J NEWMAN	2 3 5
MULLAN PASS CAA	[illegible]	SHOSHONE	[illegible]	47 27	[illegible]	[illegible]	MID	MID	U S CIVIL AERO ADM	2 3 5
NAMPA [illegible]	[illegible]	CANYON	[illegible]	43 37	[illegible]	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	[illegible]	ADAMS	[illegible]	[illegible]	116 17	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	LEWIS	[illegible]	46 15	116 12	[illegible]		[illegible]	[illegible]	
NEZ PERCE PASS	[illegible]	LEMHI	[illegible]	45 43	114 30			[illegible]	[illegible]	
OAKLEY	[illegible]	CASSIA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	CUSTER	[illegible]	44 03	114 48	[illegible]	[illegible]	5P	MARJORIE L SHAW	2 3 [illegible]
OLA 5 S	[illegible]	GEM	[illegible]	44 07	116 17	[illegible]	[illegible]	[illegible]	[illegible]	
OROFINO	[illegible]	CLEARWATER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
PALISADES DAM	[illegible]	BONNEVILLE	[illegible]	43 22	111 14	[illegible]	[illegible]	4P	U S BUR RECLAMATION	2 3 5 6
PARMA [illegible]	[illegible]	CANYON	[illegible]	43 47	116 57	[illegible]	5P	5P	STATE EXP STATION	
PAUL	[illegible]	MINIDOKA	[illegible]	42 37	113 45	[illegible]	8A	8A	AMALGAMATED SUGAR	2 3 5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	2 3 5
PIERCE RANGER STATION	[illegible]	CLEARWATER		46 30	115 48	[illegible]	3P	3P	U S FOREST SERVICE	2 3 5
[illegible]	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]		43 28	115 19	[illegible]		[illegible]	[illegible]	
[illegible]	[illegible]	BENEWAH	[illegible]	47 19	116 57	[illegible]	[illegible]	[illegible]	[illegible]	
POCATELLO WB AIRPORT	[illegible]	BANNOCK	[illegible]	42 55	112 36	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
PORTHILL	[illegible]	BOUNDARY	[illegible]	49 00	116 30	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
[illegible]	[illegible]	LATAH	[illegible]	46 54	116 52	[illegible]	[illegible]	6P	HENRY J FITCH	[illegible]
PRAIRIE	[illegible]	ELMORE	[illegible]	43 30	[illegible]	[illegible]		[illegible]	[illegible]	
PRESTON SUG FACT [illegible]	[illegible]	FRANKLIN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	[illegible]	BONNER	[illegible]	48 21	116 50	[illegible]	[illegible]	[illegible]	U S FOREST SERVICE	2 3 5
[illegible] CREEK	[illegible]	VALLEY	[illegible]	[illegible]	115 04	[illegible]		[illegible]	[illegible]	
PUTNAM MOUNTAIN	[illegible]	BINGHAM	[illegible]	43 02	112 03	[illegible]		[illegible]	[illegible]	
* REACTOR TESTING STA	[illegible]	BUTTE	[illegible]	43 33	112 57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
RICHFIELD	[illegible]	LINCOLN	[illegible]	43 04	114 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
RIGGINS RANGER STATION	[illegible]	IDAHO	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
ROLAND WEST PORTAL	[illegible]	SHOSHONE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5P	MRS HOMER WALTON	
RUPERT	[illegible]	MINIDOKA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	[illegible]	FREMONT	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
SAINT MARIES	[illegible]	BENEWAH	[illegible]	[illegible]	[illegible] 16 34	2140	[illegible]	[illegible]	[illegible]	2 3 5
SALMON	[illegible]	LEMHI	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
SANDPOINT EXP STATION	[illegible]	BONNER	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2 3 5
SHAKE CREEK RANGER STA	[illegible]	ELMORE	[illegible]	[illegible]	[illegible]	[illegible]		VAR	[illegible]	
SHOSHONE	[illegible]	LINCOLN	[illegible]	42 57	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
SOLDIER CREEK RS	[illegible]	CAMAS	[illegible]	43 30	[illegible]		[illegible]	[illegible]	[illegible]	
SPENCER RANGER STATION	[illegible]	CLARK		44 21		[illegible]	[illegible]	[illegible]	[illegible]	
SPRINGFIELD [illegible]	[illegible]	BINGHAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MRS RAYMOND HUFF	2 3 5
STIBNITE	[illegible]	VALLEY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BRADLEY MINING CO	[illegible]
STREVELL	[illegible]	CASSIA	[illegible]	[illegible]	113 13	[illegible]	[illegible]	[illegible]	IDAHO STATE POLICE	2 3 5
[illegible]	[illegible]	MADISON	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
SUN VALLEY	[illegible]	BLAINE	[illegible]	[illegible]	114 21	[illegible]	[illegible]	[illegible]	[illegible]	
SWAN FALLS POWER HOUSE	[illegible]	ADA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	IDAHO POWER COMPANY	2 3 5
TETONIA EXP STATION	[illegible]	TETON	12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	EXPERIMENT STATION	
THREE CREEK	9119	OWYHEE	[illegible]	42 03	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] TANNER	2 3 5
TRINITY LAKE GUARD STA	[illegible]	ELMORE		[illegible]	115 26	[illegible]		VAR	[illegible]	
TROUTDALE GUARD STATION	[illegible]	ELMORE	[illegible]	43 43	[illegible]	[illegible]		VAR	U S SOIL CON SER	
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	[illegible]	114 28	[illegible]	5P	[illegible]	[illegible] ENTOMOLOGY	[illegible]
TWIN FALLS [illegible] SUG FACT	[illegible]	TWIN FALLS	[illegible]	[illegible]	114 25	[illegible]	8A	8A	AMALGAMATED SUGAR	[illegible]
VIENNA	[illegible]	BLAINE	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	
WALLACE	[illegible]	SHOSHONE	[illegible]	47 28	[illegible]	[illegible]	[illegible]	[illegible]	W FEATHERSTONE JR	
WALLACE WOODLAND PARK	[illegible]	SHOSHONE	[illegible]	47 30	[illegible]	[illegible]	[illegible]	[illegible]	ROBERT J SKANTEL	[illegible]
WEISER 1 [illegible]	[illegible]	WASHINGTON	[illegible]	44 14	116 57	[illegible]	[illegible]	[illegible]	MERVIN V LING	[illegible]
WINCHESTER 1 SE	[illegible]	LEWIS	[illegible]	46 14	[illegible]	[illegible]	[illegible]	[illegible]	HALLACK HOWARD LBR CO	2 3 5
YELLOW PINE	[illegible]	VALLEY	11	[illegible]	[illegible]	[illegible]		VAR	L J MILLER	
NEW STATIONS										
IDAHO FALLS [illegible] NW WB	[illegible]	BUTTE	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
NAME CHANGE										
* IDAHO FALLS 46 W WB	[illegible]	BUTTE	[illegible]	[illegible]	[illegible]	[illegible]	MID	MID	U S WEATHER BUREAU	2 3 5 7 C

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state bases. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effective January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement , time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.
R	Amounts from recording gage. (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data.)
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 20 cents per copy, monthly and annual; $2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

W.R.P.C. Chattanooga--10-26-54--850-

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

OCTOBER 1954
Volume LVII No. 10

CHATTANOOGA: 1954

WEATHER SUMMARY

October was a cool month, the coolest since 1949, and quite dry on an average, less than one-half the normal average precipitation occurring over the State. In spite of the low average precipitation, the snowfall average was nearly equal to the mean of the last 56 years, reflecting the high percentage of precipitation that occurred as snow in many areas. Considerable wind was recorded, gusts exceeding 60 miles per hour being reported from several localities, with attendant duststorms, particularly in association with the passage of the month's most important storms. Weather was generally favorable for harvesting operations, but the cool, often frosty weather retarded growth of pasture feed and made for somewhat adverse fall growing conditions, particularly in the more southerly areas of the State.

The average temperature for the State was 45.6°, 1.8° below normal. The month opened, as September had closed, with temperatures well below normal and effective warming did not occur generally until around the 6th or 7th. By the end of the second week, temperatures were 5° to 15° below normal again as the first general storm of the month moved across the State. From around the 16th up to near the beginning of the 4th week temperatures were near to substantially above normal, when pronounced cooling again occurred in the wake of the storms which were recurrent during the latter part of the third week and beginning of the 4th. From then on until the end of the month temperatures remained substantially below normal, although they were moderating generally by month's end. The highest temperature for the month was 87°, recorded at Grand View on the 6th; the lowest was 0° at Gray on the 27th.

The average precipitation for Idaho was 0.66 inch, 0.76 inch below normal. Relatively, the precipitation deficiency was least in the Northern Division and greatest in the Southwestern. The greatest monthly total was 3.61 inches at Wallace, the only station in the Northern Division with an above normal total. Grouse was the only station which reported no precipitation whatsoever. Mullan Pass CAA reported the greatest 24-hour amount, 1.24 inches on the 21st. Gray reported a snowfall total for the month of 10.0 inches, and Mullan Pass CAA and Conda each reported 8.0 inches. Higher level stations in the Northern Division and Southwestern Division reported snow during the month, and all but a very few stations in the Southeastern Division had snow, many reporting substantial amounts. Three stations in the Southeastern Division reported monthly total precipitation slightly in excess of normal amounts, but in general large deficiencies were the rule in all areas. The storm periods were with minor exceptions from around the 10th or 11th through the 13th, this storm being general over the State; and from the 17th to about the 25th, this period being one with a series of storms that variously affected different parts of the State with respect to the dates of rainfall or snow.

The Crop Reporting Service indicated that potato, dry bean and sugar beet harvests were expected to be somewhat below earlier estimates because of adverse fall growing conditions, although in general crop production was good, the Idaho Crop Production Index as of November 1 being 111.6, exceeded only by that of 1953. Range feed conditions were about 10 points below average, although northern ranges have been generally benefitted by fall moisture, and the October precipitation helped some southern ranges. Irrigation was necessary due to the dryness of the soil prior to sugar beet harvesting in some fields in southern localities. Frosts caused some loss to the bean harvest. The moisture necessary for fall seeding of grains was provided in most areas of the southern part of the State by the snows of late October, although these were a temporary hindrance to the harvest in places. There was some wind damage to seeded fields, the seeds and topsoil being blown about or away in several places. Hay in windrows was scattered in some areas, and other field crops damaged. Particulars on the most severe of the windstorms, as furnished by the State Climatologist, are given below:

WINDSTORM OF OCTOBER 11

Strong winds followed a fast moving cold front that swept across southern Idaho between early morning and mid-afternoon. Nearly all southern Idaho stations reported high winds but only a few details about damage have been obtained. At Tetonia some fields of winter wheat were blown out and much topsoil was blown from fallow fields. Old timers called it the worst blow in the history of the area. At Sugar wind damage to buildings and at Idaho Falls, where gusts to 72 mph were recorded, some shingles were blown off. Potato harvest in that area was temporarily halted, dust clouds delayed traffic on highways and caused several minor accidents. Telephone and power lines were temporarily out of order at various points in the Snake River Valley. Near Bliss the wind blew seed and beans that had not been harvested and badly scattered hay that was in windrows.

H. C. Steffan

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total		
BOISE WB AIRPORT	SE	37	9.8	50	NW	23	60	37	37	53	0	[illegible]	2	0	0	0	2	85	3.2
IDAHO FALLS 43 NW WB	-	-	7.2	39	SW	11	-	-	-	-	1	1	1	0	0	0	3	-	-
IDAHO FALLS 46 W WB	-	-	7.3	44	WSW	11	-	-	-	-	4	2	0	0	0	0	6	-	-
LEWISTON WB AIRPORT	-	-	-	-	-	-	80	59	45	-	4	5	1	0	0	0	10	-	5.3
POCATELLO WB AIRPORT	[illegible]	18	9.6	54	W	11	69	44	35	60	3	0	4	0	0	0	7	74	4.5

COMPARATIVE DATA

Table 1

OCTOBER

Year	Temperature			Precipitation	
	Average	Highest	Lowest	Average	Average snowfall
1893	44.3	80	3	1.89	-
1894	46.7	88	9	2.30	-
1895	49.3	93	3	.09	-
1896	47.4	96	8	.84	-
1897	46.9	92	4	1.58	-
1898	43.8	88	0	1.08	0.5
1899	43.9	90	4	2.41	4.3
1900	47.0	87	5	2.29	0.8
1901	51.4	90	10	1.06	T
1902	48.7	91	12	.49	0.6
1903	49.1	86	7	1.15	1.0
1904	49.2	90	7	1.33	0.6
1905	42.6	89	- 3	1.12	2.4
1906	49.1	92	- 1	.67	0.9
1907	52.2	92	16	.98	T
1908	44.7	85	3	2.40	2.3
1909	47.8	87	5	1.01	1.2
1910	49.3	94	7	1.48	T
1911	44.6	88	5	1.57	1.3
1912	43.7	88	7	2.34	1.5
1913	44.0	87	8	1.51	2.2
1914	49.0	93	13	1.81	0.2
1915	49.2	91	6	.55	0.2
1916	43.8	87	1	1.06	0.9
1917	47.0	92	-16	.18	0.7
1918	49.0	88	10	2.33	0.6
1919	41.0	87	-12	1.58	7.1
1920	44.0	92	2	2.54	5.5
1921	50.2	91	9	.75	0.3
1922	49.8	94	4	.74	0.4
1923	45.5	91	- 5	2.38	1.3
1924	46.8	85	11	2.06	1.9
1925	45.0	80	8	1.23	0.2
1926	48.4	90	2	.86	T
1927	48.3	97	1	1.69	0.5
1928	48.3	88	9	1.32	1.1
1929	48.4	89	- 1	.73	0.2
1930	45.0	81	6	1.75	0.6
1931	47.8	89	12	1.38	0.3
1932	45.6	91	[illegible]	1.04	0.6
1933	50.4	91	0	1.77	0.7
1934	49.7	98	13	1.76	1.0
1935	46.4	95	- 9	.80	2.4
1936	48.2	89	- 1	.28	0.1
1937	49.7	88	10	1.15	T
1938	48.6	[illegible]	14	2.50	0.4
1939	47.5	85	6	1.29	0.9
1940	49.8	91	16	2.02	0.3
1941	46.0	83	9	1.41	0.8
1942	48.4	92	2	1.12	0.6
1943	49.1	95	- 3	2.15	2.2
1944	52.2	89	8	.67	T
1945	50.0	91	- 2	1.04	0.6
1946	41.5	85	3	2.48	2.2
1947	50.0	90	10	2.48	0.2
1948	47.8	87	5	.70	0.2
1949	42.5	86	6	1.53	3.9
1950	50.1	90	9	2.13	0.5
1951	44.7	87	3	2.73	1.7
1952	51.5	92	9	.07	T
1953	49.4	93	12	.48	0.6
1954	45.6	87	0	.66	0.9
ALL YEARS	47.4			1.40	

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

CLIMATOLOGICAL DATA

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail			No. of Days		
										Max		Min.						Total	Max. Depth on Ground	Date	.10 or More	.50 or More	1.00 or More
										90° or Above	32° or Below	32° or Below	0° or Below										
NORTHERN DIVISION																							
AVERY RS	59.8	34.0	46.9	- 1.9	75	6	23	26	558	0	0	15	0	2.50	- .32	.88	21	.0	0		6	2	0
BAYVIEW MODEL BASIN	55.0	28.4	41.7		66	5	19	26+	713	0	0	25	0	1.09		.40	21	.0	0		4	0	0
BIG CREEK 1 S	58.4	19.8	39.1		75	6	10	1+	799	0	0	30	0	.53	- 1.08	.18	19	T	0		2	0	0
BONNERS FERRY 1 SW	55.2M	30.2M	42.7M	- 3.4	65	6+	19	26	683	0	0		0	.76	- 1.08			.0	0			0	0
BUNGALOW RS	M	M	M		74	6				0	0		0										
BURKE 2 NNE	49.6	30.3	40.0	- 2.3	67	6	21	26	767	0	0	19	0	3.51	- .02	.95	11	T	T	24	7	3	0
CLARK FORK 1 ENE	58.1M	29.8	44.0M	- 1.9	69	6	19	25+	651	0	0	20	0	1.93	- 1.93	.66	11	.0	0		5	2	0
COBALT BLACKBIRD	47.9	22.8	35.4		62	6	12	14		0	3	28	0	1.03		.34	24	5.8	2	13+	5	0	0
COEUR D ALENE RS	57.0M	31.4M	44.2M	- 3.9	68	16	24	25		0	0		0	1.43	- .37	.67	22	.0	0		3	2	0
COTTONWOOD	58.2	29.9	44.1	- 3.3	76	6+	19	14	645	0	0	18	0	.79	- .98	.25	19	.0	0		3	0	0
DIXIE	56.8	20.6	38.7		72	6	10	1	808	0	0	29	0	1.22		.50	12	.0	0		4	1	0
ELK CITY	59.5	24.8	42.2		78	6	14	30	701	0	0	26	0	1.16		.43	12	T	0		4	0	0
ELK RIVER 1 S	59.8M	29.0M	44.4M		78	6+	19	26	630	0	0	21	0	1.67		.44	21	T	0		7	0	0
FENN RS	60.7	36.1	48.4	- 2.8	71	16	28	14+	508	0	0	8	0	1.37	- 1.60	.39	12	.0	0		5	0	0
GRANGEVILLE	57.5	32.1	44.8	- 3.6	75	6	23	1+	617	0	0	17	0	.86	- 1.40	.31	19		0		4	0	0
KELLOGG	57.7	33.6	45.7	- 2.1	74	7+	24	26		0	0	14	0	1.96	- .72	.90	22	.0	0		7	1	0
KOOSKIA	64.7	32.5	48.6	- 2.7	79	16	22	14	501	0	0	16	0	.83	- 1.27	.34	22	.0	0		3	0	0
LEWISTON WATER PLANT	64.9	37.8	51.4	- 1.8	79	16	27	25+	414	0	0	12	0	.46	- .77	.21	21	.0	0		2	0	0
LEWISTON WB AP //R	62.5	35.2	48.9	- 3.0	79	7	23	26	492	0	0	14	0	.36	- .85	.20	21	.0	0		1	0	0
MOSCOW U OF I	59.6	35.1	47.4	- 1.5	77	6	22	26	538	0	0	12	0	.96	- .72	.43	21	.0	0		4	0	0
MULLAN PASS CAA	43.2	30.4	36.8	- 3.2	62	16	21	25	868	0	3	21	0	2.88	- .68	1.24	21	8.0	5	13+	6	1	1
NEZPERCE 2 E	56.4	32.7	44.6		73	6	24	13	626	0	0	17	0	.58		.19	22	.0	0		2	0	0
OROFINO	64.4	34.2	49.3	- 2.0	78	5+	24	26	479	0	0	13	0	1.19	- .91	.36	22	.0	0		4	0	0
PIERCE RS	57.3M	27.9M	42.6M	- 4.4	80	6	18	1+	686	0	0	23	0	1.35	- 1.60	.40	20	.0	0		6	0	0
PORTHILL	55.5	30.5	43.0	- 2.2	72	7	19	26	673	0	0	18	0	.89	- .79	.26	22	.0	0		3	0	0
POTLATCH 1 SE	60.4	31.5	46.0	- 2.2	79	6	19	25+	582	0	0	19	0	1.05	- .80	.59	21	.0	0		3	1	0
PRIEST RIVER EXP STA	54.7	30.0	42.4	- 2.0	67	15	18	26	696	0	0	19	0	.97	- 1.67	.44	21	T	0		5	0	0
RIGGINS RS	67.3M	40.9M	54.1M	- 1.5	77	2+	32	26+	325	0	0		0	.58	- .68	.17	17				3	0	0
SAINT MARIES	61.8	30.7	46.3	- 2.0	78	16	20	25+	575	0	0	18	0	1.58	- .55	.94	21	.0	0		5	1	0
SALMON	63.4	25.5	44.5	- 1.4	80	6	15	27+	631	0	0	23	0	.12	- .50	.05	11+		0		0	0	0
WALLACE	54.6	32.3	43.5	- 3.6	71	6+	22	26	662	0	0	19	0	3.61	.40	1.11	11	.0	0		8	3	1
WALLACE WOODLAND PK	55.4	31.5	43.5	- 3.8	74	17	22	24+		0	0	17	0	2.56	- .34	.93	22	.0	0		6	2	0
WINCHESTER 1 SE	56.5	30.7	43.6	- 3.2	74	6	20	26	655	0	0	17	0	.95	- 1.22	.19	19	.0	0		6	0	0
DIVISION			44.3	- 3.2										1.34	- .90			.5					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	66.4	37.3	51.9		80	6	27	25	401	0	0	7	0	.42		.21	12	.0	0		2	0	0
ARROWROCK DAM	63.5	33.7	48.6	- 2.3	79	7	23	25		0	0	12	0	.31	- .93	.25	13	.0	0		1	0	0
ATLANTA 1 E	61.2	31.1	46.2	3.5	74	17	20	14	576	0	0	17	0	.47	- 1.48	.22	13	T	T	12+	2	0	0
BLISS	68.3	32.2	50.3	- 0.4	83	7	19	27+	449	0	0	15	0	.58	- .07	.30	12	.0	0		2	0	0
BOISE LUCKY PEAK DAM	M	M	M		82	6	22	25		0	0		0	.31		.16	13		0		1	0	0
BOISE WB AP //R	65.1	36.6	50.9	- 1.7	83	6	23	25	431	0	0	8	0	.44	- .50	.28	12	.0	0		2	0	0
BUHL	65.5	37.7	51.6	0.9	82	6	27	26+	411	0	0	8	0	.40	- .49	.38	12	.8	1	24	1	0	0
CALDWELL	64.8	33.6	49.2	- 2.9	81	6	20	28	481	0	0	14	0	.37	- .41	.23	12	.0	0		1	0	0
CAMBRIDGE	66.2	27.9	47.1	- 2.4	84	6	14	28	549	0	0	22	0	.42	- .78	.35	12	.0	0		1	0	0
CASCADE 1 NW	58.8	27.3	43.1		75	6	16	14	675	0	0	23	0	.22		.09	19	.0	0		0	0	0
CHALLIS	M	M	M		76	7				0	0		0										
COUNCIL	66.0	31.3	48.7	- 1.2	83	6	17	28	499	0	0	18	0	.51	- 1.24	.25	12	.0	0		2	0	0
DEADWOOD DAM	60.9	21.6	41.3	- 1.0	74	6	11	1+	727	0	0	29	0	.32	- 1.77	.17	19	.0	0		1	0	0
DEER FLAT DAM	65.2	34.5	49.9	- 1.0	83	6	22	14+	462	0	0	13	0	.37	- .35	.20	12				2	0	0
EMMETT 2 E	66.6	33.5M	50.1M	- 2.6	85	6	22	28	461	0	0	14	0	.31	- .59	.13	12				2	0	0
FAIRFIELD RS	63.8	25.1	44.5		74	6+	10	27	631	0	0	24	0	.17		.09	12	T	0		0	0	0
GARDEN VALLEY RS	67.7M	28.4M	48.1M	- 0.5	85	6	19	27+	516	0	0	24	0	.41	- 1.14	.14	13	.0	0		2	0	0
GLENNS FERRY	69.7	31.1	50.4	- 0.9	85	6	17	28	442	0	0	17	0	.51	- .08	.34	12	.0	0		2	0	0
GOODING CAA AP	64.5	35.2	49.9	0.8	81	6	25	14	464	0	0	10	0	.51	- .27	.51	12	T	0		1	1	0
GRAND VIEW	69.6	33.6	51.6	0.1	87	6	21	28	406	0	0	16	0	.43	- .36			.0	0			0	0
GRASMERE	63.6M	30.1M	46.9M		76	16	15	27	554	0	0	17	0	.05		.05	12	.0	0		0	0	0
HAILEY AP	61.2	24.2	42.7	- 4.1	75	17	11	29	684	0	0	27	0	.06	- 1.05	.05	12	.0	0		0	0	0
HAZELTON	64.6	31.8	48.2	- 2.6	81	7	19	27	511	0	0	17	0	.85	- .01	.62	13	2.0	T	24	2	1	0
HILL CITY	62.8	23.2	43.0	- 1.2	77	7	9	27	675	0	0	23	0	.28	- .74	.16	12	.0	0		2	0	0
HOLLISTER	65.4	32.0M	48.7M	- 0.4	82	17	21	27	544	0	0		0	.61	- .27	.37	13	1.0	0		2	0	0
IDAHO CITY	68.3	23.4	45.9	- 2.2	83	16	14	28	585	0	0	29	0	.38	- 1.01	.14	13	.0	0		2	0	0
JEROME	65.6M	31.6M	48.6M	- 2.6	82	6	20	27+	497	0	0	18	0	.54	- .14	.36	13				2	0	0
KUNA 2 NNE	65.6M	31.2	48.4M	- 3.1	84	6	20	26	507	0	0	18	0	.36	- .59	.18	12	.0	0		2	0	0
MC CALL	57.0	28.0	42.5	- 0.3	73	6	17	1	695	0	0	22	0	.61	- 1.31	.24	19	.0	0		3	0	0
MERIDIAN 1 W	64.6	32.3	48.5	- 3.1	81	6	20	26+	505	0	0	17	0	.29	- .69	.15	12	.0	0		1	0	0
MESA	66.1M	34.5M	50.3M		81	6	25	28	448	0	0		0	.54		.39	12	.0	0		2	0	0
MOUNTAIN HOME	71.1M	34.4M	52.8M	2.5	85	6	22	28	366	0	0	16	0	.41	- .49	.25	13	.0	0		2	0	0
NAMPA 2 NW	65.8	33.1	49.5		83	7	20	28		0	0	13	0	.27		.24	13	.0	0		1	0	0
NEW MEADOWS RS	60.5	22.2	41.4	- 2.4	77	6	11	1+	727	0	0	25	0	.43	- 1.32	.15	18	.0	0		1	0	0
OBSIDIAN 4 NNE	56.0	18.3	37.2	- 2.0	71	16	7	14	855	0	1	29	0	.02	- 1.18	.02	19	T	T	12	0	0	0
OLA 5 S	68.0	27.5	47.8		80	5+	16	27+	530	0	0	23	0	.52		.33	12				2	0	0
PARMA EXP STA	67.4	31.0	49.2	- 2.9	83	6	19	27+	485	0	0	18	0	.21	- .56	.13	12	.0	0		1	0	0
PAYETTE	63.3	33.5	48.4	- 2.6	82	6	20	28	506	0	0	14	0	.29	- .60	.22	12	.0	0		1	0	0
RICHFIELD	62.8	29.6	46.2	- 1.7	77	6+	19	27	573	0	0	22	0	.39	- .45	.23	12	.0	0		2	0	0
SHOSHONE	65.5	32.0	48.8	0.3	83	6	21	1+	496	0	0	16	0	.55	- .31	.35	12	.0	0		2	0	0
STIBNITE	53.8	25.6	39.7		71	17	15	13+		0	3	24	0	.71		.32	12	7.0	2	13	2	0	0
SUN VALLEY	60.3	17.7	39.0	- 2.5	72	16	6	14	798	0	0	31	0	T	- 1.44	T	12+	T	0		0	0	0
SWAN FALLS PH	69.5	41.1	55.3	- 0.6	85	6	29	28	301	0	0	3	0	.46	- .12	.27	12	.0	0		2	0	0
THREE CREEK	65.1	17.0	41.1		81	16	1	27	736	0	0	29	0	.41	- .87	.29	24	3.0	1	24	2	0	0
TWIN FALLS 2 NNE	65.8	33.2	49.5	- 0.2	82	6	21	27	476	0	0	17	0	.70	- .21	.49	13	1.5	0		2	0	0
TWIN FALLS 3 SE	64.2	33.1	48.7	- 2.5	80	7	23	28		0	0	13	0	.75	.01	.54	13	2.0	2	24	2	1	0
WEISER 1 S	65.4	31.6	48.5	- 3.9	79	6	19	28	501	0	0	16	0	.19	- .66	.15	12	.0	0		1	0	0
DIVISION			47.3	- 1.4										.40	- .84			.4					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	63.8	28.4	46.1	- 0.9	80	6+	20	27+	579	0	0	24	0	.80	- .14	.33	24				3	0	0
AMERICAN FALLS 1 NW	62.8	31.0	46.9	- 0.5	79	7	21	14+	554	0	0	19	0	.89	- .27	.42	13	4.5	0		2	0	0
ARCO	59.9M	22.9M	41.4M	- 3.7	73	7	12	27	723	0	0	28	0	.06	- .64	.05	23	T	0		0	0	0
ASHTON 1 S	59.0	23.4	41.2	- 3.2	71	16	16	26+	729	0	0	31	0	.34	- .94			.0	0			0	0
BLACKFOOT	66.3M	31.9M	49.1M	2.7	85	8			479	0	0		0	E .67	- .32	.22	13	1.0	1	24	5	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days: Max	Max	Min.	Min.	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max Depth on Ground	Date	No of Days: .10 or More ①	.50 or More	1.00 or More
BURLEY	64.8	33.3	49.1	- 0.9	84	6	22	27		0	0	15	0	.82	.00	.66	13	1.0	0		2	1	0
BURLEY FACTORY	63.6	29.5	46.6	- 2.5	83	8	18	27+		0	0	20	0	.80	.03	.70	13	2.0				1	0
BURLEY CAA AP	63.7	31.0	47.4	- 2.1	81	7	[illegible]	27+	540	0	0	18	0	.86	- [illegible]	.73	12	1.0	T	24	2	1	0
CHILLY BARTON FLAT	58.0	18.2	38.1	- 3.9	72	6	9	14	829	0	0	31	0	T	- .68	T	19	T	0		0	0	0
CONDA	60.8	26.9	43.9	- 0.2	75	7+	10	27		0	0	25	0	.83	- .66	.31	25	8.0			3	0	0
DRIGGS	61.4	26.2	43.8	1.6	77	9	12	26		0	0	26	0	.89	- .34								0
DUBOIS EXP STA	58.6	30.7	44.7	- 0.6	74	7	19	14	621	0	0	19	0	.03	- .97	.02	13	.5	0		0	0	0
DUBOIS CAA AP	59.7	27.5	43.6	- 2.9	76	7	16	14	657	0	0	25	0	.04	- .90	.04	23	T	T	13+	0	0	0
FORT HALL IND AGENCY	63.9	29.4	46.7	- 1.6	80	6+	19	27	561	0	0	24	0	1.09	.11	.49	24	T	T	24	5	0	0
GRACE	59.5	29.8	44.7	- 1.1	75	7	18	27	624	0	0	20	0	.44	- .84	.18	25	.0	0		2	0	0
GRAY	53.2	24.7	39.0	- 4.3	65	1	0	27	799	0	0	19	1	.62	- .82	.32	23	10.0	3	23	2	0	0
GROUSE	57.6	16.7	37.2		70	7	6	14	856	0	0	31	0	.00	- .87	.00		.0	0		0	0	0
HAMER 4 NW	61.6	22.8	42.2	- 3.0	77	7	10	27	698	0	0	28	0	.04	- .63	.02	23+	.5	0		0	0	0
IDAHO FALLS 6 NE	60.2M	29.7	45.0M		77	7	16	26	616	0	0	21	0	.58		.20	13		0		4	0	0
IDAHO FALLS CAA AP	61.0	28.5	44.8	- 2.3	80	6	19	27	621	0	0	26	0	.61	- .37	.25	12	2.2	T	24+	3	0	0
IDAHO FALLS 43 NW WB R	60.2	22.5	41.4	- 2.9	76	7	8	27	726	0	0	26	0	.12	- .35	.10	23	T			1	0	0
IDAHO FALLS 46 W WB R	60.7	21.6	41.2	- 2.7	76	7	4	14+	730	0	0	27	0	.07	- .61	.05	23	T	0		0	0	0
IRWIN 2 S	62.3	28.4	45.4	1.3	79	7+	16	27	602	0	0	23	0	.97	- .29	.50	24	7.0			4	1	0
ISLAND PARK DAM	54.6	21.2	37.9	- 4.8	70	7	9	14	832	0	1	31	0	.58	- 1.84	.35	13	2.5	0		3	0	0
LIFTON PUMPING STA	57.8	29.5	43.7	- 1.5	72	6	20	27	655	0	0	22	0	.82	- .30	.32	13	1.5	0		3	0	0
MACKAY RS	59.7	26.7	43.2	- 2.4	79	6	16	28	668	0	0	27	0	.01	- .69	.01	23	.2	T	12+	0	0	0
MALAD	65.5	33.0	49.3	1.4	78	6+	21	27	482	0	0	16	0	.42	- .83	.16	25	T	0		2	0	0
MALAD CAA AP	65.5	27.6	46.6		80	7	17	14	564	0	0	24	0	.44		.17	25	T	0		3	0	0
MAY RS	61.9	23.9	42.9	- 3.7	78	7	11	14	677	0	0	25	0	T	- .60	T	11+	T	0		0	0	0
MC CAMMON	63.2	27.4	45.3		79	3+	18	28	604	0	0	23	0	.62		.35	13	1.0	0		2	0	0
MINIDOKA DAM	62.3	33.7	48.0		79	7	24	27	521	0	0	14	0	.98		.58	13		1	24	2	1	0
MONTPELIER RS	61.7M	25.8M	43.8M	- 1.0	76	[illegible]	15	27		0	0	27	0	1.07	- .20	.35	13	4.0			3	0	0
OAKLEY	65.3	33.4	49.4	- 0.5	81	7	20	27	476	0	0	15	0	.63	- .29	.33	13	1.0	T	24	2	0	0
PALISADES DAM	61.1	29.3	45.2		77	8	19	26+	606	0	0	23	0	1.01		.36	25	6.2	2	25	3	0	0
PAUL 1 E	63.0	30.2	46.6	- 2.8	82	8	19	27		0	0	20	0	.88	- .08	.72	13	1.0	0		2	1	0
POCATELLO WB AP //R	61.4	31.5	46.5	- 2.8	80	7	22	27	568	0	0	19	0	1.07	.03	.41	12	4.1	3	24	4	0	0
PRESTON SUG FACT 2SE	65.6	31.1	48.4	0.3	78	6+	19	27	509	0	0	20	0	.53	- .70	.30	13	T	0		1	0	0
RUPERT	63.5M	30.9M	47.2M	- 2.0	83	8	19	27		0	0	19	0	.83	- .11	.65	13	2.0	T	25	2	1	0
SAINT ANTHONY	60.8	26.5M	43.7M		77	7	17	14	656	0	0		0	.39	- .41	.16	13	.0	0		1	0	0
SPENCER RS	56.7	22.3	39.5	- 2.0	71	7	10	27	781	0	0	30	0	.16	- 1.28	.14	9	T	0		1	0	0
SPRINGFIELD 1 SE	63.9	27.9	45.9	- 1.4	81	6	18	27	585	0	0	25	0	.49	- .57	.15	24	1.0	1	24	3	0	0
STREVELL	61.5	29.9	45.7		75	7+	11	14	589	0	0	18	0	.23		.12	24	2.0	2	24	2	0	0
SUGAR	59.5	26.2	42.9	- 1.6	76	7	16	27	680	0	0	26	0	.42	- .59	.19	13	3.5	1	24	2	0	0
TETONIA EXP STA	56.8	24.0	40.4		74	7	10	26+	755	0	0	31	0	.79		.35	12				3	0	0
DIVISION			44.4	- 1.2										.54	- .54			1.8					
STATE			45.6	- 1.8										.66	- .76			.9					

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

IDAHO - OCTOBER 1954

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	.80												.29	.13										.02	.33	.03							•
AMERICAN FALLS 1 NW	.89												.01	.42										.01	.41	.04							•
ANDERSON DAM	.42												.21	.13						.04	.04												•
ARCO	.06																							.05		.01							•
ARROWROCK DAM	.31												T	.25	T						.06												•
ASHTON 1 S	.34												•	.34												T							•
ATLANTA 1 E	.47											.05	.11	.22							.09			T	T	T							•
AVERY RS	2.50										T	.53	.20	T				.17		.30	.01	.88	.40	.01									•
BAYVIEW MODEL BASIN	1.09											.04						.17		.15		.40	.33										•
BIG CREEK 1 S	.53											.15	.05	.05				.04		.18	.06			T									•
BLACKFOOT E	.67												.15	.22										.10	E.10	.10							•
BLISS	.58												.30	.28																			•
BOISE LUCKY PEAK DAM	.31												.07	.16						.06	.02												•
BOISE WB AP //R	.44												.28							.16													•
BONNERS FERRY 1 SW	.76										.05	•	•	•	.21			.07		.15	.05	.17	.06	T									•
BUHL	.40												.38												.02								•
BUNGALOW RS	-											.59	.27					.19	•	•	•	.99	-	-	-	-	-	-	-	-	-	-	•
BURKE 2 NNE	3.51		T					T	.07		.03	.95	.33	.02				.10		.30	.16	.87	.58	.01	.09					T			•
BURLEY	.82													.66											.04	.12							•
BURLEY FACTORY	.80													.70											•	.10							•
BURLEY CAA AP	.86												.73	T										T	.13								•
CALDWELL	.37												.23	.08						.04	.02												•
CAMBRIDGE	.42											.01	.35	.02						.03	.01												•
CASCADE 1 NW	.22											.02	.02	.03						.09	.06												•
CENTERVILLE ARBAUGH	.42											.01	.09	.10						.22													•
CHALLIS	-											-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						•
CHILLY BARTON FLAT	T																			T				T									•
CLARK FORK 1 ENE	1.93											.66	.02	.06				.16			.11	.53	.38	.01									•
COBALT BLACKBIRD MINE	1.03												.21	.19					.02		.15			.11	.34	.01							•
COEUR D ALENE RS	1.43								T			T							.09	.10		.57	.67										•
CONDA	.83					.08								.28	.04										.12	.31	T						•
COTTONWOOD	.79							T				.09	.21					.05		.25		T	.19										•
COUNCIL	.51												.25	.06						.05			.15										•
CROUCH 2 NNW	.48												.20	.05						.23													•
DEADWOOD DAM	.32											.02	.08	.03			T			.17	.02												•
DEER FLAT DAM	.37												.20	.13						.04													•
DIXIE	1.22												.50					.19					.43	.10									•
DRIGGS	.89													.29											•	.60							•
DUBOIS EXP STA	.03													.02										T	.01								•
DUBOIS CAA AP	.04												T	T										.04	T	T							•
ELK CITY	1.16											.18	.43	.07				.09		.20	.02		.12	.03	.02								•
ELK RIVER 1 [illegible]	1.57			.03	T			T	.16			.07	.20	T		.02		.18	.01	.18	.01	.44	.26	.01									•

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3—Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	.31												.13	.12						.06												
FAIRFIELD RS	.17											T	.09	.08						T				T		T						
FENN RS	1.37											.04	.39					.15		.31	.19		.20	T	.09							
FORT HALL IND AGENCY	1.09												.10	.28										.12	.49	.10						
GARDEN VALLEY RS	.41												.08	.14						.09	.10											
GLENNS FERRY	.51												.34	.17																		
GOODING CAA AP	.51												.51												T							
GRACE	.44				.05									.09										.02	.10	.18						
GRAND VIEW	.43												*	.43																		
GRANGEVILLE	.86							T				T	.11					.11		.31	.03	.03	.27	T								
GRASMERE	.05												.05																			
GRAY	.62																							.32	.30							
GROUSE	.00																															
HAILEY AP	.06												.05											.01								
HAMER 4 NW	.04												T											.02	.02							
HAZELTON	.85												.09	.62											.14							
HILL CITY	.28												.16	.12																		
HOLLISTER	.61													.37											.24							
HOWE	T																								T	T						
IDAHO CITY	.38											.03	.07	.14						.10	.04											
IDAHO CITY 11 SW	.37												.25	.07						.05	T											
IDAHO FALLS 6 NE	.58												.10	.20										.02	.16	.10						
IDAHO FALLS CAA AP	.61												.25	T										.10	.21	.05						
IDAHO FALLS 43 NW WB R	.12																							.10	.02	T						
IDAHO FALLS 46 W WB R	.07										T		T	T										.05	T	.02						
IRWIN 2 S	.97												.12	.15											.50	.20						
ISLAND PARK DAM	.58													.35										.12	.11							
JEROME	.54												.12	.36											.06							
KAMIAH 1 NE	.79								.03		.05	.04		.06					.02	T	.27	.09	.14	.09								
KELLOGG	1.96								.01			.20	.11	.15				.15			.28	.15	.90		.01							
KOOSKIA	.83							T				T						.10		.27	.05	.07	.34									
KUNA 2 NNE	.36												.18	.08						.10												
LEWISTON WATER PLANT	.46			T				T	T		.01	.02						.05		T		.21	.17									
LEWISTON WB AP //R	.36			T				T			T	.03	.01					.06		.02	T	.20	.04									
LIFTON PUMPING STA	.82				T	.02				.07	.10			.32	.02										.20	.09						
MACKAY RS	.01												T											.01								
MALAD	.42				.05						.04			.13											.04	.16						
MALAD CAA AP	.44				.05						.01		.10												.11	.17						
MAY RS	T											T	T							T				T								
MC CALL	.61											.08	.19	T						.24	T		.10									
MC CAMMON	.62				T	.04					T			.35											.14	.09						
MERIDIAN 1 W	.29												.15	.05						.09												
MESA	.54												.39	.10						.05												
MINIDOKA DAM	.98												.06	.58											.34							
MONTPELIER RS	1.07					.06				.05		.09		.35											.24	.28	T					
MOSCOW U OF I	.96							T				.26	T							.13		.43	.14									
MOUNTAIN HOME	.41												.14	.25						.02												
MULLAN PASS CAA	2.88		T					.04	.01		.34	.42	.38	T				.09		.16	.06	1.24	.11	.03								
NAMPA 2 NW	.27													.24							.03											
NEW MEADOWS RS	.43											.09	.08				.01		.15	.05			.05									
NEZPERCE 2 E	.58							.03				.05	.03					.07		.07		.14	.19									
OAKLEY	.63												.07	.33											.23							
OBSIDIAN 4 NNE	.02												T							.02												
OLA 3 S	.52											.02	.33							.04	.13											
OROFINO	1.19							.04		.06		.28	.05							.20	.01	.17	.36						.02			
PALISADES DAM	1.01				T	.02				T			.06	.27										T	.30	.36						
PARMA EXP STA	.21							T					.13	.01	.07					T	T											
PAUL 1 E	.88													.72												.16						
PAYETTE	.29											T	.22	.05						.02												
PIERCE RS	1.35								.01			.23	.23				.17				.40	.14	.16	.01								
POCATELLO WB AP //R	1.07				T								.41	T										.30	.25	.11	T					
PORTHILL	.89											.25		.07				.03		.03	T	.25	.26	T								
POTLATCH 1 SE	1.05			T				T	.02		T	.16						.08		.05		.59	.15									
PRESTON SUG FACT 2 SE	.53				.06	.08					.02			.30											.02	.05						
PRIEST RIVER EXP STA	.97		T								.03	.17	T	T				.11		.10		.44	.12		T							
RICHFIELD	.39												.23	.13											T	.03						
RIGGINS RS	.58											.02		.15				.17		.15			.09									
RUPERT	.83													.65												.18						
SAINT ANTHONY	.39												.08	.16											.06	.09						
SAINT MARIES	1.58										T	.08	.17					.11		.17		.94	.11									
SALMON	.12											.05		.05						.02			T	T								
SHOSHONE	.55												.35	.20																		
SPENCER RS	.16									.14		T			.01										.01	T						
SPRINGFIELD 1 SE	.49												.13	.11										.05	.15	.05						
STIBNITE	.71												.32	.07				.03			.28		T	T	.01	T	T					
STREVELL	.23				.11	T								T											.12							
SUGAR	.42											T	.05	.19										.06	.10	.02						
SUN VALLEY	T												T								T					T						
SWAN FALLS PH	.46												.27	.19																		
TETONIA EXP STA	.79												.35											.34		.10						
THREE CREEK	.41													.12											.29							
TWIN FALLS 2 NNE	.70												.06	.49											.15							
TWIN FALLS 3 SE	.75													.54											.12	.09						
WALLACE	3.61							.11			.10	1.11	.37					.17		.39	T	.71	.57	.08								
WALLACE WOODLAND PARK	2.56							.09				.59	.29	.16				.23			.23	.04	.93									
WEISER 1 S	.19												.15	.02						.02												
WINCHESTER 1 SE	.95							.10	.03			.10	.05	.06				.13		.19		.14	.15									

Table 5

DAILY TEMPERATURES

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	64	73	71	65	74	80	80	75	69	68	65	55	58	56	61	70	64	67	75	67	68	73	62	43	41	58	51	55	56	58	57	63.8
	MIN	23	24	31	30	26	30	34	39	43	30	39	33	34	21	25	27	32	26	29	28	26	30	34	30	31	25	20	20	21	20	20	28.4
AMERICAN FALLS 1 NW	MAX	62	72	71	70	69	78	79	77	70	66	64	57	48	53	59	68	69	64	75	69	63	74	69	44	43	46	53	54	58	53	53	62.8
	MIN	24	25	33	31	30	33	53	43	45	29	40	34	33	21	27	31	40	31	35	25	32	35	35	30	29	25	21	23	21	25	21	31.0
ANDERSON DAM	MAX	69	73	69	70	79	80	76	71	69	65	60	54	53	60	72	79	71	76	68	69	72	75	61	55	49	52	57	63	61	65	61	66.4
	MIN	32	37	38	37	39	44	50	43	43	40	42	37	35	30	33	41	47	37	43	34	37	42	41	34	27	30	28	29	32	35	38	37.3
ARCO	MAX	61			65	72	72	73	70		65	61	51	51	56	52		69	65	69	58	65	70	54	44	37	50	51	56	50	56	55	56.9
	MIN	19			21	20	25	29	33		30	27	22	20	17	16		22	24	25	25	23	26	32	34	30	22	12	15	18	15	17	22.9
ARROWROCK DAM	MAX	60	65	74	70	70	78	79	75	66	69	64	59	49	52	57	70	78	64	74	69	60	73	74	53	52	47	49	53	55	56	54	63.5
	MIN	30	29	36	32	33	36	47	43	41	38	39	33	35	27	30	34	46	34	39	33	34	40	40	36	25	25	26	25	25	30	29	33.7
ASHTON 1 S	MAX	55	65	67	68	65	64	66	68	65	57	51	51	54	58	66	71	69	67	68	65	60	61	55	51	49	54	48	50	49	48	50	58.0
	MIN	19	25	26	30	28	30	27	29	32	30	31	30	19	17	17	20	28	27	25	23	20	21	24	22	19	18	16	17	15	21	18	23.4
ATLANTA 1 E	MAX	64	68	71	65	61	64	66	63	65	63	59	43	44	60	63	65	74	71	70	52	65	67	62	45	42	54	58	61	62	64	67	61.2
	MIN	34	37	39	38	34	30	33	34	35	36	33	28	24	20	24	31	39	30	41	25	34	36	32	30	24	26	24	27	28	29	30	30.1
AVERY RS	MAX	69	66	59	65	65	75	74	62	65	60	52	52	50	61	70	70	60	61	56	63	51	52	52	55	56	54	57	56	55	55	55	59.8
	MIN	31	30	32	31	31	34	43	45	41	34	48	38	30	29	34	37	40	39	38	36	45	42	36	31	24	23	25	25	25	26	29	34.0
BAYVIEW MODEL BASIN	MAX	54	53	59	53	66	64	64	60	61	56	58	54	53	49	57	62	58	57	55	54	55	52	48	52	48	51	54	51	55	51	46	55.0
	MIN	23	27	26	24	31	39	37	31	32	28	36	38	29	22	20	35	34	31	30	29	29	29	29	25	25	19	19	26	23	28	27	28.4
BIG CREEK 1S	MAX	60	67	64	69	70	75	69	64	62	62	51	39	47	58	61	68	59	68	63	53	67	61	39	34	38	52	59	57	61	59	58	58.4
	MIN	10	14	12	15	20	21	25	28	20	20	33	26	17	10	16	19	24	17	21	21	32	31	29	29	26	14	15	15	10	12	15	19.8
BLACKFOOT	MAX	65	72	72	73	74	81	81	85	69	66	65	63	50	55	64	74	64	69	75	62	59						52	55	58	58	57	66.3
	MIN	27	29	35	34	32	33	51	46	46	34	45	34	33	24	26	29	35	28	31	34	28							21	21	21	21	31.0
BLISS	MAX	70	77	74	72	78	79	83	81	73	71	67	59	54	60	72	77	70	75	77	63	75	79	66	50	49	57	60	60	62	66	63	66.3
	MIN	26	29	28	30	35	40	47	38	37	37	37	30	37	25	31	41	39	33	45	28	34	40	37	34	25	24	19	19	21	27	24	32.2
BOISE LUCKY PEAK DAM	MAX	70					82	79	77					50	60	74	82			76	81	77	76	62			50	58	55	59			
	MIN	34					49	49	45					33	32	35			39	44	34	40	45			22	29	28	29	32			
BOISE WB AP	MAX	66	73	68	69	74	83	77	68	69	65	63	50	52	61	73	78	66	77	72	62	77	74	54	56	50	52	56	55	59	62	58	65.1
	MIN	32	35	35	37	40	47	53	45	42	44	40	34	33	32	37	40	46	37	38	36	39	44	35	33	23	25	30	28	32	30	33	36.6
BONNERS FERRY 1 SW	MAX	59	50	56	51	56	65	65	65	65	58						60	54	60	51	52	54	54	50	52	55	50	58	52	48	47	51	55.2
	MIN	23	28	34	28	32	33	40	42	40	29						29	34	33	33	39	44	38	30	25	23	19	21	24	22	22	23	30.2
BUHL	MAX	64	69	70	64	76	82	78	75	68	66	64	58	50	57	69	76	72	73	74	61	73	76	72	47	47	52	57	58	59	60	63	65.5
	MIN	34	37	42	40	42	41	55	47	46	43	46	34	35	29	34	40	47	36	44	36	36	50	38	30	29	27	27	30	31	31	34	37.7
BUNGALOW RS	MAX	65	67	62	67		74	70				56			60	62	68	55															
	MIN	26	26	35	31		34			36		31			27	30	34	42															
BURKE 2 NNE	MAX	48	51	48	50	53	67	62	53	53	47	45	43	40	42	61	62	52	59	52	50	46	45	41	42	45	41	51	48	47	47	40	48.6
	MIN	22	26	36	28	34	34	39	40	32	29	34	32	28	24	30	34	35	30	37	35	41	37	29	24	24	21	25	25	24	25	26	30.3
BURLEY	MAX	59	69	74	73	63	77	83	84	76	70	66	66	54	51	59	67	79	66	72	73	65	72	76	48	39	43	50	57	59	59	68	64.8
	MIN	29	30	32	34	33	36	46	43	44	39	41	35	33	25	30	38	42	35	37	31	32	39	37	31	31	27	25	24	24	25	25	33.3
BURLEY FACTORY	MAX	58	68	68	67	66	74	80	83	75	68	65	66	52	48	68	67	77	64	70	72	61	68	70	45	40	42	48	55	58	60	58	65.6
	MIN	24	26	33	30	30	33	43	36	39	36	36	30	31	23	24	35	42	28	35	26	28	32	35	29	30	23	18	18	19	20	22	29.5
BURLEY CAA AP	MAX	67	72	70	64	77	80	82	73	68	65	66	51	48	59	67	78	64	71	73	62	72	74	48	38	42	49	57	56	59	59	63	65.7
	MIN	24	27	39	30	31	34	45	34	40	37	40	33	30	23	27	36	38	31	35	29	29	43	36	30	30	24	20	22	20	22	22	31.0
CALDWELL	MAX	63	72	68	69	72	81	77	71	70	67	66	58	55	58	63	70	70	70	68	60	73	72	58	58	55	55	55	56	58	61	61	64.8
	MIN	28	29	35	30	34	37	49	46	41	37	41	32	34	25	30	35	45	31	48	30	36	43	38	38	34	25	22	20	22	25	25	33.6
CAMBRIDGE	MAX	68	72	70	75	75	84	76	75	72	73	60	50	57	62	68	75	73	73	57	60	66	64	59	55	57	58	60	62	68	65	59	66.2
	MIN	18	20	27	24	27	28	45	40	34	28	45	31	26	19	20	25	27	25	30	23	40	39	37	39	35	30	15	14	16	18	19	27.9
CASCADE 1 NW	MAX	60	65	62	64	70	75	69	61	60	59	53	42	43	55	64	72	70	68	64	51	68	64	48	44	43	51	53	55	54	57	58	58.8
	MIN	18	21	24	24	26	30	42	42	27	27	39	31	25	16	22	28	38	22	33	25	35	45	33	31	25	19	17	17	20	21	22	27.3
CHALLIS	MAX	58	71	69	66	70	73	78	68	64	62																		60	58	55	60	
	MIN	23	28	32	29	30	34	41	38	40	34	43																	22	21	24	22	
CHILLY BARTON FLAT	MAX	55	68	66	63	52	72	70	68	60	58	56	45	43	55	60	65	58	63	64	52	58	66	49	40	36	48	53	57	59	58	58	58.0
	MIN	13	16	18	13	15	20	24	25	26	20	25	21	26	9	15	16	18	16	18	12	18	21	31	26	25	20	10	10	10	12	12	18.2
CLARK FORK 1 ENE	MAX	58	55	61	55	52	69	65	60	64	57	59	57	55	60	65	65	54	65		58	53	54	51	55	53	63	57	54	54	52	54	58.1
	MIN	23	26	30	31	34	34	34	35	38	28	45	39	27	28	22	29	28	31	40	40	42	39	29	21	19	19	21	22	25	22	23	29.8
COBALT BLACKBIRD MINE	MAX	38	48	58	55	53	59	61	62	57	50	52	45	36	33	43	51	58	47	53	58	45	58	55	25	28	29	39	48	44	47	47	47.9
	MIN	15	15	26	26	25	29	34	34	30	26	31	22	14	12	13	24	32	25	26	22	22	34	26	23	21	14	14	18	17	18	25	22.8
COEUR D ALENE RS	MAX	58		60		60	66	65		63			57	53	59	67	68			58	58	56	52	47	52	52	53	57	55	53	50	49	57.0
	MIN	29			31	29	29		33			26	33	31	26	29			32	38	40	50	42	32	26	24	25	27	29	29	32	31	31.4
CONDA	MAX	59	69	70	73	62	71	75	73	75	67	60	62	46	46	52	65	74	66	71	72	60	71	72	45	45	36	40	48	53	52	55	60.0
	MIN	22	28	30	27	31	29	38	45	38	25	29	34	31	13	20	25	33	25	31	25	26	31	38	25	26	13	12	18	19	20	22	26.9
COTTONWOOD	MAX	58	65	59	62	63	76	70	62	63	62	56	43	49	58	67	76	60	68	67	57	64	51	40	48	45	48	55	54	55	54	52	58.2
	MIN	20	25	36	28	33	33	41	38	31	33	39	35	27	19	27	34	40	29	38	25	38	35	28	29	25	20	25	24	22	24	25	29.9
COUNCIL	MAX	66	71	70	72	75	83	80	73	72	71	68	53	55	60	68	75	71	72	69	59	67	65	53	52	54	57	58	63	52	65	69	66.0
	MIN	29	25	26	35	32	30	38	41	41	34	34	38	29	24	24	27	38	27	31	28	41	40	40	39	34	32	19	17	20	32	24	31.3
DEADWOOD DAM	MAX	52	67	66	67	72	74	69	63	67	62	53	59	46	57	72	72	59	71	60	51	67	62	53	46	43	55	56	60	59	57	61	60.9
	MIN	11	17	19	16	20	22	29	27	35	21	20	34	21	11	16	21	30	18	30	28	28	32	31	25	16	12	13	13	13	16	17	21.6
DEER FLAT DAM	MAX	65	72	68	68	73	83	75	69	70	68	64	44	55	58	65	73	75	74	77	76	76	72	55	56	52	55	59	55	58	54	61	65.2
	MIN	28	30	38	34	35	40	48	45	45	37	42	35	28	22	29	38	45	32	45	32	37	36	36	38	37	27	24	22	27	29	28	34.5
DIXIE	MAX	62	70	57	61	65	72	70	59	60	65	43	43	51	55	65	71	54	63	64	63	54	56	34	34	35	49	54	55	56	56	54	56.8
	MIN	10	12	18	17	22	22	24	35	21	20	24	29	12	15	19	22	29	20	25	26	28	34	28	22	20	14	15	13	13	14	16	20.6
DRIGGS	MAX	57	63	66	69	59	70	75	75	77	72	68	65	51	40	45	60	65	60	65	65	70	68	65	70	70	67	45	43	48	59	55	61.4
	MIN	27	27	40	32	27	30	38	39	39	44	32	28	30	17	17	22	22	23	22	22	23	30	27	25	26	12	14	19	20	20	19	26.2
DUBOIS EXP STA	MAX	58	69	67	60	63	71	74	71	65	61	61	46	48	49	59	68	63	65	70	63	59	68	64	40	38	50	45	48	49	51	55	58.6
	MIN	27	34	33	31	34	37	45	41	40	31	31	21	28	15	22	37	40	30	39	25	32	39	36	30	29	27	20	22	23	29	25	30.7
DUBOIS CAA AP	MAX	61	71	70	61	66	73	76	74	64	62	65	48	51	51	61	70	65	67	71	54	61	71	45	44	40	53	46	50	51	53	56	58.7
	MIN	25	28	30	32	28	35	39	36	39	32	27	21	22	16	22	30	32	32	33	24	29	33	31	31	30	18	17	17	21	23	18	27.5
ELK CITY	MAX	60	66	60	65	70	78	69	66	63	62	52	47	52	57	70	76	61	71	55	59	61	50	40	46	42	55	62	56	57	58	57	59.5
	MIN	16	17	18	22	24	24	28	37	29	23	35	31	25	25	22	25	30	29	26	29	37	38	33	23	25	21	16	15	16	14	16	24.8

See reference notes following Station Index.

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ELK RIVER 1 S	MAX	57	61	59	62	63	78	78	62	61	60		49	49	58	64	76	72	67	65	57	55	54		51	52	52	56	54	53	54	55	59.8
	MIN	20	24	37	27	30	33	38	40	33	29		38	25	23	26	29	40	31	32	30	44	39		24	22	19	22	22	20	22	22	29.0
EMMETT 2 E	MAX	67	75	70	73	72	85	82	72	72	68	64	58	55	61	65	74	68	71	72	62	78	74	60	59	55	55	57	56	61	64	61	66.6
	MIN	26	30	35	31	34	37	52	45	32	38	47	33	30	25	29	36	45	33	42	34	38		35	40	27	24	24	22	27	27	28	33.5
FAIRFIELD RS	MAX	64	70	68	68	71	74	74	71	67	65	59	53	51	57	67	73	67	70	68	57	69	72	65	53	41	51	58	65	63	64	63	63.8
	MIN	18	22	25	22	21	34	39	35	39	28	38	20	31	15	20	28	33	22	41	19	25	32	31	30	22	12	10	14	14	14	15	25.1
FENN RS	MAX	59	61	68	68	62	70	66	68	65	69	70	64	53	62	66	71	59	66	59	61	59	60	48	55	52	53	55	54	54	52	52	60.7
	MIN	36	35	38	37	37	39	42	46	40	36	42	40	37	28	29	35	42	37	37	40	46	36	40	34	34	32	29	29	29	28	28	36.1
FORT HALL IND AGENCY	MAX	65	72	70	64	74	80	80	75	72	67	64	58	48	56	64	74	75	68	75	67	70	73	66	44	40	45	52	54	55	58	57	63.9
	MIN	26	28	31	32	28	30	47	42	48	30	45	34	34	21	23	23	25	27	28	29	26	31	36	30	30	24	19	21	20	22	21	29.4
GARDEN VALLEY RS	MAX	70	75	73	78	83	85	80	74	72	65	64	57	50	62	69	76	69	70	60	55	73	76	65	57		58	59	60	61	63	62	67.7
	MIN	22	24	28	25	28	31	37	37	35	30	38	32	30	21	23	27	39	25	28	32	30	41	37	30		20	19	19	20	22	22	28.4
GLENNS FERRY	MAX	69	75	68	70	80	83	81	75	71	73	69	70	55	62	74	80	72	78	76	65	77	80	70	63	53	59	60	60	63	66	62	69.7
	MIN	27	26	30	29	28	33	42	39	36	37	37	31	39	25	27	39	43	31	43	28	33	39	39	34	24	24	18	17	20	25	21	31.1
GOODING CAA AP	MAX	66	73	71	67	78	81	79	73	70	67	65	47	51	58	70	76	66	74	74	61	72	75	52	45	46	52	56	56	58	61	58	64.5
	MIN	29	33	38	33	39	46	49	44	39	38	33	35	34	25	35	42	43	36	39	31	38	44	36	34	26	28	26	26	32	29	30	35.2
GRACE	MAX	65	70	70	59	66	74	75	74	63	56	62	48	45	51	65	67	67	69	68	57	65	70	54	39	34	40	50	53	56	57	55	59.5
	MIN	26	32	33	31	38	33	42	45	42	30	33	32	32	21	23	28	35	29	34	26	27	34	35	28	27	22	18	23	22	21	23	29.8
GRAND VIEW	MAX	67	76	76	76	81	87	86	73	76	73	70	61	56	61	73	80	71	76	73	65	76	79	72	56	58	56	58	60	62	62	63	69.6
	MIN	28	29	35	32	31	37	45	39	43	36	39	31	41	26	28	37	40	32	44	29	33	40	42	39	29	26	22	21	24	29	25	33.6
GRANGEVILLE	MAX	57	67	61	62	61	75	71	65	66	63	54	43	50	56	64	72	61	56	71	56	60	47	39	48	47	50	54	53	52	51	52	57.5
	MIN	23	28	37	31	35	38	42	40	35	35	40	35	27	24	32	37	41	32	37	30	41	35	32	28	28	23	27	28	24	26	25	32.1
GRASMERE	MAX	61	72	72	67	75	75	75		65	62	66	59	48	55	66	76	67	70	71	65	74	74	71	43	41	46	55	61	60	59	58	63.6
	MIN	22	27	33	28	34	42	43		37	34	41	27	31	20	26	33	36	30	43	22	33	41	33	28	19	28	15	24	22	25	25	30.1
GRAY	MAX	65	64	62	60	56	58	55	56	55	54	55	55	52	53	52	54	53	52	50	48	52	50	50	50	48	45	40	47	50	55	52	53.2
	MIN	40	39	38	38	35	36	38	36	36	35	34	35	32	30	28	25	24	26	25	20	21	18	21	20	5	2	0	6	7	8	7	24.7
GROUSE	MAX	60	66	65	60	65	67	70	67	60	58	57	48	50	51	60	67	61	63	66	51	63	55	56	44	35	48	48	53	55	53	53	57.6
	MIN	13	16	19	13	15	20	28	23	26	17	27	13	15	6	12	17	19	17	16	10	18	23	28	29	20	7	7	8	10	13	12	16.7
HAILEY AP	MAX	63	69	65	62	69	72	73	70	67	65	58	50	50	54	65	72	75	70	72	65	65	70	58	42	38	45	50	54	56	57	55	61.2
	MIN	22	27	28	26	27	33	36	33	33	31	24	17	21	18	18	32	30	24	32	22	25	32	21	25	26	12	12	13	11	17	22	24.2
HAMER 4 NW	MAX	63	71	70	64	68	75	77	74	67	64	62	52	53	54	63	70	64	62	72	64	63	72	66	46	39	50	47	52	52	58	55	61.6
	MIN	21	21	27	26	23	28	34	29	37	24	31	19	31	12	18	19	23	23	24	18	22	26	35	31	20	15	10	12	13	16	11	22.8
HAZELTON	MAX	70	72	70	66	77	79	81	75	68	65	63	55	48	58	67	76	70	72	73	62	70	75	67	45	41	50	55	55	56	60	61	64.6
	MIN	25	27	37	39	30	40	46	42	42	33	38	34	32	23	30	37	43	31	37	28	30	35	34	29	31	23	19	21	25	23	23	31.8
HILL CITY	MAX	65	69	66	69	75	74	77	70	64	62	56	49	48	58	65	72	66	69	70	57	70	72	59	50	45	51	52	62	60	61	65	62.8
	MIN	16	19	26	24	19	35	37	35	39	16	19	26	30	14	19	25	40	22	34	18	22	34	34	23	15	11	9	10	11	17	19	23.2
HOLLISTER	MAX	63	73	72	76	70	78	78	73	69	64	68	61	52	52	58	81	82	80	74	65	70	75	66	42	39	49	55	60	62	60	61	65.4
	MIN	26	30	34	36	38	41	52	41	41	39	39	25	32	24	31								32	28	28	25	21	26	25	25	29	32.0
IDAHO CITY	MAX	69	75	73	75	79	80	72	70	70	66	60	53	55	63	72	83	81	77	75	60	75	74	65	58	53	57	60	66	66	67	68	68.3
	MIN	15	20	22	21	22	27	32	32	31	25	31	26	30	17	20	24	33	23	26	22	26	33	30	25	15	15	15	14	16	19	19	23.4
IDAHO FALLS 6 NE	MAX	61	68	67	60	70	75	77	71	65	63	62	57	50	52	59	69	62	69	72	61	66	70		43	37	44	48	49	54	54	50	60.2
	MIN	27	23	40	28	32	42	42	44	44	33	46	31	33	22	26	27	30	24	29	31	25	35	35	28	28	16	17	22	20	22	20	29.7
IDAHO FALLS CAA AP	MAX	66	71	70	60	70	80	77	72	67	62	62	47	51	52	64	71	62	70	75	55	66	71	52	47	36	47	49	50	52	59	59	61.0
	MIN	24	29	36	31	29	30	38	41	43	31	33	31	29	20	23	28	31	25	29	30	24	31	31	29	28	21	19	22	22	23	22	28.5
IDAHO FALLS 43 NW WB	MAX	63	71	69	62	70	74	76	71	66	63	62	49	52	54	61	70	63	65	71	54	63	70	43	43	41	50	50	55	56	55	53	60.2
	MIN	19	24	24	23	21	26	34	31	38	27	28	16	27	10	17	21	22	21	23	22	18	25	35	34	33	17	8	13	12	15	14	22.5
IDAHO FALLS 46 W WB	MAX	64	70	68	64	69	75	76	71	68	64	61	49	50	55	64	70	63	67	71	55	66	70	46	45	38	40	50	53	57	56	58	60.7
	MIN	16	23	35	20	18	23	31	33	32	25	33	29	21	9	13	17	24	17	20	20	20	26	33	32	29	12	9	10	15	13	11	21.6
IRWIN 2 S	MAX	67	72	71	58	72	78	79	79	65	62	61	45	40	53	65	74	65	74	74	73	72	76	57	49	35	45	50	50	55	57	57	62.3
	MIN	25	29	31	33	31	30	40	40	40	29	27	31	30	20	23	30	35	26	35	30	24	34	34	30	28	18	16	20	20	20	21	28.4
ISLAND PARK DAM	MAX	55	63	60	61	63	68	70	66	57	56	55	39	40	44	61	67	66	63	64	60	58	63	46	32	33	43	45	44	48	50	52	54.6
	MIN	18	22	21	20	21	26	28	28	31	26	25	19	22	9	11	18	25	22	24	25	22	25	31	25	24	16	10	16	15	17	14	21.2
JEROME	MAX	67			66	79	82	79	75	70	67	65	57	50	60	71	77		74	75	61	73	75	70	49	46	53	59	55	59	64	60	65.6
	MIN	26			32	32	42	42	38	42	34	42	30	32	24	37	40		33	42	26	32	32	35	29	28	22	20	20	24	24	24	31.6
KELLOGG	MAX	55	59	61	57	61	63	74	69	59	62	55	54	50	50	59	69	74	55	66	58	59	52	51	47	53	52	52	56	56	52	49	57.7
	MIN	26	29	35	35	38	38	44	44	37	32	38	41	32	26	30	33	38	34	38	40	45	43	33	29	25	24	25	27	27	28	28	33.6
KOOSKIA	MAX	68	68	66	70	69	78	75	72	69	69	66	62	58	69	66	79	70	70	61	64	59	58	49	60	59	56	61	60	58	58	58	64.7
	MIN	25	26	32	29	34	34	40	45	34	34	46	40	33	22	27	29	42	32	36	37	47	39	39	30	29	26	23	25	23	23	25	32.5
KUNA 2 NNE	MAX	67	75	67	69		84	80	68	69	67	67	59	59	60	67	75	67	75	70	62	76	71	55	56	53	56	58	55	60	63	59	65.6
	MIN	23	28	31	28	34	34	48	39	37	30	34	28	28	23	30	40	43	30	40	30	36	41	37	35	22	20	22	21	25	24	26	31.2
LEWISTON WATER PLANT	MAX	66	71	68	68	65	73	75	72	73	64	63	58	62	69	75	79	73	74	65	67	62	60	54	58	57	55	59	58	56	57	57	64.9
	MIN	32	32	45	38	41	44	52	46	42	45	49	44	31	30	42	43	50	39	41	35	51	46	33	28	27	27	28	28	27	28	29	37.8
LEWISTON WB AP	MAX	63	68	65	65	65	74	79	70	68	63	63	55	58	64	72	77	67	69	61	65	55	58	51	56	54	55	56	57	54	55	56	62.5
	MIN	29	30	43	35	39	42	48	43	37	41	41	38	30	31	39	46	45	40	40	32	48	38	30	27	25	23	27	26	24	27	27	35.2
LIFTON PUMPING STA	MAX	66	66	68	65	65	72	71	70	64	58	61	52	44	48	55	61	65	63	67	60	63	62	55	42	40	42	44	51	49	52	52	57.8
	MIN	28	29	29	33	35	34	40	40	43	32	27	35	34	22	21	28	29	28	31	28	27	32	38	30	27	25	20	22	22	23	22	29.5
MACKAY RS	MAX	60	67	69	63	66	79	73	73	62	61	58	45	46	56	63	70	62	66	68	52	61	72	52	40	37	51	51	59	58	55	57	59.7
	MIN	23	28	30	28	26	29	35	34	35	33	29	28	29	20	25	27	26	28	25	23	23	28	31	30	29	24	17	16	18	25	25	26.7
MALAD	MAX	72	75	72	61	72	78	78	78	74	67	70	61	53	59	67	71	74	75	75	64	75	75	52	44	39	50	55	60	62	61	62	65.5
	MIN	30	39	40	39	39	36	40	45	52	36	31	32	33	22	25	30	34	33	34	32	32	35	41	32	31	30	21	23	26	25	25	33.0
MALAD CAA AP	MAX	73	78	78	61	71	78	80	79	72	69	72	60	50	58	68	71	73	75	75	63	71	75	52	45	38	49	54	57	59	63	62	65.5
	MIN	26	27	33	35	33	32	33	36	41	31	26	30	23	17	21	24	24	27	27	27	26	28	39	32	31	25	18	19	21	22	22	27.6
MAY RS	MAX	61	71	69	70	71	75	78	69	61	64	61	48	49	57	65	71	61	67	73	58	70	72	61	43	42	50	55	58	58	57	55	61.9
	MIN	15	21	22	23	24	30	32	34	33	23	39	25	27	11	18	24	32	19	24	19	33	34	35	27	28	16	13	16	13	17	15	23.9
MC CALL	MAX	52	62	60	63	67	73	64	64	62	62	50	40	46	56	62	72	60	70	60	54	60	56	40	46	38	58	54	52	54	56	54	57.0
	MIN	17	20	22	22	28	29	38	42	30	32	35	32	26	18	26	30	38	24	34	30	40	38	34	34	32	20	20	18	18	20	22	28.0
MC CAMMON	MAX	69	76	79	66	70	78	79	77	68	60	59	51	48	60	61	71	70	71	75	67	69	72	61	42	38	43	53	52	54	60	58	63.2
	MIN	21	26	23	23	33	30	34	36	37	30	33	32	33	21	21	21	32	27	31	22	21	33	38	30	30	28	22	18	21	21	21	27.4

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
MERIDIAN 1 W	MAX	65	71	69	69	72	81	74	68	68	68	65	60	52	60	63	72	71	73	71	62	75	69	60	55	57	52	55	55	58	61	58	64.6
	MIN	25	30	32	31	33	38	48	44	37	36	42	29	31	25	31	39	43	33	45	32	32	42	34	35	22	20	21	20	24	24	24	32.3
MESA	MAX	65	68	70	72	73	81	75	73	70			59	63	60	67	74		74	60	62	63					56	57	60	60	62	67	66.1
	MIN	30	31	33	38	38	41	42	45	42			35	30	28	31	36		36	39	32	42					31	26	25	29	32	34	34.5
MINIDOKA DAM	MAX	64	71	69	60	71	74	79	78	73	65	64	60	47	53	58	69	63	60	70	58	65	74	70	58	41	47	50	54	56	55	54	62.3
	MIN	28	31	37	34	37	39	51	40	43	35	40	35	32	26	32	38	40	35	38	31	33	41	35	28	29	27	24	26	27	28	20	33.7
MONTPELIER RS	MAX		68	70	71	70	74	75	76	75	66	60	65	55	45	50	64	70	66	71	71	60	69	73	52	40	38	41	48	58	54	55	61.7
	MIN		24	25	28	29	30	34	35	41	26	23	29	30	17	19	25	27	25	27	27	24	29	39	27	24	23	15	17	16	19	18	25.8
MOSCOW U OF I	MAX	60	61	59	64	65	77	69	62	62	60	57	49	51	60	66	71	75	67	62	57	54	51	47	53	49	52	60	57	57	57	58	59.6
	MIN	29	33	[illegible]	33	34	43	47	39	36	34	45	42	25	28	45	46	48	44	46	33	48	36	26	28	23	22	29	24	24	29	26	35.1
MOUNTAIN HOME	MAX	69	78	75	78	80	85	82	75	75	69	69	59	56	63	75	81	80	77	74	68	78	80	68	59		59	62	62	66	66	65	71.1
	MIN	28	30	34	32	32	[illegible]	54	41	47	39	40	30	35	25	30	38	47	35	47	[illegible]	38	41	35		23	25	24	22	25	31	26	34.4
MULLAN PASS CAA	MAX	41	44	41	44	46	58	54	43	56	40	38	30	28	43	54	62	55	50	54	43	41	40	30	33	33	38	47	40	37	42	45	43.2
	MIN	23	33	31	30	32	36	41	37	35	35	28	25	22	23	37	43	34	32	30	29	36	26	24	22	21	25	31	30	30	30	31	30.4
NAMPA 2 NW	MAX	62	66	74	70	71	74	83	77	70	71	68	65	49	55	62	66	76	68	75	70	65	79	70	55	53	52	56	59	56	59	65	65.8
	MIN	27	29	33	30	33	39	51	44	40	35	40	33	34	25	27	35	43	34	39	30	35	43	38	38	32	21	22	20	23	28	25	33.1
NEW MEADOWS RS	MAX	62	66	65	69	70	77	71	67	67	62	57	50	60	69	75	63	70	67	57	60	58	57	46	44	46	56	56	54	52	51	52	60.5
	MIN	11	14	16	16	21	21	26	36	22	26	26	20	13	15	21	29	18	23	25	36	34	33	33	34	32	23	13	12	12	11	15	22.2
NEZPERCE 2 E	MAX	55	59	59	59	62	73	72	61	60	58	55	46	50	57	60	72	57	64	60	58	51	48	40	49	48	50	54	52	53	55	52	56.4
	MIN	25	30	35	32	38	38	44	42	36	36	41	31	24	26	32	38	41	34	39	30	44	35	28	31	27	25	25	28	26	27	27	32.7
OAKLEY	MAX	67	72	74	61	75	79	81	72	67	65	68	56	50	57	75	78	65	73	73	65	77	79	58	58	39	47	58	58	59	59	60	65.3
	MIN	27	34	36	36	39	40	44	40	38	38	37	26	32	24	31	40	42	34	46	28	37	42	32	29	32	24	20	29	25	26	28	33.4
OBSIDIAN 4 NNE	MAX	56	60	59	61	63	65	64	64	54	54	46	35	41	52	66	71	54	65	66	60	62	61	45	55	32	50	53	54	56	56	56	56.0
	MIN	[illegible]	16	22	13	18	18	19	18	23	18	[illegible]	22	18	7	15	21	34	25	16	14	22	32	34	24	11	12	12	10	10	12	14	18.3
OLA 3 S	MAX	66	73	70	72	80	80	75	72	72	68	68	69	65	62	63	69	74	73	67	60	75	69	68	58	62	60	58	62	61	64	62	68.0
	MIN	20	19	26	25	28	37	38	39	32	32	35	29	32	34	32	30	29	28	33	26	33	35	32	26	18	18	16	16	18	18	18	27.5
OROFINO	MAX	67	70	68	72	78	78	74	73	70	67	62	57	61	61	68	73	67	71	60	64	55	55	52	61	54	59	61	61	59	59	58	64.4
	MIN	26	28	37	33	37	37	41	49	37	36	47	39	32	26	29	33	35	35	40	39	48	47	38	31	28	24	26	27	25	25	26	34.2
PALISADES DAM	MAX	65	73	70	65	68	75	76	77	69	62	60	55	43	50	61	69	66	69	71	69	66	72	64	44	39	40	48	48	51	55	54	61.1
	MIN	28	28	33	31	37	33	33	38	44	29	37	30	31	23	25	31	28	28	32	27	[illegible]	32	36	30	29	19	[illegible]	20	22	23	23	29.3
PARMA EXP STA	MAX	67	75	74	74	73	83	82	74	73	71	68	59	57	61	62	76	70	74	66	62	75	68	68	57	54	58	57	59	61	65	65	67.4
	MIN	26	29	34	30	31	33	51	45	39	35	25	30	32	24	27	31	44	30	35	26	35	33	34	33	35	24	19	19	22	27	24	31.0
PAUL 1 E	MAX	59	67	72	70	62	76	81	82	73	67	64	63	50	49	58	67	78	64	70	72	60	70	75	45	38	43	49	55	56	59	59	63.0
	MIN	27	25	31	29	28	32	40	41	42	34	35	35	33	25	28	35	38	31	34	30	29	29	36	30	30	24	19	20	21	22	22	30.2
PAYETTE	MAX	68	71	69	69	69	82	74	72	70	68	65	54	55	55	61	67	68	66	59	58	65	68	57	56	55	[illegible]	56	55	57	58	60	63.3
	MIN	28	27	37	30	35	38	48	47	40	39	39	43	32	25	27	34	39	31	36	29	38	40	41	40	34	26	21	20	25	25	25	33.5
PIERCE RS	MAX	59			64	68	80	71	62	61	57	62	45	[illegible]	60	58	69	55	62	52	71	52	52	43	50	45	52	[illegible]	53	53	50	52	57.3
	MIN	18			21	30	30	34	40	28	27	34	35	30	20	24	28	38	28	34	24	42	41	32	25	24	18	21	21	21	20	21	27.9
POCATELLO WB AP	MAX	64	72	71	58	73	79	80	73	68	65	64	50	47	53	63	74	62	68	75	57	68	72	48	43	36	45	52	53	55	58	58	61.4
	MIN	28	28	34	35	30	33	49	45	47	33	45	34	30	24	26	28	33	27	31	32	30	38	33	30	30	25	22	25	23	24	24	31.5
PORTHILL	MAX	58	58	47	53	54	65	72	63	63	55	58	55	54	48	62	63	55	64	54	52	50	55	56	52	52	49	52	53	49	48	52	55.5
	MIN	24	31	28	36	29	31	33	40	34	35	45	40	24	24	30	27	33	33	31	41	41	40	33	26	25	19	22	26	21	22	21	30.5
POTLATCH 1 SE	MAX	60	61	59	63	65	79	69	63	69	59	53	52	56	59	69	77	68	66	69	58	54	53	45	53	52	55	60	56	56	56	58	60.4
	MIN	22	23	41	29	29	40	45	36	32	30	43	39	27	21	32	38	45	48	44	29	45	36	25	22	19	19	25	22	21	23	25	31.5
PRESTON SUG FACT 2 SE	MAX	70	72	75	70	70	78	78	78	77	66	70	65	54	55	63	70	70	73	73	68	69	73	72	47	45	48	52	55	58	60	60	65.6
	MIN	28	33	36	31	37	34	40	44	48	34	31	32	38	23	24	28	32	30	31	30	28	31	41	33	31	28	19	21	22	23	23	31.1
PRIEST RIVER EXP STA	MAX	55	47	54	51	58	66	61	60	62	53	55	52	51	51	67	65	61	61	49	49	51	50	48	53	54	52	54	52	52	51	51	54.7
	MIN	25	25	29	28	30	36	40	34	38	31	44	37	24	22	26	29	35	38	33	33	42	38	30	22	24	18	22	24	23	24	25	30.0
RICHFIELD	MAX	64	70	67	65	73	77	77	74	67	63	62	54	48	55	66	71	66	70	70	59	70	72	67	46	41	49	53	53	58	60	[illegible]	62.8
	MIN	26	30	28	28	31	40	44	36	33	32	30	28	33	22	30	36	34	28	37	24	29	35	32	31	29	24	19	20	23	25	22	29.6
RIGGINS RS	MAX	66	77	76	68	70	77	77		77	70	62	58	56	64	69			68	71	65	[illegible]	73			52	55	64	63	61			67.3
	MIN	34	37	38	39	43	47	53		44	46	53		36	34	40			38	42	40	54	44			42	32	38	34	32			40.9
RUPERT	MAX	59	[illegible]	74	73	63	79	81	83	76	70	65	66	50	50	60		72	65	70	72	60	69	73	45	38	44	49	56	56	60	57	63.5
	MIN	27	27	31	31	29	39	44	41	42	35	40	35	32	23	29	34		32	36	29	28	36	36	30	30	24	19	20	21	24	24	30.9
SAINT ANTHONY	MAX	62	[illegible]	69	62	69	75	77	74	65	63	63	46	48	52	64	73	63	68	71	57	65	70	65	45	41	48	47	50	54	55	56	60.8
	MIN	20	25	27	24	25	27	48	38	40	26		18	32	17	22	31	30	23	29	23	25	31	33	29	30	20	18	23	20	22	[illegible]	26.5
SAINT MARIES	MAX	62	62	63	61	65	73	70	67	66	64	57	54	54	63	72	78	72	72	66	60	60	57	53	54	54	55	61	57	55	55	54	61.8
	MIN	23	28	32	31	33	35	44	39	31	37	35	35	25	24	28	34	35	32	35	32	40	38	33	32	20	20	24	23	23	25	25	30.7
SALMON	MAX	62	75	71	71	74	80	73	74	69	64	60	54	65	58	64	70	65	65	72	63	74	76	44	44	43	53	52	59	57	55	60	63.4
	MIN	20	20	26	25	24	28	34	36	33	25	36	30	25	16	18	22	26	21	23	25	32	42	39	36	34	17	15	19	15	15	15	25.5
SHOSHONE	MAX	69	73	70	67	75	83	79	72	70	67	64	55	53	60	69	75	66	74	75	62	73	76	58	51	44	53	57	56	60	63	62	65.5
	MIN	21	[illegible]	31	29	34	43	43	36	40	36	35	31	35	24	33	40	40	32	44	28	34	38	35	31	27	24	24	21	25	25	25	32.0
SPENCER RS	MAX	55	67	66	60	62	69	71	69	62	60	61	45	45	47	59	69	63	63	66	51	59	65	57	37	38	44	45	48	49	51	55	56.7
	MIN	20	22	22	25	19	26	26	31	35	25	28	15	26	11	17	23	25	21	20	18	22	26	32	28	25	25	10	15	15	21	16	22.3
SPRINGFIELD 1 SE	MAX	66	74	72	64	75	81	79	75	71	68	65	52	52	56	66	73	65	70	75	65	73	73	56	44	40	49	51	54	55	61	60	63.9
	MIN	23	25	32	27	27	30	36	39	42	28	39	30	34	20	23	29	28	25	29	26	25	30	34	31	31	22	18	20	20	21	20	27.9
STIBNITE	MAX	42	55	60	[illegible]	60	65	68	63	61	59	56	44	35	39	50	65	71	53	65	60	49	60	60	29	32	32	52	57	54	56	57	53.8
	MIN	16	24	25	24	28	34	40	36	34	27	38	25	15	15	16	28	35	26	30	21	22	38	28	25	25	17	17	22	19	20	23	25.6
STREVELL	MAX	68	74	72	66	67	71	75	75	66	62	69	58	48	56	62	67	67	70	70	61	65	70	61	38	35	40	49	51	57	59	58	61.5
	MIN	21	33	34	35	36	40	44	35	36	30	26	28	32	11	24	35	34	27	47	24	32	37	34	28	29	24	16	25	23	22	25	29.9
SUGAR	MAX	63	69	66	60	70	75	76	71	66	63	62	44	49	53	64	72	62	67	61	58	65	69	55	44	40	41	47	50	51	55	55	59.5
	MIN	21	24	28	25	26	28	36	37	44	26	40	24	32	18	21	24	27	23	28	26	23	29	36	28	28	18	16	19	19	21	18	26.2
SUN VALLEY	MAX	59	68	67	64	67	70	70	70	64	59	54	48	50	53	66	72	69	69	65	66	65	67	55	42	38	49	52	54	56	56	56	60.3
	MIN	12	16	16	12	15	20	26	21	26	20	24	16	20	6	15	18	23	17	19	13	22	22	30	31	27	-	7	10	10	14	13	17.7
SWAN FALLS PH	MAX	70	79	76	75	82	85	84	75	74	72	69	64	56	61	70	78	75	75	72	64	75	74	66	57	55	59	60	59	64	66	65	69.5
	MIN	36	36	46	40	41	50	55	50	50	43	45	38	40	33	34	46	52	41	52	36	41	55	47	40	38	34	30	29	32	37	33	41.1
TETONIA EXP STA	MAX	59	63	62	59	65	70	74	70	65	58	58	45	41	43	56	65	62	64	69	53	67	61	60	46	42	43	45	40	46	54	46	[illegible]
	MIN	24	31	30	27	27	31	29	26	30	25	23	22	29	14	25	25	25	24	31	23	30	32	25	24	25	10	11	10	16	20	17	24.0

See reference notes following Station Index

Table 5 - Continued

DAILY TEMPERATURES

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
THREE CREEK	MAX	67	73	72	70	75	75	80	71	74	72	67	54	48	60	56	81	68	76	73	65	76	75	64	42	36	45	58	60	62	61	61	65.1
	MIN	5	10	15	14	16	41	45	20	25	30	20	11	22	5	10	19	27	14	32	13	14	20	14	24	8	7	1	10	12	12	10	17.0
TWIN FALLS 2 NNE	MAX	69	71	70	66	78	82	81	74	69	66	65	57	50	58	69	77	72	74	75	63	73	76	71	46	46	50	58	56	56	61	61	65.8
	MIN	26	29	39	29	31	40	56	44	45	36	44	35	33	25	29	32	45	33	35	28	31	39	36	30	31	27	21	22	25	27	25	33.2
TWIN FALLS 3 SE	MAX	58	67	71	69	66	75	80	79	70	70	67	65	51	52	59	67	77	65	71	75	62	71	74	58	41	47	51	57	57	58	60	64.2
	MIN	31	33	34	36	33	33	39	40	48	38	39	37	33	27	27	29	33	33	33	33	32	35	36	38	31	29	24	23	27	30	32	33.1
WALLACE	MAX	55	58	57	57	60	71	65	57	57	50	50	45	49	57	66	71	54	59	61	57	50	49	45	47	47	48	54	51	48	48	49	54.6
	MIN	25	27	39	31	38	39	43	41	34	28	41	37	31	31	30	31	39	32	41	38	44	32	30	26	23	22	25	26	25	26	26	32.3
WALLACE WOODLAND PARK	MAX	49	64	59	67	59	54	69	65	55	59	59	50	44	46	56	67	74	53	60	50	50	50	49	48	49	49	52	55	55	50	52	55.4
	MIN	23	24	34	30	32	38	42	42	34	30	43	38	31	25	25	30	40	34	37	41	40	43	33	22	23	22	22	25	24	25	25	31.5
WEISER 1 S	MAX	65	69	70	71	70	79	78	77	72	69	68	60	57	56	62	69	60	65	58	59	64	72	65	65	57	57	65	56	58	59	61	66.4
	MIN	26	27	33	30	33	33	44	44	35	36	39	32	30	23	25	31	40	30	35	26	38	41	41	39	35	24	20	19	21	23	20	31.6
WINCHESTER 1 SE	MAX	57	55	57	59	64	74	68	68	57	56	54	45	46	59	67	69	72	67	60	55	50	45	45	46	45	49	56	52	52	51	52	56.5
	MIN	24	28	38	23	33	38	43	36	31	32	40	35	25	24	33	35	35	34	39	27	40	37	28	25	24	20	26	28	23	24	25	30.7

Table 6

EVAPORATION AND WIND

Station		Day of month																															Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	EVAP	*	.16	.23	*	.22	.14	.24	.34	.10	.19	.29	.12	.08	.09	.06	.13	.14	.11	.15	.11	.07	.11	.11	.03	.07	*	*	*	.14	.08	.04	3.55
	WIND	20	56	113	29	17	59	80	90	148	80	252	157	159	63	26	70	74	38	45	124	24	12	135	131	47	44	7	29	27	36	60	2252
ARROWROCK DAM	EVAP	.11	.11	.12	.14	.12	.15	.21	.10	.07	.13	.11	.14	.00	.06	.07	.08	.10	.09	.09	.04	.03	.06	.10	.14	-	-	-	-	-	-	-	B3.06
	WIND	38	6	20	11	16	10	48	10	17	22	5	86	20	35	7	21	32	9	22	35	18	1	43	122	38	-	-	-	-	-	-	B 858
LIFTON PUMPING STA	EVAP	.12	.20	.14	.11	.09	.13	.22	.19	.13	.09	.14	.13	.13	*	.10	.06	.17	.13	.07	.16	.07	.08	.12	.00	-	-	-	-	-	-	-	B3.59
	WIND	29	60	51	30	33	23	60	56	32	40	90	50	57	19	26	44	56	20	27	43	21	24	61	62	87	39	29	26	34	22	27	1278
MINIDOKA DAM	EVAP	.16	.16	.18	.19	.11	.26	.30	.23	.29	.23	.21	.21	.13	.08	.13	.20	.24	.14	.21	.14	.11	.18	.15	.04	.05	.07	.06	.08	.09	.04	.09	4.76
	WIND	70	35	75	40	80	130	120	50	120	90	160	140	180	50	130	170	130	80	150	140	70	50	190	100	135	45	50	50	70	90	40	3030

Table 7

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ARCO	SNOWFALL																							T		T						
	SN ON GND																															
ATLANTA 1 E	SNOWFALL											T	T	T										T	T	T						
	SN ON GND												T	T																		
BIG CREEK 1 S	SNOWFALL											T	T											T								
	SN ON GND																															
BLACKFOOT	SNOWFALL																								1.0							
	SN ON GND																								1							
BURLEY CAA AP	SNOWFALL												T												1.0							
	SN ON GND																								T							
CENTERVILLE ARBAUGH RCH	SNOWFALL													T																		
	SN ON GND																															
COBALT BLACKBIRD MINE	SNOWFALL												1.[illegible]	1.5							0.5				2.3	0.3						
	SN ON GND												1	2	1	1					1	1			2	2	2	1	1	1		
DUBOIS CAA AP	SNOWFALL													T										T	T	T						
	SN ON GND													T											T							
GOODING CAA AP	SNOWFALL																								T							
	SN ON GND																															
GRAY	SNOWFALL																							6.0	4.0							
	SN ON GND																							3	2							
HAMER 4 NW	SNOWFALL																								0.5							
	SN ON GND																															
IDAHO FALLS CAA AP	SNOWFALL												T	T										0.2	2.0	T						
	SN ON GND																								T	T	T	T	T	T		
IDAHO FALLS 43 NW WB	SNOWFALL																							T	T	T						
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO FALLS 46 W WB	SNOWFALL													T										T	T	T						
	SN ON GND																															
IRWIN 2 S	SNOWFALL																								5.0	2.0						
	SN ON GND																								-	-	-	-	-	-	-	
ISLAND PARK DAM	SNOWFALL													2.5										T	T							
	SN ON GND																															
MACKAY RS	SNOWFALL												T											0.2								
	SN ON GND												T											T								
MALAD CAA AP	SNOWFALL																								T	T						
	SN ON GND																															
MAY RS	SNOWFALL											T	T											T								
	SN ON GND																															

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
MULLAN PASS CAA	SNOWFALL		T									3.1	2.0	T				T		1.7				1.2								
	SN ON GND	2	1	T	T							T	3	5	5	4	2	T			1				1	T	T	T				
OAKLEY	SNOWFALL																								1.0							
	SN ON GND																								T							
OBSIDIAN 4 NNE	SNOWFALL												T																			
	SN ON GND												T																			
POCATELLO WB AP	SNOWFALL												T	T										T	3.0	1.1	T					
	SN ON GND																								T	T	T					
SPENCER RS	SNOWFALL											T			T										T	T						
	SN ON GND																															
STIBNITE	SNOWFALL												4.0	1.0							2.0				T	T	T					
	SN ON GND												1	2							1											
SUN VALLEY	SNOWFALL												T													T						
	SN ON GND																															
THREE CREEK	SNOWFALL																								3.0							
	SN ON GND																								1							
TWIN FALLS 2 NNE	SNOWFALL																								1.5							
	SN ON GND																															

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time Temp.	Observation time Precip.	Observer	Refer to tables
ABERDEEN EXP STATION	1	BINGHAM	12	42 57	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
[illegible]	[illegible]	VALLEY	8	44 24	[illegible]	478[illegible]	7P	7P	CLOSED	10/15/54
AMERICAN FALLS 1 SW	[illegible]	POWER	12	42 48	112 52	4310	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	[illegible]	ELMORE	2	43 [illegible]	115 28	388[illegible]	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	03[illegible]	BUTTE	6	43 38	113 18	5320	6P	6P	HAROLD L HANSEN	2 3 5 7
ARROWROCK DAM	[illegible]	ELMORE	2	43 36	115 55	3249	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON [illegible]	[illegible]	FREMONT	12	44 05	111 [illegible]	510[illegible]	[illegible]	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	[illegible]	ELMORE	2	43 48	115 07	6000	4P	4P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	[illegible]	ELMORE	2	43 [illegible]	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	[illegible]	SHOSHONE	10	47 15	11[illegible] 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BALD MOUNTAIN	0540	BLAINE	12	43 39	114 24	8700		MID	NELSON BENNETT	C
[illegible]	0563	BANNOCK	12	42 13	111 54	5285		MID	CLOSED	11/23/52
BAYVIEW MODEL BASIN	066[illegible]	KOOTENAI	9	47 59	116 33	2070	4P	4P	U S NAVY	2 3 5
BENTON DAM	0799	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	[illegible]83[illegible]	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7 C
BLACKFOOT	[illegible]	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	09[illegible]	CARIBOU	12	43 [illegible]	111 43	6200	6P	6P	FORT HALL IR PROJ	2 3 5 C
BLISS	1[illegible]	GOODING	12	42 56	114 57	3269	6P	6P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	2	43 46	116 06	620[illegible]		MID	F H KUHN	C
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
BOISE WB AIRPORT	10[illegible]	ADA	2	43 3[illegible]	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
BONNERS FERRY 1 SW	1079	BOUNDARY	5	48 41	116 19	1812	5P	5P	CHARLES G HOWARD JR	2 3 5 7 C
BUHL	1217	TWIN FALLS	12	42 35	114 46	350[illegible]	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 ENE	12[illegible]	SHOSHONE	4	47 32	115 48	4[illegible]93	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 33	113 48	4140	8A	8A	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	13[illegible]	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	14[illegible]8	WASHINGTON	12	44 34	116 41	2650	6P	6P	STUART DOPF	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 32	116 03	4768	5P	5P	U S BUR RECLAMATION	2 3 5 7 C
CENTERVILLE ARBAUGH R H	1636	BOISE	2	43 58	115 51	4780		6P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 3[illegible]	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	6P	6P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	181[illegible]	BONNER	9	48 [illegible]9	116 10	2125	5P	5P	MRS MARY L RALPH	2 3 5 C
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	28[illegible]0		MID	U S FOREST SERVICE	C
COBALT BLACKBIRD MINE	19[illegible]	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D'ALENE RS	19[illegible]6	KOOTENAI	1	47 41	116 45	2160	4P	4P	U S FOREST SERVICE	2 3 5 7 C
CONDA	[illegible]	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	7P	7P	LOUIS KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SARI FREI	C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5 C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	31[illegible]0		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAI	4	47 44	116 29	3060		MID	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	7P	7P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	C
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	2875	IDAHO	3	45 49	115 26	39[illegible]5	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	3P	3P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	5P	5P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING	3677	GOODING	12	42 57	114 43	3569		MID	DAVID MITCHELL	C
GOODING CAA AIRPORT	368[illegible]	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 3	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	5P	5P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRASMERE	38[illegible]9	OWYHEE	12	42 23	115 53	5126	5P	5P	BLANCHE PORTLOCK	2 3 5
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	6P	6P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4269	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 11 SW	4450	BOISE	2	43 43	116 00	5000		6P	MRS BERTHA GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	6P	6P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	467[illegible]	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		8A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	10A	10A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6600		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	5P	5P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 36	3870	5P	5P	ORILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 37	5897	5P	5P	U S FOREST SERVICE	2 3 5 7 C
MALAD	5544	ONEIDA	1	42 11	112 16	4420	8P	8P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MALTA RANGER STATION	5567	CASSIA	12	42 19	113 22	4543		MID	U S FOREST SERVICE	C
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	5P	5P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	6P	6P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	5841	ADA	2	43 37	116 25	2620	5P	5P	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	C S
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 55	2400		MID	U S FOREST SERVICE	C
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	7P	7P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 5 S	6590	GEM	8	44 07	116 17	2962	5P	5P	VINCENT A NALLY	2 3 5 C
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	3P	3P	U S FOREST SERVICE	2 3 5 7 C
PINE 1 N	7077	ELMORE	2	43 30	115 18	4220		VAR	U S GEO SURVEY	S
PINE 2 S	7079	ELMORE	2	43 28	115 19	4225		5P	CLOSED	9/2/54
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S OFF IND AFFAIRS	C
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH 1 SE	7301	LATAH	7	46 54	116 52	2586	6P	6P	HENRY J FITCH	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4670		MID	ORA L ENGELMAN	C
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL IR PROJ	S
# REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	SEE NAME CHANGE END OF INDEX	
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1840	4P	4P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	CLOSED	3/31/54
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	4P	4P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7 C
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 57	114 24	3961	5P	5P	FRED E KOHL	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	5P	5P	MRS RAYMOND RUFF	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL	8786	CASSIA	12	42 01	113 13	5280	6P	6P	IDAHO STATE POLICE	2 3 5
SUGAR	8818	MADISON	12	43 53	111 45	4886	5P	5P	J KENNETH THATCHER	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7 C
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	6P	6P	EXPERIMENT STATION	2 3 5 C
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FACT	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	7A	7A	ROBERT J SKANTEL	2 3 5 C
WEISER 1 S	9638	WASHINGTON	12	44 14	116 57	2120	5P	5P	MERVIN V LING	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	HALLACK-HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	CLOSED	10/19/54
NEW STATIONS										
IDAHO FALLS 43 NW WB	4459	BUTTE	6	43 51	112 42	4780	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
NAME CHANGE										
# IDAHO FALLS 46 W WB	4460	BUTTE	6	43 33	112 57	4933	MID	MID	U S WEATHER BUREAU	2 3 5 7 C

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

The four digit identification numbers in the index number column of the Station Index are assigned on a state bases. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effective January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement , time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.
R	Amounts from recording gage. (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data.)
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
AR	This entry in time of observation column in Station Index means variable.

Subscription Price: 20 cents per copy, monthly and annual; $2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.


117
116
115
114
113
112
111
IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
○ ● ◑ Precipitation only
⦶ Precipitation, storage
-○- -●- -◑- Precipitation and Temperature
-○- -●- -◑- Precipitation, Temperature and Evaporation
◎ Section Center
Type of gage ○ Non-recording;
● Recording; ◑ Both types
Double circle combinations. Complete Meteorological.
Hourly precipitation data from recorder stations will be available in the publication "Hourly Precipitation Data".
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry 1 SW
Benton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 2 NW
Deer Park
Bayview Model Basin
Mt Spokane Summit
Trout Creek 2 W
Deception Cr
Coeur d'Alene RS
Spokane WB AP
Thompson Falls
Kellogg
Burke 2NNE
Wallace Woodland PK
Cheney
Mullan Pass CAA
Wallace
Saint Maries
Haugen
Rosalia
Plummer 3WSW
Roland W Portal
Avery RS
Tekoa
Superior
Clarkia RS
Potlatch 1 SE
Colfax 1 NW
NORTHERN
Missoula WB AP
Missoula 2 WNW
Pullman 2 NW
Elk River 1 S
Moscow U of Ida
Bungalow RS
Wawawai
Lolo Pass
Pomeroy
Orofino
Lewiston Wtr Pl
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Winchester 1SE
Kamiah 1NE
Hamilton
Nezperce 2 E
Kooskia
Moose Creek RS
Anatone
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Wisdom
Dixie
Riggins RS
Joseph
Jackson
Polaris
Salmon
Big Creek 1 S
Cobalt Blackbird Mine
Cornucopia 5 NNW
New Meadows RS
Yellow Pine
Grant 6 NW
Stibnite
Halfway
McCall
Pungo Creek
Hebgen Dam
Richland
Council
Landmark RS
Leadore
Dell
Lima Dam
West Yellowstone
Mesa
May RS
Lima
Lakeview
Durkee 3 NNW
Monida
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Dell 19 SW
Island Park Dam
SOUTHWESTERN
Huntington
Spencer RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Dubois Exp Sta
Weiser 1 S
Ola 5 S
Ashton 1S
Snake River
Payette
Crouch 2NNW
Lowman
Dubois CAA AP
Ontario CAA AP
Obsidian 4NNE
Chilly Barton Flat
Hamer 4NW
St Anthony
Vale
Garden Valley RS
Jackson Peak
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Idaho Falls 43 NW WB
Tetonia Exp Sta
Moran
Nyssa
Emmett 2 E
Mackay RS
Little Valley Parma Exp Sta
Idaho City
Atlanta 1E
Vienna
Howe
Sugar
Alta
Adrian
Bogus Basin
SOUTHEASTERN
Owyhee Dam
Caldwell
Idaho Cy 13SW
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Arco
Driggs
Moose 3 NW
Nampa 2NW
Meridian 1 W
Arrowrock Dam
Shake Cr RS
Bald Mtn
Deer Flat Dam
Trinity Lake GS
Dollarhide Summit
Idaho Falls 6 NE
Kuna 2 NNE
Boise LP Dam
Pine 1 N
Soldier Cr RS
Idaho Falls 46 W WB
Idaho Falls CAA AP
Hailey AP
Irwin 2S
Boise WB AP
Prairie
Pine 2 S
Jackson
Anderson Dam
Fairfield RS
Palisades Dam
Hill City
Blackfoot
Swan Falls PH
Mountain Home
Gray
Sheaville
Richfield
Springfield 1 SE
Putnam Mt
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Danner
Bliss
Shoshone
Aberdeen Exp Sta
Blackfoot Dam
Bedford 2 SE
Rome
Gooding
Pocatello WB AP
Gooding CAA AP
Conda
Jerome
Grover 2 S
Minidoka Dam
American Falls 1NW
Paul 1E
Buhl
Burley Factory
Rupert
McCammon
Grace
Hazelton
Twin Falls 2NNE
Burley
Burley CAA AP
Twin Falls 3SE
Hollister
Montpelier RS
Grasmere
Oakley
Malta RS
Border 3 N
Malad
Lifton Pump Sta
Malad CAA AP
Three Creek
Preston 2SE
Strevell
Ida Vada
Owyhee
Snowville
Lewiston
Richmond
Jarbidge
Laketown
Sage
Logan USAC Exp Sta
Garland
Contact
Park Valley
Bothwell
Logan USAC
Revised 5-54-WRPC-SF

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

NOVEMBER 1954
Volume LVII No. 11

ASHEVILLE: 1954

WEATHER SUMMARY

Like November 1953, this was an abnormally warm month, only seven warmer Novembers having been experienced since 1892. Precipitation was only about 63 percent of normal, and the average snowfall for the State was only 12 percent of the mean of the previous 56 years. Particularly in the southern part of the State storms were relatively few and of short duration, interrupting only briefly the persistent high pressure patterns dominating the area. Sunshine was abundant for the time of year, and, except for fogs that occasionally hampered transportation in places and minor wind damage in one or two localities, the weather was agreeable for seasonal activities and generally favorable for livestock. A fatal highway accident attributable to blowing dust occurred during the month.

The average temperature for the State was 39.9°, 4.6° above normal. The northern portion was a few degrees below seasonal temperature averages the first few days of the month, while other areas were close to normal values. By the second week, all areas were warmer than average, and remained so until the 28th, when effective cooling occurred over the entire State. The highest recorded temperature was 75° at Atlanta 1 E on the 6th. The lowest was -17° at Dixie on the 30th. The maximum temperature at Pocatello WB AP on the 11th, 70°, was the highest ever recorded so late in the season. Lewiston WB AP reported that the high temperature of 62° on the 7th equalled the previous record for that date, and the Priest River Experiment Forest noted that its November average maximum temperature of 45.7° was the highest since 1912.

The State average precipitation was 1.22 inches, 0.73 inch below normal. The average snowfall of 0.7 inch was the third lowest of record. In 1904, the average of 0.7 inch equalled this year's. Only in 1929 and 1939 did the respective averages of 0.6 inch and trace fall below that of this November. Only Dixie and Mullan Pass CAA recorded snowfall totals for the month in excess of ten inches, the former with 13.0 inches and the latter with 22.1 inches. In the two southern divisions, precipitation was generally confined to the periods around the 12th - 13th, the 15th - 17th, and 25th - 27th, the latter period being mostly one of scattered showers and snow flurries. In the Northern Division, storms were more frequent and generally of longer duration. However, with reference to normal precipitation amounts, most stations with excesses were in the northern or southeastern portions of the Southeastern Division or the west-central portion of the Southwestern Division. Deficiencies of well over 1.00 inch were not uncommon elsewhere in areas normally receiving abundant precipitation. The largest monthly total was 5.39 inches recorded at Burke 2 NNE, and the least was a trace at Three Creek. Preston Sugar Factory 2 SE recorded the greatest amount in an observational day: 1.14 inches on the 16th.

According to reports from the Agricultural Marketing Service, ranges were short on feed except in northern Idaho where rainfall had been sufficient during the summer. The mild weather and the November rains were of some benefit to grazing areas. As of the December 1 report, the average range condition was 72 (the 10-year average 1943-1952 is 80), 2 points better than at the same time in 1952, but otherwise the lowest since 1934. Cattle and sheep were in fairly good condition. Hay was generally ample except in a few localities.

Seasonal agricultural activities which continued into the month, such as fall plowing, were generally favored by the weather. Heavy night and morning fogs in northern and western valleys somewhat impeded transportation on a few days toward the end of the month. On the 11th and 27th winds with peak gusts from 42 to 53 miles per hour were reported from a few points in the Southeastern Division, but damage was slight.

On the 25th, visibility restricted by blowing dust was the cause of a traffic accident 25 miles southeast of Burley which involved three vehicles. Six persons were burned to death in one auto, and five occupants of another injured.

H. C. Steffan

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total		
BOISE WB AIRPORT	SE	32	8.5	36	NW	27	73	56	58	69	3	1	3	0	0	0	7	61	5.5
IDAHO FALLS 43 NW WB	-	-	5.0	30	NNW	27	-	-	-	-	0	2	2	0	0	0	4	-	-
IDAHO FALLS 46 W WB	-	-	4.9	24	SW	17	-	-	-	-	0	2	2	0	0	0	4	-	-
LEWISTON WB AIRPORT	-	-	-	-	-	-	85	74	68	-	3	4	4	0	0	0	11	-	8.0
POCATELLO WB AIRPORT	SW	21	9.9	49	W	27	77	54	48	68	2	0	3	0	0	0	5	73	5.1

COMPARATIVE DATA

Table 1

NOVEMBER

Year	Temperature			Precipitation		
	Average	Highest	Lowest	Average	Average snowfall	
1893	32.9	68	- 9	3.00	-	
1894	40.1	71	1	.71	-	
1895	33.4	72	-17	.94	-	
1896	30.6	[illegible]	-38	3.82	-	
1897	36.9	72	- 6	2.87	-	
1898	31.0	79	-11	2.42	13.9	
1899	40.7	85	8	2.09	0.8	
1900	36.2	73	-20	1.38	9.2	
1901	40.2	78	5	1.01	1.3	
1902	34.6	70	-10	2.51	7.5	
1903	36.2	79	-18	2.65	13.1	
1904	41.2	75	1	.59	0.7	
1905	35.8	[illegible]	-12	1.29	10.4	
1906	33.9	73	-13	2.21	6.6	
1907	36.9	69	- 3	1.12	3.8	
1908	36.7	76	-13	.97	4.3	
1909	37.8	81	- 7	5.14	5.9	
1910	37.7	76	-12	3.45	8.2	
1911	32.2	72	-24	2.28	12.5	
1912	37.7	72	- 1	1.78	2.0	
1913	38.3	70	- 6	2.81	6.0	
1914	37.1	82	-15	.72	1.9	
1915	33.7	78	-24	2.17	14.0	
1916	30.0	77	-27	1.60	9.4	
1917	39.8	77	3	1.53	2.1	
1918	34.0	68	-15	1.00	2.8	
1919	32.6	70	-30	2.02	10.2	
1920	34.5	64	-10	2.27	3.6	
1921	38.3	77	-10	2.75	10.5	
1922	32.7	68	- 8	.82	2.2	
1923	37.5	68	- 6	1.23	2.7	
1924	34.3	78	-11	1.91	5.3	
1925	35.0	73	-10	1.23	2.7	
1926	39.6	73	- 1	4.16	4.2	
1927	39.3	76	-10	4.47	4.6	
1928	35.8	70	-15	1.29	2.5	
1929	32.1	68	-12	.15	0.6	
1930	30.5	76	-20	1.45	10.6	
1931	30.2	81	-27	1.70	15.0	
1932	37.5	77	-18	2.17	2.9	
1933	37.4	76	- 1	.71	1.0	
1934	40.0	75	- 2	2.39	7.2	
1935	29.3	59	-15	.86	5.2	
1936	32.1	70	-13	.15	1.1	
1937	38.1	75	- 4	2.84	3.4	
1938	29.6	66	-26	1.82	6.1	
1939	38.2	73	3	.25	T	
1940	31.2	68	-15	1.87	7.4	
1941	37.1	74	-17	1.73	2.3	
1942	34.6	74	-15	3.94	12.5	
1943	36.6	70	-13	.87	0.8	
1944	33.4	65	-15	2.22	5.6	
1945	33.8	76	-17	2.68	13.1	
1946	33.6	66	-11	3.18	11.4	
1947	32.2	78	-15	1.96	9.4	
1948	32.3	70	-23	2.41	9.6	
1949	40.9	77	1	1.87	1.6	
1950	37.1	75	- 7	1.95	5.4	
1951	33.1	68	-20	1.82	7.8	
1952	29.9	70	-28	.69	2.9	
1953	40.0	74	- 6	1.65	3.6	
1954	39.9	75	-17	1.22	0.7	
ALL YEARS	35.4			1.92		

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

TABLE

Station	Temperature													Precipitation									
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max 90° or Above	No. of Days Max 32° or Below	No. of Days Min 32° or Below	No. of Days Min 0° or Below	Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail Total	Max. Depth on Ground	Date	No. of Days .10 or More	No. of Days .50 or More	No. of Days 1.00 or More
NORTHERN DIVISION																							
AVERY RS	49.5	34.8	42.2	5.1	61	8	21	30	677	0	1	9	0	3.63	.00			.0	0				0
BAYVIEW MODEL BASIN	48.7M	31.8	40.3M		59	23	20	28+		0	1	16	0	2.22				.0	0				0
BIG CREEK 1 S	50.6	20.8	35.8		64	23	-12	30	866	0	3	27	1	.91	- 2.08	.48	16	2.0	2	27+	2	0	0
BONNERS FERRY 1 SW	47.6	33.9	40.8	5.4	56	8	20	28	721	0	0	12	0	2.29	- .33	.39	6+	.0	0		9	0	0
BURKE 2 NNE	43.8	30.7	37.3	5.8	57	5	14	29	825	0	3	17	0	5.30	- .89	.85	16		5	27+	13	4	0
CLARK FORK 1 ENE	51.9	33.3	42.6	6.6	67	24	21	2+	661	0	0	9	0	3.87	- .30	.75	6	.0	0		11	2	0
COBALT BLACKBIRD	42.6	22.4	32.5		55	12	- 6	30		0	5	28	1	.92		.30	27	8.4	5	28+	4	0	0
COEUR D ALENE RS	50.1	35.6	42.9	6.3	59	5+	22	28+	660	0	0	9	0	2.45	- .72	.67	6	T	0		8	1	0
COTTONWOOD	49.4	29.3	[illegible]	3.1	61	22	13	30	760	0	2	19	0	.74	- 1.42	.24	17	.0	0		4	0	0
DIXIE	48.5	18.5	33.5		62	11	-17	30	936	0	4	30	2	1.10				13.0	10	27+		0	0
ELK CITY	49.9	24.9	37.4		67	6	- 8	30	820	0	3	25	1	1.63		.57	27		12	27	4	1	0
ELK RIVER 1 S	49.6M	30.6M	40.1M		62	7+	17	29	739	0	0		0	3.50		.90	17				10	2	0
FENN RS	49.2	35.2	42.2	3.2	56	1+	19	30	678	0	0	7	0	2.58	- 1.50	.54	27	.0	0		7	2	0
GRANGEVILLE	50.4	31.5	41.0	3.5	60	5	13	30	717	0	2	15	0	1.13	- .79	.41	10		0		4	0	0
KELLOGG	49.9	34.6	42.3	6.0	63	9	22	28		0	0	8	0	3.26	- .37	.49	[illegible]	T	T	30	12	0	0
KOOSKIA	52.4	32.5	42.5	3.3	62	6	15	30	669	0	0	14	0	1.47	- .92	.42	10+	.0	0		5	0	0
LEWISTON WATER PLANT	54.3	36.7	45.5	3.8	65	7	24	30	576	0	0	10	0	.95	- .55	.31	10	.0	0		4	0	0
LEWISTON WB AP	52.7	34.8	43.8	3.7	62	7+	20	30	630	0	0	10	0	.86	- .49	.25	18	.0	0		4	0	0
MOSCOW U OF I	51.3	35.6	43.5	5.8	61	1+	22	30	641	0	0	9	0	1.93	- .93	.45	17	.0	0		7	0	0
MULLAN PASS CAA	47.6	29.1	33.4	7.3	52	5	11	30	941	0	8	23	0	2.82	- 2.75	.40	26	22.1	10	19	12	0	0
NEZPERCE 2 E	49.5	32.6	41.1		61	22	14	30	712	0	1	12	0	1.17		.33	10	T	0		4	0	0
OROFINO	54.2M	34.8M	44.5M	5.1	66	6	20	30	606	0	0	11	0	1.63	- 1.78	.35	17	.0	0		7	0	0
PIERCE RS	48.5M	28.0M	38.3M	4.5	59	6	9	30	787	0	0		0										
PORTHILL	48.8	33.5	41.2	7.2	56	8+	20	28	709	0	0	12	0	1.67	- .89	.31	18	.0	0		7	0	0
POTLATCH 1 SE	51.7	33.8	42.8	5.6	64	5+	18	29	664	0	1	12	0	[illegible]	- .28	.53	18	T	0		8	1	0
PRIEST RIVER EXP STA	45.7	32.5	39.1	5.9	54	21+	18	28	770	0	0	13	0	[illegible]	- .29	.49	14	T	0		11	0	0
SAINT MARIES	52.0	31.8	41.9	4.5	67	21	20	28+	684	0	0	11	0	2.91	- .59	.60	16	T	0		[illegible]	1	0
SALMON	54.1	22.4	38.3	6.5	68	10	2	30	797	0	1	25	0	.13	- .43	.06	12		0		0	0	0
SANDPOINT EXP STA	46.9	34.7	40.8	5.4	56	21	21	28	720	0	1	10	0	3.21	- .68	.47	25	T	0		10	0	0
WALLACE	48.5	34.4	41.5	6.1	60	22	19	28	699	0	2	10	0	4.31	- 1.01	.76	16	T	T	27+	12	3	0
WALLACE WOODLAND PK	50.2	33.1	41.7	6.0	66	6	20	28+		0	1	11	0	3.08	- .93	.55	16				10	2	0
WINCHESTER 1 SE	50.9	31.2	41.1		65	21	10	30	715	0	1	17	0	1.15	- 1.14	.43	10	.0	0		5	0	0
DIVISION			40.4	4.3										2.22	- 1.17			1.8					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	55.7	33.8	44.8		68	6	16	30	603	0	0	8	0	1.55		.72	15	.0	0		3	2	0
ARROWROCK DAM	52.4	31.4	41.9	4.5	69	12	15	30		0	0	15	0	1.54	- 1.00	.51	12	.0	0		6	1	0
ATLANTA 1 E	52.6	28.4	40.5	9.8	75	6	7	30	728	0	3	24	0	1.60	- 1.28	.54	16	3.5	3	17	4	2	0
BLISS	58.1M	28.2M	43.2M	5.7	70	5+	11	30	666	0	0	20	0	.87	- .25	.39	12+	.0	0		2	0	0
BOISE LUCKY PEAK DAM	M	M	M				16	30		0	0		0						0				
BOISE WB AP	54.4	32.6	43.5	3.9	69	8	15	30	636	0	0	16	0	.94	- .41	.37	12	.0	0		3	0	0
BUHL	57.4	32.8	45.1	6.2	69	8	15	30	590	0	1	13	0	.41	- .59	.15	15	.0	0		2	0	0
CALDWELL	53.9	29.6	41.8	3.0	65	12	13	30	689	0	0	20	0	1.18	.04	.57	12	.0	0		3	1	0
CAMBRIDGE	55.3	24.9	40.1	3.2	68	1	8	30	739	0	0	24	0	1.62	- .85	.71	15	.0	0		3	2	0
CASCADE 1 NW	48.4	26.2	37.3		60	5+	3	30	825	0	2	22	0	1.57		.69	15	T	0		4	1	0
CHALLIS	51.9M	24.3M	38.1M	6.0	65	11	0	30	800	0	2	24	1	.18	- .19	.09	12+	.0	0		0	0	0
COUNCIL	54.7	27.9	41.3	3.9	69	1	11	30	[illegible]	0	0	23	0	1.97	- 1.27	.69	12	.0	0		4	2	0
DEADWOOD DAM	49.6	21.3	35.5	7.7	63	1	- 4	30	879	0	3	29	1	1.80	- 1.63	.98	15	1.0	T	27	4	1	0
DEER FLAT DAM	54.8	31.0	42.9	4.7	66	8+	15	30	[illegible]	0	0	21	0	1.10	.16	.72	12				3	1	0
EMMETT 2 E	54.8	31.5	43.2	2.9	67	1	16	30	[illegible]	0	0	20	0	1.31	.00	.75	12				3	1	0
FAIRFIELD RS	52.9	22.4	37.7		65	2+	5	29+	[illegible]	0	1	26	0	1.67		.77	15	T	T	27	3	2	0
GARDEN VALLEY RS	49.5	27.8	38.7	3.6	63	1	7	30	785	0	1	20	0	1.48	- 1.68	.52	12	.0	0		3	2	0
GLENNS FERRY	56.5M	27.1M	41.8M	2.2	72	8	10	30	701	0	0		0	.91	- .32	.41	12	.0	0		2	0	0
GOODING CAA AP	54.7	31.6	43.2	7.0	66	5+	13	30	648	0	0	15	0	.91	- .35	.48	15	.0	0		3	0	0
GRAND VIEW	58.2	28.7	43.5	3.8	70	8	10	30	639	0	0	21	0	.55	- .10			.0	0			0	0
GRASMERE	56.1	27.0	41.6		68	22	0	29	697	0	1	25	1	.09		.09	16	.0	0		0	0	0
HAILEY AP	51.7	24.1	37.9	4.5	67	21	9	29+	806	0	1	28	0	1.88	.49	.81	15	.0	0		3	2	0
HAZELTON	56.5	27.2	41.9	4.0	70	9	10	29	690	0	0	26	0	.51	- .64	.25	12	.0	0		3	0	0
HILL CITY	54.0	22.2	38.1	7.9	67	6+	2	30	799	0	1	25	0	1.44	- .16	.78	15	.0	0		3	1	0
HOLLISTER	56.9M	28.3M	42.6M	5.1	70	11	9	29+	664	0	0		0	.26	- .57			.0	0			0	0
IDAHO CITY	57.3	22.4	39.9	4.4	68	1+	[illegible]	30	748	0	0	26	0	2.25	- .57	.83	15	1.0	0		4	2	0
JEROME	56.9M	28.1M	42.5M	4.3	70	9	11	30	665	0	0		0	.72	- .20	.32	12	.0	0		3	0	0
KUNA 2 NNE	54.8M	29.9M	42.4M	3.1	68	8	12	30	672	0	0	20	0	.87	- .41	.55	12	.0	0		3	1	0
MC CALL	46.7	26.0	36.4	5.9	60	2	2	30	857	0	3	24	0	1.17	- 1.70	.38	16				5	0	0
MERIDIAN 1 W	54.0	29.0	41.5	2.3	69	8	10	30	696	0	0	22	0	1.02	- .33	.53	12	.0	0		4	1	0
MESA	56.5	31.3	43.9		64	1+	9	30	627	0	0	17	0	.02		.02	16	.0	0		0	0	0
MOUNTAIN HOME	59.2M	30.0M	44.6M	6.4	72	5	9	30	604	0	0	21	0	.78	- .37	.31	15	.0	0		3	0	0
NAMPA 2 NW	55.6	29.5	42.6		68	9	13	30		0	0	21	0	.85		.38	12	.0	0		4	0	0
NEW MEADOWS RS	51.2M	23.1M	37.2M	4.8	65	2	2	30	827	0	0	27	0	1.34	- 1.38	.40	12	.4	0		4	0	0
OBSIDIAN 4 NNE	47.5	15.8	31.7	5.4	60	5	-11	30	993	0	4	29	2	.85	- .81	.73	15	T	T	26+	1	1	0
OLA 5 S	54.8	23.0M	38.9M		64	6+	10	30	792	0	0		0	1.78		.80	12				3	1	0
PARMA EXP STA	54.9	29.4	42.2	3.6	66	3	15	30	676	0	0	20	0	1.36	.38	.82	12	.0	0		2	1	0
PAYETTE	52.6	30.8	41.7	2.9	62	10	16	30	690	0	0	18	0	.90	- .24	.50	15	.0	0		2	1	0
RICHFIELD	53.2	27.1	40.2	5.8	64	5	10	29	741	0	0	24	0	1.05	- .02	.37	12	.0	0		3	0	0
SHOSHONE	55.9	28.7	42.3	6.2	67	5+	11	30	675	0	0	23	0	.80	- .48	.40	15	.0	0		3	0	0
STIBNITE	48.0	24.1	36.1		62	12	- 5	30		0	4	27	1	1.18		.68	16	7.5	3	27+	3	1	0
SUN VALLEY	51.5	17.6	34.6	7.5	62	10	2	29	906	0	2	29	0	1.70	- .19	.78	15	2.0	2	15	3	2	0
SWAN FALLS PH	58.1M	35.1M	46.6M	5.6	69	8+	19	30	543	0	0	9	0	.70	- .25	.31	12	.0	0		3	0	0
THREE CREEK	61.0M	21.2M	41.1M		69	5+			706	0			0	T	- 1.13	T	13+	.0	0		0	0	0
TWIN FALLS 2 NNE	57.2	28.2	42.7	5.0	70	9	12	29	663	0	0	22	0	.31	- .77	.18	15	.0	0		1	0	0
TWIN FALLS 3 SE	57.3	29.0	43.2	5.5	70	10	15	30		0	0	23	0	.34	- .71	.23	16	.0	0		1	0	0
WEISER 1 S	53.8	29.5	41.7	2.7	66	11	14	30	693	0	0	18	0	1.10	- .29	.55	14	.0	0		2	1	0
DIVISION			40.9	4.4										1.05	- .86			.4					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	54.6	25.3	40.0	6.0	68	11	8	30	743	0	0	25	0	.45	- .28	.41	16	.0	0		1	0	0
AMERICAN FALLS 1 NW	53.2	27.9	40.6	5.7	65	11	13	29+	726	0	0	23	0	.34	- .82	.29	16	.0	0		1	0	0
ARCO	51.6M	22.2M	36.9M	5.5	63	10	[illegible]	30	837	0	2	28	0	.82	.22			.0	0				0
ASHTON 1 S	48.9	21.2	35.1	3.3	66	7	4	30	891	0	3	30	0	2.00	.70	1.05	15	.0	0		2	2	1
BLACKFOOT	54.6	27.7	41.2	7.0	69	11	11	29+	709	0	0	23	0	.90	.07	.90	16	.0	0		1	1	0
BLACKFOOT DAM	49.1M	18.7M	33.9M	4.9	62	10	2	29	926	0	3		0	.71	- .64								0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max. Depth on Ground	Date	No. of Days .10 or More①	.50 or More	1.00 or More
BURLEY	58.5	29.0	43.8	6.5	71	12	[illegible]	29		0	0	[illegible]	0	.31	-.57	.20	16	.0	0		1	0	0
BURLEY FACTORY	56.1	24.9	40.5	4.8	68	10	9	29		0	0	27	0	.42	-.48	.22	16	.0	0		2	0	0
BURLEY CAA AP	56.7	26.1	41.4	5.4	71	11	10	29	697	0	0	26	0	.34	-.80	.26	15	T	0		1	0	0
CHILLY BARTON FLAT	48.6	16.9	32.8	5.4	[illegible]	[illegible]	-8	30	956	0	3	29	2	.26	-.[illegible]2			[illegible]	0		[illegible]	0	0
CONDA	54.2M	22.5M	38.4M	9.5	70	11	2	29		0	1	26	0	2.09	.07	1.12	16	T	0		3	2	1
DUBOIS EXP STA	47.6	28.3	38.[illegible]	7.3	63	11	9	30	[illegible]	0	2	23	0	1.02	.41	.34	12	.0	0		4	0	0
DUBOIS CAA AP	49.[illegible]	24.7	36.9	6.5	64	11	7	30	838	0	2	27	0	.74	.05	.43	15	.2	0		2	0	0
FORT HALL IND AGENCY	55.4	25.4	40.4	5.7	70	11	8	29	73[illegible]	0	1	23	0	.19	-.60	.10	16	.0	0		1	0	0
GRACE	51.7	25.8	38.8	6.5	67	11	9	29	780	0	2	25	0	1.28	.11	.65	16	T	T	27	2	1	0
GRAY	47.0	20.1	33.6	3.7	60	1	-10	30	934	0	[illegible]	30	3	.30	-1.02	.20	15	.0	0		2	0	0
GROUSE	49.1	17.1	33.1		59	2+	-4	30	950	0	2	[illegible]	1	1.16	.53	.43	16	.0	0		3	0	0
HAMER 4 NW	50.9	20.3	35.6	5.3	65	11	4	30	871	0	2	27	0	.49	.12	.31	16	T	0		2	0	0
IDAHO FALLS 6 NE	51.8	25.7	38.8		66	11	9	30	780	0	[illegible]	24	0	.66		.47	16	.0	0		2	0	0
IDAHO FALLS CAA AP	52.4	25.5	39.0	5.5	67	9+	7	30	77[illegible]	0	3	26	0	.53	-.26	.31	15	T	0		2	0	0
IDAHO FALLS 43 NW WB R	49.2	20.7	35.0	6.1	66	11	1	30	894	0	2	27	0	.55	.24	.36	15	.0			[illegible]	0	0
IDAHO FALLS 46 W WB R	50.7	19.4	35.1	5.1	63	10	-2	30	890	0	2	27	[illegible]	.65	.09	.48	15	.0	0		2	0	0
IRWIN 2 S	53.2	25.5	39.4	7.9	67	1[illegible]	7	30	761	0	1	27	0	.63	-.52	.51	16	.0	0		2	1	0
ISLAND PARK DAM	44.4	20.5	32.5	5.8	61	11	0	29+	968	0	[illegible]	29	2	2.28	-.81	.89	16	6.0	4	16	4	2	0
LIFTON PUMPING STA	48.0	25.0	36.5	4.4	56	7+	9	29	847	0	3	27	0	.45	-.19	.23	12	T	0		2	0	0
MACKAY RS	50.0	24.1	37.1	5.5	63	2+	2	30	833	0	3	27	0	.63	.12	.31	12	T	T	26	2	0	0
MALAD	55.8	28.3	42.1	7.1	68	11	13	30	678	0	0	25	0	.96	-.33			3.0					[illegible]
MALAD CAA AP	55.1	23.6	39.4		68	11	10	29	761	0	1	27	0	.81		.47	16	T	T	3	2	0	0
MAY RS	51.8	20.9	36.4	5.3	64	11	-4	30	851	0	2	27	1	.31	.04	.20	12	T	0		2	0	0
MC CAMMON	54.[illegible]	26.4	40.4		67	10	9	29	732	0	0	23	0	.69		.56	16	.0	0		2	1	0
MINIDOKA DAM	53.1	30.0	41.6		67	9	12	30	598	0	0	22	0	.25		.17	16	.0	0		1	0	0
MONTPELIER RS	51.8M	2[illegible].1M	36.0M	4.4	64	11	[illegible]	29		0	2	23	0	.82	-.15	.30	13	.5	0		3	0	0
OAKLEY	58.[illegible]	30.8	44.4	5.9	71	10	10	30	611	0	0	16	0	.41	-.36	.23	12	.0	0		2	0	0
PALISADES DAM	50.6	26.7	38.7		62	10	[illegible]	29	781	0	3	23	0	.74		.58	16	.3	0		1	1	0
PAUL 1 E	57.[illegible]	26.4	41.8	4.5	70	12	9	29		0	0	25	0	.26	-.71	.21	16	.0	0		1	0	0
POCATELLO WB AP //R	53.4	26.8	40.1	4.2	70	11	9	29	739	0	0	22	0	.51	-.55	.23	16	.0	0		3	0	0
PRESTON SUG FACT 2SE	54.2	26.7	40.5	5.9	67	10	12	29	731	0	0	24	0	1.69	.25	1.14	16	T	0		3	1	1
RUPERT	56.5M	26.6M	41.6M	4.7	70	12	9	29		0	0	26	0	.29	-.71	.25	16	.0	0		1	0	0
SAINT ANTHONY	51.3	23.9	37.6		68	11	3	30	81[illegible]	0	1	[illegible]	0	1.17	-.25	.52	16	.0	0		3	[illegible]	0
SPENCER RS	46.5	22.6	34.6	6.8	61	11	[illegible]	30	[illegible]	[illegible]	[illegible]	27	0	1.[illegible]6	.45	.66	16	T	0		3	3	0
SPRINGFIELD 1 SE	55.8	24.7	40.3	5.7	69	10	[illegible]	30	734	0	0	2[illegible]	0	.49	-.44	.40	16	.0	0		1	0	0
STREVELL	50.7	28.1	39.4		62	10+	4	30	760	0	2	21	0	.42		.42	16	.0	0		1	0	0
SUGAR	50.7	23.8	37.3	5.6	[illegible]	11	5	30	82[illegible]	0	2	26	0	.17	-.52	.12	16	.0	0		1	0	0
TETONIA EXP STA	47.2	23.2	35.2		62	11	2	29	[illegible]	0	2	28	0	.64		.30	16				4	0	0
DIVISION			38.2	5.1										.74	-.27			.2					
STATE			39.[illegible]	4.6										1.22	-.73			.7					

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.45															.04	.41															
AMERICAN FALLS 1 NW	.34												.04			.01	.29															
ANDERSON DAM	1.55												.50		.01	[illegible]	[illegible]	.25	.01	T												
ARCO	.82												.25			[illegible]	.57															
ARROWROCK DAM	1.54												.51	.18		[illegible]	[illegible]	.16	.19	T								[illegible]				
ASHTON 1 S	2.00													T		1.05	.95															
ATLANTA 1 E	1.6[illegible]											T	.27	.01		[illegible]	.54	.23	T							T	.02	T	T			
AVERY RS	2.63						[illegible]	[illegible]			[illegible]		.36		[illegible]	[illegible]	.56	[illegible]	.50	.15	[illegible]					[illegible]	.54	[illegible]	[illegible]			
BAYVIEW MODEL BASIN	2.2[illegible]						[illegible]	[illegible]		[illegible]	.21		[illegible]	[illegible]	.20	.20	.10	.22	.13	.05	[illegible]					.20	.05	.04				
BIG CREEK 1 S	.91										T		.02	T		.30	.48	.04								T	.02	.05	T			
BLACKFOOT	.90												T				.90															
BLACKFOOT DAM	.71												[illegible]	.06			[illegible]	.65									T		[illegible]		[illegible]	
BLISS	.87												[illegible]			[illegible]	[illegible]	[illegible]														
BOISE LUCKY PEAK DAM	-											-	-			-	-	-														
BOISE WB AP //R	.94											.06	.37		T	.28		.23								T		T				
BONNERS FERRY 1 SW	2.29					T	.39	.06		.10	.04	T	[illegible]		.31	[illegible]	[illegible]	[illegible]	.24	.10	[illegible]			.01		.25	.13					
BOVILL	[illegible]											.10	[illegible]		.06	[illegible]	.04															
BURKE 2 ENE	5.39		T				.39	.06			.38	T	[illegible]	[illegible]	.15	.15	[illegible]	[illegible]	.50	.13	T					.45	[illegible]	[illegible]		T	[illegible]	
BURLEY	.31													.04		.07	.20															
BURLEY FACTORY	.42												T	.10		.10	.22															
BURLEY CAA AP	.34												.05			.26	.03	T										T				
CALDWELL	1.18											T	[illegible]			.33		[illegible]	.05	.03						.02						
CAMBRIDGE	1.62												[illegible]			.71	.01	.50		.01						[illegible]						
CASCADE 1 NW	1.[illegible]7												[illegible]			.69	[illegible]	.10							.04	.05		.01				
CENTERVILLE ARBAUGH	[illegible]											T	.83	[illegible]	T	.61	.20	.34								T	.01	[illegible]				
CHALLIS	.18												.09			.09	T															
CHILLY BARTON FLAT	.26												.04			[illegible]	.22															
CLARK FORK 1 ENE	[illegible].37						[illegible]			.05	[illegible]		.37		.20	.15	[illegible]	.26	[illegible]	.22						.43	.01	[illegible]				
COBALT BLACKBIRD MINE	.92												.01	.11			[illegible]	[illegible]	.01								.06	.30	.10	T		
COEUR D ALENE RS	2.45						.57	T	[illegible]	.06	.20		[illegible]	T	.14	.15	[illegible]	[illegible]	.34	.18	T										[illegible]	
CONDA	2.09												[illegible]	[illegible]	.01	[illegible]	1.12	[illegible]										.15				
COTTONWOOD	.74										.23						.12	.24	.01							T	.01	.13				
COUNCIL	1.97												.69	T		.61	.10	.49								.03		T	.05			
CROUCH 2 NNW	2.08												.70			.56	.12	.70														
DEADWOOD DAM	1.80												.43	[illegible]		[illegible]	.19	.17								-	-	.01				
DEER FLAT DAM	1.10												.72			.18	T	.20	T													
DIXIE	1.10										[illegible]		.04			.15	[illegible]	.42									[illegible]	.31	[illegible]		T	
DUBOIS EXP STA	1.02												.34	.10		[illegible]	[illegible]															
DUBOIS CAA AP	.74											[illegible]	.04			.43	[illegible]		T									.02				
ELK CITY	1.63										[illegible]	.01	.11	[illegible]			[illegible]	.42	T	T						.07	.07	.57	[illegible]			
ELK RIVER 1 S	[illegible]										[illegible]		.31		.10	.17	.61	[illegible]	.36	[illegible]						.35	.14	.20	.02			

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3—Continued

IDAHO
NOVEMBER 1954

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	1.31												.75			.35	.09	.12														
FAIRFIELD RS	1.67												.65	T		.77	.23	.02										T				
FENN RS	2.58										.30		.49				.35	.50		.05						.20	.15	.54				
FORT HALL IND AGENCY	.19													.07		.02	.10															
GARDEN VALLEY RS	1.48												.52	.01		.50	.07	.37	.01													
GLENNS FERRY	.91												.41			.39	.02	.06	.03													
GOODING CAA AP	.91											.23	.20			.48	T	T														
GRACE	1.28												.56	.04		.03	.65										T	T				
GRAND VIEW	.55												.21			*	*	.34														
GRANGEVILLE	1.13										.41		.20		.05	.03	.10	.09	.03							T	T	.22	T			
GRASMERE	.09												T			T	.09															
GRAY	.30															.20	.10															
GROUSE	1.16												.42			.43	.31															
HAILEY AP	1.88												.80	.01		.81	.24	.02														
HAMER 4 NW	.49												.12	T		.06	.31											T				
HAZELTON	.51											T	.25			.15	.11															
HILL CITY	1.44												.38			.78	.20	.08														
HOLLISTER	.26												.10			*	.16															
HOWE	.32												.15			T	.17															
IDAHO CITY	2.25												.63	.02		.83	.35	.40								.02						
IDAHO CITY 11 SW	2.44												.90		.02	.60	.43	.43								.04	T	.02				
IDAHO FALLS 6 NE	.66												.10	.01		.08	.47															
IDAHO FALLS CAA AP	.53											.08	.01	T		.31	.13												T			
IDAHO FALLS 43 NW WB R	.55											.16	.02			.36	.01															
IDAHO FALLS 46 W WB R	.65											.13	.01			.48	.03															
IRWIN 2 S	.63												T	.12	T		.51	T														
ISLAND PARK DAM	2.28												.35	.57		.47	.89															
JEROME	.72												.32	T		.28	.12															
KAMIAH 1 NE	1.41						T	.05	.04		.34		.32		.01		.19	.16		.02	T					.06	.09	.13				
KELLOGG	3.26						.22	.22	T		.27		.22	.18	.08	.02	.49	.38	.22	.33	.03					.10	.35	.15			T	
KOOSKIA	1.47										.42		.42			.02	.22	.12	.04	T	.05					T		.18				
KUNA 2 NNE	.87												.55		T	.18	T	.14														
LEWISTON WATER PLANT	.95									.02	.31		.07	T	.02	T	.15	.13	.19	.01						.01	T	.04				
LEWISTON WB AP //R	.86									.22	.06		.06		.05	.10	.02	.10	.25							T	T	T				
LIFTON PUMPING STA	.45												.23	.06			.16														T	
MACKAY RS	.63												.31			.29	.02										.01					
MALAD	.96												.16			*	.77												T		.03	
MALAD CAA AP	.81											T	.06			.23	.47											T			.05	
MAY RS	.31												.20			.11	T											T				
MC CALL	1.17												.15			.25	.38	.27	T									.12				
MC CAMMON	.69												.11			.02	.56															
MERIDIAN 1 W	1.02												.53			.21	.15	.13								T						
MESA	.02																.02															
MINIDOKA DAM	.25											T	.03			.05	.17															
MONTPELIER RS	.82												.15	.30			.28	.06											.02	T	.01	
MOSCOW U OF I	1.93						T	.04		.08	.30		.10			.24	.18	.45	.35	T	.02					.13	.04					
MOUNTAIN HOME	.78												.29	T		.31	.03	.15														
MULLAN PASS CAA	2.82					T	.12	.02		.11	.20	.01	.22	.02	.13	.34	.23	.32	.19	.04	T		T			.19	.40	.28		T	T	
NAMPA 2 NW	.85												.38	.11		.22	.01	.11	.02													
NEW MEADOWS RS	1.34										.05		.40		.03	.35	.16	.25							.08				.02			
NEZPERCE 2 E	1.17										.33		.28			.02	.06	.09	.19							T		.20	T			
OAKLEY	.41											T	.23			.05	.13															
OBSIDIAN 4 NNE	.85												.09			.73											.03					
OLA 5 S	1.78												.80			.48		.45								.02			.03			
OROFINO	1.63										.30			.25	.07	.11	.20	.35	.15	.02	.01					.03	.04	.10				
PALISADES DAM	.74												.05	.04		.04	.58	.03	T									T	T		T	
PARMA EXP STA	1.36												.82			.40		.08								.06						
PAUL 1 E	.26													.02		.03	.21															
PAYETTE	.90												.40			.50	T															
PIERCE RS	-									.44			.43	.02	.06	.27	.34	.66	.09	T						-	-	-	-			
POCATELLO WB AP //R	.51											T	T	.13		.15	.23															
PORTHILL	1.67				.16		.14	T		T		.03			.21	.23	.15	.07	.31	.09						.21	.07					
POTLATCH 1 SE	2.47						.10			.10	.29		.09		.09	.17	.16	.49	.53	T						.35	.08	.02				
PRESTON SUG FACT 2 SE	1.69												.41	.12			1.14												.02		T	
PRIEST RIVER EXP STA	3.31				.02	.04	.26	.03		.17	.26		.17		.49	.48	.25	.30	.39	.12						.29	.03				.01	
RICHFIELD	1.05											T	.37			.35	.33															
RUPERT	.29												T	T		.04	.25															
SAINT ANTHONY	1.17												.11	.03		.51	.52											T				
SAINT MARIES	2.91									.06	.20		.10	.12	.05	.09	.60	.40	.36	.48						.26	.15			T	.04	
SALMON	.13												.06			T	.02									.03	T	.02				
SANDPOINT EXP STA	3.21				.03	T	.30	.02		.14			.21		.45	.46	.26	.42	.22	.13						.47	.08	.02		T		
SHOSHONE	.80												.21	T		.40	.19															
SPENCER RS	1.76												.55	.03		.50	.66		.02							T		T				
SPRINGFIELD 1 SE	.48												T			.08	.40															
STIBNITE	1.18												T	.11	T	.02	.68	.08	.02								.06	.16	.05			
STREVELL	.42																.42															
SUGAR	.17													T	T	.05	.12															
SUN VALLEY	1.70												.62			.78	.30	T										T				
SWAN FALLS PH	.70												.31			.13	.09	.15										.02				
TETONIA EXP STA	.64												.12			.10	.30	.12										T				
THREE CREEK	T													T			T															
TWIN FALLS 2 NNE	.31												.06			.18	.07															
TWIN FALLS 3 SE	.34												.03	.02		.06	.23															
WALLACE	4.31						.32	T		T	.30		.26		.20	.26	.76	.53	.37	.14			T			.56	.27	.34		T	T	
WALLACE WOODLAND PARK	3.08						.10	.08			.29		.03	.22	.05	.02	.55	.53	.19	.27	.06	.05				.17	.16	.30			.01	
WEISER 1 S	1.10												.40		.55	.02	.03	.08								.02	T					
WINCHESTER 1 SE	1.15										.43		.22		.03	.05	.15	.11	.10								.03	.03				

See reference notes following Station Index

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ABERDEEN EXP STA	MAX	58	58	58	59	61	59	59	63	55	65	64	59	51	57	56	48	45	64	57	51	55	57	58	54	58	56	46	47	33	34		54.5
	MIN	24	23	20	19	20	20	20	20	25	24	32	37	36	28	40	39	40	27	24	30	27	23	24	25	21	28	[illegible]	22	9	8		25.3
AMERICAN FALLS 1 NW	MAX	55	59	56	57	53	53	57	61	64	61	65	60	51	54	55	50	46	53	57	52	53	54	58	51	50	54	40	38	35	35		53.2
	MIN	26	21	22	22	23	27	23	26	29	30	31	41	36	31	42	38	27	29	26	34	28	23	24	27	29	29	28	25	13	11		27.9
ANDERSON DAM	MAX	64	64	62	63	65	68	65	65	63	65	65	60	49	55	49	47	44	51	51	55	59	58	54	59	54	50	47	41	39	36		55.7
	MIN	34	32	32	31	33	32	35	33	40	39	45	44	36	39	41	39	33	34	34	33	34	37	35	34	33	30	34	21	19	16		33.8
ARCO	MAX	61	61	57	58	56	57	56	56	57	63	60	62	48	44	44	48	52	44	53	42	62	55	51					48	30	30		51.6
	MIN	18	17	17	16	17	8	18	15	19	21	27	39	35	29	28	31	18	28	29	28	18	23	22					18	10	8		22.2
ARROWROCK DAM	MAX	57	57	57	56	58	61	59	52	66	65	60	69	47	50	55	53	48	41	46	51	48	51	52	51	57	51	49	41	37	34		51.4
	MIN	28	28	28	27	29	28	27	30	36	39	41	42	34	34	40	42	34	33	33	32	32	41	33	33	31	29	34	22	18	1		31.4
ASHTON 1 S	MAX	56	60	57	61	63	64	66	63	60	54	52	51	46	48	50	44	41	42	53	44	49	51	48	46	40	35	34	30	28	29		48.9
	MIN	21	19	17	19	18	20	21	19	20	18	19	21	31	31	28	32	18	31	28	23	25	26	24	22	24	22	20	9	6	4		21.2
ATLANTA 1 E	MAX	65	63	60	63	65	75	51	57	60	62	62	55	50	51	47	40	37	35	42	54	57	61	58	60	56	48	42	29	33	30		52.6
	MIN	31	30	28	27	31	32	31	31	39	35	44	32	30	34	35	31	28	30	26	17	26	24	31	33	25	24	15	11	9	7		28.4
AVERY RS	MAX	56	55	54	55	54	46	59	61	53	55	55	49	50	46	50	51	42	44	55	51	54	56	57	53	45	42	38	33	32	41		49.5
	MIN	27	26	28	34	31	39	42	31	40	40	34	42	37	41	42	36	40	38	38	34	36	42	35	33	35	38	33	25	24	21		34.8
BAYVIEW MODEL BASIN	MAX		48	48	43	50	51	53	49	50	53	52	48	48	49	49	48	50	53	51	51	52	51	54	48	46	47	47	45	41	31		48.7
	MIN	25	26	28	40	36	33	32	32	32	38	36	35	30	30	29	33	29	29	40	34	34	32	41	36	37	37	36	20	20	24		31.8
BIG CREEK 1S	MAX	58	58	57	55	59	63	51	52	58	62	56	57	48	52	49	46	39	48	53	52	60	61	64	53	49	42	34	31	28	29		50.9
	MIN	13	11	13	14	14	13	10	10	10	35	29	37	22	24	36	30	30	31	25	25	27	24	21	20	18	22	15	16	17	-12		20.8
BLACKFOOT	MAX	59	61	64	55	60	61	60	63	67	64	69	61	50	57	58	48	45	54	58	49	55	55	53	54	56	52	45	38	34	34		54.6
	MIN	25	25	23	23	22	23	24	25	28	28	33	43	45	33	40	39	28	28	28	32	24	25	26	26	25	29	35	21	11	11		27.7
BLACKFOOT DAM	MAX	53	54	52	51	54	58	55	55	58	62	60		52	50		53		44	49	45	48	53	49			40		28	28	27		49.1
	MIN	17	17	15	15	18	17	16	16	18	23	30		31	27	15			23	22	20	21	21	21	22		24		11	2	6		18.7
BLISS	MAX	[illegible]	64	63	65	70	70	69	68	68	66	65		54	52	53	53	48	58	63		54	58	63	59	61	50	45	42	38	39		58.1
	MIN	23	21	23	24	23	27	23	35	41	29		41	28	40	42	40	28	29		34	26	26	29	27	26	26	33	21	13	11		28.2
BOISE LUCKY PEAK DAM	MAX	61	58	59	60	64																	57	55	57		55			42	39		
	MIN	33	33	32	32	35																	33	35	37		21			20	16		
BOISE WB AP	MAX	60	58	60	60	62	60	58	69	67	61	67	51	52	56	55	52	49	55	59	52	53	52	54	57	47	47	45	40	36	36		54.4
	MIN	34	32	32	32	32	32	33	32	42	35	45	37	31	41	44	37	38	33	36	32	32	34	31	34	32	29	26	19	17	15		32.6
BONNERS FERRY 1 SW	MAX	50	44	44	45	47	53	48	56	47	52	44	51	52	45	45	48	52	54	52	47	55	51	50	39	50	46	50	39	39	35		47.6
	MIN	22	22	30	36	32	43	40	34	40	40	32	36	29	39	41	41	40	41	41	34	33	32	40	31	36	40	35	10	22	24		33.9
BUHL	MAX	65	60	58	61	67	66	62	69	67	65	65	64	53	63	51	50	50	59	60	58	58	62	59	57	60	53	49	39	30	40		57.4
	MIN	31	31	33	34	30	32	31	35	38	38	45	43	33	35	32	43	32	33	32	36	32	32	34	34	34	29	37	23	16	15		32.8
BURKE 2 NNE	MAX	50	50	46	47	57	47	53	51	47	43	50	50	41	42	47	43	37	40	40	43	43	53	50	43	45	34	35	30	26	27		43.8
	MIN	27	27	27	27	30	41	39	30	37	34	32	38	30	35	36	33	33	33	33	35	32	33	31	30	32	32	29	15	14	15		30.7
BURLEY	MAX	62	58	62	60	64	65	67	65	67	70	65	71	64	54	54	54	49	50	60	65	57	59	64	60	59	64	48	44	38	37		58.5
	MIN	26	24	26	26	25	27	26	27	32	33	40	42	34	32	34	40	31	32	29	30	30	28	28	29	26	31	33	23	12	13		29.0
BURLEY FACTORY	MAX	60	60	59	57	60	64	64	64	64	68	60	67	50	49	52	50	45	48	60	64	55	57	62	60	57	62	47	45	49	36		56.1
	MIN	23	19	20	21	20	22	20	24	27	28	35	39	29	30	30	37	28	28	27	28	25	22	23	23	22	16	31	22	9	10		24.9
BURLEY CAA AP	MAX	61	60	56	60	66	66	66	68	68	64	71	53	53	55	53	48	48	60	67	57	58	64	59	58	63	46	44	35	37	38		56.7
	MIN	25	21	22	22	22	26	23	26	25	29	34	40	31	30	41	33	1	23	28	30	27	24	26	25	22	30	27	14	10	11		26.1
CALDWELL	MAX	60	58	61	59	58	58	56	62	63	61	60	65	52	54	54	55	48	52	55	51	56	53	54	51	45	49	48	42	39	39		53.9
	MIN	26	23	24	25	25	23	23	25	27	39	40	47	28	43	43	40	37	33	34	38	23	29	28	29	28	27	13	24	15	13		29.6
CAMBRIDGE	MAX	68	65	65	60	66	65	60	59	59	65	66	59	49	50	49	55	47	48	48	55	60	59	57	56	48	45	47	44	44	40		55.3
	MIN	20	17	18	18	17	16	16	15	20	39	36	44	22	34	40	32	32	33	29	24	25	27	24	23	23	23	30	19	22	8		24.9
CASCADE 1 NW	MAX	56	56	56	55	60	55	53	58	58	60	60	55	42	48	46	44	41	43	51	5	50	49	40	41	43	42	39	41	31	29		48.4
	MIN	23	22	21	17	23	20	19	21	38	39	34	39	28	34	36	34	33	30	31	24	27	27	27	27	23	27	28	18	13	4		26.2
CHALLIS	MAX		58	56	55	57	57	54	55	54	60	65	50	51	64	54	48	50	47	58	54	53	58	55	53	54	50	40	35	32	28		51.9
	MIN		22	20	21	20	19	20	20	27	33	37	35	30	34	34	32	33	29	27	26	26	27	27	26	15	21	22	11	11	0		24.3
CHILLY BARTON FLAT	MAX	56	60	59	56	57	56	53	51	55	57	59	53	45	43	41	41	45	45	46	51	57	54	57	56	47	40	36	32	26	25		48.6
	MIN	11	11	13	9	12	8	8	9	20	18	26	34	26	26	35	32	22	16	17	25	28	18	18	19	11	22	15	10	- 3	- 8		16.9
CLARK FORK 1 ENE	MAX	56	50	40	52	52	53	50	59	55	57	56	50	52	47	50	46	52	52	49	56	60	56	62	67	57	53	48	48	33	40		51.9
	MIN	31	21	22	35	29	42	40	34	38	38	39	37	29	38	37	38	36	39	33	34	33	31	35	36	32	34	34	21	27	25		33.3
COBALT BLACKBIRD MINE	MAX	44	49	50	46	46	52	49	45	47	51	51	55	43	41	46	43	42	36	40	41	40	47	52	47	41	48	4	26	22	17		42.6
	MIN	20	20	20	21	21	23	20	21	24	31	34	34	24	24	30	26	24	26	27	22	23	27	28	27	24	1	20	9	9	- 6		22.4
COEUR D ALENE RS	MAX	55	51	49	48	59	57	52	54	52	55	54	57	46	46	47	47	47	47	51	49	55	59	52	47	48	47	44	37	48	42		50.1
	MIN	27	29	32	34	31	47	43	41	41	38	40	34	32	40	39	40	41	41	41	36	38	35	38	36	40	39	26	22	22	24		35.6
CONDA	MAX		59	66	59	56	62	64	61	60	60	70	69	50	45	55	58	40	46	48	55	49	52	60	57	56	60	46	45	30	37		54.2
	MIN		19	20	20	21	21	20	21	21	15	33	40	34	26	35	32	20	16	23	25	6	7	26	25	24	20	10	11	2	3		22.5
COTTONWOOD	MAX	51	57	48	51	58	58	55	60	51	50	57	51	43	46	50	48	44	51	53	47	54	61	54	55	49	42	42	35	31	31		49.4
	MIN	24	25	25	22	29	29	29	25	39	31	34	36	24	36	32	33	34	36	33	28	40	26	33	31	33	32	27	20	20	13		29.3
COUNCIL	MAX	59	64	64	62	65	62	63	62	57	59	63	58	49	49	48	49	48	49	49	58	59	61	60	56	53	46	42	39	41	37		54.7
	MIN	29	19	25	20	19	19	21	19	39	41	39	46	25	32	42	39	36	32	32	30	26	30	26	27	24	23	20	14	23	11		27.9
DEADWOOD DAM	MAX	63	61	60	59	62	59	54	59	58	60	61	52	55	48	47	37	34	41	41	46	55	55	50	52	50	41	31	33	32	31		49.6
	MIN	13	18	16	17	16	14	13	14	24	32	29	35	25	27	31	30	27	28	27	24	25	26	25	25	13	24	24	8	7	- 4		21.3
DEER FLAT DAM	MAX	60	58	58	59	59	60	59	66	65	63	66	51	57	54	55	57	51	55	55	53	59	54	55	55	44	51	44	42	40	40		54.8
	MIN	27	27	29	27	27	27	25	27	40	40	40	39	30	34	38	39	41	32	34	29	31	31	31	30	28	32	32	29	17	15		31.0
DIXIE	MAX	58	59	56	55	50	59	54	58	57	52	62	50	49	50	46	40	35	42	48	50	56	58	55	57	54	33	30	28	30	25		48.5
	MIN	15	15	15	15	15	14	14	13	28	29	29	30	28	21	32	29	15	28	24	14	13	23	21	22	19	17	17	15	- 9	-17		18.5
DUBOIS EXP STA	MAX	59	57	56	50	53	55	55	56	58	58	63	55	44	45	45	45	37	39	46	45	49	50	49	51	44	42	37	32	28	25		47.6
	MIN	30	27	29	25	29	29	28	26	31	32	39	39	33	35	33	35	25	30	31	27	29	31	30	30	36	20	24	14	13	8		26.3
DUBOIS CAA AP	MAX	62	59	58	51	55	58	59	57	59	58	64	52	41	49	47	47	35	42	49	45	49	51	50	52	44	42	40	36	32	28		49.0
	MIN	29	26	23	20	23	22	21	23	24	26	36	40	37	31	32	26	25	31	10	25	27	28	26	28	16	14	22	17	12	7		24.7
ELK CITY	MAX	62	63	58	51	51	67	56	61	47	49	61	50	52	50	54	48	38	47	55	44	56	58	58	54	44	39	33	37	30	28		49.9
	MIN	15	17	17	21	23	17	18	14	28	38	34	39	45	36	32	12	18	40	40	25	31	29	40	29	26	24	30	23	7	- 8		24.9
ELK RIVER 1 S	MAX	57	57	49	49	60	53	62	60	50	53	50	48	49	48	50	45	48	44	52	53	62	58	60		46	44	47	37	34	33		49.6
	MIN	22	21	22	24	25	37	38	14	16	38	33	42	30	34	41	37	35	31	37	24	48	18	10		28	34	41	11	17	19		30.6

See reference notes following Station Index.

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
EMMETT 2 E	MAX	67	65	61	63	61	61	58	61	60	63	65	61	53	56	57	56	50	52	57	53	55	54	53	52	44	45	43	43	36	39		54.8
	MIN	26	30	26	28	28	27	26	27	45	39	41	46	30	36	44	41	40	34	36	30	31	32	30	31	28	30	31	20	17	16		31.5
FAIRFIELD RS	MAX	64	65	60	62	65	64	60	58	59	64	63	51	47	45	45	44	43	49	54	54	60	58	56	57	55	44	39	37	34	31		52.9
	MIN	20	15	15	15	16	16	14	15	19	24	21	33	29	33	37	33	29	25	24	29	29	25	26	24	23	29	28	15	5	5		22.4
FENN RS	MAX	56	55	55	54	56	54	52	55	56	52	54	47	48	47	48	47	44	48	49	49	53	51	53	52	42	44	42	38	38	36		49.2
	MIN	34	32	31	33	31	30	28	37	36	40	39	43	36	36	42	41	40	41	40	36	39	34	39	34	35	38	36	33	24	19		35.2
FORT HALL IND AGENCY	MAX	59	59	54	57	64	61	61	64	67	65	70	60	51	57	62	50	46	55	59	52	54	58	57	55	59	55	44	40	32	35		55.4
	MIN	20	21	20	20	20	18	18	20	23	24	30	44	36	33	42	38	30	27	25	33	26	22	25	23	22	28	36	21	8	10		25.4
GARDEN VALLEY RS	MAX	63	61	61	60	61	59	56	57	58	53	60	59	48	47	48	47	43	46	46	42	48	47	47	45	41	36	43	38	34	30		49.5
	MIN	21	21	20	21	21	19	19	19	31	36	35	45	35	35	40	39	33	35	34	32	30	32	31	30	27	25	31	18	11	7		27.8
GLENNS FERRY	MAX	67	63	62	63				72					55	57	54	56	49	58	63	56	57	65	58	58	61	51	48	47	39	40		56.5
	MIN	20	17	18	19									30	45	45	42	32	30	28	28	29	26	26	26	24	30	37	23	11	10		27.1
GOODING CAA AP	MAX	65	59	59	60	66	65	66	65	65	63	64	49	51	50	50	50	45	55	60	52	53	63	55	57	57	46	43	38	33	36		54.7
	MIN	35	28	27	27	34	36	35	34	40	35	46	39	30	39	41	34	32	29	34	30	31	34	29	34	31	30	26	19	16	13		31.6
GRACE	MAX	61	60	56	58	58	60	58	57	60	65	67	55	45	50	56	44	40	46	49	51	54	57	54	54	52	45	41	38	32	27		51.7
	MIN	23	23	22	21	21	23	20	22	23	28	33	38	36	31	40	34	27	31	29	26	24	28	25	32	26	25	25	17	8	13		25.8
GRAND VIEW	MAX	61	61	62	62	63	62	62	70	69	64	66	63	54	56	57	57	54	55	62	60	60	57	56	55	54	54	51	50	48	42		58.2
	MIN	25	23	22	24	23	22	21	22	48	33	37	48	28	40	49	42	35	29	35	29	30	26	28	28	26	24	22	21	11	10		28.7
GRANGEVILLE	MAX	55	55	48	50	60	58	55	57	52	51	56	46	49	52	53	50	48	50	58	50	56	55	56	54	53	45	42	37	31	29		50.4
	MIN	27	28	29	23	29	30	31	32	39	31	36	36	29	38	39	37	37	36	34	28	34	36	36	34	35	35	30	25	18	13		31.5
GRASMERE	MAX	57	58	65	64	67	65	63	64	66	61	62	59	49	57	53	46	45	57	61	56	60	68	62	63	62	50	46	35	29	33		56.1
	MIN	23	22	31	27	30	27	24	28	32	27	38	37	25	29	32	33	26	28	32	27	27	28	33	30	36	25	32	13	0	7		27.0
GRAY	MAX	60	59	58	58	56	58	57	58	55	52	48	50	52	55	50	52	45	40	40	39	38	39	39	38	37	36	35	36	34	35		47.0
	MIN	25	26	26	28	29	30	28	29	28	27	25	27	26	25	20	21	25	22	21	22	25	26	20	15	12	5	4	0	- 5	-10		20.1
GROUSE	MAX	58	59	54	55	55	55	53	52	55	59	58	50	46	43	43	43	42	49	51	51	58	54	54	55	53	45	36	34	28	26		49.1
	MIN	11	8	11	10	11	9	8	8	14	15	23	32	28	28	28	29	20	20	19	19	22	21	20	22	18	23	22	14	3	- 4		17.1
HAILEY AP	MAX	60	60	56	55	60	55	60	58	59	60	60	48	46	44	40	46	47	46	56	53	67	60	58	55	56	48	42	34	35	28		51.7
	MIN	25	24	24	24	23	25	24	23	25	26	33	34	29	31	29	27	22	23	24	23	27	27	26	25	24	18	26	13	9	9		24.1
HAMER 4 NW	MAX	62	60	57	53	57	57	58	59	60	61	65	56	55	49	51	53	43	42	51	45	51	53	50	51	42	45	42	37	32	31		50.9
	MIN	21	13	15	14	19	11	10	10	17	18	29	39	36	31	31	38	26	29	24	23	20	22	19	21	19	16	18	8	9	4		20.3
HAZELTON	MAX	62	60	55	60	66	65	65	65	70	65	65	58	50	61	53	47	46	61	61	54	55	64	59	59	63	51	43	37	35	39		56.5
	MIN	27	22	21	22	24	27	25	27	32	32	33	38	30	30	38	38	27	27	27	30	29	28	26	28	24	29	32	21	10	11		27.2
HILL CITY	MAX	64	63	61	61	66	67	67	58	59	61	60	58	56	44	41	44	42	46	52	52	63	63	63	63	56	45	40	38	35	32		54.0
	MIN	3	12	12	11	13	13	12	18	22	24	36	39	30	31	35	33	29	25	23	32	35	25	30	25	23	24	29	16	3	2		22.2
HOLLISTER	MAX	60	62	59	67	65	66	66	64	68	65	70	56	51	54	55	48	48							63	69	52	49	36	35	37		56.9
	MIN	25	23	30	31	28	30	25	29	33	29	32	34	28	38	42	37	29							32	31	24	32	20	9	9		28.3
IDAHO CITY	MAX	68	68	65	67	68	66	66	68	61	67	66	62	47	49	45	47	44	51	55	57	62	63	65	60	59	47	42	40	58	38		57.3
	MIN	18	18	13	17	19	15	15	15	27	28	33	42	31	29	37	34	30	25	25	23	25	24	25	25	21	20	19	11	6	2		22.4
IDAHO FALLS 6 NE	MAX	55	61	56	53	56	59	58	59	65	65	66	60	46	51	55	44	41	50	53	47	56	55	48	52	52	52	42	36	31	31		51.8
	MIN	23	25	21	22	20	17	17	20	30	32	34	41	34	33	33	37	30	27	26	30	26	24	24	24	25	27	30	18	11	9		25.7
IDAHO FALLS CAA AP	MAX	59	60	55	54	60	60	62	62	67	66	67	53	47	53	58	46	41	52	54	47	52	58	52	55	53	41	41	32	32	32		52.4
	MIN	24	22	21	22	22	23	22	22	24	25	33	38	35	30	38	32	29	28	28	28	28	26	25	26	24	26	28	17	12	7		25.5
IDAHO FALLS 43 NW WB	MAX	60	60	58	55	56	57	58	56	60	59	66	50	45	46	48	52	37	40	47	43	51	51	48	51	42	45	39	36	30	31		49.2
	MIN	17	14	16	14	15	15	14	10	19	18	29	38	34	30	36	28	26	27	25	21	24	24	18	21	17	21	22	18	10	1		20.7
IDAHO FALLS 46 W WB	MAX	58	61	58	58	56	58	58	59	61	63	62	49	45	47	50	49	42	41	54	50	58	51	49	51	54	42	41	35	30	31		50.7
	MIN	13	10	13	12	13	11	13	12	16	17	26	39	33	24	35	31	28	25	21	23	26	21	18	20	18	28	29	7	3	- 2		19.4
IRWIN 2 S	MAX	62	62	58	58	60	65	63	63	62	67	65	58	46	58	53	43	35	49	52	48	54	57	57	56	60	52	40	33	33	28		53.2
	MIN	23	19	18	20	23	24	24	25	27	30	31	41	34	32	30	30	26	33	30	26	26	25	25	25	28	23	30	16	14	7		25.5
ISLAND PARK DAM	MAX	56	57	55	49	52	55	56	54	57	57	61	56	41	44	38	38	35	32	43	41	47	47	49	45	35	33	27	25	25	23		44.4
	MIN	23	18	18	11	18	17	18	17	17	21	26	37	32	32	31	32	23	28	21	12	22	21	23	26	20	23	24	5	0	0		20.5
JEROME	MAX	66	60	57	61	66	68	67	69	70	65	64	59		55	49	50	46	60	60	55	55	64	57	58	61	52	45	39	33	40		56.9
	MIN	29	22	22	24	26	28	30	29	35	30	45	41		28	40	35	28	27	30	29	27	29	27	27	25	28	32	20	12	11		28.1
KELLOGG	MAX	50	53	52	45	52	53	50	61	63	50	55	59	46	47	52	51	47	45	46	52	51	59	56	58	42	48	45	41	35	33		49.9
	MIN	28	25	26	30	32	37	45	33	35	39	38	41	35	35	41	41	39	40	40	38	39	34	35	36	35	37	35	22	23	25		34.6
KOOSKIA	MAX	57	58	56	49	51	62	57	55	55	53	54	49	49	50	51	55	53	53	52	50	60	61	58	51	45	48	49	48	42	40		52.4
	MIN	24	24	26	27	26	27	27	23	32	39	39	44	40	37	36	40	39	40	37	34	36	32	36	30	33	29	39	37	26	15		32.5
KUNA 2 NNE	MAX	64	59	59			60	59	68	65	62	62	62	53	55	53	53	49	56	58	53	54	55	56	57	48	46	47	47	37	38		54.8
	MIN	27	24	22			26	24	21	45	34	40	45	28	42	45	37	33	32	36	27	28	32	27	30	27	25	34	19	14	12		29.9
LEWISTON WATER PLANT	MAX	57	57	53	49	54	57	65	58	55	59	50	55	52	50	53	57	53	55	62	52	60	63	59	50	57	53	51	46	44	42		54.3
	MIN	28	28	29	28	30	42	40	31	43	40	40	45	32	45	42	42	42	47	45	35	38	36	38	41	41	33	42	25	29	24		36.7
LEWISTON WB AP	MAX	55	55	51	47	54	57	62	58	55	57	50	53	51	51	54	56	51	53	62	50	59	61	59	46	56	52	49	40	40	38		52.7
	MIN	27	27	27	28	31	40	40	34	42	39	39	40	32	42	40	41	41	43	39	32	36	37	37	38	36	33	33	23	27	20		34.8
LIFTON PUMPING STA	MAX	50	52	50	54	52	51	56	54	56	53	55	49	43	48	54	47	41	47	49	50	50	52	55	50	54	47	39	29	27	27		48.0
	MIN	23	22	24	21	22	22	20	22	23	26	32	39	34	29	30	34	21	28	23	25	27	25	27	25	24	28	27	19	9	18		25.0
MACKAY RS	MAX	60	63	63	59	57	56	56	55	58	58	60	52	45	47	40	44	45	45	49	52	60	54	56	54	50	42	39	31	23	28		50.0
	MIN	23	25	25	25	23	22	22	21	20	23	28	35	34	28	32	33	25	25	20	30	29	21	24	28	24	27	25	15	8	2		24.1
MALAD	MAX	64	63	63	60	62	62	61	61	65	67	68	52	48	53	58	49	49	52	55	53	60	55	56	57	55	55	49	45	40	37		55.8
	MIN	26	26	26	25	25	24	24	24	26	30	31	42	38	30	40	37	28	30	28	26	25	28	27	29	30	26	30	33	23	13		28.3
MALAD CAA AP	MAX	64	65	63	61	62	62	62	60	66	67	68	53	51	54	56	48	51	53	55	53	58	55	57	54	55	49	45	39	36	32		55.1
	MIN	21	21	21	21	20	19	18	17	20	22	29	39	37	24	37	31	25	26	23	23	25	24	24	26	21	26	30	16	10	13		23.6
MAY RS	MAX	55	57	56	57	60	56	55	56	59	58	64	60	52	53	48	50	51	47	56	50	54	55	55	53	52	53	45	33	28	27		51.8
	MIN	14	13	15	15	16	15	13	16	21	31	34	39	28	33	32	30	30	24	25	22	27	21	20	20	15	19	22	15	7	- 4		20.9
MC CALL	MAX	56	60	54	52	55	58	56	54	50	56	56	40	46	46	42	40	34	39	48	48	58	56	50	53	38	36	34	29	30	26		46.7
	MIN	22	22	22	20	20	20	20	22	34	34	38	38	28	32	36	32	30	29	30	25	28	34	26	26	26	26	27	18	14	2		26.0
MC CAMMON	MAX	61	63	60	60	61	61	60	62	61	67	60	58	53	54	55	51	49	48	51	51	52	54	56	57	53	52	49	36	37	36		54.3
	MIN	21	23	20	19	21	20	19	20	23	30	33	42	38	31	40	36	32	32	32	28	26	25	26	26	23	35	33	18	9	11		26.4
MERIDIAN 1 W	MAX	60	59	60	59	58	58	58	69	63	61	59	60	54	54	53	53	47	53	59	51	54	52	54	56	46	48	47	41	36	39		54.0
	MIN	30	22	22	25	25	25	24	27	48	38	39	44	26	39	42	37	32	32	35	26	27	30	27	29	25	24	30	17	13	10		29.0

See reference notes following Station Index.

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
MESA	MAX	64	60	61	62	64	62	60	59	55	63	62	62	63	51	57	61	58	57	51	54	55	58	57	59	57	54	45	39	37	36		56.5
	MIN	35	34	35	36	29	29	30	31	43	35	41	28	27	29	35	35	46	46	32	[illegible]	[illegible]	31	[illegible]	22	[illegible]	27	31	19	27	9		31.3
MINIDOKA DAM	MAX	53	56	55	58	58	58	57	61	67	60	63	60	50	54	53	46	46	55	56	54	55	[illegible]	[illegible]	55	57	44	41	36	34	[illegible]		53.1
	MIN	31	24	24	25	29	32	30	29	[illegible]	40	40	42	32	36	41	38	[illegible]	29	33	[illegible]	[illegible]	[illegible]	[illegible]	16	[illegible]	30	35	21	14	12		30.0
MONTPELIER RS	MAX	56	54	57	58	56	59	59	61	58	58	64	60	45	43	53	57	38	44	47	53	49	49	54						30	31		51.8
	MIN	19	17	18	16	12	12	13	17	19	21	27	34	26	25	28	31	21	27	25	31	23	21	24					15	[illegible]	4		20.1
MOSCOW U OF I	MAX	61	55	49	55	60	52	60	61	58	54	53	52	48	52	50	48	46	46	53	51	54	61	61	53	49	46	44	35	36	35		51.3
	MIN	27	29	27	38	38	46	43	43	44	39	37	41	33	41	44	40	39	40	43	32	33	[illegible]	32	[illegible]	37	40	[illegible]	23	25	21		35.6
MOUNTAIN HOME	MAX	66	67	65	70	72	71		70	71	64	58	67	52	47	53	53	52	57	56	56	60	64	55	61	58	53	50	41	39	36		59.2
	MIN	29	24	24	25	32	33		31	43	34	39	44	28	42	46	44	31	31	30	27	29	32	27	29	24	26	24	21	15	[illegible]		30.0
MULLAN PASS CAA	MAX	49	45	47	42	42	40	45	43	44	36	45	41	42	35	38	33	32	32	35	34	44	47	43	46	41	28	26	19	19	17		37.6
	MIN	32	36	31	30	37	38	37	32	32	29	31	30	26	30	32	28	31	30	30	28	31	36	34	28	27	25	17	15	13	11		29.1
NAMPA 2 NW	MAX	62	62	60	63	62	62	60	59	68	64	62	60	50	53	54	54	55	50	54	57	53	57	56	55	51	40	46	46	43	34		55.6
	MIN	28	25	23	26	26	25	26	27	33	34	41	44	28	24	43	39	44	45	33	34	24	30	34	32	26	32	31	24	18	13		29.5
NEW MEADOWS RS	MAX	64	65	57	59	59	62	61	59	55	48	58	56	44	47	45	47	45	47	51			54	51	59	46	44	41	35	34	35		51.2
	MIN	15	15	14	15	15	12	14	12	31	33	31	42	23	32	32	33	[illegible]	26	27			27	21	27	24	24	30	20	7	[illegible]		23.1
NEZPERCE 2 E	MAX	54	55	49	48	58	57	55	60	51	52	55	48	42	47	51	48	43	49	56	47	54	61	55	57	50	44	40	33	34	32		49.5
	MIN	27	28	31	27	31	35	33	30	42	33	38	39	35	40	37	37	36	39	36	27	36	37	39	34	34	30	32	21	19	14		32.8
OAKLEY	MAX	59	59	59	61	69	68	67	64	67	71	70	50	54	55	55	48	51	58	65	63	63	64	65	60	66	50	50	35	34	37		58.0
	MIN	27	29	26	30	30	33	30	31	35	39	38	41	30	35	41	38	28	32	33	30	43	35	44	44	35	24	42	20	11	10		30.8
OBSIDIAN 4 NNE	MAX	54	56	55	56	60	58	56	54	54	59	59	59	38	48	47	47	45	38	49	50	53	43	45	52	52	42	26	26	27	33		47.5
	MIN	13	12	12	11	12	11	10	11	26	26	25	26	26	29	35	36	22	19	18	14	12	10	16	18	26	10	7	5	- 7	-11		15.6
OLA 5 S	MAX	62	61	62	63	63	64	62	57	60	64	64	59	50	52	51	51	53	51	54	54	56	57	58	56	50	48	43	40	40	40		54.3
	MIN	18	18	16	18	18	18	16	17					22	30	35	36	45	29	33	25	29	29	27	29	19	21	25	14	11	10		23.0
OROFINO	MAX	61	60	55	53	53	66	63	57	58	62	54		52	49	49	52	47	51	57	53	53	59	63	54	53	51	48	45	42	42		54.2
	MIN	25	25	26	30	30	30	41	28	41	41	37		39	42	42	42	39	43	42	34	39	34	39	39	38	32	39	27	24	20		34.8
PALISADES DAM	MAX	60	60	52	55	57	59	58	59	58	62	60	57	44	55	52	48	41	46	48	48	51	53	52	51	55	47	41	32	30	27		50.5
	MIN	24	24	22	22	24	24	23	23	24	26	34	42	35	33	37	35	27	33	29	29	28	28	27	28	26	25	30	19	7	13		26.7
PARMA EXP STA	MAX	64	63	66	63	61	60	58	64	60	64	58	57	52	54	54	55	51	54	48	56	51	55	55	50	43	49	48	43	40	41		54.9
	MIN	24	22	24	23	21	21	20	20	45	37	38	46	29	38	41	39	38	31	33	34	30	28	28	29	28	28	19	23	17	15		29.4
PAUL 1 E	MAX	61	63	60	56	60	65	65	66	67	69	63	70	50	53	58	52	48	49	60	66	55	57	62	59	59	63	45	41	39	36		57.2
	MIN	23	22	19	20	22	25	25	28	29	28	33	42	33	32	31	40	30	26	29	29	29	25	26	27	24	24	33	20	9	10		26.4
PAYETTE	MAX	59	58	60	58	57	57	55	57	60	62	61	55	48	50	55	56	50	49	49	51	55	55	51	50	46	44	47	42	41	39		52.6
	MIN	26	21	24	25	25	22	21	25	46	40	40	45	27	44	40	39	34	42	35	38	30	30	29	30	31	34	26	22	18	16		30.8
PIERCE RS	MAX	48	54	52	48	48	59	54	53	50		53	48	45	46	48	47	41	46	43	43	48	54	54							34		48.6
	MIN	20	20	21	22	23	29	30	22	36		30	41	30	32	37	37	34	35	33	27	34	28	28						13	9		28.0
POCATELLO WB AP	MAX	59	56	55	57	60	60	61	62	65	63	70	51	50	56	58	46	45	54	58	49	53	57	51	56	59	43	43	35	33	34		53.4
	MIN	24	23	22	23	24	22	21	22	25	27	33	39	37	33	43	34	33	31	27	35	29	26	27	26	26	30	26	14	9	14		26.8
PORTHILL	MAX	50	46	43	47	48	51	50	56	49	50	48	51	52	54	48	48	52	50	54	51	54	52	56	42	50	50	48	40	38	37		48.4
	MIN	24	26	27	35	33	42	39	30	38	41	30	35	29	38	38	42	38	40	41	37	33	34	29	29	36	39	31	20	25	25		33.5
POTLATCH 1 SE	MAX	63	56	48	56	64	53	63	64	60	58	55	53	45	53	51	46	48	46	53	52	59	63	58	44	49	45	45	36	33	31		51.7
	MIN	25	25	24	34	36	43	38	32	42	36	35	41	31	41	41	40	38	39	41	30	38	39	30	34	31	38	32	21	18	21		33.8
PRESTON SUG FACT 2 SE	MAX	62	63	60	59	61	61	61	60	62	67	66	60	49	52	58	54	45	46	52	51	55	55	57	54	54	52	44	38	35	33		54.2
	MIN	23	23	22	22	22	21	21	22	22	27	34	42	39	29	36	38	27	28	27	27	29	26	27	27	24	28	36	21	12	20		26.7
PRIEST RIVER EXP STA	MAX	51	51	40	43	47	50	50	52	45	50	45	45	48	41	45	45	43	45	51	48	54	54	43	46	44	43	44	39	33	35		45.7
	MIN	24	25	24	31	37	37	40	34	40	38	32	38	32	37	39	38	38	39	39	30	33	31	33	34	33	32	29	18	19	22		32.5
RICHFIELD	MAX	61	59	58	59	64	63	61	61	63	63	60	58	47	47	46	47	44	52	56	51	54	60	55	55	56	50	42	35	34	34		53.2
	MIN	25	20	22	21	24	26	23	27	33	30	40	40	33	32	39	36	26	26	31	30	27	28	27	27	26	25	30	15	10	14		27.1
RUPERT	MAX	60	61	60	57	61	62	64	63	65	69		70	50	52	57	54	49	48	59	64		57	62	58	58	63	46	41	37	35		56.5
	MIN	24	22	21	21	23	30	28	28	29	28	34		31	29	33	39	31	27	28	32		27	27	27	23	31	31	20	9	11		26.6
SAINT ANTHONY	MAX	62	60	58	56	57	59	60	60	62	62	68	53	53	49	52	45	40	48	54	44	50	54	51	54	51	42	38	35	33	30		51.3
	MIN	18	21	20	19	21	22	21	19	23	25	32	42	35	32	34	31	23	33	29	22	25	25	24	26	25	24	26	9	8	4		23.9
SAINT MARIES	MAX	57	57	46	57	60	58	61	58	57	55	56	49	49	51	54	55	49	44	46	53	67	66	55	46	47	46	45	44	34	38		52.0
	MIN	25	24	26	38	39	36	36	32	34	34	34	38	30	34	34	36	34	34	35	34	33	33	33	32	34	29	30	20	20	24		31.8
SALMON	MAX	59	58	59	56	55	57	56	58	62	68	65	56	59	61	57	49	49	59	61	55	58	56	57	55	44	45	45	33	39	32		54.1
	MIN	16	14	15	15	15	13	12	15	21	26	34	42	25	40	40	35	28	32	29	23	26	20	20	20	14	23	25	21	10	2		22.4
SANDPOINT EXP STA	MAX	50	45	40	48	47	52	49	54	50	52	46	47	49	44	47	46	44	45	52	48	56	55	52	43	45	44	48	40	32	36		46.9
	MIN	24	22	26	37	33	45	39	39	42	41	40	40	32	39	41	40	40	42	42	36	32	31	35	30	35	37	34	21	22	22		34.7
SHOSHONE	MAX	65	63	59	62	67	67	66	65	65	65	62	62	52	51	48	50	46	55	58	53	55	61	56	57	60	50	44	38	39	37		55.9
	MIN	28	23	23	23	27	29	29	33	39	31	45	42	29	35	41	36	28	27	31	29	27	29	27	30	25	27	26	16	14	11		28.7
SPENCER RS	MAX	56	57	55	52	53	55	56	55	57	58	61	51	42	43	42	45	42	37	45	45	48	49	50	50	40	38	32	30	26	24		46.5
	MIN	28	15	22	14	18	18	18	16	19	20	30	38	31	35	33	29	21	30	30	23	27	22	23	24	24	19	24	16	9	3		22.6
SPRINGFIELD 1 SE	MAX	60	60	58	58	62	65	64	63	68	69	66	60	50	57	58	48	44	54	55	51	54	62	56	58	57	53	49	48	33	34		55.8
	MIN	21	23	19	18	21	22	20	21	25	26	34	38	36	26	37	33	30	28	26	29	21	23	23	24	23	29	32	20	9	6		24.7
STIBNITE	MAX	54	60	56	55	53	61	58	55	57	56	57	62	39	44	49	42	35	35	41	46	51	52	57	53	56	46	30	30	26	24		48.0
	MIN	23	23	24	22	24	24	24	25	25	36	36	36	28	28	32	28	26	23	23	21	25	28	27	27	24	20	21	12	12	- 5		24.1
STREVELL	MAX	56	59	58	56	56	55	55	55	61	62	62	52	44	48	53	51	47	47	48	53	53	50	53	53	48	48	45	34	31	30		50.7
	MIN	25	23	20	23	27	28	27	30	37	38	41	37	35	34	39	36	24	28	33	26	25	28	31	29	31	29	30	17	7	4		28.1
SUGAR	MAX	61	60	55	55	55	58	58	60	62	61	68	61	45	48	54	44	39	47	53	44	50	54	50	53	51	42	40	33	30	30		50.7
	MIN	21	19	19	18	20	19	18	18	20	23	32	42	35	29	34	35	31	30	28	25	27	23	23	24	24	25	25	13	9	5		23.8
SUN VALLEY	MAX	61	59	59	57	60	59	58	56	56	62	61	54	48	44	42	44	43	44	48	51	60	60	59	59	57	54	41	34	28	26		51.5
	MIN	12	12	12	11	12	10	9	10	16	18	24	35	23	24	32	29	19	19	18	20	22	22	20	22	17	22	28	5	2	3		17.6
SWAN FALLS PH	MAX		65	66	65	65	65	63	69	66	69	65	64	54	55	56	57	53	55	62	57	59	60	60	57	50	48	52	45	40	43		58.1
	MIN		30	33	32	34	32	31	34	50	40	44	44	33	41	46	42	40	34	39	35	35	35	34	35	31	31	36	29	20	19		35.1
TETONIA EXP STA	MAX	55	52	50	49	53	56	55	54	59	56	62	47	39	50	48	40	35	43	45	46	48	52	50	52	53	39	39	38	29	24		47.2
	MIN	20	22	19	18	22	24	23	24	22	21	30	32	32	25	34	33	15	28	30	28	29	24	28	24	22	21	21	19	2	3		23.2
THREE CREEK	MAX	66	60	60	64	69	68	60	62	65	61	60	54	54	58	56	49	48	60	65	56	60	69	65	68	67							61.0
	MIN	9	6	10	10	13	10	10	15	28	35	39	38			42	35	20	14	16	[illegible]	23	20	24	24	26							21.2

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		Day Of Month																														Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
TWIN FALLS 2 NNE	MAX	64	59	55	59	67	67	66	68	70	63	66	64	52	59	55	50	48	60	62	55	56	62	57	57	61	51	47	39	37	40		57.2
	MIN	25	23	24	23	24	23	22	27	33	33	38	42	33	29	41	39	31	28	26	31	30	26	27	27	25	32	34	22	12	16		28.2
TWIN FALLS 3 SE	MAX	60	63	60	58	61	65	64	64	68	70	62	68	50	52	59	55	50	49	56	60	58	57	62	59	57	63	49	44	40	37		57.3
	MIN	27	28	28	30	26	26	24	25	24	34	38	41	33	28	29	41	34	29	28	27	33	29	29	31	30	31	32	23	16	15		29.0
WALLACE	MAX	52	57	43	50	55	53	58	57	50	50	55	47	50	48	54	46	43	44	49	50	56	60	53	43	47	44	42	37	30	31		48.5
	MIN	27	31	28	35	31	46	43	35	40	35	37	41	32	39	38	39	38	38	37	39	36	36	38	31	32	37	33	19	20	22		34.4
WALLACE WOODLAND PARK	MAX	53	59	55	46	52	66	57	59	58	50	52	54	44	49	49	55	45	43	44	50	50	58	62	55	47	47	44	38	33	32		50.2
	MIN	25	25	25	25	30	33	43	36	39	35	34	42	32	39	39	38	38	38	37	39	36	35	37	31	30	38	33	20	20	20		33.1
WEISER 1 S	MAX	61	58	60	59	58	57	57	56	59	64	66	54	55	55	55	58	50	50	51	52	55	56	55	49	49	44	44	46	42	40		53.8
	MIN	23	22	22	23	21	20	21	19	42	39	38	47	36	44	42	36	38	33	35	22	29	33	27	28	30	24	31	28	18	14		29.5
WINCHESTER 1 SE	MAX	57	57	49	58	60	60	55	60	54	49	55	54	49	50	48	45	43	47	50	54	65	62	56	57	50	42	40	35	35	32		50.9
	MIN	25	27	25	25	30	36	37	34	40	32	32	39	26	32	40	35	35	36	36	28	31	42	32	33	38	32	30	18	19	10		31.2

Table 6

EVAPORATION AND WIND

Station		Day of month																														Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
MINIDOKA DAM	EVAP	.11	.08	.08	.07	.08	.13	.16	.09	.17	.10	.16	.02	.06	.09	.01	.06	.05	.03	.08	.06	.06	.03	.04	-	-	-	-	-	-	-		B 2.37
	WIND	110	70	70	60	80	140	130	140	140	80	140	140	140	160	100	160	155	65	145	75	40	95	75	75	45	250	250	150	105	45		3430

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTA 1 E	SNOWFALL																1.5	2.0									T	T	T			
	SN ON GND																2	3									T	T	T			
BIG CREEK 1 S	SNOWFALL																	T									T	2.0	T			
	SN ON GND																	T									T	2	2	2	1	
BURLEY CAA AP	SNOWFALL																											T				
	SN ON GND																															
CASCADE 1 NW	SNOWFALL												T															T				
	SN ON GND																															
CENTERVILLE ARBAUGH RCH	SNOWFALL																T	3.0									T	T				
	SN ON GND																	3	1													
COBALT BLACKBIRD MINE	SNOWFALL																0.3	1.0	1.0								0.4	4.2	1.5			
	SN ON GND																T	1									T	4	5	5	4	
COEUR D'ALENE RS	SNOWFALL																														T	
	SN ON GND																															
DEADWOOD DAM	SNOWFALL																	1.0									T	T				
	SN ON GND																											T				
DUBOIS CAA AP	SNOWFALL																											0.2				
	SN ON GND																															
HAMER 4 NW	SNOWFALL																											T				
	SN ON GND																															
IDAHO CITY	SNOWFALL																	1.0														
	SN ON GND																															
IDAHO CITY 11 SW	SNOWFALL																	2.0										0.1				
	SN ON GND																	2	-	-	-											
IDAHO FALLS CAA AP	SNOWFALL																T												T			
	SN ON GND																															
ISLAND PARK DAM	SNOWFALL															2.0	4.0															
	SN ON GND															1	4															
MACKAY RS	SNOWFALL																										T					
	SN ON GND																										T					
MALAD CAA AP	SNOWFALL																											T			T	
	SN ON GND																														T	
MAY RS	SNOWFALL																T											T				
	SN ON GND																															
MULLAN PASS CAA	SNOWFALL									0.5	2.1		1.2	0.4	0.7	0.8	2.2	3.6	2.0	0.4	T					1.4	4.0	2.8		T	T	
	SN ON GND										2	1		1	1		1	5	6	10	6	4	2	1	1	1	2	6	7	7	7	
NEZPERCE 2 E	SNOWFALL																											T	T			
	SN ON GND																															
OBSIDIAN 4 NNE	SNOWFALL																										T					
	SN ON GND																										T	T	T	T	T	
PIERCE RS	SNOWFALL																										-					
	SN ON GND																										-	-	-	1	1	
POTLATCH 1 SE	SNOWFALL																										T					
	SN ON GND																															
PRIEST RIVER EXP STA	SNOWFALL																									T					T	
	SN ON GND																															
SANDPOINT EXP STA	SNOWFALL																													T		
	SN ON GND																															
SPENCER RS	SNOWFALL																									T		T				
	SN ON GND																															
STIBNITE	SNOWFALL													T			2.0	1.0	0.5								T	3.0	1.0			
	SN ON GND													T			2	2	2	1	1	1					T	3	3	2	2	
SUN VALLEY	SNOWFALL															1.5	0.5	T										T				
	SN ON GND															2	1	T														
WALLACE	SNOWFALL																									T		T		T	T	
	SN ON GND																											T		T	T	

See reference notes following Station Index

STATION INDEX

Station	Index No.	County	Drainage‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp.	Precip.		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALPHA 1 SE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	CLOSED	10/15/54
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 18	5320	6P	6P	HAROLD L HANSEN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239		8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	0493	ELMORE	2	43 48	115 07	6000	4P	4P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BALD MOUNTAIN	0540	BLAINE	12	43 39	114 24	8700		MID	NELSON DENNETT	C
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	CLOSED	11/21/52
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	8A	8A	U S NAVY	2 3 5
BENTON DAM	0784	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7 C
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	6P	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 C
BLISS	1002	GOODING	12	42 56	114 57	3269	6P	6P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	12	43 46	116 06	6196		VAR	U S SOIL CON SER	S
BOISE LUCKY PEAK DAM	1018	ADA	2	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
BONNERS FERRY 1 SW	1079	BOUNDARY	5	48 41	116 19	1812	5P	5P	CHARLES G HOWARD JR	2 3 5 7 C
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	4	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 33	113 48	4140	8A	8A	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1468	WASHINGTON	12	44 34	116 41	2650	5P	5P	STUART DOPF	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 32	116 03	4768	5P	5P	U S BUR RECLAMATION	2 3 5 7 C
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		6P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 [illegible]	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	4P	4P	MRS MARY L RALPH	2 3 5 C
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	C
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D'ALENE RS	1956	KOOTENAI	4	47 11	116 45	2160	4P	4P	U S FOREST SERVICE	2 3 5 7 C
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5 C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAI	4	47 44	116 29	3060		MID	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	7P	7P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	U S FOREST SERVICE	C
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	3P	3P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	5P	5P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING	3677	GOODING	12	42 57	114 43	3569		MID	DAVID MITCHELL	C
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRASMERE	3809	OWYHEE	12	42 23	115 53	5126	5P	5P	BLANCHE PORTLOCK	2 3 5
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIDBETT	2 3 5 7
GROUSE	3882	CUSTER	6	43 42	113 37	6100	6P	6P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4796	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 11 SW	4450	BOISE	2	43 43	116 00	5000		5P	MRS BERTHA GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	4P	4P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	5P	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		8A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6600		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
LIPTON PUMPING STATION	5275	BEAR LAKE	1	42 [illegible]	111 18	5926	5P	5P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	8	44 05	115 36	3870	5P	5P	ORILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 37	5897	5P	5P	U S FOREST SERVICE	2 3 5 7 C
MALAD	5544	ONEIDA	1	42 11	112 16	4420	8P	8P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MALTA RANGER STATION	5567	CASSIA	12	42 19	113 22	4543		MID	U S FOREST SERVICE	C
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	5P	5P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	5841	ADA	2	43 37	116 25	2620	5P	5P	JAMES W DOSS	2 3 5
MESA	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	C S
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 55	2400		MID	U S FOREST SERVICE	C
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME	6174	ELMORE	12	43 08	115 42	3164	6P	6P	KENNETH J NEWMAN	2 3 5 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	7P	7P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	5P	MARJORIE L SHAW	2 3 5 7
OLA 5 S	6590	GEM	8	44 07	116 17	2962	5P	5P	VINCENT A NALLY	2 3 5 C
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	5P	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 17	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	3P	3P	U S FOREST SERVICE	2 3 5 7 C
PINE 1 N	7077	ELMORE	2	43 30	115 18	4220		VAR	U S GEO SURVEY	S
PINE 2 S	7079	ELMORE	2	43 28	115 19	4225		5P	CLOSED	9/2/54
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		MID	U S OFF IND AFFAIRS	C
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH 1 SE	7301	LATAH	7	46 54	116 52	2586	6P	6P	HENRY J FITCH	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4670		MID	ORA L ENGELMAN	C
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	4P	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL IR PROJ	S
# REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	SEE NAME CHANGE END OF INDEX	
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	5P	5P	LESLIE F BUSHBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1840	4P	4P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	CLOSED	3/31/54
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	F M JERGENSON	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8070	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7 C
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 57	114 24	3961	5P	5P	FRED F KOHL	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		VAR	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	5P	5P	MRS RAYMOND RUFF	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL	8786	CASSIA	12	42 01	113 13	5280	6P	6P	IDAHO STATE POLICE	2 3 5
SUGAR	8818	MADISON	12	43 53	111 45	4886	5P	5P	J KENNETH THATCHER	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7 C
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	6P	6P	EXPERIMENT STATION	2 3 5 C
THREE CREEK	9119	OWYHEE	12	42 03	115 1[illegible]	5400	6P	6P	MRS L E TANNER	2 3 5 7
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FACT	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	9422	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	7A	7A	ROBERT J SKANTEL	2 3 5 C
WEISER 1 S	9638	WASHINGTON	12	44 14	116 57	2120	5P	5P	MERVIN V LING	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	HALLACK-HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	CLOSED	10/19/54
NEW STATIONS										
IDAHO FALLS 43 NW WB	4459	BUTTE	6	43 51	112 42	4780	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
NAME CHANGE										
# IDAHO FALLS 46 W WB	4460	BUTTE	6	43 32	112 57	4933	MID	MID	U S WEATHER BUREAU	2 3 5 7 C

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effective January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement , time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.
R	Amounts from recording gage. (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data.)
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 20 cents per copy, monthly and annual; $2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.

NRWC, Asheville, N.C. --- 12/22/54 --- 825


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
○ ● ◑ Precipitation only
⦶ Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage ○ Non-recording;
● Recording; ◑ Both types
Double circle combinations Complete Meteorological.
Hourly precipitation data from recorder stations will be available in the publication "Hourly Precipitation Data".
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry 1 SW
Beaton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 2 NW
Deer Park
Bayview Model Basin
Mt Spokane Summit
Trout Creek 2 W
Deception Cr
Coeur d'Alene RS
Spokane WB AP
Thompson Falls
Kellogg
Burke 2NNE
Wallace Woodland PK
Cheney
Wallace
Mullan Pass CAA
Saint Maries
Haugan
Rosalia
Plummer 3WSW
Roland W Portal
Avery RS
Tekoa
Superior
Clarkia RS
Potlatch 1 SE
Colfax 1 NW
Missoula WB AP
Missoula 2 WNW
Pullman 2 NW
Elk River 1 S
Moscow U of Ida
Wawawai
Bungalow RS
Lolo Pass
Pomeroy
Orofino
Lewiston Wtr Pl
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Winchester 1SE
Kamiah 1NE
Hamilton
Nezperce 2 E
Kooskia
Moose Creek RS
Anatone
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Wisdom
Dixie
Riggins RS
Joseph
Jackson
Polaris
Salmon
Big Creek 1 S
Cornucopia 5 NNW
New Meadows RS
Yellow Pine
Cobalt Blackbird Mine
Grant 6 NW
Halfway
McCall
Stibnite
Pungo Creek
Hebgen Dam
Richland
Council
Leadore
Dell
Mesa
Landmark RS
Lima
Lima Dam
West Yellowstone
Durkee 3 NNW
May RS
Lakeview
Cambridge
Cascade 1NW
Deadwood Summit
Challis
Monida
Dell 19 SW
Island Park Dam
Huntington
Spencer RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Dubois Exp Sta
Weiser 1 S
Ola 5 S
Snake River
Crouch 2NNW
Ashton 1S
Payette
Lowman
Dubois CAA AP
Ontario CAA AP
Obsidian 4NNE
Chilly Barton Flat
Hamer 4NW
St Anthony
Vale
Garden Valley RS
Jackson Peak
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Idaho Falls 43 NW WB
Tetonia Exp Sta
Moran
Nyssa
Little Valley Parma Exp Sta
Emmett 2 E
Mackay RS
Sugar
Idaho City
Atlanta 1E
Alta
Vienna
Howe
Adrian
Bogus Basin
Owyhee Dam
Caldwell
Idaho Cy 13SW
Troutdale GS
Atlanta Summit
Sun Valley
Grouse
Arco
Driggs
Moose 3 NW
Nampa 2NW
Meridian 1 W
Arrowrock Dam
Shake Cr RS
Bald Mtn
Deer Flat Dam
Trinity Lake GS
Dollarhide Summit
Idaho Falls 6 NE
Idaho Falls 46 W WB
Idaho Falls CAA AP
Kuna 2 NNE
Boise LP Dam
Pine 1 N
Soldier Cr RS
Hailey AP
Irwin 2S
Jackson
Boise WB AP
Prairie
Pine 2 S
Palisades Dam
Fairfield RS
Anderson Dam
Blackfoot
Swan Falls PH
Hill City
Springfield 1 SE
Gray
Mountain Home
Putnam Mt
Sheaville
Richfield
Fort Hall Ind Agcy
Grand View
Glenns Ferry
Blackfoot Dam
Bedford 2 SE
Danner
Aberdeen Exp Sta
Bliss
Shoshone
Rome
Gooding
Pocatello WB AP
Gooding CAA AP
Conda
Grover 2 S
Jerome
Minidoka Dam
American Falls 1NW
Paul 1E
Buhl
Burley Factory
McCammon
Rupert
Grace
Hazelton
Twin Falls 2NNE
Twin Falls 3SE
Burley
Burley CAA AP
Hollister
Montpelier RS
Grasmere
Oakley
Malta RS
Border 3 N
Malad
Lifton Pump Sta
Malad CAA AP
Three Creek
Preston 2SE
Strevell
Ida Vada
Lewiston
Owyhee
Snowville
Richmond
Laketown
Jarbidge
Sage
Garland
Logan USAC Exp Sta
Contact
Park Valley
Bothwell
Logan USAC
Revised 5-54-WRPC-SF

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

DECEMBER 1954
Volume LVII No. 12

ASHEVILLE: 1955

WEATHER SUMMARY

From the standpoint of average precipitation, this must be numbered among the drier Decembers, only twelve previously recorded Decembers having been drier, the latest in 1947. It is also the fourth successive month of deficient precipitation. Since December temperatures were in general below normal, the picture is a little more favorable with regard to the snow pack in the mountains, which improved somewhat more than the average precipitation figures would indicate. Average snowfall for the State was only about two inches less than the 13.1-inch mean of the last 57 years. The warm spell at the end of the month, however, melted much of the snow in the lower valleys. In general the weather was fairly open, with more than average sunshine. Windiness was not excessive, and reports of wind damage were few.

The average temperature for the State was 24.7°, 1.6° below normal. Station mean monthly temperatures ranged from the low of 13.6° at Chilly Barton Flat to the high of 34.4° at Lewiston Water Plant. Monthly extremes were well within the range of those previously recorded. The highest temperature of the month was 65° at Deer Flat Dam on the 6th; the lowest -33° at Island Park Dam on the 27th.

The average precipitation for Idaho was 1.34 inches, 0.62 inch below normal. A few scattered stations, mostly in the southern part of the State, reported precipitation amounts in excess of normal. Most stations in the Gooding-Shoshone area reported slight excesses. Otherwise precipitation was generally deficient. At Deadwood Dam the deficiency amounted to 3.43 inches, and many stations in the Northern and Southwestern Divisions recorded monthly totals between one and two inches below normal. The Northern Division recorded 70% of average precipitation, the Southwestern 65%, and the Southeastern 72%. The greatest monthly total was 4.56 inches at Mullan Pass CAA; the least was 0.13 at both Chilly Barton Flat and Howe. Lewiston, with a monthly total of 0.20 inch, reported this to be the driest December there since 1900. The largest total for an observational day was 1.59 inches recorded at Arrowrock Dam on the 31st. Snowfall for the month was 86% of the 57-year mean, although melting was considerable, especially near the end of the month when temperatures rose. Much precipitation in the storm at month's end was in the form of mixed rain and snow. Many stations at higher elevations, however, reported snow depths on the 31st in excess of 12 inches. At Mullan Pass CAA there were 38 inches of snow on the ground at the end of the month; at Burke 2 NNE, 34 inches; at Island Park Dam, 32 inches; at Deadwood Dam, 28 inches; and at McCall, 21 inches.

The month began with temperatures generally below normal, as much as 10° below in some localities, with very little precipitation occurring. By the 3d, warming was general and all areas were reporting rain or snow, as they did again beginning the 6th after falling off to scattered occurrences on the 5th between general storms. Near normal temperatures prevailed after the 8th in the north and west with considerable precipitation reported in the north, but the southeast portion cooled to substantially below normal temperatures. Precipitation was again fairly general over the State by the 10th, falling off to scattered occurrences the next day. By the 13th, all areas had temperatures near or above normal, and precipitation was again general. Temperatures remained near or above normal through the 15th, and precipitation, which had diminished on the 14th, was renewed by another general storm. Beginning the 16th or 17th, the entire State was under the influence of high barometric pressures. Temperatures dropped to well below normal daily values, especially in the southeast portion where daily departures as much as 16° below normal were reported, and precipitation was entirely absent. Precipitation was next reported in the northern portion on the 22d. and elsewhere on the 24th or 25th, with scattered reports of precipitation in all areas up to the 28th, becoming general thereafter. Average temperatures on the 26th through the 28th were well below normal, especially in the southeast where the anomaly at Pocatello on the 28th was -25°. The majority of stations reported their monthly minimums during this time. Warming was general after the 28th, and the month ended with temperatures well above normal, much precipitation occurring as rain, and with snow melting in the lower valleys.

The average range condition was reported by the Agricultural Marketing Service to be one point above the previous month, but still 8 points below the 10-year (1944-53) average of 81. Livestock generally remained in good condition, due in part to supplemental feeding.

There were no severe storms during the month.

H. C. Steffan

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	5:30A MST	11:30A MST	5:30P MST	11:30P MST	Trace	.01–.09	.10–.49	.50–.99	1.00–1.99	2.00 and over	Total		
OISE WB AIRPORT	SE	33	8.5	36	SE	6	76	65	68	79	9	4	2	1	0	0	16	48	6.0
DAHO FALLS 43 NW WB	-	-	3.4		-	-	-	-	-	-	2	6	1	0	0	0	9	-	-
DAHO FALLS 46 W WB			4.9	-	-	-	-	-	-	-	2	2	3	0	0	0	7	-	-
EWISTON WB AIRPORT			-	-			81	71	69	-	8	7	0	0	0	0	15	-	6.9
OCATELLO WB AIRPORT	SW	18	9.0	42	W	31	80	75	74	77	6	7	2	0	0	0	15	47	7.1

COMPARATIVE DATA

Table 1

DECEMBER

Year	Temperature			Precipitation	
	Average	Highest	Lowest	Average	Average snowfall
1893	30.2	60	-13	1.61	-
1894	24.7	64	-22	1.90	-
1895	23.7	60	-23	1.79	-
1896	31.1	60	-10	2.04	-
1897	26.0	57	-27	2.74	-
1898	20.2	54	-29	1.03	8.0
1899	26.1	61	-32	1.79	12.1
1900	31.0	58	-34	1.40	4.0
1901	29.0	64	-20	1.88	6.7
1902	27.2	65	-25	2.29	15.7
1903	27.0	64	-16	1.08	7.4
1904	28.1	60	-35	1.91	13.6
1905	23.4	60	-22	1.65	13.2
1906	32.2	61	-11	2.80	13.3
1907	28.7	59	-33	2.55	12.6
1908	25.8	56	-31	1.18	9.2
1909	20.1	55	-28	1.91	15.0
1910	29.8	63	-12	1.49	5.2
1911	24.6	59	-26	1.33	17.0
1912	26.0	61	-22	1.61	13.5
1913	24.1	56	-21	1.51	15.7
1914	19.4	63	-33	.67	7.1
1915	26.3	65	-44	2.40	17.2
1916	21.1	58	-42	2.35	24.0
1917	36.5	82	- 6	4.06	7.6
1918	25.7	65	-32	.94	5.5
1919	18.9	66	-50	1.52	14.4
1920	27.6	62	-34	2.67	16.6
1921	27.6	69	-20	1.92	5.3
1922	24.0	60	-28	2.73	22.9
1923	25.0	60	-31	1.63	12.0
1924	18.6	62	-50	2.18	18.9
1925	31.0	64	-18	1.71	5.8
1926	25.5	64	-37	1.78	14.6
1927	20.2	61	-38	1.74	19.6
1928	21.8	67	-28	1.51	13.1
1929	32.4	75	-12	2.79	7.6
1930	18.5	51	-29	.66	6.8
1931	22.1	58	-30	2.61	21.0
1932	18.9	65	-34	1.96	19.2
1933	34.0	75	-16	4.03	13.3
1934	27.4	62	-17	1.89	15.6
1935	24.5	55	-24	1.25	8.0
1936	28.1	65	-24	1.61	11.5
1937	30.3	64	-16	3.12	14.2
1938	28.6	64	-30	1.30	9.1
1939	34.1	74	-22	2.10	4.8
1940	30.1	64	-26	1.64	6.9
1941	29.1	67	-27	3.27	15.5
1942	28.2	65	-28	3.37	21.3
1943	28.0	65	-35	.98	4.7
1944	25.0	58	-25	1.33	9.6
1945	25.3	66	-36	2.75	13.3
1946	31.3	63	-25	2.04	7.2
1947	28.1	61	-22	1.28	8.6
1948	19.7	56	-36	2.86	29.3
1949	26.3	60	-27	1.72	20.5
1950	32.4	61	-18	2.11	10.5
1951	22.6	57	-40	3.28	36.0
1952	27.9	61	-30	2.08	17.4
1953	27.6	62	-19	1.75	12.8
1954	24.7	65	-33	1.34	11.3
ALL YEARS	25.9			1.97	

TEMPERATURE AND PRECIPITATION AVERAGES IN THIS TABLE HAVE BEEN WEIGHTED ACCORDING TO AREA.

CLIMATOLOGICAL DATA

TABLE 2

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.10 or More	.50 or More	1.00 or More
NORTHERN DIVISION																							
AVERY RS	35.7	24.5	30.1	1.2	43	5	13	17+	1075	0	3	29	0	2.33	- 1.79	.68	31		16	29		1	0
BAYVIEW MODEL BASIN	37.4	24.2	30.8		49	6	10	1		0	1	28	0	2.14		.75	31	6.5	5	29	7	1	0
BIG CREEK 1 S	31.9	2.3	17.1		44	5	-19	28	1475	0	16	31	16	1.93	- .81	.45	31	27.5	18	31	8	0	0
BONNERS FERRY 1 SW	35.7	24.8	30.3	2.6	44	15+	12	2	1071	[illegible]	9	29	0	2.49	- .51	.58	6	15.6	4	13+	6	1	0
BURKE 2 NNE	30.4	20.7	25.6	2.6	39	6	9	1+	1216	0	17	31	0	4.55	- 1.15	1.43	31	49.7	34	31	13	1	1
CLARK FORK 1 ENE	37.9	23.3	30.6	1.3	46	6	9	18	1059	0	4	31	0	4.12	- .32	1.30	30	7.5			10	2	1
COBALT BLACKBIRD	25.4M	5.6M	15.5M		40	24	-10	28		0	26	31	10	1.18		.28	16	13.7	13	31		0	0
COEUR D ALENE RS	36.7	25.9	31.3	0.5	48	6	14	26+	1036	0	7	29	0	2.80	- .85	.82	31				[illegible]	2	0
COTTONWOOD	37.4	18.3	27.9	- 0.7	49	5+	7	27	1144	0	5	31	0	.54	- 1.24	.23	31		1	24+	2	0	0
DIXIE	33.9	1.8	17.9		48	23	-19	1	1453	0	12	31	16	1.54		.30	31		24	31		0	0
ELK CITY	M	M	M		50	23	-15	17		0		31		1.58					14	31		0	0
ELK RIVER 1 S	36.9	19.6	28.3		44	3	2	18	1130	0	4	31	0	4.43		1.00	30	26.6	22	30	[illegible]	4	1
FENN RS	37.2	24.8	31.0	- 0.6	54	6	14	19+	1045	0	5	30	0	2.64	- 1.32	.70	31	17.7	12	29+	8	2	0
GRANGEVILLE	38.6	20.7	29.7	- 1.2	52	5+	7	27	1087	0	3	30	0	.50	- 1.18	.15	31	3.5	1	26	2	0	0
KELLOGG	36.9	24.7	30.8	1.6	49	6	14	27		0	4	29	0	1.81	- 1.83	.36	31	6.5	3	26+	[illegible]	0	0
KOOSKIA	40.5	22.9	31.7	- 0.1	52	6+	12	1+	1025	0	2	31	0	.49	- 1.50	.14	6	.5	T	26+	1	0	0
LEWISTON WATER PLANT	42.5	26.3	34.4	- 0.[illegible]	53	31	11	27	942	0	0	24	0	.26	- 1.21	.05	22+	1.5	T	26	0	0	0
LEWISTON WB AP //R	41.8	24.2	33.[illegible]	- 1.0	54	23	10	27	984	0	1	30	0	.20	- 1.10	.06	25	1.0	1	25+	0	0	0
MOSCOW U OF I	39.0	26.6	32.8	2.0	47	5+	10	27	988	0	2	27	0	2.75	.01	.52	31	12.5	4	29	10	2	0
MULLAN PASS CAA	27.0	19.3	23.2	[illegible]	41	18	8	27	1289	0	23	31	0	4.56	- .73	.75	30	46.9	38	31	13	3	0
NEZPERCE 2 E	36.7	21.9	29.3		50	6+	7	27	1097	0	6	30	0	.85		.23	6	2.0	1	26+	2	0	0
OROFINO	41.5M	24.8M	33.2M	1.1	48	6	15	1+	981	0	1		0	1.29	- 1.77	.37	31	1.5			5	0	0
PIERCE RS	32.7M	15.6M	24.2M	- 3.1	45	24	0	27+	1259	0	14	31	2	4.11	- 1.02	.84	13	27.8	23	30	9	3	0
PORTHILL	36.6	[illegible]	30.6	3.0	40	31	11	2	1059	0	7	30	0	1.50	- .80	.64	6	7.0	2	13+	7	1	0
POTLATCH 1 SE	38.3	24.1	31.2		48	5+	11	27	1042	0	3	29	0	1.70	- 1.42	.56	30	8.7	3	29	4	1	0
PRIEST RIVER EXP STA	33.2	24.[illegible]	28.7		40	8+	11	1	1118	0	13	31	0	3.61	- .70	.74	6	17.9	14	20	7	3	0
SAINT MARIES	37.3	22.[illegible]	29.9		47	22	5	27	1084	0	3	31	0	2.68	- 1.00	.84	30				7	3	0
SALMON	32.5	7.[illegible]	[illegible]		[illegible]	6	-10	28	1393	0	14	31	8	.26	- .39	.13	31		2	30+	[illegible]	0	0
SANDPOINT EXP STA	34.5	25.8	30.2		[illegible]	[illegible]	15	20	1072	0	9	27	0	3.97	- .38	.75	30	14.9	7	29+	8	5	0
WALLACE	35.5	24.5	[illegible]		[illegible]	[illegible]	13	17	1078	0	8	29	0	4.44	- 1.30	1.12	31	12.5	7	29	10	3	1
WALLACE WOODLAND PK	36.2	21.5	[illegible]		[illegible]	[illegible]	10	17+		0	9	28	0	2.90	- 2.09	1.34	31		6	30	5	1	1
WINCHESTER 1 SE	37.6	21.3	29.5	- 0.6	[illegible]	[illegible]	8	27	1096	0	5	31	0	.69	- 1.30	.22	31	5.5	3	15+	2	0	0
DIVISION			[illegible]											2.21	- .96			14.0					
SOUTHWESTERN DIVISION																							
ANDERSON DAM	37.6	22.3	30.0		[illegible]			[illegible]	1079	0	[illegible]	26	[illegible]	2.01		1.01	31	12.9	10	31	4	1	1
ARROWROCK DAM	35.1	20.3	27.7	0.1		7	[illegible]	27+		0	13	29	0	2.56	- .01	1.59	31	12.0	11	31	5	[illegible]	1
ATLANTA 1 E	M	16.1M	M				- 5	27					[illegible]	2.92	- .63	.98	31	39.0	20	31		2	0
BLISS	38.7	20.1	29.4	- 0.7			[illegible]	[illegible]	1095		4	28	0	1.06	.07	.59	31	7.5	1	13+	3	1	0
BOISE LUCKY PEAK DAM	39.5M	M			57		[illegible]	21		0	7	28	0	1.16		.63	31				[illegible]	1	0
BOISE WB AP //R	38.8	22.3	30.6	- 0.4			[illegible]	27	1062	0	7	27	0	1.09	- .20	.60	30	3.1	2	29+	3	1	0
CALDWELL	38.8	20.9	29.9	[illegible]	[illegible]	6		[illegible]	1080	0	6	28	0	1.35	.21	.52	30	5.0	2	29+	5	1	0
CAMBRIDGE	32.4	9.5	21.0	- 5.[illegible]					1361	0	[illegible]	30	11	2.06	- .72	.68	30	23.0	17	30	5	2	0
CASCADE 1 NW	29.0	10.6	19.8		42	[illegible]		7	[illegible]	0	[illegible]	31	9	1.30		.35	31	21.5	12	31	5	0	0
CHALLIS	29.9	7.3	18.6	- [illegible]	[illegible]	5		[illegible]+	1430	0	21	[illegible]	7	.20	- .42	.08	7	2.8	2	15+	0	0	0
CLIFFS	M	M	M					27		0													
COUNCIL	33.1	10.4	21.8	- 5.8	48	5+			1304	0	13	[illegible]	10	2.64	- 1.25	.60	13	21.2	15	31	7	3	0
DEADWOOD DAM	30.5	4.4	17.5	- 2.[illegible]	[illegible]	18		27	1468	0	19	[illegible]	[illegible]	2.79	- 3.43	.83	31	35.5	28	31	10	1	0
DEER FLAT DAM	40.0	21.8	30.9	0.2	65	[illegible]		[illegible]	1049	0	6	29	0	.87	- .13	.38	30				3	0	0
DEER POINT	30.0	19.1	24.6		49	18		27	1244	0	22	27	0	.48		.09	4	28.0	14	31	0	0	0
EMMETT 2 E	38.2	22.5	30.4	- 1.2	57	5		7	[illegible]	0	9	27	0	1.86	.47	.89	31				5	1	0
FAIRFIELD RS	32.5	7.4	20.0		48	10	-15		1338	0	15	31	8	1.38		.60	31	15.1	10	31	5	1	0
FAIRYLAWN	M	M	M				- 8	27		0													
GARDEN VALLEY RS	33.2	16.1	24.7	- 1.0	50	6	- 8	[illegible]	1242	0	14	30	2	2.03	- 1.28	.67	31	13.0	10	30	7	1	0
GLENNS FERRY	42.1	20.3	31.2	0.4	54	5+	2	27	1040	0	3	27	0	.77	- .22	.56	31	1.2	0		1	1	0
GOODING CAA AP	35.7	19.7	27.7	0.8	50	6	2	27	[illegible]	[illegible]	[illegible]	28	0	1.31	.29	.46	30	6.0	2	13	4	0	0
GRAND VIEW	41.6	20.3	31.0	0.2	58	6	[illegible]	[illegible]	[illegible]	0	3	27	0	.71	- .02	.25	31	.9	0		3	0	0
GRASMERE	38.2	13.8	26.0		50	[illegible]	- 2	27	[illegible]	0	7	31	1	1.12		.65	10				3	1	0
HAILEY AP	34.5	6.5	20.5	- 1.8	45	[illegible]	- [illegible]	28	[illegible]	0	10	31	6	[illegible]	[illegible]	.39	31	17.5	10	31	[illegible]	0	0
HAZELTON	36.2	16.4	26.3	- 2.8	55	6	- 6	28	1193	0	8	30	1	.81	[illegible]	.28	31	4.5	3	10+	4	0	0
HILL CITY	32.5	8.7	20.6	0.4	40	5+	-15	28	[illegible]	0	14	31	[illegible]	1.49	.77	.64	[illegible]		10	31	4	1	0
HOLLISTER	40.3	18.4	29.4	0.4	55	7	2	28	1090	[illegible]	3	[illegible]	0	.43	.36	.18	7	T	0		2	0	0
IDAHO CITY	38.9	11.0	25.0	- 1.2	50	23	-15	27	1232		4	[illegible]	[illegible]	2.27	.99	.90	31	20.4			[illegible]	1	0
JEROME	37.7	16.9	27.3	- 2.5	51	6	- 1	27	[illegible]		7	[illegible]	1	1.01	.09	.35	31				3	0	0
KUNA 2 NNE	38.9	20.2	29.6	- 0.7	57	6	[illegible]	27	1091	0		26	0	.65	- .46	.27	31	[illegible]	1	29	3	0	0
MC CALL	29.4	12.1	20.8	- 1.1	40	5	-12	27	1364	0		31	[illegible]	1.80	- [illegible]	.54	31		21	31	6	1	0
MERIDIAN 1 W	38.9	18.9	28.9	- 1.7	58	6	0	27	[illegible]	0		[illegible]	1	.86	- [illegible]	.33	[illegible]	[illegible]	0		4	0	0
MOUNTAIN HOME 1 NE	40.8	19.3	30.1	0.5	57	6	2	27	1075	[illegible]			0	.75	- [illegible]	[illegible]	31				2	1	0
NAMPA 2 NW	39.9	19.5	29.7		62	7	6	28		[illegible]			0	.87		[illegible]	31	2.3	20	30	2	0	0
NEW MEADOWS RS	31.8M	6.4M	19.1M	- 2.8	45	5	-24	27	1400	0				2.12	- 1.07	[illegible]	[illegible]	[illegible]	15	30	6	1	0
OBSIDIAN 4 NNE	29.1	2.8	16.0	0.0	51	1	-26	27	1516	0	18	31	14	1.12	- .80	.35	31	13.0	13	31	4	0	0
[illegible]	37.8	15.3	26.6		53	6	- 7	27	1184	[illegible]		28	1	1.99		.84	30				6	1	0
PARMA EXP STA	39.3	20.0	29.7	- 0.9	60	6	5	27	1089	0	7	29	0	.66	- .34	[illegible]		5.4	2	29	3	0	0
PAYETTE	37.2	21.0	29.1	- 1.0	57	6	5	27	1103	0	10	26	0	.75	- .70	.40	4				3	0	0
RICHFIELD	33.1	15.9	24.5	- 0.2	45	6	- 2	28	[illegible]	0	11	[illegible]	2	[illegible]	[illegible]	.54		[illegible]	5	31	[illegible]	1	0
SHO[illegible]	36.0	17.8	26.9	0.4	51	6	1	27	1170	[illegible]	[illegible]	[illegible]	[illegible]	1.31	.18	.52	31	[illegible]	5	31	[illegible]	1	0
STIBNITE	35.4	7.7	21.6		50	25	-11	27		0	11	31	7	[illegible]		.40	31	[illegible]	18	[illegible]	[illegible]	0	0
SUN VALLEY	34.1	1.6	17.9	- 3.1	42	21+	-16	27+	1453	0	11	31	16	1.11	[illegible]	.45	31	[illegible]	12	31	5	0	0
SWAN FALLS PH	42.2	24.8	33.5	- 2.1	64	6	12	20	969	0	3	24	0	.42	.28	.20	31	T	0		2	0	0
THREE CREEK	40.7	10.2	25.5		55	23	-11	28	1217	0	3	30	11	[illegible]	.26	.33	1	[illegible]	5	1+	2	0	0
TWIN FALLS 2 NNE	38.4	18.4	28.4	- 0.7	57	6	2	28	1128	0	6	29	0	[illegible]	[illegible]	.26	31	3.4	2	10+	[illegible]	0	0
TWIN FALLS 3 SE	38.0	18.5	28.3	- 2.0	56	7	2	28		0	5	29	0	.80		.24	31	[illegible]	1	7+	4	0	0
WEISER 1 S	38.6	18.6	28.6	- 1.0	60	14	4	27	1120	0	9	28	0	1.16	- [illegible]	.52	30	[illegible]	[illegible]	[illegible]	5	1	0
DIVISION			25.8	- 1.4										1.29	- [illegible]			12.0					
SOUTHEASTERN DIVISION																							
ABERDEEN EXP STA	31.3	11.1	21.2	- 3.1	50	5	-12	28	1351	0	18	31	7	.46	- .22	[illegible]	7	5.3	3	13+	2	[illegible]	0
AMERICAN FALLS 1 NW	31.7	14.5	23.1	- 3.5	50	6	-10	28	1291	0	16	29	2	.31	- .79	[illegible]		4.9	3	13+	2	0	0
ARCO	33.2M	6.7M	20.0M	0.0	44	3	-12	28	1387	0		31		.35	- .59	.20		.5	4	10	1	0	0
ASHTON 1 S	28.6	6.9	17.8	- 2.8	40	2	-19	28	1461	0	21	31	10	1.43	- .21	.43	[illegible]	15.0	13	31	5	0	0
BLACKFOOT	31.5	11.7	21.6	- 2.2	49	6	-14	28	1336	0	18	31	3	.22	- .70	.13	4	[illegible]	2	26+	1	0	0

See Reference Notes Following Station Index

CLIMATOLOGICAL DATA

TABLE 2 - CONTINUED

Station	Temperature: Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	No. of Days Max 90° or Above	Max 32° or Below	Min 32° or Below	Min 0° or Below	Precipitation: Total	Departure From Normal	Greatest Day	Date	Snow, Sleet, Hail: Total	Max Depth on Ground	Date	No. of Days: .10 or More	.50 or More	1.00 or More
BURLEY	37.2	16.5	26.9	- 2.4	[illegible]	7	- 3	28		0	9	31	2	.47	- .45	.23	31	3.2			2	0	0
BURLEY FACTORY	[illegible]	[illegible]	25.7	- 2.4	58	7	- 5	28		0	9	31	3	.51	- .41	.24	31				1	0	0
BURLEY CAA AP	36.4	16.4	26.4	- 4.7	54	6	- 6	28	1186	0	8	30	2	.59	- .25	.24	31	1.9	2	30	2	0	0
CHILLY BARTON FLAT	29.2	- 2.1	13.6	- 6.7	41	4	-20	28	1588	[illegible]	19	31	21	.13	- .28	.13	7	3.0	3	7	1	0	0
CONDA	35.5	6.1	20.8		51	4	-19	28		0	10	31	13	1.47	- .32	.80	8	16.0			4	1	0
DRIGGS	33.9	1.9	17.9	- 1.5	50	1+	-20	28		0	14	31	12	.93	- .48	.37	31				3	0	0
DUBOIS EXP STA	29.5	12.9	21.2	- 0.8	40	6	- 7	28	1352	0	19	31	2	.64	- .26	.26	7		8	31	2	0	0
DUBOIS CAA AP	30.2	5.3	17.8	- 6.0	42	6	-17	27	1459	0	16	31	10	.71	.07	.25	7	9.2	6	31	3	0	0
FORT HALL IND AGENCY	32.1	9.3	20.7	- 4.5	52	6	-17	28	1367	0	18	31	9	.51	- .22	.21	7				2	0	0
GRACE	31.8	10.8	21.3	- 1.5	46	3	-12	28	1347	0	16	31	5	.25	- .82	.12	31	3.5	2	15+	1	0	0
GRAY	35.1	6.7	20.9	- 1.0	45	5+	-10	12+	1359	0	7	31	11	1.20	- .21	.40	31	20.0	14	31	5	0	0
GROUSE	33.7	- 1.9	15.9		44	4	-19	27	1513	0	12	31	19	.33	- .60	.15	10	3.0	2	10	2	0	0
HAMER 4 NW	30.1	1.0M	15.6M	- 3.9	44	2+	-25	27	1533	0	20	31	18	.34	- .28	.19	7	4.5	3	7+	1	0	0
IDAHO FALLS 6 NE	30.4	9.3	19.9		47	6	-18	28	1393	0	19	31	9	.63		.28	7	7.5	5	15	2	0	0
IDAHO FALLS CAA AP	29.3	8.3	18.8	- 4.4	49	6	-17	27	1430	0	20	31	8	.53	- .53	.23	7	8.4	7	31	1	0	0
IDAHO FALLS 43 NW WB R	28.8	1.6	15.2	- 2.6	42	4	-23	27	1536	0	20	31	15	.44	- .17	.18	7	2.5	1	31	1	0	0
IDAHO FALLS 46 W WB R	30.2	3.0	16.6	- 3.7	42	6	-17	27	1492	0	17	30	18	.40	- .35	.16	3	2.7	1	27+	3	0	0
IRWIN 2 S	30.8	12.1	21.5	0.7	42	3	-11	27	1344	0	18	31	4	.79	- .46	.38	7	13.0			2	0	0
ISLAND PARK DAM	26.5	0.9	13.7	- 5.8	40	6	-33	27	1583	0	26	31	16	3.55	.63	1.10	7	55.0	32	31	9	2	1
LIFTON PUMPING STA	29.5	9.3	19.4	- 3.4	48	2	-13	28	1406	0	22	31	5	.85	.20	.55	4	9.0	6	31	1	1	0
MACKAY RS	31.8	5.6	18.7	- 1.7	44	21	-10	28	1428	0	16	31	8	.45	- .25	.10	4+	5.6	3	10+	2	0	0
MALAD	36.4	16.7	26.6	1.2	51	4	- 2	28	1184	0	7	31	1	1.12	- .27	.47	4	5.4	5	31	3	0	0
MALAD CAA AP	36.2	14.8	[illegible]		51	2	- 5	28	1216	0	8	31	2	.84		.43	4	5.0	3	31	2	0	0
MAY RS	29.8	2.7	16.3	- 5.5	46	6	-18	27	1504	0	21	31	17	.18	- .23	.06	26	3.5	1	26+	0	0	0
MC CAMMON	34.7	11.7	23.2		48	4	-10	28	1287	0	11	31	2	1.42		.55	30	10.9	6	30	5	1	0
MINIDOKA DAM	33.8	16.0	24.9		52	6	- 6	28	1237	0	16	31	2	.44		.21	31	3.0	1	26+	2	0	0
MONTPELIER RS	31.1	3.7	17.4	- 4.7	49	3+	-19	28		0	16	31	14	.83	- .25	.40	4	13.0	7	31	3	0	0
OAKLEY	40.4	19.4	29.9	0.0	53	6	2	27	1079	0	3	30	0	.45	- .20	.14	31	2.0	1	10	3	0	0
PALISADES DAM	28.5	10.2	19.4		40	3	-13	28	1409	0	21	31	6	1.19		.30	7+	14.6	9	31	[illegible]	0	0
PAUL 1 E	36.8	13.8	25.3	- 7.0	55	7	- 5	27+		0	8	31	3	.65	- .42	.38	31	3.2	1	7+	2	0	0
POCATELLO WB AP //R	31.4	10.5	21.0	- 5.8	51	6	-15	28	1360	0	20	31	6	.45	- .69	.12	7	5.8	3	13+	2	0	0
PRESTON SUG FACT 2SE	37.3	16.2	26.8	0.9	51	2	- 9	28	1180	0	6	31	2	.90	- .71	.53	4	11.7	3	30+	2	1	0
RUPERT	35.8	14.7	25.3	- 2.4	55	7	- 5	28		0	9	31	3	.57	- .40	.32	31	1.0	1	10+	2	0	0
SAINT ANTHONY	30.7	8.7	19.7		46	6	-19	27	1397	0	18	31	9	1.42	- .03	.58	7		[illegible]	30	3	1	0
SPENCER RS	29.6	5.6	17.6	- 0.4	40	4+	-20	28	1464	0	19	31	11	1.48	- .20	.45	7	21.5			4	0	0
SPRINGFIELD 1 SE	33.2	10.8	22.0	- 2.0	50	5+	-11	28	1329	0	18	31	7	1.12	.26	.45	30	7.0	3	13+	4	0	0
STREVELL	34.8M	15.6M	25.2M		45	2	- 8	28	1227	0	9	31	2										
SUGAR	29.8	7.9	18.9	- 1.3	42	5+	-20	27	1425	0	21	31	7	E 1.89	.79	.60	4	10.9	8	31	6	1	0
TETONIA EXP STA	30.7	5.0	17.9		43	7	-17	28	1454	0	17	31	8	.58		.13	4				3	0	0
DIVISION			20.8	- 2.1										.79	- .30			8.6					
STATE			24.7	- 1.6										1.34	- .62			11.3					

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station	Total	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	.46			.03	.12			.13			.05	.01		.06													T				[illegible]	[illegible]
AMERICAN FALLS 1 NW	.31							.13			.02	T		.05												T	.01	T		T		[illegible]
ANDERSON DAM	2.01		T	.09	.15		.01	.06			T			.31	T	.03									T	T	[illegible]			[illegible]	.21	[illegible]
ARCO	.35			T	T			.20			.02			.04		.02															[illegible]	.16
ARROWROCK DAM	2.56			.06	.15	T		.06			T			.24	.07											T	.10				.29	[illegible]
ASHTON 1 S	1.43			.17	.17	T		.31	T		T					T											T				.35	.43
ATLANTA 1 E	2.92				[illegible]		.19	.29	.11		.03	T		.51	.02	.07	T							[illegible]	T	T	.23	T		[illegible]	[illegible]	.98
AVERY RS	2.33			.10			.18			.01	.06			.12	.06	.17							.12		[illegible]	[illegible]	[illegible]	.46	.01	[illegible]	[illegible]	.68
BAYVIEW MODEL BASIN	2.14			.03	.01	.04	.11	.24			.01			.36		.24							.01		.02		[illegible]			.18	.01	.75
BIG CREEK 1 S	1.93			.22	.05		.21	.11	.03		.02			.17	T	.18									.15	[illegible]	[illegible]			.18		.45
BLACKFOOT	.22				.13			T			T			.06													.03					
BLISS	1.16			.20	.05		T	T			.02			.20		T														T		.59
BOISE LUCKY PEAK DAM	1.16			.06	.15		.01							.06																[illegible]	.15	[illegible]
BOISE WB AP //R	1.09		.04	.07	.13		T			T	.01		T	.07		T									T	T	T		T	.17	[illegible]	
BONNERS FERRY 1 SW	2.49	T		T	T		.58	T		.02	.02		T	.38	.07	.44								.02	.05		T		[illegible]	.24	.41	.21
BURKE 2 NNE	4.55			.05	[illegible]	T	.23	.16	.12	.02	.02			.36	.13	.44	T						.19	T	.31	.14	.11	T	.04	[illegible]	.38	1.43
BURLEY	.47		.02	.04				.11			.01	T		T	.02											T	.01	.01			.02	.23
BURLEY FACTORY	.51			.05	.08	.02		.05			.03	.01														T	.01	[illegible]				[illegible]
BURLEY CAA AP	.59		.01	.06	.02		T	.13			.04			.02	T	T										T	[illegible]			[illegible]	.02	.24
CALDWELL	1.35			.04	[illegible]	.18	.09				.10			.09													T			[illegible]	.52	[illegible]
CAMBRIDGE	2.06			.15	.06		T				.09			.50																[illegible]	.68	[illegible]
ASCADE 1 NW	1.30		.01	.12	.31		.14				.01			[illegible]		.01									.01		.03			[illegible]	.04	.35
ENTERVILLE ARBAUGH	[illegible]			.20	.13		.06	.02						.45		.06										[illegible]	.24			.27	.57	[illegible]
HALLIS	.22				.07			.09			T			T		.05											T					[illegible]
HILLY BARTON FLAT	.13			T	T			.13			T																					
LARK FORK 1 ENE	4.12			.10	.14		.25	.18	.08					.40		.40							.10				[illegible]				[illegible]	.72
LIFFS	-	-	-	-	-	-	-	-	-	-	-	-	-	-		T	T								[illegible]		[illegible]				.58	
OBALT BLACKBIRD MINE	1.18			.04		T		.24	.01		T			.04	[illegible]	[illegible]	.28								T		[illegible]	.10		[illegible]	[illegible]	.24
OEUR D ALENE RS	2.80			.14	.09	.04	.18							.51		.14							.07			[illegible]				.44	[illegible]	[illegible]
ONDA	1.47				.14			.17	.80			.09			.06		.09														[illegible]	.11
OTTONWOOD	.54						.10			T				.05		.03									.05		T			.03	.05	.23
OUNCIL	2.64		.03	.23	.12		.08			T	.21			.60													T			.24	.58	[illegible]
ROUCH 2 NNW	3.03				.35	.18			.10					.45													[illegible]			[illegible]	.55	[illegible]
EADWOOD DAM	2.79		.02	.38	.17		.10	.15			T			.68	[illegible]	.15										.03	.13			.12	[illegible]	.83
EER FLAT DAM	.87			.15	.08		.02									T									T	T				.22	[illegible]	[illegible]
EER POINT	.48		T	.05	.09		T	.05			T			.08		T								T	T	.02	.05			.02	.07	[illegible]
IXIE	1.34						.20	T						[illegible]	.25	.14									.15	[illegible]	.13			.14	.13	.30
RIGGS	.93				.08	.15											.37															[illegible]
UBOIS EXP STA	.64			.01	T	.07		.26			.02		T			.03											.04			T	.07	[illegible]
UBOIS CAA AP	.71			.04	[illegible]		T	.25	T		.04	T	.02	T		.14	T								.02	[illegible]	.03			T	[illegible]	[illegible]
LK CITY	1.58			T	T		[illegible]							[illegible]	[illegible]	[illegible]			.47						.19	[illegible]	[illegible]	T		.21	.40	[illegible]
LK RIVER 1 S	4.43			T	.09		.19	.05	.02	.01				.62	T	.15							.03			[illegible]	[illegible]		T	[illegible]	1.00	.89

DAILY PRECIPITATION

Table 3–Continued

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EMMETT 2 E	1.86			.20	.17		T	T			.05			.15																	.40	.89
FAIRFIELD RS	1.38		.04	.10	T	T	.07				.15	T		.29		.01									T		.01			.01	.10	.60
FAIRYLAWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								T		.06			.05	.32	.17
FENN RS	2.64			.06	.01		.25	.03			.11			.61		.21							.02		.12					.32	.20	.70
FORT HALL IND AGENCY	.51				.04			.21			.02	.08		.10		.01											T	.02		.01	.02	T
GARDEN VALLEY RS	2.03			.23	.12		.09							.23		T									T		.10			.23	.36	.67
GLENNS FERRY	.77		T	.09	.05						.03			.02		T														T	.02	.56
GOODING CAA AP	1.31		T	.34	T		T	.06			.07			.24		T														T	.46	.14
GRACE	.25										.03			.04		.04											T			.01	.01	.12
GRAND VIEW	.71			.04	.05			.15			.04				T															T	.18	.25
GRANGEVILLE	.50			T	T		.14			.02	.02		T	.02		.02							T	T	.09	T	.04	T	T	T		.15
GRASMERE	1.12		T	.29	.12						.65				T	T									T		T			T	T	.06
GRAY	1.20				.30			.30								.10															.10	.40
GROUSE	.33							.11			.15					.05															T	.02
HAILEY AP	.91			.11				.07		.11				.16		.05															.02	.39
HAMER 4 NW	.34			.02	.05	T		.19			.02	T				.02										T	T	.06			.04	T
HAZELTON	.81		.04	.02	.14			.10			.19			.03		T										T	T			.01	T	.28
HILL CITY	1.49			.15	.08						.15			.35		T														.04	.08	.64
HOLLISTER	.43			.06				.18								.03											T					.16
HOWE	.13			T				.13			T			T		T											T				T	
IDAHO CITY	2.27			.10	.18		.02	.10						.40	.03												.13			.16	.25	.90
IDAHO CITY 11 SW	3.82		T	.13	.16		.11	T		T	T			.42	T	.02	T	T							T	T	.19			.24	.85	1.70
IDAHO FALLS 6 NE	.63			.09				.28			.05					.14											.04			.01	.02	
IDAHO FALLS CAA AP	.53		T	.08	T			.23	T		.01	T	T	.01	T	.05										T	.04		T	.02	.08	.01
IDAHO FALLS 43 NW WB R	.44			T			.05	.18			.05			T		.02											.03				.08	.03
IDAHO FALLS 46 W WB R	.40			.16				.10			T			.01		T											.03				.10	T
IRWIN 2 S	.79							.38						.06		.06														.04	.09	.16
ISLAND PARK DAM	3.55			.20	.15	.10		1.10	.05					.30		.38										.16	.06				.39	.66
JEROME	1.01		.06	.04	.23			.19			.09	T	T	.04		T														T	T	.36
KAMIAH 1 NE	1.07			T	.03		T				T		T			.04	.03								*		*	*		*	*	.97
KELLOGG	1.81			.03	.01	.05	.01	.12	.03					.23	.17	.23							.08	.04	.12	.03	.13	T		.04	.15	.36
KOOSKIA	.49			.02			.14				T			.07	T	.09							T		.07		.01	T		T	.01	.08
KUNA 2 NNE	.65			.05	.20						T			T		T										T				.03	.10	.27
LEWISTON WATER PLANT	.26				.01		.01	T		T				.04		.04							.05		.02		.05				T	.04
LEWISTON WB AP //R	.20		T		T		.01	T		T			T	.01		.04							.03	T		.06			T	T	.02	.03
LIFTON PUMPING STA	.85				.55			.08			T	.03		.08		T											.03	T		T	T	.08
MACKAY RS	.45			.03	.10			.10			.06			.06		.02																.08
MALAD	1.12				.47			T			.04			.10													.05		.02		.07	.37
MALAD CAA AP	.84			T	.43			T			.02			.05		T									T		.02			.02	.02	.28
MAY RS	.18				.02			.02			.03			T		T									T	.01	.06					.04
MC CALL	1.89			.18	.04						.10			.44		.03									.03	.06	.06			.11	.30	.54
MC CAMMON	1.42				.22			.20	.09		.03		.11			.22										T	T	T		T	.55	T
MERIDIAN 1 W	.86		T	.13	.12						T			.08																.12	.08	.33
MINIDOKA DAM	.44			.02	.01			.11			.02			.02													.02	.02		.01		.21
MONTPELIER RS	.83				.40	T		.10	.08			.01			.08		.10											T			.03	.03
MOSCOW U OF I	2.75			.50	.10		.07		T	.12	.01		T	.28		.18							.14	T	.03	.13			T	.45	.22	.52
MOUNTAIN HOME 1 NE	.75			.01	.10			.05		.04	.01			T		T														.01	.01	.52
MULLAN PASS CAA	4.56		.01	.07	.05	T	.25	.18	.06	.08	T		.26	.50	.09	.29	T						.07	.13	.20	.21	.13	.08	.12	.30	.75	.73
NAMPA 2 NW	.87			.09	.02	.07					.03			.01												T	.03				.14	.48
NEW MEADOWS RS	2.12		.04	.15	.05	T	.20			.01	.04			.50		.08												.03		.20	.42	.40
NEZPERCE 2 E	.85			.05	.03		.23	T						.07	.01	.07							.02		.07	T	.07				.07	.18
OAKLEY	.45				.12			.10			.05	.04		T		T											T			T		.14
OBSIDIAN 4 NNE	1.12				T		.31	T			.02	T		.08		.20								T	T		.16					.35
OLA 5 S	1.99				.29		.13								.31	.02										.14				.18	.84	.08
OROFINO	1.29						.15	.05			.03			.10		.20							.03			.02	.03			.07	.24	.37
PALISADES DAM	1.19			.02	.11	.01		.30	T			.01		.15		.06										.01	.02			.02	.30	.18
PARMA EXP STA	.66		T	.12	.24		T				.07			.04													T			.19		
PAUL 1 E	.65			.01	.04			.13			.01	.04		T												T	T	.02			.02	.38
PAYETTE	.75	T		T	.40		.04				T																			.16	.15	
PIERCE RS	4.11			*	.03		.43	.03		.01	.01			.84		.13	.01								.23	.15	.40			.38	.75	.71
POCATELLO WB AP //R	.45		T	.01	.01			.12			.08	T	T	.10		T										T	.05	T		.01	.01	.06
PORTHILL	1.50						.64	.02	T	T	T	T	T	.10	.11										.10	T			.05	.13	.16	.19
POTLATCH 1 SE	1.70			.05	.03		.07			T			T	.23		.14							.06		.07	.03	.04		T	.34	.56	.08
PRESTON SUG FACT 2 SE	.90				.53			.01				T		.04		T											.11			.01	.05	.15
PRIEST RIVER EXP STA	3.61			.05	.03		.74	.08	.01	T			T	.62	.07	.41							T	.03		T	.16		.09	.44	.59	.29
RICHFIELD	1.21			.17	.13			.15			T			.19														T			.03	.54
RUPERT	.57			.02	.04			.14			T	T	.02	T	.01											T	T	.02				.32
SAINT ANTHONY	1.42			.09	.02			.58			.05	T		.07		.03											.07			.03	.30	.18
SAINT MARIES	2.68	T	T	.16				T				.52											.12				.11	.06	.18	.60	.84	.09
SALMON	.26			.01	.02		.02							T		.05									.02		.01				T	.13
SANDPOINT EXP STA	3.97			.05	.09	T	.54	.04	.11	.01	.01			.71	.05	.44							T	T	.01	T	.10		.04	.52	.75	.50
SHOSHONE	1.31			.21	.17			.16			.04			.18	T	T									T	T	T	T		T	.03	.52
SPENCER RS	1.48			.04	.35	.10		.45			.02		.02	.03	T	.09											.06				.08	.24
SPRINGFIELD 1 SE	1.12			.04				.10			T			.37																.16	.45	T
STIBNITE	1.89			.14	.13	T	T	.32	T		.02			.28	.10	.13	.08								.08		.10	T		.02	.11	.40
STREVELL	-				-			-			-	-															.02	.04		.01		.02
SUGAR	E 1.89			.20	.60			E .45			E .03	T		E .03		E .03											E .15			E .08	E .20	E .12
SUN VALLEY	1.11		T	.10	.10		T	.05			.11			.15		.10										T					.05	.45
SWAN FALLS PH	.40				.10		.01	.03			.03			.01		.01															.01	.20
TETONIA EXP STA	.58			T	.13			.11						.06		.02											.04			.10	.08	.04
THREE CREEK	.65	.33						T			T	.22				.07														.03	T	
TWIN FALLS 2 NNE	.75		T	.06	.19			.11			.13	T		T		T										T	T			T	T	.26
TWIN FALLS 3 SE	.80			.04	.17			.18			.03	.12		T	T											T	.01				.01	.24
WALLACE	4.44		T	T	.09	T	.21	T	.18	.09	T	T	T	.56	T	.42	T						.15	.08	.06	.13	.12	T	T	.27	.96	1.12
WALLACE WOODLAND PARK	2.90						.06	.17	.06					.29	.07	.40	.01							.05	.19	.08	.06	.01		.08	.03	1.34
WEISER 1 S	1.16		T	.10	.11		T				T			.27													T			.16	.52	
WINCHESTER 1 SE	.69						.04							.05		.10							.03		.03	.07			.05	.05	.05	.22

See reference notes following Station Index.

Table 5

DAILY TEMPERATURES

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ABERDEEN EXP STA	MAX	36	38	45	[illegible]	[illegible]	46	42	31	26	30	30	[illegible]	35	24	37	30	22	22	25	24	28	28	27	35	32	24	21	11	20	33	39	31.8
	MIN	7	14	26	32	[illegible]	21	26	7	6	13	24	[illegible]	16	12	10	8	- 2	- 2	- 2	1	[illegible]	4	3	10	23	0	- 8	-12	11	19	28	11.1
AMERICAN FALLS 1 NW	MAX	[illegible]	37	45	41	48	50	45	33	27	30	34	28	37	33	39	[illegible]	21	20	23	25	26	25	25	38	33	26	23	13	20	32	40	31.7
	MIN	17	10	28	[illegible]	34	24	25	12	9	17	18	13	21	14	19	15	6	4	3	7	6	8	7	13	25	6	- 2	-10	9	18	29	14.5
ANDERSON DAM	MAX	45	48	47	41	47	43	43	38	42	[illegible]	38	37	39	36	39	37	32	34	37	36	39	39	41	40	34	30	29	23	29	33	43	37.6
	MIN	21	33	35	34	33	33	31	19	21	31	23	23	30	20	26	12	13	12	17	20	19	18	22	16	11	14	5	8	21	24	31	22.3
ARCO	MAX	33	40	39	38	44	42	35	28	31	34	33	26	39	26	33	3[illegible]	27	33	36	35	39	38	37					14	24	26	37	33.2
	MIN	2	9	30	17	[illegible]	12	25	0	- 4	[illegible]	7	7	13	0	11	11	- 3	- 4	- 1	2	5	5	4					-12	- 7	8	18	6.7
ARROWROCK DAM	MAX	32	39	41	41	41	49	54	39	36	35	38	34	41	38	36	39	31	27	26	28	30	32	30	37	38	32	29	18	23	32	42	35.1
	MIN	15	18	32	32	34	38	30	22	22	25	21	21	23	27	27	16	15	13	13	14	15	15	16	18	16	18	5	5	12	22	29	20.3
ASHTON 1 S	MAX	39	40	35	39	35	33	35	25	24	33	30	28	30	29	32	23	21	24	26	33	31	30	31	28	25	21	12	12	23	25	34	28.6
	MIN	6	12	29	30	24	20	19	14	- 2	9	11	12	10	13	14	- 5	- 3	- 3	- 2	0	5	3	5	4	1	0	-17	-19	- 4	5	22	6.9
ATLANTA 1 E	MAX						45	38	35		37		40			30	3[illegible]								36			21	26	37	32	32	
	MIN						13	22	7	10	32	23	11	26	12	21	3	10	12	22	24	23	22	24	15	21	11	- 5	2	15	17	26	16.1
AVERY RS	MAX	32	34	36	38	43	42	37	40	34	35	37	34	35	35	35	34	33	38	38	34	38	35	42	36	33	33	31	26	34	35	40	35.7
	MIN	14	22	30	32	33	31	32	29	25	26	28	22	20	29	31	19	13	13	14	17	20	23	30	33	30	26	16	15	25	29	32	24.5
BAYVIEW MODEL BASIN	MAX	35	42	35	34	37	49	42	39	42	37	36	39	41	37	42	37	37	35	33	33	34	37	38	41	39	33	33	28	35	37	43	37.4
	MIN	10	12	25	29	[illegible]	29	34	29	29	26	27	18	18	31	32	23	16	18	17	18	19	25	29	32	30	26	16	15	22	33	33	24.2
BIG CREEK 1S	MAX	30	37	38	35	44	40	35	30	21	34	30	24	35	33	33	31	30	30	29	28	34	40	31	42	27	22	21	25	30	34	35	31.9
	MIN	-13	9	22	20	[illegible]	18	15	- 2	- 7	15	-17	- 8	16	0	22	-14	-16	-16	-17	-16	-10	- 6	- 3	11	7	6	-11	-19	18	23	26	2.3
BLACKFOOT	MAX	34	38	46	40	47	49	44	31	25	34	30	29	35	32	39	29	23	20	25	24	28	29	32	37	33	22	19	10	21	32	40	31.5
	MIN	13	15	28	32	27	22	26	8	3	17	23	14	18	9	16	10	2	- 1	1	2	6	6	5	8	21	5	- 8	-14	8	18	27	11.7
BLISS	MAX	44	46	43	45	45	53	42	40	42	38	38	37	44	39	38	34	30	35	39	40	41	35	44	38	40	34	31	24	28	34	40	38.7
	MIN	25	30	35	34	32	33	27	20	26	29	25	25	28	15	27	10	10	6	6	8	8	10	15	20	21	12	2	7	21	25	32	20.1
BOISE LUCKY PEAK DAM	MAX	47	44	38	44		57	40	43	42	40			42	39	39	39	35		32		32	35	45		45		28	28	29		46	39.5
	MIN	20	28	29	30		36	26	25	25	26	18			26	29	19	16			13	15	15		18			12	16	24			
BOISE WB AP	MAX	47	44	37	45	52	56	41	44	45	41	40	41	44	43	40	35	37	32	33	27	31	36	41	36	38	29	30	25	29	37	46	38.8
	MIN	20	30	31	33	40	34	27	26	27	23	20	22	32	30	23	17	18	12	12	12	12	14	22	22	15	14	7	12	23	25	35	22.3
BONNERS FERRY 1 SW	MAX	35	28	31	35	42	39	42	40	30	38	35	31	39	38	44	35	30	32	33	29	34	44	36	40	36	35	30	29	37	37	43	35.7
	MIN	19	12	25	29	31	31	34	27	23	23	23	19	29	31	31	20	19	24	19	13	17	28	26	34	31	21	18	21	29	31	32	24.8
BURKE 2 NNE	MAX	22	34	34	34	33	39	33	30	34	33	29	31	32	32	33	26	23	24	25	30	28	35	36	37	28	24	22	24	29	33	34	30.4
	MIN	9	15	30	27	24	29	28	24	19	26	13	15	28	28	25	14	9	14	19	18	21	24	23	27	22	18	15	9	22	17	31	20.7
BURLEY	MAX	39	39	45	45	43	50	55	37	37	34	32	39	37	42	40	40	34	30	31	32	38	37	40	42	37	31	27	27	22	31	40	37.2
	MIN	14	17	26	30	32	28	28	19	15	16	25	18	22	16	18	17	9	9	8	10	9	10	10	16	25	15	3	- 3	- 1	18	31	16.5
BURLEY FACTORY	MAX	39	40	42	54	43	50	58	48	37	38	31	38	36	40	39	40	33	30	30	31	35	36	39	44	37	30	22	25	20	31	40	37.3
	MIN	10	12	23	30	30	27	25	17	15	16	21	17	18	10	15	14	6	8	8	4	8	6	7	16	19	12	0	- 5	- 1	16	30	14.0
BURLEY CAA AP	MAX	40	43	44	42	51	54	38	38	35	30	36	36	39	40	40	33	30	33	32	36	37	38	42	37	30	25	23	19	28	36	44	36.4
	MIN	15	20	29	33	30	25	22	17	14	24	19	17	25	15	20	15	7	7	8	7	10	7	15	17	15	14	- 3	- 8	15	24	32	16.4
CALDWELL	MAX	42	41	38	45	51	59	46	43	39	43	40	39	48	45	42	38	35	31	29	28	30	32	36	38	38	33	29	28	29	38	50	38.8
	MIN	21	30	32	35	35	39	28	22	30	30	17	24	31	20	30	12	15	12	10	9	10	11	13	23	11	15	8	11	19	22	23	20.9
CAMBRIDGE	MAX	33	35	39	39	46	50	42	44	35	44	38	32	38	32	40	32	26	20	20	23	20	20	27	33	28	32	17	18	25	30	47	32.4
	MIN	6	25	29	30	27	37	22	14	15	26	11	16	25	12	11	- 6	- 8	-10	-11	- 9	- 6	- 4	- 1	- 1	8	6	-15	-10	13	19	25	9.5
CASCADE 1 NW	MAX	29	36	38	37	41	40	37	32	32	36	34	24	33	32	35	25	15	12	13	18	19	19	38	42	33	23	21	17	27	31	38	29.0
	MIN	3	24	31	30	29	29	21	10	11	30	4	7	21	0	17	- 6	- 5	- 5	- 7	- 5	- 2	1	4	20	14	13	-13	- 9	11	24	28	10.6
CHALLIS	MAX	28	31	41	34	42	43	40	30	25	30	25	25	37	30	30	35	23	23	22	20	25	30	30	38	32	30	20	11	22	36	38	29.9
	MIN	0	10	20	24	20	15	23	7	1	11	3	6	15	10	14	2	- 2	- 2	- 3	- 3	1	3	5	5	6	8	- 7	- 7	1	13	27	7.3
CHILLY BARTON FLAT	MAX	29	36	36	41	34	38	35	23	25	31	24	19	32	25	27	25	28	33	31	32	36	37	33	33	27	23	19	13	20	23	36	29.2
	MIN	- 6	4	21	15	9	6	12	-12	-16	0	-11	- 9	14	- 6	7	-10	- 8	- 4	-10	-11	- 2	0	- 3	5	- 3	- 8	-17	-20	-11	- 1	10	- 2.1
CLARK FORK 1 ENE	MAX	38	37	34	40	42	46	39	41	32	37	39	37	41	39	38	38	38	29	34	36	40	39	44	44	40	35	31	31	35	39	43	37.9
	MIN	14	16	28	30	31	28	31	29	23	26	27	18	27	30	30	21	15	9	11	15	18	18	26	32	30	23	20	12	26	26	31	23.3
CLIFFS	MAX														33	36	34	39	35	46	42	44	45	45	51	38	25	25	24	32	35		
	MIN														14	23	25	30	28	24	32	9	8	16	20	7	11	-15	3	19	25		
COBALT BLACKBIRD MINE	MAX	17	20	34	34	30	34	34	24	18	24	25	16	31	29	29	28	19	16	18	18	23	24	27	40			31	19	20	26	30	25.4
	MIN	- 6	- 3	14	13	16	16	16	1	0	6	- 3	- 3	9	5	5	- 1	- 1	- 1	5	4	8	10	12	18			- 9	-10	4	16	20	5.6
COEUR D ALENE RS	MAX	35	32	35	34	36	48	40	42	35	42	38	36	38	40	42	42	32	31	29	36	38	38	38	40	36	30	30	30	37	37	42	36.7
	MIN	15	19	30	30	29	30	35	26	28	26	28	20	31	31	32	25	20	22	22	20	25	32	27	32	30	14	14	19	26	32	34	25.9
CONDA	MAX	33	41	46	51	37	42	45	45	30	35	35	30	35	33	37	36	32	34	29	30	32	31	33	41	41	35	35	30	28	25	33	35.5
	MIN	6	18	28	32	24	16	15	0	- 3	- 3	10	2	14	15	15	- 3	- 6	- 5	- 4	- 5	- 4	- 2	3	13	17	1	-12	-15	-13	14	20	8.1
COTTONWOOD	MAX	29	40	42	42	49	49	38	38	35	35	34	39	40	37	39	35	34	33	39	38	40	41	49	38	[illegible]	29	24	30	30	37	41	37.4
	MIN	8	21	25	23	22	24	19	14	20	23	14	20	28	19	19	10	9	13	11	14	22	27	23	24	18	16	[illegible]	3	22	24	30	18.3
COUNCIL	MAX	36	34	36	36	48	48	43	42	35	40	38	35	35	34	40	34	27	22	30	28	28	29	29	34	32	25	20	20	24	24	41	33.1
	MIN	10	25	32	33	30	29	25	18	16	28	11	8	26	7	10	- 5	-10	-12	- 6	- 6	- 4	0	0	12	7	9	-15	- 9	11	21	21	10.4
DEADWOOD DAM	MAX	31	33	38	34	37	38	34	27	24	35	32	24	33	29	30	21	26	57	29	25	32	32	39	37	27	23	17	14	22	30	34	30.5
	MIN	- 2	19	27	24	25	21	16	7	- 3	19	- 7	- 1	19	9	8	-18	-13	-14	-13	- 9	- 7	- 3	1	18	1	8	-29	-21	9	19	26	4.4
DEER FLAT DAM	MAX	45	42	38	45	52	65	43	42	41	42	40	41	51	40	43	37	37	34	27	28	31	35	37	41	39	35	30	27	31	47	53	40.0
	MIN	20	30	31	32	35	39	32	23	31	30	20	26	32	22	30	17	13	12	9	10	10	12	14	20	13	22	6	14	19	21	32	21.8
DEER POINT	MAX	27	30	30	32	31	36	26	22	29	27	30	27	29	25	31	23	37	[illegible]	43	38	45	46	38	35	19	14	22	15	19	27	29	30.0
	MIN	8	22	26	23	23	25	15	13	18	18	17	18	21	17	15	12	20	18	34	33	34	34	31	17	8	6	5	8	11	19	23	19.1
DIXIE	MAX	29	36	39	37	39	39	32	33	39	30	29	36	37	29	30	31	34	37	38	40	40	39	48	40	27	19	22	27	28	34	33	33.9
	MIN	-19	4	15	17	5	12	12	-10	- 4	22	-10	- 3	21	0	11	-12	-15	-13	-14	-11	- 3	- 2	1	12	10	0	- 9	-16	16	17	21	1.8
DRIGGS	MAX	50	45	45	40	35	37	35	30	27	30	27	30	37	45	50	33	16	20	24	30	30	30	34	35	37	40	35	34	29	29	32	33.9
	MIN	10	8	5	10	12	15	10	- 5	- 9	[illegible]	4	2	[illegible]	3	15	- 4	-11	- 5	0	4	3	4	0	4	4	- 3	-17	-20	- 5	- 3	23	1.9
DUBOIS EXP STA	MAX	33	38	34	39	37	40	34	23	30	31	30	28	32	24	26	23	24	28	36	37	38	36	37	29	22	27	13	14	18	20	32	29.5
	MIN	9	18	27	28	19	23	26	3	9	17	12	14	16	11	19	5	5	8	10	14	14	18	14	18	18	7	- 1	- 7	3	4	19	12.9
DUBOIS CAA AP	MAX	35	40	35	41	40	42	35	23	33	34	23	28	36	26	28	23	28	27	33	40	39	30	34	30	22	20	14	14	21	25	38	30.2
	MIN	5	12	27	20	21	20	4	0	3	10	3	18	14	14	11	- 5	- 4	- 3	0	- 1	2	6	5	7	2	- 1	-17	-15	- 8	7	8	5.3
ELK CITY	MAX	23	31	43	46	44																31	34	50	37	27	25	20	29	37	37	35	
	MIN	-14	10	21	21	12												-15		-11		- 1	1	7	20	17	[illegible]	- 8	-12	20	22	12	

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
ELK RIVER 1 S	MAX	35	33	44	39	43	40	34	40	35	41	36	35	40	35	35	36	36	36	38	42	43	36	43	39	38	29	31	29	31	34	39	36.9
	MIN	10	24	28	29	22	31	31	22	18	22	13	11	30	24	29	17	5	2	5	9	11	23	21	28	25	21	9	7	21	28	32	19.6
EMMETT 2 E	MAX	40	39	37	42	54	57	44	44	41	40	38	38	44	40	41	36	35	31	31	29	31	30	32	38	36	40	31	26	30	41	49	38.2
	MIN	18	30	32	34	33	40	29	23	27	29	20	23	29	25	30	18	18	13	10	12	11	21	22	16	25	16	5	10	22	22	36	22.5
FAIRFIELD RS	MAX	38	38	37	38	43	44	34	32	36	48	31	32	34	31	32	23	24	26	34	33	32	35	39	34	30	23	21	18	24	29	36	32.5
	MIN	12	22	22	22	22	22	19	4	11	21	19	7	22	-2	8	-6	-8	-8	-7	-5	1	1	2	7	6	2	-14	-15	11	5	26	7.4
FAIRYLAWN	MAX																	41	36	44	43	45	48	56	42	34	23	25	28	32	37	42	
	MIN																	7	3	3	3	7	11	18	25	12	10	-8	0	19	26	29	
FENN R	MAX	35	41	41	40	44	54	39	41	38	38	39	32	37	37	37	38	34	31	36	33	34	44	43	37	36	32	33	27	32	36	34	37.2
	MIN	18	24	30	33	29	30	31	27	26	30	28	23	23	31	30	25	17	16	14	17	17	21	28	30	30	27	18	14	24	26	32	24.8
FORT HALL IND AGENCY	MAX	37	41	44	39	49	52	45	29	25	32	32	29	36	34	38	30	23	24	26	28	30	27	29	37	33	24	19	10	22	32	38	32.1
	MIN	11	13	26	31	29	19	26	8	1	7	24	6	15	17	15	13	-4	-6	-5	-5	0	0	-1	5	12	2	-7	-17	7	17	28	9.3
GARDEN VALLEY RS	MAX	34	38	37	40	39	50	41	35	31	41	32	33	37	35	38	32	27	25	26	24	28	29	32	36	33	30	21	20	25	34	46	33.2
	MIN	7	25	32	33	31	29	28	16	15	28	14	15	28	23	19	5	4	5	4	5	5	7	10	21	9	19	-8	-3	18	22	32	16.1
GLENNS FERRY	MAX	48	46	45	45	54	54	50	44	46	43	42	43	50	45	42	41	36	35	36	39	40	38	50	41	43	35	30	27	30	38	[illegible]	42.1
	MIN	27	29	36	36	35	37	29	17	30	30	19	20	32	21	30	9	11	7	6	6	6	7	12	21	16	13	2	[illegible]	22	23	31	20.3
GOODING CAA AP	MAX	41	44	40	42	48	50	38	37	39	35	38	36	39	35	36	29	27	32	35	36	38	36	40	32	34	28	23	21	25	33	41	35.7
	MIN	23	30	34	33	32	33	25	17	25	27	23	23	25	17	22	9	11	11	10	12	13	12	21	22	12	12	2	5	15	24	30	19.7
GRACE	MAX	39	44	46	41	42	42	37	29	33	33	28	33	34	33	32	26	22	28	30	30	30	32	36	37	30	20	16	16	22	26	38	31.8
	MIN	7	19	32	29	26	22	23	5	2	15	11	6	26	12	14	2	-3	0	1	1	4	4	5	24	17	0	-3	-12	13	11	23	10.8
GRAND VIEW	MAX	46	46	45	46	52	58	49	43	42	44	40	40	51	45	44	40	36	33	31	33	35	35	48	46	42	38	33	31	31	40	48	41.6
	MIN	20	31	30	35	37	34	27	18	24	29	16	22	33	21	28	15	12	8	6	5	10	9	11	24	15	18	7	9	20	24	32	20.3
GRANGEVILLE	MAX	31	40	42	38	52	52	40	37	33	35	33	42	40	43	40	36	35	35	37	42	42	40	48	39	35	29	27	33	37	43	41	38.6
	MIN	11	20	27	25	23	25	25	19	21	24	16	19	32	24	26	17	15	15	13	16	19	21	21	28	22	15	7	10	25	26	34	20.7
GRASMERE	MAX	39	40	39	41	47	50	45	35	36	30	35	36	45	43	42	35	35	32	42	45	45	44	49	40	30	24	29	27	29	35	41	38.2
	MIN	9	19	31	31	27	27	20	6	7	21	10	3	10	11	11	3	4	1	2	6	10	10	13	24	19	19	-2	1	20	24	32	13.8
GRAY	MAX	42	41	40	42	45	45	35	34	35	32	34	35	35	30	20	22	20	18	19	38	35	36	38	39	38	39	40	39	40	41	42	35.1
	MIN	16	17	15	20	21	8	7	6	7	-5	-9	-10	-10	-5	5	-10	-6	-4	[illegible]	-5	-4	5	6	8	10	15	18	20	22	26	24	6.7
GROUSE	MAX	35	41	41	44	40	40	35	32	36	34	31	25	36	33	34	30	27	41	40	34	43	42	42	40	30	20	24	19	22	29	24	33.7
	MIN	-4	4	20	16	9	7	12	-11	-9	3	-10	-8	5	-6	[illegible]	-12	-11	-9	-7	-8	0	1	1	0	-8	-8	-19	-17	-11	-3	18	-1.9
HAILEY AP	MAX	40	40	35	40	44	39	36	38	40	31	32	35	39	35	34	26	26	35	42	37	40	36	45	36	31	21	21	22	22	31	39	34.5
	MIN	7	7	16	16	21	19	15	4	6	16	-1	8	11	9	11	1	-6	-2	1	7	4	4	4	12	-1	1	-5	-9	2	3	19	6.5
HAMER 4 NW	MAX	31	44	39	44	41	43	38	30	29	34	33	32	38	25	38	25	24	22	26	30	30	31	31	27	27	15	13	12	20	22	39	30.1
	MIN	4	6		32	26	15	28	-1	-8	0	-1	14	14	7	17	-7	-4	-14	-14	-12	-8	-4	-6	-5	4	-12	-25	-23	-13	-2	21	1.0
HAZELTON	MAX	39	41	45	42	53	55	48	36	36	31	34	34	36	35	36	30	28	29	34	36	38	38	38	36	34	28	24	21	28	38	42	36.2
	MIN	17	23	29	32	29	27	27	11	18	24	25	15	22	13	19	13	6	5	7	10	8	10	10	13	18	10	3	-6	16	22	33	16.4
HILL CITY	MAX	36	37	36	37	40	40	38	34	35	40	30	34	34	37	31	29	24	30	29	32	39	32	34	35	29	24	21	21	24	28	36	32.5
	MIN	11	21	30	27	26	25	23	7	12	26	14	10	22	-7	5	7	-8	-10	-6	-6	-1	0	2	9	13	2	-13	-15	13	11	21	8.7
HOLLISTER	MAX	47	45	49	44	50	52	55	37	39	34	34	38	42	44	43	35	34	38	39	41	39	43	48	41	34	35	28	28	30	38	45	40.3
	MIN	19	26	33	33	32	30	28	11	12	23	6	13	30	19	19	13	10	7	5	16	13	10	22	26	17	13	5	2	17	26	34	18.4
IDAHO CITY	MAX	47	44	42	40	48	48	47	47	38	41	39	38	38	37	36	40	33	39	36	36	41	38	50	41	33	29	30	26	28	33	42	38.9
	MIN	4	26	31	31	27	21	21	10	11	27	9	11	28	2	19	-3	-2	-4	-4	0	0	-8	7	17	4	12	-15	-10	17	22	29	11.0
IDAHO FALLS 6 NE	MAX	34	38	42	40	45	47	40	27	28	32	30	34	33	31	37	25	27	23	24	23	26	27	29	33	30	20	16	12	22	30	38	30.4
	MIN	17	12	27	26	26	25	26	9	-2	4	18	6	15	14	18	10	0	-3	-3	-3	0	2	6	6	17	-1	-16	-18	6	16	27	9.3
IDAHO FALLS CAA AP	MAX	34	38	43	39	41	49	38	23	22	30	25	28	33	27	36	24	28	21	23	24	29	32	31	33	27	19	12	10	20	30	38	29.3
	MIN	8	13	28	29	25	19	20	3	0	8	17	12	14	13	[illegible]	2	0	-1	-1	[illegible]	5	3	5	5	11	-2	-17	-13	5	14	25	8.3
IDAHO FALLS 43 NW WB	MAX	33	36	37	42	38	41	32	26	32	33	22	29	36	26	35	24	25	25	27	29	33	30	31	21	30	14	7	12	21	26	39	28.8
	MIN	-1	6	22	22	19	13	16	5	-3	5	1	15	8	15	14	-1	-5	-11	-10	-14	-6	-3	-5	-3	2	-7	-23	-17	-12	5	4	1.8
IDAHO FALLS 46 W WB	MAX	30	39	40	37	35	42	34	21	26	33	31	28	35	26	36	28	22	30	29	29	34	33	33	34	29	21	24	11	21	28	37	30.2
	MIN	-1	4	34	28	18	12	13	-2	-3	3	-1	13	20	7	5	-4	-5	-8	-9	-8	-3	-1	-2	0	-2	-9	-17	-14	-7	9	22	3.0
IRWIN 2 S	MAX	35	35	42	39	40	40	39	30	25	32	31	30	36	35	36	28	22	26	30	28	33	33	31	27	31	23	17	13	20	31	37	30.8
	MIN	10	20	30	31	32	21	25	7	4	15	21	10	20	5	20	2	-3	0	5	5	7	8	11	13	20	9	-11	-10	6	17	24	12.1
ISLAND PARK DAM	MAX	30	32	31	38	31	40	36	20	25	36	27	24	25	26	24	21	22	27	29	30	34	31	29	25	25	15	16	8	16	17	30	26.5
	MIN	-2	[illegible]	28	29	26	12	20	-3	-17	-8	-15	1	11	18	18	-13	-8	-14	-10	-13	-5	-3	2	10	8	-10	-33	-32	-8	12	17	0.9
JEROME	MAX	40	42	47	41	49	51	47	37	38	32	35	34	42	36	37	32	32	33	40	39	39	38	39	37	35	31	28	23	30	39	45	37.7
	MIN	15	29	36	29	29	25	14	19	25	22	19	25	14	19	16	6	6	6	11	9	10	15	18	11	19	2	-1	14	16	16	30	16.9
KELLOGG	MAX	35	37	34	35	34	49	46	38	44	36	35	35	36	37	43	36	35	33	31	34	35	40	37	43	39	32	30	30	35	35	46	36.9
	MIN	16	16	27	32	29	30	36	32	25	27	23	21	23	31	32	23	18	16	15	19	20	24	29	32	28	25	14	16	24	31	33	24.7
KOOSKIA	MAX	34	40	47	40	43	52	40	41	35	38	41	35	47	41	45	42	38	38	38	42	43	39	41	48	41	37	32	31	36	40	52	40.5
	MIN	12	22	31	26	29	30	30	27	20	29	25	22	30	28	29	21	15	13	12	15	16	22	20	19	23	27	20	13	25	28	30	22.9
KUNA 2 NNE	MAX	47	43	36	40	51	57	45	43	37	42	40	41	46	44	42	35	37	33	35	26	31	35	42	37	39	31	31	28	29	36	47	38.9
	MIN	18	27	31	33	35	38	24	21	27	29	17	21	34	25	32	14	15	9	7	8	9	10	15	18	11	10	2	8	23	22	34	20.2
LEWISTON WATER PLANT	MAX	36	36	48	44	46	49	43	47	40	46	44	42	47	42	48	42	39	35	35	37	41	38	48	45	41	40	33	41	44	48	53	42.5
	MIN	18	25	31	29	26	35	28	24	30	26	23	34	35	30	36	23	19	17	17	19	18	28	26	26	24	25	11	24	35	34	38	26.3
LEWISTON WB AP	MAX	35	36	46	40	49	47	44	44	40	44	42	46	45	44	47	38	38	37	36	35	38	37	54	[illegible]	42	37	30	38	41	48	51	41.8
	MIN	16	26	26	28	29	32	25	24	30	23	23	30	31	25	28	19	16	15	15	16	15	25	29	24	25	15	10	27	32	32	40	24.2
LIFTON PUMPING STA	MAX	36	48	47	46	42	30	30	26	27	30	33	28	36	31	37	25	22	29	24	24	23	25	26	26	29	19	14	13	23	29	35	29.5
	MIN	10	15	25	31	25	19	14	6	2	5	22	5	8	7	1	1	-3	-2	7	11	11	13	13	13	14	0	-10	-13	5	10	23	9.3
MACKAY RS	MAX	33	39	36	41	38	38	34	28	31	31	29	22	36	29	28	29	24	40	39	30	44	42	38	34	29	29	19	14	22	24	37	31.8
	MIN	2	8	16	21	11	10	23	2	-3	4	4	0	13	8	8	5	0	-1	3	6	11	10	10	7	5	1	-3	-10	-5	0	8	5.6
MALAD	MAX	34	44	51	48	48	45	35	34	34	38	37	37	35	40	36	34	35	37	39	39	41	40	31	29	38	27	23	21	24	30	[illegible]	36.4
	MIN	17	15	21	31	32	24	28	15	14	24	26	21	25	16	22	10	10	9	10	9	12	13	12	9	18	11	6	-2	15	20	26	16.7
MALAD CAA AP	MAX	42	51	48	47	48	44	35	38	37	37	38	40	36	39	36	33	32	36	37	36	39	39	30	28	34	24	24	19	24	30	40	36.2
	MIN	15	16	26	32	25	21	24	16	13	26	22	22	23	14	20	10	9	6	5	5	8	8	[illegible]	9	16	7	-1	-5	16	20	25	14.8
MAY RS	MAX	31	32	42	37	39	46	36	27	27	30	26	28	40	33	32	24	23	23	24	23	27	30	28	38	30	20	14	13	25	38	38	29.8
	MIN	-3	5	17	15	19	14	20	0	-3	7	-1	0	15	4	12	-2	-5	-7	-8	-7	-4	-1	0	9	-1	4	-18	-17	-2	9	14	2.7
MC CALL	MAX	34	32	34	34	40	36	36	32	30	36	29	28	30	28	27	26	26	26	28	28	26	29	38	32	22	23	16	19	23	30	34	29.4
	MIN	2	24	30	28	26	22	21	[illegible]	8	24	0	9	24	14	18	-3	3	2	6	3	4	8	[illegible]	22	9	12	-12	-8	14	20	28	12.1

See reference notes following Station Index.

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	[illegible]
MC CAMMON	MAX	43	46	44	48	42	40	37	32	33	35	38	38	39	38	38	31	31	29	28	33	33	36	35	34	[illegible]	26	27	18	23	29	41	34.7
	MIN	11	18	31	30	24	21	20	[illegible]	11	14	10	9	18	17	16	5	3	1	1	[illegible]	6	[illegible]	5	14	17	[illegible]	7	-10	10	16	18	11.7
MERIDIAN 1 W	MAX	43	42	38	45	52	58	45	44	38	41	40	42	47	45	42	37	36	33	31	27	30	33	41	37	38	31	30	[illegible]	28	37	48	38.9
	MIN	16	26	29	32	35	37	23	21	25	27	15	20	32	23	29	12	14	10	8	7	8	9	12	18	8	9	0	8	21	21	33	18.9
MINIDOKA DAM	MAX	37	41	44	43	49	52	33	34	32	30	35	34	38	31	38	32	30	28	29	28	30	31	32	36	33	26	23	18	26	32	42	33.8
	MIN	20	21	29	32	27	26	26	12	20	24	22	9	26	14	20	12	7	8	8	6	9	[illegible]	11	18	22	[illegible]	-4	-6	12	20	26	16.0
MONTPELIER RS	MAX	29	39	49	49	36	42	32	33	31	36	37	37	33	34	33	34	25	24	28	24	22	27	29	30	33	29	21	16	16	24	33	31.1
	MIN	5	6	17	28	20	9	7	-3	-2	2	10	2	9	16	4	-2	-5	-8	-2	6	0	-2	0	0	6	-1	-4	-19	-11	9	18	3.7
MOSCOW U OF I	MAX	35	36	44	41	47	47	39	41	40	41	41	40	40	40	42	36	33	34	38	38	42	38	47	42	36	34	25	31	38	39	45	39.0
	MIN	22	30	33	29	32	33	28	28	31	23	24	29	33	30	30	15	19	20	21	13	27	[illegible]	[illegible]	30	30	29	10	20	27	30	36	26.6
MOUNTAIN HOME 1 NE	MAX	46	44	44	45	51	57	47	42	45	41	40	40	48	45	41	37	34	35	36	39	41	40	48	41	40	32	32	25	28	36	46	40.8
	MIN	25	30	23	34	34	34	22	20	27	28	11	20	33	19	16	11	15	12	8	9	9	9	16	26	13	10	[illegible]	9	21	24	21	19.3
MULLAN PASS CAA	MAX	23	29	28	28	33	34	23	24	28	25	22	26	25	25	25	17	28	41	40	36	40	34	34	25	17	15	14	19	24	28	28	27.0
	MIN	10	21	25	25	23	21	20	18	18	19	16	19	22	22	15	14	14	19	32	29	31	24	23	15	13	10	8	10	17	21	23	19.3
NAMPA 2 NW	MAX	41	46	41	37	48	53	62	45	45	39	43	42	40	48	45	43	37	37	33	29	28	32	33	37	38	41	34	34	29	33	44	39.9
	MIN	14	22	30	31	34	36	30	24	25	29	18	18	24	26	27	17	15	13	9	9	9	10	11	15	12	14	6	6	15	22	32	19.5
NEW MEADOWS RS	MAX	37	35	37	38	45	41	39	40	31	35	31	29	35	33	34	28	20	21	22	28	29	29	30					16	25	29	41	31.8
	MIN	0	23	30	31	29	27	21	14	11	24	-5	6	22	7	12	-14	-14	-15	-12	-10	-8	-6	-4				-24	-15	10	19	21	6.4
NEZPERCE 2 E	MAX	30	37	41	34	48	50	40	36	34	34	33	39	42	38	39	34	32	33	38	37	39	37	50	39	33	23	24	30	32	39	42	36.7
	MIN	13	22	27	26	23	29	28	19	24	27	21	22	29	23	24	17	14	14	18	18	20	28	25	25	21	16	7	11	26	29	33	21.9
OAKLEY	MAX	47	47	45	44	49	53	41	38	43	34	36	40	41	45	44	37	36	35	40	45	43	43	43	42	41	30	25	30	33	38	44	40.4
	MIN	20	28	27	33	25	30	23	13	21	21	17	16	28	22	28	12	9	9	[illegible]	19	15	14	17	25	24	15	2	4	19	26	31	19.4
OBSIDIAN 4 NNE	MAX	51	34	36	35	35	34	27	24	34	35	28	35	32	29	30	18	24	26	28	34	30	30	40	38	24	14	9	10	19	29	31	29.1
	MIN	-7	10	14	14	17	12	10	-14	5	25	2	-7	22	19	15	-5	-13	-12	-10	-6	-4	-2	0	8	-2	3	-26	-20	4	14	20	2.8
OLA 5 S	MAX	40	42	41	42	48	53	47	41	43	40	42	41	42	39	34	33	34	32	32	32	34	33	35	33	32	29	30	32	33	43	41	37.8
	MIN	9	28	33	33	30	30	26	12	16	12	18	15	14	12	11	12	12	8	12	12	12	8	12	8	12	8	-7	2	4	23	36	15.3
OROFINO	MAX	37					48	42	47	37	39	46	44	45	45	46	41	41	41	41	43	44	40	44		43	36	34	32	36	41	47	41.5
	MIN	15					32	32	31	25	30	24	22	31	31	32	22	18	15	15	18	19	26	29		25	28	18	15	28	32	33	24.8
PALISADES DAM	MAX	32	34	40	39	39	38	37	26	24	31	30	27	36	32	35	27	17	21	25	21	26	26	28	26	35	22	16	7	19	28	38	28.5
	MIN	8	18	29	32	32	20	25	11	0	13	21	11	17	9	18	1	-4	-4	2	3	3	5	6	8	19	8	-12	-13	-2	16	16	10.2
PARMA EXP STA	MAX	43	37	39	47	52	60	48	44	40	42	40	38	48	37	43	37	37	34	32	31	31	32	38	41	38	35	32	28	27	36	50	39.3
	MIN	18	29	31	32	30	40	28	19	31	29	18	23	26	19	25	17	13	11	7	8	8	9	12	21	13	15	5	12	17	21	34	20.0
PAUL 1 E	MAX	39	41	43	44	43	51	55	34	19	38	31	37	36	40	39	40	33	32	32	35	36	39	37	40	36	30	28	26	18	31	39	36.8
	MIN	13	16	27	29	30	25	27	16	13	17	18	13	13	14	13	15	5	6	7	8	10	8	8	15	16	12	-5	-5	-1	15	29	13.8
PAYETTE	MAX	40	37	38	45	47	57	45	45	36	43	38	36	37	44	44	34	32	30	28	28	28	29	32	40	36	33	29	26	27	38	52	37.2
	MIN	17	29	32	35	32	36	28	22	25	30	18	24	27	25	19	17	14	12	9	9	10	10	12	25	14	15	5	21	22	23	35	21.0
PIERCE RS	MAX	32	33			38	44	34	33	29	35	32		36	35	32	32	26	24	34	30	30	33	33	45	31		29	24	30	34	36	32.7
	MIN	5	23			18	27	28	15	13	27	13		10	25	27	19	5	1	1	6	9	7	15	28		20	0	0	21	27	31	15.6
POCATELLO WB AP	MAX	36	38	44	40	48	51	42	27	25	30	31	26	36	32	39	28	22	22	27	27	29	29	26	39	30	21	21	13	25	32	38	31.4
	MIN	14	16	28	32	26	19	23	7	2	12	11	11	20	11	12	8	0	-1	-3	0	3	4	3	9	16	2	-10	-15	11	23	30	10.5
PORTHILL	MAX	38	32	32	37	42	38	44	42	33	41	35	32	41	37	36	36	32	31	33	29	34	42	38	42	38	34	33	30	38	38	46	36.6
	MIN	25	11	25	27	31	31	35	28	21	21	24	19	28	32	31	20	17	25	22	13	19	28	23	32	30	18	14	20	29	30	32	24.5
POTLATCH 1 SE	MAX	31	33	41	36	46	48	39	40	46	33	33	40	42	39	41	38	36	39	40	41	43	34	48	39	34	33	28	28	37	39	42	38.3
	MIN	14	17	29	28	31	33	32	28	32	21	27	29	31	27	23	13	15	14	18	19	19	27	29	31	24	14	11	20	25	31	34	24.1
PRESTON SUG FACT 2 SE	MAX	41	51	49	45	48	48	49	36	36	36	40	38	38	40	39	33	32	35	35	35	37	38	39	35	35	32	24	19	22	29	41	37.3
	MIN	15	21	31	32	26	23	27	18	13	22	27	24	25	16	16	11	10	9	[illegible]	7	10	11	11	14	22	11	-1	-9	7	17	27	16.2
PRIEST RIVER EXP STA	MAX	34	31	32	34	38	36	37	40	30	35	37	31	35	34	40	31	28	27	24	29	37	37	35	37	31	31	25	25	34	34	39	33.2
	MIN	11	12	28	30	31	31	31	29	22	27	29	23	29	31	29	13	16	18	13	20	23	30	23	32	27	22	18	15	25	30	32	24.2
RICHFIELD	MAX	38	41	39	38	43	45	40	31	33	31	30	32	38	31	37	27	25	29	34	35	35	34	38	31	30	29	24	18	23	30	38	33.1
	MIN	17	21	32	32	30	28	26	11	19	24	24	18	26	8	19	3	5	2	8	9	10	9	11	19	18	[illegible]	0	-2	14	21	27	15.9
RUPERT	MAX	37	39	43	44	42	51	55	35	37	35	33	37	38	40	35	41	33	28	29	32	32	34	35	37	38	30	26	25	19	31	39	35.8
	MIN	11	20	26	29	27	23	27	12	13	16	22	17	23	15	15	14	7	7	8	11	12	9	10	16	20	10	-4	-5	-1	15	30	14.7
SAINT ANTHONY	MAX	37	39	36	36	40	46	40	29	28	34	30	29	34	32	38	22	21	26	30	30	33	31	31	34	28	20	15	13	23	28	40	30.7
	MIN	5	13	30	32	25	20	26	5	0	7	14	14	18	15	20	-1	2	-5	-2	0	3	4	4	7	13	-1	-19	-17	-3	15	26	8.7
SAINT MARIES	MAX	38	39	41	46	42	43	43	40	38	38	36	37	36	35	35	34	34	34	35	35	36	47	45	39	33	31	26	28	33	36	44	37.3
	MIN	10	23	29	26	28	30	29	26	22	25	19	30	28	26	22	19	14	11	15	17	20	28	27	26	21	15	5	16	26	30	30	22.4
SALMON	MAX	33	32	33	34	34	47	42	37	39	37	33	29	39	37	39	36	29	27	26	24	29	28	32	36	26	25	25	18	25	36	41	32.5
	MIN	-1	12	17	21	17	14	25	11	7	11	5	6	21	9	20	8	1	-3	-5	-3	-1	0	2	9	3	1	-9	-10	3	9	24	7.2
SANDPOINT EXP STA	MAX	33	30	32	35	40	38	39	39	33	36	37	33	36	35	39	34	32	31	28	30	34	37	39	38	35	32	29	27	35	35	40	34.5
	MIN	16	17	27	27	29	35	33	31	27	29	25	20	30	33	32	24	21	17	21	15	19	32	28	34	29	19	19	19	27	32	32	25.8
SHOSHONE	MAX	41	45	40	42	47	51	44	36	36	32	33	36	41	36	37	31	29	32	36	36	38	34	40	33	36	31	25	20	25	32	42	36.0
	MIN	21	26	33	31	30	30	25	14	20	27	24	30	28	9	21	4	7	7	9	9	10	9	16	18	17	8	1	2	15	23	29	17.8
SPENCER RS	MAX	32	38	32	40	33	38	33	25	31	30	30	26	32	23	27	22	23	33	37	38	40	38	38	32	25	21	15	12	19	20	34	29.6
	MIN	0	10	26	28	15	25	24	-6	-3	4	6	4	18	0	12	3	-6	-3	2	0	5	6	6	6	3	-2	-3	-20	-7	3	18	5.6
SPRINGFIELD 1 SE	MAX	40	40	49	41	50	50	42	30	33	42	32	32	35	32	39	30	30	25	27	27	31	31	30	34	31	23	20	11	22	30	40	33.2
	MIN	8	12	26	31	26	20	27	9	6	13	22	20	17	16	13	6	-2	-3	-1	-1	3	2	4	[illegible]	19	-1	-6	-11	10	18	27	10.8
STIBNITE	MAX	25	38	34	37	31	40	36	25	35	41	30	33	37	30	35	28	31	37	42	40	44	45	45	45	50	40	35	26	25	27	31	35.4
	MIN	-5	1	21	21	23	16	16	5	4	13	0	0	10	5	6	-4	-4	2	12	10	13	14	16	8	10	2	-11	-10	3	17	24	7.7
STREVELL	MAX	39	45	42	40	44	41	37	34	35	34	29	36	38	40	39	34	35	36	35	30	36	39	27	36		30	20	20	20	29	43	34.8
	MIN	19	26	24	31	22	28	23	7	21	24	18	10	26	14	25	3	4	3	14	19	16	12	15	21		3	-3	-8	15	13	23	15.6
SUGAR	MAX	31	37	38	36	42	42	40	29	25	32	30	26	33	30	35	25	30	24	31	30	33	28	27	31	29	20	14	10	22	28	36	29.8
	MIN	6	13	31	32	25	19	25	8	-5	4	4	12	17	16	17	1	3	-4	-2	-2	1	2	1	4	18	2	-20	-18	0	10	25	7.9
SUN VALLEY	MAX	39	37	37	36	40	36	35	31	34	36	33	31	39	31	31	27	31	39	40	34	42	42	42	39	34	24	21	22	28	28	38	34.1
	MIN	-2	11	18	10	13	10	16	-8	-6	10	-4	-1	16	-5	8	-12	-8	-5	-4	-4	3	5	5	7	-8	-7	-16	-16	-4	7	22	1.6
SWAN FALLS PH	MAX	46	44	45	48	52	64	47	45	42	43	42	39	50	46	44	40	36	37	38	31	34	37	48	41	44	35	35	30	30	40	54	42.2
	MIN	24	32	31	33	38	39	33	24	29	31	21	25	35	29	33	22	18	15	13	12	14	14	17	25	28	21	13	14	23	27	37	24.8
TETONIA EXP STA	MAX	32	35	38	36	38	34	43	27	33	32	25	28	31	30	33	24	23	29	31	38	34	36	37	36	32	36	13	10	19	27	31	30.7
	MIN	2	4	18	18	15	15	24	3	-5	10	12	-1	6	2	10	-2	-6	-3	1	0	3	5	6	3	5	3	-14	-17	5	12	22	5.0

See reference notes following Station Index.

Table 5 - Continued

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
THREE CREEK	MAX	42	40	42	44	50	51	46	37	42	35	38	35	40	45	44	33	38	40	35	48	50	48	55	49	31	26	27	33	36	40	41	40.7
	MIN	27	26	27	30	17	23	18	- 2	0	20	0	-10	23	10	15	-10	-10	- 5	0	4	- 5	4	10	20	19	10	- 4	-11	20	17	34	10.2
TWIN FALLS 2 NNE	MAX	42	43	48	42	53	57	52	38	39	34	37	36	43	38	39	34	31	32	35	36	37	35	41	36	35	31	27	22	29	41	46	38.4
	MIN	18	21	32	34	30	25	28	15	20	26	14	13	25	16	21	19	[illegible]	7	8	7	10	9	16	17	25	17	9	2	18	24	35	18.4
TWIN FALLS 3 SE	MAX	40	42	44	46	42	54	56	39	39	38	33	37	36	43	38	42	35	32	33	35	36	37	35	40	38	32	31	27	22	33	42	38.0
	MIN	18	22	26	33	34	25	27	19	19	20	22	13	28	21	21	21	13	9	10	9	10	14	17	16	23	18	10	2	4	19	32	18.5
WALLACE	MAX	31	34	35	35	42	45	38	36	38	36	35	39	37	38	37	32	27	38	28	34	32	37	44	37	34	27	29	31	36	37	41	35.5
	MIN	21	25	31	30	28	32	34	25	23	30	19	19	32	31	31	19	13	15	15	18	19	25	27	31	26	21	14	15	28	30	33	24.5
WALLACE WOODLAND PARK	MAX	32	34	34	36	45	48	47	37	40	38	39	37	42	36	39	33	32	29	32	32	34	35	37	45	35	31	27	29	32	34	40	36.2
	MIN	15	15	15	30	28	34	34	29	25	27	20	19	20	30	27	15	10	10	12	15	15	19	24	33	25	20	14	11	17	28	30	21.5
WEISER 1 S	MAX	38	38	39	43	47	55	49	41	37	48	44	44	44	60	42	39	32	32	30	28	28	29	34	39	38	33	30	25	28	35	49	38.6
	MIN	13	26	29	34	33	35	24	19	22	30	17	21	30	19	23	14	12	9	8	8	8	9	11	24	13	14	4	10	10	23	25	18.6
WINCHESTER 1 SE	MAX	35	40	44	46	49	40	35	37	38	34	34	33	38	38	34	35	36	39	42	46	47	40	46	41	32	25	28	29	31	35	39	37.6
	MIN	10	27	30	21	27	30	22	20	24	25	14	26	22	25	26	13	11	13	15	16	21	27	26	29	22	18	8	14	21	25	31	21.3

Table 7

SNOWFALL AND SNOW ON GROUND

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ABERDEEN EXP STA	SNOWFALL							1.4			1.5	0.3		2.1																		
	SN ON GND							1	1	1	2	1	1	3	3	2	2	2	2	[illegible]	2	2	2	2	2	2	2	2	2	2	2	1
ANDERSON DAM	SNOWFALL							T						2.5													0.8			1.8	1.8	6.0
	SN ON GND							T						3	3	3	2	2	2	2	2	2	2	2	2	2	3	3	3	4	6	10
ARCO	SNOWFALL			T	T			2.5			0.8			0.5		0.5															0.5	0.7
	SN ON GND							[illegible]	3	[illegible]	4	4	4	4	4	3	3	3	3	3	3	3	3	3	-	-	-	-	2	2	[illegible]	3
ARROWROCK DAM	SNOWFALL										T															T	2.0				4.0	6.0
	SN ON GND										T															T	2	2	2	1	5	11
ASHTON 1 S	SNOWFALL			1.0	1.0	T		4.0	T		T					T															6.0	3.0
	SN ON GND			1	2	[illegible]	2	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	6	5	5	5	5	5	5	11	13
ATLANTA 1 E	SNOWFALL				*		1.5	3.5	1.5		1.0	T		7.5	1.0	2.5	T							0.5	T	0.5	2.5	T		6.5	2.5	8.0
	SN ON GND	-	-	-	-	-	2	5	6	4	5	5	5	11	10	11	10	9	[illegible]	[illegible]	8	[illegible]	8	9	9	9	11	10	10	15	15	20
AVERY RS	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND													2	2	3	3	3	3	3	2	2	2	2	-	-	-	7	7	16	12	8
BIG CREEK 1 S	SNOWFALL			2.0			1.0	1.0	1.0		1.0			4.0		4.0									4.0	2.0	1.0			2.0	T	4.5
	SN ON GND	1	1	3	[illegible]	[illegible]	3	4	5	4	5	4	[illegible]	9	6	10	[illegible]	8	8	6	6	6	4	4	8	10	11	11	11	13	13	18
BLACKFOOT	SNOWFALL							T			T			1.0													0.5					
	SN ON GND										T	T	T	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	1	
BOISE WB AP	SNOWFALL		T		T		T			T	0.3					T									T	0.1	T		T	2.2	0.5	
	SN ON GND			T																					T	T	T			T	2	
	WTR EQUIV																														0.2	
BONNERS FERRY	SNOWFALL	T		T	T					0.5	0.5		T	6.1										T	T		T		1.8	6.2	0.5	T
	SN ON GND			T						1	T			4	2	T	T	T	T	T	T	T	T	T	T	T	T	T	2	3	4	T
BURLEY CAA AP	SNOWFALL							1.0			0.7			T	T	T										T	1.3			0.2	T	T
	SN ON GND							1	T	T	T	T	T	T		T										T	T	1	1	1	2	T
CALDWELL	SNOWFALL																										T			2.0	3.0	
	SN ON GND																													2	2	-
CASCADE 1 NW	SNOWFALL		T	1.5	4.0						T			5.0		T									T		1.0			2.0	1.0	7.0
	SN ON GND		T	1	3	[illegible]	2	1	1	1	1	1	1	6	6	6	6	6	6	6	6	6	6	6	5	5	6	6	6	[illegible]	[illegible]	12
CENTERVILLE ARBAUGH RCH	SNOWFALL			T	0.8		T	T						6.0		0.5										0.4	3.6			4.0	7.0	5.0
	SN ON GND				T		T	T	T	T	T	T	T	6	5	5	5	5	4	4	4	4	4	4	4	4	7	7	7	10	16	16
COBALT BLACKBIRD MINE	SNOWFALL			1.0				2.5	0.2		0.3			0.4	2.5	0.6	1.4										*	1.4		T	1.2	2.2
	SN ON GND	4	4	5	4	4	4	7	7	7	7	6	6	7	9	9	10	9	9	[illegible]	9	9	9	9	9	-	-	10	10	10	11	13
COEUR D'ALENE RS	SNOWFALL			T										T												-				10.0	-	
	SN ON GND																									-	-	-	-	-	-	-
COTTONWOOD	SNOWFALL						-			T				0.8		0.7									1.3					0.3	1.5	T
	SN ON GND						T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	1	1	1	1	T	T	T	
DEADWOOD DAM	SNOWFALL		0.5	3.0	1.5		0.5	2.0			T			7.0	1.0	2.0										T	4.0			4.0	4.0	6.0
	SN ON GND		1	3	5	[illegible]	5	7	7	7	7	7	7	14	15	16	16	15	15	14	14	14	14	13	13	13	17	17	16	20	22	28
DUBOIS CAA AP	SNOWFALL			0.4	0.3		T	4.0	T		T	T	0.3	T		1.7	T	T							0.2	T	0.3			T	1.0	1.0
	SN ON GND			T	T	T	T	2	4	3	3	[illegible]	[illegible]	3	[illegible]	3	5	5	5	5	5	5	5	5	[illegible]	5	4	4	4	4	4	6
EMMETT 2 E	SNOWFALL			-	-		T	T			-			-																	-	-
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FENN RS	SNOWFALL			0.2							0.5			8.0									T		2.0					6.0	1.0	
	SN ON GND			T							T			6	-	4	2	1	1	-	-	-	[illegible]	-	3	3	-	-	-	12	12	3
GARDEN VALLEY RS	SNOWFALL			1.0										2.0		T									T		1.0			4.0	4.0	1.0
	SN ON GND													2	[illegible]	2	2	2	[illegible]	2	[illegible]	2	2	[illegible]	2	2	3	3	[illegible]	7	10	8
GLENNS FERRY	SNOWFALL										0.2																			T	1.0	
	SN ON GND																															
GOODING CAA AP	SNOWFALL						T	T			T			4.0		T														T	2.0	
	SN ON GND							T				T		2	1	1	1	1	1	T	T	T	T	T	T	T	T	T	T	T	T	1
GRANGEVILLE	SNOWFALL			T	T		1.4			0.2	0.2		T	0.2		0.2								T	0.9	T	0.4	T	T	T		
	SN ON GND						T			T			T	T										T		T	1		T	T		

See reference notes following Station Index.

SNOWFALL AND SNOW ON GROUND

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
GRAY	SNOWFALL				2.0			6.0								2.0															2.0	8.0
	SN ON GND				2	2	2	8	7	7	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	8	14
HAILEY AP	SNOWFALL			0.5				1.5		4.0				4.0		1.0															0.5	6.0
	SN ON GND			-		-	-	-									-	-	-	-		-	-	-	-	-	-	-	-	-	-	10
HAMER 4 NW	SNOWFALL			T				3.0			0.5	T				0.8										T	T				0.2	T
	SN ON GND							3	3	3	3	3	3	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2
HILL CITY	SNOWFALL			-	-						-			-																	-	-
	SN ON GND													6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		10
IDAHO CITY	SNOWFALL				0.5									5.0													2.0			2.4	3.5	7.0
	SN ON GND					-	-	-	-	-	-		-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IDAHO CITY 11 SW	SNOWFALL						T	T						4.5	T	T		T							T	T	3.0			4.0	8.5	7.0
	SN ON GND													-			-		-		-	-	-	-			-			9	13	20
IDAHO FALLS CAA AP	SNOWFALL		T					4.0	T		0.2	T	T	0.2	T	1.0										T	2.0		T	0.2	0.7	0.1
	SN ON GND							1	4	4	4	4	4	3	3	3	4	4	4	4	4	4	4	4	4	4	4	6	6	6	6	7
IDAHO FALLS 43 NW WB	SNOWFALL			T			0.1	0.5			0.3			T		0.1											0.4				0.8	0.3
	SN ON GND	-	-		-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO FALLS 46 W WB	SNOWFALL			0.6				0.6			T			T		T											0.5				1.0	T
	SN ON GND			T				T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	1	1	T	T	1
IRWIN 2 S	SNOWFALL							5.0						1.0		1.0														1.0	3.0	2.0
	SN ON GND							-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-
ISLAND PARK DAM	SNOWFALL			2.0	2.0	0.5		16.5	2.0					3.0		3.0										3.0	1.0				10.0	12.0
	SN ON GND			2	4	4	4	20	18	-		-	-	14	-	16	-	-	-	-	-	-			-	17	18	-	-	-	25	32
LEWISTON WATER PLANT	SNOWFALL																										1.5					
	SN ON GND																										T					
LEWISTON WB AP	SNOWFALL		T																					T		1.0			T	T		
	SN ON GND																								T		1	1	1	T		
MACKAY RS	SNOWFALL			0.2	1.2			1.5			0.8			0.6		0.3																1.0
	SN ON GND			T	1	1	1	2	2	2	3	3	3	3	3	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	3
MALAD CAA AP	SNOWFALL							T			T			T		T									T		T			1.0	1.0	3.0
	SN ON GND	T												T	T	T	T	T									T	T	T	T	1	3
MAY RS	SNOWFALL				0.5			0.5			0.6			T		T									T	T	1.2					0.7
	SN ON GND				T	T		T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	1	1	1	1	1	1
MC CALL	SNOWFALL			-							-			11.0		2.0									-	-	-			4.0	6.0	5.0
	SN ON GND	-	-	[illegible]	-	-	-	-	-	-	4	-	-	14	12	12	-	-	-	10	10	-	-	10	10	10	10	-	-	13	18	21
MULLAN PASS CAA	SNOWFALL		0.1	0.6	0.5	T	2.4	1.8	0.6	1.4	T		2.1	4.7	1.0	2.9	T						1.7	1.3	2.3	2.7	1.5	0.8	1.2	2.5	7.5	7.3
	SN ON GND	6	6	5	4	5	4	7	8	7	8	8	8	12	14	17	18	18	18	16	15	14	13	14	16	18	24	24	24	27	29	38
NEZPERCE 2 E	SNOWFALL			0.5			T	T						T		T									0.5	T	1.0					
	SN ON GND						T	T						T		T	T	T	T	T	T				T	T	1	1	1	T		
OAKLEY	SNOWFALL							1.0			0.5	0.5		T		T											T			T		T
	SN ON GND							T			1	T		T		T																
OBSIDIAN 4 NNE	SNOWFALL				T		4.0	T			T	T		1.0		4.0								T	T		1.0					8.0
	SN ON GND	T	T	T			4	4	3	3	3	[illegible]	2	3	-	7	6	6	5	5	5	4	4	4	4	4	6	6	6	5	5	13
PAYETTE	SNOWFALL	T		T							T																			-	-	
	SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PIERCE RS	SNOWFALL						1.5	0.5		0.3				5.0		2.0	T								3.0	*	6.0			4.0	4.5	1.0
	SN ON GND	-	-	-	-	1	3	4	4	4	4	4	-	10	10	12	12	12	11	11	10	10	10	10	13	-	19	19	19	21	23	22
POCATELLO WB AP	SNOWFALL		T	T				1.3			1.0	T	T	1.0		T										T	1.0	T		0.3	0.2	1.0
	SN ON GND							1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	1	2	2	2	2	3
	WTR EQUIV											0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2					0.2	0.2	0.2	0.3	0.4
PORTHILL	SNOWFALL								T	T	T	T	T	2.0															1.0	2.0	2.0	
	SN ON GND								T	T	T	T	T	2	T														1	1	2	
POTLATCH 1 SE	SNOWFALL			T												1.7							T			0.3	0.7		T	4.0	2.0	
	SN ON GND															1	1										1	1	1	3	2	
PRIEST RIVER EXP STA	SNOWFALL			0.3	0.3		0.2	0.5	0.1	T			0.2	5.0	1.0	T							T	0.2		T	2.5		0.6	5.0	2.0	
	SN ON GND			-	1		1	1	1	T	T	T	T	5	6	5	5	5	5	5	5	5	4	5	5	5	-	7	7	12	14	11
SALMON	SNOWFALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SN ON GND													T		1											1	1	1	1	2	2
SANDPOINT EXP STA	SNOWFALL			0.5	0.7			T	0.3	0.2	0.2			3.5	T								T		T	T	1.7		1.7	5.6	0.5	T
	SN ON GND			1	1	T			T		T			3	2	2	2	2	2	2	2	2	1	1	1	1	2	2	4	7	7	5
SPENCER RS	SNOWFALL				3.0	1.0		8.0			0.5		0.5	0.5	T	1.0											1.5				1.5	4.0
	SN ON GND				-	-	3	-	-	-	-	-	-	9	-	-	-	-	-	9	9	-	-	-	-	-	-	11	-	-	-	-
STIBNITE	SNOWFALL			2.5	2.2	T	T	4.0	T		0.5			4.0	2.0	2.0	1.0								1.0		1.5	T		0.5	2.5	6.5
	SN ON GND	2	2	4	5	5	5	8	7	7	7	7	7	10	11	12	12	11	11	11	10	10	10	9	9	9	10	10	10	11	13	18
SUN VALLEY	SNOWFALL		T	1.0	2.0		T	1.5			2.0			2.0		2.0										T					1.0	7.0
	SN ON GND			T	1	1	1	2	2	2	4	4	3	5	5	7	7	7	6	6	6	6	5	5	5	5	5	5	5	5	6	12
SWAN FALLS POWER HOUSE	SNOWFALL															T																
	SN ON GND																															
THREE CREEK	SNOWFALL	6.0									T	3.2				2.0														2.0	T	
	SN ON GND	5	5	5	5	5	5	5	4	4	4	4	3	3	3	4	3	3	2	2	2	2	2	2	2	2	2	2	2	3	3	2
TWIN FALLS 2 NNE	SNOWFALL		T					1.4			2.0	T		T		T										T	T			T	T	
	SN ON GND							T	T		2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
WALLACE	SNOWFALL		T	T	T		T	T	1.0	T	T	T	T	1.0	T	0.5								T	1.0	3.0	2.0	T	T	3.0	1.0	T
	SN ON GND			T	T			T	1	T	T	T	T	1	1	1	T	T	T	T	T	T	T	T	1	4	6	5	4	7	5	4

See reference notes following Station Index

CLIMATOLOGICAL DATA

TABLE 2

IDAHO
DELAYED DATA

Station	Temperature													Precipitation									
										No. of Days								Snow, Sleet, Hail			No. of Days		
										Max		Min.											
	Average Maximum	Average Minimum	Average	Departure From Normal	Highest	Date	Lowest	Date	Degree Days	90° or Above	32° or Below	32° or Below	0° or Below	Total	Departure From Normal	Greatest Day	Date	Total	Max. Depth on Ground	Date	.10 or More ①	.50 or More	1.00 or More
MAY 1954																							
WEISER 1 S	79.2M	43.6M	6[illegible]	- 1.1	96	18+	[illegible]	[illegible]	[illegible]	[illegible]	0	3	0	.53	- .29	.53	30	.0	0		1	1	0
JUNE 1954																							
BONNERS FERRY 1 SW	70.7	4[illegible]	[illegible]	- 2.1	82	[illegible]	[illegible]	[illegible]	219	0	0	0	0	1.54	- .06	.43	4	.0	0		5	0	0
JULY 1954																							
ATLANTA 1 E	M	M	M		[illegible]		38	[illegible]		2	0	0	0	.37	- .36	.13	26	.0	0		1	0	0
BONNERS FERRY 1 SW	80.4	49.2	64.[illegible]	- 1.6	[illegible]	16	[illegible]		51	1	0	0	0	1.30	.44	.55	1	.0	0		3	1	0
AUGUST 1954																							
BONNERS FERRY 1 SW	80.0M	47.8M	63.9M	- 0.4	91	1	40	11+	65	3	0	0	0	2.10	1.22	.63	26	.0	0			1	0
SEPTEMBER 1954																							
DEADWOOD DAM	74.3	27.9	51.1	0.5	87	1	16	29	409	0	0	24	0	.20	- .79	.15	15	T	0		1	0	0
SANDPOINT EXP STA	66.6	42.9	54.8	- 0.5	7[illegible]	[illegible]	30	30	302	0	0	1	0	1.74	.00	.52	29	T	0		8	1	0
OCTOBER 1954																							
SANDPOINT EXP STA	53.7	32.8	43.3	- 2.9	[illegible]	[illegible]	[illegible]	[illegible]	667	0	0	15	0	1.12	- 1.44	.48	21	.0	0		5	0	0

① DATA IN THE COLUMN FORMERLY HEADED "NO. OF DAYS .01 OR MORE" HAVE BEEN CHANGED TO "NO. OF DAYS .10 OR MORE" EFFECTIVE JANUARY 1, 1954.

DAILY PRECIPITATION

Table 3

Station	Total	Day of month																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
MAY 1954																																
WEISER 1 S	.53																											T			.53	T
JUNE 1954																																
BONNERS FERRY 1 SW	1.54	.02			.43	.05	.01	.12	T					.05		.32	.17	.18	.04	.01	.04						.07	.03				
JULY 1954																																
ATLANTA 1 E	.37	.04	.01												.07	.07	.05										.13					
BONNERS FERRY 1 SW	1.30	.55	.02						T	.10	.43				.07	.05					.07		.01									
AUGUST 1954																																
BONNERS FERRY 1 SW	2.10															.10	*			*	.37	T	.11	.09	.35		.63					.45
SEPTEMBER 1954																																
DEADWOOD DAM	.20															.15		.05											T			
SANDPOINT EXP STA	1.74			.13	.15	.01		T								.13	.13	.20	.29	.04	.14									.52		
OCTOBER 1954																																
SANDPOINT EXP STA	1.12										.01	.12						.14		.21		.48	.16									

See Reference Notes Following Station Index

Table 5

DAILY TEMPERATURES

Station		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Average
MAY 1954																																	
WEISER 1	MAX	67	68	74	82	78	[illegible]	[illegible]	85	[illegible]	78	70	74	77	83	93	90	91	96	94	96	70	74	82	91	71		66	73	74	[illegible]	[illegible]	79.2
	MIN	26	24	[illegible]	38	44	37	[illegible]	[illegible]	48	54	[illegible]	37	48	[illegible]	48	[illegible]	[illegible]	47	54	57	47	43	[illegible]	44	38		[illegible]	[illegible]	[illegible]	45	45	43.6
JUNE 1954																																	
BONNERS FERRY 1 SW	MAX	61	72	72	69	[illegible]	67	[illegible]	70	77	75	[illegible]	79	74	70	67	58	57	66	71	[illegible]	76	82	[illegible]	79	80	74	70	67	78	81		[illegible]
	MIN	45	[illegible]	41	[illegible]	[illegible]	40	44	43	39	41	[illegible]	40	54	49	50	40	34	34	35	47	40	43	[illegible]	44	[illegible]	[illegible]	[illegible]	48	46	44		44.2
JULY 1954																																	
ATLANTA 1	MAX	[illegible]	74								80	89	90	[illegible]	[illegible]	78	[illegible]	87	[illegible]	83	78	76	79	81	85	89	83						
	MIN	[illegible]	38								48	[illegible]	58	[illegible]	[illegible]	57	56	[illegible]	[illegible]	54	49	43	41	40	[illegible]	51	[illegible]						
BONNERS FERRY 1 SW	MAX	74	[illegible]	80	88	88	88	87	80	67	[illegible]	76	82	[illegible]	[illegible]	87	90	86	88	87	82	69	74	80	81	76	82	83	80	76	82	82	80.4
	MIN	[illegible]	[illegible]	[illegible]	44	[illegible]	[illegible]	[illegible]	54	[illegible]	[illegible]	[illegible]	49	48	[illegible]	57	41	54	47	50	51	52	46	50	41	50	48	[illegible]	49	46	41	42	49.2
AUGUST 1954																																	
BONNERS FERRY 1 SW	MAX	[illegible]	[illegible]	80	79			88	90	85	84	[illegible]	[illegible]	[illegible]	87	76						74	67	72	65	71	65	73	77	85	82	78	[illegible]
	MIN	45	48	54	46			46	45	47	41	40	40	40	[illegible]	[illegible]						48	[illegible]	54	[illegible]	47	48	[illegible]	[illegible]	47	49	56	47.8
SEPTEMBER 1954																																	
DEADWOOD DAM	MAX	87	85	79	77	67	77	72	71	82	85	[illegible]	[illegible]	77	84	74	66	66	65	68	70	85	77	74	80	83	[illegible]	79	56	47	51		74.3
	MIN	[illegible]	29	34	25	30	[illegible]	25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	24	24	36	34	36	28	23	23	24	21	39	28	29	29	25	24	16	23		27.9
SANDPOINT EXP STA	MAX	74	77	74	67	68	70	67	66	74	78	[illegible]	[illegible]	69	72	67	57	55	56	62	67	66	70	69	68	67	76	73	59	54	52		66.6
	MIN	41	42	[illegible]	41	[illegible]	37	42	45	[illegible]	[illegible]	54	[illegible]	[illegible]	41	[illegible]	51	46	48	44	41	[illegible]	42	45	39	39	43	40	42	37	30		42.9
OCTOBER 1954																																	
SANDPOINT EXP STA	MAX	55	48	58	59	55	60	62	59	[illegible]	[illegible]	56	[illegible]	[illegible]	[illegible]	[illegible]	52	57	58	69	52	52	50	49	50	51	50	55	52	48	51	49	53.7
	MIN	27	[illegible]	33	30	[illegible]	44	45	[illegible]	37	[illegible]	47	39	[illegible]	[illegible]	29	[illegible]	37	33	43	36	45	42	30	33	28	20	24	24	24	[illegible]	23	32.8

PRECIPITATION MEASURED IN STORAGE GAGES

Station	Observation date	Amount since last obs	Snow on ground
ATLANTA SUMMIT //	1953		
	AUG. 27		
	1954		
	SEP. 1	46.20	
TOTAL . . .	. . . . . .	46.20	
IDA VADA //	1953		
	OCT. 30		
	DEC. 1	.43	2
	1954		
	JAN. 2	.00	2
	MAR. 2	3.02	0
	APR. 3	.97	
	MAY 3	1.01	
	JUN. 1	.00	
	JUL. 1	.06	
	AUG. 1	1.77	
	SEP. 3	.53	
	NOV. 2	.21	
	10	.00	
TOTAL . . .	. . . .	8.00	
JACKSON PEAK //	1953		
	AUG. 25		
	1954		
	AUG. 31	45.90	
TOTAL . . .	. . . . . .	45.90	
LOWMAN	1953		
	JUL. 7		
	AUG. 1	.02	
	SEP. 1	.02	
	OCT. 1	.02	
	NOV. 1	1.05	
	DEC. 1	2.70	
	1954		
	JAN. 1	2.69	
	FEB. 1	7.11	
	MAR. 1	3.05	
	APR. 1	3.05	
	MAY 1	2.10	
	JUN. 1	.41	
TOTAL . . .	. . . . . .	22.22	
MOORE CREEK SUMMIT	1953		
	AUG. 24		
	1954		
	AUG. 20	49.90	
TOTAL . . .	. . . . . .	49.90	
NEZ PERCE PASS //	1953		
	SEP. 29		
	1954		
	FEB. 24	5.97	48
	MAY 3	5.74	9
	15	1.15	4
NEZ PERCE PASS // (CONTD)	1954		
	JUN. 11	9.64	0
	OCT. 15	-	-
TOTAL . . .	. . . . . .	-	
SHAKE CREEK R. S. //	1953		
	AUG. 28		
	1954		
	SEP. 1	23.50	
TOTAL . . .	. . . . . .	23.50	
TRINITY LAKE G. S. //	1953		
	AUG. 27		
	1954		
	SEP. 2	55.60	
TOTAL . . .	. . . . . .	55.60	
TROUTDALE G. S. //	1953		
	AUG. 26		
	1954		
	AUG. 24	20.40	
TOTAL . . .	. . . . . .	20.40	
VIENNA //	1953		
	AUG. 18		
	1954		
	AUG. 27	50.00	
TOTAL . . .	. . . . . .	50.00	

See reference notes following Station Index

STATION INDEX

Station	Index No	County	Drainage‡	Latitude	Longitude	Elevation	Observation time		Observer	Refer to tables
							Temp.	Precip.		
ABERDEEN EXP STATION	0010	BINGHAM	12	42 56	112 50	4400	5P	5P	EXPERIMENT STATION	2 3 5 6 7
ALPHA 1 NE	0199	VALLEY	8	44 24	115 59	4780	7P	7P	CLOSED	10/15/54
AMERICAN FALLS 1 NW	0227	POWER	12	42 46	112 52	4316	5P	5P	U S BUR RECLAMATION	2 3 5
ANDERSON DAM	0282	ELMORE	2	43 21	115 28	3882	6P	6P	U S BUR RECLAMATION	2 3 5 7
ARCO	0375	BUTTE	6	43 38	113 18	5320	6P	6P	HAROLD L HANSEN	2 3 5 7
ARROWROCK DAM	0448	ELMORE	2	43 36	115 55	3239	8A	8A	U S BUR RECLAMATION	2 3 5 6 7
ASHTON 1 S	0470	FREMONT	12	44 05	111 27	5100	5P	5P	GUST STEINMAN	2 3 5 7
ATLANTA 1 E	[illegible]	[illegible]	2	43 48	115 07	6000	4P	4P	PHILLIP T PETERSON	2 3 5 7 C
ATLANTA SUMMIT	0499	ELMORE	2	43 45	115 14	7590		VAR	U S SOIL CON SER	S
AVERY RANGER STATION	0525	SHOSHONE	10	47 15	115 48	2492	5P	5P	U S FOREST SERVICE	2 3 5 7
BALD MOUNTAIN	0540	BLAINE	12	43 39	114 24	8700		MID	NELSON BENNETT	C
BANCROFT	0563	BANNOCK	12	42 43	111 54	5285		MID	CLOSED	11/23/52
BAYVIEW MODEL BASIN	0667	KOOTENAI	9	47 59	116 33	2070	8A	8A	U S NAVY	2 3 5
BENTON DAM	0789	BONNER	9	48 21	116 50	2640		MID	U S FOREST SERVICE	C
BIG CREEK 1 S	0835	VALLEY	11	45 06	115 20	5686	6P	6P	NAPIER EDWARDS	2 3 5 7 C
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	[illegible]	6P	EARL RODGERS	2 3 5 7
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	5P	5P	FORT HALL IR PROJ	2 3 5 C
BLISS	1002	GOODING	12	42 56	114 57	3269	6P	6P	NORTH SIDE CANAL CO	2 3 5
BOGUS BASIN	1014	BOISE	12	43 46	116 06	6196		VAR	U S SOIL CON SER	S
BOISE LUCKY PEAK DAM	1018	ADA	[illegible]	43 32	116 04	2833	4P	4P	CORPS OF ENGINEERS	2 3 5 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
BONNERS FERRY 1 SW	1079	BOUNDARY	5	48 41	116 19	1812	5P	5P	CHARLES G HOWARD JR	2 3 5 7 C
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	5P	5P	WILLIAM A LOW	2 3 5
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	115 30	2250	3P	3P	U S FOREST SERVICE	2 3 5
BURKE 2 NNE	1272	SHOSHONE	4	47 32	115 48	4093	4P	4P	MONTANA POWER CO	2 3 5
BURLEY	1288	CASSIA	12	42 32	113 47	4180	8A	8A	FRANK O REDFIELD	2 3 5
BURLEY FACTORY	1298	CASSIA	12	42 33	113 48	4140	8A	8A	AMALGAMATED SUGAR	2 3 5 C
BURLEY CAA AIRPORT	1303	CASSIA	12	42 32	113 46	4157	MID	MID	U S CIVIL AERO ADM	2 3 5 7
CALDWELL	1380	CANYON	2	43 39	116 41	2372	SS	SS	HAROLD M TUCKER	2 3 5 7
CAMBRIDGE	1408	WASHINGTON	12	44 34	116 41	2650	5P	5P	STUART DOPF	2 3 5
CASCADE 1 NW	1514	VALLEY	8	44 32	116 03	4768	5P	5P	U S BUR RECLAMATION	2 3 5 7 C
CENTERVILLE ARBAUGH RCH	1636	BOISE	2	43 58	115 51	4780		6P	MABEL M ARBAUGH	3 7
CHALLIS	1663	CUSTER	11	44 30	114 14	5171	5P	5P	U S FOREST SERVICE	2 3 5
CHILLY BARTON FLAT	1671	CUSTER	6	44 02	113 48	6500	5P	5P	GEORGE A MILLER	2 3 5
CLARK FORK 1 ENE	1810	BONNER	9	48 09	116 10	2125	4P	4P	MRS MARY L RALPH	2 3 5 C
CLARKIA RANGER STATION	1831	SHOSHONE	10	47 00	116 15	2800		MID	U S FOREST SERVICE	C
COBALT BLACKBIRD MINE	1938	LEMHI	11	45 07	114 21	6810	8A	8A	CALERA MINING CO	2 3 5 7
COEUR D'ALENE RS	1956	KOOTENAI	4	47 41	116 45	2160	4P	4P	U S FOREST SERVICE	2 3 5 7 C
CONDA	2071	CARIBOU	12	42 43	111 33	6200	9A	9A	ANACONDA COPPER CO	2 3 5
COTTONWOOD	2154	IDAHO	3	46 03	116 21	3411	6P	6P	LOUIS KLAPPRICH	2 3 5 7
COTTONWOOD 2 SW	2159	IDAHO	3	46 02	116 23	3600		MID	SABI FREI	C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	5P	5P	LYMAN MATHISON	2 3 5 C
CROUCH 2 NNW	2279	BOISE	8	44 08	115 58	3100		6P	HARRY GRAHAM	3
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	6P	6P	U S BUR RECLAMATION	2 3 5 7 C
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000		VAR	U S SOIL CON SER	S
DECEPTION CREEK	2422	KOOTENAI	4	47 44	116 29	3060		MID	U S FOREST SERVICE	C
DEER FLAT DAM	2444	CANYON	12	43 35	116 44	2510	7P	7P	U S BUR RECLAMATION	2 3 5
DIXIE	2575	IDAHO	11	45 33	115 28	5610	5P	5P	MRS MARGARET E STOUT	2 3 5
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650		MID	CLOSED	8/15/54
DRIGGS	2676	TETON	12	43 43	111 07	6097	9A	9A	EDITH STEVENS	2 3 5
DUBOIS EXP STATION	2707	CLARK	6	44 14	112 14	5462	5P	5P	U S FOREST SERVICE	2 3 5
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	MID	MID	U S CIVIL AERO ADM	2 3 5 7 C
ELK CITY	2875	IDAHO	3	45 49	115 26	3975	4P	4P	MRS LORA B VILAS	2 3 5
ELK RIVER 1 S	2892	CLEARWATER	3	46 47	116 10	2910	3P	3P	GLENN WALKER	2 3 5
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	6P	6P	WAYNE F HARPER	2 3 5 7
FAIRFIELD RANGER STA	3108	CAMAS	12	43 21	114 48	5065	5P	5P	U S FOREST SERVICE	2 3 5
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	5P	5P	U S FOREST SERVICE	2 3 5 7 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	5P	5P	FORT HALL IR PROJ	2 3 5
GARDEN VALLEY RS	3448	BOISE	8	44 04	115 55	3147	5P	5P	U S FOREST SERVICE	2 3 5 7
GILMORE SUMMIT RANCH	3576	CUSTER	11	44 19	113 31	6600		VAR	U S WEATHER BUREAU	S
GLENNS FERRY	3631	ELMORE	12	42 57	115 19	2569	7P	7P	E D STONE	2 3 5 7
GOODING	3677	GOODING	12	42 57	114 43	3569		MID	DAVID MITCHELL	C
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	MID	MID	U S CIVIL AERO ADM	2 3 5 7
GRACE	3732	CARIBOU	12	42 35	111 44	5400	SS	SS	H A WESTENFELDER	2 3 5 C
GRAND VIEW	3760	OWYHEE	12	42 59	116 06	2600	4P	4P	W BILADEAU	2 3 5
GRANGEVILLE	3771	IDAHO	3	45 56	116 08	3409	MID	MID	MRS ALVERA FOSTER	2 3 5 7
GRASMERE	3809	OWYHEE	12	42 23	115 53	5126	5P	5P	BLANCHE PORTLOCK	2 3 5
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	6P	6P	ROSCOE T SIBBETT	2 3 5 7
GROUSE	[illegible]	CUSTER	6	43 42	113 37	6100	5P	5P	MRS BRYAN TAYLOR	2 3 5
HAILEY AIRPORT	3942	BLAINE	12	43 31	114 18	5322	5P	5P	LAURENCE JOHNSON	2 3 5 7
HAMER 4 NW	3964	JEFFERSON	6	43 59	112 15	4786	5P	5P	U S F & W SERVICE	2 3 5 7
HAZELTON	4140	JEROME	12	42 36	114 08	4060	5P	5P	NORTH SIDE CANAL CO	2 3 5
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	5P	5P	CARROLL DAMMEN	2 3 5 7
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	5P	5P	SALMON R CANAL CO	2 3 5
HOWE	4384	BUTTE	6	43 47	113 00	4820		7A	CHARLES D COWGILL	3
IDAHO CITY	4442	BOISE	2	43 50	115 50	3940	5P	5P	R JOHN MELLOR	2 3 5 7
IDAHO CITY 11 SW	4450	BOISE	2	43 43	116 00	5000		5P	MRS BERTHA GARDNER	3 7
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	5P	5P	CARROLL SECRIST	2 3 5 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	MID	MID	U S CIVIL AERO ADM	2 3 5 7
IDA VADA	4475	OWYHEE	2	42 01	115 19	6000		VAR	CHRIS CALLEN	S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	5200	4P	4P	ANNA FLEMING	2 3 5 7
ISLAND PARK DAM	4598	FREMONT	12	44 25	111 24	6300	5P	[illegible]	U S BUR RECLAMATION	2 3 5 7
JACKSON PEAK	4612	BOISE	8	44 03	115 27	7050		VAR	U S SOIL CON SER	S
JEROME	4670	JEROME	12	42 44	114 31	3785	5P	5P	O OLIVER	2 3 5
KAMIAH 1 NE	4793	LEWIS	3	46 14	116 01	1190		8A	MRS MARY E LUNDERS	3
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	9A	9A	IRVING H LASKEY	2 3 5
KOOSKIA	5011	IDAHO	3	46 09	115 59	1261	4P	4P	E T GILROY	2 3 5
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	5P	5P	HARRY U GIBSON	2 3 5
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	6600		VAR	U S FOREST SERVICE	S
LEADORE	5169	LEMHI	11	44 41	113 22	6100		MID	RODNEY H TOBIAS	C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	5P	5P	LEWISTON WATER DEPT	2 3 5 7
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	1413	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	5P	5P	UTAH P & L COMPANY	2 3 5 6
LOLO PASS	5356	IDAHO	3	46 38	114 33	5700		VAR	U S FOREST SERVICE	S
LOWMAN	5414	BOISE	[illegible]	44 05	115 36	3870	5P	5P	ORILLE L JOINER	2 3 5 7 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 37	5897	[illegible]	5P	U S FOREST SERVICE	2 3 5 7 C
MALAD	5544	ONEIDA	1	42 11	112 16	4420	7P	7P	J L CROWTHER	2 3 5 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	MID	MID	U S CIVIL AERO ADM	2 3 5 7
MALTA RANGER STATION	5567	CASSIA	12	42 19	113 22	4543		MID	U S FOREST SERVICE	C
MAY RANGER STATION	5685	LEMHI	11	44 36	113 55	5066	6P	6P	U S FOREST SERVICE	2 3 5 7
MC CALL	5708	VALLEY	8	44 54	116 07	5025	5P	5P	U S FOREST SERVICE	2 3 5 7
MC CAMMON	5716	BANNOCK	12	42 39	112 12	4774	5P	5P	R FRED LINDENSCHMITT	2 3 5
MERIDIAN 1 W	5841	ADA	2	43 37	116 25	2620	5P	5P	JAMES W DOSS	2 3 5
[illegible]	5859	ADAMS	12	44 37	116 26	3244	8P	8P	MESA CO	2 3 5 7
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	5P	5P	U S BUR RECLAMATION	2 3 5 6
MONTPELIER RANGER STA	6053	BEAR LAKE	1	42 19	111 18	5943	8A	8A	U S FOREST SERVICE	2 3 5
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5990		VAR	U S SOIL CON SER	C S
MOOSE CREEK RANGER STA	6087	IDAHO	3	46 08	114 55	2400		MID	U S FOREST SERVICE	C
MOSCOW U OF I	6152	LATAH	7	46 44	117 00	2628	5P	5P	UNIVERSITY OF IDAHO	2 3 5 6
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	5P	5P	R B GOWEN	2 3 5 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	115 41	6022	MID	MID	U S CIVIL AERO ADM	2 3 5 7
NAMPA 2 NW	6300	CANYON	2	43 37	116 35	2470	8A	8A	AMALGAMATED SUGAR	2 3 5
NEW MEADOWS RANGER STA	6388	ADAMS	11	44 58	116 17	3860	5P	5P	U S FOREST SERVICE	2 3 5
NEZPERCE 2 E	6424	LEWIS	3	46 15	116 12	3850	7P	7P	JOHN KOEPL	2 3 5 7
NEZ PERCE PASS	6430	LEMHI	11	45 43	114 30	6575		VAR	U S FOREST SERVICE	S
OAKLEY	6542	CASSIA	12	42 15	113 53	4600	6P	6P	HERBERT J HARDY	2 3 5 7
OBSIDIAN 4 NNE	6553	CUSTER	11	44 03	114 48	6900	5P	[illegible]	MARJORIE L SHAW	2 3 5 7
OLA 5 S	6590	GEM	8	44 07	116 17	2962	5P	5P	MRS DOROTHY NALLY	2 3 5 C
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	[illegible]	5P	U S FOREST SERVICE	2 3 5
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	4P	4P	U S BUR RECLAMATION	2 3 5 6
PARMA EXPERIMENT STA	6844	CANYON	2	43 47	116 57	2224	5P	5P	STATE EXP STATION	2 3 5
PAUL 1 E	6877	MINIDOKA	12	42 37	113 45	4200	8A	8A	AMALGAMATED SUGAR	2 3 5
PAYETTE	6891	PAYETTE	8	44 04	116 56	2159	6P	6P	MICHAEL HARRIS	2 3 5 7
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	115 48	3175	3P	3P	U S FOREST SERVICE	2 3 5 7 C
PINE 1 N	7077	ELMORE	2	43 30	115 18	4220		VAR	U S GEO SURVEY	S
PINE 2 S	7079	ELMORE	2	43 28	115 19	4225		5P	CLOSED	9/2/54
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970		[illegible]	U S OFF IND AFFAIRS	C
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	4444	MID	MID	U S WEATHER BUREAU	2 3 5 7 C
PORTHILL	7264	BOUNDARY	5	49 00	116 30	1800	5P	5P	R E DENHAM	2 3 5 7
POTLATCH 1 SE	7301	LATAH	7	46 54	116 52	2586	6P	6P	HENRY J FITCH	2 3 5 7
PRAIRIE	7327	ELMORE	2	43 30	115 35	4670		MID	ORA L ENGELMAN	C
PRESTON SUG FACT 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	4P	[illegible]	C M CRABTREE	2 3 5
PRIEST RIVER EXP STA	7386	BONNER	9	48 21	116 50	2380	5P	5P	U S FOREST SERVICE	2 3 5 7
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800		VAR	M EDWARD BUDELL	S
PUTNAM MOUNTAIN	7465	BINGHAM	12	43 02	112 03	6300		VAR	FORT HALL IR PROJ	S
# REACTOR TESTING STA	7536	BUTTE	6	43 33	112 57	4925	MID	MID	SEE NAME CHANGE END OF INDEX	
RICHFIELD	7673	LINCOLN	12	43 04	111 09	4306	5P	5P	LESLIE F BUSHBY	2 3 5
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 19	1840	4P	4P	U S FOREST SERVICE	2 3 5 7
ROLAND WEST PORTAL	7858	SHOSHONE	10	47 21	115 40	4150	5P	5P	CLOSED	3/31/54
RUPERT	7968	MINIDOKA	12	42 37	113 41	4204	8A	8A	MINIDOKA IR PROJ	2 3 5
SAINT ANTHONY	8022	FREMONT	12	43 58	111 40	4968	7P	7P	E M JERGENSEN	2 3 5
SAINT MARIES	8062	BENEWAH	10	47 19	116 34	2140	5P	5P	U S FOREST SERVICE	2 3 5
SALMON	8076	LEMHI	11	45 11	113 53	3949	MID	MID	U S WB OBSERVER	2 3 5 7
SANDPOINT EXP STATION	8137	BONNER	9	48 17	116 34	2100	5P	5P	STATE EXP STATION	2 3 5 7 C
SHAKE CREEK RANGER STA	8303	ELMORE	2	43 37	115 10	4730		VAR	U S FOREST SERVICE	S
SHOSHONE	8380	LINCOLN	12	42 57	114 24	3961	5P	5P	FRED E KOHL	2 3 5
SOLDIER CREEK RS	8548	CAMAS	12	43 30	114 50	5755		[illegible]	U S FOREST SERVICE	S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	5P	5P	U S FOREST SERVICE	2 3 5 7
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	SS	SS	MRS RAYMOND RUFF	2 3 5
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	8A	8A	BRADLEY MINING CO	2 3 5 7
STREVELL	8786	CASSIA	12	42 01	113 13	5280	6P	6P	IDAHO STATE POLICE	2 3 5
SUGAR	8818	MADISON	12	43 53	111 45	4886	5P	5P	J KENNETH THATCHER	2 3 5
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	5P	5P	EDWARD F SEAGLE	2 3 5 7 C
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	5P	5P	IDAHO POWER COMPANY	2 3 5 7
TETONIA EXP STATION	9065	TETON	12	43 51	111 16	5904	6P	6P	EXPERIMENT STATION	2 3 5 C
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	6P	6P	MRS L E TANNER	2 3 5 [illegible]
TRINITY LAKE GUARD STA	9202	ELMORE	2	43 38	115 26	7400		VAR	U S SOIL CON SER	S
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475		VAR	U S SOIL CON SER	S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	5P	5P	U S BUR ENTOMOLOGY	2 3 5 7
TWIN FALLS 3 SE SUG FACT	9299	TWIN FALLS	12	42 32	114 25	3770	8A	8A	AMALGAMATED SUGAR	2 3 5
VIENNA	[illegible]	BLAINE	11	43 49	114 51	8800		VAR	U S SOIL CON SER	S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	6P	6P	W FEATHERSTONE JR	2 3 5 7
WALLACE WOODLAND PARK	9498	SHOSHONE	[illegible]	47 30	115 53	2950	7A	7A	PHILIP R SLOCUM	2 3 5 C
WEISER 1 S	9638	WASHINGTON	12	44 14	116 57	2120	5P	5P	MERVIN V LING	2 3 5
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	4P	4P	BALLACK-HOWARD LBR CO	2 3 5
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760		VAR	CLOSED	10/19/54
NEW STATIONS										
IDAHO FALLS 43 NW WB	4459	BUTTE	6	43 51	112 42	4780	MID	[illegible]	U S WEATHER BUREAU	2 3 5 7 C
CLIFFS	1898	[illegible]	13	42 40	117 00	5197	5P	5P	ARTHUR J WHITBY	2 3 5
DEER POINT	2451	BOISE	12	43 45	116 06	7150	5P	5P	BOISE VLY BCSTG CO	2 3 5 C
FAIRYLAWN	3113	OWYHEE	13	42 33	117 00	4900	5P	5P	TEX PAYNE	2 3 5
KETCHUM 17 WSW	4840	BLAINE	12	43 37	114 41	8421		MID	U S FOREST SERVICE	C
NAME CHANGE										
# IDAHO FALLS 46 W WB	4460	BUTTE	6	43 32	112 57	4933	MID	MID	U S WEATHER BUREAU	2 3 5 7 C

‡ 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST. JOE, 11 SALMON, 12 SNAKE, 13 OWYHEE.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables,are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperatures in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F. Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Sleet and hail were included in snowfall averages in Table 1, beginning January 1949.

Data in the column formerly headed "No. of Days .01 or more" in Table 2, have been changed to "No. of Days .10 or more" effective January 1, 1954.

Amounts in Table 3 are from non-recording gage, unless otherwise indicated.

Data in Tables 3, 5, 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA Stations. For these stations snow on ground values are at 4:30 a.m., PST and 5:30 a.m., MST. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more.

Water equivalent samples, as published in Table 7, are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

-	No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.
+	And also on a later date or dates.
*	Amounts included in following measurement , time distribution unknown.
//	Gage is equipped with a windshield.
AR	This entry in time of observation column in Station Index means after rain.
B	Adjusted to a full month.
C	In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.
E	Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
M	One or more days of record missing; see Table 5 for detailed daily record. Degree Day data, if carried for this station, have been adjusted to represent the value for the full month.
R	**Amounts from recording gage.** (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data.)
S	Storage precipitation station. Precipitation measurements, made at irregular intervals, will be published in the July or August or delayed data December issue of this publication.
SS	This entry in time of observation column in Station Index means sunset.
T	Trace, an amount too small to measure.
V	Includes total for previous month.
VAR	This entry in time of observation column in Station Index means variable.

Subscription Price: 20 cents per copy, monthly and annual; $2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D.C.


IDAHO
STATUTE MILES
10 0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage: ○ Non-recording;
● Recording ◑ Both types
Double circle combinations: Complete Meteorological.
Hourly precipitation data from recorder stations will be available in the publication "Hourly Precipitation Data".
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
117
116
115
114
113
112
111
48
47
46
45
44
43
42
Porthill
Metaline Falls
Bonners Ferry 1 SW
Benton Dam
Priest Riv Exp Sta
Libby 1 NE RS
Chewelah 2 S
Sandpoint Exp Sta
Newport
Clark Fork 1ENE
Heron 2 NW
Deer Park
Bayview Model Basin
Mt Spokane Summit
Trout Creek 2 W
Deception Cr
Spokane WB AP
Coeur d'Alene RS
Thompson Falls
Kellogg
Burke 2NNE
Cheney
Wallace Woodland PK
Mullan Pass CAA
Wallace C
Haugan
Saint Maries
Boland W Portal
Rosalia
Plummer 3WSW
Avery RS
Tekoa
Superior
Clarkia RS
Potlatch 1 SE
Missoula WB AP
Colfax 1 NW
Missoula 2 WNW
Pullman 2 NW
Elk River 1 S
Wawawai
Moscow U of Ida
Bungalow RS
Lolo Pass
Pomeroy
Orofino
Lewiston Wtr Pl
Pierce RS
Stevensville
Clarkston Heights
Lewiston WB AP
Winchester 1SE
Kamiah 1NE
Hamilton
Anatone
Nezperce 2 E
Kooskia
Moose Creek RS
Cottonwood
Fenn RS
Darby 2 NNW
Cottonwood 2SW
Grangeville
Elk City
Nez Perce Pass
Dixie
Wisdom
Riggins RS
Joseph
Jackson
Polaris
Salmon
Big Creek 1 S
Cornucopia 5 NNW
Cobalt Blackbird Mine
New Meadows RS
Yellow Pine
Grant 6 NW
Halfway
Stibnite
McCall
Hebgen Dam
Pungo Creek
Richland
Council
Leadore
Dell
West Yellowstone
Lima Dam
Durkee 3 NNW
Mesa
Landmark RS
May RS
Lima
Lakeview
Monida
Cambridge
Cascade 1NW
Challis
Deadwood Summit
Dell 19 SW
Island Park Dam
Huntington
Spencer RS
Alpha 1NE
Deadwood Dam
Gilmore Summit Rch
Dubois Exp Sta
Weiser 1 S
Ola 5 S
Crouch 2NNW
Snake River
Payette
Ashton 1S
Lowman
Dubois CAA AP
Ontario CAA AP
Obsidian 4NNE
Chilly Barton Flat
Hamer 4NW
St Anthony
Vale
Garden Valley RS
Jackson Peak
Malheur Br Exp Sta
Centerville Arbaugh Ranch
Moore Cr Summit
Tetonia Exp Sta
Moran
Nyssa
Emmett 2 E
Idaho Falls 43 NW WB
Sugar
Little Valley
Parma Exp Sta
Mackay RS
Alta
Idaho City
Atlanta 1E
Bogus Basin
Vienna
Howe
Adrian
Troutdale GS
Atlanta Summit
Sun Valley
Owyhee Dam
Caldwell
Idaho Cy 13SW
Grouse
Driggs
Moose 3 NW
Arco
Nampa 2NW
Meridian 1 W
Arrowrock Dam
Shake Cr RS
Bald Mtn
Deer Flat Dam
Trinity Lake GS
Dollarhide Summit
Idaho Falls 6 NE
Kuna 2 NNE
Boise LP Dam
Pine 1 N
Soldier Cr RS
Idaho Falls 46 W WB
Idaho Falls CAA AP
Hailey AP
Irwin 2S
Jackson
Boise WB AP
Prairie
Pine 2 S
Fairfield RS
Palisades Dam
Anderson Dam
Swan Falls PH
Hill City
Blackfoot
Mountain Home
Springfield 1 SE
Sheaville
Richfield
Putnam Mt
Gray
Grand View
Glenns Ferry
Fort Hall Ind Agcy
Danner
Bliss
Shoshone
Aberdeen Exp Sta
Blackfoot Dam
Bedford 2 SE
Rome
Gooding
Pocatello WB AP
Gooding CAA AP
Jerome
Conda
Grover 2 S
Minidoka Dam
Paul 1E
American Falls 1NW
Buhl
Burley Factory
Rupert
McCammon
Grace
Twin Falls 2NNE
Hazelton
Burley CAA AP
Twin Falls 3SE
Burley
Grasmere
Hollister
Montpelier RS
Oakley
Malta RS
Border 3 N
Malad
Lifton Pump Sta
Three Creek
Malad CAA AP
Preston 2SE
Ida Vada
Strevell
Owyhee
Snowville
Lewiston
Richmond
Laketown
Sage
Jarbidge
Garland
Logan USAC Exp Sta
Park Valley
Contact
Bothwell
Logan USAC
Revised 5-54-WRPC-SF

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

IDAHO

ANNUAL SUMMARY 1954

Volume LVII No. 13

ASHEVILLE: 1955

WEATHER SUMMARY

GENERAL: It was persistently but not excessively dry throughout the year, except for the wettest June since 1947. It was a little drier in the Southeastern Division than elsewhere, and soil moisture shortages were reported from much of that area periodically throughout the growing season. In the Southeastern Division the June average of 1.99 inches was over three-quarters of an inch above normal, but it was only the second month in 12 to average above normal figures for the area, and the last 6 months of 1954 were consistently dry. There were very few unusual extremes of temperature during the year. There were a number of severe storms, mostly hail and wind.

TEMPERATURES: The yearly average temperature for the State as a whole was 46.3°, 0.7° above normal; but as usual, this is an over-refinement. Actually, the Northern Division averaged about 1° below normal, while the two southern Divisions averaged between 1° and 2° above normal. The State's warmest reading for 1954 was 107° at Grand View on July 4; the coldest -33° at Island Park Dam on December 27. At Pocatello, the 70° maximum on November 11 was the warmest there of record so late in the season. Cool weather throughout the year in the Northern Division contributed to a little slower than usual crop season, particularly north of Lewiston; but warmth in southern areas speeded the season along where moisture was adequate. Freezes late in April and early in May caused damage, varying in degree from light to serious, to fruit crops. Apricots were hit hard early in April, and other fruits later on, especially in unheated orchards. Peach and apricot crops near Lewiston were almost total failures because of these freezes. The warmest average for any station for the year was 56.3° at Swan Falls Powerhouse, 1.6° warmer than normal. The coldest average was 35.8° at Cobalt Blackbird Mine in Lemhi County. Mullan Pass CAA averaged 0.9° below normal with an average mean for the year of 36.5°.

PRECIPITATION: The year averaged rather dry, but not unusually so, with the statewide average of 15.24 inches running 1.96 inches below normal. However, the almost continuous dryness throughout the year in the Southeastern Division, following a dry second half of 1953, had produced conditions approaching drought in much of the area. The Division average total of 9.98 inches was 2.75 inches below normal. On the other hand, the Northern Division had a fairly wet year, averaging 1.95 inches wetter than the period mean. The year ended with adequate moisture supplies in the Northern Division, but ranges and dry land farms in the southern Divisions were dry. The wettest station for the year was Burke 2 NNE with a total of 59.26 inches, 14.04 inches above normal; while the driest place with a complete year's measurements was Mountain Home 1 NE with 5.56 inches, although Strevell had a 5.49-inch total for the year with December total partially estimated. At Three Creek, Owyhee County, the 7.12-inch total was 6.55 inches less than normal, reflecting the very dry conditions experienced along the Nevada-Utah Border.

DESTRUCTIVE STORMS: The year's variety of destructive storms was not particularly unusual, except that any severe storm is likely to be considered unusual in the area it strikes. Northern counties experienced heavy snowstorms twice in January which caused power and communication line failures, and temporary closure of some highways. On April 1 a man was killed in a snowslide near Wallace. There were several windstorms during the year, mostly accompanied by minor damage. However, the windstorm of October 11 was noteworthy in several ways. It struck nearly all of southern Idaho during the day, but was particularly damaging in the Southeastern Division, where blowing dust delayed traffic on highways; there was considerable structural (especially to roofs and power lines) damage, fallow fields suffered loss of topsoil, and some winter wheat fields were blown out. This is the same windstorm which struck the Jackson Hole part of Wyoming the same day. On November 25 a dust storm southeast of Burley contributed to a 3-car collision, in which six persons perished. Two fishermen lost their lives on May 9 when gusty winds capsized their boat on Lake Lowell. Although hail damage seems to have been less extensive than usual for the year, there were a few heavy hailstorms mostly in July and August. Hailstorms the middle of July in southeastern counties caused damage to crops totaling over $600,000. Hailstones 1-1/2 inches in diameter were reported near Potlatch on the 16th during the second of two storms in northern Idaho (Idaho County on the 14th, Latah County on the 16th) which caused $125,000 in crop damage. August hailstorms also caused much crop damage, but accompanying thunderstorms were more spectacular. Lightning set a large number of forest and range fires in southern Idaho, killed several head of cattle near Shoshone, and even set fire to the home of the Nezperce observer. Hail damage was reported in scattered areas the first half of September, and a young man on Mt. Borah was killed by lightning on September 2. In connection with thunderstorm activity on April 28 and June 9, funnel clouds were observed near Arco, but did not appear to reach the ground. A small tornado demolished a barn and two combines on June 9 near Lamont.

The only important flooding of the year was along the Kootenai River in the Bonners Ferry area. Flooding lasted for five days beginning May 19. While the flood crest actually was higher than during the 1948 major flood, damage and area covered were much less because dikes withstood the floodwaters much better than in 1948. Damage was extensive, with 8,000 acres of fertile farm land inundated to depths up to 15 feet. The Corps of Engineers has issued a report of damage from this flood.

In the southern Divisions it was dry all year except in June, and ranges were in poor condition at the end of the year. In the Northern Division ranges were good. Stock were faring well, but short feed in southern areas was producing short weights. Grain yields were generally fair to good, and were better in southern areas than the dry year had led people to expect. Yields were very good in some northern areas where excessive moisture and the relatively cool growing season caused a minimum of trouble. Aside from local severe storm damage, crops otherwise had a fairly good year.

R. A. Dightman

Table 1

AVERAGE TEMPERATURES AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
ABERDEEN EXP STA	29.7	[illegible]	35.3	9.4	34.7	-0.5	[illegible]	2.7	[illegible]	[illegible]	[illegible]	-1.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-3.1	47.3	[illegible]
AMERICAN FALLS 1 NW	29.9	[illegible]	35.1	[illegible]	34.2	-1.5	-		56.2	[illegible]	[illegible]	-2.2	[illegible]	[illegible]	[illegible]	-0.8	[illegible]	[illegible]	46.9	[illegible]	[illegible]	5.7	[illegible]	[illegible]	-	
ANDERSON DAM	29.7		34.1		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		50.5	
ARCO	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ARROWROCK DAM	31.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-5.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.5	[illegible]	0.1	49.4	[illegible]
ASHTON 1 S	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.2	[illegible]	[illegible]	[illegible]	-3.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-1.6	[illegible]	[illegible]	[illegible]	[illegible]	17.8	-2.8	41.7	[illegible]
ATLANTA 1 E	[illegible]	[illegible]	[illegible]	[illegible]	M		40.6M	0.4	[illegible]	[illegible]	[illegible]	-0.7	M		M		M		46.2	[illegible]	[illegible]	[illegible]	M		-	
AVERY RS	[illegible]	[illegible]	[illegible]	[illegible]	37.1	[illegible]	[illegible]	-3.3	[illegible]	1.8	[illegible]	-2.9	[illegible]	-0.3	[illegible]	-2.3	[illegible]	[illegible]	46.9	[illegible]	42.7	[illegible]	[illegible]	[illegible]	47.4	0.5
BAYVIEW MODEL BASIN	[illegible]		34.9		34.1		[illegible]		[illegible]		55.0		64.2		[illegible]		[illegible]		41.7		[illegible]		[illegible]		44.9	
BIG CREEK 1	[illegible]	[illegible]	[illegible]	[illegible]	-		[illegible]	0.2	[illegible]	2.4	[illegible]	-1.7	59.2	[illegible]	54.0	[illegible]	[illegible]		[illegible]		[illegible]		17.1		-	
BLACKFOOT	[illegible]	[illegible]	35.5	[illegible]	[illegible]	-0.7	[illegible]	[illegible]	[illegible]	4.7	[illegible]	0.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-2.2	[illegible]	[illegible]
BLACKFOOT DAM	-		-		-		-		-		-		-		-		52.0	[illegible]			[illegible]	[illegible]	-		-	
BLISS	33.9	[illegible]	40.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-3.4	[illegible]	[illegible]	[illegible]	[illegible]	60.6	[illegible]	[illegible]	-0.4	[illegible]	[illegible]	[illegible]	[illegible]	50.8	[illegible]
BOISE LUCKY PEAK DAM	M		[illegible]		[illegible]		M		M		[illegible]		M		[illegible]		M		M		[illegible]		M		-	
BOISE WB AP	36.5	[illegible]	[illegible]	[illegible]	[illegible]	-2.5	[illegible]	[illegible]	59.9	[illegible]	[illegible]	-3.8	[illegible]	[illegible]	[illegible]	-4.3	[illegible]	[illegible]	50.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	51.3	[illegible]
BONNERS FERRY 1 SW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.2	[illegible]	-2.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-1.0	[illegible]	[illegible]	[illegible]	[illegible]	30.3	[illegible]	45.7	[illegible]
BUHL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-1.2	[illegible]	[illegible]	[illegible]	5.0	[illegible]	-2.5	[illegible]	[illegible]	[illegible]	-1.7	[illegible]	[illegible]	51.6	0.9	[illegible]	[illegible]	[illegible]	0.1	[illegible]	
BUNGALOW RS	-		-		-		-		M		[illegible]	-4.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	M		-		-		-	
BURKE 2 NNE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	34.8	-3.7	[illegible]	[illegible]	[illegible]	-2.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BURLEY	33.2	7.2	[illegible]	8.1	37.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	61.6	-2.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.8	[illegible]	-0.9	43.8	[illegible]	[illegible]	[illegible]	50.8	[illegible]
BURLEY FACTORY	[illegible]	7.5	36.9	7.1	[illegible]	[illegible]	47.7	[illegible]	[illegible]	1.4	[illegible]	-3.0	[illegible]	1.3	65.8	-2.9	58.4	[illegible]	46.6	-2.5	[illegible]	[illegible]	[illegible]	-2.4	48.1	[illegible]
BURLEY CAA AP	[illegible]	[illegible]	[illegible]	6.9	35.1	-2.7	47.4	[illegible]	[illegible]	[illegible]	[illegible]	-1.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	47.4	[illegible]	[illegible]	[illegible]	26.4	-4.7	[illegible]	1.0
CALDWELL	[illegible]	[illegible]	[illegible]	5.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	61.9	-3.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-1.2	[illegible]	-2.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CAMBRIDGE	31.2	[illegible]	[illegible]	[illegible]	39.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-5.4	[illegible]	[illegible]	67.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0.4
CASCADE 1 NW	[illegible]		[illegible]		27.3		41.0		[illegible]		52.9		[illegible]		59.8		[illegible]		43.1		[illegible]		[illegible]		41.9	
CHALLIS	27.3	8.6	[illegible]	[illegible]	[illegible]	-2.1	[illegible]	[illegible]	[illegible]	3.3	[illegible]	-2.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.7	M		[illegible]	[illegible]	[illegible]	[illegible]	-	
CHILLY BARTON FLAT	[illegible]	[illegible]	28.0	9.5	[illegible]	-0.8	41.3	[illegible]	49.5	1.1	[illegible]	[illegible]	[illegible]	-0.1	[illegible]	[illegible]	[illegible]	[illegible]	38.1	[illegible]	[illegible]	[illegible]	[illegible]	-6.7	39.0	0.1
CLARK FORK 1 ENE	-		M		34.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-3.3	[illegible]	[illegible]	59.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-	
CLIFFS	-		-		-		-		-		-		-		-		-		-		-		M		-	
COBALT BLACKBIRD MINE	[illegible]		[illegible]		20.1		33.4		[illegible]		[illegible]		[illegible]		54.2		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
COEUR D ALENE RS	[illegible]	[illegible]	[illegible]	5.9	[illegible]	-2.1	44.2	-2.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-1.3	[illegible]	[illegible]	58.4M	[illegible]	44.2M	-3.9	[illegible]	[illegible]	[illegible]	0.5	[illegible]	-0.2
CONDA	25.3	[illegible]	[illegible]	5.3	[illegible]	-0.7	42.7	[illegible]	[illegible]	[illegible]	53.7	0.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	
COTTONWOOD	[illegible]	[illegible]	36.6	[illegible]	[illegible]	[illegible]	42.3	-1.1	[illegible]	-0.5	52.0	-5.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-3.1	44.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-1.3
COUNCIL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	59.1	[illegible]	[illegible]	-2.8	73.1	[illegible]	68.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
DEADWOOD DAM	[illegible]	[illegible]	[illegible]	5.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-2.3	[illegible]	[illegible]	55.9	-2.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-2.0	[illegible]	[illegible]
DEER FLAT DAM	[illegible]	[illegible]	[illegible]	7.2	40.9	-0.9	51.2	0.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0.9	67.8	[illegible]	[illegible]	-0.7	49.9	[illegible]	42.9	[illegible]	30.9	[illegible]	[illegible]	[illegible]
DEER POINT	-		-		-		-		-		-		-		-		-		-		-		24.6		-	
DIXIE	[illegible]		26.3		[illegible]		34.3		44.3		[illegible]		[illegible]		[illegible]		47.0		38.7		[illegible]		[illegible]		[illegible]	
DRIGGS	[illegible]	6.9	27.6	8.1	[illegible]	[illegible]	[illegible]	[illegible]	51.0	4.3	54.0	-0.3	67.4	[illegible]	61.4	[illegible]	[illegible]	[illegible]	43.8	[illegible]	-		[illegible]	-1.5	-	
DUBOIS EXP STA	22.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44.4	[illegible]	[illegible]	1.2	[illegible]	-3.3	[illegible]	[illegible]	[illegible]	-1.1	58.4	[illegible]	44.7	[illegible]	[illegible]	[illegible]	21.2	-0.8	44.7	[illegible]
DUBOIS CAA AP	[illegible]	4.5	[illegible]	9.2	29.8	-0.1	[illegible]	0.1	54.2	2.7	[illegible]	-1.5	[illegible]	0.1	[illegible]	-2.0	[illegible]	[illegible]	[illegible]	-2.9	[illegible]	[illegible]	17.8	-6.0	44.1	[illegible]
ELK CITY	-		[illegible]		-		-		[illegible]		-		[illegible]		[illegible]		[illegible]		42.2		[illegible]		M		-	
ELK RIVER 1 S	27.6		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		60.1		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
EMMETT 2 E	[illegible]	[illegible]	[illegible]	4.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.2	[illegible]	-4.2	73.8M	-1.2	[illegible]	-5.6	[illegible]	[illegible]	[illegible]	[illegible]	43.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
FAIRFIELD RS	[illegible]		24.1		27.7		43.4M		[illegible]		56.2M		[illegible]		[illegible]		[illegible]		[illegible]		37.7		20.0		[illegible]	
FAIRYLAWN	-		-		-		-		-		-		-		-		-		-		-				-	
FENN RS	[illegible]	[illegible]	38.1	3.7	M		48.0	-2.5	[illegible]	[illegible]	[illegible]	-4.2	70.1	-1.5	[illegible]	-3.3	60.7	-0.4	[illegible]	[illegible]	[illegible]	[illegible]	31.0	-0.6	-	
FORT HALL IND AGENCY	[illegible]	8.5	34.9	[illegible]	34.3M	-1.9	47.4M	[illegible]	56.5M	[illegible]	60.6	-1.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-1.6	40.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GARDEN VALLEY RS	29.4	[illegible]	34.7	[illegible]	[illegible]	[illegible]	47.4	[illegible]	56.6	1.9	[illegible]	-3.3	[illegible]	[illegible]	[illegible]	-2.3	[illegible]	1.4	[illegible]	-0.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GLENNS FERRY	35.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	62.6	[illegible]	[illegible]	-4.3	[illegible]	[illegible]	M		[illegible]	-0.3	50.4	[illegible]	[illegible]	[illegible]	31.2	0.4	-	
GOODING CAA AP	32.1	8.4	[illegible]	8.5	[illegible]	-1.3	49.3	1.9	59.5	4.1	61.3	-2.1	76.1	[illegible]	70.0	[illegible]	61.8	[illegible]	49.9	[illegible]	[illegible]	7.0	[illegible]	0.8	[illegible]	[illegible]
GRACE	[illegible]	[illegible]	26.1	2.5	28.8	[illegible]	44.4	[illegible]	52.1	1.5	54.8	-4.0	[illegible]	-0.1	[illegible]	-2.4	[illegible]	0.4	44.7	[illegible]	[illegible]	[illegible]	21.3	-1.5	[illegible]	[illegible]
GRAND VIEW	37.8M	[illegible]	[illegible]	[illegible]	41.3	[illegible]	54.6	2.3	[illegible]	[illegible]	67.0M	-0.5	79.6	[illegible]	74.2M	1.9	[illegible]	4.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRANGEVILLE	[illegible]	[illegible]	38.4	6.9	34.6	-2.8	44.1	[illegible]	52.3	0.4	[illegible]	-4.5	[illegible]	[illegible]	61.1	[illegible]	[illegible]	-1.4	[illegible]	[illegible]	41.0	[illegible]	[illegible]	-1.2	[illegible]	-0.9
GRASMERE	-		38.2M		32.1M		[illegible]		55.8		56.8		[illegible]		64.4		[illegible]		[illegible]		[illegible]		[illegible]		-	
GRAY	24.4	6.7	25.8	3.5	24.5	-2.9	40.1	2.2	48.5	0.3	50.9	-3.7	[illegible]	1.4	59.9	-1.2			[illegible]	-4.3	[illegible]	[illegible]	20.9	-1.0	-	
GROUSE	19.2		23.0		[illegible]		39.7		48.0		[illegible]		61.0		[illegible]		[illegible]		37.2		[illegible]		[illegible]		[illegible]	
HAILEY AP	24.1M	4.6	27.6	[illegible]	29.4	-1.8	43.9	[illegible]	[illegible]	[illegible]	[illegible]	-4.5	[illegible]	[illegible]	61.4	[illegible]	54.2	[illegible]	[illegible]	-4.1	[illegible]	4.5	[illegible]	[illegible]	43.1	-0.4
HAMER 4 NW	[illegible]	11.1	31.2	12.9	31.3	1.8	46.3	3.6	[illegible]	2.9	58.6M	-1.2	70.1	[illegible]	64.1	-0.7	[illegible]	1.5	[illegible]	[illegible]	[illegible]	[illegible]	15.6M	[illegible]	[illegible]	[illegible]
HAZELTON	[illegible]	5.8	38.2	6.9	[illegible]	[illegible]	48.4	[illegible]	58.4	1.3	[illegible]	-4.9	[illegible]	[illegible]	[illegible]	[illegible]	61.4	0.4	49.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
HILL CITY	21.3	6.0	24.0	4.4	26.3	-0.8	43.7	[illegible]	53.0	[illegible]	54.3	-1.5	[illegible]	0.8	62.4	1.1	[illegible]	1.4	[illegible]	[illegible]	[illegible]	7.9	[illegible]	[illegible]	[illegible]	[illegible]
HOLLISTER	33.8M	[illegible]	38.5	7.4	[illegible]	-1.3	[illegible]	2.2	57.6	3.9	58.1	-3.7	72.1	[illegible]	67.5	-1.7	61.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29.4	0.4	[illegible]	[illegible]
IDAHO CITY	27.0	2.7	32.6	[illegible]	33.8	-1.4	45.1	[illegible]	53.5	0.6	[illegible]	-4.5	[illegible]	[illegible]	[illegible]	-5.3	[illegible]	-1.4	[illegible]	[illegible]	[illegible]	4.4	[illegible]	[illegible]	[illegible]	-0.4
IDAHO FALLS 6 NE	[illegible]		34.1		33.1		47.6		55.1		[illegible]		69.6M		64.1		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
IDAHO FALLS CAA AP	27.1	[illegible]	34.2	[illegible]	[illegible]	[illegible]	46.6	1.7	55.9	[illegible]	57.9	-2.6	[illegible]	1.8	[illegible]	-1.5	[illegible]	0.9	[illegible]	-2.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
IDAHO FALLS 43 NW WB	22.0	9.7	[illegible]	10.8	30.5	1.8	44.9	[illegible]	54.9	[illegible]	56.8	-2.8	[illegible]	2.0	65.2	-0.1	[illegible]	[illegible]	41.4	-2.9	[illegible]	[illegible]	15.2	-2.6	43.5	2.4
IDAHO FALLS 46 W WB	[illegible]	8.1	29.9	9.3	[illegible]	-0.3	[illegible]	1.5	53.6	[illegible]	[illegible]	-3.4	69.9	0.7	[illegible]	-3.1	54.6	-1.4	[illegible]	-2.7	35.1	[illegible]	[illegible]	-3.7	43.2	0.9
IRWIN 2 S	27.0M	[illegible]	30.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	53.8	[illegible]	56.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ISLAND PARK DAM	[illegible]	[illegible]	22.6	5.8	[illegible]	[illegible]	35.4	[illegible]	47.6	[illegible]	[illegible]	-2.4	62.5	1.3	58.1	-1.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
JEROME	32.3	[illegible]	38.6	[illegible]	[illegible]	[illegible]	49.2	[illegible]	59.3	1.9	61.1	[illegible]	[illegible]	-0.7	67.9	-3.7	[illegible]	[illegible]	[illegible]	[illegible]	42.5M	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
KELLOGG	29.3	2.4	36.5	5.3	36.4	-2.3	44.1	[illegible]	54.3	[illegible]	[illegible]	-3.5	66.4	-1.0	63.0	-2.1	[illegible]	[illegible]	[illegible]	-2.1	[illegible]	[illegible]	[illegible]	[illegible]	46.9	0.2
KOOSKIA	32.2	3.0	41.1	6.2	40.8	-2.0	[illegible]	-0.3	59.3	1.7	[illegible]	-3.6	71.0	-1.3	[illegible]	-3.8	61.8	0.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-0.1	50.5	0.0
KUNA 2 NNE	36.1M	7.8	39.3M	5.5	39.2M	[illegible]	49.8M	[illegible]	57.8M	1.1	59.7M	-4.7	[illegible]	[illegible]	[illegible]	-6.6	[illegible]	-3.0	[illegible]	-3.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
LEWISTON WATER PLANT	34.5	1.3	43.3	[illegible]	42.9	-2.6	52.1	[illegible]	61.1	1.1	63.9	-3.4	74.6	[illegible]	70.3	-3.8	[illegible]	[illegible]	[illegible]	-1.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
LEWISTON WB AP	32.6	1.8	41.2	5.3	40.0	-3.6	[illegible]	-2.1	[illegible]	0.3	[illegible]	-5.5	71.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3.7	[illegible]	[illegible]	[illegible]	[illegible]
LIFTON PUMPING STA	23.9	6.1	25.0	4.5	27.9	[illegible]	43.1	3.0	52.9	1.5	56.8	-2.5	68.6	1.2	62.4	-2.5	[illegible]	0.5	43.7	-1.5	[illegible]	4.4	[illegible]	-3.4	[illegible]	1.0
LOWMAN	27.6	5.3	31.9	3.6	34.0	[illegible]	44.1	1.0	[illegible]	[illegible]	-		-		-		-		-		-		-		-	
MACKAY RS	21.0	3.9	[illegible]	7.8	[illegible]	[illegible]	43.8	[illegible]	[illegible]	[illegible]	[illegible]	-4.2	67.4	[illegible]	[illegible]	-3.3	[illegible]	-0.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MALAD	28.1	6.4	29.7	[illegible]	[illegible]	-0.4	49.4	4.1	57.3	[illegible]	60.2	-1.7	[illegible]	[illegible]	[illegible]	0.9	61.4	[illegible]	49.3	1.4	[illegible]	[illegible]	26.6	1.2	[illegible]	[illegible]
MALAD CAA AP	[illegible]		28.8		[illegible]		47.3		[illegible]		59.7		[illegible]		[illegible]		59.1		46.6		[illegible]		[illegible]		[illegible]	
MAY RS	26.4	[illegible]	[illegible]	[illegible]	[illegible]	-3.3	43.9	-0.6	[illegible]	[illegible]	[illegible]	-2.3	[illegible]	[illegible]	[illegible]	-3.8	[illegible]	-0.7	42.9	[illegible]	[illegible]	5.3	16.3	-5.5	[illegible]	[illegible]
MC CALL	24.5	[illegible]	[illegible]	3.9	24.5	-4.2	35.4	-2.2	[illegible]	-0.4	[illegible]	-4.4	62.6	-0.2	[illegible]	[illegible]	51.9	[illegible]	42.5	-0.3	[illegible]	[illegible]	20.8	-1.1	[illegible]	[illegible]
MC CAMMON	26.8		31.5		[illegible]		47.9		56.4		[illegible]		[illegible]		[illegible]		58.9		[illegible]		[illegible]		[illegible]		[illegible]	
MERIDIAN 1 W	36.7	8.1	39.4	4.8	39.8	-2.9	[illegible]	0.4	59.2M	[illegible]	61.2	-3.8	[illegible]	[illegible]	66.2	[illegible]	59.5	[illegible]	[illegible]	-3.1	[illegible]	[illegible]	[illegible]	[illegible]	50.4	[illegible]
MESA	31.7M		[illegible]		37.8		47.8		58.9M		60.0		[illegible]		[illegible]		[illegible]		50.3M		[illegible]		-		-	
MINIDOKA DAM	30.6		[illegible]		[illegible]		47.6		58.5		[illegible]		[illegible]		[illegible]		60.8		48.0		[illegible]		[illegible]		48.9	
MONTPELIER RS	23.5	5.9	23.5	1.8	[illegible]	-0.9	42.6	[illegible]	[illegible]	[illegible]	[illegible]	-3.7	[illegible]	[illegible]	[illegible]	-1.7	[illegible]	[illegible]	43.8M	[illegible]	[illegible]	4.4	17.4	[illegible]	[illegible]	0.4
MOSCOW U OF I	[illegible]	[illegible]	39.2	7.5	[illegible]	[illegible]	[illegible]	-1.6	[illegible]	[illegible]	57.5	-1.8	[illegible]	-2.3	62.0	-4.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MOUNTAIN HOME 1 NE	35.8	[illegible]	[illegible]	7.3	40.6	[illegible]	[illegible]	4.1	[illegible]	[illegible]	[illegible]	-0.2	[illegible]	[illegible]	71.4	1.9	[illegible]	[illegible]	[illegible]	2.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MULLAN PASS CAA	18.4	-1.3	[illegible]	[illegible]	22.2	-4.2	29.1	-6.4	43.2	-0.2	44.5	-4.1	[illegible]	[illegible]	53.7	-4.2	46.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-0.9
NAMPA 2 NW	[illegible]		[illegible]		40.0		50.9		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
NEW MEADOWS RS	24.3	[illegible]	29.4	4.5	[illegible]	-1.6	42.6	0.4	[illegible]	1.5	52.9	-2.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	41.4	[illegible]	[illegible]	[illegible]	19.1M	-2.8	[illegible]	[illegible]
NEZPERCE 2 E	[illegible]		[illegible]		35.0		43.6		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]	
OAKLEY	32.3	4.3	40.4	[illegible]	36.8	-2.2	49.0	2.7	58.4	4.2	60.1	-2.2	[illegible]	[illegible]	67.3	[illegible]	60.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29.9	[illegible]	[illegible]	[illegible]
OBSIDIAN 4 NNE	18.6	4.2	[illegible]	[illegible]	22.3	-2.3	33.3	-0.4	[illegible]	[illegible]	[illegible]	-3.1	57.1	[illegible]	[illegible]	[illegible]	47.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OLA 5 S	33.6		38.1		[illegible]		48.0		[illegible]		57.9		[illegible]		64.9		58.1		47.8		[illegible]		26.6		48.3	
OROFINO	[illegible]	[illegible]	42.1M	[illegible]	[illegible]	-1.4	[illegible]	-0.7	[illegible]	[illegible]	[illegible]	-2.3	72.1	-1.2	67.9	-3.5	[illegible]	[illegible]	49.3	-2.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PALISADES DAM	[illegible]		[illegible]		[illegible]		45.4		[illegible]		[illegible]		[illegible]		63.7		57.9		45.2		[illegible]		19.4		[illegible]	
PARMA EXP STA	[illegible]	[illegible]	39.6	[illegible]	41.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-4.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PAUL 1 E	32.1	[illegible]	[illegible]	5.9	[illegible]	[illegible]	47.6	1.3	56.8	[illegible]	59.1	-2.5	[illegible]	[illegible]	[illegible]	-2.1	58.7	-0.2	46.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	48.3	[illegible]
PAYETTE	36.1	[illegible]	[illegible]	[illegible]	40.8	-1.7	[illegible]	-0.2	[illegible]	[illegible]	[illegible]	-2.6	[illegible]	1.3	[illegible]	-3.6	[illegible]	[illegible]	48.4	[illegible]	[illegible]	2.9	[illegible]	-1.0	[illegible]	[illegible]
PIERCE RS	[illegible]	[illegible]	[illegible]	2.9	[illegible]	-3.7	39.8M	-2.5	[illegible]	-0.8	[illegible]	[illegible]	64.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	42.8M	[illegible]	[illegible]	[illegible]	[illegible]	-3.1	43.1	-1.2
POCATELLO WB AP	30.4	[illegible]	[illegible]	6.7	[illegible]	-2.6	47.8	[illegible]	[illegible]	[illegible]	[illegible]	-3.0	[illegible]	0.8	[illegible]	-2.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.2	21.0	-5.8	47.8	0.6
PORTHILL	[illegible]	-1.5	[illegible]	[illegible]	33.1	-2.7	[illegible]	-1.5	[illegible]	[illegible]	[illegible]	-2.0	[illegible]	-1.0	[illegible]	[illegible]	[illegible]	1.5	43.0	[illegible]	[illegible]	7.2	[illegible]	3.0	45.4	0.6
POTLATCH 1 SE	29.4	1.3	37.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	54.4	-4.0	[illegible]	[illegible]	60.4	-3.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-0.2

See reference notes following Station Index

Table 1—Continued

AVERAGE TEMPERATURES AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
PRESTON SUG FACT	27.6	7.1	29.7	3.5	35.1	0.8	49.1	3.7	56.7	2.8	61.0	- 0.3	23.0	1.1	68.0	0.1	61.3	2.2	48.4	2.4	40.5	5.9	26.8	0.9	48.0	2.5
PRIEST RIVER EXP STA	23.7	[illegible]	33.2	[illegible]	31.4	- 3.5	40.1	- 3.8	51.8	0.4	54.8	- 3.2	62.1	- 2.3	60.1	- 2.5	54.6	0.5	42.4	- 2.0	39.1	5.9	28.7	2.1	43.5	- 0.2
[illegible]			NAME CHANGED TO IDAHO FALLS 46 W WO APRIL 1, 1954.																							
RICHFIELD	27.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46.5	1.5	57.3	3.9	58.6	- 1.7	71.5	[illegible]	65.7	- 1.5	58.5	0.4	46.2	- 1.7	[illegible]	5.8	24.5	- 0.2	47.2	2.2
RIGGINS RS	[illegible]	[illegible]	[illegible]	4.8	43.2M	- 3.1	53.4M	[illegible]	[illegible]	[illegible]	63.4M	- 2.2	75.3	- 1.3	71.4	- 3.6	65.3M	- 1.1	54.1M	- 1.5	-		-		-	
RUPERT	[illegible]	8.2	[illegible]	[illegible]	[illegible]	- 1.2	[illegible]	[illegible]	58.7M	[illegible]	[illegible]	- 2.4	73.9M	2.0	67.9M	- 0.7	60.0M	2.1	47.2M	- 2.0	41.6M	4.7	25.3	- 2.4	49.3	1.7
SAINT ANTHONY	[illegible]		31.5		[illegible]		44.9		53.7		[illegible]		68.4		63.1		55.9		43.7M		37.6		19.7		44.3	
SAINT MARIES	[illegible]	1.1	36.1	[illegible]	[illegible]	- 3.9	43.5	- 3.9	55.2	0.6	57.1M	- 3.9	65.0	- 2.3	61.9	- 3.5	57.3	- 0.1	[illegible]	- 2.0	41.9	4.5	29.9	- 0.9	46.6	- 0.9
SALMON	28.6	12.4	33.7	8.1	[illegible]	- 1.2	47.3M	1.0	55.0	0.4	[illegible]	- 4.6	68.5	[illegible]	63.3	- 2.5	56.8	1.0	44.5	- 1.4	[illegible]	6.5	19.9	- 0.6	45.6	1.6
SANDPOINT EXP STA	[illegible]	- [illegible]	33.7	4.7	[illegible]	- 3.5	42.8	- 3.2	53.3	0.2	55.8	- 3.5	62.4	- [illegible]	60.5	- 3.2	54.8	- 0.5	43.3	- 2.9	40.8	5.4	30.2	1.5	44.7	- 0.7
SHOSHONE	[illegible]	[illegible]	37.3	9.0	[illegible]	[illegible]	48.4	1.6	[illegible]	5.4	62.9M	- 1.7	75.3	3.3	68.6	- 0.8	61.1	2.0	48.8	0.3	[illegible]	[illegible]	26.9	0.4	49.8	2.8
SPENCER RS	[illegible]	5.5	[illegible]	[illegible]	24.0	- 0.9	40.4	2.6	50.3	2.1	52.5	- 2.7	65.6	1.8	60.4	- 1.3	53.4	[illegible]	39.5	- 2.0	34.6	6.8	17.6	- 0.4	40.3	1.6
[illegible]	[illegible]	9.9	36.1	[illegible]	[illegible]	- 0.3	47.1	2.6	55.6	[illegible]	58.1	- 3.0	71.2	1.2	65.4	- 1.9	58.9	1.4	45.9	- 1.4	40.3	5.7	[illegible]	- 2.0	47.2	2.2
STANLEY	[illegible]		26.5		21.8		33.7		42.1		45.4		59.9		55.2		49.8		39.7		36.1		21.6		37.8	
STREVELL	26.8		31.7		32.7		46.4		55.3		54.6		72.7		66.5		[illegible]		45.7		39.4		25.2M		40.7	
SUGAR	[illegible]	9.4	-		-		-		55.1	3.2	56.7	- 2.8	67.8	1.1	62.9M	- 0.2	56.3	1.7	42.9	- 1.6	37.3	5.6	18.9	- 1.3	-	
SUN VALLEY	[illegible]	4.4	23.6	4.0	[illegible]	- 1.1	39.6	1.8	48.6	3.1	49.5	- 1.1	60.4	1.4	57.0	- 0.7	50.2	0.2	39.0	- 2.5	34.6	7.5	17.9	- 3.1	38.7	1.1
SWAN FALLS PH	39.4	8.5	43.3	[illegible]	44.1	- 0.6	56.4	2.4	66.2	4.1	66.4	- 2.3	81.3M	1.2	73.9	- 3.5	67.9M	0.6	55.3	- 0.6	46.6M	5.6	33.5	- 2.1	[illegible]	1.6
TETONIA EXP STA	[illegible]		27.8		23.5		38.4		48.3		52.8		55.4		60.1		53.9		40.4		35.2		17.9		40.4	
THREE CREEK	29.1M		36.8		32.0		44.0		52.2		54.1		66.8		59.4		M		41.1		41.1M		25.5		-	
TWIN FALLS 2 NNE	34.1	[illegible]	[illegible]	7.6	38.1	- 1.8	50.7	2.0	60.2	4.4	62.1	- 1.0	75.0	3.6	68.5	- 0.2	61.8	2.3	49.5	- 0.2	42.7	5.0	28.4	- 0.7	50.9	2.4
TWIN FALLS 3 SE	34.4	7.6	39.2	6.7	[illegible]	- 3.7	[illegible]	1.7	59.7	3.2	60.0	- 3.0	73.3	0.4	68.4	- 0.9	61.2	1.7	48.7	- 2.5	43.2	5.5	28.3	- 2.0	50.3	1.2
WALLACE	[illegible]	[illegible]	34.8	3.8	[illegible]	- 3.7	41.6	- 4.2	51.2	- 1.7	54.4	- 4.9	[illegible]	- 3.3	59.8	- 5.1	53.5	- 3.0	[illegible]	- 3.6	[illegible]	6.1	30.0	0.8	44.6	- 1.5
WALLACE WOODLAND PARK	26.1	[illegible]	33.6	3.7	31.6M	- 4.8	39.4	- 4.8	[illegible]	- 1.0	53.7	- 4.1	62.2M	- 2.9	59.4	- 4.1	53.2	- 2.1	[illegible]	- 3.9	41.7	6.0	28.9	- 0.2	43.7	- 1.5
WEISER 2 S	36.2	9.9	[illegible]	5.1	41.7	- 1.7	[illegible]	- 1.0	61.4M	1.1	61.8	- 6.1	73.5	- 3.2	68.4	- 5.9	60.8	- 2.6	48.5	- 3.9	41.7	[illegible]	28.6	- 1.0	51.1	- 0.5
WINCHESTER 1 SE	[illegible]	[illegible]	37.6	7.0	[illegible]	- 2.7	41.0	- 2.3	51.0	0.9	[illegible]	- 4.9	62.2	- 1.3	57.8	- 4.6	53.9	- 1.1	43.6	- 3.2	41.1		29.5	- 0.6	44.2	- 0.3
STATE	[illegible]	5.1	34.0	6.0	33.9	- 1.8	45.5	0.3	55.1	1.9	57.3	- 3.0	69.3	0.9	64.0	- 2.9	[illegible]	[illegible]	45.6	- 1.8	[illegible]	4.6	24.7	- 1.6	46.3	0.7

Table 2

TOTAL PRECIPITATION AND DEPARTURES FROM NORMAL

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
ABERDEEN EXP STA	.39-	.29	.39-	.32	1.02	.35	.94-	.05	.31-	.74	1.59	.81	[illegible]	.49	.31-	.11	.05-	.62	.80-	.14	.45-	.28	.46-	.22	6.71-	2.04
AMERICAN FALLS 1 NW	.74-	.66	.47-	.66	.84-	.44	E .85		.55-	.94	1.40	.38	.15-	.48	.25-	.31	.17-	.54	.89-	.27	.34-	.82	.31-	.79	E 6.96-	6.00
ANDERSON DAM	4.07		1.53		1.76		1.05		.20		2.03		.55		.25		.41		.42		1.55		2.01		15.83	
ARCO	1.35	.39	.52-	.10	.44-	.37	.04-	.63	.27-	.99	2.00	.89	.17-	.39	.08-	.52	.72	.16	.06-	.64	.82	.22	.25-	.59	6.87-	2.56
ARROWROCK DAM	2.92	.28	1.03-	1.36	2.04	.11	.97-	.62	.65-	.60	2.25	1.29	[illegible]	.32	.08-	.18	.23-	.30	.31-	.93	1.54-	1.00	2.56-	.01	14.66-	3.64
ASHTON 1 S	1.87-	.01	.69-	.83	2.16	.95	1.97	.81	.80-	.91	2.19	.52	[illegible]	[illegible]	.38-	.41	.01-	1.11	.34-	.94	2.00	.70	1.43-	.21	14.85-	1.36
ATLANTA 1 E	7.34	[illegible]	3.69	.36	2.86	.48	[illegible]	.58	.71	.84	[illegible]	2.94	.37-	.36	1.26	.56	.47-	.54	.47-	1.48	1.60-	1.28	2.92-	.63	28.24	3.73
AVERY RS	[illegible]	1.54	1.92-	1.04	2.23-	1.36	3.68	[illegible]	1.91	.28	3.06	[illegible]	1.14	.24	3.31	2.49	2.50	.73	2.50-	.32	3.63	.00	2.33-	1.79	33.51	2.36
BAYVIEW MODEL BASIN	4.95		2.13		1.23		2.15		1.08		1.86		1.62		2.75		1.24		1.09		2.22		2.14		24.46	
BIG CREEK [illegible]	7.62	[illegible]	3.51	1.41	E 1.46-	[illegible]	3.21	1.53	.74-	[illegible]	3.76	1.18	2.19	1.21	2.14	1.41	.48-	1.32	.53-	1.09	.91-	2.08	1.93-	.81	E28.48	5.55
BLACKFOOT	.28-	.73	.34-	.49	1.26	.35	[illegible]	.24	.65-	.67	1.21	.28	.23-	.43	.52-	.12	.24-	.52	E .67-	.32	.90	.07	.22-	.70	E 7.24-	3.52
BLACKFOOT DAM	-		-		-		-		-		-		-		-		.22-	1.11	-		.71-	.64	-		-	
BLISS	.93-	.31	.31-	.65	1.23	.39	.24-	.61	.00	.91	1.62	1.16	.38	.17	.06-	.11	.00-	.40	.58-	.07	.87-	.25	1.06	.07	7.28-	1.52
BOISE LUCKY PEAK DAM	1.12		.44		1.20		.24		.58		1.50		.00		.06		.38		.31		E .95		1.16		E 7.92	
BOISE WB AP //R	[illegible]	.24	.55-	.80	[illegible]	.14	.42-	.68	.95	.14	1.10	[illegible]	.06-	.17	.24	.03	.08-	.38	.44-	.50	.94-	[illegible]	1.04-	.20	8.16-	3.32
BONNERS FERRY 1 SW	E 6.11	3.42	2.64	.99	2.19	.51	2.64	1.58	.86	.71	1.54-	.06	1.30	.44	2.10	1.22	.55-	.84	.76-	1.08	2.29-	[illegible]	2.49-	.51	E25.47	4.63
BUHL	.58-	.44	.19-	.72	1.10	.42	.68-	.27	T	1.09	1.31	.37	.61	.25	.08-	.19	.00-	.44	.40-	.49	.41	[illegible]	1.12	.31	6.48-	2.87
BUNGALOW RS	-		-		-		-		-		4.03	1.32	.96	[illegible]	2.81	[illegible]	1.90	.05	-		-		-		-	
BURKE 2 NNE	13.41	7.15	5.44	.28	4.01-	.82	6.93	4.49	2.22	.79	4.48	1.71	2.26	.63	3.62	[illegible]	3.44	.83	3.51-	.02	5.39-	.89	4.55-	1.15	59.26	14.04
BURLEY	.56-	.38	[illegible]	.65	1.48	.76	.63-	.52	.30	.60	1.21	.42	[illegible]	.31	.01-	.47	.00-	.51	.82	.00	.31-	.57	.47-	.45	6.11-	3.28
BURLEY FACTORY	.38-	.54	.19-	.85	1.35	.53	.65-	.79	.24-	.76	1.28	.36	.10-	[illegible]	T -	.35	.00-	.54	.80	.03	.42-	[illegible]	.51-	.41	5.92-	4.08
BURLEY CAA AP	.66	[illegible]	.53-	.29	1.67	.85	.80-	.01	.33	.71	1.44	.50	[illegible]	.14	.03-	.17	T -	.88	.86-	.04	.34-	[illegible]	.59-	.25	7.33-	1.93
CALDWELL	.89-	.37	.59-	.55	1.15	.11	.60-	.34	.41	.57	1.80	1.03	.10-	.23	.11-	.11	.29-	.18	.37-	.41	1.18	.04	1.35	.21	8.84-	1.37
CAMBRIDGE	4.98	[illegible]	1.54-	.80	1.19-	.63	1.74	.24	.93	.37	.71-	.41	.35-	.32	.35	.00	.24-	.42	.42-	.78	1.62-	.85	2.06-	.72	15.83-	3.00
CASCADE 1 NW	4.94		[illegible]		[illegible]		1.67		[illegible]		2.18		[illegible]		.49		.13		.22		1.57		1.10		17.44	
CENTERVILLE ARBAUGH	6.45		2.52		3.50		1.94		1.07		3.00		.44		.79		.29		.42		2.00		3.07		25.55	
CHALLIS	.33-	.15	.54	.06	.30-	.09	.15-	.43	.10	[illegible]	1.95	.90	1.75	1.16	.47-	.06	.37-	.25	E T -	.57	.18	.19	.20-	.42	E 6.34-	.96
CHILLY BARTON FLAT	.44	[illegible]	.55	.34	.68	.24	.25-	.30	.32-	.76	2.15	1.05	.82	.22	.62-	.26	.10-	.81	T -	.69	.26	.02	.13-	.28	6.39-	1.06
CLARK FORK [illegible]	E 7.29	[illegible]	E 2.69-	.57	1.67-	1.70	[illegible]	.02	1.61	.77	2.66	.17	[illegible]	1.56	2.83	[illegible]	2.15-	.33	1.93-	1.93	3.87-	.30	4.12-	.32	E35.43	1.03
CLIFFS	-		-		-		-		-		-		-		-		-		-		-		-		-	
COBALT BLACKBIRD MINE	E 3.03		1.89		2.07		1.95		.43		4.20		1.52		1.19		.69		1.03		.92		1.18		E20.10	
COEUR D ALENE RS	6.82	3.51	1.61-	.78	.86-	1.43	1.20-	.56	1.36	.43	1.58	.02	1.30	.70	2.83	2.18	1.30-	.08	1.43-	.37	2.45-	.72	2.80-	.85	25.54	1.19
CONDA	2.04	.48	[illegible]	.81	2.90	1.64	1.52-	.43	1.67	.23	1.83-	.55	.40-	.25	.98-	.04	1.81	.22	.83-	.66	2.09	.07	1.47-	.32	18.17-	.88
COTTONWOOD	E 2.11	.01	[illegible]	.92	.86-	1.07	[illegible]	.17	2.45	.17	3.07	.49	1.55	[illegible]	2.74	1.85	.94-	.56	.79-	.98	.74-	1.42	.54-	1.24	E18.57-	3.53
COUNCIL	[illegible]	[illegible]	[illegible]	.88	[illegible]	.44	2.54	[illegible]	1.27-	.49	.85-	.75	.13-	.37	.44	[illegible]	.64-	.29	.51-	1.24	1.97-	1.27	2.64-	1.25	22.02-	3.76
CROUCH 2 NNW	6.61	2.76	[illegible]	.25	3.45	.81	2.78	1.00	1.27	.26	2.84	1.57	.14-	.29	E .20-	.23	.22-	.62	.48-	1.09	2.08-	1.73	3.03-	.79	E26.11	.92
DEADWOOD DAM	8.13	[illegible]	4.01-	.45	2.57-	.05	2.97	1.01	1.53	.45	3.30	1.46	.41-	[illegible]	.59-	.07	.20-	.79	.32-	1.77	1.80-	1.63	2.79-	3.43	29.62-	3.25
DEER FLAT DAM	.68-	.32	.36-	.45	[illegible]	[illegible]	.36-	.46	.46	.31	1.40	.72	[illegible]	.17	.54	.36	.18-	.20	.37-	.35	1.10	.16	.87-	.13	7.54-	.89
DEER POINT	-		-		-		-		-		-		-		-		-		-		-		.48		-	
DIXIE	5.24		2.33		3.22		3.76		1.45		4.37		1.21		2.68		.53		1.22		1.10		1.54		28.65	
DRIGGS	[illegible]	[illegible]	.43-	.84	1.19	.09	1.11-	.07	1.42-	.54	3.35	1.32	.97-	.24	.51-	.81	.50-	.93	.89-	.34	E 1.13-	.05	.93-	.48	E13.84-	3.15
DUBOIS EXP STA	.25-	[illegible]	.57-	.20	1.19	.55	.90-	.03	.85	.47	2.29	.78	.44-	.29	.68-	.19	.37-	.50	.03-	.97	1.02	.41	.64-	.26	9.33-	1.87
DUBOIS CAA AP	.16-	.70	.47-	.27	.97	.23	[illegible]	.16	1.11	.15	[illegible]	.35	.67	[illegible]	.30-	.41	.26-	.69	.04-	[illegible]	.74	.05	.71	.07	8.85-	2.24
ELK CITY	-		1.46		-		-		3.57		-		1.34		2.93		1.32		1.16		1.63		1.58		-	
ELK RIVER 1 S	10.12		2.89		2.01		4.13		2.07		3.59		.57		3.67		.63		1.67		3.50		4.43		39.28	
EMMETT 2 E	1.66	.28	.87-	.33	.68-	.52	1.26	[illegible]	.82-	[illegible]	1.11	.17	T -	.28	T -	.21	.48-	.10	.31-	.59	1.31	.00	1.86	.47	10.36-	1.09
FAIRFIELD RS	2.88		1.34		1.35		.77		.32		1.59		[illegible]		.16		.05		.17		1.67		1.38		12.88	
FAIRYLAWN	-		-		-		-		-		-		-		-		-		-		-		-		-	
FENN RS	3.99	.39	[illegible]	1.17	[illegible]	1.77	4.66	[illegible]	4.03	1.04	[illegible]	1.82	.67-	.04	4.13	3.44	.84-	1.00	1.37-	1.60	2.58-	1.50	2.64-	1.32	33.65-	.49
FORT HALL IND AGENCY	.49-	.26	.35-	.37	[illegible]	.21	1.00-	.11	[illegible]	.22	1.61	.69	.38-	.21	.81	.15	.66-	.14	1.09	.11	.19	.60	.51-	.22	9.01-	.99
GARDEN VALLEY RS	[illegible]	[illegible]	[illegible]	.23	2.77	.34	2.35	.57	.74-	.68	2.88	1.82	.14-	.14	.50-	.01	.16-	.72	.41-	1.14	1.48-	1.68	2.03-	1.28	22.03-	.11
GLENNS FERRY	.42-	.72	.36-	.61	1.28	.59	.23-	.53	.09	.77	1.26	.63	E .14-	.17	.19	.07	.67	.36	.51-	.08	.91	.32	.77-	.22	E 6.81-	1.77
GOODING CAA AP	.93-	.31	.29-	.74	1.11	.36	.27-	.67	.12	.64	1.29	.67	.25-	.05	[illegible]	.15	T -	.39	.51-	.27	.91-	.35	1.31	.29	7.03-	2.24
GRACE	1.25	[illegible]	.76-	.34	1.91	.79	.96-	.42	1.19-	.42	[illegible]	[illegible]	.53-	.45	1.20	.25	1.32	[illegible]	.44-	.84	1.28	.11	.25-	.82	13.23-	.99
GRAND VIEW	.48-	.24	.29-	.44	.68-	.04	.15-	.73	.00	.91	E 2.01	1.31	.19-	.06	.29	.12	T -	.42	.43-	.36	.55-	.10	.71-	.02	E 5.77-	1.89
GRANGEVILLE	1.96	.23	.79-	.81	1.45-	.90	2.41-	.20	[illegible]	.30	3.02-	.02	1.34	.55	2.50	1.73	1.00-	.70	.85-	1.40	1.13-	.79	.50-	1.18	20.41-	3.19
GRASMERE	-		.25		1.09		T		T		2.13		T		.51		.28		.05		.09		1.12		-	
GRAY	2.20	.60	[illegible]	1.38	1.60	.18	1.25-	.38	.60-	1.27	1.15-	.51	.40-	.62	.10-	.98	E .41-	.66	.62-	.82	.30-	1.02	1.20-	.21	E10.03-	7.07
GROUSE	1.75	.78	.96-	.04	.91	.02	.12-	[illegible]	.46	[illegible]	2.39	1.01	.41-	.36	.09-	.73	.14-	.47	.00-	.87	1.16	.53	.33-	.60	8.70-	2.24
HAILEY AP	[illegible]	1.10	2.05	[illegible]	1.14-	.15	.44-	.71	.16-	1.17	2.21	1.17	.22-	.31	.37-	.13	.03-	.67	.05-	[illegible]	1.88	.49	.91-	1.17	[illegible]	2.53
HAMER 4 NW	.05-	.58	[illegible]	.07	.37-	.03	.61-	[illegible]	.39	.56	1.55	.52	.51	.04	.25-	.55	.70-	[illegible]	.04-	.63	.49	.12	.34-	.28	5.79-	2.01
HAZELTON	.52-	.72	.30-	.94	1.49	.49	.68-	.59	.17	.87	[illegible]	.51	.21-	.01	.11-	.22	.00-	.45	.85-	.01	.51-	.64	.81-	.35	6.02-	3.80
HILL CITY	2.71	.63	1.07-	.80	1.33	.08	1.02-	.04	.30	.79	2.16	1.28	.07-	.22	.04-	.33	.16-	.26	.28-	.74	1.44-	.16	1.49-	.77	12.07-	2.02
HOLLISTER	.47-	.40	.14-	.71	1.76	1.06	.60-	.49	.00	1.13	1.95	1.04	T -	.37	.15-	.23	.00-	.46	.61-	.27	.26-	.57	.43-	.36	6.46-	2.89
HOPE	.23-	.56	.54-	.06	.17-	.42	.04-	.66	.34	[illegible]	2.32	.99	.26-	.23	.40-	.20	1.13	.63	T -	.69	.32-	.06	.13-	.47	5.97-	2.25

See reference notes following Station Index

TOTAL PRECIPITATION AND DEPARTURES FROM NORMAL

Station	January Precipitation	January Departure	February Precipitation	February Departure	March Precipitation	March Departure	April Precipitation	April Departure	May Precipitation	May Departure	June Precipitation	June Departure	July Precipitation	July Departure	August Precipitation	August Departure	September Precipitation	September Departure	October Precipitation	October Departure	November Precipitation	November Departure	December Precipitation	December Departure	Annual Precipitation	Annual Departure
IDAHO [illegible]	[illegible]	.88	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.21-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.03
IDAHO CITY 11 SW	[illegible]	[illegible]	[illegible]	.74	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.49	[illegible]	.29-	[illegible]	.37-	[illegible]	[illegible]	[illegible]	[illegible]	.22	[illegible]	2.31
IDAHO FALLS [illegible]	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.88		[illegible]		[illegible]		[illegible]	
IDAHO FALLS CAA AP	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.69	.61-	.37	.53	.26	[illegible]	.53	7.79-	3.82
IDAHO FALLS 43 NW WB	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.40-	[illegible]	[illegible]	[illegible]	[illegible]	.49	[illegible]	[illegible]	[illegible]	[illegible]	1.10	[illegible]	[illegible]	.35	[illegible]	.24	.44-	.17	[illegible]	.49
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.46-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.25	.15-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.49-	[illegible]	7.40-	.29
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.40	[illegible]	.75-	.12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.70-	.46	[illegible]	.45
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.81	[illegible]	[illegible]	30.74	[illegible]
[illegible] DAM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.41-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.12	[illegible]	.34	[illegible]	.14	[illegible]	[illegible]	1.01	[illegible]	[illegible]	.98
KAMIAH 1 NE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.10	[illegible]	3.15	[illegible]	.13	.79-	.98	1.41	.69	1.07-	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	2.41-	[illegible]	1.69-	1.30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.72	[illegible]	.37	[illegible]	[illegible]	34.09	4.77
[illegible]	[illegible]	[illegible]	.99-	[illegible]	1.08-	1.30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.90	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.47	.92	.49-	1.50	[illegible]	.58
[illegible]	[illegible]	.60	.19-	[illegible]	.69-	[illegible]	.38-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.00-	[illegible]	.56	[illegible]	[illegible]	.53	[illegible]	.59	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.07
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.15-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.49	.78	.30	[illegible]	.77	[illegible]	[illegible]	.46-	.77	[illegible]	.55	.26-	1.21	[illegible]	3.58
[illegible]	[illegible]	[illegible]	.27-	[illegible]	1.11	[illegible]	.74-	[illegible]	[illegible]	[illegible]	[illegible]	.46	.37-	[illegible]	[illegible]	.85	[illegible]	[illegible]	[illegible]	.85	[illegible]	.49	[illegible]	[illegible]	[illegible]	2.88
LIFTON PUMPING STA	[illegible]	[illegible]	[illegible]	[illegible]	1.26	.43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.30	.45	.19	[illegible]	[illegible]	[illegible]	1.30
LOWMAN	7.59	4.39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-		-		-		-		-		-		-		-	
MACKAY RS	.67-	.16	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.41	.01-	.69	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.95
MALAD	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.63	[illegible]	[illegible]	.62-	.51	.42-	.83	[illegible]	.33	[illegible]	.27	[illegible]	4.48
MALAD CAA AP	.98		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.01		[illegible]		.44		[illegible]		[illegible]		[illegible]	
MAY RS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.36-	.33	[illegible]	[illegible]	.31	.04	[illegible]	[illegible]	7.03-	.46
MC CALL	6.98	3.47	[illegible]	[illegible]	2.42-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.84	.30	[illegible]	.47	.60-	.50	[illegible]	[illegible]	[illegible]	1.70	1.89-	1.71	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]		1.58		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.22		.82		[illegible]		[illegible]		[illegible]	
MERIDIAN 1 W	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.41-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	T -	.27	[illegible]	[illegible]	.28-	.23	[illegible]	.69	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
MESA	-		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.26		.60		[illegible]		[illegible]		-		-	
MINIDOKA DAM	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.25		[illegible]		6.39	
MONTPELIER [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.44	[illegible]	[illegible]	1.07-	[illegible]	[illegible]	[illegible]	[illegible]	.25	[illegible]	1.21
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.63-	[illegible]	[illegible]	.16	1.04	[illegible]	[illegible]	1.90	[illegible]	.05	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.01	[illegible]	.12
MOUNTAIN HOME 1 NE	[illegible]	[illegible]	.16-	[illegible]	[illegible]	.23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.19	[illegible]	[illegible]	.41	.41-	.49	[illegible]	.37	[illegible]	.36	[illegible]	4.46
MULLAN PASS CAA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.20	[illegible]	3.27	[illegible]	[illegible]	[illegible]	.68	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NAMPA 2 NW	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		T		.40		[illegible]		.27		[illegible]		.87		6.57	
NEW MEADOWS RS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.21	[illegible]	[illegible]	1.54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.76
[illegible]	[illegible]		.76		[illegible]		[illegible]		3.46		[illegible]		[illegible]		[illegible]		1.43		[illegible]		[illegible]		.85		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.24	[illegible]	[illegible]	[illegible]	[illegible]	.18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.70	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.64
[illegible]	[illegible]	[illegible]	1.86	[illegible]	[illegible]	.37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.48-	.19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.81	[illegible]	[illegible]	17.39-	3.71
OLA 5 S	[illegible]		1.19		[illegible]		[illegible]		.91		[illegible]		[illegible]		[illegible]		[illegible]		.52		[illegible]		[illegible]		[illegible]	
[illegible]	3.98	1.12	.84-	[illegible]	1.02-	1.73	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.46	.18-	[illegible]	[illegible]	[illegible]	.83-	[illegible]	[illegible]	.91	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.44
PALISADES DAM	[illegible]		1.20		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.56		[illegible]		.74		1.19		E19.79	
PARMA EXP STA	[illegible]	[illegible]	[illegible]	[illegible]	.60-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.07	[illegible]	.19	.23-	.21	.71-	[illegible]	[illegible]	.38	[illegible]	.34	[illegible]	2.16
PAUL 1 E	[illegible]	[illegible]	.32-	[illegible]	1.11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.41	[illegible]	[illegible]	[illegible]	.30	[illegible]	[illegible]	.88-	[illegible]	[illegible]	.71	[illegible]	[illegible]	5.43-	3.91
PAYETTE	.86-	[illegible]	.32-	[illegible]	[illegible]	.24	[illegible]	.18	[illegible]	[illegible]	[illegible]	[illegible]	T -	.30	.70	[illegible]	[illegible]	.00	.29-	.60	[illegible]	.24	.75-	.70	7.45-	3.42
PIERCE RS	8.97	4.43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.17	.32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.11-	[illegible]	[illegible]	.90
POCATELLO WB AP //R	.83-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.38-	[illegible]	[illegible]	.03	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3.87
PORTHILL	4.97	2.67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.01	[illegible]	[illegible]	[illegible]	2.48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3.41
POTLATCH [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.85-	.51	1.05-	[illegible]	2.47	[illegible]	[illegible]	1.42	[illegible]	[illegible]
PRESTON SUG FACT 2 SE	1.17-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.84-	1.09	[illegible]	.61	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.70	[illegible]	.25	.90-	[illegible]	[illegible]	4.01
PRIEST RIVER EXP STA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2.17	.26	1.95	.15	[illegible]	1.23	.49	[illegible]	2.84	[illegible]	.89-	.86	[illegible]	[illegible]	3.31	[illegible]	[illegible]	.70	[illegible]	4.94
REACTOR TESTING STA	[illegible] IDAHO FALLS 16 W WB APRIL 1, 1954.																									
RICHFIELD	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.53-	[illegible]	[illegible]	[illegible]	[illegible]	.12	.13-	.17	.31	[illegible]	.00-	[illegible]	[illegible]	.45	[illegible]	.02	1.21	.02	8.78-	.95
RIGGINS RS	[illegible]	.17	[illegible]	[illegible]	[illegible]	.50	2.11	[illegible]	[illegible]	[illegible]	[illegible]	1.18	.99	.45	[illegible]	1.31	.72-	.30	[illegible]	[illegible]E	.64	[illegible]	[illegible]	.70	[illegible]	[illegible]
RUPERT	.57-	[illegible]	[illegible]	[illegible]	1.35	[illegible]	.61-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.02-	[illegible]	[illegible]	.56	.83-	.11	[illegible]	.71	[illegible]	.40	[illegible]	3.36
SAINT ANTHONY	.46-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.08	[illegible]	[illegible]	.39-	.41	[illegible]	.25	1.42-	[illegible]	[illegible]	1.23
SAINT MARIES	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.83	[illegible]	.55	[illegible]	.59	[illegible]	[illegible]	[illegible]	[illegible]
SALMON	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.10	[illegible]	[illegible]	.22-	[illegible]	.12-	.50	.13-	.43	[illegible]	.39	8.10-	[illegible]
SANDPOINT EXP STA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.65-	[illegible]	[illegible]	[illegible]	2.17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.12-	[illegible]	[illegible]	[illegible]	[illegible]	.38	[illegible]	[illegible]
SHOSHONE	[illegible]	[illegible]	.81-	[illegible]	[illegible]	.72	[illegible]	[illegible]	[illegible]	.91	[illegible]	[illegible]	.59	[illegible]	[illegible]	.21	[illegible]	[illegible]	[illegible]	.31	[illegible]	.48	[illegible]	[illegible]	[illegible]	[illegible]
SPENCER [illegible]	[illegible]	.49	1.08-	[illegible]	[illegible]	.54	1.13-	[illegible]	[illegible]	.99	[illegible]	[illegible]	1.06-	[illegible]	.73-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.76	[illegible]	1.48-	.20	[illegible]	2.35
SPRINGFIELD 1 SE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.99	.74-	[illegible]	[illegible]	[illegible]	1.48	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.10-	[illegible]	.69-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	E 6.64-	3.57
STIBNITE	7.45		4.25		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		.56		.71		[illegible]		[illegible]		[illegible]	
STREVELL	[illegible]		.49		[illegible]		[illegible]		[illegible]		[illegible]		.36		.08		[illegible]		.23		[illegible]		[illegible]		[illegible]	
SUGAR	.06-	1.14	.66-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.34-	[illegible]	.43-	[illegible]	[illegible]	.59	[illegible]	[illegible]	.17	[illegible]	E 1.99	[illegible]	[illegible]	[illegible]
SUN VALLEY	3.52	1.41	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.20	[illegible]	.51	[illegible]	.75	T -	[illegible]	[illegible]	.19	[illegible]	[illegible]	[illegible]	3.60
SWAN FALLS PH	.34-	[illegible]	[illegible]	.73	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.75	[illegible]	[illegible]	[illegible]	.08	.12-	.30	[illegible]	.12	.70	[illegible]	[illegible]	[illegible]	5.95-	[illegible]
TETONIA EXP STA	.39		[illegible]		.24		[illegible]		[illegible]		[illegible]		[illegible]		.56		[illegible]		.79		[illegible]		[illegible]		10.81	
THREE CREEK	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.04-	2.23	2.07	.21	.09-	[illegible]	[illegible]	[illegible]	T -	.86	.41-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6.55
TWIN FALLS 2 NNE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.48	.48-	[illegible]	[illegible]	[illegible]	[illegible]	.84	[illegible]	[illegible]	.03-	[illegible]	.00-	[illegible]	[illegible]	.21	.31-	[illegible]	[illegible]	[illegible]	[illegible]	3.14
TWIN FALLS 3 SE	.39-	[illegible]	[illegible]	[illegible]	1.41	[illegible]	[illegible]	[illegible]	T -	.94	[illegible]	[illegible]	.67	[illegible]	[illegible]	[illegible]	.00-	.43	[illegible]	[illegible]	.34-	.71	[illegible]	[illegible]	[illegible]	[illegible]
WALLACE	11.06	6.29	5.19	[illegible]	[illegible]	.96	5.18	2.69	[illegible]	[illegible]	[illegible]	.67	[illegible]	[illegible]	3.04	[illegible]	[illegible]	.72	[illegible]	.40	4.31	[illegible]	[illegible]	[illegible]	48.96	[illegible]
WALLACE WOODLAND PARK	8.99	5.09	4.29	.81	[illegible]	[illegible]	[illegible]	1.59	[illegible]	[illegible]	[illegible]	.51	[illegible]	[illegible]	[illegible]	2.38	[illegible]	[illegible]	[illegible]	.34	[illegible]	.93	[illegible]	[illegible]	[illegible]	[illegible]
WEISER 1 S	[illegible]	[illegible]	.38-	[illegible]	.65-	.37	.94-	[illegible]	.53-	[illegible]	[illegible]	.71	[illegible]	[illegible]	.11-	[illegible]	[illegible]	[illegible]	.14-	[illegible]	[illegible]	.29	[illegible]	.44	[illegible]	4.27
WINCHESTER [illegible]	3.59	[illegible]	[illegible]	.61	[illegible]	[illegible]	2.17-	[illegible]	[illegible]	[illegible]	2.16-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.87	[illegible]	[illegible]	[illegible]	1.14	[illegible]	1.30	[illegible]	[illegible]
STATE	[illegible]	[illegible]	1.23-	.43	[illegible]	[illegible]	[illegible]	.00	.87-	[illegible]	2.19	.87	.58-	[illegible]	.91	[illegible]	.54-	.45	.66-	.76	1.22-	.73	1.34-	.62	[illegible]	[illegible]

RELOCATIONS AND EQUIPMENT CHANGES

ARCO	All equipment moved [illegible] mile SW . . .J[illegible]	[illegible]	1954
BOGUS BASIN	Storage rain gage installed and recording rain gage removed.		
	Equipment moved 0.3 mile ESE . . . .October	[illegible]	1954
GOODING 1 E	Recording rain gage moved 1 mile WNW.May	12,	1954
LEWISTON WB AP	Recording rain gage equipment installed. . . . . .January	1	1954
MOORE CREEK SUMMIT	Recording rain gage equipment installed. . . . .[illegible]	[illegible]	1954
MOUNTAIN HOME	All equipment moved 0.6 mile SSW. . .November	17,	1954
MULLAN PASS CAA	Recording rain gage equipment removed. . . . .[illegible]	-	1953
SHOSHONE	All equipment moved [illegible] mile SE . . .May	13,	1954
SUGAR	All equipment moved 0.5 mile N. . . .May	[illegible]	1954
WEISER	All equipment moved 1.2 miles S . . .May	7,	1954

CHANGES IN STATION NAMES

GOODING 1 E	Changed to	GOODING	May [illegible], 1954
IDAHO CITY 13 SW	Corrected to	IDAHO CITY 11 SW	September 1, 1954
REACTOR TESTING STATION	Changed to	IDAHO FALLS 16 W WB	April 1, 1954
MOUNTAIN HOME	Changed to	MOUNTAIN HOME 1 NE	November [illegible], 1954
WEISER	Changed to	WEISER 1 S	May 27, 1954

Table 3

TEMPERATURE EXTREMES AND FREEZE DATA

Station	Highest	Date	Lowest	Date	Last spring minimum of										First fall minimum of										Number of days between dates				
					16° or below		20° or below		24° or below		28° or below		32° or below		32° or below		28° or below		24° or below		20° or below		16° or below		16° or below	20° or below	24° or below	28° or below	32° or below
					Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.					
ABERDEEN EXP STA	100	8- 2	-12	12-28	4-10	16	4-12	18	5- 2	23	6- 2	27	6- 2	27	9- 6	30	9-19	27	9-30	23	10-27	20	11-29	9	233	198	151	109	96
AMERICAN FALLS 1 NW	99	8- 2	-10	12-28	-				-		5-28	28	6- 2	32	9-16	32	9-30	23	9-30	23	11-29	13	11-29	13	-	-	-	125	106
ANDERSON DAM	[illegible]	7-13	[illegible]	12-27	3- 4	[illegible]	3-12	18	3-31	21	5- 1	25	5- 2	32	10- 1	32	10-25	27	11-28	21	11-29	19	11-30	16	271	262	242	177	152
ARCO	97	7-12	-12	12-28	4- 1	14	5- 1	17	6- 5	21	6- 7	28	6-29	32	8-22	32	9- 6	28	9-30	22	10- 1	19	10-15	16	197	153	117	91	54
ARROWROCK DAM	100	7-11	5	12-27+	1-26	[illegible]	3- 3	18	3-31	23	4-10	27	5- 2	30	9-29	28	9-29	28	10-25	23	11-28	20	11-30	15	308	270	208	172	150
ASHTON 1 S	[illegible]	7- 6	-19	12-28	4- 6	16	[illegible]	[illegible]	5- 2	23	5-29	26	6-29	31	7-21	31	9-18	28	9-30	19	9-30	19	10-26	16	203	173	151	112	22
ATLANTA 1 E			- 6	1-20	4-10	4	5- 1	17	5- 2	23	6-18	28	6-18	28	-				9-29	22	10-14	20	11-28	11	232	166	150		-
AVERY RS	100	7- 6	-10	1-20	3-30	12	5- 1	19	5- 2	22	5- 2	22	6-18	32	9-29	30	10-25	24	10-25	21	12- 1	14	12- 1	14	246	214	176	176	103
BAYVIEW MODEL BASIN	[illegible]	7-16	- 3	1-21	3-30	11	4-15	20	4-29	[illegible]	5- 2	25	6- 7	30	9-30	28	9-30	28	10- 1	23	10-15	20	12- 1	10	246	183	155	151	115
BIG CREEK 1 S	94	7- 9	-19	12-28	5- 2	12	6- 2	20	6-18	21	6-29	26	6-30	30	7- 2	28	7- 2	28	9- 6	21	9-19	20	10- 1	10	152	109	80	3	2
BLACKFOOT	100	7- 4+	11	12-28	3-30	15	4-11	19	5- 2	24	5- 2	24	5-28	31	9-30	25	9-30	25	10-14	24	11-29	11	11-29	11	244	232	165	151	125
BLISS	104	7-13	2	12-27	4-10	15	4-11	18	5- 2	22	6- 2	27	6- 2	27	9-18	28	9-18	28	10-26	24	10-27	19	11-29	13	233	199	177	103	108
BOISE LUCKY PEAK DAM	102	7- 6	12	12-27	1-20	13	3-30	18	5- 1	22	5- 1	22	5-27	31	9-29	29	10-25	22	10-25	22	11-29	20	11-30	16	314	244	177	177	125
BOISE WB AP	100	7- 4	7	12-27	3- 2	13	3-30	17	3-30	17	5- 2	27	5- 2	27	9-29	27	9-29	27	10-25	23	11-28	19	11-30	15	273	243	209	150	150
BONNERS FERRY 1 SW	91	8- 1		-	3-30	14	5- 1	17	5- 2	22	5- 2	22	5-14	31	9-29	26	9-29	26	10- 1	23	10-26	19	12- 2	12	247	178	152	150	138
BUHL	98	7-13	3	12-28	3- 6	15	3-12	20	3-30	21	5- 1	27	5- 2	30	10-14	29	10-26	27	11-28	23	11-29	16	11-29	16	268	262	243	178	165
BUNGALOW RS	97	7- 6		-	-		-		-		-		5-14	32	9-30	26	9-30	26	-		-		-		-	-	-	-	139
BURKE 2 NNE	87	7- 6+	- 8	1-20	5- 1	13	5- 2	19	5- 2	19	5-14	28	6-18	29	9-29	31	9-30	24	9-30	24	11-28	15	11-28	15	211	210	151	139	103
BURLEY	105	8- 3	- 3	12-28	3- 5	13	3-13	18	4-11	21	5- 2	27	6- 2	32	9-30	30	10-14	25	10-27	23	11-29	12	11-29	12	269	261	199	165	120
BURLEY FACTORY	101	6-23+	- 5	12-28	4-11	16	5- 2	20	5- 2	20	6- 2	28	6- 2	28	9-16	31	9-30	26	10- 1	24	10-27	18	11-29	9	232	178	152	120	106
BURLEY CAA AP	104	8- 2	- 6	12-28	3-13	14	4-12	19	5- 2	23	5-28	28	6- 2	29	9-18	32	9-30	27	10- 1	24	10-27	20	11-28	14	260	198	152	125	108
CALDWELL	97	7-16	8	12-27	3- 4	15	4-11	19	4-11	19	5- 2	27	5- 2	27	9-30	27	9-30	27	10-27	22	10-28	20	11-29	15	270	200	199	151	151
CAMBRIDGE	103	7-13	-15	12-27	3- 5	16	3-31	18	5- 2	23	5-29	28	6-18	31	9- 6	31	9-18	28	9-30	19	9-30	19	10-27	15	236	183	151	112	80
CASCADE 1 NW	91	7- 3	-16	1-20	3-31	6	4-11	19	5- 2	23	6-18	28	6-18	28	7-22	32	9- 6	28	9-29	23	9-30	20	10-14	16	197	172	150	80	34
CHALLIS	96	7-12	- 7	12-27+	5- 1	16	5- 2	19	5- 2	19	6- 7	28	6- 8	32	9-18	31	9-30	27	10- 1	23	11- 3	20	11-25	15	208	185	152	115	102
CHILLY BARTON FLAT	90	7-12+	-20	12-28	5- 2	11	5- 2	11	6-18	24	6-19	28	6-29	30	7-22	32	8-27	24	8-27	24	9- 6	20	9-30	14	151	127	70	69	23
CLARK FORK 1 ENE	90	8- 1			3-30	12	5- 2	19	5- 2	19	5- 2	19	5-28	31	9-30	25	9-30	25	10- 1	23	10-25	19	12- 1	14	246	176	152	151	125
COBALT BLACKBIRD MINE	89	7-13	-12	1-20+	5- 3	15	5- 3	15	6- 2	23	6-18	26	6-29	30	7-22	28	7-22	28	9-29	24	9-30	16	9-30	16	150	150	119	34	23
COEUR D ALENE RS	96	7- 6	-10	1-20	3-30	14	3-30	14	5- 2	24	5- 2	24	5-28	32	9-29	32	9-30	28	10-25	24	12- 1	15	12- 1	15	246	246	176	151	124
CONDA	92	6-26+	-15	12-28	4-11	14	5- 2	20	5-28	23	6-29	28	6-29	28	7-22	28	7-22	28	9-29	19	9-29	19	10-14	13	136	150	124	23	23
COTTONWOOD	90	7- 6+	-18	1-20	3-30	13	5- 2	20	5- 2	20	5-28	28	6-18	29	8-25	32	9-30	21	9-30	21	10- 1	20	11-30	13	245	152	151	125	68
COUNCIL	102	7-13	-15	12-27	3- 4	15	3-31	19	4-10	24	5-27	28	5-28	30	9-12	32	9-30	21	9-30	21	10-27	19	11-28	13	269	210	173	126	107
DEADWOOD DAM	93	7-12	-29	12-27	5- 2	16	5- 2	16	6-28	23	6-29	28	6-29	28	7- 2	31	7-22	26	9- 6	22	9-29	16	9-29	16	150	150	80	23	3
DEER FLAT DAM	97	7-13	6	12-27	3- 4	16	3- 5	19	4-10	21	5- 2	26	5- 2	26	9-30	29	10- 1	28	10-14	22	11-29	17	11-30	15	271	269	187	152	151
DIXIE	89	8- 1	-30	1-20	5- 2	12	6- 2	20	6-29	24	6-29	24	6-29	24	7- 2	30	7-22	26	8-26	22	9-30	15	9-30	15	151	120	58	23	3
DRIGGS	94	7-14	-20	12-28	4- 1	15	5- 2	19	5- 2	19	5-29	28	6-29	29	7-22	31	9-19	28	9-30	20	9-30	20	10-26	12	208	151	151	113	23
DUBOIS EXP STA	97	7-12+	- 7	12-28	4- 1	15	5- 1	18	5- 2	22	5- 2	22	6- 7	32	9-18	29	9-30	25	10-12	21	10-14	15	10-14	15	196	166	163	151	103
DUBOIS CAA AP	98	7-12+	-17	12-27	4-10	12	4-10	12	5- 2	23	5- 2	23	6- 7	31	9-18	27	9-18	27	9-30	23	10-14	16	10-14	16	187	187	151	139	103
ELK CITY	-	-		-	5- 1	15	5- 1	15	5-15	24	5-24	27	-		7-28	31	10- 1	16	10- 1	16	10- 1	16	10- 1	16	153	153	139	130	-
ELK RIVER 1 S	93	7- 6	-24	1-20	3-30	12	3-30	12	5- 2	22	5-14	28	6-18	29	9-30	22	9-30	22	9-30	22	10- 1	20	12- 1	10	240	185	151	139	104
EMMETT 2 E	99	7- 4	5	12-27	1-20	14	3-30	20	4-10	24	5- 2	27	6- 2	32	9-29	29	9-30	26	10-26	24	11-28	20	11-30	16	314	243	199	151	119
FAIRFIELD RS	95	7-13+	-20	1-20	4- 1	11	4- 1	11	5-28	24	6-18	26	6-18	26	7-22	31	9- 5	25	9-29	21	9-30	18	10-14	15	196	182	124	79	34
FENN RS	94	7- 6+	- 3	1-20	1-25	13	3-29	19	3-29	19	5- 2	25	5- 2	25	10-14	28	10-14	28	11-29	24	11-30	19	12-18	16	327	246	245	165	165
FORT HALL IND AGENCY	101	7-13	-17	12-28	3-30	16	4-11	19	5- 2	24	5-28	28	5-29	32	9-19	30	9-30	24	9-30	24	10-27	19	11-29	8	244	199	151	125	113
GARDEN VALLEY RS	101	8-30	- 8	12-27	3- 4	14	3-31	20	5- 2	24	6- 2	28	6-18	31	9- 6	31	9-29	26	9-30	24	10-26	20	11-29	11	270	209	151	119	80
GLENNS FERRY	103	6-22+	2	12-27	3- 5	12	4-11	20	4-12	24	5- 2	25	6- 2	32	9-19	31	9-30	26	10-25	24	10-27	18	11-29	11	269	199	196	151	109
GOODING CAA AP	103	7-13	2	12-27	3- 2	15	3-31	20	5- 2	24	5- 2	24	6- 2	31	9-29	31	10-14	25	11-28	19	11-28	19	11-29	16	272	242	210	165	119
GRACE	92	7-13	-12	12-28	3-31	11	4-11	19	5- 2	23	6- 2	27	6-29	32	9-16	31	9-29	26	9-30	24	10-27	18	11-29	8	243	199	151	119	79
GRAND VIEW	107	7- 4	5	12-20	3- 5	12	4-10	20	4-11	22	5- 2	25	5-27	32	9-30	26	9-30	26	10-27	22	11-29	11	11-29	11	269	233	199	151	126
GRANGEVILLE	89	8- 1+	-14	1-20	3-30	14	5- 1	19	5- 2	21	5- 2	21	6- 2	31	9-29	32	9-30	25	10- 1	23	11-29	18	11-30	13	245	212	152	151	119
GRASMERE	99	6-22	-	-	4-10	15	5- 2	18	6- 2	22	6- 2	22	6-18	31	9-16	31	9-18	26	10- 1	22	10-14	20	10-27	15	200	165	121	108	90
GRAY	99	7-14	-14	1-26	4-12	10	5- 1	20	5- 3	21	6-29	28	6-29	28	7-23	24	7-23	24	7-23	24	-		-		-	-	81	24	24
GROUSE	90	8- 2	-20	1-20+	5- 2	16	5- 2	16	6-18	23	6-19	26	6-29	30	7- 2	32	7-22	26	8-27	23	9- 6	18	9-30	16	151	127	70	33	3
HAILEY AP	95	7-12+	- 9	12-28	4- 1	16	4-10	20	6- 6	22	6- 9	27	6-18	31	8-17	32	9-18	24	9-18	24	9-30	19	10-26	12	208	173	104	101	60
HAMER 4 NW	98	7-13	-25	12-27	4-12	15	4-21	20	5- 2	22	5-28	27	6- 7	32	7-22	32	9-18	23	9-18	23	10-12	19	10-14	12	185	171	139	113	45
HAZELTON	99	8- 2	- 6	12-28	3-12	16	3-31	20	5- 2	23	5- 2	23	6- 6	32	9-19	30	9-30	27	10-14	23	10-27	19	11-29	10	262	210	165	151	105
HILL CITY	99	8- 2	-20	1-20	3-31	6	4- 7	20	6- 2	23	6-18	25	6-19	30	7-22	30	8-27	26	9- 7	24	9-19	20	9-30	15	183	165	97	70	33
HOLLISTER	97	7-13+	2	12-28	3-13	15	5- 2	19	5- 2	19	6- 2	27	6- 2	27	9-29	29	10- 1	26	10-14	24	11-28	20	11-29	9	261	210	165	121	119
IDAHO CITY	97	7-12+	-15	12-27	3-31	15	5- 2	19	6- 2	24	6-18	27	6-29	32	7-22	30	9- 6	26	9-19	24	9-29	19	9-30	11	183	150	109	80	23
IDAHO FALLS 6 NE	95	7-13	-18	12-28	3-31	16	5- 2	20	5- 2	20	5- 4	28	6- 8	31	9-19	29	9-29	28	9-30	22	10-26	16	10-26	16	209	177	151	148	103
IDAHO FALLS CAA AP	99	8-30	-17	12-27	3-30	15	4-10	19	5- 2	23	5- 2	23	6- 8	32	9-19	31	9-30	24	9-30	24	10-14	20	11-29	12	244	187	151	151	103
IDAHO FALLS 43 NW WB	100	7-12+	-23	12-27	5- 2	16	5- 2	16	5- 2	16	6- 7	28	6-18	31	8-22	31	9-18	25	9-19	22	10- 1	19	10-12	16	163	152	140	103	65
IDAHO FALLS 46 W WB	99	7-12+	-17	12-27	4-12	11	5- 2	18	5- 2	18	6- 2	26	6-19	29	8-27	28	8-27	28	9-19	22	9-30	18	10- 1	16	172	151	140	86	69
IRWIN 2 S	95	7-11	-11	12-27	3-31	14	4-10	20	5- 2	23	5- 3	28	6-18	30	9-18	31	9-20	28	9-30	20	9-30	20	10-27	16	210	173	151	140	92
ISLAND PARK DAM	90	8-30	-33	12-27	5- 2	14	5- 2	14	5- 3	22	6-29	27	6-30	29	7- 2	32	7-22	27	9-18	22	10- 1	18	10-14	9	165	152	138	23	2
JEROME	101	7-13	- 1	12-27	3- 5	12	4-10	18	5- 2	24	5-28	28	6- 2	29	9-29	32	9-30	27	10-14	24	10-27	20	11-29	12	269	200	165	125	119
KELLOGG	99	7- 7	-17	1-20	3-29	12	3-30	17	5- 1	24	5- 2	27	5- 2	27	9-30	28	9-30	28	10-26	24	12- 1	16	12- 1	16	247	246	178	151	151
KOOSKIA	99	7- 6+	-10	1-20	3-29	16	3-30	17	5- 1	24	5- 2	25	5- 2	25	9-30	32	10- 1	25	10-14	22	11-30	15	11-30	15	246	245	166	152	151
KUNA 2 NNE	97	7-16	2	12-27	3- 4	13	4-10	18	5- 2	22	5- 2	22	6- 2	31	9-29	30	9-30	24	9-30	24	10-26	20	11-29	14	270	199	151	151	119
LEWISTON WATER PLANT	102	7- 6	- 7	1-20	1-21	3	3-30	20	3-30	20	5- 2	28	5- 2	28	10- 1	32	10-24	28	11-30	24	12- 1	18	12-27	11	340	246	245	175	152
LEWISTON WB AP	99	7- 6	-10	1-20	1-21	3	3-30	20	5- 1	23	5- 2	28	5- 2	28	9-30	30	10-24	27	10-26	23	11-30	20	12- 1	16	314	245	178	175	151
LIFTON PUMPING STATION	93	7-13	-15	1-26	3-31	3	4-10	19	5- 2	22	5-28	27	6- 2	32	9-18	32	9-19	28	10-14	22	10-27	20	11-29	9	243	200	165	114	108
LOWMAN	-	-	-	-	4- 2	14	4-11	20	5- 2	21	-		-		-		-		-		-		-		-	-	-	-	-
MACKAY RS	95	7-12	-13	1-26	5- 2	15	5- 2	15	5- 2	15	5- 3	26	6- 8	31	9-16	27	9-16	27	9-30	20	9-30	20	10-28	16	179	151	151	136	100
MALAD	101	7-11	- 5	1-25	3-13	16	3-14	19	4-10	21	5-28	26	6- 2	30	9-29	29	10-14	22	10-14	22	11-30	13	11-30	13	262	261	187	139	119
MALAD CAA AP	100	7-11	-17	1-26	3-31	15	4-10	18	5-28	23	6- 2	28	6- 3	32	9-16	30	9-19	27	10-13	23	10-14	17	11-28	16	242	187	138	109	105
MAY RS	94	7-12	-18	12-27	5- 2	16	5- 2	16	5- 2	16	6- 6	27	6-19	31	8-27	28	8-27	28	9-30	22	10- 1	15	10- 1	15	152	152	151	82	69
MC CALL	88	7-13+	-12	1-20+	4-12	16	5- 2	20	5- 2	20	6- 6	28	6- 7	32	7-22	30	9-29	23	9-29	23	9-30	18	11-29	14	231	151	150	115	45
MC CAMMON	100	7-13	-10	1-26+	3-13	12	4-10	20	5- 2	24	6- 2	28	6-18	31	9- 6	30	9-19	28	9-20	23	10-28	18	11-29	9	261	201	141	109	80
MERIDIAN 1 W	96	7- 6+	0	12-27	3- 4	16	4-10	20	5- 2	23	5- 2	23	6- 2	32	9-29	32	9-30	27	10-25	22	10-26	20	11-29	13	270	199	176	151	119
MESA	101	7-13	-	-	1-25	8	3-29	20	3-31	23	5-27	28	5-27	28	9-30	28	9-30	28	11-28	19	11-28	19	11-30	9	309	244	242	126	126
MINIDOKA DAM	101	7-13	- 6	12-28	3- 4	13	3-31	20	4-11	23	5- 1	28	6- 2	32	9-30	30	10- 1	28	10-27	24	11-29	14	11-29	14	270	243	199	153	120
MONTPELIER RS	97	7-12+	-19	12-28	4- 1	9	5- 2	20	5- 2	20	6- 2	27	6-29	30	7-22	29	9-16	27	9-29	19	9-29	19	10-27	15	209	150	150	106	23
MOSCOW U OF I	94	7- 6	-21	1-20	3-30	15	5- 1	19	5- 1	19	5- 2	26	5-14	32	9-30	31	10-13	25	10-25	23	12-16	15	12-16	15	261	229	177	164	139
MOUNTAIN HOME 1 NE	105	7-13	2	12-27	3- 4	13	3-31	20	4-10	22	5- 2	25	6- 2	30	9-20	32	10- 1	28	10-25	23	11-29	15	11-29	15	270	243	198	152	110
MULLAN PASS CAA	84	7- 6	-12	1-20	5- 1	9	5- 2	19	5- 2	19	6-17	28	6-28	30	9-17	31	9-28	25	9-29	23	11-27	17	11-28	15	211	209	150	103	81
NAMPA 2 NW	98	6-23	6	12-28	3- 5	16	4-10	18	5- 2	24	5- 2	24	5-28	32	9-30	27	9-30	27	10-26	21	10-28	20	11-29	16	269	201	177	151	125
NEW MEADOWS RS	92	7-12+	-24	12-27	5- 2	15	5- 2	15	6- 2	21	6- 2	21	6-29	30	7-22	27	7-22	27	9-29	22	9-30	16	9-30	16	151	151	119	50	23
NEZPERCE 2 E	90	9-10	- 9	1-20	3-30	16	3-30	16	5- 1	21	5- 2	25	5- 2	25	9-30	26	9-30	26	10-13	24	11-29	19	11-30	14	245	244	165	151	151
OAKLEY	100	6-22+	1	1-26	3-14	15	4-10	20	4-11	22	6- 2	28	6- 2	28	9-29	31	9-30	28	10-14	24	10-27	20	11-29	11	260	200	186	120	119
OBSIDIAN 4 NNE	87	8- 2	-26	12-27	5- 2	13	6- 2	19	6-18	21	6-29	26	6-29	26	7- 2	29	7-22	23	7-22	23	9- 6	17	9-29	12	150	96	34	23	3
OLA 5 S	100	7-13	- 7	12-27	3-18	12	4-10	20	5- 2	23	5-28	28	6- 2	30	9- 6	32	9-29	25	10- 1	20	10- 1	20	10-27	16	223	174	152	124	96
OROFINO	104	7- 6	- 3	1-20	1-26	14	3-30	20	3-30	20	5- 2	26	5- 2	26	9-30	30	10- 1	26	10-26	24	11-30	20	12- 1	15	309	245	210	152	151
PALISADES DAM	95	7-13	-13	12-28	3-31	13	4-11	20	5- 2	22	5- 2	22	6- 6	32	9-18	32	9-29	27	9-30	23	10-26	19	11-29	7	243	198	151	150	104
PARMA EXP STA	102	7-13	5	12-27	3- 5	13	4-10	20	4-11	23	5- 2	28	6- 2	32	9-29	32	9-30	28	10-14	21	10-27	19	11-30	15	270	200	186	151	119

See reference notes following Station Index

Table 3—Continued

TEMPERATURE EXTREMES AND FREEZE DATA

Station	Highest	Date	Lowest	Date	Last spring minimum of										First fall minimum of										Number of days between dates				
					16° or below		20° or below		24° or below		28° or below		32° or below		32° or below		28° or below		24° or below		20° or below		16° or below		16° or below	20° or below	24° or below	28° or below	32° or below
					Date	Temp.	Date	Temp	Date	Temp	Date	Temp	Date	Temp	Date	Temp	Date	Temp.	Date	Temp	Date	Temp	Date	Temp					
PAUL 1 E	100	6-23+	- 5	12-27+	3- 6	13	4-11	18	4-12	22	5-28	28	6- 2	30	9- 6	32	9-19	28	10-26	21	10-27	19	11-29	[illegible]	268	199	197	114	96
PAYETTE	101	7-12	5	12-27	3- 5	16	3- 5	16	4-11	24	5- 2	26	5-28	32	[illegible]	29	10- 1	28	10-27	21	[illegible]	[illegible]	11-30	16	[illegible]	237	199	152	[illegible]
PIERCE RS	97	7-15	-20	1-20	3-30	8	4- 1	20	5- 2	21	5-14	28	6-18	29	9- 4	32	9-30	20	9-30	20	9-30	20	11-29	13	244	182	151	139	78
POCATELLO WB AP	100	8- 2	-15	12-28	3-30	16	4-11	19	4-12	24	5- 2	26	6- 2	32	9-19	31	9-30	25	10-14	24	11-28	14	11-28	14	243	231	[illegible]	151	109
PORTHILL	90	8- 1	-27	1-20	3-30	10	5- 1	17	5- 2	24	5- 2	24	5-13	31	9-29	28	9-29	28	10- 1	24	10-26	19	12- 2	11	247	178	152	150	139
POTLATCH 1 SE	92	7- 6	-23	1-20	3-30	15	5- 1	18	5- 2	23	5- 2	23	6-13	[illegible]	9-30	23	9-30	23	9-30	23	[illegible]	19	12- 1	14	246	177	151	151	[illegible]
PRESTON SUG FACT 2 SE	101	7-13	- 9	12-28	3-13	12	4-10	19	4-11	24	5-28	25	6- 2	29	9-18	32	9-29	27	10-14	23	10-27	19	11-29	12	261	200	[illegible]	124	108
PRIEST RIVER EXP STA	91	7- 6	-24	1-20	3-30	10	5- 2	20	5- 2	20	5- 6	28	6-18	32	9-29	30	9-30	28	10-13	24	10-26	18	12- 1	11	246	177	164	147	103
RICHFIELD	99	7-13	- 2	12-28	3-31	16	4-11	20	4-12	24	6- 2	26	6-18	32	9-18	30	9-30	25	10-14	22	10-27	19	11-28	[illegible]	242	199	185	120	92
RIGGINS RS	102	7- 1+	-	-	1-21	15	3-29	20	3-30	22	3-31	28	5- 2	31	10-26	32	-		-		-		-		-	-			177
RUPERT	104	8- 3	- 5	12-28	3- 6	[illegible]	3-13	18	4-10	24	5- 2	26	6- 2	30	9-19	30	9-30	28	10-11	23	10-27	19	11-29	9	268	228	187	151	109
SAINT ANTHONY	98	7-13	-19	12-27	4-10	15	5- 2	18	5- 2	18	5- 3	28	6-19	31	7-22	32	9-18	24	9-18	24	9-30	20	11-28	[illegible]	232	151	139	138	33
SAINT MARIES	94	7-17	-20	1-20	3-30	14	5- 1	20	5- 1	20	5- 1	20	6- 2	32	9-29	32	9-30	25	10- 1	23	10-25	20	12- 1	[illegible]	246	177	153	152	199
SALMON	103	7-12	-10	12-28	3-31	15	5- 2	19	5- 2	19	6- 2	[illegible]	6-18	29	8-27	32	9-19	27	10- 1	20	10- 1	20	10-14	[illegible]	197	152	152	109	70
SANDPOINT EXP STA	87	8- 1	- 8	1-19	3-30	[illegible]	3-30	15	4-15	24	5- 2	[illegible]	5-14	31	9-30	[illegible]	10- 1	27	10-14	23	10-26	[illegible]	12- 1	16	246	210	182	152	139
SHOSHONE	102	7-13	1	12-27	3- 2	14	3-31	18	5- 2	23	5-28	28	6- 6	32	9-29	28	9-29	28	10- 1	21	11-28	16	11-28	16	271	[illegible]	152	124	115
SPENCER RS	94	7-13	-20	12-28	5- 1	15	5- 2	18	5- 2	18	6-18	28	6-29	31	8-23	32	8-27	28	9-19	23	10- 1	20	10-12	15	[illegible]	152	[illegible]	70	[illegible]
SPRINGFIELD 1 SE	102	7-13	-11	12-28	4-10	16	4-12	18	5- 2	22	6- 2	28	6-19	32	9- 6	29	9-19	24	9-19	24	10-14	20	11-29	9	233	185	[illegible]	[illegible]	79
STIBNITE	90	7-14	-14	1-20	5- 2	13	6-11	19	6-18	22	6-29	27	6-29	27	7- 2	30	8-25	28	9-29	21	9-30	16	9-30	16	151	111	103	57	3
STREVELL	99	7-11	- 8	12-28	4-10	12	5-28	20	6- 2	24	6- 2	24	6-29	32	7-22	31	9-18	26	9-30	21	10-14	11	10-14	11	187	139	120	108	23
SUGAR	96	7-13	-20	12-27	-		-		5- 2	21	5- 2	21	6-18	31	8-27	30	9-19	27	9-30	22	10-14	18	10-27	16	-	-	151	[illegible]	70
SUN VALLEY	92	8- 2	-22	1-20+	4-12	14	6-18	19	6-18	19	6-29	27	6-29	27	7- 2	30	7-22	25	8-27	22	9- 6	18	9-18	16	159	80	70	23	3
SWAN FALLS PH	106	7- 4	12	12-20	1-20	15	3- 4	20	3- 5	22	3-31	27	5- 2	32	10-27	30	11-29	20	11-29	20	11-29	20	12-18	15	332	[illegible]	269	243	178
TETONIA EXP STA	94	7-13	-17	12-28	5- 1	16	5- 5	20	5- 6	24	6-29	27	6-29	27	7-22	30	9-19	26	9-29	23	9-30	18	10-14	14	166	148	146	82	23
THREE CREEK	101	8- 2	-12	1-26	5- 2	12	6- 2	18	6-29	22	6-29	22	6-29	22	7- 2	31	7-22	22	7-22	22	9- 6	20	9-30	8	151	96	23	23	3
TWIN FALLS 2 NNE	100	6-22+	2	12-28	3- 5	11	3-22	19	5- 2	24	5- 2	24	6- 2	31	9-19	31	9-30	28	10-27	21	11-29	12	11-29	12	269	252	178	151	109
TWIN FALLS 3 SE	101	7-14	2	12-28	3- 5	14	3-13	17	4-11	22	5- 2	27	5- 3	31	9-30	29	10-14	27	10-27	24	11-29	16	11-29	16	269	261	199	165	150
WALLACE	96	7- 6	- 7	1-20	3-30	11	5- 1	20	5- 1	20	5- 2	26	6-18	32	9-30	26	9-30	26	10-25	23	11-28	19	12-17	13	262	[illegible]	177	151	[illegible]
WALLACE WOODLAND PARK	-	-	-16	1-20	3-31	11	5- 1	18	5- 2	22	5- 3	28	6- 2	32	9-30	25	9-30	25	10- 1	23	11-28	20	12- 1	[illegible]	[illegible]	211	[illegible]	150	120
WEISER 1 S	100	7-13+	4	12-27	3- 5	16	3-31	17	5- 2	24	5- 2	24	5-28	32	9-29	30	9-30	27	10-14	23	10-27	20	11-30	14	270	210	165	151	124
WINCHESTER 1 SE	89	7- 6+	-19	1-20	3-30	10	5- 1	17	5- 2	23	5- 2	23	6-18	30	9-29	30	9-30	24	9-30	21	10-26	20	11-30	10	245	178	151	151	103

TOTAL EVAPORATION AND WIND MOVEMENT

Table 4

Station		Jan	Feb	Mar.	Apr.	May	June	July	Aug	Sept	Oct.	Nov	Dec	Annual
ABERDEEN EXP STA	EVAP	-	-	-	-	B8.51	8.18	10.40	10.06	7.26	3.55	-	-	-
	DEP	-	-	-	-	1.55	.77	1.54	2.22	2.13	.45	-	-	-
	WIND	4159	3278	3918	4776	3269	3776	2138	2362	2368	2252	2238	2138	36672
ARROWROCK DAM	EVAP	-	-	-	-	6.87	5.51	8.99	7.80	6.04	B3.06		-	-
	DEP	-	-	-	-	.48	- 1.75	- 1.65	- 1.67	.24	.65	-	-	
	WIND	-	-	-	-	1598	1150	819	864	826	B858	-	-	-
LIFTON PUMPING STA	EVAP	-	-	-	-	7.29	6.66	9.15	8.12	6.04	B3.59	-	-	-
	DEP	-	-	-	-	.77	- .95	- .12	- .31	.28	.61	-	-	-
	WIND	1935	1540	2049	1958	1859	1623	1240	1580	1428	1278	1552	1994	20036
MINIDOKA DAM	EVAP	-	-	-	-	9.73	9.65	12.80	12.20	9.00	4.76	B2.37	-	-
	DEP	-	-	-	-	-	-	-	-	-	-	-	-	-
	WIND	4110	4030	4320	3970	4020	4480	3220	3880	3430	3030	3430	4770	46690
MOSCOW U OF I	EVAP	-	-	-	3.67	5.18	4.85	7.75	5.52	3.97	-	-	-	-
	DEP	-	-	-	.59	.98	- .38	.01	- .59	.54	-	-		-
	WIND	-	-	-	2932	1730	2092	1278	1204	1180	-	-		-
PALISADES DAM	EVAP	-	-	-	-	6.04	5.32	7.93	B7.08	B5.08	-		-	-
	DEP	-	-	-	-	-	-	-	-	-	-	-	-	-
	WIND	-	-	-	2700	2653	1955	2343	2607	2382	-	-	-	-

See reference notes following Station Index.

STATION INDEX

Station	Index No.	County	Drainage†	Latitude	Longitude	Elevation	Years of record: Temp.	Years of record: Precip.	Years of record: Evap.	Opened or closed during yr: Month opened	Opened or closed during yr: Month closed	Refer to tables
ABERDEEN EXPERIMENT STATION	0010	BINGHAM	12	42 56	112 50	4400	40	40	19			1 2 3 4
[illegible]	0199	VALLEY	8	44 24	115 59	4780	31	31			OCT	1 2 3 C
AMERICAN FALLS 1 SW	0227	POWER	12	42 46	112 52	[illegible]	33	37				1 2 3
ANDERSON DAM	[illegible]	ELMORE	2	43 21	115 28	[illegible]	12	13				1 2 3
ARCO	[illegible]	BUTTE	6	43 38	113 18	5320	21	32				1 2 3
ARROWROCK DAM	[illegible]	[illegible]	2	[illegible]	[illegible]	[illegible]	[illegible]	41	38			1 2 3 4
ASHTON 1 S	[illegible]	FREMONT	12	44 05	111 27	[illegible]	17	47				1 2 3
ATLANTA 1 E	[illegible]	ELMORE	8	43 48	115 07	6000	5	7				1 2 3
ATLANTA SUMMIT	[illegible]	ELMORE	2	[illegible]	115 14	7590						S
AVERY RANGER STATION	[illegible]	SHOSHONE	10	47 15	115 48	2492	[illegible]	33				1 2 3
BALD MOUNTAIN	[illegible]	BLAINE	12	43 39	114 24	8700						C
[illegible]	[illegible]	BANNOCK	12	42 43	[illegible] 54	5285					NOV	C
BAYVIEW MODEL BASIN	[illegible]	KOOTENAI	9	47 59	[illegible] 33	2070	[illegible]	1				1 2 3
[illegible]	[illegible]	BONNER	9	48 21	116 50	2640						C
BIG CREEK	[illegible]	VALLEY	11	[illegible]	115 20	5686	10	12				1 2 3 C
BLACKFOOT	0915	BINGHAM	12	43 11	112 21	4503	50	52				1 2 3
BLACKFOOT DAM	0920	CARIBOU	12	43 00	111 43	6200	16	22	4			1 2 3 C
BLISS	1002	GOODING	12	42 56	114 57	3269	23	34				1 2 3
BOGUS BASIN	[illegible]	BOISE	2	43 46	116 06	6196						S
BOISE LUCKY PEAK DAM	[illegible]	ADA	2	43 32	[illegible]	2833	0	3				1 2 3 C
BOISE WB AIRPORT	1022	ADA	2	43 34	116 13	2842						1 2 3 C
BONNERS FERRY 1 SW	1079	BOUNDARY	5	48 41	116 19	1812	22	26				1 2 3 C
BUHL	1217	TWIN FALLS	12	42 35	114 46	3500	38	35				1 2 3
BUNGALOW RANGER STATION	1244	CLEARWATER	3	46 38	[illegible]	[illegible]	6	8				1 2 3
BURKE 2 NNE	[illegible]	SHOSHONE	4	47 32	115 48	[illegible]	15	15				1 2 3
BURLEY	[illegible]	CASSIA	12	42 32	113 47	4180	37	37				1 2 3
BURLEY FACTORY	[illegible]	CASSIA	12	42 33	113 48	4140	27	28				1 2 3 C
BURLEY CAA AIRPORT	[illegible]	CASSIA	12	42 32	113 46	4157	14	14				1 2 3
CALDWELL	[illegible]	CANYON	2	43 39	116 41	2372	49	48				1 2 3
CAMBRIDGE	[illegible]	WASHINGTON	12	44 34	[illegible] 41	2650	44	48				1 2 3
CASCADE [illegible]	[illegible]	VALLEY	8	44 32	116 03	4768	13	13				1 2 3 C
[illegible]	[illegible]	CLEARWATER	12	46 40	115 40	3714	0	0		SEP		C
CENTERVILLE ARBAUGH RANCH	[illegible]	BOISE	2	43 58	115 51	4780		5				2
CHALLIS	[illegible]	CUSTER	11	44 30	114 14	5171	34	38				1 2 3
CHILLY BARTON FLAT	[illegible]	CUSTER	6	44 02	113 48	6500	12	14				1 2 3
CLARK FORK 1 ENE	[illegible]	BONNER	9	[illegible]	116 10	2125	11	12				1 2 3 C
CLARKIA RANGER STATION	[illegible]	SHOSHONE	[illegible]	47 00	116 15	2800						C
[illegible]	[illegible]	[illegible]	13	42 40	117 00	5197	0			DEC		1 2 3
COBALT BLACKBIRD MINE	[illegible]	LEMHI	11	45 07	114 21	[illegible]	5	4				1 2 3
COEUR D'ALENE RANGER STATION	[illegible]	KOOTENAI	4	47 41	116 45	2160	40	42				1 2 3 C
[illegible]	[illegible]	CARIBOU	12	42 43	111 33	6200	10	14				1 2 3
[illegible]	[illegible]	[illegible]	3	46 03	[illegible]	3411	34	36				1 2 3
COTTONWOOD 2 SW	[illegible]	[illegible]	3	46 02	116 23	[illegible]						C
COUNCIL	2187	ADAMS	12	44 44	116 26	2936	34	36				1 2 3 C
CROUCH [illegible] NNW	[illegible]	BOISE	8	44 08	115 58	3100		[illegible]				2
DEADWOOD DAM	2385	VALLEY	8	44 19	115 38	5375	24	25				1 2 3 C
DEADWOOD SUMMIT	2395	VALLEY	11	44 32	115 34	7000						S
[illegible]	2422	KOOTENAI	4	47 14	116 29	3060						C
DEER FLAT DAM	[illegible]	CANYON	12	43 35	116 44	2510	12	34				1 2 3
DEER POINT	[illegible]	BOISE	12	43 45	[illegible] 06	7150	0	0		NOV		1 2 3 C
DIXIE	2575	IDAHO	11	45 33	115 28	[illegible]	2	2				1 2 3
DOLLARHIDE SUMMIT	2604	CAMAS	2	43 36	114 41	8650					AUG	C
DRIGGS	2676	TETON	12	43 43	111 07	6097	25	[illegible]				1 2 3
DUBOIS EXPERIMENT STATION	2707	CLARK	6	44 14	112 14	5462	23	23				1 2 3
DUBOIS CAA AIRPORT	2717	CLARK	6	44 10	112 13	5122	14	14				1 2 3 C
ELK CITY	[illegible]	IDAHO	3	45 49	[illegible] 26	3975	1	2				1 2 3
ELK RIVER 1 S	[illegible]	CLEARWATER	3	46 47	116 10	2910	[illegible]	[illegible]				1 2 3
EMMETT 2 E	2942	GEM	2	43 50	116 32	2500	36	41				1 2 3
FAIRFIELD RANGER STATION	[illegible]	CAMAS	12	43 21	114 48	5065	4	6				1 2 3
FAIRYLAWN	[illegible]	OWYHEE	13	42 33	117 00	4900	[illegible]	[illegible]		DEC		1 2 3
FENN RANGER STATION	3143	IDAHO	3	46 06	115 33	1600	24	28				1 2 3 C
FORT HALL INDIAN AGENCY	3297	BINGHAM	12	43 02	112 26	4500	32	37				1 2 3
GARDEN VALLEY RANGER STATION	[illegible]	BOISE	8	44 04	115 55	3147	16	41				1 2 3
GILMORE 8 MILE RANCH	[illegible]	CUSTER	11	44 19	113 31	6600						S
GLENNS FERRY	[illegible]	ELMORE	12	42 57	[illegible]	2569	29	32				1 2 3
GOODING	3677	GOODING	12	42 57	114 43	3569						C
GOODING CAA AIRPORT	3682	GOODING	12	42 55	114 46	3696	12	13				1 2 3
GRACE	3732	CARIBOU	1	42 35	111 44	5400	41	43				1 2 3 C
GRAND VIEW	[illegible]	OWYHEE	12	42 59	116 06	2600	22	26				1 2 3
GRANGEVILLE	[illegible]	IDAHO	3	45 56	116 08	3409	30	34				1 2 3
GRASMERE	3809	OWYHEE	12	42 23	115 53	5126	0	0				1 2 3
GRAY	3825	BONNEVILLE	12	43 03	111 22	6450	25	25				1 2 3
GROUSE	3882	CUSTER	6	43 42	113 37	6100	8	20				1 2 3
HAILEY AIRPORT	[illegible]	BLAINE	12	43 31	114 18	5322	46	47				1 2 3
HAMER [illegible]	[illegible]	JEFFERSON	6	43 59	112 15	4796	5	6				1 2 3
HAZELTON	4140	JEROME	12	42 36	114 08	4060	31	35				1 2 3
HILL CITY	4268	CAMAS	12	43 18	115 03	5000	22	26				1 2 3
HOLLISTER	4295	TWIN FALLS	12	42 21	114 35	4550	27	39				1 2 3
HOWE	4384	BUTTE	6	43 47	113 00	4820		18				2
IDAHO CITY	[illegible]	BOISE	2	43 50	115 50	3940	35	37				1 2 3
IDAHO CITY [illegible] SW	4450	BOISE	2	43 43	116 00	5000		41				[illegible]
IDAHO FALLS 6 NE	4455	BONNEVILLE	12	43 34	111 55	4840	2	2				1 2 3 C
IDAHO FALLS CAA AIRPORT	4457	BONNEVILLE	12	43 31	112 04	4730	24	24				1 2 3
IDAHO FALLS [illegible] NW WB	4459	BUTTE	6	43 51	112 42	4780	1	1		JAN		1 2 3 C
IDAHO FALLS 46 W WB	[illegible]	BUTTE	6	43 32	112 57	4933	2	2				1 2 3 C
IDAVADA	[illegible]	OWYHEE	2	42 01	115 19	6000						S
IRWIN 2 S	4588	BONNEVILLE	12	43 24	111 18	[illegible]	44	50				1 2 3
ISLAND PARK DAM	4598	FREMONT	12	44 25	[illegible]	6300	17	16				1 2 3
JACKSON PEAK	4612	BOISE	8	44 03	[illegible]	7050						S
JEROME	[illegible]	JEROME	12	[illegible] 44	[illegible]	[illegible]	[illegible]	38				1 2 3
KAMIAH 1 NE	[illegible]	LEWIS	3	46 14	[illegible]	1190		27				2
KELLOGG	4831	SHOSHONE	4	47 32	116 08	2305	47	49				1 2 3
KETCHUM 17 WSW	[illegible]	BLAINE	12	43 37	114 41	6121				AUG		C
KOOSKIA	5011	IDAHO	3	46 09	[illegible] 59	1261	[illegible]	16				1 2 3
KUNA 2 NNE	5038	ADA	2	43 31	116 24	2685	43	44				1 2 3
LANDMARK RANGER STATION	5110	VALLEY	11	44 40	115 32	[illegible]						S
LEADORE	5169	LEMHI	11	44 41	113 22	6100						C
LEWISTON WATER PLANT	5236	NEZ PERCE	3	46 25	117 01	743	51	52				1 2 3
LEWISTON WB AIRPORT	5241	NEZ PERCE	3	46 23	117 01	[illegible]	8	8				1 2 3 C
LIFTON PUMPING STATION	5275	BEAR LAKE	1	42 07	111 18	5926	35	35	20			1 2 3 4
LOLO PASS	5356	IDAHO	3	46 38	[illegible] 33	5700						S
LOWMAN	5414	BOISE	8	44 05	[illegible]	3870	19	43				1 2 3 S
MACKAY RANGER STATION	5462	CUSTER	6	43 55	113 37	5897	40	46				1 2 3 C
MALAD	5544	ONEIDA	1	42 11	112 16	[illegible]	35	38				1 2 3 C
MALAD CAA AIRPORT	5559	ONEIDA	1	42 10	112 19	4480	8	9				1 2 3
MALTA RANGER STATION	[illegible]	CASSIA	12	[illegible]	[illegible] 22	4543						C
MAY RANGER STATION	5685	LEMHI	11	44 36	[illegible] 55	5066	17	20				1 2 3
MC CALL	5705	VALLEY	8	44 54	116 07	5025	35	39				1 2 3
MC CAMMON	5716	BANNOCK	12	42 39	112 12	[illegible]	5	5				1 2 3
MERIDIAN 1 W	5841	ADA	2	43 37	116 25	2620	59	44				1 2 3
MESA	5859	ADAMS	12	44 37	[illegible] 26	3244	7	6				1 2 3
MINIDOKA DAM	5980	MINIDOKA	12	42 40	113 29	4280	7	7	7			1 2 3 4
MONTPELIER RANGER STATION	6053	BEAR LAKE	1	42 19	111 18	5943	32	37				1 2 3
MOORE CREEK SUMMIT	6077	BOISE	2	43 56	115 40	5490						CS
MOOSE CREEK RANGER STATION	6087	IDAHO	[illegible]	46 08	[illegible]	[illegible]						C
MOSCOW UNIVERSITY OF IDAHO	[illegible]	LATAH	7	46 44	117 00	2628	59	63	15			1 2 3 4
MOUNTAIN HOME 1 NE	6174	ELMORE	12	43 08	115 42	3180	42	45				1 2 3 C
MULLAN PASS CAA	6237	SHOSHONE	4	47 27	[illegible] 41	[illegible]	13	13				1 2 3
NAMPA 2 NW	6300	CANYON	2	43 37	[illegible]	[illegible]	9	9				1 2 3
NEW MEADOWS RANGER STATION	6388	ADAMS	11	44 58	116 17	3866	38	40				1 2 3
NEZPERCE 3 E	6424	LEWIS	3	46 15	116 12	[illegible]	42	44				1 2 3
NEZ PERCE PASS	[illegible]	LEMHI	11	45 43	[illegible] 30	6575						S
OAKLEY	6542	CASSIA	12	42 14	113 53	4600	52	51				1 2 3
OBSIDIAN 4 NNE	6553	CUSTER	12	44 03	114 48	6900	28	30				1 2 3
OLA 5 S	[illegible]	GEM	8	44 07	116 17	2962	3	3				1 2 3 C
OROFINO	6681	CLEARWATER	3	46 29	116 15	1027	44	47				1 2 3
PALISADES DAM	6764	BONNEVILLE	12	43 22	111 14	5392	6	[illegible]	[illegible]			1 2 3 4
PARMA EXPERIMENT STATION	[illegible]	CANYON	2	43 47	[illegible]	2224	28	[illegible]				1 2 3
PAUL 1 E	6877	MINIDOKA	12	42 37	[illegible]	4200	17	16				1 2 3
PAYETTE	6891	PAYETTE	8	44 04	[illegible] 56	2159	[illegible]	55				1 2 3
PIERCE RANGER STATION	7049	CLEARWATER	3	46 30	[illegible] 48	3175	14	26				1 2 3 C
PINE 1 N	7077	ELMORE	2	43 30	115 18	4220						S
PINE 2 S	7079	ELMORE	2	43 28	115 19	4225		42			SEP	2
PLUMMER 3 WSW	7188	BENEWAH	4	47 19	116 57	2970						C
POCATELLO WB AIRPORT	7211	BANNOCK	12	42 55	112 36	[illegible]						1 2 3 C
PORTHILL	7264	BOUNDARY	5	49 00	116 30	[illegible]	58	59				1 2 3
POTLATCH 1 SE	7301	LATAH	7	46 54	116 52	[illegible]	34	34				1 2 3
PRAIRIE	7327	ELMORE	2	43 30	[illegible]	[illegible]						C
PRESTON SUGAR FACTORY 2 SE	7353	FRANKLIN	1	42 05	111 52	4718	30	31				1 2 3
PRIEST RIVER EXPERIMENT STA	7386	BONNER	9	48 21	[illegible]	2380	42	43				1 2 3
PUNGO CREEK	7433	VALLEY	11	44 45	115 04	4800						S
PUTNAM MOUNTAIN	[illegible]	BINGHAM	12	43 02	112 03	[illegible]						S
RICHFIELD	7673	LINCOLN	12	43 04	114 09	4306	29	30				1 2 3
RIGGINS RANGER STATION	7706	IDAHO	11	45 25	116 [illegible]	1840	22	30				1 2 3
ROLAND WEST PORTAL	[illegible]	SHOSHONE	10	47 21	115 40	4150	32	32			MAR	1 2 3
RUPERT	7966	MINIDOKA	12	42 37	113 41	4204	47	48				1 2 3
SAINT ANTHONY	[illegible]	FREMONT	12	43 58	111 40	4968	10	11				1 2 3
SAINT MARIES	8062	BENEWAH	10	47 19	[illegible] 34	2110	46	19				1 2 3
SALMON	[illegible]	LEMHI	11	45 11	[illegible] 53	3949	43	43				1 2 3
SANDPOINT EXPERIMENT STATION	8137	BONNER	9	48 17	116 34	2100	43	44				1 2 3 C
SHAKE CREEK RANGER STATION	8303	ELMORE	2	43 37	115 10	4730						S
SHOSHONE	8380	LINCOLN	12	42 57	114 24	3961	45	45				1 2 3
SOLDIER CREEK RANGER STATION	8548	CAMAS	12	43 [illegible]	114 50	5755						S
SPENCER RANGER STATION	8604	CLARK	6	44 21	112 11	5883	23	30				1 2 3
SPRINGFIELD 1 SE	8626	BINGHAM	12	43 04	112 41	4405	39	45				1 2 3
STIBNITE	8738	VALLEY	11	44 54	115 20	6550	4	4				1 2 3
STREVELL	8786	CASSIA	12	42 01	113 13	5280	10	12				1 2 3
SUGAR	8818	MADISON	12	43 53	111 45	4886	29	42				1 2 3
SUN VALLEY	8906	BLAINE	12	43 41	114 21	5821	15	17				1 2 3 C
SWAN FALLS POWER HOUSE	8928	ADA	12	43 15	116 23	2323	17	18				1 2 3
TETONIA EXPERIMENT STATION	9065	TETON	12	43 51	111 16	5904	17	20				1 2 3 C
THREE CREEK	9119	OWYHEE	12	42 03	115 10	5400	5	9				1 2 3
TRINITY LAKE GUARD STATION	9202	ELMORE	2	43 38	115 26	7400						S
TROUTDALE GUARD STATION	9233	ELMORE	2	43 43	115 38	3475						S
TWIN FALLS 2 NNE	9294	TWIN FALLS	12	42 35	114 28	3770	47	49				1 2 3
TWIN FALLS 3 SE SUG FACTORY	9299	TWIN FALLS	12	42 32	114 25	3770	25	30				1 2 3
VIENNA	9422	BLAINE	11	43 49	114 51	8800						S
WALLACE	9493	SHOSHONE	4	47 28	115 56	2770	43	45				1 2 3
WALLACE WOODLAND PARK	9498	SHOSHONE	4	47 30	115 53	2950	31	33				1 2 3 C
WEISER 1 S	9638	WASHINGTON	12	44 14	116 57	2120	41	43				1 2 3
WINCHESTER 1 SE	9840	LEWIS	3	46 14	116 36	3950	15	15				1 2 3
YELLOW PINE	9950	VALLEY	11	44 58	115 29	4760					OCT	S

† 1 BEAR, 2 BOISE, 3 CLEARWATER, 4 COEUR D'ALENE, 5 KOOTENAI, 6 LOST, 7 PALOUSE, 8 PAYETTE, 9 PEND OREILLE, 10 ST JOE, 11 SALMON, 12 SNAKE.
LENGTH OF RECORD, IN YEARS, HAS BEEN REVISED TO SHOW THE TOTAL NUMBER OF YEARS IN WHICH RECORDS ARE COMPLETE FOR ALL 12 MONTHS OF THE YEAR EXCEPT FOR "EVAPORATION" STATIONS IN WHICH CASE THE NUMBER OF COMPLETE RECORDS FOR THE SEASON BETWEEN FREEZING IN SPRING AND AUTUMN IS SHOWN.

REFERENCE NOTES

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F; precipitation and evaporation in inches, and wind movement in miles.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 4.

The four digit identification numbers in the Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried in the June and December issues of Climatological Data.

- No record.
+ Also later date (dates) or months.
* Amount included in following measurement.
// Gage is equipped with a windshield.
B Adjusted to full month.
C Data for recorder stations denoted by "C" are processed for special purposes and published in "Hourly Precipitation Data". Length of record for recorder-only stations may be found in the annual issue of "Hourly Precipitation Data".
E Amount is wholly or partially estimated.
M Less than a complete month of record available; if average value is entered, less than 10 days of record are missing. See monthly Climatological Data for detailed daily record.
R Data from recording gage.
T Trace, an amount too small to measure.
V Includes total for previous months. V in annual column means total is for a two-year period.
S Storage precipitation station. Data will be published in the July or August or delayed data December issue of Climatological Data.

Additional information regarding the climate of Idaho may be obtained by writing to any Weather Bureau Office or to the State Climatologist at, Weather Bureau Airport Station, Box 1718, Boise Idaho.

Subscription Price: 20 cents per copy, monthly and annual; $2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC, Asheville, N.C. --- 4/15/55 --- 1000


IDAHO
STATUTE MILES
0 10 20 30 40
STATION LEGEND
Precipitation only
Precipitation storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Section Center
Type of gage ○ Non-recording:
● Recording: ◑ Both types
Double ... Complete M...
Hourly precipitation data from recorder stations will be available in the publication Hourly Precipitation Data
NORTHERN
SOUTHWESTERN
SOUTHEASTERN
Porthill
Metaline Falls
Bonners Ferry 1 SW
Libby 1 NE RS
Priest Riv Exp Sta
Chewelah 2 S
Newport
Sandpoint Exp Sta
Clark Fork
Mt Spokane Summit
Trout Creek 2 W
Deception Cr
Coeur d Alene
Thompson Falls
Kellogg
Wallace
Mullan Pass CAA
Saint Maries
Avery RS
Superior
Clarkia RS
Missoula WB AP
Missoula 2 WNW
Lolo Pass
Stevensville
Pierce RS
Kamiah 1NE
Kooskia
Moose Creek RS
Hamilton
Fenn RS
Darby 2 NNW
Grangeville
Elk City
Nez Perce Pass
Dixie
Wisdom
Riggins RS
Jackson
Polaris
Salmon
New Meadows RS
Elk Creek 1 S
Yellow Pine
Cobalt Blackbird Mine
Grant 6 NW
Halfway
Stibnite
Pungo Creek
Landmark RS
Leadore
Lima
Deadwood Summit
Cascade 1NW
Cambridge
May RS
Challis
West Yellowstone
Huntington
Gilmore Summit RS
Payette
Lowman
Obsidian 4NNE
Garden Valley RS
Jackson Peak
Chilly Barton Flat
St Anthony
Centerville Arbaugh Ranch
Moore Cr Summit
Emmett 2 E
Boise Basin
Mackay RS
Idaho Falls 43 NW WB
Vienna
Atlanta
Sun Valley
Idaho Cy 13SW
Troutdale GS
Nampa 2NW
Meridian 1 W
Shake Cr RS
Deer Flat Dam
Trinity Lake GS
Dollarhide Summit
Bald Mtn
Arco
Alta
Idaho Falls 46 W WB
Idaho Falls 6 NE
Idaho Falls AA AP
Hailey AP
Prairie
Boise WB AP
Anderson Dam
Fairfield RS
Swan Falls PH
Hill City
Mountain Home
Richfield
Grand View
Bliss
Shoshone
Gooding
Fort Hall Ind Ag
Aberdeen Exp Sta
Jerome
American Falls 1 NW
Minidoka Dam
Buhl
Burley Factory
Rupert
Twin Falls 3NE
Burley CAA AP
McCammon
Hollister
Grasmere
Montpelier 43
Oakley
Malad
Three Creek
Lifton
Laketown
Park Valley
Snake River
Moran
Jackson
Hebgen Dam
Revised 1954